

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

CANADA

NUMERATOR OF
PERCENTAGE
('000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	73.9	73.6	73.2	72.1	70.2	68.2	66.2	64.1	61.9	59.6	57.3	52.3	40.5	23.4
2	52.3	52.1	51.8	51.0	49.6	48.2	46.8	45.3	43.8	42.2	40.5	37.0	28.7	16.5
3	42.7	42.5	42.3	41.6	40.5	39.4	38.2	37.0	35.7	34.4	33.1	30.2	23.4	13.5
4	37.0	36.8	36.6	36.1	35.1	34.1	33.1	32.0	30.9	29.8	28.7	26.2	20.3	11.7
5	33.1	32.9	32.8	32.2	31.4	30.5	29.6	28.7	27.7	26.7	25.6	23.4	18.1	10.5
6	30.2	30.1	29.9	29.4	28.7	27.8	27.0	26.2	25.3	24.4	23.4	21.4	16.5	9.6
7	27.9	27.8	27.7	27.3	26.5	25.8	25.0	24.2	23.4	22.5	21.7	19.8	15.3	8.8
8	26.1	26.0	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	18.5	14.3	8.3
9	24.6	24.5	24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
10	23.4	23.3	23.2	22.8	22.2	21.6	20.9	20.3	19.6	18.9	18.1	16.5	12.8	7.4
11	22.3	22.2	22.1	21.7	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1
12	21.3	21.2	21.1	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.8
13	20.5	20.4	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.5	15.9	14.5	11.2	6.5
14	19.8	19.7	19.6	19.3	18.8	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.3
15	19.1	19.0	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0
16	*****	18.4	18.3	18.0	17.5	17.1	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
17	*****	17.9	17.8	17.5	17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7
18	*****	17.4	17.3	17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
19	*****	16.9	16.8	16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4
20	*****	16.5	16.4	16.1	15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
21	*****	16.1	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
22	*****	15.7	15.6	15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
23	*****	15.3	15.3	15.0	14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9
24	*****	15.0	14.9	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
25	*****	14.7	14.6	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
30	*****	13.4	13.4	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
35	*****	12.4	12.4	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0
40	*****	11.6	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
45	*****	11.0	10.9	10.7	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5
50	*****	10.4	10.4	10.2	9.9	9.6	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
55	*****	9.9	9.9	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2
60	*****	9.5	9.5	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.8	5.2	3.0
65	*****	9.1	9.1	8.9	8.7	8.5	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
70	*****	8.8	8.8	8.6	8.4	8.2	7.9	7.7	7.4	7.1	6.8	6.3	4.8	2.8
75	*****	8.5	8.5	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
80	*****	8.2	8.2	8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
85	*****	8.0	7.9	7.8	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
90	*****	7.8	7.7	7.6	7.4	7.2	7.0	6.8	6.5	6.3	6.0	5.5	4.3	2.5
95	*****	7.6	7.5	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
100	*****	7.4	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
125	*****	6.6	6.6	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
150	*****	6.0	6.0	5.9	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
200	*****	5.2	5.2	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7
250	*****	4.6	4.6	4.4	4.4	4.3	4.2	4.1	3.9	3.8	3.6	3.3	2.6	1.5
300	*****	4.2	4.2	4.1	4.1	3.9	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.4
350	*****	3.9	3.9	3.8	3.8	3.6	3.5	3.4	3.3	3.2	3.1	2.8	2.2	1.3
400	*****	3.6	3.6	3.5	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
450	*****	3.4	3.4	3.3	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.5	1.9	1.1
500	*****	3.2	3.2	3.1	3.1	3.1	3.0	2.9	2.8	2.7	2.6	2.3	1.8	1.0
750	*****	2.6	2.6	2.5	2.5	2.5	2.4	2.3	2.3	2.2	2.1	1.9	1.5	0.9
1000	*****	2.2	2.2	2.2	2.2	2.2	2.2	2.1	2.0	2.0	1.9	1.7	1.3	0.7

1500	*****	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.0	0.6
2000	*****		1.5	1.5	1.4	1.4	1.3	1.3	1.2	0.9	0.5
3000	*****			1.2	1.2	1.1	1.1	1.0	1.0	0.7	0.4
4000	*****					1.0	0.9	0.9	0.8	0.6	0.4
5000	*****						0.8	0.8	0.7	0.6	0.3
6000	*****							0.7	0.7	0.5	0.3
7000	*****								0.6	0.5	0.3
8000	*****									0.5	0.3
9000	*****									0.4	0.2
10000	*****									0.4	0.2
12500	*****										0.2

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS. 00000570
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE 00000580
THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES 00000590
THE SAMPLING VARIABILITY. 00000600
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, 00000610
USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE 00000620
COLUMN CLOSEST TO THE PERCENTAGE. 00000630
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN 00000640
GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE 00000650
EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL. 00000660

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

NEWFOUNDLAND

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	38.6	38.4	37.8	36.8	35.8	34.7	33.6	32.5	31.3	30.1	27.4	21.3	12.3
2	*****	27.3	27.2	26.8	26.0	25.3	24.6	23.8	23.0	22.1	21.3	19.4	15.0	8.7
3	*****	22.3	22.2	21.8	21.3	20.7	20.0	19.4	18.8	18.1	17.4	15.8	12.3	7.1
4	*****		19.2	18.9	18.4	17.9	17.4	16.8	16.2	15.6	15.0	13.7	10.6	6.1
5	*****		17.2	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
6	*****		15.7	15.4	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
7	*****			14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
8	*****			13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
9	*****			12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
10	*****			12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
11	*****			11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
12	*****			10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
13	*****			10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
14	*****			10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
15	*****			9.8	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
16	*****			9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
17	*****				8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
18	*****				8.7	8.4	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
19	*****				8.4	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
20	*****				8.2	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7
21	*****				8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
22	*****				7.9	7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
23	*****				7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
24	*****				7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5
25	*****				7.4	7.2	6.9	6.7	6.5	6.3	6.0	5.5	4.3	2.5
30	*****				6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
35	*****				6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.6	3.6	2.1
40	*****					5.7	5.5	5.3	5.1	4.9	4.8	4.3	3.4	1.9
45	*****					5.3	5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8
50	*****						4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7
55	*****						4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7
60	*****						4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6
65	*****							4.2	4.0	3.9	3.7	3.4	2.6	1.5
70	*****							4.0	3.9	3.7	3.6	3.3	2.5	1.5
75	*****							3.9	3.8	3.6	3.5	3.2	2.5	1.4
80	*****							3.8	3.6	3.5	3.4	3.1	2.4	1.4
85	*****								3.5	3.4	3.3	3.0	2.3	1.3
90	*****								3.4	3.3	3.2	2.9	2.2	1.3
95	*****								3.3	3.2	3.1	2.8	2.2	1.3
100	*****									3.1	3.0	2.7	2.1	1.2
125	*****										2.7	2.5	1.9	1.1
150	*****											2.2	1.7	1.0
200	*****												1.5	0.9
250	*****													0.8

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS. 00000570
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE 00000580
THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES 00000590
THE SAMPLING VARIABILITY. 00000600

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

P.E.I.

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****		26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5		
2	*****			18.5	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0		
3	*****			15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9		
4	*****				12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2		
5	*****				11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8		
6	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5		
7	*****				9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2		
8	*****					8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0		
9	*****					8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8		
10	*****					7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7		
11	*****						7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6		
12	*****						6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4		
13	*****						6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.3		
14	*****						6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3		
15	*****							6.0	5.8	5.6	5.4	4.9	3.8	2.2		
16	*****							5.8	5.6	5.4	5.2	4.7	3.7	2.1		
17	*****							5.6	5.4	5.2	5.0	4.6	3.6	2.1		
18	*****								5.3	5.1	4.9	4.5	3.5	2.0		
19	*****								5.1	5.0	4.8	4.3	3.4	1.9		
20	*****								5.0	4.8	4.6	4.2	3.3	1.9		
21	*****								4.9	4.7	4.5	4.1	3.2	1.8		
22	*****									4.6	4.4	4.0	3.1	1.8		
23	*****									4.5	4.3	3.9	3.1	1.8		
24	*****									4.4	4.2	3.9	3.0	1.7		
25	*****										4.1	3.8	2.9	1.7		
30	*****											3.5	2.7	1.5		
35	*****												3.2	2.5	1.4	
40	*****													2.3	1.3	
45	*****														2.2	1.3
50	*****															1.2
55	*****															1.1
60	*****															1.1

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS. 00000570
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS, LOCATE 00000580
THE ROW CLOSEST TO THE ESTIMATED TOTAL. THE LEFT-MOST COLUMN GIVES 00000590
THE SAMPLING VARIABILITY. 00000600
- (3) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF PERCENTAGES, 00000610
USE THE ROW CLOSEST TO THE NUMERATOR OF THE PERCENTAGE AND THE 00000620
COLUMN CLOSEST TO THE PERCENTAGE. 00000630
- (4) SAMPLING VARIABILITIES IN THIS TABLE ARE CRUDE INDICATORS AND IN 00000640
GENERAL ARE HIGHER THAN THOSE THAT WOULD BE OBTAINED USING MORE 00000650
EXACT TECHNIQUES. UNDER NO CIRCUMSTANCES ARE THEY OFFICIAL. 00000660

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

NOVA SCOTIA

NUMERATOR OF
PERCENTAGE
('000)

ESTIMATED PERCENTAGE

	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	44.5	44.2	43.6	42.4	41.2	40.0	38.7	37.4	36.0	34.6	31.6	24.5	14.1
2	*****	31.4	31.3	30.8	30.0	29.1	28.3	27.4	26.4	25.5	24.5	22.3	17.3	10.0
3	*****	25.7	25.5	25.2	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2
4	*****	22.2	22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.2	7.1
5	*****	19.9	19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
6	*****	18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	13.6	12.9	10.0	5.8
7	*****	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.6	11.9	9.3	5.3
8	*****	15.6	15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.7	11.2	8.7	5.0
9	*****	14.7	14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	11.0	10.5	8.2	4.7
10	*****	14.0	13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.4	10.0	7.7	4.5
11	*****	13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	10.0	9.6	9.1	7.1	4.1
12	*****	12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.6	9.2	8.8	6.8	3.9
13	*****	12.1	11.8	11.4	11.1	10.7	10.3	10.0	9.6	9.3	8.9	8.4	6.5	3.8
14	*****	11.6	11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.7	8.2	6.3	3.6
15	*****	11.2	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.7	8.4	7.9	6.1	3.5
16	*****	10.9	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.7	5.9	3.4
17	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.4	5.8	3.3
18	*****	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.6	7.3	5.6	3.2
19	*****	10.0	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.4	7.1	5.5	3.2
20	*****	9.7	9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.5	7.2	6.9	5.3	3.1
21	*****	9.5	9.3	9.0	8.7	8.4	8.2	7.9	7.6	7.3	7.0	6.7	5.2	3.0
22	*****	9.3	9.0	8.8	8.5	8.3	8.1	7.8	7.5	7.2	6.9	6.6	5.1	2.9
23	*****	9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.9	6.6	6.3	4.9	2.8
24	*****	8.9	8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.8	6.5	6.2	4.8	2.7
25	*****	8.7	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.6	6.3	6.0	4.7	2.6
30	*****	7.7	7.5	7.3	7.1	6.8	6.5	6.3	6.1	5.9	5.7	5.5	4.4	2.5
35	*****	7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.1	2.4
40	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.7	3.9	2.2
45	*****	6.3	6.1	6.0	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.5	3.7	2.1
50	*****	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.5	2.0
55	*****	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.1	1.9
60	*****	5.3	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	2.9	1.8
65	*****	5.1	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.2	2.7	1.7
70	*****	4.9	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.6	3.4	2.8	1.6
75	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.6	3.4	3.2	2.7	1.6
80	*****	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.2	2.6	1.5
85	*****	4.3	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.5	1.5
90	*****	4.2	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	2.4	1.4
95	*****	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.3	1.3
100	*****	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.2	1.2
125	*****	3.5	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	1.9	1.1
150	*****	3.1	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.6	1.0
200	*****	2.4	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.1	0.9
250	*****	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8
300	*****	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.4	0.7
350	*****	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.7
400	*****	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.7
450	*****	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.7

NOTES:

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

NEW BRUNSWICK

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	39.0	38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4
2	*****	27.6	27.4	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
3	*****	22.5	22.4	22.1	21.5	20.9	20.2	19.6	18.9	18.3	17.5	16.0	12.4	7.2
4	*****	19.5	19.4	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2
5	*****	*****	17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
6	*****	*****	15.8	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
7	*****	*****	14.7	14.4	14.1	13.7	13.3	12.8	12.4	11.9	11.5	10.5	8.1	4.7
8	*****	*****	13.7	13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4
9	*****	*****	*****	12.7	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
10	*****	*****	*****	12.1	11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
11	*****	*****	*****	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7
12	*****	*****	*****	11.0	10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
13	*****	*****	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
14	*****	*****	*****	10.2	9.9	9.7	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
15	*****	*****	*****	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
16	*****	*****	*****	9.6	9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
17	*****	*****	*****	9.3	9.0	8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
18	*****	*****	*****	9.0	8.8	8.5	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
19	*****	*****	*****	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.4	4.9	2.8
20	*****	*****	*****	8.5	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
21	*****	*****	*****	8.1	7.9	7.7	7.4	7.2	7.2	6.9	6.6	6.1	4.7	2.7
22	*****	*****	*****	7.9	7.7	7.5	7.2	7.0	6.7	6.5	6.2	5.9	4.6	2.6
23	*****	*****	*****	7.8	7.5	7.3	7.1	6.8	6.6	6.3	5.8	5.4	4.5	2.6
24	*****	*****	*****	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	5.4	4.4	2.5
25	*****	*****	*****	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	5.4	4.3	2.5
30	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.5	5.1	4.7	3.9	2.3
35	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	4.4	3.6	2.1
40	*****	*****	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.4	4.4	3.4	2.0
45	*****	*****	*****	5.4	5.2	5.1	4.9	4.7	4.5	4.3	4.1	3.7	3.0	1.8
50	*****	*****	*****	5.1	5.0	4.8	4.6	4.5	4.3	4.1	3.9	3.7	3.0	1.8
55	*****	*****	*****	4.9	4.7	4.6	4.4	4.3	4.1	3.9	3.7	3.6	2.9	1.7
60	*****	*****	*****	4.7	4.5	4.4	4.2	4.1	3.9	3.8	3.6	3.4	2.7	1.6
65	*****	*****	*****	4.3	4.2	4.1	3.9	3.8	3.6	3.5	3.3	3.2	2.6	1.5
70	*****	*****	*****	4.2	4.1	3.9	3.8	3.7	3.5	3.4	3.3	3.0	2.3	1.3
75	*****	*****	*****	4.0	3.9	3.8	3.7	3.5	3.4	3.2	3.1	2.8	2.2	1.3
80	*****	*****	*****	3.9	3.8	3.7	3.5	3.4	3.2	3.1	2.9	2.7	2.1	1.2
85	*****	*****	*****	3.7	3.6	3.5	3.3	3.2	3.1	2.9	2.8	2.5	1.9	1.1
90	*****	*****	*****	3.6	3.5	3.4	3.2	3.1	2.9	2.8	2.5	2.3	1.8	1.0
95	*****	*****	*****	3.5	3.4	3.2	3.1	2.9	2.8	2.5	2.3	2.0	1.5	0.9
100	*****	*****	*****	3.4	3.3	3.2	3.0	2.8	2.7	2.5	2.3	2.0	1.5	0.9
125	*****	*****	*****	2.8	2.7	2.5	2.3	2.1	2.0	1.8	1.6	1.4	1.1	0.8
150	*****	*****	*****	2.5	2.3	2.1	1.9	1.7	1.6	1.4	1.2	1.0	0.8	0.7
200	*****	*****	*****	2.0	1.8	1.6	1.4	1.2	1.1	1.0	0.8	0.7	0.6	0.5
250	*****	*****	*****	1.4	1.2	1.0	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1
300	*****	*****	*****	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1
350	*****	*****	*****	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1

NOTES:

- (1) SAMPLING VARIABILITIES (COEFFICIENTS OF VARIATION) ARE IN PERCENTS. 00000570
- (2) TO DETERMINE SAMPLING VARIABILITIES FOR ESTIMATES OF TOTALS LOCATE 00000580

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

QUEBEC

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	85.1	84.7	84.3	83.0	80.8	78.5	76.2	73.7	71.2	68.6	65.9	60.2	46.6	26.9
2	60.2	59.9	59.6	58.7	57.1	55.5	53.8	52.1	50.4	48.5	46.6	42.6	33.0	19.0
3	49.1	48.9	48.7	47.9	46.6	45.3	44.0	42.6	41.1	39.6	38.1	34.8	26.9	15.5
4	42.5	42.4	42.1	41.5	40.4	39.2	38.1	36.9	35.6	34.3	33.0	30.1	23.3	13.5
5	*****	37.9	37.7	37.1	36.1	35.1	34.1	33.0	31.9	30.7	29.5	26.9	20.9	12.0
6	*****	34.6	34.4	33.9	33.0	32.0	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
7	*****	32.0	31.9	31.4	30.5	29.7	28.8	27.9	26.9	25.9	24.9	22.8	17.6	10.2
8	*****	30.0	29.8	29.3	28.6	27.8	26.9	26.1	25.2	24.3	23.3	21.3	16.5	9.5
9	*****	28.2	28.1	27.7	26.9	26.2	25.4	24.6	23.7	22.9	22.0	20.1	15.5	9.0
10	*****	26.8	26.7	26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.9	19.0	14.7	8.5
11	*****	25.5	25.4	25.0	24.4	23.7	23.0	22.2	21.5	20.7	19.9	18.2	14.1	8.1
12	*****	24.5	24.3	24.0	23.3	22.7	22.0	21.3	20.6	19.8	19.0	17.4	13.5	7.8
13	*****	23.5	23.4	23.0	22.4	21.8	21.1	20.4	19.8	19.0	18.3	16.7	12.9	7.5
14	*****	22.6	22.5	22.2	21.6	21.0	20.4	19.7	19.0	18.3	17.6	16.1	12.5	7.2
15	*****	21.9	21.8	21.4	20.9	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	7.0
16	*****	21.2	21.1	20.7	20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.1	11.7	6.7
17	*****	20.5	20.4	20.1	19.6	19.0	18.5	17.9	17.3	16.6	16.0	14.6	11.3	6.5
18	*****	20.0	19.9	19.6	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3
19	*****	19.4	19.3	19.0	18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2
20	*****	18.9	18.8	18.6	18.1	17.6	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0
21	*****	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
22	*****	18.1	18.0	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7
23	*****	17.7	17.6	17.3	16.8	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
24	*****	17.3	17.2	16.9	16.5	16.0	15.5	15.1	14.5	14.0	13.5	12.3	9.5	5.5
25	*****	16.9	16.9	16.6	16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
30	*****	15.5	15.4	15.2	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9
35	*****	14.3	14.2	14.0	13.7	13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.6
40	*****	13.4	13.3	13.1	12.8	12.4	12.0	11.7	11.3	10.9	10.4	9.5	7.4	4.3
45	*****	*****	12.6	12.4	12.0	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
50	*****	*****	11.9	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
55	*****	*****	11.4	11.2	10.9	10.6	10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6
60	*****	*****	10.9	10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
65	*****	*****	10.5	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
70	*****	*****	10.1	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
75	*****	*****	9.7	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
80	*****	*****	9.4	9.3	9.0	8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
85	*****	*****	*****	9.0	8.8	8.5	8.3	8.0	7.7	7.4	7.2	6.5	5.1	2.9
90	*****	*****	*****	8.7	8.5	8.3	8.0	7.8	7.5	7.2	7.0	6.3	4.9	2.8
95	*****	*****	*****	8.5	8.3	8.1	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
100	*****	*****	*****	8.3	8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
125	*****	*****	*****	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
150	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
200	*****	*****	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.9	4.7	4.3	3.3	1.9
250	*****	*****	*****	*****	5.1	5.0	4.8	4.7	4.5	4.3	4.2	3.8	2.9	1.7
300	*****	*****	*****	*****	4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6
350	*****	*****	*****	*****	4.3	4.2	4.1	3.9	3.8	3.7	3.5	3.2	2.5	1.4
400	*****	*****	*****	*****	4.0	3.9	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.3
450	*****	*****	*****	*****	*****	3.7	3.6	3.5	3.4	3.2	3.1	2.8	2.2	1.3
500	*****	*****	*****	*****	*****	3.5	3.4	3.3	3.2	3.1	2.9	2.7	2.1	1.2
750	*****	*****	*****	*****	*****	*****	2.8	2.7	2.6	2.5	2.4	2.2	1.7	1.0
1000	*****	*****	*****	*****	*****	*****	*****	2.3	2.3	2.2	2.1	1.9	1.5	0.9

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

ONTARIO

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	89.8	89.4	89.0	87.6	85.3	82.8	80.4	77.8	75.2	72.4	69.6	63.5	49.2	28.4
2	63.5	63.2	62.9	61.9	60.3	58.6	56.8	55.0	53.2	51.2	49.2	44.9	34.8	20.1
3	51.9	51.6	51.4	50.6	49.2	47.8	46.4	44.9	43.4	41.8	40.2	36.7	28.4	16.4
4	44.9	44.7	44.5	43.8	42.6	41.4	40.2	38.9	37.6	36.2	34.8	31.8	24.6	14.2
5	40.2	40.0	39.8	39.2	38.1	37.1	35.9	34.8	33.6	32.4	31.1	28.4	22.0	12.7
6	*****	36.5	36.3	35.8	34.8	33.8	32.8	31.8	30.7	29.6	28.4	25.9	20.1	11.6
7	*****	33.8	33.6	33.1	32.2	31.3	30.4	29.4	28.4	27.4	26.3	24.0	18.6	10.7
8	*****	31.6	31.5	31.0	30.1	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.0
9	*****	29.8	29.7	29.2	28.4	27.6	26.8	25.9	25.1	24.1	23.2	21.2	16.4	9.5
10	*****	28.3	28.1	27.7	27.0	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0
11	*****	27.0	26.8	26.4	25.7	25.0	24.2	23.5	22.7	21.8	21.0	19.2	14.8	8.6
12	*****	25.8	25.7	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2
13	*****	24.8	24.7	24.3	23.6	23.0	22.3	21.6	20.9	20.1	19.3	17.6	13.7	7.9
14	*****	23.9	23.8	23.4	22.8	22.1	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6
15	*****	23.1	23.0	22.6	22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
16	*****	22.4	22.2	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
17	*****	21.7	21.6	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
18	*****	21.1	21.0	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
19	*****	20.5	20.4	20.1	19.6	19.0	18.4	17.9	17.2	16.6	16.0	14.6	11.3	6.5
20	*****	20.0	19.9	19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
21	*****	19.5	19.4	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2
22	*****	19.1	19.0	18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
23	*****	18.6	18.5	18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.2	10.3	5.9
24	*****	18.3	18.2	17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
25	*****	17.9	17.8	17.5	17.1	16.6	16.1	15.6	15.0	14.5	13.9	12.7	9.8	5.7
30	*****	16.3	16.2	16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
35	*****	15.1	15.0	14.8	14.4	14.0	13.6	13.2	12.7	12.2	11.8	10.7	8.3	4.8
40	*****	14.1	14.1	13.8	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.0	7.8	4.5
45	*****	13.3	13.3	13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
50	*****	12.6	12.6	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
55	*****	12.1	12.0	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
60	*****	*****	11.5	11.3	11.0	10.7	10.4	10.0	9.7	9.4	9.0	8.2	6.4	3.7
65	*****	*****	11.0	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
70	*****	*****	10.6	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
75	*****	*****	10.3	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
80	*****	*****	9.9	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
85	*****	*****	9.6	9.5	9.2	9.0	8.7	8.4	8.2	7.9	7.5	6.9	5.3	3.1
90	*****	*****	9.4	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
95	*****	*****	9.1	9.0	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
100	*****	*****	8.9	8.8	8.5	8.3	8.0	7.8	7.5	7.2	7.0	6.4	4.9	2.8
125	*****	*****	*****	7.8	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
150	*****	*****	*****	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.7	5.2	4.0	2.3
200	*****	*****	*****	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
250	*****	*****	*****	5.5	5.4	5.2	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8
300	*****	*****	*****	*****	4.9	4.8	4.6	4.5	4.3	4.2	4.0	3.7	2.8	1.6
350	*****	*****	*****	*****	4.6	4.4	4.3	4.2	4.0	3.9	3.7	3.4	2.6	1.5
400	*****	*****	*****	*****	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4
450	*****	*****	*****	*****	4.0	3.9	3.8	3.7	3.5	3.4	3.3	3.0	2.3	1.3
500	*****	*****	*****	*****	3.8	3.7	3.6	3.5	3.4	3.2	3.1	2.8	2.2	1.3
750	*****	*****	*****	*****	*****	3.0	2.9	2.8	2.7	2.6	2.5	2.3	1.8	1.0
1000	*****	*****	*****	*****	*****	*****	2.5	2.5	2.4	2.3	2.2	2.0	1.6	0.9

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

MANITOBA

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.4	48.1	47.4	46.1	44.8	43.5	42.1	40.7	39.2	37.7	34.4	26.6	15.4
2	*****	34.2	34.0	33.5	32.6	31.7	30.8	29.8	28.8	27.7	26.6	24.3	18.8	10.9
3	*****	27.9	27.8	27.4	26.6	25.9	25.1	24.3	23.5	22.6	21.8	19.9	15.4	8.9
4	*****	24.2	24.1	23.7	23.1	22.4	21.8	21.1	20.3	19.6	18.8	17.2	13.3	7.7
5	*****	21.6	21.5	21.2	20.6	20.1	19.5	18.8	18.2	17.5	16.8	15.4	11.9	6.9
6	*****	19.8	19.7	19.4	18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
7	*****	*****	18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
8	*****	*****	17.0	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
9	*****	*****	16.0	15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1
10	*****	*****	15.2	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
11	*****	*****	14.5	14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
12	*****	*****	13.9	13.7	13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4
13	*****	*****	*****	13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
14	*****	*****	*****	12.7	12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
15	*****	*****	*****	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
16	*****	*****	*****	11.9	11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8
17	*****	*****	*****	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.3	6.5	3.7
18	*****	*****	*****	11.2	10.9	10.6	10.3	9.9	9.6	9.2	8.9	8.1	6.3	3.6
19	*****	*****	*****	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
20	*****	*****	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
21	*****	*****	*****	10.3	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4
22	*****	*****	*****	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
23	*****	*****	*****	9.9	9.6	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
24	*****	*****	*****	9.7	9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
25	*****	*****	*****	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
30	*****	*****	*****	8.7	8.4	8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8
35	*****	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
40	*****	*****	*****	*****	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4
45	*****	*****	*****	*****	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
50	*****	*****	*****	*****	6.5	6.3	6.2	6.0	5.8	5.5	5.3	4.9	3.8	2.2
55	*****	*****	*****	*****	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.6	3.6	2.1
60	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.3	5.1	4.9	4.4	3.4	2.0
65	*****	*****	*****	*****	*****	5.6	5.4	5.2	5.0	4.9	4.7	4.3	3.3	1.9
70	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8
75	*****	*****	*****	*****	*****	5.2	5.0	4.9	4.7	4.5	4.4	4.0	3.1	1.8
80	*****	*****	*****	*****	*****	5.0	4.9	4.7	4.5	4.4	4.2	3.8	3.0	1.7
85	*****	*****	*****	*****	*****	4.9	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7
90	*****	*****	*****	*****	*****	4.7	4.6	4.4	4.3	4.1	4.0	3.6	2.8	1.6
95	*****	*****	*****	*****	*****	*****	4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6
100	*****	*****	*****	*****	*****	*****	4.4	4.2	4.1	3.9	3.8	3.4	2.7	1.5
125	*****	*****	*****	*****	*****	*****	*****	3.8	3.6	3.5	3.4	3.1	2.4	1.4
150	*****	*****	*****	*****	*****	*****	*****	3.4	3.3	3.2	3.1	2.8	2.2	1.3
200	*****	*****	*****	*****	*****	*****	*****	*****	2.8	2.7	2.4	1.9	1.1	0.7
250	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.2	2.0	1.7	1.0	0.6
300	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.5	0.9	0.5
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4	0.8	0.4
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3	0.8
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.7
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.7

NOTES:

APPROXIMATE SAMPLING VARIABILITY TABLES FOR DISPLACED WORKERS SURVEY - JANUARY 1986

SASKATCHEWAN

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	41.5	41.2	40.6	39.5	38.4	37.3	36.1	34.9	33.6	32.3	29.5	22.8	13.2
2	*****	29.3	29.2	28.7	27.9	27.2	26.3	25.5	24.6	23.8	22.8	20.8	16.1	9.3
3	*****	23.9	23.8	23.4	22.8	22.2	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6
4	*****	20.7	20.6	20.3	19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
5	*****	18.5	18.4	18.2	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
6	*****	*****	16.8	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
7	*****	*****	15.6	15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
8	*****	*****	14.6	14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
9	*****	*****	13.7	13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4
10	*****	*****	13.0	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
11	*****	*****	12.4	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
12	*****	*****	*****	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
13	*****	*****	*****	11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
14	*****	*****	*****	10.9	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
15	*****	*****	*****	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
16	*****	*****	*****	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
17	*****	*****	*****	9.8	9.6	9.3	9.0	8.8	8.5	8.1	7.8	7.1	5.5	3.2
18	*****	*****	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
19	*****	*****	*****	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.8	5.2	3.0
20	*****	*****	*****	9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
21	*****	*****	*****	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
22	*****	*****	*****	8.7	8.4	8.2	7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8
23	*****	*****	*****	8.5	8.2	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7
24	*****	*****	*****	8.3	8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
25	*****	*****	*****	8.1	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
30	*****	*****	*****	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.7	5.4	4.2	2.4
35	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	2.2
40	*****	*****	*****	6.2	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.6	4.2	2.1
45	*****	*****	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	2.0
50	*****	*****	*****	5.6	5.4	5.3	5.1	4.9	4.7	4.5	4.4	4.2	4.0	1.9
55	*****	*****	*****	5.3	5.2	5.0	4.9	4.7	4.5	4.3	4.2	4.0	3.8	1.8
60	*****	*****	*****	5.0	4.8	4.7	4.5	4.3	4.2	4.0	3.9	3.7	3.5	1.7
65	*****	*****	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.7	3.5	3.2	1.6
70	*****	*****	*****	4.6	4.5	4.3	4.2	4.0	3.9	3.7	3.5	3.4	3.2	1.6
75	*****	*****	*****	4.4	4.3	4.2	4.0	3.9	3.8	3.6	3.5	3.2	2.7	1.5
80	*****	*****	*****	4.3	4.2	4.0	3.9	3.8	3.6	3.5	3.4	3.1	2.4	1.4
85	*****	*****	*****	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.0	2.3	1.4	1.4
90	*****	*****	*****	3.9	3.8	3.7	3.6	3.4	3.3	3.2	2.9	2.3	1.4	1.4
95	*****	*****	*****	3.8	3.7	3.6	3.5	3.4	3.2	2.9	2.6	2.0	1.2	1.2
100	*****	*****	*****	3.7	3.6	3.5	3.4	3.2	2.9	2.6	2.4	1.9	1.1	1.1
125	*****	*****	*****	3.2	3.1	3.0	2.9	2.6	2.4	2.1	1.6	0.9	0.8	0.8
150	*****	*****	*****	2.8	2.7	2.6	2.4	2.1	1.6	1.4	1.2	0.7	0.7	0.7
200	*****	*****	*****	2.3	2.1	1.6	0.9	0.8	0.8	0.8	0.8	0.8	0.8	0.8
250	*****	*****	*****	1.9	1.4	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
300	*****	*****	*****	1.3	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
350	*****	*****	*****	1.2	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
400	*****	*****	*****	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
450	*****	*****	*****	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
500	*****	*****	*****	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6

NOTE*

