

NUMERATOR OF PERCENTAGE		ESTIMATED PERCENTAGE													
('000)		0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	*****	33.6	33.5	32.9	32.1	31.2	30.2	29.3	28.3	27.2	26.2	23.9	18.5	10.7	
2	*****	23.8	23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6	
3	*****	19.4	19.3	19.0	18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
4	*****	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3		
5	*****	15.0	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8		
6	*****	13.7	13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	7.6	4.4		
7	*****	12.6	12.5	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0		
8	*****	11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8			
9	*****	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6			
10	*****	10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4			
11	*****	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2			
12	*****	9.5	9.3	9.0	8.7	8.4	8.2	7.9	7.6	6.9	5.3	3.1			
13	*****	9.1	8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0			
14	*****	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9			
15	*****	8.5	8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8			
16	*****	8.2	8.0	7.8	7.6	7.3	7.1	6.8	6.5	6.0	4.6	2.7			
17	*****	8.0	7.8	7.6	7.3	7.1	6.9	6.6	6.3	5.8	4.5	2.6			
18	*****	7.8	7.6	7.3	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5			
19	*****	7.6	7.4	7.1	6.9	6.7	6.5	6.3	6.0	5.5	4.2	2.5			
20	*****	7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3			
21	*****	7.0	6.8	6.6	6.4	6.2	5.9	5.7	5.6	5.1	3.9	2.3			
22	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2			
23	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2				
24	*****	6.5	6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2				
25	*****	6.4	6.2	6.0	5.9	5.7	5.4	5.2	4.8	3.7	2.1				
30	*****	5.9	5.7	5.5	5.3	5.2	5.0	4.8	4.4	3.4	2.0				
35	*****	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8				
40	*****	4.9	4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7					
45	*****	4.6	4.5	4.4	4.2	4.1	3.9	3.6	2.8	1.6					
50	*****	4.4	4.3	4.1	4.0	3.9	3.7	3.4	2.6	1.5					
55	*****	4.2	4.1	3.9	3.8	3.7	3.5	3.2	2.5	1.4					
60	*****	3.9	3.8	3.7	3.5	3.4	3.1	2.4	1.4						
65	*****	3.7	3.6	3.5	3.4	3.2	3.0	2.3	1.3						
70	*****	3.6	3.5	3.4											

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for PRINCE EDWARD ISLAND
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	*****	20.6	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6	
2	*****		14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7	
3	*****		11.7	11.4	11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8	
4	*****		10.1	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3	
5	*****			8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9	
6	*****			8.1	7.8	7.6	7.4	7.1	6.8	6.6	6.0	4.7	2.7	
7	*****			7.5	7.2	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5	
8	*****			7.0	6.8	6.6	6.4	6.2	5.9	5.7	5.2	4.0	2.3	
9	*****				6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2	
10	*****				6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1	
11	*****				5.8	5.6	5.4	5.2	5.1	4.9	4.4	3.4	2.0	
12	*****				5.5	5.4	5.2	5.0	4.8	4.7	4.2	3.3	1.9	
13	*****					5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8	
14	*****					5.0	4.8	4.7	4.5	4.3	3.9	3.0	1.8	
15	*****					4.8	4.7	4.5	4.3	4.2	3.8	2.9	1.7	
16	*****					4.7	4.5	4.4	4.2	4.0	3.7	2.8	1.6	
17	*****						4.4	4.2	4.1	3.9	3.6	2.8	1.6	
18	*****						4.2	4.1	4.0	3.8	3.5	2.7	1.6	
19	*****						4.1	4.0	3.8	3.7	3.4	2.6	1.5	
20	*****						4.0	3.9	3.7	3.6	3.3	2.5	1.5	
21	*****						3.9	3.8	3.7	3.5	3.2	2.5	1.4	
22	*****							3.7	3.6	3.4	3.1	2.4	1.4	
23	*****							3.6	3.5	3.4	3.1	2.4	1.4	
24	*****							3.6	3.4	3.3	3.0	2.3	1.3	
25	*****							3.5	3.4	3.2	2.9	2.3	1.3	
30	*****								2.9	2.7	2.1	1.2		
35	*****									2.5	1.9	1.1		
40	*****										2.3	1.8	1.0	
45	*****											1.7	1.0	
50	*****											1.6	0.9	
55	*****											1.5	0.9	
60	*****												0.8	
65	*****												0.8	
70	*****												0.8	
75	*****												0.8	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

NUMERATOR OF PERCENTAGE		ESTIMATED PERCENTAGE													
('000)		0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	*****	34.9	34.7	34.1	33.2	32.3	31.3	30.3	29.3	28.2	27.1	24.8	19.2	11.1	
2	*****	24.6	24.5	24.1	23.5	22.8	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8	
3	*****	20.1	20.0	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4	
4	*****	17.4	17.3	17.1	16.6	16.1	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5	
5	*****	15.6	15.5	15.3	14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0	
6	*****		14.2	13.9	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
7	*****		13.1	12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
8	*****		12.3	12.1	11.7	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
9	*****		11.6	11.4	11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7	
10	*****		11.0	10.8	10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5	
11	*****		10.5	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3	
12	*****			9.9	9.6	9.3	9.0	8.8	8.5	8.2	7.8	7.2	5.5	3.2	
13	*****			9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1	
14	*****			9.1	8.9	8.6	8.4	8.1	7.8	7.5	7.3	6.6	5.1	3.0	
15	*****			8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9	
16	*****			8.5	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8	
17	*****			8.3	8.1	7.8	7.6	7.4	7.1	6.8	6.6	6.0	4.7	2.7	
18	*****			8.0	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6	
19	*****			7.8	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5	
20	*****			7.6	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5	
21	*****			7.5	7.3	7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4	
22	*****			7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4	
23	*****			7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3	
24	*****			7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3	
25	*****			6.8	6.6	6.5	6.3	6.1	5.9	5.6	5.4	5.0	3.8	2.2	
30	*****				6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.5	3.5	2.0	
35	*****				5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9	
40	*****				5.3	5.1	5.0	4.8	4.6	4.5	4.3	3.9	3.0	1.8	
45	*****				5.0	4.8	4.7	4.5	4.4	4.2	4.0	3.7	2.9	1.7	
50	*****				4.7	4.6	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6	
55	*****				4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.3	2.6	1.5	
60	*****					4.2	4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4	
65	*****					4.0	3.9	3.8	3.6	3.5	3.4	3.1	2.4	1.4	
70	*****					3.9	3.7	3.6	3.5	3.4	3.2	3.0	2.3	1	

350	*****	1.0	0.6
400	*****	1.0	0.6
450	*****		0.5
500	*****		0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for NEW BRUNSWICK
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	*****	33.5	33.3	32.8	31.9	31.0	30.1	29.1	28.1	27.1	26.0	23.8	18.4	10.6
2	*****	23.7	23.5	23.2	22.6	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
3	*****	19.3	19.2	18.9	18.4	17.9	17.4	16.8	16.2	15.7	15.0	13.7	10.6	6.1
4	*****	16.7	16.6	16.4	15.9	15.5	15.0	14.6	14.1	13.6	13.0	11.9	9.2	5.3
5	*****	14.9	14.7	14.3	13.9	13.5	13.0	12.6	12.1	11.6	10.6	8.2	4.8	
6	*****	13.6	13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	
7	*****	12.6	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0	
8	*****	11.8	11.6	11.3	11.0	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8	
9	*****	11.1	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5	
10	*****	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.9	7.2	5.6	3.2	
11	*****	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.5	6.9	5.3	3.1	
12	*****	9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.5	7.2	6.6	5.1	2.9	
13	*****	9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	7.0	6.4	4.9	2.8	
14	*****	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7	
15	*****	8.5	8.2	8.0	7.8	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7	
16	*****	8.2	8.0	7.8	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6	
17	*****	7.9	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5	
18	*****	7.7	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4	
19	*****	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
20	*****	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.4	5.0	3.8	2.2
21	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3	
22	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2	
23	*****	6.8	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.1	
24	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.6	3.5	2.7	1.6
25	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.3	3.4	1.9	
30	*****	5.8	5.7	5.5	5.3	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8	
35	*****	5.4	5.2	5.1	4.9	4.8	4.6	4.4	4.3	4.1	3.8	2.9	1.7	
40	*****	5.0	4.9	4.8	4.6	4.4	4.3	4.1	4.0	3.9	3.5	2.7	1.6	
45	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.8	3.7	3.4	2.6	1.5	
50	*****	4.4	4.3	4.1	4.0	3.8	3.7	3.5	3.4	3.2	2.9	2.3	1.3	
55	*****	4.2	4.1	3.9	3.8	3.7	3.5	3.4	3.2	3.1	2.8	2.2	1.3	
60	*****	4.0	3.9	3.8	3.6	3.5	3.4	3.2	3.1	3.0	2.7	2.1	1.2	
65	*****	3.8	3.7	3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.7	2.1	1.2	
70	*****	3.7	3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.2	
75	*****	3.5	3.4	3.2	3.1	3.0	2.9	2.8	2.7	2.5	2.4	1.9	1.1	
80	*****	3.4	3.3	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	1.9	1.1	
85	*****	3.3	3.2	3.1	2.9	2.8	2.6	2.5	2.4	2.3	2.1	1.6	1.0	
90	*****	3.2	3.1	3.0	2.9	2.7	2.6	2.5	2.4	2.3	2.1	1.6	1.0	
95	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.6	1.0	
100	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	2.0	1.9	1.5	0.9	
125	*****	2.5	2.4	2.3	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.3	0.8	
150	*****	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.0	0.7	
200	*****	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	
250	*****	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	
300	*****	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.0	

350	*****	0.6
400	*****	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for QUEBEC
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	70.5	70.2	69.8	68.8	66.9	65.0	63.1	61.1	59.0	56.9	54.6	49.9	38.6	22.3
2	49.9	49.6	49.4	48.6	47.3	46.0	44.6	43.2	41.7	40.2	38.6	35.3	27.3	15.8
3	40.7	40.5	40.3	39.7	38.6	37.6	36.4	35.3	34.1	32.8	31.6	28.8	22.3	12.9
4	35.3	35.1	34.9	34.4	33.5	32.5	31.6	30.5	29.5	28.4	27.3	24.9	19.3	11.2
5	*****	31.4	31.2	30.8	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
6	*****	28.7	28.5	28.1	27.3	26.6	25.8	24.9	24.1	23.2	22.3	20.4	15.8	9.1
7	*****	26.5	26.4	26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.7	18.9	14.6	8.4
8	*****	24.8	24.7	24.3	23.7	23.0	22.3	21.6	20.9	20.1	19.3	17.6	13.7	7.9
9	*****	23.4	23.3	22.9	22.3	21.7	21.0	20.4	19.7	19.0	18.2	16.6	12.9	7.4
10	*****	22.2	22.1	21.7	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1
11	*****	21.2	21.1	20.7	20.2	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.7	6.7
12	*****	20.3	20.2	19.8	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.2	6.4
13	*****	19.5	19.4	19.1	18.6	18.0	17.5	16.9	16.4	15.8	15.2	13.8	10.7	6.2
14	*****	18.8	18.7	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
15	*****	18.1	18.0	17.8	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
16	*****	17.5	17.5	17.2	16.7	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
17	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
18	*****	16.5	16.5	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
19	*****	16.1	16.0	15.8	15.4	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1
20	*****	15.7	15.6	15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
21	*****	15.3	15.2	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
22	*****	15.0	14.9	14.7	14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
23	*****	14.6	14.6	14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
24	*****	14.3	14.3	14.0	13.7	13.3	12.9	12.5	12.0	11.6	11.2	10.2	7.9	4.6
25	*****	14.0	14.0	13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
30	*****	12.8	12.8	12.6	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
35	*****	11.9	11.8	11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
40	*****	11.1	11.0	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
45	*****	10.5	10.4	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3
50	*****		9.9	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2
55	*****		9.4	9.3	9.0	8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
60	*****		9.0	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.1	6.4	5.0	2.9
65	*****		8.7	8.5	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
70	*****		8.3	8.2	8.0	7.8	7.5	7.3	7.1	6.8	6.5	6.0	4.6	2.7
75	*****		8.1	7.9	7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
80	*****		7.8	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5
85	*****		7.6	7.5	7.3	7.1	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
90	*****		7.4	7.2	7.1	6.9	6.7	6.4	6.2	6.0	5.8	5.3	4.1	2.4
95	*****			7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
100	*****			6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
125	*****			6.2	6.0	5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0
150	*****			5.6	5.5	5.3	5.2	5.0	4.8	4.6	4.5	4.1	3.2	1.8
200	*****			4.9	4.7	4.6	4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6
250	*****				4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.2	2.4	1.4
300	*****				3.9	3.8	3.6	3.5	3.4	3.3	3.2	2.9	2.2	1.3

350	*****	3.6	3.5	3.4	3.3	3.2	3.0	2.9	2.7	2.1	1.2
400	*****	3.3	3.3	3.2	3.1	3.0	2.8	2.7	2.5	1.9	1.1
450	*****	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.4	1.8	1.1
500	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.2	2.2	1.7	1.0
750	*****	2.3	2.2	2.2	2.1	2.0	1.8	1.8	1.4	0.8	
1000	*****	1.9	1.9	1.8	1.7	1.6	1.6	1.2	0.7		
1500	*****	1.5	1.4	1.3	1.0	0.6					
2000	*****	1.1	0.9	0.5							
3000	*****	0.7	0.4								
4000	*****										0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for ONTARIO
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	84.1	83.7	83.3	82.0	79.8	77.5	75.2	72.8	70.4	67.8	65.1	59.5	46.1	26.6
2	59.4	59.2	58.9	58.0	56.4	54.8	53.2	51.5	49.8	47.9	46.1	42.1	32.6	18.8
3	48.5	48.3	48.1	47.3	46.1	44.8	43.4	42.1	40.6	39.1	37.6	34.3	26.6	15.4
4	42.0	41.8	41.6	41.0	39.9	38.8	37.6	36.4	35.2	33.9	32.6	29.7	23.0	13.3
5	37.6	37.4	37.2	36.7	35.7	34.7	33.6	32.6	31.5	30.3	29.1	26.6	20.6	11.9
6	34.3	34.2	34.0	33.5	32.6	31.7	30.7	29.7	28.7	27.7	26.6	24.3	18.8	10.9
7	*****	31.6	31.5	31.0	30.2	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.1
8	*****	29.6	29.4	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.0	21.0	16.3	9.4
9	*****	27.9	27.8	27.3	26.6	25.8	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9
10	*****	26.5	26.3	25.9	25.2	24.5	23.8	23.0	22.3	21.4	20.6	18.8	14.6	8.4
11	*****	25.2	25.1	24.7	24.1	23.4	22.7	22.0	21.2	20.4	19.6	17.9	13.9	8.0
12	*****	24.2	24.0	23.7	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
13	*****	23.2	23.1	22.7	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
14	*****	22.4	22.3	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
15	*****	21.6	21.5	21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9
16	*****	20.9	20.8	20.5	19.9	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.6
17	*****	20.3	20.2	19.9	19.4	18.8	18.2	17.7	17.1	16.4	15.8	14.4	11.2	6.5
18	*****	19.7	19.6	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3
19	*****	19.2	19.1	18.8	18.3	17.8	17.3	16.7	16.1	15.6	14.9	13.6	10.6	6.1
20	*****	18.7	18.6	18.3	17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9
21	*****	18.3	18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
22	*****	17.8	17.8	17.5	17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7
23	*****	17.4	17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
24	*****	17.1	17.0	16.7	16.3	15.8	15.4	14.9	14.4	13.8	13.3	12.1	9.4	5.4
25	*****	16.7	16.7	16.4	16.0	15.5	15.0	14.6	14.1	13.6	13.0	11.9	9.2	5.3
30	*****	15.3	15.2	15.0	14.6	14.2	13.7	13.3	12.8	12.4	11.9	10.9	8.4	4.9
35	*****	14.1	14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
40	*****	13.2	13.2	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
45	*****	12.5	12.4	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
50	*****	11.8	11.8	11.6	11.3	11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
55	*****	11.3	11.2	11.1	10.8	10.5	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
60	*****	10.8	10.7	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	5.9	3.4
65	*****	10.4	10.3	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
70	*****	10.0	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.2
75	*****	9.6	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	7.2	6.6	5.0	3.1
80	*****	9.3	9.2	8.9	8.7	8.4	8.1	7.9	7.6	7.3	7.0	6.4	4.8	3.0
85	*****	9.0	8.9	8.7	8.4	8.2	7.9	7.6	7.3	7.0	6.7	6.1	4.6	2.9
90	*****	8.8	8.6	8.4	8.2	7.9	7.7	7.4	7.1	6.9	6.6	6.0	4.5	2.8
95	*****	8.5	8.4	8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.4	5.8	4.4	2.7
100	*****	8.3	8.2	8.0	7.8	7.5	7.3	7.0	6.8	6.5	6.2	5.6	4.2	2.7
125	*****	7.4	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.0	3.8	2.4
150	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.0	4.8	4.2	3.2	2.2
200	*****	5.8	5.6	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	3.6	2.7	1.9
250	*****	5.2	5.0	4.9	4.8	4.6	4.5	4.3	4.1	3.9	3.8	3.2	2.4	1.7
300	*****	4.7	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.6	3.4	2.8	2.0	1.5

350	*****	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4
400	*****	4.0	3.9	3.8	3.6	3.5	3.4	3.3	3.0	2.3	1.3
450	*****	3.8	3.7	3.5	3.4	3.3	3.2	3.1	2.8	2.2	1.3
500	*****	3.6	3.5	3.4	3.3	3.1	3.0	2.9	2.7	2.1	1.2
750	*****	2.8	2.7	2.7	2.6	2.5	2.4	2.2	1.7	1.0	
1000	*****	2.4	2.3	2.2	2.1	2.1	1.9	1.5	0.8		
1500	*****	1.9	1.8	1.8	1.7	1.5	1.2	0.7			
2000	*****	1.5	1.5	1.3	1.0	0.6					
3000	*****	1.1	0.8	0.5							
4000	*****	0.7	0.4								
5000	*****	0.4									

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for MANITOBA
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	*****	43.6	43.3	42.7	41.5	40.4	39.1	37.9	36.6	35.3	33.9	31.0	24.0	13.8
2	*****	30.8	30.6	30.2	29.4	28.5	27.7	26.8	25.9	25.0	24.0	21.9	17.0	9.8
3	*****	25.1	25.0	24.6	24.0	23.3	22.6	21.9	21.1	20.4	19.6	17.9	13.8	8.0
4	*****	21.8	21.7	21.3	20.8	20.2	19.6	19.0	18.3	17.6	17.0	15.5	12.0	6.9
5	*****	19.5	19.4	19.1	18.6	18.0	17.5	17.0	16.4	15.8	15.2	13.8	10.7	6.2
6	*****	17.8	17.7	17.4	17.0	16.5	16.0	15.5	15.0	14.4	13.8	12.6	9.8	5.7
7	*****	16.5	16.4	16.1	15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
8	*****	15.3	15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9	
9	*****	14.4	14.2	13.8	13.5	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6	
10	*****	13.7	13.5	13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4	
11	*****	13.1	12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
12	*****	12.5	12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0	
13	*****	12.0	11.8	11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.6	3.8	
14	*****	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
15	*****	11.0	10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.0	6.2	3.6	
16	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.7	6.0	3.5	
17	*****	10.3	10.1	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.5	5.8	3.4	
18	*****	10.1	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.2	5.7	3.3	
19	*****	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.5	7.0	5.5	3.2	
20	*****	9.5	9.3	9.0	8.8	8.5	8.2	7.9	7.6	7.3	6.8	5.4	3.1	
21	*****	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	7.1	6.6	5.2	3.0	
22	*****	9.1	8.9	8.6	8.3	8.1	7.8	7.5	7.2	6.9	6.4	5.1	3.0	
23	*****	8.9	8.7	8.4	8.2	7.9	7.6	7.3	7.0	6.7	6.2	4.9	2.9	
24	*****	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.8	6.5	6.0	4.8	2.8	
25	*****	8.5	8.3	8.1	7.8	7.6	7.3	7.0	6.7	6.4	6.0	4.8	2.8	
30	*****	7.8	7.6	7.4	7.1	6.9	6.7	6.4	6.2	5.9	5.7	4.4	2.5	
35	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.1	2.3	
40	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	3.8	2.2	
45	*****	6.2	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.8	4.6	3.6	2.1	
50	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.6	4.4	4.2	3.4	2.0	
55	*****	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.2	4.0	3.2	1.9	
60	*****	5.4	5.2	5.1	4.9	4.7	4.6	4.4	4.2	4.0	3.8	3.0	1.8	
65	*****	5.2	5.0	4.9	4.7	4.5	4.4	4.2	4.1	3.9	3.7	2.9	1.7	
70	*****	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.9	3.8	3.6	2.8	1.6	
75	*****	4.7	4.5	4.4	4.2	4.1	3.9	3.8	3.6	3.5	3.3	2.5	1.5	
80	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.3	2.5	1.4	
85	*****	4.4	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.3	3.2	2.5	1.4	
90	*****	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.3	3.2	3.0	2.4	1.4	
95	*****	4.1	4.0	3.9	3.8	3.6	3.5	3.3	3.2	3.0	2.8	2.1	1.2	
100	*****	4.0	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.0	2.8	2.1	1.2	
125	*****	3.5	3.4	3.3	3.2	3.0	2.9	2.8	2.6	2.5	2.4	1.7	1.0	
150	*****	3.1	3.0	2.9	2.8	2.5	2.4	2.2	2.1	2.0	1.8	1.4	0.8	
200	*****	2.6	2.5	2.4	2.2	2.1	2.0	1.8	1.6	1.5	1.4	1.1	0.9	
250	*****	2.1	2.0	1.9	1.8	1.6	1.5	1.4	1.2	1.1	1.0	0.9	0.8	
300	*****	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	

350	*****	1.7	1.3	0.7
400	*****		1.2	0.7
450	*****		1.1	0.7
500	*****			0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

NUMERATOR OF PERCENTAGE		ESTIMATED PERCENTAGE													
		('000)	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%
1	*****	36.9	36.7	36.2	35.2	34.2	33.2	32.1	31.0	29.9	28.7	26.2	20.3	11.7	
2	*****	26.1	26.0	25.6	24.9	24.2	23.5	22.7	21.9	21.2	20.3	18.6	14.4	8.3	
3	*****	21.3	21.2	20.9	20.3	19.7	19.2	18.6	17.9	17.3	16.6	15.1	11.7	6.8	
4	*****	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9	
5	*****	16.5	16.4	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2	
6	*****	15.1	15.0	14.8	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8	
7	*****	13.9	13.7	13.3	12.9	12.5	12.1	11.7	11.3	10.9	9.9	7.7	4.4		
8	*****	13.0	12.8	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1		
9	*****	12.2	12.1	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9		
10	*****	11.6	11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7		
11	*****	11.1	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5		
12	*****	10.6	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4		
13	*****	10.0	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3			
14	*****	9.7	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1			
15	*****	9.3	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0			
16	*****	9.0	8.8	8.6	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9			
17	*****	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.4	4.9	2.8			
18	*****	8.5	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8			
19	*****	8.3	8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7			
20	*****	8.1	7.9	7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6			
21	*****	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6			
22	*****	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5			
23	*****	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4			
24	*****	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.1	2.4			
25	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3			
30	*****	6.6	6.4	6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1			
35	*****	5.9	5.8	5.6	5.4	5.2	5.1	4.9	4.4	3.4	2.0				
40	*****	5.6	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.9				
45	*****	5.2	5.1	4.9	4.8	4.6	4.5	4.3	3.9	3.0	1.7				
50	*****	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7				
55	*****	4.7	4.6	4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6				
60	*****	4.5	4.4	4.3	4.1	4.0	3.9	3.7	3.4	2.6	1.5				
65	*****	4.2	4.1	4.0	3.9										

350	*****	1.1	0.6
400	*****	1.0	0.6
450	*****		0.6
500	*****		0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for ALBERTA
Cross-Sectional File

NUMERATOR OF PERCENTAGE		ESTIMATED PERCENTAGE													
('000)		0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1		54.9	54.6	54.3	53.5	52.1	50.6	49.1	47.5	45.9	44.2	42.5	38.8	30.1	17.4
2	*****		38.6	38.4	37.8	36.8	35.8	34.7	33.6	32.5	31.3	30.1	27.4	21.3	12.3
3	*****		31.5	31.4	30.9	30.1	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.4	10.0
4	*****		27.3	27.2	26.7	26.0	25.3	24.5	23.8	23.0	22.1	21.3	19.4	15.0	8.7
5	*****		24.4	24.3	23.9	23.3	22.6	22.0	21.3	20.5	19.8	19.0	17.4	13.4	7.8
6	*****		22.3	22.2	21.8	21.3	20.7	20.0	19.4	18.7	18.1	17.4	15.8	12.3	7.1
7	*****		20.6	20.5	20.2	19.7	19.1	18.6	18.0	17.4	16.7	16.1	14.7	11.4	6.6
8	*****		19.3	19.2	18.9	18.4	17.9	17.4	16.8	16.2	15.6	15.0	13.7	10.6	6.1
9	*****		18.2	18.1	17.8	17.4	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8
10	*****		17.3	17.2	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
11	*****		16.5	16.4	16.1	15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
12	*****		15.8	15.7	15.4	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
13	*****		15.1	15.1	14.8	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
14	*****		14.6	14.5	14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
15	*****		14.1	14.0	13.8	13.4	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5
16	*****		13.7	13.6	13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
17	*****			13.2	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
18	*****			12.8	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
19	*****			12.5	12.3	11.9	11.6	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0
20	*****			12.1	12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
21	*****			11.9	11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
22	*****			11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
23	*****			11.3	11.2	10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
24	*****			11.1	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
25	*****			10.9	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.8	6.0	3.5
30	*****			9.9	9.8	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
35	*****				9.0	8.8	8.6	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9
40	*****				8.5	8.2	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7
45	*****				8.0	7.8	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
50	*****				7.6	7.4	7.2	6.9	6.7	6.5	6.3	6.0	5.5	4.3	2.5
55	*****				7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
60	*****				6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
65	*****				6.6	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
70	*****				6.4	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.6	3.6	2.1
75	*****				6.2	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
80	*****				6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.8	4.3	3.4	1.9
85	*****					5.6	5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
90	*****					5.5	5.3	5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8
95	*****					5.3	5.2	5.0	4.9	4.7	4.5	4.4	4.0	3.1	1.8
100	*****					5.2	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7
125	*****					4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6
150	*****					4.3	4.1	4.0	3.9	3.7	3.6	3.5	3.2	2.5	1.4
200	*****						3.6	3.5	3.4	3.2	3.1	3.0	2.7	2.1	1.2
250	*****							3.1	3.0	2.9	2.8	2.7	2.5	1.9	1.1
300	*****							2.8	2.7	2.7	2.6	2.5	2.2	1.7	1.0

350	*****	2.5	2.5	2.4	2.3	2.1	1.6	0.9
400	*****	2.4	2.3	2.2	2.1	1.9	1.5	0.9
450	*****	2.2	2.1	2.0	1.8	1.4	0.8	
500	*****	2.0	1.9	1.7	1.3	0.8		
750	*****				1.4	1.1	0.6	
1000	*****					1.0	0.5	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for BRITISH COLUMBIA
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	78.0	77.6	77.2	76.0	74.0	71.9	69.8	67.5	65.3	62.9	60.4	55.1	42.7	24.7
2	55.1	54.9	54.6	53.8	52.3	50.8	49.3	47.8	46.1	44.5	42.7	39.0	30.2	17.4
3	*****	44.8	44.6	43.9	42.7	41.5	40.3	39.0	37.7	36.3	34.9	31.8	24.7	14.2
4	*****	38.8	38.6	38.0	37.0	36.0	34.9	33.8	32.6	31.4	30.2	27.6	21.4	12.3
5	*****	34.7	34.5	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
6	*****	31.7	31.5	31.0	30.2	29.4	28.5	27.6	26.6	25.7	24.7	22.5	17.4	10.1
7	*****	29.3	29.2	28.7	28.0	27.2	26.4	25.5	24.7	23.8	22.8	20.8	16.1	9.3
8	*****	27.4	27.3	26.9	26.2	25.4	24.7	23.9	23.1	22.2	21.4	19.5	15.1	8.7
9	*****	25.9	25.7	25.3	24.7	24.0	23.3	22.5	21.8	21.0	20.1	18.4	14.2	8.2
10	*****	24.5	24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
11	*****	23.4	23.3	22.9	22.3	21.7	21.0	20.4	19.7	19.0	18.2	16.6	12.9	7.4
12	*****	22.4	22.3	21.9	21.4	20.8	20.1	19.5	18.8	18.2	17.4	15.9	12.3	7.1
13	*****	21.5	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.8	15.3	11.8	6.8
14	*****	20.7	20.6	20.3	19.8	19.2	18.6	18.1	17.4	16.8	16.1	14.7	11.4	6.6
15	*****	20.0	19.9	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
16	*****	19.4	19.3	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
17	*****	18.8	18.7	18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.7	13.4	10.4	6.0
18	*****	18.3	18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
19	*****	17.8	17.7	17.4	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
20	*****	17.4	17.3	17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
21	*****	16.8	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	
22	*****	16.5	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	
23	*****	16.1	15.9	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1	
24	*****	15.8	15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0	
25	*****	15.4	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9	
30	*****	14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5	
35	*****	13.1	12.8	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
40	*****	12.2	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.6	8.7	6.8	3.9	
45	*****	11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7		
50	*****	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5		
55	*****	10.2	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3		
60	*****	9.8	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2		
65	*****	9.4	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1		
70	*****	9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9		
75	*****	8.8	8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.8		
80	*****	8.5	8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8		
85	*****	8.2	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7		
90	*****	8.0	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6		
95	*****	7.8	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5		
100	*****	7.6	7.4	7.2	7.0	6.8	6.5	6.3	6.0	5.5	4.3	2.5		
125	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2			
150	*****	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0			
200	*****	5.2	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7			
250	*****	4.5	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6				
300	*****	4.2	4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4				

350	*****	3.7	3.6	3.5	3.4	3.2	2.9	2.3	1.3
400	*****	3.5	3.4	3.3	3.1	3.0	2.8	2.1	1.2
450	*****	3.2	3.1	3.0	2.8	2.6	2.0	1.2	
500	*****	3.0	2.9	2.8	2.7	2.5	1.9	1.1	
750	*****					2.2	2.0	1.6	0.9
1000	*****						1.7	1.4	0.8
1500	*****								0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for ATLANTIC REGION
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	37.1	36.9	36.7	36.2	35.2	34.2	33.2	32.1	31.1	29.9	28.8	26.2	20.3	11.7
2	*****	26.1	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
3	*****	21.3	21.2	20.9	20.3	19.8	19.2	18.6	17.9	17.3	16.6	15.2	11.7	6.8
4	*****	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
5	*****	16.5	16.4	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
6	*****	15.1	15.0	14.8	14.4	14.0	13.6	13.1	12.7	12.2	11.7	10.7	8.3	4.8
7	*****	14.0	13.9	13.7	13.3	12.9	12.5	12.2	11.7	11.3	10.9	9.9	7.7	4.4
8	*****	13.1	13.0	12.8	12.5	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.2
9	*****	12.3	12.2	12.1	11.7	11.4	11.1	10.7	10.4	10.0	9.6	8.7	6.8	3.9
10	*****	11.7	11.6	11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
11	*****	11.1	11.1	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
12	*****	10.7	10.6	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
13	*****	10.2	10.2	10.0	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
14	*****	9.9	9.8	9.7	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
15	*****	9.5	9.5	9.3	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
16	*****	9.2	9.0	8.8	8.6	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9	2.9
17	*****	8.9	8.8	8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.8	2.8
18	*****	8.7	8.5	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8	2.8
19	*****	8.4	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7	2.7
20	*****	8.2	8.1	7.9	7.7	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6	2.6
21	*****	8.0	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6	2.6
22	*****	7.8	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5	2.5
23	*****	7.7	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4	2.4
24	*****	7.5	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.2	2.4	2.4
25	*****	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.2	4.1	2.3	2.3
30	*****	6.7	6.6	6.4	6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1	2.1
35	*****	6.1	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.7	4.5	3.4	2.0	2.0
40	*****	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.5	4.2	4.2	3.2	1.9	1.9
45	*****	5.4	5.2	5.1	4.9	4.8	4.6	4.5	4.3	4.3	3.9	3.0	1.7	1.7
50	*****	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.2	4.1	3.7	2.9	1.7	1.7
55	*****	4.9	4.7	4.6	4.5	4.3	4.2	4.0	3.9	3.9	3.5	2.7	1.6	1.6
60	*****	4.7	4.5	4.4	4.3	4.2	4.0	3.9	3.7	3.7	3.4	2.6	1.5	1.5
65	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.6	3.3	2.5	1.5	1.5
70	*****	4.3	4.2	4.1	4.0	3.8	3.7	3.6	3.4	3.4	3.1	2.4	1.4	1.4
75	*****	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.3	3.3	3.0	2.3	1.4	1.4
80	*****	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.2	2.9	2.3	1.3	1.3
85	*****	3.8	3.7	3.6	3.5	3.4	3.2	3.1	2.8	2.8	2.2	1.3	1.3	1.3
90	*****	3.7	3.6	3.5	3.4	3.3	3.2	3.0	2.8	2.8	2.1	1.2	1.2	1.2
95	*****	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.7	2.7	2.1	1.2	1.2	1.2
100	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.6	2.0	1.2	1.2	1.2
125	*****	3.1	3.1	3.0	2.9	2.8	2.7	2.6	2.3	2.3	1.8	1.0	1.0	1.0
150	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	2.1	1.7	1.0	1.0	1.0
200	*****	2.4	2.3	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.3	0.8	0.8	0.8
250	*****	2.1	2.0	2.0	1.9	1.8	1.7	1.7	1.5	1.5	1.2	0.7	0.7	0.7
300	*****	1.9	1.9	1.8	1.7	1.7	1.7	1.7	1.5	1.5	1.2	0.7	0.7	0.7

350	*****	1.7	1.7	1.6	1.5	1.4	1.1	0.6
400	*****	1.6	1.5	1.4	1.3	1.0	0.6	
450	*****	1.5	1.4	1.4	1.2	1.0	0.6	
500	*****	1.3	1.3	1.2	0.9	0.5		
750	*****				1.0	0.7	0.4	
1000	*****					0.6	0.4	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for PRAIRIES REGION
Cross-Sectional File

NUMERATOR OF PERCENTAGE		ESTIMATED PERCENTAGE													
('000)	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%	
1	51.0	50.8	50.5	49.7	48.4	47.1	45.6	44.2	42.7	41.1	39.5	36.1	28.0	16.1	
2	36.1	35.9	35.7	35.2	34.2	33.3	32.3	31.3	30.2	29.1	28.0	25.5	19.8	11.4	
3	*****	29.3	29.2	28.7	28.0	27.2	26.4	25.5	24.7	23.8	22.8	20.8	16.1	9.3	
4	*****	25.4	25.3	24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.0	14.0	8.1	
5	*****	22.7	22.6	22.2	21.7	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2	
6	*****	20.7	20.6	20.3	19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6	
7	*****	19.2	19.1	18.8	18.3	17.8	17.3	16.7	16.1	15.6	14.9	13.6	10.6	6.1	
8	*****	18.0	17.9	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.8	9.9	5.7	
9	*****	16.9	16.8	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	
10	*****	16.1	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1	
11	*****	15.3	15.2	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9	
12	*****	14.7	14.6	14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7	
13	*****	14.1	14.0	13.8	13.4	13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5	
14	*****	13.6	13.5	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3	
15	*****	13.1	13.0	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
16	*****	12.7	12.6	12.4	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0	
17	*****	12.3	12.3	12.1	11.7	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
18	*****	12.0	11.9	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
19	*****	11.6	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
20	*****	11.4	11.3	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.3	3.6	
21	*****	11.1	11.0	10.9	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5	
22	*****	10.8	10.8	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4	
23	*****	10.6	10.5	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4	
24	*****	10.4	10.3	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3	
25	*****	10.2	10.1	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	
30	*****	*****	9.2	9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9	
35	*****	*****	8.5	8.4	8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7	
40	*****	*****	8.0	7.9	7.7	7.4	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6	
45	*****	*****	7.5	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4	
50	*****	*****	7.1	7.0	6.8	6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3	
55	*****	*****	6.8	6.7	6.5	6.3	6.2	6.0	5.8	5.5	5.3	4.9	3.8	2.2	
60	*****	*****	*****	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1	
65	*****	*****	*****	6.2	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
70	*****	*****	*****	5.9	5.8	5.6	5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9	
75	*****	*****	*****	5.7	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9	
80	*****	*****	*****	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8	
85	*****	*****	*****	5.4	5.3	5.1	5.0	4.8	4.6	4.5	4.3	3.9	3.0	1.8	
90	*****	*****	*****	5.2	5.1	5.0	4.8	4.7	4.5	4.3	4.2	3.8	2.9	1.7	
95	*****	*****	*****	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7	
100	*****	*****	*****	5.0	4.8	4.7	4.6	4.4	4.3	4.1	4.0	3.6	2.8	1.6	
125	*****	*****	*****	4.4	4.3	4.2	4.1	4.0	3.8	3.7	3.5	3.2	2.5	1.4	
150	*****	*****	*****	*****	4.0	3.8	3.7	3.6	3.5	3.4	3.2	2.9	2.3	1.3	
200	*****	*****	*****	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1	
250	*****	*****	*****	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.3	1.8	1.0	
300	*****	*****	*****	*****	*****	2.7	2.6	2.6	2.5	2.4	2.3	2.1	1.6	0.9	

350	*****	2.5	2.4	2.4	2.3	2.2	2.1	1.9	1.5	0.9
400	*****	2.4	2.3	2.2	2.1	2.1	2.0	1.8	1.4	0.8
450	*****	2.2	2.1	2.0	1.9	1.9	1.7	1.3	0.8	
500	*****	2.0	2.0	1.9	1.8	1.8	1.6	1.3	0.7	
750	*****				1.6	1.5	1.4	1.3	1.0	0.6
1000	*****					1.3	1.3	1.1	0.9	0.5
1500	*****								0.7	0.4
2000	*****								0.6	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for CANADA
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%	
1	73.9	73.6	73.2	72.1	70.2	68.2	66.2	64.1	61.9	59.6	57.3	52.3	40.5	23.4	
2	52.3	52.1	51.8	51.0	49.6	48.2	46.8	45.3	43.8	42.2	40.5	37.0	28.7	16.5	
3	42.7	42.5	42.3	41.6	40.5	39.4	38.2	37.0	35.7	34.4	33.1	30.2	23.4	13.5	
4	37.0	36.8	36.6	36.1	35.1	34.1	33.1	32.0	30.9	29.8	28.7	26.2	20.3	11.7	
5	33.1	32.9	32.8	32.2	31.4	30.5	29.6	28.7	27.7	26.7	25.6	23.4	18.1	10.5	
6	30.2	30.1	29.9	29.4	28.7	27.8	27.0	26.2	25.3	24.4	23.4	21.4	16.5	9.6	
7	27.9	27.8	27.7	27.3	26.5	25.8	25.0	24.2	23.4	22.5	21.7	19.8	15.3	8.8	
8	26.1	26.0	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	18.5	14.3	8.3	
9	24.6	24.5	24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8	
10	23.4	23.3	23.2	22.8	22.2	21.6	20.9	20.3	19.6	18.9	18.1	16.5	12.8	7.4	
11	22.3	22.2	22.1	21.7	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1	
12	21.3	21.3	21.1	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.8	
13	20.5	20.4	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.5	15.9	14.5	11.2	6.5	
14	19.8	19.7	19.6	19.3	18.8	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.3	
15	19.1	19.0	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0	
16	18.5	18.4	18.3	18.0	17.5	17.1	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
17	17.9	17.9	17.8	17.5	17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7	
18	*****	17.4	17.3	17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5	
19	*****	16.9	16.8	16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4	
20	*****	16.5	16.4	16.1	15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	
21	*****	16.1	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1	
22	*****	15.7	15.6	15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0	
23	*****	15.3	15.3	15.0	14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9	
24	*****	15.0	15.0	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8	
25	*****	14.7	14.6	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7	
30	*****	13.4	13.4	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3	
35	*****	12.4	12.4	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
40	*****	11.6	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
45	*****	11.0	10.9	10.7	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5	
50	*****	10.4	10.4	10.2	9.9	9.6	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3	
55	*****	9.9	9.9	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2	
60	*****	9.5	9.5	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.8	5.2	3.0	
65	*****	9.1	9.1	8.9	8.7	8.5	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9	
70	*****	8.8	8.8	8.6	8.4	8.2	7.9	7.7	7.4	7.1	6.8	6.3	4.8	2.8	
75	*****	8.5	8.5	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7	
80	*****	8.2	8.2	8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6	
85	*****	8.0	7.9	7.8	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5	
90	*****	7.8	7.7	7.6	7.4	7.2	7.0	6.8	6.5	6.3	6.0	5.5	4.3	2.5	
95	*****	7.6	7.5	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4	
100	*****	7.4	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3	
125	*****	6.6	6.6	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1	
150	*****	6.0	6.0	5.9	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9	
200	*****	*****	5.2	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7	
250	*****	*****	4.6	4.6	4.4	4.3	4.2	4.1	3.9	3.8	3.6	3.3	2.6	1.5	
300	*****	*****	4.2	4.2	4.1	3.9	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.4	
350	*****	*****	3.9	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.1	2.8	2.2	1.3	

400	*****	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
450	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.5	1.9	1.1
500	*****	3.2	3.1	3.1	3.0	2.9	2.8	2.7	2.6	2.3	1.8	1.0
750	*****	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	1.9	1.5	0.9
1000	*****	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.7	1.3	0.7	
1500	*****	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.0	0.6	
2000	*****	1.5	1.5	1.4	1.4	1.3	1.3	1.2	0.9	0.5		
3000	*****	1.2	1.2	1.1	1.1	1.0	1.0	0.7	0.4			
4000	*****	1.0	1.0	0.9	0.9	0.8	0.6	0.4				
5000	*****	0.9	0.8	0.8	0.7	0.6	0.3					
6000	*****	0.8	0.7	0.7	0.5	0.3						
7000	*****	0.7	0.6	0.5	0.3							
8000	*****	0.6	0.5	0.3								
9000	*****	0.4	0.2									
10000	*****	0.4	0.2									
12500	*****	0.4	0.2									
15000	*****	0.2										

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION□