

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for PRINCE EDWARD ISLAND
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	*****	27.1	26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7	
2	*****	18.9	18.4	17.8	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1		
3	*****	15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0		
4	*****	13.3	13.0	12.6	12.2	11.9	11.5	11.0	10.6	9.7	7.5	4.3		
5	*****	11.6	11.3	11.0	10.6	10.2	9.9	9.5	8.7	6.7	3.9			
6	*****	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5			
7	*****	9.8	9.5	9.3	9.0	8.7	8.3	8.0	7.3	5.7	3.3			
8	*****	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1			
9	*****	8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9				
10	*****	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7				
11	*****	7.6	7.4	7.1	6.9	6.7	6.4	5.8	4.5	2.6				
12	*****	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5				
13	*****	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4					
14	*****	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3					
15	*****	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2					
16	*****	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2					
17	*****	5.9	5.8	5.6	5.4	5.1	4.7	3.6	2.1					
18	*****	5.6	5.4	5.2	5.0	4.6	3.5	2.0						
19	*****	5.4	5.3	5.1	4.9	4.4	3.4	2.0						
20	*****	5.3	5.1	4.9	4.7	4.3	3.4	1.9						
21	*****	5.2	5.0	4.8	4.6	4.2	3.3	1.9						
22	*****	4.9	4.7	4.5	4.1	3.2	1.8							
23	*****	4.8	4.6	4.4	4.0	3.1	1.8							
24	*****	4.7	4.5	4.3	4.0	3.1	1.8							
25	*****	4.6	4.4	4.2	3.9	3.0	1.7							
30	*****	3.9	3.5	2.7	1.6									
35	*****	3.3	2.5	1.5										
40	*****	3.1	2.4	1.4										
45	*****	2.2	1.3											
50	*****	2.1	1.2											
55	*****	2.0	1.2											
60	*****	1.1												
65	*****	1.1												
70	*****	1.0												
75	*****	1.0												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

350	*****	1.3	0.7
400	*****	1.2	0.7
450	*****	0.6	
500	*****	0.6	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

350 ***** 0.7
400 ***** 0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for QUEBEC
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	93.7	93.3	92.8	91.4	89.0	86.4	83.9	81.2	78.4	75.6	72.6	66.3	51.4	29.7
2	66.3	66.0	65.6	64.6	62.9	61.1	59.3	57.4	55.5	53.5	51.4	46.9	36.3	21.0
3	54.1	53.9	53.6	52.8	51.4	49.9	48.4	46.9	45.3	43.6	41.9	38.3	29.7	17.1
4	46.9	46.6	46.4	45.7	44.5	43.2	41.9	40.6	39.2	37.8	36.3	33.2	25.7	14.8
5	*****	41.7	41.5	40.9	39.8	38.7	37.5	36.3	35.1	33.8	32.5	29.7	23.0	13.3
6	*****	38.1	37.9	37.3	36.3	35.3	34.2	33.2	32.0	30.9	29.7	27.1	21.0	12.1
7	*****	35.3	35.1	34.5	33.6	32.7	31.7	30.7	29.7	28.6	27.5	25.1	19.4	11.2
8	*****	33.0	32.8	32.3	31.4	30.6	29.7	28.7	27.7	26.7	25.7	23.4	18.2	10.5
9	*****	31.1	30.9	30.5	29.7	28.8	28.0	27.1	26.1	25.2	24.2	22.1	17.1	9.9
10	*****	29.5	29.4	28.9	28.1	27.3	26.5	25.7	24.8	23.9	23.0	21.0	16.2	9.4
11	*****	28.1	28.0	27.6	26.8	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	8.9
12	*****	26.9	26.8	26.4	25.7	25.0	24.2	23.4	22.6	21.8	21.0	19.1	14.8	8.6
13	*****	25.9	25.7	25.3	24.7	24.0	23.3	22.5	21.8	21.0	20.1	18.4	14.2	8.2
14	*****	24.9	24.8	24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9
15	*****	24.1	24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
16	*****	23.3	23.2	22.8	22.2	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.8	7.4
17	*****	22.6	22.5	22.2	21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2
18	*****	22.0	21.9	21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0
19	*****	21.4	21.3	21.0	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8
20	*****	20.9	20.8	20.4	19.9	19.3	18.8	18.2	17.5	16.9	16.2	14.8	11.5	6.6
21	*****	20.4	20.3	19.9	19.4	18.9	18.3	17.7	17.1	16.5	15.8	14.5	11.2	6.5
22	*****	19.9	19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
23	*****	19.5	19.4	19.1	18.5	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2
24	*****	19.0	18.9	18.7	18.2	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
25	*****	18.7	18.6	18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.3	10.3	5.9
30	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
35	*****	15.8	15.7	15.4	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
40	*****	14.8	14.7	14.4	14.1	13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7
45	*****	13.9	13.8	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
50	*****	13.1	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
55	*****	12.5	12.3	12.0	11.7	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0	
60	*****	12.0	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8	
65	*****	11.5	11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7	
70	*****	11.1	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5	
75	*****	10.7	10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4	
80	*****	10.4	10.2	9.9	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3	
85	*****	10.1	9.9	9.6	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	
90	*****	9.8	9.6	9.4	9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1	
95	*****	9.5	9.4	9.1	8.9	8.6	8.3	8.0	7.8	7.5	6.8	5.3	3.0	
100	*****	9.1	8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0		
125	*****	8.2	8.0	7.7	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7		
150	*****	7.5	7.3	7.1	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4		
200	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1		
250	*****	5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9			
300	*****	5.1	5.0	4.8	4.7	4.5	4.4	4.2	3.8	3.0	1.7			

350	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6
400	*****	4.4	4.3	4.2	4.1	3.9	3.8	3.6	3.3	2.6	1.5
450	*****	4.2	4.1	4.0	3.8	3.7	3.6	3.4	3.1	2.4	1.4
500	*****	3.9	3.8	3.6	3.5	3.4	3.2	3.0	2.3	1.3	
750	*****	3.1	3.0	2.9	2.8	2.7	2.4	1.9	1.1		
1000	*****	2.6	2.5	2.4	2.3	2.1	1.6	0.9			
1500	*****	2.0	1.9	1.7	1.3	0.8					
2000	*****	1.5	1.1	0.7							
3000	*****	0.9	0.5								
4000	*****	0.5									

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for ONTARIO
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	98.6	98.1	97.6	96.1	93.6	90.9	88.2	85.4	82.5	79.5	76.4	69.7	54.0	31.2
2	69.7	69.4	69.0	68.0	66.2	64.3	62.4	60.4	58.4	56.2	54.0	49.3	38.2	22.1
3	56.9	56.7	56.4	55.5	54.0	52.5	50.9	49.3	47.6	45.9	44.1	40.3	31.2	18.0
4	49.3	49.1	48.8	48.1	46.8	45.5	44.1	42.7	41.3	39.8	38.2	34.9	27.0	15.6
5	44.1	43.9	43.7	43.0	41.8	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	13.9
6	40.2	40.1	39.9	39.2	38.2	37.1	36.0	34.9	33.7	32.5	31.2	28.5	22.1	12.7
7	*****	37.1	36.9	36.3	35.4	34.4	33.3	32.3	31.2	30.1	28.9	26.4	20.4	11.8
8	*****	34.7	34.5	34.0	33.1	32.1	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
9	*****	32.7	32.5	32.0	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.2	18.0	10.4
10	*****	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.1	24.2	22.1	17.1	9.9
11	*****	29.6	29.4	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.0	21.0	16.3	9.4
12	*****	28.3	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
13	*****	27.2	27.1	26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.3	15.0	8.7
14	*****	26.2	26.1	25.7	25.0	24.3	23.6	22.8	22.1	21.3	20.4	18.6	14.4	8.3
15	*****	25.3	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	13.9	8.1
16	*****	24.5	24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
17	*****	23.8	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
18	*****	23.1	23.0	22.7	22.1	21.4	20.8	20.1	19.5	18.7	18.0	16.4	12.7	7.4
19	*****	22.5	22.4	22.1	21.5	20.9	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2
20	*****	21.9	21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
21	*****	21.4	21.3	21.0	20.4	19.8	19.3	18.6	18.0	17.4	16.7	15.2	11.8	6.8
22	*****	20.9	20.8	20.5	19.9	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.6
23	*****	20.5	20.4	20.0	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
24	*****	20.0	19.9	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
25	*****	19.6	19.5	19.2	18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	10.8	6.2
30	*****	17.9	17.8	17.6	17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7
35	*****	16.6	16.5	16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
40	*****	15.5	15.4	15.2	14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9
45	*****	14.6	14.6	14.3	13.9	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.6
50	*****	13.9	13.8	13.6	13.2	12.9	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4
55	*****	13.2	13.2	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
60	*****	12.7	12.6	12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
65	*****	12.2	12.1	11.9	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9
70	*****	11.7	11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.7	8.3	6.5	3.7
75	*****	11.3	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6	
80	*****	10.9	10.7	10.5	10.2	9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
85	*****	10.6	10.4	10.1	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4	
90	*****	10.3	10.1	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3	
95	*****	10.0	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2	
100	*****	9.8	9.6	9.4	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1	
125	*****	8.7	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8	
150	*****	7.8	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5		
200	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2		
250	*****	6.1	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0		
300	*****	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8		

350	*****	5.0	4.9	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7
400	*****	4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6
450	*****	4.4	4.3	4.2	4.0	3.9	3.7	3.6	3.3	2.5	1.5
500	*****	4.2	4.1	3.9	3.8	3.7	3.6	3.4	3.1	2.4	1.4
750	*****	3.3	3.2	3.1	3.0	2.9	2.8	2.5	2.0	1.1	
1000	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.2	1.7	1.0	
1500	*****		2.2	2.1	2.1	2.0	1.8	1.4	0.8		
2000	*****			1.8	1.8	1.7	1.6	1.2	0.7		
3000	*****						1.3	1.0	0.6		
4000	*****								0.9	0.5	
5000	*****										0.4
6000	*****										0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

300	*****	2.3	1.8	1.0
350	*****	2.2	1.7	1.0
400	*****		1.6	0.9
450	*****		1.5	0.8
500	*****			0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for SASKATCHEWAN
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	****	48.7	48.4	47.7	46.4	45.1	43.8	42.4	40.9	39.5	37.9	34.6	26.8	15.5
2	****	34.4	34.3	33.7	32.8	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	10.9
3	****	28.1	28.0	27.5	26.8	26.0	25.3	24.5	23.6	22.8	21.9	20.0	15.5	8.9
4	****	24.3	24.2	23.8	23.2	22.6	21.9	21.2	20.5	19.7	19.0	17.3	13.4	7.7
5	****	21.8	21.7	21.3	20.8	20.2	19.6	19.0	18.3	17.6	17.0	15.5	12.0	6.9
6	****	19.9	19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
7	*****	18.3	18.0	17.5	17.1	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
8	*****	17.1	16.9	16.4	16.0	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5	
9	*****	16.1	15.9	15.5	15.0	14.6	14.1	13.6	13.2	12.6	11.5	8.9	5.2	
10	*****	15.3	15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9	
11	*****	14.6	14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7	
12	*****	14.0	13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5	
13	*****	13.2	12.9	12.5	12.1	11.8	11.4	10.9	10.5	9.6	7.4	4.3		
14	*****	12.7	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1		
15	*****	12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0		
16	*****	11.9	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9		
17	*****	11.6	11.3	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8		
18	*****	11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6		
19	*****	10.9	10.7	10.4	10.0	9.7	9.4	9.1	8.7	7.9	6.1	3.6		
20	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5		
21	*****	10.4	10.1	9.8	9.6	9.2	8.9	8.6	8.3	7.6	5.8	3.4		
22	*****	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3		
23	*****	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2		
24	*****	9.7	9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2		
25	*****	9.5	9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1		
30	*****	8.7	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8		
35	*****	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6			
40	*****	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4			
45	*****	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3			
50	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2			
55	*****	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1			
60	*****	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0			
65	*****	5.6	5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9				
70	*****	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8				
75	*****	5.2	5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8				
80	*****	5.0	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7				
85	*****	4.9	4.7	4.6	4.4	4.3	4.1	3.8	2.9	1.7				
90	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6				
95	*****	4.5	4.3	4.2	4.0	3.9	3.6	2.7	1.6					
100	*****	4.4	4.2	4.1	3.9	3.8	3.5	2.7	1.5					
125	*****	3.9	3.8	3.7	3.5	3.4	3.1	2.4	1.4					
150	*****	3.5	3.3	3.2	3.1	2.8	2.2	1.3						
200	*****	2.8	2.7	2.4	1.9	1.1								
250	*****	2.4	2.2	1.7	1.0									
300	*****	2.0	1.5	0.9										

350	*****	1.4	0.8
400	*****	1.3	0.8
450	*****		0.7
500	*****		0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for ALBERTA
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	64.0	63.7	63.4	62.4	60.8	59.1	57.3	55.5	53.6	51.6	49.6	45.3	35.1	20.3
2	*****	45.1	44.8	44.1	43.0	41.8	40.5	39.2	37.9	36.5	35.1	32.0	24.8	14.3
3	*****	36.8	36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	20.3	11.7
4	*****	31.9	31.7	31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1
5	*****	28.5	28.4	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1
6	*****	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.3	18.5	14.3	8.3
7	*****	24.1	24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
8	*****	22.5	22.4	22.1	21.5	20.9	20.3	19.6	18.9	18.3	17.5	16.0	12.4	7.2
9	*****	21.2	21.1	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.8
10	*****	20.2	20.1	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
11	*****	19.2	19.1	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1
12	*****	18.4	18.3	18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
13	*****	17.7	17.6	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
14	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
15	*****	16.5	16.4	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
16	*****	15.9	15.9	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
17	*****	15.4	15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
18	*****	14.9	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8	
19	*****	14.5	14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6	
20	*****	14.2	14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
21	*****	13.8	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4	
22	*****	13.5	13.3	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3	
23	*****	13.2	13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	
24	*****	12.9	12.7	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
25	*****	12.7	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1	
30	*****	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
35	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	8.1	7.7	5.9	3.4	
40	*****	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.5	7.2	5.5	3.2	
45	*****	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	7.1	6.8	5.2	3.0	
50	*****	8.8	8.6	8.4	8.1	7.8	7.6	7.3	7.0	6.7	6.4	5.0	2.9	
55	*****	8.4	8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.4	6.1	4.7	2.7	
60	*****	8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	6.2	5.8	4.5	2.6	
65	*****	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.6	4.4	2.5	
70	*****	7.5	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.7	5.4	4.2	2.4	
75	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.5	5.2	4.1	2.3	
80	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.5	5.3	5.1	3.9	2.3	
85	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	4.7	3.8	2.2	
90	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	4.7	4.5	3.7	2.1	
95	*****	6.2	6.1	5.9	5.7	5.5	5.3	5.1	4.8	4.6	4.4	3.6	2.1	
100	*****	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.7	4.5	4.3	3.5	2.0	
125	*****	5.4	5.3	5.1	5.0	4.8	4.6	4.4	4.1	3.9	3.7	3.1	1.8	
150	*****	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	3.5	3.2	2.9	1.7	
200	*****	4.2	4.1	3.9	3.8	3.7	3.5	3.2	2.9	2.7	2.5	2.1	1.4	
250	*****	3.6	3.5	3.4	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.8	1.3	
300	*****	3.3	3.2	3.1	3.0	2.9	2.6	2.4	2.2	2.0	1.8	1.5	1.2	

350	*****	3.0	2.9	2.8	2.7	2.4	1.9	1.1
400	*****	2.8	2.7	2.6	2.5	2.3	1.8	1.0
450	*****	2.5	2.4	2.3	2.1	1.7	1.0	
500	*****	2.3	2.2	2.0	1.6	0.9		
750	*****				1.7	1.3	0.7	
1000	*****					1.1	0.6	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for BRITISH COLUMBIA
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	89.7	89.3	88.9	87.5	85.2	82.8	80.3	77.7	75.1	72.4	69.5	63.5	49.2	28.4
2	63.4	63.2	62.8	61.9	60.2	58.5	56.8	55.0	53.1	51.2	49.2	44.9	34.8	20.1
3	*****	51.6	51.3	50.5	49.2	47.8	46.4	44.9	43.4	41.8	40.1	36.6	28.4	16.4
4	*****	44.7	44.4	43.7	42.6	41.4	40.1	38.9	37.5	36.2	34.8	31.7	24.6	14.2
5	*****	39.9	39.7	39.1	38.1	37.0	35.9	34.8	33.6	32.4	31.1	28.4	22.0	12.7
6	*****	36.5	36.3	35.7	34.8	33.8	32.8	31.7	30.7	29.5	28.4	25.9	20.1	11.6
7	*****	33.8	33.6	33.1	32.2	31.3	30.3	29.4	28.4	27.4	26.3	24.0	18.6	10.7
8	*****	31.6	31.4	30.9	30.1	29.3	28.4	27.5	26.6	25.6	24.6	22.4	17.4	10.0
9	*****	29.8	29.6	29.2	28.4	27.6	26.8	25.9	25.0	24.1	23.2	21.2	16.4	9.5
10	*****	28.2	28.1	27.7	26.9	26.2	25.4	24.6	23.7	22.9	22.0	20.1	15.5	9.0
11	*****	26.9	26.8	26.4	25.7	25.0	24.2	23.4	22.6	21.8	21.0	19.1	14.8	8.6
12	*****	25.8	25.7	25.3	24.6	23.9	23.2	22.4	21.7	20.9	20.1	18.3	14.2	8.2
13	*****	24.8	24.6	24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
14	*****	23.9	23.7	23.4	22.8	22.1	21.5	20.8	20.1	19.3	18.6	17.0	13.1	7.6
15	*****	23.1	22.9	22.6	22.0	21.4	20.7	20.1	19.4	18.7	18.0	16.4	12.7	7.3
16	*****	22.3	22.2	21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
17	*****	21.7	21.6	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
18	*****	21.1	20.9	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
19	*****	20.5	20.4	20.1	19.5	19.0	18.4	17.8	17.2	16.6	16.0	14.6	11.3	6.5
20	*****	20.0	19.9	19.6	19.0	18.5	18.0	17.4	16.8	16.2	15.5	14.2	11.0	6.3
21	*****	19.5	19.4	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2
22	*****	18.9	18.7	18.2	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1	
23	*****	18.5	18.2	17.8	17.3	16.7	16.2	15.7	15.1	14.5	13.2	10.3	5.9	
24	*****	18.1	17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8	
25	*****	17.8	17.5	17.0	16.6	16.1	15.5	15.0	14.5	13.9	12.7	9.8	5.7	
30	*****	16.2	16.0	15.5	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2	
35	*****	15.0	14.8	14.4	14.0	13.6	13.1	12.7	12.2	11.8	10.7	8.3	4.8	
40	*****	14.0	13.8	13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
45	*****	13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2		
50	*****	12.4	12.0	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0		
55	*****	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8		
60	*****	11.3	11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7		
65	*****	10.9	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5		
70	*****	10.5	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4		
75	*****	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3		
80	*****	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2		
85	*****	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1		
90	*****	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0		
95	*****	9.0	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9		
100	*****	8.7	8.5	8.3	8.0	7.8	7.5	7.2	7.0	6.3	4.9	2.8		
125	*****	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5			
150	*****	7.0	6.8	6.6	6.3	6.1	5.9	5.7	5.2	4.0	2.3			
200	*****	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0			
250	*****	5.2	5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8				
300	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.7	2.8	1.6				

350	*****	4.3	4.2	4.0	3.9	3.7	3.4	2.6	1.5
400	*****	4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4
450	*****	3.7	3.5	3.4	3.3	3.0	2.3	1.3	
500	*****	3.5	3.4	3.2	3.1	2.8	2.2	1.3	
750	*****					2.5	2.3	1.8	1.0
1000	*****						2.0	1.6	0.9
1500	*****								0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for ATLANTIC PROVINCES
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	40.1	39.9	39.7	39.1	38.1	37.0	35.9	34.7	33.6	32.3	31.1	28.4	22.0	12.7
2	*****	28.2	28.1	27.6	26.9	26.2	25.4	24.6	23.7	22.9	22.0	20.1	15.5	9.0
3	*****	23.0	22.9	22.6	22.0	21.4	20.7	20.1	19.4	18.7	17.9	16.4	12.7	7.3
4	*****	20.0	19.9	19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3
5	*****	17.9	17.8	17.5	17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7
6	*****	16.3	16.2	16.0	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
7	*****	15.1	15.0	14.8	14.4	14.0	13.6	13.1	12.7	12.2	11.7	10.7	8.3	4.8
8	*****	14.1	14.0	13.8	13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5
9	*****	13.3	13.2	13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
10	*****	12.6	12.6	12.4	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
11	*****	12.0	12.0	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
12	*****	11.5	11.5	11.3	11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7
13	*****	11.1	11.0	10.8	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
14	*****	10.7	10.6	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
15	*****	10.3	10.3	10.1	9.8	9.5	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
16	*****	9.9	9.8	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.2
17	*****	9.6	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	7.2	6.6	5.0	3.1
18	*****	9.4	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	7.0	6.4	4.8	3.0
19	*****	9.1	9.0	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.8	6.2	4.6	2.9
20	*****	8.9	8.7	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.6	6.0	4.4	2.8
21	*****	8.7	8.5	8.3	8.1	7.8	7.6	7.3	7.0	6.7	6.4	5.8	4.2	2.8
22	*****	8.5	8.3	8.1	7.9	7.6	7.4	7.1	6.8	6.5	6.2	5.6	4.0	2.7
23	*****	8.3	8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.4	6.1	5.5	3.9	2.6
24	*****	8.1	8.0	7.8	7.5	7.3	7.1	6.8	6.5	6.2	5.9	5.3	3.7	2.6
25	*****	7.9	7.8	7.6	7.4	7.2	6.9	6.7	6.4	6.1	5.8	5.2	3.6	2.5
30	*****	7.3	7.1	6.9	6.8	6.6	6.3	6.1	5.9	5.7	5.4	4.8	3.2	2.3
35	*****	6.6	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.5	2.9	2.1
40	*****	6.2	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.1	2.7	2.0
45	*****	5.8	5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	3.8	2.6	1.9
50	*****	5.5	5.4	5.2	5.1	4.9	4.7	4.6	4.4	4.2	4.0	3.6	2.5	1.8
55	*****	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.0	3.8	3.4	2.4	1.7
60	*****	5.0	4.9	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.7	3.3	2.3	1.6
65	*****	4.8	4.7	4.6	4.5	4.3	4.2	4.0	3.9	3.7	3.5	3.1	2.2	1.6
70	*****	4.7	4.5	4.4	4.3	4.2	4.0	3.9	3.7	3.5	3.3	2.9	2.1	1.5
75	*****	4.5	4.4	4.3	4.1	4.0	3.9	3.7	3.6	3.4	3.3	2.9	2.1	1.5
80	*****	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.3	3.2	3.0	2.7	2.0	1.4
85	*****	4.1	4.0	3.9	3.8	3.6	3.5	3.4	3.2	3.1	2.9	2.6	1.9	1.4
90	*****	4.0	3.9	3.8	3.7	3.5	3.4	3.3	3.1	3.0	2.8	2.5	1.8	1.3
95	*****	3.9	3.8	3.7	3.6	3.4	3.3	3.2	3.0	2.9	2.7	2.4	1.7	1.3
100	*****	3.8	3.7	3.6	3.5	3.4	3.2	3.1	2.9	2.8	2.6	2.3	1.6	1.3
125	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.0	1.5	1.1
150	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.3	2.2	2.0	1.7	1.3	1.0
200	*****	2.6	2.5	2.5	2.4	2.3	2.2	2.0	1.9	1.8	1.6	1.4	1.0	0.9
250	*****	2.3	2.2	2.1	2.0	1.9	1.8	1.6	1.5	1.4	1.2	0.9	0.7	0.8
300	*****	2.1	2.0	1.9	1.9	1.8	1.6	1.5	1.4	1.2	1.1	0.8	0.6	0.7

350	*****	1.9	1.8	1.7	1.7	1.5	1.2	0.7
400	*****	1.7	1.6	1.6	1.4	1.1	0.6	
450	*****	1.6	1.5	1.5	1.3	1.0	0.6	
500	*****	1.4	1.4	1.3	1.0	0.6		
750	*****				1.0	0.8	0.5	
1000	*****					0.7	0.4	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for PRAIRIE PROVINCES
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	57.1	56.9	56.6	55.7	54.2	52.7	51.1	49.5	47.8	46.1	44.3	40.4	31.3	18.1
2	40.4	40.2	40.0	39.4	38.4	37.3	36.2	35.0	33.8	32.6	31.3	28.6	22.1	12.8
3	*****	32.8	32.7	32.2	31.3	30.4	29.5	28.6	27.6	26.6	25.6	23.3	18.1	10.4
4	*****	28.4	28.3	27.9	27.1	26.4	25.6	24.8	23.9	23.0	22.1	20.2	15.7	9.0
5	*****	25.4	25.3	24.9	24.3	23.6	22.9	22.1	21.4	20.6	19.8	18.1	14.0	8.1
6	*****	23.2	23.1	22.7	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
7	*****	21.5	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
8	*****	20.1	20.0	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
9	*****	19.0	18.9	18.6	18.1	17.6	17.0	16.5	15.9	15.4	14.8	13.5	10.4	6.0
10	*****	18.0	17.9	17.6	17.2	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
11	*****	17.2	17.1	16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5
12	*****	16.4	16.3	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2
13	*****	15.8	15.7	15.5	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
14	*****	15.2	15.1	14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
15	*****	14.7	14.6	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.4	10.4	8.1	4.7
16	*****	14.2	14.1	13.9	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
17	*****	13.8	13.7	13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4
18	*****	13.4	13.3	13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
19	*****	13.1	13.0	12.8	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1
20	*****	12.7	12.7	12.5	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
21	*****	12.4	12.4	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
22	*****	12.1	12.1	11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
23	*****	11.9	11.8	11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
24	*****	11.6	11.6	11.4	11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7
25	*****	11.4	11.3	11.1	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
30	*****	*****	10.3	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
35	*****	*****	9.6	9.4	9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
40	*****	*****	8.9	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
45	*****	*****	8.4	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
50	*****	*****	8.0	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
55	*****	*****	7.6	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
60	*****	*****	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3
65	*****	*****	*****	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
70	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
75	*****	*****	*****	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
80	*****	*****	*****	6.2	6.1	5.9	5.7	5.5	5.3	5.2	5.0	4.5	3.5	2.0
85	*****	*****	*****	6.0	5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.4	3.4	2.0
90	*****	*****	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.9	4.7	4.3	3.3	1.9
95	*****	*****	*****	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.9
100	*****	*****	*****	5.6	5.4	5.3	5.1	5.0	4.8	4.6	4.4	4.0	3.1	1.8
125	*****	*****	*****	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.6	2.8	1.6
150	*****	*****	*****	*****	4.4	4.3	4.2	4.0	3.9	3.8	3.6	3.3	2.6	1.5
200	*****	*****	*****	*****	3.8	3.7	3.6	3.5	3.4	3.3	3.1	2.9	2.2	1.3
250	*****	*****	*****	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1
300	*****	*****	*****	*****	3.0	3.0	2.9	2.8	2.7	2.6	2.6	2.3	1.8	1.0

350	*****	2.8	2.7	2.6	2.6	2.5	2.4	2.2	1.7	1.0
400	*****	2.6	2.6	2.5	2.4	2.3	2.2	2.0	1.6	0.9
450	*****	2.4	2.3	2.3	2.2	2.1	1.9	1.5	0.9	
500	*****	2.3	2.2	2.1	2.1	2.0	1.8	1.4	0.8	
750	*****				1.7	1.7	1.6	1.5	1.1	0.7
1000	*****					1.5	1.4	1.3	1.0	0.6
1500	*****								0.8	0.5
2000	*****								0.7	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Approximate Sampling Variability Tables for CANADA
Cross-Sectional File

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10%	15%	20%	25%	30%	35%	40%	50%	70%	90%
1	83.5	83.1	82.7	81.4	79.2	77.0	74.7	72.3	69.9	67.3	64.7	59.0	45.7	26.4
2	59.0	58.7	58.5	57.6	56.0	54.4	52.8	51.1	49.4	47.6	45.7	41.8	32.3	18.7
3	48.2	48.0	47.7	47.0	45.7	44.4	43.1	41.8	40.3	38.9	37.3	34.1	26.4	15.2
4	41.7	41.5	41.3	40.7	39.6	38.5	37.3	36.2	34.9	33.7	32.3	29.5	22.9	13.2
5	37.3	37.2	37.0	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.5	11.8
6	34.1	33.9	33.7	33.2	32.3	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8
7	31.5	31.4	31.2	30.8	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
8	29.5	29.4	29.2	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.3
9	27.8	27.7	27.6	27.1	26.4	25.7	24.9	24.1	23.3	22.4	21.6	19.7	15.2	8.8
10	26.4	26.3	26.1	25.7	25.1	24.3	23.6	22.9	22.1	21.3	20.5	18.7	14.5	8.4
11	25.2	25.1	24.9	24.5	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
12	24.1	24.0	23.9	23.5	22.9	22.2	21.6	20.9	20.2	19.4	18.7	17.0	13.2	7.6
13	23.1	23.0	22.9	22.6	22.0	21.4	20.7	20.1	19.4	18.7	17.9	16.4	12.7	7.3
14	22.3	22.2	22.1	21.8	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1
15	21.5	21.5	21.3	21.0	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
16	20.9	20.8	20.7	20.3	19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
17	20.2	20.2	20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
18	19.7	19.6	19.5	19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2
19	*****	19.1	19.0	18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
20	*****	18.6	18.5	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
21	*****	18.1	18.0	17.8	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
22	*****	17.7	17.6	17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
23	*****	17.3	17.2	17.0	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
24	*****	17.0	16.9	16.6	16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.1	9.3	5.4
25	*****	16.6	16.5	16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
30	*****	15.2	15.1	14.9	14.5	14.1	13.6	13.2	12.8	12.3	11.8	10.8	8.4	4.8
35	*****	14.0	14.0	13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
40	*****	13.1	13.1	12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
45	*****	12.4	12.3	12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
50	*****	11.7	11.7	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7
55	*****	11.2	11.1	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
60	*****	10.7	10.7	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.4	7.6	5.9	3.4
65	*****	10.3	10.3	10.1	9.8	9.5	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
70	*****	9.9	9.9	9.7	9.5	9.2	8.9	8.6	8.4	8.0	7.7	7.1	5.5	3.2
75	*****	9.6	9.5	9.4	9.1	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.0
80	*****	9.3	9.2	9.1	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
85	*****	9.0	9.0	8.8	8.6	8.4	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
90	*****	8.8	8.7	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
95	*****	8.5	8.5	8.4	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
100	*****	8.3	8.3	8.1	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
125	*****	7.4	7.4	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
150	*****	6.8	6.7	6.6	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
200	*****	5.8	5.8	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9	
250	*****	5.2	5.1	5.0	4.9	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7	
300	*****	4.8	4.7	4.6	4.4	4.3	4.2	4.0	3.9	3.7	3.4	2.6	1.5	
350	*****	4.4	4.4	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.2	2.4	1.4	

400	*****	4.1	4.0	3.8	3.7	3.6	3.5	3.4	3.2	3.0	2.3	1.3
450	*****	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.0	2.8	2.2	1.2
500	*****	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
750	*****	3.0	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.2	1.7	1.0
1000	*****	2.5	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.9	1.4	0.8
1500	*****	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.5	1.5	1.2	0.7
2000	*****	1.7	1.7	1.6	1.6	1.5	1.4	1.4	1.3	1.0	0.6	0.6
3000	*****	1.4	1.3	1.3	1.2	1.2	1.2	1.1	0.8	0.5	0.5	0.5
4000	*****	1.1	1.1	1.1	1.0	1.0	0.9	0.8	0.6	0.4	0.4	0.4
5000	*****	1.0	1.0	0.9	0.8	0.6	0.4	0.3	0.3	0.3	0.3	0.3
6000	*****	0.9	0.8	0.8	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3
7000	*****	0.8	0.7	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
8000	*****	0.7	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
9000	*****	0.6	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
10000	*****	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
12500	*****	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
15000	*****	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION□