

APPENDIX B

Tables of Approximated Sampling Variability

Notes or instructions enumerated below should be considered in any uses of tables of approximated sampling variability:

- (1) Sampling variabilities (coefficients of variation) are in percents.
- (2) To determine sampling variabilities for estimates of totals, locate the row closest to the estimated total. The left-most column gives the sampling variability.
- (3) To determine sampling variabilities for estimates of percentages, use the row closest to the numerator of the percentage and the column closest to the percentage.
- (4) Sampling variabilities in this table are crude indicators and in general are higher than those that would be obtained using more exact techniques. Under no circumstances are they official.



TABLE OF APPROXIMATED SAMPLING VARIABILITY

CANADA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	72.9	72.5	72.2	71.1	69.2	67.2	65.2	63.1	61.0	58.8	56.5	51.5	39.9	23.1
400	51.5	51.3	51.0	50.2	48.9	47.5	46.1	44.6	43.1	41.6	39.9	36.5	28.2	16.3
600	42.1	41.9	41.7	41.0	39.9	38.8	37.6	36.5	35.2	33.9	32.6	29.8	23.1	13.3
800	36.4	36.3	36.1	35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5
1000	32.6	32.4	32.3	31.8	30.9	30.1	29.2	28.2	27.3	26.3	25.3	23.1	17.9	10.3
2000	23.0	22.9	22.8	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
3000	18.8	18.7	18.6	18.3	17.9	17.4	16.8	16.3	15.7	15.2	14.6	13.3	10.3	6.0
4000	16.3	16.2	16.1	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
5000	14.6	14.5	14.4	14.2	13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6
6000	13.3	13.2	13.2	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
7000	12.3	12.3	12.2	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
8000	11.5	11.5	11.4	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.2	6.3	3.6
9000	*****	10.8	10.8	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
10000	*****	10.3	10.2	10.0	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
11000	*****	9.8	9.7	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
12000	*****	9.4	9.3	9.2	8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0
13000	*****	9.0	9.0	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
14000	*****	8.7	8.6	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
15000	*****	8.4	8.3	8.2	8.0	7.8	7.5	7.3	7.0	6.8	6.5	6.0	4.6	2.7
16000	*****	8.1	8.1	7.9	7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
17000	*****	7.9	7.8	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5
18000	*****	7.6	7.6	7.5	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4
19000	*****	7.4	7.4	7.3	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
20000	*****	7.3	7.2	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3
21000	*****	7.1	7.0	6.9	6.7	6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.2
22000	*****	6.9	6.9	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
23000	*****	6.8	6.7	6.6	6.4	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.1
24000	*****	6.6	6.6	6.5	6.3	6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1
25000	*****	6.5	6.5	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.1	4.6	3.6	2.1
30000	*****	5.9	5.9	5.8	5.6	5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
35000	*****	5.5	5.5	5.4	5.2	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7
40000	*****	5.1	5.1	5.0	4.8	4.7	4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6
45000	*****	4.8	4.8	4.6	4.5	4.4	4.3	4.2	4.1	3.9	3.8	3.4	2.7	1.5
50000	*****	4.6	4.6	4.5	4.3	4.1	4.0	4.0	3.9	3.7	3.6	3.3	2.5	1.5
55000	*****	4.4	4.4	4.3	4.1	3.9	3.8	3.8	3.7	3.5	3.4	3.1	2.4	1.4
60000	*****	4.2	4.2	4.1	3.9	3.7	3.6	3.6	3.5	3.4	3.3	3.0	2.3	1.3
65000	*****	4.0	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.1	2.9	2.2	1.3
70000	*****	3.9	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.1	3.0	2.8	2.1	1.2
75000	*****	3.7	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.7	2.0	1.2
80000	*****	3.6	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1
85000	*****	3.5	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.5	1.9	1.1
90000	*****	3.4	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.4	1.8	1.1
95000	*****	3.3	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.3	1.8	1.0
100000	*****	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.2	1.6	0.9
125000	*****	2.9	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	1.9	1.5	0.8
150000	*****	2.6	2.6	2.6	2.5	2.5	2.4	2.3	2.2	2.1	2.1	1.9	1.5	0.8
200000	*****	2.2	2.2	2.2	2.1	2.1	2.0	2.0	1.9	1.8	1.8	1.6	1.3	0.7
250000	*****	2.0	2.0	2.0	1.9	1.9	1.8	1.8	1.7	1.7	1.6	1.5	1.1	0.7
300000	*****	1.8	1.8	1.8	1.7	1.7	1.6	1.6	1.6	1.5	1.5	1.3	1.0	0.6
350000	*****	1.7	1.7	1.7	1.6	1.6	1.5	1.5	1.5	1.4	1.4	1.2	1.0	0.6
400000	*****	1.6	1.6	1.6	1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.2	0.9	0.5

450000	*****	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1.2	1.1	0.8	0.5
500000	*****	1.4	1.3	1.3	1.3	1.3	1.2	1.2	1.2	1.1	0.8	0.5
750000	*****	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.8	0.7	0.4
1000000	*****	*****	1.0	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.6	0.3
1500000	*****	*****	*****	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.5	0.3
2000000	*****	*****	*****	*****	0.6	0.6	0.6	0.6	0.6	0.5	0.4	0.2
3000000	*****	*****	*****	*****	*****	*****	*****	0.5	0.5	0.4	0.3	0.2
4000000	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.4	0.3	0.2
5000000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.3	0.1
6000000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.2	0.1
7000000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.1
8000000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.1

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

HALIFAX

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	*****	53.3	53.0	52.2	50.8	49.4	47.9	46.4	44.8	43.2	41.5	37.9	29.3	16.9
400	*****	37.7	37.5	36.9	35.9	34.9	33.9	32.8	31.7	30.5	29.3	26.8	20.8	12.0
600	*****	30.8	30.6	30.1	29.3	28.5	27.7	26.8	25.9	24.9	24.0	21.9	16.9	9.8
800	*****	26.7	26.5	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.8	18.9	14.7	8.5
1000	*****	23.8	23.7	23.4	22.7	22.1	21.4	20.8	20.0	19.3	18.6	16.9	13.1	7.6
2000	*****	16.8	16.8	16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4
3000	*****	*****	*****	13.5	13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4
4000	*****	*****	*****	11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
5000	*****	*****	*****	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
6000	*****	*****	*****	*****	9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
7000	*****	*****	*****	*****	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
8000	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
9000	*****	*****	*****	*****	7.6	7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
10000	*****	*****	*****	*****	7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.2	2.4
11000	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3
12000	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
13000	*****	*****	*****	*****	*****	6.1	5.9	5.8	5.6	5.4	5.1	4.7	3.6	2.1
14000	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.5	3.5	2.0
15000	*****	*****	*****	*****	*****	5.7	5.5	5.4	5.2	5.0	4.8	4.4	3.4	2.0
16000	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8
17000	*****	*****	*****	*****	*****	5.2	5.0	4.9	4.7	4.6	4.4	4.0	3.1	1.8
18000	*****	*****	*****	*****	*****	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7
19000	*****	*****	*****	*****	*****	4.9	4.8	4.6	4.5	4.3	4.2	3.8	2.9	1.7
20000	*****	*****	*****	*****	*****	4.8	4.6	4.5	4.4	4.2	4.1	3.7	2.9	1.7
21000	*****	*****	*****	*****	*****	*****	4.5	4.4	4.3	4.1	4.0	3.6	2.8	1.6
22000	*****	*****	*****	*****	*****	*****	4.4	4.3	4.2	4.0	3.9	3.5	2.7	1.6
23000	*****	*****	*****	*****	*****	*****	4.3	4.2	4.1	3.9	3.8	3.5	2.7	1.5
24000	*****	*****	*****	*****	*****	*****	4.2	4.1	4.0	3.9	3.7	3.4	2.6	1.5
25000	*****	*****	*****	*****	*****	*****	4.2	4.0	3.7	3.5	3.4	3.1	2.4	1.4
30000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.5	3.4	3.1	2.4	1.4
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.1	2.9	2.2	1.3
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.9	2.7	2.1	1.2
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	2.0	1.1
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.9	1.1
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0
65000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
70000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
75000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
80000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
85000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
90000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

CHICOUTIMI-JONQUIERE

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%			
200	*****	37.2	37.0	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8		
400	*****	26.3	26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4		
600	*****	*****	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8		
800	*****	*****	18.5	18.2	17.7	17.2	16.7	16.2	15.7	15.1	14.5	13.2	10.2	5.9		
1000	*****	*****	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3		
2000	*****	*****	*****	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7		
3000	*****	*****	*****	*****	9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1		
4000	*****	*****	*****	*****	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6		
5000	*****	*****	*****	*****	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4		
6000	*****	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2		
7000	*****	*****	*****	*****	*****	5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0		
8000	*****	*****	*****	*****	*****	*****	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9		
9000	*****	*****	*****	*****	*****	*****	5.0	4.8	4.7	4.5	4.3	3.9	3.1	1.8		
10000	*****	*****	*****	*****	*****	*****	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7		
11000	*****	*****	*****	*****	*****	*****	*****	4.4	4.2	4.1	3.9	3.6	2.8	1.6		
12000	*****	*****	*****	*****	*****	*****	4.2	4.0	3.9	3.7	3.4	3.2	2.6	1.5		
13000	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.7	3.6	3.3	2.5	1.5		
14000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.5	3.2	2.4	1.4		
15000	*****	*****	*****	*****	*****	*****	*****	*****	3.6	3.5	3.3	3.1	2.4	1.4		
16000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.2	3.0	2.3	1.3		
17000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.1	2.9	2.2	1.3		
18000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.1	2.8	2.2	1.2		
19000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.7	2.1	1.2		
20000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.9	2.6	2.0	1.2		
21000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.0	1.2		
22000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	2.0	1.1		
23000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.9	1.1		
24000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.9	1.1		
25000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.8	1.1		
30000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0		
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5	0.9		
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8		
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8		

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.



450000	*****	1.2	1.0	0.6
500000	*****	1.2	0.9	0.5
750000	*****	*****	0.7	0.4
1000000	*****	*****	*****	0.4

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.



TABLE OF APPROXIMATED SAMPLING VARIABILITY

QUEBEC CITY

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	78.0	77.7	77.3	76.1	74.0	72.0	69.8	67.6	65.3	62.9	60.5	55.2	42.7	24.7	
400	*****	54.9	54.6	53.8	52.4	50.9	49.4	47.8	46.2	44.5	42.7	39.0	30.2	17.5	
600	*****	44.8	44.6	43.9	42.7	41.5	40.3	39.0	37.7	36.3	34.9	31.9	24.7	14.2	
800	*****	38.8	38.6	38.0	37.0	36.0	34.9	33.8	32.6	31.5	30.2	27.6	21.4	12.3	
1000	*****	34.7	34.6	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0	
2000	*****	24.6	24.4	24.1	23.4	22.8	22.1	21.4	20.6	19.9	19.1	17.5	13.5	7.8	
3000	*****	*****	19.9	19.6	19.1	18.6	18.0	17.5	16.9	16.2	15.6	14.2	11.0	6.4	
4000	*****	*****	17.3	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5	
5000	*****	*****	*****	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9	
6000	*****	*****	*****	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5	
7000	*****	*****	*****	12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
8000	*****	*****	*****	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.6	8.7	6.8	3.9	
9000	*****	*****	*****	11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7	
10000	*****	*****	*****	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5	
11000	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3	
12000	*****	*****	*****	*****	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
13000	*****	*****	*****	*****	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.6	5.1	2.9	
14000	*****	*****	*****	*****	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.4	4.9	2.8	
15000	*****	*****	*****	*****	8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.2	4.8	2.8	
16000	*****	*****	*****	*****	8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.0	4.6	2.7	
17000	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.6	5.8	4.5	2.6	
18000	*****	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.7	4.4	2.5	
19000	*****	*****	*****	*****	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.5	4.3	2.5	
20000	*****	*****	*****	*****	7.4	7.2	7.0	6.8	6.5	6.3	6.0	5.4	4.2	2.4	
21000	*****	*****	*****	*****	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.3	4.1	2.4	
22000	*****	*****	*****	*****	*****	6.9	6.7	6.4	6.2	6.0	5.8	5.1	4.0	2.3	
23000	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.6	5.0	3.9	2.3	
24000	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.7	5.5	4.9	3.8	2.2	
25000	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.8	3.7	2.2	
30000	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
35000	*****	*****	*****	*****	*****	*****	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9	
40000	*****	*****	*****	*****	*****	*****	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7	
45000	*****	*****	*****	*****	*****	*****	*****	4.5	4.4	4.2	4.0	3.7	2.8	1.6	
50000	*****	*****	*****	*****	*****	*****	*****	4.3	4.1	4.0	3.8	3.5	2.7	1.6	
55000	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.8	3.6	3.3	2.6	1.5	
60000	*****	*****	*****	*****	*****	*****	*****	*****	3.8	3.6	3.5	3.2	2.5	1.4	
65000	*****	*****	*****	*****	*****	*****	*****	*****	3.6	3.5	3.4	3.1	2.4	1.4	
70000	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.4	3.2	2.9	2.3	1.3	
75000	*****	*****	*****	*****	*****	*****	*****	*****	3.2	3.2	3.1	2.8	2.2	1.3	
80000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.8	2.1	1.2	
85000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.9	2.7	2.1	1.2	
90000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.0	1.2	
95000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	2.0	1.1	
100000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.9	1.1	
125000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0	
150000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

TROIS-RIVIERES-SHERBROOKE

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%			
200	*****	51.3	51.1	50.3	48.9	47.6	46.1	44.7	43.2	41.6	40.0	36.5	28.2	16.3		
400	*****	36.3	36.1	35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5		
600	*****	29.6	29.5	29.0	28.2	27.5	26.6	25.8	24.9	24.0	23.1	21.1	16.3	9.4		
800	*****	25.7	25.5	25.1	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2		
1000	*****	*****	22.8	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3		
2000	*****	*****	*****	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2		
3000	*****	*****	*****	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2		
4000	*****	*****	*****	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.2	6.3	3.6		
5000	*****	*****	*****	*****	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3		
6000	*****	*****	*****	*****	8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0		
7000	*****	*****	*****	*****	8.3	8.0	7.8	7.5	7.3	7.0	6.8	6.2	4.8	2.8		
8000	*****	*****	*****	*****	7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6		
9000	*****	*****	*****	*****	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4		
10000	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3		
11000	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2		
12000	*****	*****	*****	*****	*****	6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1		
13000	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.5	3.5	2.0		
14000	*****	*****	*****	*****	*****	5.7	5.5	5.3	5.2	5.0	4.8	4.4	3.4	1.9		
15000	*****	*****	*****	*****	*****	*****	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9		
16000	*****	*****	*****	*****	*****	*****	5.2	5.0	4.8	4.6	4.5	4.1	3.2	1.8		
17000	*****	*****	*****	*****	*****	*****	5.0	4.8	4.7	4.5	4.3	4.0	3.1	1.8		
18000	*****	*****	*****	*****	*****	*****	4.9	4.7	4.5	4.4	4.2	3.8	3.0	1.7		
19000	*****	*****	*****	*****	*****	*****	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7		
20000	*****	*****	*****	*****	*****	*****	*****	4.5	4.3	4.2	4.0	3.6	2.8	1.6		
21000	*****	*****	*****	*****	*****	*****	*****	4.4	4.2	4.1	3.9	3.6	2.8	1.6		
22000	*****	*****	*****	*****	*****	*****	*****	4.3	4.1	4.0	3.8	3.5	2.7	1.6		
23000	*****	*****	*****	*****	*****	*****	*****	4.2	4.0	3.9	3.7	3.4	2.6	1.5		
24000	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.8	3.6	3.3	2.6	1.5		
25000	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.7	3.6	3.3	2.5	1.5		
30000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.3	3.0	2.3	1.3		
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.8	2.1	1.2		
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.0	1.2		
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.9	1.1		
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0		
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0		
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9		
65000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9		
70000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9		
75000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8		
80000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8		
85000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8		

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

HULL-OTTAWA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	73.5	73.2	72.8	71.7	69.8	67.8	65.8	63.7	61.5	59.3	57.0	52.0	40.3	23.3	23.3
400	*****	51.7	51.5	50.7	49.3	47.9	46.5	45.0	43.5	41.9	40.3	36.8	28.5	16.4	16.4
600	*****	42.2	42.0	41.4	40.3	39.1	38.0	36.8	35.5	34.2	32.9	30.0	23.3	13.4	13.4
800	*****	36.6	36.4	35.8	34.9	33.9	32.9	31.8	30.8	29.6	28.5	26.0	20.1	11.6	11.6
1000	*****	32.7	32.6	32.1	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.3	18.0	10.4	10.4
2000	*****	23.1	23.0	22.7	22.1	21.4	20.8	20.1	19.5	18.7	18.0	16.4	12.7	7.4	7.4
3000	*****	18.9	18.8	18.5	18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0	6.0
4000	*****	*****	16.3	16.0	15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2	5.2
5000	*****	*****	14.6	14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7	4.7
6000	*****	*****	13.3	13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2	4.2
7000	*****	*****	*****	12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9	3.9
8000	*****	*****	*****	11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7	3.7
9000	*****	*****	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.8	6.0	3.5	3.5
10000	*****	*****	*****	10.1	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3	3.3
11000	*****	*****	*****	9.7	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1	3.1
12000	*****	*****	*****	9.3	9.0	8.8	8.5	8.2	7.9	7.7	7.4	6.7	5.2	3.0	2.9
13000	*****	*****	*****	8.9	8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.4	5.0	2.8	2.8
14000	*****	*****	*****	8.6	8.3	8.1	7.9	7.6	7.4	7.1	6.8	6.0	4.7	2.7	2.7
15000	*****	*****	*****	8.3	8.1	7.8	7.6	7.4	7.1	6.8	6.6	5.8	4.5	2.6	2.6
16000	*****	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.6	4.4	2.5	2.5
17000	*****	*****	*****	*****	7.6	7.4	7.1	6.9	6.7	6.4	6.2	5.5	4.2	2.5	2.5
18000	*****	*****	*****	*****	7.4	7.1	6.9	6.7	6.5	6.2	6.0	5.3	4.1	2.4	2.4
19000	*****	*****	*****	*****	7.2	7.0	6.7	6.5	6.3	6.1	5.8	5.2	4.0	2.3	2.3
20000	*****	*****	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.1	3.9	2.3	2.3
21000	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.0	3.8	2.2	2.2
22000	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.4	4.8	3.6	2.2	2.2
23000	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.7	3.5	2.1	2.1
24000	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.6	3.4	2.1	2.1
25000	*****	*****	*****	*****	6.2	6.1	5.9	5.7	5.5	5.3	5.1	4.5	3.3	1.9	1.9
30000	*****	*****	*****	*****	5.7	5.5	5.4	5.2	5.0	4.8	4.7	4.2	3.0	1.8	1.8
35000	*****	*****	*****	*****	*****	5.1	5.0	4.8	4.7	4.5	4.3	3.9	3.0	1.6	1.6
40000	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.3	4.2	4.0	3.7	2.8	1.6	1.6
45000	*****	*****	*****	*****	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.5	2.7	1.5	1.5
50000	*****	*****	*****	*****	*****	*****	4.0	3.8	3.7	3.6	3.4	3.1	2.4	1.4	1.4
55000	*****	*****	*****	*****	*****	*****	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.3	1.3
60000	*****	*****	*****	*****	*****	*****	3.8	3.5	3.4	3.3	3.2	2.9	2.2	1.3	1.3
65000	*****	*****	*****	*****	*****	*****	*****	3.4	3.3	3.2	3.0	2.8	2.2	1.2	1.2
70000	*****	*****	*****	*****	*****	*****	*****	3.3	3.2	3.1	2.9	2.7	2.1	1.2	1.2
75000	*****	*****	*****	*****	*****	*****	*****	*****	3.1	3.0	2.8	2.6	2.0	1.2	1.2
80000	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.9	2.8	2.5	2.0	1.1	1.1
85000	*****	*****	*****	*****	*****	*****	*****	*****	2.9	2.8	2.7	2.5	1.9	1.1	1.1
90000	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.6	2.5	2.3	1.8	1.0	1.0
95000	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.5	2.4	2.1	1.6	0.9	0.9
100000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
125000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
150000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
200000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
250000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

HAMILTON

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	74.8	74.5	74.1	72.9	71.0	69.0	66.9	64.8	62.6	60.3	58.0	52.9	41.0	23.7	
400	52.7	52.4	52.4	51.6	50.2	48.8	47.3	45.8	44.3	42.7	41.0	37.4	29.0	16.7	
600	43.0	42.8	42.8	42.1	41.0	39.8	38.6	37.4	36.2	34.8	33.5	30.6	23.7	13.7	
800	37.2	37.0	37.0	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8	
1000	33.3	33.1	33.1	32.6	31.8	30.9	29.9	29.0	28.0	27.0	25.9	23.7	18.3	10.6	
2000	23.5	23.4	23.4	23.1	22.5	21.8	21.2	20.5	19.8	19.1	18.3	16.7	13.0	7.5	
3000	19.1	19.1	19.1	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1	
4000	16.6	16.6	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3	
5000	14.6	14.6	14.6	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7	
6000	13.3	13.3	13.3	13.3	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3	
7000	12.3	12.3	12.3	12.3	12.0	11.7	11.3	11.0	10.6	10.2	9.8	8.9	6.9	4.0	
8000	11.5	11.5	11.5	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
9000	10.9	10.9	10.9	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5	
10000	10.3	10.3	10.3	10.3	10.0	9.8	9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.3	
11000	9.6	9.6	9.6	9.6	9.3	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
12000	9.2	9.2	9.2	9.2	8.9	8.6	8.3	8.0	7.8	7.5	7.2	6.6	5.3	3.1	
13000	8.8	8.8	8.8	8.8	8.6	8.3	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.9	
14000	8.5	8.5	8.5	8.5	8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.8	
15000	8.2	8.2	8.2	8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.7	
16000	7.9	7.9	7.9	7.9	7.7	7.5	7.3	7.0	6.8	6.5	6.3	5.7	4.4	2.6	
17000	7.7	7.7	7.7	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5	
18000	7.5	7.5	7.5	7.5	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.4	4.2	2.4	
19000	7.3	7.3	7.3	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4	
20000	7.1	7.1	7.1	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3	
21000	6.9	6.9	6.9	6.9	6.7	6.5	6.3	6.0	5.8	5.6	5.4	4.9	3.8	2.2	
22000	6.7	6.7	6.7	6.7	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.8	3.7	2.2	
23000	6.6	6.6	6.6	6.6	6.4	6.3	6.1	5.9	5.7	5.5	5.3	4.7	3.6	2.1	
24000	6.3	6.3	6.3	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.3	3.3	1.9	
25000	6.2	6.2	6.2	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.7	4.0	3.1	1.8	
30000	5.6	5.6	5.6	5.6	5.5	5.3	5.1	4.9	4.7	4.6	4.4	3.7	2.9	1.7	
35000	5.1	5.1	5.1	5.1	4.9	4.7	4.6	4.3	4.2	4.0	3.9	3.5	2.7	1.6	
40000	4.7	4.7	4.7	4.7	4.6	4.4	4.3	4.0	3.8	3.6	3.5	3.2	2.5	1.4	
45000	4.3	4.3	4.3	4.3	4.3	4.1	4.0	3.8	3.6	3.5	3.3	3.1	2.4	1.4	
50000	4.1	4.1	4.1	4.1	4.1	4.0	3.8	3.6	3.5	3.3	3.2	2.9	2.3	1.3	
55000	3.8	3.8	3.8	3.8	3.8	3.6	3.5	3.3	3.2	3.1	3.0	2.8	2.2	1.3	
60000	3.6	3.6	3.6	3.6	3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.7	2.1	1.2	
70000	3.2	3.2	3.2	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.0	1.2	
80000	2.9	2.9	2.9	2.9	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	1.9	1.1	
85000	2.6	2.6	2.6	2.6	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.6	1.1	
90000	2.5	2.5	2.5	2.5	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.5	1.1	
95000	2.4	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.4	1.1	
100000	2.4	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.4	1.1	
125000	2.4	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.4	1.1	
150000	2.4	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.4	1.1	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

KITCHENER

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	*****	55.2	54.9	54.1	52.6	51.2	49.6	48.1	46.4	44.7	43.0	39.2	30.4	17.5
400	*****	39.0	38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4
600	*****	31.9	31.7	31.2	30.4	29.5	28.7	27.7	26.8	25.8	24.8	22.7	17.5	10.1
800	*****	27.6	27.5	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
1000	*****	24.7	24.6	24.2	23.5	22.9	22.2	21.5	20.8	20.0	19.2	17.5	13.6	7.8
2000	*****	*****	17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
3000	*****	*****	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.8	4.5
4000	*****	*****	*****	12.1	11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
5000	*****	*****	*****	10.8	10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
6000	*****	*****	*****	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
7000	*****	*****	*****	*****	8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
8000	*****	*****	*****	*****	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
9000	*****	*****	*****	*****	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
10000	*****	*****	*****	*****	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5
11000	*****	*****	*****	*****	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
12000	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
13000	*****	*****	*****	*****	*****	6.3	6.2	6.0	5.8	5.5	5.3	4.9	3.8	2.2
14000	*****	*****	*****	*****	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
15000	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.5	3.5	2.0
16000	*****	*****	*****	*****	*****	5.7	5.5	5.4	5.2	5.0	4.8	4.4	3.4	2.0
17000	*****	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.9	4.7	4.3	3.3	1.9
18000	*****	*****	*****	*****	*****	*****	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8
19000	*****	*****	*****	*****	*****	*****	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8
20000	*****	*****	*****	*****	*****	*****	5.0	4.8	4.6	4.5	4.3	3.9	3.0	1.8
21000	*****	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.4	4.2	3.8	3.0	1.7
22000	*****	*****	*****	*****	*****	*****	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7
23000	*****	*****	*****	*****	*****	*****	*****	4.5	4.3	4.2	4.0	3.7	2.8	1.6
24000	*****	*****	*****	*****	*****	*****	*****	4.4	4.2	4.1	3.9	3.6	2.8	1.6
25000	*****	*****	*****	*****	*****	*****	*****	4.3	4.2	4.0	3.8	3.5	2.7	1.6
30000	*****	*****	*****	*****	*****	*****	*****	*****	3.8	3.7	3.5	3.2	2.5	1.4
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.2	3.0	2.3	1.3
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.8	2.1	1.2
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.0	1.2
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.9	1.1
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.8	1.1
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0
65000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0
70000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
75000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
80000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9
85000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9
90000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8
95000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

LONDON

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	*****	59.5	59.2	58.2	56.7	55.1	53.4	51.7	50.0	48.2	46.3	42.3	32.7	18.9
400	*****	42.0	41.8	41.2	40.1	39.0	37.8	36.6	35.4	34.1	32.7	29.9	23.1	13.4
600	*****	34.3	34.2	33.6	32.7	31.8	30.9	29.9	28.9	27.8	26.7	24.4	18.9	10.9
800	*****	29.7	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4
1000	*****	26.6	26.5	26.0	25.4	24.6	23.9	23.1	22.4	21.5	20.7	18.9	14.6	8.5
2000	*****	18.7	18.4	18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.3	6.0
3000	*****	*****	15.0	14.6	14.6	14.2	13.8	13.4	12.9	12.4	12.0	10.9	8.5	4.9
4000	*****	*****	13.0	13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.3	9.4	7.3	4.2
5000	*****	*****	11.6	11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.3	8.5	6.5	3.8
6000	*****	*****	10.6	10.6	10.3	10.1	9.8	9.4	9.1	8.8	8.5	7.7	6.0	3.4
7000	*****	*****	*****	*****	9.6	9.3	9.0	8.7	8.5	8.1	7.8	7.1	5.5	3.2
8000	*****	*****	*****	*****	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
9000	*****	*****	*****	*****	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
10000	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.5	6.0	4.6	2.7
11000	*****	*****	*****	*****	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
12000	*****	*****	*****	*****	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
13000	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
14000	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
15000	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2
16000	*****	*****	*****	*****	*****	6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
17000	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0
18000	*****	*****	*****	*****	*****	5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.4	2.0
19000	*****	*****	*****	*****	*****	5.7	5.5	5.3	5.1	4.9	4.7	4.3	3.4	1.9
20000	*****	*****	*****	*****	*****	*****	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
21000	*****	*****	*****	*****	*****	*****	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8
22000	*****	*****	*****	*****	*****	*****	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8
23000	*****	*****	*****	*****	*****	*****	5.0	4.8	4.7	4.5	4.3	3.9	3.1	1.8
24000	*****	*****	*****	*****	*****	*****	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
25000	*****	*****	*****	*****	*****	*****	4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7
30000	*****	*****	*****	*****	*****	*****	4.2	4.1	3.9	3.6	3.4	3.2	2.7	1.5
35000	*****	*****	*****	*****	*****	*****	*****	3.8	3.8	3.6	3.5	3.2	2.5	1.4
40000	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.4	3.3	3.0	2.3	1.3
45000	*****	*****	*****	*****	*****	*****	*****	*****	3.2	3.2	3.1	2.8	2.2	1.3
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.9	2.9	2.7	2.1	1.2
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	2.5	2.0	1.1
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	2.4	1.9	1.1
65000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0
70000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0
75000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0
80000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
85000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9
90000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5	0.9
95000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9
100000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

OSHAWA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%		
200	*****	43.3	43.0	42.4	41.2	40.1	38.9	37.6	36.4	35.0	33.7	30.7	23.8	13.7	
400	*****	30.6	30.4	30.0	29.2	28.3	27.5	26.6	25.7	24.8	23.8	21.7	16.8	9.7	
600	*****	25.0	24.8	24.5	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9	
800	*****	*****	21.5	21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9	
1000	*****	*****	19.2	18.9	18.4	17.9	17.4	16.8	16.3	15.7	15.1	13.7	10.6	6.1	
2000	*****	*****	*****	13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	
3000	*****	*****	*****	*****	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	
4000	*****	*****	*****	*****	*****	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	
5000	*****	*****	*****	*****	*****	8.2	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	
6000	*****	*****	*****	*****	*****	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	
7000	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.1	5.9	5.7	5.2	4.0	2.3	
8000	*****	*****	*****	*****	*****	6.3	6.1	6.0	5.8	5.5	5.3	4.9	3.8	2.2	
9000	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0	
10000	*****	*****	*****	*****	*****	5.7	5.5	5.3	5.1	5.0	4.8	4.3	3.4	1.9	
11000	*****	*****	*****	*****	*****	5.2	5.0	4.9	4.7	4.5	4.3	4.0	3.1	1.8	
12000	*****	*****	*****	*****	*****	5.0	4.8	4.7	4.5	4.3	4.2	3.8	3.0	1.7	
13000	*****	*****	*****	*****	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.7	2.8	1.6	
14000	*****	*****	*****	*****	*****	*****	*****	4.5	4.3	4.2	4.0	3.5	2.7	1.6	
15000	*****	*****	*****	*****	*****	*****	*****	4.3	4.2	4.0	3.9	3.5	2.7	1.6	
16000	*****	*****	*****	*****	*****	*****	*****	4.2	4.1	3.9	3.8	3.4	2.7	1.5	
17000	*****	*****	*****	*****	*****	*****	*****	4.1	3.9	3.8	3.7	3.3	2.6	1.5	
18000	*****	*****	*****	*****	*****	*****	*****	*****	3.8	3.7	3.5	3.2	2.5	1.4	
19000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.5	3.2	2.4	1.4	
20000	*****	*****	*****	*****	*****	*****	*****	*****	3.6	3.5	3.4	3.1	2.4	1.4	
21000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.3	3.0	2.3	1.3	
22000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.2	2.9	2.3	1.3	
23000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.1	2.9	2.2	1.3	
24000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.1	2.8	2.2	1.3	
25000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.7	2.1	1.2	
30000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.9	1.1	
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0	
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0	
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9	
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8	
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY  
STE-CATHERINES-NIAGARA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%		
200	*****	58.3	58.0	57.1	55.6	54.0	52.4	50.7	49.0	47.2	45.4	41.4	32.1	18.5	
400	*****	41.2	41.0	40.4	39.3	38.2	37.0	35.9	34.6	33.4	32.1	29.3	22.7	13.1	
600	*****	33.6	33.5	33.0	32.1	31.2	30.2	29.3	28.3	27.3	26.2	23.9	18.5	10.7	
800	*****	29.1	29.0	28.5	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.0	9.3	
1000	*****	26.1	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	18.5	14.3	8.3	
2000	*****	18.3	18.0	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9	2.9	
3000	*****	14.7	14.3	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.1	10.7	8.3	4.8	
4000	*****	12.8	12.4	12.1	11.7	11.3	11.0	10.6	10.2	9.8	9.4	9.1	7.2	4.1	
5000	*****	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.7	8.3	7.9	6.4	3.7	
6000	*****	10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	8.0	7.7	7.3	6.0	3.4	
7000	*****	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.3	7.0	6.7	6.4	5.1	2.9	
8000	*****	8.8	8.5	8.3	8.0	7.6	7.3	7.0	6.7	6.4	6.1	5.8	4.5	2.6	
9000	*****	8.3	8.0	7.8	7.4	7.2	6.9	6.6	6.3	6.1	5.9	5.6	4.3	2.5	
10000	*****	7.9	7.6	7.4	7.2	6.9	6.6	6.3	6.1	5.9	5.6	5.3	4.1	2.4	
11000	*****	7.5	7.3	7.1	6.8	6.5	6.3	6.1	5.9	5.7	5.5	5.2	4.0	2.3	
12000	*****	7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.0	3.8	2.2	
13000	*****	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.8	3.6	2.1	
14000	*****	6.6	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.6	3.4	2.0	
15000	*****	6.3	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.4	3.2	1.9	
16000	*****	6.0	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.2	3.0	1.8	
17000	*****	5.9	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	4.0	2.9	1.7	
18000	*****	5.7	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.8	2.7	1.6	
19000	*****	5.5	5.4	5.2	5.0	4.9	4.7	4.5	4.3	4.1	3.9	3.6	2.5	1.5	
20000	*****	5.2	5.1	5.0	4.8	4.7	4.5	4.3	4.1	3.9	3.7	3.4	2.4	1.4	
21000	*****	5.0	4.9	4.8	4.6	4.5	4.3	4.1	3.9	3.7	3.4	3.1	2.2	1.3	
22000	*****	4.9	4.8	4.7	4.6	4.5	4.3	4.1	3.9	3.7	3.4	3.1	2.1	1.2	
23000	*****	4.8	4.7	4.6	4.5	4.4	4.2	4.1	3.9	3.7	3.4	3.1	2.0	1.1	
24000	*****	4.6	4.6	4.5	4.4	4.3	4.1	3.9	3.7	3.4	3.1	2.8	1.9	1.0	
25000	*****	4.5	4.5	4.4	4.3	4.2	4.1	3.9	3.7	3.4	3.1	2.6	1.8	0.9	
30000	*****	4.1	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	2.3	1.3	0.8	
35000	*****	3.7	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.1	1.2	0.7	
40000	*****	3.3	3.3	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	1.9	1.1	0.6	
45000	*****	3.0	3.0	3.0	3.0	2.9	2.8	2.7	2.6	2.5	2.4	1.8	1.0	0.5	
50000	*****	2.8	2.8	2.8	2.8	2.7	2.6	2.5	2.4	2.3	2.2	1.7	1.0	0.4	
55000	*****	2.5	2.5	2.5	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.6	0.9	0.3	
60000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.5	0.9	0.2	
65000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.4	0.8	0.1	
70000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.3	0.7	0.0	
75000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.2	0.6	0.0	
80000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.1	0.5	0.0	
85000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.0	0.4	0.0	
90000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	0.9	0.3	0.0	
95000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	0.8	0.2	0.0	
100000	*****	2.4	2.4	2.4	2.4	2.3	2.2	2.1	2.0	1.9	1.8	0.7	0.1	0.0	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.



TABLE OF APPROXIMATED SAMPLING VARIABILITY

SUDBURY+THUNDERBAY

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
200	*****	51.3	51.1	50.3	48.9	47.5	46.1	44.7	43.1	41.6	39.9	36.5	28.2	16.3		
400	*****	36.3	36.1	35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5		
600	*****	29.6	29.5	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.1	21.1	16.3	9.4		
800	*****	25.7	25.5	25.1	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2		
1000	*****	22.8	22.5	22.3	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3		
2000	*****	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	12.1	11.5	10.3	8.9	5.2		
3000	*****	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.9	9.4	8.2	7.3	4.2		
4000	*****	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.6	8.2	7.3	6.3	3.6		
5000	*****	9.8	9.5	9.2	8.9	8.6	8.3	7.9	7.6	7.3	6.8	6.2	5.6	3.0		
6000	*****	8.9	8.7	8.4	8.2	7.9	7.6	7.3	7.0	6.6	6.3	5.8	4.5	2.6		
7000	*****	8.3	8.0	7.8	7.5	7.3	7.1	6.8	6.4	6.2	6.0	5.4	4.2	2.4		
8000	*****	7.7	7.5	7.3	7.1	6.9	6.7	6.3	6.1	5.9	5.6	5.2	4.0	2.3		
9000	*****	7.3	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.6	5.4	4.9	3.8	2.2		
10000	*****	6.7	6.5	6.3	6.1	5.9	5.6	5.4	5.2	5.0	4.8	4.4	3.4	1.9		
11000	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.2	3.2	1.8		
12000	*****	6.1	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.0	3.1	1.8		
13000	*****	5.9	5.7	5.5	5.3	5.2	5.0	4.8	4.7	4.5	4.3	4.0	3.0	1.7		
14000	*****	5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.5	4.4	4.2	3.7	2.9	1.7		
15000	*****	5.5	5.3	5.2	5.0	4.8	4.6	4.5	4.4	4.3	4.1	3.6	2.8	1.6		
16000	*****	5.3	5.2	5.0	4.8	4.6	4.4	4.3	4.2	4.1	3.9	3.6	2.8	1.6		
17000	*****	5.0	4.8	4.6	4.4	4.2	4.0	3.9	3.8	3.7	3.5	3.2	2.7	1.6		
18000	*****	4.9	4.7	4.6	4.4	4.2	4.0	3.9	3.8	3.7	3.4	3.2	2.6	1.5		
19000	*****	4.7	4.5	4.4	4.2	4.0	3.9	3.8	3.7	3.6	3.3	3.2	2.6	1.5		
20000	*****	4.5	4.3	4.2	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.0	2.5	1.5		
21000	*****	4.4	4.2	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.3	3.0	2.5	1.5		
22000	*****	4.3	4.1	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.0	2.5	1.5		
23000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
24000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
25000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
26000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
27000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
28000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
29000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
30000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
35000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
40000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
45000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
50000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
55000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
60000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
65000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
70000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
75000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
80000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		
85000	*****	4.2	4.0	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.2	2.8	2.3	1.4		

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

TORONTO

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	83.6	83.2	82.8	81.5	79.4	77.1	74.8	72.5	70.0	67.5	64.8	59.2	45.8	26.5	
400	59.1	58.9	58.6	57.7	56.1	54.5	52.9	51.2	49.5	47.7	45.8	41.8	32.4	18.7	
600	48.3	48.1	47.8	47.1	45.8	44.5	43.2	41.8	40.4	38.9	37.4	34.2	26.5	15.3	
800	41.8	41.6	41.4	40.8	39.7	38.6	37.4	36.2	35.0	33.7	32.4	29.6	22.9	13.2	
1000	37.4	37.2	37.0	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8	
2000	26.3	26.3	26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4	
3000	21.5	21.4	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8	
4000	18.6	18.6	18.5	18.2	17.7	17.2	16.7	16.2	15.7	15.1	14.5	13.2	10.2	5.9	
5000	16.6	16.6	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3	
6000	15.2	15.2	15.1	14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8	
7000	14.1	14.1	14.0	13.8	13.4	13.0	12.6	12.2	11.8	11.4	11.0	10.0	7.7	4.5	
8000	13.2	13.2	13.1	12.9	12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2	
9000	12.4	12.4	12.3	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9	
10000	11.8	11.8	11.7	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
11000	11.2	11.2	11.2	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	
12000	10.7	10.7	10.7	10.5	10.2	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4	
13000	10.3	10.3	10.3	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3	
14000	9.9	9.9	9.9	9.7	9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2	
15000	9.6	9.6	9.6	9.4	9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.1	3.0	
16000	9.3	9.3	9.3	9.1	8.9	8.6	8.4	8.1	7.9	7.6	7.3	6.4	5.0	2.9	
17000	9.0	9.0	9.0	8.8	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.2	4.8	2.8	
18000	8.7	8.7	8.7	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.1	4.7	2.7	
19000	8.5	8.5	8.5	8.4	8.1	7.9	7.7	7.4	7.2	6.9	6.6	5.9	4.6	2.6	
20000	8.3	8.3	8.3	8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.8	4.5	2.6	
21000	8.1	8.1	8.1	8.0	7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.6	4.4	2.5	
22000	7.9	7.9	7.9	7.8	7.6	7.4	7.1	6.9	6.7	6.4	6.2	5.5	4.3	2.5	
23000	7.7	7.7	7.7	7.6	7.4	7.2	7.0	6.8	6.5	6.3	6.0	5.4	4.2	2.4	
24000	7.4	7.4	7.4	7.3	7.2	7.0	6.8	6.6	6.4	6.2	5.9	5.3	4.1	2.4	
25000	7.1	7.1	7.1	7.0	6.9	6.7	6.5	6.3	6.1	5.9	5.8	5.1	4.0	2.2	
30000	6.7	6.7	6.7	6.6	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.0	
35000	6.2	6.2	6.2	6.2	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
40000	5.8	5.8	5.8	5.8	5.6	5.5	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9	
45000	5.4	5.4	5.4	5.4	5.3	5.1	5.0	4.8	4.7	4.5	4.3	3.9	3.1	1.8	
50000	5.2	5.2	5.2	5.2	5.0	4.9	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7	
55000	4.9	4.9	4.9	4.9	4.8	4.7	4.5	4.4	4.2	4.1	3.9	3.6	2.8	1.6	
60000	4.6	4.6	4.6	4.6	4.6	4.5	4.3	4.2	4.0	3.9	3.7	3.4	2.6	1.5	
65000	4.4	4.4	4.4	4.4	4.4	4.3	4.2	4.0	3.9	3.7	3.6	3.3	2.5	1.5	
70000	4.2	4.2	4.2	4.2	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.2	2.4	1.4	
75000	4.1	4.1	4.1	4.1	4.1	4.0	3.9	3.7	3.6	3.5	3.3	3.1	2.4	1.4	
80000	4.0	4.0	4.0	4.0	4.0	3.9	3.7	3.6	3.5	3.4	3.2	3.0	2.3	1.3	
85000	3.9	3.9	3.9	3.9	3.9	3.7	3.6	3.5	3.4	3.3	3.1	2.9	2.2	1.3	
90000	3.7	3.7	3.7	3.7	3.7	3.6	3.5	3.4	3.3	3.2	3.1	2.8	2.2	1.2	
95000	3.6	3.6	3.6	3.6	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.7	2.1	1.2	
100000	3.5	3.5	3.5	3.5	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2	
125000	3.1	3.1	3.1	3.1	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	1.8	1.1	
150000	2.8	2.8	2.8	2.8	2.8	2.7	2.6	2.6	2.6	2.5	2.4	2.2	1.7	1.0	
200000	2.4	2.4	2.4	2.4	2.4	2.4	2.3	2.3	2.2	2.1	2.0	1.9	1.4	0.8	
250000	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.9	1.8	1.7	1.3	0.7	
300000	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.7	1.7	1.5	1.2	0.7	
350000	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.5	1.4	1.1	0.6	
400000	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.4	1.3	1.0	0.6	

450000	*****	1.4	1.2	1.0	0.6
500000	*****	*****	1.2	0.9	0.5
750000	*****	*****	*****	0.7	0.4
1000000	*****	*****	*****	*****	0.4

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

WINDSOR

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE																90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	90.0%	90.0%	
200	*****	49.9	49.7	48.9	47.6	46.3	44.9	43.5	42.0	40.5	38.9	35.5	27.5	15.9	15.9	15.9	
400	*****	35.3	35.1	34.6	33.7	32.7	31.7	30.7	29.7	28.6	27.5	25.1	19.4	11.2	11.2	11.2	
600	*****	28.8	28.7	28.2	27.5	26.7	25.9	25.1	24.2	23.4	22.4	20.5	15.9	9.2	9.2	9.2	
800	*****	25.0	24.8	24.5	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9	7.9	7.9	
1000	*****	*****	22.2	21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1	7.1	7.1	
2000	*****	*****	*****	15.5	15.1	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0	5.0	5.0	
3000	*****	*****	*****	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1	4.1	4.1	
4000	*****	*****	*****	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5	3.5	3.5	
5000	*****	*****	*****	*****	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	3.2	3.2	
6000	*****	*****	*****	*****	8.7	8.4	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9	2.9	2.9	
7000	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7	2.7	2.7	
8000	*****	*****	*****	*****	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5	2.5	2.5	
9000	*****	*****	*****	*****	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4	2.4	2.4	
10000	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2	2.2	2.2	
11000	*****	*****	*****	*****	*****	6.2	6.1	5.9	5.7	5.5	5.2	4.8	3.7	2.1	2.1	2.1	
12000	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0	2.0	2.0	
13000	*****	*****	*****	*****	*****	5.7	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0	2.0	2.0	
14000	*****	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.8	4.6	4.2	3.3	1.9	1.9	1.9	
15000	*****	*****	*****	*****	*****	*****	5.2	5.0	4.8	4.7	4.5	4.1	3.2	1.8	1.8	1.8	
16000	*****	*****	*****	*****	*****	*****	5.0	4.9	4.7	4.5	4.3	4.0	3.1	1.8	1.8	1.8	
17000	*****	*****	*****	*****	*****	*****	4.9	4.7	4.6	4.4	4.2	3.8	3.0	1.7	1.7	1.7	
18000	*****	*****	*****	*****	*****	*****	4.7	4.6	4.4	4.3	4.1	3.7	2.9	1.7	1.7	1.7	
19000	*****	*****	*****	*****	*****	*****	4.5	4.5	4.3	4.2	4.0	3.6	2.8	1.6	1.6	1.6	
20000	*****	*****	*****	*****	*****	*****	4.3	4.3	4.2	4.0	3.9	3.5	2.7	1.6	1.6	1.6	
21000	*****	*****	*****	*****	*****	*****	4.2	4.2	4.1	3.9	3.8	3.5	2.7	1.5	1.5	1.5	
22000	*****	*****	*****	*****	*****	*****	4.1	4.1	4.0	3.9	3.7	3.4	2.6	1.5	1.5	1.5	
23000	*****	*****	*****	*****	*****	*****	*****	3.9	3.9	3.8	3.6	3.3	2.6	1.5	1.5	1.5	
24000	*****	*****	*****	*****	*****	*****	*****	3.8	3.8	3.7	3.5	3.2	2.5	1.4	1.4	1.4	
25000	*****	*****	*****	*****	*****	*****	*****	3.8	3.8	3.6	3.5	3.2	2.5	1.4	1.4	1.4	
30000	*****	*****	*****	*****	*****	*****	*****	3.3	3.3	3.3	3.2	2.9	2.2	1.3	1.3	1.3	
35000	*****	*****	*****	*****	*****	*****	*****	*****	2.9	2.9	2.9	2.7	2.1	1.2	1.2	1.2	
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	2.5	2.5	1.9	1.1	1.1	1.1	
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	2.4	2.4	1.8	1.1	1.1	1.1	
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0	1.0	1.0	
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0	1.0	1.0	
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9	0.9	0.9	
65000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8	0.8	0.8	
70000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8	0.8	0.8	
75000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8	0.8	0.8	
80000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8	0.8	0.8	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

WINNIPEG

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	81.1	80.7	80.3	79.1	77.0	74.8	72.6	70.2	67.9	65.4	62.8	57.4	44.4	25.7
400	57.1	56.8	56.4	55.9	54.4	52.9	51.3	49.7	48.0	46.2	44.4	40.6	31.4	18.1
600	46.6	46.4	46.4	45.6	44.4	43.2	41.9	40.6	39.2	37.8	36.3	33.1	25.7	14.8
800	40.4	40.2	40.2	39.5	38.5	37.4	36.3	35.1	33.9	32.7	31.4	28.7	22.2	12.8
1000	36.1	35.9	35.9	35.4	34.4	33.4	32.4	31.4	30.4	29.2	28.1	25.7	19.9	11.5
2000	25.5	25.4	25.4	25.0	24.3	23.6	22.9	22.2	21.5	20.7	19.9	18.1	14.0	8.1
3000	20.7	20.4	20.4	20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
4000	18.0	17.7	17.7	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
5000	15.8	15.4	15.4	15.4	15.4	15.0	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1
6000	14.4	14.0	14.0	14.4	14.0	13.7	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
7000	13.4	13.0	13.0	13.4	13.0	12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
8000	12.5	12.2	12.2	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
9000	11.8	11.5	11.5	11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.6	6.6	3.8
10000	11.2	10.9	10.9	11.2	10.9	10.6	10.3	9.9	9.6	9.2	8.9	8.1	6.3	3.6
11000	10.7	10.4	10.4	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5
12000	10.3	10.0	10.0	10.3	10.0	9.7	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
13000	9.9	9.5	9.5	9.9	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
14000	9.5	9.2	9.2	9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
15000	9.2	8.9	8.9	9.2	8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
16000	8.9	8.6	8.6	8.9	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
17000	8.6	8.3	8.3	8.6	8.3	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
18000	8.3	8.1	8.1	8.3	8.1	7.9	7.6	7.4	7.2	6.9	6.6	6.0	4.7	2.7
19000	8.1	7.9	7.9	8.1	7.9	7.7	7.4	7.2	7.0	6.7	6.4	5.9	4.6	2.6
20000	7.9	7.7	7.7	7.9	7.7	7.5	7.3	7.0	6.8	6.5	6.3	5.7	4.4	2.6
21000	7.7	7.5	7.5	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5
22000	7.5	7.3	7.3	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
23000	7.3	7.1	7.1	7.3	7.1	6.9	6.8	6.6	6.3	6.1	5.9	5.3	4.1	2.4
24000	7.2	7.0	7.0	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
25000	7.0	6.8	6.8	7.0	6.8	6.6	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
30000	6.1	6.1	6.1	6.1	5.9	5.8	5.7	5.7	5.5	5.3	5.1	4.7	3.6	2.1
35000	5.7	5.7	5.7	5.7	5.5	5.5	5.5	5.3	5.1	4.9	4.7	4.3	3.4	1.9
40000	5.1	5.1	5.1	5.1	5.0	5.0	4.8	4.8	4.8	4.6	4.4	4.1	3.1	1.8
45000	4.8	4.8	4.8	4.8	4.7	4.7	4.7	4.7	4.5	4.4	4.2	3.8	3.0	1.7
50000	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.4	4.3	4.1	4.0	3.6	2.8	1.6
55000	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.2	4.1	3.9	3.8	3.5	2.7	1.5
60000	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.8	3.6	3.3	2.6	1.5
65000	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.6	3.5	3.2	2.5	1.4
70000	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.5	3.4	3.1	2.4	1.4
75000	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.2	3.0	2.3	1.3
80000	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.1	2.9	2.2	1.3
85000	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	2.8	2.2	1.2
90000	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.1	1.2
95000	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.0	1.2
100000	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	1.0
125000	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.9
150000	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.9
200000	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	0.8

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

REGINA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															70.0%	90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	60.0%	70.0%	80.0%		
200	*****	43.3	43.0	42.4	41.2	40.1	38.9	37.7	36.4	35.1	33.7	30.7	23.8	13.7			
400	*****	30.6	30.4	30.0	29.2	28.3	27.5	26.6	25.7	24.8	23.8	21.7	16.8	9.7			
600	*****	25.0	24.8	24.5	23.8	23.1	22.5	21.7	21.0	20.2	19.4	17.7	13.7	7.9			
800	*****	*****	21.5	21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9			
1000	*****	*****	19.2	19.0	18.4	17.9	17.4	16.8	16.3	15.7	15.1	13.7	10.6	6.1			
2000	*****	*****	*****	13.4	13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3			
3000	*****	*****	*****	10.9	10.6	10.3	10.0	9.7	9.4	9.1	8.7	7.9	6.1	3.5			
4000	*****	*****	*****	*****	9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1			
5000	*****	*****	*****	*****	8.2	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7			
6000	*****	*****	*****	*****	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5			
7000	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.1	5.9	5.7	5.2	4.0	2.3			
8000	*****	*****	*****	*****	*****	6.3	6.1	6.0	5.8	5.5	5.3	4.9	3.8	2.2			
9000	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0			
10000	*****	*****	*****	*****	*****	5.7	5.5	5.3	5.1	5.0	4.8	4.3	3.4	1.9			
11000	*****	*****	*****	*****	*****	*****	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.9			
12000	*****	*****	*****	*****	*****	*****	5.0	4.9	4.7	4.5	4.3	4.0	3.1	1.8			
13000	*****	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.3	4.2	3.8	3.0	1.7			
14000	*****	*****	*****	*****	*****	*****	*****	4.5	4.3	4.2	4.0	3.7	2.8	1.6			
15000	*****	*****	*****	*****	*****	*****	*****	4.3	4.2	4.0	3.9	3.5	2.7	1.5			
16000	*****	*****	*****	*****	*****	*****	*****	4.2	4.1	3.9	3.8	3.4	2.7	1.5			
17000	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.8	3.7	3.3	2.6	1.5			
18000	*****	*****	*****	*****	*****	*****	*****	*****	3.8	3.7	3.5	3.2	2.5	1.4			
19000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.5	3.2	2.4	1.4			
20000	*****	*****	*****	*****	*****	*****	*****	*****	3.6	3.5	3.4	3.1	2.4	1.4			
21000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.3	3.0	2.3	1.3			
22000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.2	2.9	2.3	1.3			
23000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.1	2.9	2.2	1.3			
24000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.1	2.8	2.2	1.3			
25000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	2.7	2.1	1.2			
30000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.9	1.1			
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.0			
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0			
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9			
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9			
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8			
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8			

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

SASKATOON

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
200	*****	44.8	44.6	43.9	42.7	41.5	40.3	39.0	37.7	36.3	34.9	31.9	24.7	14.2		
400	*****	31.7	31.5	31.1	30.2	29.4	28.5	27.6	26.7	25.7	24.7	22.5	17.4	10.1		
600	*****	25.9	25.8	25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.1	18.4	14.2	8.2		
800	*****	*****	22.3	22.0	21.4	20.8	20.1	19.5	18.8	18.2	17.4	15.9	12.3	7.1		
1000	*****	*****	19.9	19.6	19.1	18.6	18.0	17.4	16.9	16.2	15.6	14.2	11.0	6.4		
2000	*****	*****	*****	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5		
3000	*****	*****	*****	11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7		
4000	*****	*****	*****	*****	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2		
5000	*****	*****	*****	*****	8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.8		
6000	*****	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6		
7000	*****	*****	*****	*****	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4		
8000	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.3		
9000	*****	*****	*****	*****	*****	6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1		
10000	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0		
11000	*****	*****	*****	*****	*****	5.6	5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9		
12000	*****	*****	*****	*****	*****	*****	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8		
13000	*****	*****	*****	*****	*****	*****	5.0	4.8	4.7	4.5	4.3	4.0	3.1	1.8		
14000	*****	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.3	4.2	3.8	2.9	1.7		
15000	*****	*****	*****	*****	*****	*****	*****	4.5	4.4	4.2	4.0	3.7	2.8	1.6		
16000	*****	*****	*****	*****	*****	*****	*****	4.4	4.2	4.1	3.9	3.6	2.8	1.6		
17000	*****	*****	*****	*****	*****	*****	*****	4.2	4.1	3.9	3.8	3.5	2.7	1.5		
18000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.8	3.7	3.4	2.6	1.5		
19000	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.7	3.6	3.3	2.5	1.5		
20000	*****	*****	*****	*****	*****	*****	*****	*****	3.8	3.6	3.5	3.2	2.5	1.4		
21000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.5	3.4	3.1	2.4	1.4		
22000	*****	*****	*****	*****	*****	*****	*****	*****	3.6	3.5	3.3	3.0	2.4	1.4		
23000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.4	3.3	3.0	2.3	1.3		
24000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.2	2.9	2.3	1.3		
25000	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.2	3.1	2.8	2.2	1.3		
30000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	2.0	1.2		
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.9	1.1		
40000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0		
45000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9		
50000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	0.9		
55000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9		
60000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8		
65000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8		

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.





TABLE OF APPROXIMATED SAMPLING VARIABILITY

EDMONTON

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%		
200	83.6	83.2	82.8	81.5	79.4	77.1	74.8	72.4	70.0	67.4	64.8	59.2	45.8	26.5	
400	58.9	58.6	58.3	57.7	56.1	54.5	52.9	51.2	49.5	47.7	45.8	41.8	32.4	18.7	
600	48.1	47.8	47.5	47.1	45.8	44.5	43.2	41.8	40.4	38.9	37.4	34.2	26.5	15.3	
800	41.6	41.4	41.2	40.8	39.7	38.6	37.4	36.2	35.0	33.7	32.4	29.6	22.9	13.2	
1000	37.2	37.0	36.8	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8	
2000	26.3	26.2	26.1	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4	
3000	21.1	21.0	20.9	20.5	20.0	19.5	19.0	18.5	18.0	17.5	17.0	16.0	13.2	6.8	
4000	18.5	18.4	18.3	18.2	17.7	17.2	16.7	16.2	15.7	15.1	14.5	13.2	10.2	5.9	
5000	16.6	16.5	16.4	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3	
6000	14.9	14.8	14.7	14.6	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8	
7000	13.8	13.7	13.6	13.5	13.4	13.0	12.6	12.2	11.8	11.4	11.0	10.0	7.7	4.5	
8000	12.9	12.8	12.7	12.6	12.5	12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2	
9000	12.2	12.1	12.0	11.9	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9	
10000	11.5	11.4	11.3	11.2	11.1	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
11000	11.0	10.9	10.8	10.7	10.6	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	
12000	10.5	10.4	10.3	10.2	10.1	9.9	9.6	9.3	9.0	8.7	8.4	7.6	5.9	3.4	
13000	10.1	10.0	9.9	9.8	9.7	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3	
14000	9.7	9.6	9.5	9.4	9.3	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2	
15000	9.2	9.1	9.0	8.9	8.8	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0	
16000	8.9	8.8	8.7	8.6	8.5	8.3	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9	
17000	8.6	8.5	8.4	8.3	8.2	8.0	7.8	7.6	7.4	7.1	6.8	6.2	4.8	2.8	
18000	8.4	8.3	8.2	8.1	8.0	7.8	7.6	7.4	7.2	6.9	6.6	6.1	4.7	2.7	
19000	8.1	8.0	7.9	7.8	7.7	7.5	7.3	7.1	6.8	6.5	6.2	5.7	4.4	2.6	
20000	7.9	7.8	7.7	7.6	7.5	7.3	7.1	6.9	6.7	6.4	6.1	5.6	4.3	2.5	
21000	7.7	7.6	7.5	7.4	7.3	7.1	6.9	6.7	6.5	6.2	5.9	5.4	4.2	2.4	
22000	7.6	7.5	7.4	7.3	7.2	7.0	6.8	6.6	6.4	6.1	5.8	5.3	4.1	2.4	
23000	7.4	7.3	7.2	7.1	7.0	6.8	6.6	6.4	6.2	5.9	5.6	5.1	4.0	2.4	
24000	7.2	7.1	7.0	6.9	6.8	6.6	6.4	6.2	6.0	5.7	5.4	4.9	3.8	2.2	
25000	7.1	7.0	6.9	6.8	6.7	6.5	6.3	6.1	5.9	5.6	5.3	4.8	3.7	2.2	
30000	6.3	6.2	6.1	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.6	4.2	3.2	1.9	
35000	5.8	5.7	5.6	5.5	5.4	5.2	5.0	4.8	4.6	4.4	4.1	3.7	2.9	1.8	
40000	5.5	5.4	5.3	5.2	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.6	2.8	1.6	
45000	5.0	4.9	4.8	4.7	4.6	4.4	4.2	4.0	3.8	3.6	3.4	3.1	2.5	1.5	
50000	4.7	4.6	4.5	4.4	4.3	4.1	3.9	3.7	3.5	3.3	3.1	2.8	2.2	1.3	
55000	4.5	4.4	4.3	4.2	4.1	3.9	3.7	3.5	3.3	3.1	2.9	2.6	2.0	1.2	
60000	4.2	4.1	4.0	3.9	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.3	1.8	1.1	
65000	4.0	3.9	3.8	3.7	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.1	1.7	1.0	
70000	3.9	3.8	3.7	3.6	3.5	3.3	3.1	2.9	2.7	2.5	2.3	2.0	1.6	0.9	
75000	3.6	3.5	3.4	3.3	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.4	0.8	
80000	3.5	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.3	2.1	1.9	1.7	1.3	0.7	
85000	3.3	3.2	3.1	3.0	2.9	2.7	2.5	2.3	2.1	1.9	1.7	1.5	1.2	0.7	
90000	3.2	3.1	3.0	2.9	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.1	0.6	
95000	3.1	3.0	2.9	2.8	2.7	2.5	2.3	2.1	1.9	1.7	1.5	1.3	1.0	0.5	
100000	3.0	2.9	2.8	2.7	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2	0.9	0.4	
125000	2.8	2.7	2.6	2.5	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.3	
150000	2.6	2.5	2.4	2.3	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.2	
200000	2.4	2.3	2.2	2.1	2.0	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.1	
250000	2.2	2.1	2.0	1.9	1.8	1.6	1.4	1.2	1.0	0.8	0.6	0.4	0.3	0.0	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.



450000

\*\*\*\*\*

0.6

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

VICTORIA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	*****	53.3	53.0	52.2	50.8	49.4	47.9	46.4	44.8	43.2	41.5	37.9	29.3	16.9	
400	*****	37.7	37.5	36.9	35.9	34.9	33.9	32.8	31.7	30.5	29.3	26.8	20.7	12.0	
600	*****	30.8	30.6	30.1	29.3	28.5	27.7	26.8	25.9	24.9	24.0	21.9	16.9	9.8	
800	*****	26.6	26.5	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.7	18.9	14.7	8.5	
1000	*****	23.8	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.6	16.9	13.1	7.6	
2000	*****	16.8	16.8	16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4	
3000	*****	*****	*****	13.5	13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4	
4000	*****	*****	*****	11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8	
5000	*****	*****	*****	10.4	10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4	
6000	*****	*****	*****	*****	9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1	
7000	*****	*****	*****	*****	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9	
8000	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7	
9000	*****	*****	*****	*****	7.6	7.4	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5	
10000	*****	*****	*****	*****	7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.1	2.4	
11000	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3	
12000	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2	
13000	*****	*****	*****	*****	*****	6.1	5.9	5.8	5.6	5.4	5.1	4.7	3.6	2.1	
14000	*****	*****	*****	*****	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.5	3.5	2.0	
15000	*****	*****	*****	*****	*****	5.7	5.5	5.4	5.2	5.0	4.8	4.4	3.4	2.0	
16000	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.9	
17000	*****	*****	*****	*****	*****	5.2	5.0	4.9	4.7	4.6	4.4	4.0	3.1	1.8	
18000	*****	*****	*****	*****	*****	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7	
19000	*****	*****	*****	*****	*****	4.9	4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7	
20000	*****	*****	*****	*****	*****	4.8	4.6	4.5	4.4	4.2	4.0	3.7	2.9	1.7	
21000	*****	*****	*****	*****	*****	*****	4.4	4.3	4.2	4.1	4.0	3.6	2.8	1.6	
22000	*****	*****	*****	*****	*****	*****	4.3	4.2	4.0	3.9	3.9	3.5	2.7	1.6	
23000	*****	*****	*****	*****	*****	*****	4.2	4.1	4.0	3.9	3.8	3.5	2.7	1.5	
24000	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.8	3.7	3.4	2.6	1.5	
25000	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.9	3.7	3.4	2.6	1.5	
30000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	2.4	1.4	
35000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	2.2	1.3	
40000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	2.2	1.2	
45000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	2.0	1.1	
50000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.9	1.1	
55000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.8	1.0	
60000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.7	1.0	
65000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.6	0.9	
70000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.6	0.9	
75000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.6	0.9	
80000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.6	0.9	
85000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.6	0.8	
90000	*****	*****	*****	*****	*****	*****	*****	4.1	4.0	3.9	3.7	3.4	1.6	0.8	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

NEWFOUNDLAND

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	*****	66.1	65.7	64.7	63.0	61.2	59.4	57.5	55.6	53.5	51.4	47.0	36.4	21.0	
400	*****	46.7	46.5	45.8	44.5	43.3	42.0	40.7	39.3	37.9	36.4	33.2	25.7	14.8	
600	*****	38.1	38.0	37.4	36.4	35.3	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1	
800	*****	33.0	32.9	32.4	31.5	30.6	29.7	28.8	27.8	26.8	25.7	23.5	18.2	10.5	
1000	*****	29.6	29.4	28.9	28.2	27.4	26.6	25.7	24.8	23.9	23.0	21.0	16.3	9.4	
2000	*****	*****	20.8	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6	
3000	*****	*****	17.0	16.7	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4	
4000	*****	*****	*****	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7	
5000	*****	*****	*****	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
6000	*****	*****	*****	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8	
7000	*****	*****	*****	10.9	10.6	10.3	10.0	9.7	9.4	9.1	8.7	7.9	6.1	3.5	
8000	*****	*****	*****	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3	
9000	*****	*****	*****	*****	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1	
10000	*****	*****	*****	*****	8.9	8.7	8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0	
11000	*****	*****	*****	*****	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8	
12000	*****	*****	*****	*****	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7	
13000	*****	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6	
14000	*****	*****	*****	*****	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5	
15000	*****	*****	*****	*****	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.4	4.2	2.4	
16000	*****	*****	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.3	
17000	*****	*****	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3	
18000	*****	*****	*****	*****	*****	6.5	6.3	6.1	5.9	5.6	5.4	4.9	3.8	2.2	
19000	*****	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2	
20000	*****	*****	*****	*****	*****	6.1	5.9	5.8	5.6	5.4	5.1	4.7	3.6	2.1	
21000	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0	
22000	*****	*****	*****	*****	*****	5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
23000	*****	*****	*****	*****	*****	5.7	5.5	5.4	5.2	5.0	4.8	4.4	3.4	2.0	
24000	*****	*****	*****	*****	*****	5.7	5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9	
25000	*****	*****	*****	*****	*****	*****	5.3	5.1	5.0	4.8	4.6	4.2	3.3	1.9	
30000	*****	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.4	4.2	3.8	3.0	1.7	
40000	*****	*****	*****	*****	*****	*****	*****	4.3	4.2	4.0	3.9	3.5	2.7	1.6	
50000	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.8	3.6	3.3	2.6	1.5	
55000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.4	1.4	
60000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.0	2.3	1.3	
65000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
70000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
75000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
80000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
85000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
90000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
95000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
100000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	
125000	*****	*****	*****	*****	*****	*****	*****	*****	3.7	3.6	3.4	3.1	2.2	1.3	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

PRINCE EDWARD ISLAND

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	*****	37.2	37.0	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8	
400	*****	26.3	26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4	
600	*****	*****	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8	
800	*****	*****	18.5	18.2	17.8	17.3	16.7	16.2	15.7	15.1	14.5	13.2	10.2	5.9	
1000	*****	*****	*****	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3	
2000	*****	*****	*****	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
3000	*****	*****	*****	*****	9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1	
4000	*****	*****	*****	*****	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6	
5000	*****	*****	*****	*****	*****	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4	
6000	*****	*****	*****	*****	*****	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2	
7000	*****	*****	*****	*****	*****	*****	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
8000	*****	*****	*****	*****	*****	*****	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9	
9000	*****	*****	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.3	3.9	3.1	1.8	
10000	*****	*****	*****	*****	*****	*****	4.6	4.4	4.4	4.3	4.1	3.7	2.9	1.7	
11000	*****	*****	*****	*****	*****	*****	*****	4.2	4.2	4.1	3.9	3.6	2.8	1.6	
12000	*****	*****	*****	*****	*****	*****	4.0	4.0	4.0	3.9	3.7	3.4	2.6	1.5	
13000	*****	*****	*****	*****	*****	*****	*****	3.7	3.7	3.7	3.6	3.3	2.5	1.5	
14000	*****	*****	*****	*****	*****	*****	3.6	3.6	3.6	3.6	3.5	3.2	2.4	1.4	
15000	*****	*****	*****	*****	*****	*****	3.3	3.3	3.3	3.3	3.3	3.1	2.4	1.4	
16000	*****	*****	*****	*****	*****	*****	3.2	3.2	3.2	3.2	3.2	3.0	2.3	1.3	
17000	*****	*****	*****	*****	*****	*****	3.2	3.2	3.2	3.2	3.2	2.9	2.2	1.3	
18000	*****	*****	*****	*****	*****	*****	2.9	2.9	2.9	2.9	2.9	2.8	2.2	1.2	
19000	*****	*****	*****	*****	*****	*****	2.7	2.7	2.7	2.7	2.7	2.7	2.1	1.2	
20000	*****	*****	*****	*****	*****	*****	2.6	2.6	2.6	2.6	2.6	2.6	2.0	1.2	
21000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.2	
22000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	1.1	
23000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.9	1.1	
24000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.9	1.1	
25000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.1	
30000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0	
35000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

NOVA SCOTIA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	82.6	82.3	81.8	80.6	78.4	76.2	73.9	71.6	69.2	66.7	64.0	58.5	45.3	26.1
400	58.2	58.2	57.9	57.0	55.5	53.9	52.3	50.6	48.9	47.1	45.3	41.3	32.0	18.5
600	47.5	47.5	47.3	46.5	45.3	44.0	42.7	41.3	39.9	38.5	37.0	33.8	26.1	15.1
800	41.1	41.1	40.9	40.3	39.2	38.1	37.0	35.8	34.6	33.3	32.0	29.2	22.6	13.1
1000	36.8	36.8	36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	20.3	11.7
2000	26.0	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.3	18.5	14.3	8.3
3000	21.1	21.1	20.8	20.3	20.3	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.8
4000	18.3	18.3	18.0	17.5	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
5000	16.4	16.4	16.1	15.7	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
6000	14.7	14.7	14.7	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.4
7000	13.6	13.6	13.6	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
8000	12.7	12.7	12.7	12.7	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
9000	12.0	12.0	12.0	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.8	3.9
10000	11.4	11.4	11.4	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
11000	10.9	10.9	10.9	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
12000	10.4	10.4	10.4	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
13000	10.0	10.0	10.0	10.0	9.7	9.5	9.2	8.9	8.6	8.3	7.9	7.3	5.6	3.2
14000	9.6	9.6	9.6	9.6	9.4	9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1
15000	9.1	9.1	9.1	9.1	9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.8	5.2	3.0
16000	8.8	8.8	8.8	8.8	8.8	8.5	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
17000	8.5	8.5	8.5	8.5	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
18000	8.3	8.3	8.3	8.3	8.3	8.0	7.8	7.5	7.3	7.0	6.8	6.2	4.8	2.7
19000	8.0	8.0	8.0	8.0	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.6
20000	7.8	7.8	7.8	7.8	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
21000	7.7	7.7	7.7	7.7	7.7	7.4	7.2	7.0	6.8	6.5	6.2	5.7	4.4	2.6
22000	7.5	7.5	7.5	7.5	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5
23000	7.3	7.3	7.3	7.3	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
24000	7.2	7.2	7.2	7.2	7.2	7.0	6.8	6.5	6.3	6.1	5.8	5.3	4.1	2.4
25000	7.0	7.0	7.0	7.0	7.0	6.8	6.6	6.3	6.2	6.0	5.7	5.2	4.1	2.3
30000	5.8	5.8	5.8	5.8	5.8	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
35000	5.4	5.4	5.4	5.4	5.4	5.4	5.1	4.9	4.9	4.7	4.5	4.1	3.2	1.7
40000	5.0	5.0	5.0	5.0	5.0	5.0	4.7	4.5	4.6	4.4	4.3	3.9	3.0	1.7
45000	4.7	4.7	4.7	4.7	4.7	4.7	4.5	4.8	4.6	4.4	4.3	3.9	3.0	1.7
50000	4.5	4.5	4.5	4.5	4.5	4.5	4.3	4.3	4.2	4.0	3.9	3.5	2.7	1.6
55000	4.3	4.3	4.3	4.3	4.3	4.3	4.1	4.1	4.0	3.8	3.7	3.4	2.6	1.5
60000	4.0	4.0	4.0	4.0	4.0	4.0	3.8	3.8	3.8	3.7	3.6	3.2	2.5	1.5
65000	3.8	3.8	3.8	3.8	3.8	3.8	3.6	3.6	3.6	3.6	3.4	3.1	2.4	1.4
70000	3.6	3.6	3.6	3.6	3.6	3.6	3.4	3.4	3.4	3.3	3.3	3.0	2.3	1.3
75000	3.5	3.5	3.5	3.5	3.5	3.5	3.4	3.4	3.4	3.3	3.2	2.9	2.3	1.3
80000	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.2	3.1	2.8	2.2	1.3
85000	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.1	3.0	2.8	2.1	1.2
90000	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.1	3.0	2.7	2.1	1.2
95000	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.0	2.9	2.6	2.0	1.2
100000	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	2.9	2.6	2.0	1.2
125000	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	1.8	1.0
150000	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.0
200000	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4	0.8
250000	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

NEW BRUNSWICK

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%			
200	80.2	79.8	79.4	78.2	76.1	74.0	71.8	69.5	67.1	64.7	62.2	56.7	44.0	25.4		
400	56.5	56.1	55.9	55.3	53.8	52.3	50.8	49.1	47.5	45.7	44.0	40.1	31.1	17.9		
600	46.1	45.9	45.7	45.2	44.0	42.7	41.4	40.1	38.8	37.4	35.9	32.8	25.4	14.7		
800	39.9	39.7	39.5	39.1	38.1	37.0	35.9	34.7	33.6	32.3	31.1	28.4	22.0	12.7		
1000	35.7	35.5	35.3	35.0	34.0	33.1	32.1	31.1	30.0	28.9	27.8	25.4	19.7	11.3		
2000	25.2	25.1	25.0	24.7	24.1	23.4	22.7	22.0	21.2	20.5	19.7	17.9	13.9	8.0		
3000	20.5	20.4	20.3	20.2	19.7	19.1	18.5	17.9	17.3	16.7	16.0	14.7	11.3	6.6		
4000	17.8	17.7	17.6	17.5	17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7		
5000	15.6	15.5	15.4	15.3	15.2	14.8	14.4	13.9	13.4	12.9	12.4	11.3	8.8	5.1		
6000	14.3	14.2	14.1	14.0	13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6		
7000	13.2	13.1	13.0	12.9	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3		
8000	12.4	12.3	12.2	12.1	12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0		
9000	11.7	11.6	11.5	11.4	11.3	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8		
10000	11.1	11.0	10.9	10.8	10.8	10.5	10.2	9.8	9.5	9.1	8.8	8.0	6.2	3.6		
11000	10.5	10.4	10.3	10.3	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4		
12000	9.8	9.7	9.6	9.6	9.6	9.3	9.0	8.7	8.4	8.0	7.7	7.3	5.5	3.1		
13000	9.4	9.3	9.2	9.2	9.2	8.9	8.6	8.3	8.0	7.7	7.4	6.8	5.3	3.0		
14000	9.1	9.0	8.9	8.8	8.8	8.5	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9		
15000	8.8	8.7	8.6	8.5	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8		
16000	8.5	8.4	8.3	8.3	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8		
17000	8.3	8.2	8.1	8.1	8.1	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7		
18000	8.0	7.9	7.8	7.8	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6		
19000	7.8	7.7	7.6	7.6	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5		
20000	7.6	7.5	7.4	7.4	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5		
21000	7.4	7.3	7.2	7.2	7.2	7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4		
22000	7.3	7.2	7.1	7.1	7.1	6.9	6.7	6.5	6.3	6.0	5.7	5.2	4.0	2.4		
23000	7.1	7.0	6.9	6.9	6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.1	3.9	2.3		
24000	6.8	6.7	6.6	6.6	6.6	6.4	6.2	6.0	5.8	5.6	5.3	4.8	3.6	2.1		
25000	6.6	6.5	6.4	6.4	6.4	6.2	6.0	5.7	5.5	5.3	5.1	4.6	3.3	1.9		
30000	5.4	5.3	5.2	5.2	5.2	5.0	4.9	4.7	4.5	4.3	4.1	3.8	2.9	1.7		
40000	5.1	5.0	4.9	4.9	4.9	4.7	4.6	4.4	4.2	4.1	3.9	3.6	2.8	1.6		
50000	4.6	4.5	4.4	4.4	4.4	4.2	4.1	3.9	3.7	3.6	3.4	3.1	2.5	1.5		
55000	4.2	4.1	4.0	4.0	4.0	3.8	3.7	3.5	3.3	3.2	3.0	2.7	2.1	1.4		
60000	3.9	3.8	3.7	3.7	3.7	3.5	3.4	3.2	3.0	2.9	2.8	2.5	2.0	1.3		
65000	3.7	3.6	3.5	3.5	3.5	3.3	3.2	3.0	2.8	2.7	2.6	2.3	1.8	1.1		
70000	3.5	3.4	3.3	3.3	3.3	3.1	3.0	2.8	2.6	2.5	2.4	2.1	1.6	1.0		
75000	3.3	3.2	3.1	3.1	3.1	2.9	2.8	2.6	2.4	2.3	2.2	1.9	1.4	0.9		
80000	3.2	3.1	3.0	3.0	3.0	2.8	2.7	2.5	2.3	2.2	2.1	1.8	1.3	0.8		
85000	3.1	3.0	2.9	2.9	2.9	2.7	2.6	2.4	2.2	2.1	2.0	1.7	1.2	0.7		
90000	3.0	2.9	2.8	2.8	2.8	2.6	2.5	2.3	2.1	2.0	1.9	1.6	1.1	0.6		
95000	2.9	2.8	2.7	2.7	2.7	2.5	2.4	2.2	2.0	1.9	1.8	1.5	1.0	0.5		
100000	2.8	2.7	2.6	2.6	2.6	2.4	2.3	2.1	1.9	1.8	1.7	1.4	0.9	0.4		
125000	2.5	2.4	2.3	2.3	2.3	2.1	2.0	1.8	1.6	1.5	1.4	1.1	0.7	0.3		
150000	2.1	2.0	1.9	1.9	1.9	1.7	1.6	1.4	1.2	1.1	1.0	0.8	0.5	0.2		
200000	1.6	1.5	1.4	1.4	1.4	1.2	1.1	0.9	0.8	0.7	0.6	0.4	0.3	0.1		

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.



TABLE OF APPROXIMATED SAMPLING VARIABILITY

QUEBEC

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	80.9	80.5	80.1	78.9	76.8	74.6	72.4	70.1	67.7	65.2	62.7	57.2	44.3	25.6
400	57.2	56.9	56.6	55.8	54.3	52.8	51.2	49.6	47.9	46.1	44.3	40.5	31.3	18.1
600	46.7	46.5	46.3	45.5	44.3	43.1	41.8	40.5	39.1	37.7	36.2	33.0	25.6	14.8
800	40.4	40.3	40.1	39.4	38.4	37.3	36.2	35.0	33.9	32.6	31.3	28.6	22.2	12.8
1000	36.2	36.0	35.8	35.3	34.3	33.4	32.4	31.3	30.3	29.2	28.0	25.6	19.8	11.4
2000	25.6	25.5	25.3	24.9	24.3	23.6	22.9	22.2	21.4	20.6	19.8	18.1	14.0	8.1
3000	*****	20.8	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
4000	*****	18.0	17.9	17.6	17.2	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
5000	*****	16.1	16.0	15.8	15.4	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1
6000	*****	14.7	14.6	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.4	10.4	8.1	4.7
7000	*****	13.6	13.5	13.3	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
8000	*****	12.7	12.7	12.5	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
9000	*****	12.0	11.9	11.8	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
10000	*****	11.4	11.3	11.2	10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
11000	*****	10.9	10.8	10.6	10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
12000	*****	10.4	10.3	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
13000	*****	10.0	9.9	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
14000	*****	9.6	9.6	9.4	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1
15000	*****	9.3	9.3	9.1	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
16000	*****	9.0	9.0	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
17000	*****	8.7	8.7	8.6	8.3	8.1	7.9	7.6	7.3	7.1	6.8	6.2	4.8	2.8
18000	*****	8.5	8.4	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
19000	*****	8.3	8.2	8.1	7.9	7.7	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
20000	*****	8.1	8.0	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
21000	*****	7.9	7.8	7.7	7.5	7.3	7.1	6.8	6.5	6.2	6.0	5.5	4.3	2.5
22000	*****	7.7	7.6	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
23000	*****	7.5	7.5	7.4	7.2	7.0	6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4
24000	*****	*****	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3
25000	*****	*****	7.2	7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
30000	*****	*****	6.5	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
35000	*****	*****	6.1	6.0	5.8	5.6	5.5	5.3	5.1	4.9	4.7	4.3	3.4	1.9
40000	*****	*****	5.7	5.6	5.4	5.3	5.1	5.0	4.8	4.6	4.4	4.0	3.1	1.8
45000	*****	*****	5.3	5.3	5.1	5.0	4.8	4.7	4.5	4.3	4.2	3.8	3.0	1.7
50000	*****	*****	*****	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.6	2.8	1.6
55000	*****	*****	*****	4.8	4.6	4.5	4.4	4.2	4.1	3.9	3.8	3.5	2.7	1.5
60000	*****	*****	*****	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.6	3.3	2.6	1.5
65000	*****	*****	*****	4.4	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4
70000	*****	*****	*****	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.1	2.4	1.4
75000	*****	*****	*****	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.2	3.0	2.3	1.3
80000	*****	*****	*****	3.9	3.8	3.7	3.6	3.5	3.4	3.3	3.1	2.9	2.2	1.3
85000	*****	*****	*****	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.0	2.8	2.2	1.2
90000	*****	*****	*****	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.7	2.1	1.2
95000	*****	*****	*****	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
100000	*****	*****	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1
125000	*****	*****	*****	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.3	1.8	1.0
150000	*****	*****	*****	*****	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	1.6	0.9
200000	*****	*****	*****	*****	2.4	2.4	2.3	2.2	2.1	2.1	2.0	1.8	1.4	0.8
250000	*****	*****	*****	*****	*****	2.1	2.0	2.0	1.9	1.8	1.8	1.6	1.3	0.7
300000	*****	*****	*****	*****	*****	1.9	1.9	1.8	1.7	1.7	1.6	1.5	1.1	0.7
350000	*****	*****	*****	*****	*****	1.8	1.7	1.7	1.6	1.6	1.5	1.4	1.1	0.6
400000	*****	*****	*****	*****	*****	1.8	1.6	1.6	1.5	1.5	1.4	1.3	1.0	0.6

450000	*****	1.5	1.5	1.4	1.4	1.3	1.2	0.9	0.5
500000	*****	*****	1.4	1.4	1.3	1.3	1.1	0.9	0.5
750000	*****	*****	*****	*****	1.1	1.0	0.9	0.7	0.4
1000000	*****	*****	*****	*****	*****	*****	0.8	0.6	0.4
1500000	*****	*****	*****	*****	*****	*****	*****	0.5	0.3
2000000	*****	*****	*****	*****	*****	*****	*****	*****	0.3

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

ONTARIO

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
200	73.8	73.5	73.1	72.0	70.1	68.1	66.1	64.0	61.8	59.6	57.2	52.2	40.5	23.4
400	52.2	52.0	51.7	50.9	49.6	48.2	46.7	45.2	43.7	42.1	40.5	36.9	28.6	16.5
600	42.6	42.4	42.2	41.6	40.5	39.3	38.2	36.9	35.7	34.4	33.0	30.2	23.4	13.5
800	36.9	36.8	36.6	36.0	35.0	34.1	33.0	32.0	30.9	29.8	28.6	26.1	20.2	11.7
1000	33.0	32.9	32.7	32.2	31.3	30.5	29.6	28.6	27.6	26.6	25.6	23.4	18.1	10.4
2000	23.4	23.2	23.1	22.8	22.2	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
3000	19.1	19.0	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.4	6.0
4000	16.4	16.4	16.4	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2
5000	14.7	14.7	14.6	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.4	10.4	8.1	4.7
6000	13.4	13.4	13.4	13.1	12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
7000	12.4	12.4	12.4	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
8000	11.6	11.6	11.6	11.4	11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7
9000	11.0	10.9	10.9	10.7	10.4	10.2	9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5
10000	10.4	10.3	10.3	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
11000	9.9	9.9	9.9	9.7	9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.2
12000	9.5	9.4	9.4	9.3	9.0	8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0
13000	9.1	9.1	9.1	8.9	8.7	8.4	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
14000	8.8	8.8	8.7	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
15000	8.5	8.5	8.4	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
16000	8.2	8.2	8.2	8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
17000	8.0	8.0	7.9	7.8	7.6	7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
18000	7.7	7.7	7.7	7.6	7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5
19000	7.5	7.5	7.5	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.2	2.4
20000	7.4	7.3	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3
21000	7.2	7.1	7.1	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3
22000	7.0	7.0	7.0	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
23000	6.9	6.8	6.8	6.7	6.5	6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2
24000	6.7	6.7	6.7	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.8	3.7	2.1
25000	6.6	6.5	6.5	6.4	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
30000	6.0	6.0	6.0	5.9	5.7	5.6	5.4	5.2	5.0	4.9	4.7	4.3	3.3	1.9
35000	5.5	5.5	5.5	5.4	5.3	5.1	5.0	4.8	4.7	4.5	4.3	3.9	3.1	1.8
40000	5.2	5.2	5.2	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.0	3.7	2.9	1.7
45000	4.9	4.9	4.9	4.8	4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6
50000	4.6	4.6	4.6	4.6	4.4	4.3	4.2	4.0	3.9	3.8	3.6	3.3	2.6	1.5
55000	4.4	4.4	4.4	4.3	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.2	2.4	1.4
60000	4.2	4.2	4.2	4.2	4.0	3.9	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.3
65000	4.0	4.0	4.0	4.0	3.9	3.8	3.7	3.5	3.4	3.3	3.2	2.9	2.2	1.3
70000	3.8	3.8	3.8	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	2.8	2.2	1.2
75000	3.7	3.7	3.7	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.7	2.1	1.2
80000	3.6	3.6	3.6	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.1
85000	3.5	3.5	3.5	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.5	2.0	1.1
90000	3.4	3.4	3.4	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.5	1.9	1.1
95000	3.3	3.3	3.3	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.4	1.9	1.1
100000	3.2	3.2	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.3	1.8	1.0
125000	2.9	2.9	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.1	1.6	0.9
150000	2.6	2.6	2.6	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	1.9	1.5	0.9
200000	2.2	2.2	2.2	2.2	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.7	1.3	0.7
250000	2.0	2.0	2.0	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.5	1.1	0.7
300000	1.8	1.8	1.8	1.8	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.3	1.0	0.6
350000	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.5	1.5	1.4	1.4	1.2	1.0	0.6
400000	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.4	1.4	1.3	1.3	1.2	0.9	0.5

450000	*****	1.4	1.3	1.3	1.3	1.2	1.1	0.9	0.5
500000	*****	1.3	1.3	1.2	1.2	1.1	1.0	0.8	0.5
750000	*****	*****	1.0	1.0	1.0	0.9	0.9	0.7	0.4
1000000	*****	*****	*****	*****	0.8	0.8	0.7	0.6	0.3
1500000	*****	*****	*****	*****	*****	*****	0.6	0.5	0.3
2000000	*****	*****	*****	*****	*****	*****	0.6	0.4	0.2

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

MANITOBA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	82.6	82.2	81.8	80.5	78.4	76.2	73.9	71.6	69.1	66.6	64.0	58.4	45.3	26.1	
400	58.1	57.8	57.4	56.9	55.4	53.9	52.3	50.6	48.9	47.1	45.3	41.3	32.0	18.5	
600	47.5	47.2	46.5	45.3	44.0	42.7	41.3	39.9	38.5	37.0	35.3	33.7	26.1	15.1	
800	41.1	40.9	40.3	39.2	38.1	37.0	35.8	34.6	33.3	32.0	29.2	27.2	22.6	13.1	
1000	36.8	36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	24.2	20.2	11.7	
2000	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	17.2	14.3	8.3	
3000	21.2	21.1	20.8	20.2	20.2	19.7	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7	
4000	18.3	18.3	18.0	17.5	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
5000	16.4	16.4	16.1	15.7	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	
6000	14.9	14.9	14.7	14.3	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8	
7000	13.8	13.8	13.6	13.3	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4	
8000	12.7	12.7	12.4	12.4	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
9000	12.0	11.7	11.4	11.4	11.4	11.0	10.7	10.3	9.9	9.5	9.1	8.3	6.7	3.9	
10000	11.4	11.1	10.8	10.8	10.8	10.5	10.1	9.8	9.4	9.0	8.6	7.9	6.4	3.7	
11000	10.9	10.6	10.3	10.3	10.3	10.0	9.6	9.2	8.9	8.6	8.3	7.5	6.1	3.5	
12000	10.4	10.1	9.8	9.8	9.8	9.5	9.2	8.9	8.6	8.3	7.9	7.2	5.8	3.4	
13000	10.0	9.7	9.4	9.4	9.4	9.1	8.8	8.6	8.3	8.0	7.6	7.0	5.6	3.2	
14000	9.6	9.4	9.1	8.8	8.8	8.5	8.2	8.0	7.7	7.4	7.2	6.5	5.1	2.9	
15000	9.3	9.1	8.8	8.5	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8	
16000	9.0	8.8	8.5	8.3	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.7	
17000	8.7	8.5	8.3	8.0	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.6	
18000	8.5	8.3	8.0	7.8	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.4	2.5	
19000	8.0	7.8	7.6	7.4	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.6	4.2	2.4	
20000	7.8	7.6	7.4	7.2	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.4	4.1	2.4	
21000	7.6	7.4	7.2	7.0	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3	
22000	7.5	7.3	7.1	6.9	6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.0	3.7	2.1	
23000	7.3	7.1	6.9	6.7	6.7	6.5	6.3	6.1	5.9	5.7	5.4	4.8	3.4	2.0	
24000	7.2	7.0	6.7	6.6	6.6	6.4	6.2	6.0	5.8	5.6	5.2	4.6	3.2	1.8	
25000	7.0	6.8	6.6	6.4	6.4	6.2	6.0	5.8	5.6	5.4	5.0	4.4	3.0	1.7	
30000	6.4	6.2	6.0	5.8	5.8	5.6	5.4	5.2	5.0	4.7	4.5	4.1	2.7	1.6	
35000	5.9	5.8	5.6	5.4	5.4	5.2	5.0	4.8	4.6	4.4	4.3	3.9	2.6	1.5	
40000	5.4	5.4	5.2	5.0	5.0	4.8	4.7	4.5	4.4	4.2	4.0	3.7	2.9	1.7	
45000	5.1	5.1	4.9	4.8	4.8	4.6	4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6	
50000	4.8	4.7	4.6	4.5	4.5	4.3	4.1	4.0	3.8	3.7	3.6	3.4	2.6	1.5	
55000	4.6	4.6	4.5	4.4	4.4	4.3	4.1	4.0	3.8	3.7	3.6	3.2	2.5	1.4	
60000	4.1	4.1	4.0	3.8	3.8	3.7	3.6	3.4	3.3	3.2	3.1	2.8	2.1	1.2	
65000	4.0	4.0	3.9	3.7	3.7	3.6	3.5	3.4	3.3	3.2	3.1	2.8	2.1	1.2	
70000	3.8	3.8	3.7	3.6	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.7	2.0	1.2	
75000	3.7	3.7	3.6	3.5	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2	
80000	3.6	3.6	3.5	3.4	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.5	1.8	1.0	
85000	3.5	3.5	3.4	3.3	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.4	1.7	1.0	
90000	3.4	3.4	3.3	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.3	1.7	1.0	
95000	3.1	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.0	1.4	0.8	
100000	3.1	3.1	3.0	2.9	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.0	1.4	0.8	
125000	2.7	2.7	2.6	2.5	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.6	1.1	0.7	
150000	2.3	2.3	2.2	2.1	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.2	0.8	0.7	
200000	1.7	1.7	1.6	1.5	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.7	0.4	0.3	
250000	1.3	1.3	1.2	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	
300000	1.0	1.0	0.9	0.8	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.1	0.1	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

MANITOBA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
200	82.6	82.2	81.8	80.5	78.4	76.2	73.9	71.6	69.1	66.6	64.0	58.4	45.3	26.1	
400	*****	58.1	57.8	56.9	55.4	53.9	52.3	50.6	48.9	47.1	45.3	41.3	32.0	18.5	
600	*****	47.5	47.2	46.5	45.3	44.0	42.7	41.3	39.9	38.5	37.0	33.7	26.1	15.1	
800	*****	41.1	40.9	40.3	39.2	38.1	37.0	35.8	34.6	33.3	32.0	29.2	22.6	13.1	
1000	*****	36.8	36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	20.2	11.7	
2000	*****	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3	
3000	*****	21.2	21.1	20.8	20.2	19.7	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7	
4000	*****	*****	18.3	18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
5000	*****	*****	16.4	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	
6000	*****	*****	14.9	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8	
7000	*****	*****	13.8	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4	
8000	*****	*****	*****	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
9000	*****	*****	*****	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9	
10000	*****	*****	*****	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	
11000	*****	*****	*****	10.9	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5	
12000	*****	*****	*****	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4	
13000	*****	*****	*****	10.0	9.7	9.4	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2	
14000	*****	*****	*****	9.6	9.4	9.1	8.8	8.6	8.3	8.0	7.6	7.0	5.4	3.1	
15000	*****	*****	*****	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0	
16000	*****	*****	*****	9.0	8.8	8.5	8.3	8.0	7.7	7.4	7.2	6.5	5.1	2.9	
17000	*****	*****	*****	8.7	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8	
18000	*****	*****	*****	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.7	
19000	*****	*****	*****	*****	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.6	
20000	*****	*****	*****	*****	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.5	
21000	*****	*****	*****	*****	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5	
22000	*****	*****	*****	*****	7.5	7.3	7.0	6.8	6.6	6.4	6.1	5.6	4.3	2.5	
23000	*****	*****	*****	*****	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4	
24000	*****	*****	*****	*****	7.2	7.0	6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4	
25000	*****	*****	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3	
30000	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.8	3.7	2.1	
35000	*****	*****	*****	*****	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0	
40000	*****	*****	*****	*****	*****	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8	
45000	*****	*****	*****	*****	*****	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7	
50000	*****	*****	*****	*****	*****	4.8	4.7	4.5	4.4	4.2	4.0	3.7	2.9	1.7	
55000	*****	*****	*****	*****	*****	4.6	4.5	4.3	4.2	4.0	3.9	3.5	2.7	1.6	
60000	*****	*****	*****	*****	*****	*****	4.3	4.1	4.0	3.8	3.7	3.4	2.6	1.5	
65000	*****	*****	*****	*****	*****	*****	4.1	4.0	3.8	3.7	3.6	3.2	2.5	1.4	
70000	*****	*****	*****	*****	*****	*****	4.0	3.8	3.7	3.6	3.4	3.1	2.4	1.4	
75000	*****	*****	*****	*****	*****	*****	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.3	
80000	*****	*****	*****	*****	*****	*****	*****	3.6	3.5	3.3	3.2	2.9	2.3	1.3	
85000	*****	*****	*****	*****	*****	*****	*****	3.5	3.4	3.2	3.1	2.8	2.2	1.3	
90000	*****	*****	*****	*****	*****	*****	3.4	3.3	3.2	3.1	3.0	2.8	2.1	1.2	
95000	*****	*****	*****	*****	*****	*****	*****	3.2	3.1	3.0	2.9	2.7	2.1	1.2	
100000	*****	*****	*****	*****	*****	*****	*****	*****	3.1	3.0	2.9	2.6	2.0	1.2	
125000	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	2.6	2.3	1.8	1.0	
150000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.3	2.1	1.7	1.0	
200000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4	0.8	
250000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3	0.7	
300000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.7	

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

SASKATCHEWAN

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE														90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	60.0%	70.0%	
200	98.3	97.8	97.3	95.8	93.3	90.7	87.9	85.2	82.3	79.3	76.2	69.5	53.9	31.1	31.1
400	*****	69.2	68.8	67.8	66.0	64.1	62.2	60.2	58.2	56.1	53.9	49.2	38.1	22.0	22.0
600	*****	56.5	56.2	55.3	53.9	52.3	50.8	49.2	47.5	45.8	44.0	40.1	31.1	18.0	18.0
800	*****	48.9	48.7	47.9	46.6	45.3	44.0	42.6	41.1	39.6	38.1	34.8	26.9	15.5	15.5
1000	*****	43.8	43.5	42.9	41.7	40.5	39.3	38.1	36.8	35.5	34.1	31.1	24.1	13.9	13.9
2000	*****	30.9	30.8	30.3	29.5	28.7	27.8	26.9	26.0	25.1	24.1	22.0	17.0	9.8	9.8
3000	*****	25.3	25.1	24.7	24.1	23.4	22.7	22.0	21.2	20.5	19.7	18.0	13.9	8.0	8.0
4000	*****	*****	21.8	21.4	20.9	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	7.0	7.0
5000	*****	*****	19.5	19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2	6.2
6000	*****	*****	17.8	17.5	17.0	16.6	16.1	15.5	15.0	14.5	13.9	12.7	9.8	5.7	5.7
7000	*****	*****	16.5	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	5.3
8000	*****	*****	*****	15.2	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	4.9
9000	*****	*****	*****	14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6	4.6
10000	*****	*****	*****	13.6	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	4.4
11000	*****	*****	*****	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	4.2
12000	*****	*****	*****	12.4	12.0	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0	4.0
13000	*****	*****	*****	11.9	11.6	11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9	3.9
14000	*****	*****	*****	11.5	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7	3.7
15000	*****	*****	*****	11.1	10.8	10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6	3.6
16000	*****	*****	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	3.5
17000	*****	*****	*****	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4	3.4
18000	*****	*****	*****	*****	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3	3.3
19000	*****	*****	*****	*****	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	3.2
20000	*****	*****	*****	*****	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1	3.1
21000	*****	*****	*****	*****	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.3	3.0	3.0
22000	*****	*****	*****	*****	8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0	3.0
23000	*****	*****	*****	*****	8.7	8.5	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9	2.9
24000	*****	*****	*****	*****	8.5	8.3	8.0	7.8	7.5	7.2	7.0	6.3	4.9	2.8	2.8
25000	*****	*****	*****	*****	8.3	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.5	2.5
30000	*****	*****	*****	*****	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.4	2.4
35000	*****	*****	*****	*****	7.1	6.9	6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.4	2.4
40000	*****	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2	2.2
45000	*****	*****	*****	*****	*****	6.0	5.9	5.7	5.5	5.3	5.1	4.6	3.6	2.1	2.1
50000	*****	*****	*****	*****	*****	5.7	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0	2.0
55000	*****	*****	*****	*****	*****	5.3	5.1	5.0	4.8	4.6	4.4	4.2	3.2	1.9	1.9
60000	*****	*****	*****	*****	*****	5.1	4.9	4.7	4.6	4.4	4.2	4.0	3.1	1.8	1.8
65000	*****	*****	*****	*****	*****	4.9	4.7	4.6	4.4	4.2	4.1	3.9	3.0	1.7	1.7
70000	*****	*****	*****	*****	*****	4.7	4.6	4.4	4.2	4.1	4.0	3.7	2.9	1.7	1.7
75000	*****	*****	*****	*****	*****	*****	4.4	4.3	4.2	4.1	3.9	3.6	2.8	1.6	1.6
80000	*****	*****	*****	*****	*****	*****	4.1	4.0	4.0	3.8	3.7	3.5	2.7	1.6	1.6
85000	*****	*****	*****	*****	*****	*****	3.9	3.8	3.8	3.7	3.6	3.3	2.6	1.5	1.5
90000	*****	*****	*****	*****	*****	*****	3.8	3.7	3.7	3.6	3.5	3.2	2.5	1.5	1.5
95000	*****	*****	*****	*****	*****	*****	3.7	3.6	3.6	3.5	3.4	3.1	2.4	1.4	1.4
100000	*****	*****	*****	*****	*****	*****	3.7	3.5	3.5	3.4	3.0	2.8	2.2	1.2	1.2
125000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	2.0	1.1	1.1
150000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.7	1.0	1.0
200000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	0.9
250000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.8	0.8
300000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.





0.9 0.5  
0.8 0.5

\*\*\*\*\*  
\*\*\*\*\*

450000  
500000

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY

BRITISH COLUMBIA

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															70.0%	90.0%
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	60.0%	70.0%	80.0%		
200	78.9	78.5	78.1	76.9	74.9	72.8	70.6	68.3	66.0	63.6	61.1	55.8	43.2	30.6	25.0		
400	55.8	55.5	55.2	54.4	52.9	51.4	49.9	48.3	46.7	45.0	43.2	39.5	32.2	25.0	17.6		
600	45.5	45.3	45.1	44.4	43.2	42.0	40.8	39.5	38.1	36.7	35.3	32.2	27.9	21.6	14.4		
800	39.4	39.3	39.1	38.5	37.4	36.4	35.3	34.2	33.0	31.8	30.6	27.9	21.6	14.4	12.5		
1000	35.3	35.1	34.9	34.4	33.5	32.5	31.6	30.6	29.5	28.5	27.3	25.0	19.3	13.7	11.2		
2000	24.8	24.7	24.3	24.3	23.7	23.0	22.3	21.6	20.9	20.1	19.3	17.6	14.4	11.2	7.9		
3000	20.3	20.2	19.9	19.9	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.2	12.5	9.7	5.6		
4000	17.6	17.5	17.2	17.2	16.7	16.3	15.8	15.3	14.8	14.2	13.7	12.5	10.2	7.9	4.6		
5000	15.7	15.6	15.4	15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	9.4	7.3	4.2		
6000	14.3	14.3	14.3	14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.3	8.8	6.8	3.9		
7000	13.3	13.3	13.2	13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	5.2	3.0		
8000	12.4	12.4	12.4	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	4.8	2.8		
9000	11.7	11.6	11.6	11.5	11.2	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	4.7	2.7		
10000	11.1	11.0	11.0	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	4.7	2.7		
11000	10.5	10.5	10.4	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	4.3	3.4		
12000	10.1	10.1	9.9	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	4.3	3.1		
13000	9.7	9.7	9.5	9.5	9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	4.3	3.1		
14000	9.3	9.3	9.2	9.2	8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	4.1	2.4		
15000	9.0	9.0	8.9	8.9	8.6	8.4	8.2	7.9	7.6	7.3	7.1	6.4	5.0	4.1	2.4		
16000	8.7	8.7	8.6	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	4.1	2.4		
17000	8.5	8.5	8.3	8.3	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	4.1	2.4		
18000	8.2	8.2	8.1	8.1	7.9	7.7	7.4	7.2	7.0	6.7	6.4	5.9	4.6	4.1	2.4		
19000	8.0	8.0	7.9	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	4.1	2.4		
20000	7.8	7.8	7.7	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	4.1	2.4		
21000	7.6	7.6	7.5	7.5	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	4.1	2.4		
22000	7.3	7.3	7.3	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.3	4.1	4.0	2.3		
23000	7.2	7.2	7.2	7.2	7.0	6.8	6.6	6.4	6.2	5.9	5.7	5.2	4.0	3.9	2.3		
24000	7.0	7.0	7.0	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	3.9	2.3		
25000	6.9	6.9	6.9	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	3.9	2.3		
30000	6.3	6.3	6.3	6.3	6.1	5.9	5.8	5.6	5.4	5.2	5.0	4.6	3.5	3.5	2.0		
35000	5.8	5.8	5.8	5.8	5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	3.3	1.9		
40000	5.4	5.4	5.4	5.4	5.3	5.1	5.0	4.8	4.7	4.5	4.3	3.9	3.1	3.1	1.8		
45000	5.1	5.1	5.1	5.1	5.0	4.9	4.7	4.6	4.4	4.2	4.1	3.7	2.9	2.9	1.7		
50000	4.9	4.9	4.9	4.9	4.7	4.6	4.5	4.3	4.2	4.0	3.9	3.5	2.6	2.6	1.6		
55000	4.7	4.7	4.7	4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.7	3.4	2.6	2.6	1.5		
60000	4.5	4.5	4.5	4.5	4.3	4.2	4.1	3.9	3.8	3.7	3.5	3.2	2.5	2.5	1.4		
65000	4.3	4.3	4.3	4.3	4.2	4.0	3.9	3.8	3.7	3.5	3.4	3.1	2.4	2.4	1.4		
70000	4.0	4.0	4.0	4.0	3.9	3.8	3.8	3.7	3.5	3.4	3.3	3.0	2.3	2.3	1.3		
75000	3.9	3.9	3.9	3.9	3.8	3.6	3.6	3.5	3.4	3.3	3.2	2.9	2.2	2.2	1.3		
80000	3.7	3.7	3.7	3.7	3.6	3.5	3.5	3.4	3.3	3.2	3.1	2.8	2.2	2.2	1.2		
85000	3.6	3.6	3.6	3.6	3.5	3.4	3.4	3.3	3.2	3.1	3.0	2.7	2.1	2.1	1.2		
90000	3.5	3.5	3.5	3.5	3.4	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	2.0	1.2		
95000	3.4	3.4	3.4	3.4	3.3	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	2.0	1.1		
100000	3.3	3.3	3.3	3.3	3.3	3.2	3.2	3.1	3.0	2.9	2.8	2.6	2.0	2.0	1.1		
125000	2.9	2.9	2.9	2.9	2.9	2.8	2.8	2.7	2.6	2.5	2.4	2.2	1.7	1.7	1.0		
150000	2.7	2.7	2.7	2.7	2.7	2.6	2.6	2.5	2.4	2.3	2.2	2.0	1.6	1.6	0.9		
200000	2.2	2.2	2.2	2.2	2.2	2.2	2.2	2.1	2.1	2.0	1.9	1.8	1.4	1.4	0.8		
250000	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.8	1.7	1.6	1.6	1.4	1.1	1.1	0.6		
300000	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.6	1.5	1.5	1.5	1.3	1.0	1.0	0.6		
350000	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.4	1.4	1.4	1.4	1.2	1.0	1.0	0.6		
400000	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.3	1.3	1.3	1.3	1.2	1.0	1.0	0.6		

450000	*****	1.2	0.9	0.5
500000	*****	1.1	0.9	0.5
750000	*****	*****	0.7	0.4

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

TABLE OF APPROXIMATED SAMPLING VARIABILITY  
YUKON+NORTHWEST TERRITORIES

NUMERATOR OF PERCENTAGE	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
200	*****	37.2	37.0	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8		
400	*****	*****	26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4		
600	*****	*****	*****	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8		
800	*****	*****	*****	18.2	17.7	17.2	16.7	16.2	15.7	15.1	14.5	13.2	10.2	5.9		
1000	*****	*****	*****	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3		
2000	*****	*****	*****	*****	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7		
3000	*****	*****	*****	*****	*****	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1		
4000	*****	*****	*****	*****	*****	*****	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6		
5000	*****	*****	*****	*****	*****	*****	*****	6.5	6.3	6.0	5.8	5.3	4.1	2.4		
6000	*****	*****	*****	*****	*****	*****	*****	*****	5.7	5.5	5.3	4.8	3.7	2.2		
7000	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.1	4.9	4.5	3.5	2.0		
8000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.6	4.2	3.2	1.9		
9000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.1	1.8		
10000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.7	2.9	1.7		
11000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.8	1.6		
12000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.6	1.5		
13000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.5	1.5		
14000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.4		
15000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.4		
16000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3		
17000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.3		
18000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2		
19000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2		

NOTE: SEE INSTRUCTIONS AT THE BEGINNING OF THE APPENDIX.

ORDER FORM  
CENSUS PUBLIC USE MICRODATA FILES

MAIL TO:  
ELECTRONIC DATA DISSEMINATION DIVISION  
CENSUS UNIT  
STATISTICS CANADA  
9TH FLOOR, R.H. COATS BLDG.  
OTTAWA, ONTARIO  
K1A 0T6

FOR INTERNAL USE ONLY:  
FILE NO.: \_\_\_\_\_ DATE: \_\_\_\_\_  
\_\_\_\_\_

SHIPPING ADDRESS

CLIENT'S NAME \_\_\_\_\_

ORGANIZATION \_\_\_\_\_

ADDRESS \_\_\_\_\_  
\_\_\_\_\_

TELEPHONE NO. (        ) \_\_\_\_\_ POSTAL CODE: \_\_\_\_\_

PLEASE CHECK FILES REQUIRED AND TECHNICAL SPECIFICATIONS

FILE IDENTIFICATION				LABEL	RECORD DENSITY							
HOUSEHOLD/HOUSING	1986	<input type="checkbox"/>	1981	<input type="checkbox"/>	1976	<input type="checkbox"/>	1971	<input type="checkbox"/>	STANDARD	<input type="checkbox"/>	CARTRIDGE	<input type="checkbox"/>
INDIVIDUAL	1986	<input type="checkbox"/>	1981	<input type="checkbox"/>	1976	<input type="checkbox"/>	1971	<input type="checkbox"/>	UNLABELLED	<input type="checkbox"/>	6250 BPI	<input type="checkbox"/>
FAMILY	1986	<input type="checkbox"/>	1981	<input type="checkbox"/>	1976	<input type="checkbox"/>	1971	<input type="checkbox"/>	CHARACTER MODE			
MAXIMUM BLOCKSIZE: _____ BYTES									EBCDIC	<input type="checkbox"/>	ASCII	<input type="checkbox"/>

REMARKS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_