

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( '000)		P-ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		19.9	19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4	
2	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5	
3	*****			11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7	
4	*****			9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
5	*****				8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.4	4.9	2.8	
6	*****				7.8	7.6	7.3	7.1	6.9	6.6	6.4	5.8	4.5	2.6	
7	*****				7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4	
8	*****				6.7	6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.2	
9	*****					6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1	
10	*****					5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
11	*****					5.6	5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9	
12	*****					5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8	
13	*****						5.0	4.8	4.7	4.5	4.3	3.9	3.1	1.8	
14	*****						4.8	4.7	4.5	4.3	4.2	3.8	2.9	1.7	
15	*****						4.6	4.5	4.3	4.2	4.0	3.7	2.8	1.6	
16	*****						4.5	4.4	4.2	4.1	3.9	3.6	2.8	1.6	
17	*****						4.4	4.2	4.1	3.9	3.8	3.5	2.7	1.5	
18	*****							4.1	4.0	3.8	3.7	3.4	2.6	1.5	
19	*****							4.0	3.9	3.7	3.6	3.3	2.5	1.5	
20	*****							3.9	3.8	3.6	3.5	3.2	2.5	1.4	
21	*****							3.8	3.7	3.5	3.4	3.1	2.4	1.4	
22	*****								3.6	3.5	3.3	3.0	2.3	1.4	
23	*****								3.5	3.4	3.3	3.0	2.3	1.3	
24	*****								3.4	3.3	3.2	2.9	2.2	1.3	
25	*****								3.4	3.2	3.1	2.8	2.2	1.3	
30	*****									3.0	2.8	2.6	2.0	1.2	
35	*****											2.4	1.9	1.1	
40	*****											2.2	1.7	1.0	
45	*****												1.6	0.9	
50	*****												1.6	0.9	
55	*****												1.5	0.9	
60	*****												1.4	0.8	
65	*****													0.8	
70	*****													0.8	
75	*****													0.7	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
BODY MASS INDEX

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( ' 000 )	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		24.8	24.4	23.7	23.1	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9
2	*****			17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
3	*****			14.1	13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
4	*****			12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.9	4.0
5	*****				10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
6	*****				9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
7	*****				9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
8	*****				8.4	8.2	7.9	7.7	7.4	7.1	6.9	6.3	4.8	2.8
9	*****					7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
10	*****					7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5
11	*****					7.0	6.8	6.5	6.3	6.1	5.8	5.3	4.1	2.4
12	*****					6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3
13	*****						6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
14	*****						6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
15	*****						5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0
16	*****						5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
17	*****						5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9
18	*****							5.1	4.9	4.8	4.6	4.2	3.2	1.9
19	*****							5.0	4.8	4.6	4.4	4.1	3.1	1.8
20	*****							4.8	4.7	4.5	4.3	4.0	3.1	1.8
21	*****							4.7	4.6	4.4	4.2	3.9	3.0	1.7
22	*****								4.5	4.3	4.1	3.8	2.9	1.7
23	*****								4.4	4.2	4.0	3.7	2.9	1.7
24	*****								4.3	4.1	4.0	3.6	2.8	1.6
25	*****								4.2	4.0	3.9	3.5	2.7	1.6
30	*****									3.7	3.5	3.2	2.5	1.4
35	*****											3.0	2.3	1.3
40	*****											2.8	2.2	1.3
45	*****												2.0	1.2
50	*****												1.9	1.1
55	*****												1.8	1.1
60	*****												1.8	1.0
65	*****													1.0
70	*****													0.9
75	*****													0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
BLOOD PRESSURE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( ' 000 )		P-ESTIMATED PERCENTAGE													
		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		22.3	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1	
2	*****			15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0	
3	*****			12.7	12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1	
4	*****			11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6	
5	*****				9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
6	*****					8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
7	*****					8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
8	*****					7.5	7.3	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
9	*****						6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
10	*****						6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.2
11	*****						6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.1
12	*****						6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
13	*****							5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
14	*****							5.4	5.2	5.0	4.8	4.7	4.3	3.3	1.9
15	*****							5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8
16	*****							5.0	4.9	4.7	4.5	4.4	4.0	3.1	1.8
17	*****							4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
18	*****								4.6	4.4	4.3	4.1	3.7	2.9	1.7
19	*****								4.5	4.3	4.2	4.0	3.6	2.8	1.6
20	*****								4.4	4.2	4.1	3.9	3.6	2.8	1.6
21	*****								4.3	4.1	4.0	3.8	3.5	2.7	1.6
22	*****								4.0	3.9	3.7	3.4	2.6	1.5	
23	*****								3.9	3.8	3.6	3.3	2.6	1.5	
24	*****								3.8	3.7	3.6	3.2	2.5	1.5	
25	*****								3.8	3.6	3.5	3.2	2.5	1.4	
30	*****									3.3	3.2	2.9	2.2	1.3	
35	*****											2.7	2.1	1.2	
40	*****												2.5	1.9	1.1
45	*****													1.8	1.1
50	*****													1.7	1.0
55	*****													1.7	1.0
60	*****													1.6	0.9
65	*****														0.9
70	*****														0.9
75	*****														0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
OTHER CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( ' 000 )	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		28.6	28.2	27.4	26.6	25.9	25.0	24.2	23.3	22.4	20.4	15.8	9.1
2	*****			19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.5	11.2	6.5
3	*****			16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
4	*****			14.1	13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
5	*****				12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
6	*****				11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.3	6.5	3.7
7	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
8	*****				9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
9	*****					8.9	8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0
10	*****					8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
11	*****					8.0	7.8	7.5	7.3	7.0	6.8	6.2	4.8	2.8
12	*****					7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
13	*****						7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
14	*****						6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
15	*****						6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4
16	*****						6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3
17	*****						6.3	6.1	5.9	5.7	5.4	5.0	3.8	2.2
18	*****							5.9	5.7	5.5	5.3	4.8	3.7	2.2
19	*****							5.7	5.5	5.3	5.1	4.7	3.6	2.1
20	*****							5.6	5.4	5.2	5.0	4.6	3.5	2.0
21	*****							5.5	5.3	5.1	4.9	4.5	3.5	2.0
22	*****								5.2	5.0	4.8	4.4	3.4	1.9
23	*****								5.0	4.9	4.7	4.3	3.3	1.9
24	*****								4.9	4.8	4.6	4.2	3.2	1.9
25	*****								4.8	4.7	4.5	4.1	3.2	1.8
30	*****									4.3	4.1	3.7	2.9	1.7
35	*****											3.5	2.7	1.5
40	*****											3.2	2.5	1.4
45	*****												2.4	1.4
50	*****												2.2	1.3
55	*****												2.1	1.2
60	*****												2.0	1.2
65	*****													1.1
70	*****													1.1
75	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
DIABETES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( ' 000 )	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		28.2	27.7	27.0	26.2	25.5	24.6	23.8	22.9	22.0	20.1	15.6	9.0
2	*****			19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
3	*****				16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	5.2
4	*****					13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	4.5
5	*****						12.1	11.7	11.4	11.0	10.6	10.3	9.9	4.0
6	*****							11.0	10.7	10.4	10.1	9.7	9.4	3.7
7	*****								9.9	9.6	9.3	9.0	8.7	3.4
8	*****									9.5	9.3	9.0	8.7	3.2
9	*****										8.7	8.5	8.2	3.0
10	*****											8.3	8.0	2.8
11	*****												7.9	2.7
12	*****													2.6
13	*****													2.5
14	*****													2.4
15	*****													2.3
16	*****													2.2
17	*****													2.2
18	*****													2.1
19	*****													2.1
20	*****													2.0
21	*****													2.0
22	*****													1.9
23	*****													1.9
24	*****													1.8
25	*****													1.8
30	*****													1.6
35	*****													1.5
40	*****													1.4
45	*****													1.3
50	*****													1.3
55	*****													1.2
60	*****													1.2
65	*****													1.1
70	*****													1.1
75	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
EDUCATION

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( ' 000 )	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8
2	*****			17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.5	5.5
3	*****				13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8
4	*****					12.0	11.7	11.4	11.0	10.7	10.3	9.9	8.7	6.7
5	*****						10.5	10.2	9.9	9.5	9.2	8.9	8.5	7.8
6	*****							9.5	9.0	8.7	8.4	8.1	7.8	7.1
7	*****								8.8	8.6	8.3	8.1	7.8	7.2
8	*****									8.3	8.0	7.8	7.5	7.3
9	*****										7.6	7.3	7.1	6.9
10	*****											7.2	7.0	6.7
11	*****												6.9	6.6
12	*****													6.6
13	*****													
14	*****													
15	*****													
16	*****													
17	*****													
18	*****													
19	*****													
20	*****													
21	*****													
22	*****													
23	*****													
24	*****													
25	*****													
30	*****													
35	*****													
40	*****													
45	*****													
50	*****													
55	*****													
60	*****													
65	*****													
70	*****													
75	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
OTHER HOME & CLINIC VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( ' 000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		35.0	34.5	33.6	32.6	31.7	30.7	29.6	28.5	27.4	25.0	19.4	11.2
2	*****			24.4	23.7	23.1	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9
3	*****			19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.5	11.2	6.5
4	*****			17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
5	*****				15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0
6	*****				13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
7	*****				12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
8	*****				11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.9	4.0
9	*****					10.9	10.6	10.2	9.9	9.5	9.1	8.3	6.5	3.7
10	*****					10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
11	*****					9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
12	*****					9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
13	*****						8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
14	*****						8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
15	*****						8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9
16	*****						7.9	7.7	7.4	7.1	6.9	6.3	4.8	2.8
17	*****						7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7
18	*****							7.2	7.0	6.7	6.5	5.9	4.6	2.6
19	*****							7.0	6.8	6.5	6.3	5.7	4.4	2.6
20	*****							6.9	6.6	6.4	6.1	5.6	4.3	2.5
21	*****							6.7	6.5	6.2	6.0	5.5	4.2	2.4
22	*****								6.3	6.1	5.8	5.3	4.1	2.4
23	*****								6.2	6.0	5.7	5.2	4.0	2.3
24	*****								6.0	5.8	5.6	5.1	4.0	2.3
25	*****								5.9	5.7	5.5	5.0	3.9	2.2
30	*****									5.2	5.0	4.6	3.5	2.0
35	*****											4.2	3.3	1.9
40	*****											4.0	3.1	1.8
45	*****												2.9	1.7
50	*****												2.7	1.6
55	*****												2.6	1.5
60	*****												2.5	1.4
65	*****													1.4
70	*****													1.3
75	*****													1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
OTHER HOME INTERVIEW VARIABLES

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( '000)	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8
2	*****			17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.5	5.5
3	*****				13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8
4	*****					12.0	11.7	11.4	11.0	10.7	10.3	9.9	8.7	6.7
5	*****						10.5	10.2	9.9	9.5	9.2	8.9	8.5	7.8
6	*****							9.5	9.0	8.7	8.4	8.1	7.8	7.1
7	*****								8.8	8.6	8.3	8.1	7.8	7.2
8	*****									8.3	8.0	7.8	7.5	7.3
9	*****										7.6	7.3	7.1	6.9
10	*****											7.2	7.0	6.7
11	*****												6.9	6.6
12	*****													6.6
13	*****													
14	*****													
15	*****													
16	*****													
17	*****													
18	*****													
19	*****													
20	*****													
21	*****													
22	*****													
23	*****													
24	*****													
25	*****													
30	*****													
35	*****													
40	*****													
45	*****													
50	*****													
55	*****													
60	*****													
65	*****													
70	*****													
75	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES



PRINCE EDWARD ISLAND  
SEDENTARY LIFESTYLE

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE		P-ESTIMATED PERCENTAGE													
(' 000)		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****			24.4	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8	
2	*****			17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.5	5.5	
3	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5	
4	*****			12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9	
5	*****				10.5	10.2	9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
6	*****				9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
7	*****				8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9	
8	*****				8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8	
9	*****					7.6	7.3	7.1	6.9	6.6	6.4	5.8	4.5	2.6	
10	*****					7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5	
11	*****					6.9	6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.3	
12	*****					6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.2	
13	*****						6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2	
14	*****						5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1	
15	*****						5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
16	*****						5.5	5.3	5.2	5.0	4.8	4.4	3.4	1.9	
17	*****						5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9	
18	*****							5.0	4.9	4.7	4.5	4.1	3.2	1.8	
19	*****							4.9	4.7	4.6	4.4	4.0	3.1	1.8	
20	*****							4.8	4.6	4.4	4.3	3.9	3.0	1.7	
21	*****							4.7	4.5	4.3	4.2	3.8	2.9	1.7	
22	*****								4.4	4.2	4.1	3.7	2.9	1.7	
23	*****								4.3	4.1	4.0	3.6	2.8	1.6	
24	*****								4.2	4.1	3.9	3.6	2.8	1.6	
25	*****								4.1	4.0	3.8	3.5	2.7	1.6	
30	*****									3.6	3.5	3.2	2.5	1.4	
35	*****											2.9	2.3	1.3	
40	*****												2.8	2.1	1.2
45	*****													2.0	1.2
50	*****													1.9	1.1
55	*****													1.8	1.1
60	*****													1.7	1.0
65	*****														1.0
70	*****														0.9
75	*****														0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
SMOKING

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE ( ' 000 )	P-ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		22.3	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
2	*****			15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
3	*****			12.7	12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.2	7.1	4.1
4	*****			11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6
5	*****				9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
6	*****				8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
7	*****				8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7
8	*****				7.5	7.3	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
9	*****					6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
10	*****					6.6	6.4	6.2	6.0	5.7	5.5	5.0	3.9	2.2
11	*****					6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.1
12	*****					6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
13	*****						5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0
14	*****						5.4	5.2	5.0	4.8	4.7	4.3	3.3	1.9
15	*****						5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8
16	*****						5.0	4.9	4.7	4.5	4.4	4.0	3.1	1.8
17	*****						4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7
18	*****							4.6	4.4	4.3	4.1	3.7	2.9	1.7
19	*****							4.5	4.3	4.2	4.0	3.6	2.8	1.6
20	*****							4.4	4.2	4.1	3.9	3.6	2.8	1.6
21	*****							4.3	4.1	4.0	3.8	3.5	2.7	1.6
22	*****								4.0	3.9	3.7	3.4	2.6	1.5
23	*****								3.9	3.8	3.6	3.3	2.6	1.5
24	*****								3.8	3.7	3.6	3.2	2.5	1.5
25	*****								3.8	3.6	3.5	3.2	2.5	1.4
30	*****									3.3	3.2	2.9	2.2	1.3
35	*****											2.7	2.1	1.2
40	*****											2.5	1.9	1.1
45	*****												1.8	1.1
50	*****												1.7	1.0
55	*****												1.7	1.0
60	*****												1.6	0.9
65	*****													0.9
70	*****													0.9
75	*****													0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES

PRINCE EDWARD ISLAND  
TOTAL CHOLESTEROL

Approximate Coefficient of Variance Table

W-NUMERATOR OF PERCENTAGE		P-ESTIMATED PERCENTAGE													
(' 000)		0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		22.6	22.3	21.7	21.1	20.4	19.8	19.1	18.4	17.7	16.2	12.5	7.2	
2	*****			15.7	15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.8	5.1	
3	*****			12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
4	*****			11.1	10.8	10.5	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6	
5	*****				9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	
6	*****				8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9	
7	*****				8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7	
8	*****				7.7	7.4	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6	
9	*****					7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4	
10	*****					6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3	
11	*****					6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2	
12	*****					6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1	
13	*****						5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
14	*****						5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9	
15	*****						5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9	
16	*****						5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8	
17	*****						5.0	4.8	4.6	4.5	4.3	3.9	3.0	1.8	
18	*****							4.7	4.5	4.3	4.2	3.8	2.9	1.7	
19	*****							4.5	4.4	4.2	4.1	3.7	2.9	1.7	
20	*****							4.4	4.3	4.1	4.0	3.6	2.8	1.6	
21	*****							4.3	4.2	4.0	3.9	3.5	2.7	1.6	
22	*****								4.1	3.9	3.8	3.4	2.7	1.5	
23	*****								4.0	3.8	3.7	3.4	2.6	1.5	
24	*****								3.9	3.8	3.6	3.3	2.6	1.5	
25	*****								3.8	3.7	3.5	3.2	2.5	1.4	
30	*****									3.4	3.2	2.9	2.3	1.3	
35	*****											2.7	2.1	1.2	
40	*****												2.6	2.0	
45	*****													1.9	
50	*****													1.8	
55	*****													1.7	
60	*****													1.6	
65	*****														
70	*****														
75	*****														

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO GUIDELINES