

CCHS 2007-2008: Alphabetic Index

Page 1

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
ACC_10	Required visit to medical specialist	ACC	563
ACC_11	Experienced difficulties getting specialist care	ACC	564
ACC_12A	Difficulty - getting a referral	ACC	564
ACC_12B	Difficulty - getting an appointment	ACC	565
ACC_12C	Difficulty - no specialists in area	ACC	565
ACC_12D	Difficulty - waited too long for an appointment	ACC	566
ACC_12E	Difficulty - waited too long to see doc.	ACC	566
ACC_12F	Difficulty - transportation	ACC	567
ACC_12G	Difficulty - language	ACC	567
ACC_12H	Difficulty - cost	ACC	568
ACC_12I	Difficulty - personal or family responsibilities	ACC	568
ACC_12J	Difficulty - general deterioration of health	ACC	569
ACC_12K	Difficulty - appointment cancelled/deferred	ACC	569
ACC_12L	Difficulty - still waiting for visit	ACC	570
ACC_12M	Difficulty - unable to leave house / health problem	ACC	570
ACC_12N	Difficulty - other	ACC	571
ACC_20	Required non-emergency surgery	ACC	571
ACC_21	Experienced difficulties getting non-emerg. surgery	ACC	572
ACC_22A	Difficulty - getting an appointment with a surgeon	ACC	572
ACC_22B	Difficulty - getting a diagnosis	ACC	573
ACC_22C	Difficulty - waited too long for a diagnostic test	ACC	573
ACC_22D	Difficulty - waited too long for a hospital bed	ACC	574
ACC_22E	Difficulty - waited too long for surgery	ACC	574
ACC_22F	Difficulty - service not available in area	ACC	575
ACC_22G	Difficulty - transportation	ACC	575
ACC_22H	Difficulty - language	ACC	576
ACC_22I	Difficulty - cost	ACC	576
ACC_22J	Difficulty - personal or family responsibilities	ACC	577
ACC_22K	Difficulty - general deterioration of health	ACC	577
ACC_22L	Difficulty - appointment cancelled/deferred	ACC	578
ACC_22M	Difficulty - still waiting for surgery	ACC	578
ACC_22N	Difficulty - unable to leave house / health problem	ACC	579
ACC_22O	Difficulty - other	ACC	579
ACC_30	Required MRI, CT Scan, angiography	ACC	580
ACC_31	Experienced difficulties getting test	ACC	580
ACC_32A	Difficulty - getting a referral	ACC	581
ACC_32B	Difficulty - getting an appointment	ACC	581

CCHS 2007-2008: Alphabetic Index

Page 2

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
ACC_32C	Difficulty - waited too long to get an appointment	ACC	582
ACC_32D	Difficulty - waited too long to get test	ACC	582
ACC_32E	Difficulty - service not available at time required	ACC	583
ACC_32F	Difficulty - service not available in the area	ACC	583
ACC_32G	Difficulty - transportation	ACC	584
ACC_32H	Difficulty - language	ACC	584
ACC_32I	Difficulty - cost	ACC	585
ACC_32J	Difficulty - general deterioration of health	ACC	585
ACC_32K	Difficulty - did not know where to go	ACC	586
ACC_32L	Difficulty - still waiting for test	ACC	586
ACC_32M	Difficulty - unable to leave house / health problem	ACC	587
ACC_32N	Difficulty - other	ACC	587
ACC_40	Required health information for self or family member	ACC	588
ACC_40A	Contact for health information - doctor's office	ACC	588
ACC_40B	Contact for health information - community hlth ctr / CLSC	ACC	589
ACC_40C	Contact for health information - walk-in clinic	ACC	589
ACC_40D	Contact for health information - telephone health line	ACC	590
ACC_40E	Contact for health information - emergency room	ACC	590
ACC_40F	Contact for health information - other hospital service	ACC	591
ACC_40G	Contact for health information - other	ACC	591
ACC_41	Experienced diff. getting health information - self/family	ACC	592
ACC_42	Experienced difficulties during regular hours	ACC	592
ACC_43A	Difficulty - contacting a physician or nurse	ACC	593
ACC_43B	Difficulty - did not have a phone number	ACC	593
ACC_43C	Difficulty - could not get through	ACC	594
ACC_43D	Difficulty - waited too long to speak to someone	ACC	594
ACC_43E	Difficulty - did not get adequate info or advice	ACC	595
ACC_43F	Difficulty - language	ACC	595
ACC_43G	Difficulty - did not know where to go/call/uninformed	ACC	596
ACC_43H	Difficulty - unable to leave house / health problem	ACC	596
ACC_43I	Difficulty - other	ACC	597
ACC_44	Experienced difficulties during evenings/weekends	ACC	597
ACC_45A	Difficulty - contacting a physican or nurse	ACC	598
ACC_45B	Difficulty - did not have a phone number	ACC	598
ACC_45C	Difficulty - could not get through	ACC	599
ACC_45D	Difficulty - waited too long to speak to someone	ACC	599
ACC_45E	Difficulty - did not get adequate info or advice	ACC	600

CCHS 2007-2008: Alphabetic Index

Page 3

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
ACC_45F	Difficulty - language	ACC	600
ACC_45G	Difficulty - did not know where to go/call/uninformed	ACC	601
ACC_45H	Difficulty - unable to leave house / health problem	ACC	601
ACC_45I	Difficulty - other	ACC	602
ACC_46	Experienced difficulties during middle of night	ACC	602
ACC_47A	Difficulty - contacting a physican or nurse	ACC	603
ACC_47B	Difficulty - did not have a phone number	ACC	603
ACC_47C	Difficulty - could not get through	ACC	604
ACC_47D	Difficulty - waited too long to speak to someone	ACC	604
ACC_47E	Difficulty - did not get adequate info or advice	ACC	605
ACC_47F	Difficulty - language	ACC	605
ACC_47G	Difficulty - did not know where to go/call/uninformed	ACC	606
ACC_47H	Difficulty - unable to leave house / health problem	ACC	606
ACC_47I	Difficulty - other	ACC	607
ACC_50	Required routine care for self/family	ACC	608
ACC_50A	Has a regular family doctor	ACC	607
ACC_51	Experienced diff. getting routine/on-going care - self/fam.	ACC	608
ACC_52	Experienced difficulties during regular hours	ACC	609
ACC_53A	Difficulty - contacting a physican	ACC	609
ACC_53B	Difficulty - getting an appointment	ACC	610
ACC_53C	Difficulty - do not have a family physician	ACC	610
ACC_53D	Difficulty - waited too long to get an appointment	ACC	611
ACC_53E	Difficulty - waited too long to see doc.	ACC	611
ACC_53F	Difficulty - service not available at time required	ACC	612
ACC_53G	Difficulty - service not available in the area	ACC	612
ACC_53H	Difficulty - transportation	ACC	613
ACC_53I	Difficulty - language	ACC	613
ACC_53J	Difficulty - cost	ACC	614
ACC_53K	Difficulty - did not know where to go	ACC	614
ACC_53L	Difficulty - unable to leave house / health problem	ACC	615
ACC_53M	Difficulty - other	ACC	615
ACC_54	Experienced difficulties during evenings/weekends	ACC	616
ACC_55A	Difficulty - contacting a physican	ACC	616
ACC_55B	Difficulty - getting an appointment	ACC	617
ACC_55C	Difficulty - do not have a family physician	ACC	617
ACC_55D	Difficulty - waited too long to get an appointment	ACC	618
ACC_55E	Difficulty - waited too long to see doc.	ACC	618

CCHS 2007-2008: Alphabetic Index

Page 4

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
ACC_55F	Difficulty - service not available at time required	ACC	619
ACC_55G	Difficulty - service not available in the area	ACC	619
ACC_55H	Difficulty - transportation	ACC	620
ACC_55I	Difficulty - language	ACC	620
ACC_55J	Difficulty - cost	ACC	621
ACC_55K	Difficulty - did not know where to go	ACC	621
ACC_55L	Difficulty - unable to leave house / health problem	ACC	622
ACC_55M	Difficulty - other	ACC	622
ACC_60	Required immediate care/minor health problem - self/family	ACC	623
ACC_61	Experienced difficulties getting immediate care - self/fam.	ACC	623
ACC_62	Experienced difficulties during regular hours	ACC	624
ACC_63A	Difficulty - contacting a physican	ACC	624
ACC_63B	Difficulty - getting an appointment	ACC	625
ACC_63C	Difficulty - do not have a family physician	ACC	625
ACC_63D	Difficulty - waited too long to get an appointment	ACC	626
ACC_63E	Difficulty - waited too long to see doc.	ACC	626
ACC_63F	Difficulty - service not available at time required	ACC	627
ACC_63G	Difficulty - service not available in the area	ACC	627
ACC_63H	Difficulty - transportation	ACC	628
ACC_63I	Difficulty - language	ACC	628
ACC_63J	Difficulty - cost	ACC	629
ACC_63K	Difficulty - did not know where to go	ACC	629
ACC_63L	Difficulty - unable to leave house / health problem	ACC	630
ACC_63M	Difficulty - other	ACC	630
ACC_64	Experienced difficulties during evenings/weekends	ACC	631
ACC_65A	Difficulty - contacting a physican	ACC	631
ACC_65B	Difficulty - getting an appointment	ACC	632
ACC_65C	Difficulty - do not have a family physician	ACC	632
ACC_65D	Difficulty - waited too long to get an appointment	ACC	633
ACC_65E	Difficulty - waited too long to see doc.	ACC	633
ACC_65F	Difficulty - service not available at time required	ACC	634
ACC_65G	Difficulty - service not available in the area	ACC	634
ACC_65H	Difficulty - transportation	ACC	635
ACC_65I	Difficulty - language	ACC	635
ACC_65J	Difficulty - cost	ACC	636
ACC_65K	Difficulty - did not know where to go	ACC	636
ACC_65L	Difficulty - unable to leave house / health problem	ACC	637

CCHS 2007-2008: Alphabetic Index

Page 5

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
ACC_65M	Difficulty - other	ACC	637
ACC_66	Experienced difficulties during middle of night	ACC	638
ACC_67A	Difficulty - contacting a physican	ACC	638
ACC_67B	Difficulty - getting an appointment	ACC	639
ACC_67C	Difficulty - do not have a family physician	ACC	639
ACC_67D	Difficulty - waited too long to get an appointment	ACC	640
ACC_67E	Difficulty - waited too long to see doc.	ACC	640
ACC_67F	Difficulty - service not available at time required	ACC	641
ACC_67G	Difficulty - service not available in the area	ACC	641
ACC_67H	Difficulty - transportation	ACC	642
ACC_67I	Difficulty - language	ACC	642
ACC_67J	Difficulty - cost	ACC	643
ACC_67K	Difficulty - did not know where to go	ACC	643
ACC_67L	Difficulty - unable to leave house / health problem	ACC	644
ACC_67M	Difficulty - other	ACC	644
ACCFOPT	Optional module: Access to health care services - (F)	ACC	563
ADM_N09	Interview by telephone or in person	ADM	5
ADM_N10	Respondent alone during interview	ADM	6
ADM_N11	Answers affected by presence of another person	ADM	6
ADM_PRX	Health Component completed by proxy	ADM	5
ADM_RNO	Sequential record number	ADM	1
ALC_1	Drank alcohol in past 12 months	ALC	382
ALC_2	Frequency of drinking alcohol	ALC	383
ALC_3	Frequency of having 5 or more drinks	ALC	384
ALCDTTM	Type of drinker (12 months) - (D)	ALC	384
ALDDINT	Alcohol interference - mean - 12 mo - (D)	ALD	415
ALDDPP	Probability of caseness to respondents - (D)	ALD	415
ALDDSF	Alcohol dependence scale - short form score - (D)	ALD	416
ALDFINT	Alcohol interference - 12 mo - (F)	ALD	417
ALDFOPT	Optional module: Alcohol use - Dependence - (F)	ALD	414
ALN_1	Ever had a drink	ALN	391
ALN_2	Regularly drank more than 12 drinks a week	ALN	392
ALN_3A	Reason reduced drinking - dieting	ALN	392
ALN_3B	Reason reduced drinking - athletic training	ALN	393
ALN_3C	Reason reduced drinking - pregnancy	ALN	393
ALN_3D	Reason reduced drinking - getting older	ALN	394
ALN_3E	Reason reduced drinking - drinking too much	ALN	394

CCHS 2007-2008: Alphabetic Index

Page 6

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
ALN_3F	Reason reduced drinking - affected work / studies	ALN	395
ALN_3G	Reason reduced drinking - interfered with life	ALN	395
ALN_3H	Reason reduced drinking - affected physical health	ALN	396
ALN_3I	Reason reduced drinking - affected social relationships	ALN	396
ALN_3J	Reason reduced drinking - affected financial position	ALN	397
ALN_3K	Reason reduced drinking - affected happiness	ALN	397
ALN_3L	Reason reduced drinking - influence of family / friends	ALN	398
ALN_3M	Reason reduced drinking - other	ALN	398
ALN_3N	Reason reduced drinking - life change	ALC	399
ALNDTYP	Type of drinker (lifetime) - (D)	ALN	390
ALNFOPT	Optional module: Alcohol use – Former drinkers - (F)	ALN	391
ALW_1	Drank alcohol in past week	ALW	385
ALW_2A1	Number of drinks - Sunday	ALW	386
ALW_2A2	Number of drinks - Monday	ALW	386
ALW_2A3	Number of drinks - Tuesday	ALW	387
ALW_2A4	Number of drinks - Wednesday	ALW	387
ALW_2A5	Number of drinks - Thursday	ALW	388
ALW_2A6	Number of drinks - Friday	ALW	388
ALW_2A7	Number of drinks - Saturday	ALW	389
ALWDDL	Average daily alcohol consumption - (D)	ALW	389
ALWDWKY	Weekly consumption - (D)	ALW	390
ALWFOPT	Optional module: Alcohol use during the past week - (F)	ALW	385
BPC_010	Ever had blood pressure taken	BPC	119
BPC_012	Last time blood pressure was taken	BPC	120
BPC_16A	Blood pressure not taken - have not gotten around to it	BPC	120
BPC_16B	Blood pressure not taken - respondent didn't think necessary	BPC	121
BPC_16C	Blood pressure not taken - doctor didn't think necessary	BPC	121
BPC_16D	Blood pressure not taken - personal / fam. responsibilities	BPC	122
BPC_16E	Blood pressure not taken - not available when required	BPC	122
BPC_16F	Blood pressure not taken - not available in area	BPC	123
BPC_16G	Blood pressure not taken - waiting time too long	BPC	123
BPC_16H	Blood pressure not taken - transportation problems	BPC	124
BPC_16I	Blood pressure not taken - language problem	BPC	124
BPC_16J	Blood pressure not taken - cost	BPC	125
BPC_16K	Blood pressure not taken - did not know where to go	BPC	125
BPC_16L	Blood pressure not taken - fear	BPC	126
BPC_16M	Blood pressure not taken - other	BPC	127

CCHS 2007-2008: Alphabetic Index

Page 7

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
BPC_16N	Blood pressure not taken - unable to leave house/health prob	BPC	126
BPCFOPT	Optional module: Blood pressure check - (F)	BPC	119
BRX_110	Had breasts examined by health professional	BRX	151
BRX_112	Last time breasts exam for lumps	BRX	151
BRX_16A	No breast exam - have not gotten around to it	BRX	152
BRX_16B	No breast exam - respondent didn't think necessary	BRX	152
BRX_16C	No breast exam - doctor didn't think necessary	BRX	153
BRX_16D	No breast exam - personal / family responsibilities	BRX	153
BRX_16E	No breast exam - not available when required	BRX	154
BRX_16F	No breast exam - not available in area	BRX	154
BRX_16G	No breast exam - waiting time too long	BRX	155
BRX_16H	No breast exam - transportation problems	BRX	155
BRX_16I	No breast exam - language problem	BRX	156
BRX_16J	No breast exam - cost	BRX	156
BRX_16K	No breast exam - did not know where to go	BRX	157
BRX_16L	No breast exam - fear	BRX	157
BRX_16M	No breast exam - other	BRX	158
BRX_16N	No breast exam - unable to leave house / health problem	BRX	158
BRX_16O	No breast exam - breast removed / mastectomy	BRX	159
BRXFOPT	Optional module: Breast examinations - (F)	BRX	150
BSX_120	Self-examined breasts for lumps	BSX	160
BSX_121	Frequency - breast self-examination	BSX	160
BSX_22A	Breast self-exam learned from - doctor	BSX	161
BSX_22B	Breast self-exam learned from - nurse	BSX	161
BSX_22C	Breast self-exam learned from - book / magazine / pamphlet	BSX	162
BSX_22D	Breast self-exam learned from - TV / video / film	BSX	162
BSX_22G	Breast self-exam learned from - other	BSX	163
BSX_22H	Breast self-exam learned from - family member	BSX	163
BSXFOPT	Optional module: Breast self examinations - (F)	BSX	159
CCC_031	Has asthma	CCC	50
CCC_035	Asthma - had symptoms or attacks	CCC	50
CCC_036	Asthma - took medication	CCC	51
CCC_051	Has arthritis	CCC	51
CCC_061	Has back problems excluding fibromyalgia and arthritis	CCC	52
CCC_071	Has high blood pressure	CCC	52
CCC_072	Ever diagnosed with high blood pressure	CCC	53
CCC_073	Medication - high blood pressure - past month	CCC	53

CCHS 2007-2008: Alphabetic Index

Page 8

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
CCC_081	Has migraine headaches	CCC	54
CCC_101	Has diabetes	CCC	56
CCC_105	Diabetes - currently takes insulin	CCC	60
CCC_106	Diabetes - takes pills to control blood sugar	CCC	60
CCC_10A	Diabetes diagnosed - when pregnant	CCC	58
CCC_10B	Diabetes diagnosed - other than when pregnant	CCC	58
CCC_10C	Diabetes diagnosed - when started with insulin	CCC	59
CCC_121	Has heart disease	CCC	61
CCC_131	Has cancer	CCC	61
CCC_141	Has stomach or intestinal ulcers	CCC	62
CCC_151	Suffers from the effects of a stroke	CCC	63
CCC_161	Has urinary incontinence	CCC	63
CCC_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	64
CCC_17A	Type of bowel disease	CCC	64
CCC_280	Has a mood disorder	CCC	65
CCC_290	Has an anxiety disorder	CCC	65
CCC_31A	Ever had cancer	CCC	62
CCC_91A	Has chronic bronchitis	CCC	54
CCC_91E	Has emphysema	CCC	55
CCC_91F	Has chronic obstructive pulmonary disease	CCC	55
CCCG102	Diabetes - age first diagnosed - (G)	CCC	57
CCS_180	Had an FOBT test	CCS	179
CCS_182	Last time FOBT test done	CCS	179
CCS_184	Had colonoscopy or sigmoidoscopy	CCS	183
CCS_185	Last time had colonoscopy or sigmoidoscopy	CCS	183
CCS_187	Colonoscopy or sigmoidoscopy followed FOBT test	CCS	187
CCS_83A	Had FOBT - family history	CCS	180
CCS_83B	Had FOBT - regular check-up	CCS	180
CCS_83C	Had FOBT - age	CCS	181
CCS_83D	Had FOBT - follow-up of problem	CCS	181
CCS_83E	Had FOBT - follow-up of treatment	CCS	182
CCS_83F	Had FOBT - other	CCS	182
CCS_86A	Had colonoscopy/sigmoidoscopy - family history	CCS	184
CCS_86B	Had colonoscopy/sigmoidoscopy - regular check-up	CCS	184
CCS_86C	Had colonoscopy/sigmoidoscopy - age	CCS	185
CCS_86D	Had colonoscopy/sigmoidoscopy - follow-up of problem	CCS	185
CCS_86E	Had colonoscopy/sigmoidoscopy - follow-up of treatment	CCS	186

CCHS 2007-2008: Alphabetic Index

Page 9

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
CCS_86F	Had colonoscopy/sigmoidoscopy - other	CCS	186
CCSFOPT	Optional module: Colorectal cancer exams - (F)	CCS	178
CIH_1	Did something to improve health	CIH	24
CIH_2	Most important change to improve health	CIH	25
CIH_3	Thinks should do something to improve health	CIH	26
CIH_4	Most important thing to improve health	CIH	27
CIH_5	Barrier to improving health	CIH	28
CIH_6A	Barrier to improving health - lack of will power	CIH	28
CIH_6B	Barrier to improving health - work schedule	CIH	29
CIH_6E	Barrier to improving health - too costly	CIH	32
CIH_6F	Barrier to improving health - too stressed	CIH	31
CIH_6G	Barrier to improving health - disability / health problem	CIH	31
CIH_6H	Barrier to improving health - other	CIH	34
CIH_6I	Barrier to improving health - family responsibilities	CIH	29
CIH_6J	Barrier to improving health - addiction to drugs / alcohol	CIH	30
CIH_6K	Barrier to improving health - physical condition	CIH	30
CIH_6L	Barrier to improving health - not available - in area	CIH	32
CIH_6M	Barrier to improving health - transportation problems	CIH	33
CIH_6N	Barrier to improving health - weather problems	CIH	33
CIH_7	Intending to improve health over next year	CIH	34
CIH_8A	Health improvement - more exercise	CIH	35
CIH_8B	Health improvement - lose weight	CIH	35
CIH_8C	Health improvement - improve eating habits	CIH	36
CIH_8G	Health improvement - reduce stress level	CIH	37
CIH_8H	Health improvement - take vitamins	CIH	38
CIH_8I	Health improvement - other	CIH	39
CIH_8J	Health improvement - quit smoking	CIH	36
CIH_8K	Health improvement - drink less alcohol	CIH	37
CIH_8L	Health improvement - receive medical treatment	CIH	38
CIHFTH	Theme module: Changes made to improve health - (F)	CIH	23
CMH_01K	Consulted mental health professional	CMH	517
CMH_1MA	Consulted mental health professional - family doctor	CMH	519
CMH_1MB	Consulted mental health professional - psychiatrist	CMH	519
CMH_1MC	Consulted mental health professional - psychologist	CMH	520
CMH_1MD	Consulted mental health professional - nurse	CMH	520
CMH_1ME	Consulted mental hlth. professional - social worker	CMH	521
CMH_1MF	Consulted mental health professional - other	CMH	521

CCHS 2007-2008: Alphabetic Index

Page 10

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
CMHFOPT	Optional module: Consultations about mental health - (F)	CMH	516
CMHG01L	Consulted mental health professional - number of times - (G)	CMH	518
CPGDACT	Number of different types of gambling activities - (D)	CPG	444
CPGDINT	Gambling interference - Mean - (D)	CPG	444
CPGDSEV	Problem gambling severity index - (D)	CPG	443
CPGDTYP	Type of gambler - (D)	CPG	443
CPGFGAM	Gambling activity - gambler vs. non-gambler - (F)	CPG	442
CPGFINT	Gambling Interference - (F)	CPG	445
CPGFOPT	Optional module: Problem gambling - (F)	CPG	442
DEN_130	Visited dentist	DEN	188
DEN_132	Last time visited dentist	DEN	189
DEN_36A	No dental visit - have not gotten around to it	DEN	190
DEN_36B	No dental visit - respondent didn't think necessary	DEN	190
DEN_36C	No dental visit - dentist didn't think necessary	DEN	191
DEN_36D	No dental visit - personal / family responsibilities	DEN	191
DEN_36E	No dental visit - not available when required	DEN	192
DEN_36F	No dental visit - not available in area	DEN	192
DEN_36G	No dental visit - waiting time too long	DEN	193
DEN_36H	No dental visit - transportation problems	DEN	193
DEN_36I	No dental visit - language problem	DEN	194
DEN_36J	No dental visit - cost	DEN	194
DEN_36K	No dental visit - did not know where to go	DEN	195
DEN_36L	No dental visit - fear	DEN	195
DEN_36M	No dental visit - wears dentures	DEN	196
DEN_36N	No dental visit - other	DEN	197
DEN_36O	No dental visit - unable to leave house / health problem	DEN	196
DENFOPT	Optional module: Dental visits - (F)	DEN	187
DHH_OWN	Dwelling - owned by a member of household	DHH	660
DHH_SEX	Sex	DHH	8
DHHG611	Number of persons 6 to 11 years old in household - (D, G)	DHH	659
DHHGAGE	Age - (G)	DHH	7
DHHGBED	Dwelling - number of bedrooms - (G)	DHH	661
DHHGHSZ	Household size - (D, G)	DHH	658
DHHGL12	Number of persons less than 12 years old in household -(D,G)	DHH	658
DHHGLE5	Number of persons 5 years old or less in household - (D, G)	DHH	659
DHHGLVG	Living arrangement of selected respondent - (D, G)	DHH	660
DHHGMS	Marital Status - (G)	DHH	8

CCHS 2007-2008: Alphabetic Index

Page 11

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
DIA_01	Tested for "A-one-C" haemoglobin	DIA	66
DIA_02	Number of times - tested for haemoglobin "A-one-C"	DIA	67
DIA_03	Feet checked by health professional	DIA	67
DIA_04	Number of times - feet checked by health professional	DIA	68
DIA_05	Urine tested for protein by health professional	DIA	68
DIA_06	Ever had eye exam with pupils dilated	DIA	69
DIA_07	Eye exam with pupils dilated - last time	DIA	69
DIA_08	Checks glucose level / self - reporting unit	DIA	70
DIA_09	Checks feet / self - reporting unit	DIA	72
DIA_10	Medication - ASA - past month	DIA	75
DIA_11	Medication - blood cholesterol - past month	DIA	75
DIA_N8B	Checks glucose level/self - number of times per day	DIA	70
DIA_N8C	Checks glucose level/self - number of times per week	DIA	71
DIA_N8D	Checks glucose level/self - number of times per month	DIA	71
DIA_N8E	Checks glucose level/self - number of times per year	DIA	72
DIA_N9B	Checks feet / self - number of times per day	DIA	73
DIA_N9C	Checks feet / self - number of times per week	DIA	73
DIA_N9D	Checks feet / self - number of times per month	DIA	74
DIA_N9E	Checks feet / self - number of times per year	DIA	74
DIAFOPT	Optional module: Diabetes care - (F)	DIA	66
DIS_10A	Frequency - distress: felt tired out - past month	DIS	522
DIS_10B	Frequency - distress: felt nervous - past month	DIS	523
DIS_10C	Freq./-distress: so nervous nothing calms down - past month	DIS	524
DIS_10D	Frequency - distress: felt hopeless - past month	DIS	525
DIS_10E	Frequency - distress: felt restless - past month	DIS	526
DIS_10F	Frequency - distress: could not sit still - past month	DIS	527
DIS_10G	Frequency - distress: felt sad / depressed - past month	DIS	528
DIS_10H	Frequency - distress: depressed/nothing cheers - past month	DIS	529
DIS_10I	Freq. - distress: felt everything was an effort - past month	DIS	530
DIS_10J	Frequency - distress: felt worthless - past month	DIS	531
DIS_10K	Frequency of distress feelings - past month	DIS	532
DIS_10L	Frequency of distress feelings (more often)	DIS	532
DIS_10M	Frequency of distress feelings (less often)	DIS	533
DIS_10N	Frequency of dist. feelings interfere with life - past month	DIS	534
DISDCHR	Chronicity of distress/impairment scale - past month - (D)	DIS	535
DISDDSX	Distress scale - K10 - past month - (D)	DIS	535
DISDK6	Distress scale - K6 - past month - (D)	DIS	534

CCHS 2007-2008: Alphabetic Index

Page 12

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
DISFOPT	Optional module: Distress - (F)	DIS	522
DPS_02	Felt sad/blue/depressed - 2 weeks or more - 12 mo	DPS	536
DPS_03	Sad/depressed - length feelings lasted - 2 wk	DPS	537
DPS_04	Sad/depressed - frequency - 2 wk	DPS	538
DPS_05	Sad/depressed - lose interest in things - 2 wk	DPS	538
DPS_06	Sad/depressed - felt tired out / low on energy - 2 wk	DPS	539
DPS_07	Sad/depressed - weight change - 2 wk	DPS	539
DPS_08A	Sad/depressed - weight change (amount) - 2 wk	DPS	540
DPS_08B	Sad/depressed - weight change (lb/kg) - 2 wk	DPS	540
DPS_09	Sad/depressed - trouble falling asleep - 2 wk	DPS	541
DPS_10	Sad/depressed trouble falling asleep - frequency - 2 wk	DPS	541
DPS_11	Sad/depressed - trouble concentrating - 2 wk	DPS	542
DPS_12	Sad/depressed - felt down on self - 2 wk	DPS	542
DPS_13	Sad/depressed - thought a lot about death - 2 wk	DPS	543
DPS_14	Sad/depressed - number of weeks - 12 mo	DPS	543
DPS_15	Sad/depressed - most recent month - 2 wk	DPS	544
DPS_16	Loss of interest - things that usually give pleasure - 12 mo	DPS	545
DPS_17	Loss of interest - frequency - 12 mo	DPS	545
DPS_18	Loss of interest - frequency - 2 wk	DPS	546
DPS_19	Loss of interest - felt tired all the time - 2 wk	DPS	546
DPS_20	Loss of interest - weight change - 2 wk	DPS	547
DPS_21A	Loss of interest - weight change (amount)	DPS	547
DPS_21B	Loss of interest - weight change (lb/kg) - 2 wk	DPS	548
DPS_22	Loss of interest - trouble falling asleep - 2 wk	DPS	548
DPS_23	Loss of interest - trouble falling asleep/frequency - 2 wk	DPS	549
DPS_24	Loss of interest - trouble concentrating - 2 wk	DPS	549
DPS_25	Loss of interest - felt down on self - 2 wk	DPS	550
DPS_26	Loss of interest - thought a lot about death - 2 wk	DPS	550
DPS_27	Loss of interest - number of weeks - 12 mo	DPS	551
DPS_28	Loss of interest - most recent month - 2 wk	DPS	552
DPSDMT	Specific month last felt depressed - 2 weeks in a row - (D)	DPS	555
DPSDPP	Depression scale - Predicted probability - (D)	DPS	553
DPSDSF	Depression scale - short form score - (D)	DPS	553
DPSDWK	Number of weeks felt depressed - (D)	DPS	554
DPSFOPT	Optional module: Depression - (F)	DPS	536
DRV_01A	Drove a motor vehicle	DRV	400
DRV_01B	Drove a motorcycle	DRV	400

CCHS 2007-2008: Alphabetic Index

Page 13

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
DRV_02	Frequency - used seat belt when driving	DRV	401
DRV_03	Frequency - used cell phone when driving	DRV	402
DRV_04	Frequency - felt tired when driving	DRV	403
DRV_05	Driving speed compared to others	DRV	404
DRV_06	Driving aggression compared to others	DRV	405
DRV_07	Drove a motor vehicle after 2 or more drinks	DRV	406
DRV_07A	Number of times - drove after 2+ drinks	DRV	406
DRV_08A	Frequency - uses seat belt - front seat passenger	DRV	407
DRV_08B	Frequency - uses seat belt - back seat passenger	DRV	408
DRV_09	Frequency - uses seat belt - in taxi	DRV	409
DRV_10	Passenger/driver had 2+ drinks	DRV	409
DRV_10A	No. of times - passenger/driver had 2+ drinks	DRV	410
DRV_11A	Driver or passenger - snowmobile, motor boat or seadoo	DRV	410
DRV_11B	Driver or passenger - ATV	DRV	411
DRV_12	Frequency wears helmet - ATV	DRV	411
DRV_13	Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.	DRV	412
DRV_13A	No. of times - passenger/driver had 2+ drinks-ATV/snowmobile	DRV	412
DRV_14	Drove snowmobile/ATV, etc. after 2+ drinks	DRV	413
DRV_14A	No. of times - drove snowmobile, ATV, etc after 2+ drinks	DRV	413
DRVFOPT	Optional module: Driving and safety - (F)	DRV	399
DRVFSBU	Passenger seat belt use - motor vehicle - (F)	DRV	414
EDUDH04	Highest level of education – household, 4 levels - (D)	EDU	649
EDUDR04	Highest level of education - respondent, 4 levels - (D)	EDU	649
ETS_10	Someone smokes inside home	ETS	375
ETS_20	Exposed to second-hand smoke in private vehicle	ETS	376
ETS_20B	Exposed to second-hand smoke in public places	ETS	376
ETS_5	Restrictions against smoking cigarettes in home	ETS	377
ETS_6A	Smoking restrictions - not permitted in home	ETS	377
ETS_6B	Smoking restrictions - permitted in certain rooms only	ETS	378
ETS_6C	Smoking restrictions - not in presence of young children	ETS	378
ETS_6D	Smoking restrictions - other	ETS	379
ETS_7	Smoking restrictions at place of work	ETS	650
ETSG11	Number of people who smoke inside home - (G)	ETS	375
EYX_140	Visit eye doctor - 12 m	EYX	164
EYX_142	Last time eye examination	EYX	165
EYX_46A	No eye exam - not gotten around to it - past 2 yrs	EYX	165
EYX_46B	No eye exam - respondent didn't think necessary	EYX	166

CCHS 2007-2008: Alphabetic Index

Page 14

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
EYX_46C	No eye exam - doctor didn't think necessary	EYX	166
EYX_46D	No eye exam - personal or family responsibilities	EYX	167
EYX_46E	No eye exam - not available when required	EYX	167
EYX_46F	No eye exam - not available in area	EYX	168
EYX_46G	No eye exam - waiting time too long	EYX	168
EYX_46H	No eye exam - transportation problems	EYX	169
EYX_46I	No eye exam - language problem	EYX	169
EYX_46J	No eye exam - cost	EYX	170
EYX_46K	No eye exam - did not know where to go	EYX	170
EYX_46L	No eye exam - fear	EYX	171
EYX_46M	No eye exam - other reason	EYX	172
EYX_46N	No eye exam - health problem	EYX	171
EYXFOPT	Optional module: Eye examinations - (F)	EYX	164
FDC_1A	Chooses or avoids foods - concerned about body weight	FDC	210
FDC_1B	Chooses or avoids foods - concerned about heart disease	FDC	210
FDC_1C	Chooses or avoids foods - concerned about cancer	FDC	211
FDC_1D	Chooses or avoids foods - concerned about osteoporosis	FDC	211
FDC_2A	Reason to choose foods - lower fat content	FDC	212
FDC_2B	Reason to choose foods - fibre content	FDC	212
FDC_2C	Reason to choose foods - calcium content	FDC	213
FDC_3A	Reason to avoid foods - fat content	FDC	213
FDC_3B	Reason to avoid foods - type of fat	FDC	214
FDC_3C	Reason to avoid foods - salt content	FDC	214
FDC_3D	Reason to avoid foods - cholesterol content	FDC	215
FDC_3E	Reason to avoid foods - calorie content	FDC	215
FDCFAVD	Avoids foods for content reasons - (F)	FDC	217
FDCFCAH	Chooses/avoids foods b/c of certain health concerns - (F)	FDC	216
FDCFCHO	Chooses foods for content reasons - (F)	FDC	216
FDCFOPT	Optional module: Food choices - (F)	FDC	209
FLU_160	Ever had a flu shot	FLU	109
FLU_162	Had flu shot - last time	FLU	109
FLU_164	Had flu shot - which month	FLU	110
FLU_165	Had flu shot - current/last year	FLU	111
FLU_66A	No flu shot - have not gotten around to it	FLU	111
FLU_66B	No flu shot - respondent didn't think it was necessary	FLU	112
FLU_66C	No flu shot - doctor didn't think it was necessary	FLU	112
FLU_66D	No flu shot - personal or family responsibilities	FLU	113

CCHS 2007-2008: Alphabetic Index

Page 15

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
FLU_66E	No flu shot - not available at time required	FLU	113
FLU_66F	No flu shot - not available at all in area	FLU	114
FLU_66G	No flu shot - waiting time was too long	FLU	114
FLU_66H	No flu shot - transportation problems	FLU	115
FLU_66I	No flu shot - language problem	FLU	115
FLU_66J	No flu shot - cost	FLU	116
FLU_66K	No flu shot - did not know where to go	FLU	116
FLU_66L	No flu shot - fear	FLU	117
FLU_66M	No flu shot - bad reaction to previous shot	FLU	117
FLU_66N	No flu shot - other	FLU	118
FLU_66O	No flu shot - unable to leave house / health problem	FLU	118
FSC_010	Food situation in household - 12 mo	FSC	675
FSC_020	Worried food would run out - 12 mo	FSC	675
FSC_030	Food bought just didn't last and no money to buy more -12 mo	FSC	676
FSC_040	Could not afford to eat balanced meals - 12 mo	FSC	676
FSC_050	Relied on few kinds of low-cost food for children - 12 mo	FSC	677
FSC_060	Could not feed children a balanced meal - 12 mo	FSC	677
FSC_070	Children were not eating enough - 12 mo	FSC	678
FSC_080	Adults skipped or cut size of meals - 12 mo	FSC	678
FSC_081	Adults skipped or cut size of meals - frequency - 12 mo	FSC	679
FSC_090	Ate less than felt should - 12 mo	FSC	680
FSC_100	Was hungry but could not afford to eat - 12 mo	FSC	680
FSC_110	Lost weight no money to buy food- 12 mo	FSC	681
FSC_120	Adults did not eat for whole day - 12 mo	FSC	681
FSC_121	Adults did not eat whole day - frequency - 12 mo	FSC	682
FSC_130	Adults cut size of children's meals - 12 mo	FSC	683
FSC_140	Children skipped meals - 12 mo	FSC	684
FSC_141	Children skipped meals - frequency - 12 mo	FSC	685
FSC_150	Children were hungry - 12 mo	FSC	686
FSC_160	Children did not eat for whole day - 12 mo	FSC	687
FSCDHFS	Household food security status - (D)	FSC	687
FSCDHFS2	Household Food Security Status - Modified version - (D)	FSD	688
FSCFTH	Theme module: Food security - (F)	FSC	674
FVCD CAR	Daily consumption - carrots - (D)	FVC	219
FVCD FRU	Daily consumption - fruit - (D)	FVC	218
FVCD JUI	Daily consumption - fruit juice - (D)	FVC	217
FVCD POT	Daily consumption - potatoes - (D)	FVC	219

CCHS 2007-2008: Alphabetic Index

Page 16

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
FVCDSAL	Daily consumption - green salad - (D)	FVC	218
FVCDTOT	Daily consumption - total fruits and vegetables - (D)	FVC	220
FVCDVEG	Daily consumption - other vegetables - (D)	FVC	220
FVCGTOT	Daily consumption - total fruits and vegetables - (D, G)	FVC	221
GEN_01	Self-perceived health	GEN	9
GEN_02	Self-perceived health compared to one year ago	GEN	10
GEN_02A	Satisfaction with life in general	GEN	11
GEN_02B	Self-perceived mental health	GEN	12
GEN_07	Perceived life stress	GEN	13
GEN_08	Worked at job or business	GEN	14
GEN_09	Self-perceived work stress	GEN	15
GEN_10	Sense of belonging to local community	GEN	16
GENDHDI	Perceived Health	GEN	16
GENDMHI	Perceived Mental Health	GEN	17
GEODPMF	Health Region - (G)	GEO	2
GEOGPRV	Province of residence of respondent - (G)	GEO	1
HCS_1	Rating of availability of health care - province	HCS	43
HCS_2	Rating of quality of health care - province	HCS	44
HCS_3	Rating of availability of health care - community	HCS	45
HCS_4	Rating of quality of health care - community	HCS	46
HCSFOPT	Optional module: Health care system satisfaction - (F)	HCS	43
HCU_01	Overnight patient	HCU	84
HCU_02AA	Consulted with family doctor/general practitioner	HCU	85
HCU_02BB	Consulted with eye specialist	HCU	86
HCU_02CC	Consulted with other medical doctor	HCU	87
HCU_02DD	Consulted with nurse	HCU	88
HCU_02EE	Consulted with dentist or orthodontist	HCU	89
HCU_02FF	Consulted with chiropractor	HCU	90
HCU_02GG	Consulted with physiotherapist	HCU	91
HCU_02HH	Consulted with social worker or counsellor	HCU	92
HCU_02II	Consulted with psychologist	HCU	93
HCU_02JJ	Consulted with speech/audiology/occ. therapist	HCU	94
HCU_1A1	Has a usual place to go when sick/needs health advice	HCU	98
HCU_1A2	Kind of place	HCU	99
HCU_1AA	Has regular medical doctor	HCU	81
HCU_1BA	Reason has no regular doctor - no one available in area	HCU	82
HCU_1BB	Reason has no regular doctor - none taking new patients	HCU	82

CCHS 2007-2008: Alphabetic Index

Page 17

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
HCU_1BC	Reason has no regular doctor - not tried to contact one	HCU	83
HCU_1BD	Reason has no regular doctor - has left or retired	HCU	83
HCU_1BE	Reason has no regular doctor - other	HCU	84
HCUFCOP	Consultations with health professionals - (F)	HCU	98
HCUG01A	Number of nights as patient - (G)	HCU	85
HCUG02A	Number of consultations - fam. doctor/gen. practitioner -(G)	HCU	86
HCUG02B	Number of consultations - eye specialist - (G)	HCU	87
HCUG02C	Number of consultations - other medical doctor - (G)	HCU	88
HCUG02D	Number of consultations - nurse - (G)	HCU	89
HCUG02E	Number of consultations - dentist or orthodontist - (G)	HCU	90
HCUG02F	Number of consultations - chiropractor - (G)	HCU	91
HCUG02G	Number of consultations - physiotherapist - (G)	HCU	92
HCUG02H	Number of consultations - social worker or counsellor - (G)	HCU	93
HCUG02I	Number of consultations - psychologist - (G)	HCU	94
HCUG02J	No. of consultations - speech/audiology/occ. therapist - (G)	HCU	95
HCUG03A	Location of most recent contact - family doctor - (G)	HCU	95
HCUG03C	Location of most recent contact - other medical doctor - (G)	HCU	96
HCUG03D	Location of most recent contact - nurse - (G)	HCU	97
HCUGMDC	Number of consultations with medical doctor - (D, G)	HCU	97
HUIDCOG	Cognition problems - function code - (D)	HUI	80
HUIDEMO	Emotion (function code) - (D)	HUI	79
HUIDHSI	Health utilities index - (D)	HUI	80
HUIFOPT	Optional module: Health utility index - (F)	HUI	76
HUIGDEX	Dexterity trouble - function code - (D, G)	HUI	78
HUIGHER	Hearing problems - function code - (D, G)	HUI	77
HUIGMOB	Mobility trouble - function code - (D, G)	HUI	78
HUIGSPE	Speech trouble - function code - (D, G)	HUI	77
HUIGVIS	Vision trouble - function code - (D, G)	HUI	76
HUPDPAD	Pain (function code) - (D)	HUI	81
HWT_4	Respondent's opinion of own weight - self-reported	HWT	46
HWTDCOL	BMI class. (12 to 17) / self-report - Cole system - (D)	HWT	49
HWTGBMI	Body Mass Index (BMI) / self-report - (D, G)	HWT	48
HWTGHTM	Height (metres) / self-reported - (D, G)	HWT	47
HWTGISW	BMI class. (18 +) / self-report - Intern. standard - (D, G)	HWT	49
HWTGWTK	Weight (kilograms) / self-reported - (D, G)	HWT	48
IDGDINT	Illicit drug interference - mean - 12 mo - (D)	IDG	441
IDGFINT	Illicit drug interference - 12 mo - (F)	IDG	441

CCHS 2007-2008: Alphabetic Index

Page 18

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
IDGFLA	Illicit drug use - including one time cannabis - life - (F)	IDG	439
IDGFLAC	Illicit drug use - excluding one time cannabis - life - (F)	IDG	439
IDGFLCA	Cannabis drug use - including one time only - life - (F)	IDG	437
IDGFLCM	Cannabis drug use - excluding one time only - life - (F)	IDG	438
IDGFOPT	Optional module: Illicit drugs use - (F)	IDG	437
IDGFYA	Illicit drug use - including one time cannabis - 12 mo - (F)	IDG	440
IDGFYAC	Illicit drug use - excluding one time cannabis - 12 mo - (F)	IDG	440
IDGFYCM	Cannabis drug use - excluding one time only - 12 mo - (F)	IDG	438
INCDRCA	Household income distribution - (D)	INC	672
INCDRPR	Household income distribution - provincial level - (D)	INC	673
INCDRRS	Household income distribution - health region level - (D)	INC	674
INCG2	Total household income - main source - (G)	INC	670
INCGHH	Total household income from all sources - (D, G)	INC	670
INCGPER	Total personal income from all sources - (D, G)	INC	671
INJ_01	Injured in past 12 months	INJ	293
INJ_10	Most serious injury - result of a fall	INJ	298
INJ_13	Most serious injury - received treatment within 48 hours	INJ	299
INJ_14A	Most serious injury - treated in doctor's office	INJ	300
INJ_14B	Most serious injury - treated in hospital emergency room	INJ	300
INJ_15	Most serious injury - admitted to hospital	INJ	302
INJ_16	Other injuries - treated but did not limit normal activities	INJ	303
INJDSTT	Injury Status - (D)	INJ	304
INJFOPT	Optional module: Injuries - (F)	INJ	288
INJG02	Number of injuries in past 12 months - (G)	INJ	294
INJG05	Most serious injury - type - (G)	INJ	295
INJG06	Most serious injury - body part affected - (G)	INJ	296
INJG08	Most serious injury - place of occurrence - (G)	INJ	297
INJG09	Most serious injury - activity when injured - (G)	INJ	298
INJG11	Most serious injury - how fell - (G)	INJ	299
INJG14C	Most serious injury - treated in clinic - (G)	INJ	301
INJG14G	Most serious injury - treated at work/school/home - (G)	INJ	301
INJG14J	Most serious injury - treated by telephone/other place - (G)	INJ	302
INJG17	Other injuries - number - (G)	INJ	303
INJGCAU	Cause of injury - (D, G)	INJ	304
INS_1	Insurance - prescription medications	INS	662
INS_1A	Type of health insurance plan - government-sponsored	INS	662
INS_1B	Type of health insurance plan - employer-sponsored	INS	663

CCHS 2007-2008: Alphabetic Index

Page 19

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
INS_1C	Type of health insurance plan - private	INS	663
INS_2	Insurance - dental expenses	INS	664
INS_2A	Type of health insurance plan - government-sponsored	INS	664
INS_2B	Type of health insurance plan - employer-sponsored	INS	665
INS_2C	Type of health insurance plan - private	INS	665
INS_3	Insurance - eye glasses / contact lenses	INS	666
INS_3A	Type of health insurance plan - government-sponsored	INS	666
INS_3B	Type of health insurance plan - employer-sponsored	INS	667
INS_3C	Type of health insurance plan - private	INS	667
INS_4	Insurance - hospital charges	INS	668
INS_4A	Type of health insurance plan - government-sponsored	INS	668
INS_4B	Type of health insurance plan - employer-sponsored	INS	669
INS_4C	Type of health insurance plan - private	INS	669
INSFOPT	Optional module: Insurance coverage - (F)	INS	661
LBSDHPW	Total usual hours worked - current jobs - (D)	LBS	651
LBSDPFT	Current - full-time / part-time status - (D)	LBS	652
LBSDWSS	Working status last week - 4 groups - (D)	LBS	652
LBSG31	Employment status - 12 months - (G)	LBF	650
LBSGSOC	Occupation group - (G)	LBF	651
MAM_030	Ever had mammogram	MAM	137
MAM_032	Last time mammogram was done	MAM	142
MAM_038	Had a hysterectomy	MAM	150
MAM_31A	Had mammogram - family history	MAM	138
MAM_31B	Had mammogram - regular check-up	MAM	138
MAM_31C	Had mammogram - age	MAM	139
MAM_31D	Had mammogram - previously detected lump	MAM	139
MAM_31E	Had mammogram - follow-up of treatment	MAM	140
MAM_31F	Had mammogram - on hormone replacement therapy	MAM	140
MAM_31G	Had mammogram - breast problem	MAM	141
MAM_31H	Had mammogram - other	MAM	141
MAM_36A	No mammogram - have not gotten around to it - past 2 yrs	MAM	142
MAM_36B	No mammogram - resp. did not think necessary - past 2 yrs	MAM	143
MAM_36C	No mammogram - doctor did not think necessary - past 2 yrs	MAM	143
MAM_36D	No mammogram - personal/family responsibilities - past 2 yrs	MAM	144
MAM_36E	No mammogram - not available when required - past 2 yrs	MAM	144
MAM_36F	No mammogram - not available in the area - past 2 yrs	MAM	145
MAM_36G	No mammogram - waiting time too long - past 2 yrs	MAM	145

CCHS 2007-2008: Alphabetic Index

Page 20

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
MAM_36H	No mammogram - transportation problems - past 2 yrs	MAM	146
MAM_36I	No mammogram - language problem - past 2 yrs	MAM	146
MAM_36J	No mammogram - cost - past 2 yrs	MAM	147
MAM_36K	No mammogram - did not know where to go - past 2 yrs	MAM	147
MAM_36L	No mammogram - fear - past 2 yrs	MAM	148
MAM_36M	No mammogram - other - past 2 yrs	MAM	148
MAM_36N	No mammogram - unable to leave house/hlth prob - past 2 yrs	MAM	149
MAM_36O	No mammogram - Breasts removed / Mastectomy	MAM	149
MAMFOPT	Optional module: Mammography - (F)	MAM	137
MAS_601	Mastery - lack of control	MAS	332
MAS_602	Mastery - cannot solve problems	MAS	333
MAS_603	Mastery - cannot change things	MAS	334
MAS_604	Mastery - helpless	MAS	335
MAS_605	Mastery - pushed around	MAS	336
MAS_606	Mastery - fate depends upon self	MAS	337
MAS_607	Mastery - can do anything	MAS	338
MASDM1	Mastery scale - (D)	MAS	331
MASFOPT	Optional module flag: Mastery - (F)	MAS	331
MEX_01	Has given birth in the past 5 years	MEX	417
MEX_02	Took folic acid - before last pregnancy	MEX	418
MEX_03	Breastfed or tried to breastfeed last child	MEX	418
MEX_05	Still breastfeeding last child	MEX	419
MEX_07	Age of last baby - other foods added	MEX	421
MEX_08	Main reason - other foods added	MEX	422
MEX_09	Gave vitamin D - when breast milk only	MEX	423
MEX_10	Main reason why stopped breastfeeding	MEX	424
MEXDEBF	Duration of exclusive breastfeeding - (D)	MEX	425
MEXFEB6	Exclusively breastfed for at least 6 months - (F)	MEX	426
MEXG04	Main reason did not breastfeed last child - (G)	MEX	419
MEXG06	Duration of breastfeeding last child - (G)	MEX	420
MXA_01	Drank alcohol - last pregnancy	MXS	427
MXA_02	Frequency of drinking - last pregnancy	MXS	428
MXA_03	Drank alcohol - while breastfeeding last baby	MXS	429
MXA_04	Frequency of drinking - while breastfeeding last baby	MXS	430
MXAFOPT	Opt. mod.: Maternal exp. – Alcohol during pregnancy - (F)	MXA	426
MXS_01	Type of smoker - last pregnancy	MXS	431
MXS_04	Smoked while breastfeeding last baby (occasional smoker)	MXS	434

CCHS 2007-2008: Alphabetic Index

Page 21

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
MXS_07	Second-hand smoke - during or after last pregnancy	MXS	436
MXSFOPT	Opt. mod.: Maternal exp. – Smoking during pregnancy - (F)	MXS	430
MXSG02	No. of cigarettes daily - last pregnancy (daily smoker)	MXS	432
MXSG03	No. of cigarettes daily - last pregnancy (occasional smoker)	MXS	433
MXSG05	No. of cigarettes daily - while breastfeeding (daily smoker)	MXS	435
MXSG06	No. of cigarettes daily - while breastfeeding (occ. smoker)	MXS	436
NDE_1	How long after waking smokes first cigarette	NDE	355
NDE_2	Difficult to not smoke where forbidden	NDE	356
NDE_3	Cigarette most hates to give up	NDE	356
NDE_4	Smokes more frequently after waking	NDE	357
NDE_5	Smokes even if sick	NDE	357
NDEDFTT	Fagerström Tolerance Test - (D)	NDE	358
NDEFOPT	Optional module: Smoking - Nicotine dependence - (F)	NDE	355
OH1_20	Self-perceived health of teeth and mouth	OH1	40
OH1_21A	Ability to chew - firm foods	OH1	41
OH1_21B	Ability to chew - fresh apple	OH1	41
OH1_21C	Ability to chew - boiled vegetables	OH1	42
OH1_22	Frequency of pain in teeth or gums - past month	OH1	42
OH1FCHW	Inability to chew - (F)	OH1	39
OH1FTH	Theme module: Oral health 1 - (F)	OH1	40
OH2_10	Frequency usually visits the dentist	OH2	198
OH2_11	Insurance for dental expenses	OH2	198
OH2_11A	Type of dental insurance plan - government-sponsored	OH2	199
OH2_11B	Type of dental insurance plan - employer-sponsored	OH2	199
OH2_11C	Type of dental insurance plan - private	OH2	200
OH2_12	Teeth removed by dentist - 12 mo	OH2	200
OH2_13	Teeth removed - decay or gum disease - 12 mo	OH2	201
OH2_20	Has one or more of own teeth	OH2	201
OH2_21	Wears dentures	OH2	202
OH2_22	Condition of teeth/mouth - difficulty speaking clearly	OH2	202
OH2_23	Condition of teeth/mouth - avoided conversation - 12 mo	OH2	203
OH2_24	Condition of teeth/mouth - avoided laughing/smiling - 12 mo	OH2	204
OH2_25A	Had a toothache - past mo.	OH2	204
OH2_25B	Teeth sensitive to hot or cold - past mo.	OH2	205
OH2_25C	Had pain - jaw joints - past mo.	OH2	205
OH2_25D	Had pain - mouth or face - past mo.	OH2	206
OH2_25E	Had bleeding gums - past mo.	OH2	206

CCHS 2007-2008: Alphabetic Index

Page 22

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
OH2_25F	Had dry mouth - past mo.	OH2	207
OH2_25G	Had bad breath - past mo.	OH2	207
OH2_30	Frequency of brushing teeth	OH2	208
OH2FLIM	Limited socially due to oral health status - 12 mo - (F)	OH2	208
OH2FOFP	Oral or facial pain - past mo. - (F)	OH2	209
OH2FOPT	Optional module: Oral health 2 - (F)	OH2	197
ORG_1	Member of a voluntary organization	ORG	18
ORG_2	Frequency - participate in activities	ORG	18
ORGFOPT	Opt. module : Voluntary organizations - Participation - (F)	ORG	17
PAC_1A	Activity / last 3 months - walking	PAC	221
PAC_1B	Activity / last 3 months - gardening or yard work	PAC	222
PAC_1C	Activity / last 3 months - swimming	PAC	222
PAC_1D	Activity / last 3 months - bicycling	PAC	223
PAC_1E	Activity / last 3 months - popular or social dance	PAC	223
PAC_1F	Activity / last 3 months - home exercises	PAC	224
PAC_1G	Activity / last 3 months - ice hockey	PAC	224
PAC_1H	Activity / last 3 months - ice skating	PAC	225
PAC_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	225
PAC_1J	Activity / last 3 months - jogging or running	PAC	226
PAC_1K	Activity / last 3 months - golfing	PAC	226
PAC_1L	Activity / last 3 months - exercise class or aerobics	PAC	227
PAC_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	227
PAC_1N	Activity / last 3 months - bowling	PAC	228
PAC_1O	Activity / last 3 months - baseball or softball	PAC	228
PAC_1P	Activity / last 3 months - tennis	PAC	229
PAC_1Q	Activity / last 3 months - weight-training	PAC	229
PAC_1R	Activity / last 3 months - fishing	PAC	230
PAC_1S	Activity / last 3 months - volleyball	PAC	230
PAC_1T	Activity / last 3 months - basketball	PAC	231
PAC_1U	Activity / last 3 months - Any other	PAC	232
PAC_1V	Activity / last 3 months - No physical activity	PAC	232
PAC_1W	Activity / last 3 months - other (#2)	PAC	233
PAC_1X	Activity / last 3 months - other (#3)	PAC	233
PAC_1Z	Activity / last 3 months - Soccer	PAC	231
PAC_2A	Number of times / 3 months - walking for exercise	PAC	234
PAC_2B	Number of times / 3 months - gardening/yard work	PAC	235
PAC_2C	Number of times / 3 months - swimming	PAC	236

CCHS 2007-2008: Alphabetic Index

Page 23

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
PAC_2D	Number of times / 3 months - bicycling	PAC	237
PAC_2E	Number of times / 3 months - popular or social dance	PAC	238
PAC_2F	Number of times / 3 months - home exercises	PAC	239
PAC_2G	Number of times / 3 months - ice hockey	PAC	240
PAC_2H	Number of times / 3 months - ice skating	PAC	241
PAC_2I	Number of times / 3 months- in-line skating or rollerblading	PAC	242
PAC_2J	Number of times / 3 months - jogging or running	PAC	243
PAC_2K	Number of times / 3 months - golfing	PAC	244
PAC_2L	Number of times / 3 months - exercise class or aerobics	PAC	245
PAC_2M	Number of times / 3 months - downhill skiing or snowboarding	PAC	246
PAC_2N	Number of times / 3 months - bowling	PAC	247
PAC_2O	Number of times / 3 months - baseball or softball	PAC	248
PAC_2P	Number of times / 3 months - tennis	PAC	249
PAC_2Q	Number of times / 3 months - weight-training	PAC	250
PAC_2R	Number of times / 3 months - fishing	PAC	251
PAC_2S	Number of times / 3 months - volleyball	PAC	252
PAC_2T	Number of times / 3 months - basketball	PAC	253
PAC_2U	Number of times / 3 months - other activity (#1)	PAC	255
PAC_2W	Number of times / 3 months - other activity (#2)	PAC	256
PAC_2X	Number of times - other activity (#3)	PAC	257
PAC_2Z	Number of times / 3 months - soccer	PAC	254
PAC_3A	Time spent - walking for exercise	PAC	234
PAC_3B	Time spent - gardening or yard work	PAC	235
PAC_3C	Time spent - swimming	PAC	236
PAC_3D	Time spent - bicycling	PAC	237
PAC_3E	Time spent - popular or social dance	PAC	238
PAC_3F	Time spent - home exercises	PAC	239
PAC_3G	Time spent - ice hockey	PAC	240
PAC_3H	Time spent - ice skating	PAC	241
PAC_3I	Time spent - in-line skating or rollerblading	PAC	242
PAC_3J	Time spent - jogging or running	PAC	243
PAC_3K	Time spent - golfing	PAC	244
PAC_3L	Time spent - exercise class or aerobics	PAC	245
PAC_3M	Time spent - downhill skiing or snowboarding	PAC	246
PAC_3N	Time spent - bowling	PAC	247
PAC_3O	Time spent - baseball or softball	PAC	248
PAC_3P	Time spent - tennis	PAC	249

CCHS 2007-2008: Alphabetic Index

Page 24

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
PAC_3Q	Time spent - weight-training	PAC	250
PAC_3R	Time spent - fishing	PAC	251
PAC_3S	Time spent - volleyball	PAC	252
PAC_3T	Time spent - basketball	PAC	253
PAC_3U	Time spent - other activity (#1)	PAC	255
PAC_3W	Time spent - other activity (#2)	PAC	256
PAC_3X	Time spent - other activity (#3)	PAC	257
PAC_3Z	Time spent - soccer	PAC	254
PAC_7	Walked to work or school / last 3 months	PAC	258
PAC_7A	Number of times / 3 months - walking to go work or school	PAC	258
PAC_7B	Time spent - walking to go work or school	PAC	259
PAC_8	Bicycled to work or school / last 3 months	PAC	259
PAC_8A	Number of times / 3 months - bicycling to go work or school	PAC	260
PAC_8B	Time spent - bicycling to go work or school	PAC	260
PACDEE	Daily energy expenditure - Leisure physical activities - (D)	PAC	262
PACDFM	Month. freq. - Leisure phys. activity lasting >15 min. - (D)	PAC	263
PACDFR	Frequency of all leisure physical activity > 15 min. - (D)	PAC	264
PACDLTI	Leisure and transportation physical activity index - (D)	PAC	261
PACDPAI	Leisure physical activity index - (D)	PAC	265
PACDTLE	Daily ener. expend. - Transport. and leisure phy. act. - (D)	PAC	261
PACFD	Participant in daily leisure phys. activity > 15 min. - (F)	PAC	264
PACFLEI	Participant in leisure physical activity - (F)	PAC	263
PACFLTl	Participant in leisure or transportation phys. activ. - (F)	PAC	262
PAF_01	Work at home	PAF	653
PAF_02	At work - Access to a pleasant place to walk	PAF	654
PAF_03	At work - Access to playing fields	PAF	654
PAF_04	At work - Access to a gym	PAF	655
PAF_05	At work - Access to fitness classes	PAF	655
PAF_06	At work - Access to any organized sport teams	PAF	656
PAF_07	At work - Access to showers / change rooms	PAF	656
PAF_08	At work - Access to programs to improve health	PAF	657
PAFFACC	Access to physical activity facilities at work - (F)	PAF	657
PAFFTH	Theme module: Physical activities - Facilities at work (F)	PAF	653
PAP_020	Ever had PAP smear test	PAP	128
PAP_022	Last time had PAP smear test	PAP	128
PAP_26A	No PAP smear - have not gotten around to it	PAP	129
PAP_26B	No PAP smear - respondent didn't think necessary	PAP	129

CCHS 2007-2008: Alphabetic Index

Page 25

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
PAP_26C	No PAP smear - doctor didn't think necessary	PAP	130
PAP_26D	No PAP smear - personal / family responsibilities	PAP	130
PAP_26E	No PAP smear - not available when required	PAP	131
PAP_26F	No PAP smear - not available in area	PAP	131
PAP_26G	No PAP smear - waiting time too long	PAP	132
PAP_26H	No PAP smear - transportation problems	PAP	132
PAP_26I	No PAP smear - language problem	PAP	133
PAP_26J	No PAP smear - cost	PAP	133
PAP_26K	No PAP smear - did not know where to go	PAP	134
PAP_26L	No PAP smear - fear	PAP	134
PAP_26M	No PAP smear - hysterectomy	PAP	135
PAP_26N	No PAP smear - hate / dislike having one done	PAP	135
PAP_26O	No PAP smear - other	PAP	136
PAP_26P	No PAP smear - unable to leave house / health problem	PAP	136
PAPFOPT	Optional module: PAP smear test - (F)	PAP	127
PSA_170	Ever had a PSA blood test (prostate cancer)	PSA	173
PSA_172	Last time had PSA blood test	PSA	173
PSA_174	Had a digital rectal exam	PSA	177
PSA_175	Last time had digital rectal exam	PSA	178
PSA_73A	Had PSA test - family history of prostate cancer	PSA	174
PSA_73B	Had PSA test - regular check-up	PSA	174
PSA_73C	Had PSA test - age	PSA	175
PSA_73D	Had PSA test - follow-up of problem	PSA	176
PSA_73E	Had PSA test - follow-up of prostate cancer treatment	PSA	176
PSA_73F	Had PSA test - other	PSA	177
PSA_73G	Had PSA test - race	PSA	175
PSAFOPT	Optional module: Prostate cancer screening - (F)	PSA	172
PSC_1	Received any community-based care	PSC	100
PSC_2	How rate quality of the community-based received	PSC	100
PSC_3	How satisfied with the way community-based care provided	PSC	101
PSCFOPT	Opt. mod.: Patient satisf. - Community-based care - (F)	PSC	99
PWB_01	Frequency - felt self-confident - past month	PWB	458
PWB_02	Frequency - satisfied with accomplishments - past month	PWB	459
PWB_03	Frequency - took on lots of projects - past month	PWB	460
PWB_04	Frequency - felt emotionally balanced - past month	PWB	461
PWB_05	Frequency - felt loved and appreciated - past month	PWB	462
PWB_06	Frequency - had goals and ambitions - past month	PWB	463

CCHS 2007-2008: Alphabetic Index

Page 26

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
PWB_07	Frequency - felt like having fun - past month	PWB	464
PWB_08	Frequency - felt useful - past month	PWB	465
PWB_09	Frequency - smiled easily - past month	PWB	466
PWB_10	Frequency - was true to self - past month	PWB	467
PWB_11	Frequency - did good job listening to friends - past month	PWB	468
PWB_12	Frequency - was curious and interested - past month	PWB	469
PWB_13	Frequency - was able to clearly sort things out - past month	PWB	470
PWB_14	Frequency - found life exciting - past month	PWB	471
PWB_15	Frequency - life was well-balanced - past month	PWB	472
PWB_16	Frequency - was calm and level-headed - past month	PWB	473
PWB_17	Frequency - easily found answers - past month	PWB	474
PWB_18	Frequency - got along well with others - past month	PWB	475
PWB_19	Frequency - lived at normal pace - past month	PWB	476
PWB_20	Frequency - impression of enjoying life - past month	PWB	477
PWB_21	Frequency - had good sense of humour - past month	PWB	478
PWB_22	Frequency - was at peace with self - past month	PWB	479
PWB_23	Frequency - felt healthy/in good shape - past month	PWB	480
PWB_24	Frequency - face situations positively - past month	PWB	481
PWB_25	Frequency - had good morale - past month	PWB	482
PWBDPWB	Psychological well-being scale - past month - (D)	PWB	457
PWBFOPT	Optional module: Psychological well-being - (F)	PWB	457
RAC_1	Has difficulty with activities	RAC	101
RAC_2A	Reduction in kind/amount of activities - at home	RAC	102
RAC_2B1	Reduction in kind/amount of activities - at school	RAC	102
RAC_2B2	Reduction in kind/amount of activities - at work	RAC	103
RAC_2C	Reduction in kind/amount of activities - other activities	RAC	103
RAC_6A	Needs help - preparing meals	RAC	104
RAC_6B1	Needs help - getting to appointments / running errands	RAC	105
RAC_6C	Needs help - doing housework	RAC	105
RAC_6E	Needs help - personal care	RAC	106
RAC_6F	Needs help - moving about inside the house	RAC	106
RAC_6G	Needs help - looking after personal finances	RAC	107
RACDIMP	Impact of health problems - (D)	RAC	107
RACDPAL	Participation and activity limitation - (D)	RAC	108
RACF6R	Help needed for tasks - (F)	RAC	108
RACG5	Cause of health problem - (G)	RAC	104
REP_1	Repetitive strain injury	INJ	288

CCHS 2007-2008: Alphabetic Index

Page 27

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
REP_4A	Repetitive strain - sports or physical exercise	INJ	290
REP_4B	Repetitive strain - leisure or hobby	INJ	290
REP_4C	Repetitive strain - working at a job or business	INJ	291
REP_4D	Repetitive strain - chores, unpaid work, education	INJ	292
REP_4E	Repetitive strain - sleeping, eating, personal care	INJ	292
REP_4F	Repetitive strain - other	INJ	293
REP_4G	Repetitive strain - travel to or from work	INJ	291
REPG3	Repetitive strain - body part affected - (G)	INJ	289
SAC_1	Number of hours - on a computer - past 3 mo	SAC	267
SAC_2	Number of hours - playing video games - past 3 mo	SAC	268
SAC_3	Number of hours - watching television or videos - past 3 mo	SAC	269
SAC_4	Number of hours - reading - past 3 mo	SAC	270
SACDTER	Total no. hrs / week (excl. reading) - sedentary act. - (D)	SAC	266
SACDTOT	Total number hours - sedentary activities - past 3 mo - (D)	SAC	271
SACFTH	Theme module: Sedentary activities - (F)	SAC	265
SCA_10	Has used nicotine patch	SCA	359
SCA_10A	Usefulness of nicotine patch	SCA	359
SCA_11	Has used nicotine gum or candy	SCA	360
SCA_11A	Usefulness of nicotine gum or candy	SCA	360
SCA_12	Has used medication such as Zyban	SCA	361
SCA_12A	Usefulness of medication such as Zyban	SCA	361
SCA_50	Stopped smoking for at least 24 hours	SCA	362
SCA_60	Tried to quit smoking - nicotine patch	SCA	362
SCA_61	Tried to quit smoking - nicotine gum or candy - past 12 mo	SCA	363
SCA_62	Tried to quit smoking - medication such as Zyban	SCA	363
SCADQUI	Attempted to stop smoking - (D)	SCA	364
SCAFOPT	Optional module: Smoking cessation methods - (F)	SCA	358
SCH_1	Quitting smoking - next 6 months	SCH	352
SCH_2	Quitting smoking - next 30 days	SCH	353
SCH_3	Stopped smoking for at least 24 hours - 12 mo	SCH	353
SCH_4	Number of times stopped for at least 24 hours - 12 mo	SCH	354
SCHDSTG	Smoking stages of change - (D)	SCH	354
SCHFOPT	Optional module: Smoking - stages of change - (F)	SCH	352
SDC_8	Current student	EDU	645
SDC_9	Full-time student or part-time student	EDU	645
SDCFIMM	Immigrant - (F)	SDC	646
SDCGCBG	Country of birth - Canada/other - (G)	SDC	646

CCHS 2007-2008: Alphabetic Index

Page 28

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
SDCGCGT	Cultural or racial origin - (D, G)	SDC	647
SDCGLHM	Language(s) spoken at home - (D, G)	SDC	648
SDCGLNG	Languages - can converse - (D, G)	SDC	648
SDCGRES	Length of time in Canada since immigration - (D, G)	SDC	647
SFRDBPS	Bodily pain scale - (D)	SFR	561
SFRDGHP	General health perceptions scale - (D)	SFR	561
SFRDGMH	General mental health scale - (D)	SFR	560
SFRDMCS	Summary measure of mental health - (D)	SFR	562
SFRDMRF	Role functioning (mental) scale - (D)	SFR	559
SFRDPCS	Summary measure of physical health - (D)	SFR	562
SFRDPFS	Physical functioning scale - (D)	SFR	558
SFRDPRF	Role functioning (physical) scale - (D)	SFR	559
SFRDSFS	Social functioning scale - (D)	SFR	558
SFRDVTS	Vitality scale - (D)	SFR	560
SFRFOPT	Optional module: Health status (SF-36) - (F)	SFR	557
SLP_01	Number of hours spent sleeping per night	SLP	20
SLP_02	Frequency - trouble sleeping	SLP	21
SLP_03	Frequency - find sleep refreshing	SLP	22
SLP_04	Frequency - find it difficult to stay awake	SLP	23
SLPFOPT	Optional module: Sleep - (F)	SLP	19
SMK_01A	Smoked 100 or more cigarettes - life	SMK	338
SMK_01B	Ever smoked whole cigarette	SMK	339
SMK_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	343
SMK_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	344
SMK_05D	Ever smoked cigarettes daily	SMK	344
SMK_06A	Stopped smoking - when (was never a daily smoker)	SMK	345
SMK_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	347
SMK_10	Quit smoking completely (former daily smoker)	SMK	348
SMK_10A	Stopped smoking completely - when (former daily smoker)	SMK	349
SMK_202	Type of smoker	SMK	341
SMK_204	Number of cigarettes smoked per day (daily smoker)	SMK	343
SMK_208	Number of cigarettes smoked per day (former daily smoker)	SMK	347
SMKDSTY	Type of smoker - (D)	SMK	350
SMKDYCS	Number of years smoked (current daily smokers) - (D)	SMK	351
SMKG01C	Age - smoked first whole cigarette - (G)	SMK	340
SMKG06C	Number of years since stopped smoking - (G)	SMK	345
SMKG09C	Yrs since stopped smoking daily (former daily smoker) - (G)	SMK	348

CCHS 2007-2008: Alphabetic Index

Page 29

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
SMKG10C	Number of years since stopped smoking (daily) - (G)	SMK	350
SMKG203	Age - started smoking daily (daily smoker) - (G)	SMK	342
SMKG207	Age - started smoking daily (former daily smoker) - (G)	SMK	346
SMKGSTP	Number of years since stopping smoking completely - (D, G)	SMK	351
SPC_10	Visited regular medical doctor	SPC	365
SPC_11	Doctor - knows smokes/smoked	SPC	365
SPC_12	Doctor - advised to quit	SPC	366
SPC_13	Doctor - gave specific help	SPC	366
SPC_14A	Type of help - referral to one-on-one program	SPC	367
SPC_14B	Type of help - referral to group program	SPC	367
SPC_14C	Type of help - recommended nicotine patch or gum	SPC	368
SPC_14D	Type of help - recommended Zyban or other medication	SPC	368
SPC_14E	Type of help - provided self-help information	SPC	369
SPC_14F	Type of help - doctor offered counselling	SPC	369
SPC_14G	Type of help - other	SPC	370
SPC_20	Visited dentist	SPC	370
SPC_21	Dentist/hygienist - knows smokes/smoked	SPC	371
SPC_22	Dentist/hygienist - advised to quit	SPC	371
SPCFOPT	Optional module: Smoking - physician counselling - (F)	SPC	364
SPV_1	Spiritual values - playing important role in life	SPV	512
SPV_2	Spiritual values - helping to find meaning to life	SPV	512
SPV_3	Spiritual values - strength for everyday difficulties	SPV	513
SPV_4	Spiritual values - understanding difficulties of life	SPV	514
SPV_6	Frequency - attends religious services or meetings	SPV	515
SPV_7	Self-perception - being religious	SPV	516
SPVFOPT	Optional module flag: Spiritual values - (F)	SPV	511
SPVG5	Respondent's religion - (G)	SPV	514
SSA_01	Number of close friends and relatives	SSA	483
SSA_02	Has someone to give help if confined to bed	SSA	483
SSA_03	Has someone to listen	SSA	484
SSA_04	Has someone to provide/give advice about a crisis	SSA	485
SSA_05	Has someone to take to doctor	SSA	486
SSA_06	Has someone who shows love and affection	SSA	487
SSA_07	Has someone to have a good time with	SSA	488
SSA_08	Has someone to give info to help understand a situation	SSA	489
SSA_09	Has someone to confide in	SSA	490
SSA_10	Has someone who gives hugs	SSA	491

CCHS 2007-2008: Alphabetic Index

Page 30

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
SSA_11	Has someone to get together with for relaxation	SSA	492
SSA_12	Has someone to prepare meals	SSA	493
SSA_13	Has someone to give advice	SSA	494
SSA_14	Has someone to do things to get mind off things	SSA	495
SSA_15	Has someone to help with daily chores if sick	SSA	496
SSA_16	Has someone to share most private worries and fears with	SSA	497
SSA_17	Has someone to turn to for suggestions for personal problems	SSA	498
SSA_18	Has someone to do something enjoyable with	SSA	499
SSA_19	Has someone who understands problems	SSA	500
SSA_20	Has someone who loves and makes feel wanted	SSA	501
SSADAFF	Affection - MOS subscale - (D)	SSA	502
SSADEMO	Emotional or informational support - MOS subscale - (D)	SSA	503
SSADSOC	Positive social interaction - MOS subscale - (D)	SSA	502
SSADTNG	Tangible social support - MOS subscale - (D)	SSA	501
SSAFOPT	Optional module: Social support - availability - (F)	SSA	482
SSB_01	Been sunburnt - past 12 months	SSB	280
SSB_02	Sunburn involved blistering	SSB	281
SSB_03	Sunburns involved pain - lasting more than 1 day	SSB	281
SSB_06	Amount of time in the sun - 11 am to 4 pm	SSB	282
SSB_07	Frequency - seek shade	SSB	283
SSB_08	Frequency - wear hat in the sun	SSB	284
SSB_09A	Frequency - wear long pants or skirt in the sun	SSB	285
SSB_09B	Frequency - use sunscreen on your face	SSB	286
SSB_10	Sun Protection factor (SPF) usually use - face	SSB	286
SSB_11	Frequency - use sunscreen on your body	SSB	287
SSB_12	Sun Protection factor (SPF) usually use on body	SSB	287
SSBFOPT	Optional module: Sun safety behaviours - (F)	SSB	280
SSU_21A	Received tangible social support	SSU	504
SSU_21B	Frequency of tangible social support	SSU	505
SSU_22A	Received affective support	SSU	506
SSU_22B	Frequency of affective support	SSU	507
SSU_23A	Received positive social interactive support	SSU	508
SSU_23B	Frequency of positive social interactive support	SSU	509
SSU_24A	Received emotional/informational support	SSU	510
SSU_24B	Frequency of emotional/informational support	SSU	511
SSUFOPT	Optional module: Social Support - utilization - (F)	SSU	503
SUI_1	Seriously considered suicide - lifetime	SUI	556

CCHS 2007-2008: Alphabetic Index

Page 31

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
SUI_2	Seriously considered suicide - past 12 months	SUI	557
SUIFOPT	Optional module - Suicidal thoughts and attempts - (F)	SUI	556
SWL_02	Satisfaction - job	SWL	305
SWL_03	Satisfaction - leisure activities	SWL	306
SWL_04	Satisfaction - financial situation	SWL	307
SWL_05	Satisfaction - with self	SWL	308
SWL_06	Satisfaction - way body looks	SWL	309
SWL_07	Satisfaction - relationships with other family members	SWL	310
SWL_08	Satisfaction - relationships with friends	SWL	311
SWL_09	Satisfaction - housing	SWL	312
SWL_10	Satisfaction - neighbourhood	SWL	313
SWLFOPT	Optional module: Satisfaction with life - (F)	SWL	305
SXB_07	Ever diagnosed with STD	SXB	447
SXB_09	Important to avoid getting pregnant	SXB	448
SXB_1	Ever had sexual intercourse	SXB	446
SXB_10	Important to avoid getting partner pregnant	SXB	449
SXB_11	Usually use birth control - past 12 months	SXB	450
SXB_12A	Usual birth control method - condom	SXB	450
SXB_12B	Usual birth control method - Birth control pill	SXB	451
SXB_12C	Usual birth control method - diaphragm	SXB	451
SXB_12D	Usual birth control method - spermicide	SXB	452
SXB_12E	Usual birth control method - other	SXB	453
SXB_12F	Usual birth control method - birth control injection	SXB	452
SXB_13A	Birth control method used last time - condom	SXB	453
SXB_13B	Birth control method used last time - birth control pill	SXB	454
SXB_13C	Birth control method used last time - diaphragm	SXB	454
SXB_13D	Birth control method used last time - spermicide	SXB	455
SXB_13E	Birth control method used last time - other	SXB	455
SXB_13F	Birth cntrl. method used last time - birth control injection	SXB	456
SXB_13G	Method used last time - nothing	SXB	456
SXB_3	Had sexual intercourse - past 12 months	SXB	446
SXB_7A	Condom use - last time	SXB	447
SXBFOPT	Optional module: Sexual behaviours - (F)	SXB	445
TAL_1	Smoked cigars - last month	TAL	380
TAL_2	Smoked a pipe - last month	TAL	380
TAL_3	Used snuff - last month	TAL	381
TAL_4	Used chewing tobacco - last month	TAL	381

CCHS 2007-2008: Alphabetic Index

Page 32

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
TALFOPT	Optional module: Smoking - Other tobacco products - (F)	TAL	379
UPE_01	Frequency - wears helmet - bicycling	UPE	272
UPE_02A	Frequency - wears helmet - in-line skating	UPE	272
UPE_02B	Frequency - wears wrist guards - in-line skating	UPE	273
UPE_02C	Frequency - wears elbow pads - in-line skating	UPE	273
UPE_03A	Downhill skiing or snowboarding - past 3 mo.	UPE	274
UPE_03B	Downhill skiing or snowboarding - past 12 mo	UPE	274
UPE_04A	Frequency - wears helmet - downhill skiing	UPE	275
UPE_05A	Frequency - wears helmet - snowboarding	UPE	275
UPE_05B	Frequency - wears wrist guards - snowboarding	UPE	276
UPE_06	Has done skateboarding - past 12 mo	UPE	276
UPE_06A	Frequency - wears helmet - skateboarding	UPE	277
UPE_06B	Frequency - wears wrist guards/protectors - skateboarding	UPE	277
UPE_06C	Frequency - wears elbow pads - skateboarding	UPE	278
UPEFILS	Wears all protective equipment - in-line skating - (F)	UPE	278
UPEFOPT	Optional module: Use of protective equipment - (F)	UPE	271
UPEFSKB	Wears all protective equipment - skateboarding - (F)	UPE	279
UPEFSNB	Wears all protective equipment - snowboarding - (F)	UPE	279
VERDATE	Date of file creation	SAM	1
WST_12A	Work stress - had materials/equipment needed	WST	326
WST_401	Work stress - must learn new things	WST	314
WST_402	Work stress - high level of skill	WST	315
WST_403	Work stress - freedom to decide	WST	316
WST_404	Work stress - repetitive tasks	WST	317
WST_405	Work stress - job hectic	WST	318
WST_406	Work stress - free from conflicting demands	WST	319
WST_407	Work stress - good job security	WST	320
WST_408	Work stress - required a lot of physical effort	WST	321
WST_409	Work stress - had own job input	WST	322
WST_410	Work stress - hostility or conflict from others	WST	323
WST_411	Work stress - supervisor helpful	WST	324
WST_412	Work stress - co-workers helpful	WST	325
WST_413	Work stress - job satisfaction	WST	327
WSTDAUT	Work stress - decision latitude / authority - (D)	WST	328
WSTDJIN	Work stress - job insecurity - (D)	WST	329
WSTDJST	Work stress - job strain - (D)	WST	330
WSTDPHY	Work stress - physical exertion - (D)	WST	329

Public Use Microdata File

June 2009

Variable Name	Description	Section	Page
WSTDPSY	Work stress - psychological demands - (D)	WST	328
WSTDSKI	Work stress - decision latitude / discretion - (D)	WST	327
WSTDSOC	Work stress - social support - (D)	WST	330
WSTFOPT	Optional module: Stress - Work stress - (F)	WST	313
WTS_M	Weights - Master	WTS	688
YSM_2	Bought cigarettes for self or others	YSM	373
YSM_3	Age asked when buying cigarettes in store	YSM	373
YSM_4	Someone refused to sell cigarettes	YSM	374
YSM_5	Asked a stranger to buy cigarettes	YSM	374
YSMFOPT	Optional module: Smoking - Youth smoking - (F)	YSM	372
YSMG1	Source of cigarettes - (G)	YSM	372