

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 1

Variable Name	Description	Section	Page
ACC_10	Repetitive strain - body part affected	INJ	540
ACC_11	Experienced difficulties getting specialist care	ACC	541
ACC_12A	Difficulty - getting a referral	ACC	541
ACC_12B	Difficulty - getting an appointment	ACC	542
ACC_12C	Difficulty - no specialists in area	ACC	542
ACC_12D	Difficulty - waited too long for an appointment	ACC	543
ACC_12E	Difficulty - waited too long to see doc.	ACC	543
ACC_12F	Difficulty - transportation	ACC	544
ACC_12G	Difficulty - language	ACC	544
ACC_12H	Difficulty - cost	ACC	545
ACC_12I	Difficulty - personal or family responsibilities	ACC	545
ACC_12J	Difficulty - general deterioration of health	ACC	546
ACC_12K	Difficulty - appointment cancelled/deferred	ACC	546
ACC_12L	Difficulty - still waiting for visit	ACC	547
ACC_12M	Difficulty - unable to leave house / health problem	ACC	547
ACC_12N	Difficulty - other	ACC	548
ACC_20	Required non-emergency surgery	ACC	548
ACC_21	Experienced difficulties getting non-emerg. surgery	ACC	549
ACC_22A	Difficulty - getting an appointment with a surgeon	ACC	549
ACC_22B	Difficulty - getting a diagnosis	ACC	550
ACC_22C	Difficulty - waited too long for a diagnostic test	ACC	550
ACC_22D	Difficulty - waited too long for a hospital bed	ACC	551
ACC_22E	Difficulty - waited too long for surgery	ACC	551
ACC_22F	Difficulty - service not available in area	ACC	552
ACC_22G	Difficulty - transportation	ACC	552
ACC_22H	Difficulty - language	ACC	553
ACC_22I	Difficulty - cost	ACC	553
ACC_22J	Difficulty - personal or family responsibilities	ACC	554
ACC_22K	Difficulty - general deterioration of health	ACC	554
ACC_22L	Difficulty - appointment cancelled/deferred	ACC	555
ACC_22M	Difficulty - still waiting for surgery	ACC	555
ACC_22N	Difficulty - unable to leave house / health problem	ACC	556
ACC_22O	Difficulty - other	ACC	556
ACC_30	Required MRI, CT Scan, angiography	ACC	557
ACC_31	Experienced difficulties getting test	ACC	557
ACC_32A	Difficulty - getting a referral	ACC	558
ACC_32B	Difficulty - getting an appointment	ACC	558

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 2

Variable Name	Description	Section	Page
ACC_32C	Difficulty - waited too long to get an appointment	ACC	559
ACC_32D	Difficulty - waited too long to get test	ACC	559
ACC_32E	Difficulty - service not available at time required	ACC	560
ACC_32F	Difficulty - service not available in the area	ACC	560
ACC_32G	Difficulty - transportation	ACC	561
ACC_32H	Difficulty - language	ACC	561
ACC_32I	Difficulty - cost	ACC	562
ACC_32J	Difficulty - general deterioration of health	ACC	562
ACC_32K	Difficulty - did not know where to go	ACC	563
ACC_32L	Difficulty - still waiting for test	ACC	563
ACC_32M	Difficulty - unable to leave house / health problem	ACC	564
ACC_32N	Difficulty - other	ACC	564
ACC_40	Required health information for self or family member	ACC	565
ACC_40A	Contact for health information - doctor's office	ACC	565
ACC_40B	Contact for health information - community hlth ctr / CLSC	ACC	566
ACC_40C	Contact for health information - walk-in clinic	ACC	566
ACC_40D	Contact for health information - telephone health line	ACC	567
ACC_40E	Contact for health information - emergency room	ACC	567
ACC_40F	Contact for health information - other hospital service	ACC	568
ACC_40G	Contact for health information - other	ACC	568
ACC_41	Experienced diff. getting health information - self/family	ACC	569
ACC_42	Experienced difficulties during regular hours	ACC	569
ACC_43A	Difficulty - contacting a physician or nurse	ACC	570
ACC_43B	Difficulty - did not have a phone number	ACC	570
ACC_43C	Difficulty - could not get through	ACC	571
ACC_43D	Difficulty - waited too long to speak to someone	ACC	571
ACC_43E	Difficulty - did not get adequate info or advice	ACC	572
ACC_43F	Difficulty - language	ACC	572
ACC_43G	Difficulty - did not know where to go/call/uninformed	ACC	573
ACC_43H	Difficulty - unable to leave house / health problem	ACC	573
ACC_43I	Difficulty - other	ACC	574
ACC_44	Experienced difficulties during evenings/weekends	ACC	574
ACC_45A	Difficulty - contacting a physican or nurse	ACC	575
ACC_45B	Difficulty - did not have a phone number	ACC	575
ACC_45C	Difficulty - could not get through	ACC	576
ACC_45D	Difficulty - waited too long to speak to someone	ACC	576
ACC_45E	Difficulty - did not get adequate info or advice	ACC	577

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 3

Variable Name	Description	Section	Page
ACC_45F	Difficulty - language	ACC	577
ACC_45G	Difficulty - did not know where to go/call/uninformed	ACC	578
ACC_45H	Difficulty - unable to leave house / health problem	ACC	578
ACC_45I	Difficulty - other	ACC	579
ACC_46	Experienced difficulties during middle of night	ACC	579
ACC_47A	Difficulty - contacting a physican or nurse	ACC	580
ACC_47B	Difficulty - did not have a phone number	ACC	580
ACC_47C	Difficulty - could not get through	ACC	581
ACC_47D	Difficulty - waited too long to speak to someone	ACC	581
ACC_47E	Difficulty - did not get adequate info or advice	ACC	582
ACC_47F	Difficulty - language	ACC	582
ACC_47G	Difficulty - did not know where to go/call/uninformed	ACC	583
ACC_47H	Difficulty - unable to leave house / health problem	ACC	583
ACC_47I	Difficulty - other	ACC	584
ACC_50	Required routine care for self/family	ACC	585
ACC_50A	Has a regular family doctor	ACC	584
ACC_51	Experienced diff. getting routine/on-going care - self/fam.	ACC	585
ACC_52	Experienced difficulties during regular hours	ACC	586
ACC_53A	Difficulty - contacting a physican	ACC	586
ACC_53B	Difficulty - getting an appointment	ACC	587
ACC_53C	Difficulty - do not have a family physician	ACC	587
ACC_53D	Difficulty - waited too long to get an appointment	ACC	588
ACC_53E	Difficulty - waited too long to see doc.	ACC	588
ACC_53F	Difficulty - service not available at time required	ACC	589
ACC_53G	Difficulty - service not available in the area	ACC	589
ACC_53H	Difficulty - transportation	ACC	590
ACC_53I	Difficulty - language	ACC	590
ACC_53J	Difficulty - cost	ACC	591
ACC_53K	Difficulty - did not know where to go	ACC	591
ACC_53L	Difficulty - unable to leave house / health problem	ACC	592
ACC_53M	Difficulty - other	ACC	592
ACC_54	Experienced difficulties during evenings/weekends	ACC	593
ACC_55A	Difficulty - contacting a physican	ACC	593
ACC_55B	Difficulty - getting an appointment	ACC	594
ACC_55C	Difficulty - do not have a family physician	ACC	594
ACC_55D	Difficulty - waited too long to get an appointment	ACC	595
ACC_55E	Difficulty - waited too long to see doc.	ACC	595

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 4

Variable Name	Description	Section	Page
ACC_55F	Difficulty - service not available at time required	ACC	596
ACC_55G	Difficulty - service not available in the area	ACC	596
ACC_55H	Difficulty - transportation	ACC	597
ACC_55I	Difficulty - language	ACC	597
ACC_55J	Difficulty - cost	ACC	598
ACC_55K	Difficulty - did not know where to go	ACC	598
ACC_55L	Difficulty - unable to leave house / health problem	ACC	599
ACC_55M	Difficulty - other	ACC	599
ACC_60	Required immediate care/minor health problem - self/family	ACC	600
ACC_61	Experienced difficulties getting immediate care - self/fam.	ACC	600
ACC_62	Experienced difficulties during regular hours	ACC	601
ACC_63A	Difficulty - contacting a physican	ACC	601
ACC_63B	Difficulty - getting an appointment	ACC	602
ACC_63C	Difficulty - do not have a family physician	ACC	602
ACC_63D	Difficulty - waited too long to get an appointment	ACC	603
ACC_63E	Difficulty - waited too long to see doc.	ACC	603
ACC_63F	Difficulty - service not available at time required	ACC	604
ACC_63G	Difficulty - service not available in the area	ACC	604
ACC_63H	Difficulty - transportation	ACC	605
ACC_63I	Difficulty - language	ACC	605
ACC_63J	Difficulty - cost	ACC	606
ACC_63K	Difficulty - did not know where to go	ACC	606
ACC_63L	Difficulty - unable to leave house / health problem	ACC	607
ACC_63M	Difficulty - other	ACC	607
ACC_64	Experienced difficulties during evenings/weekends	ACC	608
ACC_65A	Difficulty - contacting a physican	ACC	608
ACC_65B	Difficulty - getting an appointment	ACC	609
ACC_65C	Difficulty - do not have a family physician	ACC	609
ACC_65D	Difficulty - waited too long to get an appointment	ACC	610
ACC_65E	Difficulty - waited too long to see doc.	ACC	610
ACC_65F	Difficulty - service not available at time required	ACC	611
ACC_65G	Difficulty - service not available in the area	ACC	611
ACC_65H	Difficulty - transportation	ACC	612
ACC_65I	Difficulty - language	ACC	612
ACC_65J	Difficulty - cost	ACC	613
ACC_65K	Difficulty - did not know where to go	ACC	613
ACC_65L	Difficulty - unable to leave house / health problem	ACC	614

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 5

Variable Name	Description	Section	Page
ACC_65M	Difficulty - other	ACC	614
ACC_66	Experienced difficulties during middle of night	ACC	615
ACC_67A	Difficulty - contacting a physican	ACC	615
ACC_67B	Difficulty - getting an appointment	ACC	616
ACC_67C	Difficulty - do not have a family physician	ACC	616
ACC_67D	Difficulty - waited too long to get an appointment	ACC	617
ACC_67E	Difficulty - waited too long to see doc.	ACC	617
ACC_67F	Difficulty - service not available at time required	ACC	618
ACC_67G	Difficulty - service not available in the area	ACC	618
ACC_67H	Difficulty - transportation	ACC	619
ACC_67I	Difficulty - language	ACC	619
ACC_67J	Difficulty - cost	ACC	620
ACC_67K	Difficulty - did not know where to go	ACC	620
ACC_67L	Difficulty - unable to leave house / health problem	ACC	621
ACC_67M	Difficulty - other	ACC	621
ADL_01	Needs help - preparing meals	ADL	113
ADL_02	Needs help - getting to appointments / running errands	ADL	113
ADL_03	Needs help - doing housework	ADL	114
ADL_04	Needs help - personal care	ADL	114
ADL_05	Needs help - moving about inside the house	ADL	115
ADL_06	Needs help - looking after personal finances	ADL	115
ADLF6R	Help needed for tasks - (F)	RAC	116
ADM_N09	Interview by telephone or in person	ADM	6
ADM_N10	Respondent alone during interview	ADM	6
ADM_N11	Answers affected by presence of another person	ADM	7
ADM_PRX	Health Component completed by proxy	ADM	5
ADM_RNO	Sequential record number	ADM	7
ALC_1	Drank alcohol in past 12 months	ALC	373
ALC_2	Frequency of drinking alcohol	ALC	374
ALC_3	Frequency of having 5 or more drinks	ALC	375
ALCDTTM	Type of drinker (12 months) - (D)	ALC	375
ALW_1	Drank alcohol in past week	ALW	376
ALW_2A1	Number of drinks - Day1	ALW	377
ALW_2A2	Number of drinks - Day 2	ALW	377
ALW_2A3	Number of drinks - Day 3	ALW	378
ALW_2A4	Number of drinks - Day 4	ALW	378
ALW_2A5	Number of drinks - Day 5	ALW	379

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 6

Variable Name	Description	Section	Page
ALW_2A6	Number of drinks - Day 6	ALW	379
ALW_2A7	Number of drinks - Day 7	ALW	380
ALWDDLY	Average daily alcohol consumption - (D)	ALW	381
ALWDWKY	Weekly consumption - (D)	ALW	380
BPC_010	Ever had blood pressure taken	BPC	127
BPC_012	Last time blood pressure was taken	BPC	128
BPC_013	Pregnant - blood pressure taken	BPC	128
BPC_16A	Blood pressure not taken - have not gotten around to it	BPC	129
BPC_16B	Blood pressure not taken - respondent didn't think necessary	BPC	129
BPC_16C	Blood pressure not taken - doctor didn't think necessary	BPC	130
BPC_16D	Blood pressure not taken - personal / fam. responsibilities	BPC	130
BPC_16E	Blood pressure not taken - not available when required	BPC	131
BPC_16F	Blood pressure not taken - not available in area	BPC	131
BPC_16G	Blood pressure not taken - waiting time too long	BPC	132
BPC_16H	Blood pressure not taken - transportation problems	BPC	132
BPC_16I	Blood pressure not taken - language problem	BPC	133
BPC_16J	Blood pressure not taken - cost	BPC	133
BPC_16K	Blood pressure not taken - did not know where to go	BPC	134
BPC_16L	Blood pressure not taken - fear	BPC	134
BPC_16M	Blood pressure not taken - other	BPC	135
BPC_16N	Blood pressure not taken - unable to leave house/health prob	BPC	135
BRX_110	Had breasts examined by health professional	BRX	159
BRX_112	Last time breasts exam for lumps	BRX	160
BRX_16A	No breast exam - have not gotten around to it	BRX	160
BRX_16B	No breast exam - respondent didn't think necessary	BRX	161
BRX_16C	No breast exam - doctor didn't think necessary	BRX	161
BRX_16D	No breast exam - personal / family responsibilities	BRX	162
BRX_16E	No breast exam - not available when required	BRX	162
BRX_16F	No breast exam - not available in area	BRX	163
BRX_16G	No breast exam - waiting time too long	BRX	163
BRX_16H	No breast exam - transportation problems	BRX	164
BRX_16I	No breast exam - language problem	BRX	164
BRX_16J	No breast exam - cost	BRX	165
BRX_16K	No breast exam - did not know where to go	BRX	165
BRX_16L	No breast exam - fear	BRX	166
BRX_16M	No breast exam - other	BRX	167
BRX_16N	No breast exam - unable to leave house / health problem	BRX	166

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 7

Variable Name	Description	Section	Page
BRX_16O	No breast exam - breast removed / mastectomy	BRX	167
CCC_031	Has asthma	CCC	46
CCC_035	Asthma - had symptoms or attacks	CCC	46
CCC_036	Asthma - took medication	CCC	47
CCC_051	Has arthritis	CCC	47
CCC_061	Has back problems excluding fibromyalgia and arthritis	CCC	48
CCC_071	Has high blood pressure	CCC	48
CCC_072	Ever diagnosed with high blood pressure	CCC	49
CCC_073	Medication - high blood pressure - past month	CCC	49
CCC_073A	Pregnant when first diagnosed with high blood pressure	CCC	50
CCC_073B	Other than during pregnancy - diag. with high blood pressure	CCC	50
CCC_081	Has migraine headaches	CCC	51
CCC_091	Has a COPD	CCC	51
CCC_101	Has diabetes	CCC	52
CCC_105	Diabetes - currently takes insulin	CCC	56
CCC_106	Diabetes - takes pills to control blood sugar	CCC	56
CCC_10A	Diabetes diagnosed - when pregnant	CCC	54
CCC_10B	Diabetes diagnosed - other than when pregnant	CCC	54
CCC_10C	Diabetes diagnosed - when started with insulin	CCC	55
CCC_121	Has heart disease	CCC	57
CCC_131	Has cancer	CCC	57
CCC_141	Has stomach or intestinal ulcers	CCC	58
CCC_151	Suffers from the effects of a stroke	CCC	59
CCC_161	Has urinary incontinence	CCC	59
CCC_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	60
CCC_17A	Type of bowel disease	CCC	60
CCC_280	Has a mood disorder	CCC	61
CCC_290	Has an anxiety disorder	CCC	61
CCC_31A	Ever had cancer	CCC	58
CCCDIA	Diabetes type	CCC	62
CCCG102	Diabetes - age first diagnosed - (G)	CCC	53
CCS_180	Had an FOBT test	CCS	174
CCS_182	Last time FOBT test done	CCS	175
CCS_184	Had colonoscopy or sigmoidoscopy	CCS	179
CCS_185	Last time had colonoscopy or sigmoidoscopy	CCS	180
CCS_187	Colonoscopy or sigmoidoscopy followed FOBT test	CCS	184
CCS_83A	Had FOBT - family history	CCS	176

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 8

Variable Name	Description	Section	Page
CCS_83B	Had FOBT - regular check-up	CCS	176
CCS_83C	Had FOBT - age	CCS	177
CCS_83D	Had FOBT - follow-up of problem	CCS	177
CCS_83E	Had FOBT - follow-up of treatment	CCS	178
CCS_83F	Had FOBT - other	CCS	178
CCS_86A	Had colonoscopy/sigmoidoscopy - family history	CCS	181
CCS_86B	Had colonoscopy/sigmoidoscopy - regular check-up	CCS	181
CCS_86C	Had colonoscopy/sigmoidoscopy - age	CCS	182
CCS_86D	Had colonoscopy/sigmoidoscopy - follow-up of problem	CCS	182
CCS_86E	Had colonoscopy/sigmoidoscopy - follow-up of treatment	CCS	183
CCS_86F	Had colonoscopy/sigmoidoscopy - other	CCS	183
CHP_01	Overnight patient	CHP	83
CHP_03	Consulted with family doctor/general practitioner	CHP	84
CHP_06	Consulted with eye specialist	CHP	86
CHP_08	Consulted with other medical doctor	CHP	87
CHP_11	Consulted with nurse	CHP	89
CHP_14	Consulted with dentist or orthodontist	CHP	91
CHP_16	Consulted with chiropractor	CHP	92
CHP_18	Consulted with physiotherapist	CHP	93
CHP_20	Consulted with psychologist	CHP	94
CHP_22	Consulted with social worker or counsellor	CHP	95
CHP_24	Consulted with speech/audiology/occ. therapist	CHP	96
CHPFCOP	Consultations with health professionals - (F)	HCU	97
CHPG02	Number of nights as patient - (G)	CHP	83
CHPG04	Number of consultations - fam. doctor/general pract. - (G)	CHP	84
CHPG05	Where the most recent contact took place - (G)	CHP	85
CHPG07	Number of consultations - eye specialist - (G)	CHP	86
CHPG09	Number of consultations - other medical doctor - (G)	CHP	87
CHPG10	Where the most recent contact took place - (G)	CHP	88
CHPG12	Number of consultations - nurse - (G)	CHP	89
CHPG13	Where the most recent contact took place - (G)	CHP	90
CHPG15	Number of consultations - dentist or orthodontist - (G)	CHP	91
CHPG17	Number of consultations - chiropractor - (G)	CHP	92
CHPG19	Number of consultations - physiotherapist - (G)	CHP	93
CHPG21	Number of consultations - psychologist - (G)	CHP	94
CHPG23	Number of consultations - social worker or counsellor - (G)	CHP	95
CHPG25	No. of consultations - speech/audiology/occ. therap. - (G)	CHP	96

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 9

Variable Name	Description	Section	Page
CHPGMDC	Number of consultations with medical doctor - (D, G)	CHP	97
CIH_1	Did something to improve health	CIH	22
CIH_2	Most important change to improve health	CIH	23
CIH_3	Thinks should do something to improve health	CIH	24
CIH_4	Most important thing to improve health	CIH	25
CIH_5	Barrier to improving health	CIH	26
CIH_6A	Barrier to improving health - lack of will power	CIH	26
CIH_6B	Barrier to improving health - work schedule	CIH	27
CIH_6E	Barrier to improving health - too costly	CIH	30
CIH_6F	Barrier to improving health - too stressed	CIH	29
CIH_6G	Barrier to improving health - disability / health problem	CIH	29
CIH_6H	Barrier to improving health - other	CIH	32
CIH_6I	Barrier to improving health - family responsibilities	CIH	27
CIH_6J	Barrier to improving health - addiction to drugs / alcohol	CIH	28
CIH_6K	Barrier to improving health - physical condition	CIH	28
CIH_6L	Barrier to improving health - not available - in area	CIH	30
CIH_6M	Barrier to improving health - transportation problems	CIH	31
CIH_6N	Barrier to improving health - weather problems	CIH	31
CIH_7	Intending to improve health over next year	CIH	32
CIH_8A	Health improvement - more exercise	CIH	33
CIH_8B	Health improvement - lose weight	CIH	33
CIH_8C	Health improvement - improve eating habits	CIH	34
CIH_8G	Health improvement - reduce stress level	CIH	35
CIH_8H	Health improvement - take vitamins	CIH	36
CIH_8I	Health improvement - other	CIH	37
CIH_8J	Health improvement - quit smoking	CIH	34
CIH_8K	Health improvement - drink less alcohol	CIH	35
CIH_8L	Health improvement - receive medical treatment	CIH	36
CMH_01K	Consulted mental health professional	CMH	492
CMH_1MA	Consulted mental health professional - family doctor	CMH	494
CMH_1MB	Consulted mental health professional - psychiatrist	CMH	494
CMH_1MC	Consulted mental health professional - psychologist	CMH	495
CMH_1MD	Consulted mental health professional - nurse	CMH	495
CMH_1ME	Consulted mental hlth. professional - social worker	CMH	496
CMH_1MF	Consulted mental health professional - other	CMH	496
CMHG01L	Consulted mental health professional - number of times - (G)	CMH	493
CPGDACT	Number of different types of gambling activities - (D)	CPG	424

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 10

Variable Name	Description	Section	Page
CPGDINT	Gambling interference - Mean - (D)	CPG	424
CPGDSEV	Problem gambling severity index - (D)	CPG	423
CPGDTYP	Type of gambler - (D)	CPG	423
CPGFGAM	Gambling activity - gambler vs. non-gambler - (F)	CPG	422
CPGFINI	Gambling Interference - (F)	CPG	425
DEN_130	Visited dentist	DEN	194
DEN_132	Last time visited dentist	DEN	195
DEN_36A	No dental visit - have not gotten around to it	DEN	196
DEN_36B	No dental visit - respondent didn't think necessary	DEN	196
DEN_36C	No dental visit - dentist didn't think necessary	DEN	197
DEN_36D	No dental visit - personal / family responsibilities	DEN	197
DEN_36E	No dental visit - not available when required	DEN	198
DEN_36F	No dental visit - not available in area	DEN	198
DEN_36G	No dental visit - waiting time too long	DEN	199
DEN_36H	No dental visit - transportation problems	DEN	199
DEN_36I	No dental visit - language problem	DEN	200
DEN_36J	No dental visit - cost	DEN	200
DEN_36K	No dental visit - did not know where to go	DEN	201
DEN_36L	No dental visit - fear	DEN	201
DEN_36M	No dental visit - wears dentures	DEN	202
DEN_36N	No dental visit - other	DEN	203
DEN_36O	No dental visit - unable to leave house / health problem	DEN	202
DHH_OWN	Dwelling - owned by a member of household	SDC	698
DHH_SEX	Sex	DHH	9
DHHG611	Number of persons 6 to 11 years old in household - (D, G)	DHH	10
DHHGAGE	Age - (G)	DHH	8
DHHGHSZ	Household size - (D, G)	DHH	12
DHHGL12	Number of persons less than 12 years old in household -(D,G)	DHH	11
DHHGLE5	Number of persons 5 years old or less in household - (D, G)	DHH	10
DHHGLVG	Living arrangement of selected respondent - (D, G)	DHH	11
DHHGMS	Marital Status - (G)	DHH	9
DIA_01	Tested for "A-one-C" haemoglobin	DIA	63
DIA_02	Number of times - tested for haemoglobin "A-one-C"	DIA	63
DIA_03	Feet checked by health professional	DIA	64
DIA_04	Number of times - feet checked by health professional	DIA	64
DIA_05	Urine tested for protein by health professional	DIA	65
DIA_06	Ever had eye exam with pupils dilated	DIA	65

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 11

Variable Name	Description	Section	Page
DIA_07	Eye exam with pupils dilated - last time	DIA	66
DIA_08	Checks glucose level / self - reporting unit	DIA	67
DIA_09	Checks feet / self - reporting unit	DIA	69
DIA_10	Medication - ASA - past month	DIA	72
DIA_11	Medication - blood cholesterol - past month	DIA	72
DIA_N8B	Checks glucose level/self - number of times per day	DIA	67
DIA_N8C	Checks glucose level/self - number of times per week	DIA	68
DIA_N8D	Checks glucose level/self - number of times per month	DIA	68
DIA_N8E	Checks glucose level/self - number of times per year	DIA	69
DIA_N9B	Checks feet / self - number of times per day	DIA	70
DIA_N9C	Checks feet / self - number of times per week	DIA	70
DIA_N9D	Checks feet / self - number of times per month	DIA	71
DIA_N9E	Checks feet / self - number of times per year	DIA	71
DIS_10A	Frequency - distress: felt tired out - past month	DIS	497
DIS_10B	Frequency - distress: felt nervous - past month	DIS	498
DIS_10C	Freq./-distress: so nervous nothing calms down - past month	DIS	499
DIS_10D	Frequency - distress: felt hopeless - past month	DIS	500
DIS_10E	Frequency - distress: felt restless - past month	DIS	501
DIS_10F	Frequency - distress: could not sit still - past month	DIS	502
DIS_10G	Frequency - distress: felt sad / depressed - past month	DIS	503
DIS_10H	Frequency - distress: depressed/nothing cheers - past month	DIS	504
DIS_10I	Freq. - distress: felt everything was an effort - past month	DIS	505
DIS_10J	Frequency - distress: felt worthless - past month	DIS	506
DIS_10K	Frequency of distress feelings - past month	DIS	507
DIS_10L	Frequency of distress feelings (more often)	DIS	508
DIS_10M	Frequency of distress feelings (less often)	DIS	509
DIS_10N	Frequency of dist. feelings interfere with life - past month	DIS	510
DISDCHR	Chronicity of distress/impairment scale - past month - (D)	DIS	511
DISDDSX	Distress scale - K10 - past month - (D)	DIS	511
DISDK6	Distress scale - K6 - past month - (D)	DIS	510
DOACC	Access to health care services - Inclusion flag - (F)	ACC	540
DOADL	Activities of daily living - Inclusion Flag - (F)	ADL	112
DOALW	Alcohol use - past week - Inclusion Flag - (F)	ALW	376
DOBPC	Blood pressure check - Inclusion Flag - (F)	BPC	127
DOBRX	Breast examinations - Inclusion Flag - (F)	BRX	159
DOCCS	Colorectal cancer screening - Inclusion Flag - (F)	CCS	173
DOCIH	Changes made to improve health module - Inclusion Flag - (F)	CIH	21

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 12

Variable Name	Description	Section	Page
DOCMH	Consultations - mental health module - Inclusion Flag - (F)	CMH	491
DOCPG	Problem gambling - Inclusion Flag - (F)	CPG	422
DODEN	Dental visits - Inclusion Flag - (F)	DEN	194
DODEP	Depression - Inclusion Flag - (F)	DPS	512
DODIA	Diabetes care - Inclusion Flag - (F)	DIA	62
DODIS	Distress - Inclusion Flag - (F)	DIS	497
DODRG	Illicit drugs use - Inclusion Flag - (F)	IDG	417
DODRV	Driving and safety - Inclusion Flag - (F)	DRV	381
DOEYX	Eye examinations - Inclusion Flag - (F)	EYX	184
DOFDC	Food choices - Inclusion Flag - (F)	FDC	215
DOFSC	Food security - Inclusion Flag - (F)	FSC	704
DOHCS	Health care system satisfaction module- Inclusion Flag - (F)	HCS	37
DOHUI	Health utility index - Inclusion Flag - (F)	HUI	73
DOINJ	Injuries - Inclusion Flag - (F)	INJ	299
DOMAM	Mammography - Inclusion Flag - (F)	MAM	145
DOMAS	Mastery - Inclusion Flag - (F)	MAS	335
DOMXA	Maternal exp.- Alcohol during preg. - Inclusion Flag - (F)	MXA	407
DOMXS	Maternal exp.- Smoking during preg. - Inclusion Flag - (F)	MXS	410
DOOH2	Oral health 2 - Inclusion Flag - (F)	OH2	203
DOORG	Voluntary organization - Participate - Inclusion Flag - (F)	ORG	20
DOPAF	Phy. act. - Facility at work - Inclusion Flag - (F)	PAF	693
DOPAP	PAP smear test module - Inclusion Flag - (F)	PAP	136
DOPAS	Patient sat. - Health care service - Inclusion Flag - (F)	PAS	98
DOPSA	Prostate cancer screening - Inclusion Flag - (F)	PSA	168
DOPSC	Patient sat. - Community-based care - Inclusion Flag - (F)	PSC	106
DOPWB	Psychological well-being module - (F)	PWB	437
DOSAC	Sedentary activities module - Inclusion Flag - (F)	SAC	271
DOSCH	Smoking - stages of change - Inclusion Flag - (F)	SCH	355
DOSFE	Self-esteem module - Inclusion Flag - (F)	SFE	328
DOSFR	Health status (SF-36) module - Inclusion Flag - (F)	SFR	534
DOSPC	Smoking - physician counselling - Inclusion Flag - (F)	SPC	358
DOSSA	Social support -availability - Inclusion Flag - (F)	SSA	462
DOSSB	Sun safety behaviours - Inclusion Flag - (F)	SSB	290
DOSSU	Social Support - utilization - Inclusion Flag - (F)	SSU	483
DOSUI	Suicidal thoughts & attempts - Inclusion Flag - (F)	SUI	533
DOSWL	Satisfaction with life - Inclusion Flag - (F)	SWL	319
DOSXB	Sexual behaviours - Inclusion Flag - (F)	SXB	425

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 13

Variable Name	Description	Section	Page
DOTAL	Smoking - Other tobacco products - Inclusion Flag - (F)	TAL	370
DOUPE	Use of protective equipment - Inclusion Flag - (F)	UPE	277
DOWTM	Waiting times - Inclusion Flag - (F)	WTM	622
DPS_02	Felt sad/blue/depressed - 2 weeks or more - 12 mo	DPS	512
DPS_03	Sad/depressed - length feelings lasted - 2 wk	DPS	513
DPS_04	Sad/depressed - frequency - 2 wk	DPS	513
DPS_05	Sad/depressed - lose interest in things - 2 wk	DPS	514
DPS_06	Sad/depressed - felt tired out / low on energy - 2 wk	DPS	514
DPS_07	Sad/depressed - weight change - 2 wk	DPS	515
DPS_08A	Sad/depressed - weight change (amount) - 2 wk	DPS	515
DPS_08B	Sad/depressed - weight change (lb/kg) - 2 wk	DPS	516
DPS_09	Sad/depressed - trouble falling asleep - 2 wk	DPS	516
DPS_10	Sad/depressed trouble falling asleep - frequency - 2 wk	DPS	517
DPS_11	Sad/depressed - trouble concentrating - 2 wk	DPS	517
DPS_12	Sad/depressed - felt down on self - 2 wk	DPS	518
DPS_13	Sad/depressed - thought a lot about death - 2 wk	DPS	518
DPS_14	Sad/depressed - number of weeks - 12 mo	DPS	519
DPS_15	Sad/depressed - most recent month - 2 wk	DPS	520
DPS_16	Loss of interest - things that usually give pleasure - 12 mo	DPS	521
DPS_17	Loss of interest - frequency - 12 mo	DPS	522
DPS_18	Loss of interest - frequency - 2 wk	DPS	523
DPS_19	Loss of interest - felt tired all the time - 2 wk	DPS	523
DPS_20	Loss of interest - weight change - 2 wk	DPS	524
DPS_21A	Loss of interest - weight change (amount)	DPS	524
DPS_21B	Loss of interest - weight change (lb/kg) - 2 wk	DPS	525
DPS_22	Loss of interest - trouble falling asleep - 2 wk	DPS	525
DPS_23	Loss of interest - trouble falling asleep/frequency - 2 wk	DPS	526
DPS_24	Loss of interest - trouble concentrating - 2 wk	DPS	526
DPS_25	Loss of interest - felt down on self - 2 wk	DPS	527
DPS_26	Loss of interest - thought a lot about death - 2 wk	DPS	527
DPS_27	Loss of interest - number of weeks - 12 mo	DPS	528
DPS_28	Loss of interest - most recent month - 2 wk	DPS	529
DPSTMT	Specific month last felt depressed - 2 weeks in a row - (D)	DPS	532
DPSTPP	Depression scale - Predicted probability - (D)	DPS	530
DPSTSF	Depression scale - short form score - (D)	DPS	530
DPSTWK	Number of weeks felt depressed - (D)	DPS	531
DRV_01A	Drove a motor vehicle	DRV	382

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 14

Variable Name	Description	Section	Page
DRV_01B	Drove a motorcycle	DRV	382
DRV_02	Frequency - used seat belt when driving	DRV	383
DRV_03A	Use of a cell phone while driving	DRV	384
DRV_03B	Use of a hands-free while driving	DRV	385
DRV_04	Frequency - felt tired when driving	DRV	386
DRV_05	Driving speed compared to others	DRV	387
DRV_06	Driving aggression compared to others	DRV	388
DRV_07	Drove a motor vehicle after 2 or more drinks	DRV	389
DRV_07A	Number of times - drove after 2+ drinks	DRV	389
DRV_08A	Frequency - uses seat belt - front seat passenger	DRV	390
DRV_08B	Frequency - uses seat belt - back seat passenger	DRV	391
DRV_09	Frequency - uses seat belt - in taxi	DRV	392
DRV_10	Passenger/driver had 2+ drinks	DRV	393
DRV_10A	No. of times - passenger/driver had 2+ drinks	DRV	393
DRV_11A	Driver or passenger - snowmobile, motor boat or seadoo	DRV	394
DRV_11B	Driver or passenger - ATV	DRV	394
DRV_12	Frequency wears helmet - ATV	DRV	395
DRV_13	Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.	DRV	395
DRV_13A	No. of times - passenger/driver had 2+ drinks-ATV/snowmobile	DRV	396
DRV_14	Drove snowmobile/ATV, etc. after 2+ drinks	DRV	396
DRV_14A	No. of times - drove snowmobile, ATV, etc after 2+ drinks	DRV	397
DRVFSBU	Passenger seat belt use - motor vehicle - (F)	DRV	397
EDUDH04	Highest level of education – household, 4 levels - (D)	EDU	703
EDUDR04	Highest level of education - respondent, 4 levels - (D)	EDU	704
ETS_10	Someone smokes inside home	ETS	365
ETS_20	Exposed to second-hand smoke in private vehicle	ETS	366
ETS_20B	Exposed to second-hand smoke in public places	ETS	367
ETS_35	Smoking allowed - House	ETS	367
ETS_36	Smoking restrictions	ETS	368
ETS_37A	Type of restrictions -certain rooms only	ETS	368
ETS_37B	Type of restrictions - young children	ETS	369
ETS_37C	Type of restrictions - windows open	ETS	369
ETS_37D	Type of restrictions - Other	ETS	370
ETSG11	Number of people who smoke inside home - (G)	ETS	366
EYX_140	Visit eye doctor - 12 m	EYX	185
EYX_142	Last time eye examination	EYX	186
EYX_46A	No eye exam - not gotten around to it - past 2 yrs	EYX	187

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 15

Variable Name	Description	Section	Page
EYX_46B	No eye exam - respondent didn't think necessary	EYX	187
EYX_46C	No eye exam - doctor didn't think necessary	EYX	188
EYX_46D	No eye exam - personal or family responsibilities	EYX	188
EYX_46E	No eye exam - not available when required	EYX	189
EYX_46F	No eye exam- not available in area	EYX	189
EYX_46G	No eye exam - waiting time too long	EYX	190
EYX_46H	No eye exam - transportation problems	EYX	190
EYX_46I	No eye exam - language problem	EYX	191
EYX_46J	No eye exam - cost	EYX	191
EYX_46K	No eye exam - did not know where to go	EYX	192
EYX_46L	No eye exam - fear	EYX	192
EYX_46M	No eye exam - other reason	EYX	193
EYX_46N	No eye exam - health problem	EYX	193
FDC_1A	Chooses or avoids foods - concerned about body weight	FDC	216
FDC_1B	Chooses or avoids foods - concerned about heart disease	FDC	216
FDC_1C	Chooses or avoids foods - concerned about cancer	FDC	217
FDC_1D	Chooses or avoids foods - concerned about osteoporosis	FDC	217
FDC_2A	Reason to choose foods - lower fat content	FDC	218
FDC_2B	Reason to choose foods - fibre content	FDC	218
FDC_2C	Reason to choose foods - calcium content	FDC	219
FDC_3A	Reason to avoid foods - fat content	FDC	219
FDC_3B	Reason to avoid foods - type of fat	FDC	220
FDC_3C	Reason to avoid foods - salt content	FDC	220
FDC_3D	Reason to avoid foods - cholesterol content	FDC	221
FDC_3E	Reason to avoid foods - calorie content	FDC	221
FDCFAVD	Avoids foods for content reasons - (F)	FDC	222
FDCFAH	Chooses/avoids foods b/c of certain health concerns - (F)	FDC	222
FDCFCHO	Chooses foods for content reasons - (F)	FDC	223
FLU_160	Ever had a flu shot	FLU	116
FLU_162	Had flu shot - last time	FLU	117
FLU_164	Had flu shot - which month	FLU	118
FLU_165	Had flu shot - current/last year	FLU	119
FLU_66A	No flu shot - have not gotten around to it	FLU	119
FLU_66B	No flu shot - respondent didn't think it was necessary	FLU	120
FLU_66C	No flu shot - doctor didn't think it was necessary	FLU	120
FLU_66D	No flu shot - personal or family responsibilities	FLU	121
FLU_66E	No flu shot - not available at time required	FLU	121

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 16

Variable Name	Description	Section	Page
FLU_66F	No flu shot - not available at all in area	FLU	122
FLU_66G	No flu shot - waiting time was too long	FLU	122
FLU_66H	No flu shot - transportation problems	FLU	123
FLU_66I	No flu shot - language problem	FLU	123
FLU_66J	No flu shot - cost	FLU	124
FLU_66K	No flu shot - did not know where to go	FLU	124
FLU_66L	No flu shot - fear	FLU	125
FLU_66M	No flu shot - bad reaction to previous shot	FLU	125
FLU_66N	No flu shot - other	FLU	126
FLU_66O	No flu shot - unable to leave house / health problem	FLU	126
FSC_010	Food situation in household - 12 mo	FSC	705
FSC_020	Worried food would run out - 12 mo	FSC	706
FSC_030	Food bought just didn't last and no money to buy more -12 mo	FSC	707
FSC_040	Could not afford to eat balanced meals - 12 mo	FSC	708
FSC_050	Relied on few kinds of low-cost food for children - 12 mo	FSC	709
FSC_060	Could not feed children a balanced meal - 12 mo	FSC	710
FSC_070	Children were not eating enough - 12 mo	FSC	711
FSC_080	Adults skipped or cut size of meals - 12 mo	FSC	712
FSC_081	Adults skipped or cut size of meals - frequency - 12 mo	FSC	713
FSC_090	Ate less than felt should - 12 mo	FSC	714
FSC_100	Was hungry but could not afford to eat - 12 mo	FSC	714
FSC_110	Lost weight no money to buy food- 12 mo	FSC	715
FSC_120	Adults did not eat for whole day - 12 mo	FSC	716
FSC_121	Adults did not eat whole day - frequency - 12 mo	FSC	717
FSC_130	Adults cut size of children's meals - 12 mo	FSC	718
FSC_140	Children skipped meals - 12 mo	FSC	719
FSC_141	Children skipped meals - frequency - 12 mo	FSC	720
FSC_150	Children were hungry - 12 mo	FSC	721
FSC_160	Children did not eat for whole day - 12 mo	FSC	722
FSCDAFS2	Food Security - Adult Status (D)	FSC	723
FSCDCFS2	Food Security - Child Status (D)	FSC	723
FSCDHFS2	Household Food Security Status - Modified version - (D)	FSD	722
FVCD CAR	Daily consumption - carrots - (D)	FVC	225
FVCD FRU	Daily consumption - fruit - (D)	FVC	224
FVCD JUI	Daily consumption - fruit juice - (D)	FVC	223
FVCD POT	Daily consumption - potatoes - (D)	FVC	225
FVCD SAL	Daily consumption - green salad - (D)	FVC	224

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 17

Variable Name	Description	Section	Page
FVCDTOT	Daily consumption - total fruits and vegetables - (D)	FVC	226
FVCDVEG	Daily consumption - other vegetables - (D)	FVC	226
FVCGTOT	Daily consumption - total fruits and vegetables - (D, G)	FVC	227
GEN_01	Self-perceived health	GEN	12
GEN_02	Self-perceived health compared to one year ago	GEN	13
GEN_02A2	Satisfaction with life in general	GEN	14
GEN_02B	Self-perceived mental health	GEN	15
GEN_07	Perceived life stress	GEN	16
GEN_08	Worked at job or business	GEN	16
GEN_09	Self-perceived work stress	GEN	17
GEN_10	Sense of belonging to local community	GEN	18
GENDHDI	Perceived Health	GEN	18
GENDMHI	Perceived Mental Health	GEN	19
GENGSWL	Satisfaction with life in general - (G)	GEN	19
GEODBCHA	British Columbia Health Authority (BCHA) - (D)	GEO	5
GEODPMF	Health Region - (G)	GEO	2
GEOGPRV	Province of residence of respondent - (G)	GEO	1
HCS_1	Rating of availability of health care - province	HCS	38
HCS_2	Rating of quality of health care - province	HCS	39
HCS_3	Rating of availability of health care - community	HCS	40
HCS_4	Rating of quality of health care - community	HCS	41
HCU_1A1	Has a usual place to go when sick/needs health advice	HCU	81
HCU_1A2	Kind of place	HCU	82
HCU_1AA	Has regular medical doctor	HCU	78
HCU_1BA	Reason has no regular doctor - no one available in area	HCU	78
HCU_1BB	Reason has no regular doctor - none taking new patients	HCU	79
HCU_1BC	Reason has no regular doctor - not tried to contact one	HCU	79
HCU_1BD	Reason has no regular doctor - has left or retired	HCU	80
HCU_1BE	Reason has no regular doctor - other	HCU	80
HUIDCOG	Cognition problems - function code - (D)	HUI	76
HUIDEMO	Emotion (function code) - (D)	HUI	76
HUIDHSI	Health utilities index - (D)	HUI	77
HUIGDEX	Dexterity trouble - function code - (D, G)	HUI	75
HUIGHER	Hearing problems - function code - (D, G)	HUI	74
HUIGMOB	Mobility trouble - function code - (D, G)	HUI	75
HUIGSPE	Speech trouble - function code - (D, G)	HUI	74
HUIGVIS	Vision trouble - function code - (D, G)	HUI	73

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 18

Variable Name	Description	Section	Page
HUPDPAD	Pain (function code) - (D)	HUI	77
HWT_4	Respondent's opinion of own weight - self-reported	HWT	42
HWTDCOL	BMI class. (12 to 17) / self-report - Cole system - (D)	HWT	45
HWTGBMI	Body Mass Index (BMI) / self-report - (D, G)	HWT	44
HWTGHTM	Height (metres) / self-reported - (D, G)	HWT	43
HWTGISW	BMI class. (18 +) / self-report - Intern. standard - (D, G)	HWT	45
HWTGWTK	Weight (kilograms) / self-reported - (D, G)	HWT	44
IDGDINT	Illicit drug interference - mean - 12 mo - (D)	IDG	421
IDGFINT	Illicit drug interference - 12 mo - (F)	IDG	421
IDGFLA	Illicit drug use - including one time cannabis - life - (F)	IDG	419
IDGFLAC	Illicit drug use - excluding one time cannabis - life - (F)	IDG	419
IDGFLCA	Cannabis drug use - including one time only - life - (F)	IDG	417
IDGFLCM	Cannabis drug use - excluding one time only - life - (F)	IDG	418
IDGFYA	Illicit drug use - including one time cannabis - 12 mo - (F)	IDG	420
IDGFYAC	Illicit drug use - excluding one time cannabis - 12 mo - (F)	IDG	420
IDGFYCM	Cannabis drug use - excluding one time only - 12 mo - (F)	IDG	418
INCDRCA	Household income distribution - (D)	INC	727
INCDRPR	Household income distribution - provincial level - (D)	INC	728
INCDRRS	Household income distribution - health region level - (D)	INC	729
INCG2	Total household income - main source - (G)	INC	724
INCG7	Main source of personal income - (G)	INC	724
INCGHH	Total household income from all sources - (D, G)	INC	725
INCGPER	Total personal income from all sources - (D, G)	INC	726
INJ_01	Injured in past 12 months	INJ	307
INJ_10	Most serious injury - result of a fall	INJ	312
INJ_13	Most serious injury - received treatment within 48 hours	INJ	313
INJ_14A	Treated doctor's office	INJ	314
INJ_14B	Treated emergency room	INJ	314
INJ_14O	Treated where injury happened	INJ	316
INJ_15	Most serious injury - admitted to hospital	INJ	316
INJ_15A	Follow-up care because of injury	INJ	317
INJ_16	Other injuries - treated but did not limit normal activities	INJ	317
INJDSTT	Injury Status - (D)	INJ	319
INJG02	Number of injuries in past 12 months - (G)	INJ	307
INJG05	Most serious injury - type - (G)	INJ	308
INJG06	Most serious injury - body part affected - (G)	INJ	309
INJG08	Most serious injury - place of occurrence - (G)	INJ	310

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 19

Variable Name	Description	Section	Page
INJG092	Most serious injury - activity when injured - (G)	INJ	311
INJG11A	How did you fall - (G)	INJ	313
INJG14C	Most serious injury - treated in clinic - (G)	INJ	315
INJG14J2	Most serious inj. - treated physio/mass.ther/chiro/other (G)	INJ	315
INJG17	Other injuries - number - (G)	INJ	318
INJGCAU	Cause of injury - (D, G)	INJ	318
INW_01	Injury occurred in current job	INW	311
INWGSOC	Occupation group (SOC) where injury occurred - (G)	INW	312
LBSDPFT	Current - full-time / part-time status - (D)	LBS	692
LBSDWSS	Working status last week - 4 groups - (D)	LBS	692
LBSG31	Employment status - 12 months - (G)	LBF	691
LBSGHPW	Total usual hours worked - current jobs - (D, G)	LBF	691
LBSGSOC	Occupation group - (G)	LBF	693
MAM_030	Ever had mammogram	MAM	146
MAM_032	Last time mammogram was done	MAM	150
MAM_038	Had a hysterectomy	MAM	158
MAM_31A	Had mammogram - family history	MAM	146
MAM_31B	Had mammogram - regular check-up	MAM	147
MAM_31C	Had mammogram - age	MAM	147
MAM_31D	Had mammogram - previously detected lump	MAM	148
MAM_31E	Had mammogram - follow-up of treatment	MAM	148
MAM_31F	Had mammogram - on hormone replacement therapy	MAM	149
MAM_31G	Had mammogram - breast problem	MAM	149
MAM_31H	Had mammogram - other	MAM	150
MAM_36A	No mammogram - have not gotten around to it - past 2 yrs	MAM	151
MAM_36B	No mammogram - resp. did not think necessary - past 2 yrs	MAM	151
MAM_36C	No mammogram - doctor did not think necessary - past 2 yrs	MAM	152
MAM_36D	No mammogram - personal/family responsibilities - past 2 yrs	MAM	152
MAM_36E	No mammogram - not available when required - past 2 yrs	MAM	153
MAM_36F	No mammogram - not available in the area - past 2 yrs	MAM	153
MAM_36G	No mammogram - waiting time too long - past 2 yrs	MAM	154
MAM_36H	No mammogram - transportation problems - past 2 yrs	MAM	154
MAM_36I	No mammogram - language problem - past 2 yrs	MAM	155
MAM_36J	No mammogram - cost - past 2 yrs	MAM	155
MAM_36K	No mammogram - did not know where to go - past 2 yrs	MAM	156
MAM_36L	No mammogram - fear - past 2 yrs	MAM	156
MAM_36M	No mammogram - other - past 2 yrs	MAM	158

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 20

Variable Name	Description	Section	Page
MAM_36N	No mammogram - unable to leave house/hlth prob - past 2 yrs	MAM	157
MAM_36O	No mammogram - Breasts removed / Mastectomy	MAM	157
MAS_601	Mastery - lack of control	MAS	335
MAS_602	Mastery - cannot solve problems	MAS	336
MAS_603	Mastery - cannot change things	MAS	337
MAS_604	Mastery - helpless	MAS	338
MAS_605	Mastery - pushed around	MAS	339
MAS_606	Mastery - fate depends upon self	MAS	340
MAS_607	Mastery - can do anything	MAS	341
MASDM1	Mastery scale - (D)	MAS	341
MEX_01	Has given birth in the past 5 years	MEX	398
MEX_02	Took folic acid - before last pregnancy	MEX	398
MEX_03	Breastfed or tried to breastfeed last child	MEX	399
MEX_05	Still breastfeeding last child	MEX	400
MEX_06	Duration of breastfeeding last child	MEX	401
MEX_07	Age of last baby - other foods added	MEX	402
MEX_08	Main reason - other foods added	MEX	403
MEX_09	Gave vitamin D - when breast milk only	MEX	404
MEX_10	Main reason why stopped breastfeeding	MEX	405
MEXDEBF2	Duration of exclusive breastfeeding - (D)	MEX	406
MEXFEB6	Exclusively breastfed for 6 months or more	MEX	407
MEXG04	Main reason did not breastfeed last child - (G)	MEX	400
MXA_01	Drank alcohol - last pregnancy	MXA	408
MXA_02	Frequency of drinking - last pregnancy	MXA	408
MXA_03	Drank alcohol - while breastfeeding last baby	MXA	409
MXA_04	Frequency of drinking - while breastfeeding last baby	MXA	410
MXS_01	Type of smoker - last pregnancy	MXS	411
MXS_04	Smoked while breastfeeding last baby (occasional smoker)	MXS	414
MXS_07	Second-hand smoke - during or after last pregnancy	MXS	416
MXSG02	No. of cigarettes daily - last pregnancy (daily smoker)	MXS	412
MXSG03	No. of cigarettes daily - last pregnancy (occasional smoker)	MXS	413
MXSG05	No. of cigarettes daily - while breastfeeding (daily smoker)	MXS	415
MXSG06	No. of cigarettes daily - while breastfeeding (occ. smoker)	MXS	416
OH2_10	Frequency usually visits the dentist	OH2	204
OH2_11	Insurance for dental expenses	OH2	204
OH2_11A	Type of dental insurance plan - government-sponsored	OH2	205
OH2_11B	Type of dental insurance plan - employer-sponsored	OH2	205

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 21

Variable Name	Description	Section	Page
OH2_11C	Type of dental insurance plan - private	OH2	206
OH2_12	Teeth removed by dentist - 12 mo	OH2	206
OH2_13	Teeth removed - decay or gum disease - 12 mo	OH2	207
OH2_20	Has one or more of own teeth	OH2	207
OH2_21	Wears dentures	OH2	208
OH2_22	Condition of teeth/mouth - difficulty speaking clearly	OH2	208
OH2_23	Condition of teeth/mouth - avoided conversation - 12 mo	OH2	209
OH2_24	Condition of teeth/mouth - avoided laughing/smiling - 12 mo	OH2	210
OH2_25A	Had a toothache - past mo.	OH2	210
OH2_25B	Teeth sensitive to hot or cold - past mo.	OH2	211
OH2_25C	Had pain - jaw joints - past mo.	OH2	211
OH2_25D	Had pain - mouth or face - past mo.	OH2	212
OH2_25E	Had bleeding gums - past mo.	OH2	212
OH2_25F	Had dry mouth - past mo.	OH2	213
OH2_25G	Had bad breath - past mo.	OH2	213
OH2_30	Frequency of brushing teeth	OH2	214
OH2FLIM	Limited socially due to oral health status - 12 mo - (F)	OH2	214
OH2FOFP	Oral or facial pain - past mo. - (F)	OH2	215
ORG_1	Member of a voluntary organization	ORG	20
ORG_2	Frequency - participate in activities	ORG	21
PAC_1A	Activity / last 3 months - walking	PAC	227
PAC_1B	Activity / last 3 months - gardening or yard work	PAC	228
PAC_1C	Activity / last 3 months - swimming	PAC	228
PAC_1D	Activity / last 3 months - bicycling	PAC	229
PAC_1E	Activity / last 3 months - popular or social dance	PAC	229
PAC_1F	Activity / last 3 months - home exercises	PAC	230
PAC_1G	Activity / last 3 months - ice hockey	PAC	230
PAC_1H	Activity / last 3 months - ice skating	PAC	231
PAC_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	231
PAC_1J	Activity / last 3 months - jogging or running	PAC	232
PAC_1K	Activity / last 3 months - golfing	PAC	232
PAC_1L	Activity / last 3 months - exercise class or aerobics	PAC	233
PAC_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	233
PAC_1N	Activity / last 3 months - bowling	PAC	234
PAC_1O	Activity / last 3 months - baseball or softball	PAC	234
PAC_1P	Activity / last 3 months - tennis	PAC	235
PAC_1Q	Activity / last 3 months - weight-training	PAC	235

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 22

Variable	Name	Description	Section	Page
PAC_1R		Activity / last 3 months - fishing	PAC	236
PAC_1S		Activity / last 3 months - volleyball	PAC	236
PAC_1T		Activity / last 3 months - basketball	PAC	237
PAC_1U		Activity / last 3 months - Any other	PAC	238
PAC_1V		Activity / last 3 months - No physical activity	PAC	238
PAC_1W		Activity / last 3 months - other (#2)	PAC	239
PAC_1X		Activity / last 3 months - other (#3)	PAC	239
PAC_1Z		Activity / last 3 months - Soccer	PAC	237
PAC_2A		Number of times / 3 months - walking for exercise	PAC	240
PAC_2B		Number of times / 3 months - gardening/yard work	PAC	241
PAC_2C		Number of times / 3 months - swimming	PAC	242
PAC_2D		Number of times / 3 months - bicycling	PAC	243
PAC_2E		Number of times / 3 months - popular or social dance	PAC	244
PAC_2F		Number of times / 3 months - home exercises	PAC	245
PAC_2H		Number of times / 3 months - ice skating	PAC	247
PAC_2I		Number of times / 3 months- in-line skating or rollerblading	PAC	248
PAC_2J		Number of times / 3 months - jogging or running	PAC	249
PAC_2K		Number of times / 3 months - golfing	PAC	250
PAC_2L		Number of times / 3 months - exercise class or aerobics	PAC	251
PAC_2M		Number of times / 3 months - downhill skiing or snowboarding	PAC	252
PAC_2N		Number of times / 3 months - bowling	PAC	253
PAC_2O		Number of times / 3 months - baseball or softball	PAC	254
PAC_2P		Number of times / 3 months - tennis	PAC	255
PAC_2Q		Number of times / 3 months - weight-training	PAC	256
PAC_2R		Number of times / 3 months - fishing	PAC	257
PAC_2S		Number of times / 3 months - volleyball	PAC	258
PAC_2T		Number of times / 3 months - basketball	PAC	259
PAC_2U		Number of times / 3 months - other activity (#1)	PAC	261
PAC_2W		Number of times / 3 months - other activity (#2)	PAC	262
PAC_2X		Number of times - other activity (#3)	PAC	263
PAC_2Z		Number of times / 3 months - soccer	PAC	260
PAC_3A		Time spent - walking for exercise	PAC	240
PAC_3B		Time spent - gardening or yard work	PAC	241
PAC_3C		Time spent - swimming	PAC	242
PAC_3D		Time spent - bicycling	PAC	243
PAC_3E		Time spent - popular or social dance	PAC	244
PAC_3F		Time spent - home exercises	PAC	245

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 23

Variable	Name	Description	Section	Page
PAC_3G		Time spent - ice hockey	PAC	246
PAC_3H		Time spent - ice skating	PAC	247
PAC_3I		Time spent - in-line skating or rollerblading	PAC	248
PAC_3J		Time spent - jogging or running	PAC	249
PAC_3K		Time spent - golfing	PAC	250
PAC_3L		Time spent - exercise class or aerobics	PAC	251
PAC_3M		Time spent - downhill skiing or snowboarding	PAC	252
PAC_3N		Time spent - bowling	PAC	253
PAC_3O		Time spent - baseball or softball	PAC	254
PAC_3P		Time spent - tennis	PAC	255
PAC_3Q		Time spent - weight-training	PAC	256
PAC_3R		Time spent - fishing	PAC	257
PAC_3S		Time spent - volleyball	PAC	258
PAC_3T		Time spent - basketball	PAC	259
PAC_3U		Time spent - other activity (#1)	PAC	261
PAC_3W		Time spent - other activity (#2)	PAC	262
PAC_3X		Time spent - other activity (#3)	PAC	263
PAC_3Z		Time spent - soccer	PAC	260
PAC_7		Walked to work or school / last 3 months	PAC	264
PAC_7A		Number of times / 3 months - walking to go work or school	PAC	264
PAC_7B		Time spent - walking to go work or school	PAC	265
PAC_8		Bicycled to work or school / last 3 months	PAC	265
PAC_8A		Number of times / 3 months - bicycling to go work or school	PAC	266
PAC_8B		Time spent - bicycling to go work or school	PAC	266
PACDEE		Daily energy expenditure - Leisure physical activities - (D)	PAC	267
PACDFM		Month. freq. - Leisure phys. activity lasting >15 min. - (D)	PAC	268
PACDFR		Frequency of all leisure physical activity > 15 min. - (D)	PAC	268
PACDLTI		Leisure and transportation physical activity index - (D)	PAC	270
PACDPAI		Leisure physical activity index - (D)	PAC	269
PACDTLE		Daily ener. expend. - Transport. and leisure phy. act. - (D)	PAC	270
PACFD		Participant in daily leisure phys. activity > 15 min. - (F)	PAC	269
PACFLEI		Participant in leisure physical activity - (F)	PAC	267
PACFLTl		Participant in leisure or transportation phys. activ. - (F)	PAC	271
PACG2G		Number of times / 3 months - ice hockey - (G)	PAC	246
PAF_01		Work at home	PAF	694
PAF_02		At work - Access to a pleasant place to walk	PAF	694
PAF_03		At work - Access to playing fields	PAF	695

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 24

Variable Name	Description	Section	Page
PAF_04	At work - Access to a gym	PAF	695
PAF_05	At work - Access to fitness classes	PAF	696
PAF_06	At work - Access to any organized sport teams	PAF	696
PAF_07	At work - Access to showers / change rooms	PAF	697
PAF_08	At work - Access to programs to improve health	PAF	697
PAFFACC	Access to physical activity facilities at work - (F)	PAF	698
PAP_020	Ever had PAP smear test	PAP	136
PAP_022	Last time had PAP smear test	PAP	137
PAP_26A	No PAP smear - have not gotten around to it	PAP	137
PAP_26B	No PAP smear - respondent didn't think necessary	PAP	138
PAP_26C	No PAP smear - doctor didn't think necessary	PAP	138
PAP_26D	No PAP smear - personal / family responsibilities	PAP	139
PAP_26E	No PAP smear - not available when required	PAP	139
PAP_26F	No PAP smear - not available in area	PAP	140
PAP_26G	No PAP smear - waiting time too long	PAP	140
PAP_26H	No PAP smear - transportation problems	PAP	141
PAP_26I	No PAP smear - language problem	PAP	141
PAP_26J	No PAP smear - cost	PAP	142
PAP_26K	No PAP smear - did not know where to go	PAP	142
PAP_26L	No PAP smear - fear	PAP	143
PAP_26M	No PAP smear - hysterectomy	PAP	143
PAP_26N	No PAP smear - hate / dislike having one done	PAP	144
PAP_26O	No PAP smear - other	PAP	145
PAP_26P	No PAP smear - unable to leave house / health problem	PAP	144
PAS_11	Received health care services	PAS	98
PAS_12	Rating of quality of care received	PAS	99
PAS_13	Satisfaction with way care provided	PAS	100
PAS_21A	Received health care services at hospital	PAS	101
PAS_21B	Type of patient - most recent visit	PAS	101
PAS_22	Rating of quality of care received - hospital	PAS	102
PAS_23	Satisfaction with way care provided - hospital	PAS	103
PAS_31A	Received physician care	PAS	104
PAS_31B	Type of physician - most recent care	PAS	104
PAS_32	Rating of quality of care received - physician	PAS	105
PAS_33	Satisfaction with way care provided - physician	PAS	106
PSA_170	Ever had a PSA blood test (prostate cancer)	PSA	168
PSA_172	Last time had PSA blood test	PSA	169

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 25

Variable Name	Description	Section	Page
PSA_174	Had a digital rectal exam	PSA	172
PSA_175	Last time had digital rectal exam	PSA	173
PSA_73A	Had PSA test - family history of prostate cancer	PSA	169
PSA_73B	Had PSA test - regular check-up	PSA	170
PSA_73C	Had PSA test - age	PSA	170
PSA_73D	Had PSA test - follow-up of problem	PSA	171
PSA_73E	Had PSA test - follow-up of prostate cancer treatment	PSA	171
PSA_73F	Had PSA test - other	PSA	172
PSC_1	Received any community-based care	PSC	107
PSC_2	How rate quality of the community-based received	PSC	107
PSC_3	How satisfied with the way community-based care provided	PSC	108
PWB_01	Frequency - felt self-confident - past month	PWB	437
PWB_02	Frequency - satisfied with accomplishments - past month	PWB	438
PWB_03	Frequency - took on lots of projects - past month	PWB	439
PWB_04	Frequency - felt emotionally balanced - past month	PWB	440
PWB_05	Frequency - felt loved and appreciated - past month	PWB	441
PWB_06	Frequency - had goals and ambitions - past month	PWB	442
PWB_07	Frequency - felt like having fun - past month	PWB	443
PWB_08	Frequency - felt useful - past month	PWB	444
PWB_09	Frequency - smiled easily - past month	PWB	445
PWB_10	Frequency - was true to self - past month	PWB	446
PWB_11	Frequency - did good job listening to friends - past month	PWB	447
PWB_12	Frequency - was curious and interested - past month	PWB	448
PWB_13	Frequency - was able to clearly sort things out - past month	PWB	449
PWB_14	Frequency - found life exciting - past month	PWB	450
PWB_15	Frequency - life was well-balanced - past month	PWB	451
PWB_16	Frequency - was calm and level-headed - past month	PWB	452
PWB_17	Frequency - easily found answers - past month	PWB	453
PWB_18	Frequency - got along well with others - past month	PWB	454
PWB_19	Frequency - lived at normal pace - past month	PWB	455
PWB_20	Frequency - impression of enjoying life - past month	PWB	456
PWB_21	Frequency - had good sense of humour - past month	PWB	457
PWB_22	Frequency - was at peace with self - past month	PWB	458
PWB_23	Frequency - felt healthy/in good shape - past month	PWB	459
PWB_24	Frequency - face situations positively - past month	PWB	460
PWB_25	Frequency - had good morale - past month	PWB	461
PWBDPWB	Psychological well-being scale - past month - (D)	PWB	461

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 26

Variable Name	Description	Section	Page
RAC_1	Has difficulty with activities	RAC	108
RAC_2A	Reduction in kind/amount of activities - at home	RAC	109
RAC_2B1	Reduction in kind/amount of activities - at school	RAC	109
RAC_2B2	Reduction in kind/amount of activities - at work	RAC	110
RAC_2C	Reduction in kind/amount of activities - other activities	RAC	110
RACDIMP	Impact of health problems - (D)	RAC	111
RACDPAL	Participation and activity limitation - (D)	RAC	112
RACG5	Cause of health problem - (G)	RAC	111
REP_1A	Repetitive strain injury	INJ	300
REP_2	Limit your normal activities	INJ	300
REP_3A	Repetitive strain- activity causing injury	INJ	302
REP_4	Repetitive strain- working at a job or business	INJ	302
REP_5A	Activity - Walking	INJ	303
REP_5B	Activity - Sports	INJ	303
REP_5C	Activity - Leisure	INJ	304
REP_5D	Activity - Household chores	INJ	304
REP_5F	Activity - Computer	INJ	305
REP_5G	Activity - Driving a motor vehicle	INJ	305
REP_5H	Activity - Lifting or carrying	INJ	306
REP_5I	Activity - Other	INJ	306
REPG3	Repetitive strain - body part affected - (G)	INJ	301
SACDTER	Total no. hrs / week (excl. reading) - sedentary act. - (D)	SAC	277
SACDTOT	Total number hours - sedentary activities - past 3 mo - (D)	SAC	276
SACG1	Number of hours - on a computer - past 3 mo - (G)	SAC	272
SACG2	Number of hours - playing video games - past 3 mo - (G)	SAC	273
SACG3	Number of hours - watching tv/videos - past 3 mo - (G)	SAC	274
SACG4	Number of hours - reading - past 3 mo - (G)	SAC	275
SCH_1	Quitting smoking - next 6 months	SCH	355
SCH_2	Quitting smoking - next 30 days	SCH	356
SCH_3	Stopped smoking for at least 24 hours - 12 mo	SCH	356
SCH_4	Number of times stopped for at least 24 hours - 12 mo	SCH	357
SCHDSTG	Smoking stages of change - (D)	SCH	357
SDC_8	Current student	EDU	702
SDC_9	Full-time student or part-time student	EDU	703
SDCFIMM	Immigrant - (F)	SDC	700
SDCGCBG	Country of birth - Canada/other - (G)	SDC	699
SDCGCGT	Cultural or racial origin - (D, G)	SDC	701

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 27

Variable Name	Description	Section	Page
SDCGLHM	Language(s) spoken at home - (D, G)	SDC	699
SDCGLNG	Languages - can converse - (D, G)	SDC	701
SDCGRES	Length of time in Canada since immigration - (D, G)	SDC	700
SFE_501	Self-esteem - has good qualities	SFE	329
SFE_502	Self-esteem - is person of worth	SFE	330
SFE_503	Self-esteem - is able to do things well	SFE	331
SFE_504	Self-esteem - takes positive attitude towards self	SFE	332
SFE_505	Self-esteem - satisfied with self	SFE	333
SFE_506	Self-esteem - feels is a failure	SFE	334
SFEDE1	Self-esteem scale - (D)	SFE	334
SFRDBPS	Bodily pain scale - (D)	SFR	538
SFRDGHP	General health perceptions scale - (D)	SFR	538
SFRDGMH	General mental health scale - (D)	SFR	537
SFRDMCS	Summary measure of mental health - (D)	SFR	539
SFRDMRF	Role functioning (mental) scale - (D)	SFR	536
SFRDPCS	Summary measure of physical health - (D)	SFR	539
SFRDPFS	Physical functioning scale - (D)	SFR	535
SFRDPRF	Role functioning (physical) scale - (D)	SFR	536
SFRDSFS	Social functioning scale - (D)	SFR	535
SFRDVTS	Vitality scale - (D)	SFR	537
SMK_01A	Smoked 100 or more cigarettes - life	SMK	342
SMK_01B	Ever smoked whole cigarette	SMK	342
SMK_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	346
SMK_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	347
SMK_05D	Ever smoked cigarettes daily	SMK	347
SMK_06A	Stopped smoking - when (was never a daily smoker)	SMK	348
SMK_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	350
SMK_10	Quit smoking completely (former daily smoker)	SMK	351
SMK_10A	Stopped smoking completely - when (former daily smoker)	SMK	352
SMK_202	Type of smoker	SMK	344
SMK_204	Number of cigarettes smoked per day (daily smoker)	SMK	346
SMK_208	Number of cigarettes smoked per day (former daily smoker)	SMK	350
SMKDSTY	Type of smoker - (D)	SMK	353
SMKDYCS	Number of years smoked (current daily smokers) - (D)	SMK	354
SMKG01C	Age - smoked first whole cigarette - (G)	SMK	343
SMKG06C	Number of years since stopped smoking - (G)	SMK	348
SMKG09C	Yrs since stopped smoking daily (former daily smoker) - (G)	SMK	351

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 28

Variable Name	Description	Section	Page
SMKG10C	Number of years since stopped smoking (daily) - (G)	SMK	353
SMKG203	Age - started smoking daily (daily smoker) - (G)	SMK	345
SMKG207	Age - started smoking daily (former daily smoker) - (G)	SMK	349
SMKGSTP	Number of years since stopping smoking completely - (D, G)	SMK	354
SPC_10	Visited regular medical doctor	SPC	358
SPC_11	Doctor - knows smokes/smoked	SPC	359
SPC_12	Doctor - advised to quit	SPC	359
SPC_13	Doctor - gave specific help	SPC	360
SPC_14A	Type of help - referral to one-on-one program	SPC	360
SPC_14B	Type of help - referral to group program	SPC	361
SPC_14C	Type of help - recommended nicotine patch or gum	SPC	361
SPC_14D	Type of help - recommended Zyban or other medication	SPC	362
SPC_14E	Type of help - provided self-help information	SPC	362
SPC_14F	Type of help - doctor offered counselling	SPC	363
SPC_14G	Type of help - other	SPC	363
SPC_20	Visited dentist	SPC	364
SPC_21	Dentist/hygienist - knows smokes/smoked	SPC	364
SPC_22	Dentist/hygienist - advised to quit	SPC	365
SSA_01	Number of close friends and relatives	SSA	462
SSA_02	Has someone to give help if confined to bed	SSA	463
SSA_03	Has someone to listen	SSA	464
SSA_04	Has someone to provide/give advice about a crisis.	SSA	465
SSA_05	Has someone to take to doctor	SSA	466
SSA_06	Has someone who shows love and affection	SSA	467
SSA_07	Has someone to have a good time with	SSA	468
SSA_08	Has someone to give info to help understand a situation	SSA	469
SSA_09	Has someone to confide in	SSA	470
SSA_10	Has someone who gives hugs	SSA	471
SSA_11	Has someone to get together with for relaxation	SSA	472
SSA_12	Has someone to prepare meals	SSA	473
SSA_13	Has someone to give advice	SSA	474
SSA_14	Has someone to do things to get mind off things	SSA	475
SSA_15	Has someone to help with daily chores if sick	SSA	476
SSA_16	Has someone to share most private worries and fears with	SSA	477
SSA_17	Has someone to turn to for suggestions for personal problems	SSA	478
SSA_18	Has someone to do something enjoyable with	SSA	479
SSA_19	Has someone who understands problems	SSA	480

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 29

Variable Name	Description	Section	Page
SSA_20	Has someone who loves and makes feel wanted	SSA	481
SSADAFF	Affection - MOS subscale - (D)	SSA	482
SSADEMO	Emotional or informational support - MOS subscale - (D)	SSA	483
SSADSOC	Positive social interaction - MOS subscale - (D)	SSA	482
SSADTNG	Tangible social support - MOS subscale - (D)	SSA	481
SSB_01	Been sunburnt - past 12 months	SSB	290
SSB_02	Sunburn involved blistering	SSB	291
SSB_03	Sunburns involved pain - lasting more than 1 day	SSB	291
SSB_06	Amount of time in the sun - 11 am to 4 pm	SSB	292
SSB_07	Frequency - seek shade	SSB	293
SSB_08	Frequency - wear hat in the sun	SSB	294
SSB_09A	Frequency - wear long pants or skirt in the sun	SSB	295
SSB_09B	Frequency - use sunscreen on your face	SSB	296
SSB_10	Sun Protection factor (SPF) usually use - face	SSB	297
SSB_11	Frequency - use sunscreen on your body	SSB	298
SSB_12	Sun Protection factor (SPF) usually use on body	SSB	299
SSU_21A	Received tangible social support	SSU	484
SSU_21B	Frequency of tangible social support	SSU	485
SSU_22A	Received affective support	SSU	486
SSU_22B	Frequency of affective support	SSU	487
SSU_23A	Received positive social interactive support	SSU	488
SSU_23B	Frequency of positive social interactive support	SSU	489
SSU_24A	Received emotional/informational support	SSU	490
SSU_24B	Frequency of emotional/informational support	SSU	491
SUI_1	Seriously considered suicide - lifetime	SUI	533
SUI_2	Seriously considered suicide - past 12 months	SUI	534
SWL_02	Satisfaction - job	SWL	320
SWL_03	Satisfaction - leisure activities	SWL	321
SWL_04	Satisfaction - financial situation	SWL	322
SWL_05	Satisfaction - with self	SWL	323
SWL_06	Satisfaction - way body looks	SWL	324
SWL_07	Satisfaction - relationships with other family members	SWL	325
SWL_08	Satisfaction - relationships with friends	SWL	326
SWL_09	Satisfaction - housing	SWL	327
SWL_10	Satisfaction - neighbourhood	SWL	328
SXB_07	Ever diagnosed with STD	SXB	427
SXB_09	Important to avoid getting pregnant	SXB	428

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 30

Variable Name	Description	Section	Page
SXB_1	Ever had sexual intercourse	SXB	426
SXB_10	Important to avoid getting partner pregnant	SXB	429
SXB_11	Usually use birth control - past 12 months	SXB	430
SXB_12A	Usual birth control method - condom	SXB	430
SXB_12B	Usual birth control method - Birth control pill	SXB	431
SXB_12C	Usual birth control method - diaphragm	SXB	431
SXB_12D	Usual birth control method - spermicide	SXB	432
SXB_12E	Usual birth control method - other	SXB	433
SXB_12F	Usual birth control method - birth control injection	SXB	432
SXB_13A	Birth control method used last time - condom	SXB	433
SXB_13B	Birth control method used last time - birth control pill	SXB	434
SXB_13C	Birth control method used last time - diaphragm	SXB	434
SXB_13D	Birth control method used last time - spermicide	SXB	435
SXB_13E	Birth control method used last time - other	SXB	436
SXB_13F	Birth cntrl. method used last time - birth control injection	SXB	435
SXB_13G	Method used last time - nothing	SXB	436
SXB_3	Had sexual intercourse - past 12 months	SXB	426
SXB_7A	Condom use - last time	SXB	427
TAL_1	Smoked cigars - last month	TAL	371
TAL_2	Smoked a pipe - last month	TAL	371
TAL_3	Used snuff - last month	TAL	372
TAL_4	Used chewing tobacco - last month	TAL	372
UPE_01	Frequency - wears helmet - bicycling	UPE	278
UPE_01A	Done any bicycling in past 12 months	UPE	278
UPE_02	Done any in-line skating in past 12 months	UPE	279
UPE_02A	Frequency - wears helmet - in-line skating	UPE	279
UPE_02B	Frequency - wears wrist guards - in-line skating	UPE	280
UPE_02C	Frequency - wears elbow pads - in-line skating	UPE	280
UPE_02D	Wear knee pads	UPE	281
UPE_03A	Downhill skiing or snowboarding - past 3 mo.	UPE	281
UPE_03B	Downhill skiing or snowboarding - past 12 mo	UPE	282
UPE_04A	Frequency - wears helmet - downhill skiing	UPE	283
UPE_05A	Frequency - wears helmet - snowboarding	UPE	284
UPE_05B	Frequency - wears wrist guards - snowboarding	UPE	285
UPE_06	Has done skateboarding - past 12 mo	UPE	285
UPE_06A	Frequency - wears helmet - skateboarding	UPE	286
UPE_06B	Frequency - wears wrist guards/protectors - skateboarding	UPE	286

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 31

Variable Name	Description	Section	Page
UPE_06C	Frequency - wears elbow pads - skateboarding	UPE	287
UPE_07	Played ice hockey past 12 months	UPE	287
UPE_07A	Wear a mouth guard	UPE	288
UPEFILS	Wears all protective equipment - in-line skating - (F)	UPE	288
UPEFSKB	Wears all protective equipment - skateboarding - (F)	UPE	289
UPEFSNB	Wears all protective equipment - snowboarding - (F)	UPE	289
VERDATE	Date of file creation	SAM	1
WTM_01	Required visit to medical specialist	WTM	622
WTM_02	Required visit to medical specialist - type of condition	WTM	623
WTM_03	Person who referred respondent to medical specialist	WTM	624
WTM_04	Already visited the medical specialist	WTM	624
WTM_05	Had difficulties seeing the medical specialist	WTM	625
WTM_06A	Difficulty - getting a referral	WTM	625
WTM_06B	Difficulty - getting an appointment	WTM	626
WTM_06C	Difficulty - no specialists in area	WTM	626
WTM_06D	Difficulty - waited too long for an appointment	WTM	627
WTM_06E	Difficulty - waited too long to see doctor	WTM	627
WTM_06F	Difficulty - transportation	WTM	628
WTM_06G	Difficulty - language	WTM	628
WTM_06H	Difficulty - cost	WTM	629
WTM_06I	Difficulty - personal or family responsibilities	WTM	629
WTM_06J	Difficulty - general deterioration of health	WTM	630
WTM_06K	Difficulty - appointment cancelled/deferred	WTM	630
WTM_06L	Difficulty - unable to leave house/health problem	WTM	631
WTM_06M	Difficulty - other	WTM	631
WTM_07A	Length of wait to see specialist	WTM	632
WTM_07B	Length of wait to see specialist - reporting unit	WTM	632
WTM_08A	Length of time been waiting to see specialist	WTM	633
WTM_08B	Length of time been waiting to see specialist - report. unit	WTM	633
WTM_10	Respondent's opinion of waiting time	WTM	634
WTM_11A	Acceptable waiting time	WTM	634
WTM_11B	Acceptable waiting time - reporting unit	WTM	635
WTM_12	Visit to specialist cancelled or postponed	WTM	635
WTM_13A	Visit cancelled/postponed - by respondent	WTM	636
WTM_13B	Visit cancelled/postponed - by specialist	WTM	636
WTM_13C	Visit cancelled/postponed - by other	WTM	637
WTM_14	Life affected by wait for visit to specialist	WTM	637

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 32

Variable Name	Description	Section	Page
WTM_15A	Life affected by wait - worry	WTM	638
WTM_15B	Life affected by wait - worry for family	WTM	638
WTM_15C	Life affected by wait - pain	WTM	639
WTM_15D	Life affected by wait - prob. with activities/daily living	WTM	639
WTM_15E	Life affected by wait - loss of work	WTM	640
WTM_15F	Life affected by wait - loss of income	WTM	640
WTM_15G	Life affected by wait - increased dependence	WTM	641
WTM_15H	Life affected by wait - increased use medications	WTM	641
WTM_15I	Life affected by wait - health deteriorated	WTM	642
WTM_15J	Life affected by wait - health problem improved	WTM	642
WTM_15K	Life affected by wait - pers. relationships suffered	WTM	643
WTM_15L	Life affected by wait - other	WTM	643
WTM_17	Already had the surgery	WTM	644
WTM_18	Surgery required overnight hospital stay	WTM	644
WTM_19	Experienced difficulties getting this surgery	WTM	645
WTM_20A	Difficulty - getting an appointment	WTM	645
WTM_20B	Difficulty - getting a diagnosis	WTM	646
WTM_20C	Difficulty - waited too long for a diagnostic test	WTM	646
WTM_20D	Difficulty - waited too long for a hospital bed	WTM	647
WTM_20E	Difficulty - waited too long for surgery	WTM	647
WTM_20F	Difficulty - service not available in area	WTM	648
WTM_20G	Difficulty - transportation	WTM	648
WTM_20H	Difficulty - language	WTM	649
WTM_20I	Difficulty - cost	WTM	649
WTM_20J	Difficulty - personal or family responsibilities	WTM	650
WTM_20K	Difficulty - general deterioration of health	WTM	650
WTM_20L	Difficulty - appointment cancelled/deferred	WTM	651
WTM_20M	Difficulty - unable to leave house/health problem	WTM	651
WTM_20N	Difficulty - other	WTM	652
WTM_21A	Length of wait between decision and surgery	WTM	652
WTM_21B	Length of wait between decision and surgery - reported unit	WTM	653
WTM_22	Surgery will require overnight hospital stay	WTM	653
WTM_23A	Time since decision to have surgery	WTM	654
WTM_23B	Time since decision to have surgery - reported unit	WTM	654
WTM_24	Respondent's opinion of waiting time	WTM	655
WTM_25A	Acceptable waiting time	WTM	655
WTM_25B	Acceptable waiting time - reported unit	WTM	656

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 33

Variable Name	Description	Section	Page
WTM_26	Surgery cancelled or postponed	WTM	656
WTM_27A	Surgery cancelled/postponed - by respondent	WTM	657
WTM_27B	Surgery cancelled/postponed - by surgeon	WTM	657
WTM_27C	Surgery cancelled/postponed - by hospital	WTM	658
WTM_27D	Surgery cancelled/postponed - other	WTM	658
WTM_28	Life affected by wait for surgery	WTM	659
WTM_29A	Life affected by wait - worry	WTM	659
WTM_29B	Life affected by wait - worry for family	WTM	660
WTM_29C	Life affected by wait - pain	WTM	660
WTM_29D	Life affected by wait - prob. with activities/daily living	WTM	661
WTM_29E	Life affected by wait - loss of work	WTM	661
WTM_29F	Life affected by wait - loss of income	WTM	662
WTM_29G	Life affected by wait - increased dependence	WTM	662
WTM_29H	Life affected by wait - increased used of medication	WTM	663
WTM_29I	Life affected by wait - health deteriorated	WTM	663
WTM_29J	Life affected by wait - health problem improved	WTM	664
WTM_29K	Life affected by wait - personal relationships suffered	WTM	664
WTM_29L	Life affected by wait - other	WTM	665
WTM_30	Type of diagnostic test required	WTM	665
WTM_31	Required diagnostic test - type of condition	WTM	666
WTM_32	Already had diagnostic test	WTM	666
WTM_33	Location of test	WTM	667
WTM_34	Location of clinic	WTM	667
WTM_35	Patient in hospital at time of test	WTM	668
WTM_36	Had difficulties getting the diagnostic test	WTM	668
WTM_37A	Difficulty - getting a referral	WTM	669
WTM_37B	Difficulty - getting an appointment	WTM	669
WTM_37C	Difficulty - waited too long to get an appointment	WTM	670
WTM_37D	Difficulty - waited long to get test	WTM	670
WTM_37E	Difficulty - service not available at time required	WTM	671
WTM_37F	Difficulty - service not available in area	WTM	671
WTM_37G	Difficulty - transportation	WTM	672
WTM_37H	Difficulty - language	WTM	672
WTM_37I	Difficulty - cost	WTM	673
WTM_37J	Difficulty - general deterioration of health	WTM	673
WTM_37K	Difficulty - did not know where to get information	WTM	674
WTM_37L	Difficulty - unable to leave house/health problem	WTM	674

CCHS 2009-2010: Alphabetic Index
Public Use Microdata File - 24-Month
November 2011

Page 34

Variable Name	Description	Section	Page
WTM_37M	Difficulty - other	WTM	675
WTM_38A	Length of wait between decision and test	WTM	675
WTM_38B	Length of wait between decision and test - reporting unit	WTM	676
WTM_39A	Length of time been waiting for diagnostic test	WTM	676
WTM_39B	Length of time been waiting for diagnostic test - unit	WTM	677
WTM_40	Respondent's opinion of waiting time	WTM	677
WTM_41A	Acceptable waiting time	WTM	678
WTM_41B	Acceptable waiting time - unit	WTM	678
WTM_42	Test cancelled or postponed	WTM	679
WTM_43	Test cancelled or postponed by	WTM	679
WTM_44	Life affected by wait for test	WTM	680
WTM_45A	Life affected by wait - worry	WTM	680
WTM_45B	Life affected by wait - worry for family	WTM	681
WTM_45C	Life affected by wait - pain	WTM	681
WTM_45D	Life affected by wait - prob. with activities/daily living	WTM	682
WTM_45E	Life affected by wait - loss of work	WTM	682
WTM_45F	Life affected by wait - loss of income	WTM	683
WTM_45G	Life affected by wait - increased dependence	WTM	683
WTM_45H	Life affected by wait - increased use medications	WTM	684
WTM_45I	Life affected by wait - health deteriorated	WTM	684
WTM_45J	Life affected by wait - health problem improved	WTM	685
WTM_45K	Life affected by wait - personal relationships suffered	WTM	685
WTM_45L	Life affected by wait - other	WTM	686
WTMDCA	Number of days acceptable wait - non emergency surgery - (D)	WTM	689
WTMDCN	Number of days wait - non-urgent surgery - not done - (D)	WTM	688
WTMDCO	Number of days wait - non-urgent surgery - surgery done - (D)	WTM	688
WTMDSA	Number of days acceptable wait - med. specialist - (D)	WTM	687
WTMDSN	Number/days wait/medical specialist - not seen spec. - (D)	WTM	687
WTMDSO	Number/days wait/medical specialist - seen specialist - (D)	WTM	686
WTMDTA	Number of days acceptable wait - diagnostic test - (D)	WTM	690
WTMDTN	Number of days wait - diagnostic test - not done - (D)	WTM	690
WTMDTO	Number of days wait - diagnostic test - done - (D)	WTM	689
WTS_M	Weights - Master	WTS	729