

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
ACC_10	Required visit to medical specialist	ACC	560
ACC_11	Experienced difficulties getting specialist care	ACC	561
ACC_12A	Difficulty - getting a referral	ACC	561
ACC_12B	Difficulty - getting an appointment	ACC	562
ACC_12C	Difficulty - no specialists in area	ACC	562
ACC_12D	Difficulty - waited too long for an appointment	ACC	563
ACC_12E	Difficulty - waited too long to see doc.	ACC	563
ACC_12F	Difficulty - transportation	ACC	564
ACC_12G	Difficulty - language	ACC	564
ACC_12H	Difficulty - cost	ACC	565
ACC_12I	Difficulty - personal or family responsibilities	ACC	565
ACC_12J	Difficulty - general deterioration of health	ACC	566
ACC_12K	Difficulty - appointment cancelled/deferred	ACC	566
ACC_12L	Difficulty - still waiting for visit	ACC	567
ACC_12M	Difficulty - unable to leave house / health problem	ACC	567
ACC_12N	Difficulty - other	ACC	568
ACC_20	Required non-emergency surgery	ACC	568
ACC_21	Experienced difficulties getting non-emerg. surgery	ACC	569
ACC_22A	Difficulty - getting an appointment with a surgeon	ACC	569
ACC_22B	Difficulty - getting a diagnosis	ACC	570
ACC_22C	Difficulty - waited too long for a diagnostic test	ACC	570
ACC_22D	Difficulty - waited too long for a hospital bed	ACC	571
ACC_22E	Difficulty - waited too long for surgery	ACC	571
ACC_22F	Difficulty - service not available in area	ACC	572
ACC_22G	Difficulty - transportation	ACC	572
ACC_22H	Difficulty - language	ACC	573
ACC_22I	Difficulty - cost	ACC	573
ACC_22J	Difficulty - personal or family responsibilities	ACC	574
ACC_22K	Difficulty - general deterioration of health	ACC	574
ACC_22L	Difficulty - appointment cancelled/deferred	ACC	575
ACC_22M	Difficulty - still waiting for surgery	ACC	575
ACC_22N	Difficulty - unable to leave house / health problem	ACC	576
ACC_22O	Difficulty - other	ACC	576
ACC_30	Required MRI, CT Scan, angiography	ACC	577
ACC_31	Experienced difficulties getting test	ACC	577
ACC_32A	Difficulty - getting a referral	ACC	578
ACC_32B	Difficulty - getting an appointment	ACC	578

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
ACC_32C	Difficulty - waited too long to get an appointment	ACC	579
ACC_32D	Difficulty - waited too long to get test	ACC	579
ACC_32E	Difficulty - service not available at time required	ACC	580
ACC_32F	Difficulty - service not available in the area	ACC	580
ACC_32G	Difficulty - transportation	ACC	581
ACC_32H	Difficulty - language	ACC	581
ACC_32I	Difficulty - cost	ACC	582
ACC_32J	Difficulty - general deterioration of health	ACC	582
ACC_32K	Difficulty - did not know where to go	ACC	583
ACC_32L	Difficulty - still waiting for test	ACC	583
ACC_32M	Difficulty - unable to leave house / health problem	ACC	584
ACC_32N	Difficulty - other	ACC	584
ACC_40	Required health information for self or family member	ACC	585
ACC_40A	Contact for health information - doctor's office	ACC	585
ACC_40B	Contact for health information - community hlth ctr / CLSC	ACC	586
ACC_40C	Contact for health information - walk-in clinic	ACC	586
ACC_40D	Contact for health information - telephone health line	ACC	587
ACC_40E	Contact for health information - emergency room	ACC	587
ACC_40F	Contact for health information - other hospital service	ACC	588
ACC_40G	Contact for health information - other	ACC	588
ACC_41	Experienced diff. getting health information - self/family	ACC	589
ACC_42	Experienced difficulties during regular hours	ACC	589
ACC_43A	Difficulty - contacting a physician or nurse	ACC	590
ACC_43B	Difficulty - did not have a phone number	ACC	590
ACC_43C	Difficulty - could not get through	ACC	591
ACC_43D	Difficulty - waited too long to speak to someone	ACC	591
ACC_43E	Difficulty - did not get adequate info or advice	ACC	592
ACC_43F	Difficulty - language	ACC	592
ACC_43G	Difficulty - did not know where to go/call/uninformed	ACC	593
ACC_43H	Difficulty - unable to leave house / health problem	ACC	593
ACC_43I	Difficulty - other	ACC	594
ACC_44	Experienced difficulties during evenings/weekends	ACC	594
ACC_45A	Difficulty - contacting a physican or nurse	ACC	595
ACC_45B	Difficulty - did not have a phone number	ACC	595
ACC_45C	Difficulty - could not get through	ACC	596
ACC_45D	Difficulty - waited too long to speak to someone	ACC	596
ACC_45E	Difficulty - did not get adequate info or advice	ACC	597

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
ACC_45F	Difficulty - language	ACC	597
ACC_45G	Difficulty - did not know where to go/call/uninformed	ACC	598
ACC_45H	Difficulty - unable to leave house / health problem	ACC	598
ACC_45I	Difficulty - other	ACC	599
ACC_46	Experienced difficulties during middle of night	ACC	599
ACC_47A	Difficulty - contacting a physican or nurse	ACC	600
ACC_47B	Difficulty - did not have a phone number	ACC	600
ACC_47C	Difficulty - could not get through	ACC	601
ACC_47D	Difficulty - waited too long to speak to someone	ACC	601
ACC_47E	Difficulty - did not get adequate info or advice	ACC	602
ACC_47F	Difficulty - language	ACC	602
ACC_47G	Difficulty - did not know where to go/call/uninformed	ACC	603
ACC_47H	Difficulty - unable to leave house / health problem	ACC	603
ACC_47I	Difficulty - other	ACC	604
ACC_50	Required routine care for self/family	ACC	605
ACC_50A	Has a regular family doctor	ACC	604
ACC_51	Experienced diff. getting routine/on-going care - self/fam.	ACC	605
ACC_52	Experienced difficulties during regular hours	ACC	606
ACC_53A	Difficulty - contacting a physican	ACC	606
ACC_53B	Difficulty - getting an appointment	ACC	607
ACC_53C	Difficulty - do not have a family physician	ACC	607
ACC_53D	Difficulty - waited too long to get an appointment	ACC	608
ACC_53E	Difficulty - waited too long to see doc.	ACC	608
ACC_53F	Difficulty - service not available at time required	ACC	609
ACC_53G	Difficulty - service not available in the area	ACC	609
ACC_53H	Difficulty - transportation	ACC	610
ACC_53I	Difficulty - language	ACC	610
ACC_53J	Difficulty - cost	ACC	611
ACC_53K	Difficulty - did not know where to go	ACC	611
ACC_53L	Difficulty - unable to leave house / health problem	ACC	612
ACC_53M	Difficulty - other	ACC	612
ACC_54	Experienced difficulties during evenings/weekends	ACC	613
ACC_55A	Difficulty - contacting a physican	ACC	613
ACC_55B	Difficulty - getting an appointment	ACC	614
ACC_55C	Difficulty - do not have a family physician	ACC	614
ACC_55D	Difficulty - waited too long to get an appointment	ACC	615
ACC_55E	Difficulty - waited too long to see doc.	ACC	615

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
ACC_55F	Difficulty - service not available at time required	ACC	616
ACC_55G	Difficulty - service not available in the area	ACC	616
ACC_55H	Difficulty - transportation	ACC	617
ACC_55I	Difficulty - language	ACC	617
ACC_55J	Difficulty - cost	ACC	618
ACC_55K	Difficulty - did not know where to go	ACC	618
ACC_55L	Difficulty - unable to leave house / health problem	ACC	619
ACC_55M	Difficulty - other	ACC	619
ACC_60	Required immediate care/minor health problem - self/family	ACC	620
ACC_61	Experienced difficulties getting immediate care - self/fam.	ACC	620
ACC_62	Experienced difficulties during regular hours	ACC	621
ACC_63A	Difficulty - contacting a physican	ACC	621
ACC_63B	Difficulty - getting an appointment	ACC	622
ACC_63C	Difficulty - do not have a family physician	ACC	622
ACC_63D	Difficulty - waited too long to get an appointment	ACC	623
ACC_63E	Difficulty - waited too long to see doc.	ACC	623
ACC_63F	Difficulty - service not available at time required	ACC	624
ACC_63G	Difficulty - service not available in the area	ACC	624
ACC_63H	Difficulty - transportation	ACC	625
ACC_63I	Difficulty - language	ACC	625
ACC_63J	Difficulty - cost	ACC	626
ACC_63K	Difficulty - did not know where to go	ACC	626
ACC_63L	Difficulty - unable to leave house / health problem	ACC	627
ACC_63M	Difficulty - other	ACC	627
ACC_64	Experienced difficulties during evenings/weekends	ACC	628
ACC_65A	Difficulty - contacting a physican	ACC	628
ACC_65B	Difficulty - getting an appointment	ACC	629
ACC_65C	Difficulty - do not have a family physician	ACC	629
ACC_65D	Difficulty - waited too long to get an appointment	ACC	630
ACC_65E	Difficulty - waited too long to see doc.	ACC	630
ACC_65F	Difficulty - service not available at time required	ACC	631
ACC_65G	Difficulty - service not available in the area	ACC	631
ACC_65H	Difficulty - transportation	ACC	632
ACC_65I	Difficulty - language	ACC	632
ACC_65J	Difficulty - cost	ACC	633
ACC_65K	Difficulty - did not know where to go	ACC	633
ACC_65L	Difficulty - unable to leave house / health problem	ACC	634

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
ACC_65M	Difficulty - other	ACC	634
ACC_66	Experienced difficulties during middle of night	ACC	635
ACC_67A	Difficulty - contacting a physican	ACC	635
ACC_67B	Difficulty - getting an appointment	ACC	636
ACC_67C	Difficulty - do not have a family physician	ACC	636
ACC_67D	Difficulty - waited too long to get an appointment	ACC	637
ACC_67E	Difficulty - waited too long to see doc.	ACC	637
ACC_67F	Difficulty - service not available at time required	ACC	638
ACC_67G	Difficulty - service not available in the area	ACC	638
ACC_67H	Difficulty - transportation	ACC	639
ACC_67I	Difficulty - language	ACC	639
ACC_67J	Difficulty - cost	ACC	640
ACC_67K	Difficulty - did not know where to go	ACC	640
ACC_67L	Difficulty - unable to leave house / health problem	ACC	641
ACC_67M	Difficulty - other	ACC	641
ADL_01	Needs help - preparing meals	ADL	126
ADL_02	Needs help - getting to appointments / running errands	ADL	126
ADL_03	Needs help - doing housework	ADL	127
ADL_04	Needs help - personal care	ADL	127
ADL_05	Needs help - moving about inside the house	ADL	128
ADL_06	Needs help - looking after personal finances	ADL	128
ADLF6R	Help needed for tasks - (F)	RAC	129
ADM_N09	Interview by telephone or in person	ADM	6
ADM_N10	Respondent alone during interview	ADM	6
ADM_N11	Answers affected by presence of another person	ADM	7
ADM_PRX	Health Component completed by proxy	ADM	5
ADM_RNO	Sequential record number	ADM	7
ALC_1	Drank alcohol in past 12 months	ALC	394
ALC_2	Frequency of drinking alcohol	ALC	395
ALC_3	Frequency of having 5 or more drinks	ALC	396
ALCDTTM	Type of drinker (12 months) - (D)	ALC	396
ALW_1	Drank alcohol in past week	ALW	397
ALW_2A1	Number of drinks - Day1	ALW	398
ALW_2A2	Number of drinks - Day 2	ALW	398
ALW_2A3	Number of drinks - Day 3	ALW	399
ALW_2A4	Number of drinks - Day 4	ALW	399
ALW_2A5	Number of drinks - Day 5	ALW	400

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
ALW_2A6	Number of drinks - Day 6	ALW	400
ALW_2A7	Number of drinks - Day 7	ALW	401
ALWDDLY	Average daily alcohol consumption - (D)	ALW	402
ALWDWKY	Weekly consumption - (D)	ALW	401
BPC_010	Ever had blood pressure taken	BPC	150
BPC_012	Last time blood pressure was taken	BPC	151
BPC_013	Pregnant - blood pressure taken	BPC	151
BPC_16A	Blood pressure not taken - have not gotten around to it	BPC	152
BPC_16B	Blood pressure not taken - respondent didn't think necessary	BPC	152
BPC_16C	Blood pressure not taken - doctor didn't think necessary	BPC	153
BPC_16D	Blood pressure not taken - personal / fam. responsibilities	BPC	153
BPC_16E	Blood pressure not taken - not available when required	BPC	154
BPC_16F	Blood pressure not taken - not available in area	BPC	154
BPC_16G	Blood pressure not taken - waiting time too long	BPC	155
BPC_16H	Blood pressure not taken - transportation problems	BPC	155
BPC_16I	Blood pressure not taken - language problem	BPC	156
BPC_16J	Blood pressure not taken - cost	BPC	156
BPC_16K	Blood pressure not taken - did not know where to go	BPC	157
BPC_16L	Blood pressure not taken - fear	BPC	157
BPC_16M	Blood pressure not taken - other	BPC	158
BPC_16N	Blood pressure not taken - unable to leave house/health prob	BPC	158
BRX_110	Had breasts examined by health professional	BRX	182
BRX_112	Last time breasts exam for lumps	BRX	183
BRX_16A	No breast exam - have not gotten around to it	BRX	183
BRX_16B	No breast exam - respondent didn't think necessary	BRX	184
BRX_16C	No breast exam - doctor didn't think necessary	BRX	184
BRX_16D	No breast exam - personal / family responsibilities	BRX	185
BRX_16E	No breast exam - not available when required	BRX	185
BRX_16F	No breast exam - not available in area	BRX	186
BRX_16G	No breast exam - waiting time too long	BRX	186
BRX_16H	No breast exam - transportation problems	BRX	187
BRX_16I	No breast exam - language problem	BRX	187
BRX_16J	No breast exam - cost	BRX	188
BRX_16K	No breast exam - did not know where to go	BRX	188
BRX_16L	No breast exam - fear	BRX	189
BRX_16M	No breast exam - other	BRX	190
BRX_16N	No breast exam - unable to leave house / health problem	BRX	189

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
BRX_16O	No breast exam - breast removed / mastectomy	BRX	190
CCC_031	Has asthma	CCC	46
CCC_035	Asthma - had symptoms or attacks	CCC	46
CCC_036	Asthma - took medication	CCC	47
CCC_041	Has fibromyalgia	CCC	47
CCC_051	Has arthritis	CCC	48
CCC_061	Has back problems excluding fibromyalgia and arthritis	CCC	48
CCC_071	Has high blood pressure	CCC	49
CCC_072	Ever diagnosed with high blood pressure	CCC	49
CCC_073	Medication - high blood pressure - past month	CCC	50
CCC_073A	Pregnant when first diagnosed with high blood pressure	CCC	50
CCC_073B	Other than during pregnancy - diag. with high blood pressure	CCC	51
CCC_081	Has migraine headaches	CCC	51
CCC_091	Has a COPD	CCC	52
CCC_101	Has diabetes	CCC	52
CCC_105	Diabetes - currently takes insulin	CCC	56
CCC_106	Diabetes - takes pills to control blood sugar	CCC	56
CCC_10A	Diabetes diagnosed - when pregnant	CCC	54
CCC_10B	Diabetes diagnosed - other than when pregnant	CCC	54
CCC_10C	Diabetes diagnosed - when started with insulin	CCC	55
CCC_121	Has heart disease	CCC	57
CCC_131	Has cancer	CCC	57
CCC_141	Has stomach or intestinal ulcers	CCC	58
CCC_151	Suffers from the effects of a stroke	CCC	59
CCC_161	Has urinary incontinence	CCC	59
CCC_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	60
CCC_17A	Type of bowel disease	CCC	60
CCC_251	Has chronic fatigue syndrome	CCC	61
CCC_261	Suffers from multiple chemical sensitivities	CCC	61
CCC_280	Has a mood disorder	CCC	62
CCC_290	Has an anxiety disorder	CCC	62
CCC_31A	Ever had cancer	CCC	58
CCCDDIA	Diabetes type	CCC	63
CCCG102	Diabetes - age first diagnosed - (G)	CCC	53
CCS_180	Had an FOBT test	CCS	197
CCS_182	Last time FOBT test done	CCS	198
CCS_184	Had colonoscopy or sigmoidoscopy	CCS	202

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
CCS_185	Last time had colonoscopy or sigmoidoscopy	CCS	203
CCS_187	Colonoscopy or sigmoidoscopy followed FOBT test	CCS	206
CCS_83A	Had FOBT - family history	CCS	199
CCS_83B	Had FOBT - regular check-up	CCS	199
CCS_83C	Had FOBT - age	CCS	200
CCS_83D	Had FOBT - follow-up of problem	CCS	200
CCS_83E	Had FOBT - follow-up of treatment	CCS	201
CCS_83F	Had FOBT - other	CCS	201
CCS_86A	Had colonoscopy/sigmoidoscopy - family history	CCS	203
CCS_86B	Had colonoscopy/sigmoidoscopy - regular check-up	CCS	204
CCS_86C	Had colonoscopy/sigmoidoscopy - age	CCS	204
CCS_86D	Had colonoscopy/sigmoidoscopy - follow-up of problem	CCS	205
CCS_86E	Had colonoscopy/sigmoidoscopy - follow-up of treatment	CCS	205
CCS_86F	Had colonoscopy/sigmoidoscopy - other	CCS	206
CHP_01	Overnight patient	CHP	84
CHP_03	Consulted with family doctor/general practitioner	CHP	85
CHP_06	Consulted with eye specialist	CHP	87
CHP_08	Consulted with other medical doctor	CHP	88
CHP_11	Consulted with nurse	CHP	90
CHP_14	Consulted with dentist or orthodontist	CHP	92
CHP_16	Consulted with chiropractor	CHP	93
CHP_18	Consulted with physiotherapist	CHP	94
CHP_20	Consulted with psychologist	CHP	95
CHP_22	Consulted with social worker or counsellor	CHP	96
CHP_24	Consulted with speech/audiology/occ. therapist	CHP	97
CHPFCOP	Consultations with health professionals - (F)	HCU	98
CHPG02	Number of nights as patient - (G)	CHP	84
CHPG04	Number of consultations - fam. doctor/general pract. - (G)	CHP	85
CHPG05	Where the most recent contact took place - (G)	CHP	86
CHPG07	Number of consultations - eye specialist - (G)	CHP	87
CHPG09	Number of consultations - other medical doctor - (G)	CHP	88
CHPG10	Where the most recent contact took place - (G)	CHP	89
CHPG12	Number of consultations - nurse - (G)	CHP	90
CHPG13	Where the most recent contact took place - (G)	CHP	91
CHPG15	Number of consultations - dentist or orthodontist - (G)	CHP	92
CHPG17	Number of consultations - chiropractor - (G)	CHP	93
CHPG19	Number of consultations - physiotherapist - (G)	CHP	94

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
CHPG21	Number of consultations - psychologist - (G)	CHP	95
CHPG23	Number of consultations - social worker or counsellor - (G)	CHP	96
CHPG25	No. of consultations - speech/audiology/occ. therap. - (G)	CHP	97
CHPGMDC	Number of consultations with medical doctor - (D, G)	CHP	98
CIH_1	Did something to improve health	CIH	22
CIH_2	Most important change to improve health	CIH	23
CIH_3	Thinks should do something to improve health	CIH	24
CIH_4	Most important thing to improve health	CIH	25
CIH_5	Barrier to improving health	CIH	26
CIH_6A	Barrier to improving health - lack of will power	CIH	26
CIH_6B	Barrier to improving health - work schedule	CIH	27
CIH_6E	Barrier to improving health - too costly	CIH	30
CIH_6F	Barrier to improving health - too stressed	CIH	29
CIH_6G	Barrier to improving health - disability / health problem	CIH	29
CIH_6H	Barrier to improving health - other	CIH	32
CIH_6I	Barrier to improving health - family responsibilities	CIH	27
CIH_6J	Barrier to improving health - addiction to drugs / alcohol	CIH	28
CIH_6K	Barrier to improving health - physical condition	CIH	28
CIH_6L	Barrier to improving health - not available - in area	CIH	30
CIH_6M	Barrier to improving health - transportation problems	CIH	31
CIH_6N	Barrier to improving health - weather problems	CIH	31
CIH_7	Intending to improve health over next year	CIH	32
CIH_8A	Health improvement - more exercise	CIH	33
CIH_8B	Health improvement - lose weight	CIH	33
CIH_8C	Health improvement - improve eating habits	CIH	34
CIH_8G	Health improvement - reduce stress level	CIH	35
CIH_8H	Health improvement - take vitamins	CIH	36
CIH_8I	Health improvement - other	CIH	37
CIH_8J	Health improvement - quit smoking	CIH	34
CIH_8K	Health improvement - drink less alcohol	CIH	35
CIH_8L	Health improvement - receive medical treatment	CIH	36
CMH_01K	Consulted mental health professional	CMH	512
CMH_1MA	Consulted mental health professional - family doctor	CMH	514
CMH_1MB	Consulted mental health professional - psychiatrist	CMH	514
CMH_1MC	Consulted mental health professional - psychologist	CMH	515
CMH_1MD	Consulted mental health professional - nurse	CMH	515
CMH_1ME	Consulted mental hlth. professional - social worker	CMH	516

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
CMH_1MF	Consulted mental health professional - other	CMH	516
CMHG01L	Consulted mental health professional - number of times - (G)	CMH	513
CPGDACT	Number of different types of gambling activities - (D)	CPG	444
CPGDINT	Gambling interference - Mean - (D)	CPG	444
CPGDSEV	Problem gambling severity index - (D)	CPG	443
CPGDTYP	Type of gambler - (D)	CPG	443
CPGFGAM	Gambling activity - gambler vs. non-gambler - (F)	CPG	442
CPGFINT	Gambling Interference - (F)	CPG	445
DEN_130	Visited dentist	DEN	216
DEN_132	Last time visited dentist	DEN	217
DEN_36A	No dental visit - have not gotten around to it	DEN	218
DEN_36B	No dental visit - respondent didn't think necessary	DEN	218
DEN_36C	No dental visit - dentist didn't think necessary	DEN	219
DEN_36D	No dental visit - personal / family responsibilities	DEN	219
DEN_36E	No dental visit - not available when required	DEN	220
DEN_36F	No dental visit - not available in area	DEN	220
DEN_36G	No dental visit - waiting time too long	DEN	221
DEN_36H	No dental visit - transportation problems	DEN	221
DEN_36I	No dental visit - language problem	DEN	222
DEN_36J	No dental visit - cost	DEN	222
DEN_36K	No dental visit - did not know where to go	DEN	223
DEN_36L	No dental visit - fear	DEN	223
DEN_36M	No dental visit - wears dentures	DEN	224
DEN_36N	No dental visit - other	DEN	225
DEN_36O	No dental visit - unable to leave house / health problem	DEN	224
DHH_OWN	Dwelling - owned by a member of household	SDC	730
DHH_SEX	Sex	DHH	9
DHHG611	Number of persons 6 to 11 years old in household - (D, G)	DHH	10
DHHGAGE	Age - (G)	DHH	8
DHHGHSZ	Household size - (D, G)	DHH	12
DHHGL12	Number of persons less than 12 years old in household -(D,G)	DHH	11
DHHGLE5	Number of persons 5 years old or less in household - (D, G)	DHH	10
DHHGLVG	Living arrangement of selected respondent - (D, G)	DHH	11
DHHGMS	Marital Status - (G)	DHH	9
DIA_01	Tested for "A-one-C" haemoglobin	DIA	64
DIA_02	Number of times - tested for haemoglobin "A-one-C"	DIA	64
DIA_03	Feet checked by health professional	DIA	65

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
DIA_04	Number of times - feet checked by health professional	DIA	65
DIA_05	Urine tested for protein by health professional	DIA	66
DIA_06	Ever had eye exam with pupils dilated	DIA	66
DIA_07	Eye exam with pupils dilated - last time	DIA	67
DIA_08	Checks glucose level / self - reporting unit	DIA	68
DIA_09	Checks feet / self - reporting unit	DIA	70
DIA_10	Medication - ASA - past month	DIA	73
DIA_11	Medication - blood cholesterol - past month	DIA	73
DIA_N8B	Checks glucose level/self - number of times per day	DIA	68
DIA_N8C	Checks glucose level/self - number of times per week	DIA	69
DIA_N8D	Checks glucose level/self - number of times per month	DIA	69
DIA_N8E	Checks glucose level/self - number of times per year	DIA	70
DIA_N9B	Checks feet / self - number of times per day	DIA	71
DIA_N9C	Checks feet / self - number of times per week	DIA	71
DIA_N9D	Checks feet / self - number of times per month	DIA	72
DIA_N9E	Checks feet / self - number of times per year	DIA	72
DIS_10A	Frequency - distress: felt tired out - past month	DIS	517
DIS_10B	Frequency - distress: felt nervous - past month	DIS	518
DIS_10C	Freq./-distress: so nervous nothing calms down - past month	DIS	519
DIS_10D	Frequency - distress: felt hopeless - past month	DIS	520
DIS_10E	Frequency - distress: felt restless - past month	DIS	521
DIS_10F	Frequency - distress: could not sit still - past month	DIS	522
DIS_10G	Frequency - distress: felt sad / depressed - past month	DIS	523
DIS_10H	Frequency - distress: depressed/nothing cheers - past month	DIS	524
DIS_10I	Freq. - distress: felt everything was an effort - past month	DIS	525
DIS_10J	Frequency - distress: felt worthless - past month	DIS	526
DIS_10K	Frequency of distress feelings - past month	DIS	527
DIS_10L	Frequency of distress feelings (more often)	DIS	528
DIS_10M	Frequency of distress feelings (less often)	DIS	529
DIS_10N	Frequency of dist. feelings interfere with life - past month	DIS	530
DISDCHR	Chronicity of distress/impairment scale - past month - (D)	DIS	531
DISDDSX	Distress scale - K10 - past month - (D)	DIS	531
DISDK6	Distress scale - K6 - past month - (D)	DIS	530
DOACC	Access to health care services - Inclusion flag - (F)	ACC	560
DOADL	Activities of daily living - Inclusion Flag - (F)	ADL	125
DOALW	Alcohol use - past week - Inclusion Flag - (F)	ALW	397
DOBPC	Blood pressure check - Inclusion Flag - (F)	BPC	150

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
DOBRX	Breast examinations - Inclusion Flag - (F)	BRX	182
DOCCS	Colorectal cancer screening - Inclusion Flag - (F)	CCS	196
DOCIH	Changes made to improve health module - Inclusion Flag - (F)	CIH	21
DOCMH	Consultations - mental health module - Inclusion Flag - (F)	CMH	511
DOCPG	Problem gambling - Inclusion Flag - (F)	CPG	442
DODEN	Dental visits - Inclusion Flag - (F)	DEN	216
DODEP	Depression - Inclusion Flag - (F)	DPS	532
DODIA	Diabetes care - Inclusion Flag - (F)	DIA	63
DODIS	Distress - Inclusion Flag - (F)	DIS	517
DODRG	Illicit drugs use - Inclusion Flag - (F)	IDG	437
DODRV	Driving and safety - Inclusion Flag - (F)	DRV	402
DOEYX	Eye examinations - Inclusion Flag - (F)	EYX	207
DOFDC	Food choices - Inclusion Flag - (F)	FDC	237
DOFSC	Food security - Inclusion Flag - (F)	FSC	736
DOH1N	H1N1 - Inclusion Flag - (F)	H1N	129
DOHCS	Health care system satisfaction module- Inclusion Flag - (F)	HCS	37
DOHUI	Health utility index - Inclusion Flag - (F)	HUI	74
DOINJ	Injuries - Inclusion Flag - (F)	INJ	320
DOLOP	Loss of production - Inclusion Flag - (F)	LOP	713
DOMAM	Mammography - Inclusion Flag - (F)	MAM	168
DOMAS	Mastery - Inclusion Flag - (F)	MAS	356
DOMXA	Maternal exp.- Alcohol during preg. - Inclusion Flag - (F)	MXA	428
DOMXS	Maternal exp.- Smoking during preg. - Inclusion Flag - (F)	MXS	431
DONEU	Neurological Conditions - Inclusion Flag - (F)	NEU	755
DOOH2	Oral health 2 - Inclusion Flag - (F)	OH2	225
DOORG	Voluntary organization - Participate - Inclusion Flag - (F)	ORG	20
DOPAF	Phy. act. - Facility at work - Inclusion Flag - (F)	PAF	725
DOPAP	PAP smear test module - Inclusion Flag - (F)	PAP	159
DOPAS	Patient sat. - Health care service - Inclusion Flag - (F)	PAS	111
DOPSA	Prostate cancer screening - Inclusion Flag - (F)	PSA	191
DOPSC	Patient sat. - Community-based care - Inclusion Flag - (F)	PSC	119
DOPWB	Psychological well-being module - (F)	PWB	457
DOSAC	Sedentary activities module - Inclusion Flag - (F)	SAC	293
DOSCH	Smoking - stages of change - Inclusion Flag - (F)	SCH	376
DOSFE	Self-esteem module - Inclusion Flag - (F)	SFE	349
DOSFR	Health status (SF-36) module - Inclusion Flag - (F)	SFR	554
DOSPC	Smoking - physician counselling - Inclusion Flag - (F)	SPC	379

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
DOSSA	Social support -availability - Inclusion Flag - (F)	SSA	482
DOSSB	Sun safety behaviours - Inclusion Flag - (F)	SSB	311
DOSSU	Social Support - utilization - Inclusion Flag - (F)	SSU	503
DOSUI	Suicidal thoughts & attempts - Inclusion Flag - (F)	SUI	553
DOSWL	Satisfaction with life - Inclusion Flag - (F)	SWL	341
DOSXB	Sexual behaviours - Inclusion Flag - (F)	SXB	445
DOTAL	Smoking - Other tobacco products - Inclusion Flag - (F)	TAL	391
DOUCN	Unmet health care needs - Inclusion Flag - (F)	UCN	99
DOUPE	Use of protective equipment - Inclusion Flag - (F)	UPE	299
DOWTM	Waiting times - Inclusion Flag - (F)	WTM	642
DPS_02	Felt sad/blue/depressed - 2 weeks or more - 12 mo	DPS	532
DPS_03	Sad/depressed - length feelings lasted - 2 wk	DPS	533
DPS_04	Sad/depressed - frequency - 2 wk	DPS	533
DPS_05	Sad/depressed - lose interest in things - 2 wk	DPS	534
DPS_06	Sad/depressed - felt tired out / low on energy - 2 wk	DPS	534
DPS_07	Sad/depressed - weight change - 2 wk	DPS	535
DPS_08A	Sad/depressed - weight change (amount) - 2 wk	DPS	535
DPS_08B	Sad/depressed - weight change (lb/kg) - 2 wk	DPS	536
DPS_09	Sad/depressed - trouble falling asleep - 2 wk	DPS	536
DPS_10	Sad/depressed trouble falling asleep - frequency - 2 wk	DPS	537
DPS_11	Sad/depressed - trouble concentrating - 2 wk	DPS	537
DPS_12	Sad/depressed - felt down on self - 2 wk	DPS	538
DPS_13	Sad/depressed - thought a lot about death - 2 wk	DPS	538
DPS_14	Sad/depressed - number of weeks - 12 mo	DPS	539
DPS_15	Sad/depressed - most recent month - 2 wk	DPS	540
DPS_16	Loss of interest - things that usually give pleasure - 12 mo	DPS	541
DPS_17	Loss of interest - frequency - 12 mo	DPS	542
DPS_18	Loss of interest - frequency - 2 wk	DPS	543
DPS_19	Loss of interest - felt tired all the time - 2 wk	DPS	543
DPS_20	Loss of interest - weight change - 2 wk	DPS	544
DPS_21A	Loss of interest - weight change (amount)	DPS	544
DPS_21B	Loss of interest - weight change (lb/kg) - 2 wk	DPS	545
DPS_22	Loss of interest - trouble falling asleep - 2 wk	DPS	545
DPS_23	Loss of interest - trouble falling asleep/frequency - 2 wk	DPS	546
DPS_24	Loss of interest - trouble concentrating - 2 wk	DPS	546
DPS_25	Loss of interest - felt down on self - 2 wk	DPS	547
DPS_26	Loss of interest - thought a lot about death - 2 wk	DPS	547

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
DPS_27	Loss of interest - number of weeks - 12 mo	DPS	548
DPS_28	Loss of interest - most recent month - 2 wk	DPS	549
DPSDMT	Specific month last felt depressed - 2 weeks in a row - (D)	DPS	552
DPSDPP	Depression scale - Predicted probability - (D)	DPS	550
DPSDSF	Depression scale - short form score - (D)	DPS	550
DPSDWK	Number of weeks felt depressed - (D)	DPS	551
DRV_01A	Drove a motor vehicle	DRV	403
DRV_01B	Drove a motorcycle	DRV	403
DRV_02	Frequency - used seat belt when driving	DRV	404
DRV_03A	Use of a cell phone while driving	DRV	405
DRV_03B	Use of a hands-free while driving	DRV	406
DRV_04	Frequency - felt tired when driving	DRV	407
DRV_05	Driving speed compared to others	DRV	408
DRV_06	Driving aggression compared to others	DRV	409
DRV_07	Drove a motor vehicle after 2 or more drinks	DRV	410
DRV_07A	Number of times - drove after 2+ drinks	DRV	410
DRV_08A	Frequency - uses seat belt - front seat passenger	DRV	411
DRV_08B	Frequency - uses seat belt - back seat passenger	DRV	412
DRV_09	Frequency - uses seat belt - in taxi	DRV	413
DRV_10	Passenger/driver had 2+ drinks	DRV	414
DRV_10A	No. of times - passenger/driver had 2+ drinks	DRV	414
DRV_11A	Driver or passenger - snowmobile, motor boat or seadoo	DRV	415
DRV_11B	Driver or passenger - ATV	DRV	415
DRV_12	Frequency wears helmet - ATV	DRV	416
DRV_13	Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.	DRV	416
DRV_13A	No. of times - passenger/driver had 2+ drinks-ATV/snowmobile	DRV	417
DRV_14	Drove snowmobile/ATV, etc. after 2+ drinks	DRV	417
DRV_14A	No. of times - drove snowmobile, ATV, etc after 2+ drinks	DRV	418
DRVFSBU	Passenger seat belt use - motor vehicle - (F)	DRV	418
EDUDH04	Highest level of education – household, 4 levels - (D)	EDU	735
EDUDR04	Highest level of education - respondent, 4 levels - (D)	EDU	735
ETS_10	Someone smokes inside home	ETS	386
ETS_20	Exposed to second-hand smoke in private vehicle	ETS	387
ETS_20B	Exposed to second-hand smoke in public places	ETS	388
ETS_35	Smoking allowed - House	ETS	388
ETS_36	Smoking restrictions	ETS	389
ETS_37A	Type of restrictions -certain rooms only	ETS	389

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
ETS_37B	Type of restrictions - young children	ETS	390
ETS_37C	Type of restrictions - windows open	ETS	390
ETS_37D	Type of restrictions - Other	ETS	391
ETSG11	Number of people who smoke inside home - (G)	ETS	387
EYX_140	Visit eye doctor - 12 m	EYX	207
EYX_142	Last time eye examination	EYX	208
EYX_46A	No eye exam - not gotten around to it - past 2 yrs	EYX	209
EYX_46B	No eye exam - respondent didn't think necessary	EYX	209
EYX_46C	No eye exam - doctor didn't think necessary	EYX	210
EYX_46D	No eye exam - personal or family responsibilities	EYX	210
EYX_46E	No eye exam - not available when required	EYX	211
EYX_46F	No eye exam- not available in area	EYX	211
EYX_46G	No eye exam - waiting time too long	EYX	212
EYX_46H	No eye exam - transportation problems	EYX	212
EYX_46I	No eye exam - language problem	EYX	213
EYX_46J	No eye exam - cost	EYX	213
EYX_46K	No eye exam - did not know where to go	EYX	214
EYX_46L	No eye exam - fear	EYX	214
EYX_46M	No eye exam - other reason	EYX	215
EYX_46N	No eye exam - health problem	EYX	215
FDC_1A	Chooses or avoids foods - concerned about body weight	FDC	238
FDC_1B	Chooses or avoids foods - concerned about heart disease	FDC	238
FDC_1C	Chooses or avoids foods - concerned about cancer	FDC	239
FDC_1D	Chooses or avoids foods - concerned about osteoporosis	FDC	239
FDC_2A	Reason to choose foods - lower fat content	FDC	240
FDC_2B	Reason to choose foods - fibre content	FDC	240
FDC_2C	Reason to choose foods - calcium content	FDC	241
FDC_3A	Reason to avoid foods - fat content	FDC	241
FDC_3B	Reason to avoid foods - type of fat	FDC	242
FDC_3C	Reason to avoid foods - salt content	FDC	242
FDC_3D	Reason to avoid foods - cholesterol content	FDC	243
FDC_3E	Reason to avoid foods - calorie content	FDC	243
FDCFAVD	Avoids foods for content reasons - (F)	FDC	244
FDCFCAH	Chooses/avoids foods b/c of certain health concerns - (F)	FDC	244
FDCFCHO	Chooses foods for content reasons - (F)	FDC	245
FLU_160	Ever had a flu shot	FLU	140
FLU_162	Had flu shot - last time	FLU	140

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
FLU_164	Had flu shot - which month	FLU	141
FLU_165	Had flu shot - current/last year	FLU	142
FLU_66A	No flu shot - have not gotten around to it	FLU	142
FLU_66B	No flu shot - respondent didn't think it was necessary	FLU	143
FLU_66C	No flu shot - doctor didn't think it was necessary	FLU	143
FLU_66D	No flu shot - personal or family responsibilities	FLU	144
FLU_66E	No flu shot - not available at time required	FLU	144
FLU_66F	No flu shot - not available at all in area	FLU	145
FLU_66G	No flu shot - waiting time was too long	FLU	145
FLU_66H	No flu shot - transportation problems	FLU	146
FLU_66I	No flu shot - language problem	FLU	146
FLU_66J	No flu shot - cost	FLU	147
FLU_66K	No flu shot - did not know where to go	FLU	147
FLU_66L	No flu shot - fear	FLU	148
FLU_66M	No flu shot - bad reaction to previous shot	FLU	148
FLU_66N	No flu shot - other	FLU	149
FLU_66O	No flu shot - unable to leave house / health problem	FLU	149
FSC_010	Food situation in household - 12 mo	FSC	736
FSC_020	Worried food would run out - 12 mo	FSC	737
FSC_030	Food bought just didn't last and no money to buy more -12 mo	FSC	738
FSC_040	Could not afford to eat balanced meals - 12 mo	FSC	739
FSC_050	Relied on few kinds of low-cost food for children - 12 mo	FSC	740
FSC_060	Could not feed children a balanced meal - 12 mo	FSC	741
FSC_070	Children were not eating enough - 12 mo	FSC	742
FSC_080	Adults skipped or cut size of meals - 12 mo	FSC	743
FSC_081	Adults skipped or cut size of meals - frequency - 12 mo	FSC	744
FSC_090	Ate less than felt should - 12 mo	FSC	745
FSC_100	Was hungry but could not afford to eat - 12 mo	FSC	745
FSC_110	Lost weight no money to buy food- 12 mo	FSC	746
FSC_120	Adults did not eat for whole day - 12 mo	FSC	747
FSC_121	Adults did not eat whole day - frequency - 12 mo	FSC	748
FSC_130	Adults cut size of children's meals - 12 mo	FSC	749
FSC_140	Children skipped meals - 12 mo	FSC	750
FSC_141	Children skipped meals - frequency - 12 mo	FSC	751
FSC_150	Children were hungry - 12 mo	FSC	752
FSC_160	Children did not eat for whole day - 12 mo	FSC	753
FSCDAFS2	Food Security - Adult Status (D)	FSC	754

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
H1N_66K	No H1N1 flu shot - did not know where to go	H1N	137
H1N_66L	No H1N1 flu shot - fear	H1N	138
H1N_66M	No H1N1 flu shot - bad reaction to previous shot	H1N	138
H1N_66N	No H1N1 flu shot - other	H1N	139
H1N_66O	No H1N1 flu shot - unable to leave house / health problems	H1N	139
HCS_1	Rating of availability of health care - province	HCS	38
HCS_2	Rating of quality of health care - province	HCS	39
HCS_3	Rating of availability of health care - community	HCS	40
HCS_4	Rating of quality of health care - community	HCS	41
HCU_1A1	Has a usual place to go when sick/needs health advice	HCU	82
HCU_1A2	Kind of place	HCU	83
HCU_1AA	Has regular medical doctor	HCU	79
HCU_1BA	Reason has no regular doctor - no one available in area	HCU	79
HCU_1BB	Reason has no regular doctor - none taking new patients	HCU	80
HCU_1BC	Reason has no regular doctor - not tried to contact one	HCU	80
HCU_1BD	Reason has no regular doctor - has left or retired	HCU	81
HCU_1BE	Reason has no regular doctor - other	HCU	81
HUIDCOG	Cognition problems - function code - (D)	HUI	77
HUIDEMO	Emotion (function code) - (D)	HUI	77
HUIDHSI	Health utilities index - (D)	HUI	78
HUIGDEX	Dexterity trouble - function code - (D, G)	HUI	76
HUIGHER	Hearing problems - function code - (D, G)	HUI	75
HUIGMOB	Mobility trouble - function code - (D, G)	HUI	76
HUIGSPE	Speech trouble - function code - (D, G)	HUI	75
HUIGVIS	Vision trouble - function code - (D, G)	HUI	74
HUPDPAD	Pain (function code) - (D)	HUI	78
HWT_4	Respondent's opinion of own weight - self-reported	HWT	42
HWTDCOL	BMI class. (12 to 17) / self-report - Cole system - (D)	HWT	45
HWTGBMI	Body Mass Index (BMI) / self-report - (D, G)	HWT	44
HWTGHTM	Height (metres) / self-reported - (D, G)	HWT	43
HWTGISW	BMI class. (18 +) / self-report - Intern. standard - (D, G)	HWT	45
HWTGWTK	Weight (kilograms) / self-reported - (D, G)	HWT	44
IDGDINT	Illicit drug interference - mean - 12 mo - (D)	IDG	441
IDGFINT	Illicit drug interference - 12 mo - (F)	IDG	441
IDGFLA	Illicit drug use - including one time cannabis - life - (F)	IDG	439
IDGFLAC	Illicit drug use - excluding one time cannabis - life - (F)	IDG	439
IDGFLCA	Cannabis drug use - including one time only - life - (F)	IDG	437

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
IDGFLCM	Cannabis drug use - excluding one time only - life - (F)	IDG	438
IDGFYA	Illicit drug use - including one time cannabis - 12 mo - (F)	IDG	440
IDGFYAC	Illicit drug use - excluding one time cannabis - 12 mo - (F)	IDG	440
IDGFYCM	Cannabis drug use - excluding one time only - 12 mo - (F)	IDG	438
INCDRCA	Household income distribution - (D)	INC	760
INCDRPR	Household income distribution - provincial level - (D)	INC	761
INCDRRS	Household income distribution - health region level - (D)	INC	762
INCG2	Total household income - main source - (G)	INC	757
INCG7	Main source of personal income - (G)	INC	757
INCGHH	Total household income from all sources - (D, G)	INC	758
INCGPER	Total personal income from all sources - (D, G)	INC	759
INJ_01	Injured in past 12 months	INJ	328
INJ_10	Most serious injury - result of a fall	INJ	333
INJ_13	Most serious injury - received treatment within 48 hours	INJ	335
INJ_14A	Treated doctor's office	INJ	335
INJ_14B	Treated emergency room	INJ	336
INJ_14O	Treated where injury happened	INJ	337
INJ_15	Most serious injury - admitted to hospital	INJ	338
INJ_15A	Follow-up care because of injury	INJ	338
INJ_16	Other injuries - treated but did not limit normal activities	INJ	339
INJDSTT	Injury Status - (D)	INJ	340
INJG02	Number of injuries in past 12 months - (G)	INJ	328
INJG05	Most serious injury - type - (G)	INJ	329
INJG06	Most serious injury - body part affected - (G)	INJ	330
INJG08	Most serious injury - place of occurrence - (G)	INJ	331
INJG092	Most serious injury - activity when injured - (G)	INJ	332
INJG11A	How did you fall - (G)	INJ	334
INJG14C	Most serious injury - treated in clinic - (G)	INJ	336
INJG14J2	Most serious inj. - treated physio/mass.ther/chiro/other (G)	INJ	337
INJG17	Other injuries - number - (G)	INJ	339
INJGCAU	Cause of injury - (D, G)	INJ	340
INW_01	Injury occurred in current job	INW	332
INWGSOC	Occupation group (SOC) where injury occurred - (G)	INW	333
LBSDPFT	Current - full-time / part-time status - (D)	LBS	712
LBSDWSS	Working status last week - 4 groups - (D)	LBS	712
LBSG31	Employment status - 12 months - (G)	LBS	711
LBSGHPW	Total usual hours worked - current jobs - (D, G)	LBF	711

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
LBSGSOC	Occupation group - (G)	LBF	713
LOP_015	Were you employed in past three months?	LOP	714
LOP_030	Couldn't work due to chronic condition	LOP	716
LOP_060	Missed work due to injury	LOP	718
LOP_080	Missed work due to infectious disease	LOP	719
LOP_090	Missed work for any other reason related to ph. or m. health	LOP	724
LOP_81A	Had a cold	LOP	719
LOP_81B	Had the flu or influenza	LOP	720
LOP_81C	Stomach Flu	LOP	720
LOP_81D	Respiratory Flu	LOP	721
LOP_81E	Other	LOP	721
LOPG020	Reason for not working - (G)	LOP	715
LOPG040	Number of work days lost due to chronic condition - (G)	LOP	716
LOPG050	Chronic condition - (G)	LOP	717
LOPG070	Number of work days missed due to injury - (G)	LOP	718
LOPG082	Number of work days missed due to cold - (G)	LOP	722
LOPG083	Number of work days missed due to flu or influenza - (G)	LOP	722
LOPG084	Number of work days missed due to stomach flu - (G)	LOP	723
LOPG085	No. of work days missed due to respiratory infection - (G)	LOP	723
LOPG086	No. of work days missed due to other infect. disease - (G)	LOP	724
LOPG100	Work days missed related to physical or mental hlth - (G)	LOP	725
MAM_030	Ever had mammogram	MAM	169
MAM_032	Last time mammogram was done	MAM	173
MAM_038	Had a hysterectomy	MAM	181
MAM_31A	Had mammogram - family history	MAM	169
MAM_31B	Had mammogram - regular check-up	MAM	170
MAM_31C	Had mammogram - age	MAM	170
MAM_31D	Had mammogram - previously detected lump	MAM	171
MAM_31E	Had mammogram - follow-up of treatment	MAM	171
MAM_31F	Had mammogram - on hormone replacement therapy	MAM	172
MAM_31G	Had mammogram - breast problem	MAM	172
MAM_31H	Had mammogram - other	MAM	173
MAM_36A	No mammogram - have not gotten around to it - past 2 yrs	MAM	174
MAM_36B	No mammogram - resp. did not think necessary - past 2 yrs	MAM	174
MAM_36C	No mammogram - doctor did not think necessary - past 2 yrs	MAM	175
MAM_36D	No mammogram - personal/family responsibilities - past 2 yrs	MAM	175
MAM_36E	No mammogram - not available when required - past 2 yrs	MAM	176

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
MAM_36F	No mammogram - not available in the area - past 2 yrs	MAM	176
MAM_36G	No mammogram - waiting time too long - past 2 yrs	MAM	177
MAM_36H	No mammogram - transportation problems - past 2 yrs	MAM	177
MAM_36I	No mammogram - language problem - past 2 yrs	MAM	178
MAM_36J	No mammogram - cost - past 2 yrs	MAM	178
MAM_36K	No mammogram - did not know where to go - past 2 yrs	MAM	179
MAM_36L	No mammogram - fear - past 2 yrs	MAM	179
MAM_36M	No mammogram - other - past 2 yrs	MAM	181
MAM_36N	No mammogram - unable to leave house/hlth prob - past 2 yrs	MAM	180
MAM_36O	No mammogram - Breasts removed / Mastectomy	MAM	180
MAS_601	Mastery - lack of control	MAS	356
MAS_602	Mastery - cannot solve problems	MAS	357
MAS_603	Mastery - cannot change things	MAS	358
MAS_604	Mastery - helpless	MAS	359
MAS_605	Mastery - pushed around	MAS	360
MAS_606	Mastery - fate depends upon self	MAS	361
MAS_607	Mastery - can do anything	MAS	362
MASDM1	Mastery scale - (D)	MAS	362
MEX_01	Has given birth in the past 5 years	MEX	419
MEX_02	Took folic acid - before last pregnancy	MEX	419
MEX_03	Breastfed or tried to breastfeed last child	MEX	420
MEX_05	Still breastfeeding last child	MEX	421
MEX_06	Duration of breastfeeding last child	MEX	422
MEX_07	Age of last baby - other foods added	MEX	423
MEX_08	Main reason - other foods added	MEX	424
MEX_09	Gave vitamin D - when breast milk only	MEX	425
MEX_10	Main reason why stopped breastfeeding	MEX	426
MEXDEBF2	Duration of exclusive breastfeeding - (D)	MEX	427
MEXFEB6	Exclusively breastfed for 6 months or more	MEX	428
MEXG04	Main reason did not breastfeed last child - (G)	MEX	420
MXA_01	Drank alcohol - last pregnancy	MXA	429
MXA_02	Frequency of drinking - last pregnancy	MXA	429
MXA_03	Drank alcohol - while breastfeeding last baby	MXA	430
MXA_04	Frequency of drinking - while breastfeeding last baby	MXA	430
MXS_01	Type of smoker - last pregnancy	MXS	431
MXS_04	Smoked while breastfeeding last baby (occasional smoker)	MXS	434
MXS_07	Second-hand smoke - during or after last pregnancy	MXS	436

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
MXSG02	No. of cigarettes daily - last pregnancy (daily smoker)	MXS	432
MXSG03	No. of cigarettes daily - last pregnancy (occasional smoker)	MXS	433
MXSG05	No. of cigarettes daily - while breastfeeding (daily smoker)	MXS	435
MXSG06	No. of cigarettes daily - while breastfeeding (occ. smoker)	MXS	436
NEUDNCH	Presence of neurological condition in the household	NEU	756
NEUDNCR	Has a neurological condition - sel. respondent	NEU	755
NEUDSIR	Has a neuro. cond. caused by spinal cord injury - sel. resp.	NEU	756
OH2_10	Frequency usually visits the dentist	OH2	226
OH2_11	Insurance for dental expenses	OH2	226
OH2_11A	Type of dental insurance plan - government-sponsored	OH2	227
OH2_11B	Type of dental insurance plan - employer-sponsored	OH2	227
OH2_11C	Type of dental insurance plan - private	OH2	228
OH2_12	Teeth removed by dentist - 12 mo	OH2	228
OH2_13	Teeth removed - decay or gum disease - 12 mo	OH2	229
OH2_20	Has one or more of own teeth	OH2	229
OH2_21	Wears dentures	OH2	230
OH2_22	Condition of teeth/mouth - difficulty speaking clearly	OH2	230
OH2_23	Condition of teeth/mouth - avoided conversation - 12 mo	OH2	231
OH2_24	Condition of teeth/mouth - avoided laughing/smiling - 12 mo	OH2	232
OH2_25A	Had a toothache - past mo.	OH2	232
OH2_25B	Teeth sensitive to hot or cold - past mo.	OH2	233
OH2_25C	Had pain - jaw joints - past mo.	OH2	233
OH2_25D	Had pain - mouth or face - past mo.	OH2	234
OH2_25E	Had bleeding gums - past mo.	OH2	234
OH2_25F	Had dry mouth - past mo.	OH2	235
OH2_25G	Had bad breath - past mo.	OH2	235
OH2_30	Frequency of brushing teeth	OH2	236
OH2FLIM	Limited socially due to oral health status - 12 mo - (F)	OH2	236
OH2FOFP	Oral or facial pain - past mo. - (F)	OH2	237
ORG_1	Member of a voluntary organization	ORG	20
ORG_2	Frequency - participate in activities	ORG	21
PAC_1A	Activity / last 3 months - walking	PAC	249
PAC_1B	Activity / last 3 months - gardening or yard work	PAC	250
PAC_1C	Activity / last 3 months - swimming	PAC	250
PAC_1D	Activity / last 3 months - bicycling	PAC	251
PAC_1E	Activity / last 3 months - popular or social dance	PAC	251
PAC_1F	Activity / last 3 months - home exercises	PAC	252

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
PAC_1G	Activity / last 3 months - ice hockey	PAC	252
PAC_1H	Activity / last 3 months - ice skating	PAC	253
PAC_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	253
PAC_1J	Activity / last 3 months - jogging or running	PAC	254
PAC_1K	Activity / last 3 months - golfing	PAC	254
PAC_1L	Activity / last 3 months - exercise class or aerobics	PAC	255
PAC_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	255
PAC_1N	Activity / last 3 months - bowling	PAC	256
PAC_1O	Activity / last 3 months - baseball or softball	PAC	256
PAC_1P	Activity / last 3 months - tennis	PAC	257
PAC_1Q	Activity / last 3 months - weight-training	PAC	257
PAC_1R	Activity / last 3 months - fishing	PAC	258
PAC_1S	Activity / last 3 months - volleyball	PAC	258
PAC_1T	Activity / last 3 months - basketball	PAC	259
PAC_1U	Activity / last 3 months - Any other	PAC	260
PAC_1V	Activity / last 3 months - No physical activity	PAC	260
PAC_1W	Activity / last 3 months - other (#2)	PAC	261
PAC_1X	Activity / last 3 months - other (#3)	PAC	261
PAC_1Z	Activity / last 3 months - Soccer	PAC	259
PAC_2A	Number of times / 3 months - walking for exercise	PAC	262
PAC_2B	Number of times / 3 months - gardening/yard work	PAC	263
PAC_2C	Number of times / 3 months - swimming	PAC	264
PAC_2D	Number of times / 3 months - bicycling	PAC	265
PAC_2E	Number of times / 3 months - popular or social dance	PAC	266
PAC_2F	Number of times / 3 months - home exercises	PAC	267
PAC_2H	Number of times / 3 months - ice skating	PAC	269
PAC_2I	Number of times / 3 months- in-line skating or rollerblading	PAC	270
PAC_2J	Number of times / 3 months - jogging or running	PAC	271
PAC_2K	Number of times / 3 months - golfing	PAC	272
PAC_2L	Number of times / 3 months - exercise class or aerobics	PAC	273
PAC_2M	Number of times / 3 months - downhill skiing or snowboarding	PAC	274
PAC_2N	Number of times / 3 months - bowling	PAC	275
PAC_2O	Number of times / 3 months - baseball or softball	PAC	276
PAC_2P	Number of times / 3 months - tennis	PAC	277
PAC_2Q	Number of times / 3 months - weight-training	PAC	278
PAC_2R	Number of times / 3 months - fishing	PAC	279
PAC_2S	Number of times / 3 months - volleyball	PAC	280

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
PAC_2T	Number of times / 3 months - basketball	PAC	281
PAC_2U	Number of times / 3 months - other activity (#1)	PAC	283
PAC_2W	Number of times / 3 months - other activity (#2)	PAC	284
PAC_2X	Number of times - other activity (#3)	PAC	285
PAC_2Z	Number of times / 3 months - soccer	PAC	282
PAC_3A	Time spent - walking for exercise	PAC	262
PAC_3B	Time spent - gardening or yard work	PAC	263
PAC_3C	Time spent - swimming	PAC	264
PAC_3D	Time spent - bicycling	PAC	265
PAC_3E	Time spent - popular or social dance	PAC	266
PAC_3F	Time spent - home exercises	PAC	267
PAC_3G	Time spent - ice hockey	PAC	268
PAC_3H	Time spent - ice skating	PAC	269
PAC_3I	Time spent - in-line skating or rollerblading	PAC	270
PAC_3J	Time spent - jogging or running	PAC	271
PAC_3K	Time spent - golfing	PAC	272
PAC_3L	Time spent - exercise class or aerobics	PAC	273
PAC_3M	Time spent - downhill skiing or snowboarding	PAC	274
PAC_3N	Time spent - bowling	PAC	275
PAC_3O	Time spent - baseball or softball	PAC	276
PAC_3P	Time spent - tennis	PAC	277
PAC_3Q	Time spent - weight-training	PAC	278
PAC_3R	Time spent - fishing	PAC	279
PAC_3S	Time spent - volleyball	PAC	280
PAC_3T	Time spent - basketball	PAC	281
PAC_3U	Time spent - other activity (#1)	PAC	283
PAC_3W	Time spent - other activity (#2)	PAC	284
PAC_3X	Time spent - other activity (#3)	PAC	285
PAC_3Z	Time spent - soccer	PAC	282
PAC_7	Walked to work or school / last 3 months	PAC	286
PAC_7A	Number of times / 3 months - walking to go work or school	PAC	286
PAC_7B	Time spent - walking to go work or school	PAC	287
PAC_8	Bicycled to work or school / last 3 months	PAC	287
PAC_8A	Number of times / 3 months - bicycling to go work or school	PAC	288
PAC_8B	Time spent - bicycling to go work or school	PAC	288
PACDEE	Daily energy expenditure - Leisure physical activities - (D)	PAC	289
PACDFM	Month. freq. - Leisure phys. activity lasting >15 min. - (D)	PAC	290

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
PACDFR	Frequency of all leisure physical activity > 15 min. - (D)	PAC	290
PACDLTI	Leisure and transportation physical activity index - (D)	PAC	292
PACDPAI	Leisure physical activity index - (D)	PAC	291
PACDTLE	Daily ener. expend. - Transport. and leisure phy. act. - (D)	PAC	292
PACFD	Participant in daily leisure phys. activity > 15 min. - (F)	PAC	291
PACFLEI	Participant in leisure physical activity - (F)	PAC	289
PACFLTI	Participant in leisure or transportation phys. activ. - (F)	PAC	293
PACG2G	Number of times / 3 months - ice hockey - (G)	PAC	268
PAF_01	Work at home	PAF	726
PAF_02	At work - Access to a pleasant place to walk	PAF	726
PAF_03	At work - Access to playing fields	PAF	727
PAF_04	At work - Access to a gym	PAF	727
PAF_05	At work - Access to fitness classes	PAF	728
PAF_06	At work - Access to any organized sport teams	PAF	728
PAF_07	At work - Access to showers / change rooms	PAF	729
PAF_08	At work - Access to programs to improve health	PAF	729
PAFFACC	Access to physical activity facilities at work - (F)	PAF	730
PAP_020	Ever had PAP smear test	PAP	159
PAP_022	Last time had PAP smear test	PAP	160
PAP_26A	No PAP smear - have not gotten around to it	PAP	160
PAP_26B	No PAP smear - respondent didn't think necessary	PAP	161
PAP_26C	No PAP smear - doctor didn't think necessary	PAP	161
PAP_26D	No PAP smear - personal / family responsibilities	PAP	162
PAP_26E	No PAP smear - not available when required	PAP	162
PAP_26F	No PAP smear - not available in area	PAP	163
PAP_26G	No PAP smear - waiting time too long	PAP	163
PAP_26H	No PAP smear - transportation problems	PAP	164
PAP_26I	No PAP smear - language problem	PAP	164
PAP_26J	No PAP smear - cost	PAP	165
PAP_26K	No PAP smear - did not know where to go	PAP	165
PAP_26L	No PAP smear - fear	PAP	166
PAP_26M	No PAP smear - hysterectomy	PAP	166
PAP_26N	No PAP smear - hate / dislike having one done	PAP	167
PAP_26O	No PAP smear - other	PAP	168
PAP_26P	No PAP smear - unable to leave house / health problem	PAP	167
PAS_11	Received health care services	PAS	111
PAS_12	Rating of quality of care received	PAS	112

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
PAS_13	Satisfaction with way care provided	PAS	113
PAS_21A	Received health care services at hospital	PAS	114
PAS_21B	Type of patient - most recent visit	PAS	114
PAS_22	Rating of quality of care received - hospital	PAS	115
PAS_23	Satisfaction with way care provided - hospital	PAS	116
PAS_31A	Received physician care	PAS	117
PAS_31B	Type of physician - most recent care	PAS	117
PAS_32	Rating of quality of care received - physician	PAS	118
PAS_33	Satisfaction with way care provided - physician	PAS	119
PSA_170	Ever had a PSA blood test (prostate cancer)	PSA	191
PSA_172	Last time had PSA blood test	PSA	192
PSA_174	Had a digital rectal exam	PSA	195
PSA_175	Last time had digital rectal exam	PSA	196
PSA_73A	Had PSA test - family history of prostate cancer	PSA	192
PSA_73B	Had PSA test - regular check-up	PSA	193
PSA_73C	Had PSA test - age	PSA	193
PSA_73D	Had PSA test - follow-up of problem	PSA	194
PSA_73E	Had PSA test - follow-up of prostate cancer treatment	PSA	194
PSA_73F	Had PSA test - other	PSA	195
PSC_1	Received any community-based care	PSC	120
PSC_2	How rate quality of the community-based received	PSC	120
PSC_3	How satisfied with the way community-based care provided	PSC	121
PWB_01	Frequency - felt self-confident - past month	PWB	457
PWB_02	Frequency - satisfied with accomplishments - past month	PWB	458
PWB_03	Frequency - took on lots of projects - past month	PWB	459
PWB_04	Frequency - felt emotionally balanced - past month	PWB	460
PWB_05	Frequency - felt loved and appreciated - past month	PWB	461
PWB_06	Frequency - had goals and ambitions - past month	PWB	462
PWB_07	Frequency - felt like having fun - past month	PWB	463
PWB_08	Frequency - felt useful - past month	PWB	464
PWB_09	Frequency - smiled easily - past month	PWB	465
PWB_10	Frequency - was true to self - past month	PWB	466
PWB_11	Frequency - did good job listening to friends - past month	PWB	467
PWB_12	Frequency - was curious and interested - past month	PWB	468
PWB_13	Frequency - was able to clearly sort things out - past month	PWB	469
PWB_14	Frequency - found life exciting - past month	PWB	470
PWB_15	Frequency - life was well-balanced - past month	PWB	471

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
PWB_16	Frequency - was calm and level-headed - past month	PWB	472
PWB_17	Frequency - easily found answers - past month	PWB	473
PWB_18	Frequency - got along well with others - past month	PWB	474
PWB_19	Frequency - lived at normal pace - past month	PWB	475
PWB_20	Frequency - impression of enjoying life - past month	PWB	476
PWB_21	Frequency - had good sense of humour - past month	PWB	477
PWB_22	Frequency - was at peace with self - past month	PWB	478
PWB_23	Frequency - felt healthy/in good shape - past month	PWB	479
PWB_24	Frequency - face situations positively - past month	PWB	480
PWB_25	Frequency - had good morale - past month	PWB	481
PWBDPWB	Psychological well-being scale - past month - (D)	PWB	481
RAC_1	Has difficulty with activities	RAC	121
RAC_2A	Reduction in kind/amount of activities - at home	RAC	122
RAC_2B1	Reduction in kind/amount of activities - at school	RAC	122
RAC_2B2	Reduction in kind/amount of activities - at work	RAC	123
RAC_2C	Reduction in kind/amount of activities - other activities	RAC	123
RACDIMP	Impact of health problems - (D)	RAC	124
RACDPAL	Participation and activity limitation - (D)	RAC	125
RACG5	Cause of health problem - (G)	RAC	124
REP_1A	Repetitive strain injury	INJ	321
REP_2	Limit your normal activities	INJ	321
REP_3A	Repetitive strain- activity causing injury	INJ	323
REP_4	Repetitive strain- working at a job or business	INJ	323
REP_5A	Activity - Walking	INJ	324
REP_5B	Activity - Sports	INJ	324
REP_5C	Activity - Leisure	INJ	325
REP_5D	Activity - Household chores	INJ	325
REP_5F	Activity - Computer	INJ	326
REP_5G	Activity - Driving a motor vehicle	INJ	326
REP_5H	Activity - Lifting or carrying	INJ	327
REP_5I	Activity - Other	INJ	327
REPG3	Repetitive strain - body part affected - (G)	INJ	322
SACDTER	Total no. hrs / week (excl. reading) - sedentary act. - (D)	SAC	299
SACDTOT	Total number hours - sedentary activities - past 3 mo - (D)	SAC	298
SACG1	Number of hours - on a computer - past 3 mo - (G)	SAC	294
SACG2	Number of hours - playing video games - past 3 mo - (G)	SAC	295
SACG3	Number of hours - watching tv/videos - past 3 mo - (G)	SAC	296

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
SACG4	Number of hours - reading - past 3 mo - (G)	SAC	297
SCH_1	Quitting smoking - next 6 months	SCH	376
SCH_2	Quitting smoking - next 30 days	SCH	377
SCH_3	Stopped smoking for at least 24 hours - 12 mo	SCH	377
SCH_4	Number of times stopped for at least 24 hours - 12 mo	SCH	378
SCHDSTG	Smoking stages of change - (D)	SCH	378
SDC_8	Current student	EDU	734
SDC_9	Full-time student or part-time student	EDU	734
SDCFIMM	Immigrant - (F)	SDC	732
SDCGCBG	Country of birth - Canada/other - (G)	SDC	731
SDCGCGT	Cultural or racial origin - (D, G)	SDC	733
SDCGLHM	Language(s) spoken at home - (D, G)	SDC	731
SDCGLNG	Languages - can converse - (D, G)	SDC	733
SDCGRES	Length of time in Canada since immigration - (D, G)	SDC	732
SFE_501	Self-esteem - has good qualities	SFE	350
SFE_502	Self-esteem - is person of worth	SFE	351
SFE_503	Self-esteem - is able to do things well	SFE	352
SFE_504	Self-esteem - takes positive attitude towards self	SFE	353
SFE_505	Self-esteem - satisfied with self	SFE	354
SFE_506	Self-esteem - feels is a failure	SFE	355
SFEDE1	Self-esteem scale - (D)	SFE	355
SFRDBPS	Bodily pain scale - (D)	SFR	558
SFRDGHP	General health perceptions scale - (D)	SFR	558
SFRDGMH	General mental health scale - (D)	SFR	557
SFRDMCS	Summary measure of mental health - (D)	SFR	559
SFRDMRF	Role functioning (mental) scale - (D)	SFR	556
SFRDPCS	Summary measure of physical health - (D)	SFR	559
SFRDPFS	Physical functioning scale - (D)	SFR	555
SFRDPRF	Role functioning (physical) scale - (D)	SFR	556
SFRDSFS	Social functioning scale - (D)	SFR	555
SFRDVTS	Vitality scale - (D)	SFR	557
SMK_01A	Smoked 100 or more cigarettes - life	SMK	363
SMK_01B	Ever smoked whole cigarette	SMK	363
SMK_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	367
SMK_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	368
SMK_05D	Ever smoked cigarettes daily	SMK	368
SMK_06A	Stopped smoking - when (was never a daily smoker)	SMK	369

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
SMK_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	371
SMK_10	Quit smoking completely (former daily smoker)	SMK	372
SMK_10A	Stopped smoking completely - when (former daily smoker)	SMK	373
SMK_202	Type of smoker	SMK	365
SMK_204	Number of cigarettes smoked per day (daily smoker)	SMK	367
SMK_208	Number of cigarettes smoked per day (former daily smoker)	SMK	371
SMKDSTY	Type of smoker - (D)	SMK	374
SMKDYCS	Number of years smoked (current daily smokers) - (D)	SMK	375
SMKG01C	Age - smoked first whole cigarette - (G)	SMK	364
SMKG06C	Number of years since stopped smoking - (G)	SMK	369
SMKG09C	Yrs since stopped smoking daily (former daily smoker) - (G)	SMK	372
SMKG10C	Number of years since stopped smoking (daily) - (G)	SMK	374
SMKG203	Age - started smoking daily (daily smoker) - (G)	SMK	366
SMKG207	Age - started smoking daily (former daily smoker) - (G)	SMK	370
SMKGSTP	Number of years since stopping smoking completely - (D, G)	SMK	375
SPC_10	Visited regular medical doctor	SPC	379
SPC_11	Doctor - knows smokes/smoked	SPC	380
SPC_12	Doctor - advised to quit	SPC	380
SPC_13	Doctor - gave specific help	SPC	381
SPC_14A	Type of help - referral to one-on-one program	SPC	381
SPC_14B	Type of help - referral to group program	SPC	382
SPC_14C	Type of help - recommended nicotine patch or gum	SPC	382
SPC_14D	Type of help - recommended Zyban or other medication	SPC	383
SPC_14E	Type of help - provided self-help information	SPC	383
SPC_14F	Type of help - doctor offered counselling	SPC	384
SPC_14G	Type of help - other	SPC	384
SPC_20	Visited dentist	SPC	385
SPC_21	Dentist/hygienist - knows smokes/smoked	SPC	385
SPC_22	Dentist/hygienist - advised to quit	SPC	386
SSA_01	Number of close friends and relatives	SSA	482
SSA_02	Has someone to give help if confined to bed	SSA	483
SSA_03	Has someone to listen	SSA	484
SSA_04	Has someone to provide/give advice about a crisis.	SSA	485
SSA_05	Has someone to take to doctor	SSA	486
SSA_06	Has someone who shows love and affection	SSA	487
SSA_07	Has someone to have a good time with	SSA	488
SSA_08	Has someone to give info to help understand a situation	SSA	489

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
SSA_09	Has someone to confide in	SSA	490
SSA_10	Has someone who gives hugs	SSA	491
SSA_11	Has someone to get together with for relaxation	SSA	492
SSA_12	Has someone to prepare meals	SSA	493
SSA_13	Has someone to give advice	SSA	494
SSA_14	Has someone to do things to get mind off things	SSA	495
SSA_15	Has someone to help with daily chores if sick	SSA	496
SSA_16	Has someone to share most private worries and fears with	SSA	497
SSA_17	Has someone to turn to for suggestions for personal problems	SSA	498
SSA_18	Has someone to do something enjoyable with	SSA	499
SSA_19	Has someone who understands problems	SSA	500
SSA_20	Has someone who loves and makes feel wanted	SSA	501
SSADAFF	Affection - MOS subscale - (D)	SSA	502
SSADEMO	Emotional or informational support - MOS subscale - (D)	SSA	503
SSADSOC	Positive social interaction - MOS subscale - (D)	SSA	502
SSADTNG	Tangible social support - MOS subscale - (D)	SSA	501
SSB_01	Been sunburnt - past 12 months	SSB	311
SSB_02	Sunburn involved blistering	SSB	312
SSB_03	Sunburns involved pain - lasting more than 1 day	SSB	312
SSB_06	Amount of time in the sun - 11 am to 4 pm	SSB	313
SSB_07	Frequency - seek shade	SSB	314
SSB_08	Frequency - wear hat in the sun	SSB	315
SSB_09A	Frequency - wear long pants or skirt in the sun	SSB	316
SSB_09B	Frequency - use sunscreen on your face	SSB	317
SSB_10	Sun Protection factor (SPF) usually use - face	SSB	318
SSB_11	Frequency - use sunscreen on your body	SSB	319
SSB_12	Sun Protection factor (SPF) usually use on body	SSB	320
SSU_21A	Received tangible social support	SSU	504
SSU_21B	Frequency of tangible social support	SSU	505
SSU_22A	Received affective support	SSU	506
SSU_22B	Frequency of affective support	SSU	507
SSU_23A	Received positive social interactive support	SSU	508
SSU_23B	Frequency of positive social interactive support	SSU	509
SSU_24A	Received emotional/informational support	SSU	510
SSU_24B	Frequency of emotional/informational support	SSU	511
SUI_1	Seriously considered suicide - lifetime	SUI	553
SUI_2	Seriously considered suicide - past 12 months	SUI	554

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
SWL_02	Satisfaction - job	SWL	341
SWL_03	Satisfaction - leisure activities	SWL	342
SWL_04	Satisfaction - financial situation	SWL	343
SWL_05	Satisfaction - with self	SWL	344
SWL_06	Satisfaction - way body looks	SWL	345
SWL_07	Satisfaction - relationships with other family members	SWL	346
SWL_08	Satisfaction - relationships with friends	SWL	347
SWL_09	Satisfaction - housing	SWL	348
SWL_10	Satisfaction - neighbourhood	SWL	349
SXB_07	Ever diagnosed with STD	SXB	447
SXB_09	Important to avoid getting pregnant	SXB	448
SXB_1	Ever had sexual intercourse	SXB	446
SXB_10	Important to avoid getting partner pregnant	SXB	449
SXB_11	Usually use birth control - past 12 months	SXB	450
SXB_12A	Usual birth control method - condom	SXB	450
SXB_12B	Usual birth control method - Birth control pill	SXB	451
SXB_12C	Usual birth control method - diaphragm	SXB	451
SXB_12D	Usual birth control method - spermicide	SXB	452
SXB_12E	Usual birth control method - other	SXB	453
SXB_12F	Usual birth control method - birth control injection	SXB	452
SXB_13A	Birth control method used last time - condom	SXB	453
SXB_13B	Birth control method used last time - birth control pill	SXB	454
SXB_13C	Birth control method used last time - diaphragm	SXB	454
SXB_13D	Birth control method used last time - spermicide	SXB	455
SXB_13E	Birth control method used last time - other	SXB	456
SXB_13F	Birth cntrl. method used last time - birth control injection	SXB	455
SXB_13G	Method used last time - nothing	SXB	456
SXB_3	Had sexual intercourse - past 12 months	SXB	446
SXB_7A	Condom use - last time	SXB	447
TAL_1	Smoked cigars - last month	TAL	392
TAL_2	Smoked a pipe - last month	TAL	392
TAL_3	Used snuff - last month	TAL	393
TAL_4	Used chewing tobacco - last month	TAL	393
UCN_010	Unmet health care needs - self-perceived	UCN	99
UCN_020A	Care not received - not available in area	UCN	100
UCN_020B	Care not received - not available at time required	UCN	100
UCN_020C	Care not received - waiting time too long	UCN	101

CCHS 2010: Alphabetic Index
Public Use Microdata File - 12-Month
November 2011

Variable Name	Description	Section	Page
UCN_020D	Care not received - felt would be inadequate	UCN	101
UCN_020E	Care not received - cost	UCN	102
UCN_020F	Care not received - too busy	UCN	102
UCN_020G	Care not received - didn't get around to it	UCN	103
UCN_020H	Care not received - decided not to seek care	UCN	103
UCN_020I	Care not received - dr didn't think it was necessary	UCN	104
UCN_020J	Care not received - other	UCN	104
UCN_030A	Type of care not received - treatment phys. health problem	UCN	105
UCN_030B	Type of care not received - treatment emotional problem	UCN	105
UCN_030C	Type of care not received - regular check-up	UCN	106
UCN_030D	Type of care not received - care of injury	UCN	106
UCN_030E	Type of care not received - other	UCN	107
UCN_040A	Location tried to get service - doctor's office	UCN	107
UCN_040B	Location tried to get service - community health centre/CLSC	UCN	108
UCN_040C	Location tried to get service - walk-in clinic	UCN	108
UCN_040D	Location tried to get service - appointment clinic	UCN	109
UCN_040E	Location tried to get service - hospital emergency room	UCN	109
UCN_040F	Location tried to get service - hosp. outpatient clinic	UCN	110
UCN_040G	Location tried to get service - other	UCN	110
UPE_01	Frequency - wears helmet - bicycling	UPE	300
UPE_01A	Done any bicycling in past 12 months	UPE	300
UPE_02	Done any in-line skating in past 12 months	UPE	301
UPE_02A	Frequency - wears helmet - in-line skating	UPE	301
UPE_02B	Frequency - wears wrist guards - in-line skating	UPE	302
UPE_02C	Frequency - wears elbow pads - in-line skating	UPE	302
UPE_02D	Wear knee pads	UPE	303
UPE_03A	Downhill skiing or snowboarding - past 3 mo.	UPE	303
UPE_03B	Downhill skiing or snowboarding - past 12 mo	UPE	304
UPE_04A	Frequency - wears helmet - downhill skiing	UPE	305
UPE_05A	Frequency - wears helmet - snowboarding	UPE	305
UPE_05B	Frequency - wears wrist guards - snowboarding	UPE	306
UPE_06	Has done skateboarding - past 12 mo	UPE	306
UPE_06A	Frequency - wears helmet - skateboarding	UPE	307
UPE_06B	Frequency - wears wrist guards/protectors - skateboarding	UPE	307
UPE_06C	Frequency - wears elbow pads - skateboarding	UPE	308
UPE_07	Played ice hockey past 12 months	UPE	308
UPE_07A	Wear a mouth guard	UPE	309

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
UPEFILS	Wears all protective equipment - in-line skating - (F)	UPE	309
UPEFSKB	Wears all protective equipment - skateboarding - (F)	UPE	310
UPEFSNB	Wears all protective equipment - snowboarding - (F)	UPE	310
VERDATE	Date of file creation	SAM	1
WTM_01	Required visit to medical specialist	WTM	642
WTM_02	Required visit to medical specialist - type of condition	WTM	643
WTM_03	Person who referred respondent to medical specialist	WTM	644
WTM_04	Already visited the medical specialist	WTM	644
WTM_05	Had difficulties seeing the medical specialist	WTM	645
WTM_06A	Difficulty - getting a referral	WTM	645
WTM_06B	Difficulty - getting an appointment	WTM	646
WTM_06C	Difficulty - no specialists in area	WTM	646
WTM_06D	Difficulty - waited too long for an appointment	WTM	647
WTM_06E	Difficulty - waited too long to see doctor	WTM	647
WTM_06F	Difficulty - transportation	WTM	648
WTM_06G	Difficulty - language	WTM	648
WTM_06H	Difficulty - cost	WTM	649
WTM_06I	Difficulty - personal or family responsibilities	WTM	649
WTM_06J	Difficulty - general deterioration of health	WTM	650
WTM_06K	Difficulty - appointment cancelled/deferred	WTM	650
WTM_06L	Difficulty - unable to leave house/health problem	WTM	651
WTM_06M	Difficulty - other	WTM	651
WTM_07A	Length of wait to see specialist	WTM	652
WTM_07B	Length of wait to see specialist - reporting unit	WTM	652
WTM_08A	Length of time been waiting to see specialist	WTM	653
WTM_08B	Length of time been waiting to see specialist - report. unit	WTM	653
WTM_10	Respondent's opinion of waiting time	WTM	654
WTM_11A	Acceptable waiting time	WTM	654
WTM_11B	Acceptable waiting time - reporting unit	WTM	655
WTM_12	Visit to specialist cancelled or postponed	WTM	655
WTM_13A	Visit cancelled/postponed - by respondent	WTM	656
WTM_13B	Visit cancelled/postponed - by specialist	WTM	656
WTM_13C	Visit cancelled/postponed - by other	WTM	657
WTM_14	Life affected by wait for visit to specialist	WTM	657
WTM_15A	Life affected by wait - worry	WTM	658
WTM_15B	Life affected by wait - worry for family	WTM	658
WTM_15C	Life affected by wait - pain	WTM	659

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
WTM_15D	Life affected by wait - prob. with activities/daily living	WTM	659
WTM_15E	Life affected by wait - loss of work	WTM	660
WTM_15F	Life affected by wait - loss of income	WTM	660
WTM_15G	Life affected by wait - increased dependence	WTM	661
WTM_15H	Life affected by wait - increased use medications	WTM	661
WTM_15I	Life affected by wait - health deteriorated	WTM	662
WTM_15J	Life affected by wait - health problem improved	WTM	662
WTM_15K	Life affected by wait - pers. relationships suffered	WTM	663
WTM_15L	Life affected by wait - other	WTM	663
WTM_17	Already had the surgery	WTM	664
WTM_18	Surgery required overnight hospital stay	WTM	664
WTM_19	Experienced difficulties getting this surgery	WTM	665
WTM_20A	Difficulty - getting an appointment	WTM	665
WTM_20B	Difficulty - getting a diagnosis	WTM	666
WTM_20C	Difficulty - waited too long for a diagnostic test	WTM	666
WTM_20D	Difficulty - waited too long for a hospital bed	WTM	667
WTM_20E	Difficulty - waited too long for surgery	WTM	667
WTM_20F	Difficulty - service not available in area	WTM	668
WTM_20G	Difficulty - transportation	WTM	668
WTM_20H	Difficulty - language	WTM	669
WTM_20I	Difficulty - cost	WTM	669
WTM_20J	Difficulty - personal or family responsibilities	WTM	670
WTM_20K	Difficulty - general deterioration of health	WTM	670
WTM_20L	Difficulty - appointment cancelled/deferred	WTM	671
WTM_20M	Difficulty - unable to leave house/health problem	WTM	671
WTM_20N	Difficulty - other	WTM	672
WTM_21A	Length of wait between decision and surgery	WTM	672
WTM_21B	Length of wait between decision and surgery - reported unit	WTM	673
WTM_22	Surgery will require overnight hospital stay	WTM	673
WTM_23A	Time since decision to have surgery	WTM	674
WTM_23B	Time since decision to have surgery - reported unit	WTM	674
WTM_24	Respondent's opinion of waiting time	WTM	675
WTM_25A	Acceptable waiting time	WTM	675
WTM_25B	Acceptable waiting time - reported unit	WTM	676
WTM_26	Surgery cancelled or postponed	WTM	676
WTM_27A	Surgery cancelled/postponed - by respondent	WTM	677
WTM_27B	Surgery cancelled/postponed - by surgeon	WTM	677

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
WTM_27C	Surgery cancelled/postponed - by hospital	WTM	678
WTM_27D	Surgery cancelled/postponed - other	WTM	678
WTM_28	Life affected by wait for surgery	WTM	679
WTM_29A	Life affected by wait - worry	WTM	679
WTM_29B	Life affected by wait - worry for family	WTM	680
WTM_29C	Life affected by wait - pain	WTM	680
WTM_29D	Life affected by wait - prob. with activities/daily living	WTM	681
WTM_29E	Life affected by wait - loss of work	WTM	681
WTM_29F	Life affected by wait - loss of income	WTM	682
WTM_29G	Life affected by wait - increased dependence	WTM	682
WTM_29H	Life affected by wait - increased used of medication	WTM	683
WTM_29I	Life affected by wait - health deteriorated	WTM	683
WTM_29J	Life affected by wait - health problem improved	WTM	684
WTM_29K	Life affected by wait - personal relationships suffered	WTM	684
WTM_29L	Life affected by wait - other	WTM	685
WTM_30	Type of diagnostic test required	WTM	685
WTM_31	Required diagnostic test - type of condition	WTM	686
WTM_32	Already had diagnostic test	WTM	686
WTM_33	Location of test	WTM	687
WTM_34	Location of clinic	WTM	687
WTM_35	Patient in hospital at time of test	WTM	688
WTM_36	Had difficulties getting the diagnostic test	WTM	688
WTM_37A	Difficulty - getting a referral	WTM	689
WTM_37B	Difficulty - getting an appointment	WTM	689
WTM_37C	Difficulty - waited too long to get an appointment	WTM	690
WTM_37D	Difficulty - waited long to get test	WTM	690
WTM_37E	Difficulty - service not available at time required	WTM	691
WTM_37F	Difficulty - service not available in area	WTM	691
WTM_37G	Difficulty - transportation	WTM	692
WTM_37H	Difficulty - language	WTM	692
WTM_37I	Difficulty - cost	WTM	693
WTM_37J	Difficulty - general deterioration of health	WTM	693
WTM_37K	Difficulty - did not know where to get information	WTM	694
WTM_37L	Difficulty - unable to leave house/health problem	WTM	694
WTM_37M	Difficulty - other	WTM	695
WTM_38A	Length of wait between decision and test	WTM	695
WTM_38B	Length of wait between decision and test - reporting unit	WTM	696

CCHS 2010: Alphabetic Index
 Public Use Microdata File - 12-Month
 November 2011

Variable Name	Description	Section	Page
WTM_39A	Length of time been waiting for diagnostic test	WTM	696
WTM_39B	Length of time been waiting for diagnostic test - unit	WTM	697
WTM_40	Respondent's opinion of waiting time	WTM	697
WTM_41A	Acceptable waiting time	WTM	698
WTM_41B	Acceptable waiting time - unit	WTM	698
WTM_42	Test cancelled or postponed	WTM	699
WTM_43	Test cancelled or postponed by	WTM	699
WTM_44	Life affected by wait for test	WTM	700
WTM_45A	Life affected by wait - worry	WTM	700
WTM_45B	Life affected by wait - worry for family	WTM	701
WTM_45C	Life affected by wait - pain	WTM	701
WTM_45D	Life affected by wait - prob. with activities/daily living	WTM	702
WTM_45E	Life affected by wait - loss of work	WTM	702
WTM_45F	Life affected by wait - loss of income	WTM	703
WTM_45G	Life affected by wait - increased dependence	WTM	703
WTM_45H	Life affected by wait - increased use medications	WTM	704
WTM_45I	Life affected by wait - health deteriorated	WTM	704
WTM_45J	Life affected by wait - health problem improved	WTM	705
WTM_45K	Life affected by wait - personal relationships suffered	WTM	705
WTM_45L	Life affected by wait - other	WTM	706
WTMDCA	Number of days acceptable wait - non emergency surgery - (D)	WTM	709
WTMDCN	Number of days wait - non-urgent surgery - not done - (D)	WTM	708
WTMDCO	Number of days wait - non-urgent surgery - surgery done - (D)	WTM	708
WTMDSA	Number of days acceptable wait - med. specialist - (D)	WTM	707
WTMDSN	Number/days wait/medical specialist - not seen spec. - (D)	WTM	707
WTMDSO	Number/days wait/medical specialist - seen specialist - (D)	WTM	706
WTMDTA	Number of days acceptable wait - diagnostic test - (D)	WTM	710
WTMDTN	Number of days wait - diagnostic test - not done - (D)	WTM	710
WTMDTO	Number of days wait - diagnostic test - done - (D)	WTM	709
WTS_M	Weights - Master	WTS	762