# **Canadian Community Health Survey (CCHS)**

## **Annual Component - 2010 Questionnaire**



# Table of Contents - by Questionnaire Order

Proxy interview (GR)	1
Age of respondent (ANC)	3
General health (GEN)	6
Voluntary organizations - Participation (ORG)	9
Changes made to improve health (CIH)	10
Health care system satisfaction (HCS)	13
Height and weight - Self-reported (HWT)	15
Chronic conditions (CCC)	20
Fibromyalgia - sub-bloc (CC3)	26
Chronic fatigue syndrome and multiple chemical sensitivities - sub-bloc (CC4)	27
Diabetes care (DIA)	28
Health utility index (HUI)	32
Pain and discomfort (HUP)	38
Health care utilization (HCU)	40
Contacts with Health Professionals (CHP)	43
Unmet health care needs (UCN)	50
Home care services (HMC)	52
Patient satisfaction - Health care services (PAS)	57
Patient satisfaction - Community-based care (PSC)	61
Restriction of activities (RAC)	63
Activities of Daily Living (ADL)	66
H1N1 Flu shot (H1N)	68
Flu shots (FLU)	71
Blood pressure check (BPC)	74
PAP smear test (PAP)	76
Mammography (MAM)	78
Breast examinations (BRX)	81
Breast self-examinations (BSX)	 83
Prostate cancer screening (PSA)	85
Colorectal cancer screening (CCS)	87
Eye examinations (EYX)	90
Dental visits (DEN)	92
Oral health 2 (OH2)	94
Food choices (FDC)	99
Dietary supplement use - Vitamins and minerals (DSU)	102
Fruit and vegetable consumption (FVC)	103

Physical activities (PAC)	109
Sedentary activities (SAC)	113
Use of protective equipment (UPE)	115
Sun safety behaviours (SSB)	120
Injuries (INJ)	124
Repetitive strain - Sub Block (REP)	132
Workplace Injury - Sub Block (INW)	134
Satisfaction with life (SWL)	136
Stress - Sources (STS)	139
Stress - Coping with stress (STC)	141
Self-esteem (SFE)	145
Mastery (MAS)	147
Smoking (SMK)	149
Smoking - Stages of change (SCH)	156
Smoking cessation methods (SCA)	157
Smoking - Physician counselling (SPC)	160
Exposure to second-hand smoke (ETS)	163
Smoking - Other tobacco products (TAL)	165
Alcohol use (ALC)	166
Alcohol use during the past week (ALW)	168
Driving and safety (DRV)	173
Alcohol use - Dependence (ALD)	179
Maternal experiences - Breastfeeding (MEX)	185
Maternal experiences - Alcohol use during pregnancy (MXA)	190
Maternal experiences - Smoking during pregnancy (MXS)	192
Illicit drugs use (IDG)	194
Problem gambling (CPG)	204
Sexual behaviours (SXB)	216
Psychological well-being (PWB)	220
Social support - Availability (SSA)	227
Social support - Utilization (SSU)	233
Consultations about mental health (CMH)	237
Distress (DIS)	239
Depression (DEP)	244
Suicidal thoughts and attempts (SUI)	252
Health status (SF-36) (SFR)	254
Stigma towards depression (STG)	264
Mental Health Experiences - sub-bloc (MHE)	267

Access to health care services (ACC)	272
Waiting times (WTM)	285
Labour force (LBS)	302
Loss of Productivity (LOP)	306
Physical activities - Facilities at work (PAF)	312
Socio-demographic characteristics (SDC)	314
Person most knowledgeable about household situation (PMK)	322
Home safety (HMS)	326
Insurance coverage (INS)	328
Education (EDU)	331
Food security (FSC)	332
Neurological Conditions (NEU)	338
Education of the respondent (EDU1)	360
Education of other household members (EDU2)	362
Income (INC)	364
Administration information (ADM)	371

# Table of Contents - Topical Index

Access to health care services (ACC)	272
Activities of Daily Living (ADL)	66
Administration information (ADM)	371
Age of respondent (ANC)	3
Alcohol use (ALC)	166
Alcohol use - Dependence (ALD)	179
Alcohol use during the past week (ALW)	168
Blood pressure check (BPC)	74
Breast examinations (BRX)	81
Breast self-examinations (BSX)	83
Changes made to improve health (CIH)	10
Chronic conditions (CCC)	20
Chronic fatigue syndrome and multiple chemical sensitivities - sub-bloc (CC4)	27
Colorectal cancer screening (CCS)	87
Consultations about mental health (CMH)	237
Contacts with Health Professionals (CHP)	43
Dental visits (DEN)	92
Depression (DEP)	244
Diabetes care (DIA)	28
Dietary supplement use - Vitamins and minerals (DSU)	102
Distress (DIS)	239
Driving and safety (DRV)	173
Education (EDU)	331
Education of other household members (EDU2)	362
Education of the respondent (EDU1)	360
Exposure to second-hand smoke (ETS)	163
Eye examinations (EYX)	90
Fibromyalgia - sub-bloc (CC3)	26
Flu shots (FLU)	71
Food choices (FDC)	99
Food security (FSC)	332
Fruit and vegetable consumption (FVC)	103
General health (GEN)	6
H1N1 Flu shot (H1N)	68
Health care system satisfaction (HCS)	13
Health care utilization (HCU)	40

Health status (SF-36) (SFR)	254
Health utility index (HUI)	32
Height and weight - Self-reported (HWT)	15
Home care services (HMC)	52
Home safety (HMS)	326
Illicit drugs use (IDG)	194
Income (INC)	364
Injuries (INJ)	124
Insurance coverage (INS)	328
Labour force (LBS)	302
Loss of Productivity (LOP)	306
Mammography (MAM)	78
Mastery (MAS)	147
Maternal experiences - Alcohol use during pregnancy (MXA)	190
Maternal experiences - Breastfeeding (MEX)	185
Maternal experiences - Smoking during pregnancy (MXS)	192
Mental Health Experiences - sub-bloc (MHE)	267
Neurological Conditions (NEU)	338
Oral health 2 (OH2)	94
Pain and discomfort (HUP)	38
PAP smear test (PAP)	76
Patient satisfaction - Community-based care (PSC)	61
Patient satisfaction - Health care services (PAS)	57
Person most knowledgeable about household situation (PMK)	322
Physical activities (PAC)	109
Physical activities - Facilities at work (PAF)	312
Problem gambling (CPG)	204
Prostate cancer screening (PSA)	85
Proxy interview (GR)	1
Psychological well-being (PWB)	220
Repetitive strain - Sub Block (REP)	132
Restriction of activities (RAC)	63
Satisfaction with life (SWL)	136
Sedentary activities (SAC)	113
Self-esteem (SFE)	145
Sexual behaviours (SXB)	216
Smoking (SMK)	149
Smoking - Other tobacco products (TAL)	165

Smoking cessation methods (SCA)  Social support - Availability (SSA)  Social support - Utilization (SSU)  Socio-demographic characteristics (SDC)  Stigma towards depression (STG)  Stress - Coping with stress (STC)  Stress - Sources (STS)  Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Smoking - Physician counselling (SPC)	160
Social support - Availability (SSA)  Social support - Utilization (SSU)  Socio-demographic characteristics (SDC)  Stigma towards depression (STG)  Stress - Coping with stress (STC)  14  Stress - Sources (STS)  Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Smoking - Stages of change (SCH)	156
Social support - Utilization (SSU)  Socio-demographic characteristics (SDC)  Stigma towards depression (STG)  Stress - Coping with stress (STC)  Stress - Sources (STS)  Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Smoking cessation methods (SCA)	157
Socio-demographic characteristics (SDC)  Stigma towards depression (STG)  Stress - Coping with stress (STC)  Stress - Sources (STS)  Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Social support - Availability (SSA)	227
Stigma towards depression (STG)  Stress - Coping with stress (STC)  Stress - Sources (STS)  Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Social support - Utilization (SSU)	233
Stress - Coping with stress (STC)  Stress - Sources (STS)  Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Socio-demographic characteristics (SDC)	314
Stress - Sources (STS)  Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Stigma towards depression (STG)	264
Suicidal thoughts and attempts (SUI)  Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Stress - Coping with stress (STC)	141
Sun safety behaviours (SSB)  Unmet health care needs (UCN)  Use of protective equipment (UPE)  Voluntary organizations - Participation (ORG)	Stress - Sources (STS)	139
Unmet health care needs (UCN) 5 Use of protective equipment (UPE) 11 Voluntary organizations - Participation (ORG)	Suicidal thoughts and attempts (SUI)	252
Use of protective equipment (UPE) 11  Voluntary organizations - Participation (ORG)	Sun safety behaviours (SSB)	120
Voluntary organizations - Participation (ORG)	Unmet health care needs (UCN)	50
	Use of protective equipment (UPE)	115
Westing times (MITM)	Voluntary organizations - Participation (ORG)	g
waiting times (WTM)	Waiting times (WTM)	285
Workplace Injury - Sub Block (INW) 13	Workplace Injury - Sub Block (INW)	134

#### Introduction

- 1. CCHS content is comprised of three components:
  - a. <u>Core content</u> is asked of all respondents, annual core content remains relatively stable over time while other common modules are asked for one or two years and alternate from year to year;
  - b. Optional content is chosen by health regions and is usually coordinated at the provincial level.
  - c. <u>Rapid Response</u> modules are cost-recovery projects asked of all respondents living in the ten provinces usually for one collection period (2 months).
- 2. Question text in **bold** font is read to the respondent. Text in normal font is not read to the respondent. Interviewer instructions are prefaced by the word "INTERVIEWER", and are not read aloud.
- 3. Question text in **bold** font enclosed by brackets () is read to the respondent at the discretion of the interviewer.
- 4. The options "Don't Know" (DK) and "Refusal" (RF) are allowed on every question unless otherwise stated. However, the response categories are not read aloud.
- 5. External variable names are displayed in the questionnaire. Those names, highlighted in grey, are used in the microdata files.

## **Contact component**

Note:

The following module only includes part of the questions asked during the CCHS interview. It includes what we believe may be of interest for data users.

## Contact (CN)

CN\_BEG

CN\_N01 <u>INTERVIEWER</u>: Record method of interview.

1 Telephone2 Personal

(DK, RF are not allowed)

CN\_N02 <u>INTERVIEWER</u>: Have you made contact?

1 Yes

2 No (Go to CN\_END)

(DK, RF are not allowed)

CN END

## **Interviewer introduction** (II)

II BEG

II\_R01 Hello, I'm ^CALLING from Statistics Canada. My name is ...

 $\underline{\mathsf{INTERVIEWER}} \colon \mathsf{Introduce} \ \mathsf{yourself} \ \mathsf{using} \ \mathsf{both} \ \mathsf{your} \ \mathsf{given} \ \mathsf{and} \ \mathsf{last} \ \mathsf{names}.$ 

Press <Enter> to continue.

II END

## **Language of Preference (LP)**

LP\_BEG

LP\_Q01 Would you prefer that I speak in English or in French?

1 English (Go to IC\_R01) 2 French (Go to IC\_R01)

3 Other

(DK, RF are not allowed)

LP\_N02 <u>INTERVIEWER</u>: Select respondent's preferred non-official language. If necessary, ask: (What language would you prefer?)

- 03 Chinese
- 04 Italian
- 05 Punjabi
- 06 Spanish
- 07 Portuguese
- 08 Polish
- 09 German
- 10 Vietnamese
- 11 Arabic
- 12 Tagalog
- 13 Greek
- 14 Tamil
- 15 Cree
- 16 Afghan
- 17 Cantonese
- 18 Hindi
- 19 Mandarin
- 20 Persian (Farsi)
- 21 Russian
- 22 Ukrainian
- 23 Urdu
- 24 Inuktitut
- 25 Hungarian
- 26 Korean
- 27 Serbo-Croatian
- 28 Gujarati
- 29 Dari
- 90 Other Specify

(DK, RF are not allowed)

LP END

## Initial contact (IC)

IC BEG

IC\_R01

I'm calling regarding the Canadian Community Health Survey. This survey asks Canadians from all provinces and territories about their health, the factors that affect their health and their use of health care services. One of the main goals of the survey is to gather information to help improve health programs and services provided in your region. All information collected in this survey will be kept strictly confidential.

INTERVIEWER: Press <Enter> to continue.

IC\_END

## **Household component**

Note:

The following module only includes part of the questions asked during the CCHS interview. It includes what we believe may be of interest for data users.

## **Roster Introduction (RS)**

RS\_BEG

RS R01

The next few questions will provide important basic information on the people in your household.

<u>INTERVIEWER</u>: Press <Enter> to continue.

RS END

## **Usual Roster (USU)**

USU\_BEG

USU\_Q01

What are the names of all persons who usually live here?

(DK, RF and null are not allowed)

USU END

## Other Roster 1 (OTH1)

OTH1\_BEG

RS\_Q04

Are there any other persons who usually live here but are now away at school, in hospital, or somewhere else?

1 Yes

2 No

(Go to ANDB\_Q01)

(DK, RF and null are not allowed)

RS E1

<u>INTERVIEWER</u>: Press <Enter> to return to roster and enter at least one name.

Note:

Trigger hard edit if RS\_Q04 = 1.

OTH1\_END

## Age Without Date of Birth (ANDB)

ANDB\_BEG

ANDB\_Q01 What is [respondent name]'s age?

|\_|\_| Age in years (MIN: 0) (MAX: 130) (DK, RF are not allowed)

ANDB\_END

## Sex (SEX)

SEX\_BEG

SEX\_Q01 DHH\_SEX <u>INTERVIEWER</u>: Enter [respondent name]'s sex.

If necessary, ask: (Is [respondent name] male or female?)

1 Male

2 Female

(DK, RF are not allowed)

SEX\_END

## **Marital Status (MSNC)**

MSNC\_BEG

MSNC\_Q01 What is [respondent name]'s marital status? Is [he/she]:

INTERVIEWER: Read categories to respondent.

1 ... married?

2 ... living common-law?

3 ... widowed?4 ... separated?5 ... divorced?

6 ... single, never married?

MSNC\_END

## **Canadian forces** (CAF)

CAF\_BEG

CAF\_Q01 Is [respondent name] a full time member of the regular Canadian Armed Forces?

- 1 Yes
- 2 No

(DK, RF are not allowed)

CAF END

## **Relationship Without Confirmation (RNC)**

RNC\_BEG

RNC\_Q1 What is the relationship of: [respondent name] [(Text sex, age)] to: [respondent name]? [(Text sex, age)

- 01 Husband/Wife
- 02 Common-law partner
- 03 Father/Mother (Go to RNC\_Q2A)
- 04 Son/Daughter (Go to RNC\_Q2B)
- 05 Brother/Sister (Go to RNC\_Q2C)
- 06 Foster father/mother
- 07 Foster son/daughter
- 08 Grandfather/mother
- 09 Grandson/daughter
- 10 In-law (Go to RNC\_Q2D) 11 Other related (Go to RNC\_Q2E)
- 12 Unrelated (Go to RNC\_Q2F)

## RNC\_Q2A What is the relationship of: [respondent name] [(Text sex, age)] to: [respondent name]? [(Text sex, age)]

## Is that a(n):

- 1 ... birth father/mother?
- 2 ... step father/mother?
- 3 ... adoptive father/mother?

## RNC\_Q2B What is the relationship of: [respondent name] [(Text sex, age)] to: [respondent name]? [(Text sex, age)]

## Is that a(n):

- 1 ... birth son/daughter?
- 2 ... step son/daughter?
- 3 ... adopted son/daughter?

## RNC\_Q2C What is the relationship of: [respondent name] [(Text sex, age)] to: [respondent name]? [(Text sex, age)]

## Is that a(n):

- 1 ... full brother/sister?
- 2 ... half brother/sister?
- 3 ... step brother/sister?
- 4 ... adopted brother/sister?
- 5 ... foster brother/sister?

## RNC\_Q2D

What is the relationship of: [respondent name] [(Text sex, age)] to: [respondent name]? [(Text sex, age)]

### Is that a(n):

- 1 ... father/mother-in-law?
- 2 ... son/daughter-in-law?
- 3 ... brother/sister-in-law?
- 4 ... other in-law?

#### RNC\_Q2E

What is the relationship of: [respondent name] [(Text sex, age)] to: [respondent name]? [(Text sex, age)]

#### Is that a(n):

- 1 ... uncle/aunt?
- 2 ... cousin?
- 3 ... nephew/niece?
- 4 ... other relative?

#### RNC\_Q2F

What is the relationship of: [respondent name] [(Text sex, age)] to: [respondent name]? [(Text sex, age)]

#### Is that a(n):

- 1 ... boyfriend/girlfriend?
- 2 ... room-mate?
- 3 ... other?

RNC\_END

## Proxy interview (GR)

#### GR BEG Content block

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOGR: do block flag, from the sample file.

PE Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

#### GR\_N01 INTERVIEWER: Who is providing the information for this person's component?

- 01 MEMBER1
- 02 MEMBER2
- 03 MEMBER3
- 04 MEMBER4
- 05 MEMBER5
- 06 MEMBER6
- 07 MEMBER7
- 80 MEMBER8
- 09 MEMBER9
- 10
- MEMBER10 11 MEMBER11
- 12 MEMBER12
- 13 MEMBER13
- 14 MEMBER14
- 15 MEMBER15
- 16 MEMBER16
- 17 MEMBER17

18

19 MEMBER19

MEMBER18

20 MEMBER20

#### GR\_C01 If If selected respondent, go to GR\_END.

Otherwise, go to GR N01A.

#### GR\_N01A INTERVIEWER: Do you want to complete this component by proxy?

- 1 Yes (Go to GR\_N02)
- 2 No

(DK, RF are not allowed)

Go to GR\_E01A

GR\_E01A

You may not proceed with the rest of this questionnaire. Please press <F10> to exit, or return and update GR N01 or GR N01A.

Note:

Trigger hard edit if GR\_N01A = 2 and not Selected Respondent.

GR N02

<u>INTERVIEWER</u>: Record the reason why this component is being completed by proxy.

Proxy interviews are to occur only if the mental or physical health of the

Proxy interviews are to occur only if the mental or physical health of the selected member makes it impossible to complete the interview during the collection period. If the reason for the proxy interview is neither of these choices, please press <F10> to exit the application and assign an

appropriate outcome code.

1 Physical health condition

2 Mental health condition

(DK, RF are not allowed)

**GR\_N03** 

**INTERVIEWER**: Enter the condition.

\_\_\_\_\_

(80 spaces)

(DK, RF are not allowed)

**GR\_END** 

## Age of respondent (ANC)

ANC BEG Core content

ANC\_C01A If (do ANC block = 1), go to ANC\_D01.

Otherwise, go to ANC\_END.

ANC\_D01 (not applicable)

ANC\_R01 For some of the questions I'll be asking, I need to know ^YOUR2 exact date of birth.

INTERVIEWER: Press <Enter> to continue.

Note: Date Block

ANC N01A INTERVIEWER: Enter the day.

If necessary, ask (What is the day?)

(MIN: 1) (MAX: 31)

DK, RF

INTERVIEWER: Enter the month. ANC\_N01B

If necessary, ask (What is the month?)

01 January

02 February

03 March

04 April

05 May

06 June

07

July

80

August 09 September

10 October

11 November

12 December

DK, RF

ANC\_E1 An impossible day/month combination has been entered. Please return and correct.

Note: Trigger hard edit if a month is selected that is invalid in combination with the previously

entered numeric day.

INTERVIEWER: Enter a four-digit year. ANC N01C If necessary, ask (What is the year?) DK, RF ANC C02 If ANC\_N01C (Year) = DK, RF, go to ANC\_Q03. Otherwise, go to ANC D02. ANC E2 An impossible day/month/year combination has been entered. Please return and correct. Note: Trigger hard edit if a year is entered that is invalid in combination with the previously entered month and day. ANC\_D02 Calculate age based on the entered date of birth. ANC\_Q02 So ^YOUR1 age is [calculated age]. Is that correct? 1 Yes (Go to ANC\_C03) 2 No, return and correct date of birth No, collect age (Go to ANC\_Q03) (DK, RF are not allowed) ANC\_E02 Return to ANC\_N01A and correct the date of birth. Note: Trigger hard edit if  $ANC_Q02 = 2$ . ANC\_C03 If [calculated age] < 12 years, go to ANC\_R04. Otherwise, go to ANC\_END. ANC\_Q03 What is **^YOUR1** age? |\_|\_| Age in years (MIN: 0) (MAX: 130) (DK, RF are not allowed) ANC C04 If age < 12 years, go to ANC\_R04. Otherwise, go to ANC\_END.

ANC\_D04 (not applicable)

ANC\_R04 Because ^YOU1 ^ARE less than 12 years old, ^YOU1 ^ARE not eligible to

participate in the Canadian Community Health Survey.

INTERVIEWER: Press <Enter> to continue.

Note: Auto code as 90 Unusual/Special circumstances and call the exit block.

ANC\_END

## General health (GEN)

GEN\_BEG Core content

GEN C01 If (do GEN block = 1), go to GEN R01.

Otherwise, go to GEN\_END.

GEN\_D01 (not applicable)

GEN\_R01

This survey deals with various aspects of ^YOUR2 health. I'll be asking about such things as physical activity, social relationships and health status. By health, we mean not only the absence of disease or injury but also physical, mental and social well-being.

INTERVIEWER: Press <Enter> to continue.

## GEN\_Q01

To start, in general, would you say **YOUR1** health is:

GEN\_01

INTERVIEWER: Read categories to respondent.

- 1 ...excellent?
- 2 ...very good?
- 3 ...good?
- 4 ...fair?
- 5 ...poor?

DK, RF

## GEN\_Q02

Compared to one year ago, how would you say ^YOUR1 health is now? Is it:

#### GEN 02

INTERVIEWER: Read categories to respondent.

- 1 ...much better now than 1 year ago?
- 2 ...somewhat better now (than 1 year ago)?
- 3 ...about the same as 1 year ago?
- 4 ...somewhat worse now (than 1 year ago)?
- 5 ...much worse now (than 1 year ago)?

DK, RF

#### GEN\_C02A

If proxy interview, go to GEN\_Q07. Otherwise, go to GEN\_Q02A.

## GEN\_Q02A GEN\_02A2

Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how ^DOVERB ^YOU1 feel about ^YOUR1 life as a whole right now?

- 01 Very dissatisfied
- 02 03
- 03
- 04
- 05 06
- 07
- 08
- 09 V
- 10 Very satisified
  - DK, RF

### GEN Q02B

In general, would you say your mental health is:

### GEN\_02B

INTERVIEWER: Read categories to respondent.

- 1 ...excellent?
- 2 ...very good?
- 3 ...good?
- 4 ...fair?
- 5 ...poor?
  - DK, RF

## GEN\_Q07 GEN 07

Thinking about the amount of stress in **^YOUR1** life, would you say that most days are:

**INTERVIEWER**: Read categories to respondent.

- 1 ...not at all stressful?
- 2 ...not very stressful?
- 3 ...a bit stressful?
- 4 ...quite a bit stressful?
- 5 ...extremely stressful?
  - DK, RF

GEN\_C08A

If proxy interview, go to GEN\_END. Otherwise, go to GEN\_C08B.

GEN\_C08B

If age < 15 or age > 75, go to GEN\_Q10.

Otherwise, go to GEN\_Q08.

### GEN\_Q08

Have you worked at a job or business at any time in the past 12 months?

## **GEN\_08**

- 1 Yes
- 2 No (Go to GEN\_Q10) DK, RF (Go to GEN\_Q10)

## GEN\_Q09 GEN\_09

The next question is about your main job or business in the past 12 months. Would you say that most days at work were:

INTERVIEWER: Read categories to respondent.

- 1 ...not at all stressful?
- 2 ...not very stressful?
- 3 ...a bit stressful?
- 4 ...quite a bit stressful?
- 5 ...extremely stressful? DK, RF

## GEN\_Q10 GEN\_10

How would you describe your sense of belonging to your local community? Would you say it is:

INTERVIEWER: Read categories to respondent.

- 1 ...very strong?
- 2 ...somewhat strong?
- 3 ...somewhat weak?
- 4 ...very weak?
  DK, RF

**GEN\_END** 

## Voluntary organizations - Participation (ORG)

ORG\_BEG Optional Content (See Appendix 2)

ORG\_C1A If (do ORG block = 1), go to ORG\_C1B.

Otherwise, go to ORG\_END.

ORG\_C1B If proxy interview, go to ORG\_END.

Otherwise, go to ORG\_Q1.

## ORG\_Q1 ORG 1

Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?

1 Yes

2 No (Go to ORG\_END) DK, RF (Go to ORG\_END)

ORG\_Q2 ORG 2 How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active.

**INTERVIEWER**: Read categories to respondent.

- 1 At least once a week
- 2 At least once a month
- 3 At least 3 or 4 times a year
- 4 At least once a year
- 5 **Not at all** DK, RF

ORG END

## Changes made to improve health (CIH)

CIH\_BEG Optional Content (See Appendix 2)

CIH\_C1A If (do CIH block = 1), go to CIH\_C1B.

Otherwise, go to CIH\_END.

CIH\_C1B If proxy interview, go to CIH\_END.

Otherwise, go to CIH\_Q1.

## CIH\_Q1

CIH 1

Next, some questions about changes made to improve health. In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking, increased exercise)

- 1 Yes
- 2 No (Go to CIH\_Q3) DK, RF (Go to CIH\_END)

## CIH\_Q2

#### What is the single most important change you have made?

#### CIH 2

- 1 Increased exercise, sports / physical activity
- 2 Lost weight
- 3 Changed diet / improved eating habits
- 4 Quit smoking / reduced amount smoked
- 5 Drank less alcohol
- 6 Reduced stress level
- 7 Received medical treatment
- 8 Took vitamins
- 9 Other DK, RF

#### CIH\_D3

If CIH\_Q1 = 1, ^DT\_ANYTHING = "anything else".

Otherwise, ^DT\_ANYTHING = "anything".

## CIH\_Q3 CIH 3

## Do you think there is ^DT\_ANYTHING you should do to improve your physical health?

- 1 Yes
- 2 No (Go to CIH\_END) DK, RF (Go to CIH\_END)

## CIH\_Q4

#### What is the most important thing?

## CIH\_4

- 1 Start / Increase exercise, sports / physical activity
- 2 Lose weight
- 3 Change diet / improve eating habits
- 4 Quit smoking / reduce amount smoked
- 5 Drink less alcohol
- 6 Reduce stress level
- 7 Receive medical treatment
- 8 Take vitamins
- 9 Other

DK, RF

## CIH\_Q5

### Is there anything stopping you from making this improvement?

## CIH\_5

- 1 Yes
- 2 No (Go to CIH\_Q7) DK, RF (Go to CIH\_Q7)

#### CIH Q6

#### What is that?

## INTERVIEWER: Mark all that apply.

CIH_6A	01	Lack of will power / self-discipline
CIH_6I	02	Family responsibilities
CIH_6B	03	Work schedule
CIH_6J	04	Addiction to drugs / alcohol
CIH_6K	05	Physical condition
CIH_6G	06	Disability / health problem
CIH_6F	07	Too stressed
CIH_6E	80	Too costly / financial constraints
CIH_6L	09	Not available - in area
CIH_6M	10	Transportation problems
CIH_6N	11	Weather problems
CIH_6H	12	Other
		DK, RF

## CIH\_Q7 CIH\_7

## Is there anything you intend to do to improve your physical health in the next year?

#### 1 Yes

2 No (Go to CIH\_END) DK, RF (Go to CIH\_END)

## CIH\_Q8 What is that?

## <u>INTERVIEWER</u>: Mark all that apply.

CIH_8A	1	Start / Increase exercise, sports / physical activity
CIH_8B	2	Lose weight
CIH_8C	3	Change diet / improve eating habits
CIH_8J	4	Quit smoking / reduce amount smoked
CIH_8K	5	Drink less alcohol
CIH_8G	6	Reduce stress level
CIH_8L	7	Receive medical treatment
CIH_8H	8	Take vitamins
CIH_8I	9	Other
		DK, RF

CIH\_END

## Health care system satisfaction (HCS)

```
HCS BEG
                  Optional Content (See Appendix 2)
HCS C1A
                  If (do HCS block = 1), go to HCS C1B.
                  Otherwise, go to HCS END.
HCS C1B
                  If proxy interview or if age < 15, go to HCS_END.
                  Otherwise, go to HCS_D1.
HCS D1
                  If province = 10, ^DT ProvinceE = "Newfoundland and Labrador".
                  If province = 11, ^DT ProvinceE = "Prince Edward Island".
                  If province = 12, ^DT ProvinceE = "Nova Scotia".
                  If province = 13, ^DT ProvinceE = "New Brunswick".
                  If province = 24, ^DT_ProvinceE = "Quebec".
                  If province = 35, ^DT ProvinceE = "Ontario".
                  If province = 46, ^DT_ProvinceE = "Manitoba".
                  If province = 47, ^DT ProvinceE = "Saskatchewan".
                  If province = 48, ^DT ProvinceE = "Alberta".
                  If province = 59, ^DT ProvinceE = "British Columbia".
                  If province = 60, ^DT ProvinceE = "Yukon".
                  If province = 61, ^DT_ProvinceE = "the Northwest Territories".
                  If province = 62, ^DT_ProvinceE = "Nunavut".
HCS Q1
                  Now, a few questions about health care services in ^DT_ProvinceE. Overall, how
                  would you rate the availability of health care services in ^DT_ProvinceE?
HCS_1
                  Would you say it is:
                  INTERVIEWER: Read categories to respondent.
                  1
                       ...excellent?
                  2
                       ...good?
                  3
                       ...fair?
                       ...poor?
                                   (Go to HCS_END)
                       DK, RF
HCS D2
                  (not applicable)
```

## HCS\_Q2 HCS\_2

Overall, how would you rate the quality of the health care services that are available in ^DT\_ProvinceE?

INTERVIEWER: Read categories to respondent.

- 1 Excellent
- 2 Good
- 3 Fair
- 4 Poor

DK, RF

## HCS\_Q3 HCS 3

Overall, how would you rate the availability of health care services in your community?

- 1 Excellent
- 2 Good
- 3 Fair
- 4 Poor

DK, RF

## HCS\_Q4 HCS 4

Overall, how would you rate the quality of the health care services that are available in your community?

- 1 Excellent
- 2 Good
- 3 Fair
- 4 Poor

DK, RF

HCS\_END

## Height and weight - Self-reported (HWT)

HWT\_BEG Core content

HWT\_C1 If (do HWT block = 1), go to HWT\_C2.

Otherwise, go to HWT\_END.

HWT\_C2 If (proxy interview = No and sex = female and (14 < age < 50)), go to HWT\_Q1.

Otherwise, go to HWT\_Q2.

## HWT\_Q1 It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?

- 1 Yes (Go to HWT\_END)
- 2 No DK, RF

## HWT\_Q2 The next questions are about height and weight. How tall ^ARE ^YOU2 without shoes on?

- 0 Less than 1' / 12" (less than 29.2 cm.)
- 1 1'0" to 1'11" / 12" to 23" (29.2 to 59.6 cm.)
- 2 2'0" to 2'11" / 24" to 35" (59.7 to 90.1 cm.)
- 3 3'0" to 3'11" / 36" to 47" (90.2 to 120.6 cm.) (Go to HWT\_N2C)
- 4 4'0" to 4'11" / 48" to 59" (120.7 to 151.0 cm.) (Go to HWT\_N2D)
- 5 5'0" to 5'11" (151.1 to 181.5 cm.) (Go to HWT\_N2E)
- 6 6'0" to 6'11" (181.6 to 212.0 cm.) (Go to HWT\_N2F)
- 7 7'0" and over (212.1 cm. and over) (Go to HWT\_Q3)
  - DK, RF (Go to HWT\_Q3)

HWT\_E2 The selected height is too short for a ^CURRAGE year old respondent. Please return and correct.

Note: Trigger hard edit if  $(HWT_Q2 < 3)$ .

#### HWT\_N2A

#### INTERVIEWER: Select the exact height.

#### HWT\_2A

- 00 1'0" / 12" (29.2 to 31.7 cm.)
- 01 1'1" / 13" (31.8 to 34.2 cm.)
- 02 1'2" / 14" (34.3 to 36.7 cm.)
- 03 1'3" / 15" (36.8 to 39.3 cm.)
- 04 1'4" / 16" (39.4 to 41.8 cm.)
- 05 1'5" / 17" (41.9 to 44.4 cm.)
- 06 1'6" / 18" (44.5 to 46.9 cm.)
- 07 1'7" / 19" (47.0 to 49.4 cm.)
- 08 1'8" / 20" (49.5 to 52.0 cm.)
- 09 1'9" / 21" (52.1 to 54.5 cm.)
- 10 1'10" / 22" (54.6 to 57.1 cm.)
- 11 1'11" / 23" (57.2 to 59.6 cm.)
  - DK, RF

#### HWT N2B

#### **INTERVIEWER**: Select the exact height.

#### HWT\_2B

- 00 2'0" / 24" (59.7 to 62.1 cm.)
- 01 2'1" / 25" (62.2 to 64.7 cm.)
- 02 2'2" / 26" (64.8 to 67.2 cm.)
- 03 2'3" / 27" (67.3 to 69.8 cm.)
- 04 2'4" / 28" (69.9 to 72.3 cm.)
- 05 2'5" / 29" (72.4 to 74.8 cm.)
- 06 2'6" / 30" (74.9 to 77.4 cm.)
- 07 2'7" / 31" (77.5 to 79.9 cm.)
- 08 2'8" / 32" (80.0 to 82.5 cm.)
- 09 2'9" / 33" (82.6 to 85.0 cm.)
- 10 2'10" / 34" (85.1 to 87.5 cm.)
- 11 2'11" / 35" (87.6 to 90.1 cm.)

#### DK, RF

### HWT\_N2C

#### **INTERVIEWER**: Select the exact height.

#### HWT\_2C

- 00 3'0" / 36" (90.2 to 92.6 cm.)
- 01 3'1" / 37" (92.7 to 95.2 cm.)
- 02 3'2" / 38" (95.3 to 97.7 cm.)
- 03 3'3" / 39" (97.8 to 100.2 cm.)
- 04 3'4" / 40" (100.3 to 102.8 cm.)
- 05 3'5" / 41" (102.9 to 105.3 cm.)
- 06 3'6" / 42" (105.4 to 107.9 cm.)
- 07 3'7" / 43" (108.0 to 110.4 cm.)
- 08 3'8" / 44" (110.5 to 112.9 cm.)
- 09 3'9" / 45" (113.0 to 115.5 cm.)
- 10 3'10" / 46" (115.6 to 118.0 cm.)
- 11 3'11" / 47" (118.1 to 120.6 cm.) DK, RF

## HWT N2D INTERVIEWER: Select the exact height. HWT\_2D 00 4'0" / 48" (120.7 to 123.1 cm.) 01 4'1" / 49" (123.2 to 125.6 cm.) 02 4'2" / 50" (125.7 to 128.2 cm.) 03 4'3" / 51" (128.3 to 130.7 cm.) 04 4'4" / 52" (130.8 to 133.3 cm.) 05 4'5" / 53" (133.4 to 135.8 cm.) 06 4'6" / 54" (135.9 to 138.3 cm.) 07 4'7" / 55" (138.4 to 140.9 cm.) 08 4'8" / 56" (141.0 to 143.4 cm.) 09 4'9" / 57" (143.5 to 146.0 cm.) 10 4'10" / 58" (146.1 to 148.5 cm.) 11 4'11" / 59" (148.6 to 151.0 cm.) DK, RF Go to HWT\_Q3 HWT N2E <u>INTERVIEWER</u>: Select the exact height. HWT\_2E 00 5'0" (151.1 to 153.6 cm.) 01 5'1" (153.7 to 156.1 cm.) 02 5'2" (156.2 to 158.7 cm.) 03 5'3" (158.8 to 161.2 cm.) 04 5'4" (161.3 to 163.7 cm.) 05 5'5" (163.8 to 166.3 cm.) 06 5'6" (166.4 to 168.8 cm.) 07 5'7" (168.9 to 171.4 cm.) 08 5'8" (171.5 to 173.9 cm.) 5'9" (174.0 to 176.4 cm.) 5'10" (176.5 to 179.0 cm.) 11 5'11" (179.1 to 181.5 cm.) DK, RF

Go to HWT\_Q3

## HWT N2F INTERVIEWER: Select the exact height. HWT\_2F 00 6'0" (181.6 to 184.1 cm.) 01 6'1" (184.2 to 186.6 cm.) 02 6'2" (186.7 to 189.1 cm.) 03 6'3" (189.2 to 191.7 cm.) 04 6'4" (191.8 to 194.2 cm.) 05 6'5" (194.3 to 196.8 cm.) 06 6'6" (196.9 to 199.3 cm.) 07 6'7" (199.4 to 201.8 cm.) 6'8" (201.9 to 204.4 cm.) 6'9" (204.5 to 206.9 cm.) 10 6'10" (207.0 to 209.5 cm.) 11 6'11" (209.6 to 212.0 cm.) DK, RF HWT\_Q3 How much ^DOVERB ^YOU2 weigh? HWT 3 **INTERVIEWER**: Enter amount only. |\_|\_| Weight (MIN: 1) (MAX: 575) DK, RF (Go to HWT\_END) HWT N4 **INTERVIEWER**: Was that in pounds or kilograms? HWT N4 1 **Pounds** 2 Kilograms (DK, RF are not allowed) HWT\_E4 An unusual value has been entered. Please confirm. Trigger soft edit if ((HWT\_Q3 > 300 and HWT\_N4 = 1) or (HWT\_Q3 > 136 and Note: HWT\_N4 = 2)) or ((HWT\_Q3 < 60 and HWT\_N4 = 1) or (HWT\_Q3 < 27 and HWT\_N4 = 2)).HWT\_C4 If proxy interview, go to HWT\_END.

Otherwise, go to HWT Q4.

## HWT\_Q4 HWT\_4

## Do you consider yourself:

INTERVIEWER: Read categories to respondent.

- 1 ...overweight?
- 2 ...underweight?
- 3 ...just about right?

DK, RF

HWT\_END

## **Chronic conditions (CCC)**

CCC\_BEG Core content

CCC\_C011 If (do CCC block = 1), go to CCC\_R011.

Otherwise, go to CCC\_END.

CCC\_R011

Now I'd like to ask about certain chronic health conditions which ^YOU2 may have. We are interested in "long-term conditions" which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional.

**INTERVIEWER**: Press <Enter> to continue.

## CCC\_Q031

## ^DOVERB\_C ^YOU2 have asthma?

CCC 031

- 1 Yes
- 2 No (Go to CCC\_B037)

  DK (Go to CCC\_B037)

  RF (Go to CCC\_END)

## CCC\_Q035 CCC\_035

**^HAVE\_C ^YOU1** had any asthma symptoms or asthma attacks in the past 12 months?

- 1 Yes
- 2 No

DK, RF

# CCC\_Q036

In the past 12 months, ^HAVE ^YOU1 taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?

- 1 Yes
- 2 No

DK, RF

**CCC B037** 

Call sub-bloc "Fibromyalgia" (CC3)

CCC\_C051

If age < 14, go to CCC\_Q061. Otherwise, go to CCC\_Q051.

DK, RF

(Go to CCC\_Q081)

#### ^DOVERB\_C ^YOU1 have arthritis, excluding fibromyalgia? CCC Q051 CCC\_051 1 Yes 2 No DK, RF CCC Q061 ^DOVERB\_C ^YOU2 have back problems, excluding fibromyalgia and arthritis? CCC 061 Yes 1 2 No DK, RF CCC Q071 Remember, we're interested in conditions diagnosed by a health professional. **^DOVERB C ^YOU2** have high blood pressure? CCC\_071 1 Yes (Go to CCC\_Q073) 2 No DK RF (Go to CCC\_Q081) CCC\_Q072 **^HAVE C ^YOU1** ever been diagnosed with high blood pressure? CCC\_072 1 Yes 2 No (Go to CCC\_Q081) DK, RF (Go to CCC\_Q081) **CCC Q073** In the past month, ^HAVE ^YOU1 taken any medicine for high blood pressure? CCC 073 1 Yes 2 No DK, RF CCC C073A If sex = female and age > 15 and (CCC\_Q071 = 1 or [CCC\_Q072 = 1 and CCC\_Q073 = 1]), go to CCC\_Q073A. Otherwise, go to CCC\_Q081. CCC Q073A ^WERE\_C ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with high blood pressure? CCC\_073A 1 Yes 2 (Go to CCC Q081) No

CCC_Q073B CCC_073B	Other than during pregnancy, has a health professional ever told ^YOU2 that ^YOU1 ^HAVE high blood pressure?		
	1 Yes 2 No DK, RF		
CCC_Q081 CCC_081	Remember, we're interested in conditions diagnosed by a health professional. ^DOVERB_C ^YOU1 have migraine headaches?		
	1 Yes 2 No DK, RF		
CCC_C091	If age < 35, go to CCC_Q101. Otherwise, go to CCC_Q091.		
CCC_Q091	^DOVERB_C ^YOU2 have chronic bronchitis, emphysema or chronic obstructive		
CCC_091	pulmonary disease or COPD?		
	1 Yes 2 No		
	DK, RF		
CCC_Q101	(Remember, we're interested in conditions diagnosed by a health professional.)		
CCC_101	^DOVERB_C ^YOU2 have diabetes?		
	1 Yes		
	2 No (Go to CCC_Q121)		
	DK, RF (Go to CCC_Q121)		
CCC_Q102 CCC_102	How old ^WERE ^YOU1 when this was first diagnosed?		
	INTERVIEWER: Maximum is [current age].		
	_ _  Age in years (MIN: 0) (MAX: current age) DK, RF		
CCC_C10A	If age < 15 or sex = male or CCC_Q102 < 15 or CCC_Q102 > 49, go to CCC_Q10C. Otherwise, go to CCC_Q10A.		

DK, RF

#### CCC Q10A ^WERE ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with diabetes? CCC\_10A Yes 1 2 No (Go to CCC\_Q10C) DK, RF (Go to CCC\_Q10C) CCC Q10B Other than during pregnancy, has a health professional ever told ^YOU2 that **^YOU1 ^HAVE diabetes?** CCC 10B 1 Yes 2 No (Go to CCC\_Q121) DK, RF (Go to CCC\_Q121) CCC Q10C When ^YOU1 ^WERE first diagnosed with diabetes, how long was it before ^YOU1 CCC\_10C **^WERE started on insulin?** 1 Less than 1 month 2 1 month to less than 2 months 3 2 months to less than 6 months 4 6 months to less than 1 year 5 1 year or more Never (Go to CCC\_Q106) DK, RF CCC Q105 **^DOVERB\_C ^YOU2** currently take insulin for **^YOUR1** diabetes? CCC\_105 1 Yes 2 No DK, RF Note: If CCC\_Q10C = 6, CCC\_Q105 will be filled with "No" during processing. CCC\_Q106 In the past month, did ^YOU2 take pills to control ^YOUR1 blood sugar? CCC\_106 Yes 1 2 No DK, RF CCC\_Q121 ^DOVERB\_C ^YOU1 have heart disease? CCC 121 1 Yes 2 No

#### CCC Q131 (^DOVERB\_C ^YOU1 have:) CCC\_131 ... cancer? 1 Yes (Go to CCC Q141) 2 No DK RF (Go to CCC\_Q141) CCC\_Q132 **^HAVE ^YOU1** ever been diagnosed with cancer? CCC 31A 1 Yes 2 No DK, RF CCC\_Q141 Remember, we're interested in conditions diagnosed by a health professional. CCC\_141 **^DOVERB ^YOU1** have intestinal or stomach ulcers? 1 Yes 2 No DK, RF CCC\_Q151 ^DOVERB ^YOU2 suffer from the effects of a stroke? CCC 151 1 Yes 2 No DK, RF CCC\_C161 If age < 25, go to CCC\_Q171. Otherwise, go to CCC\_Q161. CCC\_Q161 (^DOVERB ^YOU2 suffer:) CCC 161 ... from urinary incontinence? 1 Yes 2 No DK, RF CCC\_Q171 **^DOVERB\_C ^YOU1** suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence? CCC\_171 1 Yes 2 No (Go to CCC\_C181) DK, RF (Go to CCC\_C181)

#### CCC Q171A

#### What kind of bowel disease ^DOVERB ^YOU1 have?

CCC\_17A

- 1 Crohn's Disease
- 2 Ulcerative colitis
- 3 Irritable Bowel Syndrome
- 4 Bowel incontinence
- 5 Other

DK, RF

CCC\_C181

If age < 35, go to CCC\_B181. Otherwise, go to CCC\_Q181.

# CCC\_Q181 CCC\_181

#### ^DOVERB\_C ^YOU2 have:

... Alzheimer's Disease or any other dementia?

- 1 Yes
- 2 No

DK, RF

CCC\_B181

Call sub-bloc "Chronic fatigue syndrome and multiple chemical sensitivities" (CC4)

# CCC\_Q280

CCC 280

Remember, we're interested in conditions diagnosed by a health professional.

**^DOVERB\_C ^YOU2** have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

**INTERVIEWER**: Include manic depression.

- 1 Yes
- 2 No

DK, RF

# CCC\_Q290 CCC\_290

**^DOVERB\_C ^YOU2** have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

- 1 Yes
- 2 No

DK, RF

CCC\_END

#### Fibromyalgia - sub-bloc (CC3)

CC3\_BEG Content block

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOCC3: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

CC3\_Q01

# **^DOVERB\_C ^YOU2** have fibromyalgia?

1 Yes

2 No

DK, RF

CC3\_END

# Chronic fatigue syndrome and multiple chemical sensitivities - sub-bloc (CC4)

CC4\_BEG Content block

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOCC4: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

CC4\_Q01 CCC 251

#### ^DOVERB\_C ^YOU2 have chronic fatigue syndrome?

่ 1 Yes

2 No

DK, RF

CC4\_Q02

#### **^DOVERB\_C ^YOU2** suffer from multiple chemical sensitivities?

CCC\_261

- 1 Yes
- 2 No

DK, RF

CC4\_END

#### Diabetes care (DIA)

DIA BEG Optional Content (See Appendix 2)

DIA C01A If (do DIA block = 1), go to DIA\_C01B.

Otherwise, go to DIA END.

DIA C01B If (CCC Q101 = 1), go to DIA C01C.

Otherwise, go to DIA\_END.

DIA C01C If (CCC Q10A = 1), go to DIA END.

Otherwise, go to DIA R01.

DIA R01 It was reported earlier that "YOU2 "HAVE diabetes. The following questions are

about diabetes care.

INTERVIEWER: Press < Enter> to continue.

DIA Q01

In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A- one-C"? (An "A-one-C" haemoglobin test measures the average DIA 01 level of blood sugar over a 3-month period.)

1 Yes

2 No (Go to DIA Q03)

> DK (Go to DIA Q03)

RF (Go to DIA\_END)

DIA Q02 DIA\_02

How many times? (In the past 12 months, has a health care professional tested **^YOU2** for haemoglobin "A-one-C"?)

|\_|\_| Times

(MIN: 1) (MAX: 99)

DK, RF

DIA\_Q03

DIA 03

In the past 12 months, has a health care professional checked ^YOUR1 feet for any sores or irritations?

1 Yes

2 No (Go to DIA\_Q05)

3 No feet (Go to DIA\_Q05)

> DK, RF (Go to DIA\_Q05)

#### DIA\_Q04 DIA\_04

How many times? (In the past 12 months, has a health care professional checked **^YOUR1** feet for any sores or irritations?)

|\_|\_| Times

(MIN: 1) (MAX: 99)

DK, RF

#### DIA\_Q05 DIA 05

In the past 12 months, has a health care professional tested **^YOUR1** urine for protein (i.e., Microalbumin)?

- 1 Yes
- 2 No

DK, RF

# DIA\_Q06 DIA\_06

**^HAVE\_C ^YOU2** ever had an eye exam where the pupils of **^YOUR1** eyes were dilated? (This procedure would have made **^HIMHER** temporarily sensitive to light.)

- 1 Yes
- 2 No (Go to DIA\_R08) DK, RF (Go to DIA\_R08)

# DIA\_Q07

When was the last time?

DIA 07

**INTERVIEWER**: Read categories to respondent.

- 1 Less than one month ago
- 2 1 month to less than 1 year ago
- 3 1 year to less than 2 years ago
- 4 **2 or more years ago** DK, RF

DIA R08

Now some questions about diabetes care not provided by a health care professional.

**INTERVIEWER**: Press <Enter> to continue.

# DIA\_Q08 DIA\_08

How often ^DOVERB ^YOU2 usually have ^YOUR1 blood checked for glucose or sugar by ^YOURSELF or by a family member or friend?

<u>INTERVIEWER</u>: Select the reporting period here and enter the number in the next screen.

- 1 Per day
- 2 Per week (Go to DIA\_N08C)
- 3 Per month (Go to DIA\_N08D)
- 4 Per year (Go to DIA\_N08E)
- 5 Never (Go to DIA\_C09) DK, RF (Go to DIA\_C09)

DIA_N08B DIA_N8B	INTERVIEWER: Enter number of times per day.   _ _  Times (MIN: 1) (MAX: 99)  DK, RF Go to DIA_C09		
DIA_N08C DIA_N8C	INTERVIEWER: Enter number of times per week.   _ _  Times (MIN: 1) (MAX: 99) DK, RF Go to DIA_C09		
DIA_N08D DIA_N8D	INTERVIEWER: Enter number of times per month.   _ _  Times (MIN: 1) (MAX: 99) DK, RF Go to DIA_C09		
DIA_N08E DIA_N8E	INTERVIEWER: Enter number of times per year.   _ _  Times (MIN: 1) (MAX: 99) DK, RF		
DIA_C09	If DIA_Q03 = 3 (no feet), go to DIA_C10. Otherwise, go to DIA_Q09.		
DIA_Q09 DIA_09	How often ^DOVERB ^YOU2 usually have ^YOUR1 feet checked for any sores or irritations by ^YOURSELF or by a family member or friend?  INTERVIEWER: Select the reporting period here and enter the number in the next screen.  Per day Per week (Go to DIA_N09C) Per month (Go to DIA_N09D) Per year (Go to DIA_N09E) Never (Go to DIA_C10) DK, RF (Go to DIA_C10)		
DIA_N09B DIA_N9B	INTERVIEWER: Enter number of times per day.   _ _  Times (MIN: 1) (MAX: 99)  DK, RF Go to DIA_C10		

DIA N09C INTERVIEWER: Enter number of times per week. DIA\_N9C |\_|\_| Times (MIN: 1) (MAX: 99) DK, RF Go to DIA C10 DIA\_N09D INTERVIEWER: Enter number of times per month. DIA N9D |\_|\_| Times (MIN: 1) (MAX: 99) DK, RF Go to DIA\_C10 DIA N09E INTERVIEWER: Enter number of times per year. DIA\_N9E |\_|\_| Times (MIN: 1) (MAX: 99) DK, RF If age >= 35, go to DIA R10. DIA C10 Otherwise, go to DIA END. DIA\_R10 Now a few questions about medication. **INTERVIEWER**: Press <Enter> to continue. DIA\_Q10 In the past month, did ^YOU2 take aspirin or other ASA (acetylsalicylic acid) DIA\_10 medication every day or every second day? 1 Yes 2 No DK, RF DIA Q11 In the past month, did ^YOU1 take prescription medications such as Lipitor or Zocor to control ^YOUR1 blood cholesterol levels? **DIA 11** 1 Yes 2 No DK, RF

DIA\_END

# Health utility index (HUI)

HUI BEG

Theme content

The Health Utility Index (HUI) is formed of 8 attributes. In CCHS, these attributes are found in two different modules. The module Pain and discomfort (HUP) is comprised of 3 questions related to the pain and discomfort attribute and is part of the core content which is asked to all survey respondents. The 7 other attributes are found in the module Health Utility Index (HUI). In 2009-2010, this module is also asked to all respondents as part of the theme content.

HUI C1

If (do HUI block = 2), go to HUI\_END. Otherwise, go to HUI\_R1.

HUI\_R1

The next set of questions asks about ^YOUR2 day-to-day health. The questions are not about illnesses like colds that affect people for short periods of time. They are concerned with a person's usual abilities.

You may feel that some of these questions do not apply to ^YOU2, but it is important that we ask the same questions of everyone.

INTERVIEWER: Press <Enter> to continue.

#### HUI\_Q01 HUI\_01

^ARE\_C ^YOU1 usually able to see well enough to read ordinary newsprint without glasses or contact lenses?

1 Yes (Go to HUI Q04)

2 No

DK, RF (Go to HUI END)

#### HUI\_Q02 HUI\_02

^ARE\_C ^YOU1 usually able to see well enough to read ordinary newsprint with glasses or contact lenses?

- 1 Yes (Go to HUI Q04)
- 2 No

DK, RF

# HUI\_Q03

^ARE C ^YOU1 able to see at all?

HUI 03

1 Yes

2 No (Go to HUI\_Q06) DK, RF (Go to HUI\_Q06)

DK RF

(Go to HUI Q10)

#### ^ARE C ^YOU1 able to see well enough to recognize a friend on the other side of HUI Q04 HUI 04 the street without glasses or contact lenses? 1 Yes (Go to HUI Q06) 2 No DK, RF (Go to HUI\_Q06) HUI Q05 ^ARE C ^YOU1 usually able to see well enough to recognize a friend on the other side of the street with glasses or contact lenses? HUI 05 1 Yes 2 No DK, RF HUI Q06 ^ARE C ^YOU2 usually able to hear what is said in a group conversation with at least 3 other people without a hearing aid? HUI 06 (Go to HUI\_Q10) 1 Yes 2 No DK, RF (Go to HUI\_Q10) HUI Q07 ^ARE\_C ^YOU1 usually able to hear what is said in a group conversation with at HUI 07 least 3 other people with a hearing aid? 1 Yes (Go to HUI Q08) 2 No DK, RF HUI Q07A ^ARE C ^YOU1 able to hear at all? HUI 07A Yes 1 2 No (Go to HUI\_Q10) DK, RF (Go to HUI\_Q10) HUI Q08 ^ARE\_C ^YOU1 usually able to hear what is said in a conversation with one other person in a quiet room without a hearing aid? HUI\_08 1 Yes (Go to HUI Q10) 2 No

HUI_Q09 HUI_09	^ARE_C ^YOU1 usually able to hear what is said in a conversation with one other person in a quiet room with a hearing aid?	
	1 Yes 2 No DK, RF	
HUI_Q10 HUI_10	^ARE_C ^YOU2 usually able to be understood completely when speaking with strangers in ^YOUR1 own language?	
	1 Yes (Go to HUI_Q14) 2 No DK RF (Go to HUI_Q14)	
HUI_Q11 HUI_11	^ARE_C ^YOU1 able to be understood partially when speaking with strangers?  1 Yes 2 No DK, RF	
	^ARE_C ^YOU1 able to be understood completely when speaking with those who know ^HIMHER well?	
HUI_Q12 HUI_12	^ARE_C ^YOU1 able to be understood completely when speaking with those who know ^HIMHER well?	
	know ^HIMHER well?  1 Yes (Go to HUI_Q14)  2 No DK	
HUI_12	know ^HIMHER well?  1 Yes (Go to HUI_Q14)  2 No DK RF (Go to HUI_Q14)  ^ARE_C ^YOU1 able to be understood partially when speaking with those who	
HUI_12	know ^HIMHER well?  1 Yes (Go to HUI_Q14)  2 No DK RF (Go to HUI_Q14)  ^ARE_C ^YOU1 able to be understood partially when speaking with those who know ^HIMHER well?  1 Yes 2 No	
HUI_Q13 HUI_13	know ^HIMHER well?  1 Yes (Go to HUI_Q14)  2 No     DK     RF (Go to HUI_Q14)  ^ARE_C ^YOU1 able to be understood partially when speaking with those who know ^HIMHER well?  1 Yes 2 No     DK, RF  ^ARE_C ^YOU2 usually able to walk around the neighbourhood without difficulty	

1

2

Yes

No DK, RF

#### HUI Q15 ^ARE\_C ^YOU1 able to walk at all? HUI\_15 1 Yes 2 No (Go to HUI\_Q18) DK, RF (Go to HUI\_Q18) HUI Q16 ^DOVERB C ^YOU1 require mechanical support such as braces, a cane or crutches to be able to walk around the neighbourhood? HUI\_16 1 Yes 2 No DK, RF ^DOVERB\_C ^YOU1 require the help of another person to be able to walk? HUI\_Q17 HUI\_17 1 Yes 2 No DK, RF HUI Q18 ^DOVERB\_C ^YOU1 require a wheelchair to get around? HUI\_18 Yes 1 2 (Go to HUI\_Q21) No DK, RF (Go to HUI\_Q21) HUI\_Q19 How often ^DOVERB ^YOU1 use a wheelchair? **HUI 19 INTERVIEWER**: Read categories to respondent. 1 **Always** 2 Often 3 **Sometimes** 4 Never DK, RF HUI Q20 **^DOVERB\_C ^YOU1** need the help of another person to get around in the wheelchair? HUI\_20

#### HUI\_Q21 HUI\_21

^ARE\_C ^YOU2 usually able to grasp and handle small objects such as a pencil or scissors?

- 1 Yes (Go to HUI D25)
- 2 No

DK, RF (Go to HUI\_D25)

# HUI\_Q22 HUI 22

**^DOVERB\_C ^YOU1** require the help of another person because of limitations in the use of hands or fingers?

- 1 Yes
- 2 No (Go to HUI\_Q24) DK, RF (Go to HUI\_Q24)

# HUI\_Q23

^DOVERB C ^YOU1 require the help of another person with:

#### HUI\_23

INTERVIEWER: Read categories to respondent.

- 1 ... some tasks?
- 2 ... most tasks?
- 3 ... almost all tasks?
- 4 ... all tasks?
  DK. RF

# HUI\_Q24 HUI\_24

**^DOVERB\_C ^YOU1** require special equipment, for example, devices to assist in dressing, because of limitations in the use of hands or fingers?

- 1 Yes
- 2 No

DK, RF

HUI D25

If proxy interview, ^DT\_YSELF = "^FNAME".

Otherwise, ^DT\_YSELF = "yourself".

#### HUI Q25

Would you describe ^DT\_YSELF as being usually:

#### HUI 25

**INTERVIEWER**: Read categories to respondent.

- 1 ... happy and interested in life?
- 2 ... somewhat happy?
- 3 ... somewhat unhappy?
- 4 ... unhappy with little interest in life?
- 5 ... so unhappy that life is not worthwhile? DK, RF

#### HUI\_Q26

#### How would you describe ^YOUR1 usual ability to remember things?

HUI\_26

INTERVIEWER: Read categories to respondent.

- 1 Able to remember most things
- 2 Somewhat forgetful
- 3 Very forgetful
- 4 Unable to remember anything at all DK, RF

# HUI\_Q27 HUI\_27

How would you describe **^YOUR1** usual ability to think and solve day-to-day problems?

INTERVIEWER: Read categories to respondent.

- 1 Able to think clearly and solve problems
- 2 Having a little difficulty
- 3 Having some difficulty
- 4 Having a great deal of difficulty
- 5 Unable to think or solve problems DK, RF

HUI\_END

# Pain and discomfort (HUP)

HUP\_BEG Core content

 $HUP\_C1$  If (do HUP block = 1), go to  $HUP\_C2$ .

Otherwise, go to HUP\_END.

HUP\_C2 If (do HUI block = 1), go to HUP\_Q28.

Otherwise, go to HUP\_R1.

HUP\_D1 (not applicable)

HUP\_R1 The next set of questions asks about the level of pain or discomfort ^YOU2 usually

experience. They are not about illnesses like colds that affect people for short

periods of time.

INTERVIEWER: Press <Enter> to continue.

HUP\_Q28 ^ARE\_C ^YOU2 usually free of pain or discomfort?

HUP\_01

1 Yes (Go to HUP\_END)

2 No

DK, RF (Go to HUP\_END)

HUP\_Q29 How would you describe the usual intensity of ^YOUR1 pain or discomfort?

HUP 02

**INTERVIEWER**: Read categories to respondent.

- 1 Mild
- 2 Moderate
- 3 Severe

DK, RF

HUP\_Q30 How many activities does ^YOUR1 pain or discomfort prevent?

HUP\_03

**INTERVIEWER**: Read categories to respondent.

- 1 None
- 2 A few
- 3 Some
- 4 Most

DK, RF

HUP\_END

#### Health care utilization (HCU)

HCU BEG Core content

HCU C01 If (do HCU block = 1), go to HCU D01.

Otherwise, go to HCU\_END.

HCU D01 (not applicable)

#### HCU Q01AA **^DOVERB C ^YOU2** have a regular medical doctor?

HCU\_1AA

HCU 1BE

HCU\_S01AB

1 Yes (Go to HCU\_D01AC)

2 No

> DK, RF (Go to HCU\_END)

HCU Q01AB Why ^DOVERB ^YOU2 not have a regular medical doctor?

**INTERVIEWER**: Mark all that apply.

HCU\_1BA No medical doctors available in the area 1

HCU\_1BB 2 Medical doctors in the area are not taking new patients

HCU\_1BC 3 Have not tried to contact one

HCU\_1BD 4 Had a medical doctor who left or retired

> 5 Other - Specify (Go to HCU\_S01AB)

> > DK, RF

Go to HCU\_D01A1

**INTERVIEWER:** Specify.

(80 spaces) DK, RF

HCU\_D01A1 If proxy interview, ^DT GOVERB = "goes".

Otherwise, ^DT GOVERB = "go".

HCU Q01A1 Is there a place that ^YOU2 usually ^DT\_GOVERB to when ^YOU1 ^ARE sick or need^S advice about ^YOUR1 health? HCU\_1A1

> 1 Yes

2 (Go to HCU\_END) No DK, RF (Go to HCU\_END)

HCU\_Q01A2 HCU\_1A2

#### What kind of place is it?

<u>INTERVIEWER</u>: If the respondent indicates more than one usual place, then ask: What kind of place do you go to most often?

- 1 Doctor's office
- 2 Community health centre / CLSC
- 3 Walk-in clinic
- 4 Appointment clinic
- 5 Telephone health line (for example, HealthLinks, Telehealth Ontario, Health-Line, TeleCare, Info-Santé)
- 6 Hospital emergency room
- 7 Hospital outpatient clinic
- 8 Other Specify (Go to HCU\_S01A2) DK, RF

Go to HCU\_END

HCU\_S01A2

INTERVIEWER: Specify.

(80 spaces)

DK, RF

Go to HCU\_END

HCU\_D01AC

(not applicable)

# HCU\_Q01AC HCU\_1AC

# **^DOVERB\_C ^YOU2** and this doctor usually speak in English, in French, or in another language?

- 01 English
- 02 French
- 03 Arabic
- 04 Chinese
- 05 Cree
- 06 German
- 07 Greek
- 08 Hungarian
- 09 Italian
- 10 Korean
- 11 Persian (Farsi)
- 12 Polish
- 13 Portuguese
- 14 Punjabi
- 15 Spanish
- 16 Tagalog (Filipino)
- 17 Ukrainian
- 18 Vietnamese
- 19 Dutch
- 20 Hindi
- 21 Russian
- 22 Tamil
- 23 Other Specify (Go to HCU\_S01AC)

DK, RF

Go to HCU\_END

HCU\_S01AC

**INTERVIEWER**: Specify.

(80 spaces)

DK, RF

HCU\_END

#### **Contacts with Health Professionals (CHP)**

CHP BEG Theme content

CHP\_C01 If (do CHP block = 1), go to CHP\_D01.

Otherwise, go to CHP\_END.

CHP\_D01 (not applicable)

CHP\_R01 Now I'd like to ask about ^YOUR2 contacts with various health professionals

during the past 12 months, that is, from [date one year ago] to yesterday.

INTERVIEWER: Press <1> to continue.

CHP\_Q01 In the past 12 months, ^HAVE ^YOU2 been a patient overnight in a hospital, nursing home or convalescent home?

1 Yes

2 No (Go to CHP\_ D03) DK (Go to CHP\_ D03) RF (Go to CHP\_END)

CHP\_Q02 For how many nights in the past 12 months?

CHP\_02

|\_|\_| Nights

(MIN: 1) (MAX: 366; warning after 100)

DK, RF

Note: In processing, if a respondent answered CHP\_Q01 = 2, the variable CHP\_Q02 is given

the value of "0".

CHP\_D03 If CHP\_Q01 = 1, ^DT\_COUNT = "Not counting when ^YOU2 ^WERE an overnight

patient, in the past 12 months".

Otherwise, ^DT COUNT = "In the past 12 months".

CHP\_D03A If age < 18, ^DT\_PED = "pediatrician".

Otherwise, ^DT PED = "null".

DK, RF

#### CHP Q03 ^DT COUNT, ^HAVE ^YOU2 seen, or talked to any of the following health CHP\_03 professionals about ^YOUR1 physical, emotional or mental health: ...a family doctor, ^DT PED or general practitioner? INTERVIEWER: Include both face to face and telephone contacts. 1 Yes 2 No (Go to CHP Q06) DK, RF (Go to CHP Q06) CHP Q04 How many times (in the past 12 months)? CHP\_04 |\_|\_| Times (MIN: 1) (MAX: 366; warning after 12) DK, RF Note: In processing, if a respondent answered CHP Q03 = 2, the variable CHP Q04 is given the value of "0". CHP Q05 Where did the most recent contact take place? CHP 05 INTERVIEWER: If respondent says "hospital", probe for details. 01 Doctor's office Hospital emergency room 02 Hospital outpatient clinic (e.g. day surgery, cancer) 04 Walk-in clinic 05 Appointment clinic 06 Community health centre / CLSC 07 At work At school 80 At home 09 Telephone consultation only Other - Specify (Go to CHP\_S05) DK, RF Go to CHP\_Q06 CHP\_S05 **INTERVIEWER:** Specify. (80 spaces)

#### CHP\_Q06

#### (^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to:)

CHP\_06

...an eye specialist, such as an ophthalmologist or optometrist (about ^YOUR1 physical, emotional or mental health)?

INTERVIEWER: Include both face to face and telephone contacts.

1 Yes

2 No (Go to CHP\_D08) DK, RF (Go to CHP\_D08)

# CHP\_Q07

#### (How many times (in the past 12 months)?

#### CHP\_07

|\_|\_| Times

(MIN: 1) (MAX: 75; warning after 3)

DK, RF

Note:

In processing, if a respondent answered CHP\_Q06 = 2, the variable CHP\_Q07 is given

the value of "0".

CHP\_D08

If respondent is male, ^DT\_DOCTOR = "urologist".

Otherwise, ^DT\_DOCTOR = "gynaecologist".

# CHP Q08

**^DT\_COUNT**, **^HAVE ^YOU2** seen, or talked to:)

CHP 08

...any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, ^DT\_DOCTOR or psychiatrist (about ^YOUR1 physical, emotional or mental health)?

<u>INTERVIEWER</u>: Include both face to face and telephone contacts.

1 Yes

2 No (Go to CHP\_Q11) DK, RF (Go to CHP\_Q11)

#### CHP\_Q09

#### How many times (in the past 12 months)?

#### CHP 09

|\_|\_| Times

(MIN: 1) (MAX: 300; warning after 7)

DK, RF

Note:

In processing, if a respondent answered CHP\_Q08 = 2, the variable CHP\_Q09 is given the value of "0".

Page 45 of 378

Note:

the value of "0".

#### CHP Q10 Where did the most recent contact take place? CHP\_10 INTERVIEWER: If respondent says "hospital", probe for details. 01 Doctor's office 02 Hospital emergency room 03 Hospital outpatient clinic (e.g. day surgery, cancer) Walk-in clinic 04 05 Appointment clinic 06 Community health centre / CLSC 07 At work 08 At school At home 09 10 Telephone consultation only 11 Other - Specify (Go to CHP\_S10) DK, RF Go to CHP\_Q11 CHP\_S10 **INTERVIEWER:** Specify. (80 spaces) DK, RF CHP Q11 ^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to: CHP\_11 ...a nurse for care or advice about ^YOUR1 physical, emotional or mental health? INTERVIEWER: Include both face to face and telephone contacts. 1 Yes 2 No (Go to CHP\_Q14) DK, RF (Go to CHP\_Q14) CHP\_Q12 How many times (in the past 12 months)? CHP\_12 |\_|\_| Times (MIN: 1) (MAX: 366; warning after 15) DK, RF

In processing, if a respondent answered CHP\_Q11 = 2, the variable CHP\_Q12 is given

#### Canadian Community Health Survey (CCHS) CHP Q13 Where did the most recent contact take place? CHP\_13 INTERVIEWER: If respondent says "hospital", probe for details. 01 Doctor's office 02 Hospital emergency room 03 Hospital outpatient clinic (e.g. day surgery, cancer) Walk-in clinic 04 05 Appointment clinic 06 Community health centre / CLSC 07 At work 08 At school 09 At home 10 Telephone consultation only 11 Other - Specify (Go to CHP\_S13) DK, RF Go to CHP\_Q14 CHP\_S13 **INTERVIEWER:** Specify. (80 spaces) DK, RF CHP Q14 (^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to:) CHP\_14 ...a dentist, dental hygienist or orthodontist (about ^YOUR1 physical, emotional or mental health)? INTERVIEWER: Include both face to face and telephone contacts. Yes 1 2 No (Go to CHP\_Q16) DK, RF (Go to CHP\_Q16)

CHP Q15 How many times (in the past 12 months)?

CHP\_15 |\_|\_| Times

Note:

(MIN: 1) (MAX: 99; warning after 4)

DK, RF

In processing, if a respondent answered CHP\_Q14 = 2, the variable CHP\_Q15 is given

the value of "0".

#### CHP Q16 (^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to:) CHP\_16 ...a chiropractor (about ^YOUR1 physical, emotional or mental health)? INTERVIEWER: Include both face to face and telephone contacts. 1 Yes 2 No (Go to CHP Q18) DK. RF (Go to CHP\_Q18) CHP Q17 How many times (in the past 12 months)? **CHP 17** |\_|\_| Times (MIN: 1) (MAX: 366; warning after 20) DK, RF Note: In processing, if a respondent answered CHP\_Q16 = 2, the variable CHP\_Q17 is given the value of "0". CHP Q18 ^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to: **CHP 18** ...a physiotherapist about ^YOUR1 physical, emotional or mental health? INTERVIEWER: Include both face to face and telephone contacts. Yes 1 2 (Go to CHP\_Q20) No DK, RF (Go to CHP\_Q20) CHP Q19 How many times (in the past 12 months)? CHP\_19 |\_|\_| Times (MIN: 1) (MAX: 366; warning after 30) DK. RF Note: In processing, if a respondent answered CHP\_Q18 = 2, the variable CHP\_Q19 is given the value of "0". CHP Q20 (^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to:) CHP\_20 ...a psychologist (about ^YOUR1 physical, emotional or mental health)? INTERVIEWER: Include both face to face and telephone contacts. 1 Yes 2 (Go to CHP\_Q22) No DK, RF (Go to CHP\_Q22)

CHP\_END

CHP Q21 How many times (in the past 12 months)? CHP\_21 |\_|\_| Times (MIN: 1) (MAX: 366; warning after 25) DK, RF Note: In processing, if a respondent answered CHP Q20 = 2, the variable CHP Q21 is given the value of "0". CHP Q22 (^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to:) CHP 22 ...a social worker or counsellor (about ^YOUR1 physical, emotional or mental health)? INTERVIEWER: Include both face to face and telephone contacts. 1 Yes 2 No (Go to CHP Q24) DK, RF (Go to CHP Q24) CHP Q23 How many times (in the past 12 months)? CHP 23 |\_|\_| Times (MIN: 1) (MAX: 366; warning after 20) DK, RF Note: In processing, if a respondent answered CHP Q22 = 2, the variable CHP Q23 is given the value of "0". CHP Q24 ^DT\_COUNT, ^HAVE ^YOU2 seen, or talked to: CHP\_24 ...an audiologist, a speech or occupational therapist about ^YOUR1 physical, emotional or mental health? INTERVIEWER: Include both face to face and telephone contacts. 1 Yes 2 Nο (Go to CHP\_END) DK, RF (Go to CHP END) CHP Q25 How many times (in the past 12 months)? CHP\_25 |\_|\_| Times (MIN: 1) (MAX: 200; warning after 12) DK, RF Note: In processing, if a respondent answered CHP Q24 = 2, the variable CHP Q25 is given the value of "0".

# Unmet health care needs (UCN)

UCN\_BEG Thematic content

External variables required:

PROXMODE: proxy identifier, from the GR block.

AGE: Respondent's age

HCU Q06:Unmet health care needs

DOUCN: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

UCN\_C10 If DOUCN = 1, go to UCN\_D010.

Otherwise, go to UCN\_END.

UCN\_D010

UCN\_Q010 **^PHRASE\_E** 

UCN\_010

1 Yes

2 No (Go to UCN\_END) DK, RF (Go to UCN\_END)

UCN\_Q020 Thinking of the most recent time, why didn't **^YOU1** get care?

UCN\_020

INTERVIEWER: Mark all that apply.

UCN\_020A 01 Not available - in the area 02 Not available - at time required (e.g. doctor on holidays, inconvenient hours)

UCN\_020C 03 Waiting time too long
UCN\_020D 04 Felt would be inadequate

UCN\_020G 07 Didn't get around to it / didn't bother

UCN\_020H 08 Decided not to seek care

UCN\_020I 09 Doctor - didn't think it was necessary
UCN\_020J 10 Other - Specify (Go to UCN\_S020)

DK, RF

UCN\_END

**UCN S020 INTERVIEWER:** Specify. (80 spaces) DK, RF **UCN Q030** Again, thinking of the most recent time, what was the type of care that was needed? UCN\_030 **INTERVIEWER**: Mark all that apply. **UCN 030A** 1 Treatment of - a physical health problem 2 **UCN 030B** Treatment of - an emotional or mental health problem UCN\_030C 3 A regular check-up (including regular pre-natal care) **UCN 030D** 4 Care of an injury UCN\_030E 5 Other - Specify (Go to UCN\_S030) DK, RF UCN\_S030 **INTERVIEWER**: Specify. (80 spaces) DK, RF **UCN Q040** Where did ^YOU1 try to get the service ^YOU1 ^WERE seeking? UCN\_040 **INTERVIEWER**: Mark all that apply. UCN 040A 1 Doctor's office UCN\_040B 2 Community health centre / CLSC **UCN 040C** 3 Walk-in clinic **UCN 040D** 4 Appointment clinic UCN\_040E 5 Hospital - emergency room **UCN 040F** 6 Hospital - outpatient clinic UCN\_040G 7 Other - Specify (Go to UCN\_S040) DK, RF UCN\_S040 **INTERVIEWER**: Specify. (80 spaces) DK, RF

Page 51 of 378

#### Home care services (HMC)

HMC\_BEG Optional Content (See Appendix 2)

HMC\_C09A If (do HMC block = 1), go to HMC\_C09B.

Otherwise, go to HMC\_END.

HMC\_C09B If age < 18, go to HMC\_END.

Otherwise, go to HMC\_R09.

HMC R09

Now some questions on home care services. These are health care, home maker or other support services received at home. People may receive home care due to a health problem or condition that affects their daily activities. Examples include: nursing care, personal care or help with bathing, housework, meal preparation, meal delivery and respite care.

INTERVIEWER: Press < Enter> to continue.

HMC\_Q09 HMC\_09

HMC 10C

**^HAVE\_C ^YOU2** received any home care services in the past 12 months, with the cost being entirely or partially covered by government?

1 Yes

2 No (Go to HMC\_D11)
DK (Go to HMC\_D11)
RF (Go to HMC\_END)

HMC\_Q10 What type of services ^HAVE ^YOU1 received?

<u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply. Cost must be entirely or partially covered by government.

HMC\_10A 1 Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)

HMC\_10B 2 Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)

HMC 10I 3 Medical equipment or supplies

4 Personal care (e.g., bathing, foot care)

HMC\_10D 5 Housework (e.g., cleaning, laundry)

HMC\_10E 6 Meal preparation or delivery

HMC\_10F 7 Shopping

HMC\_10G 8 Respite care (i.e., caregiver relief)

HMC\_10H 9 Other - Specify (Go to HMC\_S10)

DK, RF

Go to HMC\_D11

HMC S10 **INTERVIEWER:** Specify. (80 spaces) DK, RF HMC D11 If HMC Q09 = 1, ^DT OTHER = "other home". Otherwise, ^DT OTHER = "home". HMC\_Q11 ^HAVE ^YOU2 received any ^DT\_OTHER care services in the past 12 months, with HMC 11 the cost not covered by government (for example: care provided by a private agency or by a spouse or friends)? INTERVIEWER: Include only health care, homemaker or other support services (e.g., housework) that are provided because of a respondent's health problem or condition. 1 Yes 2 No (Go to HMC Q14) DK, RF (Go to HMC\_Q14) HMC D12 (not applicable) HMC\_Q12 Who provided these ^DT\_OTHER home care services? INTERVIEWER: Read categories to respondent. Mark all that apply. HMC\_12A 1 Nurse from a private agency 2 HMC 12B Homemaker or other support services from a private agency HMC 12G 3 Physiotherapist or other therapist from a private agency HMC 12C 4 **Neighbour or friend** 5 HMC\_12D Family member or spouse HMC 12E 6 Volunteer HMC\_12F 7 Other - Specify (Go to HMC\_S12) DK, RF Go to HMC\_Q13 HMC\_S12 **INTERVIEWER**: Specify. (80 spaces) DK, RF

HMC_Q13	What type of home care services ^HAVE ^YOU1 received?		
HMC_13			
	INTERVIEWER: Read categories to respondent. Mark all that apply.		
HMC_13A	<ol> <li>Nursing care (e.g., dressing changes, preparing medications,</li> <li>V.O.N. visits)</li> </ol>		
HMC_13B	Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)		
HMC_13I	3 Medical equipment or supplies		
HMC_13C	4 Personal care (e.g., bathing, foot care)		
HMC_13D	5 Housework (e.g., cleaning, laundry)		
HMC_13E	6 Meal preparation or delivery		
HMC_13F	7 Shopping		
HMC_13G	8 Respite care (i.e., caregiver relief)		
HMC_13H	9 Other - Specify (Go to HMC_S13)		
HMC_S13	DK, RF  Go to HMC_Q14  INTERVIEWER: Specify.		
	(80 spaces) DK, RF		
	,		
HMC_Q14 HMC_14	During the past 12 months, was there ever a time when ^YOU2 felt that ^YOU1 needed home care services but ^YOU1 didn't receive them?		
	1 Yes 2 No (Go to HMC_END) DK, RF (Go to HMC_END)		

# HMC\_Q15 Thinking of the most recent time, why didn't ^YOU1 get these services?

INTERVIEWER: Mark all that apply.

HMC_15A	01	Not available - in the area
HMC_15B	02	Not available - at time required (e.g., inconvenient hours)
HMC_15C	03	Waiting time too long
HMC_15D	04	Felt would be inadequate
HMC_15E	05	Cost
HMC_15F	06	Too busy
HMC_15G	07	Didn't get around to it / didn't bother
HMC_15H	80	Didn't know where to go / call
HMC_15I	09	Language problems
HMC_15J	10	Personal or family responsibilities
HMC_15K	11	Decided not to seek services
HMC_15L	12	Doctor - did not think it was necessary
HMC_15N	13	Did not qualify / not eligible for home care
HMC_15O	14	Still waiting for home care
HMC_15M	15	Other - Specify (Go to HMC_S15)
		DK, RF

Go to HMC\_Q16

HMC S15 INTERVIEWER: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

#### HMC\_Q16 Again, thinking of the most recent time, what type of home care was needed?

**INTERVIEWER**: Mark all that apply.

HMC_16A	1	Nursing care (e.g., dressing changes, preparing medications, V.O.N. visits)	

HMC\_16B 2 Other health care services (e.g., physiotherapy, occupational or speech therapy, nutrition counselling)

HMC_16I	3	Medical equipment or supplies
HMC_16C	4	Personal care (e.g., bathing, foot care)
HMC_16D	5	Housework (e.g., cleaning, laundry)
HMC_16E	6	Meal preparation or delivery
HMC_16F	7	Shopping
HMC_16G	8	Respite care (i.e., caregiver relief)
HMC 16H	9	Other - Specify (Go to HMC S16)

DK, RF

Go to HMC\_Q17

HMC\_S16 <u>INTERVIEWER</u>: Specify.

(80 spaces)

DK, RF

HMC\_Q17 Where did ^YOU2 try to get this home care service?

**INTERVIEWER**: Mark all that apply.

HMC\_17A HMC\_17B HMC\_17C HMC\_17D HMC\_17E

- 1 A government sponsored program
- 2 A private agency
- 3 A family member, friend or neighbour
- 4 A volunteer organization
- 5 Other DK, RF

HMC\_END

#### Patient satisfaction - Health care services (PAS)

PAS\_BEG Optional Content (See Appendix 2)

PAS\_C11A If (do PAS block = 1), go to PAS\_C11B.

Otherwise, go to PAS\_END.

PAS C11B If proxy interview or if age < 15, go to PAS END.

Otherwise, go to PAS\_R1.

PAS\_R1 Earlier, I asked about your use of health care services in the past 12 months. Now

I'd like to get your opinion on the quality of the care you received.

**INTERVIEWER**: Press <Enter> to continue.

PAS\_C11D If CHP\_Q01 = 1 or at least one of CHP\_Q03 to CHP\_Q24 = 1 (Yes), go to PAS\_Q12.

Otherwise, go to PAS\_Q11.

Note: In processing, if a respondent answered CHP\_Q01 = 1 or at least one of CHP\_Q03 to

 $CHP_Q24 = 1$ , set  $PAS_Q11 = 1$ .

PAS\_Q11 In the past 12 months, have you received any health care services?

**PAS 11** 

1 Yes

2 No (Go to PAS\_END)

DK, RF (Go to PAS\_END)

PAS\_Q12 Overall, how would you rate the quality of the health care you received?

PAS\_12 Would you say it was:

<u>INTERVIEWER</u>: Read categories to respondent.

1 ...excellent?

2 ...good?

3 ...fair?

4 ...poor?

DK, RF

#### PAS\_Q13 PAS\_13

Overall, how satisfied were you with the way health care services were provided? Were you:

**INTERVIEWER**: Read categories to respondent.

- 1 ...very satisfied?
- 2 ...somewhat satisfied?
- 3 ...neither satisfied nor dissatisfied?
- 4 ...somewhat dissatisfied?
- 5 ...very dissatisfied?

DK, RF

#### PAS\_Q21A PAS\_21A

In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery service, overnight stay, or as an emergency room patient?

- 1 Yes
- 2 No (Go to PAS\_Q31A) DK, RF (Go to PAS\_Q31A)

# PAS\_Q21B

Thinking of your most recent hospital visit, were you:

#### PAS\_21B

INTERVIEWER: Read categories to respondent.

- 1 ...admitted overnight or longer (an inpatient)?
- 2 ...a patient at a diagnostic or day surgery clinic (an outpatient)?
- 3 ...an emergency room patient? DK, RF (Go to PAS\_Q31A)

#### PAS\_Q22 PAS\_22

(Thinking of this most recent hospital visit:)

...how would you rate the quality of the care you received? Would you say it was:

INTERVIEWER: Read categories to respondent.

- 1 ...excellent?
- 2 ...good?
- 3 ...fair?
- 4 ...poor?

DK, RF

#### PAS\_Q23 PAS\_23

#### (Thinking of this most recent hospital visit:)

...how satisfied were you with the way hospital services were provided? Were you:

INTERVIEWER: Read categories to respondent.

- 1 ...very satisfied?
- 2 ...somewhat satisfied?
- 3 ...neither satisfied nor dissatisfied?
- 4 ...somewhat dissatisfied?
- 5 ...very dissatisfied? DK, RF

#### PAS\_Q31A PAS\_31A

In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?

- 1 Yes
- 2 No (Go to PAS\_END) DK, RF (Go to PAS\_END)

# PAS\_Q31B

Thinking of the most recent time, was care provided by:

#### PAS\_31B

INTERVIEWER: Read categories to respondent.

- 1 ...a family doctor (general practitioner)?
- 2 ...a medical specialist?

DK, RF (Go to PAS\_END)

# PAS\_Q32

(Thinking of this most recent care from a physician:)

PAS\_32

...how would you rate the quality of the care you received? Would you say it was:

**INTERVIEWER**: Read categories to respondent.

- 1 ... excellent?
- 2 ... good?
- 3 ... fair?
- 4 ... poor?

DK, RF

PAS\_Q33 PAS\_33 (Thinking of this most recent care from a physician:)

...how satisfied were you with the way physician care was provided? Were you:

INTERVIEWER: Read categories to respondent.

- 1 ...very satisfied?
- 2 ...somewhat satisfied?
- 3 ...neither satisfied nor dissatisfied?
- 4 ...somewhat dissatisfied?
- 5 ...very dissatisfied? DK, RF

PAS\_END

#### Patient satisfaction - Community-based care (PSC)

PSC\_BEG Optional Content (See Appendix 2)

PSC\_C11A If (do PSC block = 1), go to PSC\_C11B.

Otherwise, go to PSC END.

PSC C11B If proxy interview or if age < 15, go to PSC END.

Otherwise, go to PSC\_C11C.

PSC\_C11C If PAS\_Q11 = (2, DK, RF) and CHP\_Q01  $\Leftrightarrow$  1 and all of (CHP\_Q03 to CHP\_Q24)  $\Leftrightarrow$  1,

go to PSC\_END.

Otherwise, go to PSC\_R1.

PSC\_R1 The next questions are about community-based health care which includes any health care received outside of a hospital or doctor's office.

Examples are: home nursing care, home-based counselling or therapy, personal care and community walk-in clinics.

**INTERVIEWER**: Press <Enter> to continue.

PSC\_Q41 In the past 12 months, have you received any community-based care?

PSC 1

1 Yes

2 No (Go to PSC\_END)
DK, RF (Go to PSC\_END)

PSC\_Q42 Overall, how would you rate the quality of the community-based care you received? PSC 2 Would you say it was:

**INTERVIEWER**: Read categories to respondent.

1 ... excellent?

2 ... good?

3 ... fair?

4 ... poor? DK, RF

#### PSC\_Q43 PSC\_3

Overall, how satisfied were you with the way community-based care was provided? Were you:

**INTERVIEWER**: Read categories to respondent.

- 1 ...very satisfied?
- 2 ...somewhat satisfied?
- 3 ...neither satisfied nor dissatisfied?
- 4 ...somewhat dissatisfied?
- 5 ...very dissatisfied? DK, RF

PSC\_END

#### Restriction of activities (RAC)

RAC\_BEG Core content

RAC\_C1 If (do RAC block = 1), go to RAC\_R1.

Otherwise, go to RAC END.

RAC R1

The next few questions deal with any current limitations in ^YOUR2 daily activities caused by a long-term health condition or problem. In these questions, a "long-term condition" refers to a condition that is expected to last or has already lasted 6 months or more.

INTERVIEWER: Press <Enter> to continue.

RAC\_Q1 RAC\_1 **^DOVERB ^YOU1** have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?

INTERVIEWER: Read categories to respondent.

- 1 Sometimes
- 2 Often
- 3 Never

DK

RF (Go to RAC\_END)

RAC\_Q2A RAC\_2A Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity **^YOU1** can do:

... at home?

INTERVIEWER: Read categories to respondent.

- 1 Sometimes
- 2 Often
- 3 Never

DK

RF (Go to RAC\_END)

#### RAC\_Q2B\_1 RAC\_2B1

(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:)

#### ... at school?

- 1 Sometimes
- 2 Often
- 3 Never
- 4 Does not attend school

DK

RF (Go to RAC END)

#### RAC\_Q2B\_2 RAC\_2B2

(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:)

#### ... at work?

- 1 Sometimes
- 2 Often
- 3 Never
- 4 Does not work at a job

DK

RF (Go to RAC\_END)

#### RAC\_Q2C RAC\_2C

(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:)

... in other activities, for example, transportation or leisure?

- 1 Sometimes
- 2 Often
- 3 Never

DK

RF (Go to RAC\_END)

RAC C5

If respondent has difficulty or is limited in activities (RAC\_Q1 = 1 or 2) or (RAC\_Q2A-C = 1 or 2), go to RAC\_C5A. Otherwise, go to RAC\_END.

RAC\_C5A

If (RAC\_Q2A to RAC\_Q2C = 3 or 4) and RAC\_Q1 < 3, go to RAC\_R5. Otherwise, go to RAC\_Q5.

RAC\_R5

You reported that **^YOU2 ^HAVE** difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities.

#### RAC\_Q5

#### Which one of the following is the best description of the cause of this condition?

RAC\_5

INTERVIEWER: Read categories to respondent.

- 01 Accident at home
- 02 Motor vehicle accident
- 03 Accident at work
- 04 Other type of accident
- 05 Existed from birth or genetic
- 06 Work conditions
- 07 Disease or illness
- 08 Ageing
- 09 Emotional or mental health problem or condition
- 10 Use of alcohol or drugs
- 11 Other Specify (Go to RAC\_S5)
  DK, RF

RAC\_S5

INTERVIEWER: Specify.

(80 spaces)

DK, RF

RAC\_END

#### **Activities of Daily Living (ADL)**

ADL\_BEG Theme content

ADL If do ADL block = 1, go to ADL\_R01.
Otherwise, go to ADL\_END.

ADL R01

The next few questions are about common daily activities. These questions may not apply to ^YOU2, but we need to ask the same questions of everyone.

INTERVIEWER: Press <Enter> to continue.

ADL\_Q01 ADL 01 Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person:

... with preparing meals?

- 1 Yes
- 2 No DK, RF

ADL\_Q02 ADL 02 Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person:

... with getting to appointments and running errands such as shopping for groceries?

- 1 Yes
- 2 No

DK, RF

ADL\_Q03 ADL 03 Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person:

... with doing everyday housework?

- 1 Yes
- 2 No

DK, RF

#### ADL\_Q04 ADL\_04

Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person:

... with personal care such as washing, dressing, eating or taking medication?

- 1 Yes
- 2 No

DK, RF

#### ADL\_Q05 ADL 05

Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person:

... with moving about inside the house?

- 1 Yes
- 2 No

DK, RF

#### ADL\_Q06 ADL\_06

Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help of another person:

... with looking after ^YOUR1 personal finances such as making bank transactions or paying bills?

- 1 Yes
- 2 No

DK, RF

ADL\_END

#### H1N1 Flu shot (H1N)

H1N\_BEG Content block

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOH1N: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

H1N\_C1 If (do H1N = 1), go to H1N\_C160.

Otherwise, go to H1N\_END.

H1N\_C160 If proxy interview, go to H1N\_END.

Otherwise, go to H1N\_R160.

H1N\_R160 Now a few questions about your use of various health care services.

INTERVIEWER: Press <1> to continue.

H1N\_Q160 Have you had the H1N1 flu shot?

H1N\_160

1 Yes

2 No (Go to H1N\_Q166) DK, RF (Go to H1N\_END)

#### H1N\_Q164

#### In which month did you have your H1N1 flu shot?

#### H1N\_164

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December

DK, RF

H1N\_C165

If H1N\_Q164 = [current month], go to H1N\_Q165. Otherwise, go to H1N\_END.

#### H1N\_Q165

#### H1N\_165

#### Was that this year or last year?

- 1 This year
- 2 Last year DK, RF

Go to H1N\_END

H1N\_END

H1N_Q166	What are the reasons that you have not had the H1N1 flu shot?		
H1N_166	INTERVIEWER: Mark all that apply.		
	<u>intrentviewen</u> . Man an that apply.		
H1N_66A	01 Have not gotten around to it		
H1N_66B	02 Respondent - did not think it was necessary		
H1N_66C	03 Doctor - did not think it was necessary		
H1N_66D	04 Personal or family responsibilities		
H1N_66E	05 Not available - at time required		
H1N_66F	06 Not available - at all in the area		
H1N_66G	07 Waiting time was too long		
H1N_66H	08 Transportation - problems		
H1N_66I	09 Language - problem		
H1N_66J	10 Cost		
H1N_66K	11 Did not know where to go / uninformed		
H1N_66L	12 Fear (e.g., painful, embarrassing, find something wrong)		
H1N_66M	13 Bad reaction to previous shot		
H1N_66O	14 Unable to leave the house because of a health problem		
H1N_66N	15 Other - Specify (Go to H1N_S166)		
	DK, RF		
	O. C. HAM FAID		
	Go to H1N_END		
H1N_S166	INTERVIEWER: Specify.		
	<u></u>		
	(80 spaces)		
	DK, RF		

Page 70 of 378

#### Flu shots (FLU)

FLU\_BEG Core content

FLU\_C1 If (do FLU block = 1), go to FLU\_C160AA.

Otherwise, go to FLU\_END.

FLU\_C160A If proxy interview, go to FLU\_END.

Otherwise, go to FLU\_C160B.

FLU\_C160B If (do H1N bloc =1), go to FLU\_Q160.

Otherwise, go to FLU\_R160.

FLU\_R160 Now a few questions about your use of various health care services.

INTERVIEWER: Press <1> to continue.

FLU\_Q160 Have you ever had a seasonal flu shot?

FLU 160

INTERVIEWER: Do not include the H1N1 flu shot.

1 Yes

2 No (Go to FLU\_Q166)

DK, RF (Go to FLU\_END)

FLU\_Q162 When did you have your last seasonal flu shot?

FLU\_162

INTERVIEWER: Read categories to respondent.

1 Less than 1 year ago

2 1 year to less than 2 years ago

3 2 years ago or more

DK, RF (Go to FLU\_END)

FLU\_C164 If FLU\_Q162 = 2 or 3, go to FLU\_Q166.

Otherwise, go to FLU\_Q164.

## FLU\_Q164

#### In which month did you have your last seasonal flu shot?

#### FLU\_164

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December

DK, RF

#### FLU\_C165

If FLU\_Q164 = [current month], go to FLU\_Q165. Otherwise, go to FLU\_END.

#### FLU\_Q165

#### Was that this year or last year?

# FLU\_165

- 1 This year
- 2 Last year DK, RF

Go to FLU\_END

# FLU\_Q166 What are the reasons that you have not had a seasonal flu shot in the past year?

<u>INTERVIEWER</u>: Mark all that apply.

FLU_66A	01 Have not gotten a	round to it
FLU_66B	02 Respondent - did	not think it was necessary
FLU_66C	03 Doctor - did not th	ink it was necessary
FLU_66D	04 Personal or family	responsibilities
FLU_66E	05 Not available - at t	ime required
FLU_66F	06 Not available - at a	all in the area
FLU_66G	07 Waiting time was	too long
FLU_66H	08 Transportation - p	roblems
FLU_66I	09 Language - proble	em
FLU_66J	10 Cost	
FLU_66K	11 Did not know whe	re to go / uninformed
FLU_66L	12 Fear (e.g., painful,	, embarrassing, find something wrong)
FLU_66M	13 Bad reaction to pro	evious shot
FLU_660	14 Unable to leave th	e house because of a health problem
FLU_66N	15 Other - Specify	(Go to FLU_S166)
	DK, RF	
FLU_66G FLU_66H FLU_66I FLU_66J FLU_66K FLU_66L FLU_66M FLU_66O	07 Waiting time was 1 08 Transportation - p 09 Language - proble 10 Cost 11 Did not know whe 12 Fear (e.g., painful 13 Bad reaction to pro- 14 Unable to leave th 15 Other - Specify	too long roblems em re to go / uninformed , embarrassing, find something wi evious shot he house because of a health prob

Go to FLU\_END

FLU\_S166 <u>INTERVIEWER</u>: Specify.

(80 spaces)

DK, RF

FLU\_END

#### **Blood pressure check (BPC)**

BPC\_BEG Optional Content (See Appendix 2)

BPC\_C01 If (do BPC block = 2) or proxy interview, go to BPC\_END.

Otherwise, go to BPC\_Q010.

BPC\_Q010 (Now blood pressure)

BPC 010 Have you ever had your blood pressure taken?

1 Yes

2 No (Go to BPC\_C016) DK, RF (Go to BPC\_END)

BPC\_Q012 When was the last time?

BPC\_012

1 Less than 6 months ago

2 6 months to less than 1 year ago

3 1 year to less than 2 years ago

4 2 years to less than 5 years ago

5 5 or more years ago

DK, RF (Go to BPC\_END)

BPC\_C012A If BPC\_Q012 < 4, go to BPC\_C012B.

Otherwise, go to BPC\_C016.

BPC\_C012B If sex = female and (14 < age < 56), go to BPC\_Q013.

Otherwise, go to BPC\_END.

BPC\_Q013 Were you pregnant the last time your blood pressure was taken?

BPC\_013

1 Yes

2 No

DK, RF

Go to BPC END

BPC C016 If age < 25, go to BPC END.

Otherwise, go to BPC\_Q016.

# BPC\_Q016 What are the reasons that you have not had your blood pressure taken in the past 2 years?

**INTERVIEWER**: Mark all that apply.

BPC_16A	01	Have not gotten around to it
BPC_16B	02	Respondent - did not think it was necessary
BPC_16C	03	Doctor - did not think it was necessary
BPC_16D	04	Personal or family responsibilities
BPC_16E	05	Not available - at time required
BPC_16F	06	Not available - at all in the area
BPC_16G	07	Waiting time was too long
BPC_16H	08	Transportation - problems
BPC_16I	09	Language - problem
BPC_16J	10	Cost
BPC_16K	11	Did not know where to go / uninformed
BPC_16L	12	Fear (e.g., painful, embarrassing, find something wrong)
BPC_16N	13	Unable to leave the house because of a health problem
BPC_16M	14	Other
		DK, RF

BPC\_END

#### PAP smear test (PAP)

PAP\_BEG Optional Content (See Appendix 2)

PAP\_C1 If (do PAP block = 1), go to PAP\_C020.

Otherwise, go to PAP\_END.

PAP\_C020 If proxy interview or male or age < 18, go to PAP\_END.

Otherwise, go to PAP\_Q020.

PAP\_Q020 (Now PAP tests)

PAP\_020 Have you ever had a PAP smear test?

1 Yes

2 No (Go to PAP\_Q026)

DK, RF (Go to PAP\_END)

PAP\_Q022 When was the last time?

PAP 022

1 Less than 6 months ago (Go to PAP\_END)

2 6 months to less than 1 year ago (Go to PAP\_END)

3 1 year to less than 3 years ago (Go to PAP\_END)

4 3 years to less than 5 years ago

5 5 or more years ago

DK, RF (Go to PAP\_END)

## PAP\_Q026 What are the reasons that you have not had a PAP smear test in the past 3 years?

<u>INTERVIEWER</u>: Mark all that apply.

01	Have not gotten around to it
02	Respondent - did not think it was necessary
03	Doctor - did not think it was necessary
04	Personal or family responsibilities
05	Not available - at time required
06	Not available - at all in the area
07	Waiting time was too long
08	Transportation - problems
09	Language - problem
10	Cost
11	Did not know where to go / uninformed
12	Fear (e.g., painful, embarrassing, find something wrong)
13	Have had a hysterectomy
14	Hate / dislike having one done
15	Unable to leave the house because of a health problem
16	Other
	DK, RF
	02 03 04 05 06 07 08 09 10 11 12 13 14 15

Note: If HWT\_Q1 = 1 (pregnant), then PAP\_Q026M (Have had a hysterectomy) should be a

blank 'fill' (not a possible value for the interviewer).

PAP\_END

#### Mammography (MAM)

MAM BEG Optional Content (See Appendix 2)

MAM C1 If (do MAM block = 1), go to  $MAM\_C030$ .

Otherwise, go to MAM\_END.

MAM C030 If proxy interview or male, go to MAM\_END.

Otherwise, go to MAM\_C030A.

MAM C030A If female and age < 35, go to MAM C038.

Otherwise, go to MAM\_Q030.

#### MAM Q030 (Now Mammography)

MAM 030 Have you ever had a mammogram, that is, a breast x-ray?

> 1 Yes

2 No (Go to MAM\_C036)

DK, RF (Go to MAM\_END)

#### MAM\_Q031 Why did you have it?

**INTERVIEWER**: Mark all that apply.

If respondent says "doctor recommended it", probe for reason.

1	Family history of breast cancer
2	Part of regular check-up / routine screening
3	Age
4	Previously detected lump
5	Follow-up of breast cancer treatment
6	On hormone replacement therapy
	3 4 5

MAM\_31G 7 Breast problem

MAM 31H Other

DK, RF

#### MAM Q032 When was the last time?

#### MAM\_032

1 Less than 6 months ago (Go to MAM\_C038) 2 6 months to less than 1 year ago (Go to MAM\_C038)

3 1 year to less than 2 years ago (Go to MAM\_C038)

4 2 years to less than 5 years ago

5 5 or more years ago

> DK, RF (Go to MAM\_C038)

MAM\_C036 If age < 50 or age > 69, go to MAM\_C038.

Otherwise, go to MAM\_Q036.

#### MAM\_Q036 What are the reasons you have not had one in the past 2 years?

**INTERVIEWER**: Mark all that apply.

MAM_36A	01	Have not gotten around to it
MAM_36B	02	Respondent - did not think it was necessary
MAM_36C	03	Doctor - did not think it was necessary
MAM_36D	04	Personal or family responsibilities
MAM_36E	05	Not available - at time required
MAM_36F	06	Not available - at all in the area
MAM_36G	07	Waiting time was too long
MAM_36H	80	Transportation - problems
MAM_36I	09	Language - problem
MAM_36J	10	Cost
MAM_36K	11	Did not know where to go / uninformed
MAM_36L	12	Fear (e.g., painful, embarrassing, find something wrong)
MAM_36N	13	Unable to leave the house because of a health problem
MAM_36O	14	Breasts removed / Mastectomy
MAM_36M	15	Other - Specify (Go to MAM_S036)
		DK, RF

Go to MAM\_C038

MAM\_S036 <u>INTERVIEWER</u>: Specify.

(80 spaces) DK, RF

MAM\_C038 If age < 18, go to MAM\_END.

Otherwise, go to MAM\_C038A.

MAM\_C038A If  $PAP_Q026 = 13$  or if  $HWT_Q1 = 1$ , go to MAM\_END.

Otherwise, go to MAM\_Q038.

#### MAM\_Q038

#### Have you had a hysterectomy? (in other words, has your uterus been removed)?

#### MAM\_038

- 1 Yes
- 2 No

DK, RF

Note:

In processing, if a respondent answered HWT\_Q1 = 1, the variable MAM\_Q038 is

given the value of 2.

If a respondent answered PAP\_Q026 = 13 and MAM\_Q030 ≠ (DK, RF), the variable

MAM\_Q038 is given the value of 1.

MAM END

#### **Breast examinations (BRX)**

BRX\_BEG Optional Content (See Appendix 2)

BRX\_C1 If (do BRX block = 1), go to BRX\_C110.

Otherwise, go to BRX\_END.

BRX\_C110 If proxy interview or sex = male or age < 18, go to BRX\_END.

Otherwise, go to BRX\_Q110.

BRX Q110

BRX\_110

(Now breast examinations)

Other than a mammogram, have you ever had your breasts examined for lumps (tumours, cysts) by a doctor or other health professional?

1 Yes

No (Go to BRX\_Q116)
 DK, RF (Go to BRX\_END)

**BRX Q112** 

When was the last time?

**BRX 112** 

Less than 6 months ago
 6 months to less than 1 year ago
 1 year to less than 2 years ago
 (Go to BRX\_END)
 (Go to BRX\_END)

4 2 years to less than 5 years ago

5 or more years ago

DK, RF (Go to BRX\_END)

# BRX\_Q116 What are the reasons that you have not had a breast exam in the past 2 years?

# <u>INTERVIEWER</u>: Mark all that apply.

BRX_16A	01	Have not gotten around to it
BRX_16B	02	Respondent - did not think it was necessary
BRX_16C	03	Doctor - did not think it was necessary
BRX_16D	04	Personal or family responsibilities
BRX_16E	05	Not available - at time required
BRX_16F	06	Not available - at all in the area
BRX_16G	07	Waiting time was too long
BRX_16H	08	Transportation - problems
BRX_16I	09	Language - problem
BRX_16J	10	Cost
BRX_16K	11	Did not know where to go / uninformed
BRX_16L	12	Fear (e.g., painful, embarrassing, find something wrong)
BRX_16N	13	Unable to leave the house because of a health problem
BRX_160	14	Breasts removed / Mastectomy
BRX_16M	15	Other
		DK, RF

BRX\_END

#### **Breast self-examinations (BSX)**

BSX BEG Optional Content (See Appendix 2)

BSX\_C120A If (do BSX block = 1), go to  $BSX_C120B$ .

Otherwise, go to BSX\_END.

BSX C120B If proxy interview, go to BSX\_END.

Otherwise, go to BSX\_C120C.

BSX C120C If male or age < 18, go to BSX END.

Otherwise, go to BSX\_Q120.

**BSX Q120** (Now breast self examinations)

BSX\_120 Have you ever examined your breasts for lumps (tumours, cysts)?

> 1 Yes

2 No (Go to BSX\_END) DK, RF (Go to BSX\_END)

**BSX Q121** How often?

**BSX 121** 

- 1 At least once a month
- 2 Once every 2 to 3 months
- 3 Less often than every 2 to 3 months DK, RF

BSX\_Q122 How did you learn to do this?

**INTERVIEWER**: Mark all that apply.

BSX 22A 1 Doctor BSX\_22B 2 Nurse BSX\_22C 3 Book / magazine / pamphlet BSX\_22D 4 TV / video / film BSX\_22H 5 Family member (e.g., mother, sister, cousin) BSX\_22G

6 Other - Specify (Go to BSX\_S122)

DK, RF

Go to BSX END

BSX_S122	INTERVIEWER: Specify.			
	(80 spaces) DK, RF			

BSX\_END

#### Prostate cancer screening (PSA)

PSA\_BEG Optional Content (See Appendix 2)

PSA\_C1 If (do PSA block = 1), go to PSA\_C170.

Otherwise, go to PSA\_END.

PSA\_C170 If proxy interview, go to PSA\_END.

Otherwise, go to PSA\_C170A.

PSA\_C170A If female or age < 35, go to PSA\_END.

Otherwise, go to PSA\_Q170.

#### PSA\_Q170

#### (Now Prostate tests)

PSA\_170

Have you ever had a prostate specific antigen test for prostate cancer, that is, a PSA blood test?

1 Yes

2 No (Go to PSA\_Q174) DK (Go to PSA\_Q174) RF (Go to PSA\_END)

#### PSA\_Q172

#### When was the last time?

#### PSA 172

- 1 Less than 1 year ago
- 2 1 year to less than 2 years ago
- 3 2 years to less than 3 years ago
- 4 3 years to less than 5 years ago
- 5 5 or more years ago DK, RF

#### PSA\_Q173 Why did you have it?

**INTERVIEWER**: Mark all that apply.

If respondent says 'Doctor recommended it' or 'I requested it', probe for

reason.

PSA 73A 1 Family history of prostate cancer PSA\_73B 2 Part of regular check-up / routine screening PSA 73C 3 Age PSA 73G 4 Race PSA 73D 5 Follow-up of problem 6 PSA 73E Follow-up of prostate cancer treatment PSA\_73F 7 Other - Specify (Go to PSA\_S173) DK, RF

Go to PSA\_Q174

PSA\_S173 <u>INTERVIEWER</u>: Specify.

(80 spaces) DK, RF

PSA\_Q174 PSA 174 A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the prostate gland. Have you ever had this exam?

1 Yes

2 No (Go to PSA\_END) DK, RF (Go to PSA\_END)

#### PSA\_Q175

#### When was the last time?

#### PSA\_175

- 1 Less than 1 year ago
- 2 1 year to less than 2 years ago
- 3 2 years to less than 3 years ago
- 4 3 years to less than 5 years ago
- 5 5 or more years ago DK, RF

PSA END

#### Colorectal cancer screening (CCS)

CCS\_BEG Optional Content (See Appendix 2)

CCS\_C180A If (do CCS block = 1), go to CCS\_C180B.

Otherwise, go to CCS\_END.

CCS\_C180B If proxy interview or age < 35, go to CCS\_END.

Otherwise, go to CCS\_Q180.

CCS\_Q180

CCS\_180

Now a few questions about various colorectal exams.

An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to smear a small sample on a special card.

#### Have you ever had this test?

1 Yes

2 No (Go to CCS\_Q184)
DK (Go to CCS\_Q184)
RF (Go to CCS\_END)

CCS\_Q182

When was the last time?

CCS\_182

- 1 Less than 1 year ago
- 2 1 year to less than 2 years ago
- 3 2 years to less than 3 years ago
- 4 3 years to less than 5 years ago
- 5 5 years to less than 10 years ago
- 6 10 or more years ago DK, RF

#### CCS\_Q183 Why did you have it?

**INTERVIEWER**: Mark all that apply.

If respondent says "Doctor recommended it" or "I requested it", probe for

reason.

CCS\_83A CCS\_83B CCS\_83C CCS\_83G CCS\_83D CCS\_83E CCS\_83F

- 1 Family history of colorectal cancer
- 2 Part of regular check-up / routine screening
- 3 Age
- 4 Race
- 5 Follow-up of problem
- 6 Follow-up of colorectal cancer treatment
- 7 Other Specify (Go to CCS\_S183)

DK, RF

Go to CCS\_Q184

CCS\_S183 <u>INTERVIEWER</u>: Specify.

(80 spaces)

DK, RF

CCS\_Q184 CCS\_184 A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs of cancer and other health problems. Have you ever had either of these exams?

1 Yes

2 No (Go to CCS\_END) DK, RF (Go to CCS\_END)

#### CCS\_Q185

#### When was the last time?

#### CCS\_185

- 1 Less than 1 year ago
- 2 1 year to less than 2 years ago
- 3 2 years to less than 3 years ago
- 4 3 years to less than 5 years ago
- 5 5 years to less than 10 years ago
- 6 10 or more years ago

DK, RF

#### CCS\_Q186 Why did you have it?

**INTERVIEWER**: Mark all that apply.

If respondent says "Doctor recommended it" or "I requested it", probe for

reason.

CCS 86A 1 Family history of colorectal cancer CCS\_86B 2 Part of regular check-up / routine screening CCS 86C 3 Age CCS\_86G 4 Race CCS 86D 5 Follow-up of problem CCS\_86E 6 Follow-up of colorectal cancer treatment CCS\_86F 7 Other - Specify (Go to CCS\_S186) DK, RF

Go to CCS\_C187

CCS\_S186 <u>INTERVIEWER</u>: Specify.

(80 spaces) DK, RF

CCS\_C187 If CCS\_Q180 = 1 (had a FOBT), go to CCS\_Q187.

Otherwise, go to CCS\_END.

CCS\_Q187 Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

CCS\_187

1 Yes2 No

DK, RF

CCS END

#### Eye examinations (EYX)

EYX\_BEG Optional Content (See Appendix 2)

EYX C140A If (EYX block = 2) or proxy interview, go to EYX END.

Otherwise, go to EYX\_C140B.

EYX C140B If CHP Q06 = 2, DK or RF (not seen or talked to an eye specialist) or EMPTY (Module not

asked), go to EYX\_Q142. Otherwise, go to EYX\_Q140.

EYX\_Q140 (Now eye examinations)

It was reported earlier that you have "seen" or "talked to" an optometrist or ophthalmologist in the past 12 months. Did you actually visit one?

1 Yes (Go to EYX\_END)

2 No

DK, RF (Go to EYX\_END)

EYX\_Q142 (Now eye examinations)

EYX 142 When did you last have an eye examination?

1 Less than 1 year ago (Go to EYX\_END)

2 1 year to less than 2 years ago (Go to EYX\_END)

3 2 years to less than 3 years ago

4 3 or more years ago

5 Never

DK, RF (Go to EYX\_END)

Note: In processing, if a respondent answered EYX\_Q140 = 1, the variable EYX\_Q142 is

given the value of 1.

# EYX\_Q146 What are the reasons that you have not had an eye examination in the past 2 years?

# <u>INTERVIEWER</u>: Mark all that apply.

EYX_46A	01	Have not gotten around to it
EYX_46B	02	Respondent - did not think it was necessary
EYX_46C	03	Doctor - did not think it was necessary
EYX_46D	04	Personal or family responsibilities
EYX_46E	05	Not available - at time required
EYX_46F	06	Not available - at all in the area
EYX_46G	07	Waiting time was too long
EYX_46H	80	Transportation - problems
EYX_46I	09	Language - problem
EYX_46J	10	Cost
EYX_46K	11	Did not know where to go / uninformed
EYX_46L	12	Fear (e.g., painful, embarrassing, find something wrong)
EYX_46N	13	Unable to leave the house because of a health problem
EYX_46M	14	Other
		DK, RF

EYX\_END

#### **Dental visits (DEN)**

DEN\_BEG Optional Content (See Appendix 2)

DEN\_C130A If (do DEN block = 1), go to DEN\_C130B.

Otherwise, go to DEN\_END.

DEN\_C130B If proxy interview, go to DEN\_END.

Otherwise, go to DEN\_C130C.

DEN\_C130C If CHP\_Q14 = 1, go to DEN\_Q130.

Otherwise, go to DEN\_Q132.

#### DEN\_Q130 (Now dental visits)

DEN\_130 It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one?

1 Yes (Go to DEN\_END)

2 No

DK, RF (Go to DEN\_END)

#### DEN\_Q132 (Now dental visits)

#### DEN 132 When was the last time that you went to a dentist?

1 Less than 1 year ago

2 (Go to DEN\_END) 1 year to less than 2 years ago 3 2 years to less than 3 years ago (Go to DEN\_END) 4 3 years to less than 4 years ago (Go to DEN Q136) 5 4 years to less than 5 years ago (Go to DEN\_Q136) 6 5 or more years ago (Go to DEN Q136) 7 Never (Go to DEN Q136) DK, RF (Go to DEN\_END)

Note: In processing, if a respondent answered DEN\_Q130 = 1, the variable DEN\_Q132 is

given the value of 1.

DEN\_E132 Inconsistent answers have been entered. The respondent went to a dentist less than 1

year ago but previously reported that he/she had not "seen" or "talked" to a dentist in the

past 12 months. Please confirm.

Note: Trigger soft edit if DEN Q132 = 1 and CHP Q14 = 2.

DEN\_C133 If DEN\_Q132 = 1, go to DEN\_END. Otherwise, go to DEN\_Q136.

## DEN\_Q136 What are the reasons that you have not been to a dentist in the past 3 years?

**INTERVIEWER**: Mark all that apply.

DEN_36A	01	Have not gotten around to it
DEN_36B	02	Respondent - did not think it was necessary
DEN_36C	03	Doctor - did not think it was necessary
DEN_36D	04	Personal or family responsibilities
DEN_36E	05	Not available - at time required
DEN_36F	06	Not available - at all in the area
DEN_36G	07	Waiting time was too long
DEN_36H	80	Transportation - problems
DEN_36I	09	Language - problem
DEN_36J	10	Cost
DEN_36K	11	Did not know where to go / uninformed
DEN_36L	12	Fear (e.g., painful, embarrassing, find something wrong)
DEN_36M	13	Wears dentures
DEN_360	14	Unable to leave the house because of a health problem
DEN_36N	15	Other
		DK, RF

DEN\_END

#### Oral health 2 (OH2)

OH2\_BEG Optional Content (See Appendix 2)

OH2\_C10A If (do OH2 block = 1), go to OH2\_C10B.

Otherwise, go to OH2\_END.

OH2 C10B If proxy interview, go to OH2 END.

Otherwise, go to OH2\_C10C.

OH2 C10C If DEN Q132 = 7 (never goes to dentist), go to OH2 Q11.

Otherwise, go to OH2\_Q10.

## OH2\_Q10 Do you usually visit the dentist:

OH2\_10

INTERVIEWER: Read categories to respondent.

- 1 ...more than once a year for check-ups?
- 2 ...about once a year for check-ups?
- 3 ...less than once a year for check-ups?
- 4 ...only for emergency care?
  DK, RF (Go to OH2\_END)

## OH2\_Q11 Do you have insurance that covers all or part of your dental expenses?

OH2 11

1 Yes

2 No (Go to OH2\_C12) DK, RF (Go to OH2\_C12)

OH2\_Q11A Is it:

INTERVIEWER: Read categories to respondent. Mark all that apply.

OH2\_11A 1 ...a government-sponsored plan?
OH2\_11B 2 ...an employer-sponsored plan?

OH2\_11C 3 ...a private plan?

DK, RF

OH2\_C12 If DEN\_Q130 = 1 or DEN\_Q132 = 1 (went to the dentist in the past year), go to OH2\_Q12. Otherwise, go to OH2\_Q20.

DK, RF

#### OH2 Q12 In the past 12 months, have you had any teeth removed by a dentist? OH2\_12 Yes 1 2 Nο (Go to OH2 Q20) DK, RF (Go to OH2\_Q20) OH2 Q13 (In the past 12 months.) were any teeth removed because of decay or gum disease? OH2 13 Yes 1 2 No DK, RF OH2 Q20 Do you have one or more of your own teeth? OH2 20 1 Yes 2 No DK, RF OH2 C21 If DEN Q136 = 13, go to OH2 D22. Otherwise, go to OH2 Q21. OH2 Q21 Do you wear dentures or false teeth? OH2\_21 1 Yes 2 No DK, RF Note: In processing, if a respondent answered DEN Q136 = 13 and OH2 Q10 Not in (DK, RF), the variable OH2 Q21 is given the value of 1. OH2 R22 Now we have some additional questions about oral health, that is the health of your teeth and mouth. **INTERVIEWER**: Press <Enter> to continue. OH2 D22 If OH2 Q21= 1 or DEN Q136 = 13, ^DT TEETH = "teeth, mouth or dentures". Otherwise, ^DT TEETH = "teeth or mouth". OH2 Q22 Because of the condition of your ^DT\_TEETH, do you have difficulty pronouncing OH2 22 any words or speaking clearly? 1 Yes 2 No

#### OH2\_Q23 OH2\_23

In the past 12 months, how often have you avoided:

...conversation or contact with other people, because of the condition of your ^DT TEETH?

INTERVIEWER: Read categories to respondent.

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never

DK, RF

#### OH2\_Q24

(In the past 12 months, how often have you avoided:)

OH2 24

...laughing or smiling, because of the condition of your ^DT\_TEETH?

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never DK, RF

#### OH2\_R25

Now some questions about the health of your teeth and mouth during the past month.

**INTERVIEWER**: Press <Enter> to continue.

#### OH2\_Q25A

OH2\_25A

In the past month, have you had:

...a toothache?

- 1 Yes
- 2 No

DK, RF

#### OH2\_Q25B

OH2\_25B

In the past month, were your teeth:

...sensitive to hot or cold food or drinks?

- 1 Yes
- 2 No

DK, RF

## Canadian Community Health Survey (CCHS) OH2 Q25C In the past month, have you had: OH2\_25C ...pain in or around the jaw joints? 1 Yes 2 No DK, RF OH2\_Q25D (In the past month, have you had:) OH2\_25D ...other pain in the mouth or face? 1 Yes 2 No DK, RF OH2\_Q25E (In the past month, have you had:) OH2\_25E ...bleeding gums? 1 Yes 2 No DK, RF OH2\_Q25F (In the past month, have you had:) OH2\_25F

...dry mouth?

INTERVIEWER: Do not include thirst caused by exercise.

- 1 Yes
- 2 No

DK, RF

#### OH2\_Q25G

(In the past month, have you had:)

OH2\_25G

...bad breath?

- 1 Yes
- 2 No

DK, RF

OH2\_C30

If  $OH2_Q20 = 1$ , go to  $OH2_Q30$ . Otherwise, go to OH2\_END.

#### OH2\_Q30

## How often do you brush your teeth?

#### OH2\_30

- 1 More than twice a day
- 2 Twice a day
- 3 Once a day
- 4 Less than once a day but more than once a week
- 5 Once a week
- 6 Less than once a week DK, RF

OH2\_END

#### Food choices (FDC)

FDC\_BEG Optional Content (See Appendix 2)

FDC\_C1A If (do FDC block = 1), go to FDC\_C1B.

Otherwise, go to FDC\_END.

FDC\_C1B If proxy interview, go to FDC\_END.

Otherwise, go to FDC\_R1.

FDC\_R1 Now, some questions about the foods you eat.

INTERVIEWER: Press <Enter> to continue.

## FDC\_Q1A **Do y**e

FDC\_1A

Do you choose certain foods or avoid others:

...because you are concerned about your body weight?

- 1 Yes (or sometimes)
- 2 No

DK, RF (Go to FDC\_END)

## FDC\_Q1B

(Do you choose certain foods or avoid others:)

FDC\_1B

...because you are concerned about heart disease?

- 1 Yes (or sometimes)
- 2 No

DK, RF

#### FDC\_Q1C

(Do you choose certain foods or avoid others:)

FDC\_1C

...because you are concerned about cancer?

- 1 Yes (or sometimes)
- 2 No

DK, RF

FDC\_Q1D FDC\_1D (Do you choose certain foods or avoid others:)

...because you are concerned about osteoporosis (brittle bones)?

- 1 Yes (or sometimes)
- 2 No

DK, RF

## FDC Q2A Do you choose certain foods because of: FDC\_2A ...the lower fat content? 1 Yes (or sometimes) 2 No DK, RF FDC Q2B (Do you choose certain foods because of:) FDC\_2B ...the fibre content? 1 Yes (or sometimes) 2 No DK, RF FDC\_Q2C (Do you choose certain foods because of:) FDC\_2C ...the calcium content? 1 Yes (or sometimes) 2 No DK, RF FDC\_Q3A Do you avoid certain foods because of: FDC\_3A ...the fat content? 1 Yes (or sometimes) 2 No DK, RF FDC\_Q3B (Do you avoid certain foods because of:) FDC\_3B ...the type of fat they contain? 1 Yes (or sometimes) 2 No DK, RF

# FDC\_3C ...the salt content?

FDC\_Q3C

1 Yes (or sometimes)

(Do you avoid certain foods because of:)

2 No DK, RF

## FDC\_Q3D

## (Do you avoid certain foods because of:)

## FDC\_3D

...the cholesterol content?

- 1 Yes (or sometimes)
- 2 No DK, RF

## FDC\_Q3E FDC\_3E

(Do you avoid certain foods because of:)

#### ...the calorie content?

- 1 Yes (or sometimes)
- 2 No DK, RF

FDC\_END

#### Dietary supplement use - Vitamins and minerals (DSU)

DSU\_BEG Optional Content (See Appendix 2)

DSU\_C1A If (do DSU block = 1), go to DSU\_C1B.

Otherwise, go to DSU\_END.

DSU\_C1B If proxy interview, go to DSU\_END.

Otherwise, go to DSU\_Q1A.

DSU\_Q1A DSU\_1A Now, some questions about the use of nutritional supplements.

In the past 4 weeks, did you take any vitamin or mineral supplements?

1 Yes

2 No (Go to DSU\_END)
DK, RF (Go to DSU\_END)

DSU\_Q1B

Did you take them at least once a week?

DSU 1B

1 Yes

2 No (Go to DSU\_Q1D) DK, RF (Go to DSU\_END)

DSU\_Q1C

Last week, on how many days did you take them?

DSU 1C

|\_| Days

(MIN: 1) (MAX: 7)

DK, RF

Go to DSU\_END

DSU\_Q1D

In the past 4 weeks, on how many days did you take them?

DSU 1D

|\_|\_| Days

(MIN: 1) (MAX: 21)

DK, RF

DSU END

#### Fruit and vegetable consumption (FVC)

**FVC BEG** Core content FVC C1A If (do FVC block = 2) or proxy interview, go to FVC END. Otherwise, go to FVC R1. FVC R1 The next questions are about the foods you usually eat or drink. Think about all the foods you eat, both meals and snacks, at home and away from home. **INTERVIEWER**: Press <Enter> to continue. FVC Q1A How often do you usually drink fruit juices such as orange, grapefruit or tomato? (For example: once a day, three times a week, twice a month) FVC\_1A INTERVIEWER: Select the reporting period here and enter the number in the next screen. 1 Per day 2 Per week (Go to FVC N1C) Per month (Go to FVC\_N1D) 4 Per year (Go to FVC N1E) Never (Go to FVC\_Q2A) DK, RF (Go to FVC END) FVC N1B INTERVIEWER: Enter number of times per day. FVC\_1B |\_|\_| Times (MIN: 1) (MAX: 20) DK, RF Go to FVC Q2A FVC N1C INTERVIEWER: Enter number of times per week. FVC 1C |\_|\_| Times (MIN: 1) (MAX: 90) DK, RF Go to FVC\_Q2A FVC N1D INTERVIEWER: Enter number of times per month. FVC\_1D |\_|\_| Times (MIN: 1) (MAX: 200) DK, RF Go to FVC\_Q2A

FVC_N1E	INTERVIEWER: Enter number of times per year.			
FVC_1E				
	(MIN: 1) (MAX: 500)			
	DK, RF			
FVC_Q2A FVC_2A	Not counting juice, how often do you usually eat fruit?			
	INTERVIEWER: Select the reporting period here and enter the number in the next screen.			
	1 Per day 2 Per week (Go to FVC_N2C) 3 Per month (Go to FVC_N2D) 4 Per year (Go to FVC_N2E) 5 Never (Go to FVC_Q3A) DK, RF (Go to FVC_Q3A)			
FVC_N2B FVC_2B	INTERVIEWER: Enter number of times per day.			
	_ _  Times			
	(MIN: 1) (MAX: 20)			
	DK, RF Go to FVC_Q3A			
FVC_N2C FVC_2C	INTERVIEWER: Enter number of times per week.			
FVO_20	_ _  Times			
	(MIN: 1) (MAX: 90)			
	DK, RF			
	Go to FVC_Q3A			
FVC_N2D FVC_2D	INTERVIEWER: Enter number of times per month.			
	_ _  Times			
	(MIN: 1) (MAX: 200) DK, RF			
	Go to FVC_Q3A			
FVC_N2E	INTERVIEWER: Enter number of times per year.			
FVC_2E				
	_ _  Times (MIN: 1) (MAX: 500)			
	DK, RF			

#### FVC Q3A How often do you (usually) eat green salad? FVC\_3A INTERVIEWER: Select the reporting period here and enter the number in the next screen. 1 Per day 2 (Go to FVC N3C) Per week 3 Per month (Go to FVC N3D) 4 Per year (Go to FVC N3E) 5 (Go to FVC Q4A) Never DK, RF (Go to FVC\_Q4A) FVC N3B INTERVIEWER: Enter number of times per day. FVC 3B |\_|\_| Times (MIN: 1) (MAX: 20) DK, RF Go to FVC\_Q4A INTERVIEWER: Enter number of times per week. FVC N3C FVC 3C |\_|\_| Times (MIN: 1) (MAX: 90) DK, RF Go to FVC\_Q4A FVC N3D INTERVIEWER: Enter number of times per month. FVC 3D |\_|\_| Times (MIN: 1) (MAX: 200) DK, RF Go to FVC\_Q4A FVC N3E INTERVIEWER: Enter number of times per year. FVC\_3E |\_|\_| Times (MIN: 1) (MAX: 500) DK, RF FVC Q4A How often do you usually eat potatoes, not including french fries, fried potatoes, or potato chips? FVC 4A INTERVIEWER: Select the reporting period here and enter the number in the next screen. 1 Per day 2 Per week (Go to FVC\_N4C) 3 Per month (Go to FVC N4D) 4 Per year (Go to FVC\_N4E) 5 Never (Go to FVC\_Q5A) DK, RF (Go to FVC\_Q5A)

FVC_N4B FVC_4B	INTERVIEWER: Enter number of times per day.			
	(MIN: 1) (MAX: 20)			
	DK, RF			
	Go to FVC_Q5A			
FVC_N4C	INTERVIEWER: Enter number of times per week.			
FVC_4C				
	_ _  Times			
	(MIN: 1) (MAX: 90)			
	DK, RF			
	Go to FVC_Q5A			
FVC_N4D FVC_4D	INTERVIEWER: Enter number of times per month.			
	  _ _  Times			
	(MIN: 1) (MAX: 200)			
	DK, RF			
	Go to FVC_Q5A			
FVC_N4E	INTERVIEWER: Enter number of times per year.			
FVC_4E				
	_ _  Times			
	(MIN: 1) (MAX: 500)			
	DK, RF			
FVC_Q5A	How often do you (usually) eat carrots?			
FVC_5A	INTERVIEWER: Select the reporting period here and enter the number in the next screen.			
	1 Per day			
	2 Per week (Go to FVC_N5C)			
	3 Per month (Go to FVC_N5D)			
	4 Per year (Go to FVC_N5E)			
	5 Never (Go to FVC_Q6A)			
	DK, RF (Go to FVC_Q6A)			
FVC_N5B	INTERVIEWER: Enter number of times per day.			
FVC_5B				
	_ _  Times			
	(MIN: 1) (MAX: 20)			
	DK, RF			
	Go to FVC_Q6A			

FVC_N5C FVC_5C	INTERVIEWER: Enter number of times per week.   _ _  Times (MIN: 1) (MAX: 90) DK, RF Go to FVC_Q6A			
FVC_N5D FVC_5D	INTERVIEWER: Enter number of times per month   _ _  Times (MIN: 1) (MAX: 200)			
	DK, RF Go to FVC_Q6A			
FVC_N5E FVC_5E	INTERVIEWER: Enter number of times per year.   _ _ _  Times (MIN: 1) (MAX: 500) DK, RF			
FVC_Q6A FVC_6A	Not counting carrots, potatoes, or salad, how many servings of other vegetables do you usually eat?  INTERVIEWER: Select the reporting period here and enter the number in the next screen.  1 Per day			
	2 Per week (Go to FVC_N6C) 3 Per month (Go to FVC_N6D) 4 Per year (Go to FVC_N6E) 5 Never (Go to FVC_END) DK, RF (Go to FVC_END)			
FVC_N6B FVC_6B	INTERVIEWER: Enter number of servings per day.   _ _  Servings (MIN: 1) (MAX: 20) DK, RF Go to FVC_END			
FVC_N6C FVC_6C	INTERVIEWER: Enter number of servings per week.   _ _  Servings (MIN: 1) (MAX: 90) DK, RF Go to FVC_END			

FVC\_END

#### Physical activities (PAC)

PAC\_BEG Core content

PAC\_C1A If (do PAC block = 1), go to PAC\_C1B.

Otherwise, go to PAC\_END.

PAC\_C1B If proxy interview, go to PAC\_END.

Otherwise, go to PAC\_R1.

PAC\_R1 Now I'd like to ask you about some of your physical activities. To begin with, I'll be

dealing with physical activities not related to work, that is, leisure time activities.

INTERVIEWER: Press <Enter> to continue.

PAC\_Q1 Have you done any of the following in the past 3 months, that is, from [date three

months ago] to yesterday?

INTERVIEWER: Read categories to respondent. Mark all that apply.

	1111	ERVIEWER. Read categories to resp
PAC_1A	01	Walking for exercise
PAC_1B	02	Gardening or yard work
PAC_1C	03	Swimming
PAC_1D	04	Bicycling
PAC_1E	05	Popular or social dance
PAC_1F	06	Home exercises
PAC_1G	07	Ice hockey
PAC_1H	80	Ice skating
PAC_1I	09	In-line skating or rollerblading
PAC_1J	10	Jogging or running
PAC_1K	11	Golfing
PAC_1L	12	Exercise class or aerobics
PAC_1M	13	Downhill skiing or snowboarding
PAC 1N	14	Rowling

PAC\_1N 14 Bowling

PAC\_10 15 Baseball or softball

PAC\_1P 16 Tennis

PAC\_1Q 17 Weight-training

PAC\_1R 18 Fishing
PAC\_1S 19 Volleyball

PAC\_1T 20 Basketball PAC\_1Z 21 Soccer

PAC\_1U 22 Any other

PAC\_1V 23 No physical activity

DK, RF (Go to PAC\_END)

PAC\_E1 You cannot select "No physical activity" and another category.

Please return and correct.

Note: Trigger hard edit if "No physical activity" is chosen in PAC\_Q1 with any other response.

PAC C1VA If PAC Q1 = 23 only, go to PAC R7.

Otherwise, go to PAC\_C1VB.

PAC\_C1VB If PAC\_Q1 = 22, go to PAC\_S1V.

Otherwise, go to PAC\_Q2n.

PAC\_S1V What was this activity?

**INTERVIEWER**: Enter one activity only.

\_\_\_\_\_

(80 spaces)

(DK, RF are not allowed)

PAC\_Q1X In the past 3 months, did you do any other physical activity for leisure?

PAC\_1W

1 Yes

2 No (Go to PAC\_Q2n) DK, RF (Go to PAC\_Q2n)

PAC\_S1X What was this activity?

**INTERVIEWER**: Enter one activity only.

(80 spaces)

DK, RF (Go to PAC\_Q2n)

PAC\_Q1Y In the past 3 months, did you do any other physical activity for leisure?

PAC\_1X 1 Yes

> 2 No (Go to PAC\_Q2n) DK, RF (Go to PAC\_Q2n)

DK, RF

PAC\_S1Y What was this activity? INTERVIEWER: Enter one activity only. (80 spaces) DK, RF (Go to PAC\_Q2n) For each activity identified in PAC Q1, ask PAC Q2n and PAC Q3n. Note: When PAC S1X or PAC S1Y = DK, RF, their respective PAC Q2 and PAC Q3 will not be asked. PAC Q2N In the past 3 months, how many times did you [participate in identified activity]? PAC 2N |\_|\_| Times (MIN: 1) (MAX: 99; for each activity except the following: Walking: MAX = 270, Bicycling: MAX = 200, Other activities: MAX = 200) DK. RF (Go to next activity) PAC Q3N About how much time did you spend on each occasion? PAC 3N 1 1 to 15 minutes 2 16 to 30 minutes 3 31 to 60 minutes More than one hour DK, RF PAC\_R7 The last questions were about leisure time activities. Next, some questions about walking and bicycling that you do only as a way of getting to and from work or school. INTERVIEWER: Press <Enter> to continue. PAC D7 If  $PAC_Q2n > 0$ , where n = 1,  $X = PAC_Q2n$ ,  $^DT_TIMEW = ^Other than the (X) times$ you already reported walking for exercise was there any other time". Otherwise, ^DT\_TIMEW = "Was there any time". PAC Q7 ^DT\_TIMEW in the past 3 months when you walked to and from work or school? PAC\_7 1 Yes 2 No (Go to PAC D8) 3 (Go to PAC\_END) Does not work or go to school

(Go to PAC\_D8)

## Canadian Community Health Survey (CCHS) PAC Q7A How many times? PAC\_7A |\_|\_| Times (MIN: 1) (MAX: 270) DK, RF (Go to PAC D8) PAC Q7B About how much time did you spend on each occasion? PAC\_7B <u>INTERVIEWER</u>: Include both walking to and from work and school, if both apply. 1 1 to 15 minutes 2 16 to 30 minutes 31 to 60 minutes More than one hour DK, RF

PAC\_D8

If PAC\_Q2n > 0, where n = 4, X = PAC\_Q2n, ^DT\_TIMEB = "Other than the (X) times you already reported bicycling was there any other time".

Otherwise, ^DT\_TIMEB = "Was there any time".

## PAC\_Q8

#### ^DT TIMEB in the past 3 months when you bicycled to and from work or school?

PAC 8

- 1 Yes
- 2 (Go to PAC\_END) No
- Does not work or go to school (Go to PAC\_END)

DK, RF (Go to PAC\_END)

Note:

If PAC Q7 = 3, PAC Q8 will be filled with "Does not work or go to school" in processing ( $PAC_Q8 = 3$ ).

#### PAC\_Q8A

#### How many times?

PAC 8A

|\_|\_| Times

(MIN: 1) (MAX: 200)

DK, RF (Go to PAC\_END)

#### PAC Q8B

#### About how much time did you spend on each occasion?

#### PAC\_8B

INTERVIEWER: Include both bicycling to and from work and school, if both apply.

- 1 1 to 15 minutes
- 2 16 to 30 minutes
- 3 31 to 60 minutes
- More than one hour

DK, RF

PAC\_END

#### Sedentary activities (SAC)

SAC BEG Optional Content (See Appendix 2) SAC C1A If (do SAC block = 1), go to  $SAC_C1B$ . Otherwise, go to SAC\_END. SAC C1B If proxy interview, go to SAC END. Otherwise, go to SAC\_R1. SAC R1 Now, a few additional questions about activities you do in your leisure time, that is, activities not at work or at school. INTERVIEWER: Press <1> to continue. SAC Q1 In a typical week in the past 3 months, how much time did you usually spend: SAC\_1 ... on a computer, including playing computer games and using the Internet? INTERVIEWER: Do not include time spent at work or at school. |\_|\_| Hours (MIN: 0) (MAX: 70; warning after 35) DK, RF (Go to SAC\_END) SAC\_C2 If age > 25, go to SAC\_Q3. Otherwise, go to SAC\_Q2. SAC\_Q2 (In a typical week, in the past 3 months, how much time did you usually spend:) SAC 2 ...playing video games, such as XBOX, Nintendo and Playstation? |\_|\_| Hours (MIN: 0) (MAX: 70; warning after 35) DK, RF SAC\_E1 An impossible value has been entered. Please return and correct. Note: Trigger hard edit if SAC\_Q1 + SAC\_Q2 > 98.

SAC Q3 (In a typical week in the past 3 months, how much time did you usually spend:) SAC\_3 ...watching television or videos? |\_|\_| Hours (MIN: 0) (MAX: 70; warning after 35) DK, RF SAC E2 An impossible value has been entered. Please return and correct. Note: Trigger hard edit if SAC\_Q1 + SAC\_Q2 + SAC\_Q3 > 98. SAC Q4 (In a typical week, in the past 3 months, how much time did you usually spend:) SAC\_4 ...reading, not counting at work or at school? INTERVIEWER: Include books, magazines, newspapers, homework. |\_|\_| Hours (MIN: 0) (MAX: 70; warning after 35) DK, RF SAC\_E3 An impossible value has been entered. Please return and correct. Note: Trigger hard edit if SAC\_Q1 + SAC\_Q2 + SAC\_Q3 +SAC\_Q4 > 98. SAC\_END

#### Use of protective equipment (UPE)

UPE\_BEG Theme content

UPE\_C1A If (do UPE block = 1), go to UPE\_C1B.

Otherwise, go to UPE\_END.

UPE C1B If proxy interview, go to UPE END.

Otherwise, go to UPE\_C1C.

UPE\_C1C If PAC\_Q1 = 4 (bicycling for leisure) or PAC\_Q1 = 7 (ice hockey) or PAC\_Q1 = 9 (in-line

skating or rollerblading) or PAC\_Q1 = 13 (downhill skiing or snowboarding) or (PAC\_Q8 =

1 (bicycling to work or school)), go to UPE\_R1.

Otherwise, go to UPE\_C1D.

UPE\_R1 Now a few questions about precautions you take while participating in some

physical activities.

INTERVIEWER: Press <Enter> to continue.

UPE\_C1D If PAC\_Q1 = 4 (bicycling for leisure) or (PAC\_Q8 = 1 (bicycling to work or school)), go to

UPE Q1.

Otherwise, go to UPE Q1A.

UPE\_Q1A In the past 12 months, have you done any bicycling?

UPE\_01A

1 Yes

2 No (Go to UPE\_C2)

DK (Go to UPE\_C2)

RF (Go to UPE\_END)

UPE\_Q1 When riding a bicycle, how often do you wear a helmet?

UPE\_01

**INTERVIEWER**: Read categories to respondent.

1 Always

- 2 Most of the time
- 3 Rarely
- 4 Never

DK, RF

UPE\_C2

If PAC\_Q1 = 9 (in-line skating or rollerblading), go to UPE\_Q2A. Otherwise, go to UPE\_Q2.

## UPE\_Q2

#### In the past 12 months, have you done any in-line skating or rollerblading?

#### UPE 02

- 1 Yes
- 2 No (Go to UPE\_C3A) DK, RF (Go to UPE\_C3A)

## UPE\_Q2A

### When in-line skating or rollerblading, how often do you wear a helmet?

#### UPE 02A

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 **Never** DK, RF

#### UPE\_Q2B

#### How often do you wear wrist guards or wrist protectors?

#### UPE\_02B

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never DK, RF

#### UPE\_Q2C

#### How often do you wear elbow pads?

### UPE\_02C

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
  - DK, RF

## UPE\_Q2D

#### How often do you wear knee pads?

#### UPE\_02D

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
  - DK, RF

UPE\_C3A

If PAC\_Q1 = 13 (downhill skiing or snowboarding), go to UPE\_Q3A. Otherwise, go to UPE\_Q3B.

UPE\_Q3A UPE 03A Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that:

INTERVIEWER: Read categories to respondent.

...downhill skiing only? (Go to UPE\_Q4A)
 ...snowboarding only? (Go to UPE\_C5A)
 ...both? (Go to UPE\_Q4A)
 DK, RF (Go to UPE\_C6)

UPE\_Q3B

In the past 12 months, did you do any downhill skiing or snowboarding?

UPE\_03B

INTERVIEWER: Read categories to respondent.

1 Downhill skiing only (Go to UPE\_Q4A)
2 Snowboarding only (Go to UPE\_C5A)
3 Both (Go to UPE\_Q4A)
4 Neither (Go to UPE\_C6)
DK, RF (Go to UPE\_C6)

UPE\_Q4A

When downhill skiing, how often do you wear a helmet?

UPE\_04A

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never

DK, RF

UPE\_C5A

If UPE\_Q3A = 2 or 3 (snowboarding or both) or UPE\_Q3B = 2 or 3, go to UPE\_Q5A. Otherwise, go to UPE\_C6.

UPE\_Q5A

When snowboarding, how often do you wear a helmet?

UPE\_05A

**INTERVIEWER**: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never

DK, RF

## UPE\_Q5B

#### How often do you wear wrist guards or wrist protectors?

- UPE\_05B
- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
  - DK, RF

UPE C6

If age >= 12 or <= 19, go to UPE\_Q6. Otherwise, go to UPE\_C7.

#### UPE Q6

#### In the past 12 months, have you done any skateboarding?

UPE 06

- 1 Yes
- 2 No (Go to UPE\_C7) DK, RF (Go to UPE\_C7)

## UPE\_Q6A

#### How often do you wear a helmet?

#### UPE\_06A

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
  - DK, RF

#### UPE\_Q6B

#### How often do you wear wrist guards or wrist protectors?

#### UPE 06B

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
  - DK, RF

## UPE\_Q6C

#### How often do you wear elbow pads?

#### UPE 06C

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
  - DK, RF

UPE\_C7 If PAC Q1=7 (ice hockey), go to UPE\_Q7A. Otherwise, go to UPE\_Q7.

UPE\_Q7

In the past 12 months, have you played any ice hockey?

UPE\_07

1 Yes

2 No (Go to UPE\_END) DK, RF (Go to UPE\_END)

UPE\_Q7A

When playing ice hockey, how often do you wear a mouth guard?

UPE\_07A

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 **Never** DK, RF

UPE\_END

#### Sun safety behaviours (SSB)

SSB BEG Optional Content (See Appendix 2)

 $SSB_C1$  If (do SSB block = 1), go to  $SSB_C2$ .

Otherwise, go to SSB\_END.

SSB\_C2 If proxy interview, go to SSB\_END.

Otherwise, go to SSB\_R01.

SSB R01

The next few questions are about exposure to the sun and sunburns. Sunburn is defined as any reddening or discomfort of the skin, that lasts longer than 12 hours after exposure to the sun or other UV sources, such as tanning beds or sun lamps.

INTERVIEWER: Press <Enter> to continue.

## SSB\_Q01

In the past 12 months, has any part of your body been sunburnt?

SSB\_01

- 1 Yes
- 2 No (Go to SSB\_R06) DK, RF (Go to SSB\_END)

#### SSB\_Q02

Did any of your sunburns involve blistering?

SSB 02

- 1 Yes
- 2 No

DK, RF

#### SSB\_Q03 SSB 03

Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?

- 1 Yes
- 2 No

DK, RF

#### SSB R06

For the next questions, think about a typical weekend, or day off from work or school in the summer months.

**INTERVIEWER**: Press <Enter> to continue.

1

## SSB\_Q06

#### About how much time each day do you spend in the sun between 11 am and 4 pm?

SSB\_06

- (Go to SSB Q13)
- 2 Less than 30 minutes (Go to SSB Q13)
- 3 30 to 59 minutes

None

- 4 1 hour to less than 2 hours
- 5 2 hours to less than 3 hours
- 6 3 hours to less than 4 hours
- 7 4 hours to less than 5 hours
- 8 5 hours

DK, RF (Go to SSB\_Q13)

#### SSB\_Q07 SSB 07

In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:

#### ...seek shade?

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Often
- 3 Sometimes
- 4 Rarely
- 5 Never

DK, RF

#### SSB\_Q08 SSB\_08

(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:)

...wear a hat that shades your face, ears and neck?

- 1 Always
- 2 Often
- 3 Sometimes
- 4 Rarely
- 5 Never

DK, RF

#### SSB\_Q09A SSB\_09A

(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:)

...wear long pants or a long skirt to protect your skin from the sun?

- 1 Always
- 2 Often
- 3 Sometimes
- 4 Rarely
- 5 Never

DK, RF

#### SSB Q09B SSB\_09B

(In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:)

#### ...use sunscreen on your face?

- 1 Always
- 2 Often
- 3 Sometimes
- 4 Rarely (Go to SSB\_Q11)
- 5 Never (Go to SSB Q11) DK, RF (Go to SSB\_Q11)

#### SSB Q10

#### What Sun Protection factor (SPF) do you usually use?

#### SSB 10

- 1 Less than 15
- 2 15 to 25
- More than 25 DK, RF

#### SSB Q11 SSB\_11

In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more, how often do you:

#### ...use sunscreen on your body?

- 1 Always
- 2 Often
- 3 Sometimes
- 4 Rarely (Go to SSB Q13)
- 5 Never (Go to SSB Q13) DK, RF (Go to SSB\_Q13)

#### SSB Q12

#### What Sun Protection factor (SPF) do you usually use?

#### SSB 12

- 1 Less than 15
- 2 15 to 25
- More than 25 DK, RF

## SSB Q13

#### Do you have skin cancer?

#### SSB 13

- 1 Yes
- 2 No

DK, RF (Go to SSB\_END) SSB\_E13 Inconsistent answers have been entered. The respondent reported having skin cancer but

previously reported that he/she did not have cancer. Please confirm.

Note: Trigger soft edit if SSB\_Q13 = 1 and CCC\_Q131 = 2.

SSB\_C14 If SSB\_Q13 = 1, go to SSB\_Q15.

Otherwise, go to SSB\_Q14.

## SSB\_Q14 Have you ever been diagnosed with skin cancer?

#### SSB\_14

1 Yes

2 No (Go to SSB\_END) DK, RF (Go to SSB\_END)

SSB\_E14 Inconsistent answers have been entered. The respondent reported having (ever) been

diagnosed with skin cancer but previously reported that he/she had not ever been

diagnosed cancer. Please confirm.

Note: Trigger soft edit if SSB Q14 = 1 and CCC Q132 = 2.

SSB D15 If SSB Q13 = 1 (Yes), ^DT DODID = "do".

Otherwise, ^DT\_DODID = "did".

#### SSB\_Q15 What type of skin cancer ^DT\_DODID you have?

#### **SSB 15**

1 Melanoma

2 Non-melanoma

DK, RF

SSB\_END

#### Injuries (INJ)

INJ BEG Theme content

INJ C1 If (do INJ block = 1), go to INJ B1.

Otherwise, go to INJ END.

INJ B1 Call "Repetitive strain" sub block (REP)

Note: Number of injuries and details of most serious injury

INJ D1A If REP\_Q1 = 1 (Yes), ^DT\_OTHINJ = "other".

Otherwise, ^DT OTHINJ = "null".

INJ\_D1B (not applicable)

INJ\_R1 Now some questions about ^DT OTHINJ injuries which occurred in the past 12

months, and were serious enough to limit ^YOUR2 normal activities the day after the injury occurred. For example, a broken bone, a bad cut, a burn or a sprain.

INTERVIEWER: Press <Enter> to continue.

INJ D01 If REP Q1 = 1 (Yes), ^DT INJURIES1 = "Not counting repetitive strain injuries or food

poisoning,".

Otherwise, ^DT\_INJURIES1 = "Not counting food poisoning,".

INJ Q01 ^DT INJURIES1 in the past 12 months, that is, from [date one year ago] to **INJ 01** yesterday, "WERE "YOU1 injured?

Yes

1

2 No (Go to INJ\_Q16)

> DK. RF (Go to INJ END)

INJ Q02 How many times ^WERE ^YOU1 injured?

**INJ 02** 

|\_|\_| Times

(MIN: 1) (MAX: 30; warning after 6) DK, RF (Go to INJ\_END)

INJ D03 If INJ\_Q02 = 1 (one injury), ^DT\_INJURIES2 = "In which".

Otherwise, ^DT\_INJURIES2 = "Thinking about the most serious injury, in which".

## INJ\_Q03 **^DT\_INJURIES2** month did it happen?

- 01 January
  - 02 February
  - 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December

DK, RF (Go to INJ\_Q05)

INJ\_C04 If INJ\_Q03 = « C\_MONTH », go to INJ\_Q04. Otherwise, go to INJ\_Q05.

## INJ\_Q04 Was that this year or last year?

- INJ\_04
- 1 This year
- 2 Last year DK, RF

## INJ\_Q05 What type of injury did ^YOU1 have? For example, a broken bone or burn. INJ\_05

- 01 Multiple serious injuries (excluding multiple minor injuries)
  - 02 Broken or fractured bones
  - 03 Burn, scald, chemical burn
  - 04 Dislocation
  - 05 Sprain or strain (including torn ligaments and muscles)
  - O6 Cut, puncture, animal or human bite (open wound)
  - 07 Scrape(s), bruise(s), blister(s) (including multiple minor injuries)
  - 08 Concussion or other brain injury (Go to INJ\_Q08)
  - O9 Poisoning (excluding food poisoning, poison ivy, other contactGo to INJ\_Q08) dermatitis, and allergies)
  - 10 Injury to internal organs

(Go to INJ\_Q07)

11 Other - Specify

(Go to INJ\_S05)

DK, RF

Go to INJ\_Q06

DK, RF

#### INJ S05 **INTERVIEWER:** Specify. (80 spaces) DK, RF INJ Q06 What part of the body was injured? INJ\_06 01 Multiple sites 02 Eyes (excluding fracture of facial bones around the eye) 03 Head (including facial bones) 04 Neck 05 Shoulder, upper arm 06 Elbow, lower arm 07 Wrist 80 Hand 09 Hip 10 Thigh Knee, lower leg 11 Ankle, foot Upper back or upper spine (excluding neck) 14 Lower back or lower spine 15 Chest (excluding back and spine) 16 Abdomen or pelvis (excluding back and spine) DK, RF Go to INJ\_Q08 INJ Q07 What part of the body was injured? INJ\_07 1 Chest (within rib cage) 2 Abdomen or pelvis (below ribs) 3 Other - Specify (Go to INJ\_S07) DK, RF Go to INJ\_Q08 INJ\_S07 **INTERVIEWER**: Specify. (80 spaces)

Page 126 of 378

#### INJ\_Q08 INJ 08

## Where 'WERE 'YOU1 when 'YOU1 'WERE injured? For example, someone's house, an office building, construction site.

INTERVIEWER: If respondent says 'At work', probe for type of workplace.

- 01 In a home or its surrounding area (including respondent's home or other homes)
- 02 Residential institution
- 03 School, college, university (exclude sports areas)
- O4 Sports or athletics area of school, college, university
- Of Other sports or athletics area (exclude school sports areas)
- 06 Other institution (e.g., church, hospital, theatre, civic building)
- 07 Street, highway, sidewalk
- 08 Commercial area (e.g., store, restaurant, office building, transport terminal)
- 09 Industrial or construction area
- 10 Farm (exclude farmhouse and its surrounding area)
- 11 Countryside, forest, lake, ocean, mountains, prairie, etc.
- 12 Other Specify (Go to INJ\_S08) DK, RF

Go to INJ\_Q09

INJ\_S08

INTERVIEWER: Specify.

(80 spaces)

DK, RF

#### INJ Q09

#### What ^WERE ^YOU1 doing when ^YOU1 ^WERE injured?

#### INJ\_09

- 01 Sports or physical exercise (including school activities, and running)
- 02 Leisure or hobby (including volunteering)
- 03 Working at a job or business (excluding travel to and from work)
- 04 Household chores, outdoor yard maintenance, home renovations or other unpaid work
- 05 Sleeping, eating, personal care
- 06 Going up and down stairs
- 07 Driver or passenger in/on road motor vehicle (including motorcycles, trucks)
- O8 Driver or passenger in/on off-road motor vehicle (including boat, ATV, snowmobile)
- 09 Walking
- 10 Other Specify (Go to INJ\_S09) DK, RF

Go to INJ\_C09

INJ\_S09 <u>INTERVIEWER</u>: Specify.

(80 spaces)

DK, RF

INJ\_C09 If INJ\_Q09 = 3, and (14 < age < 75), go to INJ\_B09.

Otherwise, go to INJ\_C10.

INJ\_B09 Call "Workplace Injuries" Sub Block (INW)

INJ\_C10 If INJ\_Q05 = 9 (poisoning), go to INJ\_Q13. Otherwise, go to INJ\_Q10.

## INJ\_Q10 Was the injury the result of a fall?

INJ\_10

<u>INTERVIEWER</u>: Exclude transportation accidents and any falls that involve another person (e.g. collision, contact in sports, fight)

1 Yes

2 No (Go to INJ\_Q12) DK, RF (Go to INJ\_Q12)

## INJ\_Q11A How did ^YOU1 fall? INJ\_11A

- 1 While skating, skiing or snowboarding
- While engaged in other sport or physical exercise (including school activities and running)
- 3 Going up or down stairs / steps (icy or not)
- 4 Slip, trip, stumble or loss balance while walking on ice or snow
- 5 Slip, trip or stumble or loss balance while walking on any other surface
- 6 From furniture or while rising from furniture (e.g., bed, chair)
- 7 From elevated position (e.g., ladder, tree, scaffolding)
- 8 Due to health problems (e.g., faint, weakness, dizziness, hip/knee gave out, seizure)
- 9 Other Specify (Go to INJ\_S11A)
  DK, RF

Go to INJ\_Q12A

#### INJ\_S11A <u>INTERVIEWER</u>: Specify.

(80 spaces)

DK, RF

Go to INJ\_Q12A

#### INJ\_Q12

#### What caused the injury?

#### INJ\_12

- 01 Transportation accident
- 02 Accidentally bumped, pushed, bitten, etc. by person or animal
- 03 Accidentally struck or crushed by object(s)
- 04 Accidental contact with sharp object, tool or machine
- 05 Smoke, fire, flames
- 06 Accidental contact with hot object, liquid or gas
- 07 Extreme weather or natural disaster
- 08 Overexertion or strenuous movement
- 09 Physical assault
- 10 Other Specify (Go to INJ\_S12) DK, RF

Go to INJ\_Q12A

#### INJ\_S12

INTERVIEWER: Specify.

(80 spaces)

DK, RF

## INJ\_Q12A

#### At what time of day did ^YOUR1 injury occur?

#### INJ\_12A

- 1 Morning (06:00-11:59)
- 2 Afternoon (12:00-17:59)
- 3 Evening (18:00-23:59)
- 4 Night (00:00-05:59)

DK, RF

### INJ\_Q13

#### INJ\_13

Did ^YOU2 receive any medical attention for the injury from a health professional in the 48 hours following the injury?

- 1 Yes
- No (Go to INJ\_Q15A)
   DK, RF (Go to INJ\_Q15A)

#### INJ Q14 Where did ^YOU1 receive treatment in the 48 hours? INTERVIEWER: Mark all that apply. **INJ 14A** 1 Doctor's office INJ 14B 2 Hospital emergency room

INJ 14C 3 Hospital outpatient clinic (e.g. day surgery, cancer) INJ 14L 4 Other clinic (e.g. walk-in, appointment, sports) 5 INJ 14M Physiotherapist or massage therapist's office INJ 14F 6 Community health centre / CLSC

7 INJ 14N Chiropractor's office

**INJ 140** 8 Where the injury happened/on-site (workplace, school, sports field, hotel, ski hill)

INJ 14K 9 Other DK, RF

#### INJ Q15 **^WERE C ^YOU1** admitted to a hospital overnight?

**INJ 15** 

- 1 Yes
- 2 No DK, RF
- INJ\_E15 Inconsistent answers have been entered. Please confirm.

Note: Trigger soft edit If  $INJ_Q15 = 1$  and  $CHP_Q01 = 2$  (No)

INJ Q15A INJ 15A

At the present time, ^ARE ^YOU1 getting follow-up care from a health professional because of this injury?

- 1 Yes
- 2 No

DK, RF

## **INJ Q16 INJ 16**

In the past 12 months, did ^YOU2 have any other injuries that were treated by a health professional, but did not limit ^YOUR1 normal activities?

- 1 Yes
- 2 No (Go to INJ END) DK, RF (Go to INJ\_END)

#### INJ Q17 How many injuries? INJ\_17

|\_|\_| Injuries

(MIN: 1) (MAX: 30; warning after 6)

DK, RF

INJ\_END

#### Repetitive strain - Sub Block (REP)

REP BEG

Theme content

REP R1

This next section deals with repetitive strain injuries. By this we mean injuries to muscles, tendons or nerves caused by overuse or repeating the same movement over an extended period. For example, carpal tunnel syndrome, tennis elbow or tendonitis.

INTERVIEWER: Press <Enter> to continue.

# REP\_Q1

In the past 12 months, did ^YOU2 have any injuries due to repetitive strain?

#### REP 1A

1 Yes

2 No (Go to INJ\_D1A) DK, RF (Go to INJ\_D1A)

# REP\_Q2

Were these injuries serious enough to limit ^YOUR1 normal activities?

#### REP\_2

1 Yes

2 No (Go to INJ\_D1A) DK, RF (Go to INJ\_D1A)

## REP\_Q3 REP\_3

Thinking about the most serious repetitive strain, what part of the body was affected?

- 01 Head
- 02 Neck
- 03 Shoulder, upper arm
- 04 Elbow, lower arm
- 05 Wrist
- 06 Hand
- 07 Hip
- 08 Thigh
- 09 Knee, lower leg
- 10 Ankle, foot
- 11 Upper back or upper spine (excluding neck)
- 12 Lower back or lower spine
- 13 Chest (excluding back and spine)
- 14 Abdomen or pelvis (excluding back and spine) DK, RF

#### REP\_D3A

(not applicable)

#### REP Q3A ^DOVERB\_C ^YOU1 know what type of activity caused this repetitive strain injury? REP\_3A 1 Yes 2 No (Go to INJ\_D1A) DK, RF (Go to INJ\_D1A) REP Q4 Was the activity something you did while working at a job or business (excluding travel to or from work)? REP 4 1 Yes 2 No DK, RF REP\_Q5 What type of activity was this? INTERVIEWER: Mark all that apply. REP 5A 1 Walking 2 REP 5B Sports or physical exercise (including school activities and running) REP 5C 3 Leisure or hobby (include volunteering) REP\_5D 4 Household chores, outdoor yard maintenance, home renovations or other unpaid work REP\_5F 5 Computer use or typing REP 5G 6 Driving a motor vehicle REP\_5H 7 Lifting or carrying an object or person REP\_5I Other - Specify (Go to REP\_S5) DK, RF Go to INJ\_DIA REP\_S5 **INTERVIEWER:** Specify.

(80 spaces) DK, RF

DK, R

REP\_END

#### Workplace Injury - Sub Block (INW)

INW\_BEG Theme content

INW Q01

Did this injury occur in your current main job?

INW\_1

1 Yes (Go to INW\_END)

2 No

DK, RF (Go to INW\_END)

INW\_Q02 INW\_2 What kind of business, industry or service were you working in when you were injured? (For example: cardboard box manufacturing, road maintenance, retail shoe store, secondary school, dairy farm, municipal government).

-

(50 spaces) DK, RF

INW\_Q03 INW\_3 What kind of work ^WERE ^YOU1 doing? (For example: babysitting in own home, factory worker, forestry technician)

\_\_\_\_\_

(50 spaces) DK, RF

Note: Use trigram search, source file is PrepSOC.tdf

INW\_D03 SIC\_CODE (4 bytes)

Note: Store SOC Code associated with INW\_Q03

INW\_C03 If INW\_D03 = 1 or INW\_D03 = 2 (OtherSpec), go to INW\_S03.

Otherwise, go to INW\_Q04.

INW\_S03 <u>INTERVIEWER</u>: Specify.

(50 spaces) DK, RF

INW_4 children, stamp press machine operator, forest ex	
(50 spaces) DK, RF	

INW\_END

#### Satisfaction with life (SWL)

SWL\_BEG Optional Content (See Appendix 2)

SWL\_C1 If (do SWL block = 2), go to SWL\_END.

Otherwise, go to SWL\_C2.

SWL\_C2 If proxy interview, go to SWL\_END.

Otherwise, go to SWL\_R1.

SWL R1

Now I'd like to ask about your satisfaction with various aspects of your life. For each question, please tell me whether you are very satisfied, satisfied, neither satisfied nor dissatisfied, dissatisfied, or very dissatisfied.

INTERVIEWER: Press <Enter> to continue.

## SWL\_Q02

#### How satisfied are you with your job or main activity?

SWL\_02

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

DK

RF (Go to SWL\_END)

#### SWL\_Q03

#### How satisfied are you with your leisure activities?

#### SWL\_03

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

DK, RF

#### SWL\_Q04

#### (How satisfied are you) with your financial situation?

#### SWL\_04

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

# SWL\_Q05 SWL\_05

## How satisfied are you with yourself?

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

DK, RF

# SWL\_Q06

# How satisfied are you with the way your body looks?

# SWL\_06

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

DK, RF

# SWL\_Q07

#### How satisfied are you with your relationships with family members?

#### SWL\_07

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

DK, RF

#### SWL\_Q08

#### (How satisfied are you) with your relationships with friends?

#### SWL\_08

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

DK, RF

## SWL\_Q09 SWL\_09

#### (How satisfied are you) with your housing?

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied

#### SWL\_Q10

# (How satisfied are you) with your neighbourhood?

## SWL\_10

- 1 Very satisfied
- 2 Satisfied
- 3 Neither satisfied nor dissatisfied
- 4 Dissatisfied
- 5 Very dissatisfied DK, RF

SWL\_END

#### Stress - Sources (STS)

STS\_BEG Optional Content (See Appendix 2)

STS\_C1 If (do STS block = 1), go to STS\_C2.

Otherwise, go to STS\_END.

STS\_C2 If proxy interview, go to STS\_END.

Otherwise, go to STS\_R1.

STS\_R1 Now a few questions about the stress in your life.

INTERVIEWER: Press <Enter> to continue.

STS\_Q1 STS\_1 In general, how would you rate your ability to handle unexpected and difficult problems, for example, a family or personal crisis? Would you say your ability is:

INTERVIEWER: Read categories to respondent.

- 1 ...excellent?
- 2 ...very good?
- 3 ...good?
- 4 ...fair?
- 5 ...poor?

DK, RF (Go to STS\_END)

STS\_Q2 STS\_2 In general, how would you rate your ability to handle the day-to-day demands in your life, for example, handling work, family and volunteer responsibilities? Would you say your ability is:

INTERVIEWER: Read categories to respondent.

- 1 ... excellent?
- 2 ... very good?
- 3 ... good?
- 4 ... fair?
- 5 ... poor?

## STS\_Q3 STS\_3

# Thinking about stress in your day-to-day life, what would you say is the most important thing contributing to feelings of stress you may have?

INTERVIEWER: Do not probe.

- 01 Time pressures / not enough time
- 02 Own physical health problem or condition
- 03 Own emotional or mental health problem or condition
- 04 Financial situation (e.g., not enough money, debt)
- 05 Own work situation (e.g., hours of work, working conditions)
- 06 School
- 07 Employment status (e.g., unemployment)
- 08 Caring for own children
- 09 Caring for others
- 10 Other personal or family responsibilities
- 11 Personal relationships
- 12 Discrimination
- 13 Personal and family's safety
- 14 Health of family members
- 15 Other Specify (Go to STS\_S3)
- 16 Nothing DK, RF

Go to STS\_END

STS\_S3 <u>INTERVIEWER</u>: Specify.

(80 spaces)

DK, RF

STS\_END

## Stress - Coping with stress (STC)

STC\_BEG Optional Content (See Appendix 2)

STC\_C1 If (do STC block = 1), go to STC\_C2.

Otherwise, go to STC\_END.

STC\_C2 If proxy interview, go to STC\_END.

Otherwise, go to STC\_R1.

STC\_R1 Now a few questions about coping with stress.

INTERVIEWER: Press <Enter> to continue.

STC\_Q1\_1 STC\_61 People have different ways of dealing with stress. Thinking about the ways you deal with stress, please tell me how often you do each of the following.

How often do you try to solve the problem?

INTERVIEWER: Read categories to respondent.

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never

DK, RF (Go to STC\_END)

# STC\_Q1\_2 To deal with stress, how often do you talk to others?

STC\_62

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never

DK, RF

## STC\_Q1\_3 STC 63

(When dealing with stress,) how often do you avoid being with people?

1 Often

- 2 Sometimes
- 3 Rarely
- 4 Never

# STC\_Q1\_4

#### How often do you sleep more than usual to deal with stress?

- STC\_64
- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never
  - DK, RF

# STC\_Q1\_5A STC\_65A

When dealing with stress, how often do you try to feel better by eating more, or less, than usual?

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never
  - DK, RF

## STC\_Q1\_5B STC 65B

(When dealing with stress,) how often do you try to feel better by smoking more cigarettes than usual?

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never
- 5 Do not smoke DK, RF

# STC\_Q1\_5C

When dealing with stress, how often do you try to feel better by drinking alcohol?

# STC\_65C

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never
  - DK, RF

## STC\_Q1\_5D STC 65D

(When dealing with stress,) how often do you try to feel better by using drugs or medication?

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never
  - DK, RF

DK, RF

#### STC Q1 6 How often do you jog or do other exercise to deal with stress? STC\_66 1 Often 2 Sometimes 3 Rarely 4 Never DK, RF STC\_Q1\_7 How often do you pray or seek spiritual help to deal with stress? STC\_67 1 Often 2 Sometimes 3 Rarely Never DK, RF STC Q1 8 (To deal with stress,) how often do you try to relax by doing something enjoyable? STC\_68 1 Often 2 Sometimes 3 Rarely Never DK, RF STC\_Q1\_9 (To deal with stress,) how often do you try to look on the bright side of things? STC\_69 1 Often 2 Sometimes 3 Rarely 4 Never DK, RF STC\_Q1\_10 How often do you blame yourself? STC\_610 1 Often 2 Sometimes 3 Rarely 4 Never

# STC\_Q1\_11 STC\_611

# To deal with stress, how often do you wish the situation would go away or somehow be finished?

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never DK, RF

STC\_END

#### Self-esteem (SFE)

SFE\_BEG Optional Content (See Appendix 2)

SFE\_C500A If (do SFE block = 1), go to SFE\_C500B.

Otherwise, go to SFE\_END.

SFE\_C500B If proxy interview, go to SFE\_END.

Otherwise, go to SFE\_R5.

SFE\_R5 Now a series of statements that people might use to describe themselves.

Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree.

INTERVIEWER: Press <Enter> to continue.

#### SFE Q501

You feel that you have a number of good qualities.

#### SFE 501

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK

RF (Go to SFE\_END)

# SFE\_Q502

You feel that you're a person of worth at least equal to others.

#### SFE\_502

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK, RF

#### SFE\_Q503

You are able to do things as well as most other people.

#### SFE 503

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

# SFE\_Q504

#### You take a positive attitude toward yourself.

## SFE\_504

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree DK, RF

# SFE\_Q505

## On the whole you are satisfied with yourself.

## SFE\_505

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree DK, RF

# SFE\_Q506

#### All in all, you're inclined to feel you're a failure.

#### SFE 506

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree DK, RF

SFE\_END

#### Mastery (MAS)

MAS\_BEG Optional Content (See Appendix 2)

MAS C600A If (do MAS block = 1), go to MAS C600B.

Otherwise, go to MAS\_END.

MAS C600B If proxy interview, go to MAS END.

Otherwise, go to MAS\_C600C.

MAS C600C If (do SFE block = 1), go to MAS Q601.

Otherwise, go to MAS\_R6.

MAS\_R6 Now a series of statements that people might use to describe themselves. Please

tell me if you strongly agree, agree, neither agree nor disagree, disagree, or

strongly disagree.

INTERVIEWER: Press <Enter> to continue.

MAS\_Q601 You have little control over the things that happen to you.

MAS\_601

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK

RF (Go to MAS\_END)

MAS\_Q602 There is really no way you can solve some of the problems you have.

MAS\_602

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

# MAS\_Q603

### There is little you can do to change many of the important things in your life.

#### MAS\_603

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree DK, RF

# MAS Q604

## You often feel helpless in dealing with problems of life.

#### MAS\_604

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK, RF

# MAS\_Q605

#### Sometimes you feel that you are being pushed around in life.

#### MAS\_605

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK, RF

#### MAS\_Q606

#### What happens to you in the future mostly depends on you.

#### MAS 606

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK, RF

#### MAS\_Q607

## You can do just about anything you really set your mind to.

#### MAS\_607

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK, RF

MAS\_END

#### Smoking (SMK)

SMK\_BEG Core content

 $SMK_C1$  If (do SMK block = 2), go to  $SMK_END$ .

Otherwise, go to SMK\_R1.

SMK\_R1 The next questions are about smoking.

**INTERVIEWER**: Press <Enter> to continue.

SMK\_Q201A SMK\_01A In ^YOUR1 lifetime, ^HAVE ^YOU2 smoked a total of 100 or more cigarettes (about 4 packs)?

1 Yes (Go to SMK\_Q201C)

2 No DK, RF

SMK\_Q201B

^HAVE\_C ^YOU1 ever smoked a whole cigarette?

SMK\_01B

1 Yes (Go to SMK\_Q201C)

2 No (Go to SMK\_Q202)

DK (Go to SMK\_Q202)

RF

SMK\_C201C If SMK\_Q201A = RF and SMK\_Q201B = RF, go to SMK\_END.

Otherwise, go to SMK\_Q202.

SMK\_Q201C

At what age did ^YOU1 smoke ^YOUR1 first whole cigarette?

SMK\_01C

INTERVIEWER: Minimum is 5; maximum is ^CURRAGE.

|\_|\_| Age in years

(MIN: 5) (MAX: ^CURRAGE)

DK, RF (Go to SMK\_Q202)

SMK\_E201C

The entered age at which the respondent first smoked a whole cigarette is invalid. Please

return and correct.

Note:

Trigger hard edit if SMK\_Q201C < 5 or SMK\_Q201C > current age.

SMK_Q202 SMK_202	At the present time, ^DOVERB ^YOU2 smoke cigarettes daily, occasionally or not a all?			
	1 Daily 2 Occasionally (Go to SMK_Q205B) 3 Not at all (Go to SMK_C205D) DK, RF (Go to SMK_END)			
Note:	Daily smoker (current)			
SMK_Q203	At what age did ^YOU1 begin to smoke cigarettes daily?			
SMK_203	INTERVIEWER: Minimum is 5; maximum is [current age].			
	_ _  Age in years (MIN: 5) (MAX: current age) DK, RF (Go to SMK_Q204)			
SMK_E203	The entered age at which the respondent first began to smoke cigarettes daily is invalid. Please return and correct.			
Note:	Trigger hard edit if SMK_Q203 < 5 or SMK_Q203 > current age.			
SMK_E203B	The respondent has indicated that they began smoking cigarettes daily at a younger age than when they smoked their first whole cigarette. Please confirm.			
Note:	Trigger soft edit if SMK_Q201C > SMK_Q203.			
SMK_Q204 SMK_204	How many cigarettes ^DOVERB ^YOU1 smoke each day now?			
SIVIR_204	_ _  Cigarettes			
	(MIN: 1) (MAX: 99; warning after 60) DK, RF			
	Go to SMK_END			
Note:	Occasional smoker (current)			
SMK_Q205B SMK_05B	On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke?			
	_ _  Cigarettes (MIN: 1) (MAX: 99; warning after 60) DK, RF			
SMK_Q205C SMK_05C	In the past month, on how many days ^HAVE ^YOU1 smoked 1 or more cigarettes?			
ONIN_000	_ _  Days			
	(MIN: 0) (MAX: 30) DK, RF			

SMK\_E205C The respondent has previously indicated that they smoke cigarettes occasionally, but that

they have smoked every day for the past month. Please verify.

Note: Trigger soft edit if SMK\_Q202 = 2 and SMK\_Q205C = 30.

SMK C205D If SMK Q201A <> 1 (has not smoked 100 or more cigarettes lifetime), go to SMK END.

Otherwise, go to SMK Q205D.

Note: Occasional smoker or non-smoker (current)

SMK Q205D AHAVE CAYO

^HAVE\_C ^YOU1 ever smoked cigarettes daily?

SMK\_05D

1 Yes (Go to SMK\_Q207)

2 No

DK, RF (Go to SMK\_END)

SMK\_C206A If SMK\_Q202 = 2 (current occasional smoker), go to SMK\_END.

Otherwise, go to SMK\_Q206A.

Note: Non-smoker (current)

SMK\_Q206A When did ^YOU1 stop smoking? Was it:

SMK 06A

**INTERVIEWER**: Read categories to respondent.

1 ... less than one year ago?

2 ... 1 year to less than 2 years ago? (Go to SMK\_END)

3 ... 2 years to less than 3 years ago? (Go to SMK\_END)

4 ... 3 or more years ago? (Go to SMK\_Q206C)

DK, RF (Go to SMK\_END)

#### SMK Q206B In what month did ^YOU1 stop? SMK\_06B 01 January 02 February 03 March 04 April 05 May 06 June 07 July 80 August 09 September 10 October November 11 12 December DK, RF Go to SMK\_END SMK Q206C How many years ago was it? SMK 06C INTERVIEWER: Minimum is 3; maximum is [current age - 5]. (MIN: 3) (MAX: current age-5) DK, RF (Go to SMK\_END) Go to SMK END SMK\_E206C The number of years ago that the respondent stopped smoking is invalid. Please return and correct. Note: Trigger hard edit if SMK\_Q206C < 3 or SMK\_Q206C > current age-5. Occasional smoker or non-smoker (current) - Daily smoker (previously) SMK\_Q207 At what age did ^YOU1 begin to smoke (cigarettes) daily? SMK\_207 INTERVIEWER: Minimum is 5; maximum is [current age]. |\_|\_| Age in years (MIN: 5) (MAX: current age) DK, RF (Go to SMK\_Q208) SMK\_E207 The entered age at which the respondent first began to smoke cigarettes daily is invalid. Please return and correct Note: Trigger hard edit if SMK\_Q207 < 5 or SMK\_Q207 > current age.

**SMK Q208** How many cigarettes did ^YOU1 usually smoke each day? SMK\_208 |\_|\_| Cigarettes (MIN: 1) (MAX: 99; warning after 60) DK, RF SMK Q209A When did ^YOU1 stop smoking daily? Was it: SMK\_09A **INTERVIEWER**: Read categories to respondent. 1 ... less than one year ago? 2 ... 1 year to less than 2 years ago? (Go to SMK\_C210) 3 ... 2 years to less than 3 years ago? (Go to SMK\_C210) ... 3 or more years ago? (Go to SMK Q209C) DK, RF (Go to SMK END) SMK\_Q209B In what month did ^YOU1 stop? SMK 09B 01 January 02 February 03 March 04 April 05 May 06 June 07 July 80 August 09 September October November 11 12 December DK, RF Go to SMK\_C210 SMK Q209C How many years ago was it? SMK 09C INTERVIEWER: Minimum is 3; maximum is [current age-5]. |\_|\_| Years (MIN: 3) (MAX: current age-5) DK, RF (Go to SMK\_C210) SMK E209C The number of years ago that the respondent stopped smoking daily is invalid. Please return and correct. Note: Trigger hard edit if SMK\_Q209C < 3 or SMK\_Q209C > current age-5.

SMK\_E209D The number of years ago that the respondent stopped smoking daily is invalid. Please

return and correct.

Note: Trigger hard edit if SMK\_Q207 > (current age - SMK\_Q209C).

SMK C210 If SMK Q202 = 2 (current occasional smoker), go to SMK END.

Otherwise, go to SMK Q210.

Note: Non-smoker (current)

SMK Q210

Was that when ^YOU1 completely guit smoking?

SMK\_10

1 Yes (Go to SMK\_END)

2 No

DK, RF (Go to SMK\_END)

SMK\_Q210A

When did ^YOU1 stop smoking completely? Was it:

SMK\_10A

**INTERVIEWER**: Read categories to respondent.

1 ... less than one year ago?

2 ... 1 year to less than 2 years ago? (Go to SMK\_END)

3 ... 2 years to less than 3 years ago? (Go to SMK\_END)

4 ... 3 or more years ago? (Go to SMK\_Q210C)

DK, RF (Go to SMK\_END)

SMK Q210B

In what month did ^YOU1 stop?

SMK\_10B

01 January

02 February

03 March

04 April

05 May

06 June

07 July

08 August

09 September

10 October

11 November

12 December

DK. RF

Go to SMK\_END

SMK\_Q210C How many years ago was it? SMK\_10C INTERVIEWER: Minimum is 3; maximum is [current age-5]. |\_|\_| Years (MIN: 3) (MAX: current age-5) DK, RF (Go to SMK END) SMK\_E210C

The number of years ago that the respondent completely stopped smoking is invalid. Please return and correct.

Note: Trigger hard edit if SMK\_Q210C < 3 or SMK\_Q210C > current age-5.

SMK\_END

#### Smoking - Stages of change (SCH)

SCH BEG Optional Content (See Appendix 2) SCH C1 If (do SCH block = 2), go to  $SCH_END$ . Otherwise, go to SCH\_C2. SCH C2 If SMK Q202 = 1 or 2 (current daily or occasional smokers), go to SCH C3. Otherwise, go to SCH\_END. SCH C3 If proxy interview, go to SCH END. Otherwise, go to SCH Q1. SCH Q1 Are you seriously considering quitting smoking within the next 6 months? SCH\_1 1 Yes 2 No (Go to SCH\_Q3) (Go to SCH\_Q3) DK, RF SCH Q2 Are you seriously considering quitting within the next 30 days? SCH 2 Yes 1 2 No DK, RF SCH Q3 In the past 12 months, did you stop smoking for at least 24 hours because you were SCH 3 trying to quit? 1 Yes 2 No (Go to SCH\_END) DK, RF (Go to SCH\_END) SCH\_Q4 How many times? (in the past 12 months, did you stop smoking for at least 24 SCH 4 hours because you were trying to quit) |\_|\_| Times (MIN: 1) (MAX: 95 warning after 48)

SCH\_END

## Smoking cessation methods (SCA)

SCA\_BEG Optional Content (See Appendix 2)

SCA\_C1 If (do SCA block = 1), go to SCA\_C10A.

Otherwise, go to SCA\_END.

SCA\_C10A If proxy interview, go to SCA\_END.

Otherwise, go to SCA\_C10B.

SCA C10B If SMK Q202 = 1 or 2 (current daily or occasional smoker), go to SCA C50.

Otherwise, go to SCA\_C10C.

SCA\_C10C If SMK\_Q206A = 1 or SMK\_Q209A = 1 (former smoker who quit less than 1 year ago), go

to SCA\_Q10.

Otherwise, go to SCA\_END.

# SCA\_Q10 In the past 12 months, did you try a nicotine patch to quit smoking?

SCA 10

1 Yes

2 No (Go to SCA\_Q11) DK, RF (Go to SCA\_END)

# SCA\_Q10A How useful was that in helping you quit?

SCA\_10A

- 1 Very useful
- 2 Somewhat useful
- 3 Not very useful
- 4 Not useful at all

DK, RF

# SCA\_Q11 Did you try Nicorettes or other nicotine gum or candy to quit smoking? (In the past SCA\_11 12 months)

1 Yes

2 No (Go to SCA\_Q12) DK, RF (Go to SCA\_Q12)

# SCA\_Q11A

#### How useful was that in helping you quit?

- SCA\_11A
- 1 Very useful
- 2 Somewhat useful
- 3 Not very useful
- 4 Not useful at all DK, RF

## SCA\_Q12 SCA\_12

In the past 12 months, did you try medication such as Zyban, Prolev or Wellbutrin to quit smoking?

- 1 Yes
- 2 No (Go to SCA\_END) DK, RF (Go to SCA\_END)

# SCA\_Q12A

#### How useful was that in helping you quit?

## SCA\_12A

- 1 Very useful
- 2 Somewhat useful
- 3 Not very useful
- 4 Not useful at all DK, RF

Go to SCA\_END

SCA C50

If SMK\_Q202 = 3, go to SCA\_END. Otherwise, go to SCA\_C50A.

SCA\_C50A

If (do SCH block = 2), go to SCA\_Q50. Otherwise, go to SCA\_C50B.

SCA\_C50B

If SCH\_Q3 = 1, go to SCA\_Q60. Otherwise, go to SCA\_END.

## SCA\_Q50 SCA\_50

In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?

- 1 Yes
- 2 No (Go to SCA\_END) DK, RF (Go to SCA\_END)

Note:

In processing, if a respondent answered SCH\_Q3 = 1, 2, the variable SCA\_Q50 is given the value of SCH\_Q3.

## SCA\_Q60 SCA\_60

In the past 12 months, did you try any of the following to quit smoking:

...a nicotine patch?

- 1 Yes
- 2 No

DK, RF

# SCA\_Q61 SCA\_61

(In the past 12 months, did you try any of the following to quit smoking:)

...Nicorettes or other nicotine gum or candy?

- 1 Yes
- 2 No

DK, RF

# SCA\_Q62 SCA\_62

(In the past 12 months, did you try any of the following to quit smoking:)

...medication such as Zyban, Prolev or Wellbutrin?

- 1 Yes
- 2 No

DK, RF

SCA\_END

## Smoking - Physician counselling (SPC)

SPC BEG Optional Content (See Appendix 2)

SPC\_C1 If (do SPC block = 1), go to SPC\_C2.

Otherwise, go to SPC\_END.

SPC\_C2 If proxy interview, go to SPC\_END.

Otherwise, go to SPC\_C3.

SPC C3 If SMK Q202 = 1 or 2 or SMK Q206A = 1 or SMK Q209A = 1, go to SPC C4.

Otherwise, go to SPC\_END.

SPC\_C4 If (do HCU block = 1) and (HCU\_Q01AA = 1) (i.e. has a regular medical doctor), go to

SPC\_Q10.

Otherwise, go to SPC\_C20A.

# SPC\_Q10 Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?

1 Yes

2 No (Go to SPC\_C20A) DK, RF (Go to SPC\_C20A)

SPC\_D11 If SMK\_Q202 = 1 or 2, ^DT\_SMOKING = "smoke".

If SMK Q206A = 1 or SMK Q209A = 1, ^DT SMOKING = "smoked".

# SPC\_Q11 Does your doctor know that you ^DT\_SMOKING cigarettes?

SPC\_11

1 Yes

2 No (Go to SPC\_C20A) DK, RF (Go to SPC\_C20A)

# SPC\_Q12 In the past 12 months, did your doctor advise you to quit smoking? SPC\_12

1 Yes

2 No

DK, RF (Go to SPC\_C20A)

# SPC\_Q13 (In the past 12 months,) did your doctor give you any specific help or information to quit smoking?

- 1 Yes
- 2 No (Go to SPC\_C20A) DK, RF (Go to SPC\_C20A)

#### SPC\_Q14 What type of help did the doctor give?

**INTERVIEWER**: Mark all that apply.

SPC_14A	1	Referral to a one-on-one cessation program
SPC_14B	2	Referral to a group cessation program
SPC_14C	3	Recommended use of nicotine patch or nicotine gum
SPC_14D	4	Recommended Zyban or other medication
SPC_14E	5	Provided self-help information (e.g., pamphlet, referral to website)
SPC_14F	6	Own doctor offered counselling
SPC_14G	7	Other
		DK, RF

SPC\_C20A If (do DEN block = 1) and (DEN\_Q130 = 1 or DEN\_Q132 = 1) (visited dentist in past 12 months), go to SPC\_Q21.

Otherwise, go to SPC\_C20B.

SPC\_C20B If (do DEN block = 1) and (DEN\_Q130 = 2, DK or RF) (did not visit dentist in past 12 months), go to SPC\_END.

Otherwise, go to SPC\_C20C.

SPC\_C20C If (do CHP block = 1) and (CHP\_Q14 = 1) (saw or talked to dentist in past 12 months), go to SPC\_Q20.

Otherwise, go to SPC\_END.

SPC\_Q20 Earlier, you mentioned having "seen or talked to" a dentist in the past 12 months. Did you actually go to the dentist?

<u>INTERVIEWER</u>: Include both face to face and telephone contacts.

- 1 Yes
- 2 No (Go to SPC\_END) DK, RF (Go to SPC\_END)

DK, RF

SPC_Q21 SPC_21	Does your dentist or dental hygienist know that you ^DT_SMOKING cigarettes?			
_	1 Yes			
	2 No (Go to SPC_END)			
	DK, RF (Go to SPC_END)			
SPC_Q22 SPC_22	In the past 12 months, did the dentist or hygienist advise you to quit smoking?			
3FC_22	1 Yes			
	2 No			

SPC\_END

## Exposure to second-hand smoke (ETS)

ETS\_BEG Core content

ETS\_C1 If (do ETS block = 2), go to ETS\_END.

Otherwise, go to ETS\_R1.

ETS\_R1 The next questions are about exposure to second-hand smoke.

INTERVIEWER: Press <Enter> to continue.

ETS\_C10 If the number of household members = 1 and (SMK\_Q202 = 1 or 2), go to ETS\_Q35.

Otherwise, go to ETS\_Q10.

ETS\_Q10 Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?

INTERVIEWER: Include cigarettes, cigars and pipes.

1 Yes

2 No (Go to ETS\_C20) DK, RF (Go to ETS\_END)

ETS\_Q11 How many people smoke inside your home every day or almost every day?

ETS\_11

INTERVIEWER: Include household members and regular visitors.

|\_|\_| Number of people (MIN: 1) (MAX: 15)

DK, RF

ETS\_C20 If SMK\_Q202 = 1 or 2 (current daily or occasional smoker), go to ETS\_C35.

Otherwise, go to ETS\_Q20.

ETS\_Q20 In the past month, \*WERE \*YOU2 exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?

1 Yes

2 No

## ETS\_Q20B ETS\_20B

(In the past month,) ^WERE ^YOU1 exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?

- 1 Yes
- 2 No

DK, RF

ETS\_C35

If ETS\_Q10 = 1 (at least one person smokes inside the home), go to ETS\_Q35. Otherwise, go to ETS\_Q36.

# ETS\_Q35

#### Is smoking allowed inside your home?

ETS\_35

- 1 Yes
- 2 No (Go to ETS\_END) DK, RF (Go to ETS\_END)

# ETS\_Q36

#### Is smoking inside your home restricted in anyway?

ETS 36

- 1 Yes
- 2 No (Go to ETS\_END)
  DK, RF (Go to ETS\_END)

#### ETS Q37

#### How is smoking restricted inside your home?

INTERVIEWER: Read categories to respondent. Mark all that apply.

ETS\_37A

ETS\_37B ETS\_37C 1 Allowed in certain rooms only

2 Restricted in the presence of young children

3 Allowed only if windows are open or with another type of ventilation

ETS 37D

4 Other restriction(s)

DK, RF

ETS\_END

## Smoking - Other tobacco products (TAL)

TAL\_BEG Optional Content (See Appendix 2)

TAL\_C1 If (do TAL block = 1), go to TAL\_Q1.

Otherwise, go to TAL\_END.

# TAL\_Q1

Now I'd like to ask about ^YOUR1 use of tobacco other than cigarettes.

TAL\_1

In the past month, ^HAVE ^YOU1 smoked cigars?

- 1 Yes
- 2 No

DK, RF (Go to TAL\_END)

# TAL\_Q2

(In the past month,) ^HAVE ^YOU1 smoked a pipe?

TAL\_2

- 1 Yes
- 2 No

DK, RF

# TAL\_Q3

(In the past month,) ^HAVE ^YOU1 used snuff?

TAL\_3

- 1 Yes
- 2 No

DK, RF

#### TAL\_Q4

(In the past month,) ^HAVE ^YOU1 used chewing tobacco?

TAL\_4

- 1 Yes
- 2 No

DK, RF

TAL\_END

#### Alcohol use (ALC)

ALC\_BEG Core content

 $ALC\_C1A$  If (do ALC block = 1), go to  $ALC\_R1$ .

Otherwise, go to ALC\_END.

ALC\_D1 (not applicable)

ALC\_R1 Now, some questions about **^YOUR2** alcohol consumption.

When we use the word 'drink' it means:

- one bottle or can of beer or a glass of draft
- one glass of wine or a wine cooler
- one drink or cocktail with 1 and a 1/2 ounces of liquor.

**INTERVIEWER**: Press <Enter> to continue.

ALC\_Q1 During the past 12 months, that is, from [date one year ago] to yesterday, ^HAVE ALC\_1 ^YOU2 had a drink of beer, wine, liquor or any other alcoholic beverage?

1 Yes

2 No (Go to ALC\_END) DK, RF (Go to ALC\_END)

ALC\_Q2 During the past 12 months, how often did ^YOU1 drink alcoholic beverages?

ALC 2

- 1 Less than once a month
- 2 Once a month
- 3 2 to 3 times a month
- 4 Once a week
- 5 2 to 3 times a week
- 6 4 to 6 times a week
- 7 Every day DK, RF

ALC\_Q3 How often in the past 12 months ^HAVE ^YOU1 had 5 or more drinks on one occasion?

- 1 Never
- 2 Less than once a month
- 3 Once a month
- 4 2 to 3 times a month
- 5 Once a week
- 6 More than once a week DK, RF

ALC\_END

## Alcohol use during the past week (ALW)

ALW\_BEG Optional Content (See Appendix 2)

ALW\_C1 If (do ALW block = 1), go to ALW\_C2.

Otherwise, go to ALW\_END.

ALW\_C2 If ALC\_Q1 = No, DK or RF, go to ALW\_END.

Otherwise, go to ALW\_Q5.

ALW\_Q5 ALW\_1 Thinking back over the past week, that is, from [date last week] to yesterday, did ^YOU2 have a drink of beer, wine, liquor or any other alcoholic beverage?

1 Yes

2 No (Go to ALW\_END) DK, RF (Go to ALW\_END)

ALW\_D5 Yesterday = WEEKDAY(TODAY - 1)

```
ALW D5A
                   If Yesterday = 1, DayE[1] = "Sunday".
                   If Yesterday = 1, DayE[2] = "Saturday".
                   If Yesterday = 1, DayE[3] = "Friday".
                   If Yesterday = 1, DayE[4] = "Thursday".
                   If Yesterday = 1, DayE[5] = "Wednesday".
                   If Yesterday = 1, DayE[6] = "Tuesday".
                   If Yesterday = 1, DayE[7] = "Monday".
                   If Yesterday = 2, DayE[1] = "Monday".
                   If Yesterday = 2, DayE[2] = "Sunday".
                   If Yesterday = 2, DayE[3] = "Saturday".
                   If Yesterday = 2, DayE[4] = "Friday".
                   If Yesterday = 2, DayE[5] = "Thursday".
                   If Yesterday = 2, DayE[6] = "Wednesday".
                   If Yesterday = 2, DayE[7] = "Tuesday".
                   If Yesterday = 3, DayE[1] = "Tuesday".
                   If Yesterday = 3, DayE[2] = "Monday".
                   If Yesterday = 3, DayE[3] = "Sunday".
                   If Yesterday = 3, DayE[4] = "Saturday".
                   If Yesterday = 3, DayE[5] = "Friday".
                   If Yesterday = 3, DayE[6] = "Thursday".
                   If Yesterday = 3, DayE[7] = "Wednesday".
                   If Yesterday = 4, DayE[1] = "Wednesday".
                   If Yesterday = 4, DayE[2] = "Tuesday".
                   If Yesterday = 4, DayE[3] = "Monday".
                   If Yesterday = 4, DayE[4] = "Sunday".
                   If Yesterday = 4, DayE[5] = "Saturday".
                   If Yesterday = 4, DayE[6] = "Friday".
                   If Yesterday = 4, DayE[7] = "Thursday".
                   If Yesterday = 5, DayE[1] = "Thursday".
                   If Yesterday = 5, DayE[2] = "Wednesday".
                   If Yesterday = 5, DayE[3] = "Tuesday".
                   If Yesterday = 5, DayE[4] = "Monday".
                   If Yesterday = 5, DayE[5] = "Sunday".
                   If Yesterday = 5, DayE[6] = "Saturday".
                   If Yesterday = 5, DayE[7] = "Friday".
                   If Yesterday = 6, DayE[1] = "Friday".
                   If Yesterday = 6, DayE[2] = "Thursday".
                   If Yesterday = 6, DayE[3] = "Wednesday".
                   If Yesterday = 6, DayE[4] = "Tuesday".
                   If Yesterday = 6, DayE[5] = "Monday".
                   If Yesterday = 6, DayE[6] = "Sunday".
                   If Yesterday = 6, DayE[7] = "Saturday".
                   If Yesterday = 7, DayE[1] = "Saturday".
                   If Yesterday = 7, DayE[2] = "Friday".
                   If Yesterday = 7, DayE[3] = "Thursday".
                   If Yesterday = 7, DayE[4] = "Wednesday".
                   If Yesterday = 7, DayE[5] = "Tuesday".
                   If Yesterday = 7, DayE[6] = "Monday".
                   If Yesterday = 7, DayE[7] = "Sunday".
```

ALW Q5A1 Starting with yesterday, that is ^DayE[1], how many drinks did ^YOU2 have? ALW\_2A1 | | | Number of drinks (MIN: 0) (MAX: 99) DK, RF ALW\_C5A1 If response to Question ALW\_Q5A1 is RF, go to ALW\_END. Otherwise, go to ALW Q5A2. ALW\_E5A1A Inconsistent answers have been entered. The respondent has not had 5 or more drinks on one occasion in the past 12 months but had 5 drinks on ^DayE[1]. Note: Trigger hard edit if ALC Q3 = 1 and ALW Q5A1 => 5. ALW\_E5A1B An unusual value has been entered. Please confirm. Trigger soft edit if ALW\_Q5A1 > 12. Note: ALW Q5A2 (How many drinks did ^YOU1 have:) ALW\_2A2 ...on ^DayE[2]? |\_|\_| Number of drinks (MIN: 0) (MAX: 99) DK, RF ALW\_E5A2A Inconsistent answers have been entered. The respondent has not had 5 or more drinks on one occasion in the past 12 months but had 5 drinks on ^DayE[2]. Note: Trigger hard edit if ALC Q3 = 1 and ALW Q5A2 => 5. ALW\_E5A2B An unusual value has been entered. Please confirm. Note: Trigger soft edit if ALW Q5A2 > 12. ALW\_Q5A3 (How many drinks did ^YOU1 have:) ...on ^DayE[3]? ALW 2A3 | | | Number of drinks (MIN: 0) (MAX: 99) DK, RF

ALW\_E5A3A Inconsistent answers have been entered. The respondent has not had 5 or more drinks on

one occasion in the past 12 months but had 5 drinks on ^DayE[3].

Note: Trigger hard edit if ALC\_Q3 = 1 and ALW\_Q5A3 => 5.

ALW E5A3B An unusual value has been entered. Please confirm.

Note: Trigger soft edit if ALW Q5A3 > 12.

ALW\_Q5A4 (How many drinks did ^YOU1 have:)

ALW 2A4 ...on ^DayE[4]?

|\_|\_| Number of drinks (MIN: 0) (MAX: 99)

DK, RF

ALW\_E5A4A Inconsistent answers have been entered. The respondent has not had 5 or more drinks on

one occasion in the past 12 months but had 5 drinks on ^DayE[4].

Note: Trigger hard edit if  $ALC_Q3 = 1$  and  $ALW_Q5A4 => 5$ .

ALW\_E5A4B An unusual value has been entered. Please confirm.

Note: Trigger soft edit if ALW\_Q5A4 > 12.

ALW\_Q5A5 (How many drinks did ^YOU1 have:)

ALW\_2A5 ...on ^DayE[5]?

|\_|\_| Number of drinks (MIN: 0) (MAX: 99)

DK, RF

ALW\_E5A5A Inconsistent answers have been entered. The respondent has not had 5 or more drinks on

one occasion in the past 12 months but had 5 drinks on ^DayE[5].

Note: Trigger hard edit if ALC Q3 = 1 and ALW Q5A5 => 5.

ALW\_E5A5B An unusual value has been entered. Please confirm.

Note: Trigger soft edit if ALW\_Q5A5 > 12.

ALW\_Q5A6 (How many drinks did ^YOU1 have:)
ALW\_2A6 ...on ^DayE[6]?

|\_|\_| Number of drinks (MIN: 0) (MAX: 99)

DK, RF

ALW E5A6A Inconsistent answers have been entered. The respondent has not had 5 or more drinks on

one occasion in the past 12 months but had 5 drinks on ^DayE[6].

Note: Trigger hard edit if  $ALC_Q3 = 1$  and  $ALW_Q5A6 => 5$ .

ALW\_E5A6B An unusual value has been entered. Please confirm.

Note: Trigger soft edit if ALW\_Q5A6 > 12.

ALW\_Q5A7 (How many drinks did ^YOU1 have:)

ALW\_2A7 ...on ^DayE[7]?

|\_|\_| Number of drinks (MIN: 0) (MAX: 99)

DK, RF

ALW E5A7A Inconsistent answers have been entered. The respondent has not had 5 or more drinks on

one occasion in the past 12 months but had 5 drinks on ^DayE[7].

Note: Trigger hard edit if  $ALC_Q3 = 1$  and  $ALW_Q5A7 => 5$ .

ALW\_E5A7B An unusual value has been entered. Please confirm.

Note: Trigger soft edit if ALW\_Q5A7 > 12.

ALW E5A1 Inconsistent answers have been entered. The respondent had a drink in the past week but

has not had any drinks in the last seven days.

Note: Trigger hard edit if  $ALW_Q5A1$  to  $ALW_Q5A7$  all = 0.

ALW\_END

## **Driving and safety (DRV)**

DRV\_BEG Optional Content (See Appendix 2)

DRV\_C01A If (do DRV block = 2), go to DRV\_END.

Otherwise, go to DRV\_C01B.

DRV\_C01B If proxy interview, go to DRV\_END.

Otherwise, go to DRV\_R1.

DRV\_R1 The next questions are about driving a motor vehicle. By motor vehicle, we mean a

car, truck or van.

**INTERVIEWER**: Press <Enter> to continue.

DRV\_Q01A In the past 12 months, have you driven a motor vehicle? DRV\_01A

INTERVIEWER: Include cars, trucks and vans. Exclude motorcycles and off-road vehicles.

1 Yes

2 No

DK, RF (Go to DRV END)

DRV\_Q01B In the past 12 months, have you driven a motorcycle?

DRV\_01B

1 Yes

2 No

DK, RF

DRV\_C02 If DRV\_Q01A = 2 and DRV\_Q01B = 2 or DK or RF, go to DRV\_R2.

Otherwise, go to DRV\_C02A.

DRV\_C02A If DRV\_Q01A = 1, go to DRV\_Q02.

Otherwise, go to DRV\_Q04.

## DRV\_Q02

#### How often do you fasten your seat belt when you drive a motor vehicle?

DRV\_02

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never

DK, RF

## DRV\_Q03A DRV 03A

Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?

<u>INTERVIEWER</u>: Read categories to respondent.

If respondent does not use a cell phone, select «Never».

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 **Never** DK, RF

## DRV\_Q03B DRV\_03B

How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?

<u>INTERVIEWER</u>: Read categories to respondent.

If respondent does not use a hands-free, select «Never».

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never

DK, RF

#### DRV\_Q04

#### How often do you drive when you are feeling tired?

#### DRV\_04

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never

## DRV\_Q05

#### Compared to other drivers, would you say you usually drive:

DRV\_05

INTERVIEWER: Read categories to respondent.

- 1 ...much faster?
- 2 ...a little faster?
- 3 ...about the same speed?
- 4 ...a little slower?
- 5 ...much slower?

DK. RF

#### DRV\_Q06

## (Compared to other drivers,) would you say you usually drive:

## **DRV\_06**

INTERVIEWER: Read categories to respondent.

- 1 ...much more aggressively?
- 2 ...a little more aggressively?
- 3 ...about the same?
- 4 ...a little less aggressively?
- 5 ...much less aggressively? DK, RF

DRV\_C07

If ALC\_Q1 = 1 (drank alcohol in past 12 months) and (DRV\_Q01A = 1 (drove a motor vehicle) or DRV\_Q01B = 1 (Drove a motorcycle)), go to DRV\_Q07. Otherwise, go to DRV\_R2.

## DRV\_Q07 DRV 07

In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you drove?

INTERVIEWER: Include cars, trucks, vans and motorcycles. Exclude off-road vehicles.

- 1 Yes
- 2 No (Go to DRV\_R2) DK, RF (Go to DRV\_R2)

#### DRV\_Q07A

#### How many times (in the past 12 months)?

#### DRV\_07A

|\_|\_| Times

(MIN: 1) (MAX: 95; warning after 20)

DK, RF

#### DRV\_R2

Now some questions about being a passenger in a motor vehicle.

**INTERVIEWER**: Press <Enter> to continue.

# DRV\_Q08A DRV\_08A

## When you are a front seat passenger, how often do you fasten your seat belt?

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
- 5 Do not ride in front seat

DK. RF

# DRV\_Q08B

When you are a back seat passenger, how often do you fasten your seat belt?

#### DRV\_08B

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
- 5 Do not ride in back seat DK, RF

## DRV\_Q09 DRV 09

When you are a passenger in a taxi, how often do you fasten your seat belt?

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never
- 5 Do not take taxis

DK, RF

## DRV\_Q10 DRV\_10

In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour before driving?

- 1 Yes
- 2 No (Go to DRV\_Q11A) DK, RF (Go to DRV\_Q11A)

#### DRV\_Q10A

How many times (in the past 12 months)?

#### DRV\_10A

|\_|\_| Times

(MIN: 1) (MAX: 95; warning after 20)

## DRV\_Q11A DRV\_11A

In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?

- 1 Yes
- 2 No

DK, RF (Go to DRV\_END)

## DRV\_Q11B DRV 11B

In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?

- 1 Yes
- 2 No (Go to DRV\_C13) DK, RF (Go to DRV\_END)

## DRV\_Q12

#### How often do you wear a helmet when on an ATV?

#### **DRV\_12**

INTERVIEWER: Read categories to respondent.

- 1 Always
- 2 Most of the time
- 3 Rarely
- 4 Never

DK. RF

#### DRV C13

If DRV\_Q11A = 2 (not driven/passenger - snowmobile, motor boat or seadoo) and DRV\_Q11B = 2 (not driven/passenger - ATV), go to DRV\_END.

Otherwise, go to DRV\_D13.

#### DRV D13

If DRV\_Q11A = 1 and DRV\_Q11B = 1, ^DT\_ATV = "a snowmobile, motor boat, seadoo or ATV".

If DRV\_Q11A = 1 and DRV\_Q11B = 2, ^DT\_ATV = "a snowmobile, motor boat or seadoo".

If DRV Q11A = 2 and DRV Q11B = 1, ^DT ATV = "an ATV".

## DRV\_Q13 DRV\_13

In the past 12 months, have you been a passenger on **^DT\_ATV** with a driver who had 2 or more drinks in the hour before driving?

- 1 Yes
- 2 No (Go to DRV\_C14) DK, RF (Go to DRV\_C14)

#### DRV\_Q13A

#### How many times (in the past 12 months)?

## DRV\_13A

|\_|\_| Times

(MIN: 1) (MAX: 95; warning after 20)

DRV\_C14

If ALC\_Q1 = 1 (drank alcohol in the past 12 months), go to DRV\_Q14. Otherwise, go to DRV\_END.

## DRV\_Q14 DRV\_14

In the past 12 months, have you driven ^DT\_ATV after having 2 or more drinks in the hour before you drove?

- 1 Yes
- 2 No (Go to DRV\_END) DK, RF (Go to DRV\_END)

# DRV\_Q14A

How many times (in the past 12 months)?

DRV 14A

|\_|\_| Times

(MIN: 1) (MAX: 95; warning after 20)

DK, RF

DRV\_END

## Alcohol use - Dependence (ALD)

ALD\_BEG Optional Content (See Appendix 2)

ALD C01A If (do ALD block = 2) or proxy interview, go to ALD END.

Otherwise, go to ALD\_C01B.

ALD C01B If ALC Q3 > 2 (has had at least 5 drinks at least once a month), go to ALD R1.

Otherwise, go to ALD\_END.

ALD\_R1 The next questions are about how drinking can affect people in their activities. We

will be referring to the past 12 months, that is, from [date one year ago] to

yesterday.

INTERVIEWER: Press <Enter> to continue.

ALD\_Q01 In the past 12 months, have you ever been drunk or hung-over while at work, school or while taking care of children?

1 Yes

2 No (Go to ALD\_Q03)

DK, RF (Go to ALD\_END)

ALD Q02 How many times? Was it:

ALD 02

INTERVIEWER: Read categories to respondent.

- 1 ...Once or twice?
- 2 ...3 to 5 times?
- 3 ...6 to 10 times?
- 4 ...11 to 20 times?
- 5 ... More than 20 times?

DK, RF

ALD\_Q03

ALD 03

In the past 12 months, were you ever in a situation while drunk or hung-over which increased your chances of getting hurt? (For example, driving a boat, using guns, crossing against traffic, or during sports.)

- 1 Yes
- 2 No

# ALD\_Q04

ALD\_04

(In the past 12 months,) have you had any emotional or psychological problems because of alcohol use, such as feeling uninterested in things, depressed or suspicious of people?

- 1 Yes
- 2 No

DK, RF

## ALD\_Q05 ALD 05

(In the past 12 months,) have you had such a strong desire or urge to drink alcohol that you could not resist it or could not think of anything else?

- 1 Yes
- 2 No

DK, RF

## ALD\_Q06 ALD 06

(In the past 12 months,) have you had a period of a month or more when you spent a great deal of time getting drunk or being hung-over?

- 1 Yes
- 2 No

DK, RF

#### ALD\_Q07 ALD 07

In the past 12 months, did you ever drink much more or for a longer period of time than you intended?

- 1 Yes
- 2 No (Go to ALD\_Q09) DK, RF (Go to ALD\_Q09)

## ALD\_Q08 ALD 08

#### How many times? Was it:

**INTERVIEWER**: Read categories to respondent.

- 1 ...Once or twice?
- 2 ...3 to 5 times?
- 3 ...6 to 10 times?
- 4 ...11 to 20 times?
- 5 ... More than 20 times?

DK, RF

## ALD\_Q09 ALD 09

In the past 12 months, did you ever find that you had to drink more alcohol than usual to get the same effect or that the same amount of alcohol had less effect on you than usual?

- 1 Yes
- 2 No

#### ALD\_R10

People who cut down their alcohol use or stop drinking altogether may not feel well if they have been drinking steadily for some time. These feelings are more intense and can last longer than the usual hangover.

**INTERVIEWER**: Press <Enter> to continue.

## ALD\_Q10 ALD 10

In the past 12 months, did you ever have a period when you stopped, cut down, or went without alcohol and then experienced symptoms like fatigue, headaches, diarrhea, the shakes or emotional problems?

- 1 Yes
- 2 No

DK, RF

## ALD\_Q11 ALD 11

(In the past 12 months,) did you ever have a period when you drank alcohol even though you promised yourself you wouldn't, or when you drank a lot more than you intended?

- 1 Yes
- 2 No

DK. RF

#### ALD\_Q12 ALD 12

(In the past 12 months,) did you ever have a period of several days or more when you spent so much time drinking alcohol or recovering from the effects that you had little time for anything else?

- 1 Yes
- 2 No

DK, RF

#### ALD\_Q13 ALD 13

(In the past 12 months,) did you ever have a period of a month or longer when you gave up or greatly reduced important activities because of your use of alcohol?

- 1 Yes
- 2 No

DK, RF

## ALD\_Q14 ALD 14

(In the past 12 months,) did you ever continue to drink alcohol when you knew you had a serious physical or emotional problem that might have been caused by or made worse by your alcohol use?

- 1 Yes
- 2 No

ALD\_C15

If count of "Yes" responses (1) in (ALD\_Q01, ALD\_Q03, ALD\_Q04, ADL\_Q05, ALD\_Q06, ALD\_Q07, ALD\_Q09, ALD\_Q10, ALD\_Q11, ALD\_Q12, ALD\_Q13, and ALD\_Q14) = 0, go to ALD\_END.

Otherwise, go to ALD\_R15.

ALD\_R15

Please tell me what number best describes how much your use of alcohol interfered with each of the following activities during the past 12 months. For each activity, answer with a number between 0 and 10; 0 means "no interference", while 10 means "very severe interference".

**INTERVIEWER**: Press <Enter> to continue.

ALD\_Q15A ALD\_15A In the past 12 months, how much did your alcohol use interfere with:

...your home responsibilities, like cleaning, shopping and taking care of the house or apartment?

0	No interference	
1		
2		
3		
4		
5		
6		
7		
8		
9	V	
10	Very severe interference	
11	Number	
(MIN: 0) (MAX: 10)		
(IVIIIV. 0) (IVIAX. 10)		
DŁ	(.RF	

ALD_Q15B_1 ALD_5B1	(How much did it interfere with:)
1LD_3D1	your ability to attend school?
	0 No interference 1
	INTERVIEWER: If necessary, enter "11" to indicate "Not applicable"
	_ _  Number (MIN: 0) (MAX: 11) DK, RF
ALD_Q15B_2	(How much did it interfere with:)
ALD_5B2	your ability to work at a job?
	<ul> <li>No interference</li> <li>   </li> <l< th=""></l<></ul>
	INTERVIEWER: If necessary, enter "11" to indicate "Not applicable"
	_ _  Number (MIN: 0) (MAX: 11) DK, RF


ALD\_Q15C ALD\_15C

ALD\_Q15D

ALD\_15D

ALD\_END

(In the past 12 months,) how much did your alcohol use interfere with your ability to form and maintain close relationships with other people? (Remember that 0 means "no interference" and 10 means "very severe interference".)



## Maternal experiences - Breastfeeding (MEX)

MEX\_BEG Core content

MEX\_C01A If (do MEX block = 1), go to MEX\_C01B.

Otherwise, go to MEX\_END.

MEX C01B If proxy interview or sex = male or age < 15 or > 55, go to MEX END.

Otherwise, go to MEX\_Q01.

# MEX\_Q01 The next questions are for recent mothers. MEX 01 Have you given birth in the past 5 years?

INTERVIEWER: Do not include stillbirths.

1 Yes

2 No (Go to MEX\_END) DK, RF (Go to MEX\_END)

MEX\_D01A DV\_YEARAGO = ^CURRENTYEAR - 5

# MEX\_Q01A In what year? MEX\_01A

 $\underline{\mathsf{INTERVIEWER}} {:} \ \ \mathsf{Enter} \ \mathsf{year} \ \mathsf{of} \ \mathsf{birth} \ \mathsf{of} \ \mathsf{last} \ \mathsf{baby}. \ \mathsf{Minimum} \ \mathsf{is} \ [\mathsf{DV\_YEARAGO}]; \ \mathsf{maximum}$ 

is [^CURRENTYEAR].

|\_|\_| Year

(MIN: DV\_YEARAGO) (MAX: ^CURRENTYEAR)

DK, RF

# MEX\_Q02 Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant?

1 Yes

2 No

DK, RF

# MEX\_Q03 (For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?

1 Yes (Go to MEX\_Q05)

2 No

DK, RF (Go to MEX\_END)

## MEX\_Q04 What is the main reason that you did not breastfeed?

#### MEX\_04

- 01 Bottle feeding easier
- 02 Formula as good as breast milk
- 03 Breastfeeding is unappealing / disgusting
- 04 Father / partner didn't want me to
- 05 Returned to work / school early
- 06 C-Section
- 07 Medical condition mother
- 08 Medical condition baby
- 09 Premature birth
- 10 Multiple births (e.g. twins)
- 11 Wanted to drink alcohol
- 12 Wanted to smoke
- 13 Other Specify (Go to MEX\_S04) DK, RF

Go to MEX END

MEX\_S04 <u>INTERVIEWER</u>: Specify.

(80 spaces)

DK. RF

Go to MEX\_END

#### MEX\_Q05

#### Are you still breastfeeding?

#### MEX 05

- 1 Yes (Go to MEX\_Q07)
- 2 No

DK, RF (Go to MEX\_END)

#### MEX\_Q06

# How long did you breastfeed (your last baby)?

#### MEX\_06

- 01 Less than 1 week
- 02 1 to 2 weeks
- 03 3 to 4 weeks
- 04 5 to 8 weeks
- 05 9 weeks to less than 12 weeks
- 06 3 months (12 weeks to less than 16 weeks)
- 07 4 months (16 weeks to less than 20 weeks)
- 08 5 months (20 weeks to less than 24 weeks)
- 09 6 months (24 weeks to less than 28 weeks)
- 10 7 to 9 months
- 11 10 to 12 months
- 12 More than 1 year

DK, RF (Go to MEX\_END)

## MEX\_Q07 MEX\_07

How old was your (last) baby when you first added any other liquids (e.g. milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds?

INTERVIEWER: If exact age not known, obtain best estimate.

- 01 Less than 1 week
- 02 1 to 2 weeks
- 03 3 to 4 weeks
- 04 5 to 8 weeks
- 05 9 weeks to less than 12 weeks
- 06 3 months (12 weeks to less than 16 weeks)
- 07 4 months (16 weeks to less than 20 weeks)
- 08 5 months (20 weeks to less than 24 weeks)
- 09 6 months (24 weeks to less than 28 weeks)
- 10 7 to 9 months
- 11 10 to 12 months
- 12 More than 1 year
- Have not added liquids or solids (Go to MEX\_Q09)DK, RF (Go to MEX\_END)

#### MEX\_E07

An unusual length of time has passed between when the baby stopped breastfeeding and when other liquid or solid foods were first added to the feeds. Please confirm.

<u>INTERVIEWER</u>: If answers are valid, ask for the reason explaining the gap and enter it as a remark.

Note:

Trigger soft edit if MEX\_07 < 13 and ORD(MEX\_Q07) - ORD(MEX\_Q06) > 1

In other words, if MEX\_Q07 < 13 and category number in MEX\_Q07 minus category number in MEX\_Q06 is greater than 1.

#### MEX\_Q08

# What is the main reason that you first added other liquids or solid foods?

#### MEX\_08

- 01 Not enough breast milk
- 02 Baby was ready for solid foods
- 03 Inconvenience / fatigue due to breastfeeding
- 04 Difficulty with BF techniques (e.g., sore nipples, engorged breasts, mastitis)
- 05 Medical condition mother
- 06 Medical condition baby
- 07 Advice of doctor / health professional
- 08 Returned to work / school
- 09 Advice of partner / family / friends
- 10 Formula equally healthy for baby
- 11 Wanted to drink alcohol
- 12 Wanted to smoke
- 13 Other Specify (Go to MEX\_S08)
  DK, RF

Go to MEX\_C09

MEX\_S08 <u>INTERVIEWER</u>: Specify.

(0.0

(80 spaces) DK, RF

MEX C09 If MEX Q07 = 1 (baby less than 1 week), go to MEX C10.

Otherwise, go to MEX Q09.

## MEX\_Q09 MEX\_09

During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?

- 1 Yes
- 2 No

DK, RF

MEX\_C10

If MEX\_Q05 = 1 (still breastfeeding), go to MEX\_END.

Otherwise, go to MEX\_Q10.

#### MEX\_Q10

#### What is the main reason that you stopped breastfeeding?

#### MEX 10

- 01 Not enough breast milk
- 02 Baby was ready for solid foods
- 03 Inconvenience / fatigue due to breastfeeding
- 04 Difficulty with BF techniques (e.g., sore nipples, engorged breasts, mastitis)
- 05 Medical condition mother
- 06 Medical condition baby
- 07 Planned to stop at this time
- 08 Child weaned him / herself (e.g., baby biting, refusing breast)
- 09 Advice of doctor / health professional
- 10 Returned to work / school
- 11 Advice of partner / family / friends
- 12 Formula equally healthy for baby
- 13 Wanted to drink alcohol
- 14 Wanted to smoke
- 15 Other Specify (Go to MEX\_S10) DK, RF

Go to MEX END

MEX\_S10 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

MEX\_END

## Maternal experiences - Alcohol use during pregnancy (MXA)

MXA\_BEG Optional Content (See Appendix 2)

MXA\_C01A If (do MXA block = 1), go to MXA\_C01B.

Otherwise, go to MXA\_END.

MXA\_C01B If proxy interview or sex = male or age < 15 or > 55 or MEX\_Q01 = 2, DK or RF, go to

MXA\_ÉND.

Otherwise, go to MXA\_C30.

MXA\_C30 If (ALN \_Q5B = 2, or RF ( never drank), go to MXA\_END.

Otherwise, go to MXA\_C30.

## MXA\_Q30 Did you drink any alcohol during your last pregnancy?

MXA 01

1 Yes

2 No (Go to MXA\_C32) DK, RF (Go to MXA\_END)

## MXA\_Q31 How often did you drink?

MXA 02

- 1 Less than once a month
- 2 Once a month
- 3 2 to 3 times a month
- 4 Once a week
- 5 2 to 3 times a week
- 6 4 to 6 times a week
- 7 Every day DK, RF

MXA\_C32 If MEX\_Q03 = 2 (did not breastfeed last baby), go to MXA\_END.

Otherwise, go to MXA\_Q32.

# MXA\_Q32 Did you drink any alcohol while you were breastfeeding (your last baby)?

1 Yes

2 No (Go to MXA\_END) DK, RF (Go to MXA\_END)

#### MXA\_Q33

# How often did you drink?

## MXA\_04

- 1 Less than once a month
- 2 Once a month
- 3 2 to 3 times a month
- 4 Once a week
- 5 2 to 3 times a week
- 6 4 to 6 times a week
- 7 Every day DK, RF

MXA\_END

## Maternal experiences - Smoking during pregnancy (MXS)

MXS\_BEG Optional Content (See Appendix 2)

MXS\_C01A If (do MXS block = 1), go to MXS\_C01B.

Otherwise, go to MXS\_END.

MXS\_C01B If proxy interview or sex = male or age < 15 or > 55 or MEX\_Q01 = 2, DK or RF, go to

MXS END.

Otherwise, go to MXS\_C20.

MXS C20 If SMK Q202 = (1 or 2) or SMK Q201A = 1 or SMK Q201B = 1, go to MXS Q20.

Otherwise, go to MXS\_END.

MXS\_Q20 During your last pregnancy, did you smoke daily, occasionally or not at all?

MXS\_01

1 Daily

2 Occasionally (Go to MXS\_Q22) 3 Not at all (Go to MXS\_C23) DK, RF (Go to MXS\_Q26)

Note: Daily Smokers only

MXS\_Q21 How many cigarettes did you usually smoke each day?

MXS\_02

|\_|\_| Number of cigarettes

(MIN: 1) (MAX: 99 warning after 60)

DK, RF

Go to MXS\_C23

Note: Occasional Smokers only

MXS\_Q22 On the days that you smoked, how many cigarettes did you usually smoke?

MXS 03

|\_|\_| Number of cigarettes

(MIN: 1) (MAX: 99 warning after 60)

DK, RF

MXS\_C23 If MEX\_Q03 = 1 (breastfed last baby), go to MXS\_Q23.

Otherwise, go to MXS\_Q26.

#### MXS Q23 When you were breastfeeding (your last baby), did you smoke daily, occasionally or MXS\_04 not at all? 1 Daily 2 Occasionally (Go to MXS\_Q25) 3 Not at all (Go to MXS\_Q26) DK, RF (Go to MXS\_Q26) Note: Daily smokers only MXS Q24 How many cigarettes did you usually smoke each day? MXS 05 |\_|\_| Number of cigarettes (MIN: 1) (MAX: 99 warning after 60) DK, RF Go to MXS\_Q26 Note: Occasional smokers only MXS\_Q25 On the days that you smoked, how many cigarettes did you usually smoke? MXS\_06 |\_|\_| Number of cigarettes (MIN: 1) (MAX: 99 warning after 60) DK, RF MXS Q26 Did anyone regularly smoke in your presence during or after the pregnancy (about MXS 07 6 months after)? 1 Yes 2 No DK, RF

MXS\_END

#### Illicit drugs use (IDG)

DRG\_BEG Optional Content (See Appendix 2)

DRG\_C1 If (do DRG block = 1), go to DRG\_C2.

Otherwise, go to DRG\_END.

DRG C2 If proxy interview, go to DRG END.

Otherwise, go to DRG\_R1.

DRG R1 I am going to ask some guestions about drug use. Again, I would like to remind you

that everything you say will remain strictly confidential.

INTERVIEWER: Press <Enter> to continue.

#### DRG\_Q01

Have you ever used or tried marijuana, cannabis or hashish?

**IDG\_01** 

INTERVIEWER: Read categories to respondent.

- 1 Yes, just once
- 2 Yes, more than once
- 3 **No** (Go to DRG\_Q04) DK, RF (Go to DRG\_END)

#### DRG Q02

Have you used it in the past 12 months?

**IDG 02** 

1 Yes

2 No (Go to DRG\_Q04) DK, RF (Go to DRG\_Q04)

DRG\_C03

If DRG\_Q01 = 1, go to DRG\_Q04. Otherwise, go to DRG\_Q03.

#### DRG\_Q03

How often (did you use marijuana, cannabis or hashish in the past 12 months)?

IDG 03

INTERVIEWER: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK, RF

#### DRG Q04

#### Have you ever used or tried cocaine or crack?

IDG\_04

- 1 Yes, just once
- 2 Yes, more than once
- 3 No (Go to DRG\_Q07) DK, RF (Go to DRG\_Q07)

#### DRG\_Q05

## Have you used it in the past 12 months?

IDG\_05

- 1 Yes
- 2 No (Go to DRG\_Q07) DK, RF (Go to DRG\_Q07)

DRG\_C06

If DRG\_Q04 = 1, go to DRG\_Q07. Otherwise, go to DRG\_Q06.

## DRG\_Q06

#### How often (did you use cocaine or crack in the past 12 months)?

**IDG 06** 

INTERVIEWER: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK, RF

## DRG\_Q07

#### Have you ever used or tried speed (amphetamines)?

IDG\_07

- 1 Yes, just once
- 2 Yes, more than once
- 3 No (Go to DRG\_Q10) DK, RF (Go to DRG\_Q10)

## DRG\_Q08

#### Have you used it in the past 12 months?

IDG\_08

- 1 Yes
- 2 No (Go to DRG\_Q10) DK, RF (Go to DRG\_Q10)

DRG C09

If DRG\_Q07 = 1, go to DRG\_Q10. Otherwise, go to DRG\_Q09.

## DRG\_Q09

#### How often (did you use speed (amphetamines) in the past 12 months)?

IDG\_09

INTERVIEWER: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK. RF

## DRG\_Q10

## Have you ever used or tried ecstasy (MDMA) or other similar drugs?

IDG\_10

- 1 Yes, just once
- 2 Yes, more than once
- 3 No (Go to DRG\_Q13) DK, RF (Go to DRG\_Q13)

# DRG\_Q11

## Have you used it in the past 12 months?

## **IDG** 11

- 1 Yes
- 2 No (Go to DRG\_Q13) DK, RF (Go to DRG\_Q13)

#### DRG\_C12

If DRG\_Q10 = 1, go to DRG\_Q13. Otherwise, go to DRG\_Q12.

# DRG\_Q12

## How often (did you use ecstasy or other similar drugs in the past 12 months)?

#### IDG\_12

**INTERVIEWER**: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK, RF

## DRG\_Q13

#### Have you ever used or tried hallucinogens, PCP or LSD (acid)?

#### IDG\_13

- 1 Yes, just once
- 2 Yes, more than once
- 3 No (Go to DRG\_Q16) DK, RF (Go to DRG\_Q16)

## DRG\_Q14 Have you used it in the past 12 months?

**IDG\_14** 

1 Yes

2 No (Go to DRG\_Q16) DK, RF (Go to DRG\_Q16)

DRG\_C15

If DRG\_Q13 = 1, go to DRG\_Q16. Otherwise, go to DRG\_Q15.

#### DRG\_Q15

#### How often (did you use hallucinogens, PCP or LSD in the past 12 months)?

**IDG** 15

**INTERVIEWER**: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK, RF

## DRG\_Q16

#### Did you ever sniff glue, gasoline or other solvents?

IDG\_16

- 1 Yes, just once
- 2 Yes, more than once
- 3 No (Go to DRG\_Q19) DK, RF (Go to DRG\_Q19)

#### DRG Q17

#### Did you sniff some in the past 12 months?

IDG\_17

- 1 Yes
- 2 No (Go to DRG\_Q19) DK, RF (Go to DRG\_Q19)

DRG\_C18

If DRG\_Q16 = 1, go to DRG\_Q19. Otherwise, go to DRG\_Q18.

#### DRG\_Q18

#### How often (did you sniff glue, gasoline or other solvents in the past 12 months)?

IDG\_18

INTERVIEWER: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK. RF

#### DRG\_Q19

## Have you ever used or tried heroin?

IDG\_19

- 1 Yes, just once
- 2 Yes, more than once
- 3 No (Go to DRG\_Q22) DK, RF (Go to DRG\_Q22)

## DRG\_Q20

## Have you used it in the past 12 months?

#### **IDG 20**

- 1 Yes
- 2 No (Go to DRG\_Q22) DK, RF (Go to DRG\_Q22)

#### DRG\_C21

If DRG\_Q19 = 1, go to DRG\_Q22. Otherwise, go to DRG\_Q21.

## DRG\_Q21

## How often (did you use heroin in the past 12 months)?

#### IDG\_21

**INTERVIEWER**: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK, RF

# DRG\_Q22

#### **IDG 22**

Have you ever used or tried steroids, such as testosterone, dianabol or growth hormones, to increase your performance in a sport or activity or to change your physical appearance?

- 1 Yes, just once
- 2 Yes, more than once
- 3 No (Go to DRG\_C25A\_1) DK, RF (Go to DRG\_C25A\_1)

#### DRG Q23

#### Have you used it in the past 12 months?

**IDG** 23

- 1 Yes
- 2 No (Go to DRG\_C25A1) DK, RF (Go to DRG\_C25A1)

DRG\_C24

If DRG\_Q22 = 1, go to DRG\_C25A1. Otherwise, go to DRG\_Q24.

#### DRG\_Q24

#### How often (did you use steroids in the past 12 months)?

IDG\_24

**INTERVIEWER**: Read categories to respondent.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 **Every day** DK. RF

Note:

DRG\_C25A1 = Count of instances where DRG\_Q01, DRG\_Q04, DRG\_Q07,

DRG\_Q10, DRG\_Q13, DRG\_Q16 and DRG\_Q19 = 3, DK or RF.

DRG\_C25A\_1

If DRG\_C25A1 = 7, go to DRG\_END. Otherwise, go to DRG\_C25A\_2.

Note:

DRG\_C25A2 = Count of instances where DRG\_Q03, DRG\_Q06, DRG\_Q09, DRG\_Q12, DRG\_Q15, DRG\_Q18 and DRG\_Q21 >= 2.

DRG\_C25A\_2

If  $DRG_C25A_2 >= 1$ , go to  $DRG_Q25A$ .

Otherwise, go to DRG END.

# DRG\_Q25A

IDG\_25A

During the past 12 months, did you ever need to use more drugs than usual in order to get high, or did you ever find that you could no longer get high on the amount you usually took?

- 1 Yes
- 2 No

#### DRG R25B

People who cut down their substance use or stop using drugs altogether may not feel well if they have been using steadily for some time. These feelings are more intense and can last longer than the usual hangover.

INTERVIEWER: Press < Enter> to continue.

## DRG\_Q25B IDG 25B

During the past 12 months, did you ever have times when you stopped, cut down or went without drugs and then experienced symptoms like fatigue, headaches, diarrhea, the shakes or emotional problems?

- 1 Yes
- 2 No

DK, RF

## DRG\_Q25C IDG 25C

(During the past 12 months,) did you ever have times when you used drugs to keep from having such symptoms?

- 1 Yes
- 2 No

DK, RF

## DRG\_Q25D

IDG\_25D

(During the past 12 months,) did you ever have times when you used drugs even though you promised yourself you wouldn't, or times when you used a lot more drugs than you intended?

- 1 Yes
- 2 No

DK, RF

#### DRG\_Q25E IDG 25E

(During the past 12 months,) were there ever times when you used drugs more frequently, or for more days in a row than you intended?

- 1 Yes
- 2 No

DK, RF

#### DRG\_Q25F

IDG 25F

(During the past 12 months,) did you ever have periods of several days or more when you spent so much time using drugs or recovering from the effects of using drugs that you had little time for anything else?

- 1 Yes
- 2 No

#### DRG\_Q25G IDG 25G

(During the past 12 months,) did you ever have periods of a month or longer when you gave up or greatly reduced important activities because of your use of drugs?

- 1 Yes
- 2 No

DK, RF

## DRG\_Q25H IDG 25H

(During the past 12 months,) did you ever continue to use drugs when you knew you had a serious physical or emotional problem that might have been caused by or made worse by your use?

- 1 Yes
- 2 No

DK, RF

#### DRG<sub>R26</sub>

Please tell me what number best describes how much your use of drugs interfered with each of the following activities during the past 12 months. For each activity, answer with a number between 0 and 10; 0 means "no interference", while 10 means "very severe interference".

INTERVIEWER: Press <Enter> to continue.

# DRG\_Q26A

IDG 26A

How much did your use of drugs interfere with:

...your home responsibilities, like cleaning, shopping and taking care of the house or apartment?

No interference
 I
 I
 I
 I
 I
 I
 I
 I
 I
 I
 Very severe interference

|\_|\_| Number (MIN: 0) (MAX: 10)

DK, RF

# DRG\_Q26B\_1 (How much did your use interfere with:) IDG\_6B1 ...your ability to attend school? No interference 0 1 2 3 4 5 6 7 8 10 Very severe interference INTERVIEWER: If necessary, enter "11" to indicate "Not applicable". |\_|\_| Number (MIN: 0) (MAX: 11) DK, RF DRG Q26B 2 (How much did your use interfere with:) IDG\_6B2 ...your ability to work at a regular job? 0 No interference 1 2 3 4 5 6 7 8 10 Very severe interference INTERVIEWER: If necessary, enter "11" to indicate "Not applicable". |\_|\_| Number (MIN: 0) (MAX: 11)

DRG\_Q26C IDG\_26C (During the past 12 months,) how much did your use of drugs interfere with your ability to form and maintain close relationships with other people? Remember that 0 means "no interference" and 10 means "very severe interference".

0	No interference	
1	I	
2	I	
3	I	
4	I	
5	I	
6	I	
7	I	
8	I	
9	V	
10	Very severe interference	
_ _	Number	
(MIN: 0) (MAX: 10)		
DK,	RF	

DRG\_Q26D

How much did your use of drugs interfere with your social life?

#### IDG\_26D

DRG\_END

#### Problem gambling (CPG)

CPG\_BEG Optional Content (See Appendix 2)

CPG C01 If (do CPG block = 2), go to CPG END.

Otherwise, go to CPG C02.

CPG C02 If proxy interview, go to CPG END.

Otherwise, go to CPG\_R01.

CPG\_R01 The next questions are about gambling activities and experiences.

People have different definitions of gambling. They may bet money and gamble on many different things, including buying lottery tickets, playing bingo or playing card games with their family or friends.

Some of these questions may not apply to you; however, they need to be asked of all respondents.

INTERVIEWER: Press <Enter> to continue.

CPG\_Q01A CPG\_01A In the past 12 months, how often have you bet or spent money on instant win/scratch tickets or daily lottery tickets (Keno, Pick 3, Encore, Banco, Extra)?

**INTERVIEWER**: Read categories to respondent.

Exclude all other kinds of lottery tickets such as 6/49, Super 7, sports lotteries and fund raising tickets.

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 **Never** DK, RF

CPG\_C01A

If CPG\_Q01A = RF, go to CPG\_END. Otherwise, go to CPG\_Q01B.

# CPG\_Q01B CPG\_01B

# (In the past 12 months,) how often have you bet or spent money on lottery tickets such as 6/49 and Super 7, raffles or fund-raising tickets?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

Note:

CPG\_C01B = Count instances where CPG\_Q01B to CPG\_Q01M = 7, 8, DK or RF.

# CPG\_Q01C CPG\_01C

#### (In the past 12 months,) how often have you bet or spent money on Bingo?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

# CPG\_Q01D CPG 01D

# (In the past 12 months,) how often have you bet or spent money playing cards or board games with family or friends?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never

# CPG\_Q01E CPG\_01E

# (In the past 12 months,) how often have you bet or spent money on video lottery terminals (VLTs) outside of casinos?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

# CPG\_Q01F CPG 01F

# (In the past 12 months,) how often have you bet or spent money on coin slots or VLTs at a casino?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

# CPG\_Q01G CPG 01G

(In the past 12 months,) how often have you bet or spent money on casino games other than coin slots or VLTs (for example, poker, roulette, blackjack, Keno)?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never

# CPG\_Q01H CPG\_01H

# (In the past 12 months,) how often have you bet or spent money on Internet or arcade gambling?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

# CPG\_Q01I CPG\_01I

In the past 12 months, how often have you bet or spent money on live horse racing at the track or off track?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

# CPG\_Q01J CPG 01J

(In the past 12 months,) how often have you bet or spent money on sports such as sports lotteries (Sport Select, Pro-Line, Mise-au-jeu, Total), sports pool or sporting events?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never

#### CPG\_Q01K CPG\_01K

# (In the past 12 months,) how often have you bet or spent money on speculative investments such as stocks, options or commodities?

<u>INTERVIEWER</u>: Speculative investments refers to buying high-risk stocks, but does not include low-risk bonds, RRSPs and/or mutual funds.

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

# CPG\_Q01L CPG\_01L

In the past 12 months, how often have you bet or spent money on games of skill such as pool, golf, bowling or darts?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

# CPG\_Q01M CPG\_01M

(In the past 12 months,) how often have you bet or spent money on any other forms of gambling such as dog races, gambling at casino nights/country fairs, bet on sports with a bookie or gambling pools at work?

- 1 Daily
- 2 Between 2 to 6 times a week
- 3 About once a week
- 4 Between 2 to 3 times a month
- 5 About once a month
- 6 Between 6 to 11 times a year
- 7 Between 1 to 5 times a year
- 8 Never DK, RF

CPG\_C01N

If CPG\_C01B = 12 and CPG\_Q01A = 7, 8 or DK, go to CPG\_END. Otherwise, go to CPG\_Q01N.

# CPG\_Q01N CPG\_01N

In the past 12 months, how much money, not including winnings, did you spend on all of your gambling activities?

INTERVIEWER: Read categories to respondent.

- 1 Between 1 dollar and 50 dollars
- 2 Between 51 dollars and 100 dollars
- 3 Between 101 dollars and 250 dollars
- 4 Between 251 dollars and 500 dollars
- 5 Between 501 dollars and 1000 dollars
- 6 More than 1000 dollars DK. RF

#### CPG\_R02

The next questions are about gambling attitudes and experiences. Again, all the questions will refer to the past 12 months.

INTERVIEWER: Press < Enter> to continue.

# CPG\_Q02 CPG 02

In the past 12 months, how often have you bet or spent more money than you wanted to on gambling?

INTERVIEWER: Read categories to respondent.

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always
- 5 I am not a gambler (Go to CPG END)

DK

RF (Go to CPG\_END)

#### CPG\_Q03 CPG 03

(In the past 12 months,) how often have you needed to gamble with larger amounts of money to get the same feeling of excitement?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

#### CPG\_Q04 CPG 04

(In the past 12 months,) when you gambled, how often did you go back another day to try to win back the money you lost?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q05 CPG\_05

In the past 12 months, how often have you borrowed money or sold anything to get money to gamble?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q06 CPG 06

(In the past 12 months,) how often have you felt that you might have a problem with gambling?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q07 CPG 07

(In the past 12 months,) how often has gambling caused you any health problems, including stress or anxiety?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q08 CPG\_08

(In the past 12 months,) how often have people criticized your betting or told you that you had a gambling problem, regardless of whether or not you thought it was true?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q09 CPG\_09

(In the past 12 months,) how often has your gambling caused financial problems for you or your family?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q10 CPG\_10

In the past 12 months, how often have you felt guilty about the way you gamble or what happens when you gamble?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q11 CPG 11

(In the past 12 months,) how often have you lied to family members or others to hide your gambling?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q12 CPG 12

(In the past 12 months,) how often have you wanted to stop betting money or gambling, but didn't think you could?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q13 CPG 13

In the past 12 months, how often have you bet more than you could really afford to lose?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q14 CPG\_14

(In the past 12 months,) have you tried to quit or cut down on your gambling but were unable to do it?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q15 CPG\_15

(In the past 12 months,) have you gambled as a way of forgetting problems or to feel better when you were depressed?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

# CPG\_Q16 CPG 16

(In the past 12 months,) has your gambling caused any problems with your relationship with any of your family members or friends?

- 1 Never
- 2 Sometimes
- 3 Most of the time
- 4 Almost always DK, RF

Note:

For CPG\_Q03 through CPG\_Q10 and CPG\_Q13, recode 1=0, 2=1, 3=2 and 4=3 into CPG\_C17A through CPG\_C17I.

CPG\_C17J = Sum CPG\_C17A through CPG\_C17I.

CPG C17

If CPG\_C17J <= 2, go to CPG\_END. Otherwise, go to CPG\_Q17.

# CPG\_Q17

Has anyone in your family ever had a gambling problem?

#### CPG 17

- 1 Yes
- 2 No DK. RF

# CPG\_Q18

In the past 12 months, have you used alcohol or drugs while gambling?

# CPG\_18

- 1 Yes
- 2 No DK, RF

#### CPG R19

Please tell me what number best describes how much your gambling activities interfered with each of the following activities during the past 12 months. For each activity, answer with a number between 0 and 10; 0 means "no interference", while 10 means "very severe interference".

INTERVIEWER: Press <Enter> to continue.

CPG\_Q19A CPG\_19A During the past 12 months, how much did your gambling activities interfere with your home responsibilities, like cleaning, shopping and taking care of the house or apartment?

0	No interference	
1	I	
2	I	
3	I	
4	I	
5	I	
6	1	
7	I	
8	1	
9	V	
10	Very severe interference	
	Number	
(MIN: 0) (MAX: 10)		
DK, RF		

CPG\_Q19B\_1 CPG\_9B1 How much did these activities interfere with your ability to attend school?

U	No interference
1	I
2	I
3	I
4	I
5	I
6	I
7	I
8	I
9	V
10	Very severe interference

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

|\_|\_| Number (MIN: 0) (MAX: 11) DK, RF CPG\_Q19B\_2

How much did they interfere with your ability to work at a job?

CPG\_9B2

0	No interference
1	I
2	I
3	I
4	I
5	1
6	I
7	1
8	I
9	V
10	Very severe interference
<u>INT</u>	ERVIEWER: If necessary, enter "11" to indicate "Not applicable".
_ _	Number
(MII	N: 0) (MAX: 11)
DK,	RF

CPG\_Q19C CPG\_19C (During the past 12 months,) how much did your gambling activities interfere with your ability to form and maintain close relationships with other people? (Remember that 0 means "no interference" and 10 means "very severe interference".)

0	No interference	
1	I	
2	I	
3	I	
4	I	
5	I	
6	I	
7	I	
8	I	
9	V	
10	Very severe interference	
	Number	
(MIN: 0) (MAX: 10)		
DK, RF		

CPG\_Q19D

How much did they interfere with your social life?

CPG\_19D

0	No interference	
1	I	
2	I	
3	I	
4	I	
5	I	
6	I	
7	I	
8	I	
9	V	
10	Very severe interference	
_ _	Number	
(MIN: 0) (MAX: 10)		
DK, RF		

CPG\_END

#### Sexual behaviours (SXB)

SXB\_BEG Theme content

SXB\_C01A If (do SXB block = 1), go to SXB\_C01B.

Otherwise, go to SXB\_END.

SXB\_C01B If proxy interview or age < 15 or > 49, go to SXB\_END.

Otherwise, go to SXB\_R01.

SXB\_R01 I would like to ask you a few questions about sexual behaviour. We ask these

questions because sexual behaviours can have very important and long-lasting effects on personal health. You can be assured that anything you say will remain

confidential.

INTERVIEWER: Press <Enter> to continue.

#### SXB\_Q01 Have you ever had sexual intercourse?

SXB 1

1 Yes

2 No (Go to SXB\_END) DK, RF (Go to SXB\_END)

SXB\_Q02 How old were you the first time?

SXB 2

INTERVIEWER: Maximum is [current age].

|\_|\_ Age in years

(MIN: 1) (MAX: Warning, value is below 12 or above current age)

DK, RF (Go to SXB\_END)

SXB\_E02 The entered age at which the respondent first had sexual intercourse is invalid.

Please return and correct.

Note: Trigger hard edit if SXB\_Q02 < 1 or SXB\_Q02 > [current age].

SXB\_Q03 In the past 12 months, have you had sexual intercourse?

SXB 3

1 Yes

2 No (Go to SXB\_Q07)

DK, RF (Go to SXB\_END)

# SXB Q04 With how many different partners? SXB\_4 1 1 partner 2 2 partners 3 3 partners 4 or more partners DK RF (Go to SXB END) SXB\_Q07 Have you ever been diagnosed with a sexually transmitted infection? SXB 07 1 Yes 2 No DK, RF SXB\_C08A If SXB\_Q03 = 1 (had intercourse in last 12 months), go to SXB\_C08C. Otherwise, go to SXB END. SXB\_C08C If marital status = 1 (married) or 2 (common-law) and SXB\_Q04 = 1 (one partner), go to SXB C09B. Otherwise, go to SXB Q08. SXB\_Q08 Did you use a condom the last time you had sexual intercourse? SXB\_7A 1 Yes 2 No DK, RF SXB C09B If age > 24 or if respondent's sex = spouse's sex, go to SXB\_END. Otherwise, go to SXB\_R9A. SXB\_R9A Now a few questions about birth control. INTERVIEWER: Press <Enter> to continue. SXB\_C09C If sex = female, go to SXB\_C09D. Otherwise, go to SXB R10.

SXB\_C09D If HWT\_Q1 = 1 (currently pregnant), go to SXB\_Q11.

Otherwise, go to SXB\_R9B.

SXB R9B

I'm going to read you a statement about pregnancy. Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree.

INTERVIEWER: Press <Enter> to continue.

SXB\_Q09

It is important to me to avoid getting pregnant right now.

SXB\_09

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree

DK

RF (Go to SXB\_END)

SXB\_C10

If sex = male, go to SXB\_R10. Otherwise, go to SXB\_Q11.

SXB R10

I'm going to read you a statement about pregnancy. Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree.

INTERVIEWER: Press <Enter> to continue.

SXB Q10

It is important to me to avoid getting my partner pregnant right now.

SXB 10

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 6 Doesn't have a partner right now
- 7 Partner already pregnant

DK

RF (Go to SXB\_END)

SXB\_Q11

In the past 12 months, did you and your partner usually use birth control?

SXB\_11

1 Yes (Go to SXB\_Q12)

2 No (Go to SXB\_END) DK, RF (Go to SXB\_END)

#### SXB\_Q12 What kind of birth control did you and your partner usually use? INTERVIEWER: Mark all that apply. SXB 12A 1 Condom (male or female condom) 2 SXB 12B Birth control pill SXB 12C 3 Diaphragm SXB 12D 4 Spermicide (e.g., foam, jelly, film) SXB 12F 5 Birth control injection (Deprovera) SXB\_12E Other - Specify (Go to SXB\_S12) DK. RF (Go to SXB END) Go to SXB\_C13 SXB\_S12 **INTERVIEWER:** Specify. (80 spaces) DK, RF SXB\_C13 If HWT\_Q1 = 1 (currently pregnant) or SXB\_Q10 = 7 (Partner already pregnant), go to SXB END. Otherwise, go to SXB\_Q13. SXB Q13 What kind of birth control did you and your partner use the last time you had sex? <u>INTERVIEWER</u>: Mark all that apply. SXB\_13A 1 Condom (male or female condom) SXB\_13B 2 Birth control pill SXB 13C 3 Diaphragm SXB 13D 4 Spermicide (e.g., foam, jelly, film) SXB 13F 5 Birth control injection (Deprovera) 6 **SXB 13G Nothing** SXB 13E 7 Other - Specify (Go to SXB\_S13) DK, RF Go to SXB\_END SXB\_S13 **INTERVIEWER**: Specify. (80 spaces)

SXB\_END

# Psychological well-being (PWB)

PWB\_BEG Optional Content (See Appendix 2)

PWB\_C1 If (do PWB block = 2), go to PWB\_END.

Otherwise, go to PWB\_C2.

PWB\_C2 If proxy interview, go to PWB\_END.

Otherwise, go to PWB\_R1.

PWB\_R1 Now I'm going to read you a series of statements that people might use to describe

themselves. Please tell me if you had these feelings almost always, frequently, half

the time, rarely or never.

**INTERVIEWER**: Press <Enter> to continue.

PWB\_Q01 During the past month, you felt self-confident.

PWB\_01

**INTERVIEWER**: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

PWB\_Q02

PWB 02

During the past month, you felt satisfied with what you were able to accomplish, you felt proud of yourself.

INTERVIEWER: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

# PWB\_Q03

#### (During the past month,) you were a "go-getter ", you took on lots of projects.

#### PWB\_03

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_C04

If  $(PWB\_Q01 = DK \text{ or } RF \text{ and } PWB\_Q02 = DK \text{ or } RF \text{ and } PWB\_Q03 = DK \text{ or } RF)$ , go to PWB\_END.

Otherwise, go to PWB\_Q04.

# PWB\_Q04

# (During the past month,) you felt emotionally balanced.

#### PWB\_04

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_Q05

#### (During the past month,) you felt loved and appreciated.

#### PWB 05

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_Q06

#### (During the past month,) you had goals and ambitions.

# PWB\_06

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

#### PWB\_Q07 PWB\_07

(During the past month,) you felt like having fun, participating in sports and all your favourite activities and hobbies.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

#### PWB\_Q08

During the past month, you felt useful.

#### **PWB 08**

INTERVIEWER: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_Q09

(During the past month,) you smiled easily.

#### PWB\_09

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

#### PWB\_Q10

(During the past month,) you were true to yourself, being natural at all times.

#### **PWB 10**

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

#### PWB\_Q11

(During the past month,) you did a good job of listening to your friends.

#### **PWB 11**

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

# PWB\_Q12 PWB\_12

(During the past month,) you were curious and interested in all sorts of things.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never DK. RF

# PWB\_Q13 PWB\_13

(During the past month,) you were able to clearly sort things out when faced with complicated situations.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_Q14 PWB\_14

(During the past month,) you found life exciting and you wanted to enjoy every moment of it.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never DK, RF

# PWB\_Q15 PWB 15

(During the past month,) your life was well-balanced between your family, personal and professional activities.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

# PWB\_Q16

During the past month, you were quite calm and level-headed.

#### PWB\_16

INTERVIEWER: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK. RF

#### PWB\_Q17

(During the past month,) you were able to easily find answers to your problems.

#### PWB\_17

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

#### PWB\_Q18

(During the past month,) you got along well with everyone around you.

#### PWB\_18

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

#### PWB\_Q19

(During the past month,) you lived at a normal pace, not doing anything excessively.

#### PWB\_19

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_Q20

(During the past month,) you had the impression of really enjoying life.

# PWB\_20

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

# PWB\_Q21 PWB\_21

# (During the past month,) you had a good sense of humour, easily making your friends laugh.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never DK, RF

#### PWB\_Q22

#### (During the past month,) you felt good, at peace with yourself.

#### PWB 22

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_Q23

#### (During the past month,) you felt healthy and in good shape.

#### **PWB 23**

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

# PWB\_Q24

#### (During the past month,) you were able to face difficult situations in a positive way.

#### **PWB 24**

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

#### PWB Q25

# (During the past month,) your morale was good.

# PWB\_25

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

#### Social support - Availability (SSA)

SSA\_BEG Optional Content (See Appendix 2)

 $SSA_C1$  If (do SSA block = 1), go to  $SSA_C2$ .

Otherwise, go to SSA\_END.

SSA\_C2 If proxy interview, go to SSA\_END.

Otherwise, go to SSA\_R1.

SSA\_R1 Next are some questions about the support that is available to you.

INTERVIEWER: Press <Enter> to continue.

SSA\_Q01 SSA\_01 Starting with a question on friendship, about how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

(MIN: 0) (MAX: 99; warning after 20) DK, RF (Go to SSA\_END)

SSA\_R2

People sometimes look to others for companionship, assistance or other types of support.

INTERVIEWER: Press <Enter> to continue.

SSA\_Q02 SSA 02

How often is each of the following kinds of support available to you if you need it:

... someone to help you if you were confined to bed?

**INTERVIEWER**: Read categories to respondent.

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time

DK, RF (Go to SSA\_END)

Note:

If SSA\_Q02 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES21A = "to help you if you were confined to bed".

SSA\_Q03 SSA\_03 (How often is each of the following kinds of support available to you if you need it:)

... someone you can count on to listen to you when you need to talk?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q03 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES24A = "to listen to you".

SSA\_Q04 SSA\_04 (How often is each of the following kinds of support available to you if you need it:)

... someone to give you advice about a crisis?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q04 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES24A = "to give you advice".

SSA\_Q05 SSA 05 (How often is each of the following kinds of support available to you if you need it:)

... someone to take you to the doctor if you needed it?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q05 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES21A = "to take you to the doctor".

SSA\_Q06 SSA\_06 (How often is each of the following kinds of support available to you if you need it:)

... someone who shows you love and affection?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q06 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES22A = "to show you affection".

# SSA\_Q07 SSA\_07

# Again, how often is each of the following kinds of support available to you if you need it:)

#### ... someone to have a good time with?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q07 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES23A = "to have a good time with".

# SSA\_Q08

SSA\_08

(How often is each of the following kinds of support available to you if you need it:)

... someone to give you information in order to help you understand a situation?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK. RF

Note:

If SSA\_Q08 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES24A = "to give you information".

### SSA\_Q09

SSA\_09

(How often is each of the following kinds of support available to you if you need it:)

(How often is each of the following kinds of support available to you if you need it:)

#### ... someone to confide in or talk to about yourself or your problems?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q09 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES24A ="to confide in".

# SSA\_Q10

... someone who hugs you?

#### SSA\_10

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q10 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES22A = "to hug you".

# SSA\_Q11

#### (How often is each of the following kinds of support available to you if you need it:)

# SSA\_11

... someone to get together with for relaxation?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q11 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES23A = "to relax with".

# SSA\_Q12

(How often is each of the following kinds of support available to you if you need it:)

SSA 12

... someone to prepare your meals if you were unable to do it yourself?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q12 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES21A = "to prepare your meals".

#### SSA\_Q13 SSA 13

(How often is each of the following kinds of support available to you if you need it:)

#### ... someone whose advice you really want?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q13 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES24A = "to advise you".

# SSA\_Q14 SSA\_14

Again, how often is each of the following kinds of support available to you if you need it:)

#### ... someone to do things with to help you get your mind off things?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q14 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES23A = "to do things with".

# SSA\_Q15

(How often is each of the following kinds of support available to you if you need it:)

SSA\_15

... someone to help with daily chores if you were sick?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q15 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES21A = "to help with daily chores".

SSA\_Q16

(How often is each of the following kinds of support available to you if you need it:)

SSA\_16

... someone to share your most private worries and fears with?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q16 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES24A = "to share your worries and fears with".

SSA\_Q17

(How often is each of the following kinds of support available to you if you need it:)

SSA\_17

... someone to turn to for suggestions about how to deal with a personal problem?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q17 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES24A = "to turn to for suggestions".

SSA\_Q18

(How often is each of the following kinds of support available to you if you need it:)

SSA 18

... someone to do something enjoyable with?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q18 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES23A = "to do something enjoyable with".

# SSA\_Q19 SSA\_19

(How often is each of the following kinds of support available to you if you need it:)

... someone who understands your problems?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If  $SSA_Q19 = 2$ , 3, 4 or 5 then  $^DT_KEYPHRASES24A = "to understand your problems".$ 

SSA\_Q20

(How often is each of the following kinds of support available to you if you need it:)

SSA\_20

... someone to love you and make you feel wanted?

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time DK, RF

Note:

If SSA\_Q20 = 2, 3, 4 or 5 then ^DT\_KEYPHRASES22A = "to love you and make you feel wanted".

SSA END

# Social support - Utilization (SSU)

SSU\_BEG Optional Content (See Appendix 2)

SSU\_C1 If (do SSU block = 1), go to  $SSU_C2$ .

Otherwise, go to SSU\_END.

SSU C2 If proxy interview, go to SSU END.

Otherwise, go to SSU\_C3.

SSU C3 If any responses of 2, 3, 4 or 5 in SSA Q02 to SSA Q20, go to SSU R1.

Otherwise, go to SSU\_END.

SSU\_R1 You have just mentioned that if you needed support, someone would be available

for you. The next questions are about the support or help you actually received in

the past 12 months.

INTERVIEWER: Press <Enter> to continue.

SSU\_C21 If any responses of 2, 3, 4 or 5 in SSA\_Q02 or SSA\_Q05 or SSA\_Q12 or SSA\_Q15, go to

SSU\_D21A.

Otherwise, go to SSU C22.

SSU\_D21A If SSA\_Q02 = 2, 3, 4, 5, ^DT\_KEYPHRASES21A = "to help you if you were confined to

bed".

If SSA\_Q05 = 2, 3, 4, 5, ^DT\_KEYPHRASES21A = "to take you to the doctor". If SSA\_Q12 = 2, 3, 4, 5, ^DT\_KEYPHRASES21A = "to prepare your meals". If SSA\_Q15 = 2, 3, 4, 5, ^DT\_KEYPHRASES21A = "to help with daily chores".

(^DT\_KEYPHRASES for all positive answers (2, 3, 4 and 5) of questions SSA\_Q02, SSA\_Q05, SSA\_Q12, SSA\_Q15;

If SSA Q02 = 2, 3, 4 or 5 show ^PHRASE from SSA Q02 always in the 1st place:

If 1 PHRASE, show 1st ^PHRASE in lowercase: ^PHRASE1;

If 2 PHRASES, show 1st two ^PHRASES in lowercase: ^PHRASE1 and ^PHRASE2; If 3 or more PHRASES, show in lowercase: ^PHRASE1, ^PHRASE2 and ^PHRASE3).

SSU\_Q21A In the past 12 months, did you receive the following support:

SSU\_21A

Note:

1 Yes

2 No (Go to SSU\_C22)

DK, RF (Go to SSU\_C22)

...someone ^DT KEYPHRASES21A?

# SSU Q21B SSU\_21B

#### When you needed it, how often did you receive this kind of support (in the past 12 months)?

INTERVIEWER: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- Half the time
- 4 Rarely
- 5 Never DK, RF

#### SSU C22

If any responses of 2, 3, 4 or 5 in SSA Q06 or SSA Q10 or SSA Q20, go to SSU D22A. Otherwise, go to SSU C23.

#### SSU\_D22A

If SSA\_Q06 = 2, 3, 4, 5, ^DT\_KEYPHRASES22A = "to show you affection".

If SSA\_Q10 = 2, 3, 4, 5, \(^\DT\_KEYPHRASES22A = ''to hug you''.\)

If SSA\_Q20 = 2, 3, 4, 5, ^DT\_KEYPHRASES22A = "to love you and make you feel

wanted".

#### Note:

(^DT\_KEYPHRASES for all positive answers (2, 3, 4 and 5) of questions SSA\_Q06, SSA Q10, SSA Q20:

If 1 PHRASE, show 1st ^PHRASE in lowercase: ^PHRASE1:

If 2 PHRASES, show 1st two ^PHRASES in lowercase: ^PHRASE1 and ^PHRASE2;

If 3 PHRASES, show in lowercase: ^PHRASE1, ^PHRASE2 and ^PHRASE3).

# SSU Q22A

#### SSU 22A

#### (In the past 12 months, did you receive the following support:) ...someone ^DT KEYPHRASES22A?

- 1 Yes
- 2 No (Go to SSU\_C23) DK, RF (Go to SSU\_C23)

# SSU Q22B SSU 22B

When you needed it, how often did you receive this kind of support (in the past 12 months)?

**INTERVIEWER**: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- Never

SSU C23

If any responses of 2, 3, 4 or 5 in SSA\_Q07 or SSA\_Q11 or SSA\_Q14 or SSA\_Q18, go to SSU\_D23A.

Otherwise, go to SSU\_C24.

SSU D23A

If SSA\_Q07 = 2, 3, 4, 5, ^DT\_KEYPHRASES23A = "to have a good time with".

If SSA\_Q11 = 2, 3, 4, 5, ^DT\_KEYPHRASES23A = "to relax with".

If SSA\_Q14 = 2, 3, 4, 5, ^DT\_KEYPHRASES23A = "to do things with".

If SSA\_Q18 = 2, 3, 4, 5, ^DT\_KEYPHRASES23A = "to do something enjoyable with".

Note:

(DT\_KEYPHRASES for all positive answers (2, 3, 4 and 5) of questions SSA\_Q07,

SSA\_Q11, SSA\_Q14, SSA\_Q18;

If 1 PHRASE, show 1st ^PHRASE in lowercase: ^PHRASE1;

If 2 PHRASES, show 1st two ^PHRASES in lowercase: ^PHRASE1 and ^PHRASE2; If 3 or more PHRASES, show in lowercase: ^PHRASE1, ^PHRASE2 and ^PHRASE3).

SSU\_Q23A SSU\_23A (In the past 12 months, did you receive the following support:) ...someone ^DT KEYPHRASES23A?

1 Yes

2 No (Go to SSU\_C24)

DK, RF (Go to SSU\_C24)

SSU\_Q23B SSU\_23B When you needed it, how often did you receive this kind of support (in the past 12 months)?

INTERVIEWER: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

SSU\_C24

If any responses of 2, 3, 4 or 5 in SSA\_Q03 or SSA\_Q04 or SSA\_Q08 or SSA\_Q09, SSA\_Q13, SSA\_Q16, SSA\_Q17 or SSA\_Q19, go to SSU\_D24A.

Otherwise, go to SSU END.

#### SSU D24A

If SSA\_Q03 = 2, 3, 4, 5, ^DT\_KEYPHRASES24A = "to listen to you".

If SSA Q04 = 2, 3, 4, 5, ^DT KEYPHRASES24A = "to give you advice".

If SSA Q08 = 2, 3, 4, 5, ^DT KEYPHRASES24A = "to give you information".

If  $SSA_Q09 = 2, 3, 4, 5, ^DT_KEYPHRASES24A = "to confide in".$ 

If SSA Q13 = 2, 3, 4, 5, ^DT KEYPHRASES24A = "to advise you".

If SSA\_Q16 = 2, 3, 4, 5, ^DT\_KEYPHRASES24A = "to share your worries and fears

with".

If  $SSA_Q17 = 2$ , 3, 4, 5,  $^DT_KEYPHRASES24A = "to turn to for suggestions".$ 

If SSA\_Q19 = 2, 3, 4, 5, ^DT\_KEYPHRASES24A = "to understand your problems".

#### Note:

(^DT\_KEYPHRASES for all positive answers (2, 3, 4 and 5) of questions SSA\_Q03, SSA\_Q04, SSA\_Q08, SSA\_Q09, SSA\_Q13, SSA\_Q16, SSA\_Q17 or SSA\_Q19; If SSA\_Q04 and SSA\_Q13 = 2, 3, 4 or 5 use only ^KEY\_PHRASE in SSA\_Q04; If 1 PHRASE, show 1st ^PHRASE in lowercase: ^PHRASE1;

If 2 PHRASES, show 1st two ^PHRASES in lowercase: ^PHRASE1 and ^PHRASE2; If 3 or more PHRASES, show in lowercase: ^PHRASE1, ^PHRASE2 and ^PHRASE3).

#### SSU\_Q24A SSU 24A

(In the past 12 months, did you receive the following support:) ...someone ^DT KEYPHRASES24A?

1 Yes

2 No (Go to SSU\_END)
DK, RF (Go to SSU\_END)

#### SSU\_Q24B SSU\_24B

When you needed it, how often did you receive this kind of support (in the past 12 months)?

**INTERVIEWER**: Read categories to respondent.

- 1 Almost always
- 2 Frequently
- 3 Half the time
- 4 Rarely
- 5 Never

DK, RF

SSU END

#### Consultations about mental health (CMH)

CMH BEG Optional Content (See Appendix 2)

CMH\_C01A If (CMH block = 1), go to CMH\_C01B.

Otherwise, go to CMH\_END.

CMH C01B If proxy interview, go to CMH END.

Otherwise, go to CMH\_R01K.

CMH\_R01K Now some questions about mental and emotional well-being

INTERVIEWER: Press <Enter> to continue.

CMH\_Q01K CMH\_01K In the past 12 months, that is, from [date one year ago] to yesterday, have you seen or talked to a health professional about your emotional or mental health?

<u>INTERVIEWER</u>: Include both face to face and telephone contacts.

1 Yes

2 No (Go to CMH\_END) DK, RF (Go to CMH\_END)

CMH\_Q01L How many times (in the past 12 months)?

CMH\_01L

| | | Times

(MIN: 1) (MAX: 366; warning after 25)

DK, RF

CMH Q01M Whom did you see or talk to?

INTERVIEWER: Read categories to respondent. Mark all that apply.

CMH\_1MA 1 Family doctor or general practitioner

CMH\_1MB 2 Psychiatrist CMH\_1MC 3 Psychologist

CMH 1MD 4 Nurse

CMH 1ME 5 Social worker or counsellor

CMH\_1MF 6 Other - Specify (Go to CMH\_S01M)

DK, RF

Go to CMH\_END

\_\_\_\_\_

(80 spaces) DK, RF

CMH\_E01M[1] Inconsistent answers have been entered. The respondent has seen or talked with a family

doctor or general practitioner in the past 12 months but previously reported that he/she did

not. Please confirm.

Note: Trigger soft edit If CMH\_Q01M = 1 (saw a family medical doctor) and CHP\_Q03 = 2.

CMH\_E01M[2] Inconsistent answers have been entered. The respondent has seen or talked with a

psychiatrist in the past 12 months but previously reported that he/she did not. Please

confirm.

Note: Trigger soft edit If CMH\_Q01M = 2 (saw a psychiatrist) and CHP\_Q08 = 2.

CMH\_E01M[3] Inconsistent answers have been entered. The respondent has seen or talked with a

psychologist in the past 12 months but previously reported that he/she did not. Please

confirm.

Note: Trigger soft edit If CMH\_Q01M = 3 (saw a psychologist) and CHP\_Q20 = 2.

CMH\_E01M[4] Inconsistent answers have been entered. The respondent has seen or talked with a nurse

in the past 12 months but previously reported that he/she did not. Please confirm.

Note: Trigger soft edit If CMH\_Q01M = 4 (saw a nurse) and CHP\_Q11 = 2.

CMH E01M[5] Inconsistent answers have been entered. The respondent has seen or talked with a social

worker or counsellor in the past 12 months but previously reported that he/she did not.

Please confirm.

Note: Trigger soft edit If CMH Q01M = 5 (saw a social worker or counsellor) and CHP Q22 =

2.

CMH END

## Distress (DIS)

DIS\_BEG Optional Content (See Appendix 2)

DIS\_C1 If (do DIS block = 1), go to DIS\_C2.

Otherwise, go to DIS\_END.

DIS\_C2 If proxy interview, go to DIS\_END.

Otherwise, go to DIS\_R01.

DIS\_R01 The following questions deal with feelings you may have had during the past

month.

INTERVIEWER: Press <Enter> to continue.

DIS\_Q01A During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:

During the past month, that is, from [date one month ago] to yesterday, about how

... tired out for no good reason?

INTERVIEWER: Read categories to respondent.

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time

DK, RF (Go to DIS\_END)

DIS\_Q01B

DIS\_10B often did you feel:

... nervous?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time (Go to DIS\_Q01D)
  DK, RF (Go to DIS\_Q01D)

## DIS\_Q01C DIS\_10C

## (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

## ... so nervous that nothing could calm you down?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time DK, RF

Note:

In processing, if a respondent answered  $DIS_Q01B = 5$  (none of the time), the variable  $DIS_Q01C$  will be given the value of 5 (none of the time).

## DIS\_Q01D DIS\_10D

(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

## ... hopeless?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time DK, RF

## DIS\_Q01E DIS\_10E

During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:

## ... restless or fidgety?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time (Go to DIS\_Q01G)
  DK, RF (Go to DIS\_Q01G)

Page 240 of 378

## DIS\_Q01F DIS\_10F

## (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

#### ... so restless you could not sit still?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time DK. RF

Note:

In processing, if a respondent answered  $DIS_Q01E = 5$  (none of the time), the variable  $DIS_Q01F$  will be given the value of 5 (none of the time).

## DIS\_Q01G DIS\_10G

(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

## ... sad or depressed?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time (Go to DIS\_Q01I) DK, RF (Go to DIS\_Q01I)

## DIS\_Q01H DIS\_10H

(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

### ... so depressed that nothing could cheer you up?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time DK, RF

Note:

In processing, if a respondent answered DIS\_Q01G = 5 (none of the time), the variable DIS\_Q01H will be given the value of 5 (none of the time).

## DIS\_Q01I DIS\_10I

(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

#### ... that everything was an effort?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time DK. RF

## DIS\_Q01J DIS\_10J

(During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

#### ... worthless?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time DK, RF

DIS C01K

If DIS\_Q01B to DIS\_Q01J are DK or RF, go to DIS\_END. Otherwise, go to DIS\_Q01K.

## DIS\_Q01K DIS\_10K

We just talked about feelings that occurred to different degrees during the past month. Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?

- 1 More often
- 2 Less often (Go to DIS\_Q01M)
- 3 About the same (Go to DIS\_Q01N)
- 4 Never have had any (Go to DIS\_END)

DK, RF (Go to DIS\_END)

## DIS\_Q01L

Is that a lot more, somewhat more or only a little more often than usual?

## DIS\_10L

- 1 A lot
- 2 Somewhat
- 3 A little DK, RF

Go to DIS\_Q01N

## DIS\_Q01M

Is that a lot less, somewhat less or only a little less often than usual?

- DIS\_10M
- 1 A lot
- 2 Somewhat
- 3 A little DK, RF

## DIS\_Q01N DIS\_10N

During the past month, how much did these feelings usually interfere with your life or activities?

INTERVIEWER: Read categories to respondent.

- 1 A lot
- 2 Some
- 3 A little
- 4 **Not at all** DK, RF

DIS\_END

## **Depression (DEP)**

DEP BEG Optional Content (See Appendix 2)

DEP\_C01 If (do DEP block = 1), go to  $DEP\_C02$ .

Otherwise, go to DEP\_END.

DEP C02 If proxy interview, go to DEP\_END.

Otherwise, go to DEP\_Q02.

## DEP Q02

DPS 02

During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?

1 Yes

2 No (Go to DEP\_Q16) DK, RF (Go to DEP\_END)

## DEP\_Q03

**DPS 03** 

For the next few questions, please think of the 2-week period during the past 12 months when these feelings were the worst. During that time, did these feelings usually last:

**INTERVIEWER**: Read categories to respondent.

1 ...all day long?

2 ...most of the day?

(Go to DEP\_Q16) ...about half of the day? ...less than half of a day? (Go to DEP\_Q16)

DK, RF (Go to DEP\_END)

## DEP Q04

How often did you feel this way during those 2 weeks?

### **DPS 04**

INTERVIEWER: Read categories to respondent.

- Every day
- 2 Almost every day
- 3 Less often (Go to DEP\_Q16) DK, RF (Go to DEP\_END)

## DEP Q05 DPS 05

#### During those 2 weeks did you lose interest in most things?

1 Yes

> 2 No

> > DK, RF (Go to DEP\_END)

DEP D05 If DEP Q05 = 1 (Yes), ^DT KEYPHRASEQ05 = "Losing interest". Otherwise, ^DT KEYPHRASEQ05 = "null". DEP Q06 Did you feel tired out or low on energy all of the time? **DPS** 06 1 Yes 2 No DK, RF (Go to DEP\_END) DEP D06 If DEP\_Q06 = 1 (Yes), ^DT\_KEYPHRASEQ06 = "Feeling tired". Otherwise, ^DT\_KEYPHRASEQ06 = "null". DEP Q07 Did you gain weight, lose weight or stay about the same? **DPS 07** 1 Gained weight 2 Lost weight 3 Stayed about the same (Go to DEP Q09) (Go to DEP\_Q09) 4 Was on a diet DK, RF (Go to DEP\_END) DEP D07A If DEP Q07 = 1, ^DT KEYPHRASEQ07 = "Gaining weight". If DEP\_Q07 = 2, ^DT\_KEYPHRASEQ07 = "Losing weight". Otherwise, ^DT KEYPHRASEQ07 = "null". DEP D07B If DEP Q07 = 1, \(^DT\) GAINLOST = "gain". Otherwise, ^DT GAINLOST = "lose". DEP Q08A About how much did you ^DT GAINLOST? DPS\_08A **INTERVIEWER**: Enter amount only. |\_|\_| Weight (MIN: 1) (MAX: 99) DK, RF (Go to DEP\_Q09) DEP N08A **INTERVIEWER**: Was that in pounds or in kilograms? DPS 08B 1 **Pounds** 2 Kilograms (DK, RF are not allowed) DEP E08A An unusual value has been entered. Please confirm. Note: Trigger soft edit if (DEP\_Q08A > 20 and DEP\_N08A = 1 or DEP\_Q08A > 9 and  $DEP_N08A = 2$ ).

DEP Q09 Did you have more trouble falling asleep than you usually do? DPS 09 Yes 1 2 No (Go to DEP\_Q11) DK, RF (Go to DEP END) DEP D09 If DEP\_Q09 = 1 (Yes), ^DT\_KEYPHRASEQ09 = "Trouble falling asleep". Otherwise, ^DT KEYPHRASEQ09 = "null". DEP Q10 How often did that happen? DPS\_10 INTERVIEWER: Read categories to respondent. 1 **Every night** 2 **Nearly every night** 3 Less often DK, RF (Go to DEP\_END) DEP Q11 Did you have a lot more trouble concentrating than usual? **DPS 11** 1 Yes 2 No DK, RF (Go to DEP\_END) DEP\_D11 If DEP\_Q11 = 1 (Yes), ^DT\_KEYPHRASEQ11 = "Trouble concentrating". Otherwise, ^DT KEYPHRASEQ11 = "null". DEP Q12 At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way? DPS 12 1 Yes 2 No DK, RF (Go to DEP\_END) DEP\_D12 If DEP\_Q12 = 1 (Yes), ^DT\_KEYPHRASEQ12 = "Feeling down on yourself". Otherwise, ^DT\_KEYPHRASEQ12 = "null". DEP\_Q13 Did you think a lot about death - either your own, someone else's or death in general? DPS\_13 Yes 1 2 No DK, RF (Go to DEP\_END)

DEP\_D13 If DEP\_Q13 = 1 (Yes), ^DT\_KEYPHRASEQ13 = "Thoughts about death".

Otherwise, ^DT KEYPHRASEQ13 = "null".

DEP\_C14 If "Yes" in DEP\_Q05, DEP\_Q06, DEP\_Q09, DEP\_Q11, DEP\_Q12 or DEP\_Q13, or

DEP\_Q07 is "gain" or "lose", go to DEP\_R14.

Otherwise, go to DEP\_END.

DEP\_R14 Reviewing what you just told me, you had 2 weeks in a row during the past 12

months when you were sad, blue or depressed and also had some other things like (^DT\_KEYPHRASEQ05, ^DT\_KEYPHRASEQ07, ^DT\_KEYPHRASEQ11, ^DT\_KEYPHRASEQ12,

^DT KEYPHRASEQ13).

INTERVIEWER: Press <Enter> to continue.

DEP\_Q14

About how many weeks altogether did you feel this way during the past 12 months?

DPS\_14

|\_|\_| Weeks

(MIN: 2) (MAX: 53)

DK, RF (Go to DEP\_END)

DEP\_C15 If DEP\_Q14 > 51 weeks, go to DEP\_END.

Otherwise, go to DEP Q15.

DEP\_Q15 DPS 15 Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December

DK, RF

Go to DEP\_END

## DEP\_Q16 DPS\_16

During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?

- 1 Yes
- 2 No (Go to DEP\_END)
  DK, RF (Go to DEP\_END)

## DEP\_Q17 DPS 17

For the next few questions, please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last?

INTERVIEWER: Read categories to respondent.

- 1 All day long
- 2 Most of the day
- 3 About half of the day (Go to DEP\_END)
  4 Less than half of a day (Go to DEP\_END)
  DK, RF (Go to DEP\_END)

## DEP\_Q18 DPS 18

How often did you feel this way during those 2 weeks?

INTERVIEWER: Read categories to respondent.

- 1 Every day
- 2 Almost every day
- 3 Less often (Go to DEP\_END)
  DK, RF (Go to DEP\_END)

## DEP\_Q19

During those 2 weeks did you feel tired out or low on energy all the time?

## DPS 19

- 1 Yes
- 2 No

DK, RF (Go to DEP\_END)

DEP D19

If DEP\_Q19 = 1 (Yes), ^DT\_KEYPHRASEQ19 = "Feeling tired". Otherwise, ^DT\_KEYPHRASEQ19 = "null".

## DEP\_Q20

Did you gain weight, lose weight, or stay about the same?

- DPS 20
- 1 Gained weight
- 2 Lost weight
- 3 Stayed about the same (Go to DEP\_Q22)
- 4 Was on a diet (Go to DEP\_Q22)

DK, RF (Go to DEP\_END)

DEP\_D20A If DEP\_Q20 = 1, ^DT\_KEYPHRASEQ20 = "Gaining weight".

If DEP Q20 = 2, ^DT KEYPHRASEQ20 = "Losing weight".

Otherwise, ^DT\_KEYPHRASEQ20 = "null".

DEP D20B If DEP Q20 = 1, \(^DT\) WEIGHT = "gain".

Otherwise, ^DT WEIGHT = "lose".

DEP\_Q21A About how much did you ^DT\_WEIGHT?

DPS 21A

**INTERVIEWER**: Enter amount only.

|\_|\_| Weight

(MIN: 1) (MAX: 99)

DK, RF (Go to DEP\_Q22)

DEP\_N21A <u>INTERVIEWER</u>: Was that in pounds or in kilograms?

DPS\_21B

1 Pounds

2 Kilograms

(DK, RF are not allowed)

DEP\_E21A An unusual value has been entered. Please confirm.

Note: Trigger soft edit if (DEP\_Q21A > 20 and DEP\_N21A = 1 or DEP\_Q21A > 9 and

DEP N21A = 2).

DEP\_Q22 Did you have more trouble falling asleep than you usually do?

DPS 22

1 Yes

2 No (Go to DEP\_Q24) DK, RF (Go to DEP\_END)

DEP\_D22 If DEP\_Q22 = 1 (Yes), ^DT\_KEYPHRASEQ22 = "Trouble falling asleep".

Otherwise, ^DT\_KEYPHRASEQ22 = "null".

DEP\_Q23 How often did that happen?

**DPS 23** 

**INTERVIEWER**: Read categories to respondent.

- 1 Every night
- 2 Nearly every night
- 3 Less often

DK, RF (Go to DEP\_END)

## DEP Q24 Did you have a lot more trouble concentrating than usual? DPS 24 1 Yes 2 Nο DK, RF (Go to DEP\_END) DEP D24 If DEP Q24 = 1 (Yes), ^DT KEYPHRASEQ24 = "Trouble concentrating". Otherwise, ^DT KEYPHRASEQ24 = "null". DEP Q25 At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way? **DPS 25** Yes 1 2 No DK, RF (Go to DEP\_END) DEP\_D25 If DEP\_Q25 = 1 (Yes), ^DT\_KEYPHRASEQ25 = "Feeling down on yourself". Otherwise, ^DT KEYPHRASEQ25 = "null". DEP\_Q26 Did you think a lot about death - either your own, someone else's, or death in general? **DPS 26** 1 Yes 2 Nο DK, RF (Go to DEP\_END) DEP D26 If DEP Q26 = 1 (Yes), ^DT KEYPHRASEQ26 = "Thoughts about death". Otherwise, ^DT KEYPHRASEQ26 = "null". DEP\_C27 If any "Yes" in DEP\_Q19, DEP\_Q22, DEP\_Q24, DEP\_Q25 or DEP\_Q26, or DEP\_Q20 is "gain" or "lose", go to DEP R27. Otherwise, go to DEP END. DEP R27 Reviewing what you just told me, you had 2 weeks in a row during the past 12 months when you lost interest in most things and also had some other things like (^DT\_KEYPHRASEQ19, ^DT\_KEYPHRASEQ20, ^DT\_KEYPHRASEQ22, ^DT\_KEYPHRASEQ24, ^DT\_KEYPHRASEQ25, ^DT\_KEYPHRASEQ26). INTERVIEWER: Press < Enter > to continue. DEP Q27 About how many weeks did you feel this way during the past 12 months? **DPS 27** |\_|\_| Weeks (MIN: 2) (MAX: 53) DK, RF (Go to DEP\_END)

DEP\_C28 If DEP\_Q27 > 51, go to DEP\_END. Otherwise, go to DEP\_Q28.

## DEP\_Q28 DPS 28

Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December DK, RF

DEP\_END

## Suicidal thoughts and attempts (SUI)

SUI BEG Optional Content (See Appendix 2)

SUI\_C1A If (do SUI block = 2), go to SUI\_END.

Otherwise, go to SUI\_C1B.

SUI\_C1B If proxy interview or if age < 15, go to SUI\_END.

Otherwise, go to SUI\_R1.

SUI\_R1 The following questions relate to the sensitive issue of suicide.

INTERVIEWER: Press <Enter> to continue.

## SUI\_Q1 Have you ever seriously considered committing suicide or taking your own life?

SUI\_1

1 Yes

2 No (Go to SUI\_END) DK, RF (Go to SUI\_END)

## SUI\_Q2 Has this happened in the past 12 months?

SUI 2

1 Yes

2 No (Go to SUI\_END) DK, RF (Go to SUI\_END)

## SUI\_Q3 Have you ever attempted to commit suicide or tried taking your own life?

SUI\_3

1 Yes

2 No (Go to SUI\_END) DK, RF (Go to SUI\_END)

# SUI\_Q4 Did this happen in the past 12 months?

\_\_ 1 Yes

2 No (Go to SUI\_END) DK, RF (Go to SUI\_END)

## SUI\_Q5 Did you see or talk to a health professional following your attempt to commit suicide?

<u>INTERVIEWER</u>: Include both face to face and telephone contacts.

1 Yes

2 No (Go to SUI\_END) DK, RF (Go to SUI\_END)

## SUI\_Q6 Whom did you see or talk to?

INTERVIEWER: Read categories to respondent. Mark all that apply.

SUI_6A	1	Family doctor or general practitioner
SUI_6B	2	Psychiatrist
SUI_6C	3	Psychologist
SUI_6D	4	Nurse
SUI_6E	5	Social worker or counsellor
SUI_6G	6	Religious or spiritual advisor such as a priest, chaplain or rabbi
SUI_6H	7	Teacher or guidance counsellor
SUI_6F	8	Other
		DK, RF

SUI\_END

## Health status (SF-36) (SFR)

SFR\_BEG Optional Content (See Appendix 2)

SFR\_C03 If (do SFR block = 1), go to SFR\_R03A.

Otherwise, go to SFR END.

SFR R03A Although some of the follo

Although some of the following questions may seem repetitive, the next section deals with another way of measuring health status.

INTERVIEWER: Press <Enter> to continue.

SFR\_R03B The questions are about how ^YOU2 feel^S and how well ^YOU1 ^ARE able to do

^YOUR1 usual activities.

<u>INTERVIEWER</u>: Press <Enter> to continue.

SFR\_Q03 SFR 03 I'll start with a few questions concerning activities ^YOU2 might do during a typical day. Does ^YOUR1 health limit ^HIMHER in any of the following activities:

...in vigorous activities, such as running, lifting heavy objects, or participating in strenuous sports?

**INTERVIEWER**: Read categories to respondent.

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited

DK, RF (Go to SFR\_END)

SFR\_Q04

(Does ^YOUR1 health limit ^HIMHER:)

SFR 04

...in moderate activities, such as moving a table, pushing a vacuum cleaner, bowling, or playing golf?

**INTERVIEWER**: Read categories to respondent.

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited

## (Does ^YOUR1 health limit ^HIMHER:)

## SFR\_05

...in lifting or carrying groceries?

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited DK, RF

## SFR\_Q06

## (Does ^YOUR1 health limit ^HIMHER:)

## SFR 06

...in climbing several flights of stairs?

- 1 Limited a lot
- 2 Limited a little
- Not at all limited DK, RF

## SFR\_Q07

## (Does ^YOUR1 health limit ^HIMHER:)

## SFR\_07

...in climbing one flight of stairs?

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited DK, RF

## SFR\_Q08 SFR\_08

## (Does ^YOUR1 health limit ^HIMHER:)

## ...in bending, kneeling, or stooping?

- 1 Limited a lot
- 2 Limited a little3 Not at all limited
  - DK, RF

## SFR\_Q09 SFR\_09

## (Does ^YOUR1 health limit ^HIMHER:)

## ...in walking more than one kilometre?

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited DK, RF

## (Does ^YOUR1 health limit ^HIMHER:)

## SFR\_10

...in walking several blocks?

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited DK. RF

## SFR\_Q11

## (Does ^YOUR1 health limit ^HIMHER:)

## SFR 11

...in walking one block?

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited DK, RF

## SFR\_Q12

## (Does ^YOUR1 health limit ^HIMHER:)

## SFR\_12

...in bathing and dressing ^YOURSELF?

- 1 Limited a lot
- 2 Limited a little
- 3 Not at all limited DK, RF

## SFR\_Q13 SFR\_13

Now a few questions about problems with ^YOUR2 work or with other regular daily activities. Because of ^YOUR1 physical health, during the past 4 weeks, did ^YOU2:

...cut down on the amount of time ^YOU1 spent on work or other activities?

- 1 Yes
- 2 No

DK, RF

## SFR\_Q14

Because of ^YOUR1 physical health, during the past 4 weeks, did ^YOU2:

## SFR 14

...accomplish less than ^YOU1 would like?

- 1 Yes
- 2 No

(Because of ^YOUR1 physical health, during the past 4 weeks,) ^WERE ^YOU2:

SFR\_15

...limited in the kind of work or other activities?

- 1 Yes
- 2 No

DK, RF

## SFR\_Q16

(Because of ^YOUR1 physical health, during the past 4 weeks,) did ^YOU2:

SFR\_16

...have difficulty performing the work or other activities (for example, it took extra effort)?

- 1 Yes
- 2 No

DK, RF

## SFR\_Q17 SFR 17

Next a few questions about problems with ^YOUR2 work or with other regular daily activities due to emotional problems (such as feeling depressed or anxious). Because of emotional problems, during the past 4 weeks, did ^YOU2:

...cut down on the amount of time ^YOU1 spent on work or other activities?

- 1 Yes
- 2 No

DK

RF (Go to SFR\_END)

## SFR\_Q18

Because of emotional problems, during the past 4 weeks, did ^YOU2:

## SFR\_18

...accomplish less than ^YOU1 would like?

- 1 Yes
- 2 No

DK, RF

## SFR\_Q19

(Because of emotional problems, during the past 4 weeks,) did ^YOU2:

SFR\_19

...not do work or other activities as carefully as usual?

- 1 Yes
- 2 No

## SFR\_Q20 SFR\_20

During the past 4 weeks, how much has "YOUR1 physical health or emotional problems interfered with "YOUR1 normal social activities with family, friends, neighbours, or groups?

INTERVIEWER: Read categories to respondent.

- 1 Not at all
- 2 A little bit
- 3 Moderately
- 4 Quite a bit
- 5 **Extremely** DK, RF

#### SFR Q21

During the past 4 weeks, how much bodily pain ^HAVE ^YOU1 had?

## SFR 21

INTERVIEWER: Read categories to respondent.

- 1 None
- 2 Very mild
- 3 Mild
- 4 Moderate
- 5 Severe
- 6 Very severe DK, RF

## SFR\_Q22 SFR 22

During the past 4 weeks, how much did pain interfere with **^YOUR1** normal work (including work both outside the home and housework)?

**INTERVIEWER**: Read categories to respondent.

- 1 Not at all
- 2 A little bit
- 3 Moderately
- 4 Quite a bit
- 5 **Extremely** DK, RF

#### SFR R23

The next questions are about how ^YOU2 felt and how things have been with ^HIMHER during the past 4 weeks. For each question, please indicate the answer that comes closest to the way ^YOU2 ^HAVE been feeling.

**INTERVIEWER**: Press <Enter> to continue.

## During the past 4 weeks, how much of the time:

## SFR\_23

...did ^YOU2 feel full of pep?

INTERVIEWER: Read categories to respondent.

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## SFR\_Q24

(During the past 4 weeks, how much of the time:)

## SFR\_24

... AHAVE AYOU2 been a very nervous person?

**INTERVIEWER**: Read categories to respondent.

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 **None of the time** DK, RF

## SFR\_Q25

(During the past 4 weeks, how much of the time:)

## SFR\_25

...^HAVE ^YOU1 felt so down in the dumps that nothing could cheer ^HIMHER up?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## (During the past 4 weeks, how much of the time:)

## SFR\_26

## ... AHAVE AYOU1 felt calm and peaceful?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## SFR\_Q27

#### (During the past 4 weeks, how much of the time:)

## SFR\_27

## ...did ^YOU1 have a lot of energy?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## SFR\_Q28

## During the past 4 weeks, how much of the time:

## SFR\_28

## ... AHAVE AYOU1 felt downhearted and blue?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## SFR\_Q29

## (During the past 4 weeks, how much of the time:)

## SFR\_29

## ...did ^YOU1 feel worn out?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## (During the past 4 weeks, how much of the time:)

## SFR\_30

## ... AHAVE AYOU1 been a happy person?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## SFR\_Q31

## (During the past 4 weeks, how much of the time:)

## SFR\_31

#### ...did ^YOU1 feel tired?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

## SFR\_Q32 SFR\_32

## During the past 4 weeks, how much of the time has **^YOUR1** health limited **^YOUR1** social activities (such as visiting with friends or close relatives)?

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time DK, RF

#### SFR D33

If interview is non-proxy, ^DT\_FNAMEI = "I".

Otherwise, ^DT\_FNAMEI = "^FNAME".

SFR\_Q33 SFR\_33 Now please tell me the answer that best describes how true or false each of the following statements is for ^YOU2.

^DT FNAMEI seem^S to get sick a little easier than other people.

INTERVIEWER: Read categories to respondent.

- 1 Definitely true
- 2 Mostly true
- 3 Not sure
- 4 Mostly false
- 5 **Definitely false**

DK. RF

SFR\_D34A

If interview is non-proxy, ^DT\_AMIS = "am".

Otherwise, ^DT\_AMIS = "is".

SFR\_D34B

If interview is non-proxy, ^DT\_IHESHE = "I".

If interview is proxy and sex = male, ^DT\_IHESHE = "he".

Otherwise, ^DT IHESHE = "she".

SFR\_D34C

(not applicable)

SFR\_D34D

(not applicable)

## SFR\_Q34 SFR\_34

(Please tell me the answer that best describes how true or false each of the following statements is for ^YOU2.)

^DT FNAMEI ^DT AMIS as healthy as anybody ^DT IHESHE know^S.

**INTERVIEWER**: Read categories to respondent.

- 1 Definitely true
- 2 Mostly true
- 3 Not sure
- 4 Mostly false
- 5 Definitely false

DK, RF

SFR\_D35A

If interview is non-proxy, ^DT\_MYHISHER = "my".

If interview is proxy and sex = male, ^DT\_MYHISHER = "his".

Otherwise, ^DT\_MYHISHER = "her".

SFR\_D35B (not applicable)

## SFR\_Q35 SFR\_35

(Please tell me the answer that best describes how true or false each of the following statements is for ^YOU2.)

^DT\_FNAMEI expect^S ^DT\_MYHISHER health to get worse.

- 1 Definitely true
- 2 Mostly true
- 3 Not sure
- 4 Mostly false
- 5 Definitely false

DK, RF

SFR\_D36

If interview is non-proxy, ^DT\_MYFNAME = "My". Otherwise, ^DT\_MYFNAME = "^FNAME's".

SFR\_Q36 SFR\_36 (Please tell me the answer that best describes how true or false each of the following statements is for ^YOU2.)

## **^DT\_MYFNAME** health is excellent.

- 1 Definitely true
- 2 Mostly true
- 3 Not sure
- 4 Mostly false
- 5 Definitely false DK, RF

SFR\_END

## Stigma towards depression (STG)

STG\_BEG Content block

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOSTG: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

STG\_C01A If DOSTG = 1, go to STG\_C01B.

Otherwise, go to STG\_END.

 $STG\_C01B$  If PROXMODE = 1, go to  $STG\_END$ .

Otherwise, go to STG\_R01.

STG\_R01 The next questions deal with how people feel toward those who have had depression. By depression, we mean a prolonged period of sadness or loss of interest in usual activities that interferes in daily life.

I am going to read you a series of statements. For each of the following statements, please tell me how you think most people you know would feel even if you don't share their opinion. We'll ask about your own personal views later.

INTERVIEWER: Press <Enter> to continue.

STG\_Q01 Most people you know would not willingly accept someone who has had depression as a close friend. Do you:

<u>INTERVIEWER</u>: Read categories to respondent. Most people you know includes for example family, friends, colleagues.

- 1 ... strongly agree?
- 2 ... agree?
- 3 ... neither agree nor disagree?
- 4 ... disagree?
- 5 ... strongly disagree?

## STG\_Q02

## Most people you know believe that someone who has had depression is not trustworthy. (Do you:)

<u>INTERVIEWER</u>: If necessary, read categories to respondent. Most people you know includes for example family, friends, colleagues.

- 1 ... strongly agree?
- 2 ... agree?
- 3 ... neither agree nor disagree?
- 4 ... disagree?
- 5 ... strongly disagree?

DK, RF

## STG\_Q03

#### Most people you know think less of a person who has had depression. (Do you:)

<u>INTERVIEWER</u>: If necessary, read categories to respondent. Most people you know includes for example family, friends, colleagues.

- 1 ... strongly agree?
- 2 ... agree?
- 3 ... neither agree nor disagree?
- 4 ... disagree?
- 5 ... strongly disagree?

DK, RF

### STG\_Q04

## Most employers would not consider an application from someone who has had depression. Do you:

<u>INTERVIEWER</u>: Read categories to respondent. Most people you know includes for example family, friends, colleagues.

- 1 ... strongly agree?
- 2 ... agree?
- 3 ... neither agree nor disagree?
- 4 ... disagree?
- 5 ... strongly disagree?

## STG\_Q05

## Most people you know would be reluctant to date someone who has had depression. (Do you:)

<u>INTERVIEWER</u>: If necessary, read categories to respondent. Most people you know includes for example family, friends, colleagues.

- 1 ... strongly agree?
- 2 ... agree?
- 3 ... neither agree nor disagree?
- 4 ... disagree?
- 5 ... strongly disagree?

DK, RF

## STG\_Q06

Once they know a person has had depression, most people you know would take their opinions less seriously. (Do you:)

<u>INTERVIEWER</u>: If necessary, read categories to respondent. Most people you know includes for example family, friends, colleagues.

- 1 ... strongly agree?
- 2 ... agree?
- 3 ... neither agree nor disagree?
- 4 ... disagree?
- 5 ... strongly disagree?

DK, RF

## STG\_Q07

Now, think about your own feelings. Overall, you share the opinions of most people you know regarding people who have had depression. Do you:

<u>INTERVIEWER</u>: If necessary, read categories to respondent. Most people you know includes for example family, friends, colleagues.

- 1 ... strongly agree?
- 2 ... agree?
- 3 ... neither agree nor disagree?
- 4 ... disagree?
- 5 ... strongly disagree?

DK, RF

## STG\_B08

Call Sub-bloc "Mental Health Experiences" (MHE)

STG\_END

## Mental Health Experiences - sub-bloc (MHE)

MHE\_BEG Content block

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DONME: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

MHE\_C01A If PROXMODE = 1, go to MHE\_END.

Otherwise, go to MHE\_R01.

MHE\_R01 The following questions ask about your personal experiences with people who have had emotional or mental health problems. By this, we mean emotional or

mental conditions that may need treatment from a health professional.

INTERVIEWER: Press < Enter> to continue.

MHE\_Q01A Have you ever worked or volunteered in a program that provides treatment services to people with emotional or mental health problems?

INTERVIEWER: For these questions, do not include substance abuse.

1 Yes

2 No (Go to MHE\_Q02A) DK, RF (Go to MHE\_Q02A)

MHE\_Q01B Was this in the past 12 months?

1 Yes

2 No

### MHE\_Q02A

## To your knowledge, have you ever worked with someone who has been treated for an emotional or mental health problem?

<u>INTERVIEWER</u>: This question refers to working as colleagues. If the respondent worked or volunteered in a program that provides mental health treatment services, those clients should not be counted again in this question.

- 1 Yes
- 2 No (Go to MHE\_Q03A) DK, RF (Go to MHE\_Q03A)

## MHE\_Q02B

## Was this in the past 12 months?

- 1 Yes
- 2 No

DK, RF

## MHE\_Q03A

Has a close member of your family, such as a spouse, a parent, a child, a brother or a sister, ever received treatment for an emotional or mental health problem?

- 1 Yes
- 2 No (Go to MHE\_Q04A) DK, RF (Go to MHE\_Q04A)

## MHE Q03B

## Was this in the past 12 months?

- 1 Yes
- 2 No

DK, RF

### MHE\_Q04A

Have any of your close friends ever been treated for an emotional or mental health problem?

- 1 Yes
- 2 No (Go to MHE\_Q05A) DK, RF (Go to MHE\_Q05A)

## MHE\_Q04B

## Was this in the past 12 months?

- 1 Yes
- 2 No

#### MHE Q05A

Have you ever received treatment for an emotional or mental health problem?

1 Yes

2 Nο (Go to MHE END) DK, RF (Go to MHE\_END)

### MHE Q05B

Was this in the past 12 months?

Yes 1

2 No (Go to MHE END) DK, RF (Go to MHE\_END)

## MHE Q06

During the past 12 months, did you feel that anyone held negative opinions about you or treated you unfairly because of your past or current emotional or mental health problem?

1 Yes

2 Nο (Go to MHE END) DK, RF (Go to MHE END)

#### MHE R06B

Please tell me how this affected you. For each question, answer with a number between 0 and 10; where 0 means you have not been affected while 10 means you have been severely affected.

INTERVIEWER: Press < Enter> to continue.

## MHE\_Q06A

During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:

#### ... your family relationships?

INTERVIEWER: If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.

> 0 means has not been affected while 10 means has been severely affected.

(MIN: 0) (MAX: 10)

#### MHE Q06B

## (During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

### ... your romantic life?

INTERVIEWER: If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.

> 0 means has not been affected while 10 means has been severely affected.

(MIN: 0) (MAX: 10)

DK. RF

MHE\_Q06C

(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

## ...your work or school life?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.

0 means has not been affected while 10 means has been severely affected.

(MIN: 0) (MAX: 11)

DK, RF

MHE Q06D

(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

#### ...your financial situation?

INTERVIEWER: If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.

> 0 means has not been affected while 10 means has been severely affected.

I I I

(MIN: 0) (MAX: 10)

## MHE\_Q06E

(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

## ...your housing situation?

INTERVIEWER: If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself. 0 means has not been affected while 10 means has been severely affected.

(MIN: 0) (MAX: 10)

DK, RF

MHE\_END

## Access to health care services (ACC)

ACC\_BEG Theme content. Only asked of a sub-sample.

ACC\_C1 If (do ACC block = 1), go to ACC\_C2.

Otherwise, go to ACC\_END.

ACC\_C2 If proxy interview or if age < 15, go to ACC\_END.

Otherwise, go to ACC\_D10.

ACC\_D10 If respondent is male, ^DT\_SPECIALIST = "urologist".

Otherwise, ^DT SPECIALIST = "gynaecologist".

ACC\_R10 The next questions are about the use of various health care services.

I will start by asking about your experiences getting health care from a medical specialist such as a cardiologist, allergist, ^DT\_SPECIALIST or psychiatrist (excluding an optometrist)

INTERVIEWER: Press <Enter> to continue.

ACC\_Q10 In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?

1 Yes

2 No (Go to ACC\_R20) DK, RF (Go to ACC\_R20)

ACC\_Q11 In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation?

1 Yes

2 No (Go to ACC\_R20) DK, RF (Go to ACC\_R20)

## ACC\_Q12 What type of difficulties did you experience?

INTERVIEWER: Mark all that apply.

ACC_12A	01	Difficulty getting a referral
ACC_12B	02	Difficulty getting an appointment
ACC_12C	03	No specialists in the area
ACC_12D	04	Waited too long - between booking appointment and visit
ACC_12E	05	Waited too long - to see the doctor (i.e. in-office waiting)
ACC_12F	06	Transportation - problems
ACC_12G	07	Language - problem
ACC_12H	80	Cost
ACC_12I	09	Personal or family responsibilities
ACC_12J	10	General deterioration of health
ACC_12K	11	Appointment cancelled or deferred by specialist
ACC_12L	12	Still waiting for visit
ACC_12M	13	Unable to leave the house because of a health problem
ACC_12N	14	Other - Specify (Go to ACC_S12)
		DK, RF

Go to ACC\_R20

ACC\_S12 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

ACC\_R20

The following questions are about any surgery not provided in an emergency that you may have required, such as cardiac surgery, joint surgery, caesarean sections and cataract surgery, excluding laser eye surgery.

**INTERVIEWER**: Press <Enter> to continue.

## ACC\_Q20

In the past 12 months, did you require any non-emergency surgery?

ACC\_20

1 Yes

2 No (Go to ACC\_R30) DK, RF (Go to ACC\_R30)

ACC\_Q21 ACC\_21 In the past 12 months, did you ever experience any difficulties getting the surgery you needed?

1 Yes

2 No (Go to ACC\_R30) DK, RF (Go to ACC\_R30)

#### ACC\_Q22 What type of difficulties did you experience?

INTERVIEWER: Mark all that apply.

ACC_22A	01 Difficulty getting an appointment with a surgeon
ACC_22B	02 Difficulty getting a diagnosis
ACC_22C	03 Waited too long - for a diagnostic test
ACC_22D	04 Waited too long - for a hospital bed to become available
ACC_22E	05 Waited too long - for surgery
ACC_22F	06 Service not available - in the area
ACC_22G	07 Transportation - problems
ACC_22H	08 Language - problem
ACC_22I	09 Cost
ACC_22J	10 Personal or family responsibilities
ACC_22K	11 General deterioration of health
ACC_22L	12 Appointment cancelled or deferred by surgeon or hospital
ACC_22M	13 Still waiting for surgery
ACC_22N	14 Unable to leave the house because of a health problem
ACC_22O	15 Other - Specify (Go to ACC_S22)
	DK, RF
	O. t. 100 Boo

Go to ACC\_R30

#### ACC S22 INTERVIEWER: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

ACC\_R30 Now some questions about MRIs, CAT Scans and angiographies provided in a non-

emergency situation.

<u>INTERVIEWER</u>: Press <Enter> to continue.

# ACC\_Q30 In the past 12 months, did you require one of these tests? ACC\_30

1 Yes

2 No (Go to ACC\_R40) DK, RF (Go to ACC\_R40)

# ACC\_Q31 In the past 12 months, did you ever experience any difficulties getting the tests you needed?

1 Yes

2 No (Go to ACC\_R40) DK, RF (Go to ACC\_R40)

#### ACC\_Q32 What type of difficulties did you experience?

INTERVIEWER: Mark all that apply.

ACC_32A	01	Difficulty getting a referral
ACC_32B	02	Difficulty getting an appointment
ACC_32C	03	Waited too long - to get an appointment
ACC_32D	04	Waited too long - to get test (i.e. in-office waiting)
ACC_32E	05	Service not available - at time required
ACC_32F	06	Service not available - in the area
ACC_32G	07	Transportation - problems
ACC_32H	08	Language - problem
ACC_32I	09	Cost
ACC_32J	10	General deterioration of health
ACC_32K	11	Did not know where to go (i.e. information problems)
ACC_32L	12	Still waiting for test
ACC_32M	13	Unable to leave the house because of a health problem
ACC_32N	14	Other - Specify (Go to ACC_S32)
		DK, RF

Go to ACC\_R40

ACC\_S32 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

ACC\_R40

Now I'd like you to think about yourself and family members living in your dwelling.

The next questions are about your experiences getting health information or advice when you needed them for yourself or a family member living in your dwelling.

INTERVIEWER: Press <Enter> to continue.

ACC\_Q40 ACC\_40 In the past 12 months, have you required health information or advice for yourself or a family member?

1 Yes

2 No (Go to ACC\_R50) DK, RF (Go to ACC\_R50)

#### ACC\_Q40A

## Who did you contact when you needed health information or advice for yourself or a family member?

INTERVIEWER: Read categories to respondent. Mark all that apply.

ACC\_40A ACC\_40B

- 1 Doctor's office
- 2 Community health centre / CLSC 3 Walk-in clinic

ACC\_40C ACC 40D

4 Telephone health line (for example, HealthLinks, Telehealth Ontario, Health-Line, TeleCare, Info-Santé)

ACC\_40E ACC\_40F ACC\_40G

- 5 Hospital emergency room
- 6 Other hospital service
- 7 Other Specify (Go to ACC\_S40A)
  DK, RF

Go to ACC\_Q41

ACC S40A

INTERVIEWER: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

00.044

ACC\_Q41 ACC 41 In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed for yourself or a family member?

- 1 Yes
- 2 No (Go to ACC\_R50) DK, RF (Go to ACC\_R50)

#### ACC\_Q42 ACC 42

Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

<u>INTERVIEWER</u>: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

- 1 Yes
- 2 No (Go to ACC\_Q44)
  3 Not required at this time (Go to ACC\_Q44)
  DK, RF (Go to ACC\_Q44)

#### ACC\_Q43 What type of difficulties did you experience?

INTERVIEWER: Mark all that apply.

ACC_43A	1	Difficulty contacting a physician or nurse
ACC_43B	2	Did not have a phone number
ACC_43C	3	Could not get through (i.e. no answer)
ACC_43D	4	Waited too long to speak to someone
ACC_43E	5	Did not get adequate info or advice
ACC_43F	6	Language - problem
ACC_43G	7	Did not know where to go / call / uninformed
ACC_43H	8	Unable to leave the house because of a health problem
ACC_43I	9	Other - Specify (Go to ACC_S43)
		DK, RF

Go to ACC\_Q44

#### ACC\_S43 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

ACC\_Q44

ACC 44

Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

<u>INTERVIEWER</u>: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

1 Yes

2 No (Go to ACC\_Q46) 3 Not required at this time (Go to ACC\_Q46) DK, RF (Go to ACC\_Q46)

#### ACC\_Q45 What type of difficulties did you experience?

**INTERVIEWER**: Mark all that apply.

ACC_45A	1	Difficulty contacting a physician or nurse
ACC_45B	2	Did not have a phone number
ACC_45C	3	Could not get through (i.e. no answer)
ACC_45D	4	Waited too long to speak to someone
ACC_45E	5	Did not get adequate info or advice
ACC_45F	6	Language - problem
ACC_45G	7	Did not know where to go / call / uninformed
ACC_45H	8	Unable to leave the house because of a health problem
ACC_45I	9	Other - Specify (Go to ACC_S45)
		DK, RF

Go to ACC\_Q46

ACC S45 INTERVIEWER: Specify.

(80 spaces)

DK, RF

ACC Q46 ACC\_46

Did you experience difficulties getting health information or advice during the middle of the night?

INTERVIEWER: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

1 Yes

2 (Go to ACC\_R50) No

3 Not required at this time (Go to ACC\_R50) DK, RF (Go to ACC\_R50)

ACC\_Q47 What type of difficulties did you experience?

**INTERVIEWER**: Mark all that apply.

ACC 47A 1 Difficulty contacting a physician or nurse 2 ACC\_47B Did not have a phone number 3 ACC 47C Could not get through (i.e. no answer) ACC\_47D 4 Waited too long to speak to someone 5 ACC 47E Did not get adequate info or advice ACC\_47F 6 Language - problem ACC 47G 7 Did not know where to go / call / uninformed ACC\_47H 8 Unable to leave the house because of a health problem ACC 47I

9 Other - Specify (Go to ACC S47)

DK, RF

Go to ACC\_R50

ACC S47 **INTERVIEWER:** Specify.

(80 spaces)

DK. RF

ACC\_R50

Now some questions about your experiences when you needed health care services for routine or on-going care such as a medical exam or follow-up for yourself or a family member living in your dwelling.

INTERVIEWER: Press <Enter> to continue.

ACC\_Q50A

Do you have a regular family doctor?

- ACC\_50A
- 1 Yes
- 2 No
  - DK, RF

ACC\_Q50 ACC 50 In the past 12 months, did you require any routine or on-going care for yourself or a family member?

- 1 Yes
- 2 No (Go to ACC\_R60) DK, RF (Go to ACC\_R60)

ACC\_Q51 ACC\_51 In the past 12 months, did you ever experience any difficulties getting the routine or on-going care you or a family member needed?

- 1 Yes
- 2 No (Go to ACC\_R60) DK, RF (Go to ACC\_R60)

ACC\_Q52 ACC\_52 Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

<u>INTERVIEWER</u>: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

- 1 Yes
- 2 No (Go to ACC\_Q54)
- 3 Not required at this time (Go to ACC\_Q54)
  DK, RF (Go to ACC\_Q54)

#### ACC\_Q53 What type of difficulties did you experience?

INTERVIEWER: Mark all that apply.

ACC_53A	01	Difficulty contacting a physician
ACC_53B	02	Difficulty getting an appointment
ACC_53C	03	Do not have personal / family physician
ACC_53D	04	Waited too long - to get an appointment
ACC_53E	05	Waited too long - to see the doctor (i.e. in-office waiting)
ACC_53F	06	Service not available - at time required
ACC_53G	07	Service not available - in the area
ACC_53H	80	Transportation - problems
ACC_53I	09	Language - problem
ACC_53J	10	Cost
ACC_53K	11	Did not know where to go (i.e. information problems)
ACC_53L	12	Unable to leave the house because of a health problem
ACC_53M	13	Other - Specify (Go to ACC_S53)
		DK, RF

Go to ACC\_Q54

ACC\_S53 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

#### ACC\_Q54 ACC\_54

Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday or 9:00 am to 5:00 pm, Saturdays and Sundays)?

<u>INTERVIEWER</u>: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

1 Yes

2 No (Go to ACC\_R60) 3 Not required at this time (Go to ACC\_R60) DK, RF (Go to ACC\_R60)

#### ACC\_Q55 What type of difficulties did you experience?

**INTERVIEWER**: Mark all that apply.

ACC_55A	01	Difficulty contacting a physician
ACC_55B	02	Difficulty getting an appointment
ACC_55C	03	Do not have personal / family physician
ACC_55D	04	Waited too long - to get an appointment
ACC_55E	05	Waited too long - to see the doctor (i.e. in-office waiting)
ACC_55F	06	Service not available - at time required
ACC_55G	07	Service not available - in the area
ACC_55H	08	Transportation - problems
ACC_55I	09	Language - problem
ACC_55J	10	Cost
ACC_55K	11	Did not know where to go (i.e. information problems)
ACC_55L	12	Unable to leave the house because of a health problem
ACC_55M	13	Other - Specify (Go to ACC_S55)
		DK, RF

Go to ACC\_R60

ACC\_S55 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

ACC\_R60

The next questions are about situations when you or a family member have needed immediate care for a minor health problem such as fever, headache, a sprained ankle, vomiting or an unexplained rash.

INTERVIEWER: Press <Enter> to continue.

#### ACC\_Q60 ACC 60

In the past 12 months, have you or a family member required immediate health care services for a minor health problem?

1 Yes

2 No (Go to ACC\_END)
DK, RF (Go to ACC\_END)

#### ACC\_Q61 ACC 61

In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member?

1 Yes

2 No (Go to ACC\_END) DK, RF (Go to ACC\_END)

#### ACC\_Q62 ACC\_62

# Did you experience difficulties getting such care during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

<u>INTERVIEWER</u>: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

1 Yes

2 No (Go to ACC\_Q64)
3 Not required at this time (Go to ACC\_Q64)
DK, RF (Go to ACC\_Q64)

#### ACC\_Q63

#### What type of difficulties did you experience?

**INTERVIEWER**: Mark all that apply.

01	Difficulty contacting a physician
02	Difficulty getting an appointment
03	Do not have personal / family physician
04	Waited too long - to get an appointment
05	Waited too long - to see the doctor (i.e. in-office waiting)
06	Service not available - at time required
07	Service not available - in the area
08	Transportation - problems
09	Language - problem
10	Cost
11	Did not know where to go (i.e. information problems)
12	Unable to leave the house because of a health problem
13	Other - Specify (Go to ACC_S63)
	DK, RF
	02 03 04 05 06 07 08 09 10 11

Go to ACC\_Q64

#### ACC\_S63

**INTERVIEWER**: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

ACC\_Q64

### ACC 64

Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday or 9:00 am to 5:00 pm, Saturdays and Sundays)?

<u>INTERVIEWER</u>: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

1 Yes

2 No (Go to ACC\_Q66) 3 Not required at this time (Go to ACC\_Q66) DK, RF (Go to ACC\_Q66)

#### ACC\_Q65 What type of difficulties did you experience?

**INTERVIEWER**: Mark all that apply.

ACC_65A	01	Difficulty contacting a physician
ACC_65B	02	Difficulty getting an appointment
ACC_65C	03	Do not have personal / family physician
ACC_65D	04	Waited too long - to get an appointment
ACC_65E	05	Waited too long - to see the doctor (i.e. in-office waiting)
ACC_65F	06	Service not available - at time required
ACC_65G	07	Service not available - in the area
ACC_65H	08	Transportation - problems
ACC_65I	09	Language - problem
ACC_65J	10	Cost
ACC_65K	11	Did not know where to go (i.e. information problems)
ACC_65L	12	Unable to leave the house because of a health problem
ACC_65M	13	Other - Specify (Go to ACC_S65)
		DK, RF

Go to ACC\_Q66

ACC\_S65 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_\_

(80 spaces) DK, RF

ACC\_Q66

Did you experience difficulties getting such care during the middle of the night?

ACC\_66

<u>INTERVIEWER</u>: It is important to make a distinction between "No" (Did not experience problems) and "Did not require at this time".

1 Yes

2 No (Go to ACC\_END)

3 Not required at this time (Go to ACC\_END)
DK, RF (Go to ACC\_END)

## ACC\_Q67 What type of difficulties did you experience?

**INTERVIEWER**: Mark all that apply.

ACC_67A	01	Difficulty contacting a physician
ACC_67B	02	Difficulty getting an appointment
ACC_67C	03	Do not have personal / family physician
ACC_67D	04	Waited too long - to get an appointment
ACC_67E	05	Waited too long - to see the doctor (i.e. in-office waiting)
ACC_67F	06	Service not available - at time required
ACC_67G	07	Service not available - in the area
ACC_67H	08	Transportation - problems
ACC_67I	09	Language - problem
ACC_67J	10	Cost
ACC_67K	11	Did not know where to go (i.e. information problems)
ACC_67L	12	Unable to leave the house because of a health problem
ACC_67M	13	Other - Specify (Go to ACC_S67)
		DK, RF

Go to ACC\_END

ACC\_S67 <u>INTERVIEWER</u>: Specify.

-

(80 spaces) DK, RF

ACC\_END

#### Waiting times (WTM)

WTM\_BEG Theme content. Only asked of a sub-sample.

WTM\_C01 If (do WTM block = 1), go to WTM\_C02.

Otherwise, go to WTM\_END.

WTM C02 If proxy interview or if age < 15, go to WTM END.

Otherwise, go to WTM\_C03.

WTM\_C03 If ACC\_Q10 = 2 (did not require a visit to a specialist) and ACC\_Q20 = 2 (did not require

non emergency surgery) and ACC\_Q30 = 2 (did not require tests)) or (ACC\_Q10 = (DK, RF, BLANK) and ACC\_Q20 = (DK, RF, BLANK) and ACC\_Q30 = (DK, RF, BLANK)) or ((ACCS\_Q10 = 2 and ACCS\_Q20 = 2 and ACCS\_Q30 = 2) or (ACCS\_Q10 = (DK, RF, BLANK)) and ACCS\_Q20 = (DK, RF, BLANK)), go to

WTM\_END.

Otherwise, go to WTM\_R1.

WTM\_R1 Now some additional questions about your experiences waiting for health care

services.

**INTERVIEWER**: Press <Enter> to continue.

WTM\_C04 If ACC\_Q10 = (2, DK, RF, BLANK) or ACCS\_Q10 = (2, DK, RF, BLANK), go to

WTM C16.

Otherwise, go to WTM\_Q01.

WTM\_Q01 You mentioned that you required a visit to a medical specialist such as a wTM\_01 cardiologist, allergist, gynaecologist or psychiatrist.

In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation for a new illness or condition?

1 Yes

2 No (Go to WTM\_C16)

DK, RF (Go to WTM\_C16)

WTM\_D02 If sex = female, ^DT\_GYNAECO = "Gynaecological problems".

Otherwise, ^DT\_GYNAECO = "null".

#### WTM\_Q02 WTM\_02

#### For what type of condition?

If you have had more than one such visit, please answer for the most recent visit.

INTERVIEWER: Read categories to respondent.

- 1 Heart condition or stroke
- 2 Cancer
- 3 Asthma or other breathing conditions
- 4 Arthritis
- 5 Cataract or other eye conditions
- 6 Mental health disorder
- 7 Skin conditions
- 8 \*DT GYNAECO
- 9 Other Specify (Go to WTM\_S02) DK, RF

Go to WTM\_Q03

WTM E02

A blank answer has been selected. Please return and correct.

Note:

Trigger hard edit if WTM\_Q02 = 8 and sex = male.

WTM S02

**INTERVIEWER:** Specify.

\_\_\_\_\_

(80 spaces) DK, RF

### WTM\_Q03

#### Were you referred by:

#### WTM\_03

INTERVIEWER: Read categories to respondent.

- 1 ...a family doctor?
- 2 ...another specialist?
- 3 ...another health care provider?
- 4 Did not require a referral

DK, RF

## WTM\_Q04

#### Have you already visited the medical specialist?

#### WTM\_04

- 1 Yes
- 2 No (Go to WTM\_Q08A) DK, RF (Go to WTM\_Q08A)

#### Canadian Community Health Survey (CCHS) WTM Q05 Thinking about this visit, did you experience any difficulties seeing the specialist? WTM 05 1 Yes 2 Nο (Go to WTM D07A) DK, RF (Go to WTM\_D07A) WTM Q06 What type of difficulties did you experience? INTERVIEWER: Mark all that apply. Question ACC\_Q12 previously asked about any difficulties getting specialist care. This question (WTM Q06) deals with difficulties experienced for the most recent visit for a new illness or condition. WTM 06A 01 Difficulty getting a referral WTM 06B 02 Difficulty getting an appointment WTM 06C 03 No specialists in the area WTM 06D 04 Waited too long - between booking appointment and visit WTM\_06E 05 Waited too long - to see the doctor (i.e. in-office waiting) WTM 06F 06 Transportation - problems WTM\_06G 07 Language - problem WTM 06H 80 Cost **WTM 06I** 09 Personal or family responsibilities WTM 06J 10 General deterioration of health WTM 06K 11 Appointment cancelled or deferred by specialist WTM 06L 12 Unable to leave the house because of a health problem WTM 06M Other - Specify 13 (Go to WTM S06) DK, RF Go to WTM\_D07A WTM\_S06 INTERVIEWER: Specify. (80 spaces) DK, RF If WTM\_Q03 = 1 or 2, ^DT\_APPOINTMENT = "you and your doctor decided that you WTM D07A should see a specialist". If WTM\_Q03 = 3, ^DT\_APPOINTMENT = "you and your health care provider decided that you should see a specialist". Otherwise, ^DT APPOINTMENT = "the appointment was initially scheduled".

WTM Q07A WTM\_07A

How long did you have to wait between when ^DT\_APPOINTMENT and when you actually visited the specialist?

**INTERVIEWER**: Probe to get the most precise answer possible.

(MIN: 1) (MAX: 365)

DK, RF (Go to WTM\_D10) WTM N07B

INTERVIEWER: Enter unit of time.

WTM 07B

- 1 Days
- 2 Weeks
- 3 Months

(DK, RF are not allowed)

Go to WTM\_D10

WTM E07B

An unusual number has been entered. Please confirm.

Note:

Trigger soft edit if  $(WTM_Q07A > 31 \text{ and } WTM_N07B = 1) \text{ or } (WTM_Q07A > 12 \text{ and } WTM_N07B = 2) \text{ or } (WTM_Q07A > 18 \text{ and } WTM_N07B=3).$ 

WTM\_Q08A

How long have you been waiting since ^DT\_APPOINTMENT?

A80\_MTW

INTERVIEWER: Probe to get the most precise answer possible.

|\_|\_|\_|

(MIN: 1) (MAX: 365)

DK, RF (Go to WTM\_D10)

WTM\_N08B

INTERVIEWER: Enter unit of time.

WTM\_08B

- 1 Days
- 2 Weeks
- 3 Months

(DK, RF are not allowed)

WTM E08B

An unusual number has been entered. Please confirm.

Note:

Trigger soft edit if  $(WTM\_Q08A > 31 \text{ and } WTM\_N08B = 1)$  or  $(WTM\_Q08A > 12 \text{ and } WTM\_N08B = 2)$ , or  $(WTM\_Q08A > 18 \text{ and } WTM\_N08B = 3)$ .

WTM\_D10

If WTM\_Q04 = 1, ^DT\_WAITTIME1 = "was the waiting time". Otherwise, ^DT\_WAITTIME1 = "has the waiting time been".

WTM\_Q10

In your view, ^DT\_WAITTIME1:

WTM 10

<u>INTERVIEWER</u>: Read categories to respondent. It is important to make a distinction between "No view" and "Don't Know".

- 1 ...acceptable? (Go to WTM\_Q12)
- 2 ...not acceptable?
- 3 **No view** DK, RF

DK, RF

(Go to WTM\_C16)

WTM Q11A In this particular case, what do you think is an acceptable waiting time? WTM\_11A (MIN: 1) (MAX: 365) DK, RF (Go to WTM Q12) WTM N11B INTERVIEWER: Enter unit of time. **WTM 11B** 1 Days 2 Weeks 3 Months (DK, RF are not allowed) WTM E11B An unusual number has been entered. Please confirm. Note: Trigger soft edit if (WTM Q11A > 31 and WTM N11B = 1) or (WTM Q11A > 12 and  $WTM_N11B = 2$ ) or  $(WTM_Q11A > 18 \text{ and } WTM_N11B=3)$ . WTM\_Q12 Was your visit cancelled or postponed at any time? WTM 12 1 Yes 2 No (Go to WTM\_Q14) DK, RF (Go to WTM Q14) WTM Q13 Was it cancelled or postponed by: INTERVIEWER: Read categories to respondent. Mark all that apply. **WTM 13A** 1 ...yourself? 2 WTM\_13B ...the specialist? **WTM 13C** 3 Other - Specify (Go to WTM\_S13) DK, RF Go to WTM\_Q14 **WTM S13 INTERVIEWER:** Specify. (80 spaces) DK, RF WTM Q14 Do you think that your health, or other aspects of your life, have been affected in any way because you had to wait for this visit? WTM\_14 1 Yes 2 No (Go to WTM C16)

#### WTM\_Q15 How was your life affected as a result of waiting for this visit?

INTERVIEWER: Mark all that apply.

01 Worry, anxiety, stress
02 Worry or stress for family or friends
03 Pain
04 Problems with activities of daily living (e.g., dressing, driving)
05 Loss of work
06 Loss of income
07 Increased dependence on relatives/friends
08 Increased use of over-the-counter drugs
09 Overall health deteriorated, condition got worse
10 Health problem improved
11 Personal relationships suffered
12 Other - Specify (Go to WTM_S15)
DK, RF

Go to WTM\_C16

WTM\_S15 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

WTM\_C16 If ACC\_Q20 = (2, DK, RF, BLANK) or ACCS\_Q20 = (2, DK, RF, BLANK), go to

WTM\_C30.

Otherwise, go to WTM\_D16.

WTM\_D16 If sex = female, ^DT\_HYSTERECTOMY = "Hysterectomy (Removal of uterus)".

Otherwise, ^DT\_HYSTERECTOMY = "null".

#### WTM\_Q16 WTM\_16

You mentioned that in the past 12 months you required non emergency surgery.

What type of surgery did you require? If you have had more than one in the past 12 months, please answer for the most recent surgery.

INTERVIEWER: Read categories to respondent.

- 1 Cardiac surgery
- 2 Cancer related surgery
- 3 Hip or knee replacement surgery
- 4 Cataract or other eye surgery
- 5 **^DT\_HYSTERECTOMY**
- 6 Removal of gall bladder
- 7 Other Specify (Go to WTM\_S16) DK, RF

Go to WTM\_Q17

WTM E16

A blank answer has been selected. Please return and correct.

Note:

Trigger hard edit if  $WTM_Q16 = 5$  and sex = male.

**WTM S16** 

**INTERVIEWER:** Specify.

\_\_\_\_\_

(80 spaces) DK, RF

#### WTM\_Q17

#### Did you already have this surgery?

#### WTM\_17

- 1 Yes
- 2 No (Go to WTM\_Q22) DK, RF (Go to WTM\_Q22)

#### WTM\_Q18

#### Did the surgery require an overnight hospital stay?

#### WTM 18

- 1 Yes
- 2 No
  - DK, RF

#### WTM\_Q19

#### Did you experience any difficulties getting this surgery?

#### WTM 19

- 1 Yes
- 2 No (Go to WTM\_Q21A) DK, RF (Go to WTM\_Q21A)

#### WTM\_Q20 What type of difficulties did you experience?

INTERVIEWER: Mark all that apply. ACC\_Q22 asked previously about any difficulties experienced getting the surgery you needed. This question (WTM\_Q20) refers to difficulties experienced for the most recent non emergency surgery.

WTM_20A	01	Difficulty getting an appointment with a surgeon
WTM_20B	02	Difficulty getting a diagnosis
WTM_20C	03	Waited too long - for a diagnostic test
WTM_20D	04	Waited too long - for a hospital bed to become available
WTM_20E	05	Waited too long - for surgery
WTM_20F	06	Service not available - in the area
WTM_20G	07	Transportation - problems
WTM_20H	08	Language - problem
WTM_20I	09	Cost
WTM_20J	10	Personal or family responsibilities
WTM_20K	11	General deterioration of health
WTM_20L	12	Appointment cancelled or deferred by surgeon or hospital
WTM_20M	13	Unable to leave the house because of a health problem
WTM_20N	14	Other - Specify (Go to WTM_S20)
		DK, RF

Go to WTM\_Q21A

WTM\_S20 INTERVIEWER: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

WTM\_Q21A WTM 21A How long did you have to wait between when you and the surgeon decided to go ahead with surgery and the day of surgery?

INTERVIEWER: Probe to get the most precise answer possible.

(MIN: 1) (MAX: 365)

DK, RF (Go to WTM\_D24)

WTM\_N21B

INTERVIEWER: Enter unit of time.

WTM\_21B

1 Days

2 Weeks

3 Months

(DK, RF are not allowed)

Go to WTM\_D24

WTM E21B An unusual number has been entered. Please confirm.

Note: Trigger soft edit if (WTM\_Q21A > 31 and WTM\_N21B = 1) or (WTM\_Q21A > 12 and

 $WTM_N21B = 2$ ) or  $(WTM_Q21A > 18 \text{ and } WTM_N21B=3)$ .

WTM\_Q22

Will the surgery require an overnight hospital stay?

WTM 22

1 Yes

2 No

DK, RF

WTM\_Q23A WTM\_23A How long have you been waiting since you and the surgeon decided to go ahead with the surgery?

INTERVIEWER: Probe to get the most precise answer possible.

(MIN: 1) (MAX: 365)

DK, RF (Go to WTM\_D24)

WTM N23B

INTERVIEWER: Enter unit of time.

WTM\_23B

1 Days

2 Weeks

3 Months

(DK, RF are not allowed)

WTM\_E23B

An unusual number has been entered. Please confirm.

Note:

Trigger soft edit if  $(WTM_Q23A > 31 \text{ and } WTM_N23B = 1) \text{ or } (WTM_Q23A > 12 \text{ and } WTM_N23B = 2) \text{ or } (WTM_Q23A > 18 \text{ and } WTM_N23B = 3).$ 

WTM D24

If WTM\_Q17 = 1, ^DT\_WAITTIME2 = "was the waiting time".

Otherwise, ^DT WAITTIME2 = "has the waiting time been".

WTM\_Q24

In your view, ^DT\_WAITTIME2:

WTM 24

<u>INTERVIEWER</u>: Read categories to respondent. It is important to make a distinction between "No view" and "Don't Know".

- 1 ...acceptable? (Go to WTM\_Q26)
- 2 ...not acceptable?
- 3 No view

DK, RF

WTM Q25A In this particular case, what do you think is an acceptable waiting time? WTM\_25A (MIN: 1) (MAX: 365) DK, RF (Go to WTM\_Q26) WTM N25B INTERVIEWER: Enter unit of time. WTM 25B 1 Days 2 Weeks 3 Months (DK, RF are not allowed) WTM E25B An unusual number has been entered. Please confirm. Trigger soft edit if (WTM\_Q25A > 31 and WTM\_N25B = 1) or (WTM\_Q25A > 12 and Note:  $WTM_N25B = 2$ ) or  $(WTM_Q25A > 18 \text{ and } WTM_N25B=3)$ . WTM\_Q26 Was your surgery cancelled or postponed at any time? WTM 26 1 Yes 2 No (Go to WTM\_Q28) DK, RF (Go to WTM Q28) WTM Q27 Was it cancelled or postponed by: INTERVIEWER: Read categories to respondent. Mark all that apply. WTM 27A 1 ...yourself? 2 WTM\_27B ...the surgeon? WTM 27C 3 ...the hospital? WTM 27D 4 Other - Specify (Go to WTM S27) DK, RF Go to WTM\_Q28 WTM S27 **INTERVIEWER**: Specify. (80 spaces) DK, RF WTM\_Q28 Do you think that your health, or other aspects of your life, have been affected in any way due to waiting for this surgery? **WTM 28** 1 Yes 2 No (Go to WTM\_C30) (Go to WTM\_C30) DK, RF

#### WTM Q29 How was your life affected as a result of waiting for surgery?

INTERVIEWER: Mark all that apply.

WTM_29A	01 Worry, anxiety, stress
WTM_29B	02 Worry or stress for family or friends
WTM_29C	03 Pain
WTM_29D	04 Problems with activities of daily living (e.g., dressing, driving)
WTM_29E	05 Loss of work
WTM_29F	06 Loss of income
WTM_29G	07 Increased dependence on relatives/friends
WTM_29H	08 Increased use of over-the-counter drugs
WTM_29I	09 Overall health deteriorated, condition got worse
WTM_29J	10 Health problem improved
WTM_29K	11 Personal relationships suffered
WTM_29L	12 Other - Specify (Go to WTM_S29)
	DK, RF

Go to WTM\_C30

#### WTM S29 **INTERVIEWER:** Specify.

(80 spaces) DK, RF

WTM\_C30

If ACC\_Q30 = (2, DK, RF, BLANK) or ACCS\_Q30 = (2, DK, RF, BLANK), go to WTM END.

Otherwise, go to WTM\_Q30.

WTM\_Q30 WTM 30

Now for MRIs, CAT Scans and angiographies provided in a non emergency situation.

You mentioned that in the past 12 months you required one of these tests.

What type of test did you require?

If you have had more than one in the past 12 months, please answer for the most recent test.

**INTERVIEWER**: Read categories to respondent.

- MRI (Magnetic Resonance Imagining) 1
- 2 **CAT Scan (Computed Axial Tomography)**
- 3 **Angiography (Cardiac Test)** DK, RF

#### WTM\_Q31

#### For what type of condition?

WTM\_31

INTERVIEWER: Read categories to respondent.

- 1 Heart disease or stroke
- 2 Cancer
- 3 Joints or fractures
- 4 Neurological or brain disorders (e.g., for MS, migraine or headaches)
- 5 Other Specify (Go to WTM\_S31) DK, RF

Go to WTM\_Q32

#### WTM\_S31

INTERVIEWER: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

## WTM\_Q32

#### Did you already have this test?

#### WTM\_32

- 1 Yes
- 2 No (Go to WTM\_Q39A)DK, RF (Go to WTM\_Q39A)

## WTM\_Q33

#### Where was the test done?

#### WTM\_33

INTERVIEWER: Read categories to respondent.

1	Hospital	(Go to WTM_Q35)
2	Public clinic	(Go to WTM_Q35)
3	Private clinic	(Go to WTM_Q34)
4	Other - Specify	(Go to WTM_S33)
	DK. RF	(Go to WTM Q36)

#### WTM\_S33

INTERVIEWER: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

Go to WTM\_Q35

#### WTM\_Q34

#### Was the clinic located:

#### WTM\_34

INTERVIEWER: Read categories to respondent.

- 1 ...in your province?
- 2 ...in another province?
- 3 Other Specify (Go to WTM\_S34) DK, RF

Go to WTM\_Q35

#### WTM\_S34

INTERVIEWER: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

#### WTM\_Q35

#### Were you a patient in a hospital at the time of the test?

#### WTM\_35

- 1 Yes
- 2 No DK, RF

## WTM\_Q36

#### Did you experience any difficulties getting this test?

#### WTM\_36

- 1 Yes
- 2 No (Go to WTM\_Q38A) DK, RF (Go to WTM\_Q38A)

#### WTM\_Q37 What type of difficulties did you experience?

INTERVIEWER: Mark all that apply. ACC\_Q32 asked previously about any difficulties experienced getting the tests you needed. This question (WTM\_Q37) refers to difficulties experienced for the most recent diagnostic test.

WTM_37A	01	Difficulty getting a referral	
WTM_37B 02		Difficulty getting an appointment	
WTM_37C	03	Waited too long - to get an appointment	
WTM_37D	04	Waited too long - to get test (i.e. in-office waiting)	
WTM_37E 05		Service not available - at time required	
WTM_37F	06	Service not available - in the area	
WTM_37G	07	Transportation - problems	
WTM_37H	80	Language - problem	
WTM_37I	09	Cost	
WTM_37J	10	General deterioration of health	
WTM_37K 11		Did not know where to go (i.e. information problems)	
WTM_37L	12	Unable to leave the house because of a health problem	
WTM_37M	13	Other - Specify (Go to WTM_S37)	
		DK, RF	

Go to WTM\_Q38A

WTM\_S37 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

WTM\_Q38A WTM\_38A How long did you have to wait between when you and your doctor decided to go ahead with the test and the day of the test?

INTERVIEWER: Probe to get the most precise answer possible.

(MIN: 1) (MAX: 365)

DK, RF (Go to WTM\_D40)

WTM\_N38B

<u>INTERVIEWER</u>: Enter unit of time.

WTM\_38B

1 Days

2 Weeks

3 Months

(DK, RF are not allowed)

Go to WTM\_D40

WTM E38B An unusual number has been entered. Please confirm. Note: Trigger soft edit if (WTM Q38A > 31 and WTM N38B = 1) or (WTM Q38A > 12 and WTM N38B = 2) or (WTM Q38A > 18 and WTM N38B=3). WTM Q39A How long have you been waiting for the test since you and your doctor decided to go ahead with the test? **WTM 39A** INTERVIEWER: Probe to get the most precise answer possible. (MIN: 1) (MAX: 365) DK, RF (Go to WTM\_D40) WTM N39B INTERVIEWER: Enter unit of time. **WTM 39B** 1 Days 2 Weeks 3 Months (DK, RF are not allowed) WTM E39B An unusual number has been entered. Please confirm. Note: Trigger soft edit if (WTM\_Q39A > 31 and WTM\_N39B = 1) or (WTM\_Q39A > 12 and  $WTM_N39B = 2$ ) or  $(WTM_Q39A > 18 \text{ and } WTM_N39B = 3)$ . If WTM Q32 = 1, ^DT WAITTIME3 = "was the waiting time". WTM D40 Otherwise, ^DT\_WAITTIME3 = "has the waiting time been". WTM\_Q40 In your view, ^DT\_WAITTIME3:

WTM 40

INTERVIEWER: Read categories to respondent. It is important to make a distinction between "No view" and "Don't Know".

- 1 ...acceptable? (Go to WTM\_Q42)
- 2 ...not acceptable?
- 3 No view DK, RF

|\_|\_|\_|

WTM Q41A WTM 41A

In this particular case, what do you think is an acceptable waiting time?

(MIN: 1) (MAX: 365)

DK. RF (Go to WTM\_Q42)

Page 299 of 378

3

WTM\_N41B
WTM\_41B

1 Days
2 Weeks

(DK, RF are not allowed)

Months

WTM E41B

An unusual number has been entered. Please confirm.

Note:

Trigger soft edit if  $(WTM_Q41A > 31 \text{ and } WTM_N41B = 1)$  or  $(WTM_Q41A > 12 \text{ and } WTM_N41B = 2)$  or  $(WTM_Q41A > 18 \text{ and } WTM_N41B = 3)$ .

## WTM\_Q42

#### Was your test cancelled or postponed at any time?

WTM\_42

1 Yes

2 No (Go to WTM\_Q44) DK, RF (Go to WTM\_Q44)

### WTM\_Q43

#### Was it cancelled or postponed by:

#### WTM\_43

INTERVIEWER: Read categories to respondent.

1 ...yourself?

2 ...the specialist?

3 ...the hospital?

4 ...the clinic?

5 Other - Specify (Go to WTM S43)

DK, RF

Go to WTM\_Q44

WTM\_S43

**INTERVIEWER**: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

#### WTM\_Q44 WTM 44

Do you think that your health, or other aspects of your life, have been affected in any way due to waiting for this test?

1 Yes

2 No (Go to WTM\_END) DK, RF (Go to WTM\_END)

### WTM\_Q45 How was your life affected as a result of waiting for this test?

**INTERVIEWER**: Mark all that apply.

WTM_Q45A	01	Worry, anxiety, stress	
WTM_Q45B	02	Worry or stress for family or friends	
WTM_Q45C	03	Pain	
WTM_Q45D	04	Problems with activities of daily living (e.g., dressing, driving)	
WTM_Q45E	05	Loss of work	
WTM_Q45F	06	Loss of income	
WTM_Q45G	07	Increased dependence on relatives/friends	
WTM_Q45H	80	Increased use of over-the-counter drugs	
WTM_Q45I	09	Overall health deteriorated, condition got worse	
WTM_Q45J	10	Health problem improved	
WTM_Q45K	11	Personal relationships suffered	
WTM_Q45L	12	Other - Specify (Go to WTM_S45)	
		DK, RF	

Go to WTM\_END

WTM\_S45 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces) DK, RF

WTM\_END

#### Labour force (LBS)

LF2\_BEG Core content

LF2\_C1A If (do LF2 block = 1), go to LF2\_C1B.

Otherwise, go to LF2\_END.

LF2\_C1B If age < 15 or age > 75, go to LF2\_END.

Otherwise, go to LF2\_R1.

LF2\_R1 The next questions concern **^YOUR2** activities in the last 7 days. By the last 7 days, I mean beginning [date one week ago], and ending [date yesterday].

INTERVIEWER: Press <Enter> to continue.

LF2\_Q1 LBS 01 Last week, did ^YOU2 work at a job or a business? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.

- 1 Yes
- 2 No
- 3 Permanently unable to work (Go to LF2\_END)
  DK, RF (Go to LF2\_END)
- LF2\_E1 A response inconsistent with a response to a previous question has been entered. Please confirm.

Note: Trigger soft edit if GEN\_Q08 = 2 (did not work at any time in past 12 months) and LF2 Q1 = 1.

LF2\_C2 If LF2\_Q1 = 1, go to LF2\_Q3.

Otherwise, go to LF2\_Q2.

LF2\_Q2

Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?

LBS\_02

1 Yes

2 No (Go to LF2\_Q4) DK, RF (Go to LF2\_END)

LF2_Q3	Did ^YOU1 have more than one job or business last week?		
LBS_03	1 Yes 2 No DK, RF		
	Go to LF2_D5		
LF2_Q4 LBS_11	In the past 4 weeks, did ^YOU2 do anything to find work?		
	1 Yes 2 No DK, RF		
	Go to LF2_END		
LF2_D5	(not applicable)		
LF2_R5	The next questions are about ^YOUR1 current job or business.		
	INTERVIEWER: If person currently holds more than one job, report on the job for which the number of hours worked per week is the greatest.		
	Press <enter> to continue.</enter>		
LF2_Q31 LBS_31	_ , , , ,		
LB3_31	1 Employee (Go to LF2_Q33) 2 Self-employed		
	<ul><li>Working in a family business without pay (Go to LF2_Q33)</li><li>DK, RF (Go to LF2_Q33)</li></ul>		
LF2_Q32 LF2_32	What is the name of ^YOUR1 business?		
	(50 spaces) DK, RF Go to LF2_Q34		
LF2_Q33 LF2_33	For whom ^DOVERB ^YOU1 currently work? (For example: name of business, government department or agency, or person)		
	(50 spaces) DK, RF		

LF2_Q34 LF2_34	What kind of business, industry or service is this? (For example: cardboard box manufacturing, road maintenance, retail shoe store, secondary school, dairy farm municipal government)		
	(50 spaces) DK, RF		
LF2_Q35 LF2_35	What kind of work ^ARE ^YOU1 doing? (For example: babysitting in own home, factory worker, forestry technician)		
	(50 spaces) DK, RF		
Note:	Use trigram search, source file is PrepSOC.tdf		
LF2_D35	SIC_CODE (4 bytes)		
Note:	Store SOC Code associated with LF2_Q35		
LF2_C35	If LF2_D35 = 1 or LF2_D35 = 2 (OtherSpec), go to LF2_S35. Otherwise, go to LF2_Q36.		
LF2_S35	INTERVIEWER: Specify.		
	(50 spaces) DK, RF		
LF2_Q36 LF2_36	What are ^YOUR1 most important activities or duties? (For example: caring for children, stamp press machine operator, forest examiner)		
	(50 spaces) DK, RF		
LF2_Q5 LBS_42	About how many hours a week ^DOVERB ^YOU1 usually work at ^YOUR1 job or business? If ^YOU2 usually work^S extra hours, paid or unpaid, please include these hours.		
	_ _  Hours (MIN: 1) (MAX: 168; warning after 84)		

LF2\_C7 If LF2\_Q3 = 1, go to LF2\_Q7. Otherwise, go to LF2\_END.

#### LF2\_Q7

You indicated that ^YOU2 ^HAVE more than one job.

LBS\_53

About how many hours a week ^DOVERB ^YOU1 usually work at ^YOUR1 other job(s)? If ^YOU2 usually work^S extra hours, paid or unpaid, please include these hours.

INTERVIEWER: Minimum is 1; maximum is [168 - LF2\_Q5].

|\_|\_| Hours

(MIN: 1) (MAX: 168 - LF2\_Q5; warning after 30)

DK, RF

Note: If LF2 Q5 = 168, then maximum = 1.

If LF2\_Q5 = DK or RF, then maximum = 168.

LF2\_END

#### **Loss of Productivity (LOP)**

LOP\_BEG Theme content

External variables required:

PROXMODE: proxy identifier, from the GR block.

DOLOP: do block flag, from the sample file.

GEN\_Q08: worked at a job or business in the past 12 month

Age of respondent

LOP C010 If (do LOP = 1), go to LOP C011.

Otherwise, go to LOP\_\_END.

LOP\_C011 If proxy interview, go to LOP\_END.

Otherwise, go to LOP\_C011A.

LOP\_C011A If age < 15 or age > 75, go to LOP\_END.

Otherwise, go to LOP\_C012.

LOP\_C012 If GEN\_Q08 = 2 (did not work in the past 12 months), go to LOP\_Q020.

Otherwise, go to LOP\_Q015.

LOP\_Q015 Did you work at a job or a business at any time in the past three months?

LOP\_015

INTERVIEWER: Include only paid job or business.

1 Yes (Go to LOP\_R030)

2 No

DK, RF (Go to LOP\_END)

LOP\_Q020 LOP\_020 What is the main reason that you have not worked at a job or business in the past three months?

<u>INTERVIEWER</u>: If respondent wants to report more that one reason, ask for the main one.

- O1 Chronic physical or mental health condition diagnosed by a health professional
- 02 Own injury such as broken bone, bad cut, burn or sprain
- 03 Own infectious disease such as a cold, flu or stomach flu
- Other reason related to physical or mental health
- 05 Caring for own children
- 06 Caring for elderly relative(s)
- 07 Maternity, paternity or parental leave
- 08 Education, training or school
- 09 Temporary lay-off
- 10 Strike or lockout
- 11 Retired
- 12 Other

DK. RF

LOP\_C020

If LOP\_Q020 = 01, go to LOP\_Q050. Otherwise, go to LOP\_END.

LOP\_R030

The next questions are about absence from work because of your OWN health. Please include consultations with health professionals, but exclude absences because of the health of another person.

<u>INTERVIEWER</u>: Press <1> to continue.

LOP\_Q030 LOP\_030 In the past three months, that is from [date three months ago] to yesterday, have you missed any days at work because of a chronic health condition?

By chronic condition, we mean a long-term physical or mental condition that is expected to last or have already lasted 6 months or more and that has been diagnosed by a health professional.

- 1 Yes
- 2 No (Go to LOP\_Q060) DK, RF (Go to LOP\_Q060)

#### LOP\_Q040

#### How many days of work have you missed because of a chronic condition?

LOP 040

<u>INTERVIEWER</u>: Don't enter days for which time has been made up. Enter 1 day if respondent reports less than one day.

(MIN: 1) (MAX: 90)

DK, RF

### LOP\_Q050

#### Which chronic condition is this?

LOP\_050

<u>INTERVIEWER</u>: If the respondent wants to report more than one condition, probe for the main reason or the one that has required the highest number of days of absence.

- 01 Arthritis (such as rheumatoid arthirtis, osteoarthritis, lupus or gout)
- 02 Osteoporosis
- 03 Cardiovascular disease (including stroke and hypertension)
- 04 Kidney disease
- 05 Asthma
- Of Chronic bronchitis, emphysema or chronic obstructive pulmonary disease (COPD)
- 07 Diabetes
- 08 Migraine
- 09 Back problems
- 10 Cancer
- Mental illnesses (such as depression bipolar disorder, mania or schizophrenia)
- 12 Neurological diseases (such as alzheimer, dementia, parkinson's disease, multiple sclerosis, spina bifida)
- 13 Digestive diseases (such as celiac disease, irritable bowel syndrome, stomach ulcers)
- 14 Fibromyalgia, chronic fatigue syndrome or multiple chemical sensitivities
- 15 Other Specify (Go to LOP\_S050)
  DK, RF

Go to LOP\_C060

LOP\_S050

**INTERVIEWER:** Specify.

(80 spaces)

DK, RF

Go to LOP\_C060

LOP C060

If LOP\_Q020 = 1, go to LOP\_END. Otherwise, go to LOP\_Q060.

Canadian Community Health Survey (CCHS)		Annual Component - 2010 Questionnai	
LOP_Q060 LOP_060	In the past three months, have you missed any days at work because of an injury such as a broken bone, a bad cut, a burn or a sprain?		
	1 Yes 2 No (Go to LOP_Q080) DK, RF (Go to LOP_Q080)		
LOP_Q070 LOP_070	How many days of work have you missed (because of an injury)?		
LOF_070	INTERVIEWER: Don't enter days for which tin respondent reports less than		
	_ _  (MIN: 1) (MAX: 90) DK, RF		
LOP_Q080 LOP_080	In the past three months, have you missed infectious disease such as a cold, a stoma		
	1 Yes 2 No (Go to LOP_Q090) DK, RF (Go to LOP_Q090)		
LOP_Q081	Which infectious disease was this?		
LOP_081	INTERVIEWER: Read categories to responde	ent. Mark all that apply.	
LOP_81A 1 Cold LOP_81B 2 Flu or influenza LOP_81C 3 Stomach flu LOP_81D 4 Respiratory infection LOP_81E 5 Other			
	DK, RF (Go to LOP_Q090)		
LOP_C082	Go to LOP_C082  If LOP_Q081 = 1, go to LOP_Q082.  Otherwise, go to LOP_C083.		
LOP_Q082 LOP_082	How many days of work have you missed I		

Don't enter days for which time has been made up.

|\_|\_| (MIN: 1) (MAX: 90) DK, RF

**LOP C083** If LOP Q081=2, go to LOP Q083. Otherwise, go to LOP C084.

#### **LOP Q083** How many days of work have you missed because of a flu or influenza?

LOP 083

INTERVIEWER: Symptoms of influenza include fever, headache and body aches. Don't

enter days for which time has been made up.

(MIN: 1) (MAX: 90)

DK, RF

LOP\_C084 If LOP\_Q081=3, go to LOP\_Q084.

Otherwise, go to LOP\_C085.

#### LOP Q084 How many days of work have you missed because of a stomach flu?

LOP 084

INTERVIEWER: Symptoms of stomach flu include nausea, vomitting, stomach cramps

and diarrhea. Don't enter days for which time has been made up.

(MIN: 1) (MAX: 90)

DK. RF

LOP\_C085 If LOP\_Q081=4, go to LOP\_Q085.

Otherwise, go to LOP C086.

#### **LOP Q085** How many days of work have you missed because of another respiratory infection such as pneumonia or bronchitis? LOP\_085

INTERVIEWER: Don't enter days for which time has been made up.

(MIN: 1) (MAX: 90)

DK, RF

LOP\_C086 If LOP\_Q081=5, go to LOP\_Q086.

Otherwise, go to LOP\_Q090.

LOP\_Q086 LOP\_086 How many days of work have you missed because of any other infectious disease?

INTERVIEWER: Don't enter days for which time has been made up.

(MIN: 1) (MAX: 90)

DK, RF

LOP\_Q090 LOP 090 In the past three months, have you been absent from work because of any other reason related to your physical or mental health?

1 Yes (Go to LOP\_Q100)

2 No (Go to LOP\_END) DK, RF (Go to LOP\_END)

LOP\_Q100 LOP 100 How many days of work have you missed because of another reason related to your own physical or mental health?

<u>INTERVIEWER</u>: Don't enter days for which time has been made up. Enter 1 day if respondent reports less than one day.

(MIN: 1) (MAX: 90)

DK, RF

LOP END

#### Physical activities - Facilities at work (PAF)

PAF BEG Optional Content (See Appendix 2)

PAF C1A If (do PAF block = 1), go to PAF\_C1B.

Otherwise, go to PAF END.

PAF\_C1B If proxy interview, go to PAF END.

Otherwise, go to PAF\_C1C.

PAF C1C If age < 15 or age > 75 or if LF2 Q1 <> 1, go to PAF END.

Otherwise, go to PAF Q01.

#### PAF Q01

Do you usually work most of the time at home?

PAF 01

1 Yes

2 No

> (Go to PAF\_END) DK, RF

PAF R01

Now I would like to ask some questions about physical activity facilities at or near your place of work.

INTERVIEWER: Press <Enter> to continue.

PAF Q02

At or near your place of work, do you have access to:

PAF 02

...a pleasant place to walk, jog, bicycle or rollerblade?

INTERVIEWER: If respondent says the question does not apply to their work, code as No.

- 1 Yes
- 2 No

DK, RF (Go to PAF\_END)

PAF Q03

(At or near your place of work, do you have access to:)

PAF\_03

...playing fields or open spaces for ball games or other sports?

- 1 Yes
- 2 No

DK, RF

### PAF Q04 (At or near your place of work, do you have access to:) PAF\_04 ...a gym or physical fitness facilities? 1 Yes 2 No DK, RF PAF\_Q05 (At or near your place of work, do you have access to:) PAF\_05 ...organized fitness classes? 1 Yes 2 No DK, RF PAF\_C06 If $PAF_Q01 = 1$ , go to $PAF_END$ . Otherwise, go to PAF\_Q06. PAF\_Q06 (At or near your place of work, do you have access to:) PAF 06 ...any organized recreational sport teams? 1 Yes 2 No DK, RF PAF Q07 At or near your place of work, do you have access to: PAF 07 ...showers and/or change rooms? 1 Yes 2 No DK, RF PAF Q08 (At or near your place of work, do you have access to:) PAF 08 ...programs to improve health, physical fitness or nutrition? 1 Yes

PAF\_END

2

No DK, RF

#### Socio-demographic characteristics (SDC)

SDC BEG Core content

SDC C1 If (do SDC block = 1), go to SDC\_R1.

Otherwise, go to SDC\_END.

SDC R1 Now some general background questions which will help us compare the health of

people in Canada.

**INTERVIEWER**: Press <Enter> to continue.

#### SDC Q1 In what country ^WERE ^YOU1 born?

SDC\_1

01 Canada (Go to SDC\_D4)

02 China

03 France

04 Germany

05 Greece

06 Guyana

Hong Kong

80 Hungary

09 India

10 Italy

11 Jamaica

12 Netherlands / Holland

13 Philippines

14 Poland

Portugal

United Kingdom

17 **United States** 

18 Viet Nam

19 Sri Lanka

20 Other - Specify (Go to SDC\_S1) (Go to SDC\_D4)

DK, RF

Go to SDC\_Q2

SDC\_S1 **INTERVIEWER:** Specify.

(80 spaces)

DK, RF

SDC_Q2 SDC_2	^WERE_C ^YOU1 born a Canadian citizen?			
020_2	1 Yes (Go to SDC_D4) 2 No			
	DK, RF (Go to SDC_D4)			
SDC_Q3 SDC_3	In what year did ^YOU1 first come to Canada to live?			
300_3	INTERVIEWER: Minimum is ^YEAROFBIRTH; maximum is ^CURRENTYEAR.			
	_ _ _ _  Year (MIN: ^YEAROFBIRTH) (MAX: ^CURRENTYEAR) DK, RF			
SDC_E3	Year must be between ^YEAROFBIRTH and ^CURRENTYEAR.			
Note:	Trigger hard edit if SDC_Q3 < ^YEAROFBIRTH or SDC_Q3 > ^CURRENTYEAR.			
SDC_D4	(not applicable)			

## SDC\_Q4 To which ethnic or cultural groups did ^YOUR2 ancestors belong? (For example: French, Scottish, Chinese, East Indian)

INTERVIEWER: Mark all that apply. An ancestor is usually more distant than a grandparent. If "Canadian" is the only response, probe. If the respondent hesitates, do not suggest Canadian. If the respondent answers "Eskimo", enter "20".

```
SDC 4A
                01
                     Canadian
                     French
SDC 4B
                 02
SDC 4C
                03
                     English
SDC 4D
                04
                     German
SDC 4E
                 05
                     Scottish
SDC 4F
                06
                     Irish
SDC 4G
                07
                     Italian
SDC 4H
                 80
                     Ukrainian
SDC 4I
                 09
                     Dutch (Netherlands)
SDC 4J
                 10
                     Chinese
SDC 4K
                 11
                     Jewish
SDC 4L
                 12
                     Polish
SDC_4M
                 13
                     Portuguese
SDC 4N
                 14
                     South Asian (e.g. East Indian, Pakistani, Sri Lankan)
SDC 4T
                 15
                     Norwegian
SDC_4U
                 16
                     Welsh
SDC 4V
                 17
                     Swedish
SDC 4P
                 18
                     North American Indian
SDC 4Q
                 19
                     Métis
SDC_4R
                 20
                     Inuit
SDC 4S
                 21
                     Other - Specify
                                        (Go to SDC_S4)
                     DK, RF
```

Go to SDC\_Q4\_1

SDC\_S4 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

#### SDC\_Q4\_1 SDC\_41

**^ARE\_C ^YOU1** an Aboriginal person, that is, North American Indian, Métis or Inuit?

1 Yes

2 No (Go to SDC\_D4\_3) DK, RF (Go to SDC\_Q5)

#### SDC\_Q4\_2 **ARE\_C AYOU1:**

<u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply. If respondent answers "Eskimo", enter "3".

SDC\_42A 1 ... North American Indian?

SDC\_42B 2 ... Métis? SDC 42C 3 ... Inuit?

DK, RF

Go to SDC Q5

SDC\_D4\_3 (Not applicable)

#### SDC\_Q4\_3 People living in Canada come from many different cultural and racial backgrounds. ARE C YOU1:

INTERVIEWER: Read categories to respondent. Mark all that apply.

SDC_43A	01	wnite?		
SDC_43B	02	Chinese?		

SDC\_43C 03 ... South Asian (e.g., East Indian, Pakistani, Sri Lankan)?

SDC\_43D 04 ... Black? SDC 43E 05 ... Filipino?

SDC\_43F 06 ... Latin American?

SDC\_43G 07 ... Southeast Asian (e.g., Cambodian, Indonesian, Laotian, Vietnamese)?

SDC\_43H 08 ... Arab?

SDC\_43I 09 ... West Asian (e.g., Afghan, Iranian)?

SDC\_43J 10 ... Japanese? SDC\_43K 11 ... Korean?

SDC\_43M 12 Other - Specify (Go to SDC\_S4\_3)

DK, RF

Go to SDC\_Q5

#### SDC\_S4\_3 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

## SDC\_Q5 In what languages can ^YOU1 conduct a conversation?

**INTERVIEWER**: Mark all that apply.

SDC_5A	01	English	
SDC_5B	02	French	
SDC_5C	03	Arabic	
SDC_5D	04	Chinese	
SDC_5E	05	Cree	
SDC_5F	06	German	
SDC_5G	07	Greek	
SDC_5H	08	Hungarian	
SDC_5I	09	Italian	
SDC_5J	10	Korean	
SDC_5K	11	Persian (Farsi)	
SDC_5L	12	Polish	
SDC_5M	13	Portuguese	
SDC_5N	14	Punjabi	
SDC_5O	15	Spanish	
SDC_5P	16	Tagalog (Filipino)	
SDC_5Q	17	Ukrainian	
SDC_5R	18	Vietnamese	
SDC_5T	19	Dutch	
SDC_5U	20	Hindi	
SDC_5V	21	Russian	
SDC_5W	22	Tamil	
SDC_5S	23	Other - Specify	(Go to SDC_S5)
		DK, RF	

Go to SDC\_Q5A

SDC\_S5 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

#### SDC\_Q5A What language ^DOVERB ^YOU1 speak most often at home?

**INTERVIEWER**: Mark all that apply.

SDC_5AA	01	English	
SDC_5AB	02	French	
SDC_5AC	03	Arabic	
SDC_5AD	04	Chinese	
SDC_5AE	05	Cree	
SDC_5AF	06	German	
SDC_5AG	07	Greek	
SDC_5AH	80	Hungarian	
SDC_5AI	09	Italian	
SDC_5AJ	10	Korean	
SDC_5AK	11	Persian (Farsi)	
SDC_5AL	12	Polish	
SDC_5AM	13	Portuguese	
SDC_5AN	14	Punjabi	
SDC_5AO	15	Spanish	
SDC_5AP	16	Tagalog (Filipino)	
SDC_5AQ	17	Ukrainian	
SDC_5AR	18	Vietnamese	
SDC_5AT	19	Dutch	
SDC_5AU	20	Hindi	
SDC_5AV	21	Russian	
SDC_5AW	22	Tamil	
SDC_5AS	23	Other - Specify	(Go to SDC_S5A)
		DK, RF	

Go to SDC\_D6

SDC\_S5A INTERVIEWER: Specify.

(80 spaces) DK, RF

(not applicable) SDC\_D6

## SDC\_Q6 What is the language that **^YOU2** first learned at home in childhood and can still understand?

**INTERVIEWER**: Mark all that apply.

If person can no longer understand the first language learned, mark the second.

SDC_6A	01	English	
SDC_6B	02	French	
SDC_6C	03	Arabic	
SDC_6D	04	Chinese	
SDC_6E	05	Cree	
SDC_6F	06	German	
SDC_6G	07	Greek	
SDC_6H	80	Hungarian	
SDC_6I	09	Italian	
SDC_6J	10	Korean	
SDC_6K	11	Persian (Farsi)	
SDC_6L	12	Polish	
SDC_6M	13	Portuguese	
SDC_6N	14	Punjabi	
SDC_6O	15	Spanish	
SDC_6P	16	Tagalog (Filipino)	
SDC_6Q	17	Ukrainian	
SDC_6R	18	Vietnamese	
SDC_6T	19	Dutch	
SDC_6U	20	Hindi	
SDC_6V	21	Russian	
SDC_6W	22	Tamil	
SDC_6S	23	Other - Specify	(Go to SDC_S6)
		DK, RF	

Go to SDC\_Q7

SDC\_S6 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

#### SDC\_Q7 DHH\_OWN

#### Is the dwelling you live in currently owned by a member of this household?

1 Yes

2 No

DK, RF

SDC\_C7A

If proxy interview or age < 18 or age > 59, go to SDC\_END. Otherwise, go to SDC\_R7A.

#### SDC\_R7A

Now one additional background question which will help us compare the health of people in Canada.

#### SDC\_Q7A SDC\_7AA

Do you consider yourself to be:

INTERVIEWER: Read categories to respondent.

- 1 ... heterosexual? (sexual relations with people of the opposite sex)
- 2 ... homosexual, that is lesbian or gay? (sexual relations with people of your own sex)
- 3 ... bisexual? (sexual relations with people of both sexes) DK, RF

SDC\_END

#### Person most knowledgeable about household situation (PMK)

PMK\_BEG Core module

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOPMK: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

PMK\_C010 If DOPMK = 1, go to PMK\_C015.

Otherwise, go to PMK\_END.

PMK\_C015 If PROXMODE = 1, go to PMK\_END.

Otherwise, go to PMK\_C020.

PMK\_C020 If HHLD size = 1 (respondent lives alone) or if AGE > 15, go to PMK\_END.

Otherwise, go to PMK\_R020.

PMK\_R020 For the last few questions, I would like to speak with someone who would be best

able to answer questions related to your household such as household income.

<u>INTERVIEWER</u>: Press <1> to continue.

PMK\_Q020

Who would this person be?

PMK\_020

<u>INTERVIEWER</u>: Select most knowledgeable person from the household roster. Allow the respondent to say myself.

- 01 MEMBER1
- 02 MEMBER2
- 03 MEMBER3
- 04 MEMBER4
- 05 MEMBER5
- 06 MEMBER6
- 07 MEMBER7
- 08 MEMBER8
- 09 MEMBER9
- 10 MEMBER10
- 10 MEMBERTO
- 11 MEMBER11
- 12 MEMBER12
- 13 MEMBER13
- 14 MEMBER14
- 15 MEMBER15
- 16 MEMBER16
- 17 MEMBER17
- 18 MEMBER1819 MEMBER19
- 00 MEMBER00
- 20 MEMBER20

RF (Go to PMK\_R040) DK (Go to PMK\_R040)

Note:

Programmer: Display selected respondent as Member 1 and the rest of household members in the same order as listed in the household roster. Display Name, Age and Sex. Sets member selected name as "Person most knowledgeable".

**PMK E020** 

An invalid answer has been selected. Please return and correct.

Note:

Trigger hard edit if a blank answer is selected.

PMK\_D030A

If PMK\_Q020 is the respondent then PMKFLAG (Person most knowledgeable) = 2. Else, PMKFLAG = 1.

PMK\_C030A

If PMKFLAG=2, go to PMK\_D030C. Otherwise, go to PMK\_D030B.

## PMK D030B If PMK Q020 = 1, MEMBERNAME = "MEMBER1". If PMK Q020 = 2, MEMBERNAME = "MEMBER2". If PMK Q020 = 3, MEMBERNAME = "MEMBER3". If PMK\_Q020 = 4, MEMBERNAME = "MEMBER4". If PMK\_Q020 = 5, MEMBERNAME = "MEMBER5". If PMK\_Q020 = 6, MEMBERNAME = "MEMBER6". If PMK Q020 = 7, MEMBERNAME = "MEMBER7". If PMK Q020 = 8, MEMBERNAME = "MEMBER8". If PMK Q020 = 9, MEMBERNAME = "MEMBER9". If PMK Q020 = 10, MEMBERNAME = "MEMBER10". If PMK\_Q020 = 11, MEMBERNAME = "MEMBER11". If PMK\_Q020 = 12, MEMBERNAME = "MEMBER12". If PMK\_Q020 = 13, MEMBERNAME = "MEMBER13". If PMK\_Q020 = 14, MEMBERNAME = "MEMBER14". If PMK\_Q020 = 15, MEMBERNAME = "MEMBER15". If PMK\_Q020 = 16, MEMBERNAME = "MEMBER16". If PMK\_Q020 = 17, MEMBERNAME = "MEMBER17". If PMK\_Q020 = 18, MEMBERNAME = "MEMBER18". If PMK\_Q020 = 19, MEMBERNAME = "MEMBER19". If PMK\_Q020 = 20, MEMBERNAME = "MEMBER20". PMK\_Q030B Is ^MEMBERNAME available? PMK 030B 1 Yes 2 No 3 Person most knowledgeable about household refuses to participate. (DK, RF are not allowed) Go to PMK\_D030C PMK\_D030C PMKFLAG=1 and PMK\_Q030B=1 then PMKProxy = 1 Otherwise, PMKProxy = 2PMK C040 If PMK Q030B=1, go to PMK R050. Otherwise, go to PMK C045. PMK\_C045 If PMKFLAG=2 or PMK\_Q030B=3, go to PMK\_R040. Otherwise, go to PMK\_R045. PMK\_R040 This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. <u>INTERVIEWER</u>: Press <1> to continue.

Go to PMK END

PMK R045

This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to try and find the best time to speak with ^MEMBERNAME.

<u>INTERVIEWER</u>: Press <1> to continue.

Go to PMK END

PMK\_R050

This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to speak with ^MEMERNAME.

<u>INTERVIEWER</u>: You should continue with the most knowledgeable person about household. Press Enter to continue.

PMK\_R060

Hello, My name is ... I've just completed the main portion of the interview with <Respondent's name>. At this point I need to finish the interview with a few general questions on your household's situation. <Respondent's name> said you would be the best person to answer these types of questions.

INTERVIEWER: Press <1> to continue.

PMK END

#### Home safety (HMS)

HMS\_BEG Optional Content (See Appendix 2)

HMS\_C1A If (do HMS block = 2), go to HMS\_END.

Otherwise, go to HMS\_C1B.

HMS\_C1B If PMKProxy = 2, go to  $HMS_END$ .

Otherwise, go to HMS\_R1.

HMS\_R1 Now, a few questions about things some people do to make their homes safe.

INTERVIEWER: Press <Enter> to continue.

### HMS\_Q1 Is there at least 1 working smoke detector installed in your home?

HMS 1

- 1 Yes
- 2 No (Go to HMS\_Q5) DK, RF (Go to HMS\_END)

## HMS\_Q2 Are there smoke detectors installed on every level of your home, including the basement?

- 1 Yes
- 2 No

DK, RF

#### HMS\_Q3 Are the smoke detectors tested each month?

HMS 3

- 1 Yes
- 2 No

DK, RF

## HMS\_Q4 How often are the batteries changed in your smoke detectors?

INTERVIEWER: Read categories to respondent.

- 1 At least every 6 months
- 2 At least every year
- 3 As needed when the low battery warning chirps
- 4 Never
- 5 Not applicable (Hard wired)

DK, RF

#### HMS\_Q5 Is there an escape plan for getting out of your home in case of a fire?

HMS\_5

1 Yes

2 No (Go to HMS\_END) DK, RF (Go to HMS\_END)

HMS\_C6 If household size > 1, go to HMS\_Q6.

Otherwise, go to HMS\_END.

## HMS\_Q6 Have the members of your household ever discussed this plan?

HMS\_6

1 Yes

2 No

DK, RF

HMS\_END

#### Insurance coverage (INS)

INS\_BEG Optional Content (See Appendix 2)

INS\_C1A If (do INS block = 1), go to INS\_C1B.

Otherwise, go to INS\_END.

INS\_C1B If PMKProxy=2, go to INS\_END.

Otherwise, go to INS\_R1.

INS\_R1 Now, turning to ^YOUR2 insurance coverage. Please include any private,

government or employer-paid plans.

**INTERVIEWER**: Press <Enter> to continue.

INS\_D1 (not applicable)

INS\_1 prescription medications?

1 Yes

2 No (Go to INS\_C2) DK (Go to INS\_C2)

RF (Go to INS\_END)

INS\_Q1A Is it:

INS 1B

INTERVIEWER: Read categories to respondent. Mark all that apply.

1 ...a government-sponsored plan?

INS\_1A 2 ...an employer-sponsored plan?

3 ...a private plan?

INS\_1C DK, RF

INS\_C2 If (do OH2 block = 1) and not a proxy interview, go to INS\_Q3.

Otherwise, go to INS\_Q2.

INS\_Q2 (^DOVERB\_C ^YOU2 have insurance that covers all or part of:) INS\_2

... ^YOUR1 dental expenses?

- 1 Yes
- 2 No (Go to INS\_Q3) DK, RF (Go to INS\_Q3)

INS\_Q2A **Is it:** 

INTERVIEWER: Read categories to respondent. Mark all that apply.

INS\_2A 1 ...a government-sponsored plan?
INS\_2B 2 ...an employer-sponsored plan?
INS\_2C 3 ...a private plan?
DK, RF

INS\_Q3 (\*DOVERB\_C \*YOU2 have insurance that covers all or part of:)

...the costs of eye glasses or contact lenses?

- 1 Yes
- 2 No (Go to INS\_Q4) DK, RF (Go to INS\_Q4)

INS\_Q3A **Is it:** 

**INTERVIEWER**: Read categories to respondent. Mark all that apply.

INS\_3A 1 ...a government-sponsored plan?
INS\_3B 2 ...an employer-sponsored plan?
INS\_3C 3 ...a private plan?
DK, RF

INS\_Q4 (^DOVERB\_C ^YOU2 have insurance that covers all or part of:)

...hospital charges for a private or semi-private room?

- 1 Yes
- 2 No (Go to INS\_END) DK, RF (Go to INS\_END)

INS\_Q4A **Is it:** 

INTERVIEWER: Read categories to respondent. Mark all that apply.

INS_4A	1	a government-sponsored plan?
INS_4B	2	an employer-sponsored plan?
INS_4C	3	a private plan?
		DK, RF

INS\_END

#### **Education (EDU)**

EDU BEG Core content

EDU\_C01A If (do EDU block = 1), go to EDU1\_C01B.

Otherwise, go to EDU\_END.

EDU C01B If PMKProxy =2, go to EDU END.

Otherwise, go to EDU\_C01C.

EDU\_C01C If age of selected respondent < 14, go to EDU\_C07A.

Otherwise, go to EDU\_B01.

EDU\_B01 Call Education Sub Block 1 (EDU1)

EDU\_C07A If there is at least one household member who is >= 14 years of age other than the

selected respondent, go to EDU R07A.

Otherwise, go to EDU\_END.

EDU\_R07A Now I'd like you to think about the rest of your household.

INTERVIEWER: Press <Enter> to continue.

EDU\_B02 Call Education Sub Block 2 (EDU2)

Note: Ask this block for each household member aged 14 and older other than selected

respondent. Maximum of 19 times.

If it is a proxy interview then begin with person providing information about selected

respondent.

Otherwise, begin with first person rostered. Continue with household members in the

order in which they were rostered.

If calling the block for the person providing the information about selected respondent,

set proxyMode = NonProxy.

Otherwise, set proxymode = Proxy.

EDU\_END

#### Food security (FSC)

FSC\_BEG Optional Content (See Appendix 2)

FSC\_C01A If (do FSC block = 1), go to FSC\_C01AB.

Otherwise, go to FSC\_END.

 $FSC\_C01AB$  If PMKProxy = 2, go to  $FSC\_END$ .

Otherwise, go to FSC\_D010.

FSC\_D010 If HhldSize = 1, ^DT\_YouAndOthers = "you".

If HhldSize = 1, ^DT YouAndOthers C = "You".

If HhldSize ne 1, ^DT YouAndOthers = "you and other household members".

If HhldSize ne 1, ^DT\_YouAndOthers\_C = "You and other household members".

If OlderKids + YoungKids = 1, ^DT\_ChildFName = "^ChildFName".

If OlderKids + YoungKids = 1, ^DT\_ChildWas = "^ChildFName + was".

If OlderKids + YoungKids = 1, ^DT\_AnyChild = "^ChildFName".

If OlderKids + YoungKids = 1, ^DT\_AnyChilds = "^ChildFName + 's".

If OlderKids + YoungKids = 1, ^DT\_WasAnyChild = "was + ^ChildFName".

If OlderKids + YoungKids ne 1, ^DT ChildFName = "the children".

If OlderKids + YoungKids ne 1, ^DT\_ChildWas = "The children were".

If OlderKids + YoungKids ne 1, ^DT\_AnyChild = "any of the children".

If OlderKids + YoungKids ne 1, ^DT AnyChilds = "any of the children's".

If OlderKids + YoungKids ne 1, ^DT\_WasAnyChild = " were any of the children".

If (Adults + YoungAdults) = 1, ^DT\_YouOtherAdults = "you".

If (Adults + YoungAdults) = 1, ^DT YouOtherAdults C = "You".

If (Adults + YoungAdults) ne 1, ^DT\_YouOtherAdults = "you or other adults in your

household".

If (Adults + YoungAdults) ne 1, ^DT YouOtherAdults C = "You or other adults in your

household".

FSC\_R010 The following questions are about the food situation for your household in the past 12 months.

INTERVIEWER: Press <Enter> to continue.

#### FSC\_Q010 FSCE 010

Which of the following statements best describes the food eaten in your household in the past 12 months, that is, since [current month] of last year?

INTERVIEWER: Read categories to respondent.

- 1 **^DT\_YouAndOthers\_C** always had enough of the kinds of food you wanted to eat.
- 2 **^DT\_YouAndOthers\_C** had enough to eat, but not always the kinds of food you wanted.
- 3 Sometimes ^DT\_YouAndOthers did not have enough to eat.
- 4 Often \*DT\_YouAndOthers didn't have enough to eat.
  DK, RF (Go to FSC END)

#### FSC\_R020

Now I'm going to read you several statements that may be used to describe the food situation for a household. Please tell me if the statement was often true, sometimes true, or never true for ^DT\_YouAndOthers in the past 12 months.

INTERVIEWER: Press <Enter> to continue.

#### FSC\_Q020 FSC\_020

The first statement is: ...^DT\_YouAndOthers\_C worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?

- 1 Often true
- 2 Sometimes true
- 3 Never true DK. RF

#### FSC\_Q030 FSC\_030

The food that ^DT\_YouAndOthers bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?

- 1 Often true
- 2 Sometimes true
- 3 Never true DK, RF

#### FSC\_Q040 FSC\_040

**^DT\_YouAndOthers\_C** couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?

- 1 Often true
- 2 Sometimes true
- 3 Never true DK, RF

#### FSC\_C050

If (OlderKids + YoungKids > 0), go to FSC\_R050. Otherwise, go to FSC\_C070.

#### FSC R050

Now I'm going to read a few statements that may describe the food situation for households with children.

INTERVIEWER: Press < Enter> to continue.

#### FSC Q050 FSC 050

^DT YouOtherAdults C relied on only a few kinds of low-cost food to feed ^DT ChildFName because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?

- 1 Often true
- 2 Sometimes true
- 3 Never true DK, RF

Note:

If (OlderKids + YoungKids) = 0 and some members have age = blank then FSC Q050 = Valid Skip.

### FSC Q060

### FSC 060

^DT\_YouOtherAdults\_C couldn't feed ^DT\_ChildFName a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?

- 1 Often true
- 2 Sometimes true
- 3 Never true DK, RF

#### FSC C070

If (((([FSC\_Q020 or FSC\_Q030 or FSC\_Q040 or FSC\_Q050 or FSC\_Q060 <= 2) or (FSC Q010 = 3 or 4)] and ([OlderKids + YoungKids] > 0)), go to FSC Q070. Else if (([FSC Q020 or FSC Q030 or FSC Q040 or FSC Q050 or FSC Q060] <= 2) or (FSC Q010 = 3 or 4)), go to FSC R080. Otherwise, go to FSC\_END.

## FSC Q070

## FSC 070

^DT ChildWas not eating enough because ^DT YouOtherAdults just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?

- 1 Often true
- 2 Sometimes true
- 3 Never true DK, RF

#### FSC R080

The following few questions are about the food situation in the past 12 months for you or any other adults in your household.

INTERVIEWER: Press <Enter> to continue.

## FSC\_Q080 FSC\_080

In the past 12 months, since last [current month] did ^DT\_YouOtherAdults ever cut the size of your meals or skip meals because there wasn't enough money for food?

- 1 Yes
- 2 No (Go to FSC\_Q090) DK, RF (Go to FSC\_Q090)

#### FSC\_Q081 FSC\_081

How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?

- 1 Almost every month
- 2 Some months but not every month
- 3 Only 1 or 2 months DK. RF

#### FSC\_Q090 FSC\_090

In the past 12 months, did you 'Personallyever eat less than you felt you should because there wasn't enough money to buy food?

- 1 Yes
- 2 No DK, RF

#### FSC\_Q100 FSC 100

In the past 12 months, were you 'Personallyever hungry but didn't eat because you couldn't afford enough food?

- 1 Yes
- 2 No DK, RF

#### FSC\_Q110 FSC\_110

In the past 12 months, did you ^Personallylose weight because you didn't have enough money for food?

- 1 Yes
- 2 No DK, RF

FSC\_C120

If  $(FSC\_Q070 = 1 \text{ or } 2)$  or  $(FSC\_Q080 \text{ or } FSC\_Q090 \text{ or } FSC\_Q100 \text{ or } FSC\_Q110 = 1)$ , go to  $FSC\_Q120$ . Otherwise, go to  $FSC\_END$ .

#### FSC\_Q120 FSC 120

In the past 12 months, did ^DT\_YouOtherAdults ever not eat for a whole day because there wasn't enough money for food?

- 1 Yes
- 2 No (Go to FSC\_C130) DK, RF (Go to FSC\_C130)

#### FSC\_Q121 FSC\_121

How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?

- 1 Almost every month
- 2 Some months but not every month
- 3 Only 1 or 2 months DK, RF

FSC\_C130

If OlderKids + YoungKids <> 0, go to FSC\_R130. Otherwise, go to FSC\_END.

FSC\_R130

Now, a few questions on the food experiences for children in your household.

**INTERVIEWER**: Press <Enter> to continue.

#### FSC\_Q130 FSC\_130

In the past 12 months, did ^DT\_YouOtherAdults ever cut the size of ^DT\_AnyChilds meals because there wasn't enough money for food?

- 1 Yes
- 2 No

DK, RF

#### FSC\_Q140 FSC 140

In the past 12 months, did ^DT\_AnyChild ever skip meals because there wasn't enough money for food?

- 1 Yes
- 2 No (Go to FSC\_Q150) DK, RF (Go to FSC\_Q150)

#### FSC\_Q141 FSC 141

How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?

- 1 Almost every month
- 2 Some months but not every month
- 3 Only 1 or 2 months DK, RF

#### FSC\_Q150 FSC\_150

In the past 12 months, ^DT\_WasAnyChild ever hungry but you just couldn't afford more food?

- 1 Yes
- 2 No

DK, RF

FSC\_Q160 FSC\_160 In the past 12 months, did ^DT\_AnyChild ever not eat for a whole day because there wasn't enough money for food?

- 1 Yes
- 2 No DK, RF

FSC\_END

#### **Neurological Conditions (NEU)**

NEU\_BEG Common content

External variables required:

Household size

From roster: MEMBERNAME, Sex and Age

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DONEU: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

NEU\_C01 If DONEU = 1, go to NEU\_C02.

Otherwise, go to NEU\_END.

NEU\_C02 If PMKProxy = 2, go to  $NEU_END$ .

Otherwise, go to NEU\_D010.

NEU\_D010 If household size > 1, ^DT\_PHRASENEUE = "Now, I'd like you to think about

everyone in your household".

Otherwise, ^DT\_NOW = "Now,".

NEU\_R010 **^DT\_PHRASENEUE.** 

^DT\_NOW I'd like to ask about neurological conditions, which are conditions that affect the brain, spinal cord, nerves or muscles. Please do not include mental health conditions such as depression, anxiety disorder or schizophrenia.

We are interested in conditions which are expected to last or have already lasted six months or more and have been diagnosed by a doctor or other health professional.

INTERVIEWER: Press <1> to continue.

#### NEU\_D015 If one person household, DT\_YOU = "you".

If one person household, DT\_DOES\_C = "Do you". If one person household, DT\_DOES = "do you". If one person household, DT\_HAS = "Have you". If Else, DT\_YOU = "you or anyone in your household". If Else, DT\_DOES\_C = "Does MEMBERNAME". If Else, DT\_DOES = "does MEMBERNAME". If Else, DT\_HAS = "Has MEMBERNAME".

If household size = 1, go to NEU\_Q020. Otherwise, go to NEU\_Q015.

## NEU\_Q015 **Do ^DT\_YOU** have migraine headaches?

#### NEU\_015

NEU\_C015

1 Yes

2 No (Go to NEU\_Q020) 98 RF (Go to NEU\_END) 99 DK (Go to NEU\_Q020)

#### NEU\_C016

If one person household, go to NEU\_Q020. Otherwise, go to NEU\_Q016.

NEU_Q016 NEU_016	Who has this condition?
NEO_016	INTERVIEWER: Mark all that apply.
NEU_016A NEU_016B NEU_016C NEU_016D NEU_016E NEU_016F NEU_016G NEU_016H NEU_016I NEU_016J NEU_016K NEU_016L NEU_016M NEU_016M NEU_016N NEU_016O NEU_016P	01 MEMBER1 02 MEMBER2 03 MEMBER3 04 MEMBER4 05 MEMBER5 06 MEMBER6 07 MEMBER7 08 MEMBER8 09 MEMBER9 10 MEMBER10 11 MEMBER11 12 MEMBER12 13 MEMBER13 14 MEMBER13 14 MEMBER15 16 MEMBER16
NEU_016Q NEU_016R NEU_016S Note:	17 MEMBER17 18 MEMBER18 19 MEMBER19 20 MEMBER20  Programmer displays all household member names, genders, and ages from Household Roster. Show household members in ascending order by personID.
NEU_E016	An invalid answer has been selected. Please return and correct.
Note:	If a blank answer is selected, call NEU_E016.
NEU_Q020 NEU_020	Do ^DT_YOU have multiple sclerosis?  1 Yes 2 No (Go to NEU_Q030) DK, RF (Go to NEU_Q030)
Note:	In processing, if this is a one-person household and NEU_Q020 = 1, then NEU_Q021A = 1 and NEU_Q021(B - T) = 2.
NEU_C021	If one person household, go to NEU_Q030. Otherwise, go to NEU_Q021.

NEU_Q021 NEU_021	Who has this condition?
1420_021	INTERVIEWER: Mark all that apply.
NEU_021A NEU_021B NEU_021C NEU_021D NEU_021E NEU_021F NEU_021F NEU_021H NEU_021I NEU_021I NEU_021I NEU_021L NEU_021L NEU_021N NEU_021N NEU_021O NEU_021P NEU_021Q NEU_021R NEU_021S	01 MEMBER1 02 MEMBER2 03 MEMBER3 04 MEMBER4 05 MEMBER5 06 MEMBER6 07 MEMBER7 08 MEMBER8 09 MEMBER9 10 MEMBER10 11 MEMBER11 12 MEMBER12 13 MEMBER12 13 MEMBER13 14 MEMBER15 16 MEMBER16 17 MEMBER17 18 MEMBER18 19 MEMBER19 20 MEMBER20
Note:	Programmer displays all household member names, genders, and ages from Household Roster. Show household members in ascending order by personID.
NEU_E021	An invalid answer has been selected. Please return and correct.
Note:	If a blank answer is selected, call NEU_E021.
NEU_Q030 NEU_030	Do ^DT_YOU have epilepsy?  1 Yes 2 No (Go to NEU_Q040)
	DK, RF (Go to NEU_Q040)
Note:	In processing, if this is a one-person household and NEU_Q030 = 1, then NEU_Q031A = 1 and NEU_Q031(B - T) = 2.
NEU_C031	If one person household, go to NEU_Q032N. Otherwise, go to NEU_Q031.

NEU_Q031	Who has this condition?			
NEU_031				
	INTERVIEWER: Mark all that apply.			
NEU_031A	01 MEMBER1			
NEU_031B	02 MEMBER2			
NEU_031C	03 MEMBER3			
NEU_031D	04 MEMBER4			
NEU_031E	05 MEMBER5			
NEU_031F	06 MEMBER6			
NEU 031G	07 MEMBER7			
NEU_031H	08 MEMBER8			
NEU_031I	09 MEMBER9			
NEU_031J	10 MEMBER10			
NEU_031K	11 MEMBER11			
NEU_031L	12 MEMBER12			
NEU 031M	13 MEMBER13			
NEU_031N	14 MEMBER14			
NEU_0310	15 MEMBER15			
NEU_031P	16 MEMBER16			
NEU_031Q	17 MEMBER17			
NEU_031R	18 MEMBER18			
NEU_031S	19 MEMBER19			
	20 MEMBER20			
Note:	Programmer displays all household member names, genders, and ages from			
	Household Roster. Show household members in ascending order by personID.			
	For each valid response ask			
	To caon valid response asix			
NEU_E031	An invalid answer has been selected. Please return and correct.			
Note:	If a blank answer is selected for NEU_E031.			
NEU_C032	If If NEU_Q030=1, go to NEU_Q032N.			
	Otherwise, go to NEU_Q033N.			
NEU_Q032N	^DT_DOES_C currently take medication for epilepsy?			
NEU_032N				
_	1 Yes			
	2 No			
	99 DK, RF			
N	O HAIFH COOCH TAIFH COOCH ( )			
Note:	Call NEU_Q032N and NEU_Q033N for each member of the household when			
	NEU_Q030 = 1 (yes)			

# NEU\_Q033N **^DT\_HAS** had a seizure in the past five years? NEU\_033N

Yes
 No
 DK, RF

## NEU\_Q040 Do ^DT\_YOU have cerebral palsy?

NEU\_040

1 Yes

2 No (Go to NEU\_Q050) 99 DK, RF (Go to NEU\_Q050)

Note: In processing, if this is a one-person household and NEU\_Q040 = 1, then

 $NEU_Q041A = 1$  and  $NEU_Q041(B - T) = 2$ .

NEU\_C041 If one person household, go to NEU\_Q050.

Otherwise, go to NEU\_Q041.

## NEU\_Q041 Who has this condition? NEU\_041

**INTERVIEWER**: Mark all that apply.

NEU_041A	01	MEMBER1
NEU_041B	02	MEMBER2
NEU_041C	03	MEMBER3
NEU_041D	04	MEMBER4
NEU_041E	05	MEMBER5
NEU_041F	06	MEMBER6
NEU_041G	07	MEMBER7
NEU_041H	80	MEMBER8
NEU_041I	09	MEMBER9
NEU_041J	10	MEMBER10
NEU_041K	11	MEMBER11
NEU_041L	12	MEMBER12
NEU_041M	13	MEMBER13
NEU_041N	14	MEMBER14
NEU_0410	15	MEMBER15
NEU_041P	16	MEMBER16
NEU_041Q	17	MEMBER17
NEU_041R	18	MEMBER18
NEU_041S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E041.

NEU E041 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

Household Roster. Show household members in ascending order by personID

NEU\_Q050 (Do ^DT\_YOU have) spina bifida?

**NEU 050** 

1 Yes

No (Go to NEU\_Q060)
 DK, RF (Go to NEU Q060)

Note: In processing, if this is a one-person household and NEU Q050 = 1, then

 $NEU_Q051A = 1$  and  $NEU_Q051(B - T) = 2$ .

NEU\_C051 If one person household, go to NEU\_Q060.

Otherwise, go to NEU\_Q051.

NEU\_Q051 Who has this condition?

NEU\_051

INTERVIEWER: Mark all that apply.

NEU_051A	01	MEMBER1	
NEU_051B	02	MEMBER2	
NEU_051C	03	MEMBER3	
NEU_051D	04	MEMBER4	
NEU_051E	05	MEMBER5	
NEU_051F	06	MEMBER6	
NEU_051G	07	MEMBER7	
NEU_051H	80	MEMBER8	
NEU_051I	09	MEMBER9	
NEU_051J	10	MEMBER10	
NEU_051K	11	MEMBER11	
NEU_051L	12	MEMBER12	
NEU_051M	13	MEMBER13	
NEU_051N	14	MEMBER14	
NEU_051O	15	MEMBER15	
NEU_051P	16	MEMBER16	
NEU_051Q	17	MEMBER17	
NEU_051R	18	MEMBER18	
NEU_051S	19	MEMBER19	
	20	MEMBER20	

Note: If a blank answer is selected, call NEU\_E051.

NEU\_E051 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

Household Roster. Show household members in ascending order by personID

### NEU\_Q060 (Do ^DT\_YOU have) hydrocephalus?

NEU\_060

1 Yes

2 No (Go to NEU\_Q070) 99 DK, RF (Go to NEU\_Q070)

Note: In processing, if this is a one-person household and NEU\_Q060 = 1, then

 $NEU_Q061A = 1$  and  $NEU_Q061(B - T) = 2$ .

NEU\_C061 If one person household, go to NEU\_Q070.

Otherwise, go to NEU\_Q061.

### NEU\_Q061 Who has this condition?

NEU\_061

Note:

**INTERVIEWER**: Mark all that apply.

NEU_061A	01	MEMBER1	
NEU_061B	02	MEMBER2	
NEU_061C	03	MEMBER3	
NEU_061D	04	MEMBER4	
NEU_061E	05	MEMBER5	
NEU_061F	06	MEMBER6	
NEU_061G	07	MEMBER7	
NEU_061H	80	MEMBER8	
NEU_061I	09	MEMBER9	
NEU_061J	10	MEMBER10	
NEU_061K	11	MEMBER11	
NEU_061L	12	MEMBER12	
NEU_061M	13	MEMBER13	
NEU_061N	14	MEMBER14	
NEU_061O	15	MEMBER15	
NEU_061P	16	MEMBER16	
NEU_061Q	17	MEMBER17	
NEU_061R	18	MEMBER18	
NEU_061S	19	MEMBER19	
	20	MEMBER20	

If a blank answer is selected, call NEU\_E061.

NEU E061 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

Household Roster. Show household members in ascending order by personID

#### NEU\_Q070 (Do ^DT\_YOU have) muscular dystrophy?

NEU\_070

1 Yes

2 No (Go to NEU\_Q080) 99 DK, RF (Go to NEU\_Q080)

Note: In processing, if this is a one-person household and NEU\_Q070 = 1, then

 $NEU_Q071A = 1$  and  $NEU_Q071(B - T) = 2$ .

NEU\_C071 If one person household, go to NEU\_Q080.

Otherwise, go to NEU\_Q071.

#### NEU\_Q071 Who has this condition?

NEU\_071

INTERVIEWER: Mark all that apply.

NEU_071A	01	MEMBER1
NEU_071B	02	MEMBER2
NEU_071C	03	MEMBER3
NEU_071D	04	MEMBER4
NEU_071E	05	MEMBER5
NEU_071F	06	MEMBER6
NEU_071G	07	MEMBER7
NEU_071H	80	MEMBER8
NEU_071I	09	MEMBER9
NEU_071J	10	MEMBER10
NEU_071K	11	MEMBER11
NEU_071L	12	MEMBER12
NEU_071M	13	MEMBER13
NEU_071N	14	MEMBER14
NEU_0710	15	MEMBER15
NEU_071P	16	MEMBER16
NEU_071Q	17	MEMBER17
NEU_071R	18	MEMBER18
NEU_071S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E071.

NEU\_E071 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q080 (Do ^DT\_YOU have) dystonia?

NEU\_080

1 Yes

2 No (Go to NEU\_Q090) 99 DK, RF (Go to NEU\_Q090)

Note: In processing, if this is a one-person household and NEU\_Q080 = 1, then

 $NEU_Q081A = 1$  and  $NEU_Q081(B - T) = 2$ .

NEU\_C081 If one person household, go to NEU\_Q090.

Otherwise, go to NEU\_Q081.

#### NEU\_Q081 Who has this condition?

NEU\_081

INTERVIEWER: Mark all that apply.

NEU_081A	01	MEMBER1
NEU_081B	02	MEMBER2
NEU_081C	03	MEMBER3
NEU_081D	04	MEMBER4
NEU_081E	05	MEMBER5
NEU_081F	06	MEMBER6
NEU_081G	07	MEMBER7
NEU_081H	80	MEMBER8
NEU_081I	09	MEMBER9
NEU_081J	10	MEMBER10
NEU_081K	11	MEMBER11
NEU_081L	12	MEMBER12
NEU_081M	13	MEMBER13
NEU_081N	14	MEMBER14
NEU_081O	15	MEMBER15
NEU_081P	16	MEMBER16
NEU_081Q	17	MEMBER17
NEU_081R	18	MEMBER18
NEU_081S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E081.

NEU\_E081 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q090 (Do ^DT\_YOU have) Tourette's syndrome?

NEU\_090

1 Yes

2 No (Go to NEU\_Q100) 99 DK, RF (Go to NEU\_Q100)

Note: In processing, if this is a one-person household and NEU\_Q090 = 1, then

 $NEU_Q091A = 1$  and  $NEU_Q091(B - T) = 2$ .

NEU\_C091 If one person household, go to NEU\_Q100.

Otherwise, go to NEU\_Q091.

#### NEU\_Q091 Who has this condition?

NEU\_091

INTERVIEWER: Mark all that apply.

NEU_091A	01	MEMBER1
NEU_091B	02	MEMBER2
NEU_091C	03	MEMBER3
NEU_091D	04	MEMBER4
NEU_091E	05	MEMBER5
NEU_091F	06	MEMBER6
NEU_091G	07	MEMBER7
NEU_091H	80	MEMBER8
NEU_091I	09	MEMBER9
NEU_091J	10	MEMBER10
NEU_091K	11	MEMBER11
NEU_091L	12	MEMBER12
NEU_091M	13	MEMBER13
NEU_091N	14	MEMBER14
NEU_091O	15	MEMBER15
NEU_091P	16	MEMBER16
NEU_091Q	17	MEMBER17
NEU_091R	18	MEMBER18
NEU_091S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E091.

NEU\_E091 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q100 (Do ^DT\_YOU have) Parkinson's disease?

NEU\_100

1 Yes

2 No (Go to NEU\_Q110) 99 DK, RF (Go to NEU\_Q110)

Note: In processing, if this is a one-person household and NEU\_Q100 = 1, then

 $NEU_Q101A = 1$  and  $NEU_Q101(B - T) = 2$ .

NEU\_C101 If one person household, go to NEU\_Q110.

Otherwise, go to NEU\_Q101.

#### NEU\_Q101 Who has this condition?

NEU\_101

INTERVIEWER: Mark all that apply.

NEU_101A	01	MEMBER1
NEU_101B	02	MEMBER2
NEU_101C	03	MEMBER3
NEU_101D	04	MEMBER4
NEU_101E	05	MEMBER5
NEU_101F	06	MEMBER6
NEU_101G	07	MEMBER7
NEU_101H	80	MEMBER8
NEU_101I	09	MEMBER9
NEU_101J	10	MEMBER10
NEU_101K	11	MEMBER11
NEU_101L	12	MEMBER12
NEU_101M	13	MEMBER13
NEU_101N	14	MEMBER14
NEU_1010	15	MEMBER15
NEU_101P	16	MEMBER16
NEU_101Q	17	MEMBER17
NEU_101R	18	MEMBER18
NEU_101S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E101.

NEU\_E101 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q110 (Do ^DT\_YOU have) ALS (Lou Gehrig's disease/ amyotrophic lateral sclerosis)?

NEU\_110

1 Yes

2 No (Go to NEU\_Q120) 99 DK, RF (Go to NEU\_Q120)

Note: In processing, if this is a one-person household and NEU\_Q110 = 1, then

 $NEU_Q111A = 1$  and  $NEU_Q111(B - T) = 2$ .

NEU\_C111 If one person household, go to NEU\_Q120.

Otherwise, go to NEU\_Q111.

#### NEU\_Q111 Who has this condition?

NEU\_111

INTERVIEWER: Mark all that apply.

NEU_111A	01	MEMBER1
NEU_111B	02	MEMBER2
NEU_111C	03	MEMBER3
NEU_111D	04	MEMBER4
NEU_111E	05	MEMBER5
NEU_111F	06	MEMBER6
NEU_111G	07	MEMBER7
NEU_111H	80	MEMBER8
NEU_111I	09	MEMBER9
NEU_111J	10	MEMBER10
NEU_111K	11	MEMBER11
NEU_111L	12	MEMBER12
NEU_111M	13	MEMBER13
NEU_111N	14	MEMBER14
NEU_1110	15	MEMBER15
NEU_111P	16	MEMBER16
NEU_111Q	17	MEMBER17
NEU_111R	18	MEMBER18
NEU_111S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E111.

NEU\_E111 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q120 (Do ^DT\_YOU have) Huntington's disease?

NEU\_120

1 Yes

2 No (Go to NEU\_C130) 99 DK, RF (Go to NEU\_C130)

Note: In processing, if this is a one-person household and NEU\_Q120 = 1, then

 $NEU_Q121A = 1$  and  $NEU_Q121(B - T) = 2$ .

NEU\_C121 If one person household, go to NEU\_Q140.

Otherwise, go to NEU\_Q121.

#### NEU\_Q121 Who has this condition?

NEU\_121

INTERVIEWER: Mark all that apply.

NEU_121A	01	MEMBER1
NEU_121B	02	MEMBER2
NEU_121C	03	MEMBER3
NEU_121D	04	MEMBER4
NEU_121E	05	MEMBER5
NEU_121F	06	MEMBER6
NEU_121G	07	MEMBER7
NEU_121H	80	MEMBER8
NEU_121I	09	MEMBER9
NEU_121J	10	MEMBER10
NEU_121K	11	MEMBER11
NEU_121L	12	MEMBER12
NEU_121M	13	MEMBER13
NEU_121N	14	MEMBER14
NEU_1210	15	MEMBER15
NEU_121P	16	MEMBER16
NEU_121Q	17	MEMBER17
NEU_121R	18	MEMBER18
NEU_121S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E121.

NEU\_E121 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

Household Roster. Show household members in ascending order by personID

NEU\_C130 If household size = 1, go to NEU\_C140.

Otherwise, go to NEU\_Q130.

#### NEU\_Q130 Do ^DT\_YOU suffer from the effects of a stroke?

NEU\_130

1 Yes

2 No (Go to NEU\_Q140) 99 DK, RF (Go to NEU\_Q140)

Note: In processing, if this is a one-person household and NEU\_Q130 = 1, then

 $NEU_Q131A = 1$  and  $NEU_Q131(B - T) = 2$ .

NEU\_C131 If one person household, go to NEU\_Q140.

Otherwise, go to NEU\_Q131.

#### NEU\_Q131 Who has this condition?

NEU\_131

INTERVIEWER: Mark all that apply.

NEU_131A	01	MEMBER1
NEU_131B	02	MEMBER2
NEU_131C	03	MEMBER3
NEU_131D	04	MEMBER4
NEU_131E	05	MEMBER5
NEU_131F	06	MEMBER6
NEU_131G	07	MEMBER7
NEU_131H	80	MEMBER8
NEU_131I	09	MEMBER9
NEU_131J	10	MEMBER10
NEU_131K	11	MEMBER11
NEU_131L	12	MEMBER12
NEU_131M	13	MEMBER13
NEU_131N	14	MEMBER14
NEU_1310	15	MEMBER15
NEU_131P	16	MEMBER16
NEU_131Q	17	MEMBER17
NEU_131R	18	MEMBER18
NEU_131S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E131.

NEU\_E131 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q140 Do ^DT\_YOU have a neurological condition caused by a brain injury?

NEU\_140

1 Yes

2 No (Go to NEU\_Q150) 99 DK, RF (Go to NEU\_Q150)

Note: In processing, if this is a one-person household and NEU\_Q140 = 1, then

 $NEU_Q141A = 1$  and  $NEU_Q141(B - T) = 2$ .

NEU\_C141 If one person household, go to NEU\_Q150.

Otherwise, go to NEU\_Q141.

#### NEU Q141 Who has this condition?

NEU\_141

INTERVIEWER: Mark all that apply.

NEU_141A	01	MEMBER1
NEU_141B	02	MEMBER2
NEU_141C	03	MEMBER3
NEU_141D	04	MEMBER4
NEU_141E	05	MEMBER5
NEU_141F	06	MEMBER6
NEU_141G	07	MEMBER7
NEU_141H	80	MEMBER8
NEU_141I	09	MEMBER9
NEU_141J	10	MEMBER10
NEU_141K	11	MEMBER11
NEU_141L	12	MEMBER12
NEU_141M	13	MEMBER13
NEU_141N	14	MEMBER14
NEU_1410	15	MEMBER15
NEU_141P	16	MEMBER16
NEU_141Q	17	MEMBER17
NEU_141R	18	MEMBER18
NEU_141S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E141.

NEU\_E141 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q150 NEU\_150

#### (Do ^DT\_YOU have) a neurological condition caused by a brain tumour?

INTERVIEWER: Include both malignant and benign tumours.

Include tumours that start in the brain and cancer from elsewhere in the body that has spread to the brain.

1 Yes

2 No (Go to NEU\_Q160)99 DK, RF (Go to NEU\_Q160)

Note: In processing, if this is a one-person household and NEU\_Q150 = 1, then

 $NEU_Q151A = 1$  and  $NEU_Q151(B - T) = 2$ .

NEU\_C151 If one person household, go to NEU\_Q160.

Otherwise, go to NEU\_Q151.

#### NEU\_Q151

#### Who has this condition?

#### **NEU 151**

INTERVIEWER: Mark all that apply.

NEU_151A	01	MEMBER1
NEU_151B	02	MEMBER2
NEU_151C	03	MEMBER3
NEU_151D	04	MEMBER4
NEU_151E	05	MEMBER5
NEU_151F	06	MEMBER6
NEU_151G	07	MEMBER7
NEU_151H	80	MEMBER8
NEU_151I	09	MEMBER9
NEU_151J	10	MEMBER10
NEU_151K	11	MEMBER11
NEU_151L	12	MEMBER12
NEU_151M	13	MEMBER13
NEU_151N	14	MEMBER14
NEU_1510	15	MEMBER15
NEU_151P	16	MEMBER16
NEU_151Q	17	MEMBER17
NEU_151R	18	MEMBER18
NEU_151S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E151.

NEU\_E151 An invalid answer has been selected. Please return and correct.

Note:

Programmer displays all household member names, genders, and ages from Household Roster. Show household members in ascending order by personID

# NEU\_Q160 NEU\_160 1 Yes 2 No (Go to NEU\_Q170) (Do ^DT\_YOU have) a neurological condition caused by a spinal cord injury?

99 DK, RF (Go to NEU\_Q170)

Note: In processing, if this is a one-person household and NEU\_Q160 = 1, then

 $NEU_Q161A = 1$  and  $NEU_Q161(B - T) = 2$ .

NEU\_C161 If one person household, go to NEU\_Q170.

Otherwise, go to NEU\_Q161.

#### NEU\_Q161 Who has this condition?

NEU\_161

INTERVIEWER: Mark all that apply.

NEU_161A	01	MEMBER1
NEU_161B	02	MEMBER2
NEU_161C	03	MEMBER3
NEU_161D	04	MEMBER4
NEU_161E	05	MEMBER5
NEU_161F	06	MEMBER6
NEU_161G	07	MEMBER7
NEU_161H	80	MEMBER8
NEU_161I	09	MEMBER9
NEU_161J	10	MEMBER10
NEU_161K	11	MEMBER11
NEU_161L	12	MEMBER12
NEU_161M	13	MEMBER13
NEU_161N	14	MEMBER14
NEU_161O	15	MEMBER15
NEU_161P	16	MEMBER16
NEU_161Q	17	MEMBER17
NEU_161R	18	MEMBER18
NEU_161S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E161.

NEU\_E161 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

#### NEU\_Q170 NEU\_170

#### (Do ^DT\_YOU have) a neurological condition caused by a spinal cord tumour?

INTERVIEWER: Include both malignant and benign tumours.

Include tumours that start in the spinal cord and cancer from elsewhere in the body that has spread to the spinal cord.

1 Yes

2 No (Go to NEU\_C180) 99 DK, RF (Go to NEU\_C180)

Note: In processing, if this is a one-person household and NEU\_Q170 = 1, then

 $NEU_Q171A = 1$  and  $NEU_Q171(B - T) = 2$ .

NEU\_C171 If one person household, go to NEU\_Q190.

Otherwise, go to NEU\_Q171.

#### NEU\_Q171

#### Who has this condition?

#### **NEU 171**

INTERVIEWER: Mark all that apply.

NEU_171A	01	MEMBER1
NEU_171B	02	MEMBER2
NEU_171C	03	MEMBER3
NEU_171D	04	MEMBER4
NEU_171E	05	MEMBER5
NEU_171F	06	MEMBER6
NEU_171G	07	MEMBER7
NEU_171H	80	MEMBER8
NEU_171I	09	MEMBER9
NEU_171J	10	MEMBER10
NEU_171K	11	MEMBER11
NEU_171L	12	MEMBER12
NEU_171M	13	MEMBER13
NEU_171N	14	MEMBER14
NEU_1710	15	MEMBER15
NEU_171P	16	MEMBER16
NEU_171Q	17	MEMBER17
NEU_171R	18	MEMBER18
NEU_171S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E171.

NEU\_E171 An invalid answer has been selected. Please return and correct.

Note:

Programmer displays all household member names, genders, and ages from Household Roster. Show household members in ascending order by personID

NEU\_C180 If household size = 1, go to NEU\_Q190.

Otherwise, go to NEU\_Q180.

NEU\_Q180 (Do ^DT\_YOU have) Alzheimer's Disease or any other dementia?

**NEU 180** 

1 Yes

2 No (Go to NEU\_Q190) 99 DK, RF (Go to NEU\_Q190)

Note: In processing, if this is a one-person household and NEU\_Q180 = 1, then

 $NEU_Q181A = 1$  and  $NEU_Q181(B - T) = 2$ .

NEU Q181 Who has this condition?

NEU\_181

INTERVIEWER: Mark all that apply.

NEU_181A	01	MEMBER1
NEU_181B	02	MEMBER2
NEU_181C	03	MEMBER3
NEU_181D	04	MEMBER4
NEU_181E	05	MEMBER5
NEU_181F	06	MEMBER6
NEU_181G	07	MEMBER7
NEU_181H	80	MEMBER8
NEU_181I	09	MEMBER9
NEU_181J	10	MEMBER10
NEU_181K	11	MEMBER11
NEU_181L	12	MEMBER12
NEU_181M	13	MEMBER13
NEU_181N	14	MEMBER14
NEU_1810	15	MEMBER15
NEU_181P	16	MEMBER16
NEU_181Q	17	MEMBER17
NEU_181R	18	MEMBER18
NEU_181S	19	MEMBER19
	20	MEMBER20

Note: If a blank answer is selected, call NEU\_E181.

NEU\_E181 An invalid answer has been selected. Please return and correct.

Note: Programmer displays all household member names, genders, and ages from

NEU\_Q190 NEU\_190 Do ^DT\_YOU have any other neurological condition that affects the brain, spinal cord, nerves or muscles that we haven't asked about and that has been diagnosed by a doctor or other health professional?

1 Yes

2 No (Go to NEU\_END) 99 DK, RF (Go to NEU\_END)

Note:

In processing, if this is a one-person household and NEU\_Q190 = 1, then

NEU Q191A = 1 and NEU Q191(B - T) = 2.

**NEU\_C191** 

If one person household, go to neu\_q192.

Otherwise, go to NEU\_Q191.

NEU\_Q191

#### Who has this condition?

NEU\_191

INTERVIEWER: Mark all that apply.

NEU_191A	01	MEMBER1
NEU_191B	02	MEMBER2
NEU_191C	03	MEMBER3
NEU_191D	04	MEMBER4
NEU_191E	05	MEMBER5
NEU_191F	06	MEMBER6
NEU_191G	07	MEMBER7
NEU_191H	80	MEMBER8
NEU_191I	09	MEMBER9
NEU_191J	10	MEMBER10
NEU_191K	11	MEMBER11
NEU_191L	12	MEMBER12
NEU_191M	13	MEMBER13
NEU_191N	14	MEMBER14
NEU_1910	15	MEMBER15
NEU_191P	16	MEMBER16
NEU_191Q	17	MEMBER17
NEU_191R	18	MEMBER18
NEU_191S	19	MEMBER19
	20	MEMBER20

99 DK, RF (Go to NEU END)

Note: If a blank answer is selected, call NEU\_E191.

NEU\_E191 An invalid answer has been selected. Please return and correct.

Note:

Programmer displays all household member names, genders, and ages from Household Roster. Show household members in ascending order by personID

NEU\_B191 Call neu\_q192 for each member of the household identified in NEU\_Q191.

NEU\_Q192 <u>INTERVIEWER</u>: Specify.

NEU\_192

What condition(s) ^DT DOES have?

(80 spaces) DK, RF

NEU\_END

#### **Education of the respondent (EDU1)**

EDU1\_BEG Core content

EDU\_R01 Next, education.

INTERVIEWER: Press <Enter> to continue.

#### EDU\_Q01 EDU 1

# What is the highest grade of elementary or high school ^YOU2 ^HAVE ever completed?

1 Grade 8 or lower (Québec: Secondary II or lower) (Go to EDU\_Q03)

- 2 Grade 9 10 (Québec: Secondary III or IV, Newfoundland (Go to EDU\_Q03) and Labrador: 1st year of secondary)
- 3 Grade 11 13

(Québec: Secondary V, Newfoundland and Labrador: 2nd to 4th year of secondary)

DK, RF (Go to EDU\_Q03)

Note:

In processing, if ANC\_AGE < 14 (age of respondent), the variable EDU\_Q01 is given the value of "1" and the variable EDU\_Q03 is given the value of "2".

#### EDU\_Q02

#### Did ^YOU1 graduate from high school (secondary school)?

#### EDU\_2

- 1 Yes
- 2 No DK, RF

#### EDU\_Q03 EDU 3

**^HAVE\_C ^YOU1** received any other education that could be counted towards a degree, certificate or diploma from an educational institution?

- 1 Yes
- 2 No (Go to EDU\_Q05) DK, RF (Go to EDU\_Q05)

Note:

In processing, if ANC\_AGE < 14 (age of respondent), the variable EDU\_Q01 is given the value of "1" and the variable EDU\_Q03 is given the value of "2".

### EDU\_Q04

#### What is the highest degree, certificate or diploma ^YOU1 ^HAVE obtained?

#### EDU\_4

- No post-secondary degree, certificate or diploma
- 2 Trade certificate or diploma from a vocational school or apprenticeship training
- 3 Non-university certificate or diploma from a community college, CEGEP, school of nursing, etc.
- 4 University certificate below bachelor's level
- 5 Bachelor's degree
- 6 University degree or certificate above bachelor's degree DK, RF

1

Full-time

Part-time DK, RF

# ARE\_C ^YOU1 currently attending a school, college or university? 1 Yes 2 No (Go to EDU\_END) DK, RF (Go to EDU\_END) \*ARE\_C ^YOU1 enrolled as a full-time student or a part-time student? \*\*SDC\_9\*\*

EDU1\_END

#### Education of other household members (EDU2)

EDU2 BEG

Core content

EDU2 D07

If proxymode = NonProxy, YOU7 = "you".

If proxymode = NonProxy, YOU8 = "you".

If proxymode = NonProxy,  $HAVE9\_C = "Have"$ .

If proxymode = NonProxy, HAVE10 = "have".

Otherwise, YOU7 = "FNAME". Otherwise, YOU8 = "he/she". Otherwise, HAVE9\_C = "Has". Otherwise, HAVE10 = "has".

#### EDU Q07

#### What is the highest grade of elementary or high school ^YOU2 ever completed?

EDU 1

- 1 Grade 8 or lower (Québec: Secondary II or lower) (Go to EDU\_Q03)
- 2 Grade 9 10 (Québec: Secondary III or IV, (Go to EDU\_Q03) Newfoundland and Labrador: 1st year of secondary)
- 3 Grade 11 13 (Québec: Secondary V, Newfoundland and Labrador: 2nd to 4th year of secondary)

DK, RF (Go to EDU\_Q03)

#### EDU\_Q08

#### Did ^YOU1 graduate from high school (secondary school)?

#### EDU\_2

- 1 Yes
- 2 No
  - DK, RF

#### EDU\_Q09 EDU 3

**^HAVE\_C ^YOU1** received any other education that could be counted towards a degree, certificate or diploma from an educational institution?

- 1 Yes
- 2 No (Go to EDU\_END)
- 3 DK, RF (Go to EDU END)

#### EDU Q10

#### What is the highest degree, certificate or diploma ^YOU1 ^HAVE obtained?

#### EDU 4

- 1 No post-secondary degree, certificate or diploma
- 2 Trade certificate or diploma from a vocational school or apprenticeship training
- 3 Non-university certificate or diploma from a community college, CEGEP, school of nursing, etc.
- 4 University certificate below bachelor's level
- 5 Bachelor's degree
- 6 University degree or certificate above bachelor's degree DK, RF

#### Income (INC)

INC\_BEG Core content

INC\_C1A If do INC block = 1, go to INC\_C1AB.

Otherwise, go to INC\_END.

INC C1AB If PMKProxy = 2, go to INC END.

Otherwise, go to INC\_R1.

INC R1 Although many health expenses are covered by health insurance, there is still a

relationship between health and income. Please be assured that, like all other information you have provided, these answers will be kept strictly confidential.

INTERVIEWER: Press <Enter> to continue.

INC\_Q1 Thinking about the total income for all household members, from which of the

following sources did your household receive any income in the past 12 months?

INTERVIEWER: Read categories to respondent.

Mark all that apply.

INC_1A	01	Wages and salaries
INC_1B	02	Income from self-employment

INC\_1C 03 Dividends and interest (e.g., on bonds, savings)

INC\_1D 04 Employment insurance INC 1E 05 Worker's compensation

INC\_1F 06 Benefits from Canada or Quebec Pension Plan

INC\_1G 07 Job related retirement pensions, superannuation and annuities

INC\_1O 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered

Retirement Income Fund)

INC\_1H 09 Old Age Security and Guaranteed Income Supplement

INC\_1J 10 Provincial or municipal social assistance or welfare

INC\_1I 11 Child Tax Benefit

INC\_1K 12 Child support

INC\_1L 13 Alimony

INC\_1M 14 Other (e.g., rental income, scholarships)

INC\_1N 15 None

DK, RF (Go to INC\_END)

INC\_E1 You cannot select "None" and another category. Please return and correct.

Note: Trigger hard edit if INC\_Q1 = 15 and any other response selected in INC\_Q1.

INC\_E2 Inconsistent answers have been entered. Please confirm.

Note: Trigger soft edit if (INC\_Q1 <> 1 or 2) and (LF2\_Q1 = 1 or LF2\_Q2 = 1).

INC C2 If more than one source of income is indicated in INC Q1, go to INC Q2.

Otherwise, go to INC\_Q3.

#### INC\_Q2 What was the main source of household income?

INC 2

01 Wages and salaries

- 02 Income from self-employment
- 03 Dividends and interest (e.g., on bonds, savings)
- 04 Employment insurance
- 05 Worker's compensation
- 06 Benefits from Canada or Quebec Pension Plan
- 07 Job related retirement pensions, superannuation and annuities
- 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
- 09 Old Age Security and Guaranteed Income Supplement
- 10 Provincial or municipal social assistance or welfare
- 11 Child Tax Benefit
- 12 Child support
- 13 Alimony
- 14 Other (e.g., rental income, scholarships)
- 15 None DK, RF

Note: At the time of the data processing, if the respondent reported only one source of

income in INC Q1, the variable INC Q2 will be given its value.

INC E3 A blank answer item has been selected. Please return and correct.

Note: Trigger hard edit if the response in INC Q2 was not selected in INC Q1.

INC\_Q3 What is you

INC 3

What is your best estimate of the total income received by all household members, from all sources, before taxes and deductions, in the past 12 months?

INTERVIEWER: Income can come from various sources such as from work,

investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such

as child support, alimony and rental income.

|\_|\_|\_|\_| Income (MIN: 0) (MAX: 500,000)

DK, RF (Go to INC\_Q5A)

Note: At the time of the data processing, responses reported in INC\_Q3 will also be recoded

into the cascade categories of INC\_Q5A to INC\_Q5C.

Page 365 of 378

INC E4 An unusual value has been entered. Please confirm.

Note: Trigger soft edit if INC Q3 > 150,000.

INC\_C3 If  $INC_Q3 = 0$ , go to  $INC_END$ .

Otherwise, go to INC\_C4.

INC\_C4 If INC\_Q3 > 0 and INC\_Q3 <= 500,000, go to INC\_C5AA.

Otherwise, go to INC\_Q5A.

INC\_Q5A INC\_5A What is your best estimate of the total household income received by all household members, from all sources, before taxes and deductions, in the past 12 months? Was it:

INTERVIEWER: Read categories to respondent.

- 1 ...less than \$50,000 (include income loss)?
- 2 ...\$50,000 and more? (Go to INC\_Q5C)
  DK, RF (Go to INC\_END)

INC\_Q5B INC\_5B Please stop me when I have read the category which applies to ^YOUR1 household.

INTERVIEWER: Read categories to respondent.

- 1 Less than \$5,000
- 2 \$5,000 or more but less than \$10,000
- 3 \$10,000 or more but less than \$15,000
- 4 \$15,000 or more but less than \$20,000
- 5 **\$20,000** or more but less than \$30,000
- 6 \$30,000 or more but less than \$40,000
- 7 **\$40,000** or more but less than \$50,000 DK. RF

Go to INC\_C5AA

INC\_Q5C INC\_5C Please stop me when I have read the category which applies to ^YOUR1 household.

 $\underline{\mathsf{INTERVIEWER}} \colon \mathsf{Read} \ \mathsf{categories} \ \mathsf{to} \ \mathsf{respondent}.$ 

- 1 \$50,000 or more but less than \$60,000
- 2 \$60,000 or more but less than \$70,000
- 3 \$70,000 or more but less than \$80,000
- 4 \$80,000 or more but less than \$90,000
- 5 \$90,000 or more but less than \$100,000
- 6 \$100,000 or more but less than \$150,000
- 7 **\$150,000 and over** DK, RF

INC\_C5A

If HHLDSZ > 1, go to INC\_C5B. Otherwise, go to INC\_END.

INC C5B

If age of respondent > 15, go to INC\_D6.

Otherwise, go to INC\_END.

INC\_D6

(not applicable)

INC\_Q6 Thinking about ^YOUR2 total personal income, from which of the following sources did ^YOU1 receive any income in the past 12 months?

<u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply.

INC_6A	01	Wages and salaries
INC_6B	02	Income from self-employment
INC_6C	03	Dividends and interest (e.g., on bonds, savings)
INC_6D	04	Employment insurance
INC_6E	05	Worker's compensation
INC_6F	06	Benefits from Canada or Quebec Pension Plan
INC_6G	07	Job related retirement pensions, superannuation and annuities
INC_6H	80	RRSP/RRIF (Registered Retirement Savings Plan/Registered
		Retirement Income Fund)
INC_6I	09	Old Age Security and Guaranteed Income Supplement
INC_6J	10	Provincial or municipal social assistance or welfare
INC_6K	11	Child Tax Benefit
INC_6L	12	Child support
INC_6M	13	Alimony
INC_6N	14	Other (e.g., rental income, scholarships)
INC_6O	15	None
		DK, RF (Go to INC_END)

INC\_E5 A selected source of personal income is not selected as one of the sources of income for all household members. Please return and correct.

Note: Trigger hard edit if any response other than 15 is selected in INC\_Q6 and is not

selected in INC\_Q1.

INC\_E6 You cannot select "None" and another category. Please return and correct.

Note: Trigger hard edit if INC Q6 = 15 (None) and any other response selected in INC Q6.

INC\_C6 If more than one source of income is indicated in INC\_Q6, go to INC\_Q7.

Otherwise, go to INC\_D8A.

#### INC Q7 What was the main source of ^YOUR1 personal income? INC\_7 01 Wages and salaries 02 Income from self-employment 03 Dividends and interest (e.g., on bonds, savings) 04 **Employment insurance** 05 Worker's compensation 06 Benefits from Canada or Quebec Pension Plan 07 Job related retirement pensions, superannuation and annuities RRSP/RRIF (Registered Retirement Savings Plan/Registered 80 Retirement Income Fund) 09 Old Age Security and Guaranteed Income Supplement Provincial or municipal social assistance or welfare Child Tax Benefit 11 12 Child support 13 Alimony 14 Other (e.g., rental income, scholarships) 15 None DK, RF (Go to INC\_END) Note: At the time of the data processing, if the respondent reported only one source of income in INC Q6, the variable INC Q7 will be given its value. INC E7 A blank answer item has been selected. Please return and correct. Note: Trigger hard edit if the response in INC Q7 was not selected in INC Q6. INC D8A (not applicable) INC D8B (Not applicable) INC\_Q8A What is your best estimate of ^YOUR1 total personal income from all sources, before taxes and deductions, in the past 12 months? INC 8A |\_|\_|\_| Income (MIN: 0) (MAX: 500,000) DK, RF (Go to INC\_Q8B) Note: At the time of the data processing, responses reported in INC\_Q8A will also be coded into the cascade categories of INC\_Q8B to INC\_Q8D. INC\_E8 An unusual value has been entered. Please confirm. Note: Trigger soft edit if INC\_Q8A > \$150,000.

INC\_C7 If INC\_Q8A = 0, go to INC\_END.

Otherwise, go to INC\_C8.

INC\_C8 If INC\_Q8A > 0 and INC\_Q8A <= 500,000, go to INC\_END.

Otherwise, go to INC\_Q8B.

INC\_Q8B INC\_8B What is your best estimate of ^YOUR1 total personal income from all sources, before taxes and deductions, in the past 12 months? Was it:

INTERVIEWER: Read categories to respondent.

1 ...less than \$30,000?

2 ...\$30,000 or more? (Go to INC\_Q8D)
DK, RF (Go to INC\_END)

INC\_Q8C INC\_8C Please stop me when I have read the category which applies to ^YOU2.

INTERVIEWER: Read categories to respondent.

- 1 Less than \$5,000
- 2 \$5,000 or more but less than \$10,000
- 3 \$10,000 or more but less than \$15,000
- 4 \$15,000 or more but less than \$20,000
- 5 **\$20,000** or more but less than **\$25,000**
- 6 **\$25,000** or more but less than \$30,000 DK, RF

Go to INC\_END

INC\_Q8D

Please stop me when I have read the category which applies to ^YOU2.

INC\_8D

INTERVIEWER: Read categories to respondent.

- 1 \$30,000 or more but less than \$40,000
- 2 \$40,000 or more but less than \$50,000
- 3 \$50,000 or more but less than \$60,000
- 4 \$60,000 or more but less than \$70,000
- 5 **\$70,000** or more but less than \$80,000
- 6 \$80,000 or more but less than \$90,000
- 7 \$90,000 or more but less than \$100,000
- 8 **\$100,000** and over DK, RF

INC END

#### Administration information (ADM)

ADM BEG Core content

ADM C01 If (do ADM block = 1), go to ADM D01A.

Otherwise, go to ADM\_END.

Note: Health Number

If If PMKProxy=2, go to ADM END. ADM C01A

Otherwise, go to ADM D01A.

ADM D01A If province = 60, 61 or 62, ^DT\_PROVTERR = "territorial".

Otherwise, ^DT PROVTERR = "provincial".

If province = 24, ^DT\_STAT = "Statistics Canada, your ^DT\_PROVTERR ministry of ADM D01B

health and the « Institut de la Statistique du Québec»".

Otherwise, ^DT\_STAT = "Statistics Canada and your ^DT\_PROVTERR ministry of

health".

ADM\_D01C (not applicable)

^DT STAT would like your permission to link information collected during this ADM R01

> interview. This includes linking ^YOUR2 survey information to ^YOUR1 past and continuing use of health services such as visits to hospitals, clinics and doctor's

offices.

INTERVIEWER: Press <Enter> to continue.

ADM Q01B This linked information will be kept confidential and used only for statistical purposes. Do we have your permission? ADM 01B

> 1 Yes

2 No (Go to ADM\_C04A)

> DK, RF (Go to ADM C04A)

ADM D3A If province = 10, ^DT PROVINCEE = "a Newfoundland and Labrador". If province = 11, ^DT PROVINCEE = "a Prince Edward Island". If province = 12, ^DT\_PROVINCEE = "a Nova Scotia". If province = 13, ^DT\_PROVINCEE = "a New Brunswick". If province = 24, ^DT PROVINCEE = "a Quebec". If province = 35, ^DT\_PROVINCEE = "an Ontario". If province = 46, ^DT PROVINCEE = "a Manitoba". If province = 47, ^DT PROVINCEE = "a Saskatchewan". If province = 48, ^DT PROVINCEE = "an Alberta". If province = 59, ^DT PROVINCEE = "a British Columbia". If province = 60, ^DT\_PROVINCEE = "a Yukon". If province = 61, ^DT PROVINCEE = "a Northwest Territories". If province = 62, ^DT\_PROVINCEE = "a Nunavut". (not applicable) ADM\_D3B

#### ADM\_Q03A ADM 03A

Having a provincial or territorial health number will assist us in linking to this other information.

#### **^DOVERB\_C ^YOU2** have **^DT\_PROVINCEE** health number?

- 1 Yes (Go to HN)
- 2 No

DK, RF (Go to ADM C04A)

#### ADM\_Q03B For which province or territory is **YOUR1** health number?

- 10 Newfoundland and Labrador
- 11 Prince Edward Island
- 12 Nova Scotia
- 13 New Brunswick
- 24 Quebec
- 35 Ontario
- 46 Manitoba
- 47 Saskatchewan
- 48 Alberta
- 59 British Columbia
- 60 Yukon
- 61 Northwest Territories
- 62 Nunavut
- Does not have a Canadian health number(Go to ADM\_C04A)DK, RF (Go to ADM\_C04A)

HN What is ^YOUR1 health number?

INTERVIEWER: Enter a health number for ^DT PROVINCEE. Do not insert blanks,

hyphens or commas between the numbers.

\_\_\_\_\_

(12 spaces) DK, RF

ADM\_C04A If province = 24 (Quebec), go to ADM\_R04AC.

Otherwise, go to ADM\_C04B.

ADM\_C04B If province = 60, 61 or 62 (Yukon, N.W.T. or Nunavut), go to ADM\_R04AB.

Otherwise, go to ADM\_R04AA.

Note: Data Sharing - All Provinces (excluding Quebec and the territories)

ADM\_R04AA Statistics Canada would like your permission to share the information collected in

this survey with provincial and territorial ministries of health, Health Canada and

the Public Health Agency of Canada.

Provincial ministries of health may make this information available to local health authorities, but names, addresses, telephone numbers and health numbers will not

be provided.

INTERVIEWER: The personal identifiers (names, addresses, telephone numbers and

health numbers) will not be provided to Health Canada or the Public Health Agency of Canada. Provincial ministries of health includes the

territorial ministries of health.

Press <Enter> to continue.

Go to ADM\_Q04B

Note: Data Sharing - NWT, Yukon, Nunavut

#### ADM R04AB

Statistics Canada would like your permission to share the information collected in this survey with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada.

Provincial ministries of health may make this information available to local health authorities, but names, addresses, telephone numbers and health numbers will not be provided.

INTERVIEWER: The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada. Provincial ministries of health includes the territorial ministries of health.

Press <Enter> to continue.

Go to ADM Q04B

Note: Data Sharing - Quebec

ADM R04AC

Statistics Canada would like your permission to share the information collected in this survey with provincial and territorial ministries of health, the « Institut de la Statistique du Québec », Health Canada and the Public Health Agency of Canada.

The « Institut de la Statistique du Québec » and provincial ministries of health may make this information available to local health authorities, but names, addresses, telephone numbers and health numbers will not be provided.

INTERVIEWER: The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada. Provincial ministries of health includes the territorial ministries of health.

Press <Enter> to continue.

#### ADM Q04B ADM 04B

All information will be kept confidential and used only for statistical purposes.

Do you agree to share the information provided?

1 Yes

2 Nο

DK, RF

Note:

Frame Evaluation

FRE C1

If CATI (Casetype = 0) and FREFLAG = 2 (i.e. the frame evaluation questions have not been done for the household), go to FRE\_R1.

Otherwise, go to ADM\_C09.

FRE R1

And finally, a few questions to evaluate the way households were selected for this survey, and to prevent households from being selected more than once for this survey.

INTERVIEWER: Press <Enter> to continue.

#### FRE\_Q1 FRE 1

Excluding cellular phone numbers and phone numbers used strictly for business purposes, or fax machines, how many telephone numbers are there for your household?

- 1 1
- 2 2
- 3 3 or more
- 4 None

DK, RF (Go to FRE\_Q05)

#### FRE E1

Please confirm with the respondent that, in order to make a telephone call from his/her home the respondent exclusively uses a cellular telephone or if he/she has to leave his/her home to access a telephone.

Note: Trigger soft edit if  $(FRE_Q1 = 4)$ .

FRE\_C2 If  $FRE_Q1 = 4$ , go to  $FRE_Q4$ .

Otherwise, go to FRE\_D2.

FRE\_D2 If FRE\_Q1 = 1, ^DT\_MAIN = "your".

Otherwise, ^DT\_MAIN = "your main".

#### FRE Q2

#### What is ^DT MAIN phone number, including the area code?

#### FRE\_2

INTERVIEWER: Do not include cellular phone numbers, or those used strictly for

business or fax machines. Telephone number: [telnum].

Note: Telephone Block

Code: INTERVIEWER: Enter the area code.

Tel: INTERVIEWER: Enter the telephone number.

FRE\_E2 A non-Canadian area code has been entered. Please correct.

Note: Trigger hard edit if a non-canadian area code is entered.

FRE\_C3A If Code or Tel = DK, RF, go to FRE\_Q5.

Otherwise, go to FRE\_C3B.

FRE\_C3B If  $FRE_Q1 = 1$  (1 phone), go to  $FRE_Q5$ .

Otherwise, go to FRE\_D3.

FRE D3 If FRE Q1 = 2, ^DT PHONE = "your other phone number".

Otherwise, ^DT\_PHONE = "another of your phone numbers".

FRE\_Q3 What is ^DT\_PHONE, including the area code?

FRE 3

INTERVIEWER: Do not include cellular phone numbers, or those used strictly for

business or fax machines
Telephone number: [telnum].

Note: Telephone Block

Code: INTERVIEWER: Enter the area code.

Tel: INTERVIEWER: Enter the telephone number.

Go to FRE Q5

FRE\_E3 A non-Canadian area code has been entered. Please correct.

Note: Trigger hard edit if a non-canadian area code is entered.

FRE\_D4 (not applicable)

FRE 4

1 Yes

2 No

DK, RF

Go to ADM\_C09

#### FRE\_Q5 FRE\_5

Among all of the telephone numbers for your home, excluding cellular phone numbers and those used strictly for business purposes and fax machines, are any of them listed in the paper or internet telephone book?

- 1 Yes
- 2 No

DK, RF

Note:

Administration (Part 1)

ADM\_C09

If CATI (Casetype = 1), go to ADM\_N10.

Otherwise, go to ADM\_N09.

#### ADM\_N09

INTERVIEWER: Was this interview conducted on the telephone or in person?

#### ADM\_N09

- 1 On telephone
- 2 In person
- 3 Both

(DK, RF are not allowed)

## ADM\_N10

INTERVIEWER: Was the respondent alone when you asked this health questionnaire?

#### ADM\_N10

- 1 Yes (Go to ADM\_N12)
- 2 No

DK, RF (Go to ADM N12)

#### ADM\_N11 ADM\_N11

<u>INTERVIEWER</u>: Do you think that the answers of the respondent were affected by someone else being there?

- 1 Yes
- 2 No

DK, RF

#### ADM\_N12 <u>INTERVIEWER</u>: Record language of interview

#### ADM\_N12

- 01 English
- 02 French
- 03 Chinese
- 04 Italian
- 05 Punjabi
- 06 Spanish
- 07 Portuguese
- 08 Polish
- 09 German
- 10 Vietnamese
- 11 Arabic
- 12 Tagalog (Filipino)
- 13 Greek
- 14 Tamil
- 15 Cree
- 16 Afghan
- 17 Cantonese
- 18 Hindi
- 19 Mandarin
- 20 Persian
- 21 Russian
- 22 Ukrainian
- 23 Urdu
- 24 Inuktitut
- 90 Other Specify (Go to ADM\_S12) DK, RF

Go to ADM\_END

ADM\_S12 <u>INTERVIEWER</u>: Specify.

\_\_\_\_\_

(80 spaces)

DK, RF

ADM\_END

#### Exit

The following module only includes part of the questions asked during the CCHS interview. It includes what we believe may be of interest for data users.

#### Possible future contact (PFC)

PFC\_BEG

PFC\_R01 As part of this study, we may need to get in touch in the future.

INTERVIEWER: Press <1> to continue.

1 Continue

(DK, RF are not allowed)

PFC\_END

#### Administration - Fictitious Name (ADF)

ADF\_BEG

ADF\_N05 <u>INTERVIEWER</u>: Is this a fictitious name for the respondent?

1 Yes

2 No (Go to CON1\_RINT) DK, RF (Go to CON1\_RINT)

ADF\_N06 <u>INTERVIEWER</u>: Remind respondent about the importance of getting correct names.

Do you want to make corrections to:

1 ... first name only?

2 ... last name only? (Go to ADF\_N08)

3 ... both names?

4 ... no corrections? (Go to CON1\_RINT)
DK, RF (Go to CON1\_RINT)

ADF\_N07 <u>INTERVIEWER</u>: Enter the first name only.

\_\_\_\_\_

(25 spaces) DK, RF

ADF\_C08 If ADF\_N06 = 3, go to ADF\_N08.

Otherwise, go to CON1\_RINT.

ADF\_N08 INTERVIEWER: Enter the last name only.

\_\_\_\_\_

(25 spaces) DK, RF

ADF END

#### **Exit Introduction** (EI)

EI BEG

EI\_R01 Before we finish, I would like to ask you a few other questions.

INTERVIEWER: Press <Enter> to continue.

EI\_END

#### Permission to share (PS)

PS\_BEG (if partial interview)

#### Data Sharing - All Provinces (excluding Quebec and the territories)

PS\_R01

Statistics Canada would like your permission to share the information collected in this survey with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada.

Your provincial ministry of health may make some of this information available to your local health region, but names, addresses, telephone numbers and health numbers will not be provided.

INTERVIEWER: Press < Enter> to continue.

Go to PS\_Q01

#### Data Sharing - NWT, Yukon, Nunavut

PS\_R01

Statistics Canada would like your permission to share the information collected in this survey with Health Canada, the Public Health Agency of Canada and provincial and territorial ministries of health.

INTERVIEWER: Press < Enter > to continue.

Go to PS Q01

#### Data Sharing - Quebec

PS\_R01

Statistics Canada would like your permission to share the information collected in this survey with provincial and territorial ministries of health, the « Institut de la Statistique du Québec », Health Canada and the Public Health Agency of Canada. The « Institut de la Statistique du Québec » may make some of this information available to your local health region, but names, addresses, telephone numbers and health numbers will not be provided.

INTERVIEWER: Press < Enter > to continue.

PS\_Q01

All information will be kept confidential and used only for statistical purposes.

Do you agree to share the information provided?

- 1 Yes
- 2 No DK, RF

PS\_END

#### Thank You 1 (TY1)

TY1\_BEG

TY1\_R01 Thank you for your time.

<u>INTERVIEWER</u>: Press <Enter> to continue.

(DK, RF are not allowed)

TY1\_END

Appendix 1 – Canadian community health survey content (2009-2010)

#### Appendix 1 – Canadian community health survey content (2009 - 2010)

#### Core Modules (all health regions)

- Age of respondent (ANC)
- Alcohol use (ALC)
- Chronic conditions (CCC)
- Exposure to second-hand smoke (ETS)
- Fruit and vegetable consumption (FVC)
- Flu shots (FLU)

- General health (GEN)
- Health care utilization (HCU)
- Height and weight Self –reported (HWT)
- Maternal experiences Breastfeeding (MEX)
- Pain and discomfort (HUP)
- Physical activities (PAC)
- Restriction of activities (RAC)
- Smoking (SMK)

#### Administration and Socio-demographics

- Administration information (ADM)
- Education (EDU)
- Income (INC)
- Labour force (LF2)
- Person most knowledgeable about the household situation (PMK)
- Socio-demographic characteristics (SDC)

#### Two-Year Core Content (all health regions)

#### 2009-2010

#### 1) Injuries and Functional Health

- Activities of Daily Living (ADL)
- Injuries (INJ)
- Health utility index (HUI)
- Use of protective equipment (UPE)

#### 2) Sexual Behaviours

• Sexual Behavious (SXB)

#### One-Year Core Content (all health regions)

2009

1) Health Services Access Survey i

- Access to health care services (ACC)
- Waiting times (WTM)

2010

- 1) Health care utilization
- Contacts with health professionals (CHP)
- H1N1 Flu shot (H1N)
- Neurological Conditions (NEU)
- Unmet health care needs (UCN)
- 2) Economic Burden
- Loss of productivity (LOP)
- Chronic fatigue syndrome and Multiple chem. Sensitivities (CC4)
- Fibromyalgia (CC3)

#### Rapid Response (National Estimates)

2009

- Sleep Apnea (SLA) (Jan Feb 2009)
- Osteoporosis (OST) (Mar Apr 2009)
- Infertility (IFT) (Sep Dec 2009)

2010

- Stigma towards depression (STG)
- Mental Health Experience (MHE)

i Asked of a sub-sample of respondents. These theme modules were not asked of respondents in the territories.

# Appendix 2 – Optional content selection by health regions (grouped by province) (2010)

DescriptionE	N.I	. P.E.I	. N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Y.T.	N.W.T.	Nvt
ACC Access to health care service	ces					<b>✓</b>							
ALD Alcohol use - Dependence													<b>✓</b>
ALW Alcohol use during the past	week 🗸					<b>✓</b>		✓					
BPC Blood pressure check		✓		<b>✓</b>							<b>✓</b>	✓	
BRX Breast examinations		<b>✓</b>						✓			<b>✓</b>	✓	<b>✓</b>
BSX Breast self-examinations											<b>✓</b>		<b>✓</b>
CIH Changes made to improve h	nealth	<b>✓</b>	<b>✓</b>							<b>✓</b>	<b>✓</b>		
CCS Colorectal cancer screening	<b>✓</b>	<b>✓</b>	✓	<b>✓</b>		<b>✓</b>		✓			<b>✓</b>	✓	<b>✓</b>
CMH Consultations about mental	health	<b>✓</b>		<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>		✓		<b>✓</b>	✓	
DEN Dental visits		✓	<b>✓</b>			<b>✓</b>					<b>✓</b>		
DEP Depression		<b>✓</b>			<b>✓</b>			✓	✓	<b>✓</b>		✓	<b>✓</b>
DIA Diabetes care	<b>✓</b>	<b>✓</b>											
DSU Dietary supplement use - Vi minerals	tamins and											<b>✓</b>	
DIS Distress					<b>✓</b>			✓	✓			✓	
DRV Driving and safety	<b>✓</b>					<b>✓</b>			✓		<b>✓</b>		
EYX Eye examinations			<b>✓</b>			<b>✓</b>					<b>✓</b>		<b>✓</b>
FDC Food choices			✓		<b>✓</b>						<b>✓</b>	✓	
FSC Food security	<b>✓</b>		<b>✓</b>		<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
HCS Health care system satisfac	tion					<b>✓</b>						✓	
SFR Health status (SF-36)							<b>✓</b>						
HMC Home care services						<b>✓</b>							

May-16-11 Page 1 of 3

DescriptionE	N.L.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Y.T.	N.W.T.	Nvt
HMS Home safety													<b>✓</b>
IDG Illicit drugs use				<b>✓</b>		<b>✓</b>		✓					<b>✓</b>
INS Insurance coverage													✓
MAM Mammography	✓		<b>✓</b>	<b>✓</b>					<b>✓</b>			<b>✓</b>	
MAS Mastery							✓					✓	
MXA Maternal experiences - Alcohol use during pregnancy	j								✓		<b>✓</b>		•
MXS Maternal experiences - Smoking during pregnancy						✓			<b>✓</b>		✓		<b>✓</b>
OH2 Oral health 2		✓				✓							
PAP PAP smear test		✓	<b>✓</b>								✓		<b>✓</b>
PSC Patient satisfaction - Community-based ca	are 🗌		✓					✓	<b>✓</b>				✓
PAS Patient satisfaction - Health care services						<b>✓</b>							
PAF Physical activities - Facilities at work			✓										
CPG Problem gambling				✓					<b>✓</b>				<b>✓</b>
PSA Prostate cancer screening	✓	<b>✓</b>	✓								✓	<b>✓</b>	
PWB Psychological well-being				✓									
SWL Satisfaction with life										✓			
SAC Sedentary activities	✓						✓			✓			
SFE Self-esteem					•					✓		✓	
TAL Smoking - Other tobacco products						<b>✓</b>							
SPC Smoking - Physician counselling							✓				✓		✓
SCH Smoking - Stages of change							✓						
SCA Smoking cessation methods											✓		✓
SSA Social support - Availability				<b>✓</b>	<b>✓</b>			✓		<b>✓</b>		✓	

May-16-11 Page 2 of 3

DescriptionE	N.L.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Y.T.	N.W.T.	Nvt
SSU Social support - Utilization				✓				✓		✓			
STC Stress - Coping with stress											✓		
STS Stress - Sources			<b>✓</b>								✓		
SUI Suicidal thoughts and attempts	<b>✓</b>								✓	✓			<b>✓</b>
SSB Sun safety behaviours		<b>✓</b>	<b>✓</b>		<b>✓</b>								
ORG Voluntary organizations - Participation										✓		✓	
WTM Waiting times						<b>✓</b>							

May-16-11 Page 3 of 3