

CCHS 2012: Alphabetic Index

Page 1

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
ACC_10	Required visit to medical specialist	ACC	582
ACC_11	Experienced difficulties getting specialist care	ACC	582
ACC_12A	Difficulty - getting a referral	ACC	583
ACC_12B	Difficulty - getting an appointment	ACC	583
ACC_12C	Difficulty - no specialists in area	ACC	584
ACC_12D	Difficulty - waited too long for an appointment	ACC	584
ACC_12E	Difficulty - waited too long to see doc.	ACC	585
ACC_12F	Difficulty - transportation	ACC	585
ACC_12G	Difficulty - language	ACC	586
ACC_12H	Difficulty - cost	ACC	586
ACC_12I	Difficulty - personal or family responsibilities	ACC	587
ACC_12J	Difficulty - general deterioration of health	ACC	587
ACC_12K	Difficulty - appointment cancelled/deferred	ACC	588
ACC_12L	Difficulty - still waiting for visit	ACC	588
ACC_12M	Difficulty - unable to leave house / health problem	ACC	589
ACC_12N	Difficulty - other	ACC	589
ACC_20	Required non-emergency surgery	ACC	590
ACC_21	Experienced difficulties getting non-emerg. surgery	ACC	590
ACC_22A	Difficulty - getting an appointment with a surgeon	ACC	591
ACC_22B	Difficulty - getting a diagnosis	ACC	591
ACC_22C	Difficulty - waited too long for a diagnostic test	ACC	592
ACC_22D	Difficulty - waited too long for a hospital bed	ACC	592
ACC_22E	Difficulty - waited too long for surgery	ACC	593
ACC_22F	Difficulty - service not available in area	ACC	593
ACC_22G	Difficulty - transportation	ACC	594
ACC_22H	Difficulty - language	ACC	594
ACC_22I	Difficulty - cost	ACC	595
ACC_22J	Difficulty - personal or family responsibilities	ACC	595
ACC_22K	Difficulty - general deterioration of health	ACC	596
ACC_22L	Difficulty - appointment cancelled/deferred	ACC	596
ACC_22M	Difficulty - still waiting for surgery	ACC	597
ACC_22N	Difficulty - unable to leave house / health problem	ACC	597
ACC_22O	Difficulty - other	ACC	598
ACC_30	Required MRI, CT Scan, angiography	ACC	598
ACC_31	Experienced difficulties getting test	ACC	599
ACC_32A	Difficulty - getting a referral	ACC	599
ACC_32B	Difficulty - getting an appointment	ACC	600

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 2

Variable Name	Description	Section	Page
ACC_32C	Difficulty - waited too long to get an appointment	ACC	600
ACC_32D	Difficulty - waited too long to get test	ACC	601
ACC_32E	Difficulty - service not available at time required	ACC	601
ACC_32F	Difficulty - service not available in the area	ACC	602
ACC_32G	Difficulty - transportation	ACC	602
ACC_32H	Difficulty - language	ACC	603
ACC_32I	Difficulty - cost	ACC	603
ACC_32J	Difficulty - general deterioration of health	ACC	604
ACC_32K	Difficulty - did not know where to go	ACC	604
ACC_32L	Difficulty - still waiting for test	ACC	605
ACC_32M	Difficulty - unable to leave house / health problem	ACC	605
ACC_32N	Difficulty - other	ACC	606
ACC_40	Required health information for self or family member	ACC	606
ACC_40A	Contact for health information - doctor's office	ACC	607
ACC_40B	Contact for health information - community hlth ctr / CLSC	ACC	607
ACC_40C	Contact for health information - walk-in clinic	ACC	608
ACC_40D	Contact for health information - telephone health line	ACC	608
ACC_40E	Contact for health information - emergency room	ACC	609
ACC_40F	Contact for health information - other hospital service	ACC	609
ACC_40G	Contact for health information - other	ACC	610
ACC_41	Experienced diff. getting health information - self/family	ACC	610
ACC_42	Experienced difficulties during regular hours	ACC	611
ACC_43A	Difficulty - contacting a physician or nurse	ACC	611
ACC_43B	Difficulty - did not have a phone number	ACC	612
ACC_43C	Difficulty - could not get through	ACC	612
ACC_43D	Difficulty - waited too long to speak to someone	ACC	613
ACC_43E	Difficulty - did not get adequate info or advice	ACC	613
ACC_43F	Difficulty - language	ACC	614
ACC_43G	Difficulty - did not know where to go/call/uninformed	ACC	614
ACC_43H	Difficulty - unable to leave house / health problem	ACC	615
ACC_43I	Difficulty - other	ACC	615
ACC_44	Experienced difficulties during evenings/weekends	ACC	616
ACC_45A	Difficulty - contacting a physican or nurse	ACC	616
ACC_45B	Difficulty - did not have a phone number	ACC	617
ACC_45C	Difficulty - could not get through	ACC	617
ACC_45D	Difficulty - waited too long to speak to someone	ACC	618
ACC_45E	Difficulty - did not get adequate info or advice	ACC	618

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 3

Variable Name	Description	Section	Page
ACC_45F	Difficulty - language	ACC	619
ACC_45G	Difficulty - did not know where to go/call/uninformed	ACC	619
ACC_45H	Difficulty - unable to leave house / health problem	ACC	620
ACC_45I	Difficulty - other	ACC	620
ACC_46	Experienced difficulties during middle of night	ACC	621
ACC_47A	Difficulty - contacting a physican or nurse	ACC	621
ACC_47B	Difficulty - did not have a phone number	ACC	622
ACC_47C	Difficulty - could not get through	ACC	622
ACC_47D	Difficulty - waited too long to speak to someone	ACC	623
ACC_47E	Difficulty - did not get adequate info or advice	ACC	623
ACC_47F	Difficulty - language	ACC	624
ACC_47G	Difficulty - did not know where to go/call/uninformed	ACC	624
ACC_47H	Difficulty - unable to leave house / health problem	ACC	625
ACC_47I	Difficulty - other	ACC	625
ACC_50	Required routine care for self/family	ACC	626
ACC_50A	Has a regular family doctor	ACC	626
ACC_51	Experienced diff. getting routine/on-going care - self/fam.	ACC	627
ACC_52	Experienced difficulties during regular hours	ACC	627
ACC_53A	Difficulty - contacting a physican	ACC	628
ACC_53B	Difficulty - getting an appointment	ACC	628
ACC_53C	Difficulty - do not have a family physician	ACC	629
ACC_53D	Difficulty - waited too long to get an appointment	ACC	629
ACC_53E	Difficulty - waited too long to see doc.	ACC	630
ACC_53F	Difficulty - service not available at time required	ACC	630
ACC_53G	Difficulty - service not available in the area	ACC	631
ACC_53H	Difficulty - transportation	ACC	631
ACC_53I	Difficulty - language	ACC	632
ACC_53J	Difficulty - cost	ACC	632
ACC_53K	Difficulty - did not know where to go	ACC	633
ACC_53L	Difficulty - unable to leave house / health problem	ACC	633
ACC_53M	Difficulty - other	ACC	634
ACC_54	Experienced difficulties during evenings/weekends	ACC	634
ACC_55A	Difficulty - contacting a physican	ACC	635
ACC_55B	Difficulty - getting an appointment	ACC	635
ACC_55C	Difficulty - do not have a family physician	ACC	636
ACC_55D	Difficulty - waited too long to get an appointment	ACC	636
ACC_55E	Difficulty - waited too long to see doc.	ACC	637

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 4

Variable Name	Description	Section	Page
ACC_55F	Difficulty - service not available at time required	ACC	637
ACC_55G	Difficulty - service not available in the area	ACC	638
ACC_55H	Difficulty - transportation	ACC	638
ACC_55I	Difficulty - language	ACC	639
ACC_55J	Difficulty - cost	ACC	639
ACC_55K	Difficulty - did not know where to go	ACC	640
ACC_55L	Difficulty - unable to leave house / health problem	ACC	640
ACC_55M	Difficulty - other	ACC	641
ACC_60	Required immediate care/minor health problem - self/family	ACC	641
ACC_61	Experienced difficulties getting immediate care - self/fam.	ACC	642
ACC_62	Experienced difficulties during regular hours	ACC	642
ACC_63A	Difficulty - contacting a physican	ACC	643
ACC_63B	Difficulty - getting an appointment	ACC	643
ACC_63C	Difficulty - do not have a family physician	ACC	644
ACC_63D	Difficulty - waited too long to get an appointment	ACC	644
ACC_63E	Difficulty - waited too long to see doc.	ACC	645
ACC_63F	Difficulty - service not available at time required	ACC	645
ACC_63G	Difficulty - service not available in the area	ACC	646
ACC_63H	Difficulty - transportation	ACC	646
ACC_63I	Difficulty - language	ACC	647
ACC_63J	Difficulty - cost	ACC	647
ACC_63K	Difficulty - did not know where to go	ACC	648
ACC_63L	Difficulty - unable to leave house / health problem	ACC	648
ACC_63M	Difficulty - other	ACC	649
ACC_64	Experienced difficulties during evenings/weekends	ACC	649
ACC_65A	Difficulty - contacting a physican	ACC	650
ACC_65B	Difficulty - getting an appointment	ACC	650
ACC_65C	Difficulty - do not have a family physician	ACC	651
ACC_65D	Difficulty - waited too long to get an appointment	ACC	651
ACC_65E	Difficulty - waited too long to see doc.	ACC	652
ACC_65F	Difficulty - service not available at time required	ACC	652
ACC_65G	Difficulty - service not available in the area	ACC	653
ACC_65H	Difficulty - transportation	ACC	653
ACC_65I	Difficulty - language	ACC	654
ACC_65J	Difficulty - cost	ACC	654
ACC_65K	Difficulty - did not know where to go	ACC	655
ACC_65L	Difficulty - unable to leave house / health problem	ACC	655

CCHS 2012: Alphabetic Index

Page 5

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
ACC_65M	Difficulty - other	ACC	656
ACC_66	Experienced difficulties during middle of night	ACC	656
ACC_67A	Difficulty - contacting a physican	ACC	657
ACC_67B	Difficulty - getting an appointment	ACC	657
ACC_67C	Difficulty - do not have a family physician	ACC	658
ACC_67D	Difficulty - waited too long to get an appointment	ACC	658
ACC_67E	Difficulty - waited too long to see doc.	ACC	659
ACC_67F	Difficulty - service not available at time required	ACC	659
ACC_67G	Difficulty - service not available in the area	ACC	660
ACC_67H	Difficulty - transportation	ACC	660
ACC_67I	Difficulty - language	ACC	661
ACC_67J	Difficulty - cost	ACC	661
ACC_67K	Difficulty - did not know where to go	ACC	662
ACC_67L	Difficulty - unable to leave house / health problem	ACC	662
ACC_67M	Difficulty - other	ACC	663
ADL_01	Needs help - preparing meals	ADL	127
ADL_02	Needs help - getting to appointments / running errands	ADL	127
ADL_03	Needs help - doing housework	ADL	128
ADL_04	Needs help - personal care	ADL	128
ADL_05	Needs help - moving about inside the house	ADL	129
ADL_06	Needs help - looking after personal finances	ADL	129
ADLF6R	Help needed for tasks - (F)	RAC	130
ADM_N09	Interview by telephone or in person	ADM	6
ADM_N10	Respondent alone during interview	ADM	6
ADM_N11	Answers affected by presence of another person	ADM	7
ADM_PRX	Health Component completed by proxy	ADM	5
ADM_RNO	Sequential record number	ADM	7
ALC_1	Drank alcohol in past 12 months	ALC	423
ALC_2	Frequency of drinking alcohol	ALC	424
ALC_3	Frequency of having 5 or more drinks	ALC	425
ALCDTTM	Type of drinker (12 months) - (D)	ALC	425
ALW_1	Drank alcohol in past week	ALW	426
ALW_2A1	Number of drinks - Day1	ALW	427
ALW_2A2	Number of drinks - Day 2	ALW	427
ALW_2A3	Number of drinks - Day 3	ALW	428
ALW_2A4	Number of drinks - Day 4	ALW	428
ALW_2A5	Number of drinks - Day 5	ALW	429

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 6

Variable Name	Description	Section	Page
ALW_2A6	Number of drinks - Day 6	ALW	429
ALW_2A7	Number of drinks - Day 7	ALW	430
ALWDDLY	Average daily alcohol consumption - (D)	ALW	431
ALWDWKY	Weekly consumption - (D)	ALW	430
BLT_01	Blood test - ordered by a health professional	BLT	141
BLT_02A	Blood test - for assessment in a general physical check-up	BLT	142
BLT_02B	Blood test - to monitor an existing health condition	BLT	142
BLT_02C	Blood test - to check for a health condition	BLT	143
BLT_02D	Blood test - as the result of an emergency	BLT	143
BLT_02E	Blood test - other	BLT	144
BLT_03A	Blood test - high cholesterol, heart related conditions	BLT	144
BLT_03B	Blood test - diabetes	BLT	145
BLT_03C	Blood test - thyroid	BLT	145
BLT_03D	Blood test - prostate	BLT	146
BLT_03E	Blood test - infectious disease	BLT	146
BLT_03F	Blood test - liver function	BLT	147
BLT_03G	Blood test - hormone-related	BLT	147
BLT_03H	Blood test - other	BLT	148
BPC_010	Ever had blood pressure taken	BPC	149
BPC_012	Last time blood pressure was taken	BPC	149
BPC_013	Pregnant - blood pressure taken	BPC	150
BPC_16A	Blood pressure not taken - have not gotten around to it	BPC	150
BPC_16B	Blood pressure not taken - respondent didn't think necessary	BPC	151
BPC_16C	Blood pressure not taken - doctor didn't think necessary	BPC	151
BPC_16D	Blood pressure not taken - personal / fam. responsibilities	BPC	152
BPC_16G	Blood pressure not taken - waiting time too long	BPC	152
BPC_16H	Blood pressure not taken - transportation problems	BPC	153
BPC_16I	Blood pressure not taken - language problem	BPC	153
BPC_16J	Blood pressure not taken - cost	BPC	154
BPC_16K	Blood pressure not taken - did not know where to go	BPC	154
BPC_16L	Blood pressure not taken - fear	BPC	155
BPC_16M	Blood pressure not taken - other	BPC	156
BPC_16N	Blood pressure not taken - unable to leave house/health prob	BPC	155
BRX_110	Had breasts examined by health professional	BRX	181
BRX_112	Last time breasts exam for lumps	BRX	181
BRX_16A	No breast exam - have not gotten around to it	BRX	182
BRX_16B	No breast exam - respondent didn't think necessary	BRX	182

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 7

Variable Name	Description	Section	Page
BRX_16C	No breast exam - doctor didn't think necessary	BRX	183
BRX_16D	No breast exam - personal / family responsibilities	BRX	183
BRX_16E	No breast exam - not available when required	BRX	184
BRX_16F	No breast exam - not available in area	BRX	184
BRX_16G	No breast exam - waiting time too long	BRX	185
BRX_16H	No breast exam - transportation problems	BRX	185
BRX_16I	No breast exam - language problem	BRX	186
BRX_16J	No breast exam - cost	BRX	186
BRX_16K	No breast exam - did not know where to go	BRX	187
BRX_16L	No breast exam - fear	BRX	187
BRX_16M	No breast exam - other	BRX	189
BRX_16N	No breast exam - unable to leave house / health problem	BRX	188
BRX_16O	No breast exam - breast removed / mastectomy	BRX	188
CCC_031	Has asthma	CCC	47
CCC_035	Asthma - had symptoms or attacks	CCC	47
CCC_036	Asthma - took medication	CCC	48
CCC_051	Has arthritis	CCC	48
CCC_061	Has back problems excluding fibromyalgia and arthritis	CCC	49
CCC_071	Has high blood pressure	CCC	49
CCC_072	Ever diagnosed with high blood pressure	CCC	50
CCC_073	Medication - high blood pressure - past month	CCC	50
CCC_073A	Pregnant when first diagnosed with high blood pressure	CCC	51
CCC_073B	Other than during pregnancy - diag. with high blood pressure	CCC	51
CCC_081	Has migraine headaches	CCC	52
CCC_091	Has a COPD	CCC	52
CCC_101	Has diabetes	CCC	53
CCC_105	Diabetes - currently takes insulin	CCC	57
CCC_106	Diabetes - takes pills to control blood sugar	CCC	57
CCC_10A	Diabetes diagnosed - when pregnant	CCC	55
CCC_10B	Diabetes diagnosed - other than when pregnant	CCC	55
CCC_10C	Diabetes diagnosed - when started with insulin	CCC	56
CCC_121	Has heart disease	CCC	58
CCC_131	Has cancer	CCC	58
CCC_141	Has stomach or intestinal ulcers	CCC	59
CCC_151	Suffers from the effects of a stroke	CCC	60
CCC_161	Has urinary incontinence	CCC	60
CCC_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	61

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 8

Variable Name	Description	Section	Page
CCC_17A	Type of bowel disease	CCC	61
CCC_280	Has a mood disorder	CCC	62
CCC_290	Has an anxiety disorder	CCC	62
CCC_31A	Ever had cancer	CCC	59
CCCDIA	Diabetes type	CCC	63
CCCG102	Diabetes - age first diagnosed - (G)	CCC	54
CCS_180	Had an FOBT test	CCS	220
CCS_182	Last time FOBT test done	CCS	221
CCS_184	Had colonoscopy or sigmoidoscopy	CCS	225
CCS_185	Last time had colonoscopy or sigmoidoscopy	CCS	226
CCS_187	Colonoscopy or sigmoidoscopy followed FOBT test	CCS	230
CCS_83A	Had FOBT - family history	CCS	222
CCS_83B	Had FOBT - regular check-up	CCS	222
CCS_83C	Had FOBT - age	CCS	223
CCS_83D	Had FOBT - follow-up of problem	CCS	223
CCS_83E	Had FOBT - follow-up of treatment	CCS	224
CCS_83F	Had FOBT - other	CCS	224
CCS_86A	Had colonoscopy/sigmoidoscopy - family history	CCS	227
CCS_86B	Had colonoscopy/sigmoidoscopy - regular check-up	CCS	227
CCS_86C	Had colonoscopy/sigmoidoscopy - age	CCS	228
CCS_86D	Had colonoscopy/sigmoidoscopy - follow-up of problem	CCS	228
CCS_86E	Had colonoscopy/sigmoidoscopy - follow-up of treatment	CCS	229
CCS_86F	Had colonoscopy/sigmoidoscopy - other	CCS	229
CHP_01	Overnight patient	CHP	90
CHP_03	Consulted with family doctor/general practitioner	CHP	91
CHP_06	Consulted with eye specialist	CHP	93
CHP_08	Consulted with other medical doctor	CHP	94
CHP_11	Consulted with nurse	CHP	96
CHP_14	Consulted with dentist or orthodontist	CHP	98
CHPG02	Number of nights as patient - (G)	CHP	90
CHPG04	Number of consultations - fam. doctor/general pract. - (G)	CHP	91
CHPG05	Where the most recent contact took place - (G)	CHP	92
CHPG07	Number of consultations - eye specialist - (G)	CHP	93
CHPG09	Number of consultations - other medical doctor - (G)	CHP	94
CHPG10	Where the most recent contact took place - (G)	CHP	95
CHPG12	Number of consultations - nurse - (G)	CHP	96
CHPG13	Where the most recent contact took place - (G)	CHP	97

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 9

Variable Name	Description	Section	Page
CHPG15	Number of consultations - dentist or orthodontist - (G)	CHP	98
CHPGMDC	Number of consultations with medical doctor - (D, G)	CHP	99
CIH_1	Did something to improve health	CIH	25
CIH_2	Most important change to improve health	CIH	26
CIH_3	Thinks should do something to improve health	CIH	27
CIH_4	Most important thing to improve health	CIH	28
CIH_5	Barrier to improving health	CIH	29
CIH_6A	Barrier to improving health - lack of will power	CIH	29
CIH_6B	Barrier to improving health - work schedule	CIH	30
CIH_6E	Barrier to improving health - too costly	CIH	33
CIH_6F	Barrier to improving health - too stressed	CIH	32
CIH_6G	Barrier to improving health - disability / health problem	CIH	32
CIH_6H	Barrier to improving health - other	CIH	35
CIH_6I	Barrier to improving health - family responsibilities	CIH	30
CIH_6J	Barrier to improving health - addiction to drugs / alcohol	CIH	31
CIH_6K	Barrier to improving health - physical condition	CIH	31
CIH_6L	Barrier to improving health - not available - in area	CIH	33
CIH_6M	Barrier to improving health - transportation problems	CIH	34
CIH_6N	Barrier to improving health - weather problems	CIH	34
CIH_7	Intending to improve health over next year	CIH	35
CIH_8A	Health improvement - more exercise	CIH	36
CIH_8B	Health improvement - lose weight	CIH	36
CIH_8C	Health improvement - improve eating habits	CIH	37
CIH_8G	Health improvement - reduce stress level	CIH	38
CIH_8H	Health improvement - take vitamins	CIH	39
CIH_8I	Health improvement - other	CIH	40
CIH_8J	Health improvement - quit smoking	CIH	37
CIH_8K	Health improvement - drink less alcohol	CIH	38
CIH_8L	Health improvement - receive medical treatment	CIH	39
CMH_01K	Consulted mental health professional	CMH	539
CMH_1MA	Consulted mental health professional - family doctor	CMH	541
CMH_1MB	Consulted mental health professional - psychiatrist	CMH	541
CMH_1MC	Consulted mental health professional - psychologist	CMH	542
CMH_1MD	Consulted mental health professional - nurse	CMH	542
CMH_1ME	Consulted mental hlth. professional - social worker	CMH	543
CMH_1MF	Consulted mental health professional - other	CMH	543
CMHG01L	Consulted mental health professional - number of times - (G)	CMH	540

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 10

Variable Name	Description	Section	Page
CST_1	Spent 2 weeks or more in the hospital	CST	367
CST_2	Parents divorced	CST	367
CST_3	Parents unemployed for a long time	CST	368
CST_4	Something happened that scared you	CST	368
CST_5	Sent away from home for doing something wrong	CST	369
CST_6	Family problems due to parents abusing alcohol or drugs	CST	369
CST_7	Physically abused by someone close to you	CST	370
DEN_130	Visited dentist	DEN	231
DEN_132	Last time visited dentist	DEN	232
DEN_36A	No dental visit - have not gotten around to it	DEN	233
DEN_36B	No dental visit - respondent didn't think necessary	DEN	233
DEN_36C	No dental visit - dentist didn't think necessary	DEN	234
DEN_36D	No dental visit - personal / family responsibilities	DEN	234
DEN_36E	No dental visit - not available when required	DEN	235
DEN_36F	No dental visit - not available in area	DEN	235
DEN_36G	No dental visit - waiting time too long	DEN	236
DEN_36H	No dental visit - transportation problems	DEN	236
DEN_36I	No dental visit - language problem	DEN	237
DEN_36J	No dental visit - cost	DEN	237
DEN_36K	No dental visit - did not know where to go	DEN	238
DEN_36L	No dental visit - fear	DEN	238
DEN_36M	No dental visit - wears dentures	DEN	239
DEN_36N	No dental visit - other	DEN	240
DEN_36O	No dental visit - unable to leave house / health problem	DEN	239
DHH_OWN	Dwelling ownership - own or rent	SDC	679
DHH_SEX	Sex	DHH	9
DHHG611	Number of persons 6 to 11 years old in household - (D, G)	DHH	10
DHHGAGE	Age - (G)	DHH	8
DHHGHSZ	Household size - (D, G)	DHH	12
DHHGL12	Number of persons less than 12 years old in household -(D,G)	DHH	11
DHHGLE5	Number of persons 5 years old or less in household - (D, G)	DHH	10
DHHGLVG	Living arrangement of selected respondent - (D, G)	DHH	11
DHHGMS	Marital Status - (G)	DHH	9
DIA_01	Tested for "A-one-C" haemoglobin	DIA	64
DIA_02	Number of times - tested for haemoglobin "A-one-C"	DIA	64
DIA_03	Feet checked by health professional	DIA	65
DIA_04	Number of times - feet checked by health professional	DIA	65

CCHS 2012: Alphabetic Index

Page 11

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
DIA_05	Urine tested for protein by health professional	DIA	66
DIA_06	Ever had eye exam with pupils dilated	DIA	66
DIA_07	Eye exam with pupils dilated - last time	DIA	67
DIA_08	Checks glucose level / self - reporting unit	DIA	68
DIA_09	Checks feet / self - reporting unit	DIA	70
DIA_10	Medication - ASA - past month	DIA	73
DIA_11	Medication - blood cholesterol - past month	DIA	73
DIA_N8B	Checks glucose level/self - number of times per day	DIA	68
DIA_N8C	Checks glucose level/self - number of times per week	DIA	69
DIA_N8D	Checks glucose level/self - number of times per month	DIA	69
DIA_N8E	Checks glucose level/self - number of times per year	DIA	70
DIA_N9B	Checks feet / self - number of times per day	DIA	71
DIA_N9C	Checks feet / self - number of times per week	DIA	71
DIA_N9D	Checks feet / self - number of times per month	DIA	72
DIA_N9E	Checks feet / self - number of times per year	DIA	72
DIS_10A	Frequency - distress: felt tired out - past month	DIS	544
DIS_10B	Frequency - distress: felt nervous - past month	DIS	545
DIS_10C	Freq./-distress: so nervous nothing calms down - past month	DIS	546
DIS_10D	Frequency - distress: felt hopeless - past month	DIS	547
DIS_10E	Frequency - distress: felt restless - past month	DIS	548
DIS_10F	Frequency - distress: could not sit still - past month	DIS	549
DIS_10G	Frequency - distress: felt sad / depressed - past month	DIS	550
DIS_10H	Frequency - distress: depressed/nothing cheers - past month	DIS	551
DIS_10I	Freq. - distress: felt everything was an effort - past month	DIS	552
DIS_10J	Frequency - distress: felt worthless - past month	DIS	553
DIS_10K	Frequency of distress feelings - past month	DIS	554
DIS_10L	Frequency of distress feelings (more often)	DIS	555
DIS_10M	Frequency of distress feelings (less often)	DIS	556
DIS_10N	Frequency of dist. feelings interfere with life - past month	DIS	557
DISDCHR	Chronicity of distress/impairment scale - past month - (D)	DIS	558
DISDDSX	Distress scale - K10 - past month - (D)	DIS	558
DISDK6	Distress scale - K6 - past month - (D)	DIS	557
DOACC	Access to health care services - Inclusion flag - (F)	ACC	581
DOADL	Activities of daily living - Inclusion Flag - (F)	ADL	126
DOALW	Alcohol use - past week - Inclusion Flag - (F)	ALW	426
DOBLT	Theme module: Blood test - (F)	BLT	141
DOBPC	Blood pressure check - Inclusion Flag - (F)	BPC	148

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 12

Variable Name	Description	Section	Page
DOBRX	Breast examinations - Inclusion Flag - (F)	BRX	180
DOCCS	Colorectal cancer screening - Inclusion Flag - (F)	CCS	219
DOCIH	Changes made to improve health module - Inclusion Flag - (F)	CIH	24
DOCMH	Consultations - mental health module - Inclusion Flag - (F)	CMH	538
DOCST	Optional mod.: Stress - Childhood and adult stressors - (F)	CST	366
DODEN	Dental visits - Inclusion Flag - (F)	DEN	230
DODEP	Depression - Inclusion Flag - (F)	DPS	559
DODIA	Diabetes care - Inclusion Flag - (F)	DIA	63
DODIS	Distress - Inclusion Flag - (F)	DIS	544
DODRV	Driving and safety - Inclusion Flag - (F)	DRV	431
DOFDC	Food choices - Inclusion Flag - (F)	FDC	252
DOFSC	Food security - Inclusion Flag - (F)	FSC	684
DOHRT	Hormone replacement therapy - Inclusion Flag - (F)	HRT	191
DOHUI	Health utility index - Inclusion Flag - (F)	HUI	705
DOIDG	Illicit drugs use - Inclusion Flag - (F)	IDG	481
DOINJ	Injuries - Inclusion Flag - (F)	INJ	337
DOLOP	Loss of production - Inclusion Flag - (F)	LOP	666
DOMAM	Mammography - Inclusion Flag - (F)	MAM	167
DOMAS	Mastery - Inclusion Flag - (F)	MAS	377
DOMED	Optional module: Medication use - (F)	MED	74
DOMEX	Module flag: Maternal Experiences - (F)	MEX	448
DOMXS	Maternal exp.- Smoking during preg. - Inclusion Flag - (F)	MXS	460
DOOH1	Theme module: Oral health 1 - (F)	OH1	40
DOOH2	Oral health 2 - Inclusion Flag - (F)	OH2	240
DOORG	Voluntary organization - Participate - Inclusion Flag - (F)	ORG	19
DOPAP	PAP smear test module - Inclusion Flag - (F)	PAP	156
DOPAS	Patient sat. - Health care service - Inclusion Flag -(F)	PAS	111
DOPCU	Theme module: Physical check-up - (F)	PCU	202
DOPMH	Positive Mental Health - Inclusion Flag - (F)	PMH	467
DOPSA	Prostate cancer screening - Inclusion Flag - (F)	PSA	214
DOPSC	Patient sat. - Community-based care - Inclusion Flag - (F)	PSC	117
DOSAC	Sedentary activities module - Inclusion Flag - (F)	SAC	311
DOSCA	Smoking cessation methods - Inclusion Flag - (F)	SCA	399
DOSCH	Smoking - stages of change - Inclusion Flag - (F)	SCH	396
DOSCP	Physical activity - Stages of change - Inclusion Flag - (F)	SCP	308
DOSFE	Self-esteem module - Inclusion Flag - (F)	SFE	370
DOSLP	Optional module: Sleep - (F)	SLP	20

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
DOSPC	Smoking - physician counselling - Inclusion Flag - (F)	SPC	405
DOSPI	Theme module: Spirometry - (F)	SPI	189
DOSPR	Optional module flag: Spiritual values - (F)	SPV	532
DOSPS	Social Provisions - Inclusion Flag - (F)	SPS	498
DOSSA	Social support -availability - Inclusion Flag - (F)	SSA	510
DOSSB	Sun safety behaviours - Inclusion Flag - (F)	SSB	328
DOSSU	Social Support - utilization - Inclusion Flag - (F)	SSU	710
DOSUI	Suicidal thoughts & attempts - Inclusion Flag - (F)	SUI	580
DOSWL	Satisfaction with life - Inclusion Flag - (F)	SWL	358
DOSXB	Sexual behaviours - Inclusion Flag - (F)	SXB	486
DOTAL	Smoking - Other tobacco products - Inclusion Flag - (F)	TAL	421
DOUCN	Unmet health care needs - Inclusion Flag - (F)	UCN	99
DOUPE	Use of protective equipment - Inclusion Flag - (F)	UPE	317
DOWTM	Waiting times - Inclusion Flag - (F)	WTM	717
DOYSM	Optional module: Smoking - Youth smoking - (F)	YSM	413
DPS_02	Felt sad/blue/depressed - 2 weeks or more - 12 mo	DEP	559
DPS_03	Sad/depressed - length feelings lasted - 2 wk	DEP	560
DPS_04	Sad/depressed - frequency - 2 wk	DEP	560
DPS_05	Sad/depressed - lose interest in things - 2 wk	DEP	561
DPS_06	Sad/depressed - felt tired out / low on energy - 2 wk	DEP	561
DPS_07	Sad/depressed - weight change - 2 wk	DEP	562
DPS_08A	Sad/depressed - weight change (amount) - 2 wk	DEP	562
DPS_08B	Sad/depressed - weight change (lb/kg) - 2 wk	DEP	563
DPS_09	Sad/depressed - trouble falling asleep - 2 wk	DEP	563
DPS_10	Sad/depressed trouble falling asleep - frequency - 2 wk	DEP	564
DPS_11	Sad/depressed - trouble concentrating - 2 wk	DEP	564
DPS_12	Sad/depressed - felt down on self - 2 wk	DEP	565
DPS_13	Sad/depressed - thought a lot about death - 2 wk	DEP	565
DPS_14	Sad/depressed - number of weeks - 12 mo	DEP	566
DPS_15	Sad/depressed - most recent month - 2 wk	DEP	567
DPS_16	Loss of interest - things that usually give pleasure - 12 mo	DEP	568
DPS_17	Loss of interest - frequency - 12 mo	DEP	569
DPS_18	Loss of interest - frequency - 2 wk	DEP	570
DPS_19	Loss of interest - felt tired all the time - 2 wk	DEP	570
DPS_20	Loss of interest - weight change - 2 wk	DEP	571
DPS_21A	Loss of interest - weight change (amount)	DEP	571
DPS_21B	Loss of interest - weight change (lb/kg) - 2 wk	DEP	572

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
DPS_22	Loss of interest - trouble falling asleep - 2 wk	DEP	572
DPS_23	Loss of interest - trouble falling asleep/frequency - 2 wk	DEP	573
DPS_24	Loss of interest - trouble concentrating - 2 wk	DEP	573
DPS_25	Loss of interest - felt down on self - 2 wk	DEP	574
DPS_26	Loss of interest - thought a lot about death - 2 wk	DEP	574
DPS_27	Loss of interest - number of weeks - 12 mo	DEP	575
DPS_28	Loss of interest - most recent month - 2 wk	DEP	576
DPSTMT	Specific month last felt depressed - 2 weeks in a row - (D)	DPS	579
DPSDPP	Depression scale - Predicted probability - (D)	DPS	577
DPSDSF	Depression scale - short form score - (D)	DPS	577
DPSDWK	Number of weeks felt depressed - (D)	DPS	578
DRV_01A	Drove a motor vehicle	DRV	432
DRV_01B	Drove a motorcycle	DRV	432
DRV_02	Frequency - used seat belt when driving	DRV	433
DRV_03A	Use of a cell phone while driving	DRV	434
DRV_03B	Use of a hands-free while driving	DRV	435
DRV_04	Frequency - felt tired when driving	DRV	436
DRV_05	Driving speed compared to others	DRV	437
DRV_06	Driving aggression compared to others	DRV	438
DRV_07	Number of times - drove after 2+ drinks	DRV	439
DRV_07A	Number of times - drove after 2+ drinks	DRV	439
DRV_08A	Frequency - uses seat belt - front seat passenger	DRV	440
DRV_08B	Frequency - uses seat belt - back seat passenger	DRV	441
DRV_09	Frequency - uses seat belt - in taxi	DRV	442
DRV_10	No. of times - passenger/driver had 2+ drinks	DRV	443
DRV_10A	No. of times - passenger/driver had 2+ drinks	DRV	443
DRV_11A	Driver or passenger - snowmobile, motor boat or seadoo	DRV	444
DRV_11B	Driver or passenger - ATV	DRV	444
DRV_12	Frequency wears helmet - ATV	DRV	445
DRV_13	No. of times - passenger/driver had 2+ drinks-ATV/snowmobile	DRV	445
DRV_13A	No. of times - passenger/driver had 2+ drinks-ATV/snowmobile	DRV	446
DRV_14	No. of times - drove snowmobile, ATV, etc after 2+ drinks	DRV	446
DRV_14A	No. of times - drove snowmobile, ATV, etc after 2+ drinks	DRV	447
DRVFSBU	Passenger seat belt use - motor vehicle - (F)	DRV	447
EDUDH04	Highest level of education – household, 4 levels - (D)	EDU	683
EDUDR04	Highest level of education - respondent, 4 levels - (D)	EDU	683
ETS_10	Someone smokes inside home	ETS	416

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
ETS_20	Exposed to second-hand smoke in private vehicle	ETS	417
ETS_20B	Exposed to second-hand smoke in public places	ETS	417
ETS_35	Smoking allowed - House	ETS	418
ETS_36	Smoking restrictions	ETS	418
ETS_37A	Type of restrictions -certain rooms only	ETS	419
ETS_37B	Type of restrictions - young children	ETS	419
ETS_37C	Type of restrictions - windows open	ETS	420
ETS_37D	Type of restrictions - Other	ETS	420
ETSG11	Number of people who smoke inside home - (G)	ETS	416
FDC_1A	Chooses or avoids foods - concerned about body weight	FDC	253
FDC_1B	Chooses or avoids foods - concerned about heart disease	FDC	253
FDC_1C	Chooses or avoids foods - concerned about cancer	FDC	254
FDC_1D	Chooses or avoids foods - concerned about osteoporosis	FDC	254
FDC_2A	Reason to choose foods - lower fat content	FDC	255
FDC_2B	Reason to choose foods - fibre content	FDC	255
FDC_2C	Reason to choose foods - calcium content	FDC	256
FDC_3A	Reason to avoid foods - fat content	FDC	256
FDC_3B	Reason to avoid foods - type of fat	FDC	257
FDC_3C	Reason to avoid foods - salt content	FDC	257
FDC_3D	Reason to avoid foods - cholesterol content	FDC	258
FDC_3E	Reason to avoid foods - calorie content	FDC	258
FDCFAVD	Avoids foods for content reasons - (F)	FDC	259
FDCFCAH	Chooses/avoids foods b/c of certain health concerns - (F)	FDC	259
FDCFCHO	Chooses foods for content reasons - (F)	FDC	260
FLU_160	Ever had a flu shot	FLU	130
FLU_162	Had flu shot - last time	FLU	131
FLU_164	Had flu shot - which month	FLU	132
FLU_165	Had flu shot - current/last year	FLU	133
FLU_66A	No flu shot - have not gotten around to it	FLU	133
FLU_66B	No flu shot - respondent didn't think it was necessary	FLU	134
FLU_66C	No flu shot - doctor didn't think it was necessary	FLU	134
FLU_66D	No flu shot - personal or family responsibilities	FLU	135
FLU_66E	No flu shot - not available at time required	FLU	135
FLU_66F	No flu shot - not available at all in area	FLU	136
FLU_66G	No flu shot - waiting time was too long	FLU	136
FLU_66H	No flu shot - transportation problems	FLU	137
FLU_66I	No flu shot - language problem	FLU	137

CCHS 2012: Alphabetic Index

Page 16

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
FLU_66J	No flu shot - cost	FLU	138
FLU_66K	No flu shot - did not know where to go	FLU	138
FLU_66L	No flu shot - fear	FLU	139
FLU_66M	No flu shot - bad reaction to previous shot	FLU	139
FLU_66N	No flu shot - other	FLU	140
FLU_66O	No flu shot - unable to leave house / health problem	FLU	140
FSC_010	Food situation in household - 12 mo	FSC	684
FSC_020	Worried food would run out - 12 mo	FSC	685
FSC_030	Food bought just didn't last and no money to buy more -12 mo	FSC	685
FSC_040	Could not afford to eat balanced meals - 12 mo	FSC	686
FSC_050	Relied on few kinds of low-cost food for children - 12 mo	FSC	686
FSC_060	Could not feed children a balanced meal - 12 mo	FSC	687
FSC_070	Children were not eating enough - 12 mo	FSC	688
FSC_080	Adults skipped or cut size of meals - 12 mo	FSC	688
FSC_081	Adults skipped or cut size of meals - frequency - 12 mo	FSC	689
FSC_090	Ate less than felt should - 12 mo	FSC	689
FSC_100	Was hungry but could not afford to eat - 12 mo	FSC	690
FSC_110	Lost weight no money to buy food- 12 mo	FSC	690
FSC_120	Adults did not eat for whole day - 12 mo	FSC	691
FSC_121	Adults did not eat whole day - frequency - 12 mo	FSC	692
FSC_130	Adults cut size of children's meals - 12 mo	FSC	693
FSC_140	Children skipped meals - 12 mo	FSC	694
FSC_141	Children skipped meals - frequency - 12 mo	FSC	695
FSC_150	Children were hungry - 12 mo	FSC	696
FSC_160	Children did not eat for whole day - 12 mo	FSC	697
FSCDAFS2	Food Security - Adult Status (D)	FSC	698
FSCDCFS2	Food Security - Child Status (D)	FSC	698
FSCDHFS2	Household Food Security Status - Modified version - (D)	FSC	697
FVCD CAR	Daily consumption - carrots - (D)	FVC	262
FVCD FRU	Daily consumption - fruit - (D)	FVC	261
FVCD JUI	Daily consumption - fruit juice - (D)	FVC	260
FVCD POT	Daily consumption - potatoes - (D)	FVC	262
FVCD SAL	Daily consumption - green salad - (D)	FVC	261
FVCD TOT	Daily consumption - total fruits and vegetables - (D)	FVC	263
FVCD VEG	Daily consumption - other vegetables - (D)	FVC	263
FVCG TOT	Daily consumption - total fruits and vegetables - (D, G)	FVC	264
GEN_01	Self-perceived health	GEN	12

CCHS 2012: Alphabetic Index

Page 17

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
GEN_02	Self-perceived health compared to one year ago	GEN	13
GEN_02A2	Satisfaction with life in general	GEN	14
GEN_02B	Self-perceived mental health	GEN	15
GEN_07	Perceived life stress	GEN	15
GEN_08	Worked at job or business	GEN	16
GEN_09	Self-perceived work stress	GEN	16
GEN_10	Sense of belonging to local community	GEN	17
GENDHDI	Perceived Health	GEN	17
GENDMHI	Perceived Mental Health	GEN	18
GENGSWL	Satisfaction with life in general	GEN	18
GEODBCHA	British Columbia Health Authority (BCHA) - (D)	GEO	5
GEODPMF	Health Region - (G)	GEO	2
GEOGPRV	Province of residence of respondent - (G)	GEO	1
HCU_1A1	Regular medical doctor	HCU	88
HCU_1A2	Kind of place	HCU	89
HCU_1AA	Has regular medical doctor	HCU	85
HCU_1BA	Reason has no regular doctor - no one available in area	HCU	86
HCU_1BB	Reason has no regular doctor - none taking new patients	HCU	86
HCU_1BC	Reason has no regular doctor - not tried to contact one	HCU	87
HCU_1BD	Reason has no regular doctor - has left or retired	HCU	87
HCU_1BE	Reason has no regular doctor - other	HCU	88
HRT_01	Experienced symptoms of menopause or ageing	HRT	191
HRT_02	Taken a form of Hormone Therapy	HRT	192
HRT_03	Currently taking hormones	HRT	192
HRT_04A	Type of hormones - Estrogen only	HRT	193
HRT_04B	Type of hormones - Progestin or progesterone only	HRT	193
HRT_04C	Type of hormones - Both	HRT	194
HRT_04D	Type of hormones - Other	HRT	194
HRT_05	Year started hormone therapy	HRT	195
HRT_07	HRT for menopause symptoms or condition due to ageing	HRT	195
HRT_10	Used health products to relieve symptoms of menopause	HRT	196
HRT_11A	Used - Vitamins or other dietary supplements	HRT	196
HRT_11B	Used - Herbs	HRT	197
HRT_11C	Used - Herbal teas	HRT	197
HRT_11D	Used - Other	HRT	198
HRT_12	Used anything else to relieve symptoms in past 12 months	HRT	198
HRT_13A	Ate more foods rich in soy, flax or calcium	HRT	199

CCHS 2012: Alphabetic Index

Page 18

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
HRT_13B	Ate more legumes	HRT	199
HRT_13C	Avoided certain foods or activities	HRT	200
HRT_13D	Increased exercise	HRT	200
HRT_13E	Did relaxation exercises	HRT	201
HRT_13F	Received massage therapy treatments	HRT	201
HRT_13G	Other	HRT	202
HUIDCOG	Cognition problems - function code - (D)	HUI	709
HUIDEMO	Emotion (function code) - (D)	HUI	708
HUIDHSI	Health utilities index - (D)	HUI	709
HUIGDEX	Dexterity trouble - function code - (D, G)	HUI	707
HUIGHER	Hearing problems - function code - (D, G)	HUI	706
HUIGMOB	Mobility trouble - function code - (D, G)	HUI	707
HUIGSPE	Speech trouble - function code - (D, G)	HUI	706
HUIGVIS	Vision trouble - function code - (D, G)	HUI	705
HUPDPAD	Pain (function code) - (D)	HUI	85
HWT_4	Respondent's opinion of own weight - self-reported	HWT	43
HWTDCOL	BMI class. (12 to 17) / self-report - Cole system - (D)	HWT	46
HWTGBMI	Body Mass Index (BMI) / self-report - (D, G)	HWT	45
HWTGHTM	Height (metres) / self-reported - (D, G)	HWT	44
HWTGISW	BMI class. (18 +) / self-report - Intern. standard - (D, G)	HWT	46
HWTGWTK	Weight (kilograms) / self-reported - (D, G)	HWT	45
IDGDINT	Illicit drug interference - mean - 12 mo - (D)	IDG	485
IDGFINT	Illicit drug interference - 12 mo - (F)	IDG	486
IDGFLA	Illicit drug use - including one time cannabis - life - (F)	IDG	483
IDGFLAC	Illicit drug use - excluding one time cannabis - life - (F)	IDG	484
IDGFLCA	Cannabis drug use - including one time only - life - (F)	IDG	482
IDGFLCM	Cannabis drug use - excluding one time only - life - (F)	IDG	482
IDGFYA	Illicit drug use - including one time cannabis - 12 mo - (F)	IDG	484
IDGFYAC	Illicit drug use - excluding one time cannabis - 12 mo - (F)	IDG	485
IDGFYCM	Cannabis drug use - excluding one time only - 12 mo - (F)	IDG	483
INCDRCA	Household income distribution - (D)	INC	702
INCDRPR	Household income distribution - provincial level - (D)	INC	703
INCDRRS	Household income distribution - health region level - (D)	INC	704
INCG2	Total household income - main source - (G)	INC	699
INCG7	Main source of personal income - (G)	INC	699
INCGHH	Total household income from all sources - (D, G)	INC	700
INCGPER	Total personal income from all sources - (D, G)	INC	701

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 19

Variable Name	Description	Section	Page
INJ_01	Injured in past 12 months	INJ	345
INJ_10	Most serious injury - result of a fall	INJ	350
INJ_13	Most serious injury - received treatment within 48 hours	INJ	352
INJ_14A	Treated doctor's office	INJ	352
INJ_14B	Treated emergency room	INJ	353
INJ_14O	Treated where injury happened	INJ	354
INJ_15	Follow-up care because of injury	INJ	355
INJ_15A	Follow-up care because of injury	INJ	355
INJ_16	Other injuries - treated but did not limit normal activities	INJ	356
INJDSTT	Injury Status - (D)	INJ	357
INJG02	Number of injuries in past 12 months - (G)	INJ	345
INJG05	Most serious injury - type - (G)	INJ	346
INJG06	Most serious injury - body part affected - (G)	INJ	347
INJG08	Most serious injury - place of occurrence - (G)	INJ	348
INJG092	Most serious injury - activity when injured - (G)	INJ	349
INJG11A	How did you fall - (G)	INJ	351
INJG14C	Most serious injury - treated in clinic - (G)	INJ	353
INJG14J2	Most serious inj. - treated physio/mass.ther/chiro/other (G)	INJ	354
INJG17	Other injuries - number - (G)	INJ	356
INJGCAU	Cause of injury - (D, G)	INJ	357
INW_01	Injury occurred in current job	INW	349
INWGSOC	Occupation group (SOC) where injury occurred - (G)	INW	350
LBSDPFT	Current - full-time / part-time status - (D)	LBS	664
LBSDWSS	Working status last week - 4 groups - (D)	LBS	665
LBSG31	Employment status - 12 months - (G)	LBS	663
LBSGHPW	Total usual hours worked - current jobs - (D, G)	LBF	664
LBSGSOC	Occupation group - (G)	LBF	665
LOP_015	Were you employed in past three months?	LOP	666
LOP_030	Couldn't work due to chronic condition	LOP	668
LOP_060	Missed work due to injury	LOP	670
LOP_080	Missed work due to infectious disease	LOP	671
LOP_090	Missed work for any other reason related to ph. or m. health	LOP	676
LOP_81A	Had a cold	LOP	671
LOP_81B	Had the flu or influenza	LOP	672
LOP_81C	Stomach Flu	LOP	672
LOP_81D	Respiratory Flu	LOP	673
LOP_81E	Other	LOP	673

CCHS 2012: Alphabetic Index

Page 20

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
LOPG020	Reason for not working - (G)	LOP	667
LOPG040	Number of work days lost due to chronic condition - (G)	LOP	668
LOPG050	Chronic condition - (G)	LOP	669
LOPG070	Number of work days missed due to injury - (G)	LOP	670
LOPG082	Number of work days missed due to cold - (G)	LOP	674
LOPG083	Number of work days missed due to flu or influenza - (G)	LOP	674
LOPG084	Number of work days missed due to stomach flu - (G)	LOP	675
LOPG085	No. of work days missed due to respiratory infection - (G)	LOP	675
LOPG086	No. of work days missed due to other infect. disease - (G)	LOP	676
LOPG100	Work days missed related to physical or mental hlth - (G)	LOP	677
MAM_030	Ever had mammogram	MAM	167
MAM_032	Last time mammogram was done	MAM	172
MAM_038	Had a hysterectomy	MAM	180
MAM_31A	Had mammogram - family history	MAM	168
MAM_31B	Had mammogram - regular check-up	MAM	168
MAM_31C	Had mammogram - age	MAM	169
MAM_31D	Had mammogram - previously detected lump	MAM	169
MAM_31E	Had mammogram - follow-up of treatment	MAM	170
MAM_31F	Had mammogram - on hormone replacement therapy	MAM	170
MAM_31G	Had mammogram - breast problem	MAM	171
MAM_31H	Had mammogram - other	MAM	171
MAM_36A	No mammogram - have not gotten around to it - past 2 yrs	MAM	172
MAM_36B	No mammogram - resp. did not think necessary - past 2 yrs	MAM	173
MAM_36C	No mammogram - doctor did not think necessary - past 2 yrs	MAM	173
MAM_36D	No mammogram - personal/family responsibilities - past 2 yrs	MAM	174
MAM_36E	No mammogram - not available when required - past 2 yrs	MAM	174
MAM_36F	No mammogram - not available in the area - past 2 yrs	MAM	175
MAM_36G	No mammogram - waiting time too long - past 2 yrs	MAM	175
MAM_36H	No mammogram - transportation problems - past 2 yrs	MAM	176
MAM_36I	No mammogram - language problem - past 2 yrs	MAM	176
MAM_36J	No mammogram - cost - past 2 yrs	MAM	177
MAM_36K	No mammogram - did not know where to go - past 2 yrs	MAM	177
MAM_36L	No mammogram - fear - past 2 yrs	MAM	178
MAM_36M	No mammogram - other - past 2 yrs	MAM	179
MAM_36N	No mammogram - unable to leave house/hlth prob - past 2 yrs	MAM	178
MAM_36O	No mammogram - Breasts removed / Mastectomy	MAM	179
MAS_601	Mastery - lack of control	MAS	377

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 21

Variable Name	Description	Section	Page
MAS_602	Mastery - cannot solve problems	MAS	378
MAS_603	Mastery - cannot change things	MAS	379
MAS_604	Mastery - helpless	MAS	380
MAS_605	Mastery - pushed around	MAS	381
MAS_606	Mastery - fate depends upon self	MAS	382
MAS_607	Mastery - can do anything	MAS	383
MASDM1	Mastery scale - (D)	MAS	383
MED_1A	Took pain relievers - In the past month	MED	74
MED_1B	Took tranquilizers- In the past month	MED	75
MED_1C	Took diet pills- In the past month	MED	75
MED_1D	Took anti-depressants- In the past month	MED	76
MED_1E	Took codeine, Demerol or morphine- In the past month	MED	76
MED_1F	Took allergy medicine- In the past month	MED	77
MED_1G	Took asthma medications- In the past month	MED	77
MED_1H	Took cough or cold remedies- In the past month	MED	78
MED_1I	Took penicillin or other antibiotics- In the past month	MED	78
MED_1J	Took medicine for the heart- In the past month	MED	79
MED_1L	Took diuretics or water pills- In the past month	MED	79
MED_1M	Took steroids- In the past month	MED	80
MED_1P	Took sleeping pills- In the past month	MED	80
MED_1Q	Took stomach remedies- In the past month	MED	81
MED_1R	Took laxatives- In the past month	MED	81
MED_1S	Took birth control pill/prescribed method- In the past month	MED	82
MED_1T	Took hormones for menopause/ageing- In the past month	MED	82
MED_1T1	Type of homones taken	MED	83
MED_1T2	Year this hormone therapy was started	MED	83
MED_1U	Took thyroid medication- In the past month	MED	84
MED_1V	Took any other medication	MED	84
MEX_01	Year of birth of last baby	MEX	448
MEX_02	Took folic acid - before last pregnancy	MEX	449
MEX_03	Breastfed or tried to breastfeed last child	MEX	449
MEX_05	Still breastfeeding last child	MEX	450
MEX_06	Other liquids have been introduced to the baby's feeds	MEX	451
MEX_06A	Other liquids have been introduced to the baby's feeds	MEX	452
MEX_06B	Age of last baby when other liquids were first added to feeds	MEX	453
MEX_08A	Age of last baby when solid food were first added to feeds	MEX	454
MEX_08B	Main reason why other liquids or/and solid food were added	MEX	455

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 22

Variable Name	Description	Section	Page
MEX_09	Give a vitamin supplement containing Vitamin D to the baby	MEX	456
MEX_09B	Frequency of giving the Vitamin D supplementation to baby	MEX	457
MEX_10	Main reason why stopped breastfeeding	MEX	458
MEXDEBF2	Length of exclusive breastfeeding (D)	MEX	459
MEXFEB6	Exclusively breastfed for 6 months or more	MEX	460
MEXG04	Main reason did not breastfeed last child - (G)	MEX	450
MXS_01	Type of smoker - last pregnancy	MXS	461
MXS_04	Smoked while breastfeeding last baby (occasional smoker)	MXS	464
MXS_07	Second-hand smoke - during or after last pregnancy	MXS	466
MXSG02	No. of cigarettes daily - last pregnancy (daily smoker)	MXS	462
MXSG03	No. of cigarettes daily - last pregnancy (occasional smoker)	MXS	463
MXSG05	No. of cigarettes daily - while breastfeeding (daily smoker)	MXS	465
MXSG06	No. of cigarettes daily - while breastfeeding (occ. smoker)	MXS	466
OH1_20	Self-perceived health of teeth and mouth	OH1	41
OH1_21A	Ability to chew - firm foods	OH1	41
OH1_21B	Ability to chew - fresh apple	OH1	42
OH1_21C	Ability to chew - boiled vegetables	OH1	42
OH1_22	Frequency of pain in teeth or gums - past month	OH1	43
OH2_10	Frequency usually visits the dentist	OH2	241
OH2_11	Insurance for dental expenses	OH2	241
OH2_11A	Type of dental insurance plan - government-sponsored	OH2	242
OH2_11B	Type of dental insurance plan - employer-sponsored	OH2	242
OH2_11C	Type of dental insurance plan - private	OH2	243
OH2_12	Teeth removed by dentist - 12 mo	OH2	243
OH2_13	Teeth removed - decay or gum disease - 12 mo	OH2	244
OH2_20	Has one or more of own teeth	OH2	244
OH2_21	Wears dentures	OH2	245
OH2_22	Condition of teeth/mouth - difficulty speaking clearly	OH2	245
OH2_23	Condition of teeth/mouth - avoided conversation - 12 mo	OH2	246
OH2_24	Condition of teeth/mouth - avoided laughing/smiling - 12 mo	OH2	247
OH2_25A	Had a toothache - past mo.	OH2	247
OH2_25B	Teeth sensitive to hot or cold - past mo.	OH2	248
OH2_25C	Had pain - jaw joints - past mo.	OH2	248
OH2_25D	Had pain - mouth or face - past mo.	OH2	249
OH2_25E	Had bleeding gums - past mo.	OH2	249
OH2_25F	Had dry mouth - past mo.	OH2	250
OH2_25G	Had bad breath - past mo.	OH2	250

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 23

Variable Name	Description	Section	Page
OH2_30	Frequency of brushing teeth	OH2	251
OH2FLIM	Limited socially due to oral health status - 12 mo - (F)	OH2	251
OH2FOFP	Oral or facial pain - past mo. - (F)	OH2	252
ORG_1	Member of a voluntary organization	ORG	19
ORG_2	Frequency - participate in activities	ORG	20
PAC_1A	Activity / last 3 months - walking	PAC	264
PAC_1B	Activity / last 3 months - gardening or yard work	PAC	265
PAC_1C	Activity / last 3 months - swimming	PAC	265
PAC_1D	Activity / last 3 months - bicycling	PAC	266
PAC_1E	Activity / last 3 months - popular or social dance	PAC	266
PAC_1F	Activity / last 3 months - home exercises	PAC	267
PAC_1G	Activity / last 3 months - ice hockey	PAC	267
PAC_1H	Activity / last 3 months - ice skating	PAC	268
PAC_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	268
PAC_1J	Activity / last 3 months - jogging or running	PAC	269
PAC_1K	Activity / last 3 months - golfing	PAC	269
PAC_1L	Activity / last 3 months - exercise class or aerobics	PAC	270
PAC_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	270
PAC_1N	Activity / last 3 months - bowling	PAC	271
PAC_1O	Activity / last 3 months - baseball or softball	PAC	271
PAC_1P	Activity / last 3 months - tennis	PAC	272
PAC_1Q	Activity / last 3 months - weight-training	PAC	272
PAC_1R	Activity / last 3 months - fishing	PAC	273
PAC_1S	Activity / last 3 months - volleyball	PAC	273
PAC_1T	Activity / last 3 months - basketball	PAC	274
PAC_1U	Activity / last 3 months - Any other	PAC	275
PAC_1V	Activity / last 3 months - No physical activity	PAC	275
PAC_1W	Activity / last 3 months - other (#2)	PAC	276
PAC_1X	Activity / last 3 months - other (#3)	PAC	276
PAC_1Z	Activity / last 3 months - Soccer	PAC	274
PAC_2A	Number of times / 3 months - walking for exercise	PAC	277
PAC_2B	Number of times / 3 months - gardening/yard work	PAC	278
PAC_2C	Number of times / 3 months - swimming	PAC	279
PAC_2D	Number of times / 3 months - bicycling	PAC	280
PAC_2E	Number of times / 3 months - popular or social dance	PAC	281
PAC_2F	Number of times / 3 months - home exercises	PAC	282
PAC_2H	Number of times / 3 months - ice skating	PAC	284

CCHS 2012: Alphabetic Index

Page 24

Public Use Microdata File - 12-Month*June 2013*

Variable Name	Description	Section	Page
PAC_2I	Number of times / 3 months- in-line skating or rollerblading	PAC	285
PAC_2J	Number of times / 3 months - jogging or running	PAC	286
PAC_2K	Number of times / 3 months - golfing	PAC	287
PAC_2L	Number of times / 3 months - exercise class or aerobics	PAC	288
PAC_2M	Number of times / 3 months - downhill skiing or snowboarding	PAC	289
PAC_2N	Number of times / 3 months - bowling	PAC	290
PAC_2O	Number of times / 3 months - baseball or softball	PAC	291
PAC_2P	Number of times / 3 months - tennis	PAC	292
PAC_2Q	Number of times / 3 months - weight-training	PAC	293
PAC_2R	Number of times / 3 months - fishing	PAC	294
PAC_2S	Number of times / 3 months - volleyball	PAC	295
PAC_2T	Number of times / 3 months - basketball	PAC	296
PAC_2U	Number of times / 3 months - other activity (#1)	PAC	298
PAC_2W	Number of times / 3 months - other activity (#2)	PAC	299
PAC_2X	Number of times - other activity (#3)	PAC	300
PAC_2Z	Number of times / 3 months - soccer	PAC	297
PAC_3A	Time spent - walking for exercise	PAC	277
PAC_3B	Time spent - gardening or yard work	PAC	278
PAC_3C	Time spent - swimming	PAC	279
PAC_3D	Time spent - bicycling	PAC	280
PAC_3E	Time spent - popular or social dance	PAC	281
PAC_3F	Time spent - home exercises	PAC	282
PAC_3G	Time spent - ice hockey	PAC	283
PAC_3H	Time spent - ice skating	PAC	284
PAC_3I	Time spent - in-line skating or rollerblading	PAC	285
PAC_3J	Time spent - jogging or running	PAC	286
PAC_3K	Time spent - golfing	PAC	287
PAC_3L	Time spent - exercise class or aerobics	PAC	288
PAC_3M	Time spent - downhill skiing or snowboarding	PAC	289
PAC_3N	Time spent - bowling	PAC	290
PAC_3O	Time spent - baseball or softball	PAC	291
PAC_3P	Time spent - tennis	PAC	292
PAC_3Q	Time spent - weight-training	PAC	293
PAC_3R	Time spent - fishing	PAC	294
PAC_3S	Time spent - volleyball	PAC	295
PAC_3T	Time spent - basketball	PAC	296
PAC_3U	Time spent - other activity (#1)	PAC	298

CCHS 2012: Alphabetic Index

Page 25

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
PAC_3W	Time spent - other activity (#2)	PAC	299
PAC_3X	Time spent - other activity (#3)	PAC	300
PAC_3Z	Time spent - soccer	PAC	297
PAC_7	Number of times / 3 months - walking to go work or school	PAC	301
PAC_7A	Number of times / 3 months - walking to go work or school	PAC	301
PAC_7B	Time spent - walking to go work or school	PAC	302
PAC_8	Number of times / 3 months - bicycling to go work or school	PAC	302
PAC_8A	Number of times / 3 months - bicycling to go work or school	PAC	303
PAC_8B	Time spent - bicycling to go work or school	PAC	303
PACDEE	Daily energy expenditure - Leisure physical activities - (D)	PAC	304
PACDFM	Month. freq. - Leisure phys. activity lasting >15 min. - (D)	PAC	305
PACDFR	Frequency of all leisure physical activity > 15 min. - (D)	PAC	305
PACDLTI	Leisure and transportation physical activity index - (D)	PAC	307
PACDPAI	Leisure physical activity index - (D)	PAC	306
PACDTLE	Daily ener. expend. - Transport. and leisure phy. act. - (D)	PAC	307
PACFD	Participant in daily leisure phys. activity > 15 min. - (F)	PAC	306
PACFLEI	Participant in leisure physical activity - (F)	PAC	304
PACFLTl	Participant in leisure or transportation phys. activ. - (F)	PAC	308
PACG2G	Number of times / 3 months - ice hockey - (G)	PAC	283
PAP_020	Ever had PAP smear test	PAP	157
PAP_022	Last time had PAP smear test	PAP	158
PAP_26A	No PAP smear - have not gotten around to it	PAP	159
PAP_26B	No PAP smear - respondent didn't think necessary	PAP	159
PAP_26C	No PAP smear - doctor didn't think necessary	PAP	160
PAP_26D	No PAP smear - personal / family responsibilities	PAP	160
PAP_26E	No PAP smear - not available when required	PAP	161
PAP_26F	No PAP smear - not available in area	PAP	161
PAP_26G	No PAP smear - waiting time too long	PAP	162
PAP_26H	No PAP smear - transportation problems	PAP	162
PAP_26I	No PAP smear - language problem	PAP	163
PAP_26J	No PAP smear - cost	PAP	163
PAP_26K	No PAP smear - did not know where to go	PAP	164
PAP_26L	No PAP smear - fear	PAP	164
PAP_26M	No PAP smear - hysterectomy	PAP	165
PAP_26N	No PAP smear - hate / dislike having one done	PAP	165
PAP_26O	No PAP smear - other	PAP	166
PAP_26P	No PAP smear - unable to leave house / health problem	PAP	166

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 26

Variable Name	Description	Section	Page
PAS_11	Received health care services	PAS	112
PAS_12	Rating of quality of care received	PAS	112
PAS_13	Satisfaction with way care provided	PAS	113
PAS_21A	Received health care services at hospital	PAS	113
PAS_21B	Type of patient - most recent visit	PAS	114
PAS_22	Rating of quality of care received - hospital	PAS	114
PAS_23	Satisfaction with way care provided - hospital	PAS	115
PAS_31A	Received physician care	PAS	115
PAS_31B	Type of physician - most recent care	PAS	116
PAS_32	Rating of quality of care received - physician	PAS	116
PAS_33	Satisfaction with way care provided - physician	PAS	117
PCU_150	Ever had a physical check-up - without a health problem	PCU	203
PCU_152	Physical check up - last time	PCU	204
PCU_153	Frequency - general physical check-up	PCU	203
PCU_154A	No physical check-up - not gotten around to it - past 3 yrs	PCU	205
PCU_154B	No ph. check-up - resp. didn't think necessary - past 3 yrs	PCU	205
PCU_154C	No phy. check-up - doctor didn't think neces. - past 3 yrs	PCU	206
PCU_154D	No phys. check-up - personal or family respons. - past 3 yrs	PCU	206
PCU_154E	No physical check-up - n. a. when required - past 3 yrs	PCU	207
PCU_154F	No physical check-up - not available in area - past 3 yrs	PCU	207
PCU_154G	No physical check-up - waiting time too long - past 3 yrs	PCU	208
PCU_154H	No physical check-up - transportation problems - past 3 yrs	PCU	208
PCU_154I	No physical check-up - language problem - past 3 yrs	PCU	209
PCU_154J	No physical check-up - cost - past 3 yrs	PCU	209
PCU_154K	No physical check-up - did not know where to go - past 3 yrs	PCU	210
PCU_154L	No physical check-up - fear - past 3 yrs	PCU	210
PCU_154M	No ph.check-up -Unable to leave house/hlth prob. -past 3 yrs	PCU	211
PCU_154N	No physical check-up - other - past 3 yrs	PCU	211
PCU_155	Weighted by a health professional	PCU	212
PCU_156	Height measured by a health professional	PCU	212
PCU_157	Blood pressure checked by a health professional	PCU	213
PCU_158	Risks associated with weighth discussed with a health prof.	PCU	213
PMH_01	Felt happy -in the past month	PMH	467
PMH_02	Felt interested in life -in the past month	PMH	468
PMH_03	Felt satisfied with life -in the past month	PMH	469
PMH_04	Felt something imp. contribute society -in the past month	PMH	470
PMH_05	Felt belonged to a community -in the past month	PMH	471

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
PMH_06	Felt society becoming a better place -in the past month	PMH	472
PMH_07	Felt people are good -in the past month	PMH	473
PMH_08	Felt way society works makes sense -in the past month	PMH	474
PMH_09	Felt liked most part of personality -in the past month	PMH	475
PMH_10	Felt good at managing responsibilities -in the past month	PMH	476
PMH_11	Felt had trusting relationships -in the past month	PMH	477
PMH_12	Felt experiences challenge become better person-past month	PMH	478
PMH_13	Felt confident express own opinions-past month	PMH	479
PMH_14	Felt life had a sense of direction-past month	PMH	480
PMHDCLA	Positive Mental Health Classification	PMH	480
PMHDSCR	Positive Mental Health Continuous Score	PMH	481
PMKPROXY	Person most knowledgeable	ADM	681
PSA_170	Ever had a PSA blood test (prostate cancer)	PSA	214
PSA_172	Last time had PSA blood test	PSA	215
PSA_174	Had a digital rectal exam	PSA	218
PSA_175	Last time had digital rectal exam	PSA	219
PSA_73A	Had PSA test - family history of prostate cancer	PSA	215
PSA_73B	Had PSA test - regular check-up	PSA	216
PSA_73C	Had PSA test - age	PSA	216
PSA_73D	Had PSA test - follow-up of problem	PSA	217
PSA_73E	Had PSA test - follow-up of prostate cancer treatment	PSA	217
PSA_73F	Had PSA test - other	PSA	218
PSC_1	Received any community-based care	PSC	118
PSC_2	How rate quality of the community-based received	PSC	119
PSC_3	How satisfied with the way community-based care provided	PSC	120
RAC_1	Has difficulty with activities	RAC	120
RAC_2A	Reduction in kind/amount of activities - at home	RAC	121
RAC_2B1	Reduction in kind/amount of activities - at school	RAC	122
RAC_2B2	Reduction in kind/amount of activities - at work	RAC	123
RAC_2C	Reduction in kind/amount of activities - other activities	RAC	124
RACDIMP	Impact of health problems - (D)	RAC	125
RACDPAL	Participation and activity limitation - (D)	RAC	126
RACG5	Cause of health problem - (G)	RAC	125
REP_1A	Repetitive strain injury	INJ	338
REP_2	Limit your normal activities	INJ	338
REP_3A	Repetitive strain- activity causing injury	INJ	340
REP_4	Repetitive strain- working at a job or business	INJ	340

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
REP_5A	Activity - Walking	INJ	341
REP_5B	Activity - Sports	INJ	341
REP_5C	Activity - Leisure	INJ	342
REP_5D	Activity - Household chores	INJ	342
REP_5F	Activity - Computer	INJ	343
REP_5G	Activity - Driving a motor vehicle	INJ	343
REP_5H	Activity - Lifting or carrying	INJ	344
REP_5I	Activity - Other	INJ	344
REPG3	Repetitive strain - body part affected - (G)	INJ	339
SACDTER	Total no. hrs / week (excl. reading) - sedentary act. - (D)	SAC	317
SACDTOT	Total number hours - sedentary activities - past 3 mo - (D)	SAC	316
SACG1	Number of hours - on a computer - past 3 mo - (G)	SAC	312
SACG2	Number of hours - playing video games - past 3 mo - (G)	SAC	313
SACG3	Number of hours - watching tv/videos - past 3 mo - (G)	SAC	314
SACG4	Number of hours - reading - past 3 mo - (G)	SAC	315
SCA_10	Usefulness of nicotine patch	SCA	400
SCA_10A	Usefulness of nicotine patch	SCA	400
SCA_11	Usefulness of nicotine gum or candy	SCA	401
SCA_11A	Usefulness of nicotine gum or candy	SCA	401
SCA_12	Usefulness of medication such as Zyban	SCA	402
SCA_12A	Usefulness of medication such as Zyban	SCA	402
SCA_50	Stopped smoking for at least 24 hours	SCA	403
SCA_60	Tried to quit smoking - nicotine patch	SCA	403
SCA_61	Tried to quit smoking - nicotine gum or candy - past 12 mo	SCA	404
SCA_62	Tried to quit smoking - medication such as Zyban	SCA	404
SCADQUI	Attempted to stop smoking - (D)	SCA	405
SCH_1	Quitting smoking - next 6 months	SCH	397
SCH_2	Quitting smoking - next 30 days	SCH	397
SCH_3	Stopped smoking for at least 24 hours - 12 mo	SCH	398
SCH_4	Number of times stopped for at least 24 hours - 12 mo	SCH	398
SCHDSTG	Smoking stages of change - (D)	SCH	399
SCP_01	level of physical activity for every week	SCP	309
SCP_02	Increase of physical activity level	SCP	309
SCP_03	intend to increase of physical activity level/next 30 days	SCP	310
SCP_04	intend to increase of physical activity level/next 6 months	SCP	310
SCPDSTG	Stages of changes - physical activity	SCP	311
SDC_5A_1	Knowledge of official languages	SDC	678

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 29

Variable Name	Description	Section	Page
SDC_8	Current student	SDC	682
SDCDFOLS	First official language spoken - (D)	SDC	678
SDCFIMM	Immigrant - (F)	SDC	680
SDCG9	Full-time student or part-time student - (G)	SDC	682
SDCGCB12	Country of birth - Canada/other - (G)	SDC	677
SDCGCGT	Cultural or racial origin - (D, G)	SDC	681
SDCGLHM	Language(s) spoken at home - (D, G)	SDC	679
SDCGRES	Length of time in Canada since immigration - (D, G)	SDC	680
SFE_501	Self-esteem - has good qualities	SFE	371
SFE_502	Self-esteem - is person of worth	SFE	372
SFE_503	Self-esteem - is able to do things well	SFE	373
SFE_504	Self-esteem - takes positive attitude towards self	SFE	374
SFE_505	Self-esteem - satisfied with self	SFE	375
SFE_506	Self-esteem - feels is a failure	SFE	376
SFEDE1	Self-esteem scale - (D)	SFE	376
SLP_02	Frequency - trouble sleeping	SLP	22
SLP_03	Frequency - find sleep refreshing	SLP	23
SLP_04	Frequency - find it difficult to stay awake	SLP	24
SLPG01	Number of hours spent sleeping per night	SLP	21
SMK_01A	Smoked 100 or more cigarettes - life	SMK	384
SMK_01B	Ever smoked whole cigarette	SMK	384
SMK_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	388
SMK_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	389
SMK_05D	Ever smoked cigarettes daily	SMK	389
SMK_06A	Stopped smoking - when (was never a daily smoker)	SMK	390
SMK_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	392
SMK_10	Quit smoking completely (former daily smoker)	SMK	393
SMK_10A	Stopped smoking completely - when (former daily smoker)	SMK	394
SMK_202	Type of smoker	SMK	386
SMK_204	Number of cigarettes smoked per day (daily smoker)	SMK	388
SMK_208	Number of cigarettes smoked per day (former daily smoker)	SMK	392
SMKDSTY	Type of smoker - (D)	SMK	395
SMKDYCS	Number of years smoked (current daily smokers) - (D)	SMK	396
SMKG01C	Age - smoked first whole cigarette - (G)	SMK	385
SMKG06C	Number of years since stopped smoking - (G)	SMK	390
SMKG09C	Yrs since stopped smoking daily (former daily smoker) - (G)	SMK	393
SMKG10C	Number of years since stopped smoking (daily) - (G)	SMK	394

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 30

Variable Name	Description	Section	Page
SMKG203	Age - started smoking daily (daily smoker) - (G)	SMK	387
SMKG207	Age - started smoking daily (former daily smoker) - (G)	SMK	391
SMKGSTP	Number of years since stopping smoking completely - (D, G)	SMK	395
SPC_10	Visited regular medical doctor	SPC	406
SPC_11	Doctor - knows smokes/smoked	SPC	406
SPC_12	Doctor - advised to quit	SPC	407
SPC_13	Doctor - gave specific help	SPC	407
SPC_14A	Type of help - referral to one-on-one program	SPC	408
SPC_14B	Type of help - referral to group program	SPC	408
SPC_14C	Type of help - recommended nicotine patch or gum	SPC	409
SPC_14D	Type of help - recommended Zyban or other medication	SPC	409
SPC_14E	Type of help - provided self-help information	SPC	410
SPC_14F	Type of help - doctor offered counselling	SPC	410
SPC_14G	Type of help - other	SPC	411
SPC_20	Visited dentist	SPC	411
SPC_21	Dentist/hygienist - knows smokes/smoked	SPC	412
SPC_22	Dentist/hygienist - advised to quit	SPC	412
SPI_01	Ever had a spirometry test	SPI	190
SPI_02	Last time ever had a spirometry test	SPI	190
SPS_01	Relationships - people who can be count on to have help	SPS	498
SPS_02	Relationships - enjoy the same social activities	SPS	499
SPS_03	Relationships - sense of emotional security and wellbeing	SPS	500
SPS_04	Relationships - Talk about important decisions in life	SPS	501
SPS_05	Relationships - Competence and skill are recognized	SPS	502
SPS_06	Relationships - trustworthy person for advice	SPS	503
SPS_07	Relationships - share attitudes and beliefs	SPS	504
SPS_08	Relationships - strong emotional bond	SPS	505
SPS_09	Relationships - admire talents and abilities	SPS	506
SPS_10	Relationships - people who can be count on in an emergency	SPS	507
SPSDALL	Social Provisions Scale -Reliable alliance	SPS	509
SPSDATT	Social Provisions Scale - Attachment	SPS	508
SPSDCON	Social Provisions Overall Scale	SPS	507
SPSDGUI	Social Provisions Scale - Guidance	SPS	508
SPSDINT	Social Provisions Scale - Social Integration	SPS	509
SPSDWOR	Social Provisions Scale - Reassurance of Worth	SPS	510
SPV_1	Spiritual values - playing important role in life	SPV	533
SPV_2	Spiritual values - helping to find meaning to life	SPV	533

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
SPV_3	Spiritual values - strength for everyday difficulties	SPV	534
SPV_4	Spiritual values - understanding difficulties of life	SPV	535
SPV_6	Frequency - attends religious services or meetings	SPV	536
SPV_6B	Frequency - engage in religious or spiritual activities own	SPR	537
SPV_7	Self-perception - being religious	SPV	538
SPVGRL	Religion - (G)	SPV	535
SSA_01	Number of close friends and relatives	SSA	511
SSA_02	Has someone to give help if confined to bed	SSA	512
SSA_03	Has someone to listen	SSA	513
SSA_04	Has someone to provide/give advice about a crisis.	SSA	514
SSA_05	Has someone to take to doctor	SSA	515
SSA_06	Has someone who shows love and affection	SSA	516
SSA_07	Has someone to have a good time with	SSA	517
SSA_08	Has someone to give info to help understand a situation	SSA	518
SSA_09	Has someone to confide in	SSA	519
SSA_10	Has someone who gives hugs	SSA	520
SSA_11	Has someone to get together with for relaxation	SSA	521
SSA_12	Has someone to prepare meals	SSA	522
SSA_13	Has someone to give advice	SSA	523
SSA_14	Has someone to do things to get mind off things	SSA	524
SSA_15	Has someone to help with daily chores if sick	SSA	525
SSA_16	Has someone to share most private worries and fears with	SSA	526
SSA_17	Has someone to turn to for suggestions for personal problems	SSA	527
SSA_18	Has someone to do something enjoyable with	SSA	528
SSA_19	Has someone who understands problems	SSA	529
SSA_20	Has someone who loves and makes feel wanted	SSA	530
SSADAFF	Affection - MOS subscale - (D)	SSA	531
SSADEMO	Emotional or informational support - MOS subscale - (D)	SSA	532
SSADSOC	Positive social interaction - MOS subscale - (D)	SSA	531
SSADTNG	Tangible social support - MOS subscale - (D)	SSA	530
SSB_01	Been sunburnt - past 12 months	SSB	329
SSB_02	Sunburn involved blistering	SSB	329
SSB_03	Sunburns involved pain - lasting more than 1 day	SSB	330
SSB_06	Amount of time in the sun - 11 am to 4 pm	SSB	330
SSB_07	Frequency - seek shade	SSB	331
SSB_08	Frequency - wear hat in the sun	SSB	332
SSB_09A	Frequency - wear long pants or skirt in the sun	SSB	333

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
SSB_09B	Frequency - use sunscreen on your face	SSB	334
SSB_10	Sun Protection factor (SPF) usually use - face	SSB	335
SSB_11	Frequency - use sunscreen on your body	SSB	336
SSB_12	Sun Protection factor (SPF) usually use on body	SSB	337
SSU_21A	Received tangible social support	SSU	710
SSU_21B	Frequency of tangible social support	SSU	711
SSU_22A	Received affective support	SSU	712
SSU_22B	Frequency of affective support	SSU	713
SSU_23A	Received positive social interactive support	SSU	714
SSU_23B	Frequency of positive social interactive support	SSU	715
SSU_24A	Received emotional/informational support	SSU	716
SSU_24B	Frequency of emotional/informational support	SSU	717
SUI_1	Seriously considered suicide - lifetime	SUI	580
SUI_2	Seriously considered suicide - past 12 months	SUI	581
SWL_02	Satisfaction - job	SWL	358
SWL_03	Satisfaction - leisure activities	SWL	359
SWL_04	Satisfaction - financial situation	SWL	360
SWL_05	Satisfaction - with self	SWL	361
SWL_06	Satisfaction - way body looks	SWL	362
SWL_07	Satisfaction - relationships with other family members	SWL	363
SWL_08	Satisfaction - relationships with friends	SWL	364
SWL_09	Satisfaction - housing	SWL	365
SWL_10	Satisfaction - neighbourhood	SWL	366
SXB_07	Ever diagnosed with STD	SXB	488
SXB_09	Important to avoid getting pregnant	SXB	489
SXB_1	Ever had sexual intercourse	SXB	487
SXB_10	Important to avoid getting partner pregnant	SXB	490
SXB_11	Usually use birth control - past 12 months	SXB	491
SXB_12A	Usual birth control method - condom	SXB	491
SXB_12B	Usual birth control method - Birth control pill	SXB	492
SXB_12C	Usual birth control method - diaphragm	SXB	492
SXB_12D	Usual birth control method - spermicide	SXB	493
SXB_12E	Usual birth control method - other	SXB	494
SXB_12F	Usual birth control method - birth control injection	SXB	493
SXB_13A	Birth control method used last time - condom	SXB	494
SXB_13B	Birth control method used last time - birth control pill	SXB	495
SXB_13C	Birth control method used last time - diaphragm	SXB	495

CCHS 2012: Alphabetic Index

Page 33

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
SXB_13D	Birth control method used last time - spermicide	SXB	496
SXB_13E	Birth control method used last time - other	SXB	497
SXB_13F	Birth cntrl. method used last time - birth control injection	SXB	496
SXB_13G	Method used last time - nothing	SXB	497
SXB_3	Had sexual intercourse - past 12 months	SXB	487
SXB_7A	Condom use - last time	SXB	488
TAL_1	Smoked cigars - last month	TAL	421
TAL_2	Smoked a pipe - last month	TAL	422
TAL_3	Used snuff - last month	TAL	422
TAL_4	Used chewing tobacco - last month	TAL	423
UCN_010	Unmet health care needs - self-perceived	UCN	100
UCN_020A	Care not received - not available in area	UCN	100
UCN_020B	Care not received - not available at time required	UCN	101
UCN_020C	Care not received - waiting time too long	UCN	101
UCN_020D	Care not received - felt would be inadequate	UCN	102
UCN_020E	Care not received - cost	UCN	102
UCN_020F	Care not received - too busy	UCN	103
UCN_020G	Care not received - didn't get around to it	UCN	103
UCN_020H	Care not received - decided not to seek care	UCN	104
UCN_020I	Care not received - dr didn't think it was necessary	UCN	104
UCN_020J	Care not received - other	UCN	105
UCN_030A	Type of care not received - treatment phys. health problem	UCN	105
UCN_030B	Type of care not received - treatment emotional problem	UCN	106
UCN_030C	Type of care not received - regular check-up	UCN	106
UCN_030D	Type of care not received - care of injury	UCN	107
UCN_030E	Type of care not received - other	UCN	107
UCN_040A	Location tried to get service - doctor's office	UCN	108
UCN_040B	Location tried to get service - community health centre/CLSC	UCN	108
UCN_040C	Location tried to get service - walk-in clinic	UCN	109
UCN_040D	Location tried to get service - appointment clinic	UCN	109
UCN_040E	Location tried to get service - hospital emergency room	UCN	110
UCN_040F	Location tried to get service - hosp. outpatient clinic	UCN	110
UCN_040G	Location tried to get service - other	UCN	111
UPE_01	Frequency - wears helmet - bicycling	UPE	318
UPE_01A	Done any bicycling in past 12 months	UPE	318
UPE_02	Frequency - wears helmet - in-line skating	UPE	319
UPE_02A	Frequency - wears wrist guards - in-line skating	UPE	319

CCHS 2012: Alphabetic Index

Page 34

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
UPE_02B	Frequency - wears elbow pads - in-line skating	UPE	320
UPE_02C	Wear knee pads	UPE	320
UPE_02D	Wear knee pads	UPE	321
UPE_03A	Downhill skiing or snowboarding - past 3 mo.	UPE	321
UPE_03B	Downhill skiing or snowboarding - past 12 mo	UPE	322
UPE_04A	Frequency - wears helmet - downhill skiing	UPE	322
UPE_05A	Frequency - wears helmet - snowboarding	UPE	323
UPE_05B	Frequency - wears wrist guards - snowboarding	UPE	323
UPE_06	Frequency - wears helmet - skateboarding	UPE	324
UPE_06A	Frequency - wears wrist guards/protectors - skateboarding	UPE	324
UPE_06B	Frequency - wears elbow pads - skateboarding	UPE	325
UPE_06C	Frequency - wears elbow pads - skateboarding	UPE	325
UPE_07	Wear a mouth guard	UPE	326
UPE_07A	Wear a mouth guard	UPE	326
UPEFILS	Wears all protective equipment - in-line skating - (F)	UPE	327
UPEFSKB	Wears all protective equipment - skateboarding - (F)	UPE	327
UPEFSNB	Wears all protective equipment - snowboarding - (F)	UPE	328
VERDATE	Date of file creation	SAM	1
WTM_01	Required visit to medical specialist	WTM	718
WTM_02	Required visit to medical specialist - type of condition	WTM	719
WTM_03	Person who referred respondent to medical specialist	WTM	720
WTM_04	Already visited the medical specialist	WTM	720
WTM_05	Had difficulties seeing the medical specialist	WTM	721
WTM_06A	Difficulty - getting a referral	WTM	721
WTM_06B	Difficulty - getting an appointment	WTM	722
WTM_06C	Difficulty - no specialists in area	WTM	722
WTM_06D	Difficulty - waited too long for an appointment	WTM	723
WTM_06E	Difficulty - waited too long to see doctor	WTM	723
WTM_06F	Difficulty - transportation	WTM	724
WTM_06G	Difficulty - language	WTM	724
WTM_06H	Difficulty - cost	WTM	725
WTM_06I	Difficulty - personal or family responsibilities	WTM	725
WTM_06J	Difficulty - general deterioration of health	WTM	726
WTM_06K	Difficulty - appointment cancelled/deferred	WTM	726
WTM_06L	Difficulty - unable to leave house/health problem	WTM	727
WTM_06M	Difficulty - other	WTM	727
WTM_07A	Length of wait to see specialist	WTM	728

CCHS 2012: Alphabetic Index
Public Use Microdata File - 12-Month
June 2013

Page 35

Variable Name	Description	Section	Page
WTM_07B	Length of wait to see specialist - reporting unit	WTM	728
WTM_08A	Length of time been waiting to see specialist	WTM	729
WTM_08B	Length of time been waiting to see specialist - report. unit	WTM	729
WTM_10	Respondent's opinion of waiting time	WTM	730
WTM_11A	Acceptable waiting time	WTM	730
WTM_11B	Acceptable waiting time - reporting unit	WTM	731
WTM_12	Visit to specialist cancelled or postponed	WTM	731
WTM_13A	Visit cancelled/postponed - by respondent	WTM	732
WTM_13B	Visit cancelled/postponed - by specialist	WTM	732
WTM_13C	Visit cancelled/postponed - by other	WTM	733
WTM_14	Life affected by wait for visit to specialist	WTM	733
WTM_15A	Life affected by wait - worry	WTM	734
WTM_15B	Life affected by wait - worry for family	WTM	734
WTM_15C	Life affected by wait - pain	WTM	735
WTM_15D	Life affected by wait - prob. with activities/daily living	WTM	735
WTM_15E	Life affected by wait - loss of work	WTM	736
WTM_15F	Life affected by wait - loss of income	WTM	736
WTM_15G	Life affected by wait - increased dependence	WTM	737
WTM_15H	Life affected by wait - increased use medications	WTM	737
WTM_15I	Life affected by wait - health deteriorated	WTM	738
WTM_15J	Life affected by wait - health problem improved	WTM	738
WTM_15K	Life affected by wait - pers. relationships suffered	WTM	739
WTM_15L	Life affected by wait - other	WTM	739
WTM_17	Already had the surgery	WTM	740
WTM_18	Surgery required overnight hospital stay	WTM	740
WTM_19	Experienced difficulties getting this surgery	WTM	741
WTM_20A	Difficulty - getting an appointment	WTM	741
WTM_20B	Difficulty - getting a diagnosis	WTM	742
WTM_20C	Difficulty - waited too long for a diagnostic test	WTM	742
WTM_20D	Difficulty - waited too long for a hospital bed	WTM	743
WTM_20E	Difficulty - waited too long for surgery	WTM	743
WTM_20F	Difficulty - service not available in area	WTM	744
WTM_20G	Difficulty - transportation	WTM	744
WTM_20H	Difficulty - language	WTM	745
WTM_20I	Difficulty - cost	WTM	745
WTM_20J	Difficulty - personal or family responsibilities	WTM	746
WTM_20K	Difficulty - general deterioration of health	WTM	746

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
WTM_20L	Difficulty - appointment cancelled/deferred	WTM	747
WTM_20M	Difficulty - unable to leave house/health problem	WTM	747
WTM_20N	Difficulty - other	WTM	748
WTM_21A	Length of wait between decision and surgery	WTM	748
WTM_21B	Length of wait between decision and surgery - reported unit	WTM	749
WTM_22	Surgery will require overnight hospital stay	WTM	749
WTM_23A	Time since decision to have surgery	WTM	750
WTM_23B	Time since decision to have surgery - reported unit	WTM	750
WTM_24	Respondent's opinion of waiting time	WTM	751
WTM_25A	Acceptable waiting time	WTM	751
WTM_25B	Acceptable waiting time - reported unit	WTM	752
WTM_26	Surgery cancelled or postponed	WTM	752
WTM_27A	Surgery cancelled/postponed - by respondent	WTM	753
WTM_27B	Surgery cancelled/postponed - by surgeon	WTM	753
WTM_27C	Surgery cancelled/postponed - by hospital	WTM	754
WTM_27D	Surgery cancelled/postponed - other	WTM	754
WTM_28	Life affected by wait for surgery	WTM	755
WTM_29A	Life affected by wait - worry	WTM	755
WTM_29B	Life affected by wait - worry for family	WTM	756
WTM_29C	Life affected by wait - pain	WTM	756
WTM_29D	Life affected by wait - prob. with activities/daily living	WTM	757
WTM_29E	Life affected by wait - loss of work	WTM	757
WTM_29F	Life affected by wait - loss of income	WTM	758
WTM_29G	Life affected by wait - increased dependence	WTM	758
WTM_29H	Life affected by wait - increased used of medication	WTM	759
WTM_29I	Life affected by wait - health deteriorated	WTM	759
WTM_29J	Life affected by wait - health problem improved	WTM	760
WTM_29K	Life affected by wait - personal relationships suffered	WTM	760
WTM_29L	Life affected by wait - other	WTM	761
WTM_30	Type of diagnostic test required	WTM	761
WTM_31	Required diagnostic test - type of condition	WTM	762
WTM_32	Already had diagnostic test	WTM	762
WTM_33	Location of test	WTM	763
WTM_34	Location of clinic	WTM	763
WTM_35	Patient in hospital at time of test	WTM	764
WTM_36	Had difficulties getting the diagnostic test	WTM	764
WTM_37A	Difficulty - getting a referral	WTM	765

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
WTM_37B	Difficulty - getting an appointment	WTM	765
WTM_37C	Difficulty - waited too long to get an appointment	WTM	766
WTM_37D	Difficulty - waited long to get test	WTM	766
WTM_37E	Difficulty - service not available at time required	WTM	767
WTM_37F	Difficulty - service not available in area	WTM	767
WTM_37G	Difficulty - transportation	WTM	768
WTM_37H	Difficulty - language	WTM	768
WTM_37I	Difficulty - cost	WTM	769
WTM_37J	Difficulty - general deterioration of health	WTM	769
WTM_37K	Difficulty - did not know where to get information	WTM	770
WTM_37L	Difficulty - unable to leave house/health problem	WTM	770
WTM_37M	Difficulty - other	WTM	771
WTM_38A	Length of wait between decision and test	WTM	771
WTM_38B	Length of wait between decision and test - reporting unit	WTM	772
WTM_39A	Length of time been waiting for diagnostic test	WTM	772
WTM_39B	Length of time been waiting for diagnostic test - unit	WTM	773
WTM_40	Respondent's opinion of waiting time	WTM	773
WTM_41A	Acceptable waiting time	WTM	774
WTM_41B	Acceptable waiting time - unit	WTM	774
WTM_42	Test cancelled or postponed	WTM	775
WTM_43	Test cancelled or postponed by	WTM	775
WTM_44	Life affected by wait for test	WTM	776
WTM_45A	Life affected by wait - worry	WTM	776
WTM_45B	Life affected by wait - worry for family	WTM	777
WTM_45C	Life affected by wait - pain	WTM	777
WTM_45D	Life affected by wait - prob. with activities/daily living	WTM	778
WTM_45E	Life affected by wait - loss of work	WTM	778
WTM_45F	Life affected by wait - loss of income	WTM	779
WTM_45G	Life affected by wait - increased dependence	WTM	779
WTM_45H	Life affected by wait - increased use medications	WTM	780
WTM_45I	Life affected by wait - health deteriorated	WTM	780
WTM_45J	Life affected by wait - health problem improved	WTM	781
WTM_45K	Life affected by wait - personal relationships suffered	WTM	781
WTM_45L	Life affected by wait - other	WTM	782
WTMDCA	Number of days acceptable wait - non emergency surgery - (D)	WTM	785
WTMDCN	Number of days wait - non-urgent surgery - not done - (D)	WTM	784
WTMDCO	Number of days wait - non-urgent surgery - surgery done - (D)	WTM	784

Public Use Microdata File - 12-Month

June 2013

Variable Name	Description	Section	Page
WTMDSA	Number of days acceptable wait - med. specialist - (D)	WTM	783
WTMDSN	Number/days wait/medical specialist - not seen spec. - (D)	WTM	783
WTMDSO	Number/days wait/medical specialist - seen specialist - (D)	WTM	782
WTMDTA	Number of days acceptable wait - diagnostic test - (D)	WTM	786
WTMDTN	Number of days wait - diagnostic test - not done - (D)	WTM	786
WTMDTO	Number of days wait - diagnostic test - done - (D)	WTM	785
WTS_M	Weights - Master	WTS	704
YSM_2	Bought cigarettes for self or others	YSM	414
YSM_3	Age asked when buying cigarettes in store	YSM	414
YSM_4	Someone refused to sell cigarettes	YSM	415
YSM_5	Asked a stranger to buy cigarettes	YSM	415
YSMG1	Source of cigarettes - (G)	YSM	413