

# Canadian Community Health Survey (CCHS)

## Rapid Response on the Awareness and usage of Canada's Food Guide



Statistics  
Canada

Statistique  
Canada

Canada



## **Table of Contents**

Proxy interview (GR) .....	1
Age of respondent (ANC) .....	3
General health (GEN) .....	6
Height and weight - Self-reported (HWT) .....	9
Chronic conditions (CCC) .....	14
Pain and discomfort (HUP) .....	20
Health care utilization (HCU) .....	21
Contacts with Health Professionals - Part 1 (CHP) .....	24
Restriction of activities (RAC) .....	30
Flu shots (FLU) .....	33
Fruit and vegetable consumption (FVC) .....	35
Physical activities (PAC) .....	42
Smoking (SMK) .....	47
Exposure to second-hand smoke (ETS) .....	54
Alcohol use (ALC) .....	57
Labour force (LBS) .....	59
Socio-demographic characteristics (SDC) .....	64
Awareness and usage of Canada's Food Guide (CFG) .....	72
Person most knowledgeable about household situation (PMK) .....	81
Education (EDU) .....	86
Education of the respondent (EDU1) .....	87
Education of other household members (EDU2) .....	90
Income (INC) .....	92
Administration information (ADM) .....	99
Topical Index .....	i
Element Index .....	i

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Proxy interview (GR)**

Core content

GR\_BEG

Content block

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOGR: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block

PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

GR\_N01A

INTERVIEWER: Who is providing the information for this person's component?

01 MEMBER1  
02 MEMBER2  
03 MEMBER3  
04 MEMBER4  
05 MEMBER5  
06 MEMBER6  
07 MEMBER7  
08 MEMBER8  
09 MEMBER9  
10 MEMBER10  
11 MEMBER11  
12 MEMBER12  
13 MEMBER13  
14 MEMBER14  
15 MEMBER15  
16 MEMBER16  
17 MEMBER17  
18 MEMBER18  
19 MEMBER19  
20 MEMBER20  
(DK, RF not allowed)

GR\_C01

If selected respondent, go to GR\_END.

Otherwise, go to GR\_N01B.

GR\_N01B

INTERVIEWER: Do you want to complete this component by proxy?

1 Yes (Go to GR\_N02)  
2 No  
(DK, RF not allowed)

Go to GR\_E01B

Processing:

*This is the variable that's used to create the Proxy variable (PROXMODE)*

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

GR\_E01B

**You may not proceed with the rest of this questionnaire. Please press <F10> to exit, or return and update GR\_N01A or GR\_N01B.**

Rule :

*Trigger hard edit if GR\_N01B = 2 and not Selected Respondent.*

GR\_N02

INTERVIEWER: Record the reason why this component is being completed by proxy. Proxy interviews are to occur only if the mental or physical health of the selected member makes it impossible to complete the interview during the collection period. If the reason for the proxy interview is neither of these choices, please press <F10> to exit the application and assign an appropriate outcome code.

- 1     Physical health condition
  - 2     Mental health condition
- (DK, RF not allowed)

GR\_N03

INTERVIEWER: Enter the condition.

---

(80 spaces)

(DK, RF not allowed)

GR\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Age of respondent (ANC)**

Core content

ANC_BEG	Core content
ANC_C01A	If (DOANC block = 1), go to ANC_D01. Otherwise, go to ANC_END.
ANC_D01	Not Applicable
ANC_R01	<b>For some of the questions I'll be asking, I need to know ^YOUR2 exact date of birth.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
ANC_N01A	<u>INTERVIEWER</u> : Enter the day.If necessary, ask (What is the day?)   _ _  (MIN: 1) (MAX: 31)  DK, RF  Processing: <i>ANC_N01A is known as DHH_DOB</i>
ANC_N01B	<u>INTERVIEWER</u> : Enter the month.If necessary, ask (What is the month?)  01    January 02    February 03    March 04    April 05    May 06    June 07    July 08    August 09    September 10    October 11    November 12    December DK, RF  Processing: <i>ANC_N01B is known as DHH_MOB</i>
ANC_E1	<b>An impossible day/month combination has been entered. Please return and correct.</b>
Rule :	<i>Trigger hard edit if a month is selected that is invalid in combination with the previously entered numeric day.</i>

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

ANC_N01C	<p><u>INTERVIEWER</u>: Enter a four-digit year. If necessary, ask (What is the year?)</p> <p> _ _ _  (MIN: 0) (MAX: 0)</p> <p>DK, RF</p>
Processing:	ANC_N01C is known as DHH_YOB
ANC_C02	If ANC_N01C (Year) = DK, RF, go to ANC_Q03. Otherwise, go to ANC_D02.
ANC_E2	<b>An impossible day/month/year combination has been entered. Please return and correct.</b>
Rule :	Trigger hard edit if a year is entered that is invalid in combination with the previously entered month and day.
ANC_D02	
Programmer:	Program : Calculate age based on the entered date of birth.
ANC_Q02 ANC_02	<p><b>So ^YOUR1 age is [calculated age]. Is that correct?</b></p> <p>1 Yes (Go to ANC_C03) 2 No, return and correct date of birth 3 No, collect age (Go to ANC_Q03) (DK, RF not allowed)</p>
ANC_E02	<b>Return to ANC_N01A and correct the date of birth.</b>
Rule :	Trigger hard edit if ANC_Q02 = 2.
ANC_C03	If [calculated age] < 12 years, go to ANC_R04. Otherwise, go to ANC_END.
ANC_Q03 ANC_03	<p><b>What is ^YOUR1 age?</b></p> <p> _ _ _  Age in years (MIN: 0) (MAX: 130)</p> <p>(DK, RF not allowed)</p>
Processing:	ANC_Q03 is known as DHH_AGE
ANC_C04	If age < 12 years, go to ANC_R04. Otherwise, go to ANC_END.
ANC_D04	Not Applicable

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

ANC\_R04

**Because ^YOU1 ^ARE less than 12 years old, ^YOU1 ^ARE not eligible to participate in the Canadian Community Health Survey.**

INTERVIEWER: Press <1> to continue.

ANC\_END



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**General health (GEN)**

Core content

GEN\_BEG

Core content

AGE - Age of respondent

PROXMODE: proxy identifier, from the GR block.

DOGEN: do block flag, from the sample file.

GEN\_C01

If (DOGEN block = 1), go to GEN\_R01.

Otherwise, go to GEN\_END.

GEN\_D01

Not Applicable

GEN\_R01

**This survey deals with various aspects of ^YOUR2 health. The following questions ask about physical activity, social relationships and health status. By health, we mean not only the absence of disease or injury but also physical, mental and social well-being.**

INTERVIEWER: Press <1> to continue.

GEN\_Q01

**In general, would you say ^YOUR1 health is... ?**

GEN\_01

INTERVIEWER: Read categories to respondent.

- 1    **Excellent**
- 2    **Very good**
- 3    **Good**
- 4    **Fair**
- 5    **Poor**

DK, RF

Help text:

Tag: Perceived health

*Perceived health is an indicator of overall health status. It can reflect aspects of health not captured in other measures, such as: incipient disease, disease severity, aspects of positive health status, physiological and psychological reserves and social and mental function. Perceived health refers to the perception of a person's health in general, either by the person himself or herself, or, in the case of proxy response, by the person responding. Health means not only the absence of disease or injury but also physical, mental and social well being.*

GEN\_Q02A

**Compared to one year ago, how would you say ^YOUR1 health is now? Is it...?**

GEN\_02

INTERVIEWER: Read categories to respondent.

- 1    **Much better now than 1 year ago**
- 2    **Somewhat better now (than 1 year ago)**
- 3    **About the same as 1 year ago**
- 4    **Somewhat worse now (than 1 year ago)**
- 5    **Much worse now (than 1 year ago)**

DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

GEN\_C02B

If proxy interview, go to GEN\_Q07.  
Otherwise, go to GEN\_Q02B.

GEN\_Q02B  
GEN\_02A2

**Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how ^DOVERB ^YOU1 feel about ^YOUR1 life as a whole right now?**

00 Very dissatisfied  
01 |  
02 |  
03 |  
04 |  
05 |  
06 |  
07 |  
08 |  
09 V  
10 Very satisfied  
DK, RF

GEN\_Q02C  
GEN\_02B

**In general, would you say your mental health is...?**

INTERVIEWER: Read categories to respondent.

1 **Excellent**  
2 **Very good**  
3 **Good**  
4 **Fair**  
5 **Poor**  
DK, RF

GEN\_Q07  
GEN\_07

**Thinking about the amount of stress in ^YOUR1 life, would you say that most days are...?**

INTERVIEWER: Read categories to respondent.

1 **Not at all stressful**  
2 **Not very stressful**  
3 **A bit stressful**  
4 **Quite a bit stressful**  
5 **Extremely stressful**  
DK, RF

GEN\_C08A

If proxy interview, go to GEN\_END.  
Otherwise, go to GEN\_C08B.

GEN\_C08B

If age < 15 or age > 75, go to GEN\_Q10.  
Otherwise, go to GEN\_Q08.

GEN\_Q08  
GEN\_08

**Have you worked at a job or business at any time in the past 12 months?**

1 Yes  
2 No (Go to GEN\_Q10)  
DK, RF (Go to GEN\_Q10)

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

GEN\_R09

**The next question is about your main job or business in the past 12 months.**

INTERVIEWER: Press <1> to continue.

GEN\_Q09

GEN\_09

**Would you say that most days at work were...?**

INTERVIEWER: Read categories to respondent.

- 1    **Not at all stressful**
- 2    **Not very stressful**
- 3    **A bit stressful**
- 4    **Quite a bit stressful**
- 5    **Extremely stressful**

DK, RF

GEN\_Q10

GEN\_10

**How would you describe your sense of belonging to your local community? Would you say it is...?**

INTERVIEWER: Read categories to respondent.

- 1    **Very strong**
- 2    **Somewhat strong**
- 3    **Somewhat weak**
- 4    **Very weak**

DK, RF

GEN\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Height and weight - Self-reported (HWT)**

Core content

HWT_BEG	Core content
HWT_C1	If (DOHWT block = 1), go to HWT_C2. Otherwise, go to HWT_END.
HWT_C2	If (proxy interview = No and sex = female and (14 < age < 50)), go to HWT_Q1. Otherwise, go to HWT_Q2.
HWT_Q1 MAM_037	<p><b>It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?</b></p> <p>1 Yes (Go to HWT_END) 2 No DK, RF</p>
HWT_Q2 HWT_2	<p><b>The next questions are about height and weight. How tall ^ARE ^YOU2 without shoes on?</b></p> <p>0 Less than 1' / 12" (less than 29.2 cm.) 1 1'0" to 1'11" / 12" to 23" (29.2 to 59.6 cm.) 2 2'0" to 2'11" / 24" to 35" (59.7 to 90.1 cm.) 3 3'0" to 3'11" / 36" to 47" (90.2 to 120.6 cm.) (Go to HWT_N2C) 4 4'0" to 4'11" / 48" to 59" (120.7 to 151.0 cm.) (Go to HWT_N2D) 5 5'0" to 5'11" (151.1 to 181.5 cm.) (Go to HWT_N2E) 6 6'0" to 6'11" (181.6 to 212.0 cm.) (Go to HWT_N2F) 7 7'0" and over (212.1 cm. and over) (Go to HWT_Q3) DK, RF (Go to HWT_Q3)</p>
HWT_E2	<b>The selected height is too short for a ^CURRENTAGE year old respondent. Please return and correct.</b>
Rule :	Trigger hard edit if (HWT_Q2 < 3).

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

HWT\_N2A

HWT\_2A

INTERVIEWER: Select the exact height.

- 00 1'0" / 12" (29.2 to 31.7 cm.)
- 01 1'1" / 13" (31.8 to 34.2 cm.)
- 02 1'2" / 14" (34.3 to 36.7 cm.)
- 03 1'3" / 15" (36.8 to 39.3 cm.)
- 04 1'4" / 16" (39.4 to 41.8 cm.)
- 05 1'5" / 17" (41.9 to 44.4 cm.)
- 06 1'6" / 18" (44.5 to 46.9 cm.)
- 07 1'7" / 19" (47.0 to 49.4 cm.)
- 08 1'8" / 20" (49.5 to 52.0 cm.)
- 09 1'9" / 21" (52.1 to 54.5 cm.)
- 10 1'10" / 22" (54.6 to 57.1 cm.)
- 11 1'11" / 23" (57.2 to 59.6 cm.)

DK, RF

HWT\_N2B

HWT\_2B

INTERVIEWER: Select the exact height.

- 00 2'0" / 24" (59.7 to 62.1 cm.)
- 01 2'1" / 25" (62.2 to 64.7 cm.)
- 02 2'2" / 26" (64.8 to 67.2 cm.)
- 03 2'3" / 27" (67.3 to 69.8 cm.)
- 04 2'4" / 28" (69.9 to 72.3 cm.)
- 05 2'5" / 29" (72.4 to 74.8 cm.)
- 06 2'6" / 30" (74.9 to 77.4 cm.)
- 07 2'7" / 31" (77.5 to 79.9 cm.)
- 08 2'8" / 32" (80.0 to 82.5 cm.)
- 09 2'9" / 33" (82.6 to 85.0 cm.)
- 10 2'10" / 34" (85.1 to 87.5 cm.)
- 11 2'11" / 35" (87.6 to 90.1 cm.)

DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

HWT\_N2C  
HWT\_2C

INTERVIEWER: Select the exact height.

- 00 3'0" / 36" (90.2 to 92.6 cm.)
- 01 3'1" / 37" (92.7 to 95.2 cm.)
- 02 3'2" / 38" (95.3 to 97.7 cm.)
- 03 3'3" / 39" (97.8 to 100.2 cm.)
- 04 3'4" / 40" (100.3 to 102.8  
cm.)
- 05 3'5" / 41" (102.9 to 105.3  
cm.)
- 06 3'6" / 42" (105.4 to 107.9  
cm.)
- 07 3'7" / 43" (108.0 to 110.4  
cm.)
- 08 3'8" / 44" (110.5 to 112.9  
cm.)
- 09 3'9" / 45" (113.0 to 115.5  
cm.)
- 10 3'10" / 46" (115.6 to 118.0  
cm.)
- 11 3'11" / 47" (118.1 to 120.6  
cm.)

DK, RF

Go to HWT\_Q3

HWT\_N2D  
HWT\_2D

INTERVIEWER: Select the exact height.

- 00 4'0" / 48" (120.7 to 123.1  
cm.)
- 01 4'1" / 49" (123.2 to 125.6  
cm.)
- 02 4'2" / 50" (125.7 to 128.2  
cm.)
- 03 4'3" / 51" (128.3 to 130.7  
cm.)
- 04 4'4" / 52" (130.8 to 133.3  
cm.)
- 05 4'5" / 53" (133.4 to 135.8  
cm.)
- 06 4'6" / 54" (135.9 to 138.3  
cm.)
- 07 4'7" / 55" (138.4 to 140.9  
cm.)
- 08 4'8" / 56" (141.0 to 143.4  
cm.)
- 09 4'9" / 57" (143.5 to 146.0  
cm.)
- 10 4'10" / 58" (146.1 to 148.5  
cm.)
- 11 4'11" / 59" (148.6 to 151.0  
cm.)

DK, RF

Go to HWT\_Q3

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

HWT\_N2E

HWT\_2E

INTERVIEWER: Select the exact height.

- 00 5'0" (151.1 to 153.6 cm.)
- 01 5'1" (153.7 to 156.1 cm.)
- 02 5'2" (156.2 to 158.7 cm.)
- 03 5'3" (158.8 to 161.2 cm.)
- 04 5'4" (161.3 to 163.7 cm.)
- 05 5'5" (163.8 to 166.3 cm.)
- 06 5'6" (166.4 to 168.8 cm.)
- 07 5'7" (168.9 to 171.4 cm.)
- 08 5'8" (171.5 to 173.9 cm.)
- 09 5'9" (174.0 to 176.4 cm.)
- 10 5'10" (176.5 to 179.0 cm.)
- 11 5'11" (179.1 to 181.5 cm.)

DK, RF

Go to HWT\_Q3

HWT\_N2F

HWT\_2F

INTERVIEWER: Select the exact height.

- 00 6'0" (181.6 to 184.1 cm.)
- 01 6'1" (184.2 to 186.6 cm.)
- 02 6'2" (186.7 to 189.1 cm.)
- 03 6'3" (189.2 to 191.7 cm.)
- 04 6'4" (191.8 to 194.2 cm.)
- 05 6'5" (194.3 to 196.8 cm.)
- 06 6'6" (196.9 to 199.3 cm.)
- 07 6'7" (199.4 to 201.8 cm.)
- 08 6'8" (201.9 to 204.4 cm.)
- 09 6'9" (204.5 to 206.9 cm.)
- 10 6'10" (207.0 to 209.5 cm.)
- 11 6'11" (209.6 to 212.0 cm.)

DK, RF

HWT\_Q3

HWT\_3

**How much ^DOVERB ^YOU2 weigh?**

INTERVIEWER: Enter amount only.

|\_|\_|\_| Weight  
(MIN: 1)  
(MAX: 575)

DK, RF

(Go to HWT\_END)

HWT\_N4

HWT\_N4

INTERVIEWER: Was that in pounds or kilograms?

- 1 Pounds
  - 2 Kilograms
- (DK, RF not allowed)

HWT\_E4

An unusual value has been entered. Please confirm.

Rule :

Trigger soft edit if ((HWT\_Q3 > 300 and HWT\_N4 = 1) or (HWT\_Q3 > 136 and HWT\_N4 = 2)) or ((HWT\_Q3 < 60 and HWT\_N4 = 1) or (HWT\_Q3 < 27 and HWT\_N4 = 2)).

**Canadian Community Health Survey RR (CCHS\_RR)**  
**2012 / Rapid Response - Canadian Food Guide / Content**

---

HWT\_C4

If proxy interview, go to HWT\_END.  
Otherwise, go to HWT\_Q4.

HWT\_Q4  
HWT\_4

**Do you consider yourself...?**

INTERVIEWER: Read categories to respondent.

- 1     Overweight
- 2     Underweight
- 3     Just about right
- DK, RF

HWT\_END







**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

CCC_Q091 CCC_091	<p><b>^DOVERB_C ^YOU2 have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?</b></p> <p>1 Yes 2 No DK, RF</p>
CCC_Q101 CCC_101	<p><b>(Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.)</b></p> <p><b>^DOVERB_C ^YOU2 have diabetes?</b></p> <p><u>INTERVIEWER</u>: Exclude respondents who have been told they have prediabetes. Only respondents with type 1, type 2 or gestational diabetes should answer yes to this question.</p> <p>1 Yes 2 No (Go to CCC_Q121) DK, RF (Go to CCC_Q121)</p>
CCC_Q102 CCC_102	<p><b>How old ^WERE ^YOU1 when this was first diagnosed?</b></p> <p><u>INTERVIEWER</u>: Maximum is ^CURRENTAGE.</p> <p> _ _ _  Age in years (MIN: 1) (MAX: 121)</p> <p>DK, RF</p>
CCC_E102	<p><b>An impossible value has been entered. Please return and correct.</b></p>
Rule :	<p>Trigger hard edit if CCC_Q102 &gt; 121</p>
CCC_C10A	<p>If age &lt; 15 or sex = male or CCC_Q102 &lt; 15 or CCC_Q102 &gt; 49, go to CCC_Q10C. Otherwise, go to CCC_Q10A.</p>
CCC_Q10A CCC_10A	<p><b>^WERE ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with diabetes?</b></p> <p>1 Yes 2 No (Go to CCC_Q10C) DK, RF (Go to CCC_Q10C)</p>
CCC_Q10B CCC_10B	<p><b>Other than during pregnancy, has a health professional ever told ^YOU2 that ^YOU1 ^HAVE diabetes?</b></p> <p>1 Yes 2 No (Go to CCC_Q121) DK, RF (Go to CCC_Q121)</p>

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CCC\_Q10C  
CCC\_10C

**When ^YOU1 ^WERE first diagnosed with diabetes, how long was it before ^YOU1 ^WERE started on insulin?**

- 1 Less than 1 month
  - 2 1 month to less than 2 months
  - 3 2 months to less than 6 months
  - 4 6 months to less than 1 year
  - 5 1 year or more
  - 6 Never (Go to CCC\_Q106)
- DK, RF

CCC\_Q105  
CCC\_105

**^DOVERB\_C ^YOU2 currently take insulin for ^YOUR1 diabetes?**

- 1 Yes
  - 2 No
- DK, RF

Processing:

*If CCC\_Q10C = 6, CCC\_Q105 will be filled with "No" during processing.*

CCC\_Q106  
CCC\_106

**In the past month, did ^YOU2 take pills to control ^YOUR1 blood sugar?**

- 1 Yes
  - 2 No
- DK, RF

CCC\_Q121  
CCC\_121

**^DOVERB\_C ^YOU1 have heart disease?**

- 1 Yes
  - 2 No
- DK, RF

CCC\_Q131  
CCC\_131

**(^DOVERB\_C ^YOU1 have:)**

**cancer?**

- 1 Yes (Go to CCC\_Q141)
  - 2 No
- DK (Go to CCC\_Q141)
- RF (Go to CCC\_Q141)

CCC\_Q132  
CCC\_31A

**^HAVE\_C ^YOU1 ever been diagnosed with cancer?**

- 1 Yes
  - 2 No
- DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CCC\_Q141  
CCC\_141

**Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.**

**^DOVERB\_C ^YOU1 have intestinal or stomach ulcers?**

- 1 Yes
- 2 No
- DK, RF

CCC\_Q151  
CCC\_151

**^DOVERB\_C ^YOU2 suffer from the effects of a stroke?**

- 1 Yes
- 2 No
- DK, RF

CCC\_C161

If age < 25, go to CCC\_Q171.  
Otherwise, go to CCC\_Q161.

CCC\_Q161  
CCC\_161

**(^DOVERB\_C ^YOU2 have:)**

**urinary incontinence?**

- 1 Yes
- 2 No
- DK, RF

CCC\_Q171  
CCC\_171

**^DOVERB\_C ^YOU2 have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?**

- 1 Yes
- 2 No (Go to CCC\_C181)
- DK, RF (Go to CCC\_C181)

CCC\_Q172  
CCC\_17A

**What kind of bowel disease ^DOVERB ^YOU1 have?**

- 1 Crohn's Disease
- 2 Ulcerative colitis
- 3 Irritable Bowel Syndrome
- 4 Bowel incontinence
- 5 Other
- DK, RF

CCC\_C181

If age < 35, go to CCC\_Q280.  
Otherwise, go to CCC\_Q181.

CCC\_Q181  
CCC\_181

**^DOVERB\_C ^YOU2 have:**

**Alzheimer's Disease or any other dementia?**

- 1 Yes
- 2 No
- DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CCC\_Q280  
CCC\_280

**Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.**

**^DOVERB\_C ^YOU2 have a mood disorder such as depression, bipolar disorder, mania or dysthymia?**

INTERVIEWER: Include manic depression.

1     Yes  
2     No  
DK, RF

CCC\_Q290  
CCC\_290

**^DOVERB\_C ^YOU2 have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?**

1     Yes  
2     No  
DK, RF

CCC\_END



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Health care utilization (HCU)**

Core content

HCU\_BEG

Core content

External variables required:

PROXMODE: proxy identifier, from the GR block.

FNAME: first name of respondent from household block.

DOHCU: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block

PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

HCU\_C01

If (DOHCU block = 1), go to HCU\_D10.

Otherwise, go to HCU\_END.

HCU\_D01

Not Applicable

HCU\_Q01AA

HCU\_1AA

**^DOVERB\_C ^YOU2 have a regular medical doctor?**

1 Yes (Go to HCU\_D50)

2 No

DK, RF (Go to HCU\_END)

HCU\_Q01AB

**Why ^DOVERB ^YOU2 not have a regular medical doctor?**

INTERVIEWER: Mark all that apply.

HCU\_1BA

1 No medical doctors  
available in the area

HCU\_1BB

2 Medical doctors in the area  
are not taking new patients

HCU\_1BC

3 Have not tried to contact  
one

HCU\_1BD

4 Had a medical doctor who  
left or retired

HCU\_1BE

5 Other - Specify (Go to HCU\_S01AB)

DK, RF

Go to HCU\_D30

HCU\_S01AB

**(Why ^DOVERB ^YOU2 not have a regular medical doctor?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF





**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

HCU\_Q50  
HCU\_1AC

**^DOVERB\_C ^YOU2 and this doctor usually speak in English, in French,  
or in another language?**

- 01 English
- 02 French
- 03 Arabic
- 04 Chinese
- 05 Cree
- 06 German
- 07 Greek
- 08 Hungarian
- 09 Italian
- 10 Korean
- 11 Persian (Farsi)
- 12 Polish
- 13 Portuguese
- 14 Punjabi
- 15 Spanish
- 16 Tagalog (Filipino)
- 17 Ukrainian
- 18 Vietnamese
- 19 Dutch
- 20 Hindi
- 21 Russian
- 22 Tamil
- 23 Other - Specify (Go to HCU\_S50)
- DK, RF

Go to HCU\_END

HCU\_S50

**(^DOVERB\_C ^YOU2 and this doctor usually speak in English, in French,  
or in another language?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

HCU\_END



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CHP\_Q03  
CHP\_03

**[Not counting when ^YOU2 ^WERE an overnight patient, in the past 12 months/In the past 12 months], ^HAVE ^YOU2 seen, or talked to any of the following health professionals about ^YOUR1 physical, emotional or mental health:**

**a family doctor, [pediatrician/null] or general practitioner?**

INTERVIEWER: Include both face to face and telephone contacts.

- 1 Yes
- 2 No (Go to CHP\_Q06)
- DK, RF (Go to CHP\_Q06)

CHP\_Q04  
CHP\_04

**How many times (in the past 12 months)?**

|\_|\_|\_| Times  
(MIN: 1)  
(MAX: 366)

DK, RF

Processing:

*In processing, if a respondent answered CHP\_Q03 = 2, the variable CHP\_Q04 is given the value of "0".*

CHP\_E04

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if CHP\_Q04 > 12*

CHP\_Q05  
CHP\_05

**Where did the most recent contact take place?**

INTERVIEWER: If respondent says "hospital", probe for details.

- 01 Doctor's office
- 02 Hospital emergency room
- 03 Hospital outpatient clinic  
(e.g. day surgery, cancer)
- 04 Walk-in clinic
- 05 Appointment clinic
- 06 Community health centre /  
CLSC
- 07 At work
- 08 At school
- 09 At home
- 10 Telephone consultation only
- 11 Other - Specify (Go to CHP\_S05)
- DK, RF

Go to CHP\_Q06

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CHP\_S05

**(Where did the most recent contact take place?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

CHP\_Q06  
CHP\_Q6

**([Not counting when ^YOU2 ^WERE an overnight  
patient, in the past 12 months/In the past 12 months], ^HAVE  
^YOU2 seen, or talked to:)**

**an eye specialist, such as an ophthalmologist or optometrist (about  
^YOUR1 physical, emotional or mental health)?**

INTERVIEWER: Include both face to face and telephone contacts.

1 Yes

2 No

(Go to CHP\_D08)

DK, RF

(Go to CHP\_D08)

CHP\_Q07  
CHP\_Q7

**How many times (in the past 12 months)?**

|\_|\_| Times

(MIN: 1)

(MAX: 75)

DK, RF

Processing:

*In processing, if a respondent answered CHP\_Q06 = 2, the variable CHP\_Q07 is given  
the value of "0".*

CHP\_E07

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if CHP\_Q07 > 3*

CHP\_D08

If respondent is male, DT\_DOCTOR = "urologist".

Otherwise, DT\_DOCTOR = "gynaecologist".

CHP\_Q08  
CHP\_Q8

**([Not counting when ^YOU2 ^WERE an overnight  
patient, in the past 12 months/In the past 12 months], ^HAVE  
^YOU2 seen, or talked to:)**

**any other medical doctor or specialist such as a surgeon, allergist,  
orthopaedist, [urologist/gynaecologist] or psychiatrist (about ^YOUR1  
physical, emotional or mental health)?**

INTERVIEWER: Include both face to face and telephone contacts.

1 Yes

2 No

(Go to CHP\_Q11)

DK, RF

(Go to CHP\_Q11)

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CHP\_Q09  
CHP\_09

**How many times (in the past 12 months)?**

|\_|\_|\_| Times  
(MIN: 1)  
(MAX: 300)

DK, RF

Processing:

*In processing, if a respondent answered CHP\_Q08 = 2, the variable CHP\_Q09 is given the value of "0".*

CHP\_E09

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if CHP\_Q09 > 7*

CHP\_Q10  
CHP\_10

**Where did the most recent contact take place?**

INTERVIEWER: If respondent says "hospital", probe for details.

- 01 Doctor's office
  - 02 Hospital emergency room
  - 03 Hospital outpatient clinic  
(e.g. day surgery, cancer)
  - 04 Walk-in clinic
  - 05 Appointment clinic
  - 06 Community health centre /  
CLSC
  - 07 At work
  - 08 At school
  - 09 At home
  - 10 Telephone consultation only
  - 11 Other - Specify (Go to CHP\_S10)
- DK, RF

Go to CHP\_Q11

CHP\_S10

**(Where did the most recent contact take place?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CHP\_Q11  
CHP\_11

**[Not counting when ^YOU2 ^WERE an overnight patient, in the past 12 months/In the past 12 months], ^HAVE ^YOU2 seen, or talked to:**

**a nurse for care or advice about ^YOUR1 physical, emotional or mental health?**

INTERVIEWER: Include both face to face and telephone contacts.

- 1 Yes
- 2 No (Go to CHP\_Q14)
- DK, RF (Go to CHP\_Q14)

CHP\_Q12  
CHP\_12

**How many times (in the past 12 months)?**

|\_|\_|\_| Times  
(MIN: 1)  
(MAX: 366)

DK, RF

Processing:

*In processing, if a respondent answered CHP\_Q11 = 2, the variable CHP\_Q12 is given the value of "0".*

CHP\_E12

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if CHP\_Q012 > 15*

CHP\_Q13  
CHP\_13

**Where did the most recent contact take place?**

INTERVIEWER: If respondent says "hospital", probe for details.

- 01 Doctor's office
- 02 Hospital emergency room
- 03 Hospital outpatient clinic  
(e.g. day surgery, cancer)
- 04 Walk-in clinic
- 05 Appointment clinic
- 06 Community health centre /  
CLSC
- 07 At work
- 08 At school
- 09 At home
- 10 Telephone consultation only
- 11 Other - Specify (Go to CHP\_S13)
- DK, RF

Go to CHP\_Q14

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CHP\_S13

**(Where did the most recent contact take place?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

CHP\_Q14  
CHP\_14

**([Not counting when ^YOU2 ^WERE an overnight  
patient, in the past 12 months/In the past 12 months], ^HAVE  
^YOU2 seen, or talked to:)**

**a dentist, dental hygienist or orthodontist (about ^YOUR1 physical,  
emotional or mental health)?**

INTERVIEWER: Include both face to face and telephone contacts.

1 Yes

2 No

DK, RF

(Go to CHP\_END)

(Go to CHP\_END)

CHP\_Q15  
CHP\_15

**How many times (in the past 12 months)?**

|\_|\_| Times

(MIN: 1)

(MAX: 99)

DK, RF

Processing:

*If a respondent answered CHP\_Q14 = 2, the variable CHP\_Q15 is given the value of "0".*

CHP\_E15

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if CHP\_Q15 > 4*

CHP\_END



## Restriction of activities (RAC)

Core content

RAC_BEG	Core content
RAC_C1	If (DORAC block = 1), go to RAC_R1. Otherwise, go to RAC_END.
RAC_R1	<b>The next few questions deal with any current limitations in ^YOUR2 daily activities caused by a long-term health condition or problem. In these questions, a "long-term condition" refers to a condition that is expected to last or has already lasted 6 months or more.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
RAC_Q1 RAC_1	<b>^DOVERB ^YOU1 have any <u>difficulty</u> hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities?</b>  <u>INTERVIEWER</u> : Read categories to respondent.  1 <b>Sometimes</b> 2 <b>Often</b> 3 <b>Never</b> DK RF (Go to RAC_END)
RAC_Q2A RAC_2A	<b>Does a long-term physical condition <u>or</u> mental condition <u>or</u> health problem, reduce the amount <u>or</u> the kind of activity ^YOU1 can do:</b>  <b>...at home?</b>  <u>INTERVIEWER</u> : Read categories to respondent.  1 <b>Sometimes</b> 2 <b>Often</b> 3 <b>Never</b> DK RF (Go to RAC_END)
RAC_Q2B_1 RAC_2B1	<b>(Does a long-term physical condition <u>or</u> mental condition <u>or</u> health problem, reduce the amount or the kind of activity ^YOU1 can do:)</b>  <b>...at school?</b>  1    Sometimes 2    Often 3    Never 4    Does not attend school DK RF (Go to RAC_END)

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

RAC\_Q2B\_2  
RAC\_2B2

**(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:)**

**...at work?**

- 1 Sometimes
- 2 Often
- 3 Never
- 4 Does not work at a job
- DK
- RF

(Go to RAC\_END)

RAC\_Q2C  
RAC\_2C

**(Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity ^YOU1 can do:)**

**...in other activities, for example, transportation or leisure?**

- 1 Sometimes
- 2 Often
- 3 Never
- DK
- RF

(Go to RAC\_END)

RAC\_C5

If respondent has difficulty or is limited in activities (RAC\_Q1 = 1 or 2) or (RAC\_Q2A-C = 1 or 2), go to RAC\_C5A.  
Otherwise, go to RAC\_END.

RAC\_C5A

If (RAC\_Q2A to RAC\_Q2C = 3 or 4) and RAC\_Q1 < 3, go to RAC\_R5.  
Otherwise, go to RAC\_Q5.

RAC\_R5

**You reported that ^YOU2 ^HAVE difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities.**

INTERVIEWER: Press <1> to continue.

RAC\_Q5  
RAC\_5

**Which one of the following is the best description of the cause of this condition?**

INTERVIEWER: Read categories to respondent.

- 01 **Accident at home**
- 02 **Motor vehicle accident**
- 03 **Accident at work**
- 04 **Other type of accident**
- 05 **Existed from birth or genetic**
- 06 **Work conditions**
- 07 **Disease or illness**
- 08 **Ageing**
- 09 **Emotional or mental health problem or condition**
- 10 **Use of alcohol or drugs**
- 11 Other - Specify
- DK, RF

(Go to RAC\_S5)

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

RAC\_S5

**(Which one of the following is the best description of the cause of this condition?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

RAC\_END

## **Flu shots (FLU)**

Core content

FLU\_BEG

Core content

FLU\_C160A

If (DOFLU block = 1), go to FLU\_C160B.  
Otherwise, go to FLU\_END.

FLU\_C160B

If proxy interview, go to FLU\_END.  
Otherwise, go to FLU\_R160.

FLU\_R160

**Now a few questions about your use of various health care services.**

INTERVIEWER: Press <1> to continue.

FLU\_Q160

FLU\_160

**Have you ever had a seasonal flu shot?**

- 1 Yes
- 2 No (Go to FLU\_Q166)
- DK, RF (Go to FLU\_END)

FLU\_Q162

FLU\_162

**When did you have your last seasonal flu shot?**

INTERVIEWER: Read categories to respondent.

- 1 **Less than 1 year ago**
- 2 **1 year to less than 2 years ago**
- 3 **2 years ago or more**
- DK, RF (Go to FLU\_END)

FLU\_C164

If FLU\_Q162 = 2 or 3, go to FLU\_Q166.  
Otherwise, go to FLU\_Q164.

FLU\_Q164

FLU\_164

**In which month did you have your last seasonal flu shot?**

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- DK, RF

FLU\_C165

If FLU\_Q164 = ^CURRENTMONTH, go to FLU\_Q165.  
Otherwise, go to FLU\_END.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

FLU\_Q165  
FLU\_165

**Was that this year or last year?**

- 1 This year
- 2 Last year
- DK, RF

Go to FLU\_END

FLU\_Q166

**What are the reasons that you have not had a seasonal flu shot in the past year?**

INTERVIEWER: Mark all that apply.

FLU\_66A

- 01 Have not gotten around to it

FLU\_66B

- 02 Respondent - did not think it was necessary

FLU\_66C

- 03 Doctor - did not think it was necessary

FLU\_66D

- 04 Personal or family responsibilities

FLU\_66E

- 05 Not available - at time required

FLU\_66F

- 06 Not available - at all in the area

FLU\_66G

- 07 Waiting time was too long

FLU\_66H

- 08 Transportation - problems

FLU\_66I

- 09 Language - problem

FLU\_66J

- 10 Cost

FLU\_66K

- 11 Did not know where to go / uninformed

FLU\_66L

- 12 Fear (e.g., painful, embarrassing, find something wrong)

FLU\_66M

- 13 Bad reaction to previous shot

FLU\_66O

- 14 Unable to leave the house because of a health problem

FLU\_66N

- 15 Other - Specify (Go to FLU\_S166)
- DK, RF

Go to FLU\_END

FLU\_S166

**(What are the reasons that you have not had a seasonal flu shot in the past year?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

FLU\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Fruit and vegetable consumption (FVC)**

Core content

FVC\_BEG

Core content

FVC\_C1A

If (DOFVC block = 2) or proxy interview, go to FVC\_END.  
Otherwise, go to FVC\_R1.

FVC\_R1

**The next questions are about the foods you usually eat or drink. Think about all the foods you eat, both meals and snacks, at home and away from home.**

INTERVIEWER: Press <1> to continue.

FVC\_Q1A

FVC\_1A

**How often do you usually drink fruit juices such as orange, grapefruit or tomato? (For example: once a day, three times a week, twice a month)**

INTERVIEWER: Select the reporting period here and enter the number in the next screen.

- |        |           |                 |
|--------|-----------|-----------------|
| 1      | Per day   |                 |
| 2      | Per week  | (Go to FVC_N1C) |
| 3      | Per month | (Go to FVC_N1D) |
| 4      | Per year  | (Go to FVC_N1E) |
| 5      | Never     | (Go to FVC_Q2A) |
| DK, RF |           | (Go to FVC_END) |

FVC\_N1B

FVC\_1B

INTERVIEWER: Enter number of times per day.

|\_|\_| Times  
(MIN: 1)  
(MAX: 20)

DK, RF

Go to FVC\_Q2A

FVC\_N1C

FVC\_1C

INTERVIEWER: Enter number of times per week.

|\_|\_| Times  
(MIN: 1)  
(MAX: 90)

DK, RF

Go to FVC\_Q2A

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

FVC\_N1D  
FVC\_1D

INTERVIEWER: Enter number of times per month.

|\_|\_| Times  
(MIN: 1)  
(MAX: 200)

DK, RF

Go to FVC\_Q2A

FVC\_N1E  
FVC\_1E

INTERVIEWER: Enter number of times per year.

|\_|\_| Times  
(MIN: 1)  
(MAX: 500)

DK, RF

FVC\_Q2A  
FVC\_2A

**Not counting juice, how often do you usually eat fruit?**

INTERVIEWER: Select the reporting period here and enter the number in the next screen.

- |        |           |                 |
|--------|-----------|-----------------|
| 1      | Per day   |                 |
| 2      | Per week  | (Go to FVC_N2C) |
| 3      | Per month | (Go to FVC_N2D) |
| 4      | Per year  | (Go to FVC_N2E) |
| 5      | Never     | (Go to FVC_Q3A) |
| DK, RF |           | (Go to FVC_Q3A) |

FVC\_N2B  
FVC\_2B

INTERVIEWER: Enter number of times per day.

|\_|\_| Times  
(MIN: 1)  
(MAX: 20)

DK, RF

Go to FVC\_Q3A

FVC\_N2C  
FVC\_2C

INTERVIEWER: Enter number of times per week.

|\_|\_| Times  
(MIN: 1)  
(MAX: 90)

DK, RF

Go to FVC\_Q3A

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

FVC\_N2D  
FVC\_2D

INTERVIEWER: Enter number of times per month.

|\_|\_| Times  
(MIN: 1)  
(MAX: 200)

DK, RF

Go to FVC\_Q3A

FVC\_N2E  
FVC\_2E

INTERVIEWER: Enter number of times per year.

|\_|\_| Times  
(MIN: 1)  
(MAX: 500)

DK, RF

FVC\_Q3A  
FVC\_3A

**How often do you (usually) eat green salad?**

INTERVIEWER: Select the reporting period here and enter the number in the next screen.

- |        |           |                 |
|--------|-----------|-----------------|
| 1      | Per day   |                 |
| 2      | Per week  | (Go to FVC_N3C) |
| 3      | Per month | (Go to FVC_N3D) |
| 4      | Per year  | (Go to FVC_N3E) |
| 5      | Never     | (Go to FVC_Q4A) |
| DK, RF |           | (Go to FVC_Q4A) |

FVC\_N3B  
FVC\_3B

INTERVIEWER: Enter number of times per day.

|\_|\_| Times  
(MIN: 1)  
(MAX: 20)

DK, RF

Go to FVC\_Q4A

FVC\_N3C  
FVC\_3C

INTERVIEWER: Enter number of times per week.

|\_|\_| Times  
(MIN: 1)  
(MAX: 90)

DK, RF

Go to FVC\_Q4A



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

FVC\_N3D  
FVC\_3D

INTERVIEWER: Enter number of times per month.

|\_|\_| Times  
(MIN: 1)  
(MAX: 200)

DK, RF

Go to FVC\_Q4A

FVC\_N3E  
FVC\_3E

INTERVIEWER: Enter number of times per year.

|\_|\_| Times  
(MIN: 1)  
(MAX: 500)

DK, RF

FVC\_Q4A  
FVC\_4A

**How often do you usually eat potatoes, not including french fries, fried potatoes, or potato chips?**

INTERVIEWER: Select the reporting period here and enter the number in the next screen.

- |        |           |                 |
|--------|-----------|-----------------|
| 1      | Per day   |                 |
| 2      | Per week  | (Go to FVC_N4C) |
| 3      | Per month | (Go to FVC_N4D) |
| 4      | Per year  | (Go to FVC_N4E) |
| 5      | Never     | (Go to FVC_Q5A) |
| DK, RF |           | (Go to FVC_Q5A) |

FVC\_N4B  
FVC\_4B

INTERVIEWER: Enter number of times per day.

|\_|\_| Times  
(MIN: 1)  
(MAX: 20)

DK, RF

Go to FVC\_Q5A

FVC\_N4C  
FVC\_4C

INTERVIEWER: Enter number of times per week.

|\_|\_| Times  
(MIN: 1)  
(MAX: 90)

DK, RF

Go to FVC\_Q5A

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

FVC\_N4D  
FVC\_4D

INTERVIEWER: Enter number of times per month.

|\_|\_| Times  
(MIN: 1)  
(MAX: 200)

DK, RF

Go to FVC\_Q5A

FVC\_N4E  
FVC\_4E

INTERVIEWER: Enter number of times per year.

|\_|\_| Times  
(MIN: 1)  
(MAX: 500)

DK, RF

FVC\_Q5A  
FVC\_5A

**How often do you (usually) eat carrots?**

INTERVIEWER: Select the reporting period here and enter the number in the next screen.

- |        |           |                 |
|--------|-----------|-----------------|
| 1      | Per day   |                 |
| 2      | Per week  | (Go to FVC_N5C) |
| 3      | Per month | (Go to FVC_N5D) |
| 4      | Per year  | (Go to FVC_N5E) |
| 5      | Never     | (Go to FVC_Q6A) |
| DK, RF |           | (Go to FVC_Q6A) |

FVC\_N5B  
FVC\_5B

INTERVIEWER: Enter number of times per day.

|\_|\_| Times  
(MIN: 1)  
(MAX: 20)

DK, RF

Go to FVC\_Q6A

FVC\_N5C  
FVC\_5C

INTERVIEWER: Enter number of times per week.

|\_|\_| Times  
(MIN: 1)  
(MAX: 90)

DK, RF

Go to FVC\_Q6A

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

FVC\_N5D  
FVC\_5D

INTERVIEWER: Enter number of times per month.

|\_|\_| Times  
(MIN: 1)  
(MAX: 200)

DK, RF

Go to FVC\_Q6A

FVC\_N5E  
FVC\_5E

INTERVIEWER: Enter number of times per year.

|\_|\_| Times  
(MIN: 1)  
(MAX: 500)

DK, RF

FVC\_Q6A  
FVC\_6A

**Not counting carrots, potatoes, or salad, how many servings of other vegetables do you usually eat?**

INTERVIEWER: Select the reporting period here and enter the number in the next screen.

- |        |           |                 |
|--------|-----------|-----------------|
| 1      | Per day   |                 |
| 2      | Per week  | (Go to FVC_N6C) |
| 3      | Per month | (Go to FVC_N6D) |
| 4      | Per year  | (Go to FVC_N6E) |
| 5      | Never     | (Go to FVC_END) |
| DK, RF |           | (Go to FVC_END) |

FVC\_N6B  
FVC\_6B

INTERVIEWER: Enter number of servings per day.

|\_|\_| Servings  
(MIN: 1)  
(MAX: 20)

DK, RF

Go to FVC\_END

FVC\_N6C  
FVC\_6C

INTERVIEWER: Enter number of servings per week.

|\_|\_| Servings  
(MIN: 1)  
(MAX: 90)

DK, RF

Go to FVC\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

FVC\_N6D  
FVC\_6D

INTERVIEWER: Enter number of servings per month.

|\_|\_|\_| Servings  
(MIN: 1)  
(MAX: 200)

DK, RF

Go to FVC\_END

FVC\_N6E  
FVC\_6E

INTERVIEWER: Enter number of servings per year.

|\_|\_|\_| Servings  
(MIN: 1)  
(MAX: 500)

DK, RF

FVC\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Physical activities (PAC)**

Core content

PAC_BEG	Core content
PAC_C1A	If (DOPAC block = 1), go to PAC_C1B. Otherwise, go to PAC_END.
PAC_C1B	If proxy interview, go to PAC_END. Otherwise, go to PAC_R1.
PAC_R1	<b>Now I'd like to ask you about some of your physical activities. To begin with, I'll be dealing with physical activities not related to work, that is, leisure time activities.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
PAC_D1	DV_DATETHREEMONTHSAGO = CURRENTMONTH - 3
PAC_Q1	<b>Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to yesterday?</b>  <u>INTERVIEWER:</u> Read categories to respondent. Mark all that apply.
PAC_1A	01 Walking for exercise
PAC_1B	02 Gardening or yard work
PAC_1C	03 Swimming
PAC_1D	04 Bicycling
PAC_1E	05 Popular or social dance
PAC_1F	06 Home exercises
PAC_1G	07 Ice hockey
PAC_1H	08 Ice skating
PAC_1I	09 In-line skating or rollerblading
PAC_1J	10 Jogging or running
PAC_1K	11 Golfing
PAC_1L	12 Exercise class or aerobics
PAC_1M	13 Downhill skiing or snowboarding
PAC_1N	14 Bowling
PAC_1O	15 Baseball or softball
PAC_1P	16 Tennis
PAC_1Q	17 Weight-training
PAC_1R	18 Fishing
PAC_1S	19 Volleyball
PAC_1T	20 Basketball
PAC_1Z	21 Soccer
PAC_1U	22 Any other
PAC_1V	23 No physical activity DK, RF
PAC_E1	<b>You cannot select "No physical activity" and another category. Please return and correct.</b>

Rule :

Trigger hard edit if "No physical activity" is chosen in PAC\_Q1 with any other response.



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

PAC_D2N	<p>If PAC_Q1 = 01, DT_ACTIVITY = "Walking for exercise".          If PAC_Q1 = 02, DT_ACTIVITY = "Gardening or yard work".          If PAC_Q1 = 03, DT_ACTIVITY = "Swimming".          If PAC_Q1 = 04, DT_ACTIVITY = "Bicycling".          If PAC_Q1 = 05, DT_ACTIVITY = "Popular or social dance".          If PAC_Q1 = 06, DT_ACTIVITY = "Home exercises".          If PAC_Q1 = 07, DT_ACTIVITY = "Ice hockey".          If PAC_Q1 = 08, DT_ACTIVITY = "Ice skating".          If PAC_Q1 = 09, DT_ACTIVITY = "In-line skating or rollerblading".          If PAC_Q1 = 10, DT_ACTIVITY = "Jogging or running".          If PAC_Q1 = 11, DT_ACTIVITY = "Golfing".          If PAC_Q1 = 12, DT_ACTIVITY = "Exercise class or aerobics".          If PAC_Q1 = 13, DT_ACTIVITY = "Downhill skiing or snowboarding".          If PAC_Q1 = 14, DT_ACTIVITY = "Bowling".          If PAC_Q1 = 15, DT_ACTIVITY = "Baseball or softball".          If PAC_Q1 = 16, DT_ACTIVITY = "Tennis".          If PAC_Q1 = 17, DT_ACTIVITY = "Weight-training".          If PAC_Q1 = 18, DT_ACTIVITY = "Fishing".          If PAC_Q1 = 19, DT_ACTIVITY = "Volleyball".          If PAC_Q1 = 20, DT_ACTIVITY = "Basketball".          If PAC_Q1 = 21, DT_ACTIVITY = "Soccer".          If PAC_Q1 = 22, DT_ACTIVITY = "Any other".</p>
PAC_Q2	<p><b>In the past 3 months, how many times did you participate in [Walking for exercise/Gardening or yard work/Swimming/Bicycling/Popular or social dance/Home exercises/Ice hockey/Ice skating/In-line skating or rollerblading/Jogging or running/Golfing/Exercise class or aerobics/Downhill skiing or snowboarding/Bowling/Baseball or softball/Tennis/Weight-training/Fishing/Volleyball/Basketball/Soccer/Any other]?</b></p> <p> _ _ _  Times          (MIN: 1)          (MAX: 300)</p> <p>DK, RF</p> <p>Help text: <i>If the response is DK, RF, go to next activity.</i></p> <p>Processing: <i>PAC_Q2 is asked many times, depending on the categories selected in PAC_Q1.</i></p> <p>Programmer: <i>This question is a follow up for PAQ_Q1. Therefore, it is linked to multiple external variables.</i></p> <p>PAC_E2N          An unusual value has been entered. Please confirm.</p> <p>Rule : <i>Trigger soft edit if (PAC_Q1 = 02, or 03, or 05, or 06 or 07, or 08, or 09, or 10, or 11, or 12, or 13, or 14, or 15, or 16, or 17, or 18, or 19, or 20, or 21) and PAC_Q2 &gt; 99.</i></p> <p>PAC_E2A          An unusual value has been entered. Please confirm.</p> <p>Rule : <i>Trigger soft edit if PAC_Q1= 01 (walking) and PAC_Q2 &gt; 270</i></p> <p>PAC_E2D          An unusual value has been entered. Please confirm.</p> <p>Rule : <i>Trigger soft edit if PAC_Q1= 04 (bicycling) and PAC_Q2 &gt; 200</i></p>





**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

PAC_D8A	If PAC_Q2 > 0, where n = 4, X = PAC_Q2, DT_TIMEBIKEE = "Other than the (X) times you already reported bicycling was there any other time". Otherwise, DT_TIMEBIKEE = "Was there any time".
PAC_Q8A PAC_8	<p><b>[Other than the (X) times you already reported bicycling was there any other time/Was there any time] in the past 3 months when you bicycled to and from work or school?</b></p> <p>1    Yes</p> <p>2    No (Go to PAC_END)</p> <p>3    Does not work or go to school (Go to PAC_END)</p> <p>DK, RF (Go to PAC_END)</p>
Processing:	If PAC_Q7A = 3, PAC_Q8A will be filled with "Does not work or go to school" in processing (PAC_Q8A = 3).
PAC_Q8B PAC_8A	<p><b>How many times?</b></p> <p> _ _ _  Times (MIN: 1) (MAX: 200)</p> <p>DK, RF (Go to PAC_END)</p>
PAC_Q8C PAC_8B	<p><b>About how much time did you spend on each occasion?</b></p> <p><u>INTERVIEWER:</u> Include both bicycling to and from work and school, if both apply.</p> <p>1    1 to 15 minutes</p> <p>2    16 to 30 minutes</p> <p>3    31 to 60 minutes</p> <p>4    More than one hour</p> <p>DK, RF</p>
PAC_END	



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SMK\_Q202  
SMK\_202

**At the present time, ^DOVERB ^YOU2 smoke cigarettes daily, occasionally or not at all?**

- |        |              |                   |
|--------|--------------|-------------------|
| 1      | Daily        |                   |
| 2      | Occasionally | (Go to SMK_Q205B) |
| 3      | Not at all   | (Go to SMK_C205D) |
| DK, RF |              | (Go to SMK_END)   |

Universe:

*Daily smoker (current)*

SMK\_Q203  
SMK\_203

**At what age did ^YOU1 begin to smoke cigarettes daily?**

INTERVIEWER: Minimum is 5; maximum is ^CURRENTAGE.

|\_|\_| Age in years  
(MIN: 5)  
(MAX: 121)

DK, RF

SMK\_E203A

**The entered age at which the respondent first began to smoke cigarettes daily is invalid. Please return and correct.**

Rule :

*Trigger hard edit if SMK\_Q203 > CURRENTAGE.*

SMK\_E203B

The respondent has indicated that they began smoking cigarettes daily at a younger age than when they smoked their first whole cigarette. Please confirm.

Rule :

*Trigger soft edit if SMK\_Q201C > SMK\_Q203.*

SMK\_Q204  
SMK\_204

**How many cigarettes ^DOVERB ^YOU1 smoke each day now?**

|\_|\_| Cigarettes  
(MIN: 1)  
(MAX: 99)

DK, RF

Go to SMK\_END

SMK\_E204

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if SMK\_Q204 > 60*

Universe:

*Occasional smoker (current)*

SMK\_Q205B  
SMK\_05B

**On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke?**

|\_|\_| Cigarettes  
(MIN: 1)  
(MAX: 99)

DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SMK_E205B	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if SMK_Q205B > 60.
SMK_Q205C SMK_05C	<p><b>In the past month, on how many days ^HAVE ^YOU1 smoked 1 or more cigarettes?</b></p> <p> _ _  Days (MIN: 0) (MAX: 30)</p> <p>DK, RF</p>
SMK_E205C	The respondent has previously indicated that they smoke cigarettes occasionally, but that they have smoked every day for the past month. Please verify.
Rule :	Trigger soft edit if SMK_Q202 = 2 and SMK_Q205C = 30.
SMK_C205D	If SMK_Q201A <> 1 (has not smoked 100 or more cigarettes lifetime), go to SMK_END. Otherwise, go to SMK_Q205D.
Universe:	Occasional smoker or non-smoker (current)
SMK_Q205D SMK_05D	<p><b>^HAVE_C ^YOU1 ever smoked cigarettes daily?</b></p> <p>1 Yes (Go to SMK_Q207) 2 No (Go to SMK_END) DK, RF</p>
Universe:	Occasional smoker or non-smoker (current)
SMK_C206A	If SMK_Q202 = 2 (current occasional smoker), go to SMK_END. Otherwise, go to SMK_Q206A.
Universe:	Non-smoker (current)
SMK_Q206A SMK_06A	<p><b>When did ^YOU1 stop smoking? Was it...?</b></p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 <b>Less than one year ago</b> 2 <b>1 year to less than 2 years ago</b> (Go to SMK_END) 3 <b>2 years to less than 3 years ago</b> (Go to SMK_END) 4 <b>3 or more years ago</b> (Go to SMK_Q206C) DK, RF (Go to SMK_END)</p>

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SMK\_Q206B  
SMK\_06B

**In what month did ^YOU1 stop?**

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- DK, RF

Go to SMK\_END

SMK\_Q206C  
SMK\_06C

**How many years ago was it?**

INTERVIEWER: Minimum is 3; maximum is [ $\wedge$ CURRENTAGE - 5].

|\_|\_|\_| Years  
(MIN: 3)  
(MAX: 121)

DK, RF

(Go to SMK\_END)

Go to SMK\_END

SMK\_E206C

**The number of years ago that the respondent stopped smoking is invalid.**

**Please return and correct.**

Rule :

*Trigger hard edit if SMK\_Q206C > CURRENTAGE - 5. Occasional smoker or non-smoker (current) - Daily smoker (previously)*

Universe:

*Occasional smoker or non-smoker (current) - Daily smoker (previously)*

SMK\_Q207  
SMK\_207

**At what age did ^YOU1 begin to smoke (cigarettes) daily?**

INTERVIEWER: Minimum is 5; maximum is  $\wedge$ CURRENTAGE.

|\_|\_|\_| Age in years  
(MIN: 5)  
(MAX: 121)

DK, RF

(Go to SMK\_Q208)

SMK\_E207A

The entered age at which the respondent first began to smoke cigarettes daily is invalid. Please return and correct.

Rule :

*Trigger hard edit if SMK\_Q207 > CURRENTAGE.*

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SMK\_E207B

The respondent has indicated that they began smoking cigarettes daily at a younger age than when they smoked their first whole cigarette. Please confirm.

Rule :

Trigger soft edit if SMK\_Q207 < SMK\_Q201C.

SMK\_Q208

SMK\_208

**How many cigarettes did ^YOU1 usually smoke each day?**

|\_|\_| Cigarettes

(MIN: 1)

(MAX: 99)

DK, RF

SMK\_E208

An unusual value has been entered. Please confirm.

Rule :

Trigger soft edit if SMK\_Q208 > 60.

SMK\_Q209A

SMK\_09A

**When did ^YOU1 stop smoking daily? Was it...?**

INTERVIEWER: Read categories to respondent.

1    **Less than one year ago**

2    **1 year to less than 2 years ago**

(Go to SMK\_C210)

3    **2 years to less than 3 years ago**

(Go to SMK\_C210)

4    **3 or more years ago**

(Go to SMK\_Q209C)

DK, RF

(Go to SMK\_END)

SMK\_Q209B

SMK\_09B

**In what month did ^YOU1 stop?**

01    January

02    February

03    March

04    April

05    May

06    June

07    July

08    August

09    September

10    October

11    November

12    December

DK, RF

Go to SMK\_C210A

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SMK\_Q209C  
SMK\_09C

**How many years ago was it?**

INTERVIEWER: Minimum is 3; maximum is [ $\wedge$ CURRENTAGE - 5].

|\_|\_|\_| Years  
(MIN: 3)  
(MAX: 121)

DK, RF

(Go to SMK\_C210A)

SMK\_E209C

**The number of years ago that the respondent stopped smoking daily is invalid. Please return and correct.**

Rule :

Trigger hard edit if SMK\_Q209C > CURRENTAGE - 5.

SMK\_E209D

**The number of years ago that the respondent stopped smoking daily is invalid. Please return and correct.**

Rule :

Trigger hard edit if SMK\_Q207 > (CURRENTAGE - SMK\_Q209C).

SMK\_C210A

If SMK\_Q202 = 2 (current occasional smoker), go to SMK\_END.  
Otherwise, go to SMK\_Q210A.

Universe:

Non-smoker (current)

SMK\_Q210A  
SMK\_10

**Was that when  $\wedge$ YOU1 completely quit smoking?**

1 Yes (Go to SMK\_END)  
2 No  
DK, RF (Go to SMK\_END)

SMK\_Q210B  
SMK\_10A

**When did  $\wedge$ YOU1 stop smoking completely? Was it...?**

INTERVIEWER: Read categories to respondent.

1 **Less than one year ago**  
2 **1 year to less than 2 years ago** (Go to SMK\_END)  
3 **2 years to less than 3 years ago** (Go to SMK\_END)  
4 **3 or more years ago** (Go to SMK\_Q210D)  
DK, RF (Go to SMK\_END)

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SMK\_Q210C  
SMK\_10B

**In what month did ^YOU1 stop?**

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- DK, RF

Go to SMK\_END

SMK\_Q210D  
SMK\_10C

**How many years ago was it?**

INTERVIEWER: Minimum is 3; maximum is [ $\wedge$ CURRENTAGE - 5].

|\_|\_|\_| Years  
(MIN: 3)  
(MAX: 121)

DK, RF

SMK\_E210D\_1

**The number of years ago that the respondent completely stopped smoking is invalid. Please return and correct.**

Rule :

Trigger hard edit if  $SMK\_Q210D > CURRENTAGE - 5$ .

SMK\_E210D\_2

The respondent has indicated that they stopped smoking completely more years ago than they stopped smoking daily. Please confirm.

Rule :

Trigger soft edit if  $SMK\_Q210D > SMK\_Q209C$ .

SMK\_END





ETS\_Q20A

**In the past month, ^WERE ^YOU2 exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?**

INTERVIEWER: Include cigarettes, cigars and pipes.

- 1 Yes  
2 No  
DK, RF

ETS\_Q20B  
ETS\_20B

(In the past month,) ^WERE ^YOU1 exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?

INTERVIEWER: Include cigarettes, cigars and pipes.

- 1 Yes  
2 No  
DK, RF

ETS\_C35

If ETS\_Q10 = 1 (at least one person smokes inside the home), go to ETS\_Q36.  
Otherwise, go to ETS\_Q35.

ETS\_Q35  
ETS\_35

## Is smoking allowed inside your home?

**INTERVIEWER:** Include cigarettes, cigars and pipes. Smoking inside the home excludes smoking inside the garage, whether attached or detached.

- |        |     |                 |
|--------|-----|-----------------|
| 1      | Yes |                 |
| 2      | No  | (Go to ETS_END) |
| DK, RF |     | (Go to ETS_END) |

ETS\_Q36  
ETS\_36

**Is smoking inside your home restricted in anyway?**

**INTERVIEWER:** Include cigarettes, cigars and pipes. Smoking inside the home excludes smoking inside the garage, whether attached or detached.

- 1 Yes  
2 No (Go to ETS\_END)  
DK, RF (Go to ETS\_END)

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

ETS\_Q37

**How is smoking restricted inside your home?**

INTERVIEWER: Read categories to respondent. Mark all that apply.  
There is no need to read a response that was volunteered by the respondent.

ETS\_37A

1    **Allowed in certain rooms  
only**

ETS\_37B

2    **Restricted in the presence of  
young children**

ETS\_37C

3    **Allowed only if windows are  
open or with another type of  
ventilation**

ETS\_37D

4    **Other restriction(s)**

DK, RF

ETS\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Alcohol use (ALC)**

Core content

ALC\_BEG

Core content

External variables to import:

SEX\_Q01- Sex of respondent

DOALC: do block flag, from the sample file.

ALC\_C1A

If (DOALC block = 1), go to ALC\_R1.  
Otherwise, go to ALC\_END.

ALC\_D1A

Not Applicable

ALC\_D1B

DV\_ONEYEARAGO = CURRENTDATE-1

ALC\_R1

**Now, some questions about ^YOUR2 alcohol consumption.**

**When we use the word 'drink' it means:**

- one bottle or can of beer or a glass of draft
- one glass of wine or a wine cooler
- one drink or cocktail with one and a half ounces of liquor.

INTERVIEWER: Press <1> to continue.

ALC\_Q1

ALC\_1

**During the past 12 months, that is, from ^DV\_ONEYEARAGO to yesterday, ^HAVE ^YOU2 had a drink of beer, wine, liquor or any other alcoholic beverage?**

- 1 Yes
- 2 No (Go to ALC\_END)
- DK, RF (Go to ALC\_END)

ALC\_Q2

ALC\_2

**During the past 12 months, how often did ^YOU1 drink alcoholic beverages?**

- 1 Less than once a month
- 2 Once a month
- 3 2 to 3 times a month
- 4 Once a week
- 5 2 to 3 times a week
- 6 4 to 6 times a week
- 7 Every day
- DK, RF

ALC\_Q3

ALC\_3

**How often in the past 12 months ^HAVE ^YOU1 had 5 or more drinks on one occasion?**

- 1 Never
- 2 Less than once a month
- 3 Once a month
- 4 2 to 3 times a month
- 5 Once a week
- 6 More than once a week
- DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)**  
**2012 / Rapid Response - Canadian Food Guide / Content**

---

ALC\_E3

**The frequency in ALC\_Q3 is greater than the frequency in ALC\_Q2.  
Please return and correct.**

Rule :

*Trigger hard edit if (ALC\_Q3 = 6 and ALC\_Q2 = 1, 2, 3 or 4) or (ALC\_Q3 = 5 and ALC\_Q2 = 1, 2 or 3) or (ALC\_Q3 = 4 and ALC\_Q2 = 1 or 2) or (ALC\_Q3 = 3 and ALC\_Q2 = 1).*

ALC\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

## **Labour force (LBS)**

Core content

LBS\_BEG

Core content

External variables required:

REFDATE: current date from operating system

SEX\_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block.

GEN\_Q08 from GEN block

DV\_AGE: Age of selected respondent from ANC block

DOLBS: do block flag, from the sample file.

PE\_Q01: first name of specific respondent from USU block

PE\_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE\_Q01 and PE\_Q02 separated by a space

DATEONEWEEKAGO as Month DD, YYYY, e.g., January 2, 2008

^YESTERDAY as Month DD, YYYY, e.g., January 2, 2008

LBS\_C1A

If (DOLBS block = 1), go to LBS\_C1B.

Otherwise, go to LBS\_END.

LBS\_C1B

If age < 15 or age > 75, go to LBS\_END.

Otherwise, go to LBS\_R01.

LBS\_D1A

DV\_DATEONEWEEKAGO = CURRENTDATE - 7

LBS\_D1B

DV\_YESTERDAY = CURRENTDAY - 1

LBS\_R01

**The next questions concern ^YOUR2 activities in the last 7 days. By the last 7 days, I mean beginning ^DATEONEWEEKAGO, and ending ^YESTERDAY.**

INTERVIEWER: Press <1> to continue.

LBS\_Q01

**LBS\_01**

**Last week, did ^YOU2 work at a job or a business? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.**

1 Yes

2 No

3 Permanently unable to work (Go to LBS\_END)

DK, RF (Go to LBS\_END)

LBS\_E01

A response inconsistent with a response to a previous question has been entered.

Please confirm.

Rule :

Trigger soft edit if GEN\_Q08 = 2 (did not work at any time in past 12 months) and LBS\_Q01 = 1.

LBS\_C02

If LBS\_Q01 = 1, go to LBS\_Q03.

Otherwise, go to LBS\_Q02.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

LBS\_Q02  
LBS\_02

**Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?**

- 1 Yes
- 2 No (Go to LBS\_Q04)
- DK, RF (Go to LBS\_END)

LBS\_Q03  
LBS\_03

**Did ^YOU1 have more than one job or business last week?**

- 1 Yes
- 2 No
- DK, RF

Go to LBS\_D31

LBS\_Q04  
LBS\_11

**In the past 4 weeks, did ^YOU2 do anything to find work?**

- 1 Yes
- 2 No
- DK, RF

Go to LBS\_END

LBS\_D31

Not Applicable

LBS\_R31

**The next questions are about ^YOUR1 current job or business.**

INTERVIEWER: If person currently holds more than one job, report on the job for which the number of hours worked per week is the greatest.

Press <1> to continue.

LBS\_Q31  
LBS\_31

**^ARE\_C ^YOU1 an employee or self-employed?**

- 1 Employee
- 2 Self-employed
- 3 Working in a family business without pay
- DK, RF

Go to LBS\_Q33

Programmer:

Go to LBS\_Q33

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

LBS\_Q32

**What is the name of ^YOUR1 business?**

INTERVIEWER: Enter the full name of the business.  
If there is no business name, enter the respondent's full name.

---

(50 spaces)

DK, RF

Go to LBS\_Q34

Processing:

*LBSCSIC and LBSCSOC are also released and are based on the responses to LBS questions*

LBS\_Q33

**For whom ^DOVERB ^YOU1 work?**

INTERVIEWER: Enter the full name of the company, business, government department or agency, or person.

---

(50 spaces)

DK, RF

Processing:

*LBSCSIC and LBSCSOC are also released and are based on the responses to LBS questions*

LBS\_Q34

**What kind of business, industry or service is this?**

INTERVIEWER: Enter a detailed description.

For example:  
New home construction  
Primary school  
Municipal police  
Wheat farm  
Retail shoe store  
Food wholesale  
Car parts factory  
Federal government

---

(50 spaces)

DK, RF

Processing:

*LBSCSIC and LBSCSOC are also released and are based on the responses to LBS questions*



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

LBS\_Q35

**What is ^YOUR1 work or occupation?**

INTERVIEWER: Enter a detailed description.

For example: legal secretary, plumber, fishing guide,  
wood furniture assembler, secondary school teacher,  
computer programmer.

---

(50 spaces)

DK, RF

Processing:

*LBSCSIC and LBSCSOC are also released and are based on the responses to LBS questions*

Programmer:

*Use trigram search, source file is PrepSOC.tdf*

LBS\_Q36

**In this work, what are ^YOUR1 main activities?**

INTERVIEWER: Enter a detailed description.

For example: prepare legal documents, install residential plumbing,  
guide fishing parties, make wood furniture products, teach  
mathematics, develop software.

---

(50 spaces)

DK, RF

Processing:

*LBSCSIC and LBSCSOC are also released and are based on the responses to LBS questions*

LBS\_Q37

LBS\_42

**About how many hours a week ^DOVERB ^YOU1 usually work at  
^YOUR1 job or business? If ^YOU2 usually work^S extra hours, paid or  
unpaid, please include these hours.**

|\_|\_|\_| Hours  
(MIN: 1)  
(MAX: 168)

DK, RF

LBS\_E37

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if LBS\_Q37 > 84*

LBS\_C38

If LBS\_Q03 = 1, go to LBS\_Q38.  
Otherwise, go to LBS\_END.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

LBS\_Q38

LBS\_53

**You indicated that ^YOU2 ^HAVE more than one job.**

**About how many hours a week ^DOVERB ^YOU1 usually work at ^YOUR1 other job(s)? If ^YOU2 usually work^S extra hours, paid or unpaid, please include these hours.**

INTERVIEWER: Minimum is 1; maximum is (168 - LBS\_Q37).

|\_|\_|\_| Hours

(MIN: 1)

(MAX: 168)

DK, RF

Programmer:

*If LBS\_Q37 = 168, then maximum = 1.*

*If LBS\_Q37 = DK or RF, then maximum = 168.*

LBS\_E38A

**An impossible value has been entered. Please return and correct.**

Rule :

*Trigger hard edit if LBS\_Q38 > (168 - LBS\_Q37)*

LBS\_E38B

An unusual value has been entered. Please confirm.

Rule :

*Trigger soft edit if LBS\_Q38 > 30*

LBS\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

## **Socio-demographic characteristics (SDC)**

Core content

SDC_BEG	Core content  SEX_Q01: Respondent's sex YEAROFBIRTH: Respondent's year of birth CURRENTYEAR: Year of survey collection DOSDC do block flag, from the sample file.
SDC_C1	If (DOSDC block = 1), go to SDC_R1. Otherwise, go to SDC_END.
SDC_D1	DV_CNTRYTEXT = SDC_Q1 {(String 80) }. DV_CNTRYTEXT = SDC_Q1 {(0..9990) }.
Programmer:	<i>Program : Create fields DV_CNTRYTEXT (String 80) = SDC_Q1 and DV_CNTRYCODE (0..9990) = SDC_Q1</i>
SDC_R1	<b>Now some general background questions which will help us compare the health of people in Canada.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
SDC_Q1	<b>In what country ^WERE ^YOU2 born?</b>  <u>INTERVIEWER</u> : Ask the respondent to specify country of birth according to current boundaries. Start typing the name of the country of birth to activate function. Enter (CAN) to select Canada. Enter "Other - Specify" to capture a name of the country that is not part of the list.  DK, RF
Processing:	<i>This variable will be released as the code variable \$DCCCB10</i>
Programmer:	<i>Call Trigram Search. Null is not allowed. Don't know and Refusal are allowed. The Search File to be used corresponds to the Excel file "Country_Pays_LookUpList.xls" The DV_CNTRYCODE and the DV_CNTRYTEXT are the two fields that should be displayed on the pop-up screen when the Search File is called. However, the corresponding DV_CNTRYCODE also needs to be saved and used as the key to indicate exactly which unique entry in the Search File was selected (i.e., it is the code that differentiates between the English, French and other spelling variations of country names).</i>
SDC_C02A	If DV_CNTRYCODE = 11124 (Canada) or DK or R, go to SDC_D4. Otherwise, go to SDC_C02B.
SDC_C02B	If DV_CNTRYCODE = 90000 (Other-Specify), go to SDC_S1. Otherwise, go to SDC_Q2.

SDC_S1	<p>(In what country ^WERE ^YOU1 born?)</p> <p><u>INTERVIEWER:</u> Specify.</p> <hr/> <p>(80 spaces)</p> <p>DK, RF</p>
SDC_Q2 <u>SDC_2</u>	<p><b>^WERE_C ^YOU1 born a Canadian citizen?</b></p> <p>1    Yes                                 (Go to SDC_D4)          2    No                                  (Go to SDC_D4)          DK, RF                                 (Go to SDC_D4)</p>
SDC_Q3 <u>SDC_3</u>	<p><b>In what year did ^YOU1 first come to Canada to live?</b></p> <p><u>INTERVIEWER:</u> The respondent may have first come to live in Canada on a work or study permit or by claiming refugee status. If the respondent moved to Canada more than once, enter the first year they arrived in Canada (excluding holiday time spent in Canada).</p> <p>If the respondent cannot give the exact year of arrival in Canada, ask for a best estimate of the year.</p> <p> _ _ _ _  Year          (MIN: 1,890)          (MAX: 2,030)</p> <p>DK, RF</p>
SDC_E3	<p><b>Year must be between ^YEAROFBIRTH and ^CURRENTYEAR. Please return and correct.</b></p>
<i>Rule :</i>	<p><i>Trigger hard edit if SDC_Q3 &lt; ^YEAROFBIRTH or SDC_Q3 &gt; ^CURRENTYEAR.</i></p>
SDC_D4	<p>Not Applicable</p>

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SDC\_Q4A

**To which ethnic or cultural groups did ^YOUR2 ancestors belong? (For example: French, Scottish, Chinese, East Indian)**

INTERVIEWER: Mark all that apply. An ancestor is usually more distant than a grandparent. If "Canadian" is the only response, probe. If the respondent hesitates, do not suggest Canadian. If the respondent answers "Eskimo", enter "20".

SDC\_4A  
SDC\_4B  
SDC\_4C  
SDC\_4D  
SDC\_4E  
SDC\_4F  
SDC\_4G  
SDC\_4H  
SDC\_4I  
SDC\_4J  
SDC\_4K  
SDC\_4L  
SDC\_4M  
SDC\_4N

- 01 Canadian
  - 02 French
  - 03 English
  - 04 German
  - 05 Scottish
  - 06 Irish
  - 07 Italian
  - 08 Ukrainian
  - 09 Dutch (Netherlands)
  - 10 Chinese
  - 11 Jewish
  - 12 Polish
  - 13 Portuguese
  - 14 South Asian (e.g. East Indian, Pakistani, Sri Lankan)
  - 15 Norwegian
  - 16 Welsh
  - 17 Swedish
  - 18 First Nations (North American Indian)
  - 19 Métis
  - 20 Inuit
  - 21 Other - Specify (Go to SDC\_S4A)
- DK, RF

SDC\_4T  
SDC\_4U  
SDC\_4V  
SDC\_4P

SDC\_4Q  
SDC\_4R  
SDC\_4S

Go to SDC\_C04B

SDC\_S4A

**(To which ethnic or cultural groups did ^YOUR2 ancestors belong? (For example: French, Scottish, Chinese, East Indian))**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

SDC\_C04B

If SDC\_Q1 or DV\_CNTRYCODE = Canada, United States, Germany or Greenland, go to SDC\_Q4B\_1.  
Otherwise, go to SDC\_D4C.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SDC\_Q4B\_1  
SDC\_41

**^ARE\_C ^YOU1 an Aboriginal person, that is, First nations, Métis or Inuk (Inuit)? First Nations includes Status and Non-Status Indians.**

INTERVIEWER: The terms "First Nations" and "North American Indian" can be interchanged. Some respondents may prefer one term over the other.

"Inuit" is the plural form of "Inuk".

- |        |     |                   |
|--------|-----|-------------------|
| 1      | Yes |                   |
| 2      | No  | (Go to SDC_D4C)   |
| DK, RF |     | (Go to SDC_D5A_1) |

Help text:

*Tag: Aboriginal group*

*This question should be answered regardless of whether or not this person is an Aboriginal person of North America.*

*Aboriginal people are usually those with ancestors who resided in North America prior to European contact and who identify with one of the three Aboriginal groups listed on the questionnaire: First Nations (North American Indian), Métis and Inuk.*

*Persons who consider themselves to be East Indian or Asian Indian, or who have ethnic roots on the subcontinent of India, should respond: "No, not an Aboriginal person" to this question.*

*Individuals who refer to themselves as Métis in the context of mixed ancestry, but who do not have North American Aboriginal ancestry-for example, those from Africa, the Caribbean and South America-should respond "No, not an Aboriginal person".*

SDC\_N4B\_2

INTERVIEWER: If the respondent has already specified the Aboriginal group(s), select the group(s) from the list below; if not, ask:

**(^ARE\_C ^YOU1 First Nations, Métis or Inuk (Inuit)?)**

INTERVIEWER: First Nations (North American Indian) includes Status and Non-Status Indians.

The terms "First Nations" and "North American Indian" can be interchanged. Some respondents may prefer one term over the other.

"Inuit" is the plural form of "Inuk".

Mark all that apply.

SDC\_42A

1 First Nations (North American Indian)

SDC\_42B  
SDC\_42C

2 Métis

3 Inuk (Inuit)

DK, RF

SDC\_E42

You have entered "Don't know" or "Refusal" for SDC\_N200. Respondents sometimes get confused with the terminology used to describe different Aboriginal groups. If you wish to change the entry, return to SDC\_N200 and enter the appropriate answer. Otherwise, please confirm.

Rule :

*Trigger soft edit if SDC\_N200 = DK or RF*

# Canadian Community Health Survey RR (CCHS\_RR) 2012 / Rapid Response - Canadian Food Guide / Content

SDC_D4C	Not Applicable
SDC_Q4C	<p><b>^YOU2_C may belong to one or more racial or cultural groups on the following list.</b></p> <p><b>^ARE_C ^YOU1?</b></p> <p><u>INTERVIEWER:</u> Read categories to respondent and mark up to 4 responses that apply.</p> <p>If respondent answers "mixed" or "bi-racial", or multi-racial", etc probe for specific groups and mark each one separately (e.g. White, Black, Chinese). Aboriginal people or First Nations are not included in the list of response categories because the Employment Equity Act defines visible minorities as "persons, other than Aboriginal persons, who are non-Caucasian in race or non-white in "colour". Guidelines state that "Due to their status as First Nation people, Aboriginal peoples are specifically excluded from the definition".</p> <p>Under the Employment Equity Act, Aboriginal Peoples are considered to be a separate designated group.</p>
SDC_43A	01 <b>White</b>
SDC_43C	02 <b>South Asian (e.g., East Indian, Pakistani, Sri Lankan)</b>
SDC_43B	03 <b>Chinese</b>
SDC_43D	04 <b>Black</b>
SDC_43E	05 <b>Filipino</b>
SDC_43F	06 <b>Latin American</b>
SDC_43H	07 <b>Arab</b>
SDC_43G	08 <b>Southeast Asian (e.g., Vietnamese, Cambodian, Malaysian, Laotian)</b>
SDC_43I	09 <b>West Asian (e.g., Iranian, Afghan)</b>
SDC_43K	10 <b>Korean</b>
SDC_43J	11 <b>Japanese</b>
SDC_43M	12 Other - Specify (Go to SDC_S4C)
	DK, RF
	Go to SDC_Q5A_1
Help text:	<p>Tag: Racial or cultural group</p> <p>All response categories and examples must be read aloud, even if the respondent has already given a response.</p> <p>If the respondent provides a response that is not on the list, do not reclassify it into one of the given categories. For example, do not select "White" if the respondent says "Caucasian". Instead, record "Caucasian" in the "Other - Specify" category.</p>

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

SDC_S4C	<p>(^YOU2_C may belong to one or more racial or cultural groups on the following list.</p> <p><b>^ARE_C ^YOU1?)</b></p> <p><u>INTERVIEWER</u>: Specify.</p> <hr/> <p>(80 spaces)</p> <p>DK, RF</p>
SDC_D5A_1	Not Applicable
SDC_Q5A_1 SDC_5A_1	<p><b>Of English or French, which language(s) ^DOVERB ^YOU1 speak well enough to conduct a conversation? Is it...?</b></p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1    <b>English only</b>  2    <b>French only</b>  3    <b>Both English and French</b>  4    Neither English nor French</p> <p>DK, RF</p>
SDC_B5B	<p>Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time;  call subsequent items if the previous instances SDC_B5B.LangCode is a response other than 90000000 (No more languages).</p> <p>QTEXT = <b>What language ^DOVERB ^YOU1 speak most often at home?</b>  ITEXT = Mark up to three responses. Multiple responses are accepted only if languages are spoken equally often at home. INSTNUM = (min: 1 - max: 3)</p> <p>Tag: Home language spoken most often For a person who lives alone, report the language in which the respondent feels most comfortable (this can be the language the respondent would use to talk on the telephone, entertain friends at home, etc.). Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.</p>
Processing:	<i>This variable will be released as the code variable \$DCC5B1 with code names: \$DCC61, \$DCC62, \$DCC63.</i>
Programmer:	<p><i>Pass via parameter (question text, interviewer instruction, help text, instance number)</i></p> <p><i>INSTNUM = (min: 1 - max: 3)</i></p>
SDC_E5B_1	<p><b>The answer category "111 - No more response" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.</b></p>
Rule :	<i>Trigger hard edit if at the first iteration of the question, the interviewer selects "111 - No more response" DV_LANGCODE = 90000000</i>



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SDC_E5B_2	<b>The same language has been selected a second time. Please return and correct.</b>
Rule :	<i>Trigger hard edit if any two language codes (SDC_B5B.LangCode) are equal. DV_LANGCODE = 22240000 (Other - Specify) is an exception to this edit: multiple other-specify responses are acceptable.</i>
SDC_B6	<p>Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time; call subsequent items if the previous instances SDC_B6.LangCode is a response other than 90000000 (No more languages).</p> <p><b>QTEXT = What is the language that ^YOU1 first learned at home in childhood and still understand^S?</b> <b>ITEXT =</b> Mark up to three responses. If the respondent no longer understands the first language learned, indicate the second language learned. Accept multiple responses only if languages were learned at the same time. <b>INSTNUM =</b> (min: 1 - max: 3)</p> <p>Tag: Mother tongue Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.</p>
Processing:	<i>This variable will be released as the code variable \$DCC61 with code names: SDCC61, SDCC62, SDCC63</i>
Programmer:	<p><i>Pass via parameter (question text, interviewer instruction, help text, instance number).</i></p> <p><i>INSTNUM = (min: 1 - max: 3)</i></p>
SDC_E6A	<b>The answer category "111 - No more languages" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.</b>
Rule :	<i>Trigger hard edit if at the first iteration of the question, the interviewer selects "111 - No more response" DV_LANGCODE = 90000000</i>
SDC_E6B	<b>The same language has been selected a second time. Please return and correct.</b>
Rule :	<i>Trigger hard edit if any two language codes (SDC_B6.LangCode) are equal. DV_LANGCODE = 22240000 (Other - Specify) is an exception to this edit: multiple other-specify responses are acceptable.</i>
SDC_R7	<p><b>Now a question about the dwelling in which you live.</b></p> <p><u>INTERVIEWER:</u> Press &lt;1&gt; to continue.</p>

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

SDC\_Q7A  
DHH\_OWN

**Is this dwelling?**

INTERVIEWER: Read categories to respondent. If the respondent's household contains both owners and renters, such as a boarder, the dwelling should be considered owned.

- 1 Owned by you or a member of this household, even if it is still being paid for**
- 2 Rented, even if no cash rent is paid**

DK, RF

Help text:

*Tag: Owned or rented*

*Choose 'Owned' if the respondent and/or another member of this household own the dwelling in which they live, even if the dwelling is on rented or leased land, or if it is part of a condominium, or if it is still being paid for by the respondent or another member of your household.*

*Choose 'Rented' in all other cases, even if the dwelling occupied by the respondent is provided without cash rent or at a reduced rent (for example, a clergy's residence or a superintendent's dwelling in an apartment building), or the dwelling is part of a co-operative.*

SDC\_C7B

If proxy interview or age < 18 or age > 59, go to SDC\_END.  
Otherwise, go to SDC\_R7B.

SDC\_R7B

**Now one additional background question which will help us compare the health of people in Canada.**

INTERVIEWER: Press <1> to continue.

SDC\_Q7B  
SDC\_7AA

**Do you consider yourself to be...?**

INTERVIEWER: Read categories to respondent.

- 1 heterosexual (sexual relations with people of the opposite sex)**
- 2 homosexual, that is lesbian or gay (sexual relations with people of your own sex)**
- 3 bisexual (sexual relations with people of both sexes)**

DK, RF

SDC\_END

## **Awareness and usage of Canada's Food Guide (CFG)**

Buy-in content

CFG_BEG	<p>Rapid response module asked in May-June 2012</p> <p>External variables required: SDC_Q4B_1: Aboriginal HHLDSZ: Household size from the Entry FNAME: first name of respondent from household block DOCFG: do block flag, from the sample file Province: from sample file PROXMODE: proxy identifier, from the GR block.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>														
CFG_C01A	<p>If DOCFG=1, go to CFG_C01B. Otherwise, go to CFG_END.</p>														
CFG_C01B	<p>If proxy interview , go to CFG_END. Otherwise, go to CFG_R10.</p>														
CFG_R10	<p><b>The next questions are about eating habits.</b></p> <p><u>INTERVIEWER</u>: Press &lt;1&gt; to continue.</p>														
CFG_Q10 CFG_10	<p><b>In general, would you say that your eating habits are...?</b></p> <p><u>INTERVIEWER</u>: Read categories to respondent</p> <table><tr><td>1</td><td><b>Excellent</b></td></tr><tr><td>2</td><td><b>Very good</b></td></tr><tr><td>3</td><td><b>Good</b></td></tr><tr><td>4</td><td><b>Fair</b></td></tr><tr><td>5</td><td><b>Poor</b></td></tr><tr><td>DK</td><td></td></tr><tr><td>RF</td><td>(Go to CFG_END)</td></tr></table>	1	<b>Excellent</b>	2	<b>Very good</b>	3	<b>Good</b>	4	<b>Fair</b>	5	<b>Poor</b>	DK		RF	(Go to CFG_END)
1	<b>Excellent</b>														
2	<b>Very good</b>														
3	<b>Good</b>														
4	<b>Fair</b>														
5	<b>Poor</b>														
DK															
RF	(Go to CFG_END)														

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CFG\_Q20  
CFG\_20

**Compared to one year ago, how are your eating habits now? Are they...?**

INTERVIEWER: Read categories to respondent.

- 1    **Much better now than 1  
year ago**
- 2    **Somewhat better now (than  
1 year ago)**
- 3    **About the same as 1 year  
ago**
- 4    **Somewhat worse now (than  
1 year ago)**
- 5    **Much worse now (than 1  
year ago)**

DK, RF

CFG\_Q30  
CFG\_30

**In the past month, how often did you eat out or order meals from a restaurant or a cafeteria?**

INTERVIEWER: Read categories to respondent.

- 1    **Never**
- 2    **1 to 3 times in the past  
month**
- 3    **Once a week (in the past  
month)**
- 4    **More than once a week (in  
the past month)**
- 5    **Every day (in the past  
month)**

DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CFG\_Q40

**In the past 6 months, did you consult any of the following sources to learn more about healthy eating?**

INTERVIEWER: Read categories to respondent. Mark all that apply.

CFG\_40A

01 **Health professional such as  
a family doctor or dietician**

CFG\_40B

02 **Health or community center  
or CLSC**

CFG\_40C

03 **Food companies**

CFG\_40D

04 **Health organizations such as  
Heart & Stroke**

CFG\_40E

05 **Fitness programs**

CFG\_40F

06 **Weight loss programs such  
as Weight Watchers**

CFG\_40G

07 **Your family or friends**

CFG\_40H

08 **Canada's Food Guide**

CFG\_40I

09 **TV programs about healthy  
eating**

CFG\_40J

10 **General research on  
Internet**

CFG\_40K

11 **Other**

CFG\_40L

12 **None**

DK, RF

CFG\_E40

**You cannot select "None" and another category. Please return and correct.**

Rule :

*Trigger hard edit if CFG\_Q40 = 12 (None) and any other response selected in CFG\_Q40.*

CFG\_R50

**Now a few questions on your knowledge of healthy eating principles.**

INTERVIEWER: Press <1> to continue.

CFG\_Q50

**From which of the following four food groups should people have the most number of servings everyday?**

CFG\_50

INTERVIEWER: Read categories to respondent.

1 **Grain products**

2 **Milk and alternatives such  
as fortified soy beverages,  
yogurt or cheese**

3 **Vegetables and fruits**

4 **Meat and alternatives such  
as legumes, eggs, nuts or  
tofu**

DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CFG\_Q60  
CFG\_60

**At a minimum, how often should people eat a dark green vegetable or dark leafy greens?**

INTERVIEWER: Read categories to respondent. Dark green vegetable includes broccoli, green peas, etc. Dark leafy greens include romaine lettuce, spinach, etc.

- 1    **Once a day**
- 2    **Three times a week**
- 3    **Once a week**
- 4    **Twice a month**

DK, RF

CFG\_Q70  
CFG\_70

**At a minimum, how often should people eat an orange-coloured vegetable such as carrots or sweet potatoes?**

INTERVIEWER: Read categories to respondent.

- 1    **Once a day**
- 2    **Three times a week**
- 3    **Once a week**
- 4    **Twice a month**

DK, RF

CFG\_R80

**The next questions are about Canada's Food Guide.**

INTERVIEWER: Press <1> to continue.

CFG\_C80

If SDC\_Q4B\_1 = 1 (an Aboriginal person), go to CFG\_Q80.  
Otherwise, go to CFG\_D100.

CFG\_Q80  
CFG\_80

**Have you ever seen or heard of Canada's Food Guide for First Nations, Inuit and Métis?**

- 1    Yes
- 2    No

DK, RF

CFG\_C90

If CFG\_Q80 = 1, go to CFG\_Q90.  
Otherwise, go to CFG\_D100.

CFG\_Q90  
CFG\_90

**Have you ever looked through it?**

- 1    Yes
- 2    No

DK, RF

CFG\_D100

If SDC\_Q4B\_1 = 1, DT\_GENERALPOP = " for the general population".  
Otherwise, DT\_GENERALPOP = "null".

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CFG\_Q100  
CFG\_100

**Have you ever seen or heard of Canada's Food Guide[ for the general population/null]?**

INTERVIEWER: There are two food guides. One for the general population and one for First Nations, Inuit and Métis.

- 1 Yes
- 2 No
- DK, RF

CFG\_C110A

If (SDC\_Q4B\_1=1 and ((CFG\_Q80=2, DK, RF) and (CFG\_Q100=2, DK, RF))) or ((SDC\_Q4B\_1=2, DK, RF, blank or missing) and (CFG\_Q100=2, DK, RF)), go to CFG\_END.  
Otherwise, go to CFG\_C110B.

CFG\_C110B

If CFG\_Q100 = 1, go to CFG\_Q110.  
Otherwise, go to CFG\_C130.

CFG\_Q110  
CFG\_110

**Have you ever looked through it?**

- 1 Yes
- 2 No
- DK, RF

CFG\_C120

If CFG\_Q90 = 1 and CFG\_Q110 = 1 (they have looked through both Food Guides), go to CFG\_R120.  
Otherwise, go to CFG\_C130.

CFG\_R120

**You mentioned you have looked through both Canada's Food Guide for First Nations, Inuit and Métis and the one for the general population.**

INTERVIEWER: Press <1> to continue.

CFG\_Q120  
CFG\_120

**In the past 6 months, which one did you look through most often?**

- 1 First Nations, Inuit and Métis guide
- 2 General population guide
- 3 None
- DK, RF

CFG\_C130

If (SDC\_Q4B\_1=2, DK, RF, blank or missing) and (CFG\_Q110=1), go to CFG\_Q130.  
Otherwise, go to CFG\_C140.

CFG\_Q130  
CFG\_130

**When did you look through it last? Was it ...?**

- 1 **5 years ago or less (that is between 2007 and 2012)**
- 2 **More than 5 years ago ( that is in 2006 or before)**
- DK, RF

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

CFG_C140	<p>If ((SDC_Q4B_1=1 and ((CFG_Q90=2 and CFG_Q110=2) or (CFG_Q80=2 and CFG_Q110=2))) OR (SDC_Q4B_1=2, DK, RF, blank or missing and CFG_Q110=2))</p> <p>(If Aboriginal person and they have not looked through either food guides OR not an Aboriginal person and did not use the general population guide) , go to CFG_Q140. Otherwise, go to CFG_D150A.</p>
CFG_Q140	<p><b>What are the reasons why you never looked through Canada's Food Guide?</b></p> <p><u>INTERVIEWER:</u> Mark all that apply.</p>
CFG_140A	01 <b>Not interested / No need</b>
CFG_140B	02 <b>It recommends too much food</b>
CFG_140C	03 <b>It recommends too little food</b>
CFG_140D	04 <b>Uses other information from other sources</b>
CFG_140E	05 <b>Guide is too confusing</b>
CFG_140F	06 <b>Does not trust the information it provides</b>
CFG_140G	07 <b>It takes too much time and effort</b>
CFG_140H	08 <b>On a special diet and Food Guide is not relevant to respondent</b>
	DK, RF
CFG_D150A	<p>If (CFG_Q120=1 or CFG_Q90=1) or CFG_Q80=1, DT_CANADAFOODGUIDE = "Canada's Food Guide for First Nations, Inuit and Métis". Otherwise, DT_CANADAFOODGUIDE = "Canada's Food Guide".</p>
CFG_C150A	<p>If ((SDC_Q4B_1=1 and (CFG_Q80=2, DK, RF and CFG_Q100=2, DK, RF)) OR (SDC_Q4B_1=2, DK, RF, blank or missing and CFG_Q100=2, DK, RF)), go to CFG_END. Otherwise, go to CFG_C150B.</p>
CFG_C150B	<p>If (SDC_Q4B_1=1 and (CFG_Q90 = 1 or CFG_Q110 = 1) or (SDC_Q4B_1=2, DK, RF, blank or missing and CFG_Q110 = 1)) , go to CFG_D150B. Otherwise, go to CFG_Q170.</p>
CFG_D150B	<p>If HHSZ&gt;1, DT_YOUYOURSELF = "you or household members". If HHSZ&gt;1, DT_HHMEMBERS = "you or household members". Otherwise, , DT_YOUYOURSELF = "yourself". Otherwise, DT_HHMEMBERS = "you".</p>



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CFG\_Q150

**Have you ever used information from [Canada's Food Guide for First Nations, Inuit and Métis/Canada's Food Guide]...?**

INTERVIEWER: Mark all that apply. Read categories to respondent. Include any use during the respondent's lifetime.

CFG\_150A

01 **To choose foods for [you or household members/yourself]**

CFG\_150B

02 **To determine how much [you or household members/you] need to eat every day**

CFG\_150C

03 **To plan meals or to help with grocery shopping**

CFG\_150D

04 **To assess how well [you or household members/you] are eating**

CFG\_150E

05 **To manage your weight**

CFG\_150F

06 **To help make healthy choices when eating away from home**

CFG\_150G

07 Other

CFG\_150H

08 None

DK, RF

CFG\_E150

**You cannot select "None" and another category. Please return and correct.**

Rule :

*Trigger hard edit if CFG\_Q150 = 8 (none) and any other response selected in CFG\_Q150.*

CFG\_C160

If more than one reason were identified in CFG\_Q150 (1 to 7), go to CFG\_Q160.  
Otherwise, go to CFG\_Q170.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CFG\_Q160  
CFG\_160

**For which of those reasons did you use it most often?**

INTERVIEWER: Read categories to the respondent.

- 1    **To choose foods for [you or household members/yourself]**
- 2    **To determine how much [you or household members/you] need to eat every day**
- 3    **To plan meals or to help with grocery shopping**
- 4    **To assess how well [you or household members/you] are eating**
- 5    **To manage your weight**
- 6    **To help make healthy choices when eating away from home**
- 7    **Other**

DK, RF

Programmer:

*Only show categories reported in CFG\_Q150.*

CFG\_Q170  
CFG\_170

**Do you have a paper copy of [Canada's Food Guide for First Nations, Inuit and Métis/Canada's Food Guide] at home?**

INTERVIEWER: Include paper copies printed from the Internet.

- 1    Yes
- 2    No

DK, RF

CFG\_C180

If CFG\_Q170=1, go to CFG\_Q180.  
Otherwise, go to CFG\_Q190.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

CFG\_Q180  
CFG\_180

**Where did you obtain your most recent copy (of [Canada's Food Guide for First Nations, Inuit and Métis/Canada's Food Guide])?**

INTERVIEWER: If ordered by phone or from the Internet, select mail.

- 01 Internet
- 02 Mail
- 03 Child's school/ daycare centre
- 04 Respondent's work or school
- 05 Health professional or personal trainer
- 06 Health or Community Centre or CLSC
- 07 Conference, workshop or health fair
- 08 Other
- DK, RF

Programmer:

*Category 6: display "Health or community center or CLSC" **only** for 24 (Quebec). For all the other provinces display "Health or community center".*

CFG\_Q190  
CFG\_190

**Have you ever accessed [Canada's Food Guide for First Nations, Inuit and Métis/Canada's Food Guide] on the Internet?**

- 1 Yes
- 2 No (Go to CFG\_END)
- DK, RF (Go to CFG\_END)

CFG\_Q200

**When you accessed the [Canada's Food Guide for First Nations, Inuit and Métis/Canada's Food Guide] on the Internet, did you ...?**

INTERVIEWER: Mark all that apply. Read categories to respondent.

CFG\_200A  
CFG\_200B  
CFG\_200C  
CFG\_200D

- 1 **Order it**
- 2 **View or consult it**
- 3 **Print it**
- 4 **Create a personalized food guide**
- DK, RF

CFG\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Person most knowledgeable about household situation (PMK)**

Core content

PMK_BEG	<p>Core module</p> <p>External variables required:</p> <p>PROXMODE: proxy identifier, from the GR block. FNAME: first name of respondent from household block. DOPMK: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p> <p>PGC_N01 HHLD Size Province</p>
PMK_C010	<p>If (DoPMK = 1), go to PMK_C015A. Otherwise, go to PMK_END.</p>
PMK_C015A	<p>If Proxy interview, go to PMK_END. Otherwise, go to PMK_C015B.</p>
PMK_C015B	<p>If HHLD size = 1 (respondent lives alone) or if AGE &gt; 15, go to PMK_END. Otherwise, go to PMK_C15C.</p>
PMK_B010	<p>Call IP2 block (Internet Participation Part 2)</p>
PMK_C015C	<p>If Age&lt;14 , go to PMK_R020. Otherwise, go to PMK_C16A.</p>
PMK_C16A	<p>If province = 24 (Quebec), go to PMK_R16AC. Otherwise, go to PMK_C16B.</p>
PMK_C16B	<p>If province = 60, 61 or 62 (Yukon, N.W.T. or Nunavut),, go to PMK_R16AB. Otherwise, go to PMK_R16AA.</p>

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

PMK\_R16AA

**To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.**

**Provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.**

INTERVIEWER: The personal identifiers (names, addresses and telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada. "Provincial ministries of health" includes the territorial ministries of health.

Press <1> to continue.

Go to PMK\_Q016

PMK\_R16AB

**To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.**

**Territorial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses, telephone numbers or health numbers will be provided.**

INTERVIEWER: The personal identifiers (names, addresses and telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada.

Press <1> to continue.

Go to PMK\_Q016

PMK\_R16AC

**To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, the "Institut de la Statistique du Québec", Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.**

**The "Institut de la Statistique du Québec" and provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.**

INTERVIEWER: The personal identifiers (names, addresses or telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada. "Provincial ministries of health" includes the territorial ministries of health.

Press <1> to continue.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

PMK\_Q016

**These organizations have agreed to keep your information confidential and use it only for statistical purposes.**

**Do you agree to share the information provided?**

- 1 Yes
- 2 No
- DK, RF

PMK\_R020

**For the last few questions, I would like to speak with someone who would be best able to answer questions about the entire household such as household income, food purchases and insurance coverage.**

INTERVIEWER: Press <1> to continue.

PMK\_Q020

**Who would this person be?**

INTERVIEWER: Select most knowledgeable person from the household roster. Allow the respondent to say myself.

- 01 MEMBER1
- 02 MEMBER2
- 03 MEMBER3
- 04 MEMBER4
- 05 MEMBER5
- 06 MEMBER6
- 07 MEMBER7
- 08 MEMBER8
- 09 MEMBER9
- 10 MEMBER10
- 11 MEMBER11
- 12 MEMBER12
- 13 MEMBER13
- 14 MEMBER14
- 15 MEMBER15
- 16 MEMBER16
- 17 MEMBER17
- 18 MEMBER18
- 19 MEMBER19
- 20 MEMBER20
- (DK, RF not allowed)

Programmer:

*Programmer: Display household members by personID in ascending order so as to ensure that category values match the personID variable.*

PMK\_E020A

**An invalid answer has been selected. Please return and correct.**

Rule :

*Trigger hard edit if a blank answer is selected.*

PMK\_E20B

**The minimum age required to complete the remaining questions in the survey is 16 years of age or older. Please choose another household member as the person most knowledgeable (PMK)**

Rule :

*Trigger hard edit if (age of PMK\_Q020 < 16 or PMK\_Q020 is the respondent) and PGC\_N01 = 1*

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

PMK_D030A	If PMK_Q020 is the respondent or age of PMK_Q020 < 16 , DV_PMKFLAG = 2 Otherwise, DV_PMKFLAG = 1
PMK_C030A	If DV_PMKFLAG=2, go to PMK_D030C. Otherwise, go to PMK_D030B.
PMK_D030B	If PMK_Q020 = 1, DT_MEMBERNAME = "MEMBER1". If PMK_Q020 = 2, DT_MEMBERNAME = "MEMBER2". If PMK_Q020 = 3, DT_MEMBERNAME = "MEMBER3". If PMK_Q020 = 4, DT_MEMBERNAME = "MEMBER4". If PMK_Q020 = 5, DT_MEMBERNAME = "MEMBER5". If PMK_Q020 = 6, DT_MEMBERNAME = "MEMBER6". If PMK_Q020 = 7, DT_MEMBERNAME = "MEMBER7". If PMK_Q020 = 8, DT_MEMBERNAME = "MEMBER8". If PMK_Q020 = 9, DT_MEMBERNAME = "MEMBER9". If PMK_Q020 = 10, DT_MEMBERNAME = "MEMBER10". If PMK_Q020 = 11, DT_MEMBERNAME = "MEMBER11". If PMK_Q020 = 12, DT_MEMBERNAME = "MEMBER12". If PMK_Q020 = 13, DT_MEMBERNAME = "MEMBER13". If PMK_Q020 = 14, DT_MEMBERNAME = "MEMBER14". If PMK_Q020 = 15, DT_MEMBERNAME = "MEMBER15". If PMK_Q020 = 16, DT_MEMBERNAME = "MEMBER16". If PMK_Q020 = 17, DT_MEMBERNAME = "MEMBER17". If PMK_Q020 = 18, DT_MEMBERNAME = "MEMBER18". If PMK_Q020 = 19, DT_MEMBERNAME = "MEMBER19". If PMK_Q020 = 20, DT_MEMBERNAME = "MEMBER20".
PMK_Q030B	<b>Is [MEMBER1/MEMBER2/MEMBER3/MEMBER4/MEMBER5/MEMBER6/MEMBER7/MEMBER8/MEMBER9/MEMBER10/MEMBER11/MEMBER12/MEMBER13/MEMBER14/MEMBER15/MEMBER16/MEMBER17/MEMBER18/MEMBER19/MEMBER20] available?</b>  1    Yes 2    No 3    Person most knowledgeable about household refuses to participate. (DK, RF not allowed)
Programmer:	<i>Do not retain data for this variable</i>
PMK_D030C	If DV_PMKFLAG=1 and PMK_Q030B=1, DV_PMKPROXY = 1 Otherwise, DV_PMKPROXY = 2
PMK_C040	If DV_PMKPROXY=1, go to PMK_R050. Otherwise, go to PMK_C045.
PMK_C045	If PMK_Q030B=3, go to PMK_R040. Otherwise, go to PMK_R045.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

PMK_R040	<p><b>This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time.</b></p> <p><u>INTERVIEWER:</u> Press &lt;1&gt; to continue.</p> <p>Go to PMK_END</p>
Programmer:	<p><i>The case will be autocoded as a complete at this point since there are no further questions to be asked of respondents.</i></p>
PMK_R045	<p><b>This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to try and find the best time to speak with [MEMBER1/MEMBER2/MEMBER3/MEMBER4/MEMBER5/MEMBER6/MEMBER7/MEMBER8/MEMBER9/MEMBER10/MEMBER11/MEMBER12/MEMBER13/MEMBER14/MEMBER15/MEMBER16/MEMBER17/MEMBER18/MEMBER19/MEMBER20].</b></p> <p><u>INTERVIEWER:</u> Press &lt;1&gt; to continue.</p> <p>Go to PMK_END</p>
Programmer:	<p><i>This case will be taken to the OC_N01 screen where the interview can book an appointment to recontact the PMK at a later time.</i></p>
PMK_R050	<p><b>This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to speak with ^MEMBERNAME.</b></p> <p><u>INTERVIEWER:</u> You should continue with the most knowledgeable person about the household. Press &lt; 1&gt; to continue.</p>
PMK_R060	<p><b>Hello, My name is ... I've just completed the main portion of the interview with &lt;Respondent's name&gt;. At this point I need to finish the interview with a few general questions on your household's situation. &lt;Respondent's name&gt; said you would be the best person to answer these types of questions.</b></p> <p><u>INTERVIEWER:</u> Press &lt;1&gt; to continue.</p>
PMK_END	



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

**Education (EDU)**

Core content

EDU_BEG	Core content  PMKProxy - PMK identifier from the PMK block DOEDU: do block flag, from the sample file DOPMK: do block flag from the sample file. AGE - Age of the respondent
EDU_C01A	If (DOEDU block = 1), go to EDU_C01B. Otherwise, go to EDU_END.
EDU_C01B	If PMKProxy =2, go to EDU_END. Otherwise, go to EDU_C01C.
EDU_C01C	If age of selected respondent < 14, go to EDU_C02A. Otherwise, go to EDU_B01.
EDU_B01	Call Education Sub Block 1 (EDU1)
EDU_C02A	If there is at least one household member who is >= 14 years of age other than the selected respondent, go to EDU_C02B. Otherwise, go to EDU_END.
EDU_C02B	If age of selected respondent < 14, , go to EDU_R03B. Otherwise, go to EDU_R03A.
EDU_R03A	<b>Now I would like you to think about the rest of your household.</b>  <u>INTERVIEWER:</u> Press <1> to continue.  Go to EDU_B02
EDU_R03B	<b>The following questions are about education.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
EDU_B02	Call Education Sub Block 2 (EDU2)
Programmer:	<i>Ask this block for each household member aged 14 and older other than selected respondent. Maximum of 19 times.</i>  <i>If it is a proxy or PMKproxy interview, begin with the person providing the information and use proxy sex verbs set to non-proxy. Otherwise begin with the first persons rostered and continue in the order the household was rostered.</i>
EDU_END	



## EDU1\_Q03

1	Yes	
2	No	(Go to EDU1_Q05)
DK, RF		(Go to EDU1_Q05)

In processing, if ANC\_AGE < 14 (age of respondent), the variable EDU\_Q01 is given the value of "1" and the variable EDU1\_Q03 is given the value of "2".

EDU1 Q04A

- 1 Less than high school diploma or its equivalent
- 2 High school diploma or a high school equivalency certificate training
- 3 Trade Certificate or Diploma
- 4 College, cegep or other non-university certificate or diploma (other than trades certificates or diplomas)
- 5 University certificate or diploma below the bachelor's level
- 6 Bachelor's degree (eg. B.A., B.Sc., LL.B.)
- 7 University certificate, diploma or degree above the bachelor's level

*This is also the name applied to EDU\_Q10A, which is the data collected for the members of the household who are not the selected respondent ; it is used to create the Household-level Education Derived Variables for the release file.*

EDU1 E04A

**An impossible value has been entered. Please return and correct**

Trigger hard edit if EDU\_Q02=1 and EDU\_Q04A=1

EDU1 E04B

**An impossible value has been entered. Please return and correct.**

Trigger hard edit if EDU\_Q02 =2 andt EDU\_Q04A=2



## Education of other household members (EDU2)

Core content

EDU2\_BEG

Core content

EDU2\_Q07

**What is the highest grade of elementary or high school ^YOU2 ^HAVE ever completed?**

- 1 Grade 8 or lower (Québec:  
Secondary II or lower) (Go to EDU2\_Q09)
- 2 Grade 9 - 10 (Québec:  
Secondary III or IV,  
Newfoundland and  
Labrador: 1st year of  
secondary) (Go to EDU2\_Q09)
- 3 Grade 11 - 13 (Québec:  
Secondary V,  
Newfoundland and  
Labrador: 2nd to 3rd year of  
secondary)

DK, RF

EDU2\_Q08

**Did ^YOU1 complete high school or its equivalent?**

- 1 Yes
- 2 No

DK, RF

EDU2\_Q09

**^HAVE\_C ^YOU1 received any other education that could be counted towards a certificate, diploma or degree from an educational institution?**

- 1 Yes
  - 2 No (Go to EDU2\_END)
- DK, RF (Go to EDU2\_END)

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

EDU2\_Q10A

**What is the highest certificate, diploma or degree ^YOU1 ^HAVE completed?**

- 1 Less than high school diploma or its equivalent
- 2 High school diploma or a high school equivalency certificate training
- 3 Trade Certificate or Diploma
- 4 College, cegep or other non-university certificate or diploma (other than trades certificates or diplomas)
- 5 University certificate or diploma below the bachelor's level
- 6 Bachelor's degree (eg. B.A., B.Sc., LL.B.)
- 7 University certificate, diploma or degree above the bachelor's level

DK, RF

EDU2\_E10A\_1

**An impossible value has been entered. Please return and correct.**

Rule :

*Trigger hard edit if EDU\_Q08=1 and EDU\_Q10A=1*

EDU2\_E10A\_2

**An impossible value has been entered. Please return and correct.**

Rule :

*Trigger hard edit if EDU\_Q08=2 and EDU\_Q10A=2*

EDU2\_END

**Canadian Community Health Survey RR (CCHS\_RR)**  
**2012 / Rapid Response - Canadian Food Guide / Content**

---

**Income (INC)**

Core content

INC\_BEG

Core content

LBS\_Q01: Worked last week

LBS\_Q02: Absent from job last week

AGE: Age of respondent

HHLDSZ: Household size from the Entry

DOINC: do block flag, from the sample file.

PMKProxy: PMK identifier from the PMK block

INC\_C1A

If (DoINC block = 1), go to INC\_C1B.

Otherwise, go to INC\_END.

INC\_C1B

If PMKProxy = 2, go to INC\_END.

Otherwise, go to INC\_R1.

INC\_R1

**Although many health expenses are covered by health insurance, there is still a relationship between health and income. Please be assured that, like all other information you have provided, these answers will be kept strictly confidential.**

INTERVIEWER: Press <1> to continue.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

INC_Q1	<p><b>Thinking about the total income for all household members, from which of the following sources did your household receive any income in the past 12 months?</b></p> <p><u>INTERVIEWER:</u> Read categories to respondent. Mark all that apply.</p>
INC_1A	01 <b>Wages and salaries</b>
INC_1B	02 <b>Income from self-employment</b>
INC_1C	03 <b>Dividends and interest (e.g., on bonds, savings)</b>
INC_1D	04 <b>Employment insurance</b>
INC_1E	05 <b>Worker's compensation</b>
INC_1F	06 <b>Benefits from Canada or Quebec Pension Plan</b>
INC_1G	07 <b>Job related retirement pensions, superannuation and annuities</b>
INC_1O	08 <b>RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)</b>
INC_1H	09 <b>Old Age Security and Guaranteed Income Supplement</b>
INC_1J	10 <b>Provincial or municipal social assistance or welfare</b>
INC_1I	11 <b>Child Tax Benefit</b>
INC_1K	12 <b>Child support</b>
INC_1L	13 <b>Alimony</b>
INC_1M	14 <b>Other (e.g., rental income, scholarships)</b>
INC_1N	15 <b>None</b>
	DK, RF (Go to INC_END)
INC_E1A	<b>You cannot select "None" and another category. Please return and correct.</b>
Rule :	Trigger hard edit if INC_Q1 = 15 and any other response selected in INC_Q1.
INC_E1B	A response inconsistent with a response to a previous question has been entered. Please confirm.
Rule :	Trigger soft edit if (INC_Q1 <> 1 or 2) and (LBS_Q01 = 1 or LBS_Q02 = 1).
INC_C2	<p>If more than one source of income is indicated in INC_Q1, go to INC_Q2.</p> <p>Otherwise, go to INC_Q3.</p>



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

INC\_Q2  
INC\_2

**What was the main source of household income?**

- 01 Wages and salaries
  - 02 Income from self-employment
  - 03 Dividends and interest (e.g., on bonds, savings)
  - 04 Employment insurance
  - 05 Worker's compensation
  - 06 Benefits from Canada or Quebec Pension Plan
  - 07 Job related retirement pensions, superannuation and annuities
  - 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
  - 09 Old Age Security and Guaranteed Income Supplement
  - 10 Provincial or municipal social assistance or welfare
  - 11 Child Tax Benefit
  - 12 Child support
  - 13 Alimony
  - 14 Other (e.g., rental income, scholarships)
  - 15 None
- DK, RF

Processing:

*At the time of the data processing, if the respondent reported only one source of income in INC\_Q1, the variable INC\_Q2 will be given its value.*

INC\_E2

**A blank answer has been selected. Please return and correct.**

Rule :

*Trigger hard edit if the response in INC\_Q2 was not selected in INC\_Q1.*

INC\_Q3  
INC\_3

**What is your best estimate of the total income received by all household members, from all sources, before taxes and deductions, in the past 12 months?**

INTERVIEWER: Capital gains should not be included in the household income. Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such as child support, alimony and rental income

|\_|\_|\_|\_|\_|\_|\_| Income  
(MIN: -9,000,000)  
(MAX: 9,000,000)

DK, RF

(Go to INC\_Q5A)

Processing:

*At the time of the data processing, responses reported in INC\_Q3 will also be recoded into the cascade categories of INC\_Q5A to INC\_Q5C.*

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

INC_E3	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if INC_Q3 > 150,000.
INC_C5A	If INC_Q3 <=0, go to INC_END. Otherwise, go to INC_C6A.
INC_Q5A INC_5A	<b>Can you estimate in which of the following groups your household income falls? Was the total household income in the past 12 months...?</b>  <u>INTERVIEWER:</u> Read categories to respondent.  <div><div>1</div><div>Less than \$50,000 including income loss</div><div>2</div><div>\$50,000 and more</div><div>DK, RF</div><div>(Go to INC_Q5C)</div><div>(Go to INC_END)</div></div>
INC_Q5B INC_5B	<b>Please stop me when I have read the category which applies to ^YOUR1 household. Was it...?</b>  <u>INTERVIEWER:</u> Read categories to respondent.  <div><div>1</div><div>Less than \$5,000</div><div>2</div><div>\$5,000 to less than \$10,000</div><div>3</div><div>\$10,000 to less than \$15,000</div><div>4</div><div>\$15,000 to less than \$20,000</div><div>5</div><div>\$20,000 to less than \$30,000</div><div>6</div><div>\$30,000 to less than \$40,000</div><div>7</div><div>\$40,000 to less than \$50,000</div><div>DK, RF</div></div> Go to INC_C6A
INC_Q5C INC_5C	<b>Please stop me when I have read the category which applies to ^YOUR1 household. Was it...?</b>  <u>INTERVIEWER:</u> Read categories to respondent.  <div><div>1</div><div>\$50,000 to less than less than \$60,000</div><div>2</div><div>\$60,000 to less than less than \$70,000</div><div>3</div><div>\$70,000 to less than less than \$80,000</div><div>4</div><div>\$80,000 to less than less than \$90,000</div><div>5</div><div>\$90,000 to less than less than \$100,000</div><div>6</div><div>\$100,000 to less than less than \$150,000</div><div>7</div><div>\$150,000 and over</div><div>DK, RF</div></div>
INC_C6A	If HHLDSZ > 1, go to INC_C6B. Otherwise, go to INC_END.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

INC_C6B	If age of respondent > 15, go to INC_D6. Otherwise, go to INC_END.
INC_D6	Not Applicable
INC_Q6	<p><b>Thinking about ^YOUR2 total personal income, from which of the following sources did ^YOU1 receive any income in the past 12 months?</b></p> <p><u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply.</p>
INC_6A	01 <b>Wages and salaries</b>
INC_6B	02 <b>Income from self-employment</b>
INC_6C	03 <b>Dividends and interest (e.g., on bonds, savings)</b>
INC_6D	04 <b>Employment insurance</b>
INC_6E	05 <b>Worker's compensation</b>
INC_6F	06 <b>Benefits from Canada or Quebec Pension Plan</b>
INC_6G	07 <b>Job related retirement pensions, superannuation and annuities</b>
INC_6H	08 <b>RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)</b>
INC_6I	09 <b>Old Age Security and Guaranteed Income Supplement</b>
INC_6J	10 <b>Provincial or municipal social assistance or welfare</b>
INC_6K	11 <b>Child Tax Benefit</b>
INC_6L	12 <b>Child support</b>
INC_6M	13 <b>Alimony</b>
INC_6N	14 <b>Other (e.g., rental income, scholarships)</b>
INC_6O	15 <b>None</b>
	DK, RF (Go to INC_END)
INC_E6A	<b>A selected source of personal income is not selected as one of the sources of income for all household members. Please return and correct.</b>
Rule :	<i>Trigger hard edit if any response other than 15 is selected in INC_Q6 and is not selected in INC_Q1.</i>
INC_E6B	<b>You cannot select "None" and another category. Please return and correct.</b>
Rule :	<i>Trigger hard edit if INC_Q6 = 15 (None) and any other response selected in INC_Q6.</i>
INC_C7	If more than one source of income is indicated in INC_Q6, go to INC_Q7. Otherwise, go to INC_Q8A.

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

INC\_Q7  
INC\_7

**What was the main source of ^YOUR1 personal income?**

- 01 Wages and salaries
- 02 Income from self-employment
- 03 Dividends and interest (e.g., on bonds, savings)
- 04 Employment insurance
- 05 Worker's compensation
- 06 Benefits from Canada or Quebec Pension Plan
- 07 Job related retirement pensions, superannuation and annuities
- 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
- 09 Old Age Security and Guaranteed Income Supplement
- 10 Provincial or municipal social assistance or welfare
- 11 Child Tax Benefit
- 12 Child support
- 13 Alimony
- 14 Other (e.g., rental income, scholarships)
- 15 None

DK, RF

(Go to INC\_END)

Processing:

*At the time of the data processing, if the respondent reported only one source of income in INC\_Q6, the variable INC\_Q7 will be given its value.*

INC\_E7

**A blank answer has been selected. Please return and correct.**

Rule :

*Trigger hard edit if the response in INC\_Q7 was not selected in INC\_Q6.*

INC\_Q8A  
INC\_8A

**What is your best estimate of ^YOUR1 total personal income, before taxes and deductions, from all sources in the past 12 months?**

INTERVIEWER: Capital gains should not be included in the personal income. Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such as child support, alimony and rental income.

|\_|\_|\_|\_|\_|\_|\_| Income  
(MIN: -9,000,000)  
(MAX: 9,000,000)

DK, RF

(Go to INC\_Q8B)

Go to INC\_END

Processing:

*At the time of the data processing, responses reported in INC\_Q8A will also be coded into the cascade categories of INC\_Q8B to INC\_Q8D.*





# Canadian Community Health Survey RR (CCHS\_RR) 2012 / Rapid Response - Canadian Food Guide / Content

ADM\_Q03A  
ADM\_03A

Having a provincial or territorial health number will assist us in linking to this other information.

^DOVERB\_C ^YOU2 have [a Newfoundland and Labrador/a Prince Edward Island/a Nova Scotia/a New Brunswick/a Quebec/an Ontario/a Manitoba/a Saskatchewan/an Alberta/a British Columbia/a Yukon/a Northwest Territories/a Nunavut] health number?

- 1 Yes (Go to ADM\_Q03HN)
- 2 No
- DK, RF (Go to ADM\_D04A)

ADM\_Q03B  
ADM\_03B

For which province or territory is ^YOUR1 health number?

- 10 Newfoundland and Labrador
- 11 Prince Edward Island
- 12 Nova Scotia
- 13 New Brunswick
- 24 Quebec
- 35 Ontario
- 46 Manitoba
- 47 Saskatchewan
- 48 Alberta
- 59 British Columbia
- 60 Yukon
- 61 Northwest Territories
- 62 Nunavut
- 88 Does not have a Canadian health number (Go to ADM\_D04A)
- DK, RF (Go to ADM\_D04A)

ADM\_Q03HN

What is ^YOUR1 health number?

INTERVIEWER: Enter a health number for [a Newfoundland and Labrador/a Prince Edward Island/a Nova Scotia/a New Brunswick/a Quebec/an Ontario/a Manitoba/a Saskatchewan/an Alberta/a British Columbia/a Yukon/a Northwest Territories/a Nunavut]. Do not insert blanks, hyphens or commas between the numbers.

---

(12 spaces)

DK, RF

Processing:

*This is the variable associated with LNK\_HN on release.*

ADM\_D04A

If ADM\_Q01B = 1, DT\_SHARE1 = "names, addresses, telephone numbers and health numbers will be provided".  
Otherwise, DT\_SHARE1 = "names, addresses and telephone numbers will be provided".

ADM\_C04A

If province = 24 (Quebec), go to ADM\_R04AB.  
Otherwise, go to ADM\_R04AA.

Universe:

*Data Sharing - All Provinces (excluding Quebec) and the territories*

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

ADM\_R04AA

**To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.**

**Provincial ministries of health may make this information available to local health authorities, but no identifiable information such as [names, addresses, telephone numbers and health numbers will be provided/names, addresses and telephone numbers will be provided].**

INTERVIEWER: The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada. Provincial ministries of health includes the territorial ministries of health.

Press <1> to continue.

Go to ADM\_Q04B

ADM\_R04AB

**To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, the "Institut de la Statistique du Québec", Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.**

**The "Institut de la Statistique du Québec" and provincial ministries of health may make this information available to local health authorities, but no identifiable information such as [names, addresses, telephone numbers and health numbers will be provided/names, addresses and telephone numbers will be provided].**

INTERVIEWER: The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada. Provincial ministries of health includes the territorial ministries of health.

Press <1> to continue.

ADM\_Q04B

**These organizations have agreed to keep your information confidential and use it only for statistical purposes.**

**Do you agree to share the information provided?**

1     Yes

2     No

DK, RF

Processing:

*This is the variable that's used to create the Link variable (SAMDLNK)*

ADM\_B09

Call sub-bloc "Frame Evaluation" (FRE)

ADM\_C09

If CATI (Casetype = 1), go to ADM\_N10.  
Otherwise, go to ADM\_N09.



**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

ADM\_N09  
ADM\_N09

INTERVIEWER: Was this interview conducted on the telephone or in person?

- 1 On telephone
  - 2 In person
  - 3 Both
- (DK, RF not allowed)

ADM\_N10  
ADM\_N10

INTERVIEWER: Was the respondent alone when you asked this health questionnaire?

- 1 Yes (Go to ADM\_N12)
  - 2 No (Go to ADM\_N12)
- DK, RF (Go to ADM\_N12)

ADM\_N11  
ADM\_N11

INTERVIEWER: Do you think that the answers of the respondent were affected by someone else being there?

- 1 Yes
  - 2 No
- DK, RF

ADM\_N12  
ADM\_N12

INTERVIEWER: Record language of interview

- 01 English
  - 02 French
  - 03 Chinese
  - 04 Italian
  - 05 Punjabi
  - 06 Spanish
  - 07 Portuguese
  - 08 Polish
  - 09 German
  - 10 Vietnamese
  - 11 Arabic
  - 12 Tagalog (Filipino)
  - 13 Greek
  - 14 Tamil
  - 15 Cree
  - 16 Afghan
  - 17 Cantonese
  - 18 Hindi
  - 19 Mandarin
  - 20 Persian
  - 21 Russian
  - 22 Ukrainian
  - 23 Urdu
  - 24 Inuktitut
  - 90 Other - Specify (Go to ADM\_S12)
- DK, RF

Go to ADM\_END

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

---

ADM\_S12

(Record language of interview)

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

ADM\_END

## **Topical Index**

Administration information (ADM) .....	99
Age of respondent (ANC) .....	3
Alcohol use (ALC) .....	57
Awareness and usage of Canada's Food Guide (CFG) .....	72
Chronic conditions (CCC) .....	14
Contacts with Health Professionals - Part 1 (CHP) .....	24
Education (EDU) .....	86
Education of other household members (EDU2) .....	90
Education of the respondent (EDU1) .....	87
Exposure to second-hand smoke (ETS) .....	54
Flu shots (FLU) .....	33
Fruit and vegetable consumption (FVC) .....	35
General health (GEN) .....	6
Health care utilization (HCU) .....	21
Height and weight - Self-reported (HWT) .....	9
Income (INC) .....	92
Labour force (LBS) .....	59
Pain and discomfort (HUP) .....	20
Person most knowledgeable about household situation (PMK) .....	81
Physical activities (PAC) .....	42
Proxy interview (GR) .....	1
Restriction of activities (RAC) .....	30
Smoking (SMK) .....	47
Socio-demographic characteristics (SDC) .....	64

**Canadian Community Health Survey RR (CCHS\_RR)**  
**2012 / Rapid Response - Canadian Food Guide / Content**

---

## Element Index

### A

ADM_B09 .....	101
ADM_BEG .....	99
ADM_C01 .....	99
ADM_C01A .....	99
ADM_C04A .....	100
ADM_C09 .....	101
ADM_D01A .....	99
ADM_D01B .....	99
ADM_D01C .....	99
ADM_D04A .....	100
ADM_D3A .....	99
ADM_D3B .....	99
ADM_END .....	103
ADM_N09 .....	102
ADM_N10 .....	102
ADM_N11 .....	102
ADM_N12 .....	102
ADM_Q01B .....	99
ADM_Q03A .....	100
ADM_Q03B .....	100
ADM_Q03HN .....	100
ADM_Q04B .....	101
ADM_R01 .....	99
ADM_R04AA .....	101
ADM_R04AB .....	101
ADM_S12 .....	103
ALC_BEG .....	57
ALC_C1A .....	57
ALC_D1A .....	57
ALC_D1B .....	57
ALC_E3 .....	58
ALC_END .....	58
ALC_Q1 .....	57
ALC_Q2 .....	57
ALC_Q3 .....	57
ALC_R1 .....	57
ANC_BEG .....	3
ANC_C01A .....	3
ANC_C02 .....	4
ANC_C03 .....	4
ANC_C04 .....	4
ANC_D01 .....	3
ANC_D02 .....	4
ANC_D04 .....	4
ANC_E02 .....	4
ANC_E1 .....	3
ANC_E2 .....	4
ANC_END .....	5
ANC_N01A .....	3
ANC_N01B .....	3
ANC_N01C .....	4

ANC_Q02 .....	4
ANC_Q03 .....	4
ANC_R01 .....	3
ANC_R04 .....	5

### C

CCC_BEG .....	14
CCC_C011 .....	14
CCC_C051 .....	14
CCC_C075 .....	15
CCC_C091 .....	15
CCC_C10A .....	16
CCC_C161 .....	18
CCC_C181 .....	18
CCC_D051 .....	14
CCC_E102 .....	16
CCC_END .....	19
CCC_Q031 .....	14
CCC_Q035 .....	14
CCC_Q036 .....	14
CCC_Q051 .....	14
CCC_Q061 .....	14
CCC_Q071 .....	15
CCC_Q072 .....	15
CCC_Q073 .....	15
CCC_Q075 .....	15
CCC_Q077 .....	15
CCC_Q081 .....	15
CCC_Q091 .....	16
CCC_Q101 .....	16
CCC_Q102 .....	16
CCC_Q105 .....	17
CCC_Q106 .....	17
CCC_Q10A .....	16
CCC_Q10B .....	16
CCC_Q10C .....	17
CCC_Q121 .....	17
CCC_Q131 .....	17
CCC_Q132 .....	17
CCC_Q141 .....	18
CCC_Q151 .....	18
CCC_Q161 .....	18
CCC_Q171 .....	18
CCC_Q172 .....	18
CCC_Q181 .....	18
CCC_Q280 .....	19
CCC_Q290 .....	19
CCC_R011 .....	14
CFG_BEG .....	72
CFG_C01A .....	72
CFG_C01B .....	72
CFG_C110A .....	76
CFG_C110B .....	76

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

CFG_C120 .....	76
CFG_C130 .....	76
CFG_C140 .....	77
CFG_C150A .....	77
CFG_C150B .....	77
CFG_C160 .....	78
CFG_C180 .....	79
CFG_C80 .....	75
CFG_C90 .....	76
CFG_D100 .....	76
CFG_D150A .....	77
CFG_D150B .....	78
CFG_E150 .....	78
CFG_E40 .....	74
CFG_END .....	80
CFG_Q10 .....	72
CFG_Q100 .....	76
CFG_Q110 .....	76
CFG_Q120 .....	76
CFG_Q130 .....	77
CFG_Q140 .....	77
CFG_Q150 .....	78
CFG_Q160 .....	79
CFG_Q170 .....	79
CFG_Q180 .....	80
CFG_Q190 .....	80
CFG_Q20 .....	73
CFG_Q200 .....	80
CFG_Q30 .....	73
CFG_Q40 .....	74
CFG_Q50 .....	75
CFG_Q60 .....	75
CFG_Q70 .....	75
CFG_Q80 .....	75
CFG_Q90 .....	76
CFG_R10 .....	72
CFG_R120 .....	76
CFG_R50 .....	75
CFG_R80 .....	75
CHP_BEG .....	24
CHP_C01 .....	24
CHP_D01A .....	24
CHP_D01B .....	24
CHP_D03A .....	24
CHP_D03B .....	24
CHP_D08 .....	26
CHP_E02 .....	24
CHP_E04 .....	25
CHP_E07 .....	26
CHP_E09 .....	27
CHP_E12 .....	28
CHP_E15 .....	29
CHP_END .....	29
CHP_Q01 .....	24
CHP_Q02 .....	24
CHP_Q03 .....	25
CHP_Q04 .....	25

CHP_Q05 .....	25
CHP_Q06 .....	26
CHP_Q07 .....	26
CHP_Q08 .....	26
CHP_Q09 .....	27
CHP_Q10 .....	27
CHP_Q11 .....	28
CHP_Q12 .....	28
CHP_Q13 .....	28
CHP_Q14 .....	29
CHP_Q15 .....	29
CHP_R01 .....	24
CHP_S05 .....	26
CHP_S10 .....	27
CHP_S13 .....	29

## **E**

EDU_B01 .....	86
EDU_B02 .....	86
EDU_BEG .....	86
EDU_C01A .....	86
EDU_C01B .....	86
EDU_C01C .....	86
EDU_C02A .....	86
EDU_C02B .....	86
EDU_END .....	86
EDU_R03A .....	86
EDU_R03B .....	86
EDU1_BEG .....	87
EDU1_E04A .....	88
EDU1_E04B .....	88
EDU1_END .....	89
EDU1_Q01 .....	87
EDU1_Q02 .....	87
EDU1_Q03 .....	88
EDU1_Q04A .....	88
EDU1_Q05 .....	89
EDU1_Q06 .....	89
EDU1_R01 .....	87
EDU2_BEG .....	90
EDU2_E10A_1 .....	91
EDU2_E10A_2 .....	91
EDU2_END .....	91
EDU2_Q07 .....	90
EDU2_Q08 .....	90
EDU2_Q09 .....	90
EDU2_Q10A .....	91
ETS_BEG .....	54
ETS_C01 .....	54
ETS_C10 .....	54
ETS_C20 .....	54
ETS_C35 .....	55
ETS_END .....	56
ETS_Q10 .....	54
ETS_Q11 .....	54
ETS_Q20A .....	55
ETS_Q20B .....	55

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

ETS_Q35 .....	55
ETS_Q36 .....	55
ETS_Q37 .....	56
ETS_R01 .....	54

**F**

FLU_BEG .....	33
FLU_C160A .....	33
FLU_C160B .....	33
FLU_C164 .....	33
FLU_C165 .....	33
FLU_END .....	34
FLU_Q160 .....	33
FLU_Q162 .....	33
FLU_Q164 .....	33
FLU_Q165 .....	34
FLU_Q166 .....	34
FLU_R160 .....	33
FLU_S166 .....	34
FVC_BEG .....	35
FVC_C1A .....	35
FVC_END .....	41
FVC_N1B .....	35
FVC_N1C .....	35
FVC_N1D .....	36
FVC_N1E .....	36
FVC_N2B .....	36
FVC_N2C .....	36
FVC_N2D .....	37
FVC_N2E .....	37
FVC_N3B .....	37
FVC_N3C .....	37
FVC_N3D .....	38
FVC_N3E .....	38
FVC_N4B .....	38
FVC_N4C .....	38
FVC_N4D .....	39
FVC_N4E .....	39
FVC_N5B .....	39
FVC_N5C .....	39
FVC_N5D .....	40
FVC_N5E .....	40
FVC_N6B .....	40
FVC_N6C .....	40
FVC_N6D .....	41
FVC_N6E .....	41
FVC_Q1A .....	35
FVC_Q2A .....	36
FVC_Q3A .....	37
FVC_Q4A .....	38
FVC_Q5A .....	39
FVC_Q6A .....	40
FVC_R1 .....	35

**G**

GEN_BEG .....	6
---------------	---

GEN_C01 .....	6
GEN_C02B .....	7
GEN_C08A .....	7
GEN_C08B .....	7
GEN_D01 .....	6
GEN_END .....	8
GEN_Q01 .....	6
GEN_Q02A .....	6
GEN_Q02B .....	7
GEN_Q02C .....	7
GEN_Q07 .....	7
GEN_Q08 .....	7
GEN_Q09 .....	8
GEN_Q10 .....	8
GEN_R01 .....	6
GEN_R09 .....	8
GR_BEG .....	1
GR_C01 .....	1
GR_E01B .....	2
GR_END .....	2
GR_N01A .....	1
GR_N01B .....	1
GR_N02 .....	2
GR_N03 .....	2

**H**

HCU_BEG .....	21
HCU_C01 .....	21
HCU_D01 .....	21
HCU_D30 .....	22
HCU_D50 .....	22
HCU_END .....	23
HCU_Q01AA .....	21
HCU_Q01AB .....	21
HCU_Q30 .....	22
HCU_Q40 .....	22
HCU_Q50 .....	23
HCU_S01AB .....	21
HCU_S40 .....	22
HCU_S50 .....	23
HUP_BEG .....	20
HUP_C1 .....	20
HUP_C2 .....	20
HUP_D1 .....	20
HUP_END .....	20
HUP_Q28 .....	20
HUP_Q29 .....	20
HUP_Q30 .....	20
HUP_R1 .....	20
HWT_BEG .....	9
HWT_C1 .....	9
HWT_C2 .....	9
HWT_C4 .....	13
HWT_E2 .....	9
HWT_E4 .....	12
HWT_END .....	13
HWT_N2A .....	10

**Canadian Community Health Survey RR (CCHS\_RR)  
2012 / Rapid Response - Canadian Food Guide / Content**

HWT_N2B.....	10
HWT_N2C.....	11
HWT_N2D.....	11
HWT_N2E.....	12
HWT_N2F.....	12
HWT_N4.....	12
HWT_Q1.....	9
HWT_Q2.....	9
HWT_Q3.....	12
HWT_Q4.....	13

**I**

INC_BEG.....	92
INC_C1A.....	92
INC_C1B.....	92
INC_C2.....	93
INC_C5A.....	95
INC_C6A.....	95
INC_C6B.....	96
INC_C7.....	96
INC_D6.....	96
INC_E1A.....	93
INC_E1B.....	93
INC_E2.....	94
INC_E3.....	95
INC_E6A.....	96
INC_E6B.....	96
INC_E7.....	97
INC_E8A.....	98
INC_END.....	98
INC_Q1.....	93
INC_Q2.....	94
INC_Q3.....	94
INC_Q5A.....	95
INC_Q5B.....	95
INC_Q5C.....	95
INC_Q6.....	96
INC_Q7.....	97
INC_Q8A.....	97
INC_Q8B.....	98
INC_Q8C.....	98
INC_Q8D.....	98
INC_R1.....	92

**L**

LBS_BEG.....	59
LBS_C02.....	59
LBS_C1A.....	59
LBS_C1B.....	59
LBS_C38.....	62
LBS_D1A.....	59
LBS_D1B.....	59
LBS_D31.....	60
LBS_E01.....	59
LBS_E37.....	62
LBS_E38A.....	63

LBS_E38B.....	63
LBS_END.....	63
LBS_Q01.....	59
LBS_Q02.....	60
LBS_Q03.....	60
LBS_Q04.....	60
LBS_Q31.....	60
LBS_Q32.....	61
LBS_Q33.....	61
LBS_Q34.....	61
LBS_Q35.....	62
LBS_Q36.....	62
LBS_Q37.....	62
LBS_Q38.....	63
LBS_R01.....	59
LBS_R31.....	60

**P**

PAC_BEG.....	42
PAC_C1A.....	42
PAC_C1B.....	42
PAC_C1VA.....	43
PAC_C1VB.....	43
PAC_D1.....	42
PAC_D2N.....	44
PAC_D7A.....	45
PAC_D8A.....	46
PAC_E1.....	42
PAC_E2A.....	44
PAC_E2D.....	44
PAC_E2N.....	44
PAC_E2Y.....	45
PAC_END.....	46
PAC_Q1.....	42
PAC_Q1X.....	43
PAC_Q1Y.....	43
PAC_Q2.....	44
PAC_Q3.....	45
PAC_Q7A.....	45
PAC_Q7B.....	45
PAC_Q7C.....	45
PAC_Q8A.....	46
PAC_Q8B.....	46
PAC_Q8C.....	46
PAC_R1.....	42
PAC_R7.....	45
PAC_S1V.....	43
PAC_S1X.....	43
PAC_S1Y.....	43
PMK_B010.....	81
PMK_BEG.....	81
PMK_C010.....	81
PMK_C015A.....	81
PMK_C015B.....	81
PMK_C015C.....	81
PMK_C030A.....	84
PMK_C040.....	84

**Canadian Community Health Survey RR (CCHS\_RR)**  
**2012 / Rapid Response - Canadian Food Guide / Content**

PMK_C045 .....	84
PMK_C16A .....	81
PMK_C16B .....	81
PMK_D030A .....	84
PMK_D030B .....	84
PMK_D030C .....	84
PMK_E020A .....	83
PMK_E20B .....	83
PMK_END .....	85
PMK_Q016 .....	83
PMK_Q020 .....	83
PMK_Q030B .....	84
PMK_R020 .....	83
PMK_R040 .....	85
PMK_R045 .....	85
PMK_R050 .....	85
PMK_R060 .....	85
PMK_R16AA .....	82
PMK_R16AB .....	82
PMK_R16AC .....	82

**R**

RAC_BEG .....	30
RAC_C1 .....	30
RAC_C5 .....	31
RAC_C5A .....	31
RAC_END .....	32
RAC_Q1 .....	30
RAC_Q2A .....	30
RAC_Q2B_1 .....	30
RAC_Q2B_2 .....	31
RAC_Q2C .....	31
RAC_Q5 .....	31
RAC_R1 .....	30
RAC_R5 .....	31
RAC_S5 .....	32

**S**

SDC_B5B .....	69
SDC_B6 .....	70
SDC_BEG .....	64
SDC_C02A .....	64
SDC_C02B .....	64
SDC_C04B .....	66
SDC_C1 .....	64
SDC_C7B .....	71
SDC_D1 .....	64
SDC_D4 .....	65
SDC_D4C .....	68
SDC_D5A_1 .....	69
SDC_E3 .....	65
SDC_E42 .....	67
SDC_E5B_1 .....	69
SDC_E5B_2 .....	70
SDC_E6A .....	70
SDC_E6B .....	70

SDC_END .....	71
SDC_N4B_2 .....	67
SDC_Q1 .....	64
SDC_Q2 .....	65
SDC_Q3 .....	65
SDC_Q4A .....	66
SDC_Q4B_1 .....	67
SDC_Q4C .....	68
SDC_Q5A_1 .....	69
SDC_Q7A .....	71
SDC_Q7B .....	71
SDC_R1 .....	64
SDC_R7 .....	70
SDC_R7B .....	71
SDC_S1 .....	65
SDC_S4A .....	66
SDC_S4C .....	69
SMK_BEG .....	47
SMK_C1 .....	47
SMK_C201C .....	47
SMK_C205D .....	49
SMK_C206A .....	49
SMK_C210A .....	52
SMK_D201A .....	47
SMK_E201C .....	47
SMK_E203A .....	48
SMK_E203B .....	48
SMK_E204 .....	48
SMK_E205B .....	49
SMK_E205C .....	49
SMK_E206C .....	50
SMK_E207A .....	50
SMK_E207B .....	51
SMK_E208 .....	51
SMK_E209C .....	52
SMK_E209D .....	52
SMK_E210D_1 .....	53
SMK_E210D_2 .....	53
SMK_END .....	53
SMK_Q201A .....	47
SMK_Q201B .....	47
SMK_Q201C .....	47
SMK_Q202 .....	48
SMK_Q203 .....	48
SMK_Q204 .....	48
SMK_Q205B .....	48
SMK_Q205C .....	49
SMK_Q205D .....	49
SMK_Q206A .....	49
SMK_Q206B .....	50
SMK_Q206C .....	50
SMK_Q207 .....	50
SMK_Q208 .....	51
SMK_Q209A .....	51
SMK_Q209B .....	51
SMK_Q209C .....	52
SMK_Q210A .....	52



**Canadian Community Health Survey RR (CCHS\_RR)**  
**2012 / Rapid Response - Canadian Food Guide / Content**

---

SMK_Q210B .....	52	SMK_Q210D.....	53
SMK_Q210C.....	53	SMK_R1 .....	47