

CCHS - Mental Health: Alphabetic Index

Page 1

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
ADM_N09	Interview by telephone or in person	ADM	2
ADM_N10	Respondent alone during interview	ADM	3
ADM_N11	Answers affected by presence of another person	ADM	3
ADM_RNO	Sequential record number	ADM	1
AUD_01	Drank alcohol in past 12 months	AUD	120
AUD_02	Alcohol consumption - frequency - 12 m	AUD	121
AUD_03	Having 5 or more drinks - frequency - 12 m	AUD	122
AUD_04	Ever had a drink - life	AUD	123
AUD_05	Drank 12 or more drinks - frequency - 12 m	AUD	123
AUD_08	Drank more in earlier year than past 12 months	AUD	124
AUD_10	Alcohol consumption - years when drank most - frequency	AUD	125
AUD_39	Alcohol - consulted MD/other professional - life	AUD	126
AUDDINT	Alcohol - Interference - Mean - 12 m - (D)	AUD	132
AUDDL	Alcohol abuse or dependence - Algorithm - life - (D)	AUD	130
AUDDLA	Alcohol abuse - Algorithm - life - (D)	AUD	129
AUDDL	Alcohol dependence - Algorithm - life - (D)	AUD	128
AUDDTTM	Alcohol - Type of drinker - 12 m - (D)	AUD	127
AUDDWDY	Alcohol - Type of drinker - year most frequent drinking (D)	AUD	128
AUDDY	Alcohol abuse or dependence - Algorithm - 12 m - (D)	AUD	131
AUDDYA	Alcohol abuse - Algorithm - 12 m - (D)	AUD	130
AUDDYD	Alcohol dependence - Algorithm - 12 m - (D)	AUD	129
AUDFINT	Flag: Alcohol - Interference - 12 m - (F)	AUD	131
AUDFWDY	Flag: Ever drank more than in past 12 months (F)	AUD	127
AUDG06	Number of drinks per day - 12 m - (G)	AUD	124
AUDG11	Drinks per day - years when drank most - (G)	AUD	126
BIPD1	Bipolar I - Algorithm - life - (D)	BIP	92
BIPD1Y	Bipolar I - Algorithm - 12 m - (D)	BIP	93
BIPD2	Bipolar II - Algorithm - life - (D)	BIP	93
BIPD2Y	Bipolar II - Algorithm - 12 m - (D)	BIP	94
BIPDINT	Bipolar Disorder - Interference - Mean - (D)	BIP	96
BIPDINT1	Bipolar I - Interference - Mean - (D)	BIP	95
BIPDINT2	Bipolar II - Interference - Mean - (D)	BIP	96
BIPDL	Bipolar Disorder - Algorithm - life - (D)	BIP	94
BIPDY	Bipolar Disorder - Algorithm - 12 m - (D)	BIP	95
BIPFINT	Flag: Bipolar Disorder - Interference - (F)	BIP	98
BIPFINT1	Flag: Bipolar I - Interference - (F)	BIP	97
BIPFINT2	Flag: Bipolar II - Interference - (F)	BIP	97

CCHS - Mental Health: Alphabetic Index

Page 2

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
CCC_031	Has asthma	CCC	27
CCC_051	Has arthritis	CCC	28
CCC_061	Has back problems excluding fibromyalgia and arthritis	CCC	28
CCC_071	Has high blood pressure	CCC	29
CCC_072	Ever diagnosed with high blood pressure	CCC	29
CCC_081	Has migraine headaches	CCC	30
CCC_091	Has chronic bronchitis/ emphysema/ COPD	CCC	30
CCC_101	Has diabetes	CCC	31
CCC_121	Has heart disease	CCC	31
CCC_131	Has cancer	CCC	32
CCC_132	Ever had cancer	CCC	32
CCC_151	Suffers from the effects of a stroke	CCC	33
CCC_171	Has bowel disorder/Crohn's Disease/ulcerative colitis	CCC	33
CCC_251	Has chronic fatigue syndrome	CCC	34
CCC_261	Suffers from multiple chemical sensitivities	CCC	34
CCC_280	Has a mood disorder	CCC	35
CCC_28AA	Has mood disorder - depression	CCC	35
CCC_290	Has an anxiety disorder	CCC	36
CCC_311	Has post-traumatic stress disorder	CCC	37
CCC_331	Has a learning disability	CCC	37
CCC_332	Has Attention Deficit Disorder	CCC	38
CCCDNCNR	Has or previously diagnosed with cancer (D)	CCC	40
CCCDHBP	Has or previously diagnosed with high blood pressure (D)	CCC	39
CCCF1	Has a chronic condition - (F)	CCC	39
CCCG28AE	Has mood disorder - other - (G)	CCC	36
CCCG901	Has other long-term physical or mental health condition (G)	CCC	38
CEX_01	Num of times - saw/heard parent hit other adult in your home	CEX	303
CEX_02	Num of times - slapped/hit/spanked	CEX	304
CEX_03	Num of times - pushed/grabbed/shoved/threw things at you	CEX	305
CEX_04	Num of times - physically attacked	CEX	306
CEX_05	Num of times - forced unwanted sexual activity	CEX	307
CEX_06	Num of times - sexual touching	CEX	308
CEX_07	Saw/talked w child protection organization	CEX	309
CEXNUM	Number of types of childhood maltreatment experienced (D)	CEX	309
CWP_01	Contact with police - public information session - 12 m	CWP	299
CWP_03	Contact with police - victim of crime - 12 m	CWP	300
CWP_04	Contact with police - witness to a crime - 12 m	CWP	301

CCHS - Mental Health: Alphabetic Index

Page 3

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
CWP_07	Contact with police - family member mental health - 12 m	CWP	301
CWP_09	Contact with police - for work - 12 m	CWP	302
CWPG02	Contact with police -traffic violation/accident - 12 m - (G)	CWP	300
CWPG08	Contact with police - other reason - 12 m - (G)	CWP	302
DAS_04	Difficulty - joining in community activities - 30 d	DAS	149
DAS_05	Emotionally affected by health problems - 30 d	DAS	150
DAS_06	Difficulty - concentrating - 30 d	DAS	151
DAS_07	Difficulty - walking long distance - 30 d	DAS	152
DAS_10	Difficulty - dealing with people you do not know - 30 d	DAS	153
DAS_11	Difficulty - maintaining a friendship - 30 d	DAS	154
DAS_12	Difficulty - day to day work/school - 30 d	DAS	155
DAS_13	Interference - difficulties - 30 days	DAS	156
DASG01	Difficulty - standing for long periods - 30 d - (G)	DAS	147
DASG02	Difficulty - household responsibilities - 30 d - (G)	DAS	148
DASGSCR	WHO Disability Assessment Schedule - score - (D)	DAS	157
DEP_72	Depression - consulted MD/other professional - life	DEP	77
DEP_86	Depression - professional treatment - 12 m	DEP	77
DEP_87	Depression - hospitalized overnight - life	DEP	78
DEPDDPS	Major Depressive Episode - Algorithm - life - (D)	DEP	80
DEPDDY	Major Depressive Episode - Algorithm - 12 m - (D)	DEP	83
DEPDINT	Depression - Interference - Mean - 12 m - (D)	DEP	85
DEPFINT	Flag: Depression - Interference - 12 m - (F)	DEP	84
DEPFSLT	Flag: Suicide - thought - life - (F)	DEP	83
DEPFSYT	Flag: Suicide - thought - 12 m - (F)	DEP	84
DEPGPER	Major depressive episode - persistence - years - (G)	DEP	82
DEPGREC	Major depressive episode - Most recent episode - age - (G)	DEP	81
DHH_SEX	Sex	DHH	5
DHHG611	Number of persons 6 to 11 years old in household - (G)	DHH	8
DHHGAGE	Age - grouped variable	DHH	4
DHHGDWE	Dwelling Type - (G)	DHH	6
DHHGHSZ	Household Size - (G)	DHH	6
DHHGL12	Number of persons less than 12 years old in household -(G)	DHH	8
DHHGLE5	Number of persons 5 years old or less in household - (G)	DHH	7
DHHGLVG	Living/Family Arrangement of Selected Respondent - (G)	DHH	7
DHHGMS	Marital Status - (G)	DHH	5
DIS_10A	Freq/distress: felt tired out - past month	DIS	63
DIS_10B	Freq/distress: felt nervous - past month	DIS	64

CCHS - Mental Health: Alphabetic Index

Page 4

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
DIS_10C	Freq/distress: so nervous nothing calms down - past month	DIS	65
DIS_10D	Freq/distress: felt hopeless - past month	DIS	66
DIS_10E	Freq/distress: felt restless / fidgety - past month	DIS	67
DIS_10F	Freq/distress: could not sit still - past month	DIS	68
DIS_10G	Freq/distress: felt sad / depressed - past month	DIS	69
DIS_10H	Freq/distress: depressed/nothing cheers - past month	DIS	70
DIS_10I	Freq/distress: felt everything effort - past month	DIS	71
DIS_10J	Freq/distress: felt worthless - past month	DIS	72
DIS_10K	Freq/distress: occurrence of feelings - past month	DIS	73
DIS_10L	Degree of higher occurrence of feelings - past month	DIS	74
DIS_10M	Degree of lower occurrence of feelings - past month	DIS	74
DIS_10N	Interference - feelings in life / activities - past month	DIS	75
DISDCHR	Chronicity of distress/impairment scale - past month (D)	DIS	76
DISDDSX	Distress scale - K10 - past month - (D)	DIS	76
DISDK6	Distress scale - K6 - past month - (D)	DIS	75
EDUDH04	Highest level of education - household 4 levels - (D)	EDU	337
EDUDR04	Highest level of education - respondent 4 levels - (D)	EDU	338
FMI_01A	Family member - mental health/alcohol/drug problems	FMI	283
FMI_01B	Number family members - mental health/alcohol/drug problems	FMI	284
FMI_02	Life affected by family member's problem	FMI	285
FMI_03A	Help to family member - practical things	FMI	285
FMI_03B	Help to family member - emotional support	FMI	286
FMI_04	Help to family member - spend time doing other things	FMI	286
FMI_05	Help to family member - time spent - average week	FMI	287
FMI_06	Family member's problems - cause embarrassment	FMI	287
FMI_07	Family member's prob - cause to be worried/anxious/depressed	FMI	288
GAD_44	Gen anx dis - consulted MD/other professional - life	GAD	102
GAD_58	Gen anx dis - professional treatment - 12 m	GAD	102
GAD_59	Gen anx dis - hospitalized overnight - life	GAD	103
GADDDY	Generalized anxiety disorder - algorithm - 12 m - (D)	GAD	106
GADDGDS	Generalized anxiety disorder - algorithm - life - (D)	GAD	103
GADDINT	Generalized anxiety disorder - Interference - Mean -12 m (D)	GAD	106
GADFINT	Generalized anxiety disorder - Interference - 12 m - (F)	GAD	107
GADGPER	Gen anx dis - Longest episode - duration - (G)	GAD	104
GADGREC	Gen anx dis - Most recent episode - age - (G)	GAD	105
GEN_01	Self-perceived health	GEN	9
GEN_02	Self-perceived health compared to one year ago	GEN	9

CCHS - Mental Health: Alphabetic Index

Page 5

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
GEN_02A2	Satisfaction with life in general - 11 point scale	GEN	11
GEN_04	Frequency - trouble sleeping	GEN	10
GEN_07	Perceived life stress	GEN	12
GEN_08	Worked at job or business	GEN	12
GEN_09	Self-perceived work stress	GEN	13
GEN_10	Sense of belonging to local community	GEN	14
GENDHDI	Perceived health - (D)	GEN	14
GENGSWL	Satisfaction with life in general - (G)	GEN	15
GEO_PRV	Province of residence of respondent	GEO	1
HUPDPAD	Pain (function code) - (D)	HUP	40
HWT_1	Currently pregnant	HWT	23
HWT_4	Respondent's opinion of own weight - self-reported	HWT	24
HWTGBMI	Body Mass Index (BMI) / self-report - (G)	HWT	26
HWTGHTM	Height (metres) / self-reported - (G)	HWT	25
HWTGISW	BMI classification (self reported) - (G)	HWT	27
HWTGWTK	Weight (kilograms) / self-reported - (G)	HWT	26
HYPDEY	Hypomania - Algorithm - 12 m - (D)	HYP	91
HYPDINT	Hypomania - Interference - Mean - 12 m - (D)	HYP	92
HYPDL	Hypomania - Algorithm - life - (D)	HYP	90
HYPFINT	Flag: Hypomania - Interference - 12 m - (F)	HYP	91
INC_12	Current hhld income - difficulty meeting basic expenses	INC	331
INCDRCA	Household income distribution - (D)	INC	333
INCDRPR	Household income distribution - provincial level - (D)	INC	334
INCG02	Total household income - main source	INC	330
INCG7	Main source of personal income	INC	330
INCGHH	Total household income from all sources - (D, G)	INC	331
INCGPER	Total personal income from all sources - (D, G)	INC	332
LBSDPFT	Full-time/part-time working status - (D)	LBS	312
LBSDWSS	Working status last week - (D)	LBS	311
LBSG31	Employment status - 12 months - (G)	LBS	311
LBSGHPW	Total usual hours worked - current jobs - (D, G)	LBS	312
LBSGSOC	Occupation group - (G)	LBS	313
MED_01	Medication for emotions/mental health/alcohol/drug - 12 m	MED	218
MED_05	Insurance that covers all/part of cost of prescription	MED	219
MED_06	Used other health products for mental health - 12 m	MED	219
MEDFADEP	Used - antidepressant - 2 D - (F)	MED	221
MEDFAPSY	Used - antipsychotic - 2 D - (F)	MED	220

CCHS - Mental Health: Alphabetic Index

Page 6

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
MEDFBENZ	Used - benzodiazepine - 2 D - (F)	MED	220
MEDFDRUG	Used - med for mental health/alcohol/drugs - 2 D (F)	MED	222
MEDGOTHR	Used - other med. - 2 D - (F)	MED	221
MEDGTNUM	Total number of medications - 2 D - (G)	MED	222
MHE_01A	Worked - mental health treatment program - life	MHE	271
MHE_01B	Worked - mental health treatment program - 12 m	MHE	271
MHE_02A	Worked with someone treated for mental health problem - life	MHE	272
MHE_02B	Worked with someone treated for mental health problem - 12 m	MHE	272
MHE_03A	Family member - received mental health treatment - life	MHE	273
MHE_03B	Family member - received mental health treatment - 12 m	MHE	273
MHE_04A	Friend - received mental health treatment - life	MHE	274
MHE_04B	Friend - received mental health treatment - 12 m	MHE	274
MHE_05A	Received mental health treatment - life	MHE	275
MHE_05B	Received mental health treatment - 12 m	MHE	275
MHE_06	Perceived prejudice/discrimination due to mental health -12m	MHE	276
MHE_06A	Impact - mental health prej/discrimin - family relationships	MHE	277
MHE_06B	Impact - mental health prej/discrim - romantic life	MHE	278
MHE_06C	Impact - mental health prej/discrim - work/school	MHE	279
MHE_06D	Impact - mental health prej/discrim - financial situation	MHE	280
MHE_06E	Impact - mental health prej/discrim - housing	MHE	281
MHE_06F	Impact - mental health prej/discrim - health care/physical	MHE	282
MHEDPIS	Mental health experiences - personal impact scale (D)	MHE	283
MHPFINT	Any selected disorder (mental/subst) - Interfere -12 m (F)	MHP	101
MHPFL	Any selected disorder (mental or substance) - life (F)	MHP	98
MHPFLM	Any mood disorder - life - (F)	MHP	99
MHPFLSA	Any substance use disorder (alcohol/drug) - life - (F)	MHP	99
MHPFY	Any selected disorder (mental/substance) - 12 m - (F)	MHP	100
MHPFYM	Any mood disorder - 12 m - (F)	MHP	100
MHPFYSA	Any substance use disorder (alcohol/drug) - 12m - (F)	MHP	101
MIA_33	Mania - consulted MD/other professional - life	MIA	85
MIA_47	Mania - professional treatment - 12 m	MIA	86
MIADEPS	Mania - 2002 Algorithm - life - (D)	MIA	86
MIADFY	Mania - 2002 Algorithm - 12 m - (D)	MIA	89
MIADINT	Mania - Interference - Mean - 12 m - (D)	MIA	89
MIAFINT	Flag: Mania - Interference - 12 m - (F)	MIA	90
MIAGPER	Mania - Persistence - years - (G)	MIA	88
MIAGREC	Mania - Most recent episode - age (G)	MIA	87

CCHS - Mental Health: Alphabetic Index

Page 7

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
NSI_01	Negative social interactions - detrimental to well-being	NSI	296
NSI_02	Negative social interactions - made too many demands	NSI	297
NSI_03	Negative social interactions - critical of behaviour	NSI	297
NSI_04	Negative social interactions - thoughtless/inconsiderate	NSI	298
NSI_05	Negative social interactions - angry/upset	NSI	298
NSIDSC	Negative social interactions - scale - (D)	NSI	299
PHSFPPA	Flag: moderate/vigorous physical activity - 7 days (F)	PHS	41
PHSGAPA	Moderate/vigorous physical activity -average/hours - 7 D (G)	PHS	41
PMH_01	Pos ment hlth - happy - freq 1 mo	PMH	42
PMH_02	Pos ment hlth - interested in life - freq 1 mo	PMH	43
PMH_03	Pos ment hlth - satisfied with life - freq 1 m	PMH	44
PMH_04	Pos ment hlth - had somethng to contribut to soc - freq 1 mo	PMH	45
PMH_05	Pos ment hlth - belong to a community - freq 1 mo	PMH	46
PMH_06	Pos ment hlth - society becoming a better place - freq 1 mo	PMH	47
PMH_07	Pos ment hlth - people basically good - freq 1 mo	PMH	48
PMH_08	Pos ment hlth - society makes sense - freq 1 mo	PMH	49
PMH_09	Pos ment hlth - liked most parts of personality - freq 1 mo	PMH	50
PMH_10	Pos ment hlth - good at managing daily life - freq 1 mo	PMH	51
PMH_11	Pos ment hlth - have warm/trusting relationships - freq 1 mo	PMH	52
PMH_12	Pos ment hlth - challenged to become better - freq 1 mo	PMH	53
PMH_13	Pos ment hlth - confident to express opinions - freq 1 mo	PMH	54
PMH_14	Pos ment hlth - life has meaning - freq 1 mo	PMH	55
PMHDCLA	Positive mental health - classification - (D)	PMH	57
PMHDEM	High emotional well-being - (D)	PMH	55
PMHDHFU	High positive functioning - (D)	PMH	56
PMHDLEM	Low emotional well-being - (D)	PMH	56
PMHDLFU	Low positive functioning - (D)	PMH	57
PMHDSCR	Positive mental health - continuous score - (D)	PMH	58
PN1_01A1	Why no more information / self managed	PN1	233
PN1_01A2	Why no more medication / self managed	PN1	239
PN1_01A3	Why no more counselling / self managed	PN1	245
PN1_01A4	Why no more - other / self managed	PN1	250
PN1_01A5	Why no information / self managed	PN1	253
PN1_01A6	Why no medication / self managed	PN1	259
PN1_01A7	Why no counselling / self managed	PN1	264
PN1_01B1	Why no more information / don't know how/where	PN1	234
PN1_01B2	Why no more medication / don't know how/where	PN1	239

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
PN1_01B3	Why no more counselling / don't know how/where	PN1	245
PN1_01B5	Why no information / don't know how/where	PN1	254
PN1_01B6	Why no medication / don't know how/where	PN1	259
PN1_01B7	Why no counselling / don't know how/where	PN1	264
PN1_01C1	Why no more information / too busy	PN1	234
PN1_01C2	Why no more medication / too busy	PN1	240
PN1_01C3	Why no more counselling / too busy	PN1	246
PN1_01C4	Why no more - other / too busy	PN1	251
PN1_01C5	Why no information / too busy	PN1	254
PN1_01C6	Why no medication / too busy	PN1	260
PN1_01C7	Why no counselling / too busy	PN1	265
PN1_01D1	Why no more information / job interfered	PN1	235
PN1_01D2	Why no more medication / job interfered	PN1	240
PN1_01D3	Why no more counselling/ job interfered	PN1	246
PN1_01D5	Why no information / job interfered	PN1	255
PN1_01D7	Why no counselling / job interfered	PN1	265
PN1_01E1	Why no more information / not readily available	PN1	235
PN1_01E2	Why no more medication / not readily available	PN1	241
PN1_01E3	Why no more counselling / not readily available	PN1	247
PN1_01E4	Why no more - other / not readily available	PN1	251
PN1_01E5	Why no information / not readily available	PN1	255
PN1_01E6	Why no medication / not readily available	PN1	260
PN1_01E7	Why no counselling / not readily available	PN1	266
PN1_01F1	Why no more information / no confidence in system	PN1	236
PN1_01F2	Why no more medication / no confidence in system	PN1	241
PN1_01F3	Why no more counselling / no confidence in system	PN1	247
PN1_01F5	Why no information / no confidence in system	PN1	256
PN1_01F6	Why no medication / no confidence in system	PN1	261
PN1_01F7	Why no counselling / no confidence in system	PN1	266
PN1_01G1	Why no more information / unaffordable	PN1	236
PN1_01G2	Why no more medication / unaffordable	PN1	242
PN1_01G3	Why no more counselling / unaffordable	PN1	248
PN1_01G4	Why no more - other / unaffordable	PN1	252
PN1_01G5	Why no information / unaffordable	PN1	256
PN1_01G6	Why no medication / unaffordable	PN1	261
PN1_01G7	Why no counselling / unaffordable	PN1	267
PN1_01H1	Why no more information / insurance not cover	PN1	237

CCHS - Mental Health: Alphabetic Index

Page 9

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
PN1_01H2	Why no more medication / insurance not cover	PN1	242
PN1_01H3	Why no more counselling / insurance not cover	PN1	248
PN1_01H5	Why no information / insurance not cover	PN1	257
PN1_01H6	Why no medication / insurance not cover	PN1	262
PN1_01H7	Why no counselling / insurance not cover	PN1	267
PN1_01I1	Why no more information / afraid of others opinion	PN1	237
PN1_01I2	Why no more medication / afraid of others opinion	PN1	243
PN1_01I3	Why no more counselling / afraid of others opinion	PN1	249
PN1_01I5	Why no information / afraid of others opinion	PN1	257
PN1_01I6	Why no medication / afraid of others opinion	PN1	262
PN1_01I7	Why no counselling / afraid of others opinion	PN1	268
PN1_01J2	Why no more medication / language problems	PN1	243
PN1_01K1	Why no more information / help is ongoing	PN1	238
PN1_01K2	Why no more medication / help is ongoing	PN1	244
PN1_01K3	Why no more counselling / help is ongoing	PN1	249
PN1_01K4	Why no more - other / help is ongoing	PN1	252
PN1_01K5	Why no information / help is ongoing	PN1	258
PN1_01K6	Why no medication / help is ongoing	PN1	263
PN1_01K7	Why no counselling / help is ongoing	PN1	268
PN1_01L1	Why no more information / other specify	PN1	238
PN1_01L2	Why no more medication / other specify	PN1	244
PN1_01L3	Why no more counselling / other specify	PN1	250
PN1_01L4	Why no more - other / other specify	PN1	253
PN1_01L5	Why no information / other specify	PN1	258
PN1_01L6	Why no medication / other specify	PN1	263
PN1_01L7	Why no counselling / other specify	PN1	269
PN1_02A7	Why preferred to self manage / counselling	PN1	270
PNC_01A	Received help - information	PNC	223
PNC_01B	Received help - medication	PNC	223
PNC_01C	Received help - counselling or therapy	PNC	224
PNC_01D	Received help - other	PNC	224
PNC_01E	Received help - none	PNC	225
PNC_02A	Received - as much help as needed	PNC	225
PNC_02BA	Needed more help - information	PNC	226
PNC_02BB	Needed more help - medication	PNC	226
PNC_02BC	Needed more help - counselling or therapy	PNC	227
PNC_02BD	Needed more help - other	PNC	227

CCHS - Mental Health: Alphabetic Index

Page 10

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
PNC_04A	Help needed but not received	PNC	228
PNC_04BA	Help needed & not received - information	PNC	228
PNC_04BB	Help needed & not received - medication	PNC	229
PNC_04BC	Help needed & not received - counselling or therapy	PNC	229
PNCDHCT	Number of types of help received - past 12 months - (D)	PNC	230
PNCDNEED	Overall Perceived Need in Past 12 Months - (D)	PNC	233
PNCDPNC	Perceived need for counselling - past 12 months (D)	PNC	232
PNCDPNI	Perceived need for information - past 12 months (D)	PNC	231
PNCDPNM	Perceived need for medication - past 12 months (D)	PNC	231
PNCDPNO	Perceived need for other help - past 12 months (D)	PNC	232
PNCFH12	Flag: Help received - past 12 months (F)	PNC	230
SCR_081	Self-perceived physical health	SCR	15
SCR_082	Self-perceived mental health	SCR	16
SCR_21	Screeners: felt sad/empty/depressed for several days - life	SCR	16
SCR_22	Screeners: was very discouraged several days or longer - life	SCR	17
SCR_23	Screeners: lost interest in things for several days - life	SCR	17
SCR_24	Screeners: had mania-like period lasting several days - life	SCR	18
SCR_25	Screeners: very irritable/grumpy/ for several days - life	SCR	18
SCR_25A	Screeners: so irritable started arguments/shouted/... - life	SCR	19
SCR_26	Screeners: worried about things more than most people - life	SCR	19
SCR_26A	Screeners: more nervous/anxious than most people - life	SCR	20
SCR_26B	Screeners: 6 months when anxious/worried most days - life	SCR	20
SCRDDEP	Screened in Depression - (D)	SCR	22
SCRDGAD	Screened in Generalized Anxiety Disorder - (D)	SCR	23
SCRDMEN	Self-rated mental health - (D)	SCR	21
SCRDMIA	Screened in Mania - (D)	SCR	22
SCRDPHY	Self-rated physical health - (D)	SCR	21
SDC_8	Current student	SDC	336
SDCFIMM	Immigrant - (F)	SDC	334
SDCGCGT	Culture / Race Flag - (G)	SDC	335
SDCGLHM	Language(s) spoken at home - (G)	SDC	336
SDCGRES	Length of time in Canada since immigration - (G)	SDC	335
SMK_01A	Smoked 100 or more cigarettes - life	SMK	107
SMK_01B	Ever smoked whole cigarette	SMK	108
SMK_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	112
SMK_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	113
SMK_05D	Ever smoked cigarettes daily	SMK	113

CCHS - Mental Health: Alphabetic Index

Page 11

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
SMK_06A	Stopped smoking - when (was never a daily smoker)	SMK	114
SMK_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	116
SMK_10	Quit smoking completely (former daily smoker)	SMK	117
SMK_10A	Stopped smoking completely - when (former daily smoker)	SMK	118
SMK_202	Type of smoker	SMK	110
SMK_204	Number of cigarettes smoked per day (daily smoker)	SMK	112
SMK_208	Number of cigarettes smoked per day (former daily smoker)	SMK	116
SMKDSTY	Type of smoker - (D)	SMK	119
SMKDYCS	Number of years smoked (current daily smokers) - (D)	SMK	120
SMKG01C	Age - smoked first whole cigarette - (G)	SMK	109
SMKG06C	Number of years since stopped smoking - (G)	SMK	114
SMKG09C	Number of years since stopped smoking (former daily smoker)	SMK	117
SMKG10C	Number of years since stopped smoking (daily) - (G)	SMK	118
SMKG203	Age - started smoking daily (daily smoker) - (G)	SMK	111
SMKG207	Age - started smoking daily (former daily smoker) - (G)	SMK	115
SMKGSTP	Number of years since stopping smoking completely - (G)	SMK	119
SPS_01	Has people to depend on	SPS	288
SPS_02	Has people who enjoy the same activities	SPS	289
SPS_03	Has close relationships	SPS	289
SPS_04	Has someone to talk to about important decisions	SPS	290
SPS_05	Has relationships that recognize competence/skill	SPS	290
SPS_06	Has trustworthy person for advice	SPS	291
SPS_07	Feel part of a group who shared attitudes/beliefs	SPS	291
SPS_08	Has strong emotional bond	SPS	292
SPS_09	Has people who admire talents/abilities	SPS	292
SPS_10	Has people to count on in emergency	SPS	293
SPSDALL	Social Provisions Scale - reliable alliance - (D)	SPS	295
SPSDATT	Social Provisions Scale - attachment - (D)	SPS	294
SPSDCON	Social Provisions Scale - overall score - (D)	SPS	293
SPSDGUI	Social Provisions Scale - guidance - (D)	SPS	294
SPSDINT	Social Provisions Scale - social integration - (D)	SPS	295
SPSDWOR	Social Provisions Scale - reassurance of worth (D)	SPS	296
SPT_01	Spiritual values - play important role in life	SPT	310
SPT_02	Spiritual values - strength for everyday difficulties	SPT	310
SR1_001	Hospitalized for mental health/alcohol/drug - 12 m	SR1	160
SR1_004A	Consulted for mental health/alc/drugs - psychiatrist - 12 m	SR1	161
SR1_004B	Consulted for ment hlth/alc/drugs - family doctor/GP - 12 m	SR1	161

CCHS - Mental Health: Alphabetic Index

Page 12

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
SR1_004C	Consulted for mental health/alc/drugs - psychologist - 12 m	SR1	162
SR1_004D	Consulted for ment hlth/alc/drugs - nurse - 12 m	SR1	162
SR1_004E	Consulted social worker or counsellor - 12 months	SR1	163
SR1_004F	Consulted for ment hlth/alc/drugs - family member - 12 m	SR1	163
SR1_004G	Consulted for ment hlth/alc/drugs - friend - 12 m	SR1	164
SR1_004H	Consulted for ment hlth/alc/drugs - co-worker/ boss - 12 m	SR1	164
SR1_004I	Consulted for ment hlth/alc/drugs - teacher/principal - 12 m	SR1	165
SR1_004J	Consulted for ment hlth/alc/drugs - other - 12 m	SR1	165
SR1_004K	Consulted for ment hlth/alc/drugs - none - 12 m	SR1	166
SR1_012	Perceived level of help received - psychiatrist	SR1	167
SR1_013	Stopped seeing this professional - psychiatrist	SR1	167
SR1_014A	Reason stopped - psychia - felt better	SR1	168
SR1_014B	Reason stopped - psychia - completed recommended treatment	SR1	168
SR1_014C	Reason stopped - psychia - thought it was not helping	SR1	169
SR1_014D	Reason stopped - psychia - problem get better without help	SR1	169
SR1_014E	Reason stopped - psychia - couldn't afford to pay	SR1	170
SR1_014G	Reason stopped - psychia - solve the problem without help	SR1	170
SR1_014H	Reason stopped - psychia - prob like transport/ childcare	SR1	171
SR1_014I	Reason stopped - psychia - service/prog no longer available	SR1	171
SR1_014J	Reason stopped - psychia - not comfortable w prof approach	SR1	172
SR1_014L	Reason stopped - psychia - other reason	SR1	172
SR1_022	Perceived level of help received from prof. - family doctor	SR1	173
SR1_023	Stopped seeing prof. - family doctor	SR1	174
SR1_024A	Reason stopped - dr - felt better	SR1	174
SR1_024B	Reason stopped - dr - completed the recommended treatment	SR1	175
SR1_024C	Reason stopped - dr - thought it was not helping	SR1	175
SR1_024D	Reason stopped - dr - problem would get better without help	SR1	176
SR1_024E	Reason stopped - dr - couldn't afford to pay	SR1	176
SR1_024F	Reason stopped - dr - too embarrassed to see professional	SR1	177
SR1_024G	Reason stopped - dr - solve the problem without help	SR1	177
SR1_024H	Reason stopped - dr - probs like transportation/ childcare	SR1	178
SR1_024I	Reason stopped - dr - service / program no longer available	SR1	178
SR1_024J	Reason stopped - dr - not comfortable with prof. approach	SR1	179
SR1_024K	Reason stopped - dr - discrimination or unfair treatment	SR1	179
SR1_024L	Reason stopped - dr - other reason	SR1	180
SR1_032	Perceived level of help received - psychologist	SR1	181
SR1_033	Stopped seeing this professional - psychologist	SR1	181

CCHS - Mental Health: Alphabetic Index

Page 13

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
SR1_034A	Reason stopped - psychol - felt better	SR1	182
SR1_034B	Reason stopped - psychol - completed recommended treatment	SR1	182
SR1_034C	Reason stopped - psychol - thought it was not helping	SR1	183
SR1_034D	Reason stopped - psychol - problem would get better	SR1	183
SR1_034E	Reason stopped - psychol - couldn't afford to pay	SR1	184
SR1_034G	Reason stopped - psychol - solve the problem without help	SR1	184
SR1_034H	Reason stopped - psychol - probs - transportation/ childcare	SR1	185
SR1_034I	Reason stopped - psychol - service/prog no longer available	SR1	185
SR1_034J	Reason stopped - psychol - not comfort. with prof. approach	SR1	186
SR1_034L	Reason stopped - psychol - other reason	SR1	186
SR1_042	Perceived level of help received from prof. - nurse	SR1	187
SR1_043	Stopped seeing this professional - nurse	SR1	188
SR1_044A	Reason stopped - nurse - felt better	SR1	188
SR1_044B	Reason stopped - nurse - completed the recommended treatment	SR1	189
SR1_044C	Reason stopped - nurse - thought it was not helping	SR1	189
SR1_044E	Reason stopped - nurse - couldn't afford to pay	SR1	190
SR1_044F	Reason stopped - nurse - too embarrassed to see professional	SR1	190
SR1_044I	Reason stopped - nurse - service/program no longer available	SR1	191
SR1_044K	Reason stopped - nurse - discrimination or unfair treatment	SR1	191
SR1_044L	Reason stopped - nurse - other reason	SR1	192
SR1_052	Perceived level of help received from prof. - social worker	SR1	193
SR1_053	Stopped seeing this professional/social worker	SR1	193
SR1_054A	Reason stopped - sw - felt better	SR1	194
SR1_054B	Reason stopped - sw - completed the recommended treatment	SR1	194
SR1_054C	Reason stopped - sw - thought it was not helping	SR1	195
SR1_054D	Reason stopped - sw - problem would get better without help	SR1	195
SR1_054E	Reason stopped - sw - couldn't afford to pay	SR1	196
SR1_054F	Reason stopped - sw - too embarrassed to see professional	SR1	196
SR1_054G	Reason stopped - sw - solve the problem without help	SR1	197
SR1_054H	Reason stopped - sw - probs like transportation/ childcare	SR1	197
SR1_054I	Reason stopped - sw - service / program no longer available	SR1	198
SR1_054J	Reason stopped - sw - not comfortable with prof. approach	SR1	198
SR1_054L	Reason stopped - sw - other reason	SR1	199
SR1_062	Perceived level of help received - family member	SR1	200
SR1_072	Perceived level of help received - friend	SR1	201
SR1_082	Perceived level of help received - co-work/supervisor	SR1	202
SR1_092	Perceived level of help received - teacher/principal	SR1	203

CCHS - Mental Health: Alphabetic Index

Page 14

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
SR1_102	Perceived level of help received - other person	SR1	204
SR1_110	Received help or services from employer - 12 months	SR1	204
SR1_111	Used Internet for info/help/support - 12 m	SR1	205
SR1_112A	Used Internet - learn about symptoms	SR1	205
SR1_112B	Used Internet - to find out where to get help	SR1	206
SR1_112C	Used Internet - discuss with other people	SR1	206
SR1_112D	Used Internet - to get online therapy	SR1	207
SR1_112E	Use Internet - other	SR1	207
SR1_113	Self-help group - help with problems - 12 months	SR1	208
SR1_114A	Self-help group type- emotional or mental health	SR1	208
SR1_114B	Self-help group type - alcohol or drug use	SR1	209
SR1_114C	Self-help group type - other	SR1	209
SR1_116	Used telephone helpline for mental health - 12 months	SR1	210
SR1_118	Needed help for emotions but didn't receive it/12 months	SR1	211
SR1_120	Prejudice / discrimination - personal characteristics	SR1	212
SR1_121	Prejudice / discrimination - mental health	SR1	213
SR1DYNPT	Number of types - non-professionals consulted - 12 m (D)	SR1	215
SR1DYPRT	Number of types - professionals consulted - 12 m (D)	SR1	214
SR1FNPU	Consultation/services used - non-professional - 12 m (F)	SR1	214
SR1FPRU	Consultation/services used - professional - 12 m (F)	SR1	213
SR1G010	Number of times consulted psychiatrist - 12 mo	SR1	166
SR1G020	Number of times consulted family doctor - 12 mo	SR1	173
SR1G030	Number of times consulted psychologist - 12 mo	SR1	180
SR1G040	Number of times consulted nurse - 12 mo	SR1	187
SR1G050	Number of times consulted social worker - 12 mo	SR1	192
SR1G060	Number of times consulted family member - 12 mo	SR1	199
SR1G070	Number of times consulted friend - 12 mo	SR1	200
SR1G080	Number of times consulted co-worker or supervisor - 12 mo	SR1	201
SR1G090	Number of times consulted teacher/school principal - 12 mo	SR1	202
SR1G100	Number of times consulted other person - 12 mo	SR1	203
SR1G117	Number of times used telephone helpline - 12 mo	SR1	210
SR1G119	Amount spent on mental health services/products/12 months	SR1	211
SR1GPRO1	Hours of consultation - psychiatrist - 12 m (G)	SR1	215
SR1GPRO2	Hours of consultation - family doctor - 12 m (G)	SR1	216
SR1GPRO3	Hours of consultation - psychologist - 12 m (G)	SR1	216
SR1GPRO4	Hours of consultation - nurse - 12 m (G)	SR1	217
SR1GPRO5	Hours of consultation - social worker/counsellor - 12 m (G)	SR1	217

CCHS - Mental Health: Alphabetic Index

Page 15

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
SR1GPROT	Hours of consultation - all professionals - 12 m (G)	SR1	218
STS_1	Self-perceived ability to handle unexpected problem	STS	58
STS_2	Self-perceived ability to handle day-to-day demands	STS	59
STS_3	Most important source of feelings of stress	STS	60
STS_4	Can count on people / deal with stress	STS	61
STS_5	Perceived personal ability to deal with stress	STS	62
SUD_87	Drugs - consulted with MD/other professional - life	SUD	132
SUDDINT	Substance use - Interference - Mean - 12 m (D)	SUD	147
SUDDL	Drug abuse or dependence (including cann) - life - (D)	SUD	145
SUDDLAE	Any drug use (excl one time cann) - life (D)	SUD	137
SUDDLAI	Any drug use (incl one time cann) - life - (D)	SUD	136
SUDDLCL	Cannabis abuse or dependence - life - (D)	SUD	143
SUDDLCA	Cannabis abuse - Algorithm - life - (D)	SUD	141
SUDDLCD	Cannabis dependence - Algorithm - life - (D)	SUD	139
SUDDLID	Any drug use (excl cann use) - life - (D)	SUD	137
SUDDLLO	Drug abuse or dependence (excl cann) - life - (D)	SUD	144
SUDDLLOA	Drug abuse (excl cann) - Algorithm - life - (D)	SUD	142
SUDDLLOD	Drug dependence (excl cann) - Algorithm - life - (D)	SUD	140
SUDDY	Drug abuse or dependence (including cann) - 12 m - (D)	SUD	146
SUDDYAE	Any drug use (excl one time cann) - 12 m (D)	SUD	138
SUDDYAI	Any drug use (incl one time cann) - 12 m (D)	SUD	138
SUDDYC	Cannabis abuse or dependence - 12 m - (D)	SUD	144
SUDDYCA	Cannabis abuse - Algorithm - 12 m - (D)	SUD	142
SUDDYCD	Cannabis dependence - Algorithm - 12 m - (D)	SUD	140
SUDDYID	Any drug use (excl cann use) - 12 m (D)	SUD	139
SUDDYO	Drug abuse or dependence (excl cann) - 12 m - (D)	SUD	145
SUDDYOA	Drug abuse (excl cann) - Algorithm - 12 m - (D)	SUD	143
SUDDYOD	Drug dependence (excl cann) - Algorithm - 12 m - (D)	SUD	141
SUDFINT	Substance use - Interference - 12 m - (F)	SUD	146
SUDFLAU	Analgesics - nonmedical use - life - (F)	SUD	134
SUDFLCA	Cannabis - used (incl one time) - life - (F)	SUD	134
SUDFLCM	Cannabis- used (excl one time) - life - (F)	SUD	135
SUDFLSU	Stimulant - used nonmedically - life - (F)	SUD	133
SUDFLTU	Sedative - used nonmedically - life - (F)	SUD	133
SUDFYCM	Cannabis - used (excl one time) - 12 m - (F)	SUD	135
SUDGLOTH	Any other drug - used - life - (G)	SUD	136
SUI_01	Suicide - ideation during worst / bad episode	SUI	78

CCHS - Mental Health: Alphabetic Index

Page 16

Public Use Microdata File - 12-Month

April 2014

Variable Name	Description	Section	Page
SUI_02	Suicide - ideation - life	SUI	79
SUI_03	Suicide - ideation - 12 mo	SUI	79
TWD_1	Stayed in bed - because of illness or injury	TWD	157
TWD_2	Stayed in bed - number of days	TWD	158
TWD_3	Reduced activities - because of illness or injury	TWD	158
TWD_4	Reduced activities - number of days	TWD	159
TWD_5	Took extra effort - because of illness or injury	TWD	159
TWD_6	Number of days requiring extra effort	TWD	160
VERDATE	Date of file creation	SAM	1
WST_401	Work stress - learn new things	WST	314
WST_402	Work stress - high level of skill	WST	315
WST_403	Work stress - freedom to decide	WST	316
WST_404	Work stress - repetitive tasks	WST	317
WST_405	Work stress - job hectic	WST	318
WST_406	Work stress - free from conflicting demands	WST	319
WST_407	Work stress - good job security	WST	320
WST_408	Work stress - a lot of physical effort	WST	321
WST_409	Work stress - had own job input	WST	322
WST_410	Work stress - hostility or conflict with others	WST	323
WST_411	Work stress - supervisor helpful	WST	324
WST_412	Work stress - co-workers helpful	WST	325
WST_413	Work stress - job satisfaction	WST	326
WSTDAUT	Work stress - decision latitude / authority - (D)	WST	327
WSTDJIN	Work stress - job insecurity - (D)	WST	328
WSTDJST	Work stress - job strain - (D)	WST	329
WSTDPHY	Work stress - physical exertion - (D)	WST	328
WSTDPSY	Work stress - psychological demands - (D)	WST	327
WSTDSKI	Work stress - decision latitude/discretion - (D)	WST	326
WSTDSOC	Work stress - social support - (D)	WST	329
WTS_M	Weights - Master	WTS	338