

Canadian Community Health Survey (CCHS) – Mental Health

Questionnaire – November 2011



Introduction

1. Question text in **bold** font is read to the respondent. Text in normal font is not read to the respondent. Interviewer instructions are prefaced by the word “INTERVIEWER”, and are not read aloud.
2. Question text in **bold** font enclosed by brackets () is read to the respondent at the discretion of the interviewer.
3. The options “Don’t Know” (DK) and “Refusal” (RF) are allowed on every question unless otherwise stated. However, the response categories are not read aloud.
4. Question Names are matched with Variable Names in the Data Dictionary and these variable names are used in the microdata files. Please see section 11.5 in the User Guide for more information on variable naming standards. It is important to note that while most variable names are similar to their question names, some exceptions exist; for example, the module SPI in the questionnaire has the variable names SPT in the microdata file, and therefore SPI_Q01 in the questionnaire is SPT_01 on the microdata file.

Table of Contents - by Questionnaire Order

Contact	iii
Household	v
Survey Introduction (INT)	1
Age of respondent (AN3)	2
General Health (GEN)	4
Screening Section (SCR)	7
Height and Weight (HWT)	9
Chronic Conditions (CCC)	13
Pain and discomfort (HUP)	18
Physical Activity - Short (PHS)	19
Positive Mental Health (PMH)	20
Stress - Sources (STS)	24
Distress (DIS)	27
Depression (DEP)	31
Suicide – Sub block (SUI)	52
Mania (MIA)	57
General Anxiety Disorders (GAD)	73
Smoking (SMK)	87
Alcohol Use and Dependence (AUD)	93
Substance Use and Dependence (SUD)	106
WHO Disability Assessment Schedule 2.0 (DAS)	130
Two-Week Disability (TWD)	134
Mental Health Services (SR1)	136
Medication Use (MED)	156
Drug Identification Numbers – Sub block (DIN)	158
Perceived Need for Care (PNC)	160
Help Needed – Sub block (PN1)	164
Mental Health Experiences (MHE)	167
Family Mental Health Impact (FMI)	171
Social Provisions Scale 10 Items (SPS)	174
Negative Social Interactions (NSI)	176
Contact with Police (CWP)	178
Childhood Experience (CEX)	180
Spirituality (SPI)	183
Labour force (LF2)	184
Work Stress (WST)	188
Income (INC)	191
Socio-Demographics Characteristics (SDC)	197
Education (EDU)	204
Education of the respondent (EDU1)	205
Education of other household members (EDU2)	207
Administration information (ADM)	209

Table of Contents - Topical Index

Administration information (ADM)	209
Alcohol Use and Dependence (AUD)	93
Age of respondent (AN3)	2
Childhood Experience (CEX)	180
Chronic Conditions (CCC)	13
Contact with Police (CWP)	178
Depression (DEP)	31
Distress (DIS)	27
Drug Identification Numbers – Sub block (DIN)	158
Education (EDU)	204
Education of the respondent (EDU1)	205
Education of other household members (EDU2)	207
Family Mental Health Impact (FMI)	171
General Anxiety Disorders (GAD)	73
General Health (GEN)	4
Height and Weight (HWT)	9
Help Needed – Sub block (PN1)	164
Income (INC)	191
Labour force (LF2)	184
Mania (MIA)	57
Medication Use (MED)	157
Mental Health Experiences (MHE)	167
Mental Health Services (SR1)	136
Negative Social Interactions (NSI)	176
Pain and discomfort (HUP)	18
Perceived Need for Care (PNC)	160
Physical Activity - Short (PHS)	19
Positive Mental Health (PMH)	20
Screening Section (SCR)	7
Smoking (SMK)	87
Social Provisions Scale 10 Items (SPS)	174
Socio-Demographics Characteristics (SDC)	197
Spirituality (SPI)	183
Suicide – Sub block (SUI)	52
Stress - Sources (STS)	24
Survey Introduction (INT)	1
Substance Use and Dependence (SUD)	106
Two-Week Disability (TWD)	134
WHO Disability Assessment Schedule 2.0 (DAS)	130
Work Stress (WST)	188

Contact component

Note: The following module only includes part of the questions asked during the CCHS – Mental Health interview. It includes what we believe may be of interest for data users.

Contact

CN_N01 INTERVIEWER: Record method of interview.

- 1 Telephone
- 2 Personal

(DK, RF are not allowed)

CN_N02 INTERVIEWER: Have you made contact?

- 1 Yes
- 2 No

(Go to CN_END)

(DK, RF are not allowed)

CN_END

Interviewer introduction

II_R01 **Hello, I'm [calling] from Statistics Canada. My name is ...**

INTERVIEWER: Introduce yourself using both your given and last names.
Press <Enter> to continue.

(DK, RF are not allowed)

II_END

Language of preference

LP_Q01 **Would you prefer to continue in English or in French?**

INTERVIEWER: Previous response was ["English" / "French" / "Other"].

- 1 English (Go to LP_END)
- 2 French (Go to LP_END)
- 3 Other

(DK, RF are not allowed)

Canadian Community Health Survey - Mental Health (CCHS - MH) - 2012 Questionnaire

LP_N02 INTERVIEWER: Select respondent's preferred non-official language.
If necessary, ask: **(What language would you prefer?)**

03	Chinese	17	Cantonese
04	Italian	18	Hindi
05	Punjabi	19	Mandarin
06	Spanish	20	Persian (Farsi)
07	Portuguese	21	Russian
08	Polish	22	Ukrainian
09	German	23	Urdu
10	Vietnamese	24	Inuktitut
11	Arabic	25	Hungarian
12	Tagalog	26	Korean
13	Greek	27	Serbo-Croatian
14	Tamil	28	Gujarati
15	Cree	29	Dari
16	Afghan		
90	Other - Specify		

(DK, RF are not allowed)

LP_END

Initial contact

IC_R01 **I'm calling regarding the Canadian Community Health Survey on Mental Health. This survey asks Canadians from all provinces about their health and the factors that affect their health. One of the main goals of the survey is to gather information to help improve health programs and services. All information collected in this survey will be kept strictly confidential.**

INTERVIEWER: Press <Enter> to continue.

(DK, RF are not allowed)

IC_END

Household component

Note: The following module only includes part of the questions asked during the CCHS interview. It includes what we believe may be of interest for data users.

RS_R01 **The next few questions ask for important basic information about the people in your household.**

INTERVIEWER: Press <Enter> to continue.

(DK, RF are not allowed)

RS_END

Usual Roster

USU_Q01 **What are the names of all persons who usually live here?**

USU_END

"Other" Roster 1

RS_Q04 **Are there any other persons who usually live here but are now away at school, in hospital, or somewhere else?**

1 Yes

2 No (Go to OTH1_END)

DK, RF (Go to OTH1_END)

OTH1_Q01 **What are the names of the other people who live or stay here?**

(DK, RF and null are not allowed)

OTH1_END

Age Without Date of Birth

ANDB_Q01 **What is [respondent name]'s age?**

|_|_| Age in years
(MIN: 0) (MAX: 130)

(DK, RF are not allowed)

ANDB_END

Sex

SEX_Q01 **INTERVIEWER:** Enter [respondent name]'s sex.
If necessary, ask: **(Is [respondent name] male or female?)**

- 1 Male
- 2 Female

(DK, RF are not allowed)

SEX_END

Marital status

MSNC_Q01 **What is [respondent name]'s marital status? Is [he/she]:**
INTERVIEWER: Read categories to respondent.

- 1 ... married?
- 2 ... living common-law?
- 3 ... widowed?
- 4 ... separated?
- 5 ... divorced?
- 6 ... single, never married?

MSNC_END

Canadian Forces

CAF_Q01 **Is [respondent name] a full time member of the regular Canadian Armed Forces?**

- 1 Yes
- 2 No

(DK, RF are not allowed)

CAF_END

Relationship without confirmation

RNC_Q1 **What is the relationship of:** [respondent name] [(Text sex, age)]
to: [respondent name]? [(Text sex, age)]

- 01 Husband/Wife
- 02 Common-law partner
- 03 Father/Mother (Go to RNC_Q2A)
- 04 Son/Daughter (Go to RNC_Q2B)
- 05 Brother/Sister (Go to RNC_Q2C)
- 06 Foster father/mother
- 07 Foster son/daughter
- 08 Grandfather/mother
- 09 Grandson/daughter
- 10 In-law (Go to RNC_Q2D)
- 11 Other related (Go to RNC_Q2E)
- 12 Unrelated (Go to RNC_Q2F)

Canadian Community Health Survey - Mental Health (CCHS - MH) - 2012 Questionnaire

RNC_Q2A	What is the relationship of:	[respondent name]	[(Text sex, age)]
	to:	[respondent name]?	[(Text sex, age)]

Is that a(n):

- 1 ... birth father/mother?
- 2 ... step father/mother?
- 3 ... adoptive father/mother?

RNC_Q2B	What is the relationship of:	[respondent name]	[(Text sex, age)]
	to:	[respondent name]?	[(Text sex, age)]

Is that a(n):

- 1 ... birth son/daughter?
- 2 ... step son/daughter?
- 3 ... adopted son/daughter?

RNC_Q2C	What is the relationship of:	[respondent name]	[(Text sex, age)]
	to:	[respondent name]?	[(Text sex, age)]

Is that a(n):

- 1 ... full brother/sister?
2 ... half brother/sister?
3 ... step brother/sister?
4 ... adopted brother/sister?
5 ... foster brother/sister?

RNC_Q2D	What is the relationship of:	[respondent name]	[(Text sex, age)]
	to:	[respondent name]?	[(Text sex, age)]

Is that a(n):

- 1 ... father/mother-in-law?
2 ... son/daughter-in-law?
3 ... brother/sister-in-law?
4 ... other in-law?

RNC_Q2E	What is the relationship of:	[respondent name]	[(Text sex, age)]
	to:	[respondent name]?	[(Text sex, age)]

Is that a(n):

- 1 ... uncle/aunt?
2 ... cousin?
3 ... nephew/niece?
4 ... other relative?

Canadian Community Health Survey - Mental Health (CCHS - MH) - 2012 Questionnaire

RNC_Q2F	What is the relationship of:	[respondent name]	[(Text sex, age)]
	to:	[respondent name]?	[(Text sex, age)]

Is that a(n):

- 1 ... boyfriend/girlfriend?
- 2 ... room-mate?
- 3 ... other?

RNC_END

Survey Introduction (INT)

1 - Copied
Version - 1001

INT_BEG

Content block

External variables required:

DOINT: do block flag, from the sample file

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

INT_R01

Your answers will be kept strictly confidential and will not be shared or disclosed without your consent. Statistics Canada will use your answers only for statistical purposes and will publish the information from this survey in aggregate form. While participation is voluntary, your assistance is essential if the results are to be accurate.

INTERVIEWER: Press <1> to continue.

INT_END

Age of respondent (AN3)

1 - Copied
Version - 1001

AN3_BEG	<p>Content block</p> <p>External variables required: CURRDATE: Current date from operating system DOANC: Do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
AN3_C01A	<p>If DOANC = 1, go to AN3_R01. Otherwise, go to AN3_END.</p>
AN3_R01	<p>For some of the questions I'll be asking, I need to know your exact date of birth.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
AN3_B01	<p>Call sub block "Date" (DATE).</p>
AN3_C02	<p>If AN3_B01.Year = DK, RF, go to AN3_Q03. Otherwise, go to AN3_D02.</p>
AN3_D02	
Programmer:	<p>Calculate DV_AGE based on the entered date of birth and CURRDATE.</p>
AN3_E02A	<p>An impossible day/month/year combination has been entered. Please return and correct</p>
Rule :	<p>Trigger hard edit if DV_AGE > CURRDATE.</p>
AN3_Q02	<p>So your age is ^DV_AGE. Is that correct?</p> <p>1 Yes (Go to AN3_C03) 2 No, return and correct date of birth 3 No, collect age (Go to AN3_Q03) (DK, RF not allowed)</p>
AN3_E02B	<p>Return to AN3_B01 and correct the date of birth.</p>
Rule :	<p>Trigger hard edit if AN3_Q02 = 2.</p>
AN3_C03	<p>If DV_AGE < 15 years, go to AN3_R04. Otherwise, go to AN3_END.</p>
AN3_Q03	<p>What is your age?</p> <p>(MIN: 0) (MAX: 130)</p> <p>(DK, RF not allowed)</p>

AN3_D03

Programmer: If AN3_Q02 = 3, DV_AGE = AN3_Q03.

AN3_C04 If DV_AGE < 15 years, go to AN3_R04.
Otherwise, go to AN3_END.

AN3_R04 **Because you are less than 15 years old, you are not eligible to participate in the Canadian Community Health Survey on Mental Health.**

INTERVIEWER: Press <1> to continue.

Programmer: Auto code as 90 Unusual/Special circumstances and call the exit block.

AN3_END

General Health (GEN)

1 - Copied
Version - 1001

GEN_BEG	<p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOGEN: do block flag, from the sample file. DV_AGE: Age of selected respondent from AN3 block</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>																		
GEN_C01	<p>If DOGEN = 1, go to GEN_R01. Otherwise, go to GEN_END.</p>																		
GEN_R01	<p>This survey deals with various aspects of your health. The following questions ask about physical activity, social relationships and health status. By health, we mean not only the absence of disease or injury but also physical, mental and social well-being.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>																		
GEN_Q01	<p>In general, would you say your health is...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <table><tr><td>1</td><td>Excellent</td><td></td></tr><tr><td>2</td><td>Very good</td><td></td></tr><tr><td>3</td><td>Good</td><td></td></tr><tr><td>4</td><td>Fair</td><td></td></tr><tr><td>5</td><td>Poor</td><td></td></tr><tr><td>DK, RF</td><td></td><td>(Go to GEN_END)</td></tr></table>	1	Excellent		2	Very good		3	Good		4	Fair		5	Poor		DK, RF		(Go to GEN_END)
1	Excellent																		
2	Very good																		
3	Good																		
4	Fair																		
5	Poor																		
DK, RF		(Go to GEN_END)																	
Help text:	<p>Tag: Perceived health</p> <p>Perceived health is an indicator of overall health status. It can reflect aspects of health not captured in other measures, such as: incipient disease, disease severity, aspects of positive health status, physiological and psychological reserves and social and mental function. Perceived health refers to the perception of a person's health in general, either by the person himself or herself, or, in the case of proxy response, by the person responding. Health means not only the absence of disease or injury but also physical, mental and social well being.</p>																		

GEN_Q02A

Compared to one year ago, how would you say your health is now? Is it...?

INTERVIEWER: Read categories to respondent.

- 1 Much better now than 1 year ago
- 2 Somewhat better now (than 1 year ago)
- 3 About the same as 1 year ago
- 4 Somewhat worse now (than 1 year ago)
- 5 Much worse now (than 1 year ago)

DK, RF

GEN_Q02A_1

How often do you have trouble going to sleep or staying asleep?

INTERVIEWER: Read categories to respondent.

- 1 None of the time
- 2 A little of the time
- 3 Some of the time
- 4 Most of the time
- 5 All of the time

DK, RF

GEN_Q02B

Using a scale of 0 to 10 where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?

- | | |
|----|-------------------|
| 0 | Very dissatisfied |
| 01 | |
| 02 | |
| 03 | |
| 04 | |
| 05 | |
| 06 | |
| 07 | |
| 08 | |
| 09 | |
| 10 | Very satisfied |

DK, RF

GEN_Q07

Thinking about the amount of stress in your life, would you say that most days are...?

INTERVIEWER: Read categories to respondent.

- 1 Not at all stressful
- 2 Not very stressful
- 3 A bit stressful
- 4 Quite a bit stressful
- 5 Extremely stressful

DK, RF

GEN_C08

If DV_AGE > 75, go to GEN_Q10.
Otherwise, go to GEN_Q08.

GEN_Q08

Have you worked at a job or business at any time in the past 12 months?

- 1 Yes
- 2 No (Go to GEN_Q10)

DK, RF

(Go to GEN_Q10)

GEN_Q09

The next question is about your main job or business in the past 12 months. Would you say that most days at work were...?

INTERVIEWER: Read categories to respondent.

- 1 **Not at all stressful**
- 2 **Not very stressful**
- 3 **A bit stressful**
- 4 **Quite a bit stressful**
- 5 **Extremely stressful**

DK, RF

GEN_Q10

How would you describe your sense of belonging to your local community? Would you say it is...?

INTERVIEWER: Read categories to respondent.

- 1 **Very strong**
- 2 **Somewhat strong**
- 3 **Somewhat weak**
- 4 **Very weak**

DK, RF

GEN_END

Screening Section (SCR)

1 - Copied
Version - 1001

SCR_BEG	<p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOSCR: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
SCR_C01	<p>If DOSCR = 1, go to SCR_R01. Otherwise, go to SCR_END.</p>
SCR_R01	<p>The next questions are about your well-being and areas of your life that could affect your physical and emotional health. Take your time to think about each question before answering.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SCR_Q08A	<p>In general, would you say your <u>physical</u> health is... ?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Excellent 2 Very good 3 Good 4 Fair 5 Poor DK, RF</p>
SCR_Q08B	<p>In general, would you say your <u>mental</u> health is... ?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Excellent 2 Very good 3 Good 4 Fair 5 Poor DK, RF</p>
SCR_Q21	<p>Have you <u>ever</u> in your life had a period lasting <u>several days or longer</u> when <u>most of the day</u> you felt <u>sad, empty or depressed</u>?</p> <p>1 Yes (Go to SCR_R24) 2 No DK, RF</p>
SCR_Q22	<p>Have you <u>ever</u> had a period lasting <u>several days or longer</u> when <u>most of the day</u> you were very <u>discouraged</u> about how things were going in your life?</p> <p>1 Yes (Go to SCR_R24) 2 No DK, RF</p>

SCR_Q23	<p>Have you <u>ever</u> had a period lasting <u>several days or longer</u> when you <u>lost interest</u> in most things you usually enjoy like work, hobbies and personal relationships?</p> <p>1 Yes 2 No DK, RF</p>
SCR_R24	<p>Some people have periods lasting <u>several days or longer</u> when they feel much more excited and full of energy than usual. Their minds go too fast. They talk a lot. They are very restless or unable to sit still and they sometimes do things that are unusual for them. For example, they may drive too fast or spend too much money.</p> <p>INTERVIEWER: Press <1> to continue.</p>
SCR_Q24	<p>During your life, have you <u>ever</u> had a period like this lasting <u>several days or longer</u>?</p> <p>1 Yes 2 No DK, RF</p>
SCR_Q25A	<p>Have you <u>ever</u> had a period lasting <u>several days or longer</u> when most of the time you were very <u>irritable</u>, <u>grumpy</u> or in a <u>bad mood</u>?</p> <p>1 Yes 2 No (Go to SCR_Q26A) DK, RF (Go to SCR_Q26A)</p>
SCR_Q25B	<p>Have you <u>ever</u> had a period lasting <u>several days or longer</u> when most of the time you were so irritable that you either started arguments, shouted at people or hit people?</p> <p>1 Yes 2 No DK, RF</p>
SCR_Q26A	<p>Did you <u>ever</u> have a time in your life when you were a "<u>worrier</u>"; that is, when you worried a lot more about things than other people with the same problems as you?</p> <p>1 Yes (Go to SCR_Q26C) 2 No DK, RF</p>
SCR_Q26B	<p>Did you <u>ever</u> have a time in your life when you were much more <u>nervous or anxious</u> than most other people with the same problems as you?</p> <p>1 Yes 2 No DK, RF</p>
SCR_Q26C	<p>Did you <u>ever</u> have a period lasting <u>6 months or longer</u> when you were anxious and worried <u>most days</u>?</p> <p>1 Yes 2 No DK, RF</p>
SCR_END	

Height and weight - Self-reported (HWT)

1 - Copied
Version - 1001

HWT_BEG	<p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOHWT: do block flag, from the sample file. DV_AGE: age of selected respondent from ANC block</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
HWT_C1	<p>If DOHWT = 1, go to HWT_C2. Otherwise, go to HWT_END.</p>
HWT_C2	<p>If SEX_Q01 = 2 and (14 < DV_AGE < 50), go to HWT_Q1. Otherwise, go to HWT_Q2.</p>
HWT_Q1	<p>It is important to know when analyzing health whether or not the person is pregnant. Are you pregnant?</p> <p>1 Yes (Go to HWT_END) 2 No DK, RF</p>
HWT_Q2	<p>The next questions are about height and weight. How tall are you without shoes on?</p> <p>0 Less than 1' / 12" (less than 29.2 cm.) 1 1'0" to 1'11" / 12" to 23" (29.2 to 59.6 cm.) 2 2'0" to 2'11" / 24" to 35" (59.7 to 90.1 cm.) 3 3'0" to 3'11" / 36" to 47" (90.2 to 120.6 cm.) (Go to HWT_N2C) 4 4'0" to 4'11" / 48" to 59" (120.7 to 151.0 cm.) (Go to HWT_N2D) 5 5'0" to 5'11" (151.1 to 181.5 cm.) (Go to HWT_N2E) 6 6'0" to 6'11" (181.6 to 212.0 cm.) (Go to HWT_N2F) 7 7'0" and over (212.1 cm. and over) (Go to HWT_Q3) DK, RF (Go to HWT_Q3)</p>
HWT_E2	<p>The selected height is too short for a ^DV_AGE year old respondent. Please return and correct.</p>
Rule :	<p>Trigger hard edit if (HWT_Q2 < 3).</p>

HWT_N2A

INTERVIEWER: Select the exact height.

- 0 1'0" / 12" (29.2 to 31.7 cm.)
- 01 1'1" / 13" (31.8 to 34.2 cm.)
- 02 1'2" / 14" (34.3 to 36.7 cm.)
- 03 1'3" / 15" (36.8 to 39.3 cm.)
- 04 1'4" / 16" (39.4 to 41.8 cm.)
- 05 1'5" / 17" (41.9 to 44.4 cm.)
- 06 1'6" / 18" (44.5 to 46.9 cm.)
- 07 1'7" / 19" (47.0 to 49.4 cm.)
- 08 1'8" / 20" (49.5 to 52.0 cm.)
- 09 1'9" / 21" (52.1 to 54.5 cm.)
- 10 1'10" / 22" (54.6 to 57.1 cm.)
- 11 1'11" / 23" (57.2 to 59.6 cm.)

DK, RF

HWT_N2B

INTERVIEWER: Select the exact height.

- 0 2'0" / 24" (59.7 to 62.1 cm.)
- 01 2'1" / 25" (62.2 to 64.7 cm.)
- 02 2'2" / 26" (64.8 to 67.2 cm.)
- 03 2'3" / 27" (67.3 to 69.8 cm.)
- 04 2'4" / 28" (69.9 to 72.3 cm.)
- 05 2'5" / 29" (72.4 to 74.8 cm.)
- 06 2'6" / 30" (74.9 to 77.4 cm.)
- 07 2'7" / 31" (77.5 to 79.9 cm.)
- 08 2'8" / 32" (80.0 to 82.5 cm.)
- 09 2'9" / 33" (82.6 to 85.0 cm.)
- 10 2'10" / 34" (85.1 to 87.5 cm.)
- 11 2'11" / 35" (87.6 to 90.1 cm.)

DK, RF

HWT_N2C

INTERVIEWER: Select the exact height.

- 0 3'0" / 36" (90.2 to 92.6 cm.)
- 01 3'1" / 37" (92.7 to 95.2 cm.)
- 02 3'2" / 38" (95.3 to 97.7 cm.)
- 03 3'3" / 39" (97.8 to 100.2 cm.)
- 04 3'4" / 40" (100.3 to 102.8 cm.)
- 05 3'5" / 41" (102.9 to 105.3 cm.)
- 06 3'6" / 42" (105.4 to 107.9 cm.)
- 07 3'7" / 43" (108.0 to 110.4 cm.)
- 08 3'8" / 44" (110.5 to 112.9 cm.)
- 09 3'9" / 45" (113.0 to 115.5 cm.)
- 10 3'10" / 46" (115.6 to 118.0 cm.)
- 11 3'11" / 47" (118.1 to 120.6 cm.)

DK, RF

Go to HWT_Q3

HWT_N2D

INTERVIEWER: Select the exact height.

- 0 4'0" / 48" (120.7 to 123.1 cm.)
 - 01 4'1" / 49" (123.2 to 125.6 cm.)
 - 02 4'2" / 50" (125.7 to 128.2 cm.)
 - 03 4'3" / 51" (128.3 to 130.7 cm.)
 - 04 4'4" / 52" (130.8 to 133.3 cm.)
 - 05 4'5" / 53" (133.4 to 135.8 cm.)
 - 06 4'6" / 54" (135.9 to 138.3 cm.)
 - 07 4'7" / 55" (138.4 to 140.9 cm.)
 - 08 4'8" / 56" (141.0 to 143.4 cm.)
 - 09 4'9" / 57" (143.5 to 146.0 cm.)
 - 10 4'10" / 58" (146.1 to 148.5 cm.)
 - 11 4'11" / 59" (148.6 to 151.0 cm.)
- DK, RF

Go to HWT_Q3

HWT_N2E

INTERVIEWER: Select the exact height.

- 0 5'0" (151.1 to 153.6 cm.)
 - 01 5'1" (153.7 to 156.1 cm.)
 - 02 5'2" (156.2 to 158.7 cm.)
 - 03 5'3" (158.8 to 161.2 cm.)
 - 04 5'4" (161.3 to 163.7 cm.)
 - 05 5'5" (163.8 to 166.3 cm.)
 - 06 5'6" (166.4 to 168.8 cm.)
 - 07 5'7" (168.9 to 171.4 cm.)
 - 08 5'8" (171.5 to 173.9 cm.)
 - 09 5'9" (174.0 to 176.4 cm.)
 - 10 5'10" (176.5 to 179.0 cm.)
 - 11 5'11" (179.1 to 181.5 cm.)
- DK, RF

Go to HWT_Q3

HWT_N2F

INTERVIEWER: Select the exact height.

- 0 6'0" (181.6 to 184.1 cm.)
 - 01 6'1" (184.2 to 186.6 cm.)
 - 02 6'2" (186.7 to 189.1 cm.)
 - 03 6'3" (189.2 to 191.7 cm.)
 - 04 6'4" (191.8 to 194.2 cm.)
 - 05 6'5" (194.3 to 196.8 cm.)
 - 06 6'6" (196.9 to 199.3 cm.)
 - 07 6'7" (199.4 to 201.8 cm.)
 - 08 6'8" (201.9 to 204.4 cm.)
 - 09 6'9" (204.5 to 206.9 cm.)
 - 10 6'10" (207.0 to 209.5 cm.)
 - 11 6'11" (209.6 to 212.0 cm.)
- DK, RF

HWT_Q3

How much do you weigh?

INTERVIEWER: Enter amount only.

(MIN: 1) (MAX: 575)

DK, RF

(Go to HWT_END)

HWT_N4	<p><u>INTERVIEWER:</u> Was that in pounds or kilograms?</p> <p>1 Pounds 2 Kilograms (DK, RF not allowed)</p>
HWT_E4	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if ((HWT_Q3 > 300 and HWT_N4 = 1) or (HWT_Q3 > 136 and HWT_N4 = 2)) or ((HWT_Q3 < 60 and HWT_N4 = 1) or (HWT_Q3 < 27 and HWT_N4 = 2)).</p>
HWT_Q4	<p>Do you consider yourself...?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Overweight 2 Underweight 3 Just about right DK, RF</p>
HWT_END	

Chronic Conditions (CCC)

1 - Copied
Version - 1001

CCC_BEG	<p>Content block</p> <p>External variables required: DV_AGE: age of selected respondent from ANC block. SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOCCC: Do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
CCC_C011	<p>If DOCCC = 1, go to CCC_R011. Otherwise, go to CCC_END.</p>
CCC_R011	<p>Now I'd like to ask about certain long-term health conditions which you may have. We are interested in "long-term conditions" which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
CCC_Q031	<p>Do you have asthma?</p> <p>1 Yes 2 No DK RF (Go to CCC_END)</p>
CCC_Q051	<p>(Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.)</p> <p>Do you have arthritis, excluding fibromyalgia?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q061	<p>(Do you have:)</p> <p>...back problems, excluding fibromyalgia and arthritis?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q071	<p>(Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.)</p> <p>Do you have high blood pressure?</p> <p>1 Yes (Go to CCC_Q081) 2 No DK RF (Go to CCC_Q081)</p>

CCC_Q072	<p>Have you ever been diagnosed with high blood pressure?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q081	<p>Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.</p> <p>Do you have migraine headaches?</p> <p>1 Yes 2 No DK, RF</p>
CCC_C091	<p>If DV_AGE < 35, go to CCC_Q101. Otherwise, go to CCC_Q091.</p>
CCC_Q091	<p>(Do you have:)</p> <p>...chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q101	<p>(Do you have:)</p> <p>...diabetes?</p> <p><u>INTERVIEWER:</u> Exclude respondents who have been told they have prediabetes. Only respondents with type 1, type 2 or gestational diabetes should answer yes to this question.</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q111	<p>Do you have epilepsy?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q121	<p>(Do you have:)</p> <p>...heart disease?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q131	<p>(Do you have:)</p> <p>...cancer?</p> <p>1 Yes (Go to CCC_Q151) 2 No DK RF (Go to CCC_Q151)</p>

CCC_Q132	<p>Have you ever been diagnosed with cancer?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q151	<p>Do you suffer from the effects of a stroke?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q171A	<p>Do you have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to CCC_C181) (Go to CCC_C181)</p>
CCC_Q171B	<p>What kind of bowel disease do you have?</p> <p>1 Crohn's Disease 2 Ulcerative colitis 3 Irritable Bowel Syndrome 4 Bowel incontinence 5 Other DK, RF</p>
CCC_C181	<p>If DV_AGE < 35, go to CCC_Q251. Otherwise, go to CCC_Q181.</p>
CCC_Q181	<p>Do you have Alzheimer's disease or any other dementia?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q251	<p>Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.</p> <p>Do you have chronic fatigue syndrome?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q261	<p>Do you have multiple chemical sensitivities?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q271A	<p>Do you have schizophrenia?</p> <p>1 Yes 2 No DK RF</p> <p>(Go to CCC_Q272A) (Go to CCC_Q272A)</p>

CCC_Q271B	<p>Have you ever been diagnosed with schizophrenia?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q272A	<p>Do you have any other psychosis?</p> <p>1 Yes (Go to CCC_Q280A) 2 No DK RF (Go to CCC_Q280A)</p>
CCC_Q272B	<p>Have you ever been diagnosed with any other psychosis?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q280A	<p>Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.</p> <p>Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?</p> <p><u>INTERVIEWER:</u> Include manic depression.</p> <p>1 Yes 2 No (Go to CCC_Q290A) DK, RF (Go to CCC_Q290A)</p>
CCC_Q280B	<p>What kind of mood disorder do you have?</p> <p><u>INTERVIEWER:</u> Mark all that apply.</p> <p>1 Depression 2 Bipolar disorder (manic depression) 3 Mania 4 Dysthymia 5 Other DK, RF</p>
CCC_Q290A	<p>Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?</p> <p>1 Yes 2 No (Go to CCC_Q311) DK, RF (Go to CCC_Q311)</p>
CCC_Q290B	<p>What kind of anxiety disorder do you have?</p> <p><u>INTERVIEWER:</u> Mark all that apply.</p> <p>1 Phobia 2 Obsessive-compulsive disorder (OCD) 3 Panic disorder 4 Other DK, RF</p>

CCC_Q311	<p>Do you have post-traumatic stress disorder?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q331	<p>Remember, we're interested in conditions diagnosed by a health professional and are expected to last or have already lasted 6 months or more.</p> <p>Do you have a learning disability?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q332	<p>(Do you have:)</p> <p>...Attention Deficit Disorder?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q341	<p>(Do you have:)</p> <p>...an eating disorder such as anorexia or bulimia?</p> <p>1 Yes 2 No DK, RF</p>
CCC_Q901	<p>Do you have any other long-term physical or mental health condition that has been diagnosed by a health professional?</p> <p>1 Yes 2 No DK, RF</p>
CCC_END	

HUP_BEG

Display on header bar PE_Q01 and PE_Q02 separated by a space

If DOHUP = 1, go to HUP_R1.
Otherwise, go to HUP_END.

The next set of questions asks about the level of pain or discomfort you usually experience. They are not about illnesses like colds that affect people for short periods of time.

HUP_Q28

Are you usually free of pain or discomfort?

1 Yes (Go to HUP_END)

2 No

DK, RF

(Go to HUP END)

HUP_Q29

How would you describe the usual intensity of your pain or discomfort?

INTERVIEWER: Read categories to respondent.

1 Mild

2 Moderate

3 Severe

DK, RF

HUP_Q30

How many activities does your pain or discomfort prevent?

INTERVIEWER: Read categories to respondent.

1 None

2 **A few**

3 Some

4 Most

DK, RF

HUP_END

Physical Activity - Short Form (PHS)

1 - Copied
Version - 1001

PHS_BEG	<p>Content block</p> <p>External variables required:</p> <p>DOPHS: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
PHS_C01	<p>If DOPHS = 1, go to PHS_R01. Otherwise, go to PHS_END.</p>
PHS_R01	<p>The next questions are about physical activity done for leisure, work, housework, or for transportation.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
PHS_Q01	<p>In the past 7 days, how many times did you participate in <u>moderate or vigorous</u> physical activity?</p> <p><u>INTERVIEWER</u>: Moderate physical activity causes an increase in breathing and heart rate. Physical activity related to transportation includes brisk walking, cycling, etc.</p> <p>(MIN: 0) (MAX: 35)</p> <p>DK, RF (Go to PHS_END)</p>
PHS_C02	<p>If PHS_Q01 = 0, go to PHS_END. Otherwise, go to PHS_Q02.</p>
PHS_Q02	<p>About how much time did you spend on each occasion?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 0 to 15 minutes 2 16 to 30 minutes 3 31 to 60 minutes 4 61 minutes to 2 hours 5 More than 2 hours DK, RF</p>
PHS_END	

Positive Mental Health (PMH)

1 - Copied
Version - 1001

PMH_BEG	<p>This module is the Mental Health Continuum Short Form® instrument developed by Dr. Corey Keyes (Emory University in Atlanta, Georgia USA). The author granted permission to Statistics Canada for the use of MHC-SF in this survey.</p> <p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOPMH: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
PMH_C01	<p>If DOPMH = 1, go to PMH_R01. Otherwise, go to PMH_END.</p>
PMH_R01	<p>(Please refer to page 1 of the booklet.)</p> <p>The following questions are about how you have been feeling during the past month.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
PMH_Q01	<p>In the past month, how often did you feel:</p> <p>...happy?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <ol style="list-style-type: none"> 1 Every day 2 Almost every day 3 About 2 or 3 times a week 4 About once a week 5 Once or twice 6 Never <p>DK, RF (Go to PMH_END)</p>
PMH_Q02	<p>(In the past month, how often did you feel:)</p> <p>...interested in life?</p> <ol style="list-style-type: none"> 1 Every day 2 Almost every day 3 About 2 or 3 times a week 4 About once a week 5 Once or twice 6 Never <p>DK, RF</p>

PMH_Q03

(In the past month, how often did you feel:)

...satisfied with your life?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q04

In the past month, how often did you feel:

...that you had something important to contribute to society?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q05

(In the past month, how often did you feel:)

...that you belonged to a community (like a social group, your neighbourhood, your city, your school)?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q06

(In the past month, how often did you feel:)

...that our society is becoming a better place for people like you?

INTERVIEWER: If necessary, explain that "people like you" can refer to any groups to which the respondent feels they belong (i.e. religion, income, ethnicity, age, health status, community, etc.).

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q07

In the past month, how often did you feel:

...that people are basically good?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q08

(In the past month, how often did you feel:)

...that the way our society works makes sense to you?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q09

(In the past month, how often did you feel:)

...that you liked most parts of your personality?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q10

In the past month, how often did you feel:

...good at managing the responsibilities of your daily life?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q11

(In the past month, how often did you feel:)

...that you had warm and trusting relationships with others?

- 1 Every day
- 2 Almost every day
- 3 About 2 or 3 times a week
- 4 About once a week
- 5 Once or twice
- 6 Never
- DK, RF

PMH_Q12

(In the past month, how often did you feel:)

...that you had experiences that challenge you to grow and become a better person?

- 1 Every day
 - 2 Almost every day
 - 3 About 2 or 3 times a week
 - 4 About once a week
 - 5 Once or twice
 - 6 Never
- DK, RF

PMH_Q13

In the past month, how often did you feel:

...confident to think or express your own ideas and opinions?

- 1 Every day
 - 2 Almost every day
 - 3 About 2 or 3 times a week
 - 4 About once a week
 - 5 Once or twice
 - 6 Never
- DK, RF

PMH_Q14

(In the past month, how often did you feel:)

...that your life has a sense of direction or meaning to it?

- 1 Every day
 - 2 Almost every day
 - 3 About 2 or 3 times a week
 - 4 About once a week
 - 5 Once or twice
 - 6 Never
- DK, RF

PMH_END

Stress - Sources (STS)

1 - Copied
Version - 1001

STS_BEG	<p>Content block</p> <p>External variables required:</p> <p>SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOSTS: do block flag, from the sample file. PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
STS_C1	<p>If DOSTS = 1, go to STS_R1. Otherwise, go to STS_END.</p>
STS_R1	<p>Now a few questions about the stress in your life.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
STS_Q1	<p>In general, how would you rate your ability to handle unexpected and difficult problems, for example, a family or personal crisis?</p> <p>Would you say your ability is...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Excellent 2 Very good 3 Good 4 Fair 5 Poor</p> <p>DK, RF (Go to STS_END)</p>
STS_Q2	<p>In general, how would you rate your ability to handle the day-to-day demands in your life, for example, handling work, family and volunteer responsibilities?</p> <p>Would you say your ability is...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Excellent 2 Very good 3 Good 4 Fair 5 Poor</p> <p>DK, RF</p>

STS_Q3

Thinking about stress in your day-to-day life, what would you say is the most important thing contributing to feelings of stress you may have?

INTERVIEWER: Do not probe.

- 01 Time pressures / not enough time
 - 02 Own physical health problem or condition
 - 03 Own emotional or mental health problem or condition
 - 04 Financial situation (e.g., not enough money, debt)
 - 05 Own work situation (e.g., hours of work, working conditions)
 - 06 School
 - 07 Employment status (e.g., unemployment)
 - 08 Caring for - own children
 - 09 Caring for - others
 - 10 Other personal or family responsibilities
 - 11 Personal relationships
 - 12 Discrimination
 - 13 Personal and family's safety
 - 14 Health of family members
 - 15 Other - Specify (Go to STS_S3)
 - 16 Nothing (Go to STS_END)
- DK, RF

Go to STS_Q4

STS_S3

Thinking about stress in your day-to-day life, what would you say is the most important thing contributing to feelings of stress you may have?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

STS_Q4

Now think about this biggest source of stress in your day-to-day life. Please tell me how much you agree with the following statements.

When faced with this source of stress, you can count on people that you know to help you deal with the situation. Do you...?

INTERVIEWER: Read categories to respondent.

- 1 **Strongly agree**
 - 2 **Agree**
 - 3 **Neither agree nor disagree**
 - 4 **Disagree**
 - 5 **Strongly disagree**
- DK, RF

STS_Q5

When faced with this source of stress, you have the personal ability to deal with the situation. Do you...?

INTERVIEWER: Read categories to respondent.

- 1 **Strongly agree**
 - 2 **Agree**
 - 3 **Neither agree nor disagree**
 - 4 **Disagree**
 - 5 **Strongly disagree**
- DK, RF

STS_END

Distress (DIS)

1 - Copied
Version - 1001

DIS_BEG	<p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DODIS: Do block flag, from the sample file. REFDATE: current date from operating system</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space Display DTE1MOAGOE as Month DD, YYYY, e.g. January 2, 2008.</p>
DIS_C01	<p>If DODIS = 1, go to DIS_R01. Otherwise, go to DIS_END.</p>
DIS_R01	<p>The following questions deal with feelings you may have had during the past month.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
DIS_Q01A	<p>(Please refer to page 2 of the booklet.)</p> <p>During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:</p> <p>...tired out for no good reason?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <ol style="list-style-type: none"> 1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time <p>DK, RF (Go to DIS_END)</p>
DIS_Q01B	<p>During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:</p> <p>... nervous?</p> <ol style="list-style-type: none"> 1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time <p>DK, RF (Go to DIS_Q01D) (Go to DIS_Q01D)</p>
Processing:	<p>At the time of the data processing, if DIS_Q01B = 5, then DIS_Q01C will be set to 5 (None of the time).</p>

DIS_Q01C	<p>(During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:)</p> <p>...so nervous that nothing could calm you down?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time DK, RF</p>
DIS_Q01D	<p>(During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:)</p> <p>...hopeless?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time DK, RF</p>
DIS_Q01E	<p>During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:</p> <p>...restless or fidgety?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time DK, RF</p> <p>(Go to DIS_Q01G) (Go to DIS_Q01G)</p>
Processing:	<p>At the time of the data processing, if DIS_Q01E = 5, then DIS_Q01F will be set to 5 (None of the time).</p>
DIS_Q01F	<p>(During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:)</p> <p>...so restless you could not sit still?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time DK, RF</p>

DIS_Q01G	<p>(During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:)</p> <p>...sad or depressed?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time (Go to DIS_Q01I) DK, RF (Go to DIS_Q01I)</p>
Processing:	At the time of the data processing, if DIS_Q01G = 5, then DIS_Q01H will be set to 5 (None of the time).
DIS_Q01H	<p>(During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:)</p> <p>...so depressed that nothing could cheer you up?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time DK, RF</p>
DIS_Q01I	<p>(During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:)</p> <p>...that everything was an effort?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time DK, RF</p>
DIS_Q01J	<p>(During the past month, that is, from ^DTE1MOAGOE to yesterday, about how often did you feel:)</p> <p>...worthless?</p> <p>1 All of the time 2 Most of the time 3 Some of the time 4 A little of the time 5 None of the time DK, RF</p>
DIS_C01K	<p>If (DIS_Q01A = 5), and (DIS_Q01B = 5, DK, or RF), and (DIS_Q01D = 5, DK, or RF), and (DIS_Q01E = 5, DK, or RF), and (DIS_Q01G = 5, DK, or RF), and (DIS_Q01I = 5, DK, or RF), and (DIS_Q01J = 5, DK, or RF), go to DIS_END. Otherwise, go to DIS_Q01K.</p>

DIS_Q01K	<p>We just talked about feelings that occurred to different degrees during the past month.</p> <p>Taking them altogether, did these feelings occur <u>more often</u> in the past month than is usual for you, <u>less often</u> than usual or <u>about the same</u> as usual?</p> <p>1 More often 2 Less often (Go to DIS_Q01M) 3 About the same (Go to DIS_Q01N) 4 Never have had any (Go to DIS_END) DK, RF (Go to DIS_END)</p>
DIS_Q01L	<p>Is that a <u>lot</u> more, <u>somewhat</u> more or only a <u>little</u> more often than usual?</p> <p>1 A lot 2 Somewhat 3 A little DK, RF</p> <p>Go to DIS_Q01N</p>
DIS_Q01M	<p>Is that a <u>lot</u> less, <u>somewhat</u> less or only a <u>little</u> less often than usual?</p> <p>1 A lot 2 Somewhat 3 A little DK, RF</p>
DIS_Q01N	<p>During the past month, how much did these feelings usually interfere with your life or activities?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
DIS_END	

Depression (DEP)

1 - Copied
Version - 1001

DEP_BEG	<p>Content block</p> <p>External variables required:</p> <p>DODEP: do block flag, from the sample file. SCR_Q21, SCR_Q22, SCR_Q23: from the SCR block SUI_Q01, SUI_Q02, SUI_Q04A, SUI_Q06A, SUI_Q13, SUI_Q16, SUI_Q19 : from the Suicide sub-block SUI DV_AGE: age of selected respondent from AN3 block. SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
Programmer:	<p>For the KEY PHRASES that are associated with DEP_Q24A to DEP_Q26BB as well as SUI_Q01, SUI_Q04A and SUI_Q06A, please create a parallel block to display the list of KEY PHRASES that can be triggered at any point during the module by pressing <CTRL D>. Only the KEY PHRASES for answers that the respondent reported will be displayed.</p>
Content type:	<p>NOTE TO DATA USERS:</p> <p>There are 4 different ways to enter the depression module, as described in the conditions below. The flow is based on responses to three screener questions: SCR_Q21, SCR_Q22 and SCR_Q23. Those respondents who said "yes" to the first screener question (SCR_Q21) are not asked the second and third screener questions, so they will go to DEP_Q01A. Respondents who say "yes" to the second screener question (SCR_Q22) are not asked the third screener question, so they will go to DEP_Q02. Those who say "yes" to the third screener question (SCR_Q23) will go to DEP_Q09. Finally, those who say no to all three screener questions will go to the start of the suicide sub-block (DEP_B27).</p>
DEP_C01A	<p>If DODEP = 1, go to DEP_C01B. Otherwise, go to DEP_END.</p>
DEP_C01B	<p>If SCR_Q21 = 1 (Yes), go to DEP_Q01A. Otherwise, go to DEP_C01C.</p>
DEP_C01C	<p>If SCR_Q22 = 1 (Yes), go to DEP_Q02. Otherwise, go to DEP_C01D.</p>
DEP_C01D	<p>If SCR_Q23 = 1 (Yes), go to DEP_Q09. Otherwise, go to DEP_B27.</p>

DEP_Q01A	<p>Earlier, you mentioned having periods that lasted several days or longer when you felt sad, empty or depressed most of the day.</p> <p>During such episodes, did you ever feel discouraged about how things were going in your life?</p> <p>1 Yes 2 No (Go to DEP_Q01B) DK (Go to DEP_Q01B) RF (Go to DEP_B27)</p>
DEP_Q01A_1	<p>During the episodes of being sad, empty or depressed, did you ever lose interest in most things like work, hobbies or other things you usually enjoyed?</p> <p>1 Yes 2 No DK, RF</p> <p>Go to DEP_D12</p>
DEP_Q01B	<p>During the episodes of being sad, empty or depressed, did you ever lose interest in most things like work, hobbies or other things you usually enjoyed?</p> <p>1 Yes 2 No DK, RF</p> <p>Go to DEP_D12</p>
DEP_Q02	<p>Earlier, you mentioned having periods that lasted several days or longer when you felt discouraged about how things were going in your life.</p> <p>During such episodes, did you ever lose interest in most things like work, hobbies or other things you usually enjoy?</p> <p>1 Yes 2 No DK RF (Go to DEP_B27)</p> <p>Go to DEP_D12</p>
DEP_Q09	<p>Earlier, you mentioned having periods that lasted several days or longer when you lost interest in most things like work, hobbies or other things you usually enjoy.</p> <p>Did you ever have such a period that lasted for <u>most</u> of the day, <u>nearly</u> every day, for <u>2 weeks</u> or longer?</p> <p>1 Yes 2 No (Go to DEP_B27) DK, RF (Go to DEP_B27)</p>

DEP_D12

If DEP_Q01A_1 = 1, DT_KEYPHRASE1 = "sad, discouraged or uninterested in things".
 If DEP_Q01A_1 = 2, DK, RF, DT_KEYPHRASE1 = "sad or discouraged".
 If DEP_Q01B = 1, DT_KEYPHRASE1 = "sad or uninterested in things".
 If DEP_Q01B = 2, DK, RF, DT_KEYPHRASE1 = "sad".
 If DEP_Q02 = 1, DT_KEYPHRASE1 = "discouraged or uninterested in things".
 If DEP_Q02 = 2, DK, DT_KEYPHRASE1 = "discouraged".
 If DEP_Q09 = 1, DT_KEYPHRASE1 = "uninterested in things".
 If DEP_Q01A_1 = 1, DT_KEYPHRASE3 = "sad, discouraged or uninterested".
 If DEP_Q01A_1 = 2, DK, RF, DT_KEYPHRASE3 = "sad or discouraged".
 If DEP_Q01B = 1, DT_KEYPHRASE3 = "sad or uninterested".
 If DEP_Q01B = 2, DK, RF, DT_KEYPHRASE3 = "sad".
 If DEP_Q02 = 1, DT_KEYPHRASE3 = "discouraged or uninterested".
 If DEP_Q02 = 2, DK, DT_KEYPHRASE3 = "discouraged".
 If DEP_Q09 = 1, DT_KEYPHRASE3 = "uninterested".
 If DEP_Q01A_1 = 1, DT_PROBLEMS = "these problems".
 If DEP_Q01A_1 = 2, DK, RF, DT_PROBLEMS = "these problems".
 If DEP_Q01B = 1, DT_PROBLEMS = "these problems".
 If DEP_Q01B = 2, DK, RF, DT_PROBLEMS = "this problem".
 If DEP_Q02 = 1, DT_PROBLEMS = "these problems".
 If DEP_Q02 = 2, DK, DT_PROBLEMS = "this problem".
 If DEP_Q09 = 1, DT_PROBLEMS = "this problem".
 If DEP_Q01A_1 = 1, DT_WERE = "were".
 If DEP_Q01A_1 = 2, DK, RF, DT_WERE = "were".
 If DEP_Q01B = 1, DT_WERE = "were".
 If DEP_Q01B = 2, DK, RF, DT_WERE = "was".
 If DEP_Q02 = 1, DT_WERE = "were".
 If DEP_Q02 = 2, DK, DT_WERE = "was".
 If DEP_Q09 = 1, DT_WERE = "was".

Processing:

NOTE TO DATA USERS:

The dynamic text for KEYPHRASE1 and KEYPHRASE3 above is set based on the flow from the screener to the first few depression questions. Each respondent is asked 3 questions up until this point (including the screener), and these three questions will identify the feelings the respondent has. The key words (sad, discouraged or uninterested) encompass every question the respondent said "yes" to up until this point, starting with the first depression screener question. They will be used to describe their episode(s) of depression and will be referenced in many questions after this point.

DEP_C12

If DEP_Q09 = 1, go to DEP_Q16.
 Otherwise, go to DEP_Q12.

DEP_Q12

Did you ever have a period of being ^DT_KEYPHRASE1 that lasted for most of the day, nearly every day, for 2 weeks or longer?

1 Yes
 2 No (Go to DEP_B27)
 DK, RF (Go to DEP_B27)

DEP_Q16

Think of periods lasting 2 weeks or longer when ^DT_PROBLEMS with your mood ^DT_WERE most severe and frequent. During those periods, did your feelings of being ^DT_KEYPHRASE3 usually last ...?

INTERVIEWER: Read categories to respondent.

1 Less than one hour
 2 1 hour to less than 3 hours
 3 3 hours to less than 5 hours
 4 5 hours or more
 DK, RF

DEP_Q17	<p>During those periods, how severe was your emotional distress?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Mild 2 Moderate 3 Severe 4 Very severe DK, RF</p>
DEP_Q18	<p>During those periods, how often was your emotional distress so severe that nothing could cheer you up?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Often 2 Sometimes 3 Rarely 4 Never DK, RF</p>
DEP_Q19	<p>During those periods, how often was your emotional distress so severe that you could not carry out your daily activities?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Often 2 Sometimes 3 Rarely 4 Never DK, RF</p>
DEP_C20	<p>If (DEP_Q17 = 1 (mild) or RF) and (DEP_Q18 = 4 (never) or RF) and (DEP_Q19 = 4 (never) or RF), go to DEP_B27. Otherwise, go to DEP_R21.</p>
DEP_R21	<p>People with episodes of being ^DT_KEYPHRASE3 often have other problems at the same time. These include things like feelings of low self-worth and changes in sleep, appetite, energy and ability to concentrate and remember.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>
DEP_Q21	<p>Did you ever have problems like this during one of your episodes of being ^DT_KEYPHRASE3?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to DEP_B27) (Go to DEP_B27)</p>
DEP_Q22A	<p>Please think of an episode of being ^DT_KEYPHRASE3 that lasted 2 weeks or longer when, at the same time, you also had the <u>largest number</u> of these other problems.</p> <p>Is there one particular episode that stands out as the worst one you ever had?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to DEP_Q23A) (Go to DEP_Q23A)</p>

DEP_Q22A_1	<p>How old were you when that worst episode started?</p> <p><u>INTERVIEWER:</u> Minimum is 0; maximum is ^DV_AGE.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
DEP_E22A_1	<p>The reported age is invalid, please return and correct.</p> <p>Rule : Trigger hard edit if DEP_Q22A_1 > DV_AGE.</p>
DEP_Q22B	<p>How long did it last (in terms of days, weeks, months or years)?</p> <p><u>INTERVIEWER:</u> If the episode is ongoing, enter how long it has lasted to date.</p> <p>(MIN: 1) (MAX: 900)</p> <p>DK, RF (Go to DEP_R24)</p>
DEP_N22C	<p><u>INTERVIEWER:</u> Was that in days, weeks, months or years?</p> <p>1 Days 2 Weeks 3 Months 4 Years (DK, RF not allowed)</p> <p>Go to DEP_R24</p>
DEP_E22C	<p>An unusual value has been entered. Please confirm or return and change the reporting unit.</p> <p>Rule : Trigger soft edit if (DEP_Q22B > 365 and DEP_N22C = 1) or (DEP_Q22B > 52 and DEP_N22C = 2) or (DEP_Q22B > 24 and DEP_N22C = 3).</p>
DEP_E22D	<p>The number of years is invalid, please return and correct.</p> <p>Rule : Trigger hard edit if DEP_N22C = 4 and ((DEP_Q22B > (DV_AGE - DEP_Q22A_1)) and (DEP_Q22A_1 <> DK, RF) or (DEP_Q22A_1 = DK,RF and DEP_Q22B > DV_AGE)).</p>
DEP_E22E	<p>Respondent previously reported the episode lasted at least 2 weeks. The minimum length of time is 2 weeks or 14 days, please return and correct.</p> <p>Rule : Trigger hard edit if (DEP_Q22B = 1 and DEP_N22C = 2) or (DEP_Q22B < 14 and DEP_N22C = 1)</p>
DEP_Q23A	<p>Think of the last time you had a bad episode of being ^DT_KEYPHRASE3 like this. How old were you when that last episode occurred?</p> <p><u>INTERVIEWER:</u> Minimum is 0; Maximum is ^DV_AGE.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
DEP_E23A	<p>The reported age is invalid. Please return and correct.</p> <p>Rule : Trigger hard edit if DEP_Q23A > DV_AGE.</p>

DEP_C23A	If DEP_Q23A = RF, go to DEP_R24. Otherwise, go to DEP_Q23B.
DEP_Q23B	<p>How long did that episode last?</p> <p><u>INTERVIEWER</u>: If the episode is ongoing, enter how long it has lasted to date.</p> <p>(MIN: 1) (MAX: 900)</p> <p>DK, RF (Go to DEP_R24)</p>
DEP_N23C	<p><u>INTERVIEWER</u>: Was that in days, weeks, months or years?</p> <p>1 Days 2 Weeks 3 Months 4 Years (DK, RF not allowed)</p> <p>Go to DEP_R24</p>
DEP_E23C	An unusual value has been entered. Please confirm or return and change the reporting unit.
Rule :	Trigger soft edit if (DEP_Q23B > 365 and DEP_N23C = 1) or (DEP_Q23B > 52 and DEP_N23C = 2) or (DEP_Q23B > 24 and DEP_N23C = 3).
DEP_E23D	The number of years is invalid, please return and correct.
Rule :	Trigger hard edit if DEP_N23C = 4 and ((DEP_Q23B > (DV_AGE - DEP_Q23A)) and (DEP_Q23A <> DK, RF) or (DEP_Q23A = DK,RF and DEP_Q23B > DV_AGE)).
DEP_E23E	Respondent previously reported the episode lasted at least 2 weeks. The minimum length of time is 2 weeks or 14 days, please return and correct.
Rule :	Trigger hard edit if (DEP_Q23B = 1 and DEP_N23C = 2) or (DEP_Q23B < 14 and DEP_N23C = 1)
DEP_R24	<p>In answering the next questions, think about the period of <u>2 weeks or longer</u> when your feelings of being ^DT_KEYPHRASE3 and other problems were most <u>severe</u> and <u>frequent</u>. During that period, tell me which of the following problems you had for most of the day, <u>nearly</u> every day.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
DEP_Q24A	<p>Did you feel sad, empty or depressed most of the day, nearly every day, during that period of 2 weeks or longer?</p> <p>1 Yes (KEY_PHRASE = feeling sad, empty or depressed) 2 No (Go to DEP_Q24C) DK, RF (Go to DEP_Q24C)</p>
DEP_Q24B	<p>Nearly every day, did you feel so sad that nothing could cheer you up?</p> <p>1 Yes (KEY_PHRASE = feeling that nothing could cheer you up) 2 No DK, RF</p>

DEP_Q24C	<p>During that period of 2 weeks or longer, did you feel discouraged most of the day, nearly every day, about how things were going in your life?</p> <p>1 Yes (KEY_PHRASE = feeling discouraged about things in your life) 2 No (Go to DEP_Q24E) DK, RF (Go to DEP_Q24E)</p>
DEP_Q24D	<p>Did you feel hopeless about the future nearly every day?</p> <p>1 Yes (KEY_PHRASE = feeling hopeless about the future) 2 No DK, RF</p>
DEP_Q24E	<p>During that period of 2 weeks or longer, did you lose interest in almost all things like work, hobbies and things you like to do for fun?</p> <p>1 Yes (KEY_PHRASE = losing interest in almost all things) 2 No DK, RF</p>
DEP_Q24F	<p>Did you feel like nothing was fun even when good things were happening?</p> <p>1 Yes (KEY_PHRASE = feeling that nothing was fun) 2 No DK, RF</p>
Content type:	<p>NOTE TO DATA USERS: The condition DEP_C25 is a checkpoint to see if the respondent has said yes to at least one of the Q24 series of questions. If they did not, then they do not meet the criteria for the major depressive episode derived variable and are skipped to suicide sub block (DEP_B27).</p>
DEP_C25	<p>If any one of DEP_Q24A, DEP_Q24B, DEP_Q24C, DEP_Q24D, DEP_Q24E or DEP_Q24F = 1 (Yes), go to DEP_Q26A. Otherwise, go to DEP_B27.</p>
DEP_Q26A	<p>During that period of 2 weeks or longer, did you, nearly every day, have a <u>much smaller</u> appetite than usual?</p> <p>1 Yes (KEY_PHRASE = having a much smaller appetite) (Go to DEP_Q26E) 2 No DK, RF</p>
DEP_Q26B	<p>Did you have a <u>much larger</u> appetite than usual nearly every day?</p> <p>1 Yes (KEY_PHRASE = having a much larger appetite) 2 No DK, RF</p>
DEP_Q26C	<p>During that period of 2 weeks or longer, did you <u>gain</u> weight without trying to?</p> <p>1 Yes 2 No (Go to DEP_Q26E) DK, RF (Go to DEP_Q26E)</p>

DEP_D26C_1	If SEX_Q01 = 1, DT_PREGNANCY = "empty". If SEX_Q01 = 2, DT_PREGNANCY = " or pregnancy".
DEP_Q26C_1	<p>Was this weight gain due to a physical growth^DT_PREGNANCY?</p> <p>1 Yes (Go to DEP_Q26G) 2 No (KEY_PHRASE = gaining weight without trying to) DK, RF</p>
DEP_Q26D	<p>How much did you gain?</p> <p><u>INTERVIEWER</u>: Enter amount only. (MIN: 1) (MAX: 300) DK, RF (Go to DEP_Q26G)</p>
DEP_N26D	<p><u>INTERVIEWER</u>: Was that in pounds or kilograms?</p> <p>1 Pounds 2 Kilograms (DK, RF not allowed) Go to DEP_Q26G</p>
DEP_E26D	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if (DEP_Q26D > 100 and DEP_N26D = 1) or (DEP_Q26D > 50 and DEP_N26D = 2).
DEP_Q26E	<p>Did you <u>lose</u> weight without trying to?</p> <p><u>INTERVIEWER</u>: If respondent reports being on a diet or physically ill, select "No".</p> <p>1 Yes 2 No (Go to DEP_Q26G) DK, RF (Go to DEP_Q26G)</p>
DEP_Q26E_1	<p>Was this weight loss a result of a diet or a physical illness?</p> <p>1 Yes (Go to DEP_Q26G) 2 No (KEY_PHRASE = losing weight without trying to) DK, RF</p>
DEP_Q26F	<p>How much did you lose?</p> <p><u>INTERVIEWER</u>: Enter amount only. (MIN: 1) (MAX: 300) DK, RF (Go to DEP_Q26G)</p>
DEP_N26F	<p><u>INTERVIEWER</u>: Was that in pounds or kilograms?</p> <p>1 Pounds 2 Kilograms (DK, RF not allowed)</p>

DEP_E26F	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if (DEP_Q26F > 100 and DEP_N26F = 1) or (DEP_Q26F > 50 and DEP_N26F = 2).
DEP_Q26G	<p>During that period of 2 weeks or longer, did you have a lot more trouble than usual either falling asleep, staying asleep or waking up too early <u>nearly every night</u>?</p> <p>1 Yes (KEY_PHRASE = having trouble falling or staying asleep or waking up too early) (Go to DEP_Q26I)</p> <p>2 No DK, RF</p>
DEP_Q26H	<p>During that period of 2 weeks or longer, did you sleep a lot more than usual <u>nearly every night</u>?</p> <p>1 Yes (KEY_PHRASE = sleeping a lot more than usual) (Go to DEP_Q26J)</p> <p>2 No DK, RF</p>
DEP_Q26I	<p>Did you sleep much less than usual and still not feel tired or sleepy?</p> <p>1 Yes (KEY_PHRASE = sleeping much less than usual)</p> <p>2 No DK, RF</p>
DEP_Q26J	<p>During that period of 2 weeks or longer, did you feel tired or low in energy nearly every day, even when you had not been working very hard?</p> <p>1 Yes (KEY_PHRASE = feeling tired or low in energy) (Go to DEP_Q26L)</p> <p>2 No DK, RF</p>
DEP_Q26K	<p>During that period of 2 weeks or longer, did you have <u>a lot more</u> energy than usual nearly every day?</p> <p>1 Yes (KEY_PHRASE = having a lot more energy than usual)</p> <p>2 No DK, RF</p>
DEP_Q26L	<p>Did you talk or move more slowly than is normal for you nearly every day?</p> <p>1 Yes (KEY_PHRASE = talking or moving more slowly than normal)</p> <p>2 No (Go to DEP_Q26N) DK, RF (Go to DEP_Q26N)</p>
DEP_Q26M	<p>Did anyone else notice that you were talking or moving slowly?</p> <p>1 Yes</p> <p>2 No DK, RF</p> <p>Go to DEP_Q26P</p>

DEP_Q26N	<p>Were you so restless or jittery nearly every day that you paced up and down or couldn't sit still?</p> <p>1 Yes (KEY_PHRASE = feeling restless or jittery, or couldn't sit still)</p> <p>2 No (Go to DEP_Q26P)</p> <p>DK, RF (Go to DEP_Q26P)</p>
DEP_Q26O	<p>Did anyone else notice that you were restless?</p> <p>1 Yes</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26P	<p>During that period of 2 weeks or longer, did your thoughts come much more slowly than usual or seem mixed up nearly every day?</p> <p>1 Yes (KEY_PHRASE = thinking much more slowly than usual) (Go to DEP_Q26R)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26Q	<p>Did your thoughts seem to jump from one thing to another or race through your head so fast you couldn't keep track of them?</p> <p>1 Yes (KEY_PHRASE = having thoughts race through your head)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26R	<p>Nearly every day, did you have a lot more trouble concentrating than is normal for you?</p> <p>1 Yes (KEY_PHRASE = having more trouble concentrating)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26S	<p>Were you unable to make up your mind about things you ordinarily have no trouble deciding about?</p> <p>1 Yes (KEY_PHRASE = being unable to make your mind about things)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26T	<p>Did you lose your self-confidence?</p> <p>1 Yes (KEY_PHRASE = losing your self-confidence)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26U	<p>Nearly every day, did you feel that you were not as good as other people?</p> <p>1 Yes (KEY_PHRASE = feeling not as good as other people)</p> <p>2 No (Go to DEP_Q26W)</p> <p>DK, RF (Go to DEP_Q26W)</p>

DEP_Q26V	<p>Did you feel totally worthless nearly every day?</p> <p>1 Yes (KEY_PHRASE = feeling worthless)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26W	<p>Did you feel guilty nearly every day?</p> <p>1 Yes (KEY_PHRASE = feeling guilty every day)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26X	<p>Did you feel irritable, grouchy or in a bad mood nearly every day?</p> <p>1 Yes (KEY_PHRASE = feeling grouchy)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26Y	<p>Did you feel nervous or anxious most days?</p> <p>1 Yes (KEY_PHRASE = feeling nervous or anxious)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26Z	<p>During that period of 2 weeks or longer, did you have any sudden attacks of intense fear or panic?</p> <p>1 Yes (KEY_PHRASE = having attacks of fear or panic)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26ZFF	<p>Did you feel that you could not cope with your everyday responsibilities?</p> <p>1 Yes (KEY_PHRASE = feeling you couldn't cope with your responsibilities)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26ZGG	<p>Did you feel like you wanted to be alone rather than spend time with friends or relatives?</p> <p>1 Yes (KEY_PHRASE = wanting to be alone)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26ZHH	<p>Did you feel less talkative than usual?</p> <p>1 Yes (KEY_PHRASE = feeling less talkative)</p> <p>2 No</p> <p>DK, RF</p>

DEP_Q26ZII	<p>Were you often in tears?</p> <p>1 Yes (KEY_PHRASE = being often in tears)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26AA	<p>Did you often think a lot about death, either your own, someone else's or death in general?</p> <p>1 Yes (KEY_PHRASE = thinking about death)</p> <p>2 No</p> <p>DK, RF</p>
DEP_Q26BB	<p>During that period, did you ever think that it would be better if you were dead?</p> <p>1 Yes (KEY_PHRASE = thinking you were better dead)</p> <p>2 No</p> <p>DK, RF</p>
DEP_B27	Call Suicide block (SUI).
Content type:	<p>NOTE TO DATA USERS:</p> <p>The Suicide (SUI) sub-block is triggered here. All respondents in the survey will be sent here, as all will receive the suicide questions. Some respondents will enter the SUI module after they have gone through the previous depression questions, while respondents who do not meet the depression criteria will directly go to the suicide questions (note the flows in the previous questions that send respondents to DEP_B27).</p>
DEP_D27A	
Programmer:	<p>Set count of DEP_D27A = 0.</p> <p>If any of DEP_Q24A through DEP_Q24F = 1 (Yes), DEP_D27A = DEP_D27A + 1.</p> <p>For each 1 (Yes) in DEP_Q26A, DEP_Q26B, DEP_Q26G, DEP_Q26H, DEP_Q26I, DEP_Q26J, DEP_Q26K, DEP_Q26L, DEP_Q26M, DEP_Q26N, DEP_Q26O, DEP_Q26P, DEP_Q26Q, DEP_Q26R, DEP_Q26S, DEP_Q26T, DEP_Q26U, DEP_Q26V, DEP_Q26W, DEP_Q26X, DEP_Q26Y, DEP_Q26Z, DEP_Q26ZFF, DEP_Q26ZGG, DEP_Q26ZHH, DEP_Q26ZII, DEP_Q26AA, DEP_Q26BB, SUI_Q01, SUI_Q04A, SUI_Q06A, DEP_D27A = DEP_D27A + 1.</p> <p>For each 2 (No) in DEP_Q26C_1 and DEP_Q26E_1, DEP_D27A = DEP_D27A + 1.</p> <p>(min 0; max 34)</p>
DEP_D27B	
Programmer:	<p>If SUI_Q01 = 1, KEY_PHRASE = having EXPERIENCE A</p> <p>If SUI_Q04A = 1, KEY_PHRASE = having EXPERIENCE B</p> <p>If SUI_Q06A = 1, KEY_PHRASE = having EXPERIENCE C</p>
DEP_C27	<p>If DEP_D27A >= 5, go to DEP_C28.</p> <p>Otherwise, go to DEP_END.</p>

Content type:	NOTE TO DATA USERS: The condition DEP_C27 is a checkpoint to see if the respondent has said yes to at least 5 of the key questions above. If they did not, then they do not meet the criteria for the major depressive episode derived variable and are sent to the end of the module.																		
DEP_C28	If SUI_Q01 = 1 (Yes) or SUI_Q02 = 1 (Yes), go to DEP_Q28B. Otherwise, go to DEP_Q28A.																		
DEP_Q28A	<p>You mentioned having a number of the problems that I just asked you about.</p> <p>During that episode, how much did your feelings of being ^DT_KEYPHRASE3 and having these other problems interfere with either your work, your social life or your personal relationships?</p> <p><u>INTERVIEWER</u>: Read categories to respondent. If respondent does not remember the problems, press <Ctrl D> to show the list of situations.</p> <table><tr><td>1</td><td>Not at all</td><td>(Go to DEP_Q29A)</td></tr><tr><td>2</td><td>A little</td><td>(Go to DEP_Q28C)</td></tr><tr><td>3</td><td>Some</td><td>(Go to DEP_Q28C)</td></tr><tr><td>4</td><td>A lot</td><td>(Go to DEP_Q28C)</td></tr><tr><td>5</td><td>Extremely</td><td>(Go to DEP_Q28C)</td></tr><tr><td colspan="2">DK, RF</td><td>(Go to DEP_Q28C)</td></tr></table>	1	Not at all	(Go to DEP_Q29A)	2	A little	(Go to DEP_Q28C)	3	Some	(Go to DEP_Q28C)	4	A lot	(Go to DEP_Q28C)	5	Extremely	(Go to DEP_Q28C)	DK, RF		(Go to DEP_Q28C)
1	Not at all	(Go to DEP_Q29A)																	
2	A little	(Go to DEP_Q28C)																	
3	Some	(Go to DEP_Q28C)																	
4	A lot	(Go to DEP_Q28C)																	
5	Extremely	(Go to DEP_Q28C)																	
DK, RF		(Go to DEP_Q28C)																	
DEP_Q28B	<p>Earlier, you mentioned having a number of problems during the period of <u>2 weeks or longer</u> when your feelings of being ^DT_KEYPHRASE3 were most <u>frequent</u> and <u>severe</u>. During that episode, how much did your feelings of being ^DT_KEYPHRASE3 and having these other problems interfere with either your work, your social life or your personal relationships?</p> <p><u>INTERVIEWER</u>: Read categories to respondent. If respondent does not remember the problems, press <Ctrl D> to show the list of situations.</p> <table><tr><td>1</td><td>Not at all</td><td>(Go to DEP_Q29A)</td></tr><tr><td>2</td><td>A little</td><td></td></tr><tr><td>3</td><td>Some</td><td></td></tr><tr><td>4</td><td>A lot</td><td></td></tr><tr><td>5</td><td>Extremely</td><td></td></tr><tr><td colspan="2">DK, RF</td><td></td></tr></table>	1	Not at all	(Go to DEP_Q29A)	2	A little		3	Some		4	A lot		5	Extremely		DK, RF		
1	Not at all	(Go to DEP_Q29A)																	
2	A little																		
3	Some																		
4	A lot																		
5	Extremely																		
DK, RF																			
DEP_Q28C	<p>During that episode, how often were you unable to carry out your daily activities because of your feelings of being ^DT_KEYPHRASE3?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <table><tr><td>1</td><td>Often</td><td></td></tr><tr><td>2</td><td>Sometimes</td><td></td></tr><tr><td>3</td><td>Rarely</td><td></td></tr><tr><td>4</td><td>Never</td><td></td></tr><tr><td colspan="2">DK, RF</td><td></td></tr></table>	1	Often		2	Sometimes		3	Rarely		4	Never		DK, RF					
1	Often																		
2	Sometimes																		
3	Rarely																		
4	Never																		
DK, RF																			
DEP_Q29A	<p>Episodes of this sort sometimes occur as a result of a physical illness or injury or the use of medication, drugs or alcohol. Do you think your episodes of feeling ^DT_KEYPHRASE3 <u>ever</u> occurred as the result of physical causes, medication, drugs or alcohol?</p> <table><tr><td>1</td><td>Yes</td><td></td></tr><tr><td>2</td><td>No</td><td>(Go to DEP_Q30A)</td></tr><tr><td colspan="2">DK, RF</td><td>(Go to DEP_Q30A)</td></tr></table>	1	Yes		2	No	(Go to DEP_Q30A)	DK, RF		(Go to DEP_Q30A)									
1	Yes																		
2	No	(Go to DEP_Q30A)																	
DK, RF		(Go to DEP_Q30A)																	

DEP_Q29B

Do you think your episodes were always the result of physical causes, medication, drugs or alcohol?

- 1 Yes
- 2 No (Go to DEP_Q30A)
- DK, RF (Go to DEP_Q30A)

DEP_Q29C

What were the causes?

INTERVIEWER: Mark all that apply.

- 01 Exhaustion
- 02 Hyperventilation
- 03 Hypochondria
- 04 Menstrual cycle
- 05 Pregnancy / postpartum
- 06 Thyroid disease
- 07 Cancer
- 08 Overweight
- 09 Medication (excluding illicit drugs)
- 10 Illicit drugs
- 11 Alcohol
- 12 Chemical Imbalance / Serotonin Imbalance
- 13 Chronic Pain
- 14 Caffeine
- 15 No specific diagnosis
- 16 Accident / Injury
- 17 Emotional, social or economic reason
- 18 Other - Specify (Go to DEP_S29C)
- DK, RF

Go to DEP_Q30A

DEP_S29C

What were the causes?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

DEP_E29C

A response of "Pregnancy / postpartum" or "Menstrual cycle" is invalid for a male respondent. Please return and correct.

Rule :

Trigger hard edit if SEX_Q01 = 1 and (DEP_Q29C = 4 or 5).

DEP_Q30A

Did your episodes of feeling ^DT_KEYPHRASE3 ever occur just after someone close to you died?

- 1 Yes
- 2 No (Go to DEP_R31)
- DK, RF (Go to DEP_R31)

DEP_Q30B	<p>Did your episodes of feeling ^DT_KEYPHRASE3 <u>always</u> occur just after someone close to you died?</p> <p>1 Yes 2 No DK, RF</p>
DEP_R31	<p>In the next questions, the word "episode" means a period lasting 2 weeks or longer when, nearly every day, you were ^DT_KEYPHRASE3 and you also had some of the other problems we just mentioned. The end of an episode is when you no longer have the problems for two weeks in a row.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
DEP_Q31	<p>During your life, how many episodes of feeling ^DT_KEYPHRASE3 with some other problems lasting <u>two weeks or longer</u> have you ever had?</p> <p><u>INTERVIEWER</u>: Minimum is 1; maximum is 901. If respondent answers more than 900 episodes, enter "900". If respondent answers "More than I can remember", enter "901".</p> <p>(MIN: 1) (MAX: 901)</p> <p>DK, RF</p>
DEP_C31	<p>If DEP_Q31 = 1, go to DEP_Q37. Otherwise, go to DEP_Q38A.</p>
DEP_Q37	<p>Was that episode brought on by some stressful experience or did it happen out of the blue?</p> <p>1 Brought on by stress 2 Out of the blue 3 Don't remember DK, RF</p>
DEP_Q38A	<p>At any time in the past 12 months, did you have an episode lasting 2 weeks or longer when you felt ^DT_KEYPHRASE3 and also had some of the other problems already mentioned?</p> <p><u>INTERVIEWER</u>: If respondent does not remember the problems, press <Ctrl D> to show the list of situations.</p> <p>1 Yes 2 No (Go to DEP_C38C) DK, RF (Go to DEP_C38C)</p>
DEP_Q38A_1	<p>How recently was it?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 During the past month 2 Between 1 and 6 months ago 3 More than 6 months ago DK, RF</p>

DEP_Q38B	<p>During the past 12 months, about how many days out of 365 were you in such an episode? (You may use any number between 1 and 365 to answer.)</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF</p> <p>Go to DEP_C39</p>
DEP_C38C	<p>If DEP_Q31 = 1, go to DEP_C39. Otherwise, go to DEP_Q38C.</p>
DEP_Q38C	<p>How old were you the <u>last</u> time you had one of these episodes?</p> <p><u>INTERVIEWER</u>: Minimum is 0; Maximum is \wedge(DV_AGE - 1).</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
DEP_E38C	<p>The entered age is invalid. Please return and correct.</p>
Rule :	<p>Trigger hard edit if DEP_Q38C > DV_AGE - 1.</p>
DEP_C39	<p>If DEP_Q31 = 1, go to DEP_C62. Otherwise, go to DEP_Q39.</p>
DEP_Q39	<p>What is the <u>longest</u> episode you ever had when, most of the day, nearly everyday, you were feeling \wedgeDT_KEYPHRASE3 and you also had some of the other problems we just mentioned?</p> <p><u>INTERVIEWER</u>: If respondent does not remember the problems, press <Ctrl D> to show the list of problems. If the episode is ongoing, enter how long it has lasted to date.</p> <p>(MIN: 1) (MAX: 900)</p> <p>DK, RF (Go to DEP_D53)</p>
Content type:	<p>NOTE TO DATA USERS: At this point respondents with only one episode will be skipped passed this question and some of the following questions, as data on age and duration has already been collected on that one episode in earlier parts of the module (see DEP_Q22A to DEP_N23C).</p>
DEP_N39_1	<p><u>INTERVIEWER</u>: Was that in days, weeks, months or years?</p> <p>1 Days 2 Weeks 3 Months 4 Years (DK, RF not allowed)</p> <p>Go to DEP_D53</p>
DEP_E39_1	<p>An unusual value has been entered. Please confirm or return and change the reporting unit.</p>
Rule :	<p>Trigger soft edit if (DEP_Q39 > 365 and DEP_N39_1 = 1) or (DEP_Q39 > 52 and DEP_N39_1 = 2) or (DEP_Q39 > 24 and DEP_N39_1 = 3).</p>

DEP_E39_2	The reported number of years is invalid, please return and correct.
Rule :	Trigger hard edit if DEP_N39_1 = 4 and (DEP_Q39 > DV_AGE).
DEP_E39_3	Respondent previously reported the episode lasted at least 2 weeks. The minimum length of time is 2 weeks or 14 days, please return and correct.
Rule :	Trigger hard edit if (DEP_Q39 = 1 and DEP_N39_1 = 2) or (DEP_Q39 < 14 and DEP_N39_1 = 1).
DEP_D53	If 1 <= DEP_Q31 < 100, DT_SEVERAL = "^DEP_Q31". Otherwise, DT_SEVERAL = "several".
DEP_Q53	Earlier, you mentioned that you had ^DT_SEVERAL episode(s) of feeling ^DT_KEYPHRASE3 with some other problems lasting 2 weeks or longer in your life. How many of these episodes were brought on by some stressful experience? <u>INTERVIEWER:</u> Minimum is 0; maximum is ^DEP_Q31. If respondent answers "All of my episodes", enter ^DEP_Q31. (MIN: 0) (MAX: 901) DK, RF
DEP_E53	The respondent reported that the number of episodes brought on by a stressful experience is greater than the total number of episodes. Please return and correct.
Rule :	Trigger hard edit if DEP_Q53 > DEP_Q31) and (DEP_Q31 <> DK, RF).
DEP_C62	If DEP_Q38A = 1 (Yes), go to DEP_R64A. Otherwise, go to DEP_C71.
DEP_R64A	For the next questions, think about the period of 2 weeks or longer during the <u>past 12 months</u> when your feelings of being ^DT_KEYPHRASE3 were most <u>severe and frequent</u>. <u>INTERVIEWER:</u> Press <1> to continue.
DEP_Q64A	During this period, how often did you feel cheerful? <u>INTERVIEWER:</u> Read categories to respondent. 1 Often 2 Sometimes 3 Occasionally 4 Never DK, RF
DEP_Q64B	How often did you feel as if you were slowed down? <u>INTERVIEWER:</u> Read categories to respondent. 1 Often 2 Sometimes 3 Occasionally 4 Never DK, RF

DEP_Q64C	<p>How often could you enjoy a good book or radio or TV program?</p> <p>1 Often 2 Sometimes 3 Occasionally 4 Never DK, RF</p>
DEP_Q65A	<p>During this period, how often did you still enjoy the things you used to enjoy?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 As much as usual 2 Not quite as much as usual 3 Only a little 4 Not at all DK, RF</p>
DEP_Q65B	<p>How often could you laugh and see the bright side of things?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 As much as usual 2 Not quite as much as usual 3 Only a little 4 Not at all DK, RF</p>
DEP_Q65C	<p>How often did you take interest in your physical appearance?</p> <p>1 As much as usual 2 Not quite as much as usual 3 Only a little 4 Not at all DK, RF</p>
DEP_Q65D	<p>How often did you look forward to enjoying things?</p> <p>1 As much as usual 2 Not quite as much as usual 3 Only a little 4 Not at all DK, RF</p>
DEP_R66	<p>(Please refer to page 3 of the booklet.)</p> <p>Think about the period of time that lasted <u>one month or longer</u> when your feelings of being ^DT_KEYPHRASE1 were most severe in the <u>past 12 months</u>. Please tell me what number best describes how much these feelings interfered with each of the following activities. For each activity, answer with a number between 0 and 10; 0 means "<u>no</u> interference" while 10 means "<u>very severe</u> interference".</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>

DEP_Q66A

In the past 12 months, how much did your feelings of being ^DT_KEYPHRASE1 interfere with your home responsibilities, like cleaning, shopping and taking care of the house or apartment?

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

DEP_Q66B_1

How much did your feelings interfere with your ability to attend school?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

DEP_Q66B_2

How much did they interfere with your ability to work at a job?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

DEP_Q66C

Again thinking about that period of time lasting one month or longer during the past 12 months when your feelings of being ^DT_KEYPHRASE1 were most severe, how much did they interfere with your ability to form and maintain close relationships with other people? (Remember that 0 means "no interference" and 10 "very severe interference".)

0 No interference
 01 |
 02 |
 03 |
 04 |
 05 |
 06 |
 07 |
 08 |
 09 V
 10 Very severe interference
 DK, RF

DEP_Q66D

How much did they interfere with your social life?

0 No interference
 01 |
 02 |
 03 |
 04 |
 05 |
 06 |
 07 |
 08 |
 09 V
 10 Very severe interference
 DK, RF

DEP_C67

If (DEP_Q66A, DEP_Q66B_1, DEP_Q66B_2, DEP_Q66C and DEP_Q66D) = 0 (no interference) or = 11 (not applicable) or DK, RF, go to DEP_C71.
 Otherwise, go to DEP_Q68.

DEP_Q68

In the past 12 months, about how many days out of 365 were you totally unable to work or carry out your normal activities because of your feelings of being ^DT_KEYPHRASE1? (You may use any number between 0 and 365 to answer.)

(MIN: 0) (MAX: 365)

DK, RF

DEP_C71

If SUI_Q16 = 1 (Yes) or SUI_Q19 = 1 (Yes), go to DEP_C87.
 Otherwise, go to DEP_Q72.

DEP_Q72

Did you ever in your life see, or talk on the telephone to, a medical doctor or other professional about your feelings of being ^DT_KEYPHRASE1? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

1 Yes
 2 No (Go to DEP_END)
 DK, RF (Go to DEP_END)

DEP_Q86	<p>During the past 12 months, did you receive professional treatment for your feelings of being ^DT_KEYPHRASE1?</p> <p>1 Yes 2 No DK, RF</p>
DEP_C87	<p>If SUI_Q13 = 1 (Yes), go to DEP_END. Otherwise, go to DEP_Q87.</p>
DEP_Q87	<p>During your life, were you <u>ever</u> hospitalized overnight for your feelings of being ^DT_KEYPHRASE1?</p> <p>1 Yes 2 No DK, RF</p>
DEP_END	

Suicide - sub block (SUI)

1 - Copied
Version - 1001

SUI_BEG

Content block

External variables required:

FNAME: first name of respondent from household block.

DT_KEYPHRASE3: from DEP module

DEP_Q26A: from the DEP module

DV_AGE: age of selected respondent from ANC block.

SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block.

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

NOTE TO DATA USERS:

All respondents are asked the SUI module. However, the introduction and first question will be worded differently if the respondent has answered the majority of the previous depression questions. The question DEP_Q26A determines this, as having gotten to this question (regardless of the answer) indicates that they are still eligible to continue with the depression module.

SUI_C01

If DEP_Q26A = 1, 2, DK, RF (respondent answered Q26 series of questions), go to SUI_R01.
Otherwise, go to SUI_R02.

SUI_R01

(Please refer to page 4 of the booklet.)**Three experiences are listed, EXPERIENCE A, B and C.**INTERVIEWER: Press <1> to continue.

SUI_Q01

Think of the period of 2 weeks or longer when your feelings of being ^DT_KEYPHRASE3 and other problems were most severe and frequent. During that time, did EXPERIENCE A happen to you?

INTERVIEWER: EXPERIENCE A is "You seriously thought about committing suicide or taking your own life."

1 Yes (Go to SUI_Q03)

2 No (Go to SUI_Q02)

DK, RF (Go to SUI_END)

SUI_R02

(Please refer to page 4 of the booklet.)

The following questions may be sensitive to some people, but we have to ask the same questions of everyone. Three experiences are listed, EXPERIENCE A, B and C.

INTERVIEWER: Press <1> to continue.

SUI_Q02	<p>Has EXPERIENCE A <u>ever</u> happened to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE A is "You seriously thought about committing suicide or taking your own life."</p> <p>1 Yes (Go to SUI_Q03) 2 No (Go to SUI_END) DK, RF (Go to SUI_END)</p>
SUI_Q03	<p>In the past 12 months, did EXPERIENCE A happen to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE A is "You seriously thought about committing suicide or taking your own life."</p> <p>1 Yes (Go to SUI_C04) 2 No DK, RF</p>
SUI_Q03_1	<p>How old were you the <u>last</u> time this experience happened to you?</p> <p><u>INTERVIEWER</u>: Minimum is 6; maximum is (^DV_AGE - 1). (MIN: 6) (MAX: 129)</p> <p>DK, RF</p>
SUI_E03_1	<p>The age entered is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if SUI_Q03_1 > (DV_AGE - 1).</p>
SUI_C04	<p>If SUI_Q01 = 1, go to SUI_Q04A. Otherwise, go to SUI_D04B.</p>
SUI_Q04A	<p>Now look at the second experience on the list, EXPERIENCE B. During that period of <u>2 weeks or longer</u>, did EXPERIENCE B happen to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE B is "You made a plan for committing suicide."</p> <p>1 Yes (Go to SUI_Q05) 2 No DK, RF</p>
SUI_D04B	<p>If SUI_Q04A = 2, DK, RF, DT_NODEPB = "empty". Otherwise, DT_NODEPB = "Now look at the second of the three experiences on the list, EXPERIENCE B."</p>
SUI_Q04B	<p>^DT_NODEPB Did EXPERIENCE B <u>ever</u> happen to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE B is "You made a plan for committing suicide."</p> <p>1 Yes (Go to SUI_Q05) 2 No (Go to SUI_C06) DK, RF (Go to SUI_C06)</p>
SUI_Q05	<p>Did EXPERIENCE B happen to you at any time in the past 12 months?</p> <p><u>INTERVIEWER</u>: EXPERIENCE B is "You made a plan for committing suicide."</p> <p>1 Yes (Go to SUI_C06) 2 No DK, RF</p>

SUI_Q05_1	<p>How old were you the <u>last</u> time EXPERIENCE B happened to you?</p> <p><u>INTERVIEWER</u>: Minimum is 6; maximum is (^DV_AGE - 1).</p> <p>(MIN: 6) (MAX: 129)</p> <p>DK, RF</p>
SUI_E05_1	<p>The age entered is invalid, please return and correct</p>
Rule :	<p>Trigger hard edit if SUI_Q05_1 > (DV_AGE - 1)</p>
SUI_C06	<p>If SUI_Q01 = 1, go to SUI_Q06A. Otherwise, go to SUI_D06B.</p>
SUI_Q06A	<p>Now, look at the third experience on the list, EXPERIENCE C. During that period of <u>2 weeks or longer</u>, did EXPERIENCE C happen to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE C is "You attempted suicide or tried to take your own life."</p> <p>1 Yes (Go to SUI_Q06C) 2 No DK, RF</p>
SUI_D06B	<p>If SUI_Q06A = 2, DK, RF, DT_NODEPC = "empty". Otherwise, DT_NODEPC = "Now look at the third of the three experiences on the list, EXPERIENCE C."</p>
SUI_Q06B	<p>^DT_NODEPC Has EXPERIENCE C <u>ever</u> happened to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE C is "You attempted suicide or tried to take your own life."</p> <p>1 Yes 2 No (Go to SUI_C14) DK, RF (Go to SUI_C14)</p>
SUI_Q06C	<p>How many times did EXPERIENCE C ever happen to you in your lifetime?</p> <p><u>INTERVIEWER</u>: Minimum is 1; maximum is 901. If respondent answers more than 900 times, enter "900". If respondent answers "More than I can remember", enter "901".</p> <p>(MIN: 1) (MAX: 901)</p> <p>DK, RF</p>
SUI_E06C	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if SUI_Q06C > 50 and SUI_Q06C < 901.</p>
SUI_D06C	<p>If SUI_Q06C = 1, DT_WHENLAST = "when". Otherwise, DT_WHENLAST = "the <u>last</u> time".</p>

SUI_Q10	<p>During the <u>last 12 months</u>, did EXPERIENCE C happen to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE C is "You attempted suicide or tried to take your own life."</p> <p>1 Yes (Go to SUI_Q11) 2 No DK, RF</p>
SUI_Q10_1	<p>How old were you ^DT_WHENLAST EXPERIENCE C happened to you?</p> <p><u>INTERVIEWER</u>: EXPERIENCE C is "You attempted suicide or tried to take your own life." Minimum is 6; maximum is (^DV_AGE - 1). (MIN: 6) (MAX: 129) DK, RF</p>
SUI_E10_1	<p>The age entered is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if SUI_Q10_1 > (DV_AGE - 1).</p>
SUI_Q11	<p>Did it result in an injury or poisoning?</p> <p><u>INTERVIEWER</u>: If more than one attempt, ask about the most recent one.</p> <p>1 Yes 2 No (Go to SUI_C14) DK, RF</p>
SUI_Q12	<p>Did it require medical attention (following the most recent time EXPERIENCE C happened to you)?</p> <p><u>INTERVIEWER</u>: EXPERIENCE C is "You attempted suicide or tried to take your own life." If more than one attempt, ask about the most recent one.</p> <p>1 Yes 2 No (Go to SUI_C14) DK, RF (Go to SUI_C14)</p>
SUI_Q13	<p>Were you hospitalized overnight or longer (following this most recent time since EXPERIENCE C happened to you)?</p> <p><u>INTERVIEWER</u>: EXPERIENCE C is "You attempted suicide or tried to take your own life." If more than one attempt, ask about the most recent one.</p> <p>1 Yes 2 No DK, RF</p>
SUI_C14	<p>If SUI_Q10 = 1, go to SUI_Q19. Otherwise, go to SUI_C15.</p>
SUI_C15	<p>If SUI_Q03 = 1, go to SUI_Q16. Otherwise, go to SUI_END.</p>

SUI_Q16

During the past 12 months, have you seen, or talked on the telephone to, a professional about EXPERIENCE A?

INTERVIEWER: EXPERIENCE A is "You seriously thought about committing suicide or taking your own life."

1 Yes

2 No

DK, RF

Go to SUI_END

SUI_Q19

During the past 12 months, have you seen, or talked on the telephone to, a professional about EXPERIENCE A or EXPERIENCE C?

INTERVIEWER: EXPERIENCE A is "You seriously thought about committing suicide or taking your own life."

EXPERIENCE C is "You attempted suicide or tried to take your own life."

1 Yes

2 No

DK, RF

SUI_END

Mania (MIA)

1 - Copied
Version - 1001

MIA_BEG	<p>Content block</p> <p>External variables required:</p> <p>FNAME: first name of respondent from household block. DOMIA: do block flag, from the sample file. DV_AGE: age of respondent from ANC block. SCR_Q24: from the SCR module SCR_Q25B: from the SCR module SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
Programmer:	For the KEY PHRASES that are associated with MIA_Q04 and MIA_Q07A to MIA_Q07O, please create a parallel block to display the list of KEY PHRASES that can be triggered at any point during the module by pressing <CTRL M>. Only the KEY PHRASES for questions that the respondent reported "Yes" for will be displayed.
Content type:	<p>NOTE TO DATA USERS:</p> <p>There are two different ways to enter the Mania module, as described in the two conditions below. The flow is based on the responses to two screener questions: SCR_Q24 (feelings of being "excited and full of energy") and SCR_Q25B (feelings of being "irritable or grouchy"). Based on their responses to the two screener questions, respondents will get one of the two following sets of questions at the beginning of the module:</p> <ul style="list-style-type: none"> - If SRC_Q24 = 1 (independent of the answer in SCR_Q25B), respondents will go to the set of questions regarding feelings of being "excited and full of energy" (MIA_R01 to MIA_N03D). - If SCR_Q25B = 1 and (SCR_Q24 = 2 or MIA_Q01 = 2), respondents will go to the set of questions regarding feelings of being "irritable or grouchy" (MIA_R05 to MIA_N06D).
MIA_C01A	If DOMIA = 1, go to MIA_C01B. Otherwise, go to MIA_END.
MIA_C01B	If SCR_Q24 = 1 (Yes), go to MIA_R01. Otherwise, go to MIA_C01C.
MIA_C01C	If SCR_Q25B = 1 (Yes), go to MIA_R05. Otherwise, go to MIA_END.
MIA_R01	<p>Earlier, you mentioned having a period lasting several days or longer when you felt much more excited and full of energy than usual. During this same period, your mind also went too fast.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>

MIA_E03B_1	The reported number of years is invalid, please return and correct.
Rule :	Trigger hard edit if MIA_N03B = 5 and MIA_Q03B > DV_AGE.
MIA_Q03C	Then think of the <u>most recent</u> time you had an episode like this. How old were you when that most recent episode occurred?
	<u>INTERVIEWER</u> : Minimum is 0; maximum is ^DV_AGE.
	(MIN: 0) (MAX: 130)
	DK, RF
MIA_E03C	The reported age is invalid, please return and correct.
Rule :	Trigger hard edit if MIA_Q03C > DV_AGE.
MIA_Q03D	How long did that episode last (in terms of hours, days, weeks, months or years)?
	<u>INTERVIEWER</u> : If the episode is ongoing, enter how long it has lasted to date.
	(MIN: 1) (MAX: 900)
	DK, RF (Go to MIA_R04)
MIA_N03D	<u>INTERVIEWER</u> : Was that in hours, days, weeks, months or years?
	1 Hours
	2 Days
	3 Weeks
	4 Months
	5 Years
	(DK, RF not allowed)
	Go to MIA_R04
MIA_E03D	An unusual value has been entered. Please confirm or return and change the reporting unit.
Rule :	Trigger soft edit if (MIA_Q03D > 24 and MIA_N03D = 1) or (MIA_Q03D > 365 and MIA_N03D = 2) or (MIA_Q03D > 52 and MIA_N03D = 3) or (MIA_Q03D > 24 and MIA_N03D = 4).
MIA_E03D_1	The reported number of years is invalid, please return and correct.
Rule :	Trigger hard edit if MIA_N03D = 5 and MIA_Q03D > DV_AGE.
MIA_R04	During that episode, tell me which of the following changes you experienced.
	<u>INTERVIEWER</u> : Press <1> to continue.
MIA_Q04	Were you so irritable or grouchy that you started arguments, shouted at people or hit people?
	1 Yes (KEY_PHRASE = being irritable or grouchy)
	2 No
	DK, RF
	Go to MIA_Q07A

MIA_E06B	An unusual value has been entered. Please confirm or return and change the reporting unit.
Rule :	Trigger soft edit if (MIA_Q06B > 24 and MIA_N06B = 1) or (MIA_Q06B > 365 and MIA_N06B = 2) or (MIA_Q06B > 52 and MIA_N06B = 3) or (MIA_Q06B > 24 and MIA_N06B = 4).
MIA_E06B_1	The reported number of years is invalid, please return and correct.
Rule :	Trigger hard edit if MIA_N06B = 5 and MIA_Q06B > DV_AGE.
MIA_Q06C	Then think of the <u>most recent</u> time you had an episode like this. How old were you when that most recent episode occurred? <u>INTERVIEWER:</u> Minimum is 0; maximum is ^DV_AGE. (MIN: 0) (MAX: 130) DK, RF
MIA_E06C	The reported age is invalid, please return and correct.
Rule :	Trigger hard edit if MIA_Q06C > DV_AGE.
MIA_Q06D	How long did that episode last (in terms of hours, days, weeks, months or years)? <u>INTERVIEWER:</u> If the episode is ongoing, enter how long it has lasted to date. (MIN: 1) (MAX: 900) DK, RF (Go to MIA_R07)
MIA_N06D	<u>INTERVIEWER:</u> Was that in hours, days, weeks, months or years? 1 Hours 2 Days 3 Weeks 4 Months 5 Years (DK, RF not allowed)
MIA_E06D	An unusual value has been entered. Please confirm or return and change the reporting unit.
Rule :	Trigger soft edit if (MIA_Q06D > 24 and MIA_N06D = 1) or (MIA_Q06D > 365 and MIA_N06D = 2) or (MIA_Q06D > 52 and MIA_N06D = 3) or (MIA_Q06D > 24 and MIA_N06D = 4).
MIA_E06D_1	The reported number of years is invalid, please return and correct.
Rule :	Trigger hard edit if MIA_N06D = 5 and MIA_Q06D > DV_AGE.
MIA_R07	During that episode, tell me which of the following changes you experienced. <u>INTERVIEWER:</u> Press <1> to continue.

MIA_Q07A	<p>Did you become so restless or fidgety that you paced up and down or couldn't stand still?</p> <p>1 Yes (KEY_PHRASE = being restless) 2 No DK, RF</p>
MIA_Q07B	<p>Did you become overly friendly or outgoing with people?</p> <p>1 Yes (KEY_PHRASE = becoming overly friendly or outgoing with people) 2 No DK, RF</p>
MIA_Q07C	<p>Did you behave in any other way that you would ordinarily think is inappropriate, like talking about things you would normally keep private or acting in ways that you would usually find embarrassing?</p> <p>1 Yes (KEY_PHRASE = behaving inappropriately) 2 No DK, RF</p>
MIA_Q07D	<p>Were you a lot more interested in sex than usual, or did you want to have sexual encounters with people you wouldn't ordinarily be interested in?</p> <p>1 Yes (KEY_PHRASE = having a lot more interest in sex than usual) 2 No DK, RF</p>
MIA_Q07E	<p>Did you try to do things that were impossible to do, like taking on large amounts of work?</p> <p>1 Yes (KEY_PHRASE = trying to accomplish unrealistic goals) 2 No DK, RF</p>
MIA_Q07F	<p>Did you talk a lot more than usual or feel a need to keep talking all the time?</p> <p>1 Yes (KEY_PHRASE = talking a lot more than usual) 2 No DK, RF</p>
MIA_Q07G	<p>Did you constantly keep changing your plans or activities?</p> <p>1 Yes (KEY_PHRASE = constantly changing plans) 2 No DK, RF</p>

MIA_Q07H	<p>Were you so easily distracted that any little interruption could get your thinking "off track"?</p> <p>1 Yes (KEY_PHRASE = being easily distracted)</p> <p>2 No</p> <p>DK, RF</p>
MIA_Q07I	<p>Did your thoughts seem to jump from one thing to another or race through your head so fast that you couldn't keep track of them?</p> <p>1 Yes (KEY_PHRASE = having thoughts racing in your mind)</p> <p>2 No</p> <p>DK, RF</p>
MIA_Q07J	<p>Did you sleep far less than usual and still not get tired or sleepy?</p> <p>1 Yes (KEY_PHRASE = sleeping far less than usual)</p> <p>2 No</p> <p>DK, RF</p>
MIA_Q07K	<p>Did you get involved in foolish investments or schemes for making money?</p> <p>1 Yes (KEY_PHRASE = getting involved in foolish schemes)</p> <p>2 No</p> <p>DK, RF</p>
MIA_Q07L	<p>Did you spend so much more money than usual that it caused you to have financial trouble?</p> <p>1 Yes (KEY_PHRASE = getting into financial trouble)</p> <p>2 No</p> <p>DK, RF</p>
MIA_Q07M	<p>Were you interested in seeking pleasure in ways that you would usually consider risky, like having casual or unsafe sex, going on buying sprees or driving recklessly?</p> <p>1 Yes (KEY_PHRASE = doing risky things)</p> <p>2 No</p> <p>DK, RF</p>
MIA_Q07N	<p>Did you have a greatly exaggerated sense of self-confidence or believe you could do things you really couldn't do?</p> <p>1 Yes (KEY_PHRASE = having too much self-confidence)</p> <p>2 No</p> <p>DK, RF</p>

MIA_Q07O	<p>Did you have the idea that you were actually someone else, or that you had a special connection with a famous person that you really didn't have?</p> <p>1 Yes (KEY_PHRASE = believing you were someone else or somehow connected to a famous person)</p> <p>2 No</p> <p>DK, RF</p>
MIA_D08A	
Programmer:	<p>Set count of DV_MIA_D08A = 0.</p> <p>For each 1 (Yes) in (MIA_Q07A, MIA_Q07B, MIA_Q07C, MIA_Q07D, MIA_Q07E, MIA_Q07F, MIA_Q07G, MIA_Q07H, MIA_Q07I, MIA_Q07J, MIA_Q07K, MIA_Q07L, MIA_Q07M, MIA_Q07N, MIA_Q07O)</p> <p>DV_MIA_D08A = DV_MIA_D08A + 1. (min: 0, max: 15)</p>
MIA_C08A	<p>If DV_MIA_D08A >= 3, go to MIA_D08B. Otherwise, go to MIA_END.</p>
Content type:	<p>NOTE TO DATA USERS: The condition MIA_C08A is a checkpoint to see if the respondent has said yes to at least 3 of the key questions above. If they did not, then they do not meet the criteria for the manic episode derived variable and are sent to the end of the module.</p>
MIA_D08B	<p>If MIA_Q01 = 1, DT_EXIRR = "excited and full of energy". If MIA_Q05A = 1, DT_EXIRR = "irritable or grouchy".</p>
MIA_Q08	<p>How many episodes lasting <u>several days or longer</u> have you ever had when you felt ^DT_EXIRR and also had some other problems we just mentioned?</p> <p><u>INTERVIEWER</u>: Minimum is 1; maximum is 901. If respondent answers more than 900 episodes, enter "900". If respondent answers "More than I can remember", enter "901".</p> <p>(MIN: 1) (MAX: 901)</p> <p>DK, RF</p>
Content type:	<p>NOTE TO DATA USERS: If the respondent reports only 1 episode, then the flow for several of the subsequent questions will be different as information on this episode has already been collected at the beginning of the module. As well, text for some other questions will change to refer to one or multiple episodes (see dynamic text in MIA_D09A).</p>
MIA_D09A	<p>If MIA_Q08 = 1, DT_EPISODE = "episode". If MIA_Q08 >= 2, DK, RF, DT_EPISODE = "episodes". If MIA_Q08 = 1, DT_ANEP = "an episode". If MIA_Q08 >= 2, DK, RF, DT_ANEP = "episodes". If MIA_Q08 = 1,, DT_THATEP = "that episode". If MIA_Q08 >= 2, DK, RF, DT_THATEP = "these episodes". If MIA_Q08 = 1, DT_EPEVER = "episode". If MIA_Q08 >= 2, DK, RF, DT_EPEVER = "episodes <u>ever</u>".</p>

MIA_D09B	<p>If MIA_Q07A = 1, DT_MIA7A = "being restless". If MIA_Q07B = 1, DT_MIA7B = "becoming overly friendly or outgoing with people". If MIA_Q07C = 1, DT_MIA7C = "behaving inappropriately". If MIA_Q07D = 1, DT_MIA7D = "having a lot more interest in sex than usual". If MIA_Q07E = 1, DT_MIA7E = "trying to accomplish unrealistic goals". If MIA_Q07F = 1, DT_MIA7F = "talking a lot more than usual". If MIA_Q07G = 1, DT_MIA7G = "constantly changing plans". If MIA_Q07H = 1, DT_MIA7H = "being easily distracted". If MIA_Q07I = 1, DT_MIA7I = "having thoughts racing in your mind". If MIA_Q07J = 1, DT_MIA7J = "sleeping far less than usual". If MIA_Q07K = 1, DT_MIA7K = "getting involved in foolish schemes". If MIA_Q07L = 1, DT_MIA7L = "getting into financial trouble". If MIA_Q07M = 1, DT_MIA7M = "doing risky things". If MIA_Q07N = 1, DT_MIA7N = "having too much self-confidence". If MIA_Q07O = 1, DT_MIA7O = "believing you were someone else or somehow connected to a famous person". If MIA_Q04 = 1, DT_MIA4 = "being irritable or grouchy".</p>																		
MIA_D09C	<p>If DV_MIA_D08A => 3, DT_TEXT1E = ".".</p>																		
Programmer:	<p>Fill DT_TEXT1E with the first three KEY PHRASES from MIA4 to MIA7O.</p>																		
MIA_R09	<p>You just mentioned that you had ^DT_ANEP when you were very ^DT_EXIRR and you were also ^DT_TEXT1E.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>																		
MIA_Q09	<p>How much did ^DT_THATEP ever interfere with either your work, your social life or your personal relationships?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <table><tr><td>1</td><td>Not at all</td><td></td></tr><tr><td>2</td><td>A little</td><td></td></tr><tr><td>3</td><td>Some</td><td>(Go to MIA_Q09_1)</td></tr><tr><td>4</td><td>A lot</td><td>(Go to MIA_Q09_1)</td></tr><tr><td>5</td><td>Extremely</td><td>(Go to MIA_Q09_1)</td></tr><tr><td colspan="2">DK, RF</td><td>(Go to MIA_Q09_1)</td></tr></table>	1	Not at all		2	A little		3	Some	(Go to MIA_Q09_1)	4	A lot	(Go to MIA_Q09_1)	5	Extremely	(Go to MIA_Q09_1)	DK, RF		(Go to MIA_Q09_1)
1	Not at all																		
2	A little																		
3	Some	(Go to MIA_Q09_1)																	
4	A lot	(Go to MIA_Q09_1)																	
5	Extremely	(Go to MIA_Q09_1)																	
DK, RF		(Go to MIA_Q09_1)																	
MIA_C09	<p>If MIA_Q07O = 1, go to MIA_Q09_1. Otherwise, go to MIA_END.</p>																		
MIA_Q09_1	<p>During ^DT_THATEP, how often were you unable to carry out your normal daily activities?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <table><tr><td>1</td><td>Often</td></tr><tr><td>2</td><td>Sometimes</td></tr><tr><td>3</td><td>Rarely</td></tr><tr><td>4</td><td>Never</td></tr><tr><td colspan="2">DK, RF</td></tr></table>	1	Often	2	Sometimes	3	Rarely	4	Never	DK, RF									
1	Often																		
2	Sometimes																		
3	Rarely																		
4	Never																		
DK, RF																			

MIA_Q10A **Episodes of this sort sometimes occur as a result of a physical illness or injury or the use of medication, drugs or alcohol.**

Do you think your ^DT_EPEVER occurred as the result of physical causes, medication, drugs or alcohol?

- 1 Yes
- 2 No
- DK, RF

MIA_C10B If MIA_Q10A = 1 (Yes) and MIA_Q08 > 1 (number of episodes), go to MIA_Q10B. Otherwise, go to MIA_C10C.

MIA_Q10B **Do you think all of your episodes were the result of physical causes, medication, drugs, or alcohol?**

- 1 Yes (Go to MIA_Q10C)
- 2 No (Go to MIA_C18)
- DK, RF (Go to MIA_C18)

MIA_C10C If MIA_Q10A = 1 (Yes) and MIA_Q08 = 1 (number of episodes), go to MIA_Q10C. Otherwise, go to MIA_C18.

MIA_Q10C **What were the causes?**

INTERVIEWER: Mark all that apply.

- 01 Exhaustion
- 02 Hyperventilation
- 03 Hypochondria
- 04 Menstrual cycle
- 05 Pregnancy / postpartum
- 06 Thyroid disease
- 07 Cancer
- 08 Overweight
- 09 Medication (excluding illicit drugs)
- 10 Illicit drugs
- 11 Alcohol
- 12 Chemical Imbalance / Serotonin Imbalance
- 13 Chronic pain
- 14 Caffeine
- 15 No specific diagnosis
- 16 Other - Specify (Go to MIA_S10C)
- DK, RF

Go to MIA_C18

MIA_S10C **What were the causes?**

INTERVIEWER: Specify.

(80 spaces)

DK, RF

MIA_E10C	A response of "Pregnancy / postpartum" or "Menstrual cycle" is invalid for a male respondent. Please return and correct.
Rule :	Trigger hard edit if SEX_Q01 = 1 and (MIA_Q10C = 4 or 5).
MIA_C18	If MIA_Q08 = 1 (number of episodes), go to MIA_Q19A_1. Otherwise, go to MIA_Q19A.
MIA_Q19A	At any time in the <u>past 12 months</u>, did you have one of these episodes? 1 Yes (Go to MIA_Q19A_2) 2 No (Go to MIA_Q19D) DK, RF (Go to MIA_Q19D)
MIA_Q19A_1	Did your episode occur at any time in the <u>past 12 months</u>? 1 Yes 2 No (Go to MIA_Q24) DK, RF (Go to MIA_Q24)
MIA_Q19A_2	How recently was it? <u>INTERVIEWER:</u> Read categories to respondent. 1 During the past month 2 Between 1 and 6 months ago 3 More than 6 months ago DK, RF
MIA_C19A	If MIA_Q08 = 1 (number of episodes), go to MIA_D19B. Otherwise, go to MIA_Q19B.
MIA_Q19B	How many episodes did you have in the <u>past 12 months</u>? <u>INTERVIEWER:</u> Minimum is 1; maximum is 91. If respondent answers "More than I can remember", enter "91". (MIN: 1) (MAX: 91) DK, RF
MIA_D19B	If MIA_Q19A_1 = 1 or MIA_Q19B = 1, DT_EP2 = "episode". If MIA_Q19B >= 2, DK, RF, DT_EP2 = "episodes". If MIA_Q19A_1 = 1 or MIA_Q19B = 1, DT_IT = "it". If MIA_Q19B >= 2, DK, RF, DT_IT = "they". If MIA_Q19A_1 = 1 or MIA_Q19B = 1, DT_WAS = "was". If MIA_Q19B >= 2, DK, RF, DT_WAS = "were". If MIA_Q19A_1 = 1 or MIA_Q19B = 1, DT_THISEP = "this episode". If MIA_Q19B >= 2, DK, RF, DT_THISEP = "one of these episodes".
MIA_C19C	If MIA_Q19B = RF, go to MIA_C20A. Otherwise, go to MIA_Q19C.
MIA_Q19C	How many weeks in the <u>past 12 months</u> were you having ^DT_THISEP? (MIN: 1) (MAX: 52) DK, RF Go to MIA_C20A

MIA_Q19D	<p>How old were you the <u>last time</u> you had one of these episodes?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^DV_AGE - 1.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
MIA_E19D	<p>The reported age is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if (MIA_Q19D > DV_AGE - 1 and MIA_Q19A = 2) or (MIA_Q19D > DV_AGE and MIA_Q19A = DK, RF).</p>
MIA_C20A	<p>If MIA_Q08 = 1, go to MIA_Q24. Otherwise, go to MIA_Q20A.</p>
MIA_Q20A	<p>During your life, how many episodes lasting a <u>full week or longer</u> have you ever had?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is (^MIA_Q08). If respondent answers "More than I can remember", enter " ^MIA_Q08".</p> <p>(MIN: 0) (MAX: 6760)</p> <p>DK, RF</p>
MIA_E20A	<p>The reported number of episodes is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if (MIA_Q20A > MIA_Q08) and (MIA_Q08 <> DK, RF).</p>
MIA_C20B	<p>If MIA_Q20A = 1 (number of episodes), go to MIA_Q21B. Otherwise, go to MIA_C20C.</p>
MIA_C20C	<p>If MIA_Q20A = 0 (number of episodes), go to MIA_Q22A. Otherwise, go to MIA_Q21A.</p>
MIA_Q21A	<p>How many of these episodes were brought on by some stressful experience?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^MIA_Q20A. If respondent answers "More than I can remember", enter ^MIA_Q20A.</p> <p>(MIN: 0) (MAX: 6760)</p> <p>DK, RF</p> <p>Go to MIA_Q22A</p>
MIA_E21A	<p>The reported number of episodes is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if (MIA_Q21A > MIA_Q20A) and (MIA_Q20A <> DK, RF).</p>
MIA_Q21B	<p>Was this episode brought on by some stressful experience or did it happen out of the blue?</p> <p>1 Brought on by stress 2 Out of the blue 3 Don't remember</p> <p>DK, RF</p>

MIA_Q22A	<p>How long was the <u>longest</u> episode you ever had?</p> <p><u>INTERVIEWER</u>: If the episode is ongoing, enter how long it has lasted to date.</p> <p>(MIN: 1) (MAX: 900)</p> <p>DK, RF (Go to MIA_C26)</p>
MIA_N22A	<p><u>INTERVIEWER</u>: Was that in hours, days, weeks, months or years?</p> <p>1 Hours 2 Days 3 Weeks 4 Months 5 Years (DK, RF not allowed)</p> <p>Go to MIA_C26</p>
MIA_E22A	<p>An unusual value has been entered. Please confirm or return and change the reporting unit.</p>
Rule :	<p>Trigger soft edit if (MIA_Q22A > 24 and MIA_N22A = 1) or (MIA_Q22A > 365 and MIA_N22A = 2) or (MIA_Q22A > 52 and MIA_N22A = 3) or (MIA_Q22A > 24 and MIA_N22A = 4).</p>
MIA_E22A_1	<p>The reported number of years is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if MIA_N22A = 5 and MIA_Q22A > DV_AGE.</p>
MIA_Q24	<p>Was your episode brought on by some stressful experience or did it happen out of the blue?</p> <p>1 Brought on by stress 2 Out of the blue 3 Don't remember DK, RF</p>
MIA_C26	<p>If MIA_Q19A = 1 (Yes) or MIA_Q19A_1 = 1 (Yes), go to MIA_R27. Otherwise, go to MIA_Q33.</p>
MIA_R27	<p>(Please refer to page 3 of the booklet.)</p> <p>In the <u>past 12 months</u>, think about the period of time lasting <u>one month or longer</u> when your ^DT_EP2 of being very ^DT_EXIRR ^DT_WAS most severe. Please tell me, what number best describes how much your ^DT_EP2 interfered with each of the following activities. For each activity, please answer with a number between 0 and 10; 0 means "<u>no</u> interference" while 10 means "<u>very severe</u> interference".</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>

MIA_Q27A

In the past 12 months, how much did your ^DT_EP2 interfere with your home responsibilities, like cleaning, shopping and taking care of the house or apartment?

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

MIA_Q27B_1

How much did your ^DT_EP2 interfere with your ability to attend school?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

MIA_Q27B_2

How much did ^DT_IT interfere with your ability to work at a job?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

MIA_Q27C

Again thinking about that period of time lasting one month or longer when your ^DT_EP2 ^DT_WAS most severe, how much did ^DT_IT interfere with your ability to form and maintain close relationships with other people? (Remember that 0 means "no interference" and 10 "very severe interference".)

0 No interference
 01 |
 02 |
 03 |
 04 |
 05 |
 06 |
 07 |
 08 |
 09 V
 10 Very severe interference
 DK, RF

MIA_Q27D

How much did ^DT_IT interfere with your social life?

0 No interference
 01 |
 02 |
 03 |
 04 |
 05 |
 06 |
 07 |
 08 |
 09 V
 10 Very severe interference
 DK, RF

MIA_C29

If (MIA_Q27A, MIA_Q27B_1, MIA_Q27B_2, MIA_Q27C and MIA_Q27D) = 0 or 11 (no interference or not applicable) or DK, or RF, go to MIA_Q33.
 Otherwise, go to MIA_Q29.

MIA_Q29

In the past 12 months, about how many days out of 365 were you totally unable to work or carry out your normal activities because of your ^DT_EP2 of being very ^DT_EXIRR?

(MIN: 0) (MAX: 365)

DK, RF

MIA_Q33

Did you ever in your life see, or talk on the telephone to, a medical doctor or other professional about your ^DT_EPISODE of being very ^DT_EXIRR? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

1 Yes
 2 No (Go to MIA_END)
 DK, RF (Go to MIA_END)

MIA_Q47

Did you receive professional treatment for your ^DT_EPISODE of being very ^DT_EXIRR at any time in the past 12 months?

1 Yes
 2 No
 DK, RF

Generalized Anxiety Disorder (GAD)

1 - Copied
Version - 1001

GAD_BEG	<p>Content block</p> <p>External variables required:</p> <p>FNAME: first name of respondent from household block. DOGAD: do block flag, from the sample file. SCR_Q26A: from the SCR block SCR_Q26B: from the SCR block SCR_Q26C: from the SCR block DV_AGE : age of respondent from ANC block. SEX_Q01: sex of respondent (1 = male, 2 = female) from Sex block.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p> <p>Note to programmer: For the KEY PHRASES that are associated with GAD_Q09A to GAD_Q10E, please create a parallel block to display the list of KEY PHRASES that can be triggered at any point during the module by pressing <CTRL G>. Only the KEY PHRASES for questions that the respondent reported "Yes" for will be displayed.</p>
GAD_C01A	<p>If DOGAD = 1, go to GAD_C01B. Otherwise, go to GAD_END.</p>
GAD_C01B	<p>If SCR_Q26A = 1 (Yes), go to GAD_R01A. Otherwise, go to GAD_C01C.</p>
GAD_C01C	<p>If SCR_Q26B = 1 (Yes), go to GAD_R01B. Otherwise, go to GAD_C01D.</p>
GAD_C01D	<p>If SCR_Q26C = 1 (Yes), go to GAD_R01C. Otherwise, go to GAD_END.</p>
GAD_R01A	<p>Earlier, you mentioned having a time in your life when you were "a worrier". The next questions are about that time. Please turn to page 6 of the booklet where we list several things which you could have been worried, nervous or anxious about during that time.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p> <p>Go to GAD_D01C</p>
GAD_R01B	<p>Earlier, you mentioned having a time in your life when you were much more nervous or anxious than most other people. The next questions are about that time. Please turn to page 6 of the booklet where we list several things which you could have been nervous or anxious about during that time.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p> <p>Go to GAD_D01C</p>

GAD_R01C

Earlier, you mentioned having a period lasting 6 months or longer when you were anxious or worried most days. The next questions are about that time. Please turn to page 6 of the booklet where we list several things which you could have been anxious or worried about during that time.

INTERVIEWER: Press <1> to continue.

GAD_D01C

If SCR_Q26A = 1, DT_WORRIED = "worried, nervous or anxious".
 If SCR_Q26B = 1, DT_WORRIED = "nervous or anxious".
 If SCR_Q26C = 1, DT_WORRIED = "anxious or worried".
 If SCR_Q26A = 1, DT_WORRY = "worry, nervousness or anxiety".
 If SCR_Q26B = 1, DT_WORRY = "nervousness or anxiety".
 If SCR_Q26C = 1, DT_WORRY = "anxiety or worry".

GAD_Q01

Now, tell me which of these things were you ^DT_WORRIED about during that time?

INTERVIEWER: Mark all that apply.

- | | | |
|--------|---|-----------------|
| 01 | Worrying about everything | (Go to GAD_Q03) |
| 02 | Worrying about nothing in particular | (Go to GAD_Q03) |
| 03 | Finances | |
| 04 | Success at school or work | |
| 05 | Social life | |
| 06 | Love life | |
| 07 | Relationships at school or work | |
| 08 | Relationships with family | |
| 09 | Physical appearance | |
| 10 | Own physical health | |
| 11 | Own mental health | |
| 12 | Alcohol or drug use | |
| 13 | Being away from home or apart from loved ones | |
| 14 | The health or welfare of loved ones | |
| 15 | Social phobias (e.g., meeting people) | |
| 16 | Agoraphobia (e.g., leaving home alone) | |
| 17 | Specific phobias (e.g., fears of bugs, heights or closed spaces) | |
| 18 | Obsessions (e.g., worry about germs) | |
| 19 | Compulsions (e.g., repetitive hand washing) | |
| 20 | Crime / violence | |
| 21 | Economy | |
| 22 | Environment (e.g., global warming, pollution) | |
| 23 | Moral decline of society (e.g. capitalism, decline of the family) | |
| 24 | War / revolution | |
| 25 | Other - Specify | (Go to GAD_S01) |
| DK, RF | | |

Go to GAD_Q02A

GAD_S01 Now, tell me which of these things were you ^DT_WORRIED about during that time?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

GAD_Q02A Is there anything else which you were ^DT_WORRIED about during that time?

1 Yes - Specify

2 No

(Go to GAD_Q03)

DK, RF

(Go to GAD_Q03)

GAD_S02A Is there anything else which you were ^DT_WORRIED about during that time?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

GAD_Q02B Is there anything else which you were ^DT_WORRIED about during that time?

1 Yes - Specify

2 No

(Go to GAD_Q03)

DK, RF

(Go to GAD_Q03)

GAD_S02B Is there anything else which you were ^DT_WORRIED about during that time?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

GAD_Q03 Do you think your feelings of being ^DT_WORRIED were ever excessive, unreasonable, or a lot stronger than they should have been?

1 Yes

2 No

DK, RF

GAD_Q04 How often did you find it difficult to control your ^DT_WORRY?

INTERVIEWER: Read categories to respondent.

1 Often

2 Sometimes

3 Rarely

4 Never

DK, RF

GAD_Q04_1	<p>How often were you so nervous or worried that you could not think about anything else, no matter how hard you tried?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Often 2 Sometimes 3 Rarely 4 Never DK, RF</p>
GAD_Q05	<p>During your life, what is the <u>longest</u> period of months or years in a row when you were feeling ^DT_WORRIED <u>most days</u>?</p> <p><u>INTERVIEWER:</u> If respondent answers "All my life" or "As long as I can remember", press <F6> to indicate "DK".</p> <p>If respondent reports less than one month, enter "0 months".</p> <p>If the episode is ongoing, enter how long it has lasted to date.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF (Go to GAD_C05_3)</p>
GAD_N05_1	<p><u>INTERVIEWER:</u> Was that in months or years?</p> <p>1 Months 2 Years (DK, RF not allowed)</p> <p>Go to GAD_C06</p>
GAD_E05_1	<p>An unusual value has been entered. Please confirm or return and change the reporting unit.</p>
Rule :	<p>Trigger soft edit if GAD_Q05 >= 24 and GAD_N05_1 = 1.</p>
GAD_E05_2	<p>The number of years reported is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if (GAD_Q05 = 0 or GAD_Q05 > DV_AGE) and GAD_N05_1 = 2.</p>
GAD_C05_3	<p>If GAD_Q05 = DK, go to GAD_Q05_3. Otherwise, go to GAD_END.</p>
GAD_Q05_3	<p>Did you ever have a period that lasted <u>6 months</u> or longer?</p> <p>1 Yes (Go to GAD_R09) 2 No (Go to GAD_END) DK, RF (Go to GAD_END)</p>
GAD_C06	<p>If GAD_N05_1 = 1 and GAD_Q05 < 6 (month), go to GAD_END. Otherwise, go to GAD_R09.</p>
GAD_R09	<p>Think of your <u>worst</u> period lasting <u>6 months or longer</u> when you were ^DT_WORRIED. During that episode, tell me if you had any of the following problems.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>

GAD_Q09A	<p>Did you often feel restless, keyed up or on edge?</p> <p>1 Yes (KEY_PHRASE = feeling restless or on edge)</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q09B	<p>Did you often get tired easily?</p> <p>1 Yes (KEY_PHRASE = feeling tired easily)</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q09C	<p>Were you often more irritable than usual?</p> <p>1 Yes (KEY_PHRASE = feeling more irritable than usual)</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q09D	<p>Did you often have difficulty concentrating or keeping your mind on what you were doing?</p> <p>1 Yes (KEY_PHRASE = having difficulty concentrating)</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q09E	<p>Did you often have tense, sore or aching muscles?</p> <p>1 Yes (KEY_PHRASE = having tense or aching muscles)</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q09F	<p>(During this <u>worst</u> episode lasting 6 months or longer,) did you often have trouble falling or staying asleep?</p> <p>1 Yes (KEY_PHRASE = having difficulty falling or staying asleep)</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q10A	<p>Did your heart often pound or race?</p> <p>1 Yes (KEY_PHRASE = having your heart pound)</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q10B	<p>Did you often sweat?</p> <p>1 Yes (KEY_PHRASE = sweating)</p> <p>2 No</p> <p>DK, RF</p>

GAD_Q10C	<p>Did you often tremble or shake?</p> <p>1 Yes (KEY_PHRASE = trembling) 2 No DK, RF</p>
GAD_Q10D	<p>Did you often have a dry mouth?</p> <p>1 Yes (KEY_PHRASE = having a dry mouth) 2 No DK, RF</p>
GAD_Q10E	<p>Were you sad or depressed most of the time?</p> <p>1 Yes (KEY_PHRASE = feeling sad) 2 No DK, RF</p>
GAD_D11A	
Programmer:	<p>DV_TOTAL9 = total count of "yes" responses in GAD_Q09A to GAD_Q09F (min 0; max 6)</p> <p>DV_TOTAL10 = total count of "yes" responses in GAD_Q10A to GAD_Q10E (min 0; max 5)</p>
Content type:	<p>NOTE TO DATA USERS:</p> <p>A minimum of criteria must be selected to continue in the GAD module. At this point the flow changes based on how many positive responses are selected in the GAD_Q09 series of questions and the GAD_Q10 series. There are several possibilities:</p> <ul style="list-style-type: none"> -If the respondent does not say "yes" to any questions from either GAD_Q09 series or GAD_Q10 series, the respondent will go to the end of the module. -If only one "yes" is selected in the GAD_Q09 series and none from the GAD_Q10 series, the respondent will also go to the end of the module. -If the total of "yes" in GAD_Q09 series and GAD_Q10 series is greater than 5, then respondent will skip over the GAD_Q13 series and go to GAD_Q15. -If there is at least 2 "yes" in the GAD_Q09 series and none in GAD_Q10 series, then respondent will also skip over the GAD_Q13 series and go to GAD_Q15. -All other respondents will be asked the questions in the GAD_Q13 series. When their total of "yes" responses in all three series of questions (GAD_Q09, GAD_Q10, and GAD_Q13) is 5, they will go to GAD_Q15. Otherwise, if they get to GAD_Q13O and the total in all three series of questions is less than 3, then they will go to the end of the module.
GAD_C11A	<p>If DV_TOTAL9 + DV_TOTAL10 = 0, go to GAD_END. Otherwise, go to GAD_C11B.</p>
GAD_C11B	<p>If DV_TOTAL10 = 0, go to GAD_C12. Otherwise, go to GAD_C11C.</p>
GAD_C11C	<p>If (DV_TOTAL9 + DV_TOTAL10 >= 5), go to GAD_C14. Otherwise, go to GAD_C13.</p>
GAD_C12	<p>If DV_TOTAL9 >= 2, go to GAD_Q15. Otherwise, go to GAD_END.</p>

GAD_C13	When (DV_TOTAL9 + DV_TOTAL10) and total count of responses of "Yes" in GAD_Q13A to GAD_Q13O = 5, go to GAD_C14.
GAD_Q13A	<p>(During this episode lasting 6 months or longer,) did you often feel dizzy or lightheaded?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13B	<p>Were you often short of breath?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13C	<p>Did you often feel like you were choking?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13D	<p>Did you often have pain or discomfort in your chest?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13E	<p>Did you often have pain or discomfort in your stomach?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to GAD_Q13G)</p>
GAD_Q13F	<p>(During this episode lasting 6 months or longer,) did you often have nausea?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13G	<p>Did you often feel that you were unreal?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to GAD_Q13I)</p>
GAD_Q13H	<p>Did you often feel that things around you were unreal?</p> <p>1 Yes 2 No DK, RF</p>
GAD_D13I	Not Applicable
GAD_Q13I	<p>Were you often afraid that you might lose control or go crazy?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to GAD_Q13K)</p>

GAD_Q13J	<p>Were you often afraid that you might pass out?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13K	<p>(During this episode lasting 6 months or longer,) were you often afraid that you might die?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13L	<p>Did you often have hot flushes or chills?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13M	<p>Did you often have numbness or tingling sensations?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13N	<p>Did you often feel like you had a lump in your throat?</p> <p>1 Yes 2 No DK, RF</p>
GAD_Q13O	<p>Were you easily startled?</p> <p>1 Yes 2 No DK, RF</p>
GAD_D14	
Programmer:	DV_TOTAL13 = total count of "yes" responses in GAD_Q13A to GAD_Q13O (min 0; max 16)
GAD_C14	If DV_TOTAL9 >= 2, go to GAD_Q15. Otherwise, go to GAD_C15.
GAD_C15	If (DV_TOTAL9 + DV_TOTAL10 + DV_TOTAL13) >= 3, go to GAD_Q15. Otherwise, go to GAD_END.
GAD_Q15	<p>How much emotional distress did you ever experience because you felt ^DT_WORRIED?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 None 2 Mild 3 Moderate 4 Severe 5 Very severe DK, RF</p>

GAD_Q17	<p>How much did your feelings of being ^DT_WORRIED ever interfere with either your work, your social life or your personal relationships?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Not at all (Go to GAD_C17A) 2 A little 3 Some 4 A lot 5 Extremely DK, RF</p>
GAD_Q17_1	<p>How often were you unable to carry out your daily activities because you felt ^DT_WORRIED?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Often 2 Sometimes 3 Rarely 4 Never DK, RF</p>
GAD_C17A	<p>If (GAD_Q15 = 3 or 4 or 5) or (GAD_Q17 = 3 or 4 or 5) or (GAD_Q17_1 = 1 or 2), go to GAD_Q18A. Otherwise, go to GAD_END.</p>
GAD_Q18A	<p>Feelings of being ^DT_WORRIED sometimes occur as a result of a physical illness or injury or the use of medication, drugs or alcohol. Do you think these feelings <u>ever</u> occurred as the result of physical causes, medication, drugs or alcohol?</p> <p>1 Yes 2 No (Go to GAD_R26) DK, RF (Go to GAD_R26)</p>
GAD_Q18B	<p>Do you think your ^DT_WORRY was <u>always</u> the result of physical causes, medication, drugs, or alcohol?</p> <p>1 Yes 2 No (Go to GAD_R26) DK, RF (Go to GAD_R26)</p>

GAD_Q18C

What were the causes?

INTERVIEWER: Mark all that apply.

- 01 Exhaustion
 - 02 Hyperventilation
 - 03 Hypochondria
 - 04 Menstrual cycle
 - 05 Pregnancy / postpartum
 - 06 Thyroid disease
 - 07 Cancer
 - 08 Overweight
 - 09 Medication (excluding illicit drugs)
 - 10 Illicit drugs
 - 11 Alcohol
 - 12 Chemical Imbalance / Serotonin Imbalance
 - 13 Chronic pain
 - 14 Caffeine
 - 15 No specific diagnosis
 - 16 Other - Specify (Go to GAD_S18C)
- DK, RF

Go to GAD_R26

GAD_S18C

What were the causes?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

GAD_E18C

A response of "Pregnancy / postpartum" or "Menstrual cycle" is invalid for a male respondent. Please return and correct.

Rule :

Trigger hard edit if SEX_Q01 = 1 and (GAD_Q18C = 4 or 5).

GAD_R26

In the next questions, the word "episode" means a period lasting 6 months or longer when, nearly every day, you were ^DT_WORRIED, and you also had some of the other problems we just mentioned. The end of an episode is when you no longer have these feelings for a full month.

INTERVIEWER: If respondent does not remember the problems, press <Ctrl+G> to show the list of problems. Press <1> to continue.

GAD_Q26D

During your life, how many episodes lasting 6 months or longer have you ever had when you felt ^DT_WORRIED?

INTERVIEWER: Minimum is 1; maximum is ^DV_AGE*2

(MIN: 1) (MAX: 260)

DK, RF

GAD_E26D

The number of episodes is invalid. Please return and correct.

Rule :

Trigger hard edit if GAD_Q26D > DV_AGE*2.

GAD_Q27	<p>During the <u>past 12 months</u>, did you have an episode of being ^DT_WORRIED that lasted at least six months or longer?</p> <p>1 Yes 2 No (Go to GAD_D27_2) DK, RF (Go to GAD_D27_2)</p>
GAD_Q27_1	<p>How recently was it?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 During the past month 2 Between 1 and 6 months ago 3 More than 6 months ago DK, RF</p> <p>Go to GAD_C29</p>
GAD_D27_2	<p>If GAD_Q26D > 1 or GAD_Q26D = DK or RF, DT_THESE = "the last time you had one of these episodes". Otherwise, DT_THESE = "when you had this episode".</p>
GAD_Q27_2	<p>How old were you ^DT_THESE?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^DV_AGE.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
GAD_E27_2	<p>The reported age is invalid. Please return and correct.</p>
Rule :	<p>Trigger hard edit if GAD_Q27_2 > DV_AGE.</p>
GAD_C29	<p>If GAD_Q26D > 1 or GAD_Q26D = DK or RF, go to GAD_Q31. Otherwise, go to GAD_Q32.</p>
GAD_Q31	<p>How many of these episodes were brought on by some stressful experience?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^GAD_Q26D.</p> <p>(MIN: 0) (MAX: 260)</p> <p>DK, RF</p> <p>Go to GAD_C35</p>
GAD_E31	<p>The reported number is invalid, please return and correct.</p>
Rule :	<p>Trigger hard edit if (GAD_Q31 > GAD_Q26D) and (GAD_Q26D <> DK, RF).</p>
GAD_Q32	<p>Was this episode brought on by some stressful experience or did it happen out of the blue?</p> <p>1 Brought on by stress 2 Out of the blue 3 Don't remember DK, RF</p>
GAD_C35	<p>If GAD_Q27 = 1, go to GAD_R38. Otherwise, go to GAD_Q44.</p>

GAD_R38

(Please refer to page 3 of the booklet.)

Think about the period of time lasting one month or longer when your feelings of being ^DT_WORRIED were most severe in the past 12 months. Please tell me what number best describes how much these feelings interfered with each of the following activities. For each activity, please answer with a number between 0 and 10; 0 means "no interference" while 10 means "very severe interference".

INTERVIEWER: Press <1> to continue.

GAD_Q38A

In the past 12 months, how much did your feelings of being ^DT_WORRIED interfere with your home responsibilities, like cleaning, shopping, and taking care of the house or apartment?

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

GAD_Q38B_1

How much did these feelings interfere with your ability to attend school?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

GAD_Q38B_2

How much did these feelings interfere with your ability to work at a job?INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

GAD_Q38C

Again, thinking about the period of time that lasted one month or longer when your feelings of being ^DT_WORRIED were most severe, how much did these feelings interfere with your ability to form and maintain close relationships with other people? (Remember that 0 means "no interference" and 10 means "very severe interference").

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

GAD_Q38D

How much did these feelings interfere with your social life?

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

GAD_C39

If (GAD_Q38A, GAD_Q38B_1, GAD_Q38B_2, GAD_Q38C and GAD_Q38D) = 0 (no interference) or 11 (not applicable) or DK or RF, go to GAD_Q44.
Otherwise, go to GAD_Q40.

GAD_Q40	<p>In the <u>past 12 months</u>, about how many days out of 365 were you <u>totally unable</u> to work or carry out your normal activities because of your feelings of being ^DT_WORRIED? (You may use any number between 0 and 365 to answer.)</p> <p>(MIN: 0) (MAX: 365)</p> <p>DK, RF</p>
GAD_Q44	<p>Did you <u>ever</u> in your life see, or talk on the telephone to, a medical doctor or other professional about your feelings of being ^DT_WORRIED? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)</p> <p>1 Yes</p> <p>2 No (Go to GAD_END)</p> <p>DK, RF (Go to GAD_END)</p>
GAD_Q58	<p>During the past 12 months, did you receive professional treatment for being ^DT_WORRIED?</p> <p>1 Yes</p> <p>2 No</p> <p>DK, RF</p>
GAD_Q59	<p>Were you <u>ever</u> hospitalized overnight for being ^DT_WORRIED?</p> <p>1 Yes</p> <p>2 No</p> <p>DK, RF</p>
GAD_END	

SMK_Q202	<p>At the present time, do you smoke cigarettes daily, occasionally or not at all?</p> <p>1 Daily 2 Occasionally (Go to SMK_Q205B) 3 Not at all (Go to SMK_C205D) DK, RF (Go to SMK_END)</p>
Tag:	Daily smoker (current)
SMK_Q203	<p>At what age did you begin to smoke cigarettes daily?</p> <p><u>INTERVIEWER:</u> Minimum is 5; maximum is [^DV_AGE].</p> <p>(MIN: 5) (MAX: 130)</p> <p>DK (Go to SMK_Q204) (RF is not allowed)</p>
SMK_E203A	The entered age at which the respondent first began to smoke cigarettes daily is invalid. Please return and correct.
Rule :	Trigger hard edit if SMK_Q203 > ^DV_AGE.
SMK_E203B	The respondent has indicated that they began smoking cigarettes daily at a younger age than when they smoked their first whole cigarette. Please confirm.
Rule :	Trigger soft edit if SMK_Q201C > SMK_Q203.
SMK_Q204	<p>How many cigarettes do you smoke each day now?</p> <p>(MIN: 1) (MAX: 99)</p> <p>DK, RF</p> <p>Go to SMK_END</p>
SMK_E204	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if SMK_Q204 > 60.
Tag:	Occasional smoker (current)
SMK_Q205B	<p>On the days that you do smoke, how many cigarettes do you usually smoke?</p> <p>(MIN: 1) (MAX: 99)</p> <p>DK, RF</p>
SMK_E205B	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if SMK_Q205B > 60.
SMK_Q205C	<p>In the past month, on how many days have you smoked 1 or more cigarettes?</p> <p>(MIN: 0) (MAX: 30)</p> <p>DK, RF</p>

SMK_E205C	The respondent has previously indicated that they smoke cigarettes occasionally, but that they have smoked every day for the past month. Please verify.
Rule :	Trigger soft edit if SMK_Q202 = 2 and SMK_Q205C = 30.
SMK_C205D	If SMK_Q201A <> 1 (has not smoked 100 or more cigarettes in a lifetime), go to SMK_END. Otherwise, go to SMK_Q205D.
Tag:	Occasional smoker or non-smoker (current)
SMK_Q205D	<p>Have you ever smoked cigarettes daily?</p> <p>1 Yes (Go to SMK_Q207)</p> <p>2 No (Go to SMK_END)</p> <p>DK, RF (Go to SMK_END)</p>
SMK_C206A	If SMK_Q202 = 2 (current occasional smoker), go to SMK_END. Otherwise, go to SMK_Q206A.
Tag:	Non-smoker (current)
SMK_Q206A	<p>When did you stop smoking? Was it... ?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Less than one year ago</p> <p>2 1 year to less than 2 years ago (Go to SMK_END)</p> <p>3 2 years to less than 3 years ago (Go to SMK_END)</p> <p>4 3 or more years ago (Go to SMK_Q206C)</p> <p>DK, RF (Go to SMK_END)</p>
SMK_Q206B	<p>In what month did you stop?</p> <p>01 January</p> <p>02 February</p> <p>03 March</p> <p>04 April</p> <p>05 May</p> <p>06 June</p> <p>07 July</p> <p>08 August</p> <p>09 September</p> <p>10 October</p> <p>11 November</p> <p>12 December</p> <p>DK, RF</p> <p>Go to SMK_END</p>
SMK_Q206C	<p>How many years ago was it?</p> <p><u>INTERVIEWER</u>: Minimum is 3; maximum is [[^]DV_AGE - 5].</p> <p>(MIN: 3) (MAX: 125)</p> <p>DK, RF (Go to SMK_END)</p> <p>Go to SMK_END</p>

SMK_E206C	The number of years ago that the respondent stopped smoking is invalid. Please return and correct.	
Rule :	Trigger hard edit if SMK_Q206C > ^DV_AGE-5.	
Tag:	Occasional smoker or non-smoker (current) - Daily smoker (past)	
SMK_Q207	At what age did you begin to smoke (cigarettes) daily?	
	<u>INTERVIEWER:</u> Minimum is 5; maximum is [^DV_AGE].	
	(MIN: 5) (MAX: 130)	
	DK, RF	(Go to SMK_Q208)
SMK_E207A	The entered age at which the respondent first began to smoke cigarettes daily is invalid. Please return and correct	
Rule :	Trigger hard edit if SMK_Q207 > ^DV_AGE.	
SMK_E207B	The respondent has indicated that they began smoking cigarettes daily at a younger age than when they smoked their first whole cigarette. Please confirm.	
Rule :	Trigger soft edit if SMK_Q207 < SMK_Q201C.	
SMK_Q208	How many cigarettes did you usually smoke each day?	
	(MIN: 1) (MAX: 99)	
	DK, RF	
SMK_E208	An unusual value has been entered. Please confirm.	
Rule :	Trigger soft edit if SMK_Q208 > 60.	
SMK_Q209A	When did you stop smoking daily? Was it... ?	
	<u>INTERVIEWER:</u> Read categories to respondent.	
	1	Less than one year ago
	2	1 year to less than 2 years ago (Go to SMK_C210)
	3	2 years to less than 3 years ago (Go to SMK_C210)
	4	3 or more years ago (Go to SMK_Q209C)
	DK, RF (Go to SMK_END)	

SMK_Q209B	<p>In what month did you stop?</p> <p>01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December DK, RF</p> <p>Go to SMK_C210</p>
SMK_Q209C	<p>How many years ago was it?</p> <p><u>INTERVIEWER:</u> Minimum is 3; maximum is [^DV_AGE-5].</p> <p>(MIN: 3) (MAX: 125)</p> <p>DK, RF (Go to SMK_C210)</p>
SMK_E209C	<p>The number of years ago that the respondent stopped smoking daily is invalid. Please return and correct.</p> <p>Rule : Trigger hard edit if SMK_Q209C > ^DV_AGE-5.</p>
SMK_E209D	<p>The number of years ago that the respondent stopped smoking daily is invalid. Please return and correct.</p> <p>Rule : Trigger hard edit if SMK_Q207 > (^CURRAGE - SMK_Q209C).</p>
SMK_C210	<p>If SMK_Q202 = 2 (current occasional smoker), go to SMK_END. Otherwise, go to SMK_Q210A.</p>
Tag:	Non-smoker (current)
SMK_Q210A	<p>Was that when you completely quit smoking?</p> <p>1 Yes (Go to SMK_END) 2 No DK, RF (Go to SMK_END)</p>
SMK_Q210B	<p>When did you stop smoking completely? Was it... ?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Less than one year ago 2 1 year to less than 2 years ago (Go to SMK_END) 3 2 years to less than 3 years ago (Go to SMK_END) 4 3 or more years ago (Go to SMK_Q210D) DK, RF (Go to SMK_END)</p>

SMK_Q210C

In what month did you stop?

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- DK, RF

Go to SMK_END

SMK_Q210D

How many years ago was it?

INTERVIEWER: Minimum is 3; maximum is [[^]DV_AGE-5].

(MIN: 3) (MAX: 125)

DK, RF

(Go to SMK_END)

SMK_E210DA

The number of years ago that the respondent completely stopped smoking is invalid. Please return and correct.

Rule :

Trigger hard edit if SMK_Q210D > [^]DV_AGE - 5.

SMK_E210DB

The respondent has indicated that they stopped smoking completely more years ago than they stopped smoking daily. Please confirm.

Rule :

Trigger soft edit if SMK_Q210D > SMK_Q209C.

SMK_END

Alcohol Use, Abuse and Dependence (AUD)

1 - Copied
Version - 1001

AUD_BEG	<p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOAUD: do block flag, from the sample file. DV_AGE: respondent's age from ANC block</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p> <p>Note to programmer: For the KEY PHRASES that are associated with DT_KEYPHRASEQ19E to DT_KEYPHRASEQ19JE, please create a parallel block to display the list of KEY PHRASES that can be triggered at any point during the module by pressing <CTRL A>. Only the KEY PHRASES for answers that the respondent reported will be displayed.</p>
Content type:	<p>NOTE TO DATA USERS: AUD_R01 to AUD_Q11 - questions on alcohol use in the past 12 months and lifetime AUD_C12A to AUD_C12D - conditions to determine whether or not respondents are administered the alcohol abuse questions AUD_R13 to AUD_Q17 - questions used to determine abuse of alcohol AUD_C18A to AUD_C18D - conditions to determine whether or not respondents are administered the alcohol dependence questions AUD_R19 to AUD_Q29 - questions used to determine dependence on alcohol AUD_R35 to AUD_Q36A - questions on 12-month alcohol use interference with specific aspects of life AUD_Q39 to AUD_END - questions on treatment and hospitalization</p>
AUD_C01	<p>If DOAUD = 1, go to AUD_D01B. Otherwise, go to AUD_END.</p>
AUD_D01B	
Programmer:	<p>DT_YEARAGO = REFDATE - one year. Display DT_YEARAGO as Month DD, YYYY, e.g. January 2, 2008.</p>
AUD_R01	<p>Now, some questions about your alcohol consumption.</p> <p>When we use the word "drink" it means: - one bottle or can of beer or a glass of draft - one glass of wine or a wine cooler (one whole bottle of wine counts as 5 drinks) - one drink or cocktail with 1 and a 1/2 ounces of liquor</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
AUD_Q01	<p>During the past 12 months, that is, from ^DT_YEARAGO to yesterday, have you had a drink of beer, wine, liquor or any other alcoholic beverage?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to AUD_Q04) (Go to AUD_END)</p>

AUD_Q02

Please refer to page 7 of the booklet.

During the past 12 months, how often did you drink alcoholic beverages?

INTERVIEWER: Read categories to respondent.

If the respondent reports that their drinking varied significantly in the past 12 months, ask them to answer based on the period when they drank the most. Please enter a note for Head Office review.

- 1 Less than once a month
- 2 Once a month
- 3 2 to 3 times a month
- 4 Once a week
- 5 2 to 3 times a week
- 6 4 to 6 times a week
- 7 Every day

DK, RF

AUD_Q03

Please refer to page 8 of the booklet.

How often in the past 12 months have you had 5 or more drinks on one occasion?

INTERVIEWER: Read categories to respondent.

- 1 Never
- 2 Less than once a month
- 3 Once a month
- 4 2 to 3 times a month
- 5 Once a week
- 6 More than once a week

DK, RF

Go to AUD_C05

AUD_Q04

Have you ever had a drink?

- 1 Yes
 - 2 No (Go to AUD_END)
- DK, RF (Go to AUD_END)

Processing:

At the time of the data processing, if the respondent reported Yes to AUD_Q01, the variable AUD_Q04 will be given its value.

AUD_C05

If (AUD_Q02 = 3, 4, 5, 6, or 7) or (AUD_Q03 = 3, 4, 5, 6), go to AUD_C06. Otherwise, go to AUD_Q05.

AUD_Q05

Have you ever had 12 or more drinks in a year?

- 1 Yes
 - 2 No (Go to AUD_END)
- DK, RF

AUD_E05

Respondent reported they drank at least once a month but has never had more than 12 drinks in a year. Please confirm.

Rule :

Trigger soft edit if AUD_Q05 = 2 and AUD_Q02 = 2.

AUD_C06

If AUD_Q01 = 2, go to AUD_Q10. Otherwise, go to AUD_Q06.

AUD_Q06	<p><u>On the days you drank</u> in the past 12 months, about how many drinks did you usually have per day?</p> <p>(MIN: 1) (MAX: 95)</p> <p>DK, RF</p>
AUD_E06	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if AUD_Q06 > 20.
AUD_Q08	<p>Was there ever a year in your life when you drank <u>more</u> than you did in the past 12 months?</p> <p>1 Yes (Go to AUD_Q10)</p> <p>2 No</p> <p>DK, RF</p>
AUD_C09A	If AUD_Q02 = 1, 2, 3, DK, RF, go to AUD_C09B. Otherwise, go to AUD_R13.
AUD_C09B	If AUD_Q06 = 1, 2, DK, RF, go to AUD_END. Otherwise, go to AUD_R13.
AUD_Q10	<p>Please refer to page 7 of the booklet.</p> <p>Think about the years in your life when you drank most. During those years, how often did you usually have at least one drink?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Less than once a month</p> <p>2 Once a month</p> <p>3 2 to 3 times a month</p> <p>4 Once a week</p> <p>5 2 to 3 times a week</p> <p>6 4 to 6 times a week</p> <p>7 Every day</p> <p>DK, RF</p>
AUD_Q11	<p><u>On the days you drank</u> during those years, about how many drinks did you usually have per day?</p> <p>(MIN: 1) (MAX: 95)</p> <p>DK, RF</p>
AUD_E11	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if AUD_Q11 > 20.
AUD_C12A	If AUD_Q10 = 1, 2, 3, DK, RF, go to AUD_C12B. Otherwise, go to AUD_R13.
AUD_C12B	If AUD_Q11 = 1, 2, DK, RF, go to AUD_C12C. Otherwise, go to AUD_R13.
AUD_C12C	If AUD_Q02 = 1, 2, 3, DK, RF, go to AUD_C12D. Otherwise, go to AUD_R13.

AUD_C12D	If AUD_Q06 = 1, 2, DK, RF, go to AUD_END. Otherwise, go to AUD_R13.
Tag:	Alcohol Abuse
Content type:	NOTE TO DATA USERS: The section on alcohol abuse is initiated if the respondent reported: - ever drinking at least 12 drinks in a year AND - during the year they drank the most, usually drinking at least once a week OR, if they drank less frequently, usually drinking 3 or more drinks per occasion - (See AUD_C12A to AUD_C12D)
AUD_R13	The next questions are about problems you may have had because of drinking at <u>any time in your life</u>. <u>INTERVIEWER:</u> Press <1> to continue.
AUD_Q13A	First, was there ever a time in your life when your drinking or being hung over frequently interfered with your work or responsibilities at school, on a job, or at home? 1 Yes 2 No DK RF (Go to AUD_C14)
AUD_D13	If AUD_Q13A = 1, DT_KEYPHRASEQ13E = "- your drinking interfered with your responsibilities". Otherwise, DT_KEYPHRASEQ13E = "empty".
AUD_Q13A_1	Was there ever a time in your life when your drinking caused arguments or other serious or repeated problems with your family, friends, neighbours, or co-workers? 1 Yes 2 No DK, RF
AUD_D13A	If AUD_Q13A_1 = 1, DT_KEYPHRASEQ13AE = "- your drinking caused problems with family, friends or others". Otherwise, DT_KEYPHRASEQ13AE = "empty".
AUD_C13B	If AUD_Q13A_1 = 1, go to AUD_Q13B. Otherwise, go to AUD_Q13C.
AUD_Q13B	Did you continue to drink even though it caused problems with these people? 1 Yes 2 No DK, RF
AUD_D13B	If AUD_Q13B = 1, DT_KEYPHRASEQ13BE = "- you continued to drink even though it caused problems". Otherwise, DT_KEYPHRASEQ13BE = "empty".
AUD_Q13C	Were there times in your life when you were often under the influence of alcohol in situations where you could get hurt, for example when riding a bicycle, driving, or operating a machine? 1 Yes 2 No DK, RF

AUD_D13C	<p>If AUD_Q13C = 1, DT_KEYPHRASEQ13CE = "- you drank in situations where you could get hurt".</p> <p>Otherwise, DT_KEYPHRASEQ13CE = "empty".</p>															
AUD_Q13D	<p>Were you ever arrested or stopped by the police because of drunk driving or drunken behavior?</p> <p>1 Yes</p> <p>2 No</p> <p>DK, RF</p>															
AUD_D13D	<p>If AUD_Q13D = 1, DT_KEYPHRASEQ13DE = "- your drinking resulted in problems with the police".</p> <p>Otherwise, DT_KEYPHRASEQ13DE = "empty".</p>															
AUD_C13E	<p>If AUD_Q13D = 1, go to AUD_Q13E.</p> <p>Otherwise, go to AUD_C14.</p>															
AUD_Q13E	<p>How many times were you arrested or stopped by the police due to drinking?</p> <p>(MIN: 1) (MAX: 95)</p> <p>DK, RF</p>															
AUD_E13E	<p>An unusual value has been entered. Please confirm.</p>															
Rule :	<p>Trigger soft edit if AUD_Q13E > 15.</p>															
AUD_C14	<p>If AUD_Q13A = 1 or AUD_Q13A_1 = 1 or AUD_Q13B = 1 or AUD_Q13C = 1 or AUD_Q13D = 1, go to AUD_D14.</p> <p>Otherwise, go to AUD_C18A.</p>															
AUD_D14	<p>If respondent answered "Yes" to one of (AUD_Q13A, AUD_Q13A_1, AUD_Q13B, AUD_Q13C, or AUD_Q13D), DT_PROBLEM1 = "this problem".</p> <p>If respondent answered "Yes" to two of (AUD_Q13A, AUD_Q13A_1, AUD_Q13B, AUD_Q13C, or AUD_Q13D), DT_PROBLEM1 = "either of these problems".</p> <p>If respondent answered "Yes" to more than two of (AUD_Q13A, AUD_Q13A_1, AUD_Q13B, AUD_Q13C, or AUD_Q13D), DT_PROBLEM1 = "any of these problems".</p>															
AUD_Q16	<p>You just reported that:</p> <p>^DT_KEYPHRASEQ13E</p> <p>^DT_KEYPHRASEQ13AE</p> <p>^DT_KEYPHRASEQ13BE</p> <p>^DT_KEYPHRASEQ13CE</p> <p>^DT_KEYPHRASEQ13DE</p> <p>How <u>recently</u> did you have ^DT_PROBLEM1 because of drinking?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <table><tr><td>1</td><td>In the past 30 days</td><td>(Go to AUD_C18A)</td></tr><tr><td>2</td><td>1 month to less than 6 months ago</td><td>(Go to AUD_C18A)</td></tr><tr><td>3</td><td>6 months to 12 months ago</td><td>(Go to AUD_C18A)</td></tr><tr><td>4</td><td>More than 12 months ago</td><td>(Go to AUD_C18A)</td></tr><tr><td colspan="2">DK, RF</td><td>(Go to AUD_C18A)</td></tr></table>	1	In the past 30 days	(Go to AUD_C18A)	2	1 month to less than 6 months ago	(Go to AUD_C18A)	3	6 months to 12 months ago	(Go to AUD_C18A)	4	More than 12 months ago	(Go to AUD_C18A)	DK, RF		(Go to AUD_C18A)
1	In the past 30 days	(Go to AUD_C18A)														
2	1 month to less than 6 months ago	(Go to AUD_C18A)														
3	6 months to 12 months ago	(Go to AUD_C18A)														
4	More than 12 months ago	(Go to AUD_C18A)														
DK, RF		(Go to AUD_C18A)														

AUD_Q17	<p>How <u>old</u> were you the <u>last</u> time (you had ^DT_PROBLEM1 because of drinking)?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^DV_AGE - 1.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
AUD_E17A	<p>The age at which the respondent last had this problem is invalid. Please return and correct.</p>
Rule :	<p>Trigger hard edit if AUD_Q17 > DV_AGE - 1.</p>
AUD_E17B	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if AUD_Q17 < 10.</p>
AUD_C18A	<p>If AUD_Q02 = 1, 2, 3, 4, 5, DK, RF, go to AUD_C18B. Otherwise, go to AUD_R19.</p>
AUD_C18B	<p>If AUD_Q06 = 1, 2, 3, 4, DK, RF, go to AUD_C18C. Otherwise, go to AUD_R19.</p>
AUD_C18C	<p>If AUD_Q10 = 1, 2, 3, 4, 5, DK, RF, NA, go to AUD_C18D. Otherwise, go to AUD_R19.</p>
AUD_C18D	<p>If AUD_Q11= 1, 2, 3, 4, DK, RF, NA, go to AUD_END. Otherwise, go to AUD_R19.</p>
Tag:	<p>Alcohol Dependence</p>
Content type:	<p>NOTE TO DATA USERS: The section on alcohol dependence is initiated if the respondent reported: - ever drinking at least 12 drinks in a year AND - during the year they drank the most, usually drinking at least four times a week OR, if they drank less frequently, usually drinking 5 or more drinks per occasion - (See AUD_C18A to AUD_C18D)</p>
AUD_R19	<p>The next questions are about some <u>other</u> problems you may have had because of drinking.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
AUD_Q19A	<p>Was there ever a time in your life when you often had such a strong desire to drink that you couldn't stop yourself from taking a drink or found it difficult to think of anything else?</p> <p>1 Yes 2 No DK RF</p> <p>(Go to AUD_C20A)</p>
AUD_D19A	<p>If AUD_Q19A = 1, DT_KEYPHRASEQ19E = "- you had a strong and irresistible urge to drink". Otherwise, DT_KEYPHRASEQ19E = "empty".</p>

AUD_Q19A_1	<p>Did you ever need to drink a larger amount of alcohol to get an effect, or did you ever find that you could no longer get a "buzz" or a high on the amount you used to drink?</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19A_1	<p>If AUD_Q19A_1 = 1, DT_KEYPHRASEQ19AE = "- you needed larger amounts of alcohol to get an effect". Otherwise, DT_KEYPHRASEQ19AE = "empty".</p>
AUD_Q19B	<p>Did you ever have times when you stopped, cut down, or went without drinking and then experienced <u>withdrawal symptoms</u> like fatigue, headaches, diarrhea, the shakes, or emotional problems?</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19B	<p>If AUD_Q19B = 1, DT_KEYPHRASEQ19BE = "- you didn't feel well when you stopped drinking". Otherwise, DT_KEYPHRASEQ19BE = "empty".</p>
AUD_C19C	<p>If AUD_Q19B = 1, go to AUD_Q19D. Otherwise, go to AUD_Q19C.</p>
AUD_Q19C	<p>Did you ever have times when you took a drink to <u>keep</u> from having problems like these?</p> <p><u>INTERVIEWER</u>: If needed, clarify that "problems" refers to withdrawal symptoms.</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19C	<p>If AUD_Q19C = 1, DT_KEYPHRASEQ19CE = "- you drank to keep from having withdrawal symptoms". Otherwise, DT_KEYPHRASEQ19CE = "empty".</p>
AUD_Q19D	<p>Did you ever have times when you started drinking even though you <u>promised</u> yourself you wouldn't, or when you drank a lot more than you intended?</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19D	<p>If AUD_Q19D = 1, DT_KEYPHRASEQ19DE = "- you drank when you planned not to, or you drank more than you planned". Otherwise, DT_KEYPHRASEQ19DE = "empty".</p>
AUD_C19E	<p>If AUD_Q19D = 1, go to AUD_Q19G. Otherwise, go to AUD_Q19E.</p>
AUD_Q19E	<p>Were there ever times when you drank more frequently or for <u>more days in a row</u> than you intended?</p> <p>1 Yes 2 No DK, RF</p>

AUD_D19E	<p>If AUD_Q19E = 1, DT_KEYPHRASEQ19EE = "- you drank more frequently than you intended". Otherwise, DT_KEYPHRASEQ19EE = "empty".</p>
AUD_C19F	<p>If AUD_Q19E = 1, go to AUD_Q19G. Otherwise, go to AUD_Q19F.</p>
AUD_Q19F	<p>Did you have times when you started drinking and became drunk when <u>you didn't want to</u>?</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19F	<p>If AUD_Q19F = 1, DT_KEYPHRASEQ19FE = "- you became drunk even when you didn't want to". Otherwise, DT_KEYPHRASEQ19FE = "empty".</p>
AUD_Q19G	<p>Were there times when you tried to stop or cut down on your drinking and found that you were not able to do so?</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19G	<p>If AUD_Q19G = 1, DT_KEYPHRASEQ19GE = "- you tried but weren't able to stop or cut down". Otherwise, DT_KEYPHRASEQ19GE = "empty".</p>
AUD_Q19H	<p>Did you ever have periods of several days or more when you spent so much time drinking or recovering from the effects of alcohol that you had little time for anything else?</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19H	<p>If AUD_Q19H = 1, DT_KEYPHRASEQ19HE = "- you spent several days doing little more than drinking or getting over the effects of drinking". Otherwise, DT_KEYPHRASEQ19HE = "empty".</p>
AUD_Q19I	<p>Did you ever have a time when you gave up or greatly reduced important activities because of your drinking, like sports, work, or seeing friends and family?</p> <p>1 Yes 2 No DK, RF</p>
AUD_D19I	<p>If AUD_Q19I = 1, DT_KEYPHRASEQ19IE = "- you gave up or reduced important activities because of your drinking". Otherwise, DT_KEYPHRASEQ19IE = "empty".</p>
AUD_Q19J	<p>Did you ever continue to drink when you knew you had a serious physical or emotional problem that might have been caused by or made worse by drinking?</p> <p>1 Yes 2 No DK, RF</p>

AUD_D19J	If AUD_Q19J = 1, DT_KEYPHRASEQ19JE = "- you drank even though it caused or worsened physical or emotional problems". Otherwise, DT_KEYPHRASEQ19JE = "empty".
AUD_D19K	If respondent answered "Yes" to one of (AUD_Q19A, AUD_Q19A_1, AUD_Q19B, AUD_Q19C, AUD_Q19E, AUD_Q19F, AUD_Q19G, AUD_Q19H, AUD_Q19I, or AUD_Q19J), DT_PROBLEM2 = "this problem". If respondent answered "Yes" to only AUD_Q19D, or "Yes" to two of (AUD_Q19A, AUD_Q19A_1, AUD_Q19B, AUD_Q19C, AUD_Q19D, AUD_Q19E, AUD_Q19F, AUD_Q19G, AUD_Q19H, AUD_Q19I, or AUD_Q19J), DT_PROBLEM2 = "either of these problems". If respondent answered "Yes" to more than two of (AUD_Q19A, AUD_Q19A_1, AUD_Q19B, AUD_Q19C, AUD_Q19D, AUD_Q19E, AUD_Q19F, AUD_Q19G, AUD_Q19H, AUD_Q19I, or AUD_Q19J), DT_PROBLEM2 = "any of these problems".
AUD_C20A	If (AUD_Q19A = 1 or AUD_Q19A_1 = 1 or AUD_Q19B = 1 or AUD_Q19C = 1 or AUD_Q19D = 1 or AUD_Q19E = 1 or AUD_Q19F = 1 or AUD_Q19G = 1 or AUD_Q19H = 1 or AUD_Q19I = 1 or AUD_Q19J = 1), go to AUD_D22. Otherwise, go to AUD_C20B.
AUD_C20B	If (AUD_Q13A = 1 or AUD_Q13A_1 = 1 or AUD_Q13B = 1 or AUD_Q13C = 1 or AUD_Q13D = 1), go to AUD_C33. Otherwise, go to AUD_END.
AUD_D22	If respondent answered "Yes" to less than 4 of AUD_Q19A to AUD_Q19J, DT_INTRO22E = "You reported that: ^DT_KEYPHRASEQ19E ^DT_KEYPHRASEQ19AE ^DT_KEYPHRASEQ19BE ^DT_KEYPHRASEQ19CE ^DT_KEYPHRASEQ19DE ^DT_KEYPHRASEQ19EE ^DT_KEYPHRASEQ19FE ^DT_KEYPHRASEQ19GE ^DT_KEYPHRASEQ19HE ^DT_KEYPHRASEIE ^DT_KEYPHRASEJE". If respondent answered "Yes" to 4 or more AUD_Q19A to AUD_Q19J, DT_INTRO22E = "You reported having a number of alcohol problems.".
AUD_R22	^DT_INTRO22E. <u>INTERVIEWER:</u> Press <1> to continue.
Content type:	NOTE TO DATA USERS: If the respondent reported having less than 4 problems in the AUD_Q19 series of questions, this introduction lists the key phrases associated with these problems. If there are 4 or more problems, a general introduction is used; however, the key phrases for these problems are available for the interviewers to reference in an extra screen in the application.
AUD_C23	If 3 or more of (AUD_Q19A, AUD_Q19A_1, AUD_Q19B, AUD_Q19C, AUD_Q19D, AUD_Q19E, AUD_Q19F, AUD_Q19G, AUD_Q19H, AUD_Q19I, AUD_Q19J) = 1, go to AUD_Q23. Otherwise, go to AUD_Q25.
AUD_Q23	Did you ever have <u>three</u> or more of these problems in the <u>same 12-month period</u>? <u>INTERVIEWER:</u> If respondent does not remember the problems, press <Ctrl A> to show the list of situations. 1 Yes 2 No DK, RF

AUD_Q25	<p>How <u>recently</u> did you have ^DT_PROBLEM2?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 In the past 30 days (Go to AUD_Q29) 2 1 month to less than 6 months ago (Go to AUD_Q29) 3 6 months to 12 months ago (Go to AUD_Q29) 4 More than 12 months ago DK, RF (Go to AUD_Q29)</p>
AUD_Q26	<p>How <u>old</u> were you the <u>last</u> time you had any of these problems?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^DV_AGE - 1.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
AUD_E26A	<p>The age at which the respondent last had any of these problems is invalid. Please return and correct.</p>
Rule :	<p>Trigger hard edit if AUD_Q26 > DV_AGE - 1.</p>
AUD_E26B	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if AUD_Q26 < 10.</p>
AUD_Q29	<p>Starting from the time you first began having ^DT_PROBLEM2, about how many different times did you ever make a serious attempt to <u>quit</u> drinking?</p> <p><u>INTERVIEWER</u>: If greater than 995, enter <995>. Minimum is 0, maximum is 995.</p> <p>(MIN: 0) (MAX: 995)</p> <p>DK, RF</p>
AUD_C33	<p>If AUD_Q25 = 1, 2, 3 or AUD_Q16 = 1, 2, 3, go to AUD_R35. Otherwise, go to AUD_Q39.</p>
AUD_R35	<p>(Please refer to page 3 of the booklet.)</p> <p>Think about the period of time that lasted <u>one month or longer</u> in the <u>past 12 months</u> when you were drinking the most. Please tell me what number best describes how much your drinking interfered with each of the following activities. For each activity, answer with a number between 0 and 10; 0 means "<u>no</u> interference" while 10 means "<u>very severe</u> interference."</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>

AUD_Q35A

In the past 12 months, how much did your drinking interfere with your home responsibilities, like cleaning, shopping and taking care of the house or apartment?

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

AUD_Q35B_1

How much did your drinking interfere with your ability to attend school?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

AUD_Q35B_2

How much did your drinking interfere with your ability to work at a job?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

AUD_Q35C

Again, thinking about that period lasting one month or longer during the past 12 months when you were drinking the most, how much did your drinking interfere with your ability to form and maintain close relationships with other people? (Remember that 0 means "no interference" and 10 means "very severe interference".)

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

AUD_Q35D

How much did your drinking interfere with your social life?

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

AUD_C36

If (AUD_Q35A, AUD_Q35B_1, AUD_Q35B_2, AUD_Q35C and AUD_Q35D) = 0, 11, DK, or RF, go to AUD_Q39.
Otherwise, go to AUD_Q36A.

AUD_Q36A

About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your drinking?

INTERVIEWER: Enter the number of days.

(MIN: 0) (MAX: 365)

DK, RF

AUD_Q39

Did you ever in your life see, or talk on the telephone to, a medical doctor or other professional about your use of alcohol? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)

1 Yes
2 No (Go to AUD_END)
DK, RF (Go to AUD_END)

AUD_Q41	<p>During the past 12 months, did you receive professional treatment for your use of alcohol?</p> <p>1 Yes 2 No DK, RF</p>
AUD_Q42	<p>During your life, were you <u>ever</u> hospitalized overnight for your use of alcohol?</p> <p>1 Yes 2 No DK, RF</p>
AUD_END	

Substance Use, Abuse and Dependence (SUD)

1 - Copied
Version - 1001

SUD_BEG

Content block

External variables required:

DOSUD: do block flag, from the sample file.

SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block.

DV_AGE: Age of respondent from ANC block

REFDATE: current date from operating system

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

NOTE TO DATA USERS:

SUD_R01A to SUD_Q10C - questions on drug use, including use patterns when a drug was used in the past 12 months.

SUD_C20 - condition to determine whether or not respondents are administered the marijuana/hashish abuse questions

SUD_R21 to SUD_Q29 - questions used to determine abuse of marijuana/hashish

SUD_C30 - condition to determine whether or not respondents are administered the marijuana/hashish dependence questions

SUD_R31 to SUD_Q46 - questions used to determine dependence on marijuana/hashish

SUD_C49 - condition to determine whether or not respondents are administered the questions on abuse and dependence of other drugs (excluding marijuana/hashish)

SUD_R51 to SUD_Q59 - questions used to determine abuse of other drugs (excluding marijuana and hashish)

SUD_R61 to SUD_Q76 - questions used to determine dependence on other drugs (excluding marijuana and hashish)

SUD_R81 to SUD_Q83 - questions on 12-month drug-use interference with specific aspects of life

SUD_Q87 to SUD_END - questions on treatment and hospitalization

SUD_C01

If DOSUD = 1, go to SUD_R01A.

Otherwise, go to SUD_END.

SUD_R01A

The next questions are about medicines that are often used nonmedically. By "used nonmedically" we mean:

- either used without the recommendation of a health professional,
- or used in greater amounts than your health professional told you to use them,
- or used for any reason other than what a health professional said you should use them for.

Again, I would like to remind you that everything you say will remain strictly confidential.

INTERVIEWER: Press <1> to continue.

SUD_Q01A

(Please refer to page 9 of the booklet.)

The first group is sedatives or tranquilizers, sometimes called "downers" or "nerve pills." These are medicines people sometimes use to help them stay calm and relaxed or to sleep. Examples include valium, rohypnol, and diazepam. Have you ever used a sedative or tranquilizer nonmedically?

INTERVIEWER: Read categories to respondent.

- 1 Yes, just once
- 2 Yes, more than once (Go to SUD_Q01D)
- 3 No
- DK
- RF (Go to SUD_END)

SUD_Q01B

Have you ever used a sedative or tranquilizer that a doctor prescribed for you?

- 1 Yes
- 2 No (Go to SUD_Q02A)
- DK, RF (Go to SUD_Q02A)

SUD_Q01C

Was your use ever so regular that you felt that you could not stop using the sedative or tranquilizer prescribed for you?

- 1 Yes
- 2 No (Go to SUD_Q02A)
- DK, RF (Go to SUD_Q02A)

SUD_Q01D

Have you used it in the past 12 months?

- 1 Yes
- 2 No (Go to SUD_Q02A)
- DK, RF (Go to SUD_Q02A)

SUD_Q01E

(Please refer to page 10 of the booklet.)

How often (did you use a sedative or tranquilizer in the past 12 months)?

INTERVIEWER: Read categories to respondent.

If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 Every day
- DK, RF

SUD_Q02A

(Please refer to page 11 of the booklet.)

The second group of medicines is stimulants, sometimes called speed, ice, glass, crystal, crank, pep pills, or uppers. These are medicines that people sometimes use to stay awake, to improve their low mood, or to lose weight. Examples include dexamyl, methamphetamine, adderall, and ritalin. Have you ever used a stimulant nonmedically?

INTERVIEWER: Read categories to respondent.

- 1 Yes, just once
- 2 Yes, more than once (Go to SUD_Q02D)
- 3 No
- DK, RF

SUD_C02A

If SUD_Q01A = DK and SUD_Q02A = DK, go to SUD_END.
Otherwise, go to SUD_Q02B.

SUD_Q02B

Have you ever used a stimulant that a doctor prescribed for you?

- 1 Yes
- 2 No (Go to SUD_Q03A)
- DK, RF (Go to SUD_Q03A)

SUD_Q02C

Was your use ever so regular that you felt that you could not stop using the stimulant prescribed for you?

- 1 Yes
- 2 No (Go to SUD_Q03A)
- DK, RF (Go to SUD_Q03A)

SUD_Q02D

Have you used it in the past 12 months?

- 1 Yes
- 2 No (Go to SUD_Q03A)
- DK, RF (Go to SUD_Q03A)

SUD_Q02E

(Please refer to page 10 of the booklet.)

How often (did you use a stimulant in the past 12 months)?

INTERVIEWER: Read categories to respondent.

If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 Every day
- DK, RF

SUD_Q03A

(Please refer to page 12 of the booklet.)

The third group of medicines is analgesics. These are medicines that people usually take as pain killers. Examples include codeine, morphine, and percodan. Have you ever used a pain killer nonmedically?

INTERVIEWER: If respondent mentions over-the-counter pain medications, ask if it was used nonmedically.

- 1 Yes, just once
- 2 Yes, more than once (Go to SUD_Q03D)
- 3 No
- DK, RF

SUD_Q03B

Have you ever used a pain killer that a doctor prescribed for you?

INTERVIEWER: Include prescriptions from a dentist.

- 1 Yes
- 2 No (Go to SUD_R04A)
- DK, RF (Go to SUD_R04A)

SUD_Q03C

Was your use ever so regular that you felt that you could not stop using the pain killer prescribed for you?

- 1 Yes
- 2 No (Go to SUD_R04A)
- DK, RF (Go to SUD_R04A)

SUD_Q03D

Have you used it in the past 12 months?

- 1 Yes
- 2 No (Go to SUD_R04A)
- DK, RF (Go to SUD_R04A)

SUD_Q03E

(Please refer to page 10 of the booklet.)

How often (did you use a pain killer in the past 12 months)?

INTERVIEWER: Read categories to respondent.

If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.

- 1 Less than once a month
- 2 1 to 3 times a month
- 3 Once a week
- 4 More than once a week
- 5 Every day
- DK, RF

SUD_R04A

The next questions are about your experience with several other types of drugs.

INTERVIEWER: Press <1> to continue.

SUD_Q04A	<p>Have you ever used or tried marijuana or hashish?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Yes, just once 2 Yes, more than once 3 No (Go to SUD_Q05A) DK, RF (Go to SUD_END)</p>
SUD_Q04B	<p>Have you used it in the past 12 months?</p> <p>1 Yes 2 No DK, RF</p>
SUD_C04C_1	<p>If SUD_Q04A = 1, go to SUD_Q05A. Otherwise, go to SUD_C04C_2.</p>
SUD_C04C_2	<p>If SUD_Q04B = 1, go to SUD_Q04C. Otherwise, go to SUD_Q04E.</p>
SUD_Q04C	<p>(Please refer to page 10 of the booklet.)</p> <p>How often (did you use marijuana or hashish in the past 12 months)?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.</p> <p>1 Less than once a month 2 1 to 3 times a month 3 Once a week 4 More than once a week 5 Every day DK, RF</p>
SUD_Q04D	<p>Did you ever have a period where you used marijuana or hashish more than you did in the past 12 months?</p> <p>1 Yes 2 No (Go to SUD_Q04F) DK, RF (Go to SUD_Q04F)</p>
SUD_Q04E	<p>(Please refer to page 10 of the booklet.)</p> <p>Thinking of the year when you used marijuana or hashish most, how often did you use it?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 Less than once a month 2 1 to 3 times a month 3 Once a week 4 More than once a week 5 Every day DK, RF</p>

SUD_Q04F	<p>In your lifetime, how many times have you used marijuana or hashish?</p> <p><u>INTERVIEWER:</u> If greater than 995, enter <995>. Minimum is 2, maximum is 995</p> <p>(MIN: 2) (MAX: 995)</p> <p>DK (Go to SUD_Q04G) RF</p> <p>Go to SUD_Q05A</p>
SUD_Q04G	<p>Have you used marijuana or hashish more than 50 times in your lifetime?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q05A	<p>Have you ever used or tried cocaine in any form, including powder, crack, free base, coca leaves, or paste?</p> <p>1 Yes, just once 2 Yes, more than once 3 No (Go to SUD_Q06A) DK, RF (Go to SUD_Q06A)</p>
SUD_Q05B	<p>Have you used it in the past 12 months?</p> <p>1 Yes 2 No DK, RF</p>
SUD_C05C_1	<p>If SUD_Q05A = 1, go to SUD_Q06A. Otherwise, go to SUD_C05C_2.</p>
SUD_C05C_2	<p>If SUD_Q05B = 1, go to SUD_Q05C. Otherwise, go to SUD_Q06A.</p>
SUD_Q05C	<p>(Please refer to page 10 of the booklet.)</p> <p>How often (did you use cocaine in the past 12 months)?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.</p> <p>1 Less than once a month 2 1 to 3 times a month 3 Once a week 4 More than once a week 5 Every day DK, RF</p>
SUD_Q06A	<p>Have you ever used or tried club drugs such as ecstasy, ketamine or MDMA?</p> <p>1 Yes, just once 2 Yes, more than once 3 No (Go to SUD_Q07A) DK, RF (Go to SUD_Q07A)</p>

SUD_Q06B	<p>Have you used it in the past 12 months?</p> <p>1 Yes 2 No DK, RF</p>
SUD_C06C_1	<p>If SUD_Q06A = 1, go to SUD_Q07A. Otherwise, go to SUD_C06C_2.</p>
SUD_C06C_2	<p>If SUD_Q06B = 1, go to SUD_Q06C. Otherwise, go to SUD_Q07A.</p>
SUD_Q06C	<p>(Please refer to page 10 of the booklet.)</p> <p>How often (did you use club drugs in the past 12 months)?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.</p> <p>1 Less than once a month 2 1 to 3 times a month 3 Once a week 4 More than once a week 5 Every day DK, RF</p>
SUD_Q07A	<p>Have you ever used or tried hallucinogens including LSD, mescaline, PCP, angel dust, mushrooms or peyote?</p> <p>1 Yes, just once 2 Yes, more than once 3 No (Go to SUD_Q08A) DK, RF (Go to SUD_Q08A)</p>
SUD_Q07B	<p>Have you used it in the past 12 months?</p> <p>1 Yes 2 No DK, RF</p>
SUD_C07C_1	<p>If SUD_Q07A = 1, go to SUD_Q08A. Otherwise, go to SUD_C07C_2.</p>
SUD_C07C_2	<p>If SUD_Q07B = 1, go to SUD_Q07C. Otherwise, go to SUD_Q08A.</p>

SUD_Q07C

(Please refer to page 10 of the booklet.)**How often (did you use hallucinogens in the past 12 months)?**INTERVIEWER: Read categories to respondent.

If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.

- 1 **Less than once a month**
- 2 **1 to 3 times a month**
- 3 **Once a week**
- 4 **More than once a week**
- 5 **Every day**

DK, RF

SUD_Q08A

Have you ever used or tried heroin or opium?

- 1 Yes, just once
- 2 Yes, more than once
- 3 No

DK, RF

(Go to SUD_Q09A)

(Go to SUD_Q09A)

SUD_Q08B

Have you used it in the past 12 months?

- 1 Yes
- 2 No

DK, RF

SUD_C08C_1

If SUD_Q08A = 1, go to SUD_Q09A.
Otherwise, go to SUD_C08C_2.

SUD_C08C_2

If SUD_Q08B = 1, go to SUD_Q08C.
Otherwise, go to SUD_Q09A.

SUD_Q08C

(Please refer to page 10 of the booklet.)**How often (did you use heroin or opium in the past 12 months)?**INTERVIEWER: Read categories to respondent.

If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.

- 1 **Less than once a month**
- 2 **1 to 3 times a month**
- 3 **Once a week**
- 4 **More than once a week**
- 5 **Every day**

DK, RF

SUD_Q09A

Have you ever used any inhalants or solvents such as nitrous oxide, glue, paint or gasoline?

- 1 Yes, just once
- 2 Yes, more than once
- 3 No

DK, RF

(Go to SUD_Q10A)

(Go to SUD_Q10A)

SUD_Q09B	<p>Have you used it in the past 12 months?</p> <p>1 Yes 2 No DK, RF</p>
SUD_C09C_1	If SUD_Q09A = 1, go to SUD_Q10A. Otherwise, go to SUD_C09C_2.
SUD_C09C_2	If SUD_Q09B = 1, go to SUD_Q09C. Otherwise, go to SUD_Q10A.
SUD_Q09C	<p>(Please refer to page 10 of the booklet.)</p> <p>How often (did you use inhalants or solvents in the past 12 months)?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.</p> <p>1 Less than once a month 2 1 to 3 times a month 3 Once a week 4 More than once a week 5 Every day DK, RF</p>
SUD_Q10A	<p>Have you ever used any other illegal drug?</p> <p>1 Yes, just once 2 Yes, more than once 3 No (Go to SUD_D11) DK, RF (Go to SUD_D11)</p>
SUD_S10A	<p>Have you ever used any other illegal drug?</p> <p><u>INTERVIEWER</u>: Specify.</p> <hr/> <p>(80 spaces)</p> <p>DK, RF</p>
SUD_D10A	
Programmer:	DT_OTHER = SUD_S10A
SUD_Q10B	<p>Have you used ^DT_OTHER in the past 12 months?</p> <p><u>INTERVIEWER</u>: If respondent reported more than one other illegal drug, mark "yes" if respondent used any of these other drugs in the past 12 months.</p> <p>1 Yes 2 No DK, RF</p>
SUD_C10C_1	If SUD_Q10A = 1, go to SUD_D11. Otherwise, go to SUD_C10C_2.

SUD_C10C_2	<p>If SUD_Q10B = 1, go to SUD_Q10C. Otherwise, go to SUD_D11.</p>
SUD_Q10C	<p>(Please refer to page 10 of the booklet)</p> <p>How often (did you use ^DT_OTHER in the past 12 months)?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>If respondent used more than one other illegal drug in the past 12 months, ask about the frequency of the one they used most often.</p> <p>If the respondent reports that their use varied significantly in the past 12 months, ask them to answer based on the period when they used it the most.</p> <ol style="list-style-type: none"> 1 Less than once a month 2 1 to 3 times a month 3 Once a week 4 More than once a week 5 Every day <p>DK, RF</p>
SUD_D11	
Programmer:	<p>Set count of DV_SUD_D11 = 0.</p> <p>For each valid condition in [(SUD_Q01A = 2 or SUD_Q01C = 1), (SUD_Q02A = 2 or SUD_Q02C = 1), (SUD_Q03A = 2 or SUD_Q03C = 1), SUD_Q04A = 2, SUD_Q05A = 2, SUD_Q06A = 2, SUD_Q07A = 2, SUD_Q08A = 2, SUD_Q09A = 2, SUD_Q10A = 2], DV_SUD_D11 = DV_SUD_D11 + 1. (min: 0, max: 10)</p>
Content type:	<p>NOTE TO DATA USERS:</p> <p>This is a counter for how many different types of drugs the respondent has used more than once in their lifetime. If they have used marijuana or hashish more than once in their life, they will be asked go to the next section on marijuana/hashish abuse starting at SUD_R21. After that, if they have used marijuana or hashish more than 50 times in their life, they will be asked the marijuana/hashish dependence questions starting at SUD_R31. If the respondent has done any other drugs, they will be asked the section starting at SUD_R51 in relation to any other drugs that they reported using.</p>
SUD_C11	<p>If DV_SUD_D11 = 0, go to SUD_END. Otherwise, go to SUD_D12.</p>

SUD_Q24	<p>Were there times in your life when you were often under the influence of marijuana or hashish in situations where you could have gotten hurt, for example when riding a bicycle, driving, or operating a machine?</p> <p>1 Yes 2 No DK, RF</p>															
SUD_Q25	<p>Were you arrested or stopped by the police more than once because of driving under the influence of marijuana or hashish or because of your behaviour while you were under the influence of marijuana or hashish?</p> <p>1 Yes 2 No DK, RF</p>															
SUD_D26																
Programmer:	<p>Set count of DV_SUD_D26 = 0.</p> <p>For each 1 (yes) in (SUD_Q21, SUD_Q23, SUD_Q24, SUD_Q25), DV_SUD_D26 = DV_SUD_D26 + 1. (min: 0, max: 4)</p>															
SUD_C26	<p>If DV_SUD_D26 = 0, go to SUD_C30. Otherwise, go to SUD_D27A.</p>															
SUD_D27A	<p>If DV_SUD_D26 = 1, DT_THISPROBLEM1 = "this problem". If DV_SUD_D26 = 2, DT_THISPROBLEM1 = "either of these problems". If DV_SUD_D26 > 2, DT_THISPROBLEM1 = "any of these problems". If SUD_Q21 = 1, DT_KEYPHRASEB1 = "- interfered with your work". If SUD_Q23 = 1, DT_KEYPHRASEB2 = "- caused problems with family or friends". If SUD_Q24 = 1, DT_KEYPHRASEB3 = "- occurred in situations where you could have gotten hurt". If SUD_Q25 = 1, DT_KEYPHRASEB4 = "- resulted in problems with the police".</p>															
SUD_D27B																
Programmer:	<p>DT_KEYPHRASESB = "DT_KEYPHRASEB1 DT_KEYPHRASEB2 DT_KEYPHRASEB3 DT_KEYPHRASEB4"</p> <p>Insert a blank line at the beginning of each item.</p>															
SUD_Q28	<p>Your use of marijuana or hashish: ^DT_KEYPHRASESB.</p> <p>How <u>recently</u> did you have ^DT_THISPROBLEM1 because of using marijuana or hashish?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <table><tr><td>1</td><td>In the past 30 days</td><td>(Go to SUD_C30)</td></tr><tr><td>2</td><td>1 month to less than 6 months ago</td><td>(Go to SUD_C30)</td></tr><tr><td>3</td><td>6 months to 12 months ago</td><td>(Go to SUD_C30)</td></tr><tr><td>4</td><td>More than 12 months ago</td><td>(Go to SUD_C30)</td></tr><tr><td colspan="2">DK, RF</td><td>(Go to SUD_C30)</td></tr></table>	1	In the past 30 days	(Go to SUD_C30)	2	1 month to less than 6 months ago	(Go to SUD_C30)	3	6 months to 12 months ago	(Go to SUD_C30)	4	More than 12 months ago	(Go to SUD_C30)	DK, RF		(Go to SUD_C30)
1	In the past 30 days	(Go to SUD_C30)														
2	1 month to less than 6 months ago	(Go to SUD_C30)														
3	6 months to 12 months ago	(Go to SUD_C30)														
4	More than 12 months ago	(Go to SUD_C30)														
DK, RF		(Go to SUD_C30)														

SUD_Q29	<p>How <u>old</u> were you the <u>last</u> time you had ^DT_THISPROBLEM1 because of marijuana or hashish?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^DV_AGE - 1.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
SUD_E29A	<p>The reported age is invalid. Please return and correct.</p>
Rule :	<p>Trigger hard edit if SUD_Q29 > (DV_AGE - 1).</p>
SUD_E29B	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if SUD_Q29 < 10.</p>
SUD_C30	<p>If SUD_Q04F >= 50 or SUD_Q04G = 1, go to SUD_R31. Otherwise, go to SUD_C49.</p>
Tag:	<p>Marijuana or Hashish Dependence</p>
Content type:	<p>NOTE TO DATA USERS: The section on marijuana and hashish dependence is initiated if the respondent reported using marijuana or hashish 50 times or more in their lifetime (SUD_Q04F >= 50 or SUD_Q04G = 1).</p>
SUD_R31	<p>The next questions are about some <u>other</u> problems you may have had due to your use of marijuana or hashish.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SUD_Q31	<p>Was there ever a time in your life when you often had such a strong desire to use marijuana or hashish that you couldn't stop using or found it difficult to think of anything else?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q32	<p>Did you ever need larger amounts of marijuana or hashish to get an effect, or did you ever find that you could no longer get high on the amount you used to use?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q33	<p>Did you ever have times when you stopped, cut down or went without using marijuana or hashish and then experienced withdrawal symptoms?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to SUD_Q35)</p>

SUD_Q34	<p>Did you ever have times when you used marijuana or hashish to <u>keep</u> from having problems like these?</p> <p><u>INTERVIEWER:</u> If needed, clarify that "problems" refers to withdrawal symptoms.</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q35	<p>Did you ever have times when you used marijuana or hashish even though you planned not to or when you used a lot more than you intended?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to SUD_Q37)</p>
SUD_Q36	<p>Were there ever times when you used marijuana or hashish more frequently or for <u>more days in a row</u> than you intended?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q37	<p>Were there times when you tried to stop or cut down on your use of marijuana or hashish and found that you were not able to do so?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q38	<p>Did you ever have several days or more when you spent so much time using or recovering from the effects of marijuana or hashish use that you had little time for anything else?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q39	<p>Did you ever have a time when you gave up or greatly reduced important activities because of your marijuana or hashish use - like sports, work, or seeing friends and family?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q40	<p>Did you ever continue to use marijuana or hashish when you knew you had a serious physical or emotional problem that might have been caused by or made worse by using marijuana or hashish?</p> <p>1 Yes 2 No DK, RF</p>
SUD_D41A	
Programmer:	<p>Set count of DV_SUD_D41A = 0.</p> <p>For each 1 (yes) in (SUD_Q31, SUD_Q32, SUD_Q33, SUD_Q34, SUD_Q35, SUD_Q36, SUD_Q37, SUD_Q38, SUD_Q39, SUD_Q40), DV_SUD_D41A = DV_SUD_D41A + 1. (min: 0, max: 8)</p>

SUD_C41A	If DV_SUD_D41A = 0, go to SUD_C49. Otherwise, go to SUD_D41B.
SUD_D41B	<p>If SUD_D41A = 1, DT_THISPROBLEM2 = "this problem".</p> <p>If SUD_D41A = 2, DT_THISPROBLEM2 = "either of these problems".</p> <p>If SUD_D41A > 2, DT_THISPROBLEM2 = "any of these problems".</p> <p>If SUD_Q31 = 1, DT_KEYPHRASED1 = "- you had a strong and irresistible urge to use marijuana or hashish".</p> <p>If SUD_Q32 = 1, DT_KEYPHRASED2 = "- you needed larger amounts of marijuana or hashish to get an effect".</p> <p>If SUD_Q33 = 1, DT_KEYPHRASED3 = "- you experienced withdrawal symptoms from marijuana or hashish".</p> <p>If SUD_Q34 = 1, DT_KEYPHRASED4 = "- you used marijuana or hashish to keep from having withdrawal symptoms".</p> <p>If SUD_Q35 = 1, DT_KEYPHRASED5 = "- you used when you planned not to, or you used more than you planned".</p> <p>If SUD_Q36 = 1, DT_KEYPHRASED6 = "- you used more frequently than you intended".</p> <p>If SUD_Q37 = 1, DT_KEYPHRASED7 = "- you tried but weren't able to stop or cut down using".</p> <p>If SUD_Q38 = 1, DT_KEYPHRASED8 = "- you spent periods of several days doing little more than using or getting over the effects of using".</p> <p>If SUD_Q39 = 1, DT_KEYPHRASED9 = "- you gave up or reduced important activities because of your use".</p> <p>If SUD_Q40 = 1, DT_KEYPHRASED10 = "- you continued to use even though it caused or worsened physical or emotional problems".</p>
SUD_D41C	
Programmer:	<p>DT_KEYPHRASESD = "DT_KEYPHRASED1 DT_KEYPHRASED2 DT_KEYPHRASED3 DT_KEYPHRASED4 DT_KEYPHRASED5 DT_KEYPHRASED6 DT_KEYPHRASED7 DT_KEYPHRASED8 DT_KEYPHRASED9 DT_KEYPHRASED10"</p> <p>Insert a black line at the beginning of each item.</p>
SUD_R42	<p>You reported that during the time you were using marijuana or hashish: ^DT_KEYPHRASESD.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SUD_C43	If DV_SUD_D41A >= 3, go to SUD_Q43. Otherwise, go to SUD_Q45.
SUD_Q43	<p>Did you ever have <u>three</u> or more of these problems in the <u>same 12 month period</u> during the time you were using marijuana or hashish?</p> <p>1 Yes</p> <p>2 No</p> <p>DK, RF</p>
SUD_Q45	<p>How <u>recently</u> did you have ^THISPROBLEM2 because of using marijuana or hashish?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 In the past 30 days (Go to SUD_C49)</p> <p>2 1 month to less than 6 months ago (Go to SUD_C49)</p> <p>3 6 months to 12 months ago (Go to SUD_C49)</p> <p>4 More than 12 months ago (Go to SUD_C49)</p> <p>DK, RF (Go to SUD_C49)</p>

SUD_Q46	<p>How <u>old</u> were you the <u>last</u> time you had any of these problems because of using marijuana or hashish?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^DV_AGE - 1.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>
SUD_E46A	The reported age is invalid. Please return and correct.
Rule :	Trigger hard edit if SUD_Q46 > (DV_AGE- 1).
SUD_E46B	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if SUD_Q46 < 10.
SUD_C49	If SUD_Q04A = 2 and DV_SUD_D11 = 1, go to SUD_C79. Otherwise, go to SUD_D50A.
SUD_D50A	
Programmer:	<p>If (SUD_Q04A = 2 and DV_SUD_D11 = 2) or (SUD_Q04A <> 2 and DV_SUD_D11 = 1), and (If (SUD_Q01A = 2 or SUD_Q01C = 1), DT_DRUGX = "sedatives or tranquilizers" If (SUD_Q02A = 2 or SUD_Q02C = 1), DT_DRUGX = "stimulants" If (SUD_Q03A = 2 or SUD_Q03C = 1), DT_DRUGX = "pain killers" If SUD_Q05A = 2, DT_DRUGX = "cocaine" If SUD_Q06A = 2, DT_DRUGX = "club drugs" If SUD_Q07A = 2, DT_DRUGX = "hallucinogens" If SUD_Q08A = 2, DT_DRUGX = "heroin or opium" If SUD_Q09A = 2, DT_DRUGX = "inhalants or solvents" If SUD_Q10A = 2, DT_DRUGX = "^DT_OTHER") Otherwise, DT_DRUGX = DT_DRUG1 + DT_DRUG2 + DT_DRUG3 + DT_DRUG4 + DT_DRUG5 + DT_DRUG6 + DT_DRUG7 + DT_DRUG8 + DT_DRUG9 + DT_DRUG10. Insert a black line at the beginning of each item.</p>
SUD_D50B	
Programmer:	<p>If DV_SUD_D11 = 1 or (DV_SUD_D11 = 2 and SUD_Q04A = 2) then DT_DRUGUSE = "DT_DRUGX", If (DV_SUD_D11 > 2 and SUD_Q04A = 2), then DT_DRUGUSE = "drugs, excluding marijuana or hashish" If (DV_SUD_D11 >= 2 and SUD_Q04A <> 2), then DT_DRUGUSE = "drugs"</p>
Tag:	Other Drug Abuse
SUD_D50C	
Programmer:	<p>If DV_SUD_D11 = 1 or (DV_SUD_D11 = 2 and SUD_Q04A = 2), then DT_DRUGUSE2 = "DT_DRUGX". Otherwise, DT_DRUGUSE2 = "drugs".</p>

Content type:	NOTE TO DATA USERS: The section on other drug abuse is initiated if the respondent reported ever consuming a drug more than once in their lifetime and/or using a prescription drug nonmedically more than once in their lifetime.
SUD_R51	You reported using: ^DT_DRUGX. The next questions are about any problems you ever had because of your use of ^DT_DRUGUSE. <u>INTERVIEWER:</u> Press <1> to continue.
SUD_Q51	Was there ever a time in your life when your use of ^DT_DRUGUSE2 frequently interfered with your work or responsibilities at school, on a job, or at home? 1 Yes 2 No DK, RF (Go to SUD_C79)
SUD_Q52	Was there ever a time in your life when your use of ^DT_DRUGUSE2 caused arguments or other serious or repeated problems with your family, friends, neighbours, or co-workers? 1 Yes 2 No (Go to SUD_Q54) DK, RF (Go to SUD_Q54)
SUD_Q53	Did you continue to use ^DT_DRUGUSE2 even though it caused problems with these people? 1 Yes 2 No DK, RF
SUD_Q54	Were there times in your life when you were often under the influence of ^DT_DRUGUSE2 in situations where you could have gotten hurt, for example when riding a bicycle, driving, or operating a machine? 1 Yes 2 No DK, RF
SUD_Q55	Were you arrested or stopped by the police more than once because of driving under the influence of ^DT_DRUGUSE2 or because of your behaviour while you were under the influence of ^DT_DRUGUSE2? 1 Yes 2 No DK, RF
SUD_D56	
Programmer:	Set count of DV_SUD_D56 = 0. For each 1 (yes) in (SUD_Q51, SUD_Q53, SUD_Q54, SUD_Q55), DV_SUD_D56 = DV_SUD_D56 + 1. (min: 0, max: 4)
SUD_C56	If DV_SUD_D56 = 0, go to SUD_R61. Otherwise, go to SUD_D57A.

SUD_D57A	<p>If DV_SUD_D56 = 1, DT_THISPROBLEM3 = "this problem". If DV_SUD_D56 = 2, DT_THISPROBLEM3 = "either of these problems". If DV_SUD_D56 > 2, DT_THISPROBLEM3 = "any of these problems". If SUD_Q51 = 1, DT_KEYPHRASEB21 = "- interfered with your work". If SUD_Q53 = 1, DT_KEYPHRASEB22 = "- caused problems with family or friends". If SUD_Q54 = 1, DT_KEYPHRASEB23 = "- occurred in situations where you could have gotten hurt". If SUD_Q55 = 1, DT_KEYPHRASEB24 = "- resulted in problems with the police".</p>												
SUD_D57B													
Programmer:	<p>DT_KEYPHRASESB2 = "DT_KEYPHRASEB21 DT_KEYPHRASEB22 DT_KEYPHRASEB23 DT_KEYPHRASEB24"</p> <p>Insert a blank line at the beginning of each item.</p>												
SUD_Q58	<p>Your use of ^DT_DRUGUSE: ^DT_KEYPHRASESB2.</p> <p>How <u>recently</u> did you have ^DT_THISPROBLEM3 because of using ^DT_DRUGUSE2?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <table><tr><td>1</td><td>In the past 30 days</td><td>(Go to SUD_R61)</td></tr><tr><td>2</td><td>1 month to less than 6 months ago</td><td>(Go to SUD_R61)</td></tr><tr><td>3</td><td>6 months to 12 months ago</td><td>(Go to SUD_R61)</td></tr><tr><td>4</td><td>More than 12 months ago</td><td>(Go to SUD_R61)</td></tr></table> <p>DK, RF (Go to SUD_R61)</p>	1	In the past 30 days	(Go to SUD_R61)	2	1 month to less than 6 months ago	(Go to SUD_R61)	3	6 months to 12 months ago	(Go to SUD_R61)	4	More than 12 months ago	(Go to SUD_R61)
1	In the past 30 days	(Go to SUD_R61)											
2	1 month to less than 6 months ago	(Go to SUD_R61)											
3	6 months to 12 months ago	(Go to SUD_R61)											
4	More than 12 months ago	(Go to SUD_R61)											
SUD_Q59	<p>How <u>old</u> were you the <u>last</u> time you had ^DT_THISPROBLEM3 because of ^DT_DRUGUSE2?</p> <p><u>INTERVIEWER:</u> Minimum is 0; maximum is ^DV_AGE - 1.</p> <p>(MIN: 0) (MAX: 130)</p> <p>DK, RF</p>												
SUD_E59A	<p>The reported age is invalid. Please return and correct.</p>												
Rule :	<p>Trigger hard edit if SUD_Q59 > (DV_AGE - 1).</p>												
SUD_E59B	<p>An unusual value has been entered. Please confirm.</p>												
Rule :	<p>Trigger soft edit if SUD_Q59 < 10.</p>												
Tag:	<p>Other Drug Dependence</p>												
Content type:	<p>NOTE TO DATA USERS:</p> <p>The section on other drug dependence is initiated if the respondent reported ever consuming a drug more than once in their lifetime and/or using a prescription drug nonmedically more than once in their lifetime.</p>												
SUD_R61	<p>You reported using: ^DT_DRUGX.</p> <p>The next questions are about some <u>other</u> problems you may have had due to your use of ^DT_DRUGUSE.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>												

SUD_Q61	<p>Was there ever a time in your life when you often had such a strong desire to use ^DT_DRUGUSE2 that you couldn't stop using or found it difficult to think of anything else?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q62	<p>Did you ever need larger amounts of ^DT_DRUGUSE2 to get an effect, or did you ever find that you could no longer get high on the amount you used to use?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q63	<p>Did you ever have times when you stopped, cut down or went without using ^DT_DRUGUSE2 and then experienced withdrawal symptoms?</p> <p>1 Yes (Go to SUD_Q65) 2 No DK, RF</p>
SUD_Q64	<p>Did you ever have times when you used ^DT_DRUGUSE2 to <u>keep</u> from having problems like these?</p> <p><u>INTERVIEWER</u>: If needed, clarify that "problems" refers to withdrawal symptoms.</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q65	<p>Did you ever have times when you used ^DT_DRUGUSE2 even though you planned not to or when you used a lot more than you intended?</p> <p>1 Yes (Go to SUD_Q67) 2 No DK, RF</p>
SUD_Q66	<p>Were there ever times when you used ^DT_DRUGUSE2 more frequently or for <u>more days in a row</u> than you intended?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q67	<p>Were there times when you tried to stop or cut down on your use of ^DT_DRUGUSE2 and found that you were not able to do so?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q68	<p>Did you ever have several days or more when you spent so much time using or recovering from the effects of using ^DT_DRUGUSE2 that you had little time for anything else?</p> <p>1 Yes 2 No DK, RF</p>

SUD_Q69	<p>Did you ever have a time when you gave up or greatly reduced important activities because of your use of ^DT_DRUGUSE2 - like sports, work, or seeing friends and family?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q70	<p>Did you ever continue to use ^DT_DRUGUSE2 when you knew you had a serious physical or emotional problem that might have been caused by or made worse by using ^DT_DRUGUSE2?</p> <p>1 Yes 2 No DK, RF</p>
SUD_D71A	
Programmer:	<p>Set count of DV_SUD_D71A = 0.</p> <p>For each 1 (yes) in (SUD_Q61, SUD_Q62, SUD_Q63, SUD_Q64, SUD_Q65, SUD_Q66, SUD_Q67, SUD_Q68, SUD_Q69, SUD_Q70). DV_SUD_D71A = DV_SUD_D71A + 1. (min: 0, max: 8)</p>
SUD_C71A	<p>If DV_SUD_D71A = 0, go to SUD_C79. Otherwise, go to SUD_D71B.</p>
SUD_D71B	<p>If DV_SUD_D71A = 1, DT_THISPROBLEM4 = "this problem". If DV_SUD_D71A = 2, DT_THISPROBLEM4 = "either of these problems". If DV_SUD_D71A > 2, DT_THISPROBLEM4 = "any of these problems". If SUD_Q61 = 1, DT_KEYPHRASED21 = "- you had a strong and irresistible urge to use ^DRUGUSE2". If SUD_Q62 = 1, DT_KEYPHRASED22 = "- you needed larger amounts of ^DRUGUSE2 to get an effect". If SUD_Q63 = 1, DT_KEYPHRASED23 = "- you experienced withdrawal symptoms from ^DRUGUSE2". If SUD_Q64 = 1, DT_KEYPHRASED24 = "- you used ^DRUGUSE2 to keep from having withdrawal symptoms". If SUD_Q65 = 1, DT_KEYPHRASED25 = "- you used when you planned not to, or you used more than you planned". If SUD_Q66 = 1, DT_KEYPHRASED26 = "- you used more frequently than you intended". If SUD_Q67 = 1, DT_KEYPHRASED27 = "- you tried but weren't able to stop or cut down using". If SUD_Q68 = 1, DT_KEYPHRASED28 = "- you spent periods of several days doing little more than using or getting over the effects of using". If SUD_Q69 = 1, DT_KEYPHRASED29 = "- you gave up or reduced important activities because of your use". If SUD_Q70 = 1, DT_KEYPHRASED210 = "- you continued to use even though it caused or worsened physical or emotional problems".</p>
SUD_D71C	
Programmer:	<p>DT_KEYPHRASESD2 = "DT_KEYPHRASED21 DT_KEYPHRASED22 DT_KEYPHRASED23 DT_KEYPHRASED24 DT_KEYPHRASED25 DT_KEYPHRASED26 DT_KEYPHRASED27 DT_KEYPHRASED28 DT_KEYPHRASED29 DT_KEYPHRASED210"</p> <p>Insert a blank line at the beginning of each item.</p>

SUD_R72	<p>You reported that during the time you were using ^DT_DRUGUSE: ^DT_KEYPHRASESD2.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SUD_C73	<p>If DV_SUD_D71A >= 3, go to SUD_Q73. Otherwise, go to SUD_Q75.</p>
SUD_Q73	<p>Did you ever have <u>three</u> or more of these problems in the <u>same 12 month period</u> during the time you were using ^DT_DRUGUSE?</p> <p>1 Yes 2 No DK, RF</p>
SUD_Q75	<p>How <u>recently</u> did you have ^DT_THISPROBLEM4 because of using ^DT_DRUGUSE2?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 In the past 30 days (Go to SUD_C79) 2 1 month to less than 6 months ago (Go to SUD_C79) 3 6 months to 12 months ago (Go to SUD_C79) 4 More than 12 months ago (Go to SUD_C79) DK, RF (Go to SUD_C79)</p>
SUD_Q76	<p>How <u>old</u> were you the <u>last</u> time you had any of these problems because of using ^DT_DRUGUSE2?</p> <p><u>INTERVIEWER</u>: Minimum is 0; maximum is ^DV_AGE - 1. (MIN: 0) (MAX: 130) DK, RF</p>
SUD_E76A	<p>The reported age is invalid. Please return and correct.</p>
Rule :	<p>Trigger hard edit if SUD_Q76 > (DV_AGE - 1).</p>
SUD_E76B	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if SUD_Q76 < 10.</p>
SUD_C79	<p>If (SUD_Q28 = 1, 2, or 3) or (SUD_Q45 = 1, 2 or 3) or (SUD_Q58 = 1, 2, or 3) or (SUD_Q75 = 1, 2, or 3), go to SUD_D79. Otherwise, go to SUD_C86.</p>
SUD_D79	
Programmer:	<p>Set count of DV_SUD_D79 = 0.</p> <p>For each "Yes" in (SUD_Q01D, SUD_Q02D, SUD_Q03D, SUD_Q04B, SUD_Q05B, SUD_Q06B, SUD_Q07B, SUD_Q08B, SUD_Q09B, SUD_Q10B], DV_SUD_D79 = DV_SUD_D79 + 1. (min: 0, max: 10)</p>
Content type:	<p>NOTE TO DATA USERS: This is a counter for how many different types of drugs the respondent has used in the past 12 months. The following questions will ask the respondent only about those drugs used in the last 12 months. As well, this is the point when "marijuana and hashish" is included with all other drugs in the question text</p>

SUD_D80

If SUD_Q01D = 1, DT_12MOSUB1 = "sedatives or tranquilizers".
 If SUD_Q02D = 1, DT_12MOSUB2 = "stimulants".
 If SUD_Q03D = 1, DT_12MOSUB3 = "pain killers".
 If SUD_Q04B = 1, DT_12MOSUB4 = "marijuana or hashish".
 If SUD_Q05B = 1, DT_12MOSUB5 = "cocaine".
 If SUD_Q06B = 1, DT_12MOSUB6 = "club drugs".
 If SUD_Q07B = 1, DT_12MOSUB7 = "hallucinogens".
 If SUD_Q08B = 1, DT_12MOSUB8 = "heroin or opium".
 If SUD_Q09B = 1, DT_12MOSUB9 = "inhalents or solvents".
 If SUD_Q10B = 1, DT_12MOSUB10 = "^DT_OTHER".
 If DV_SUD_D79 = 1, DT_ALL12MOSUB = "^DT_12MOSUB1 or ^DT_12MOSUB2 or
 ^DT_12MOSUB3 or ^DT_12MOSUB4 or ^DT_12MOSUB5 or ^DT_12MOSUB6 or
 ^DT_12MOSUB7 or ^DT_12MOSUB8 or ^DT_12MOSUB9 or ^DT_12MOSUB10".
 If DV_SUD_D79 = 2 and SUD_Q04B <> 1, DT_ALL12MOSUB = "either of these drugs".
 If DV_SUD_D79 => 2 and SUD_Q04B = 1, DT_ALL12MOSUB = "any of these drugs,
including marijuana or hashish".
 If DV_SUD_D79 > 2 and SUD_Q04B <> 1, DT_ALL12MOSUB = "any of these drugs".
 If DV_SUD_D79 => 1, DT_LIST12MOSUB = "^DT_12MOSUB1, ^DT_12MOSUB2,
 ^DT_12MOSUB3, ^DT_12MOSUB4, ^DT_12MOSUB5, ^DT_12MOSUB6,
 ^DT_12MOSUB7, ^DT_12MOSUB8, ^DT_12MOSUB9, ^DT_12MOSUB10".

SUD_R81

Please refer to page 3 of the booklet.

You earlier reported that during the past 12 months you used: ^DT_LIST12MOSUB.

Think about the period of time that lasted one month or longer in the past 12 months when you were using ^DT_ALL12MOSUB the most. Please tell me what number best describes how much your use of ^DT_ALL12MOSUB interfered with each of the following activities. For each activity, answer with a number between 0 and 10; 0 means "no interference" while 10 means "very severe interference."

INTERVIEWER: Press <1> to continue.

SUD_Q81A

In the past 12 months, how much did your use of drugs interfere with your home responsibilities, like cleaning, shopping and taking care of the house or apartment?

0	No interference
01	I
02	I
03	I
04	I
05	I
06	I
07	I
08	I
09	V
10	Very severe interference
DK, RF	

SUD_Q81B_1

How much did your use interfere with your ability to attend school?INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

SUD_Q81B_2

How much did your use interfere with your ability to work at a job?INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
11 Not applicable
DK, RF

SUD_Q81C

Again, think about the period lasting one month or longer in the past 12 months when you were using ^DT_ALL12MOSUB the most. How much did your use of drugs interfere with your ability to form and maintain close relationships with other people? (Remember that 0 means "no interference" and 10 means "very severe interference".)

0 No interference
01 |
02 |
03 |
04 |
05 |
06 |
07 |
08 |
09 V
10 Very severe interference
DK, RF

SUD_Q81D	<p>How much did your use of drugs interfere with your social life?</p> <p>0 No interference</p> <p>01 I</p> <p>02 I</p> <p>03 I</p> <p>04 I</p> <p>05 I</p> <p>06 I</p> <p>07 I</p> <p>08 I</p> <p>09 V</p> <p>10 Very severe interference</p> <p>DK, RF</p>
SUD_C82	<p>If (SUD_Q81A, SUD_Q81B_1, SUD_Q81B_2, SUD_Q81C and SUD_Q81D) = 0 (no interference) or = 11 (not applicable), or DK or RF, go to SUD_C86.</p> <p>Otherwise, go to SUD_Q83.</p>
SUD_Q83	<p>About how many days out of 365 in the past 12 months were you totally unable to work or carry out your normal activities because of your using ^DT_ALL12MOSUB?</p> <p>(MIN: 0) (MAX: 365)</p> <p>DK, RF</p>
SUD_C86	<p>If (SUD_Q21 or SUD_Q23 or SUD_Q24 or SUD_Q25 = 1) or (SUD_Q51 or SUD_Q53 or SUD_Q54 or SUD_Q55 = 1) or (any of SUD_Q31 to SUD_Q40 = 1) or (any of SUD_Q61 to SUD_Q70 = 1), go to SUD_D87.</p> <p>Otherwise, go to SUD_END.</p>
SUD_D87	<p>If SUD_Q04A = 2, DT_INCMAR = ", <u>including</u> marijuana or hashish".</p> <p>Otherwise, DT_INCMAR = "null".</p>
SUD_Q87	<p>Now, think about all of the drugs you have used in your lifetime. Did you <u>ever</u> in your life see, or talk on the telephone to, a medical doctor or other professional about your drug use ^DT_INCMAR? (By other professional, we mean psychologists, psychiatrists, social workers, counsellors, spiritual advisors, homeopaths, acupuncturists, self-help groups or other health professionals.)</p> <p>1 Yes</p> <p>2 No (Go to SUD_END)</p> <p>DK, RF (Go to SUD_END)</p>
SUD_Q89	<p>During the past 12 months, did you receive professional treatment for your drug use?</p> <p>1 Yes</p> <p>2 No</p> <p>DK, RF</p>
SUD_Q90	<p>During your life, were you <u>ever</u> hospitalized overnight for your drug use?</p> <p>1 Yes</p> <p>2 No</p> <p>DK, RF</p>
SUD_END	

WHO Disability Assessment Schedule 2.0 (DAS)

1 - Copied
Version - 1001

DAS_BEG	<p>This module is the World Health Organization Disability Assessment Schedule 2.0 (WHO-DAS 2.0)© instrument developed by the World Health Organization (Geneva, Switzerland). Dr. Kostanjsek granted permission to Statistics Canada for the use of WHO-DAS 2.0 in this survey.</p> <p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DODAS: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
DAS_C01A	<p>If DODAS = 1, go to DAS_R01A. Otherwise, go to DAS_END.</p>
DAS_R01A	<p>Please refer to page 13 of the booklet.</p> <p>The following questions are about the <u>difficulties</u> people may have because of any short or long lasting health condition related to diseases or illnesses, injuries, mental or emotional problems and problems with alcohol or drugs.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
DAS_R01B	<p>When reporting any difficulties, please think about the average amount of: increased effort, discomfort or pain, slowness, or changes in the way you do the activity <u>over the last 30 days</u>.</p> <p>You may feel that some of these questions do not apply to you, but it is important that we ask the same questions of everyone.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
DAS_Q01	<p>In the last 30 days, how much difficulty did you have in:</p> <p>... standing for long periods such as 30 minutes?</p> <p><u>INTERVIEWER</u>: Respondent may report difficulties due to pregnancy.</p> <p>Read categories to respondent.</p> <ol style="list-style-type: none"> 1 None 2 Mild 3 Moderate 4 Severe 5 Extreme/Cannot do <p>DK, RF (Go to DAS_END)</p>

DAS_Q02

(In the last 30 days, how much difficulty did you have in:)

... taking care of your household responsibilities?

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme/Cannot do
- DK, RF

DAS_Q03

(In the last 30 days, how much difficulty did you have in:)

... learning a new task, for example, learning how to get to a new place?

INTERVIEWER: If necessary, clarify that the question focuses on difficulty because of a health problem.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme/Cannot do
- DK, RF

DAS_Q04

In the last 30 days, how much of a problem did you have joining in community activities (for example, festivities, religious or other activities) in the same way as anyone else can?

INTERVIEWER: If necessary, clarify that the question focuses on difficulty because of a health problem.

If necessary, enter "6" to indicate "Not applicable" (e.g. respondent has not joined community activities for reasons other than a health condition).

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme/Cannot do
- 6 Not applicable
- DK, RF

DAS_Q05

In the last 30 days, how much have you been emotionally affected by your health problems?

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme
- DK, RF

DAS_Q06

In the last 30 days, how much difficulty did you have in:

... concentrating on doing something for 10 minutes?

INTERVIEWER: If necessary, clarify that the question focuses on difficulty because of a health problem.

- 1 None
 - 2 Mild
 - 3 Moderate
 - 4 Severe
 - 5 Extreme/Cannot do
- DK, RF

DAS_Q07

(In the last 30 days, how much difficulty did you have in:)

... walking a long distance such as a kilometre (or 0.6 miles)?

INTERVIEWER: Respondent may report difficulties due to pregnancy.

- 1 None
 - 2 Mild
 - 3 Moderate
 - 4 Severe
 - 5 Extreme/Cannot do
- DK, RF

DAS_Q08

(In the last 30 days, how much difficulty did you have in:)

... washing your whole body?

- 1 None
 - 2 Mild
 - 3 Moderate
 - 4 Severe
 - 5 Extreme/Cannot do
- DK, RF

DAS_Q09

(In the last 30 days, how much difficulty did you have in:)

... getting dressed?

- 1 None
 - 2 Mild
 - 3 Moderate
 - 4 Severe
 - 5 Extreme/Cannot do
- DK, RF

DAS_Q10

In the last 30 days, how much difficulty did you have in:

... dealing with people you do not know?

INTERVIEWER: If necessary, clarify that the question focuses on difficulty because of a health problem.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme/Cannot do
- DK, RF

DAS_Q11

(In the last 30 days, how much difficulty did you have in:)

... maintaining a friendship?

INTERVIEWER: If necessary, clarify that the question focuses on difficulty because of a health problem.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme/Cannot do
- DK, RF

DAS_Q12

(In the last 30 days, how much difficulty did you have in:)

...your day to day work or school activities?

INTERVIEWER: If necessary, enter "6" to indicate "Not applicable" (e.g. if the respondent has not worked or studied for reasons other than a health condition).

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme/Cannot do
- 6 Not applicable
- DK, RF

DAS_C13

If DAS_Q01 = 1 and DAS_Q02 = 1, DK, RF and DAS_Q03 = 1, DK, RF and DAS_Q04 = 1, 6, DK, RF and DAS_Q05 = 1, DK, RF and DAS_Q06 = 1, DK, RF and DAS_Q07 = 1, DK, RF and DAS_Q08 = 1, DK, RF and DAS_Q09 = 1, DK, RF and DAS_Q10 = 1, DK, RF and DAS_Q11 = 1, DK, RF and DAS_Q12 = 1, 6, DK, RF, go to DAS_END.
Otherwise, go to DAS_Q13.

DAS_Q13

In the last 30 days, overall, how much did these difficulties interfere with your life?

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Extreme
- DK, RF

DAS_END

TWD_Q3	<p>^DT_DURING those 14 days, were there any days that you cut down on things you normally do because of illness or injury?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to TWD_Q5) (Go to TWD_Q5)</p>
TWD_Q4	<p>How many days did you cut down on things for all or most of the day?</p> <p><u>INTERVIEWER:</u> Enter "0" if less than a day. Maximum is ^DV_14LSTWD2.</p> <p>(MIN: 0) (MAX: 14)</p> <p>DK, RF</p>
TWD_E4	<p>TWD_Q2 (days spent in bed for all or most of the day) + TWD_Q4 (days you cut down on things for all or most of the day) is greater than 14. Please return and correct.</p>
Rule :	<p>Trigger hard edit if TWD_Q4 > DV_14LSTWD2.</p>
TWD_Q5	<p>^DT_DURING those 14 days, were there any days when it took extra effort to perform up to your usual level at work or at your other daily activities, because of illness or injury?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to TWD_END) (Go to TWD_END)</p>
TWD_Q6	<p>How many days required extra effort?</p> <p><u>INTERVIEWER:</u> Enter "0" if less than a day. Maximum is ^DV_14LSTWD2.</p> <p>(MIN: 0) (MAX: 14)</p> <p>DK, RF</p>
TWD_E6	<p>TWD_Q2 (days spent in bed for all or most of the day) + TWD_Q6 (days that required extra effort) is greater than 14. Please return and correct.</p>
Rule :	<p>Trigger hard edit if TWD_Q6 > DV_14LSTWD2.</p>
TWD_END	

SR1 BEG

Content block

GEN Q08

DOSR1: do block flag, from the sample file.

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

Help text:

This module collects information about respondent's use of help, and health care services related to problems with emotions, mental health, or use of alcohol or drugs during the past 12 months.

NOTE TO DATA USERS:

SR1_Q001 to SR1_Q003 - Questions on overnight hospitalizations.

SR1_Q004 - Question reporting the professionals and non-professionals consulted.

SR1_Q010 to SR1_Q054 - Follow-up questions on professional consultations for each professional reported in SR1_Q004.

SR1_Q060 to SR1_Q102 - Follow-up questions on non-professional consultations for each non-professional reported in SR1_Q004.

SR1_Q110 to SR1_Q117 - Questions on the utilization of health services provided by an employer (E.g. An Employee Assistance Program), as well as the use of the Internet, self-help groups, and telephone help-lines.

SR1_Q118 to SR1_Q119 - Questions on the respondent's unmet needs for care, and the out-of-pocket expenses for medications and services.

SR1_Q120 to SR1_Q121 - Questions on perceived discrimination or unfair treatment from health care service providers.

SR1 C001

If DOSR1 = 1, go to SR1 R001.

Otherwise, go to SR1_END.

SR1 R001

Now I would like to ask you some questions about your contacts with health professionals as well as other people about problems with your emotions, mental health or use of alcohol or drugs.

INTERVIEWER: Press <1> to continue.

SR1_Q001

During the past 12 months, were you hospitalized overnight or longer for problems with your emotions, mental health or use of alcohol or drugs?

1 Yes

2 No

(Go to SR1 Q004)

DK, RF

(Go to SR1 Q004)

SR1 Q002

During the past 12 months, how many times were you hospitalized overnight or longer for these problems?

(MIN: 1) (MAX: 365)

DK, RF

SR1_Q003	<p>How long did you stay in the hospital for these problems (during the past 12 months)?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q004)</p>
SR1_N003	<p><u>INTERVIEWER</u>: Was that days, weeks, or months?</p> <p>1 Days 2 Weeks 3 Months (DK, RF not allowed)</p>
SR1_E003	<p>You cannot report a time greater than one year. Please return and correct.</p>
Rule :	<p>Trigger hard edit if (SR1_Q003 > 52 and SR1_N003 = 2) or (SR1_Q003 > 12 and SR1_N003 = 3).</p>
SR1_Q004	<p>Please refer to page 14 of the booklet.</p> <p>During the past 12 months, have you seen, or talked on the telephone to, any of the following people about problems with your emotions, mental health or use of alcohol or drugs?</p> <p><u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply. Select category 5 for "Case Worker".</p> <p>01 Psychiatrist 02 Family doctor or general practitioner 03 Psychologist 04 Nurse 05 Social worker, counsellor, or psychotherapist 06 Family member 07 Friend 08 Co-worker, supervisor, or boss 09 Teacher or school principal 10 Other - Specify (Go to SR1_S004) 11 None DK, RF</p> <p>Go to SR1_C010A</p>
SR1_S004	<p>During the past 12 months, have you seen, or talked on the telephone to, any of the following people about problems with your emotions, mental health or use of alcohol or drugs?</p> <p><u>INTERVIEWER</u>: Specify.</p> <hr/> <p>(80 spaces)</p> <p>DK, RF</p>
SR1_E004A	<p>You cannot select "None" and another category. Please return and correct.</p>
Rule :	<p>Trigger hard edit if SR1_Q004 = 11 and any other response selected in SR1_Q004.</p>

SR1_C010A	If (SR1_Q004 = 11, DK), go to SR1_C110. Otherwise, go to SR1_C010B.
SR1_C010B	If (SR1_Q004 = RF), go to SR1_END. Otherwise, go to SR1_C010C.
SR1_C010C	If SR1_Q004 = 1, go to SR1_R010. Otherwise, go to SR1_C020.
SR1_R010	You mentioned that you saw, or talked on the telephone to, a psychiatrist about your emotions, mental health or use of alcohol or drugs. <u>INTERVIEWER</u> : Press <1> to continue.
SR1_Q010	Think of the psychiatrist you talked to the <u>most often</u> during the past 12 months. How many times did you see, or talk on the telephone to, this psychiatrist (about your problems with your emotions, mental health, or use of alcohol or drugs)? (MIN: 1) (MAX: 365) DK, RF (Go to SR1_Q011)
SR1_N010	<u>INTERVIEWER</u> : Was that per week, per month, or per year? If once per day, enter 7 times per week. 1 Per week 2 Per month 3 Per year (DK, RF not allowed)
Processing:	At the time of data processing, values reported in SR1_Q010 will be recalculated to be displayed as number of times per year.
SR1_E010	You cannot report talking to this person more than once per day. Please return and correct.
Rule :	Trigger hard edit if (SR1_Q010 > 7 and SR1_N010 = 1) or (SR1_Q010 > 31 and SR1_N010 = 2).
SR1_Q011	(During the past 12 months,) about how long did each consultation with this psychiatrist last (in minutes)? (MIN: 1) (MAX: 240) DK, RF
SR1_Q012	In general, how much would you say the psychiatrist helped you (for your problems with your emotions, mental health, or use of alcohol or drugs)? <u>INTERVIEWER</u> : Read categories to respondent. 1 A lot 2 Some 3 A little 4 Not at all DK, RF

SR1_Q013

Have you stopped seeing the psychiatrist?

- 1 Yes
- 2 No (Go to SR1_C020)
- DK, RF (Go to SR1_C020)

SR1_Q014

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Mark all that apply.

- 01 You felt better
- 02 You completed the recommended treatment
- 03 You thought it was not helping
- 04 You thought the problem would get better without more professional help
- 05 You couldn't afford to pay
- 06 You were too embarrassed to see the professional
- 07 You wanted to solve the problem without professional help
- 08 You had problems with things like transportation, childcare or your schedule
- 09 The service or program was no longer available
- 10 You were not comfortable with the professional's approach
- 11 Because of discrimination or unfair treatment
- 12 Other - Specify (Go to SR1_S014)
- DK, RF

Go to SR1_C020

SR1_S014

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

SR1_C020

If SR1_Q004 = 2, go to SR1_R020.
Otherwise, go to SR1_C030.

SR1_R020

You mentioned that you saw, or talked on the telephone to, a family doctor or general practitioner about your emotions, mental health or use of alcohol or drugs.

INTERVIEWER: Press <1> to continue.

SR1_Q020	<p>Think of the family doctor or the general practitioner you talked to the <u>most often</u> during the past 12 months.</p> <p>How many times did you see, or talk on the telephone to, this family doctor or general practitioner about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q021)</p>
SR1_N020	<p><u>INTERVIEWER:</u> Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	<p>At the time of data processing, values reported in SR1_Q020 will be recalculated to be displayed as number of times per year.</p>
SR1_E020	<p>You cannot report talking to this person more than once per day. Please return and correct.</p>
Rule :	<p>Trigger hard edit if (SR1_Q020 > 7 and SR1_N020 = 1) or (SR1_Q020 > 31 and SR1_N020 = 2).</p>
SR1_Q021	<p>(During the past 12 months,) about how long did each consultation with this family doctor or general practitioner last (in minutes) (for your problems with your emotions, mental health or use of alcohol or drugs) (in minutes)?</p> <p>(MIN: 1) (MAX: 240)</p> <p>DK, RF</p>
SR1_Q022	<p>In general, how much would you say this family doctor or general practitioner helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_Q023	<p>Have you stopped talking to this family doctor or general practitioner about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes 2 No (Go to SR1_C030) DK, RF (Go to SR1_C030)</p>

SR1_Q024

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Mark all that apply.

- 01 You felt better
 - 02 You completed the recommended treatment
 - 03 You thought it was not helping
 - 04 You thought the problem would get better without more professional help
 - 05 You couldn't afford to pay
 - 06 You were too embarrassed to see the professional
 - 07 You wanted to solve the problem without professional help
 - 08 You had problems with things like transportation, childcare or your schedule
 - 09 The service or program was no longer available
 - 10 You were not comfortable with the professional's approach
 - 11 Because of discrimination or unfair treatment
 - 12 Other - Specify (Go to SR1_S024)
- DK, RF

Go to SR1_C030

SR1_S024

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

SR1_C030

If SR1_Q004 = 3, go to SR1_R030.
Otherwise, go to SR1_C040.

SR1_R030

You mentioned that you saw, or talked on the telephone to, a psychologist (about your emotions, mental health or use of alcohol or drugs)?

INTERVIEWER: Press <1> to continue.

SR1_Q030

Think of the psychologist you talked to the most often during the past 12 months.

How many times did you see, or talk on the telephone to, this psychologist (about your problems with your emotions, mental health or use of alcohol or drugs)?

(MIN: 1) (MAX: 365)

DK, RF (Go to SR1_Q031)

SR1_N030	<p><u>INTERVIEWER</u>: Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	At the time of data processing, values reported in SR1_Q030 will be recalculated to be displayed as number of times per year.
SR1_E030	You cannot report talking to this person more than once per day. Please return and correct.
Rule :	Trigger hard edit if (SR1_Q030 > 7 and SR1_N030 = 1) or (SR1_Q030 > 31 and SR1_N030 = 2).
SR1_Q031	<p>(During the past 12 months,) about how long did each consultation with this psychologist last (in minutes)?</p> <p>(MIN: 1) (MAX: 240)</p> <p>DK, RF</p>
SR1_Q032	<p>In general, how much would you say this psychologist helped you (for your problems with your emotions, mental health, or use of alcohol or drugs)?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_Q033	<p>Have you stopped seeing this psychologist?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to SR1_C040) (Go to SR1_C040)</p>

SR1_Q034

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Mark all that apply.

- 01 You felt better
 - 02 You completed the recommended treatment
 - 03 You thought it was not helping
 - 04 You thought the problem would get better without more professional help
 - 05 You couldn't afford to pay
 - 06 You were too embarrassed to see the professional
 - 07 You wanted to solve the problem without professional help
 - 08 You had problems with things like transportation, childcare or your schedule
 - 09 The service or program was no longer available
 - 10 You were not comfortable with the professional's approach
 - 11 Because of discrimination or unfair treatment
 - 12 Other - Specify (Go to SR1_S034)
- DK, RF

Go to SR1_C040

SR1_S034

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

SR1_C040

If SR1_Q004 = 4, go to SR1_R040.
Otherwise, go to SR1_C050.

SR1_R040

You mentioned that you saw, or talked on the telephone to, a nurse about your emotions, mental health or use of alcohol or drugs.

INTERVIEWER: Press <1> to continue.

SR1_Q040

Think of the nurse you talked to the most often during the past 12 months.

How many times did you see, or talk on the telephone to, this nurse about your problems with your emotions, mental health or use of alcohol or drugs?

(MIN: 1) (MAX: 365)

DK, RF (Go to SR1_Q041)

SR1_N040	<p><u>INTERVIEWER</u>: Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	At the time of data processing, values reported in SR1_Q040 will be recalculated to be displayed as number of times per year.
SR1_E040	You cannot report talking to this person more than once per day. Please return and correct.
Rule :	Trigger hard edit if (SR1_Q040 > 7 and SR1_N040 = 1) or (SR1_Q040 > 31 and SR1_N040 = 2).
SR1_Q041	<p>(During the past 12 months,) about how long did each consultation with this nurse last (for your problems with your emotions, mental health or use of alcohol or drugs)(in minutes)?</p> <p>(MIN: 1) (MAX: 240)</p> <p>DK, RF</p>
SR1_Q042	<p>In general, how much would you say this nurse helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_Q043	<p>Have you stopped talking to this nurse about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes 2 No DK, RF</p> <p>(Go to SR1_C050) (Go to SR1_C050)</p>

SR1_Q044

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Mark all that apply.

- 01 You felt better
 - 02 You completed the recommended treatment
 - 03 You thought it was not helping
 - 04 You thought the problem would get better without more professional help
 - 05 You couldn't afford to pay
 - 06 You were too embarrassed to see the professional
 - 07 You wanted to solve the problem without professional help
 - 08 You had problems with things like transportation, childcare or your schedule
 - 09 The service or program was no longer available
 - 10 You were not comfortable with the professional's approach
 - 11 Because of discrimination or unfair treatment
 - 12 Other - Specify (Go to SR1_S044)
- DK, RF

Go to SR1_C050

SR1_S044

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

SR1_C050

If SR1_Q004 = 5, go to SR1_R050.
Otherwise, go to SR1_C060.

SR1_R050

You mentioned that you saw, or talked on the telephone to, a social worker, counsellor, (case worker,) or psychotherapist about your emotions, mental health or use of alcohol or drugs.

INTERVIEWER: Press <1> to continue.

SR1_Q050	<p>Think of the social worker, counsellor, (case worker,) or psychotherapist you talked to the <u>most often</u> during the past 12 months.</p> <p>How many times did you see, or talk to on the telephone to, this professional (about your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q051)</p>
SR1_N050	<p><u>INTERVIEWER:</u> Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	<p>At the time of data processing, values reported in SR1_Q050 will be recalculated to be displayed as number of times per year.</p>
SR1_E050	<p>You cannot report talking to this person more than once per day. Please return and correct.</p>
Rule :	<p>Trigger hard edit if (SR1_Q050 > 7 and SR1_N050 = 1) or (SR1_Q050 > 31 and SR1_N050 = 2).</p>
SR1_Q051	<p>(During the past 12 months) about how long did each consultation with this professional last (in minutes)?</p> <p>(MIN: 1) (MAX: 240)</p> <p>DK, RF</p>
SR1_Q052	<p>In general, how much would you say this professional helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_Q053	<p>Have you stopped talking to this professional about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes 2 No (Go to SR1_C060) DK, RF (Go to SR1_C060)</p>

SR1_Q054

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Mark all that apply.

- 01 You felt better
 - 02 You completed the recommended treatment
 - 03 You thought it was not helping
 - 04 You thought the problem would get better without more professional help
 - 05 You couldn't afford to pay
 - 06 You were too embarrassed to see the professional
 - 07 You wanted to solve the problem without professional help
 - 08 You had problems with things like transportation, childcare or your schedule
 - 09 The service or program was no longer available
 - 10 You were not comfortable with the professional's approach
 - 11 Because of discrimination or unfair treatment
 - 12 Other - Specify (Go to SR1_S054)
- DK, RF

Go to SR1_C060

SR1_S054

(Please refer to page 15 of the booklet.)

Why did you stop?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

SR1_C060

If SR1_Q004 = 6, go to SR1_R060.
Otherwise, go to SR1_C070.

SR1_R060

You mentioned that you saw, or talked on the telephone to, a family member about your emotions, mental health or use of alcohol or drugs.

INTERVIEWER: Press <1> to continue.

SR1_Q060	<p>Think of the family member you talked to the <u>most often</u> during the past 12 months.</p> <p>How many times did you see, or talk on the telephone to, this family member about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q062)</p>
SR1_N060	<p><u>INTERVIEWER</u>: Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	<p>At the time of data processing, values reported in SR1_Q060 will be recalculated to be displayed as number of times per year.</p>
SR1_E060	<p>An unusual value has been entered. You reported talking to this person more than once per day. Please confirm.</p>
Rule :	<p>Trigger soft edit if (SR1_Q060 > 7 and SR1_N060 = 1) or (SR1_Q060 > 31 and SR1_N060 = 2).</p>
SR1_Q062	<p>In general, how much would you say this family member helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_C070	<p>If SR1_Q004 = 7, go to SR1_R070. Otherwise, go to SR1_C080.</p>
SR1_R070	<p>You mentioned that you saw, or talked on the telephone to, a friend about your emotions, mental health or use of alcohol or drugs.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SR1_Q070	<p>Think of the friend you talked to the <u>most often</u> during the past 12 months.</p> <p>How many times did you see, or talk on the telephone to, this friend about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q072)</p>

SR1_N070	<p><u>INTERVIEWER</u>: Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	At the time of data processing, values reported in SR1_Q070 will be recalculated to be displayed as number of times per year.
SR1_E070	An unusual value has been entered. You reported talking to this person more than once per day. Please confirm.
Rule :	Trigger soft edit if (SR1_Q070 > 7 and SR1_N070 = 1) or (SR1_Q070 > 31 and SR1_N070 = 2).
SR1_Q072	<p>In general, how much would you say this friend helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_C080	If SR1_Q004= 8, go to SR1_R080. Otherwise, go to SR1_C090.
SR1_R080	<p>You mentioned that you saw, or talked on the telephone to, a co-worker, supervisor or boss about your emotions, mental health or use of alcohol or drugs.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SR1_Q080	<p>Think of the co-worker, supervisor or boss you talked to the <u>most often</u> during the past 12 months.</p> <p>How many times did you see, or talk on the telephone to, this co-worker, supervisor or boss about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q082)</p>
SR1_N080	<p><u>INTERVIEWER</u>: Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	At the time of data processing, values reported in SR1_Q080 will be recalculated to be displayed as number of times per year.

SR1_E080	An unusual value has been entered. You reported talking to this person more than once per day. Please confirm.
Rule :	Trigger soft edit if (SR1_Q080 > 7 and SR1_N080 = 1) or (SR1_Q080 > 31 and SR1_N080 = 2).
SR1_Q082	<p>In general, how much would you say this co-worker, supervisor or boss helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_C090	If SR1_Q004 = 9, go to SR1_R090. Otherwise, go to SR1_C100.
SR1_R090	<p>You mentioned that you saw, or talked on the telephone to, a teacher or school principal about your emotions, mental health or use of alcohol or drugs.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SR1_Q090	<p>Think of the teacher or school principal you talked to the <u>most often</u> during the past 12 months.</p> <p>How many times did you see, or talk on the telephone to, this teacher or school principal about your problems with your emotions, mental health or use of alcohol or drugs?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q092)</p>
SR1_N090	<p><u>INTERVIEWER</u>: Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	At the time of data processing, values reported in SR1_Q090 will be recalculated to be displayed as number of times per year.
SR1_E090	An unusual value has been entered. You reported talking to this person more than once per day. Please confirm.
Rule :	Trigger soft edit if (SR1_Q090 > 7 and SR1_N090 = 1) or (SR1_Q090 > 31 and SR1_N090 = 2).

SR1_Q092	<p>In general, how much would you say this teacher or school principal helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_C100	<p>If SR1_Q004 = 10, go to SR1_R100. Otherwise, go to SR1_C110.</p>
SR1_R100	<p>You mentioned that you saw, or talked on the telephone to, other people about your emotions, mental health or use of alcohol or drugs.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>
SR1_Q100	<p>Think of the other person you talked to the <u>most often</u> during the past 12 months.</p> <p>How many times did you see, or talk on the telephone to, this person (about your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p>(MIN: 1) (MAX: 365)</p> <p>DK, RF (Go to SR1_Q102)</p>
SR1_N100	<p><u>INTERVIEWER:</u> Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	<p>At the time of data processing, values reported in SR1_Q100 will be recalculated to be displayed as number of times per year.</p>
SR1_E100	<p>An unusual value has been entered. You reported talking to this person more than once per day. Please confirm.</p>
Rule :	<p>Trigger soft edit if (SR1_Q100 > 7 and SR1_N100 = 1) or (SR1_Q100 > 31 and SR1_N100 = 2).</p>
SR1_Q102	<p>In general, how much would you say this person helped you (for your problems with your emotions, mental health or use of alcohol or drugs)?</p> <p><u>INTERVIEWER:</u> Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
SR1_C110	<p>If GEN_Q08 = 1 (worked last year), go to SR1_Q110. Otherwise, go to SR1_Q111.</p>

SR1_Q110	<p>During the past 12 months, did you receive help or services <u>provided by your employer</u> for problems with your emotions, mental health or use of alcohol or drugs, such as consultations with an Employee Assistance Program (EAP)?</p> <p>1 Yes 2 No DK, RF</p>
SR1_Q111	<p>During the past 12 months, did you use the Internet to get <u>information, help or support</u> for problems with your emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes (Go to SR1_Q112) 2 No DK, RF</p> <p>Go to SR1_Q113</p>
SR1_Q112	<p>(Please refer to page 16 of the booklet.)</p> <p>Did you use the Internet (for problems with your emotions, mental health or use of alcohol or drugs)...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply.</p> <p>1 To learn about symptoms (e.g. get an online diagnosis) 2 To find out where you could get help 3 To discuss with others through forums, support groups or Internet social networks 4 To get online therapy (e.g. e-therapy, online counselling) 5 Other - Specify (Go to SR1_S112) DK, RF</p> <p>Go to SR1_Q113</p>
SR1_S112	<p>((Please refer to page 16 of the booklet.)</p> <p>Did you use the Internet (for problems with your emotions, mental health or use of alcohol or drugs)...?)</p> <p><u>INTERVIEWER</u>: Specify.</p> <hr/> <p>(80 spaces)</p> <p>(DK, RF not allowed)</p>
SR1_Q113	<p>During the past 12 months, (not counting internet support groups) did you go to a self-help group for help with problems with your emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes (Go to SR1_Q116) 2 No (Go to SR1_Q116) DK, RF</p>

SR1_Q114	<p>What type of self-help group did you go to?</p> <p><u>INTERVIEWER:</u> Mark all that apply.</p> <ol style="list-style-type: none"> 1 Emotional or mental health (e.g. groups for eating disorders, bipolar disorder, bereavement, etc.) 2 Alcohol or drug use (e.g. Alcoholics Anonymous, Narcotics Anonymous, etc.) 3 Other - Specify (Go to SR1_S114) <p>DK, RF</p> <p>Go to SR1_Q115</p>
SR1_S114	<p>What type of self-help group did you go to?</p> <p><u>INTERVIEWER:</u> Specify.</p> <hr/> <p>(80 spaces)</p> <p>(DK, RF not allowed)</p>
SR1_Q115	<p>(During the past 12 months), how many times did you go to a meeting of a self-help group?</p> <p><u>INTERVIEWER:</u> If respondent answers "More than I can remember", enter "901".</p> <p>(MIN: 1) (MAX: 901)</p> <p>DK, RF (Go to SR1_Q116)</p>
SR1_C115	<p>If SR1_Q115 = 901, go to SR1_Q116. Otherwise, go to SR1_N115.</p>
SR1_N115	<p><u>INTERVIEWER:</u> Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <ol style="list-style-type: none"> 1 Per week 2 Per month 3 Per year <p>(DK, RF not allowed)</p>
Processing:	<p>At the time of data processing, values reported in SR1_Q115 will be recalculated to be displayed as number of times per year.</p>
SR1_E115	<p>An unusual value has been entered. You reported attending a self-help group meeting more than once per day. Please confirm.</p>
Rule :	<p>Trigger soft edit if (SR1_Q115 > 7 and SR1_N115 = 1) or (SR1_Q115 > 31 and SR1_N115 = 2) or (SR1_Q115 > 365 and SR1_N115 = 3).</p>
SR1_Q116	<p>During the past 12 months, did you use a telephone helpline for problems with your emotions, mental health or use of alcohol or drugs?</p> <ol style="list-style-type: none"> 1 Yes 2 No (Go to SR1_Q118) <p>DK, RF (Go to SR1_Q118)</p>

SR1_Q117	<p>(During the past 12 months), how many times did you use a telephone helpline?</p> <p><u>INTERVIEWER:</u> If respondent answers "More than I can remember", enter "901".</p> <p>(MIN: 1) (MAX: 901)</p> <p>DK, RF (Go to SR1_Q118)</p>
SR1_C117	<p>If SR1_Q117 = 901, go to SR1_Q118. Otherwise, go to SR1_N117.</p>
SR1_N117	<p><u>INTERVIEWER:</u> Was that per week, per month, or per year? If once per day, enter 7 times per week.</p> <p>1 Per week 2 Per month 3 Per year (DK, RF not allowed)</p>
Processing:	<p>At the time of data processing, values reported in SR1_Q117 will be recalculated to be displayed as number of times per year.</p>
SR1_E117	<p>An unusual value has been entered. You reported using a telephone helpline more than once per day. Please confirm.</p>
Rule :	<p>Trigger soft edit if (SR1_Q117 > 7 and SR1_N117 = 1) or (SR1_Q117 > 31 and SR1_N117 = 2) or (SR1_Q117 > 365 and SR1_N117 = 3).</p>
SR1_Q118	<p>During the past 12 months, was there ever a time when you felt that you needed help for your emotions, mental health or use of alcohol or drugs, but you didn't receive it?</p> <p>1 Yes 2 No DK, RF</p>
SR1_R119	<p>The next question is about the money you spent over the past 12 months for services and products to help you with <u>your problems</u> with your emotions, mental health or use of alcohol or drugs. This includes all the money you and your family members paid "out-of-pocket" for visits, medications, tests and services associated with these problems.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>
SR1_Q119	<p>Not counting any costs that were covered by insurance, about how much money have you and your family spent on such services and products during the past 12 months?</p> <p>(MIN: 0) (MAX: 5000)</p> <p>DK, RF</p>
SR1_E119	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if SR1_Q119 > 2500.</p>
SR1_C120	<p>If SR1_Q004 = (1, 2, 3, 4, or 5) or (SR1_Q110 = 1) or (SR1_Q113 = 1) or (SR1_Q116 = 1), go to SR1_R120. Otherwise, go to SR1_END.</p>

SR1_R120	<p>Now I would like to ask about possible experiences you may have had with the health care system or social services.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>
SR1_Q120	<p>During the past 12 months, did you feel that any health professional or other service provider held <u>negative opinions</u> about you or <u>treated you unfairly</u>:</p> <p>...because of your ethnicity, culture, race, skin colour, language or accent, religion or sexual orientation?</p> <p>1 Yes 2 No DK, RF (Go to SR1_END)</p>
SR1_Q121	<p>(During the past 12 months, did you feel that any health professional or other service provider held <u>negative opinions</u> about you or <u>treated you unfairly</u>.)</p> <p>...because of your past or current problems with your emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes 2 No DK, RF</p>
SR1_END	

MED BEG

External variables required:

DOMED: do block flag, from the sample file.

REFDATE: current date from operating system

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

DV DATE1YRE as Month DD, YYYY, e.g. January 2, 2008.

MED C01

If DOMED = 1, go to MED_R01.

Otherwise, go to MED_END.

MED R01

Now I'd like to ask a few questions about your use of medication, both prescription and over-the-counter.

INTERVIEWER: Press <1> to continue.

MED Q01

In the past 12 months, that is, from ^DV_DATE1YRE to yesterday, did you take any medication to help you with problems with your emotions, mental health or use of alcohol or drugs?

INTERVIEWER: Include any medication related to sleep problems.

Do not include natural health products such as herbs, minerals or homeopathic products.

1 Yes

2 No

(Go to MED Q05)

DK, RF

(Go to MED Q05)

MED Q02

Now, think about the last 2 days, that is, yesterday and the day before yesterday. During those 2 days, how many different medications did you take for problems with your emotions, mental health, or use of alcohol or drugs?

INTERVIEWER: Include any medication related to sleep problems.

Do not include natural health products such as herbs, minerals or homeopathic products.

(MIN: 0) (MAX: 95)

DK, RF

(Go to MED_Q05)

MED E02

An unusual value has been entered. Please confirm.

Rule :

Trigger soft edit if MED_Q02 > 10.

MED C02

If MED Q02 = 0, go to MED Q05.

Otherwise, go to MED_R03.

MED_R03	<p>We will be collecting the names and drug identification numbers (DINs) of any medication you took over the last 2 days to help you with problems with your emotions, mental health or use of alcohol or drugs. It would help us record this information more quickly if you would go and get all the bottles and containers for these products.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>
MED_B04	Call sub-block "Drug Identification Numbers" (DIN)
Programmer:	Call sub block for the first twelve medications reported in MED_Q02. Let n represent medication number.
MED_Q05	<p>Do you have insurance that covers all or part of the cost of your prescription medication? Include any private, government or employee-paid insurance plans.</p> <p>1 Yes 2 No DK, RF</p>
MED_Q06	<p>Many people use other health products such as herbs, minerals or homeopathic products for problems with emotions, alcohol or drug use, energy, concentration, sleep or ability to deal with stress.</p> <p>In the past 12 months, have you used any of these health products?</p> <p><u>INTERVIEWER:</u> Include vitamins. Include medical use of marijuana only if it is used under Health Canada's regulations regarding access to medical marijuana.</p> <p>1 Yes 2 No DK, RF</p>
MED_END	

Drug Identification Numbers - sub block (DIN)

1 - Copied
Version - 1001

DIN_BEG	<p>Content block</p> <p>External variables required:</p> <p>FNAME: first name of respondent from household block. DODIN: do block flag, from the sample file. MED_Q02: Number of medication(s) taken over the past 2 days, taken from the MED block. PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
DIN_Q01N	<p>Is a Drug Identification number (DIN) available for medication n?</p> <p><u>INTERVIEWER</u>: If necessary, help the respondent to find the DIN on the bottle, tube or box.</p> <p>1 Yes 2 No (DK, RF not allowed)</p> <p>(Go to DIN_Q04N)</p>
DIN_Q02N	<p>What is the DIN of medication n?</p> <p><u>INTERVIEWER</u>: Record DIN from the bottle, tube or box.</p> <p>(MIN: 0) (MAX: 99999995)</p> <p>(DK, RF not allowed)</p>
Programmer:	Use trigram search; source file is DIN_Database.
DIN_E02NA	An impossible value has been entered. Please return and correct.
Rule :	Trigger hard edit if DIN_Q02N = 11111111.
DIN_E02NB	DIN not found in database. Please confirm the DIN.
Rule :	Trigger soft edit if DIN_Q02n not found in DIN_Database.
DIN_C02N	If DIN not found in DIN_Database, go to DIN_Q04N. Otherwise, go to DIN_D02N.
DIN_D02N	Not Applicable
Programmer:	DT_MEDNAME = medication name from DIN_Database.
DIN_N03N	<p><u>INTERVIEWER</u>: The name associated with DIN ^DIN_Q02n is ^DT_MEDNAME. Please confirm.</p> <p>1 Yes 2 No (DK, RF not allowed)</p> <p>(Go to DIN_Q04N)</p>

DIN_D04N

Programmer: DIN_Q04n = DT_MEDNAME.

DIN_Q04N

What is the exact name of the medication that you took?

INTERVIEWER: Ask respondent to look at the bottle, tube or box.

(80 spaces)

DK, RF

(Go to DIN_END)

Processing:

EMPTY is not allowed.

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

Use trigram search; source file is DIN_Database.

Programmer note: At the time of data processing, if an entry on the source file is found, save the DIN in MED_Q04n.

DIN_C04N

If DIN_Q04N = 11111111 ("OTHER") , go to DIN_S04N.

Otherwise, go to DIN_END.

DIN_S04N

What is the exact name of the medication that you took?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

DIN_END

Perceived Need for Care (PNC)

1 - Copied
Version - 1001

PNC_BEG	<p>Content block</p> <p>External variables required:</p> <p>SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. MED_Q01: medication use from MED block. SR1_Q004: consulted with a professional from SR1 block. DOPNC: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
PNC_C01	<p>If DOPNC = 1, go to PNC_R01. Otherwise, go to PNC_END.</p>
PNC_R01	<p>The following questions deal with the different kinds of help <u>you received, or thought you needed</u>, for problems with your emotions, mental health or use of alcohol or drugs.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
PNC_Q01	<p>(Please refer to page 17 of the booklet.)</p> <p>During the past 12 months, did you receive the following kinds of help <u>because of problems with your emotions, mental health or use of alcohol or drugs?</u></p> <p><u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply.</p> <p>If respondent reports a person or a professional (e.g., family doctor) ask what <u>kind</u> of help the person or professional provided and repeat answer categories.</p> <ol style="list-style-type: none"> 1 Information about these problems, treatments or available services 2 Medication 3 Counselling, therapy, or help for problems with personal relationships 4 Other - Specify (Go to PNC_S01) 5 None <p>DK, RF</p> <p>Go to PNC_D01A</p>

PNC_S01	<p>During the past 12 months, did you receive the following kinds of help <u>because of problems with your emotions, mental health or use of alcohol or drugs?</u></p> <p><u>INTERVIEWER:</u> Specify.</p> <hr/> <p>(100 spaces)</p> <p>DK, RF</p>
PNC_E01A	You cannot select "None" and another category. Please return and correct.
Rule :	Trigger hard edit if PNC_Q01 = 5 and any other response is selected in PNC_Q01.
PNC_E01B	<p>Inconsistent answers have been entered. Respondent previously reported taking medication for these problems in the past 12 months. Please confirm.</p> <p><u>INTERVIEWER:</u> If respondent confirms no medication was taken for these problems in the past 12 months, please enter a note for Head Office review.</p>
Rule :	Trigger soft edit if (PNC_Q01 <> 2) and MED_Q01 = 1.
PNC_E01C	<p>Inconsistent answers have been entered. Respondent previously reported consulting a professional in the past 12 months. Please confirm.</p> <p><u>INTERVIEWER:</u> If the respondent confirms <u>not</u> receiving therapy or help for problems with personal relationships in the past 12 months. Please enter a note for Head Office review.</p>
Rule :	Trigger soft edit if (PNC_Q01 <> 3) and (SR1_Q004 = 01, 02, 03, 04, or 05).
PNC_D01A	
Programmer:	<p>If 1 in PNC_Q01, DT_HELP1 = "-Information about these problems, treatments or available services;". Otherwise DT_NOHELP1 = "-Information about these problems, treatments or available services;".</p> <p>If 2 in PNC_Q01, DT_HELP2 = "-Medication;". Otherwise DT_NOHELP2 = "-Medication;".</p> <p>If 3 in PNC_Q01 DT_HELP3 = "-Counselling, therapy, or help for problems with personal relationships;". Otherwise DT_NOHELP3 = "-Counselling, therapy, or help for problems with personal relationships;".</p> <p>If 4 in PNC_Q01, DT_HELP4 = "-Other help (^PNC_S01);".</p> <p>Programmer Note: Insert a blank line (@/@) at the beginning of each item.</p>
PNC_D01B	<p>If more than one response is selected in PNC_Q01, DT_THISKIND1 = "each of these kinds". Otherwise, DT_THISKIND1 = "this kind". If two responses are selected in PNC_Q01, DT_THISKIND2 = "this kind". Otherwise, DT_THISKIND2 = "any of these kinds".</p>
PNC_D01C	
Programmer:	<p>DT_HELPX = DT_HELP1+ DT_HELP2 + DT_HELP3 + DT_HELP4 DT_NOHELPX = DT_NOHELP1 + DT_NOHELP2 + DT_NOHELP3</p>

Help Needed - sub block (PN1)

1 - Copied
Version - 1001

PN1_BEG

Content block

External variables required:

SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block.

PNC_Q01 = Instance of PNC_Q01

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

DV_Blockcall = either 1 or 2

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

PN1_D01

Programmer:

If DV_Blockcall = 1,
PNC_Q01 = 1, DT_NEEDHELP = more information about these problems, treatments or available services
PNC_Q01 = 2, DT_NEEDHELP = more medication
PNC_Q01 = 3, DT_NEEDHELP = more counselling, therapy, or help for problems with personal relationships
PNC_Q01 = 4, DT_NEEDHELP = more of the other kind of help you mentioned
Otherwise (DV_Blockcall = 2),
PNC_Q01 <> 1, DT_NEEDHELP = information about these problems, treatments or available services
PNC_Q01 <> 2, DT_NEEDHELP = medication
PNC_Q01 <> 3, DT_NEEDHELP = counselling, therapy, or help for problems with personal relationships

If DV_Blockcall = 1, PN1_Q01_item_11_E = "Help is ongoing". Otherwise (DV_Blockcall = 2), do not display PN1_Q01_item_11_E.

Content type:

NOTE TO DATA USERS: For programming efficiency, this sub-module is used as a set of repeating follow-up questions. This sub-block is generated for each type of help where the respondent indicated they either a) had received help but needed more (called at PNC_B03), or b) had not received help but felt that they needed it (called at PNC_B05).

PN1_Q01

(Please refer to page 18 of the booklet.)

Why didn't you get ^DT_NEEDHELP (during the past 12 months)?

INTERVIEWER: Mark all that apply.

- 01 You preferred to manage yourself
- 02 You didn't know how or where to get this kind of help
- 03 You haven't gotten around to it (e.g., too busy)
- 04 Your job interfered (e. g., workload, hours of work or no cooperation from supervisor)
- 05 Help was not readily available
- 06 You didn't have confidence in health care system or social services
- 07 You couldn't afford to pay
- 08 Insurance did not cover
- 09 You were afraid of what others would think of you
- 10 Language problems
- 11 ^PN1_Q01_item_11_E
- 12 Other - Specify (Go to PN1_S01)

DK, RF

Go to PN1_C01

PN1_S01

(Please refer to page 18 of the booklet.)

Why didn't you get ^DT_NEEDHELP (during the past 12 months)?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

PN1_C01

If PN1_Q01 = 1, go to PN1_Q02.
Otherwise, go to PN1_END.

PN1_Q02

(Please refer to page 19 of the booklet.)

Which of the following best describes why you preferred to manage yourself rather than seek help (during the past 12 months)?

INTERVIEWER: If necessary, read the categories to respondent.

- 01 You didn't think they knew how to help
 - 02 You were uncomfortable talking about these problems
 - 03 You relied on faith and spirituality
 - 04 You relied on family and friends
 - 05 You felt you'd be treated differently if people thought you had these problems
 - 06 You didn't feel ready to seek help
 - 07 You couldn't get this kind of help where you live
 - 08 Other - Specify (Go to PN1_S02)
- DK, RF

Go to PN1_END

PN1_S02

(Please refer to page 19 of the booklet.)

Which of the following best describes why you preferred to manage yourself rather than seek help (during the past 12 months)?

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

PN1_END

MHE BEG

Content block

SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block.
DOMHE: do block flag, from the sample file.

PE_Q02: last name of specific respondent from USU block

Display on header bar PE_Q01 and PE_Q02 separated by a space

MHE C01

Otherwise, go to MHE_END.

MHE_R01

The following questions ask about your personal experiences with people who have had emotional or mental health problems. By this, we mean emotional or mental conditions that may need treatment from a health professional.

INTERVIEWER: Press <1> to continue.

MHE_Q01A

Have you ever worked or volunteered in a program that provides treatment services to people with emotional or mental health problems?

INTERVIEWER: For these questions, do not include alcohol and substance abuse.

1 Yes

2 No

DK, RF

(Go to MHE_Q02A)

```
(Go to MHE_END)
```

MHE_Q01B

Was this in the past 12 months?

1 Yes

2 No

DK, RF

MHE Q02A

To your knowledge, have you ever worked with someone who has been treated for an emotional or mental health problem?

INTERVIEWER: This question refers to colleagues or co-workers. If the respondent only worked or volunteered in a program that provides mental health treatment services, this experience should not be counted again in this question.

1 Yes

2 No

DK, RF

(Go to MHE_Q03A)

(Go to MHE_Q03A)

MHE Q02B

Was this in the past 12 months?

1 Yes

2 No

DK, RF

MHE_Q03A	<p>Has a close member of your family, such as a spouse, a parent, a child, a brother or a sister, ever received treatment for an emotional or mental health problem?</p> <p>1 Yes 2 No (Go to MHE_Q04A) DK, RF (Go to MHE_Q04A)</p>
MHE_Q03B	<p>Was this in the past 12 months?</p> <p>1 Yes 2 No DK, RF</p>
MHE_Q04A	<p>Have any of your close friends ever been treated for an emotional or mental health problem?</p> <p>1 Yes 2 No (Go to MHE_Q05A) DK, RF (Go to MHE_Q05A)</p>
MHE_Q04B	<p>Was this in the past 12 months?</p> <p>1 Yes 2 No DK, RF</p>
MHE_Q05A	<p>Have you ever received treatment for an emotional or mental health problem?</p> <p>1 Yes 2 No (Go to MHE_END) DK, RF (Go to MHE_END)</p>
MHE_Q05B	<p>Was this in the past 12 months?</p> <p>1 Yes 2 No (Go to MHE_END) DK, RF (Go to MHE_END)</p>
MHE_Q06	<p>During the past 12 months, did you feel that anyone held negative opinions about you or treated you unfairly because of your past or current emotional or mental health problem?</p> <p>1 Yes 2 No (Go to MHE_END) DK, RF (Go to MHE_END)</p>
MHE_R06A	<p>Please refer to page 21 of the booklet.</p> <p>Please tell me how this affected you. For each question, answer with a number between 0 and 10; where 0 means you have not been affected while 10 means you have been severely affected.</p> <p><u>INTERVIEWER:</u> Press <1> to continue.</p>

MHE_Q06A	<p>During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:</p> <p>... your family relationships?</p> <p><u>INTERVIEWER:</u> If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.</p> <p>0 means has not been affected while 10 means has been severely affected.</p> <p>(MIN: 0) (MAX: 10)</p> <p>DK, RF</p>
MHE_Q06B	<p>(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)</p> <p>... your romantic life?</p> <p><u>INTERVIEWER:</u> If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.</p> <p>0 means has not been affected while 10 means has been severely affected.</p> <p>(MIN: 0) (MAX: 10)</p> <p>DK, RF</p>
MHE_Q06C	<p>(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)</p> <p>...your work or school life?</p> <p><u>INTERVIEWER:</u> If necessary, enter "11" to indicate "Not applicable".</p> <p>If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.</p> <p>0 means has not been affected while 10 means has been severely affected.</p> <p>(MIN: 0) (MAX: 11)</p> <p>DK, RF</p>
MHE_Q06D	<p>(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)</p> <p>...your financial situation?</p> <p><u>INTERVIEWER:</u> If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.</p> <p>0 means has not been affected while 10 means has been severely affected.</p> <p>(MIN: 0) (MAX: 10)</p> <p>DK, RF</p>

MHE_Q06E

(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

...your housing situation?

INTERVIEWER: If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.

0 means has not been affected while 10 means has been severely affected.

(MIN: 0) (MAX: 10)

DK, RF

MHE_Q06F

(During the past 12 months, on a scale of 0 to 10, how much did these negative opinions or unfair treatment affect:)

... your health care for physical health problems?

INTERVIEWER: If necessary, enter "11" to indicate "Not applicable".

If necessary, please clarify that the question is intended to focus on the impact of the negative opinions expressed by others or unfair treatment received, not the impact of the emotional or mental health problem itself.

0 means has not been affected while 11 means has been severely affected.

(MIN: 0) (MAX: 11)

DK, RF

MHE_END

Family Mental Health Impact (FMI)

1 - Copied
Version - 1001

FMI_BEG	<p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOFMI: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>												
FMI_C01	<p>If DOFMI = 1, go to FMI_R01. Otherwise, go to FMI_END.</p>												
FMI_R01	<p>The next few questions are about the problems of your family members. These include your spouse or partner, children, parents, parents-in-law, grandparents, brothers and sisters, cousins, aunts, uncles, nieces, or nephews.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>												
FMI_Q01A	<p>Do any of your family members have <u>problems</u> with their emotions, mental health or use of alcohol or drugs?</p> <p><u>INTERVIEWER</u>: Only include living family members.</p> <p>Do not include problems related to autism, Alzheimer's or other neurological disorders and developmental disabilities.</p> <table><tr><td>1</td><td>Yes</td><td></td></tr><tr><td>2</td><td>No</td><td>(Go to FMI_END)</td></tr><tr><td>3</td><td>Not applicable / No family members</td><td>(Go to FMI_END)</td></tr><tr><td>DK, RF</td><td></td><td>(Go to FMI_END)</td></tr></table>	1	Yes		2	No	(Go to FMI_END)	3	Not applicable / No family members	(Go to FMI_END)	DK, RF		(Go to FMI_END)
1	Yes												
2	No	(Go to FMI_END)											
3	Not applicable / No family members	(Go to FMI_END)											
DK, RF		(Go to FMI_END)											
FMI_Q01B	<p>How many of your family members have problems with their emotions, mental health or use of alcohol or drugs?</p> <p><u>INTERVIEWER</u>: Only include living family members.</p> <p>Read categories to respondent.</p> <table><tr><td>1</td><td>One</td></tr><tr><td>2</td><td>Two</td></tr><tr><td>3</td><td>Three or more</td></tr><tr><td>DK, RF</td><td></td></tr></table>	1	One	2	Two	3	Three or more	DK, RF					
1	One												
2	Two												
3	Three or more												
DK, RF													
FMI_D02	<p>If FMI_Q01B = 2, 3, DK, RF, DT_MEMBER = "members". Otherwise, DT_MEMBER = "member". If FMI_Q01B = 2, DT_PERSON = "either of them". If FMI_Q01B = 3, DK, RF, DT_PERSON = "any of them". Otherwise, DT_PERSON = "this person". If FMI_Q01B = 2, 3, DK, RF, DT_THEIR = "their". Otherwise, DT THEIR = "this person's".</p>												

FMI_N05	<p><u>INTERVIEWER</u>: Was that in minutes or hours?</p> <p>1 Minutes 2 Hours (DK, RF not allowed)</p>
Processing:	At the time of data processing, values reported in minutes will be recalculated to be displayed as number of hours per week.
FMI_E05A	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if (FMI_Q05 > 40 and FMI_N05 = 2) or (FMI_Q05 > 2400 and FMI_N05 = 1).
FMI_E05B	An impossible value has been entered. Please return and correct.
Rule :	Trigger hard edit if (FMI_Q05 > 168 and FMI_N05 = 2).
FMI_Q06	<p>How much do ^DT_THEIR problems cause you <u>embarrassment</u>?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
FMI_Q07	<p>How much do ^DT_THEIR problems cause you to be <u>worried, anxious, or depressed</u>?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 A lot 2 Some 3 A little 4 Not at all DK, RF</p>
FMI_END	

SPS BEG

Content block

External variables required:

DOSPS: do block flag, from the sample file.

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

SPS C01

If DOSPS = 1, go to SPS_R01.

Otherwise, go to SPS_END.

SPS R01

(Please refer to page 22 of the booklet.)

The next questions are about your current relationships with friends, family members, co-workers, community members, and so on. Please indicate to what extent each statement describes your current relationships with other people.

INTERVIEWER: Press <1> to continue.

SPS_Q01

There are people I can depend on to help me if I really need it.

INTERVIEWER: Read categories to respondent.

- 1 Strongly agree
2 Agree
3 Disagree
4 Strongly disagree

DK, RF

(Go to SPS END)

SPS Q02

There are people who enjoy the same social activities I do.

- 1 Strongly agree
2 Agree
3 Disagree
4 Strongly disagree

DK, RF

SPS_Q03

I have close relationships that provide me with a sense of emotional security and well-being.

- 1 Strongly agree
2 Agree
3 Disagree
4 Strongly disagree

DK, RF

SPS_Q04	<p>There is someone I could talk to about important decisions in my life.</p> <p>1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree DK, RF</p>
SPS_Q05	<p>I have relationships where my competence and skill are recognized.</p> <p>1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree DK, RF</p>
SPS_Q06	<p>There is a trustworthy person I could turn to for advice if I were having problems.</p> <p>1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree DK, RF</p>
SPS_Q07	<p>I feel part of a group of people who share my attitudes and beliefs.</p> <p>1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree DK, RF</p>
SPS_Q08	<p>I feel a strong emotional bond with at least one other person.</p> <p>1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree DK, RF</p>
SPS_Q09	<p>There are people who admire my talents and abilities.</p> <p>1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree DK, RF</p>
SPS_Q10	<p>There are people I can count on in an emergency.</p> <p>1 Strongly agree 2 Agree 3 Disagree 4 Strongly disagree DK, RF</p>
SPS_END	

Negative Social Interactions (NSI)

1 - Copied
Version - 1001

NSI_BEG

This module is based on a Negative Interaction instrument developed by Dr. Neal Krause of the University of Michigan. The author granted permission to Statistics Canada for the use of these questions in this survey.

Content block

External variables required:

DONSI: do block flag, from the sample file.

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

NSI_C01

If DONSI = 1, go to NSI_R01.

Otherwise, go to NSI_END.

NSI_R01

The contact we have with others is not always pleasant. The next questions are about negative interaction with others.

INTERVIEWER: Press <1> to continue.

NSI_Q01

Are there persons with whom you are in regular contact that are detrimental to your well-being because they are a source of discomfort and stress?

1 Yes

2 No

DK, RF

(Go to NSI_END)

NSI_Q02

(Please refer to page 23 of the booklet.)

During the past month, how often have you felt that others made too many demands on you?

INTERVIEWER: Read categories to respondent.

1 **Never**

2 **Once in a while**

3 **Fairly often**

4 **Very often**

DK, RF

NSI_Q03

During the past month, how often have you felt that others were critical of you and things you did?

1 Never

2 Once in a while

3 Fairly often

4 Very often

DK, RF

Contact with Police (CWP)

1 - Copied
Version - 1001

CWP_BEG	<p>Content block</p> <p>External variables required: SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOCWP: Do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
CWP_C01	<p>If DOCWP = 1, go to CWP_R01. Otherwise, go to CWP_END.</p>
CWP_R01	<p>The following questions are about your contact with police.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
CWP_Q01	<p>During the <u>past 12 months</u>, did you come into contact with the police:</p> <p>... for a public information session?</p> <p>1 Yes 2 No DK, RF (Go to CWP_END)</p>
CWP_Q02	<p>(During the <u>past 12 months</u>, did you come into contact with the police:)</p> <p>... for a traffic violation?</p> <p>1 Yes 2 No DK, RF</p>
CWP_Q03	<p>(During the <u>past 12 months</u>, did you come into contact with the police:)</p> <p>... as a victim of a crime?</p> <p>1 Yes 2 No DK, RF</p>
CWP_Q04	<p>(During the <u>past 12 months</u>, did you come into contact with the police:)</p> <p>... as a witness to a crime?</p> <p>1 Yes 2 No DK, RF</p>

CWP_Q05	<p>During the <u>past 12 months</u>, did you come into contact with the police:</p> <p>... by being arrested?</p> <p>1 Yes 2 No DK, RF</p>
CWP_Q06	<p>(During the <u>past 12 months</u>, did you come into contact with the police:)</p> <p>... for reasons related to problems with your emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes 2 No DK, RF</p>
CWP_Q07	<p>(During the <u>past 12 months</u>, did you come into contact with the police:)</p> <p>... for reasons related to a family member's problems with their emotions, mental health or use of alcohol or drugs?</p> <p>1 Yes 2 No DK, RF</p>
CWP_Q08	<p>(During the <u>past 12 months</u>, did you come into contact with the police:)</p> <p>... for any other reason?</p> <p>1 Yes - Specify (Go to CWP_S08) 2 No DK, RF</p> <p>Go to CWP_END</p>
CWP_S08	<p>During the <u>past 12 months</u>, did you come into contact with the police:</p> <p>... for any other reason?</p> <p><u>INTERVIEWER</u>: Specify.</p> <hr/> <p>(80 spaces)</p> <p>DK, RF</p>
CWP_END	

Childhood Experiences (CEX)

1 - Copied
Version - 1001

CEX_BEG	<p>Content block</p> <p>External variables required: DV_AGE: age of selected respondent from AN3 block. SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOCEX: Do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
CEX_C1	<p>If DOCEX = 1, go to CEX_C2. Otherwise, go to CEX_END.</p>
CEX_C2	<p>If DV_AGE >= 18, go to CEX_R01. Otherwise, go to CEX_END.</p>
CEX_R01	<p>The next few questions are about things that may have happened to you before you were 16 in your school, in your neighbourhood, or in your family. Your responses are important whether or not you have had any of these experiences. Remember that all information provided is strictly confidential.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
CEX_Q01	<p>(Please refer to page 24 of the booklet.)</p> <p>Before age 16, how many times did EXPERIENCE 1 happen to you?</p> <p><u>INTERVIEWER</u>: Experience 1 is "How many times did you see or hear any one of your parents, step-parents or guardians hit each other or another adult in your home? By adult, I mean anyone 18 years and over."</p> <p>Read categories to respondent.</p> <p>1 A (Never) 2 B (1 or 2 times) 3 C (3 to 5 times) 4 D (6 to 10 times) 5 E (More than 10 times) DK, RF</p> <p>(Go to CEX_Q07)</p>

CEX_Q02

(Please refer to page 25 of the booklet.)

Before age 16, how many times did EXPERIENCE 2 happen to you?

INTERVIEWER: Experience 2 is "How many times did an adult slap you on the face, head or ears or hit or spank you with something hard to hurt you?"

Read categories to respondent.

- 1 **A (Never)**
- 2 **B (1 or 2 times)**
- 3 **C (3 to 5 times)**
- 4 **D (6 to 10 times)**
- 5 **E (More than 10 times)**

DK, RF

CEX_Q03

(Please refer to page 26 of the booklet.)

Before age 16, how many times did EXPERIENCE 3 happen to you?

INTERVIEWER: Experience 3 is "How many times did an adult push, grab, shove or throw something at you to hurt you?"

If necessary, read the categories to respondent.

- 1 A (Never)
- 2 B (1 or 2 times)
- 3 C (3 to 5 times)
- 4 D (6 to 10 times)
- 5 E (More than 10 times)

DK, RF

CEX_Q04

(Please refer to page 27 of the booklet.)

Before age 16, how many times did EXPERIENCE 4 happen to you?

INTERVIEWER: Experience 4 is "How many times did an adult kick, bite, punch, choke, burn you, or physically attack you in some way?"

If necessary, read the categories to respondent.

- 1 A (Never)
- 2 B (1 or 2 times)
- 3 C (3 to 5 times)
- 4 D (6 to 10 times)
- 5 E (More than 10 times)

DK, RF

CEX_Q05

(Please refer to page 28 of the booklet.)

Before age 16, how many times did EXPERIENCE 5 happen to you?

INTERVIEWER: Experience 5 is "How many times did an adult force you or attempt to force you into any unwanted sexual activity, by threatening you, holding you down or hurting you in some way?"

If necessary, read the categories to respondent.

- 1 A (Never)
 - 2 B (1 or 2 times)
 - 3 C (3 to 5 times)
 - 4 D (6 to 10 times)
 - 5 E (More than 10 times)
- DK, RF

CEX_Q06

(Please refer to page 29 of the booklet.)

Before age 16, how many times did EXPERIENCE 6 happen to you?

INTERVIEWER: Experience 6 is "How many times did an adult touch you against your will in any sexual way? By this, I mean anything from unwanted touching or grabbing, to kissing or fondling."

If necessary, read the categories to respondent.

- 1 A (Never)
 - 2 B (1 or 2 times)
 - 3 C (3 to 5 times)
 - 4 D (6 to 10 times)
 - 5 E (More than 10 times)
- DK, RF

CEX_Q07

Before age 16, did you ever see or talk to anyone from a child protection organization about difficulties at home?

- 1 Yes
 - 2 No
- DK, RF

CEX_END

Spirituality (SPI)

1 - Copied
Version - 1001

SPI_BEG	<p>Content block</p> <p>External variables required:</p> <p>DOSPI: do block flag, from the sample file. PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
SPI_C01	<p>If If DOSPI = 1, go to SPI_R01. Otherwise, go to SPI_END.</p>
SPI_R01	<p>The following questions are about your religious or spiritual beliefs.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SPI_Q01	<p>In general, how important are religious or spiritual beliefs in your daily life?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p> 1 Very important 2 Somewhat important 3 Not very important 4 Not at all important </p> <p>DK, RF (Go to SPI_END)</p>
SPI_Q02	<p>To what extent do your religious or spiritual beliefs give you the strength to face everyday difficulties?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p> 1 A lot 2 Some 3 A little 4 Not at all </p> <p>DK, RF</p>
SPI_END	

Labour force (LF2)

1 - Copied
Version - 1001

LF2_BEG	<p>Core content</p> <p>External variables required: REFDATE: current date from operating system SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. GEN_Q08 from GEN block DV_AGE: Age of selected respondent from ANC block</p> <p>DOLF2: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space DV_DATE1WKE as Month DD, YYYY, e.g., January 2, 2008 DV_YSTEDAYE as Month DD, YYYY, e.g., January 2, 2008</p>
LF2_C1A	<p>If DOLF2 = 1, go to LF2_C1B. Otherwise, go to LF2_END.</p>
LF2_C1B	<p>If DV_AGE > 75, go to LF2_END. Otherwise, go to LF2_R1.</p>
LF2_R1	<p>The next questions concern your activities in the last 7 days. By the last 7 days, I mean beginning [DV_DATE1WKE], and ending [DV_YSTEDAYE].</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
LF2_Q1	<p>Last week, did you work at a job or a business? Please include part-time jobs, seasonal work, contract work, self-employment, baby-sitting and any other paid work, regardless of the number of hours worked.</p> <p>1 Yes 2 No 3 Permanently unable to work (Go to LF2_END) DK, RF (Go to LF2_END)</p>
LF2_E1	<p>A response inconsistent with a response to a previous question has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if GEN_Q08 = 2 (did not work at any time in past 12 months) and LF2_Q1 = 1.</p>
LF2_C2	<p>If LF2_Q1 = 1, go to LF2_Q3. Otherwise, go to LF2_Q2.</p>
LF2_Q2	<p>Last week, did you have a job or business from which you were absent?</p> <p>1 Yes 2 No (Go to LF2_Q4) DK, RF (Go to LF2_END)</p>

LF2_Q3

Did you have more than one job or business last week?

- 1 Yes
- 2 No
- DK, RF

Go to LF2_R5

LF2_Q4

In the past 4 weeks, did you do anything to find work?

- 1 Yes
- 2 No
- DK, RF

Go to LF2_END

LF2_R5

The next questions are about your current job or business.

INTERVIEWER: If the respondent currently holds more than one job, report on the job for which the number of hours worked per week is the greatest.

Press <1> to continue.

LF2_Q31

Are you an employee or self-employed?

- 1 Employee (Go to LF2_Q33)
- 2 Self-employed
- 3 Working in a family business without pay (Go to LF2_Q33)
- DK, RF (Go to LF2_Q33)

LF2_Q32

What is the name of your business?

INTERVIEWER: Enter the full name of the business.
If there is no business name, enter the respondent's full name.

(50 spaces)

DK, RF

Go to LF2_Q34

LF2_Q33

For whom do you work?

INTERVIEWER: Enter the full name of the company, business, government department or agency, or person.

(50 spaces)

DK, RF

LF2_Q34

What kind of business, industry or service is this?

INTERVIEWER: Enter a detailed description.

For example:
new home construction
primary school
municipal police
wheat farm
retail shoe store
food wholesale
car parts factory
federal government

(50 spaces)

DK, RF

LF2_Q35

What is your work or occupation?

INTERVIEWER: Enter a detailed description.

For example: legal secretary, plumber, fishing guide, wood furniture assembler, secondary school teacher, computer programmer.

(50 spaces)

DK, RF

LF2_D35

Programmer:

SIC_CODE (4 bytes) Store SOC Code associated with LF2_Q35

LF2_Q36

In this work, what are your main activities?

INTERVIEWER: Enter a detailed description.

For example: prepare legal documents, install residential plumbing, guide fishing parties, make wood furniture products, teach mathematics, develop software,

(50 spaces)

DK, RF

LF2_Q37

About how many hours a week do you usually work at your job or business? If you usually work extra hours, paid or unpaid, please include these hours.

(MIN: 1) (MAX: 168)

DK, RF

LF2_E37	An unusual value has been entered. Please confirm or return and change the reporting unit.
Rule :	Trigger soft edit if LF2_Q37 > 84.
LF2_C38	If LF2_Q3 = 1, go to LF2_Q38. Otherwise, go to LF2_END.
LF2_Q38	<p>You indicated that you have more than one job.</p> <p>About how many hours a week do you usually work at your other job(s)? If you usually work extra hours, paid or unpaid, please include these hours.</p> <p><u>INTERVIEWER</u>: Minimum is 1; maximum is [168 - LF2_Q37].</p> <p>(MIN: 1) (MAX: 168)</p> <p>DK, RF</p>
LF2_E38	An unusual value has been entered.
Rule :	Trigger soft edit if LF2_Q38 >30.
LF2_END	

Work Stress (WST)

1 - Copied
Version - 1001

WST_BEG	<p>Content block</p> <p>External variables required: GEN_Q08 SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. DOWST: do block flag, from the sample file. DV_AGE: age of selected respondent from AN3 block</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
WST_C100	<p>If DOWST = 1, go to WST_C400. Otherwise, go to WST_END.</p>
WST_C400	<p>If DV_AGE > 75 or GEN_Q08 <> 1, go to WST_END. Otherwise, go to WST_R400.</p>
WST_R400	<p>(Please refer to page 20 of the booklet.)</p> <p>The next few questions are about your <u>main job or business</u> in the past 12 months. I'm going to read you a series of statements that might describe your job situation. Please tell me if you strongly agree, agree, neither agree nor disagree, disagree, or strongly disagree.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
WST_Q401	<p>Your job required that you learn new things.</p> <p>1 Strongly agree 2 Agree 3 Neither agree nor disagree 4 Disagree 5 Strongly disagree DK RF (Go to WST_END)</p>
WST_Q402	<p>Your job required a high level of skill.</p> <p>1 Strongly agree 2 Agree 3 Neither agree nor disagree 4 Disagree 5 Strongly disagree DK, RF</p>
WST_Q403	<p>Your job allowed you freedom to decide how you did your job.</p> <p>1 Strongly agree 2 Agree 3 Neither agree nor disagree 4 Disagree 5 Strongly disagree DK, RF</p>

WST_Q404

Your job required that you do things over and over.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- DK, RF

WST_Q405

Your job was very hectic.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- DK, RF

WST_Q406

You were free from conflicting demands that others made.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- DK, RF

WST_Q407

Your job security was good.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- DK, RF

WST_Q408

Your job required a lot of physical effort.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- DK, RF

WST_Q409

You had a lot to say about what happened in your job.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- DK, RF

WST_Q410

You were exposed to hostility or conflict from the people you worked with.

INTERVIEWER: If necessary, enter "6" to indicate "Not applicable" (e.g. respondent works alone).

- 1 Strongly agree
 - 2 Agree
 - 3 Neither agree nor disagree
 - 4 Disagree
 - 5 Strongly disagree
 - 6 Not applicable
- DK, RF

WST_Q411

Your supervisor was helpful in getting the job done.

INTERVIEWER: If necessary, enter "6" to indicate "Not applicable" (e.g. respondent does not have a boss or a supervisor).

- 1 Strongly agree
 - 2 Agree
 - 3 Neither agree nor disagree
 - 4 Disagree
 - 5 Strongly disagree
 - 6 Not applicable
- DK, RF

WST_Q412

The people you worked with were helpful in getting the job done.

INTERVIEWER: If necessary, enter "6" to indicate "Not applicable" (e.g. respondent works alone).

- 1 Strongly agree
 - 2 Agree
 - 3 Neither agree nor disagree
 - 4 Disagree
 - 5 Strongly disagree
 - 6 Not applicable
- DK, RF

WST_Q413

How satisfied were you with your job?

INTERVIEWER: Read categories to respondent.

- 1 **Very satisfied**
 - 2 **Somewhat satisfied**
 - 3 **Not too satisfied**
 - 4 **Not at all satisfied**
- DK, RF

WST_END

Income (INC)

1 - Copied
Version - 1001

INC_BEG	<p>Content block</p> <p>External variables required:</p> <p>SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block</p> <p>LF2_Q01: from Labour Force block</p> <p>LF2_Q02 : from Labour Force block</p> <p>HHLDSZ: Household size from Household component</p> <p>DOINC: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block</p> <p>PE_Q02: last name of specific respondent from USU block</p> <p>Screen display:</p> <p>Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
INC_C01	<p>If DOINC = 1, go to INC_R01.</p> <p>Otherwise, go to INC_END.</p>
INC_R01	<p>Although many health expenses are covered by health insurance, there is still a relationship between health and income. Please be assured that, like all other information you have provided, these answers will be kept strictly confidential.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
INC_Q01	<p>(Please turn to page 30 of the booklet.)</p> <p>Thinking about the total income for <u>all household members</u>, from which of the following sources did your household receive any income in the past 12 months?</p> <p><u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply.</p> <ol style="list-style-type: none"> 01 Wages and salaries 02 Income from self-employment 03 Dividends and interest (e.g., on bonds, savings) 04 Employment insurance 05 Worker's compensation 06 Benefits from Canada or Quebec Pension Plan 07 Job related retirement pensions, superannuation and annuities 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund) 09 Old Age Security and Guaranteed Income Supplement 10 Provincial or municipal social assistance or welfare 11 Child Tax Benefit 12 Child support 13 Alimony 14 Other (e.g., rental income, scholarships) 15 None <p>DK, RF</p>

INC_E01A	You cannot select "None" and another category. Please return and correct.
Rule :	Trigger hard edit if INC_Q01 = 15 (None) and any other response selected in INC_Q01.
INC_E01B	Inconsistent answers have been entered. Please confirm.
Rule :	Trigger soft edit if (INC_Q01 <> 1 or 2) and (LF2_Q01 = 1 or LF2_Q02 = 1).
INC_C02	If more than one source of income is indicated, go to INC_Q02. Otherwise, go to INC_Q03.
INC_Q02	<p>What was the <u>main</u> source of income?</p> <ul style="list-style-type: none"> 01 Wages and salaries 02 Income from self-employment 03 Dividends and interest (e.g., on bonds, savings) 04 Employment insurance 05 Worker's compensation 06 Benefits from Canada or Quebec Pension Plan 07 Job related retirement pensions, superannuation and annuities 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund) 09 Old Age Security and Guaranteed Income Supplement 10 Provincial or municipal social assistance or welfare 11 Child Tax Benefit 12 Child support 13 Alimony 14 Other (e.g., rental income, scholarships) 15 None <p>DK, RF</p>
Processing:	At the time of the data processing, if the respondent reported only one source of income in INC_Q01, the variable INC_Q02 will be given its value.
INC_E02	The main source of income is not selected as one of the sources of income. Please return and correct.
Rule :	Trigger hard edit if the response in INC_Q02 (except DK, RF) was not selected in INC_Q01.

INC_Q03	<p>What is your best estimate of the total <u>household</u> income received by all household members, from all sources, before taxes and deductions, in the past 12 months?</p> <p><u>INTERVIEWER</u>: Capital gains should not be included in the household income. Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such as child support, alimony and rental income.</p> <p>(MIN: -90000000) (MAX: 90000000)</p> <p>DK, RF</p>																
Processing:	At the time of the data processing, responses reported in INC_Q03 will also be recoded into the cascade categories of INC_Q05A to INC_Q05C.																
INC_E03	An unusual value has been entered. Please confirm.																
Rule :	Trigger soft edit if INC_Q03 > 150,000.																
INC_C05	If INC_Q03 = DK or RF, go to INC_Q05A. Otherwise, go to INC_C06.																
INC_Q05A	<p>Can you estimate in which of the following groups your household income falls? Was the total household income in the past 12 months...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <table><tr><td>1</td><td>Less than \$50,000, including income loss</td><td>(Go to INC_Q05B)</td></tr><tr><td>2</td><td>\$50,000 and more</td><td>(Go to INC_Q05C)</td></tr><tr><td>DK, RF</td><td></td><td>(Go to INC_Q12)</td></tr></table>	1	Less than \$50,000, including income loss	(Go to INC_Q05B)	2	\$50,000 and more	(Go to INC_Q05C)	DK, RF		(Go to INC_Q12)							
1	Less than \$50,000, including income loss	(Go to INC_Q05B)															
2	\$50,000 and more	(Go to INC_Q05C)															
DK, RF		(Go to INC_Q12)															
INC_Q05B	<p>Please stop me when I have read the category which applies to your household. Was it...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <table><tr><td>1</td><td>Less than \$5,000</td></tr><tr><td>2</td><td>\$5,000 to less than \$10,000</td></tr><tr><td>3</td><td>\$10,000 to less than \$15,000</td></tr><tr><td>4</td><td>\$15,000 to less than \$20,000</td></tr><tr><td>5</td><td>\$20,000 to less than \$30,000</td></tr><tr><td>6</td><td>\$30,000 to less than \$40,000</td></tr><tr><td>7</td><td>\$40,000 to less than \$50,000</td></tr><tr><td>DK, RF</td><td>(Go to INC_Q12)</td></tr></table> <p>Go to INC_C06</p>	1	Less than \$5,000	2	\$5,000 to less than \$10,000	3	\$10,000 to less than \$15,000	4	\$15,000 to less than \$20,000	5	\$20,000 to less than \$30,000	6	\$30,000 to less than \$40,000	7	\$40,000 to less than \$50,000	DK, RF	(Go to INC_Q12)
1	Less than \$5,000																
2	\$5,000 to less than \$10,000																
3	\$10,000 to less than \$15,000																
4	\$15,000 to less than \$20,000																
5	\$20,000 to less than \$30,000																
6	\$30,000 to less than \$40,000																
7	\$40,000 to less than \$50,000																
DK, RF	(Go to INC_Q12)																

INC_Q05C	<p>Please stop me when I have read the category which applies to your household. Was it...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <ol style="list-style-type: none"> 1 \$50,000 to less than \$60,000 2 \$60,000 to less than \$70,000 3 \$70,000 to less than \$80,000 4 \$80,000 to less than \$90,000 5 \$90,000 to less than \$100,000 6 \$100,000 to less than \$150,000 7 \$150,000 and over <p>DK, RF (Go to INC_Q12)</p>
INC_C06	<p>If HHLDSZ > 1, go to INC_Q06. Otherwise, go to INC_Q12.</p>
INC_Q06	<p>Thinking about your total <u>personal</u> income, from which of the following sources did you receive any income in the past 12 months?</p> <p><u>INTERVIEWER</u>: Read categories to respondent. Mark all that apply.</p> <ol style="list-style-type: none"> 01 Wages and salaries 02 Income from self-employment 03 Dividends and interest (e.g., on bonds, savings) 04 Employment insurance 05 Worker's compensation 06 Benefits from Canada or Quebec Pension Plan 07 Job related retirement pensions, superannuation and annuities 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund) 09 Old Age Security and Guaranteed Income Supplement 10 Provincial or municipal social assistance or welfare 11 Child Tax Benefit 12 Child support 13 Alimony 14 Other (e.g., rental income, scholarships) 15 None <p>DK, RF</p>
INC_E06A	<p>A selected source of personal income is not selected as one of the sources of income for all household members. Please return and correct.</p>
Rule :	<p>Trigger hard edit if any response other than 15 (None) is selected in INC_Q06 and is not selected in INC_Q01.</p>
INC_E06B	<p>You cannot select "None" and another category. Please return and correct.</p>
Rule :	<p>Trigger hard edit if INC_Q06 = 15 (None) and any other response selected in INC_Q06.</p>
INC_C07	<p>If more than one source of income is indicated in INC_Q06, go to INC_Q07. Otherwise, go to INC_Q08A.</p>

INC_Q07	<p>What was the <u>main</u> source of your personal income?</p> <p>01 Wages and salaries 02 Income from self-employment 03 Dividends and interest (e.g., on bonds, savings) 04 Employment insurance 05 Worker's compensation 06 Benefits from Canada or Quebec Pension Plan 07 Job related retirement pensions, superannuation and annuities 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund) 09 Old Age Security and Guaranteed Income Supplement 10 Provincial or municipal social assistance or welfare 11 Child Tax Benefit 12 Child support 13 Alimony 14 Other (e.g., rental income, scholarships) 15 None DK, RF</p>
Processing:	At the time of the data processing, if the respondent reported only one source of income in INC_Q06, the variable INC_Q07 will be given its value.
INC_E07	<p>The main source of income is not selected as one of the sources of income. Please return and correct.</p>
Rule :	Trigger hard edit if the response in INC_Q07 (except DK, RF) was not selected in INC_Q06.
INC_Q08A	<p>What is your best estimate of your total <u>personal</u> income, before taxes and deductions, from all sources in the past 12 months?</p> <p><u>INTERVIEWER:</u> Capital gains should not be included in the personal income. Income can come from various sources such as from work, investments, pensions or government. Examples include Employment Insurance, Social Assistance, Child Tax Benefit and other income such as child support, alimony and rental income.</p> <p>(MIN: -9000000) (MAX: 90000000)</p> <p>DK, RF</p>
Processing:	At the time of the data processing, responses reported in INC_Q08A will also be coded into the cascade categories of INC_Q08B to INC_Q08D.
INC_E08A	An unusual value has been entered. Please confirm.
Rule :	Trigger soft edit if INC_Q08A > 150,000.
INC_C08B	If INC_Q08A = DK, RF, go to INC_Q08B. Otherwise, go to INC_Q12.

INC_Q08B

Can you estimate in which of the following groups your personal income falls?
Was your total personal income in the past 12 months...?

INTERVIEWER: Read categories to respondent.

- 1 Less than \$30,000, including income loss (Go to INC_Q08C)
- 2 \$30,000 and more (Go to INC_Q08D)
- DK, RF (Go to INC_Q12)

INC_Q08C

Please stop me when I have read the category which applies to you. Was it...?

INTERVIEWER: Read categories to respondent.

- 1 Less than \$5,000
- 2 \$5,000 to less than \$10,000
- 3 \$10,000 to less than \$15,000
- 4 \$15,000 to less than \$20,000
- 5 \$20,000 to less than \$25,000
- 6 \$25,000 to less than \$30,000
- DK, RF

Go to INC_Q12

INC_Q08D

Please stop me when I have read the category which applies to you. Was it...?

INTERVIEWER: Read categories to respondent.

- 01 \$30,000 to less than \$40,000
- 02 \$40,000 to less than \$50,000
- 03 \$50,000 to less than \$60,000
- 04 \$60,000 to less than \$70,000
- 05 \$70,000 to less than \$80,000
- 06 \$80,000 to less than \$90,000
- 07 \$90,000 or more but less than \$100,000
- 08 \$100,000 and over
- DK, RF

INC_Q12

With your current household income, do you have any difficulty meeting basic expenses such as food, shelter and clothing?

- 1 Yes
- 2 No
- DK, RF

INC_END

Socio-demographic characteristics (SDC)

1 - Copied
Version - 1001

SDC_BEG	<p>Content block</p> <p>External variables required:</p> <p>CURRENTYEAR from Entry BIRTHYEAR from Entry DV_AGE: age of selected respondent from AN3 block SEX_Q01: sex of specific respondent (1 = male, 2 = female) from Sex block. FNAME: first name of respondent from household block. DOSDC: do block flag, from the sample file.</p> <p>PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
SDC_C01	<p>If DOSDC = 1, go to SDC_R01. Otherwise, go to SDC_END.</p>
SDC_R01	<p>Now some general background questions which will help us compare the health of people in Canada.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SDC_D01	<p>DV_CNTRYTEXT = (STRING 80) = SDC_Q01 DV_CNTRYCODE = (0..99990) = SDC_Q01</p>
SDC_Q01	<p>In what country were you born?</p> <p><u>INTERVIEWER</u>: Ask the respondent to specify country of birth according to current boundaries. Start typing the name of the country to activate the search function. Enter (CAN) to select Canada. Enter "Other - Specify" if the country is not part of the list.</p> <p>DK, RF</p>
Programmer:	<p>Call Trigram Search. Null is not allowed. Don't know and Refusal are allowed. The Search File to be used corresponds to the Excel file "Country_Pays_LookUpList_With_StdCodeFinal".</p> <p>The DV_CNTRYCODE and the DV_CNTRYTEXT are the two fields that should be displayed on the pop-up screen when the Search File is called. However, the corresponding DV_CNTRYCODE also needs to be saved and used as the key to indicate exactly which unique entry in the Search File was selected (i.e., it is the code that differentiates between the English, French and other spelling variations of country names).</p>
SDC_C02A	<p>If DV_CNTRYCODE = 90000 (Other-Specify), go to SDC_S01. Otherwise, go to SDC_C02B.</p>
SDC_C02B	<p>If DV_CNTRYCODE = 11124 (Born in Canada), go to SDC_Q04. Otherwise, go to SDC_Q02.</p>

SDC_S01	<p>In what country were you born?</p> <p><u>INTERVIEWER</u>: Specify.</p> <hr/> <p>(80 spaces)</p> <p>(DK, RF not allowed)</p>
SDC_Q02	<p>Were you born a Canadian citizen?</p> <p>1 Yes (Go to SDC_Q04)</p> <p>2 No (Go to SDC_Q04)</p> <p>DK, RF (Go to SDC_Q04)</p>
SDC_Q03	<p>In what year did you first come to Canada to live?</p> <p><u>INTERVIEWER</u>: The respondent may have first come to live in Canada on a work or study permit or by claiming refugee status.</p> <p>If the respondent moved to Canada more than once, enter the first year they arrived in Canada (excluding vacation time spent in Canada).</p> <p>If the respondent cannot give the exact year of arrival in Canada, ask for a best estimate of the year.</p> <p>(MIN: 1870) (MAX: 2100)</p> <p>DK, RF</p>
SDC_E03A	<p>The year that the respondent first came to Canada is in the future. Please return and correct.</p>
Rule :	<p>Trigger hard edit if SDC_Q03 > CURRENTYEAR.</p>
SDC_E03B	<p>The year that the respondent first came to Canada is before the year of birth. Please return and correct.</p>
Rule :	<p>Trigger hard edit if SDC_Q03 < ((CURRENTYEAR - DV_AGE) - 1).</p>

SDC_Q04

To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian)

INTERVIEWER: Mark all that apply.

- 01 Canadian
 - 02 French
 - 03 English
 - 04 German
 - 05 Scottish
 - 06 Irish
 - 07 Italian
 - 08 Ukrainian
 - 09 Dutch (Netherlands)
 - 10 Chinese
 - 11 Jewish
 - 12 Polish
 - 13 Portuguese
 - 14 South Asian (e.g. East Indian, Pakistani, Sri Lankan)
 - 15 Norwegian
 - 16 Welsh
 - 17 Swedish
 - 18 First Nations (North American Indian)
 - 19 Métis
 - 20 Inuit
 - 21 Other - Specify (Go to SDC_S04)
- DK, RF

Go to SDC_C05

SDC_S04

To which ethnic or cultural groups did your ancestors belong? (For example: French, Scottish, Chinese, East Indian)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

SDC_C05

If SDC_Q01 or DV_CNTRYCODE = Canada, United States, Germany or Greenland, go to SDC_Q05.
Otherwise, go to SDC_Q07.

SDC_Q05

Are you an Aboriginal person that is, First Nations, Métis or Inuit?
First Nations includes Status and Non-Status Indians.

INTERVIEWER: The terms "First Nations" and "North American Indian" can be interchanged. Some respondents may prefer one term over the other.

- 1 Yes (Go to SDC_Q06)
 2 No
 DK, RF

Go to SDC_Q07

Content type:

Tag: Aboriginal group

This question should be answered regardless of whether or not this person is an Aboriginal person of North America.

Aboriginal people are usually those with ancestors who resided in North America prior to European contact and who identify with one of the three Aboriginal groups listed on the questionnaire: First Nations (North American Indian), Métis and Inuit.

Persons who consider themselves to be East Indian or Asian Indian, or who have ethnic roots on the subcontinent of India, should respond "No, not an Aboriginal person" to this question.

Individuals who refer to themselves as Métis in the context of mixed ancestry, but who do not have North American Aboriginal ancestry-for example, those from Africa, the Caribbean and South America-should respond "No, not an Aboriginal person".

SDC_Q06

INTERVIEWER: If the respondent has already specified the Aboriginal group(s), select the group(s) from the list below; if not, ask:

Are you First Nations, Métis or Inuit?

INTERVIEWER: Mark all that apply.
 First Nations (North American Indian) includes Status and Non-Status Indians.
 The terms "First Nations" and "North American Indian" can be interchanged. Some respondents may prefer one term over the other.

- 1 First Nations (North American Indian)
 2 Métis
 3 Inuit
 DK, RF

Go to SDC_Q08

SDC_E06

You have entered Don't know or Refusal for SDC_Q06. Respondents sometimes get confused with the terminology used to describe different aboriginal groups. If you wish to change the entry, return to SDC_Q06 and enter the appropriate answer. Otherwise, please confirm.

Rule :

Trigger soft edit if SDC_Q06 = DK, RF.

SDC_D07

Not Applicable

SDC_Q07

You may belong to one or more racial or cultural groups on the following list.

Are you...?

INTERVIEWER: Read categories to respondent and mark up to 4 responses that apply.

If respondent answers "mixed", "bi-racial" or "multi-racial", etc, probe for specific groups and mark each one separately (e.g. White, Black, Chinese).

- 01 White
 - 02 South Asian (e.g., East Indian, Pakistani, Sri Lankan)
 - 03 Chinese
 - 04 Black
 - 05 Filipino
 - 06 Latin American
 - 07 Arab
 - 08 Southeast Asian (e.g., Vietnamese, Cambodian, Malaysian, Laotian)
 - 09 West Asian (e.g., Iranian, Afghan)
 - 10 Korean
 - 11 Japanese
 - 12 Other - Specify (Go to SDC_S07)
- DK, RF

Go to SDC_Q08

Help text:

Tag: Racial or cultural group

All response categories and examples must be read aloud, even if the respondent has already given the interviewer one response.

DO NOT code responses that do not appear on the list of response categories. For example, do not mark "White", if the respondent says "Caucasian". Record "Caucasian" in the "Other-specify" category.

SDC_S07

You may belong to one or more racial or cultural groups on the following list.

Are you...?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

SDC_Q08

Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it...?

INTERVIEWER: Read categories to respondent.

- 1 English only
 - 2 French only
 - 3 Both English and French
 - 4 Neither English nor French
- DK, RF

SDC_B09	<p>Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time; call subsequent items if the previous instance's SDC_B09.LangCode is a response other than 90000000 (No more languages).</p>
Programmer:	<p>Pass via parameter (question text, interviewer instruction, instance number):</p> <p>QTEXT = What language do you speak most often at home?</p> <p>ITEXT = Mark up to three responses. Multiple responses are accepted only if languages are spoken equally often at home.</p> <p>INSTNUM = (min: 1 - max: 3)</p>
Help text:	<p>Tag: Home language spoken most often</p> <p>For a person who lives alone, report the language in which the respondent feels most comfortable (this can be the language the respondent would use to talk on the telephone, entertain friends at home, etc.).</p> <p>Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.</p>
SDC_E09A	<p>The answer category "111 - No more languages" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.</p>
Rule :	<p>Trigger hard edit if at the first iteration of the question, the interviewer selects "111 - No more languages" DV_LANGCODE = 90000000.</p>
SDC_E09B	<p>The same language has been selected a second time. Please return and correct.</p>
Rule :	<p>Trigger hard edit if any two language codes (SDC_B09.LangCode) are equal. DV_LANGCODE = 22240000 is an exception to this edit: multiple other-specify responses are acceptable.</p>
SDC_B10	<p>Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time; call subsequent items if the previous instances SDC_B10.LangCode is a response other than 90000000 (No more languages).</p>
Programmer:	<p>Pass via parameter (question text, interviewer instruction, instance number):</p> <p>QTEXT = What is the language that you first learned at home in childhood and still understand?</p> <p>ITEXT = Mark up to three responses. If the respondent no longer understands the first language learned, indicate the second language learned. Accept multiple responses only if languages were learned at the same time.</p> <p>INSTNUM = (min: 1 - max: 3)</p>
Help text:	<p>Tag: Mother tongue</p> <p>Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.</p>

SDC_E10A	The answer category "111 - No more languages" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.
Rule :	Trigger hard edit if at the first iteration of the question, the interviewer selects "111 - No more languages" DV_LANGCODE = 90000000.
SDC_E10B	The same language has been selected a second time. Please return and correct.
Rule :	Trigger hard edit if any two language codes (SDC_B10.LangCode) are equal. DV_LANGCODE = 22240000 is an exception to this edit: multiple other-specify responses are acceptable.
SDC_R13	Now a question about the dwelling in which you live. <u>INTERVIEWER:</u> Press <1> to continue.
SDC_Q13	Is this dwelling...? <u>INTERVIEWER:</u> Read categories to respondent. If the respondent's household contains both owners and renters, such as a boarder, the dwelling should be considered owned. <ol style="list-style-type: none"> 1 Owned by you or a member of this household, even if it is still being paid for 2 Rented, even if no cash rent is paid DK, RF
Help text:	Tag: Owned or rented <p>Choose "Owned" if the respondent and/or another member of this household own the dwelling in which they live, even if the dwelling is on rented or leased land, or if it is part of a condominium, or if it is still being paid for by the respondent or another member of this household.</p> <p>Choose "Rented" in all other cases, even if the dwelling occupied by the respondent is provided without cash rent or at a reduced rent (for example, a clergy's residence or a superintendent's dwelling in an apartment building), or the dwelling is part of a co-operative.</p>
SDC_R14	Now one additional background question which will help us compare the health of people in Canada. <u>INTERVIEWER:</u> Press <1> to continue.
SDC_Q14	Do you consider yourself to be...? <u>INTERVIEWER:</u> Read categories to respondent. <ol style="list-style-type: none"> 1 Heterosexual? (sexual relations with people of the opposite sex) 2 Homosexual, that is lesbian or gay? (sexual relations with people of your own sex) 3 Bisexual? (sexual relations with people of both sexes) DK, RF
SDC_END	

Education (EDU)

1 - Copied
Version - 1001

EDU_BEG	<p>Content block</p> <p>External variables required:</p> <p>FNAME[20]: first name(s) of household member(s) from USU block. DOEDU: do block flag, from the sample file. AGE[20]: Age of household member(s) from DM block. SEX[20]: sex of household member(s) (1 = male, 2 = female) from DM block. PE_Q01: first name of specific respondent from USU block PE_Q02: last name of specific respondent from USU block</p> <p>Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space</p>
EDU_C01	<p>If DOEDU = 1, go to EDU_R01. Otherwise, go to EDU_END.</p>
EDU_R01	<p>The following questions are about education.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
EDU_B01	<p>Call sub block "Education of the respondent" (EDU1)</p>
EDU_C02	<p>If there is at least one household member who is >= 15 years of age other than the selected respondent, go to EDU_R02. Otherwise, go to EDU_END.</p>
EDU_R07	<p>Now I would like you to think about the rest of your household.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
EDU_B02	<p>Call sub block "Education of other household members" (EDU2)</p>
Content type:	<p>Ask this block for each household member aged 15 and older other than selected respondent. Maximum of 19 times.</p> <p>Begin with the first person rostered and continue in the order the household was rostered.</p>
EDU_END	

Education of the respondent (EDU1)

1 - Copied
Version - 1001

EDU1_BEG

EDU1_Q01

What is the highest grade of elementary or high school you have ever completed?

- 1 Grade 8 or lower (Québec:
Secondary II or lower) (Go to EDU1_Q03)
- 2 Grade 9 - 10 (Québec:
Secondary III or IV, Newfoundland
and Labrador: 1st year
secondary) (Go to EDU1_Q03)
- 3 Grade 11 - 13 (Québec:
Secondary V, Newfoundland and
Labrador: 2nd to 3rd year of
secondary)

DK, RF

Help text:

Tag: Educational Attainment

The attainment of a certificate, diploma or degree is considered to be at a higher level than some post secondary education without a certificate, diploma or degree.

EDU1_Q02

Did you complete a high school diploma or its equivalent?

- 1 Yes
- 2 No

DK, RF

EDU1_Q03

Have you received any other education that could be counted towards a certificate, diploma or degree from an educational institution?

- 1 Yes (Go to EDU1_Q04)
- 2 No

DK, RF

Go to EDU1_Q05

EDU1_Q04

What is the highest certificate, diploma or degree that you have completed?

- 1 Less than high school diploma or its equivalent
- 2 High school diploma or a high school equivalency certificate
- 3 Trade Certificate or Diploma
- 4 College, cegep or other non-university certificate or diploma (other than trades certificates or diplomas)
- 5 University certificate or diploma below the bachelor's level
- 6 Bachelor's degree (e.g. B.A., B.Sc., LL.B.)
- 7 University certificate, diploma or degree above the bachelor's level

DK, RF

EDU1_Q05

Are you currently attending a school, college, cegep or university?

INTERVIEWER: Ask respondent to include attendance only for courses that can be used as credit towards a certificate, diploma or degree.

- 1 Yes (Go to EDU1_Q06)
- 2 No

DK, RF

Go to EDU1_END

EDU1_Q06

Are you enrolled as...?

INTERVIEWER: Read categories to respondent.

- 1 **A full-time student**
- 2 **A part-time student**
- 3 **Both full-time and part-time student**

DK, RF

EDU1_END

Education of other household members (EDU2)

1 - Copied
Version - 1001

EDU2_BEG

EDU2_D07

Not Applicable

Programmer:

DT_NAME = FNAMEn

EDU2_Q07

What is the highest grade of elementary or high school ^DT_NAME ever completed?

- 1 Grade 8 or lower (Québec:
Secondary II or lower)
- 2 Grade 9 - 10 (Québec:
Secondary III or IV, Newfoundland
and Labrador: 1st year
secondary)
- 3 Grade 11 - 13 (Québec:
Secondary V, Newfoundland and
Labrador: 2nd to 3rd year of
secondary)

DK, RF

Help text:

Tag: Educational Attainment

The attainment of a certificate, diploma or degree is considered to be at a higher level than some post secondary education without a certificate, diploma or degree.

EDU2_D08

If SEXn = 1, DT_SEX1 = "he".
Otherwise, DT_SEX1 = "she".

EDU2_C08

If EDU2_Q07 = 1, 2, go to EDU2_Q09.
Otherwise, go to EDU2_Q08.

EDU2_Q08

Did ^DT_SEX1 complete high school or its equivalent?

- 1 Yes
- 2 No

DK, RF

EDU2_Q09

Has ^DT_SEX1 received any other education that could be counted towards a certificate, diploma or degree from an educational institution?

- 1 Yes (Go to EDU2_D10)
- 2 No

DK, RF

Go to EDU2_END

EDU2_D10

Not Applicable

EDU2_Q10	What is the <u>highest</u> certificate, diploma or degree ^DT_SEX1 has completed?
	1 Less than high school diploma or its equivalent
	2 High school diploma or a high school equivalency certificate
	3 Trade Certificate or Diploma
	4 College, cegep or other non-university certificate or diploma (other than trades certificates or diplomas)
	5 University certificate or diploma below the bachelor's level
	6 Bachelor's degree (e.g. B.A., B.Sc., LL.B.)
	7 University certificate, diploma or degree above the bachelor's level
	DK, RF
EDU2_END	

ADM BEG

Content block

DOADM: Do block flag, from the sample file.

PE_Q02: last name of specific respondent from USU block

Display on header bar PE_Q01 and PE_Q02 separated by a space

ADM C01

Otherwise, go to ADM_END.

Content type:

Permission to link

ADM D01B

Otherwise, DT_STAT = "Statistics Canada and your provincial ministry of health".

ADM R01

^DT_STAT would like your permission to link information collected during this interview. This includes linking your survey information to your past and continuing use of health services such as visits to hospitals, clinics and doctor's offices.

INTERVIEWER: Press <1> to continue.

ADM_Q01B

This linked information will be kept confidential and used only for statistical purposes. Do we have your permission?

(Go to ADM C04A)

Content type:

Health number

ADM D3A

If PROV = 62, DT_PROVINCEE = "Nunavut".

ADM_D3B

Otherwise, DT-AN = "a".

ADM_Q03A	<p>Having a provincial (or territorial) health number will assist us in linking to this other information.</p> <p>Do you have ^DT_AN ^DT_PROVINCEE health number?</p> <p>1 Yes (Go to ADM_B03C)</p> <p>2 No (Go to ADM_C04A)</p> <p>DK, RF (Go to ADM_C04A)</p>
ADM_Q03B	<p>For which province (or territory) is your health number?</p> <p>10 Newfoundland and Labrador</p> <p>11 Prince Edward Island</p> <p>12 Nova Scotia</p> <p>13 New Brunswick</p> <p>24 Quebec</p> <p>35 Ontario</p> <p>46 Manitoba</p> <p>47 Saskatchewan</p> <p>48 Alberta</p> <p>59 British Columbia</p> <p>60 Yukon</p> <p>61 Northwest Territories</p> <p>62 Nunavut</p> <p>88 Does not have a Canadian health number (Go to ADM_C04A)</p> <p>DK, RF (Go to ADM_C04A)</p>
ADM_B03C	Call sub block "Health Number Sub Block" (HN)
Content type:	Permission to share
ADM_C04A	If PROV = 24 (Québec), go to ADM_R04AC. Otherwise, go to ADM_R04AA.
ADM_R04AA	<p>To avoid duplication of surveys, Statistics Canada has signed agreements with provincial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.</p> <p>Provincial ministries of health may make this information available to local health authorities, but names, addresses, telephone numbers and health numbers will not be provided.</p> <p><u>INTERVIEWER:</u> The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada.</p> <p>Press <1> to continue.</p> <p>Go to ADM_Q04B</p>

ADM_R04AC	<p>To avoid duplication of surveys, Statistics Canada has signed agreements with provincial ministries of health, the "Institut de la Statistique du Québec", Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.</p> <p>The "Institut de la Statistique du Québec" and provincial ministries of health may make this information available to local health authorities, but names, addresses, telephone numbers and health numbers will not be provided.</p> <p><u>INTERVIEWER:</u> The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada.</p> <p>Press <1> to continue.</p>
ADM_Q04B	<p>These organizations have agreed to keep your information confidential and use it only for statistical purposes.</p> <p>Do you agree to share the information provided?</p> <p>1 Yes 2 No DK, RF</p>
ADM_N09	<p><u>INTERVIEWER:</u> Was this interview conducted on the telephone or in person?</p> <p>1 On telephone 2 In person 3 Both (DK, RF not allowed)</p>
ADM_D10	Not Applicable
ADM_N10	<p><u>INTERVIEWER:</u> Was the respondent alone when you asked this health questionnaire?</p> <p>1 Yes (Go to ADM_N12) 2 No (Go to ADM_N12) DK, RF</p>
ADM_N11	<p><u>INTERVIEWER:</u> Do you think that the answers of the respondent were affected by someone else being there?</p> <p>1 Yes 2 No DK, RF</p>

ADM_N12	<u>INTERVIEWER</u> : Record language of interview. 01 English 02 French 03 Chinese 04 Italian 05 Punjabi 06 Spanish 07 Portuguese 08 Polish 09 German 10 Vietnamese 11 Arabic 12 Tagalog (Filipino) 13 Greek 14 Tamil 15 Cree 16 Afghan 17 Cantonese 18 Hindi 19 Mandarin 20 Persian 21 Russian 22 Ukrainian 23 Urdu 24 Inuktitut 90 Other - Specify (Go to ADM_S12) (DK, RF not allowed) Go to ADM_END
ADM_S12	(Record language of interview.) <u>INTERVIEWER</u> : Specify. <hr/> (80 spaces) DK, RF
ADM_END	

Health Number Sub Block (HN)

1 - Copied
Version - 1001

HN_BEG

HN_Q01

What is your health number?

INTERVIEWER: Enter a health number for ^DT_PROVINCEE. Do not insert blanks, hyphens or commas between the numbers.

(0 spaces)

DK, RF

HN_END