

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 1

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| VERDATE | 8 | 0001 - 0008 | Date of file creation |
| ADM_RNO | 6 | 0009 - 0014 | Sequential record number |
| GEO_PRV | 2 | 0015 - 0016 | Province of residence of respondent |
| GEOGMA1 | 1 | 0017 - 0017 | 2011 Census Metropolitan Area - (G) |
| ADM_N09 | 1 | 0018 - 0018 | Interview by telephone or in person |
| ADM_N10 | 1 | 0019 - 0019 | Respondent alone during interview |
| ADM_N11 | 1 | 0020 - 0020 | Answers affected by presence of another person |
| DHHGAGE | 2 | 0021 - 0022 | Age - grouped variable |
| DHH_SEX | 1 | 0023 - 0023 | Sex |
| DHHGMS | 1 | 0024 - 0024 | Marital Status - (G) |
| DHHGHSZ | 1 | 0025 - 0025 | Household Size - (G) |
| DHHGDWE | 1 | 0026 - 0026 | Dwelling Type - (G) |
| DHHGLVG | 2 | 0027 - 0028 | Living/Family Arrangement of Selected Respondent - (G) |
| DHHGLE5 | 1 | 0029 - 0029 | Number of persons 5 years old or less in household - (G) |
| DHHG611 | 1 | 0030 - 0030 | Number of persons 6 to 11 years old in household - (G) |
| DHHGL12 | 1 | 0031 - 0031 | Number of persons less than 12 years old in household -(G) |
| GEN_01 | 1 | 0032 - 0032 | Self-perceived health |
| GEN_02 | 1 | 0033 - 0033 | Self-perceived health compared to one year ago |
| GEN_04 | 1 | 0034 - 0034 | Frequency - trouble sleeping |
| GEN_02A2 | 2 | 0035 - 0036 | Satisfaction with life in general - 11 point scale |
| GEN_07 | 1 | 0037 - 0037 | Perceived life stress |
| GEN_08 | 1 | 0038 - 0038 | Worked at job or business |
| GEN_09 | 1 | 0039 - 0039 | Self-perceived work stress |
| GEN_10 | 1 | 0040 - 0040 | Sense of belonging to local community |
| GENDHDI | 1 | 0041 - 0041 | Perceived health - (D) |
| GENGSWL | 1 | 0042 - 0042 | Satisfaction with life in general - (G) |
| SCR_081 | 1 | 0043 - 0043 | Self-perceived physical health |
| SCR_082 | 1 | 0044 - 0044 | Self-perceived mental health |
| SCR_21 | 1 | 0045 - 0045 | Screener: felt sad/empty/depressed for several days - life |
| SCR_22 | 1 | 0046 - 0046 | Screener: was very discouraged several days or longer - life |
| SCR_23 | 1 | 0047 - 0047 | Screener: lost interest in things for several days - life |
| SCR_24 | 1 | 0048 - 0048 | Screener: had mania-like period lasting several days - life |
| SCR_25 | 1 | 0049 - 0049 | Screener: very irritable/grumpy/ for several days - life |
| SCR_25A | 1 | 0050 - 0050 | Screener: so irritable started arguments/shouted/... - life |
| SCR_26 | 1 | 0051 - 0051 | Screener: worried about things more than most people - life |
| SCR_26A | 1 | 0052 - 0052 | Screener: more nervous/anxious than most people - life |

CCHS - Mental Health: Record Layout

Page 2

Public Use Microdata File - 12-Month

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| SCR_26B | 1 | 0053 - 0053 | Screeners: 6 months when anxious/worried most days - life |
| SCRDPHY | 1 | 0054 - 0054 | Self-rated physical health - (D) |
| SCRDMEN | 1 | 0055 - 0055 | Self-rated mental health - (D) |
| SCRDDEP | 1 | 0056 - 0056 | Screened in Depression - (D) |
| SCRDMIA | 1 | 0057 - 0057 | Screened in Mania - (D) |
| SCRDGAD | 1 | 0058 - 0058 | Screened in Generalized Anxiety Disorder - (D) |
| HWT_1 | 1 | 0059 - 0059 | Currently pregnant |
| HWT_4 | 1 | 0060 - 0060 | Respondent's opinion of own weight - self-reported |
| HWTGHTM | 5.3 | 0061 - 0065 | Height (metres) / self-reported - (G) |
| HWTGWTK | 6.2 | 0066 - 0071 | Weight (kilograms) / self-reported - (G) |
| HWTGBMI | 6.2 | 0072 - 0077 | Body Mass Index (BMI) / self-report - (G) |
| HWTGISW | 1 | 0078 - 0078 | BMI classification (self reported) - (G) |
| CCC_031 | 1 | 0079 - 0079 | Has asthma |
| CCC_051 | 1 | 0080 - 0080 | Has arthritis |
| CCC_061 | 1 | 0081 - 0081 | Has back problems excluding fibromyalgia and arthritis |
| CCC_071 | 1 | 0082 - 0082 | Has high blood pressure |
| CCC_072 | 1 | 0083 - 0083 | Ever diagnosed with high blood pressure |
| CCC_081 | 1 | 0084 - 0084 | Has migraine headaches |
| CCC_091 | 1 | 0085 - 0085 | Has chronic bronchitis/ emphysema/ COPD |
| CCC_101 | 1 | 0086 - 0086 | Has diabetes |
| CCC_121 | 1 | 0087 - 0087 | Has heart disease |
| CCC_131 | 1 | 0088 - 0088 | Has cancer |
| CCC_132 | 1 | 0089 - 0089 | Ever had cancer |
| CCC_151 | 1 | 0090 - 0090 | Suffers from the effects of a stroke |
| CCC_171 | 1 | 0091 - 0091 | Has bowel disorder/Crohn's Disease/ulcerative colitis |
| CCC_251 | 1 | 0092 - 0092 | Has chronic fatigue syndrome |
| CCC_261 | 1 | 0093 - 0093 | Suffers from multiple chemical sensitivities |
| CCC_280 | 1 | 0094 - 0094 | Has a mood disorder |
| CCC_28AA | 1 | 0095 - 0095 | Has mood disorder - depression |
| CCCG28AE | 1 | 0096 - 0096 | Has mood disorder - other - (G) |
| CCC_290 | 1 | 0097 - 0097 | Has an anxiety disorder |
| CCC_311 | 1 | 0098 - 0098 | Has post-traumatic stress disorder |
| CCC_331 | 1 | 0099 - 0099 | Has a learning disability |
| CCC_332 | 1 | 0100 - 0100 | Has Attention Deficit Disorder |
| CCCG901 | 1 | 0101 - 0101 | Has other long-term physical or mental health condition (G) |
| CCCF1 | 1 | 0102 - 0102 | Has a chronic condition - (F) |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 3

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| CCCDHBP | 1 | 0103 - 0103 | Has or previously diagnosed with high blood pressure (D) |
| CCCDCNCR | 1 | 0104 - 0104 | Has or previously diagnosed with cancer (D) |
| HUPDPAD | 1 | 0105 - 0105 | Pain (function code) - (D) |
| PHSFPPA | 1 | 0106 - 0106 | Flag: moderate/vigorous physical activity - 7 days (F) |
| PHSGAPA | 7.4 | 0107 - 0113 | Moderate/vigorous physical activity -average/hours - 7 D (G) |
| PMH_01 | 2 | 0114 - 0115 | Pos ment hlth - happy - freq 1 mo |
| PMH_02 | 2 | 0116 - 0117 | Pos ment hlth - interested in life - freq 1 mo |
| PMH_03 | 2 | 0118 - 0119 | Pos ment hlth - satisfied with life - freq 1 m |
| PMH_04 | 2 | 0120 - 0121 | Pos ment hlth - had somethng to contribut to soc - freq 1 mo |
| PMH_05 | 2 | 0122 - 0123 | Pos ment hlth - belong to a community - freq 1 mo |
| PMH_06 | 2 | 0124 - 0125 | Pos ment hlth - society becoming a better place - freq 1 mo |
| PMH_07 | 2 | 0126 - 0127 | Pos ment hlth - people basically good - freq 1 mo |
| PMH_08 | 2 | 0128 - 0129 | Pos ment hlth - society makes sense - freq 1 mo |
| PMH_09 | 2 | 0130 - 0131 | Pos ment hlth - liked most parts of personality - freq 1 mo |
| PMH_10 | 2 | 0132 - 0133 | Pos ment hlth - good at managing daily life - freq 1 mo |
| PMH_11 | 2 | 0134 - 0135 | Pos ment hlth - have warm/trusting relationships - freq 1 mo |
| PMH_12 | 2 | 0136 - 0137 | Pos ment hlth - challenged to become better - freq 1 mo |
| PMH_13 | 2 | 0138 - 0139 | Pos ment hlth - confident to express opinions - freq 1 mo |
| PMH_14 | 2 | 0140 - 0141 | Pos ment hlth - life has meaning - freq 1 mo |
| PMHDEM | 1 | 0142 - 0142 | High emotional well-being - (D) |
| PMHDEM | 1 | 0143 - 0143 | Low emotional well-being - (D) |
| PMHDFU | 1 | 0144 - 0144 | High positive functioning - (D) |
| PMHDLFU | 1 | 0145 - 0145 | Low positive functioning - (D) |
| PMHDCLA | 1 | 0146 - 0146 | Positive mental health - classification - (D) |
| PMHDSCR | 2 | 0147 - 0148 | Positive mental health - continuous score - (D) |
| STS_1 | 1 | 0149 - 0149 | Self-perceived ability to handle unexpected problem |
| STS_2 | 1 | 0150 - 0150 | Self-perceived ability to handle day-to-day demands |
| STS_3 | 2 | 0151 - 0152 | Most important source of feelings of stress |
| STS_4 | 1 | 0153 - 0153 | Can count on people / deal with stress |
| STS_5 | 1 | 0154 - 0154 | Perceived personal ability to deal with stress |
| DIS_10A | 1 | 0155 - 0155 | Freq/distress: felt tired out - past month |
| DIS_10B | 1 | 0156 - 0156 | Freq/distress: felt nervous - past month |
| DIS_10C | 1 | 0157 - 0157 | Freq/distress: so nervous nothing calms down - past month |
| DIS_10D | 1 | 0158 - 0158 | Freq/distress: felt hopeless - past month |
| DIS_10E | 1 | 0159 - 0159 | Freq/distress: felt restless / fidgety - past month |
| DIS_10F | 1 | 0160 - 0160 | Freq/distress: could not sit still - past month |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 4

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| DIS_10G | 1 | 0161 - 0161 | Freq/distress: felt sad / depressed - past month |
| DIS_10H | 1 | 0162 - 0162 | Freq/distress: depressed/nothing cheers - past month |
| DIS_10I | 1 | 0163 - 0163 | Freq/distress: felt everything effort - past month |
| DIS_10J | 1 | 0164 - 0164 | Freq/distress: felt worthless - past month |
| DIS_10K | 1 | 0165 - 0165 | Freq/distress: occurrence of feelings - past month |
| DIS_10L | 1 | 0166 - 0166 | Degree of higher occurrence of feelings - past month |
| DIS_10M | 1 | 0167 - 0167 | Degree of lower occurrence of feelings - past month |
| DIS_10N | 1 | 0168 - 0168 | Interference - feelings in life / activities - past month |
| DISDK6 | 2 | 0169 - 0170 | Distress scale - K6 - past month - (D) |
| DISDDSX | 2 | 0171 - 0172 | Distress scale - K10 - past month - (D) |
| DISDCHR | 2 | 0173 - 0174 | Chronicity of distress/impairment scale - past month (D) |
| DEP_72 | 1 | 0175 - 0175 | Depression - consulted MD/other professional - life |
| DEP_86 | 1 | 0176 - 0176 | Depression - professional treatment - 12 m |
| DEP_87 | 1 | 0177 - 0177 | Depression - hospitalized overnight - life |
| SUI_01 | 1 | 0178 - 0178 | Suicide - ideation during worst / bad episode |
| SUI_02 | 1 | 0179 - 0179 | Suicide - ideation - life |
| SUI_03 | 1 | 0180 - 0180 | Suicide - ideation - 12 mo |
| DEPDDPS | 1 | 0181 - 0181 | Major Depressive Episode - Algorithm - life - (D) |
| DEPGREC | 2 | 0182 - 0183 | Major depressive episode - Most recent episode - age - (G) |
| DEPGPER | 2 | 0184 - 0185 | Major depressive episode - persistence - years - (G) |
| DEPDDY | 1 | 0186 - 0186 | Major Depressive Episode - Algorithm - 12 m - (D) |
| DEPFSLT | 1 | 0187 - 0187 | Flag: Suicide - thought - life - (F) |
| DEPFSYT | 1 | 0188 - 0188 | Flag: Suicide - thought - 12 m - (F) |
| DEPFINT | 1 | 0189 - 0189 | Flag: Depression - Interference - 12 m - (F) |
| DEPDINT | 4.1 | 0190 - 0193 | Depression - Interference - Mean - 12 m - (D) |
| MIA_33 | 1 | 0194 - 0194 | Mania - consulted MD/other professional - life |
| MIA_47 | 1 | 0195 - 0195 | Mania - professional treatment - 12 m |
| MIADEPS | 1 | 0196 - 0196 | Mania - 2002 Algorithm - life - (D) |
| MIAGREC | 2 | 0197 - 0198 | Mania - Most recent episode - age (G) |
| MIAGPER | 2 | 0199 - 0200 | Mania - Persistence - years - (G) |
| MIADY | 1 | 0201 - 0201 | Mania - 2002 Algorithm - 12 m - (D) |
| MIADINT | 4.1 | 0202 - 0205 | Mania - Interference - Mean - 12 m - (D) |
| MIAFINT | 1 | 0206 - 0206 | Flag: Mania - Interference - 12 m - (F) |
| HYPDL | 1 | 0207 - 0207 | Hypomania - Algorithm - life - (D) |
| HYPDEY | 1 | 0208 - 0208 | Hypomania - Algorithm - 12 m - (D) |
| HYPFINT | 1 | 0209 - 0209 | Flag: Hypomania - Interference - 12 m - (F) |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 5

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| HYPDINT | 4.1 | 0210 - 0213 | Hypomania - Interference - Mean - 12 m - (D) |
| BIPD1 | 1 | 0214 - 0214 | Bipolar I - Algorithm - life - (D) |
| BIPD2 | 1 | 0215 - 0215 | Bipolar II - Algorithm - life - (D) |
| BIPD1Y | 1 | 0216 - 0216 | Bipolar I - Algorithm - 12 m - (D) |
| BIPD2Y | 1 | 0217 - 0217 | Bipolar II - Algorithm - 12 m - (D) |
| BIPDL | 1 | 0218 - 0218 | Bipolar Disorder - Algorithm - life - (D) |
| BIPDY | 1 | 0219 - 0219 | Bipolar Disorder - Algorithm - 12 m - (D) |
| BIPDINT1 | 4.1 | 0220 - 0223 | Bipolar I - Interference - Mean - (D) |
| BIPDINT2 | 4.1 | 0224 - 0227 | Bipolar II - Interference - Mean - (D) |
| BIPDINT | 4.1 | 0228 - 0231 | Bipolar Disorder - Interference - Mean - (D) |
| BIPFINT1 | 1 | 0232 - 0232 | Flag: Bipolar I - Interference - (F) |
| BIPFINT2 | 1 | 0233 - 0233 | Flag: Bipolar II - Interference - (F) |
| BIPFINT | 1 | 0234 - 0234 | Flag: Bipolar Disorder - Interference - (F) |
| MHPFL | 1 | 0235 - 0235 | Any selected disorder (mental or substance) - life (F) |
| MHPFLM | 1 | 0236 - 0236 | Any mood disorder - life - (F) |
| MHPFLSA | 1 | 0237 - 0237 | Any substance use disorder (alcohol/drug) - life - (F) |
| MHPFY | 1 | 0238 - 0238 | Any selected disorder (mental/substance) - 12 m - (F) |
| MHPFYM | 1 | 0239 - 0239 | Any mood disorder - 12 m - (F) |
| MHPFYSA | 1 | 0240 - 0240 | Any substance use disorder (alcohol/drug) - 12m - (F) |
| MHPFINT | 1 | 0241 - 0241 | Any selected disorder (mental/subst) - Interfere -12 m (F) |
| GAD_44 | 1 | 0242 - 0242 | Gen anx dis - consulted MD/other professional - life |
| GAD_58 | 1 | 0243 - 0243 | Gen anx dis - professional treatment - 12 m |
| GAD_59 | 1 | 0244 - 0244 | Gen anx dis - hospitalized overnight - life |
| GADDGDS | 1 | 0245 - 0245 | Generalized anxiety disorder - algorithm - life - (D) |
| GADGPER | 6.2 | 0246 - 0251 | Gen anx dis - Longest episode - duration - (G) |
| GADGREC | 2 | 0252 - 0253 | Gen anx dis - Most recent episode - age - (G) |
| GADDDY | 1 | 0254 - 0254 | Generalized anxiety disorder - algorithm - 12 m - (D) |
| GADDINT | 4.1 | 0255 - 0258 | Generalized anxiety disorder - Interference - Mean -12 m (D) |
| GADFINT | 1 | 0259 - 0259 | Generalized anxiety disorder - Interference - 12 m - (F) |
| SMK_01A | 1 | 0260 - 0260 | Smoked 100 or more cigarettes - life |
| SMK_01B | 1 | 0261 - 0261 | Ever smoked whole cigarette |
| SMKG01C | 2 | 0262 - 0263 | Age - smoked first whole cigarette - (G) |
| SMK_202 | 1 | 0264 - 0264 | Type of smoker |
| SMKG203 | 2 | 0265 - 0266 | Age - started smoking daily (daily smoker) - (G) |
| SMK_204 | 3 | 0267 - 0269 | Number of cigarettes smoked per day (daily smoker) |
| SMK_05B | 3 | 0270 - 0272 | Number of cigarettes smoked per day (occasional smoker) |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 6

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| SMK_05C | 2 | 0273 - 0274 | Number of days - smoked 1 cigarette or more (occ. smoker) |
| SMK_05D | 1 | 0275 - 0275 | Ever smoked cigarettes daily |
| SMK_06A | 1 | 0276 - 0276 | Stopped smoking - when (was never a daily smoker) |
| SMKG06C | 1 | 0277 - 0277 | Number of years since stopped smoking - (G) |
| SMKG207 | 2 | 0278 - 0279 | Age - started smoking daily (former daily smoker) - (G) |
| SMK_208 | 3 | 0280 - 0282 | Number of cigarettes smoked per day (former daily smoker) |
| SMK_09A | 1 | 0283 - 0283 | Stopped smoking daily - when stopped (former daily smoker) |
| SMKG09C | 1 | 0284 - 0284 | Number of years since stopped smoking (former daily smoker) |
| SMK_10 | 1 | 0285 - 0285 | Quit smoking completely (former daily smoker) |
| SMK_10A | 1 | 0286 - 0286 | Stopped smoking completely - when (former daily smoker) |
| SMKG10C | 1 | 0287 - 0287 | Number of years since stopped smoking (daily) - (G) |
| SMKDSTY | 2 | 0288 - 0289 | Type of smoker - (D) |
| SMKGSTP | 1 | 0290 - 0290 | Number of years since stopping smoking completely - (G) |
| SMKDYCS | 3 | 0291 - 0293 | Number of years smoked (current daily smokers) - (D) |
| AUD_01 | 1 | 0294 - 0294 | Drank alcohol in past 12 months |
| AUD_02 | 2 | 0295 - 0296 | Alcohol consumption - frequency - 12 m |
| AUD_03 | 2 | 0297 - 0298 | Having 5 or more drinks - frequency - 12 m |
| AUD_04 | 1 | 0299 - 0299 | Ever had a drink - life |
| AUD_05 | 1 | 0300 - 0300 | Drank 12 or more drinks - frequency - 12 m |
| AUDG06 | 2 | 0301 - 0302 | Number of drinks per day - 12 m - (G) |
| AUD_08 | 1 | 0303 - 0303 | Drank more in earlier year than past 12 months |
| AUD_10 | 2 | 0304 - 0305 | Alcohol consumption - years when drank most - frequency |
| AUDG11 | 2 | 0306 - 0307 | Drinks per day - years when drank most - (G) |
| AUD_39 | 1 | 0308 - 0308 | Alcohol - consulted MD/other professional - life |
| AUDDTTM | 1 | 0309 - 0309 | Alcohol - Type of drinker - 12 m - (D) |
| AUDFWDY | 1 | 0310 - 0310 | Flag: Ever drank more than in past 12 months (F) |
| AUDDWDY | 1 | 0311 - 0311 | Alcohol - Type of drinker - year most frequent drinking (D) |
| AUDDL | 1 | 0312 - 0312 | Alcohol dependence - Algorithm - life - (D) |
| AUDDYD | 1 | 0313 - 0313 | Alcohol dependence - Algorithm - 12 m - (D) |
| AUDDLA | 1 | 0314 - 0314 | Alcohol abuse - Algorithm - life - (D) |
| AUDDYA | 1 | 0315 - 0315 | Alcohol abuse - Algorithm - 12 m - (D) |
| AUDDL | 1 | 0316 - 0316 | Alcohol abuse or dependence - Algorithm - life - (D) |
| AUDDY | 1 | 0317 - 0317 | Alcohol abuse or dependence - Algorithm - 12 m - (D) |
| AUDFINT | 1 | 0318 - 0318 | Flag: Alcohol - Interference - 12 m - (F) |
| AUDDINT | 4.1 | 0319 - 0322 | Alcohol - Interference - Mean - 12 m - (D) |
| SUD_87 | 1 | 0323 - 0323 | Drugs - consulted with MD/other professional - life |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 7

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| SUDFLTU | 1 | 0324 - 0324 | Sedative - used nonmedically - life - (F) |
| SUDFLSU | 1 | 0325 - 0325 | Stimulant - used nonmedically - life - (F) |
| SUDFLAU | 1 | 0326 - 0326 | Analgesics - nonmedical use - life - (F) |
| SUDFLCA | 1 | 0327 - 0327 | Cannabis - used (incl one time) - life - (F) |
| SUDFLCM | 1 | 0328 - 0328 | Cannabis- used (excl one time) - life - (F) |
| SUDFYCM | 1 | 0329 - 0329 | Cannabis - used (excl one time) - 12 m - (F) |
| SUDGLOTH | 1 | 0330 - 0330 | Any other drug - used - life - (G) |
| SUDDLAI | 1 | 0331 - 0331 | Any drug use (incl one time cann) - life - (D) |
| SUDDLAE | 1 | 0332 - 0332 | Any drug use (excl one time cann) - life (D) |
| SUDDLID | 1 | 0333 - 0333 | Any drug use (excl cann use) - life - (D) |
| SUDDYAI | 1 | 0334 - 0334 | Any drug use (incl one time cann) - 12 m (D) |
| SUDDYAE | 1 | 0335 - 0335 | Any drug use (excl one time cann) - 12 m (D) |
| SUDDYID | 1 | 0336 - 0336 | Any drug use (excl cann use) - 12 m (D) |
| SUDDLCD | 1 | 0337 - 0337 | Cannabis dependence - Algorithm - life - (D) |
| SUDDYCD | 1 | 0338 - 0338 | Cannabis dependence - Algorithm - 12 m - (D) |
| SUDDL0D | 1 | 0339 - 0339 | Drug dependence (excl cann) - Algorithm - life - (D) |
| SUDDY0D | 1 | 0340 - 0340 | Drug dependence (excl cann) - Algorithm - 12 m - (D) |
| SUDDLCA | 1 | 0341 - 0341 | Cannabis abuse - Algorithm - life - (D) |
| SUDDYCA | 1 | 0342 - 0342 | Cannabis abuse - Algorithm - 12 m - (D) |
| SUDDL0A | 1 | 0343 - 0343 | Drug abuse (excl cann) - Algorithm - life - (D) |
| SUDDY0A | 1 | 0344 - 0344 | Drug abuse (excl cann) - Algorithm - 12 m - (D) |
| SUDDL0C | 1 | 0345 - 0345 | Cannabis abuse or dependence - life - (D) |
| SUDDYC | 1 | 0346 - 0346 | Cannabis abuse or dependence - 12 m - (D) |
| SUDDL0 | 1 | 0347 - 0347 | Drug abuse or dependence (excl cann) - life - (D) |
| SUDDY0 | 1 | 0348 - 0348 | Drug abuse or dependence (excl cann) - 12 m - (D) |
| SUDDL | 1 | 0349 - 0349 | Drug abuse or dependence (including cann) - life - (D) |
| SUDDY | 1 | 0350 - 0350 | Drug abuse or dependence (including cann) - 12 m - (D) |
| SUDFINT | 1 | 0351 - 0351 | Substance use - Interference - 12 m - (F) |
| SUDDINT | 4.1 | 0352 - 0355 | Substance use - Interference - Mean - 12 m (D) |
| DASG01 | 1 | 0356 - 0356 | Difficulty - standing for long periods - 30 d - (G) |
| DASG02 | 1 | 0357 - 0357 | Difficulty - household responsibilities - 30 d - (G) |
| DAS_04 | 2 | 0358 - 0359 | Difficulty - joining in community activities - 30 d |
| DAS_05 | 1 | 0360 - 0360 | Emotionally affected by health problems - 30 d |
| DAS_06 | 1 | 0361 - 0361 | Difficulty - concentrating - 30 d |
| DAS_07 | 1 | 0362 - 0362 | Difficulty - walking long distance - 30 d |
| DAS_10 | 1 | 0363 - 0363 | Difficulty - dealing with people you do not know - 30 d |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 8

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| DAS_11 | 1 | 0364 - 0364 | Difficulty - maintaining a friendship - 30 d |
| DAS_12 | 2 | 0365 - 0366 | Difficulty - day to day work/school - 30 d |
| DAS_13 | 1 | 0367 - 0367 | Interference - difficulties - 30 days |
| DASGSCR | 4.1 | 0368 - 0371 | WHO Disability Assessment Schedule - score - (D) |
| TWD_1 | 1 | 0372 - 0372 | Stayed in bed - because of illness or injury |
| TWD_2 | 2 | 0373 - 0374 | Stayed in bed - number of days |
| TWD_3 | 1 | 0375 - 0375 | Reduced activities - because of illness or injury |
| TWD_4 | 2 | 0376 - 0377 | Reduced activities - number of days |
| TWD_5 | 1 | 0378 - 0378 | Took extra effort - because of illness or injury |
| TWD_6 | 2 | 0379 - 0380 | Number of days requiring extra effort |
| SR1_001 | 1 | 0381 - 0381 | Hospitalized for mental health/alcohol/drug - 12 m |
| SR1_004A | 1 | 0382 - 0382 | Consulted for mental health/alc/drugs - psychiatrist - 12 m |
| SR1_004B | 1 | 0383 - 0383 | Consulted for ment hlth/alc/drugs - family doctor/GP - 12 m |
| SR1_004C | 1 | 0384 - 0384 | Consulted for mental health/alc/drugs - psychologist - 12 m |
| SR1_004D | 1 | 0385 - 0385 | Consulted for ment hlth/alc/drugs - nurse - 12 m |
| SR1_004E | 1 | 0386 - 0386 | Consulted social worker or counsellor - 12 months |
| SR1_004F | 1 | 0387 - 0387 | Consulted for ment hlth/alc/drugs - family member - 12 m |
| SR1_004G | 1 | 0388 - 0388 | Consulted for ment hlth/alc/drugs - friend - 12 m |
| SR1_004H | 1 | 0389 - 0389 | Consulted for ment hlth/alc/drugs - co-worker/ boss - 12 m |
| SR1_004I | 1 | 0390 - 0390 | Consulted for ment hlth/alc/drugs - teacher/principal - 12 m |
| SR1_004J | 1 | 0391 - 0391 | Consulted for ment hlth/alc/drugs - other - 12 m |
| SR1_004K | 1 | 0392 - 0392 | Consulted for ment hlth/alc/drugs - none - 12 m |
| SR1G010 | 1 | 0393 - 0393 | Number of times consulted psychiatrist - 12 mo |
| SR1_012 | 1 | 0394 - 0394 | Perceived level of help received - psychiatrist |
| SR1_013 | 1 | 0395 - 0395 | Stopped seeing this professional - psychiatrist |
| SR1_014A | 1 | 0396 - 0396 | Reason stopped - psychia - felt better |
| SR1_014B | 1 | 0397 - 0397 | Reason stopped - psychia - completed recommended treatment |
| SR1_014C | 1 | 0398 - 0398 | Reason stopped - psychia - thought it was not helping |
| SR1_014D | 1 | 0399 - 0399 | Reason stopped - psychia - problem get better without help |
| SR1_014E | 1 | 0400 - 0400 | Reason stopped - psychia - couldn't afford to pay |
| SR1_014G | 1 | 0401 - 0401 | Reason stopped - psychia - solve the problem without help |
| SR1_014H | 1 | 0402 - 0402 | Reason stopped - psychia - prob like transport/ childcare |
| SR1_014I | 1 | 0403 - 0403 | Reason stopped - psychia - service/prog no longer available |
| SR1_014J | 1 | 0404 - 0404 | Reason stopped - psychia - not comfortable w prof approach |
| SR1_014L | 1 | 0405 - 0405 | Reason stopped - psychia - other reason |
| SR1G020 | 1 | 0406 - 0406 | Number of times consulted family doctor - 12 mo |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 9

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| SR1_022 | 1 | 0407 - 0407 | Perceived level of help received from prof. - family doctor |
| SR1_023 | 1 | 0408 - 0408 | Stopped seeing prof. - family doctor |
| SR1_024A | 1 | 0409 - 0409 | Reason stopped - dr - felt better |
| SR1_024B | 1 | 0410 - 0410 | Reason stopped - dr - completed the recommended treatment |
| SR1_024C | 1 | 0411 - 0411 | Reason stopped - dr - thought it was not helping |
| SR1_024D | 1 | 0412 - 0412 | Reason stopped - dr - problem would get better without help |
| SR1_024E | 1 | 0413 - 0413 | Reason stopped - dr - couldn't afford to pay |
| SR1_024F | 1 | 0414 - 0414 | Reason stopped - dr - too embarrassed to see professional |
| SR1_024G | 1 | 0415 - 0415 | Reason stopped - dr - solve the problem without help |
| SR1_024H | 1 | 0416 - 0416 | Reason stopped - dr - probs like transportation/ childcare |
| SR1_024I | 1 | 0417 - 0417 | Reason stopped - dr - service / program no longer available |
| SR1_024J | 1 | 0418 - 0418 | Reason stopped - dr - not comfortable with prof. approach |
| SR1_024K | 1 | 0419 - 0419 | Reason stopped - dr - discrimination or unfair treatment |
| SR1_024L | 1 | 0420 - 0420 | Reason stopped - dr - other reason |
| SR1G030 | 1 | 0421 - 0421 | Number of times consulted psychologist - 12 mo |
| SR1_032 | 1 | 0422 - 0422 | Perceived level of help received - psychologist |
| SR1_033 | 1 | 0423 - 0423 | Stopped seeing this professional - psychologist |
| SR1_034A | 1 | 0424 - 0424 | Reason stopped - psychol - felt better |
| SR1_034B | 1 | 0425 - 0425 | Reason stopped - psychol - completed recommended treatment |
| SR1_034C | 1 | 0426 - 0426 | Reason stopped - psychol - thought it was not helping |
| SR1_034D | 1 | 0427 - 0427 | Reason stopped - psychol - problem would get better |
| SR1_034E | 1 | 0428 - 0428 | Reason stopped - psychol - couldn't afford to pay |
| SR1_034G | 1 | 0429 - 0429 | Reason stopped - psychol - solve the problem without help |
| SR1_034H | 1 | 0430 - 0430 | Reason stopped - psychol - probs - transportation/ childcare |
| SR1_034I | 1 | 0431 - 0431 | Reason stopped - psychol - service/prog no longer available |
| SR1_034J | 1 | 0432 - 0432 | Reason stopped - psychol - not comfort. with prof. approach |
| SR1_034L | 1 | 0433 - 0433 | Reason stopped - psychol - other reason |
| SR1G040 | 1 | 0434 - 0434 | Number of times consulted nurse - 12 mo |
| SR1_042 | 1 | 0435 - 0435 | Perceived level of help received from prof. - nurse |
| SR1_043 | 1 | 0436 - 0436 | Stopped seeing this professional - nurse |
| SR1_044A | 1 | 0437 - 0437 | Reason stopped - nurse - felt better |
| SR1_044B | 1 | 0438 - 0438 | Reason stopped - nurse - completed the recommended treatment |
| SR1_044C | 1 | 0439 - 0439 | Reason stopped - nurse - thought it was not helping |
| SR1_044E | 1 | 0440 - 0440 | Reason stopped - nurse - couldn't afford to pay |
| SR1_044F | 1 | 0441 - 0441 | Reason stopped - nurse - too embarrassed to see professional |
| SR1_044I | 1 | 0442 - 0442 | Reason stopped - nurse - service/program no longer available |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 10

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| SR1_044K | 1 | 0443 - 0443 | Reason stopped - nurse - discrimination or unfair treatment |
| SR1_044L | 1 | 0444 - 0444 | Reason stopped - nurse - other reason |
| SR1G050 | 1 | 0445 - 0445 | Number of times consulted social worker - 12 mo |
| SR1_052 | 1 | 0446 - 0446 | Perceived level of help received from prof. - social worker |
| SR1_053 | 1 | 0447 - 0447 | Stopped seeing this professional/social worker |
| SR1_054A | 1 | 0448 - 0448 | Reason stopped - sw - felt better |
| SR1_054B | 1 | 0449 - 0449 | Reason stopped - sw - completed the recommended treatment |
| SR1_054C | 1 | 0450 - 0450 | Reason stopped - sw - thought it was not helping |
| SR1_054D | 1 | 0451 - 0451 | Reason stopped - sw - problem would get better without help |
| SR1_054E | 1 | 0452 - 0452 | Reason stopped - sw - couldn't afford to pay |
| SR1_054F | 1 | 0453 - 0453 | Reason stopped - sw - too embarrassed to see professional |
| SR1_054G | 1 | 0454 - 0454 | Reason stopped - sw - solve the problem without help |
| SR1_054H | 1 | 0455 - 0455 | Reason stopped - sw - probs like transportation/ childcare |
| SR1_054I | 1 | 0456 - 0456 | Reason stopped - sw - service / program no longer available |
| SR1_054J | 1 | 0457 - 0457 | Reason stopped - sw - not comfortable with prof. approach |
| SR1_054L | 1 | 0458 - 0458 | Reason stopped - sw - other reason |
| SR1G060 | 1 | 0459 - 0459 | Number of times consulted family member - 12 mo |
| SR1_062 | 1 | 0460 - 0460 | Perceived level of help received - family member |
| SR1G070 | 1 | 0461 - 0461 | Number of times consulted friend - 12 mo |
| SR1_072 | 1 | 0462 - 0462 | Perceived level of help received - friend |
| SR1G080 | 1 | 0463 - 0463 | Number of times consulted co-worker or supervisor - 12 mo |
| SR1_082 | 1 | 0464 - 0464 | Perceived level of help received - co-work/supervisor |
| SR1G090 | 1 | 0465 - 0465 | Number of times consulted teacher/school principal - 12 mo |
| SR1_092 | 1 | 0466 - 0466 | Perceived level of help received - teacher/principal |
| SR1G100 | 1 | 0467 - 0467 | Number of times consulted other person - 12 mo |
| SR1_102 | 1 | 0468 - 0468 | Perceived level of help received - other person |
| SR1_110 | 1 | 0469 - 0469 | Received help or services from employer - 12 months |
| SR1_111 | 1 | 0470 - 0470 | Used Internet for info/help/support - 12 m |
| SR1_112A | 1 | 0471 - 0471 | Used Internet - learn about symptoms |
| SR1_112B | 1 | 0472 - 0472 | Used Internet - to find out where to get help |
| SR1_112C | 1 | 0473 - 0473 | Used Internet - discuss with other people |
| SR1_112D | 1 | 0474 - 0474 | Used Internet - to get online therapy |
| SR1_112E | 1 | 0475 - 0475 | Use Internet - other |
| SR1_113 | 1 | 0476 - 0476 | Self-help group - help with problems - 12 months |
| SR1_114A | 1 | 0477 - 0477 | Self-help group type- emotional or mental health |
| SR1_114B | 1 | 0478 - 0478 | Self-help group type - alcohol or drug use |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 11

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| SR1_114C | 1 | 0479 - 0479 | Self-help group type - other |
| SR1_116 | 1 | 0480 - 0480 | Used telephone helpline for mental health - 12 months |
| SR1G117 | 1 | 0481 - 0481 | Number of times used telephone helpline - 12 mo |
| SR1_118 | 1 | 0482 - 0482 | Needed help for emotions but didn't receive it/12 months |
| SR1G119 | 1 | 0483 - 0483 | Amount spent on mental health services/products/12 months |
| SR1_120 | 1 | 0484 - 0484 | Prejudice / discrimination - personal characteristics |
| SR1_121 | 1 | 0485 - 0485 | Prejudice / discrimination - mental health |
| SR1FPRU | 1 | 0486 - 0486 | Consultation/services used - professional - 12 m (F) |
| SR1FNPU | 1 | 0487 - 0487 | Consultation/services used - non-professional - 12 m (F) |
| SR1DYPRT | 1 | 0488 - 0488 | Number of types - professionals consulted - 12 m (D) |
| SR1DYNPT | 2 | 0489 - 0490 | Number of types - non-professionals consulted - 12 m (D) |
| SR1GPRO1 | 1 | 0491 - 0491 | Hours of consultation - psychiatrist - 12 m (G) |
| SR1GPRO2 | 1 | 0492 - 0492 | Hours of consultation - family doctor - 12 m (G) |
| SR1GPRO3 | 1 | 0493 - 0493 | Hours of consultation - psychologist - 12 m (G) |
| SR1GPRO4 | 1 | 0494 - 0494 | Hours of consultation - nurse - 12 m (G) |
| SR1GPRO5 | 1 | 0495 - 0495 | Hours of consultation - social worker/counsellor - 12 m (G) |
| SR1GPROT | 1 | 0496 - 0496 | Hours of consultation - all professionals - 12 m (G) |
| MED_01 | 1 | 0497 - 0497 | Medication for emotions/mental health/alcohol/drug - 12 m |
| MED_05 | 1 | 0498 - 0498 | Insurance that covers all/part of cost of prescription |
| MED_06 | 1 | 0499 - 0499 | Used other health products for mental health - 12 m |
| MEDFBENZ | 1 | 0500 - 0500 | Used - benzodiazepine - 2 D - (F) |
| MEDFAPSY | 1 | 0501 - 0501 | Used - antipsychotic - 2 D - (F) |
| MEDFADEP | 1 | 0502 - 0502 | Used - antidepressant - 2 D - (F) |
| MEDGOTHR | 1 | 0503 - 0503 | Used - other med. - 2 D - (F) |
| MEDFDRUG | 1 | 0504 - 0504 | Used - med for mental health/alcohol/drugs - 2 D (F) |
| MEDGTNUM | 1 | 0505 - 0505 | Total number of medications - 2 D - (G) |
| PNC_01A | 1 | 0506 - 0506 | Received help - information |
| PNC_01B | 1 | 0507 - 0507 | Received help - medication |
| PNC_01C | 1 | 0508 - 0508 | Received help - counselling or therapy |
| PNC_01D | 1 | 0509 - 0509 | Received help - other |
| PNC_01E | 1 | 0510 - 0510 | Received help - none |
| PNC_02A | 1 | 0511 - 0511 | Received - as much help as needed |
| PNC_02BA | 1 | 0512 - 0512 | Needed more help - information |
| PNC_02BB | 1 | 0513 - 0513 | Needed more help - medication |
| PNC_02BC | 1 | 0514 - 0514 | Needed more help - counselling or therapy |
| PNC_02BD | 1 | 0515 - 0515 | Needed more help - other |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 12

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| PNC_04A | 1 | 0516 - 0516 | Help needed but not received |
| PNC_04BA | 1 | 0517 - 0517 | Help needed & not received - information |
| PNC_04BB | 1 | 0518 - 0518 | Help needed & not received - medication |
| PNC_04BC | 1 | 0519 - 0519 | Help needed & not received - counselling or therapy |
| PNCFH12 | 1 | 0520 - 0520 | Flag: Help received - past 12 months (F) |
| PNCDHCT | 1 | 0521 - 0521 | Number of types of help received - past 12 months - (D) |
| PNCDPNI | 1 | 0522 - 0522 | Perceived need for information - past 12 months (D) |
| PNCDPNM | 1 | 0523 - 0523 | Perceived need for medication - past 12 months (D) |
| PNCDPNC | 1 | 0524 - 0524 | Perceived need for counselling - past 12 months (D) |
| PNCDPNO | 1 | 0525 - 0525 | Perceived need for other help - past 12 months (D) |
| PNCDNEED | 1 | 0526 - 0526 | Overall Perceived Need in Past 12 Months - (D) |
| PN1_01A1 | 1 | 0527 - 0527 | Why no more information / self managed |
| PN1_01B1 | 1 | 0528 - 0528 | Why no more information / don't know how/where |
| PN1_01C1 | 1 | 0529 - 0529 | Why no more information / too busy |
| PN1_01D1 | 1 | 0530 - 0530 | Why no more information / job interfered |
| PN1_01E1 | 1 | 0531 - 0531 | Why no more information / not readily available |
| PN1_01F1 | 1 | 0532 - 0532 | Why no more information / no confidence in system |
| PN1_01G1 | 1 | 0533 - 0533 | Why no more information / unaffordable |
| PN1_01H1 | 1 | 0534 - 0534 | Why no more information / insurance not cover |
| PN1_01I1 | 1 | 0535 - 0535 | Why no more information / afraid of others opinion |
| PN1_01K1 | 1 | 0536 - 0536 | Why no more information / help is ongoing |
| PN1_01L1 | 1 | 0537 - 0537 | Why no more information / other specify |
| PN1_01A2 | 1 | 0538 - 0538 | Why no more medication / self managed |
| PN1_01B2 | 1 | 0539 - 0539 | Why no more medication / don't know how/where |
| PN1_01C2 | 1 | 0540 - 0540 | Why no more medication / too busy |
| PN1_01D2 | 1 | 0541 - 0541 | Why no more medication / job interfered |
| PN1_01E2 | 1 | 0542 - 0542 | Why no more medication / not readily available |
| PN1_01F2 | 1 | 0543 - 0543 | Why no more medication / no confidence in system |
| PN1_01G2 | 1 | 0544 - 0544 | Why no more medication / unaffordable |
| PN1_01H2 | 1 | 0545 - 0545 | Why no more medication / insurance not cover |
| PN1_01I2 | 1 | 0546 - 0546 | Why no more medication / afraid of others opinion |
| PN1_01J2 | 1 | 0547 - 0547 | Why no more medication / language problems |
| PN1_01K2 | 1 | 0548 - 0548 | Why no more medication / help is ongoing |
| PN1_01L2 | 1 | 0549 - 0549 | Why no more medication / other specify |
| PN1_01A3 | 1 | 0550 - 0550 | Why no more counselling / self managed |
| PN1_01B3 | 1 | 0551 - 0551 | Why no more counselling / don't know how/where |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 13

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| PN1_01C3 | 1 | 0552 - 0552 | Why no more counselling / too busy |
| PN1_01D3 | 1 | 0553 - 0553 | Why no more counselling/ job interfered |
| PN1_01E3 | 1 | 0554 - 0554 | Why no more counselling / not readily available |
| PN1_01F3 | 1 | 0555 - 0555 | Why no more counselling / no confidence in system |
| PN1_01G3 | 1 | 0556 - 0556 | Why no more counselling / unaffordable |
| PN1_01H3 | 1 | 0557 - 0557 | Why no more counselling / insurance not cover |
| PN1_01I3 | 1 | 0558 - 0558 | Why no more counselling / afraid of others opinion |
| PN1_01K3 | 1 | 0559 - 0559 | Why no more counselling / help is ongoing |
| PN1_01L3 | 1 | 0560 - 0560 | Why no more counselling / other specify |
| PN1_01A4 | 1 | 0561 - 0561 | Why no more - other / self managed |
| PN1_01C4 | 1 | 0562 - 0562 | Why no more - other / too busy |
| PN1_01E4 | 1 | 0563 - 0563 | Why no more - other / not readily available |
| PN1_01G4 | 1 | 0564 - 0564 | Why no more - other / unaffordable |
| PN1_01K4 | 1 | 0565 - 0565 | Why no more - other / help is ongoing |
| PN1_01L4 | 1 | 0566 - 0566 | Why no more - other / other specify |
| PN1_01A5 | 1 | 0567 - 0567 | Why no information / self managed |
| PN1_01B5 | 1 | 0568 - 0568 | Why no information / don't know how/where |
| PN1_01C5 | 1 | 0569 - 0569 | Why no information / too busy |
| PN1_01D5 | 1 | 0570 - 0570 | Why no information / job interfered |
| PN1_01E5 | 1 | 0571 - 0571 | Why no information / not readily available |
| PN1_01F5 | 1 | 0572 - 0572 | Why no information / no confidence in system |
| PN1_01G5 | 1 | 0573 - 0573 | Why no information / unaffordable |
| PN1_01H5 | 1 | 0574 - 0574 | Why no information / insurance not cover |
| PN1_01I5 | 1 | 0575 - 0575 | Why no information / afraid of others opinion |
| PN1_01K5 | 1 | 0576 - 0576 | Why no information / help is ongoing |
| PN1_01L5 | 1 | 0577 - 0577 | Why no information / other specify |
| PN1_01A6 | 1 | 0578 - 0578 | Why no medication / self managed |
| PN1_01B6 | 1 | 0579 - 0579 | Why no medication / don't know how/where |
| PN1_01C6 | 1 | 0580 - 0580 | Why no medication / too busy |
| PN1_01E6 | 1 | 0581 - 0581 | Why no medication / not readily available |
| PN1_01F6 | 1 | 0582 - 0582 | Why no medication / no confidence in system |
| PN1_01G6 | 1 | 0583 - 0583 | Why no medication / unaffordable |
| PN1_01H6 | 1 | 0584 - 0584 | Why no medication / insurance not cover |
| PN1_01I6 | 1 | 0585 - 0585 | Why no medication / afraid of others opinion |
| PN1_01K6 | 1 | 0586 - 0586 | Why no medication / help is ongoing |
| PN1_01L6 | 1 | 0587 - 0587 | Why no medication / other specify |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 14

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| PN1_01A7 | 1 | 0588 - 0588 | Why no counselling / self managed |
| PN1_01B7 | 1 | 0589 - 0589 | Why no counselling / don't know how/where |
| PN1_01C7 | 1 | 0590 - 0590 | Why no counselling / too busy |
| PN1_01D7 | 1 | 0591 - 0591 | Why no counselling / job interfered |
| PN1_01E7 | 1 | 0592 - 0592 | Why no counselling / not readily available |
| PN1_01F7 | 1 | 0593 - 0593 | Why no counselling / no confidence in system |
| PN1_01G7 | 1 | 0594 - 0594 | Why no counselling / unaffordable |
| PN1_01H7 | 1 | 0595 - 0595 | Why no counselling / insurance not cover |
| PN1_01I7 | 1 | 0596 - 0596 | Why no counselling / afraid of others opinion |
| PN1_01K7 | 1 | 0597 - 0597 | Why no counselling / help is ongoing |
| PN1_01L7 | 1 | 0598 - 0598 | Why no counselling / other specify |
| PN1_02A7 | 2 | 0599 - 0600 | Why preferred to self manage / counselling |
| MHE_01A | 1 | 0601 - 0601 | Worked - mental health treatment program - life |
| MHE_01B | 1 | 0602 - 0602 | Worked - mental health treatment program - 12 m |
| MHE_02A | 1 | 0603 - 0603 | Worked with someone treated for mental health problem - life |
| MHE_02B | 1 | 0604 - 0604 | Worked with someone treated for mental health problem - 12 m |
| MHE_03A | 1 | 0605 - 0605 | Family member - received mental health treatment - life |
| MHE_03B | 1 | 0606 - 0606 | Family member - received mental health treatment - 12 m |
| MHE_04A | 1 | 0607 - 0607 | Friend - received mental health treatment - life |
| MHE_04B | 1 | 0608 - 0608 | Friend - received mental health treatment - 12 m |
| MHE_05A | 1 | 0609 - 0609 | Received mental health treatment - life |
| MHE_05B | 1 | 0610 - 0610 | Received mental health treatment - 12 m |
| MHE_06 | 1 | 0611 - 0611 | Perceived prejudice/discrimination due to mental health -12m |
| MHE_06A | 2 | 0612 - 0613 | Impact - mental health prej/discrimin - family relationships |
| MHE_06B | 2 | 0614 - 0615 | Impact - mental health prej/discrim - romantic life |
| MHE_06C | 2 | 0616 - 0617 | Impact - mental health prej/discrim - work/school |
| MHE_06D | 2 | 0618 - 0619 | Impact - mental health prej/discrim - financial situation |
| MHE_06E | 2 | 0620 - 0621 | Impact - mental health prej/discrim - housing |
| MHE_06F | 2 | 0622 - 0623 | Impact - mental health prej/discrim - health care/physical |
| MHEDPIS | 2 | 0624 - 0625 | Mental health experiences - personal impact scale (D) |
| FMI_01A | 1 | 0626 - 0626 | Family member - mental health/alcohol/drug problems |
| FMI_01B | 1 | 0627 - 0627 | Number family members - mental health/alcohol/drug problems |
| FMI_02 | 1 | 0628 - 0628 | Life affected by family member's problem |
| FMI_03A | 1 | 0629 - 0629 | Help to family member - practical things |
| FMI_03B | 1 | 0630 - 0630 | Help to family member - emotional support |
| FMI_04 | 1 | 0631 - 0631 | Help to family member - spend time doing other things |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 15

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| FMI_05 | 8.2 | 0632 - 0639 | Help to family member - time spent - average week |
| FMI_06 | 1 | 0640 - 0640 | Family member's problems - cause embarrassment |
| FMI_07 | 1 | 0641 - 0641 | Family member's prob - cause to be worried/anxious/depressed |
| SPS_01 | 1 | 0642 - 0642 | Has people to depend on |
| SPS_02 | 1 | 0643 - 0643 | Has people who enjoy the same activities |
| SPS_03 | 1 | 0644 - 0644 | Has close relationships |
| SPS_04 | 1 | 0645 - 0645 | Has someone to talk to about important decisions |
| SPS_05 | 1 | 0646 - 0646 | Has relationships that recognize competence/skill |
| SPS_06 | 1 | 0647 - 0647 | Has trustworthy person for advice |
| SPS_07 | 1 | 0648 - 0648 | Feel part of a group who shared attitudes/beliefs |
| SPS_08 | 1 | 0649 - 0649 | Has strong emotional bond |
| SPS_09 | 1 | 0650 - 0650 | Has people who admire talents/abilities |
| SPS_10 | 1 | 0651 - 0651 | Has people to count on in emergency |
| SPSDCON | 2 | 0652 - 0653 | Social Provisions Scale - overall score - (D) |
| SPSDATT | 1 | 0654 - 0654 | Social Provisions Scale - attachment - (D) |
| SPSDGUI | 1 | 0655 - 0655 | Social Provisions Scale - guidance - (D) |
| SPSDALL | 1 | 0656 - 0656 | Social Provisions Scale - reliable alliance - (D) |
| SPSDINT | 1 | 0657 - 0657 | Social Provisions Scale - social integration - (D) |
| SPSDWOR | 1 | 0658 - 0658 | Social Provisions Scale - reassurance of worth (D) |
| NSI_01 | 1 | 0659 - 0659 | Negative social interactions - detrimental to well-being |
| NSI_02 | 1 | 0660 - 0660 | Negative social interactions - made too many demands |
| NSI_03 | 1 | 0661 - 0661 | Negative social interactions - critical of behaviour |
| NSI_04 | 1 | 0662 - 0662 | Negative social interactions - thoughtless/inconsiderate |
| NSI_05 | 1 | 0663 - 0663 | Negative social interactions - angry/upset |
| NSIDSC | 2 | 0664 - 0665 | Negative social interactions - scale - (D) |
| CWP_01 | 1 | 0666 - 0666 | Contact with police - public information session - 12 m |
| CWPG02 | 1 | 0667 - 0667 | Contact with police -traffic violation/accident - 12 m - (G) |
| CWP_03 | 1 | 0668 - 0668 | Contact with police - victim of crime - 12 m |
| CWP_04 | 1 | 0669 - 0669 | Contact with police - witness to a crime - 12 m |
| CWP_07 | 1 | 0670 - 0670 | Contact with police - family member mental health - 12 m |
| CWPG08 | 1 | 0671 - 0671 | Contact with police - other reason - 12 m - (G) |
| CWP_09 | 1 | 0672 - 0672 | Contact with police - for work - 12 m |
| CEX_01 | 1 | 0673 - 0673 | Num of times - saw/heard parent hit other adult in your home |
| CEX_02 | 1 | 0674 - 0674 | Num of times - slapped/hit/spanked |
| CEX_03 | 1 | 0675 - 0675 | Num of times - pushed/grabbed/shoved/threw things at you |
| CEX_04 | 1 | 0676 - 0676 | Num of times - physically attacked |

CCHS - Mental Health: Record Layout

Page 16

Public Use Microdata File - 12-Month

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| CEX_05 | 1 | 0677 - 0677 | Num of times - forced unwanted sexual activity |
| CEX_06 | 1 | 0678 - 0678 | Num of times - sexual touching |
| CEX_07 | 1 | 0679 - 0679 | Saw/talked w child protection organization |
| CEXDNUM | 2 | 0680 - 0681 | Number of types of childhood maltreatment experienced (D) |
| SPT_01 | 1 | 0682 - 0682 | Spiritual values - play important role in life |
| SPT_02 | 1 | 0683 - 0683 | Spiritual values - strength for everyday difficulties |
| LBSG31 | 1 | 0684 - 0684 | Employment status - 12 months - (G) |
| LBSDWSS | 1 | 0685 - 0685 | Working status last week - (D) |
| LBSGHPW | 3 | 0686 - 0688 | Total usual hours worked - current jobs - (D, G) |
| LBSDPFT | 1 | 0689 - 0689 | Full-time/part-time working status - (D) |
| LBSGSOC | 1 | 0690 - 0690 | Occupation group - (G) |
| WST_401 | 1 | 0691 - 0691 | Work stress - learn new things |
| WST_402 | 1 | 0692 - 0692 | Work stress - high level of skill |
| WST_403 | 1 | 0693 - 0693 | Work stress - freedom to decide |
| WST_404 | 1 | 0694 - 0694 | Work stress - repetitive tasks |
| WST_405 | 1 | 0695 - 0695 | Work stress - job hectic |
| WST_406 | 1 | 0696 - 0696 | Work stress - free from conflicting demands |
| WST_407 | 1 | 0697 - 0697 | Work stress - good job security |
| WST_408 | 1 | 0698 - 0698 | Work stress - a lot of physical effort |
| WST_409 | 1 | 0699 - 0699 | Work stress - had own job input |
| WST_410 | 2 | 0700 - 0701 | Work stress - hostility or conflict with others |
| WST_411 | 2 | 0702 - 0703 | Work stress - supervisor helpful |
| WST_412 | 2 | 0704 - 0705 | Work stress - co-workers helpful |
| WST_413 | 1 | 0706 - 0706 | Work stress - job satisfaction |
| WSTDSKI | 2 | 0707 - 0708 | Work stress - decision latitude/discretion - (D) |
| WSTDAUT | 2 | 0709 - 0710 | Work stress - decision latitude / authority - (D) |
| WSTDPSY | 2 | 0711 - 0712 | Work stress - psychological demands - (D) |
| WSTDJIN | 1 | 0713 - 0713 | Work stress - job insecurity - (D) |
| WSTDPHY | 1 | 0714 - 0714 | Work stress - physical exertion - (D) |
| WSTDSOC | 2 | 0715 - 0716 | Work stress - social support - (D) |
| WSTDJST | 4.2 | 0717 - 0720 | Work stress - job strain - (D) |
| INCG02 | 1 | 0721 - 0721 | Total household income - main source |
| INCG7 | 1 | 0722 - 0722 | Main source of personal income |
| INC_12 | 1 | 0723 - 0723 | Current hhld income - difficulty meeting basic expenses |
| INCGHH | 1 | 0724 - 0724 | Total household income from all sources - (D, G) |
| INCGPER | 2 | 0725 - 0726 | Total personal income from all sources - (D, G) |

CCHS - Mental Health: Record Layout

Public Use Microdata File - 12-Month

Page 17

April 2014

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| <hr/> | | | |
| INCDRCA | 2 | 0727 - 0728 | Household income distribution - (D) |
| INCDRPR | 2 | 0729 - 0730 | Household income distribution - provincial level - (D) |
| SDCFIMM | 1 | 0731 - 0731 | Immigrant - (F) |
| SDCGRES | 1 | 0732 - 0732 | Length of time in Canada since immigration - (G) |
| SDCGCGT | 1 | 0733 - 0733 | Culture / Race Flag - (G) |
| SDCGLHM | 1 | 0734 - 0734 | Language(s) spoken at home - (G) |
| SDC_8 | 1 | 0735 - 0735 | Current student |
| EDUDH04 | 1 | 0736 - 0736 | Highest level of education - household 4 levels - (D) |
| EDUDR04 | 1 | 0737 - 0737 | Highest level of education - respondent 4 levels - (D) |
| WTS_M | 8.2 | 0738 - 0745 | Weights - Master |