

Canada

Health Statistics Division, Statistics Canada

**Canadian Community Health
Survey, 2012: Annual component**

Study Documentation

December 11, 2013

Metadata Production

Metadata Producer(s)	Data Centre (DC) , Carleton University
Production Date	December 14, 2013
Version	2013-11-14 Carleton University Data Centre
Identification	cchs-82M0013-E-2012-Annual-component

Table of Contents

Overview.....	4
Scope & Coverage.....	4
Producers & Sponsors.....	5
Data Collection.....	5
Accessibility.....	5
Rights & Disclaimer.....	5
Files Description.....	6
cchs_2012.....	6
Variables List.....	7
cchs_2012.....	7
Variables Description.....	58
cchs_2012.....	59

Canadian Community Health Survey, 2012: Annual component (CCHS 2012: Annual component)

Overview	
Type	Canadian Community Health Survey
Identification	cchs-82M0013-E-2012-Annual-component
Series	<p>The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. The survey's objectives were to:</p> <ul style="list-style-type: none"> - support health surveillance programs by providing health data at the national, provincial and intra-provincial levels; - provide a single data source for health research on small populations and rare characteristics; - timely release of information easily accessible to a diverse community of users; and - create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.
<p>Abstract</p> <p>The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. It surveys a large sample of respondents and is designed to provide reliable estimates at the health region level. In 2007, major changes were made to the CCHS design. Data is now collected on an ongoing basis with annual releases, rather than every two years as was the case prior to 2007. The survey's objectives were also revised and are as follows:</p> <ul style="list-style-type: none"> • support health surveillance programs by providing health data at the national, provincial and intra-provincial levels; • provide a single data source for health research on small populations and rare characteristics; • timely release of information easily accessible to a diverse community of users; and • create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population. <p>The CCHS data is always collected from persons aged 12 and over living in private dwellings in the 115 health regions covering all provinces and territories. Excluded from the sampling frame are individuals living on Indian Reserves and on Crown Lands, institutional residents, full-time members of the Canadian Forces, and residents of certain remote regions. The CCHS covers approximately 98% of the Canadian population aged 12 and over.</p> <p>The CCHS produces three types of microdata files: master files; share files; and public use microdata files (PUMF). The characteristics of each of these files are presented in the User Guide. The PUMF is released every two years and contains two years of data.</p>	
Kind of Data	Survey Data
Unit of Analysis	Individuals

Scope & Coverage	
Keywords	Alcohol, Cancer, Chronic Conditions, Depression, Diabetes, Driving, Drug use, Education, Food Security, Health Care, Health Professionals, Income, Labour Force, Mental Health, Smoking, Stressors
Topics	Health
Countries	Canada
<p>Geographic Coverage</p> <p>Canada, Provinces, Territories</p>	
Universe	

The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older.

Producers & Sponsors

Primary Investigator(s)	Health Statistics Division, Statistics Canada
Other Producer(s)	Health Statistics Division , Statistics Canada

Data Collection

Data Collector(s)	Statistics Canada
--------------------------	-------------------

Accessibility

Access Authority	Data Liberation Initiative (DLI) , http://www.statcan.gc.ca/dli-ild/dli-idd-eng.htm
Contact(s)	Data Liberation Initiative (Statistics Canada) , http://www.statcan.gc.ca/dli-ild/dli-idd-eng.htm
Distributor(s)	Data Liberation Initiative
Depositor(s)	

Access Conditions

Data Liberation Initiative

Citation Requirements

The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada.

Rights & Disclaimer

Copyright	Copyright © Statistics Canada, 2013
------------------	-------------------------------------

Files Description

Dataset contains 1 file(s)

cchs_2012	
# Cases	61707
# Variable(s)	1381

Variables List

Dataset contains 1381 variable(s)

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	VERDATE	Date of file creation	discrete	character-8	61707	0	-
2	GEOGPRV	Province of residence of respondent-(G)	continuous	numeric-2.0	61707	0	-
3	GEODPMF	Health Region - (G)	continuous	numeric-5.0	61707	0	-
4	GEODBCHA	B.C. Health Authority (BCHA) - (D)	continuous	numeric-4.0	7517	54190	-
5	ADM_PRX	Health Component completed by proxy	discrete	numeric-1.0	61707	0	-
6	ADM_N09	Interview by telephone/in person	discrete	numeric-1.0	25922	35785	-
7	ADM_N10	Respondent alone during interview	discrete	numeric-1.0	59921	1786	-
8	ADM_N11	Answers aff./presence of another person	discrete	numeric-1.0	7206	54501	-
9	ADM_RNO	Sequential record number	continuous	numeric-5.0	61707	0	-
10	DHHGAGE	Age - (G)	discrete	numeric-2.0	61707	0	-
11	DHH_SEX	Sex	discrete	numeric-1.0	61707	0	-
12	DHHGMS	Marital status - (G)	discrete	numeric-1.0	61528	179	-
13	DHHGLE5	No. pers. <= 5 years old in hhld - (D,G)	discrete	numeric-1.0	61707	0	-
14	DHHG611	No. persons 6-11 years/in hhld - (D,G)	discrete	numeric-1.0	61707	0	-
15	DHHGL12	No. pers. < 12 years old in hhld - (D,G)	discrete	numeric-1.0	61707	0	-
16	DHHGLVG	Living arrangements/selected resp -(D,G)	discrete	numeric-2.0	61344	363	-
17	DHHGHSZ	Household size - (D, G)	discrete	numeric-1.0	61678	29	-
18	GEN_01	Self-perceived health	discrete	numeric-1.0	61581	126	-
19	GEN_02	Self-perceived hlth - compared 1 yr ago	discrete	numeric-1.0	61579	128	-
20	GEN_02A2	Satisfaction with life in general	discrete	numeric-2.0	59567	2140	-
21	GEN_02B	Self-perceived mental health	discrete	numeric-1.0	60131	1576	-
22	GEN_07	Perceived life stress	discrete	numeric-1.0	61276	431	-
23	GEN_08	Worked at job	discrete	numeric-1.0	50908	10799	-
24	GEN_09	Self perceived work stress	discrete	numeric-1.0	35138	26569	-
25	GEN_10	Sense of belonging - local community	discrete	numeric-1.0	59133	2574	-
26	GENDHDI	Perceived Health - (D)	discrete	numeric-1.0	61581	126	-
27	GENDMHI	Perceived Mental Health - (D)	discrete	numeric-1.0	60131	1576	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	GENGSWL	Satisfaction with life in general	discrete	numeric-1.0	59567	2140	-
29	DOORG	Module: ORG - (F)	discrete	numeric-1.0	12456	49251	-
30	ORG_1	Member of a voluntary organization	discrete	numeric-1.0	12201	49506	-
31	ORG_2	Frequency - participate in activities	discrete	numeric-1.0	3252	58455	-
32	DOSLP	Optional module: SLP - (F)	discrete	numeric-1.0	22813	38894	-
33	SLPG01	Number of hours spent sleeping per night	discrete	numeric-2.0	22248	39459	-
34	SLP_02	Freq. - trouble sleeping	discrete	numeric-1.0	22256	39451	-
35	SLP_03	Frequency - find sleep refreshing	discrete	numeric-1.0	22182	39525	-
36	SLP_04	Frequency - difficult to stay awake	discrete	numeric-1.0	22155	39552	-
37	DOCIH	Module.: Changes made to improve hlth	discrete	numeric-1.0	25461	36246	-
38	CIH_1	Did something to improve health	discrete	numeric-1.0	24909	36798	-
39	CIH_2	Most important change to improve health	discrete	numeric-2.0	14365	47342	-
40	CIH_3	Thinks should do something to improve hl	discrete	numeric-1.0	24630	37077	-
41	CIH_4	Most important thing to improve health	discrete	numeric-2.0	16761	44946	-
42	CIH_5	Barrier to improving health	discrete	numeric-1.0	16750	44957	-
43	CIH_6A	Barrier improve hlth - lack will power	discrete	numeric-1.0	8637	53070	-
44	CIH_6I	Barrier improve health - family respons.	discrete	numeric-1.0	8637	53070	-
45	CIH_6B	Barrier improve hlth - lwork schedule	discrete	numeric-1.0	8637	53070	-
46	CIH_6J	Barrier improve health -add. drugs/alc.	discrete	numeric-1.0	8637	53070	-
47	CIH_6K	Barrier improve health - phys. condition	discrete	numeric-1.0	8637	53070	-
48	CIH_6G	Barrier improve hlth - disability	discrete	numeric-1.0	8637	53070	-
49	CIH_6F	Barrier improve health - too stressed	discrete	numeric-1.0	8637	53070	-
50	CIH_6E	Barrier improve health - too costly	discrete	numeric-1.0	8637	53070	-
51	CIH_6L	Barrier improve health - not avail./area	discrete	numeric-1.0	8637	53070	-
52	CIH_6M	Barrier improve health - trans. problems	discrete	numeric-1.0	8637	53070	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
53	CIH_6N	Barrier improve health - weather prob.	discrete	numeric-1.0	8637	53070	-
54	CIH_6H	Barrier improve health - other	discrete	numeric-1.0	8637	53070	-
55	CIH_7	Intending to improve health over next yr	discrete	numeric-1.0	16507	45200	-
56	CIH_8A	Health improvement - more exercise	discrete	numeric-1.0	12990	48717	-
57	CIH_8B	Health improvement - lose weight	discrete	numeric-1.0	12990	48717	-
58	CIH_8C	Health improvement - eating habits	discrete	numeric-1.0	12990	48717	-
59	CIH_8J	Health improvement - quit smoking	discrete	numeric-1.0	12990	48717	-
60	CIH_8K	Health improvement - drink less alcohol	discrete	numeric-1.0	12990	48717	-
61	CIH_8G	Health improvement - reduce stress	discrete	numeric-1.0	12990	48717	-
62	CIH_8L	Health improv.- receive med. treatment	discrete	numeric-1.0	12990	48717	-
63	CIH_8H	Health improvement - take vitamins	discrete	numeric-1.0	12990	48717	-
64	CIH_8I	Health improvement - other	discrete	numeric-1.0	12990	48717	-
65	DOOH1	Theme module: Oral health 1	discrete	numeric-1.0	3486	58221	-
66	OH1_20	Self-perceived health of teeth and mouth	discrete	numeric-1.0	3401	58306	-
67	OH1_21A	Ability to chew - firm foods	discrete	numeric-1.0	3391	58316	-
68	OH1_21B	Ability to chew - fresh apple	discrete	numeric-1.0	3388	58319	-
69	OH1_21C	Ability to chew - boiled vegetables	discrete	numeric-1.0	3400	58307	-
70	OH1_22	Freq. - pain in teeth/gums - past mo.	discrete	numeric-1.0	3391	58316	-
71	HWT_4	Opinion of own weight - self-reported	discrete	numeric-1.0	58051	3656	-
72	HWTGHTM	Height (metres) / self-reported - (D,G)	continuous	numeric-5.3	59261	2446	-
73	HWTGWTK	Weight (kilograms)/self-reported - (D,G)	continuous	numeric-6.2	58183	3524	-
74	HWTGBMI	BMI / self-report - (D,G)	continuous	numeric-6.2	57802	3905	-
75	HWTGISW	BMI class. (18 +) / self-report - (D,G)	discrete	numeric-1.0	53285	8422	-
76	HWTDCOL	BMI class. (12-17) / self-report. - (D)	discrete	numeric-1.0	4412	57295	-
77	CCC_031	Has asthma	discrete	numeric-1.0	61630	77	-
78	CCC_035	Asthma - had symptoms/attacks	discrete	numeric-1.0	5286	56421	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
79	CCC_036	Asthma - took medication	discrete	numeric-1.0	5300	56407	-
80	CCC_051	Has arthritis	discrete	numeric-1.0	59070	2637	-
81	CCC_061	Has back problems/excl. fibro/arthritis	discrete	numeric-1.0	61596	111	-
82	CCC_071	Has high blood pressure	discrete	numeric-1.0	61450	257	-
83	CCC_072	Ever diagnosed with high blood pressure	discrete	numeric-1.0	47180	14527	-
84	CCC_073	Medication - high blood pressure	discrete	numeric-1.0	17737	43970	-
85	CCC_073A	Preg. - diag. high blood press. 1st time	discrete	numeric-1.0	8620	53087	-
86	CCC_073B	Not pregnant - diagn. high blood press.	discrete	numeric-1.0	451	61256	-
87	CCC_081	Has migraine headaches	discrete	numeric-1.0	61637	70	-
88	CCC_091	Has a COPD	discrete	numeric-1.0	44326	17381	-
89	CCC_101	Has diabetes	discrete	numeric-1.0	61632	75	-
90	CCCG102	Diabetes - age first diagnosed - (G)	discrete	numeric-2.0	5078	56629	-
91	CCC_10A	Diabetes diagnosed when pregnant	discrete	numeric-1.0	799	60908	-
92	CCC_10B	Diabetes diagnosed - other than pregnant	discrete	numeric-1.0	110	61597	-
93	CCC_10C	Diabetes diag. - when started w/insulin	discrete	numeric-2.0	5041	56666	-
94	CCC_105	Diabetes - currently takes insulin	discrete	numeric-1.0	5064	56643	-
95	CCC_106	Diabetes - pills to control blood sugar	discrete	numeric-1.0	5049	56658	-
96	CCC_121	Has heart disease	discrete	numeric-1.0	61508	199	-
97	CCC_131	Has cancer	discrete	numeric-1.0	61599	108	-
98	CCC_31A	Ever had cancer	discrete	numeric-1.0	59424	2283	-
99	CCC_141	Has stomach or intestinal ulcers	discrete	numeric-1.0	61509	198	-
100	CCC_151	Suffers from the effects of a stroke	discrete	numeric-1.0	61631	76	-
101	CCC_161	Has urinary incontinence	discrete	numeric-1.0	51564	10143	-
102	CCC_171	Has bowel disorder	discrete	numeric-1.0	61573	134	-
103	CCC_17A	Type of bowel disease	discrete	numeric-1.0	3284	58423	-
104	CCC_280	Has a mood disorder	discrete	numeric-1.0	61580	127	-
105	CCC_290	Has an anxiety disorder	discrete	numeric-1.0	61579	128	-
106	CCCDIA	Diabetes type	discrete	numeric-1.0	5028	56679	-
107	DODIA	Module: DIA - (F)	discrete	numeric-1.0	27713	33994	-
108	DIA_01	Tested for "A-one-C" haemoglobin	discrete	numeric-1.0	2354	59353	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
109	DIA_02	No. of times - tested for "A-one-C"	discrete	numeric-3.0	1944	59763	-
110	DIA_03	Feet checked by health professional	discrete	numeric-1.0	2427	59280	-
111	DIA_04	No of times - feet checked by hlth prof.	discrete	numeric-3.0	1336	60371	-
112	DIA_05	Urine tested for protein by health prof.	discrete	numeric-1.0	2304	59403	-
113	DIA_06	Ever had eye exam with pupils dilated	discrete	numeric-1.0	2401	59306	-
114	DIA_07	Eye exam with pupils dilated - last time	discrete	numeric-1.0	1917	59790	-
115	DIA_08	Checks glucose level/self-reporting unit	discrete	numeric-1.0	2429	59278	-
116	DIA_N8B	Checks glucose level/self-no times day	discrete	numeric-3.0	1309	60398	-
117	DIA_N8C	Checks glucose level - no times per week	discrete	numeric-3.0	645	61062	-
118	DIA_N8D	Checks glucose level -no times per month	discrete	numeric-3.0	183	61524	-
119	DIA_N8E	Checks glucose level -no times per year	discrete	numeric-3.0	46	61661	-
120	DIA_09	Checks feet / self-reporting unit	discrete	numeric-1.0	2380	59327	-
121	DIA_N9B	Checks feet/self-number of times per day	discrete	numeric-3.0	902	60805	-
122	DIA_N9C	Checks feet/self-number of times week	discrete	numeric-3.0	539	61168	-
123	DIA_N9D	Checks feet/self-number of times month	discrete	numeric-3.0	191	61516	-
124	DIA_N9E	Checks feet/self-number of times year	discrete	numeric-3.0	147	61560	-
125	DIA_10	Medication - ASA - past month	discrete	numeric-1.0	2378	59329	-
126	DIA_11	Medication -blood cholesterol-past month	discrete	numeric-1.0	2354	59353	-
127	DOMED	Optional module: MED - (F)	discrete	numeric-1.0	11573	50134	-
128	MED_1A	Took pain relievers - In the past month	discrete	numeric-1.0	11555	50152	-
129	MED_1B	Took tranquilizers- In the past month	discrete	numeric-1.0	11551	50156	-
130	MED_1C	Took diet pills- In the past month	discrete	numeric-1.0	11568	50139	-
131	MED_1D	Took anti-depressants- In the past month	discrete	numeric-1.0	11561	50146	-
132	MED_1E	Took codeine/morphine-past month	discrete	numeric-1.0	11558	50149	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
133	MED_1F	Took allergy medicine- In the past month	discrete	numeric-1.0	11562	50145	-
134	MED_1G	Took asthma medications-past month	discrete	numeric-1.0	11565	50142	-
135	MED_1H	Took cough or cold remedies- past month	discrete	numeric-1.0	11559	50148	-
136	MED_1I	Took penicillin/antibiotics-past month	discrete	numeric-1.0	11560	50147	-
137	MED_1J	Took medicine for heart-past month	discrete	numeric-1.0	11551	50156	-
138	MED_1L	Took diuretics-in past month	discrete	numeric-1.0	11536	50171	-
139	MED_1M	Took steroids- In the past month	discrete	numeric-1.0	11558	50149	-
140	MED_1P	Took sleeping pills- In the past month	discrete	numeric-1.0	11556	50151	-
141	MED_1Q	Took stomach remedies- In the past month	discrete	numeric-1.0	11551	50156	-
142	MED_1R	Took laxatives- In the past month	discrete	numeric-1.0	11555	50152	-
143	MED_1S	Took birth control pill-past month	discrete	numeric-1.0	2846	58861	-
144	MED_1T	Took hormones for menopause-past month	discrete	numeric-1.0	5082	56625	-
145	MED_1T1	Type of homones taken	discrete	numeric-1.0	464	61243	-
146	MED_1T2	Year this hormone therapy was started	continuous	numeric-4.0	528	61179	-
147	MED_1U	Took thyroid medication-in past month	discrete	numeric-1.0	11560	50147	-
148	MED_1V	Took any other medication-past month	discrete	numeric-1.0	11555	50152	-
149	HUPDPAD	Pain (function code)	discrete	numeric-1.0	61434	273	-
150	HCU_1AA	Has regular medical doctor	discrete	numeric-1.0	61601	106	-
151	HCU_1BA	Reason no dr - no one available in area	discrete	numeric-1.0	7870	53837	-
152	HCU_1BB	Reason no dr - none taking new patients	discrete	numeric-1.0	7870	53837	-
153	HCU_1BC	Reason no dr - not tried to contact one	discrete	numeric-1.0	7870	53837	-
154	HCU_1BD	Reason no dr - has left/retired	discrete	numeric-1.0	7870	53837	-
155	HCU_1BE	Reason no dr - other	discrete	numeric-1.0	7870	53837	-
156	HCU_1A1	Regular medical doctor	discrete	numeric-1.0	8006	53701	-
157	HCU_1A2	Kind of place	discrete	numeric-2.0	6603	55104	-
158	CHP_01	Overnight patient	discrete	numeric-1.0	61654	53	-
159	CHPG02	No. of nights as patient - (G)	continuous	numeric-2.0	61606	101	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
160	CHP_03	Consulted fam. doctor/gen. practitioner	discrete	numeric-1.0	61607	100	-
161	CHPG04	No. of consult. - family doctor - (G)	continuous	numeric-2.0	61145	562	-
162	CHPG05	Where was most recent contact - (G)	discrete	numeric-2.0	47407	14300	-
163	CHP_06	Consulted with eye specialist	discrete	numeric-1.0	61564	143	-
164	CHPG07	No. of consult. - eye specialist - (G)	discrete	numeric-2.0	61503	204	-
165	CHP_08	Consulted with other medical doctor	discrete	numeric-1.0	61618	89	-
166	CHPG09	No. of consult. - other doctor - (G)	discrete	numeric-2.0	61494	213	-
167	CHPG10	Where was most recent contact - (G)	discrete	numeric-2.0	20101	41606	-
168	CHP_11	Consulted with nurse	discrete	numeric-1.0	61623	84	-
169	CHPG12	No. of consult. - nurse - (G)	discrete	numeric-2.0	61404	303	-
170	CHPG13	Where was most recent contact - (G)	discrete	numeric-2.0	8653	53054	-
171	CHP_14	Consulted with dentist or orthodontist	discrete	numeric-1.0	61635	72	-
172	CHPG15	No. of consult. - dentist/orthod. - (G)	discrete	numeric-2.0	61419	288	-
173	CHPGMDC	No. of consult. w/medical doctor (D,G)	continuous	numeric-2.0	60994	713	-
174	DOUCN	Module: UCN - (F)	discrete	numeric-1.0	31008	30699	-
175	UCN_010	Unmet health care needs - self-perceived	discrete	numeric-1.0	30948	30759	-
176	UCN_020A	Care not rec'd - not avail. in area	discrete	numeric-1.0	3273	58434	-
177	UCN_020B	Care not rec'd - not avail. time req'd	discrete	numeric-1.0	3273	58434	-
178	UCN_020C	Care not rec'd - wait too long	discrete	numeric-1.0	3273	58434	-
179	UCN_020D	Care not rec'd - felt be inadequate	discrete	numeric-1.0	3273	58434	-
180	UCN_020E	Care not rec'd - cost	discrete	numeric-1.0	3273	58434	-
181	UCN_020F	Care not rec'd - too busy	discrete	numeric-1.0	3273	58434	-
182	UCN_020G	Care not rec'd - didn't get around it	discrete	numeric-1.0	3273	58434	-
183	UCN_020H	Care not rec'd - decided not seek care	discrete	numeric-1.0	3273	58434	-
184	UCN_020I	Care not rec'd - doctor think not nec.	discrete	numeric-1.0	3273	58434	-
185	UCN_020J	Care not rec'd - other	discrete	numeric-1.0	3273	58434	-
186	UCN_030A	Type care not rec'd - physical hlth prob	discrete	numeric-1.0	3265	58442	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
187	UCN_030B	Type care not rec'd - emotional problem	discrete	numeric-1.0	3265	58442	-
188	UCN_030C	Type care not rec'd - regular check-up	discrete	numeric-1.0	3265	58442	-
189	UCN_030D	Type care not rec'd - care of injury	discrete	numeric-1.0	3265	58442	-
190	UCN_030E	Type care not rec'd - other	discrete	numeric-1.0	3265	58442	-
191	UCN_040A	Tried get serv. - doctor's office	discrete	numeric-1.0	3219	58488	-
192	UCN_040B	Tried get serv. - comm. hlth centre/CLSC	discrete	numeric-1.0	3219	58488	-
193	UCN_040C	Tried get serv. - walk-in clinic	discrete	numeric-1.0	3219	58488	-
194	UCN_040D	Tried get serv. - appointment clinic	discrete	numeric-1.0	3219	58488	-
195	UCN_040E	Tried get serv. - hospital emergency	discrete	numeric-1.0	3219	58488	-
196	UCN_040F	Tried get serv. - hsp. outpatient clinic	discrete	numeric-1.0	3219	58488	-
197	UCN_040G	Tried get serv. - other	discrete	numeric-1.0	3219	58488	-
198	DOPAS	Module: PAS - (F)	discrete	numeric-1.0	883	60824	-
199	PAS_11	Rec'd health care services	discrete	numeric-1.0	826	60881	-
200	PAS_12	Rating of quality of care rec'd	discrete	numeric-1.0	782	60925	-
201	PAS_13	Satisfaction with way care provided	discrete	numeric-1.0	780	60927	-
202	PAS_21A	Rec'd health care services at hospital	discrete	numeric-1.0	788	60919	-
203	PAS_21B	Type of patient - most recent visit	discrete	numeric-1.0	276	61431	-
204	PAS_22	Rating quality care rec'd - hospital	discrete	numeric-1.0	275	61432	-
205	PAS_23	Satisfaction w/way care provided - hosp.	discrete	numeric-1.0	276	61431	-
206	PAS_31A	Rec'd physician care	discrete	numeric-1.0	789	60918	-
207	PAS_31B	Type of physician - most recent care	discrete	numeric-1.0	502	61205	-
208	PAS_32	Rating of quality of care rec'd - phy.	discrete	numeric-1.0	502	61205	-
209	PAS_33	Satisfaction w/way care provided - phy.	discrete	numeric-1.0	500	61207	-
210	DOPSC	Module: PSC - (F)	discrete	numeric-1.0	29657	32050	-
211	PSC_1	Received any community-based care	discrete	numeric-1.0	26899	34808	-
212	PSC_2	How rate quality of com.-based received	discrete	numeric-1.0	6042	55665	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
213	PSC_3	Satisf.the way com.-based care provided	discrete	numeric-1.0	6035	55672	-
214	RAC_1	Has difficulty with activities	discrete	numeric-1.0	61577	130	-
215	RAC_2A	Reduction kind/amount activities - home	discrete	numeric-1.0	61547	160	-
216	RAC_2B1	Reduction kind/amount activities- school	discrete	numeric-1.0	61662	45	-
217	RAC_2B2	Reduction kind/amount act. - at work	discrete	numeric-1.0	61624	83	-
218	RAC_2C	Reduction kind/amount act. - other	discrete	numeric-1.0	61445	262	-
219	RACG5	Cause of health problem - (G)	discrete	numeric-2.0	24141	37566	-
220	RACDIMP	Impact of health problems - (D)	discrete	numeric-1.0	61501	206	-
221	RACDPAL	Participation and activity limit. - (D)	discrete	numeric-1.0	61228	479	-
222	DOADL	Content module - ADL (F)	discrete	numeric-1.0	23022	38685	-
223	ADL_01	Needs help - preparing meals	discrete	numeric-1.0	23008	38699	-
224	ADL_02	Needs help - getting to appointments	discrete	numeric-1.0	23007	38700	-
225	ADL_03	Needs help - doing housework	discrete	numeric-1.0	23002	38705	-
226	ADL_04	Needs help - personal care	discrete	numeric-1.0	23016	38691	-
227	ADL_05	Needs help - moving about inside house	discrete	numeric-1.0	23014	38693	-
228	ADL_06	Needs help - looking after finances	discrete	numeric-1.0	22972	38735	-
229	ADLF6R	Help needed for tasks - (F)	discrete	numeric-1.0	22968	38739	-
230	FLU_160	Ever had a flu shot	discrete	numeric-1.0	60009	1698	-
231	FLU_162	Had flu shot - last time	discrete	numeric-1.0	38105	23602	-
232	FLU_164	Had flu shot - which month	discrete	numeric-2.0	20213	41494	-
233	FLU_165	Had flu shot - current/last year	discrete	numeric-1.0	2054	59653	-
234	FLU_66A	No flu shot - have not gotten around it	discrete	numeric-1.0	37506	24201	-
235	FLU_66B	No flu shot - resp. didn't think nec.	discrete	numeric-1.0	37506	24201	-
236	FLU_66C	No flu shot - doctor didn't think nec.	discrete	numeric-1.0	37506	24201	-
237	FLU_66D	No flu shot - personal/family resp.	discrete	numeric-1.0	37506	24201	-
238	FLU_66E	No flu shot - not available when req'd	discrete	numeric-1.0	37506	24201	-
239	FLU_66F	No flu shot - not available in area	discrete	numeric-1.0	37506	24201	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
240	FLU_66G	No flu shot - waiting time was too long	discrete	numeric-1.0	37506	24201	-
241	FLU_66H	No flu shot - transportation problems	discrete	numeric-1.0	37506	24201	-
242	FLU_66I	No flu shot - language problem	discrete	numeric-1.0	37506	24201	-
243	FLU_66J	No flu shot - cost	discrete	numeric-1.0	37506	24201	-
244	FLU_66K	No flu shot - did not know where to go	discrete	numeric-1.0	37506	24201	-
245	FLU_66L	No flu shot - fear	discrete	numeric-1.0	37506	24201	-
246	FLU_66M	No flu shot - bad reaction to prev. shot	discrete	numeric-1.0	37506	24201	-
247	FLU_66O	No flu shot - unable leave house/hlth	discrete	numeric-1.0	37506	24201	-
248	FLU_66N	No flu shot - other	discrete	numeric-1.0	37506	24201	-
249	DOBLT	Theme module: Blood test - (F)	discrete	numeric-1.0	61707	0	-
250	BLT_01	Blood test - ordered by a health profes.	discrete	numeric-1.0	43165	18542	-
251	BLT_02A	Blood test - for assessment	discrete	numeric-1.0	30675	31032	-
252	BLT_02B	Blood test - to monitor existing cond.	discrete	numeric-1.0	30675	31032	-
253	BLT_02C	Blood test - to check health condition	discrete	numeric-1.0	30675	31032	-
254	BLT_02D	Blood test - as the result of emergency	discrete	numeric-1.0	30675	31032	-
255	BLT_02E	Blood test - other	discrete	numeric-1.0	30675	31032	-
256	BLT_03A	Blood test - high chol., heart rel. con.	discrete	numeric-1.0	14382	47325	-
257	BLT_03B	Blood test - diabetes	discrete	numeric-1.0	14382	47325	-
258	BLT_03C	Blood test - thyroid	discrete	numeric-1.0	14382	47325	-
259	BLT_03D	Blood test - prostate	discrete	numeric-1.0	14382	47325	-
260	BLT_03E	Blood test - infectious disease	discrete	numeric-1.0	14382	47325	-
261	BLT_03F	Blood test - liver function	discrete	numeric-1.0	14382	47325	-
262	BLT_03G	Blood test - hormone-related	discrete	numeric-1.0	14382	47325	-
263	BLT_03H	Blood test - other	discrete	numeric-1.0	14382	47325	-
264	DOBPC	Module: BPC - (F)	discrete	numeric-1.0	11654	50053	-
265	BPC_010	Ever had blood pressure taken	discrete	numeric-1.0	11400	50307	-
266	BPC_012	Last time blood pressure was taken	discrete	numeric-1.0	10783	50924	-
267	BPC_013	Pregnant - blood pressure taken	discrete	numeric-1.0	2636	59071	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
268	BPC_16A	B.p. not taken - not gotten around to it	discrete	numeric-1.0	730	60977	-
269	BPC_16B	B.p. not taken - resp. didn't think nec.	discrete	numeric-1.0	730	60977	-
270	BPC_16C	B.p. not taken - dr. didn't think nec.	discrete	numeric-1.0	730	60977	-
271	BPC_16D	B.p. not taken - personal/family resp.	discrete	numeric-1.0	730	60977	-
272	BPC_16G	B.p. not taken - waiting time too long	discrete	numeric-1.0	730	60977	-
273	BPC_16H	B.p. not taken - transportation problems	discrete	numeric-1.0	730	60977	-
274	BPC_16I	B.p. not taken - language problem	discrete	numeric-1.0	730	60977	-
275	BPC_16J	B.p. not taken - cost	discrete	numeric-1.0	730	60977	-
276	BPC_16K	B.p. not taken - didn't know where to go	discrete	numeric-1.0	730	60977	-
277	BPC_16L	B.p. not taken - fear	discrete	numeric-1.0	730	60977	-
278	BPC_16N	B.p. not taken - unable leave house	discrete	numeric-1.0	730	60977	-
279	BPC_16M	B.p. not taken - other	discrete	numeric-1.0	730	60977	-
280	DOPAP	Module: PAP smear test - (F)	discrete	numeric-1.0	61707	0	-
281	PAP_020	Ever had PAP smear test	discrete	numeric-1.0	30865	30842	-
282	PAP_022	Last time had PAP smear test	discrete	numeric-1.0	27012	34695	-
283	PAP_26A	No PAP - have not gotten around to it	discrete	numeric-1.0	11764	49943	-
284	PAP_26B	No PAP - resp. didn't think necessary	discrete	numeric-1.0	11764	49943	-
285	PAP_26C	No PAP - doctor didn't think necessary	discrete	numeric-1.0	11764	49943	-
286	PAP_26D	No PAP - personal/fam. responsibilities	discrete	numeric-1.0	11764	49943	-
287	PAP_26E	No PAP - not available when required	discrete	numeric-1.0	11764	49943	-
288	PAP_26F	No PAP - not available in area	discrete	numeric-1.0	11764	49943	-
289	PAP_26G	No PAP - waiting time too long	discrete	numeric-1.0	11764	49943	-
290	PAP_26H	No PAP - transportation problems	discrete	numeric-1.0	11764	49943	-
291	PAP_26I	No PAP - language problem	discrete	numeric-1.0	11764	49943	-
292	PAP_26J	No PAP - cost	discrete	numeric-1.0	11764	49943	-
293	PAP_26K	No PAP - did not know where to go	discrete	numeric-1.0	11764	49943	-
294	PAP_26L	No PAP - fear	discrete	numeric-1.0	11764	49943	-
295	PAP_26M	No PAP - hysterectomy	discrete	numeric-1.0	11767	49940	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
296	PAP_26N	No PAP - hate/dislike having one done	discrete	numeric-1.0	11764	49943	-
297	PAP_26P	No PAP - unable leave house/hlth prob.	discrete	numeric-1.0	11764	49943	-
298	PAP_26O	No PAP - other	discrete	numeric-1.0	11764	49943	-
299	DOMAM	Module: Mammography - (F)	discrete	numeric-1.0	61707	0	-
300	MAM_030	Ever had mammogram	discrete	numeric-1.0	24550	37157	-
301	MAM_31A	Had mammogram - family history	discrete	numeric-1.0	19277	42430	-
302	MAM_31B	Had mammogram - regular check-up	discrete	numeric-1.0	19277	42430	-
303	MAM_31C	Had mammogram - age	discrete	numeric-1.0	19277	42430	-
304	MAM_31D	Had mammogram - previously detected lump	discrete	numeric-1.0	19277	42430	-
305	MAM_31E	Had mammogram - follow-up treatment	discrete	numeric-1.0	19277	42430	-
306	MAM_31F	Had mammogram - hormone replac. therapy	discrete	numeric-1.0	19277	42430	-
307	MAM_31G	Had mammogram - breast problem	discrete	numeric-1.0	19277	42430	-
308	MAM_31H	Had mammogram - other	discrete	numeric-1.0	19277	42430	-
309	MAM_032	Last time mammogram was done	discrete	numeric-1.0	19192	42515	-
310	MAM_36A	No mam. -have not gotten ar.to it -2 yrs	discrete	numeric-1.0	3147	58560	-
311	MAM_36B	No mam. resp.- didn't think nec. - 2 yrs	discrete	numeric-1.0	3147	58560	-
312	MAM_36C	No mam. -doctor didn't think nec. -2 yrs	discrete	numeric-1.0	3147	58560	-
313	MAM_36D	No mam. - personal/family resp. - 2 yrs	discrete	numeric-1.0	3147	58560	-
314	MAM_36E	No mam. - not ava. when required - 2 yrs	discrete	numeric-1.0	3147	58560	-
315	MAM_36F	No mam. - not avai. in the area - 2 yrs	discrete	numeric-1.0	3147	58560	-
316	MAM_36G	No mam. -wait. time was too long - 2 yrs	discrete	numeric-1.0	3147	58560	-
317	MAM_36H	No mam. -transportation problems - 2 yrs	discrete	numeric-1.0	3147	58560	-
318	MAM_36I	No mam. - language problem - 2 yrs	discrete	numeric-1.0	3147	58560	-
319	MAM_36J	No mam. - cost - 2 yrs	discrete	numeric-1.0	3147	58560	-
320	MAM_36K	No mam. -did not know where to go -2 yrs	discrete	numeric-1.0	3147	58560	-
321	MAM_36L	No mam. - fear - 2 yrs	discrete	numeric-1.0	3147	58560	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
322	MAM_36N	No mam. -un. leave house/hlth pro -2 yrs	discrete	numeric-1.0	3147	58560	-
323	MAM_36O	No mam. -Breasts removed/Mastec. -2 yrs	discrete	numeric-1.0	3147	58560	-
324	MAM_36M	No mam. - other - 2 yrs	discrete	numeric-1.0	3147	58560	-
325	MAM_038	Had a hysterectomy	discrete	numeric-1.0	31006	30701	-
326	DOBRX	Module: BRX - (F)	discrete	numeric-1.0	4475	57232	-
327	BRX_110	Had breasts examined by health prof.	discrete	numeric-1.0	2226	59481	-
328	BRX_112	Last time breasts examined for lumps	discrete	numeric-1.0	1678	60029	-
329	BRX_16A	No breast ex. - havn't gotten around/it	discrete	numeric-1.0	990	60717	-
330	BRX_16B	No breast ex. - resp. didn't think nec.	discrete	numeric-1.0	990	60717	-
331	BRX_16C	No breast ex. - doctor didn't think nec.	discrete	numeric-1.0	990	60717	-
332	BRX_16D	No breast ex. - personal/family resp.	discrete	numeric-1.0	990	60717	-
333	BRX_16E	No breast ex. - not avail. when req'd	discrete	numeric-1.0	990	60717	-
334	BRX_16F	No breast ex. - not available in area	discrete	numeric-1.0	990	60717	-
335	BRX_16G	No breast ex. - waiting time too long	discrete	numeric-1.0	990	60717	-
336	BRX_16H	No breast ex. - transportation problems	discrete	numeric-1.0	990	60717	-
337	BRX_16I	No breast ex. - language problem	discrete	numeric-1.0	990	60717	-
338	BRX_16J	No breast ex. - cost	discrete	numeric-1.0	990	60717	-
339	BRX_16K	No breast ex. - did not know where to go	discrete	numeric-1.0	990	60717	-
340	BRX_16L	No breast ex. - fear	discrete	numeric-1.0	990	60717	-
341	BRX_16N	No breast ex. - unable to leave house	discrete	numeric-1.0	990	60717	-
342	BRX_16O	No breast - breast removed/mastectomy	discrete	numeric-1.0	990	60717	-
343	BRX_16M	No breast ex. - other	discrete	numeric-1.0	990	60717	-
344	DOSPI	Theme module: Spirometry - (F)	discrete	numeric-1.0	61707	0	-
345	SPI_01	Ever had a spirometry test	discrete	numeric-1.0	59576	2131	-
346	SPI_02	Last time -spirometry test	discrete	numeric-1.0	15542	46165	-
347	DOHRT	Module: HRT - (F)	discrete	numeric-1.0	883	60824	-
348	HRT_01	Experienced symptoms of menopause/ageing	discrete	numeric-1.0	361	61346	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
349	HRT_02	Taken a form of Hormone Therapy	discrete	numeric-1.0	361	61346	-
350	HRT_03	Currently taking hormones	discrete	numeric-1.0	30	61677	-
351	HRT_04A	Type of hormones - Estrogen only	discrete	numeric-1.0	28	61679	-
352	HRT_04B	Type of hormones - Progestin only	discrete	numeric-1.0	28	61679	-
353	HRT_04C	Type of hormones - Estrogen/Progestin	discrete	numeric-1.0	28	61679	-
354	HRT_04D	Type of hormones - Other	discrete	numeric-1.0	28	61679	-
355	HRT_05	Year started hormone therapy	continuous	numeric-4.0	29	61678	-
356	HRT_07	HRT for menopause symptoms	discrete	numeric-1.0	237	61470	-
357	HRT_10	Used-health products for menopause	discrete	numeric-1.0	135	61572	-
358	HRT_11A	Used-vitamins/dietary supplements	discrete	numeric-1.0	9	61698	-
359	HRT_11B	Used-Herbs	discrete	numeric-1.0	9	61698	-
360	HRT_11C	Used-Herbal teas	discrete	numeric-1.0	9	61698	-
361	HRT_11D	Used-Other	discrete	numeric-1.0	9	61698	-
362	HRT_12	Used anything else past 12 months	discrete	numeric-1.0	135	61572	-
363	HRT_13A	Ate more foods rich in soy flax calcium	discrete	numeric-1.0	22	61685	-
364	HRT_13B	Ate more legumes	discrete	numeric-1.0	22	61685	-
365	HRT_13C	Avoided certain foods or activities	discrete	numeric-1.0	22	61685	-
366	HRT_13D	Increased exercise	discrete	numeric-1.0	22	61685	-
367	HRT_13E	Did relaxation exercises	discrete	numeric-1.0	22	61685	-
368	HRT_13F	Rec'd massage therapy treatments	discrete	numeric-1.0	22	61685	-
369	HRT_13G	Other	discrete	numeric-1.0	22	61685	-
370	DOPCU	Theme module: Physical check-up - (F)	discrete	numeric-1.0	61707	0	-
371	PCU_150	Phys. check-up w/o a health problem	discrete	numeric-1.0	59977	1730	-
372	PCU_153	Frequency - general physical check-up	discrete	numeric-2.0	49178	12529	-
373	PCU_152	Physical check up - last time	discrete	numeric-2.0	48583	13124	-
374	PCU_154A	No p.check-up -haven't got.around -3 yrs	discrete	numeric-1.0	18662	43045	-
375	PCU_154B	No ph. che. -resp.think not nec. -3 yrs	discrete	numeric-1.0	18662	43045	-
376	PCU_154C	No p. check-up -dr.think not nec. -3 yrs	discrete	numeric-1.0	18662	43045	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
377	PCU_154D	No p. check-up -pers./family resp. -3yrs	discrete	numeric-1.0	18662	43045	-
378	PCU_154E	No p. check-up -n.a. when require -3 yrs	discrete	numeric-1.0	18662	43045	-
379	PCU_154F	No phys. check-up - n. a./area _ 3 yrs	discrete	numeric-1.0	18662	43045	-
380	PCU_154G	No p.check-up -wait.time too long -3 yrs	discrete	numeric-1.0	18662	43045	-
381	PCU_154H	No phys. check-up -transp. prob. - 3 yrs	discrete	numeric-1.0	18662	43045	-
382	PCU_154I	No phys. check-up - lang. problem -3 yrs	discrete	numeric-1.0	18662	43045	-
383	PCU_154J	No phys. check-up - cost - 3 yrs	discrete	numeric-1.0	18662	43045	-
384	PCU_154K	No phys. check-up - DK where/go - 3 yrs	discrete	numeric-1.0	18662	43045	-
385	PCU_154L	No phys. check-up - fear - 3 yrs	discrete	numeric-1.0	18662	43045	-
386	PCU_154M	No p.check-up -unable leave house -3 yrs	discrete	numeric-1.0	18662	43045	-
387	PCU_154N	No phys. check-up - other - 3 yrs	discrete	numeric-1.0	18662	43045	-
388	PCU_155	Weighted by a health professional	discrete	numeric-1.0	40007	21700	-
389	PCU_156	Height measured by a health professional	discrete	numeric-1.0	39597	22110	-
390	PCU_157	Blood pressure checked by health prof.	discrete	numeric-1.0	40274	21433	-
391	PCU_158	Risks of weighth discuss. with hea. prof.	discrete	numeric-1.0	40261	21446	-
392	DOPSA	Module: PSA - (F)	discrete	numeric-1.0	23491	38216	-
393	PSA_170	Ever had a PSA blood test	discrete	numeric-1.0	6882	54825	-
394	PSA_172	Last time had PSA blood test	discrete	numeric-1.0	4187	57520	-
395	PSA_73A	Had PSA test - family history	discrete	numeric-1.0	4221	57486	-
396	PSA_73B	Had PSA test - regular check-up	discrete	numeric-1.0	4221	57486	-
397	PSA_73C	Had PSA test - age	discrete	numeric-1.0	4221	57486	-
398	PSA_73D	Had PSA test - follow-up / problem	discrete	numeric-1.0	4221	57486	-
399	PSA_73E	Had PSA test - follow-up/prostate treat.	discrete	numeric-1.0	4221	57486	-
400	PSA_73F	Had PSA test - other	discrete	numeric-1.0	4221	57486	-
401	PSA_174	Had a digital rectal exam	discrete	numeric-1.0	7030	54677	-
402	PSA_175	Last time had digital rectal exam	discrete	numeric-1.0	4671	57036	-
403	DOCCS	Module: CCS - (F)	discrete	numeric-1.0	61707	0	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
404	CCS_180	Had an FOBT test	discrete	numeric-1.0	43035	18672	-
405	CCS_182	Last time FOBT test done	discrete	numeric-2.0	18888	42819	-
406	CCS_83A	Had FOBT - family history	discrete	numeric-1.0	18714	42993	-
407	CCS_83B	Had FOBT - regular check-up	discrete	numeric-1.0	18714	42993	-
408	CCS_83C	Had FOBT - age	discrete	numeric-1.0	18714	42993	-
409	CCS_83D	Had FOBT - follow-up of problem	discrete	numeric-1.0	18714	42993	-
410	CCS_83E	Had FOBT - follow-up of treatment	discrete	numeric-1.0	18714	42993	-
411	CCS_83F	Had FOBT - other	discrete	numeric-1.0	18714	42993	-
412	CCS_184	Had colonoscopy or sigmoidoscopy	discrete	numeric-1.0	43171	18536	-
413	CCS_185	Last time had colonoscopy/sigmoidoscopy	discrete	numeric-2.0	15854	45853	-
414	CCS_86A	Had colonoscopy - family history	discrete	numeric-1.0	15719	45988	-
415	CCS_86B	Had colonoscopy - regular check-up	discrete	numeric-1.0	15719	45988	-
416	CCS_86C	Had colonoscopy - age	discrete	numeric-1.0	15719	45988	-
417	CCS_86D	Had colonoscopy - follow-up of problem	discrete	numeric-1.0	15719	45988	-
418	CCS_86E	Had colonoscopy - follow-up of treatment	discrete	numeric-1.0	15719	45988	-
419	CCS_86F	Had colonoscopy - other	discrete	numeric-1.0	15719	45988	-
420	CCS_187	Colonoscopy/sigmoidoscopy - FOBT test	discrete	numeric-1.0	9167	52540	-
421	DODEN	Module: DEN - (F)	discrete	numeric-1.0	10771	50936	-
422	DEN_130	Visited dentist	discrete	numeric-1.0	6548	55159	-
423	DEN_132	Last time visited dentist	discrete	numeric-2.0	10484	51223	-
424	DEN_36A	No dent. vis. - haven't got around to it	discrete	numeric-1.0	1994	59713	-
425	DEN_36B	No dent. vis. - resp. didn't think nec.	discrete	numeric-1.0	1994	59713	-
426	DEN_36C	No dent. vis. - dent. didn't think nec.	discrete	numeric-1.0	1994	59713	-
427	DEN_36D	No dent. vis. - pers./family respons.	discrete	numeric-1.0	1994	59713	-
428	DEN_36E	No dent. vis. - not avail. when req'd.	discrete	numeric-1.0	1994	59713	-
429	DEN_36F	No dent. vis. - not available in area	discrete	numeric-1.0	1994	59713	-
430	DEN_36G	No dent. vis. - waiting time too long	discrete	numeric-1.0	1994	59713	-
431	DEN_36H	No dent. vis. - transportation problems	discrete	numeric-1.0	1994	59713	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
432	DEN_36I	No dent. vis. - language problem	discrete	numeric-1.0	1994	59713	-
433	DEN_36J	No dent. vis. - cost	discrete	numeric-1.0	1994	59713	-
434	DEN_36K	No dent. vis. - didn't know where to go	discrete	numeric-1.0	1994	59713	-
435	DEN_36L	No dent. vis. - fear	discrete	numeric-1.0	1994	59713	-
436	DEN_36M	No dent. vis. - wears dentures	discrete	numeric-1.0	1994	59713	-
437	DEN_36O	No dent. vis. - unable to leave house	discrete	numeric-1.0	1994	59713	-
438	DEN_36N	No dent. vis. - other	discrete	numeric-1.0	1994	59713	-
439	DOOH2	Module: OH2 - (F)	discrete	numeric-1.0	3486	58221	-
440	OH2_10	Freq. usually visits the dentist	discrete	numeric-1.0	3325	58382	-
441	OH2_11	Insurance for dental expenses	discrete	numeric-1.0	3295	58412	-
442	OH2_11A	Dental ins. - government-sponsored	discrete	numeric-1.0	1955	59752	-
443	OH2_11B	Type of plan - employer-sponsored	discrete	numeric-1.0	1955	59752	-
444	OH2_11C	Type of plan - private	discrete	numeric-1.0	1955	59752	-
445	OH2_12	Teeth removed by dentist - 12 mo	discrete	numeric-1.0	2108	59599	-
446	OH2_13	Teeth removed -decay/gum disease - 12 mo	discrete	numeric-1.0	285	61422	-
447	OH2_20	Has one or more of own teeth	discrete	numeric-1.0	3345	58362	-
448	OH2_21	Wears dentures	discrete	numeric-1.0	3344	58363	-
449	OH2_22	Mouth cond.- diff. speaking clearly	discrete	numeric-1.0	3344	58363	-
450	OH2_23	Cond. mouth - avoided conversat. - 12 mo	discrete	numeric-1.0	3347	58360	-
451	OH2_24	Mouth cond. -av. laughing/smiling -12 mo	discrete	numeric-1.0	3340	58367	-
452	OH2_25A	Had a toothache - past mo	discrete	numeric-1.0	3033	58674	-
453	OH2_25B	Teeth sensitive to hot/cold - past mo	discrete	numeric-1.0	3034	58673	-
454	OH2_25C	Had pain - jaw joints - past mo	discrete	numeric-1.0	3346	58361	-
455	OH2_25D	Had pain - mouth/face - past mo	discrete	numeric-1.0	3347	58360	-
456	OH2_25E	Had bleeding gums - past mo	discrete	numeric-1.0	3348	58359	-
457	OH2_25F	Had dry mouth - past mo	discrete	numeric-1.0	3340	58367	-
458	OH2_25G	Had bad breath - past mo	discrete	numeric-1.0	3202	58505	-
459	OH2_30	Frequency of brushing teeth	discrete	numeric-2.0	3025	58682	-
460	OH2FLIM	Ltd soc. due to oral hlth - 12 mo - (F)	discrete	numeric-1.0	3339	58368	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
461	OH2FOFP	Oral/facial pain - past mo - (F)	discrete	numeric-1.0	3272	58435	-
462	DOFDC	Module: FDC - (F)	discrete	numeric-1.0	19746	41961	-
463	FDC_1A	Chooses/avoids foods - weight concern	discrete	numeric-1.0	19132	42575	-
464	FDC_1B	Chooses/avoids foods - heart disease	discrete	numeric-1.0	19085	42622	-
465	FDC_1C	Chooses/avoids foods - cancer	discrete	numeric-1.0	19081	42626	-
466	FDC_1D	Chooses/avoids foods - osteoporosis	discrete	numeric-1.0	19053	42654	-
467	FDC_2A	Reason/choose foods - lower fat content	discrete	numeric-1.0	19084	42623	-
468	FDC_2B	Reason/choose foods - fibre content	discrete	numeric-1.0	19072	42635	-
469	FDC_2C	Reason/choose foods - calcium content	discrete	numeric-1.0	19056	42651	-
470	FDC_3A	Reason/avoid foods - fat content	discrete	numeric-1.0	19090	42617	-
471	FDC_3B	Reason/avoid foods - type of fat	discrete	numeric-1.0	19004	42703	-
472	FDC_3C	Reason/avoid foods - salt content	discrete	numeric-1.0	19090	42617	-
473	FDC_3D	Reason/avoid foods - cholesterol content	discrete	numeric-1.0	19044	42663	-
474	FDC_3E	Reason/avoid foods - calorie content	discrete	numeric-1.0	19076	42631	-
475	FDCFAVD	Avoids foods for content reasons - (F)	discrete	numeric-1.0	19087	42620	-
476	FDCFCAH	Chooses/avoids foods hlth concerns - (F)	discrete	numeric-1.0	19096	42611	-
477	FDCFCHO	Chooses foods for content reasons - (F)	discrete	numeric-1.0	19084	42623	-
478	FVCDJUI	Daily consumption - fruit juice - (D)	continuous	numeric-5.1	59292	2415	-
479	FVCDFRU	Daily consumption - fruit - (D)	continuous	numeric-5.1	59009	2698	-
480	FVCDLAL	Daily consumption - green salad - (D)	continuous	numeric-5.1	58877	2830	-
481	FVCDPOT	Daily consumption - potatoes - (D)	continuous	numeric-5.1	59060	2647	-
482	FVCDCAR	Daily consumption - carrots - (D)	continuous	numeric-5.1	58603	3104	-
483	FVCDVEG	Daily consumption other vegetables - (D)	continuous	numeric-5.1	58213	3494	-
484	FVCDTOT	Daily cons. - total fruits and veg. - (D)	continuous	numeric-5.1	56546	5161	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
485	FVCGTOT	Daily cons. total fruits/veg. - (D, G)	discrete	numeric-1.0	56546	5161	-
486	PAC_1A	Act./last 3 mo - walking	discrete	numeric-1.0	60239	1468	-
487	PAC_1B	Act./last 3 mo - gardening/yard work	discrete	numeric-1.0	60239	1468	-
488	PAC_1C	Act./last 3 mo - swimming	discrete	numeric-1.0	60239	1468	-
489	PAC_1D	Act./last 3 mo - bicycling	discrete	numeric-1.0	60239	1468	-
490	PAC_1E	Act./last 3 mo - popular/social dance	discrete	numeric-1.0	60239	1468	-
491	PAC_1F	Act./last 3 mo - home exercises	discrete	numeric-1.0	60239	1468	-
492	PAC_1G	Act./last 3 mo - ice hockey	discrete	numeric-1.0	60239	1468	-
493	PAC_1H	Act./last 3 mo - ice skating	discrete	numeric-1.0	60239	1468	-
494	PAC_1I	Act./last 3 mo - in-line skating/roll.	discrete	numeric-1.0	60239	1468	-
495	PAC_1J	Act./last 3 mo - jogging or running	discrete	numeric-1.0	60239	1468	-
496	PAC_1K	Act./last 3 mo - golfing	discrete	numeric-1.0	60239	1468	-
497	PAC_1L	Act./last 3 mo - exer. class/aerobics	discrete	numeric-1.0	60239	1468	-
498	PAC_1M	Act./last 3 mo - skiing/snowboarding	discrete	numeric-1.0	60239	1468	-
499	PAC_1N	Act./last 3 mo - bowling	discrete	numeric-1.0	60239	1468	-
500	PAC_1O	Act./last 3 mo - baseball or softball	discrete	numeric-1.0	60239	1468	-
501	PAC_1P	Act./last 3 mo - tennis	discrete	numeric-1.0	60239	1468	-
502	PAC_1Q	Act./last 3 mo - weight-training	discrete	numeric-1.0	60239	1468	-
503	PAC_1R	Act./last 3 mo - fishing	discrete	numeric-1.0	60239	1468	-
504	PAC_1S	Act./last 3 mo - volleyball	discrete	numeric-1.0	60239	1468	-
505	PAC_1T	Act./last 3 mo - basketball	discrete	numeric-1.0	60239	1468	-
506	PAC_1Z	Act./last 3 mo - Soccer	discrete	numeric-1.0	60239	1468	-
507	PAC_1U	Act./last 3 mo - Any other	discrete	numeric-1.0	60239	1468	-
508	PAC_1V	Act./last 3 mo - No physical activity	discrete	numeric-1.0	60239	1468	-
509	PAC_1W	Act./last 3 mo - other (#2)	discrete	numeric-1.0	8500	53207	-
510	PAC_1X	Act./last 3 mo - other (#3)	discrete	numeric-1.0	1605	60102	-
511	PAC_2A	No. of times - walking for exercise	continuous	numeric-3.0	43431	18276	-
512	PAC_3A	Time spent - walking for exercise	discrete	numeric-1.0	43253	18454	-
513	PAC_2B	No. of times - gardening/yard work	continuous	numeric-3.0	30155	31552	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
514	PAC_3B	Time spent - gardening/yard work	discrete	numeric-1.0	30013	31694	-
515	PAC_2C	No. of times - swimming	continuous	numeric-3.0	13759	47948	-
516	PAC_3C	Time spent - swimming	discrete	numeric-1.0	13717	47990	-
517	PAC_2D	No. of times - bicycling	continuous	numeric-3.0	12728	48979	-
518	PAC_3D	Time spent - bicycling	discrete	numeric-1.0	12691	49016	-
519	PAC_2E	No. of times - popular/social dance	continuous	numeric-3.0	9925	51782	-
520	PAC_3E	Time spent - popular/social dance	discrete	numeric-1.0	9872	51835	-
521	PAC_2F	No. of times - home exercises	continuous	numeric-3.0	22367	39340	-
522	PAC_3F	Time spent - home exercises	discrete	numeric-1.0	22312	39395	-
523	PACG2G	No. of times - ice hockey - (G)	continuous	numeric-4.0	2929	58778	-
524	PAC_3G	Time spent - ice hockey	discrete	numeric-1.0	2927	58780	-
525	PAC_2H	No. of times - ice skating	continuous	numeric-3.0	3843	57864	-
526	PAC_3H	Time spent - ice skating	discrete	numeric-1.0	3839	57868	-
527	PAC_2I	No. of times - in-line skating/roller b.	continuous	numeric-3.0	1680	60027	-
528	PAC_3I	Time spent - in-line skating/roller b.	discrete	numeric-1.0	1673	60034	-
529	PAC_2J	No. of times - jogging or running	continuous	numeric-3.0	12203	49504	-
530	PAC_3J	Time spent - jogging or running	discrete	numeric-1.0	12178	49529	-
531	PAC_2K	No. of times - golfing	continuous	numeric-3.0	5752	55955	-
532	PAC_3K	Time spent - golfing	discrete	numeric-1.0	5749	55958	-
533	PAC_2L	No. of times- exercise class/aerobics	continuous	numeric-3.0	7015	54692	-
534	PAC_3L	Time spent - exercise class/aerobics	discrete	numeric-1.0	7007	54700	-
535	PAC_2M	No. of times - skiing/snowboarding	continuous	numeric-3.0	2373	59334	-
536	PAC_3M	Time spent - skiing/snowboarding	discrete	numeric-1.0	2371	59336	-
537	PAC_2N	No. of times - bowling	continuous	numeric-3.0	5526	56181	-
538	PAC_3N	Time spent - bowling	discrete	numeric-1.0	5521	56186	-
539	PAC_2O	No. of times - baseball/softball	continuous	numeric-3.0	2924	58783	-
540	PAC_3O	Time spent - baseball/softball	discrete	numeric-1.0	2924	58783	-
541	PAC_2P	No. of times - tennis	continuous	numeric-3.0	2028	59679	-
542	PAC_3P	Time spent - tennis	discrete	numeric-1.0	2027	59680	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
543	PAC_2Q	No. of times - weight-training	continuous	numeric-3.0	9842	51865	-
544	PAC_3Q	Time spent - weight-training	discrete	numeric-1.0	9822	51885	-
545	PAC_2R	No. of times - fishing	continuous	numeric-3.0	7406	54301	-
546	PAC_3R	Time spent - fishing	discrete	numeric-1.0	7399	54308	-
547	PAC_2S	No. of times - volleyball	continuous	numeric-3.0	3367	58340	-
548	PAC_3S	Time spent - volleyball	discrete	numeric-1.0	3360	58347	-
549	PAC_2T	No. of times - basketball	continuous	numeric-3.0	3869	57838	-
550	PAC_3T	Time spent - basketball	discrete	numeric-1.0	3860	57847	-
551	PAC_2Z	No. of times - soccer	continuous	numeric-3.0	4585	57122	-
552	PAC_3Z	Time spent - soccer	discrete	numeric-1.0	4578	57129	-
553	PAC_2U	No. of times - other activity (#1)	continuous	numeric-3.0	8444	53263	-
554	PAC_3U	Time spent - other activity (#1)	discrete	numeric-1.0	8432	53275	-
555	PAC_2W	No. of times - other activity (#2)	continuous	numeric-3.0	1595	60112	-
556	PAC_3W	Time spent - other activity (#2)	discrete	numeric-1.0	1589	60118	-
557	PAC_2X	No. of times - other activity (#3)	continuous	numeric-3.0	317	61390	-
558	PAC_3X	Time spent - other activity (#3)	discrete	numeric-1.0	317	61390	-
559	PAC_7	No. of times/3 mo./walking work/school	discrete	numeric-1.0	60194	1513	-
560	PAC_7A	No. of times/3 mo./walking work/school	continuous	numeric-3.0	8509	53198	-
561	PAC_7B	Time spent - walking to go work/school	discrete	numeric-1.0	8495	53212	-
562	PAC_8	No. of times/3 mo./bicycl. work/school	discrete	numeric-1.0	60210	1497	-
563	PAC_8A	No. of times/3 mo./bicycl. work/school	continuous	numeric-3.0	1765	59942	-
564	PAC_8B	Time spent - bicycl. to go work/school	discrete	numeric-1.0	1762	59945	-
565	PACDEE	Daily energy expenditure - (D)	continuous	numeric-4.1	60226	1481	-
566	PACFLEI	Participant - leisure phys. activity-(F)	discrete	numeric-1.0	60239	1468	-
567	PACDFM	Monthly freq./phys. act. >15 min. - (D)	continuous	numeric-3.0	60226	1481	-
568	PACDFR	Freq. of all physical activity - (D)	discrete	numeric-1.0	60226	1481	-
569	PACFD	Partic. daily phys. act. > 15 min. - (F)	discrete	numeric-1.0	60226	1481	-
570	PACDPAI	Physical activity index - (D)	discrete	numeric-1.0	60239	1468	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
571	PACDLTI	Leisure and transp. phys. activity index	discrete	numeric-1.0	59816	1891	-
572	PACDTLE	Dai. ener. expen. - Tran. and leis. act.	continuous	numeric-4.1	59803	1904	-
573	PACFLTI	Particip. - Leis. or trans. phys. activ.	discrete	numeric-1.0	60238	1469	-
574	DOSCP	Module: SCP - (F)	discrete	numeric-1.0	61707	0	-
575	SCP_01	level of physical activity/ every week	discrete	numeric-1.0	22318	39389	-
576	SCP_02	increase of physical activity level	discrete	numeric-1.0	14044	47663	-
577	SCP_03	increase of physical activity level	discrete	numeric-1.0	8073	53634	-
578	SCP_04	increase of physical activity level	discrete	numeric-1.0	3378	58329	-
579	SCPDSTG	Stages of changes - physical activity	discrete	numeric-1.0	21999	39708	-
580	DOSAC	Module: Sedentary activities	discrete	numeric-1.0	61707	0	-
581	SACG1	No. of hrs.-on a computer -past3mo(G)	discrete	numeric-2.0	59947	1760	-
582	SACG2	No. of hrs.-play video games -past3mo(G)	discrete	numeric-2.0	59871	1836	-
583	SACG3	No. of hrs.-watch tv/videos -past3mo(G)	discrete	numeric-2.0	59399	2308	-
584	SACG4	No. of hrs.-read -past3mo(G)	discrete	numeric-2.0	59182	2525	-
585	SACDTOT	Tot. hrs. -seden. activit. - 3 mo - (D)	discrete	numeric-2.0	58735	2972	-
586	SACDTER	No. hrs / wk. (exc. read.) - seden. act.	discrete	numeric-2.0	59331	2376	-
587	DOUPE	Module: UPE - (F)	discrete	numeric-1.0	29425	32282	-
588	UPE_01A	Done any bicycling in past 12 months	discrete	numeric-1.0	22403	39304	-
589	UPE_01	Freq. - helmet - bicycling	discrete	numeric-1.0	9705	52002	-
590	UPE_02	Freq. - helmet - in-line skating	discrete	numeric-1.0	27882	33825	-
591	UPE_02A	Freq. - wrist guards - in-line skating	discrete	numeric-1.0	1602	60105	-
592	UPE_02B	Freq. - elbow pads - in-line skating	discrete	numeric-1.0	1601	60106	-
593	UPE_02C	Wear knee pads	discrete	numeric-1.0	1601	60106	-
594	UPE_02D	Wear knee pads	discrete	numeric-1.0	1601	60106	-
595	UPE_03A	Downhill skiing/snowboarding - 3 mo	discrete	numeric-1.0	1035	60672	-
596	UPE_03B	Downhill skiing/snowboarding - 12 mo	discrete	numeric-1.0	27619	34088	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
597	UPE_04A	Freq. - helmet - downhill skiing	discrete	numeric-1.0	1859	59848	-
598	UPE_05A	Freq. - helmet - snowboarding	discrete	numeric-1.0	1065	60642	-
599	UPE_05B	Freq. - wrist guards - snowboarding	discrete	numeric-1.0	1066	60641	-
600	UPE_06	Freq. - helmet - skateboarding	discrete	numeric-1.0	3224	58483	-
601	UPE_06A	Freq. - wrist guards - skateboarding	discrete	numeric-1.0	492	61215	-
602	UPE_06B	Freq. - elbow pads - skateboarding	discrete	numeric-1.0	492	61215	-
603	UPE_06C	Freq. - elbow pads - skateboarding	discrete	numeric-1.0	492	61215	-
604	UPE_07	Wear a mouth guard	discrete	numeric-1.0	27190	34517	-
605	UPE_07A	Wear a mouth guard	discrete	numeric-1.0	2257	59450	-
606	UPEFILS	Wears all prot. equip. - in-line skating	discrete	numeric-1.0	1601	60106	-
607	UPEFSKB	Wears all prot. equip. - skateb. - (F)	discrete	numeric-1.0	492	61215	-
608	UPEFSNB	Wears all prot. equip. - snowb.- (F)	discrete	numeric-1.0	1066	60641	-
609	DOSSB	Module: SSB - (F)	discrete	numeric-1.0	2457	59250	-
610	SSB_01	Been sunburnt - past 12 months	discrete	numeric-1.0	2396	59311	-
611	SSB_02	Sunburn involved blistering	discrete	numeric-1.0	789	60918	-
612	SSB_03	Sunburns involved pain - more than 1 day	discrete	numeric-1.0	791	60916	-
613	SSB_06	Amount time in the sun - 11 am to 4 pm	discrete	numeric-2.0	2380	59327	-
614	SSB_07	Frequency - seek shade	discrete	numeric-1.0	1776	59931	-
615	SSB_08	Frequency - wear hat in the sun	discrete	numeric-1.0	1779	59928	-
616	SSB_09A	Frequency - wear long pants or skirt	discrete	numeric-1.0	1779	59928	-
617	SSB_09B	Frequency - use sunscreen on your face	discrete	numeric-1.0	1780	59927	-
618	SSB_10	SPF use - face	discrete	numeric-1.0	1042	60665	-
619	SSB_11	Frequency - use sunscreen on your body	discrete	numeric-1.0	1779	59928	-
620	SSB_12	SPF use - body	discrete	numeric-1.0	945	60762	-
621	DOINJ	Module: INJ - (F)	discrete	numeric-1.0	5520	56187	-
622	REP_1A	Repetitive strain injury	discrete	numeric-1.0	5494	56213	-
623	REP_2	Limit your normal activities	discrete	numeric-1.0	793	60914	-
624	REPG3	Rep. strain - body part affected - (G)	discrete	numeric-2.0	431	61276	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
625	REP_3A	Rep. strain-activity causing injury	discrete	numeric-1.0	428	61279	-
626	REP_4	Rep. strain - working at a job/business	discrete	numeric-1.0	377	61330	-
627	REP_5A	Activity - Walking	discrete	numeric-1.0	377	61330	-
628	REP_5B	Activity - Sports	discrete	numeric-1.0	377	61330	-
629	REP_5C	Activity - Leisure	discrete	numeric-1.0	377	61330	-
630	REP_5D	Activity - Household chores	discrete	numeric-1.0	377	61330	-
631	REP_5F	Activity - Computer	discrete	numeric-1.0	377	61330	-
632	REP_5G	Activity - Driving a motor vehicle	discrete	numeric-1.0	377	61330	-
633	REP_5H	Activity - Lifting or carrying	discrete	numeric-1.0	377	61330	-
634	REP_5I	Activity - Other	discrete	numeric-1.0	377	61330	-
635	INJ_01	Injured in past 12 mo	discrete	numeric-1.0	5507	56200	-
636	INJG02	No. of injuries in past 12 mo - (G)	discrete	numeric-1.0	1007	60700	-
637	INJG05	Most serious injury - type - (G)	discrete	numeric-2.0	996	60711	-
638	INJG06	Most serious inj. - body part aff. - (G)	discrete	numeric-2.0	967	60740	-
639	INJG08	Most serious injury - place - (G)	discrete	numeric-2.0	1001	60706	-
640	INJG092	Most serious inj.- activity when inj.(G)	discrete	numeric-2.0	994	60713	-
641	INW_01	Injury occurred in current job	discrete	numeric-1.0	149	61558	-
642	INWGSOC	Occup. group (SOC) where inj. occ. - (G)	discrete	numeric-1.0	137	61570	-
643	INJ_10	Most serious injury - result of a fall	discrete	numeric-1.0	1004	60703	-
644	INJG11A	How did you fall - (G)	discrete	numeric-2.0	414	61293	-
645	INJ_13	Most serious inj. - rec'd treat./48 hrs.	discrete	numeric-1.0	1002	60705	-
646	INJ_14A	Receive treatment in the 48 hours	discrete	numeric-1.0	545	61162	-
647	INJ_14B	Receive treatment in the 48 hours	discrete	numeric-1.0	545	61162	-
648	INJG14C	Most serious inj.- treated in clinic (G)	discrete	numeric-1.0	545	61162	-
649	INJG14J2	Most ser.inj.-physio/mass/chiro/other(G)	discrete	numeric-1.0	545	61162	-
650	INJ_14O	Receive treatment in the 48 hours	discrete	numeric-1.0	545	61162	-
651	INJ_15	Follow-up care because of injury	discrete	numeric-1.0	546	61161	-
652	INJ_15A	Follow-up care because of injury	discrete	numeric-1.0	1005	60702	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
653	INJ_16	Other injuries - treated / not limiting	discrete	numeric-1.0	5483	56224	-
654	INJG17	Other injuries - number - (G)	discrete	numeric-1.0	304	61403	-
655	INJCAU	Cause of injury - (D,G)	discrete	numeric-2.0	989	60718	-
656	INJDSTT	Injury Status - (D)	discrete	numeric-1.0	5483	56224	-
657	DOSWL	Module: SWL - (F)	discrete	numeric-1.0	13037	48670	-
658	SWL_02	Satisfaction - job	discrete	numeric-1.0	12574	49133	-
659	SWL_03	Satisfaction - leisure activities	discrete	numeric-1.0	12594	49113	-
660	SWL_04	Satisfaction - financial situation	discrete	numeric-1.0	12531	49176	-
661	SWL_05	Satisfaction - with self	discrete	numeric-1.0	12592	49115	-
662	SWL_06	Satisfaction - way body looks	discrete	numeric-1.0	12563	49144	-
663	SWL_07	Satisfaction - relationship with family	discrete	numeric-1.0	12587	49120	-
664	SWL_08	Satisfaction - relationship with friends	discrete	numeric-1.0	12618	49089	-
665	SWL_09	Satisfaction - housing	discrete	numeric-1.0	12647	49060	-
666	SWL_10	Satisfaction - neighbourhood	discrete	numeric-1.0	12600	49107	-
667	DOCST	Optional module: CST - (F)	discrete	numeric-1.0	7517	54190	-
668	CST_1	Spent 2 weeks or more in the hospital	discrete	numeric-1.0	6678	55029	-
669	CST_2	Parents divorced	discrete	numeric-1.0	6738	54969	-
670	CST_3	Parents unemployed for a long time	discrete	numeric-1.0	6660	55047	-
671	CST_4	Something happened that scared you	discrete	numeric-1.0	6695	55012	-
672	CST_5	Sent away from home - something wrong	discrete	numeric-1.0	6732	54975	-
673	CST_6	Family prob./parents abusing alc./drugs	discrete	numeric-1.0	6721	54986	-
674	CST_7	Physically abused - someone close to you	discrete	numeric-1.0	6707	55000	-
675	DOSFE	Module: SFE - (F)	discrete	numeric-1.0	11573	50134	-
676	SFE_501	Self-esteem - has good qualities	discrete	numeric-1.0	11227	50480	-
677	SFE_502	Self-esteem - is person of worth	discrete	numeric-1.0	11225	50482	-
678	SFE_503	Self-esteem - is able to do things well	discrete	numeric-1.0	11216	50491	-
679	SFE_504	Self-esteem - takes positive attitude	discrete	numeric-1.0	11232	50475	-
680	SFE_505	Self-esteem - satisfied with self	discrete	numeric-1.0	11241	50466	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
681	SFE_506	Self-esteem - feels is a failure	discrete	numeric-1.0	11214	50493	-
682	SFEDE1	Self-esteem scale - (D)	discrete	numeric-2.0	11084	50623	-
683	DOMAS	Module: MAS - (F)	discrete	numeric-1.0	2457	59250	-
684	MAS_601	Mastery - lack of control	discrete	numeric-1.0	2339	59368	-
685	MAS_602	Mastery - cannot solve problems	discrete	numeric-1.0	2344	59363	-
686	MAS_603	Mastery - cannot change things	discrete	numeric-1.0	2349	59358	-
687	MAS_604	Mastery - helpless	discrete	numeric-1.0	2364	59343	-
688	MAS_605	Mastery - pushed around	discrete	numeric-1.0	2375	59332	-
689	MAS_606	Mastery - fate depends upon self	discrete	numeric-1.0	2362	59345	-
690	MAS_607	Mastery - can do anything	discrete	numeric-1.0	2377	59330	-
691	MASDM1	Mastery scale - (D)	continuous	numeric-2.0	2255	59452	-
692	SMK_01A	Smoked 100 or more cigarettes - life	discrete	numeric-1.0	61537	170	-
693	SMK_01B	Ever smoked whole cigarette	discrete	numeric-1.0	31635	30072	-
694	SMKG01C	Age - smoked first whole cigarette - (G)	discrete	numeric-2.0	36799	24908	-
695	SMK_202	Type of smoker	discrete	numeric-1.0	61406	301	-
696	SMKG203	Age start smok daily (daily smoker)-(G)	discrete	numeric-2.0	9345	52362	-
697	SMK_204	No. of cig. smoked/day (daily smoker)	continuous	numeric-3.0	9474	52233	-
698	SMK_05B	No. of cig. per day (occasional smoker)	discrete	numeric-3.0	2507	59200	-
699	SMK_05C	No. of days-1 cig. or more (occ. smoker)	continuous	numeric-2.0	2460	59247	-
700	SMK_05D	Ever smoked cigarettes daily	discrete	numeric-1.0	20206	41501	-
701	SMK_06A	Stopped smoking-when (never daily smok.)	discrete	numeric-1.0	1555	60152	-
702	SMKG06C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	1327	60380	-
703	SMKG207	Age - started smoking daily - (G)	discrete	numeric-2.0	17618	44089	-
704	SMK_208	No. of cig. smoked/day (former daily)	continuous	numeric-3.0	17333	44374	-
705	SMK_09A	Stopped smoking daily - when	discrete	numeric-1.0	18026	43681	-
706	SMKG09C	Years since stopped smoking daily - (G)	discrete	numeric-1.0	15029	46678	-
707	SMK_10	Quit smoking completely	discrete	numeric-1.0	16481	45226	-
708	SMK_10A	Stopped smoking completely - when	discrete	numeric-1.0	444	61263	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
709	SMKG10C	No. of years since stopped smoking - (G)	discrete	numeric-1.0	275	61432	-
710	SMKDSTY	Type of smoker - (D)	discrete	numeric-2.0	61232	475	-
711	SMKGSTP	No. of years stop smoking compl. (D,G)	discrete	numeric-1.0	17851	43856	-
712	SMKDYCS	Number of years smoked - (D)	continuous	numeric-3.0	9345	52362	-
713	DOSCH	Module: SCH - (F)	discrete	numeric-1.0	19090	42617	-
714	SCH_1	Quitting smoking - next 6 mo	discrete	numeric-1.0	3540	58167	-
715	SCH_2	Quitting smoking - next 30 days	discrete	numeric-1.0	2053	59654	-
716	SCH_3	Stopped smok. for at least 24 hrs -12 mo	discrete	numeric-1.0	3617	58090	-
717	SCH_4	No.times stop.for at least 24 hrs -12 mo	continuous	numeric-2.0	1560	60147	-
718	SCHDSTG	Smoking stage of change - (D)	discrete	numeric-1.0	9307	52400	-
719	DOSCA	Module: SCA - (F)	discrete	numeric-1.0	9751	51956	-
720	SCA_10	Usefulness of nicotine patch	discrete	numeric-1.0	133	61574	-
721	SCA_10A	Usefulness of nicotine patch	discrete	numeric-1.0	36	61671	-
722	SCA_11	Usefulness of nicotine gum/candy	discrete	numeric-1.0	133	61574	-
723	SCA_11A	Usefulness of nicotine gum/candy	discrete	numeric-1.0	18	61689	-
724	SCA_12	Usefulness of medication such as Zyban	discrete	numeric-1.0	133	61574	-
725	SCA_12A	Usefulness of medication such as Zyban	discrete	numeric-1.0	25	61682	-
726	SCA_50	Stopped smoking for at least 24 hrs.	discrete	numeric-1.0	1568	60139	-
727	SCA_60	Tried quit smoking - nicotine patch	discrete	numeric-1.0	776	60931	-
728	SCA_61	Tried quit smo. -nicot. gum/candy -12 mo	discrete	numeric-1.0	776	60931	-
729	SCA_62	Tried quit smoking - Zyban	discrete	numeric-1.0	775	60932	-
730	SCADQUI	Attempted to stop smoking - (D)	discrete	numeric-1.0	4577	57130	-
731	DOSPC	Module: SPC - (F)	discrete	numeric-1.0	8400	53307	-
732	SPC_10	Visited regular medical doctor	discrete	numeric-1.0	1148	60559	-
733	SPC_11	Doctor - knows smokes/smoked	discrete	numeric-1.0	939	60768	-
734	SPC_12	Doctor - advised to quit	discrete	numeric-1.0	857	60850	-
735	SPC_13	Doctor - gave specific help	discrete	numeric-1.0	854	60853	-
736	SPC_14A	Type help - referral to one-on-one prog.	discrete	numeric-1.0	399	61308	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
737	SPC_14B	Type help - referral to group prog.	discrete	numeric-1.0	399	61308	-
738	SPC_14C	Type help - recommended nicotine patch	discrete	numeric-1.0	399	61308	-
739	SPC_14D	Type help - recommended Zyban/other med.	discrete	numeric-1.0	399	61308	-
740	SPC_14E	Type help - provided self-help info.	discrete	numeric-1.0	399	61308	-
741	SPC_14F	Type help - doctor offered couns.	discrete	numeric-1.0	399	61308	-
742	SPC_14G	Type help - other	discrete	numeric-1.0	399	61308	-
743	SPC_20	Visited dentist	discrete	numeric-1.0	725	60982	-
744	SPC_21	Dentist/hygienist - knows smokes/smoked	discrete	numeric-1.0	682	61025	-
745	SPC_22	Dentist/hygienist - advised to quit	discrete	numeric-1.0	557	61150	-
746	DOYSM	Optional module: YSM - (F)	discrete	numeric-1.0	3592	58115	-
747	YSMG1	Source of cigarettes - (G)	discrete	numeric-1.0	44	61663	-
748	YSM_2	Bought cigarettes for self/others	discrete	numeric-1.0	11	61696	-
749	YSM_3	Age asked when buying cig. in store	discrete	numeric-1.0	33	61674	-
750	YSM_4	Someone refused to sell cigarettes	discrete	numeric-1.0	34	61673	-
751	YSM_5	Asked a stranger to buy cigarettes	discrete	numeric-1.0	44	61663	-
752	ETS_10	Someone smokes inside home	discrete	numeric-1.0	57347	4360	-
753	ETSG11	No. of people who smoke inside home -(G)	discrete	numeric-1.0	4902	56805	-
754	ETS_20	Exposed to 2nd-hand smoke - private veh.	discrete	numeric-1.0	49105	12602	-
755	ETS_20B	Exposed to 2nd-hand smoke -public places	discrete	numeric-1.0	49071	12636	-
756	ETS_35	Smoking allowed - House	discrete	numeric-1.0	56161	5546	-
757	ETS_36	Smoking restrictions	discrete	numeric-1.0	10672	51035	-
758	ETS_37A	Type of restrictions -certain rooms only	discrete	numeric-1.0	3892	57815	-
759	ETS_37B	Type of restrictions - young children	discrete	numeric-1.0	3892	57815	-
760	ETS_37C	Type of restrictions - windows open	discrete	numeric-1.0	3892	57815	-
761	ETS_37D	Type of restrictions - Other	discrete	numeric-1.0	3892	57815	-
762	DOTAL	Module: TAL - (F)	discrete	numeric-1.0	26777	34930	-
763	TAL_1	Smoked cigars - last month	discrete	numeric-1.0	26419	35288	-
764	TAL_2	Smoked a pipe - last month	discrete	numeric-1.0	26414	35293	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
765	TAL_3	Used snuff - last month	discrete	numeric-1.0	26412	35295	-
766	TAL_4	Used chewing tobacco - last month	discrete	numeric-1.0	26413	35294	-
767	ALC_1	Drank alcohol - past 12 months	discrete	numeric-1.0	60904	803	-
768	ALC_2	Frequency of drinking alcohol	discrete	numeric-2.0	45487	16220	-
769	ALC_3	Frequency of having 5 or more drinks	discrete	numeric-2.0	45384	16323	-
770	ALCDTMT	Type of drinker (12 months)	discrete	numeric-1.0	60625	1082	-
771	DOALW	Module: ALW - (F)	discrete	numeric-1.0	41673	20034	-
772	ALW_1	Drank alcohol in past week	discrete	numeric-1.0	31013	30694	-
773	ALW_2A1	No. of drinks - Sunday	continuous	numeric-3.0	19602	42105	-
774	ALW_2A2	No. of drinks - Monday	continuous	numeric-3.0	19532	42175	-
775	ALW_2A3	No. of drinks - Tuesday	continuous	numeric-3.0	19450	42257	-
776	ALW_2A4	No. of drinks - Wednesday	continuous	numeric-3.0	19328	42379	-
777	ALW_2A5	No. of drinks - Thursday	discrete	numeric-3.0	19190	42517	-
778	ALW_2A6	No. of drinks - Friday	continuous	numeric-3.0	19027	42680	-
779	ALW_2A7	No. of drinks - Saturday	continuous	numeric-3.0	18937	42770	-
780	ALWDWKY	Weekly consumption	continuous	numeric-3.0	29965	31742	-
781	ALWDDLY	Average daily alcohol consumption	discrete	numeric-3.0	29965	31742	-
782	DODRV	Module: DRV - (F)	discrete	numeric-1.0	9889	51818	-
783	DRV_01A	Drove a motor vehicle	discrete	numeric-1.0	9661	52046	-
784	DRV_01B	Drove a motorcycle	discrete	numeric-1.0	9659	52048	-
785	DRV_02	Freq. - seat belt when driving	discrete	numeric-1.0	8154	53553	-
786	DRV_03A	Use of a cell phone while driving	discrete	numeric-1.0	8142	53565	-
787	DRV_03B	Use of a hands-free while driving	discrete	numeric-1.0	8135	53572	-
788	DRV_04	Freq. - tired when driving	discrete	numeric-1.0	8117	53590	-
789	DRV_05	Driving speed compared to others	discrete	numeric-1.0	8056	53651	-
790	DRV_06	Driving aggression compared to others	discrete	numeric-1.0	7984	53723	-
791	DRV_07	No. of times - drove after 2+ drinks	discrete	numeric-1.0	6499	55208	-
792	DRV_07A	No. of times - drove after 2+ drinks	discrete	numeric-2.0	426	61281	-
793	DRV_08A	Freq. - seat belt - front seat pass.	discrete	numeric-1.0	9648	52059	-
794	DRV_08B	Freq. - seat belt - back seat pass.	discrete	numeric-1.0	9632	52075	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
795	DRV_09	Freq. - seat belt - in taxi	discrete	numeric-1.0	9573	52134	-
796	DRV_10	No. times - pass./driver after 2+ drinks	discrete	numeric-1.0	9579	52128	-
797	DRV_10A	No. times - pass./driver after 2+ drinks	discrete	numeric-2.0	931	60776	-
798	DRV_11A	Driver/pass. - snowmobile/motor boat	discrete	numeric-1.0	9645	52062	-
799	DRV_11B	Driver/pass. - ATV	discrete	numeric-1.0	9638	52069	-
800	DRV_12	Freq. - wears helmet - ATV	discrete	numeric-1.0	2104	59603	-
801	DRV_13	No. times - With driver 2+ drinks - ATV	discrete	numeric-1.0	3249	58458	-
802	DRV_13A	No. times - With driver 2+ drinks - ATV	discrete	numeric-2.0	200	61507	-
803	DRV_14	No. times - drove snow./ATV aft. 2+ drks	discrete	numeric-1.0	2645	59062	-
804	DRV_14A	No. times - drove snow./ATV aft. 2+ drks	discrete	numeric-2.0	128	61579	-
805	DRVFSBU	Passenger seat belt use - motor vehicle	discrete	numeric-1.0	9567	52140	-
806	DOMEX	Module flag: MEX - (F)	discrete	numeric-1.0	61707	0	-
807	MEX_01	Year of birth of last baby	discrete	numeric-1.0	14811	46896	-
808	MEX_02	Took folic acid - before last pregnancy	discrete	numeric-1.0	3102	58605	-
809	MEX_03	Breastfed/tried breastfeed/last child	discrete	numeric-1.0	3124	58583	-
810	MEXG04	Reason did not breastfeed - (G)	discrete	numeric-2.0	341	61366	-
811	MEX_05	Still breastfeeding last child	discrete	numeric-1.0	2779	58928	-
812	MEX_06	Other liquids / baby's feeds	discrete	numeric-2.0	2269	59438	-
813	MEX_06A	Other liquids / baby's feeds	discrete	numeric-1.0	507	61200	-
814	MEX_06B	Age of last baby/other liquids	discrete	numeric-2.0	2551	59156	-
815	MEX_08A	Age of last baby/solid food	discrete	numeric-2.0	2712	58995	-
816	MEX_08B	Main reason/add other liquids,solid food	discrete	numeric-2.0	2646	59061	-
817	MEX_09	Give Vitamin D to the baby	discrete	numeric-1.0	2377	59330	-
818	MEX_09B	Frequency/giving the Vitamin D to baby	discrete	numeric-1.0	1882	59825	-
819	MEX_10	Main reason stopped breastfeeding	discrete	numeric-2.0	2247	59460	-
820	MEXDEBF2	Length of exclusive breastfeeding (D)	discrete	numeric-2.0	2932	58775	-
821	MEXFEB6	Exclus. breastfeed for at least 6 months	discrete	numeric-1.0	2932	58775	-
822	DOMXS	Module: MXS - (F)	discrete	numeric-1.0	13338	48369	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
823	MXS_01	Type of smoker - last pregnancy	discrete	numeric-1.0	411	61296	-
824	MXSG02	No. daily - last preg. (daily smk)	discrete	numeric-2.0	54	61653	-
825	MXSG03	No. daily - last preg. (occ. smk)	discrete	numeric-2.0	49	61658	-
826	MXS_04	Smoked while breastfeeding (occ. smoker)	discrete	numeric-1.0	339	61368	-
827	MXSG05	No. daily - breastfeeding (daily smk)	discrete	numeric-2.0	40	61667	-
828	MXSG06	No. daily - breastfeeding (occ. smk)	discrete	numeric-2.0	19	61688	-
829	MXS_07	2nd-hand smoke - during/after last preg.	discrete	numeric-1.0	412	61295	-
830	DOPMH	Module: PMH - (F)	discrete	numeric-1.0	61707	0	-
831	PMH_01	Felt happy -in the past	discrete	numeric-2.0	57534	4173	-
832	PMH_02	Felt interested in life	discrete	numeric-2.0	56901	4806	-
833	PMH_03	Felt satisfied with life	discrete	numeric-2.0	56938	4769	-
834	PMH_04	Felt something imp. contribute society	discrete	numeric-2.0	54901	6806	-
835	PMH_05	Felt belonged to a community	discrete	numeric-2.0	56215	5492	-
836	PMH_06	Felt society becoming a better place	discrete	numeric-2.0	51795	9912	-
837	PMH_07	Felt people are good	discrete	numeric-2.0	56035	5672	-
838	PMH_08	Felt way society works makes sense	discrete	numeric-2.0	53712	7995	-
839	PMH_09	Felt liked most part of personality	discrete	numeric-2.0	56147	5560	-
840	PMH_10	Felt good at managing responsibilities	discrete	numeric-2.0	56897	4810	-
841	PMH_11	Felt had trusting relationships	discrete	numeric-2.0	56792	4915	-
842	PMH_12	Felt exp. challenge be better person	discrete	numeric-2.0	55266	6441	-
843	PMH_13	Felt confident express own opinions	discrete	numeric-2.0	56640	5067	-
844	PMH_14	Felt life had a sense of direction	discrete	numeric-2.0	55777	5930	-
845	PMHDCLA	Positive Mental Health Classification	discrete	numeric-1.0	57534	4173	-
846	PMHDSCR	Positive Mental Health Continuous Score	continuous	numeric-2.0	45986	15721	-
847	DOIDG	Illicit drugs use - Inclusion Flag - (F)	discrete	numeric-1.0	24849	36858	-
848	IDGFLCA	Cannabis drug use/incl.1 time only - (F)	discrete	numeric-1.0	23468	38239	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
849	IDGFLCM	Cannabis drug use/excl.1 time only - (F)	discrete	numeric-1.0	23468	38239	-
850	IDGFYCM	Can.drg use/excl.1 time only -12 mo -(F)	discrete	numeric-1.0	23459	38248	-
851	IDGFLA	Illicit drg use/incl. 1 time cann. - (F)	discrete	numeric-1.0	23437	38270	-
852	IDGFLAC	Illicit drug use/excl.1 time cann. - (F)	discrete	numeric-1.0	23433	38274	-
853	IDGFYA	Illicit drg /incl.1 time can.-12 mo -(F)	discrete	numeric-1.0	23414	38293	-
854	IDGFYAC	Illi.drg use/excl.1 time can.-12 mo -(F)	discrete	numeric-1.0	23414	38293	-
855	IDGDINT	Illicit drug interference mean - 12 mo	continuous	numeric-4.1	1245	60462	-
856	IDGFINT	Illicit drug interference - 12 mo - (F)	discrete	numeric-1.0	1250	60457	-
857	DOSXB	Module: SXB - (F)	discrete	numeric-1.0	21257	40450	-
858	SXB_1	Ever had sexual intercourse	discrete	numeric-1.0	7242	54465	-
859	SXB_3	Had sexual intercourse - past 12 mo	discrete	numeric-1.0	6655	55052	-
860	SXB_07	Ever diagnosed with STD	discrete	numeric-1.0	6641	55066	-
861	SXB_7A	Condom use - last time	discrete	numeric-1.0	2568	59139	-
862	SXB_09	Important to avoid getting pregnant	discrete	numeric-1.0	646	61061	-
863	SXB_10	Important avoid getting partner pregnant	discrete	numeric-2.0	646	61061	-
864	SXB_11	Usually use birth control - past 12 mo	discrete	numeric-1.0	1299	60408	-
865	SXB_12A	Usual birth control method - condom	discrete	numeric-1.0	1054	60653	-
866	SXB_12B	Usual birth control method - the pill	discrete	numeric-1.0	1054	60653	-
867	SXB_12C	Usual birth control method - diaphragm	discrete	numeric-1.0	1054	60653	-
868	SXB_12D	Usual birth control method - spermicide	discrete	numeric-1.0	1054	60653	-
869	SXB_12F	Usual birth control method - injection	discrete	numeric-1.0	1054	60653	-
870	SXB_12E	Usual birth control method - other	discrete	numeric-1.0	1054	60653	-
871	SXB_13A	B.c. method used last time - condom	discrete	numeric-1.0	1038	60669	-
872	SXB_13B	B.c. method used last time - the pill	discrete	numeric-1.0	1038	60669	-
873	SXB_13C	B.c. method used last time - diaphragm	discrete	numeric-1.0	1038	60669	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
874	SXB_13D	B.c. method used last time - spermicide	discrete	numeric-1.0	1038	60669	-
875	SXB_13F	B.c. method used last time - injection	discrete	numeric-1.0	1038	60669	-
876	SXB_13G	Method used last time - nothing	discrete	numeric-1.0	1038	60669	-
877	SXB_13E	B.c. method used last time - other	discrete	numeric-1.0	1038	60669	-
878	DOSPS	Module: SPS - (F)	discrete	numeric-1.0	20513	41194	-
879	SPS_01	Relationships - people/help	discrete	numeric-1.0	19390	42317	-
880	SPS_02	Relationships - social activities	discrete	numeric-1.0	19249	42458	-
881	SPS_03	Relationship-emotional security/wellbein	discrete	numeric-1.0	19309	42398	-
882	SPS_04	Relationships-important decisions	discrete	numeric-1.0	19323	42384	-
883	SPS_05	Relationships - Competence and skill	discrete	numeric-1.0	19117	42590	-
884	SPS_06	Relationships-trustworthy person/advice	discrete	numeric-1.0	19303	42404	-
885	SPS_07	Relationships-share attitudes/beliefs	discrete	numeric-1.0	19203	42504	-
886	SPS_08	Relationships - strong emotional bond	discrete	numeric-1.0	19305	42402	-
887	SPS_09	Relationships-admire talents/abilities	discrete	numeric-1.0	18941	42766	-
888	SPS_10	Relationships - people/emergency	discrete	numeric-1.0	19327	42380	-
889	SPSDCON	Soc.Prov.Scale-	continuous	numeric-2.0	18466	43241	-
890	SPSDATT	Soc.Prov.Scale-Attachment	discrete	numeric-2.0	20067	41640	-
891	SPSDGUI	Soc.Prov.Scale-Guidance	discrete	numeric-2.0	19260	42447	-
892	SPSDALL	Soc.Prov.Scale-Reliable alliance	discrete	numeric-2.0	19327	42380	-
893	SPSDINT	Soc.Prov.Scale-Social integration	discrete	numeric-2.0	19090	42617	-
894	SPSDWOR	Soc.Prov.Scale-Reassurance of worth	discrete	numeric-2.0	18771	42936	-
895	DOSSA	Module: SSA - (F)	discrete	numeric-1.0	3592	58115	-
896	SSA_01	No. of close friends and relatives	continuous	numeric-3.0	3101	58606	-
897	SSA_02	Has someone to give help if confined bed	discrete	numeric-1.0	3022	58685	-
898	SSA_03	Has someone to listen	discrete	numeric-1.0	3011	58696	-
899	SSA_04	Has som. to receive advice about crisis	discrete	numeric-1.0	2999	58708	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
900	SSA_05	Has someone to take to doctor	discrete	numeric-1.0	3010	58697	-
901	SSA_06	Has someone who shows love and affection	discrete	numeric-1.0	3007	58700	-
902	SSA_07	Has someone to have a good time with	discrete	numeric-1.0	3006	58701	-
903	SSA_08	Has some. to receive info/help situation	discrete	numeric-1.0	2994	58713	-
904	SSA_09	Has someone to confide in	discrete	numeric-1.0	3006	58701	-
905	SSA_10	Has someone who gives hugs	discrete	numeric-1.0	3005	58702	-
906	SSA_11	Has someone to get together w/for relax.	discrete	numeric-1.0	3002	58705	-
907	SSA_12	Has someone to prepare meals	discrete	numeric-1.0	2982	58725	-
908	SSA_13	Has someone to give advice	discrete	numeric-1.0	2980	58727	-
909	SSA_14	Has someone to do things to get mind off	discrete	numeric-1.0	2992	58715	-
910	SSA_15	Has someone to help with daily chores	discrete	numeric-1.0	2993	58714	-
911	SSA_16	Has someone to share most priv. worries	discrete	numeric-1.0	2991	58716	-
912	SSA_17	Has someone to turn to for suggestions	discrete	numeric-1.0	2999	58708	-
913	SSA_18	Has someone to do something enjoyable	discrete	numeric-1.0	3002	58705	-
914	SSA_19	Has someone who understands problems	discrete	numeric-1.0	2986	58721	-
915	SSA_20	Has someone who loves/makes feel wanted	discrete	numeric-1.0	2989	58718	-
916	SSADTNG	Tangible social support - MOS - (D)	discrete	numeric-2.0	2959	58748	-
917	SSADAFF	Affection - MOS subscale - (D)	discrete	numeric-2.0	2972	58735	-
918	SSADSOC	Positive social interaction - MOS - (D)	discrete	numeric-2.0	2963	58744	-
919	SSADEMO	Emot./info. support - MOS subscale - (D)	continuous	numeric-2.0	2901	58806	-
920	DOSPR	Opt. module flag: SPV - (F)	discrete	numeric-1.0	5943	55764	-
921	SPV_1	Spirit. values-playing imp. role in life	discrete	numeric-1.0	5649	56058	-
922	SPV_2	Spirit. values-help find meaning to life	discrete	numeric-1.0	3802	57905	-
923	SPV_3	Spirit. values-strength everyday diff.	discrete	numeric-1.0	3776	57931	-
924	SPV_4	Spirit. values-understanding diff. life	discrete	numeric-1.0	3747	57960	-
925	SPVGRL	Religion - (G)	discrete	numeric-1.0	5465	56242	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
926	SPV_6	Freq. - attends religious serv./meetings	discrete	numeric-1.0	5450	56257	-
927	SPV_6B	Freq. engages religious act. On own	discrete	numeric-2.0	5416	56291	-
928	SPV_7	Self-perception - being religious	discrete	numeric-1.0	5323	56384	-
929	DOCMH	Module: CMH - (F)	discrete	numeric-1.0	61707	0	-
930	CMH_01K	Consulted mental health professional	discrete	numeric-1.0	58784	2923	-
931	CMHG01L	Cons. mental hlth prof. - no. times -(G)	discrete	numeric-2.0	7555	54152	-
932	CMH_1MA	Consulted mental hlth prof. - fam. doc.	discrete	numeric-1.0	7619	54088	-
933	CMH_1MB	Consulted men. hlth prof. - psychiatrist	discrete	numeric-1.0	7619	54088	-
934	CMH_1MC	Consulted men. hlth prof. - psychologist	discrete	numeric-1.0	7619	54088	-
935	CMH_1MD	Consulted mental hlth prof. - nurse	discrete	numeric-1.0	7619	54088	-
936	CMH_1ME	Consulted men. hlth prof.- social worker	discrete	numeric-1.0	7619	54088	-
937	CMH_1MF	Consulted mental hlth prof. - other	discrete	numeric-1.0	7619	54088	-
938	DODIS	Module: DIS - (F)	discrete	numeric-1.0	24849	36858	-
939	DIS_10A	Frequency/distress:tired out-past month	discrete	numeric-1.0	23301	38406	-
940	DIS_10B	Freq./distress: felt nervous - past mo	discrete	numeric-1.0	23222	38485	-
941	DIS_10C	Freq./distress:so nervous - past month	discrete	numeric-1.0	23186	38521	-
942	DIS_10D	Freq./distress: felt hopeless - past mo	discrete	numeric-1.0	23218	38489	-
943	DIS_10E	Freq./distress: felt restless - past mo	discrete	numeric-1.0	23193	38514	-
944	DIS_10F	Frequency/distress:could not sit still	discrete	numeric-1.0	23151	38556	-
945	DIS_10G	Freq./distress: sad,depressed - past mo	discrete	numeric-1.0	23212	38495	-
946	DIS_10H	Freq./d.:dep,nothing cheer up - past mo.	discrete	numeric-1.0	23176	38531	-
947	DIS_10I	Freq./distr: every. was effort - past mo	discrete	numeric-1.0	23127	38580	-
948	DIS_10J	Freq./distr.: felt worthless - past mo	discrete	numeric-1.0	23197	38510	-
949	DIS_10K	Freq. of distress feelings - past mo	discrete	numeric-1.0	23058	38649	-
950	DIS_10L	Freq. of distress feelings (more often)	discrete	numeric-1.0	2667	59040	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
951	DIS_10M	Freq. of distress feelings (less often)	discrete	numeric-1.0	2140	59567	-
952	DIS_10N	Freq./distr. feelings int. w/life-p.m.	discrete	numeric-1.0	18532	43175	-
953	DISDK6	Distress scale - K6 - past month - (D)	continuous	numeric-2.0	22842	38865	-
954	DISDCHR	Chronicity of distress/impair. scale (D)	discrete	numeric-2.0	23002	38705	-
955	DISDDSX	Distress scale - K10 - past month - (D)	continuous	numeric-2.0	22788	38919	-
956	DODEP	Module: DPS - (F)	discrete	numeric-1.0	16451	45256	-
957	DPS_02	Depressed >= 2 weeks - 12 mo	discrete	numeric-1.0	15840	45867	-
958	DPS_03	Dep. -length/time feelings lasted - 2 wk	discrete	numeric-1.0	2110	59597	-
959	DPS_04	Depressed - frequency - 2 wk	discrete	numeric-1.0	1290	60417	-
960	DPS_05	Dep.-lost interest in most things - 2 wk	discrete	numeric-1.0	1199	60508	-
961	DPS_06	Dep. - felt tired all of the time - 2 wk	discrete	numeric-1.0	1195	60512	-
962	DPS_07	Depressed - weight change - 2 wk	discrete	numeric-1.0	1178	60529	-
963	DPS_08A	Depressed -weight change (amount) - 2 wk	continuous	numeric-3.0	508	61199	-
964	DPS_08B	Depressed - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	508	61199	-
965	DPS_09	Depressed - trouble fall asleep - 2 wk	discrete	numeric-1.0	1169	60538	-
966	DPS_10	Depr. - fall asleep (freq.) - 2 wk	discrete	numeric-1.0	821	60886	-
967	DPS_11	Depressed - trouble concentrating - 2 wk	discrete	numeric-1.0	1151	60556	-
968	DPS_12	Depressed - felt down on self - 2 wk	discrete	numeric-1.0	1148	60559	-
969	DPS_13	Depr.- thought a lot about death - 2 wk	discrete	numeric-1.0	1141	60566	-
970	DPS_14	Depressed - number of weeks - 12 mo	continuous	numeric-2.0	1064	60643	-
971	DPS_15	Depressed - most recent month - 2 wk	discrete	numeric-2.0	968	60739	-
972	DPS_16	Loss int. - things give pleasure - 12 mo	discrete	numeric-1.0	14538	47169	-
973	DPS_17	Loss interest - freq. - 12 mo	discrete	numeric-1.0	1038	60669	-
974	DPS_18	Loss interest - freq. - 2 wk	discrete	numeric-1.0	470	61237	-
975	DPS_19	Loss int. -felt tired all the time -2 wk	discrete	numeric-1.0	349	61358	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
976	DPS_20	Loss interest - weight change - 2 wk	discrete	numeric-1.0	345	61362	-
977	DPS_21A	Loss interest - weight change (amount)	discrete	numeric-3.0	120	61587	-
978	DPS_21B	Loss int. - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	120	61587	-
979	DPS_22	Loss interest -trouble fall asleep -2 wk	discrete	numeric-1.0	345	61362	-
980	DPS_23	Loss int. -trouble to sleep (freq) -2 wk	discrete	numeric-1.0	215	61492	-
981	DPS_24	Loss int.- trouble concentrating - 2 wk	discrete	numeric-1.0	342	61365	-
982	DPS_25	Loss interest - felt down on self - 2 wk	discrete	numeric-1.0	340	61367	-
983	DPS_26	Loss int.- thought a lot/death - 2 wk	discrete	numeric-1.0	340	61367	-
984	DPS_27	Loss interest - nombre of weeks - 12 mo	continuous	numeric-2.0	301	61406	-
985	DPS_28	Loss interest - most recent month - 2 wk	discrete	numeric-2.0	278	61429	-
986	DPSDSF	Depr. scale - short form score - (D)	discrete	numeric-2.0	15646	46061	-
987	DPSDPP	Depr. scale - predicted prob. - (D)	continuous	numeric-4.2	15646	46061	-
988	DPSDWK	No. of weeks felt depressed - (D)	continuous	numeric-2.0	1328	60379	-
989	DPSDMT	Mth last felt depr.- 2 wks in a row -(D)	discrete	numeric-2.0	1215	60492	-
990	DOSUI	Module: SUI - (F)	discrete	numeric-1.0	10877	50830	-
991	SUI_1	Has considered suicide - lifetime	discrete	numeric-1.0	10023	51684	-
992	SUI_2	Has considered suicide - past 12 mo	discrete	numeric-1.0	966	60741	-
993	DOACC	Module: ACC - (F)	discrete	numeric-1.0	11739	49968	-
994	ACC_10	Required visit to medical specialist	discrete	numeric-1.0	10716	50991	-
995	ACC_11	Diff. getting specialist care	discrete	numeric-1.0	3707	58000	-
996	ACC_12A	Diff. - getting a referral	discrete	numeric-1.0	908	60799	-
997	ACC_12B	Diff. - getting an appointment	discrete	numeric-1.0	908	60799	-
998	ACC_12C	Diff. - no specialists in area	discrete	numeric-1.0	908	60799	-
999	ACC_12D	Diff. - waited too long for appointment	discrete	numeric-1.0	908	60799	-
1000	ACC_12E	Diff. - waited too long /see doc.	discrete	numeric-1.0	908	60799	-
1001	ACC_12F	Diff. - transportation	discrete	numeric-1.0	908	60799	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1002	ACC_12G	Diff. - language	discrete	numeric-1.0	908	60799	-
1003	ACC_12H	Diff. - cost	discrete	numeric-1.0	908	60799	-
1004	ACC_12I	Diff. - pers./family responsibilities	discrete	numeric-1.0	908	60799	-
1005	ACC_12J	Diff. - deterioration of health	discrete	numeric-1.0	908	60799	-
1006	ACC_12K	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	908	60799	-
1007	ACC_12L	Diff. - still waiting for visit	discrete	numeric-1.0	908	60799	-
1008	ACC_12M	Diff. - unable leave house/health	discrete	numeric-1.0	908	60799	-
1009	ACC_12N	Diff. - other	discrete	numeric-1.0	908	60799	-
1010	ACC_20	Required non-emergency surgery	discrete	numeric-1.0	10723	50984	-
1011	ACC_21	Diff. getting non-emerg. surg.	discrete	numeric-1.0	1013	60694	-
1012	ACC_22A	Diff. - getting an appointment	discrete	numeric-1.0	206	61501	-
1013	ACC_22B	Diff. - getting a diagnosis	discrete	numeric-1.0	206	61501	-
1014	ACC_22C	Diff. - wait too long/diag. test	discrete	numeric-1.0	206	61501	-
1015	ACC_22D	Diff. - waited too long/hosp. bed	discrete	numeric-1.0	206	61501	-
1016	ACC_22E	Diff. - waited too long/surgery	discrete	numeric-1.0	206	61501	-
1017	ACC_22F	Diff. - service not available/area	discrete	numeric-1.0	206	61501	-
1018	ACC_22G	Diff. - transportation	discrete	numeric-1.0	206	61501	-
1019	ACC_22H	Diff. - language	discrete	numeric-1.0	206	61501	-
1020	ACC_22I	Diff. - cost	discrete	numeric-1.0	206	61501	-
1021	ACC_22J	Diff. - pers./family responsibilities	discrete	numeric-1.0	206	61501	-
1022	ACC_22K	Diff. - deterioration of health	discrete	numeric-1.0	206	61501	-
1023	ACC_22L	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	206	61501	-
1024	ACC_22M	Diff. - still waiting for surgery	discrete	numeric-1.0	206	61501	-
1025	ACC_22N	Diff. - unable leave house/health	discrete	numeric-1.0	206	61501	-
1026	ACC_22O	Diff. - other	discrete	numeric-1.0	206	61501	-
1027	ACC_30	Required MRI, CT Scan, angiography	discrete	numeric-1.0	10694	51013	-
1028	ACC_31	Difficulties getting test	discrete	numeric-1.0	1710	59997	-
1029	ACC_32A	Diff. - getting a referral	discrete	numeric-1.0	289	61418	-
1030	ACC_32B	Diff. - getting an appointment	discrete	numeric-1.0	289	61418	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1031	ACC_32C	Diff. - waited too long for appt.	discrete	numeric-1.0	289	61418	-
1032	ACC_32D	Diff. - waited too long/get test	discrete	numeric-1.0	289	61418	-
1033	ACC_32E	Diff. - not available at time required	discrete	numeric-1.0	289	61418	-
1034	ACC_32F	Diff. - not available/area	discrete	numeric-1.0	289	61418	-
1035	ACC_32G	Diff. - transportation	discrete	numeric-1.0	289	61418	-
1036	ACC_32H	Diff. - language	discrete	numeric-1.0	289	61418	-
1037	ACC_32I	Diff. - cost	discrete	numeric-1.0	289	61418	-
1038	ACC_32J	Diff. - deterioration of health	discrete	numeric-1.0	289	61418	-
1039	ACC_32K	Diff. - did not know where to go	discrete	numeric-1.0	289	61418	-
1040	ACC_32L	Diff. - still waiting for test	discrete	numeric-1.0	289	61418	-
1041	ACC_32M	Diff. - unable leave house /health	discrete	numeric-1.0	289	61418	-
1042	ACC_32N	Diff. - other	discrete	numeric-1.0	289	61418	-
1043	ACC_40	Required health information	discrete	numeric-1.0	10678	51029	-
1044	ACC_40A	Contact/health info - doctor	discrete	numeric-1.0	5388	56319	-
1045	ACC_40B	Contact/health info - community hlth ctr	discrete	numeric-1.0	5388	56319	-
1046	ACC_40C	Contact/health info - walk-in clinic	discrete	numeric-1.0	5388	56319	-
1047	ACC_40D	Contact/health info - health line	discrete	numeric-1.0	5388	56319	-
1048	ACC_40E	Contact/health info - emergency room	discrete	numeric-1.0	5388	56319	-
1049	ACC_40F	Contact/health info - other hosp. serv.	discrete	numeric-1.0	5388	56319	-
1050	ACC_40G	Contact/health info - other	discrete	numeric-1.0	5388	56319	-
1051	ACC_41	Diff. getting health information	discrete	numeric-1.0	5385	56322	-
1052	ACC_42	Exp. diff. during regular hrs.	discrete	numeric-1.0	761	60946	-
1053	ACC_43A	Diff. - contact a physician/nurse	discrete	numeric-1.0	614	61093	-
1054	ACC_43B	Diff. - did not have a phone number	discrete	numeric-1.0	614	61093	-
1055	ACC_43C	Diff. - could not get through	discrete	numeric-1.0	614	61093	-
1056	ACC_43D	Diff. - waited too long to speak	discrete	numeric-1.0	614	61093	-
1057	ACC_43E	Diff. - inadequate information	discrete	numeric-1.0	614	61093	-
1058	ACC_43F	Diff. - language	discrete	numeric-1.0	614	61093	-
1059	ACC_43G	Diff. - did not know where to go/call	discrete	numeric-1.0	614	61093	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1060	ACC_43H	Diff. - unable to leave house/health	discrete	numeric-1.0	614	61093	-
1061	ACC_43I	Diff. - other	discrete	numeric-1.0	614	61093	-
1062	ACC_44	Exp. diff. during evening/weekends	discrete	numeric-1.0	756	60951	-
1063	ACC_45A	Diff. - contact a physician/nurse	discrete	numeric-1.0	221	61486	-
1064	ACC_45B	Diff. - did not have a phone number	discrete	numeric-1.0	221	61486	-
1065	ACC_45C	Diff. - could not get through	discrete	numeric-1.0	221	61486	-
1066	ACC_45D	Diff. - waited too long to speak	discrete	numeric-1.0	221	61486	-
1067	ACC_45E	Diff. - inadequate information	discrete	numeric-1.0	221	61486	-
1068	ACC_45F	Diff. - language	discrete	numeric-1.0	221	61486	-
1069	ACC_45G	Diff. - did not know where to go/call	discrete	numeric-1.0	221	61486	-
1070	ACC_45H	Diff. - unable to leave/health	discrete	numeric-1.0	221	61486	-
1071	ACC_45I	Diff. - other	discrete	numeric-1.0	221	61486	-
1072	ACC_46	Exp. diff. during middle of night	discrete	numeric-1.0	760	60947	-
1073	ACC_47A	Diff. - contact a physician/nurse	discrete	numeric-1.0	67	61640	-
1074	ACC_47B	Diff. - did not have a phone number	discrete	numeric-1.0	67	61640	-
1075	ACC_47C	Diff. - could not get through	discrete	numeric-1.0	67	61640	-
1076	ACC_47D	Diff. - waited too long/to speak	discrete	numeric-1.0	67	61640	-
1077	ACC_47E	Diff. - inadequate information	discrete	numeric-1.0	67	61640	-
1078	ACC_47F	Diff. - language	discrete	numeric-1.0	67	61640	-
1079	ACC_47G	Diff. - did not know where to go/call	discrete	numeric-1.0	67	61640	-
1080	ACC_47H	Diff. - unable to leave/health	discrete	numeric-1.0	67	61640	-
1081	ACC_47I	Diff. - other	discrete	numeric-1.0	67	61640	-
1082	ACC_50A	Has a regular family doctor	discrete	numeric-1.0	10698	51009	-
1083	ACC_50	Required routine care for self/family	discrete	numeric-1.0	10683	51024	-
1084	ACC_51	Exp. diff. getting on-going care	discrete	numeric-1.0	6267	55440	-
1085	ACC_52	Experienced diff. during regular hours	discrete	numeric-1.0	745	60962	-
1086	ACC_53A	Diff. - contact a physician	discrete	numeric-1.0	639	61068	-
1087	ACC_53B	Diff. - getting an appointment	discrete	numeric-1.0	639	61068	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1088	ACC_53C	Diff. - do not have family physician	discrete	numeric-1.0	639	61068	-
1089	ACC_53D	Diff. - waited too long for appointment	discrete	numeric-1.0	639	61068	-
1090	ACC_53E	Diff. - waited too long/see doc.	discrete	numeric-1.0	639	61068	-
1091	ACC_53F	Diff. - not available at time required	discrete	numeric-1.0	639	61068	-
1092	ACC_53G	Diff. - not available in the area	discrete	numeric-1.0	639	61068	-
1093	ACC_53H	Diff. - transportation	discrete	numeric-1.0	639	61068	-
1094	ACC_53I	Diff. - language	discrete	numeric-1.0	639	61068	-
1095	ACC_53J	Diff. - cost	discrete	numeric-1.0	639	61068	-
1096	ACC_53K	Diff. - did not know where to go	discrete	numeric-1.0	639	61068	-
1097	ACC_53L	Diff. - unable to leave house/health	discrete	numeric-1.0	639	61068	-
1098	ACC_53M	Diff. - other	discrete	numeric-1.0	639	61068	-
1099	ACC_54	Exp. diff. during evening/weekends	discrete	numeric-1.0	742	60965	-
1100	ACC_55A	Diff. - contact a physician	discrete	numeric-1.0	156	61551	-
1101	ACC_55B	Diff. - getting an appointment	discrete	numeric-1.0	156	61551	-
1102	ACC_55C	Diff. - do not have family physician	discrete	numeric-1.0	156	61551	-
1103	ACC_55D	Diff. - waited too long for appointment	discrete	numeric-1.0	156	61551	-
1104	ACC_55E	Diff. - waited too long/see doc	discrete	numeric-1.0	156	61551	-
1105	ACC_55F	Diff. - not available at time required	discrete	numeric-1.0	156	61551	-
1106	ACC_55G	Diff. - not available/area	discrete	numeric-1.0	156	61551	-
1107	ACC_55H	Diff. - transportation	discrete	numeric-1.0	156	61551	-
1108	ACC_55I	Diff. - language	discrete	numeric-1.0	156	61551	-
1109	ACC_55J	Diff. - cost	discrete	numeric-1.0	156	61551	-
1110	ACC_55K	Diff. - did not know where to go	discrete	numeric-1.0	156	61551	-
1111	ACC_55L	Diff. - unable to leave house/health	discrete	numeric-1.0	156	61551	-
1112	ACC_55M	Diff. - other	discrete	numeric-1.0	156	61551	-
1113	ACC_60	Required immediate care - self/family	discrete	numeric-1.0	10675	51032	-
1114	ACC_61	Exp. diff. getting immediate care	discrete	numeric-1.0	3638	58069	-
1115	ACC_62	Experienced diff. during regular hours	discrete	numeric-1.0	639	61068	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1116	ACC_63A	Diff. - contact a physician	discrete	numeric-1.0	410	61297	-
1117	ACC_63B	Diff. - getting an appointment	discrete	numeric-1.0	410	61297	-
1118	ACC_63C	Diff. - do not have family physician	discrete	numeric-1.0	410	61297	-
1119	ACC_63D	Diff. - waited too long/for appointment	discrete	numeric-1.0	410	61297	-
1120	ACC_63E	Diff. - waited too long/see doc	discrete	numeric-1.0	410	61297	-
1121	ACC_63F	Diff. - not available at time required	discrete	numeric-1.0	410	61297	-
1122	ACC_63G	Diff. - not available/area	discrete	numeric-1.0	410	61297	-
1123	ACC_63H	Diff. - transportation	discrete	numeric-1.0	410	61297	-
1124	ACC_63I	Diff. - language	discrete	numeric-1.0	410	61297	-
1125	ACC_63J	Diff. - cost	discrete	numeric-1.0	410	61297	-
1126	ACC_63K	Diff. - did not know where to go	discrete	numeric-1.0	410	61297	-
1127	ACC_63L	Diff. - unable to leave house/health	discrete	numeric-1.0	410	61297	-
1128	ACC_63M	Diff. - other	discrete	numeric-1.0	410	61297	-
1129	ACC_64	Exp. diff. during evening/weekends	discrete	numeric-1.0	634	61073	-
1130	ACC_65A	Diff. - contact a physician	discrete	numeric-1.0	295	61412	-
1131	ACC_65B	Diff. - getting an appointment	discrete	numeric-1.0	295	61412	-
1132	ACC_65C	Diff. - do not have family physician	discrete	numeric-1.0	295	61412	-
1133	ACC_65D	Diff. - waited too long/for appointment	discrete	numeric-1.0	295	61412	-
1134	ACC_65E	Diff. - waited too long/see doc	discrete	numeric-1.0	295	61412	-
1135	ACC_65F	Diff. - not available at time required	discrete	numeric-1.0	295	61412	-
1136	ACC_65G	Diff. - not available/area	discrete	numeric-1.0	295	61412	-
1137	ACC_65H	Diff. - transportation	discrete	numeric-1.0	295	61412	-
1138	ACC_65I	Diff. - language	discrete	numeric-1.0	295	61412	-
1139	ACC_65J	Diff. - cost	discrete	numeric-1.0	295	61412	-
1140	ACC_65K	Diff. - did not know where to go	discrete	numeric-1.0	295	61412	-
1141	ACC_65L	Diff. - unable to leave house/health	discrete	numeric-1.0	295	61412	-
1142	ACC_65M	Diff. - other	discrete	numeric-1.0	295	61412	-
1143	ACC_66	Exp. diff. during middle of night	discrete	numeric-1.0	638	61069	-
1144	ACC_67A	Diff. - contact a physician	discrete	numeric-1.0	125	61582	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1145	ACC_67B	Diff. - getting an appointment	discrete	numeric-1.0	125	61582	-
1146	ACC_67C	Diff. - do not have family physician	discrete	numeric-1.0	125	61582	-
1147	ACC_67D	Diff. - waited too long/for appointment	discrete	numeric-1.0	125	61582	-
1148	ACC_67E	Diff. - waited too long/see doc	discrete	numeric-1.0	125	61582	-
1149	ACC_67F	Diff. - not available at time required	discrete	numeric-1.0	125	61582	-
1150	ACC_67G	Diff. - not available/area	discrete	numeric-1.0	125	61582	-
1151	ACC_67H	Diff. - transportation	discrete	numeric-1.0	125	61582	-
1152	ACC_67I	Diff. - language	discrete	numeric-1.0	125	61582	-
1153	ACC_67J	Diff. - cost	discrete	numeric-1.0	125	61582	-
1154	ACC_67K	Diff. - did not know where to go	discrete	numeric-1.0	125	61582	-
1155	ACC_67L	Diff. - unable to leave house/health	discrete	numeric-1.0	125	61582	-
1156	ACC_67M	Diff. - other	discrete	numeric-1.0	125	61582	-
1157	LBSG31	Employment status - 12 mo - (G)	discrete	numeric-1.0	31044	30663	-
1158	LBSGHPW	Total usual hrs. worked current - (D, G)	continuous	numeric-3.0	30664	31043	-
1159	LBSDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	30664	31043	-
1160	LBSDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	50451	11256	-
1161	LBSGSOC	Occupation group - (G)	discrete	numeric-1.0	30948	30759	-
1162	DOLOP	Module: LOP - (F)	discrete	numeric-1.0	12456	49251	-
1163	LOP_015	Employed in past 3 months	discrete	numeric-1.0	6961	54746	-
1164	LOPG020	Reason for not working - (G)	discrete	numeric-2.0	3948	57759	-
1165	LOP_030	Couldn't work due to chronic condition	discrete	numeric-1.0	6328	55379	-
1166	LOPG040	Work days lost due to chronic cond. (G)	discrete	numeric-2.0	324	61383	-
1167	LOPG050	Chronic condition - (G)	discrete	numeric-2.0	707	61000	-
1168	LOP_060	Missed work due to injury	discrete	numeric-1.0	5872	55835	-
1169	LOPG070	Work days missed due to injury - (G)	continuous	numeric-2.0	215	61492	-
1170	LOP_080	Missed work due to infectious disease	discrete	numeric-1.0	5871	55836	-
1171	LOP_81A	Had a cold	discrete	numeric-1.0	680	61027	-
1172	LOP_81B	Had the flu or influenza	discrete	numeric-1.0	680	61027	-
1173	LOP_81C	Stomach Flu	discrete	numeric-1.0	680	61027	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1174	LOP_81D	Respiratory Flu	discrete	numeric-1.0	680	61027	-
1175	LOP_81E	Other	discrete	numeric-1.0	680	61027	-
1176	LOPG082	Work days missed due to cold - (G)	discrete	numeric-2.0	254	61453	-
1177	LOPG083	Work days missed due/ flu/influenza (G)	discrete	numeric-2.0	121	61586	-
1178	LOPG084	Work days missed due to stomach flu (G)	discrete	numeric-2.0	187	61520	-
1179	LOPG085	Work days missed due/ respir.infect. (G)	discrete	numeric-2.0	64	61643	-
1180	LOPG086	Wrk days missed due/other infect.dis.(G)	discrete	numeric-2.0	81	61626	-
1181	LOP_090	Missed work for reason /ph. Or m. health	discrete	numeric-1.0	5870	55837	-
1182	LOPG100	Work days missed related/ ph/m hlth (G)	discrete	numeric-2.0	605	61102	-
1183	SDCGCB12	Country of birth - Canada/other	discrete	numeric-1.0	59894	1813	-
1184	SDC_5A_1	Knowledge of official languages	discrete	numeric-1.0	60050	1657	-
1185	SDCDFOLS	First official language spoken - (D)	discrete	numeric-1.0	60047	1660	-
1186	DHH_OWN	Owned, Rented	discrete	numeric-1.0	59923	1784	-
1187	SDCGLHM	Language(s) spoken at home	discrete	numeric-1.0	60086	1621	-
1188	SDCFIMM	Immigrant - (F)	discrete	numeric-1.0	59811	1896	-
1189	SDCGRES	Length/time in Canada since imm. - (D,G)	discrete	numeric-1.0	8601	53106	-
1190	SDCGCGT	Cultural or racial origin - (D, G)	discrete	numeric-1.0	59568	2139	-
1191	PMKPROXY	Person most knowledgeable	discrete	numeric-1.0	3257	58450	-
1192	SDC_8	Current student	discrete	numeric-1.0	57429	4278	-
1193	SDCG9	Full-time student or part-time student	discrete	numeric-1.0	6134	55573	-
1194	EDUDH04	Highest level/edu. - HH 4 levels - (D)	discrete	numeric-1.0	56791	4916	-
1195	EDUDR04	Highest level/edu. - respond. 4 levels -	discrete	numeric-1.0	59433	2274	-
1196	DOFSC	Module: Food security	discrete	numeric-1.0	61707	0	-
1197	FSC_010	Food situation in household - 12 mo	discrete	numeric-1.0	59826	1881	-
1198	FSC_020	Worried food would run out - 12 mo	discrete	numeric-1.0	59728	1979	-
1199	FSC_030	No food and no money for more - 12 mo	discrete	numeric-1.0	59720	1987	-
1200	FSC_040	Could not afford balanced meals - 12 mo	discrete	numeric-1.0	59683	2024	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1201	FSC_050	Few kinds low-cost food for kids -12 mo	discrete	numeric-1.0	15851	45856	-
1202	FSC_060	Couldn't feed child. bal. meal - 12 mo	discrete	numeric-1.0	15845	45862	-
1203	FSC_070	Children were not eating enough - 12 mo	discrete	numeric-1.0	2473	59234	-
1204	FSC_080	Adults cut or skipped meals - 12 mo	discrete	numeric-1.0	6652	55055	-
1205	FSC_081	Adults skipped meals (freq) - 12 mo	discrete	numeric-1.0	1961	59746	-
1206	FSC_090	Ate less than felt should - 12 mo	discrete	numeric-1.0	6646	55061	-
1207	FSC_100	Was hungry but could not eat - 12 mo	discrete	numeric-1.0	6646	55061	-
1208	FSC_110	Lost weight no money for food- 12 mo	discrete	numeric-1.0	6602	55105	-
1209	FSC_120	Adults did not eat whole day - 12 mo	discrete	numeric-1.0	2707	59000	-
1210	FSC_121	Adults not eat whole day (freq) - 12 mo	discrete	numeric-1.0	505	61202	-
1211	FSC_130	Cut size of children's meals - 12 mo	discrete	numeric-1.0	972	60735	-
1212	FSC_140	Children skipped meals - 12 mo	discrete	numeric-1.0	972	60735	-
1213	FSC_141	Freq. - child. skipped meals - 12 mo	discrete	numeric-1.0	70	61637	-
1214	FSC_150	Children were hungry - 12 mo	discrete	numeric-1.0	970	60737	-
1215	FSC_160	Children did not eat whole day - 12 mo	discrete	numeric-1.0	971	60736	-
1216	FSCDHFS2	Household Food Security Status (HC)	discrete	numeric-1.0	59428	2279	-
1217	FSCDAFS2	Food Security - Adult Status	discrete	numeric-1.0	59452	2255	-
1218	FSCDCFS2	Food Security - Child Status	discrete	numeric-1.0	15810	45897	-
1219	INCG2	Total hhld inc. - main source - (G)	discrete	numeric-1.0	55755	5952	-
1220	INCG7	Main source of personal income - (G)	discrete	numeric-1.0	34715	26992	-
1221	INCGHH	Total hhld inc. from all sources - (D,G)	discrete	numeric-1.0	61647	60	-
1222	INCGPER	Total pers. inc. from all sources (D,G)	discrete	numeric-2.0	49721	11986	-
1223	INCDRCA	Household income distribution - (D)	discrete	numeric-2.0	60226	1481	-
1224	INCDRPR	Hhld inc. distribution-prov. level - (D)	discrete	numeric-2.0	60226	1481	-
1225	INCDRRS	Hhld inc. distribution- hr level - (D)	discrete	numeric-2.0	54916	6791	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1226	WTS_M	Weights - Master	continuous	numeric-8.2	61707	0	-
1227	DOHUI	Module: HUI - (F)	discrete	numeric-1.0	3486	58221	-
1228	HUIGVIS	Vision trouble - function code - (D,G)	discrete	numeric-1.0	3420	58287	-
1229	HUIGHER	Hearing problems - function code - (D,G)	discrete	numeric-1.0	3386	58321	-
1230	HUIGSPE	Speech trouble - function code - (D,G)	discrete	numeric-1.0	3470	58237	-
1231	HUIGMOB	Mobility trouble - function code - (D,G)	discrete	numeric-1.0	3468	58239	-
1232	HUIGDEX	Dexterity trouble - function code - (D,G)	discrete	numeric-1.0	3471	58236	-
1233	HUIDEMO	Emotion (function code)	discrete	numeric-1.0	3464	58243	-
1234	HUIDCOG	Cognition prob. - function code - (D)	discrete	numeric-2.0	3440	58267	-
1235	HUIDHSI	Health utilities index	continuous	numeric-6.3	3265	58442	-
1236	DOSSU	Module: SSU - (F)	discrete	numeric-1.0	3592	58115	-
1237	SSU_21A	Received tangible social support	discrete	numeric-1.0	2968	58739	-
1238	SSU_21B	Freq. of tangible social support	discrete	numeric-1.0	1254	60453	-
1239	SSU_22A	Received affective support	discrete	numeric-1.0	2961	58746	-
1240	SSU_22B	Freq. of affective support	discrete	numeric-1.0	2814	58893	-
1241	SSU_23A	Rec'd pos. social interac. supp.	discrete	numeric-1.0	2978	58729	-
1242	SSU_23B	Freq. of pos. social interac. supp.	discrete	numeric-1.0	2856	58851	-
1243	SSU_24A	Received emotional/informational support	discrete	numeric-1.0	2970	58737	-
1244	SSU_24B	Freq. of emotional/info. support	discrete	numeric-1.0	2800	58907	-
1245	DOWTM	Module: WTM - (F)	discrete	numeric-1.0	1765	59942	-
1246	WTM_01	Required visit to medical specialist	discrete	numeric-1.0	490	61217	-
1247	WTM_02	Req. vis. med. spec. - type of condition	discrete	numeric-2.0	200	61507	-
1248	WTM_03	Person who referred resp. to med. spec.	discrete	numeric-1.0	202	61505	-
1249	WTM_04	Already visited the medical specialist	discrete	numeric-1.0	202	61505	-
1250	WTM_05	Difficulty seeing medical specialist	discrete	numeric-1.0	178	61529	-
1251	WTM_06A	Diff. - getting referral	discrete	numeric-1.0	28	61679	-
1252	WTM_06B	Diff. - getting an appointment	discrete	numeric-1.0	28	61679	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1253	WTM_06C	Diff. - no specialists in area	discrete	numeric-1.0	28	61679	-
1254	WTM_06D	Diff. - waited too long for appointment	discrete	numeric-1.0	28	61679	-
1255	WTM_06E	Diff. - waited too long to see doc.	discrete	numeric-1.0	28	61679	-
1256	WTM_06F	Diff. - transportation	discrete	numeric-1.0	28	61679	-
1257	WTM_06G	Diff. - language	discrete	numeric-1.0	28	61679	-
1258	WTM_06H	Diff. - cost	discrete	numeric-1.0	28	61679	-
1259	WTM_06I	Diff. - pers./family responsibilities	discrete	numeric-1.0	28	61679	-
1260	WTM_06J	Diff. - deterioration of health	discrete	numeric-1.0	28	61679	-
1261	WTM_06K	Diff. - appointment cancelled/deferred	discrete	numeric-1.0	28	61679	-
1262	WTM_06L	Diff. - unable leave house/health	discrete	numeric-1.0	28	61679	-
1263	WTM_06M	Diff. - other	discrete	numeric-1.0	28	61679	-
1264	WTM_07A	Length of wait to see specialist	discrete	numeric-3.0	173	61534	-
1265	WTM_07B	Length of wait to see specialist - unit	discrete	numeric-1.0	173	61534	-
1266	WTM_08A	Length of time been waiting to see spec.	discrete	numeric-3.0	23	61684	-
1267	WTM_08B	Length of time waiting/see spec. - unit	discrete	numeric-1.0	23	61684	-
1268	WTM_10	Respondent's opinion of waiting time	discrete	numeric-1.0	202	61505	-
1269	WTM_11A	Acceptable waiting time	discrete	numeric-3.0	63	61644	-
1270	WTM_11B	Acceptable waiting time - unit	discrete	numeric-1.0	63	61644	-
1271	WTM_12	Visit to specialist cancelled/postponed	discrete	numeric-1.0	202	61505	-
1272	WTM_13A	Visit cancelled/postponed - respondent	discrete	numeric-1.0	32	61675	-
1273	WTM_13B	Visit cancelled/postponed - specialist	discrete	numeric-1.0	32	61675	-
1274	WTM_13C	Visit cancelled/postponed - other	discrete	numeric-1.0	32	61675	-
1275	WTM_14	Life affected by wait/spec.	discrete	numeric-1.0	201	61506	-
1276	WTM_15A	Life affected by wait - worry	discrete	numeric-1.0	36	61671	-
1277	WTM_15B	Life affected by wait - worry for family	discrete	numeric-1.0	36	61671	-
1278	WTM_15C	Life affected by wait - pain	discrete	numeric-1.0	36	61671	-
1279	WTM_15D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	36	61671	-
1280	WTM_15E	Life affected by wait - loss of work	discrete	numeric-1.0	36	61671	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1281	WTM_15F	Life affected by wait - loss of income	discrete	numeric-1.0	36	61671	-
1282	WTM_15G	Life affected by wait - incr. dependence	discrete	numeric-1.0	36	61671	-
1283	WTM_15H	Life affected by wait - incr. use med.	discrete	numeric-1.0	36	61671	-
1284	WTM_15I	Life affected by wait - health deter.	discrete	numeric-1.0	36	61671	-
1285	WTM_15J	Life affected by wait - health improved	discrete	numeric-1.0	36	61671	-
1286	WTM_15K	Life affected by wait - pers. rel.	discrete	numeric-1.0	36	61671	-
1287	WTM_15L	Life affected by wait - other	discrete	numeric-1.0	36	61671	-
1288	WTM_17	Already had the surgery	discrete	numeric-1.0	115	61592	-
1289	WTM_18	Surgery required overnight hospital stay	discrete	numeric-1.0	103	61604	-
1290	WTM_19	Diff. getting this surgery	discrete	numeric-1.0	103	61604	-
1291	WTM_20A	Diff. - getting an appointment	discrete	numeric-1.0	12	61695	-
1292	WTM_20B	Diff. - getting a diagnosis	discrete	numeric-1.0	12	61695	-
1293	WTM_20C	Diff. - wait too long for diag. test	discrete	numeric-1.0	12	61695	-
1294	WTM_20D	Diff. - waited too long for hosp. bed	discrete	numeric-1.0	12	61695	-
1295	WTM_20E	Diff. - waited too long/surgery	discrete	numeric-1.0	12	61695	-
1296	WTM_20F	Diff. - service not available/area	discrete	numeric-1.0	12	61695	-
1297	WTM_20G	Diff. - transportation	discrete	numeric-1.0	12	61695	-
1298	WTM_20H	Diff. - language	discrete	numeric-1.0	12	61695	-
1299	WTM_20I	Diff. - cost	discrete	numeric-1.0	12	61695	-
1300	WTM_20J	Diff. - pers./family responsibilities	discrete	numeric-1.0	12	61695	-
1301	WTM_20K	Diff. - deterioration of health	discrete	numeric-1.0	12	61695	-
1302	WTM_20L	Diff. - appt. cancelled/deferred	discrete	numeric-1.0	12	61695	-
1303	WTM_20M	Diff. - unable leave house/health	discrete	numeric-1.0	12	61695	-
1304	WTM_20N	Diff. - other	discrete	numeric-1.0	12	61695	-
1305	WTM_21A	Length of wait/surgery	discrete	numeric-3.0	101	61606	-
1306	WTM_21B	Length of wait/surgery - unit	discrete	numeric-1.0	101	61606	-
1307	WTM_22	Surg. will require overnight hosp. stay	discrete	numeric-1.0	7	61700	-
1308	WTM_23A	Time since decision/have surgery	discrete	numeric-3.0	9	61698	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1309	WTM_23B	Time since decision/have surgery - unit	discrete	numeric-1.0	9	61698	-
1310	WTM_24	Respondent's opinion of waiting time	discrete	numeric-1.0	115	61592	-
1311	WTM_25A	Acceptable waiting time	discrete	numeric-3.0	27	61680	-
1312	WTM_25B	Acceptable waiting time - unit	discrete	numeric-1.0	27	61680	-
1313	WTM_26	Surgery cancelled or postponed	discrete	numeric-1.0	114	61593	-
1314	WTM_27A	Surgery cancelled/postponed - respondent	discrete	numeric-1.0	17	61690	-
1315	WTM_27B	Surgery cancelled/postponed - surgeon	discrete	numeric-1.0	17	61690	-
1316	WTM_27C	Surgery cancelled/postponed - hospital	discrete	numeric-1.0	17	61690	-
1317	WTM_27D	Surgery cancelled/postponed - other	discrete	numeric-1.0	17	61690	-
1318	WTM_28	Life affected by wait for surgery	discrete	numeric-1.0	115	61592	-
1319	WTM_29A	Life affected by wait - worry	discrete	numeric-1.0	26	61681	-
1320	WTM_29B	Life affected by wait - worry/family	discrete	numeric-1.0	26	61681	-
1321	WTM_29C	Life affected by wait - pain	discrete	numeric-1.0	26	61681	-
1322	WTM_29D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	26	61681	-
1323	WTM_29E	Life affected by wait - loss of work	discrete	numeric-1.0	26	61681	-
1324	WTM_29F	Life affected by wait - loss of income	discrete	numeric-1.0	26	61681	-
1325	WTM_29G	Life affected by wait - incr. dependence	discrete	numeric-1.0	26	61681	-
1326	WTM_29H	Life affected by wait - incr. use med.	discrete	numeric-1.0	26	61681	-
1327	WTM_29I	Life affected by wait - health deter.	discrete	numeric-1.0	26	61681	-
1328	WTM_29J	Life affected by wait - health improved	discrete	numeric-1.0	26	61681	-
1329	WTM_29K	Life affected by wait - pers. rel.	discrete	numeric-1.0	26	61681	-
1330	WTM_29L	Life affected by wait - other	discrete	numeric-1.0	26	61681	-
1331	WTM_30	Type of diagnostic test required	discrete	numeric-1.0	232	61475	-
1332	WTM_31	Required diag. test - type of condition	discrete	numeric-1.0	231	61476	-
1333	WTM_32	Already had diagnostic test	discrete	numeric-1.0	233	61474	-
1334	WTM_33	Location of test	discrete	numeric-1.0	224	61483	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1335	WTM_34	Location of clinic	discrete	numeric-1.0	0	61707	-
1336	WTM_35	Patient in hospital at time of test	discrete	numeric-1.0	224	61483	-
1337	WTM_36	Diff. getting diagnostic test	discrete	numeric-1.0	224	61483	-
1338	WTM_37A	Diff. - getting referral	discrete	numeric-1.0	24	61683	-
1339	WTM_37B	Diff. - getting an appointment	discrete	numeric-1.0	24	61683	-
1340	WTM_37C	Diff. - waited too long to get an appt.	discrete	numeric-1.0	24	61683	-
1341	WTM_37D	Diff. - waited too long/get test	discrete	numeric-1.0	24	61683	-
1342	WTM_37E	Diff. - service not avail./time required	discrete	numeric-1.0	24	61683	-
1343	WTM_37F	Diff. - service not available/area	discrete	numeric-1.0	24	61683	-
1344	WTM_37G	Diff. - transportation	discrete	numeric-1.0	24	61683	-
1345	WTM_37H	Diff. - language	discrete	numeric-1.0	24	61683	-
1346	WTM_37I	Diff. - cost	discrete	numeric-1.0	24	61683	-
1347	WTM_37J	Diff. - deterioration of health	discrete	numeric-1.0	24	61683	-
1348	WTM_37K	Diff. - did not know where to go	discrete	numeric-1.0	24	61683	-
1349	WTM_37L	Diff. - unable leave house/health	discrete	numeric-1.0	24	61683	-
1350	WTM_37M	Diff. - other	discrete	numeric-1.0	24	61683	-
1351	WTM_38A	Length of wait / test	discrete	numeric-3.0	210	61497	-
1352	WTM_38B	Lgth wait decision and test - unit	discrete	numeric-1.0	210	61497	-
1353	WTM_39A	Length of time been waiting/diag. test	discrete	numeric-3.0	7	61700	-
1354	WTM_39B	Lgth time been waiting for test - unit	discrete	numeric-1.0	7	61700	-
1355	WTM_40	Respondent's opinion of waiting time	discrete	numeric-1.0	232	61475	-
1356	WTM_41A	Acceptable waiting time	discrete	numeric-3.0	40	61667	-
1357	WTM_41B	Acceptable waiting time - unit	discrete	numeric-1.0	40	61667	-
1358	WTM_42	Test cancelled or postponed	discrete	numeric-1.0	232	61475	-
1359	WTM_43	Test cancelled or postponed by	discrete	numeric-1.0	14	61693	-
1360	WTM_44	Life affected by wait/test	discrete	numeric-1.0	230	61477	-
1361	WTM_45A	Life affected by wait - worry	discrete	numeric-1.0	21	61686	-
1362	WTM_45B	Life affected by wait - worry for family	discrete	numeric-1.0	21	61686	-
1363	WTM_45C	Life affected by wait - pain	discrete	numeric-1.0	21	61686	-

File cchs_2012							
#	Name	Label	Type	Format	Valid	Invalid	Question
1364	WTM_45D	Life affected by wait - prob. daily act.	discrete	numeric-1.0	21	61686	-
1365	WTM_45E	Life affected by wait - loss of work	discrete	numeric-1.0	21	61686	-
1366	WTM_45F	Life affected by wait - loss of income	discrete	numeric-1.0	21	61686	-
1367	WTM_45G	Life affected by wait - incr. dependence	discrete	numeric-1.0	21	61686	-
1368	WTM_45H	Life affected by wait-incr. use med.	discrete	numeric-1.0	21	61686	-
1369	WTM_45I	Life affected by wait - health deter.	discrete	numeric-1.0	21	61686	-
1370	WTM_45J	Life affected by wait - health improved	discrete	numeric-1.0	21	61686	-
1371	WTM_45K	Life affected by wait - pers. rel.	discrete	numeric-1.0	21	61686	-
1372	WTM_45L	Life affected by wait - other	discrete	numeric-1.0	21	61686	-
1373	WTMDSO	# days wait/med. spec. -seen spec. - (D)	continuous	numeric-4.0	173	61534	-
1374	WTMDSN	# days wait/med. spec. - not seen - (D)	discrete	numeric-4.0	23	61684	-
1375	WTMDSA	# days accept. wait - med. spec. (D)	discrete	numeric-4.0	194	61513	-
1376	WTMDCO	# days wait-non-urg. surg -surg. done(D)	discrete	numeric-4.0	101	61606	-
1377	WTMDCN	# days wait - non-urg. surg-not done(D)	discrete	numeric-4.0	9	61698	-
1378	WTMDCA	# days accept. wait -n-emerg. surg.- (D)	discrete	numeric-4.0	111	61596	-
1379	WTMDTO	# days wait - diag. test - done - (D)	discrete	numeric-4.0	210	61497	-
1380	WTMDTN	# days wait - diag. test -not done -(D)	continuous	numeric-4.0	7	61700	-
1381	WTMDTA	# days accept. wait - diag. test -(D)	discrete	numeric-4.0	219	61488	-

Variables Description

Dataset contains 1381 variable(s)

File : cchs_2012

VERDATE: Date of file creation













Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
20130606		61707	 100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEOGPRV: Province of residence of respondent-(G)








Information	[Type= continuous] [Format=numeric] [Range= 10-60] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	NFLD & LAB.	1765	 2.9%
11	PEI	883	 1.4%
12	NOVA SCOTIA	2234	 3.6%
13	NEW BRUNSWICK	2457	 4.0%
24	QUEBEC	11573	 18.8%
35	ONTARIO	21257	 34.4%
46	MANITOBA	3486	 5.6%
47	SASKATCHEWAN	3592	 5.8%
48	ALBERTA	5520	 8.9%
59	BRITISH COLUMBIA	7517	 12.2%
60	YUKON/NWT/NUNA.	1423	 2.3%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.











































GEODPMF: Health Region - (G)

Information	[Type= continuous] [Format=numeric] [Range= 10911-60901] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10911	EASTERN REGIO HA	682	 1.1%
10912	CENTRAL REGIO HA	440	 0.7%
10913	WESTERN/LABR	643	 1.0%
11901	PEI	883	 1.4%
12901	ZONE 1 (DHA 1,2)	0	
12902	ZONE 2 (DHA 3)	0	
12903	ZONE 1 (DHA 4,5)	0	
12904	ZONE 1 (DHA 6,7)	0	
12905	ZONE 5 (DHA 8)	0	
12906	ZONE 6 (DHA 9)	0	
12910	SOUTH WEST NOVA	351	 0.6%
12923	V. DISTRICT H.	253	 0.4%

File : cchs_2012

GEODPMF: Health Region - (G)

Value	Label	Cases	Percentage
12930	COLCHESTER EAST	316	 0.5%
12940	PICTOU COUNTY	335	 0.5%
12958	CAPE BRETON	340	 0.6%
12969	CAPITAL DISTRICT	639	 1.0%
13901	ZONE 1	507	 0.8%
13902	ZONE 2	454	 0.7%
13903	ZONE 3	435	 0.7%
13904	ZONES 4 AND 5	502	 0.8%
13906	ZONES 6 AND 7	559	 0.9%
24901	RÉG. BAS-ST LAUR.	613	 1.0%
24902	RÉG. SAGUENAY	652	 1.1%
24903	RÉG. CAP. NAT.	910	 1.5%
24904	RÉG. MAURICIE	810	 1.3%
24905	RÉG. ESTRIE	620	 1.0%
24906	RÉG. MONTREAL	1519	 2.5%
24907	RÉG. OUTAOUAIS	598	 1.0%
24908	RÉG. ABITIBI	555	 0.9%
24909	RÉG. COTE-NORD	593	 1.0%
24911	RÉG. GASPÉSIE	543	 0.9%
24912	RÉG. LA CHAUD.	725	 1.2%
24913	RÉGION DE LAVAL	661	 1.1%
24914	RÉG. LANAUDIAIRE	689	 1.1%
24915	RÉG. DES LAUREN.	802	 1.3%
24916	RÉG. MONTRÉGIE	1283	 2.1%
35926	DIST. ALGOMA	391	 0.6%
35927	BRANT COUNT	407	 0.7%
35930	DURHAM REG. HLTH	756	 1.2%
35931	ELGIN-ST THOMAS	314	 0.5%
35933	GREY B. HLTH UN.	464	 0.8%
35934	HALDIMAND-NORF H	340	 0.6%
35935	HALIBURTON-KAW.	497	 0.8%
35936	HALTON REG. H. U	717	 1.2%
35937	CITY HAMILTON H.	784	 1.3%
35938	HASTINGS. PIE H.	443	 0.7%
35939	HURON, PERTH UN.	633	 1.0%
35940	CHATHAM-KENT U.	376	 0.6%
35941	KINGSTON-FRONT.	468	 0.8%
35942	LAMBTON H. UNIT	460	 0.7%
35943	LEEDS-GRENVILLE	461	 0.7%
35944	MIDDLESEX-LON. H	743	 1.2%
35946	NIAGARA REG. H.	724	 1.2%
35947	NORTH BAY H.U.	592	 1.0%

File : cchs_2012

GEODPMF: Health Region - (G)

Value	Label	Cases	Percentage
35949	NORTHWESTERN H.	390	0.6%
35951	CITY OF OTTAWA H	1052	1.7%
35952	OXFORD COUNTY H.	379	0.6%
35953	PEEL REGION H	1339	2.2%
35955	PETERB. COUNTY H	395	0.6%
35956	PORCUPINE H.	337	0.5%
35957	RENFREW COUNTY H	335	0.5%
35958	EASTERN ONT. H.U	528	0.9%
35960	SIMCOE MUSK. H	1066	1.7%
35961	SUDBURY,DIST. H.	509	0.8%
35962	THUNDER BAY D. H	676	1.1%
35965	WATERLOO H.U.	715	1.2%
35966	WELLINGTON-DUF-G	584	0.9%
35968	WINDSOR-ESSEX H	688	1.1%
35970	YORK REGIONAL H.	841	1.4%
35995	CITY OF TORO. H.	1853	3.0%
46901	WINNIPEG RHA	1023	1.7%
46902	PRAIRIE M. H.	812	1.3%
46903	INTERLAKE E. RHA	562	0.9%
46904	NORTHERN RHA	431	0.7%
46905	SOUTHERN HEALTH	658	1.1%
46910	WINNIPEG	0	
46915	BRANDON AND ASS.	0	
46920	NORTH AND SO. E	0	
46931	INTERLAKE/PARAN	0	
46940	CENTRAL	0	
46970	NOR-MAN/BURNTW	0	
47901	SUN COUNTRY/FIVE	813	1.3%
47904	REGINA QU'APPE	567	0.9%
47905	SUNRISE/KELSEY	538	0.9%
47906	SASKATOON	634	1.0%
47907	HEARTLAND/PR. N	546	0.9%
47909	PRINCE ALBERT/MA	494	0.8%
48931	SOUTH ZONE	791	1.3%
48932	CALGARY ZONE	1289	2.1%
48933	CENTRAL ZONE	1070	1.7%
48934	EDMONTON ZONE	1182	1.9%
48935	NORTH ZONE	1188	1.9%
59911	EAST KOOTENAY	285	0.5%
59912	KOOTENAY-BOUND.	301	0.5%
59913	OKANAGAN	538	0.9%
59914	THOMPSON/CARIB.	457	0.7%

File : cchs_2012

GEODPMF: Health Region - (G)

Value	Label	Cases	Percentage
59921	FRASER EAST	507	0.8%
59922	FRASER NORTH	681	1.1%
59923	FRASER SOUTH	754	1.2%
59931	RICHMOND	436	0.7%
59932	VANCOUVER	739	1.2%
59933	NORTH SHORE/C. G	559	0.9%
59941	SOUTH VANC. ISL	643	1.0%
59942	CENTRAL VANC. IS	476	0.8%
59943	NORTH VANC. ISL.	231	0.4%
59951	NORTHWEST	299	0.5%
59952	NORTHERN INTER.	382	0.6%
59953	NORTHEAST	229	0.4%
60901	YUKON/NORTHWEST	1423	2.3%
99996	NOT APPLICABLE	0	
99997	DON'T KNOW	0	
99998	REFUSAL	0	
99999	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEODBCHA: B.C. Health Authority (BCHA) - (D)

Information	[Type= continuous] [Format=numeric] [Range= 5910-5950] [Missing=*]
Statistics [NW/ W]	[Valid=7517 /-] [Invalid=54190 /-]

Value	Label	Cases	Percentage
5910	INTERIOR	1581	21.0%
5920	FRASER	1942	25.8%
5930	VANCOUVER	1734	23.1%
5940	VANCOUVER ISLAND	1350	18.0%
5950	NORTHERN	910	12.1%
9996	NOT APPLICABLE	54190	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_PRX: Health Component completed by proxy

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	YES	1409	2.3%
2	NO	60298	97.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	

File : cchs_2012

ADM_PRX: Health Component completed by proxy

Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N09: Interview by telephone/in person

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=25922 /-] [Invalid=35785 /-]

Value	Label	Cases	Percentage
1	ON TELEPHONE	5461	21.1%
2	IN PERSON	19794	76.4%
3	BOTH	667	2.6%
6	NOT APPLICABLE	35553	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	232	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N10: Respondent alone during interview

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=59921 /-] [Invalid=1786 /-]

Value	Label	Cases	Percentage
1	YES	52655	87.9%
2	NO	7266	12.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	73	
8	REFUSAL	4	
9	NOT STATED	1709	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_N11: Answers aff./presence of another person

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7206 /-] [Invalid=54501 /-]

Value	Label	Cases	Percentage
1	YES	741	10.3%
2	NO	6465	89.7%
6	NOT APPLICABLE	52655	
7	DON'T KNOW	58	
8	REFUSAL	2	
9	NOT STATED	1786	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ADM_RNO: Sequential record number

Information	[Type= continuous] [Format=numeric] [Range= 1-61707] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-] [Mean=30854 /-] [StdDev=17813.421 /-]

File : cchs_2012

DHHGAGE: Age - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	12 TO 14 YEARS	2478	4.0%
2	15 TO 17 YEARS	2628	4.3%
3	18 TO 19 YEARS	1560	2.5%
4	20 TO 24 YEARS	3367	5.5%
5	25 TO 29 YEARS	3633	5.9%
6	30 TO 34 YEARS	3586	5.8%
7	35 TO 39 YEARS	3775	6.1%
8	40 TO 44 YEARS	3798	6.2%
9	45 TO 49 YEARS	3530	5.7%
10	50 TO 54 YEARS	4726	7.7%
11	55 TO 59 YEARS	5760	9.3%
12	60 TO 64 YEARS	6081	9.9%
13	65 TO 69 YEARS	5222	8.5%
14	70 TO 74 YEARS	4013	6.5%
15	75 TO 79 YEARS	3259	5.3%
16	80 YEARS OR MORE	4291	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHH_SEX: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	MALE	27603	44.7%
2	FEMALE	34104	55.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGMS: Marital status - (G)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=61528 /-] [Invalid=179 /-]

Value	Label	Cases	Percentage
1	MARRIED	26329	42.8%
2	COMMON-LAW	5184	8.4%
3	WIDOW/SEP/DIV	12288	20.0%
4	SINGLE/NEVER MAR	17727	28.8%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	

File : cchs_2012



DHHGMS: Marital status - (G)

Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	179	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGLE5: No. pers. <= 5 years old in hhld - (D,G)



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NONE	55114	 89.3%
1	1 OR MORE	6593	 10.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHG611: No. persons 6-11 years/in hhld - (D,G)



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NONE	54299	 88.0%
1	1 OR MORE	7408	 12.0%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGL12: No. pers. < 12 years old in hhld - (D,G)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	NONE	50279	 81.5%
1	1 OR MORE	11428	 18.5%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGLVG: Living arrangements/selected resp -(D,G)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=61344 /-] [Invalid=363 /-]

File : cchs_2012

DHHGLVG: Living arrangements/selected resp -(D,G)

Value	Label	Cases	Percentage
1	UNATTACHED ALONE	16505	26.9%
2	UNATTACHED OTH	1952	3.2%
3	SPOUSE / PARTER	20210	32.9%
4	PAR SPOUSE CHILD	9042	14.7%
5	PARENT CHILD	1788	2.9%
6	CHILD PARENT SIB	2340	3.8%
7	CHILD 2 PAR SIB	7019	11.4%
8	OTHER	2488	4.1%
96	NOT APPLICABLE	0	
99	NOT STATED	363	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DHHGHSZ: Household size - (D, G)

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61678 /-] [Invalid=29 /-]

Value	Label	Cases	Percentage
1	1 PERSON	16517	26.8%
2	2 PERSONS	24088	39.1%
3	3 PERSONS	8372	13.6%
4	4 PERSONS	8255	13.4%
5	5 OR + PERSONS	4446	7.2%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	29	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_01: Self-perceived health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61581 /-] [Invalid=126 /-]

Value	Label	Cases	Percentage
1	EXCELLENT	11328	18.4%
2	VERY GOOD	23290	37.8%
3	GOOD	18472	30.0%
4	FAIR	6287	10.2%
5	POOR	2204	3.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	116	
8	REFUSAL	10	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : cchs_2012

GEN_02: Self-perceived hlth - compared 1 yr ago

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61579 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
1	MUCH BETTER	4870	7.9%
2	SOMEWHAT BETTER	7475	12.1%
3	ABOUT THE SAME	41665	67.7%
4	SOMEWHAT WORSE	6376	10.4%
5	MUCH WORSE	1193	1.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	120	
8	REFUSAL	8	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_02A2: Satisfaction with life in general

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=59567 /-] [Invalid=2140 /-]

Value	Label	Cases	Percentage
0	VERY DISSATISFIE	292	0.5%
1	1	90	0.2%
2	2	239	0.4%
3	3	420	0.7%
4	4	685	1.1%
5	5	3408	5.7%
6	6	2957	5.0%
7	7	9046	15.2%
8	8	19119	32.1%
9	9	11256	18.9%
10	VERY SATISFIED	12055	20.2%
96	NOT APPLICABLE	0	
97	DON'T KNOW	642	
98	REFUSAL	89	
99	NOT STATED	1409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.


GEN_02B: Self-perceived mental health

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=60131 /-] [Invalid=1576 /-]

Value	Label	Cases	Percentage
1	EXCELLENT	19687	32.7%
2	VERY GOOD	22460	37.4%
3	GOOD	14222	23.7%
4	FAIR	3075	5.1%

File : cchs_2012






GEN_02B: Self-perceived mental health

Value	Label	Cases	Percentage
5	POOR	687	 1.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	143	
8	REFUSAL	24	
9	NOT STATED	1409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_07: Perceived life stress



Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=61276 /-] [Invalid=431 /-]

Value	Label	Cases	Percentage
1	NOT AT ALL	8613	 14.1%
2	NOT VERY	16034	 26.2%
3	A BIT	24472	 39.9%
4	QUITE A BIT	10392	 17.0%
5	EXTREMELY	1765	 2.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	393	
8	REFUSAL	38	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_08: Worked at job






Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=50908 /-] [Invalid=10799 /-]

Value	Label	Cases	Percentage
1	YES	35675	 70.1%
2	NO	15233	 29.9%
6	NOT APPLICABLE	10028	
7	DON'T KNOW	14	
8	REFUSAL	3	
9	NOT STATED	754	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_09: Self perceived work stress

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=35138 /-] [Invalid=26569 /-]

Value	Label	Cases	Percentage
1	NOT AT ALL	3627	 10.3%
2	NOT VERY	7264	 20.7%
3	A BIT	14871	 42.3%
4	QUITE A BIT	7839	 22.3%
5	EXTREMELY	1537	 4.4%

File : cchs_2012





GEN_09: Self perceived work stress

Value	Label	Cases	Percentage
6	NOT APPLICABLE	25261	
7	DON'T KNOW	112	
8	REFUSAL	11	
9	NOT STATED	1185	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GEN_10: Sense of belonging - local community






Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=59133 /-] [Invalid=2574 /-]

Value	Label	Cases	Percentage
1	VERY STRONG	11249	 19.0%
2	SOMEWHAT STRONG	30198	 51.1%
3	SOMEWHAT WEAK	13494	 22.8%
4	VERY WEAK	4192	 7.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	1099	
8	REFUSAL	65	
9	NOT STATED	1410	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENDHDI: Perceived Health - (D)





Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=61581 /-] [Invalid=126 /-]

Value	Label	Cases	Percentage
0	POOR	2204	 3.6%
1	FAIR	6287	 10.2%
2	GOOD	18472	 30.0%
3	VERY GOOD	23290	 37.8%
4	EXCELLENT	11328	 18.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	126	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.


GENDMHI: Perceived Mental Health - (D)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=60131 /-] [Invalid=1576 /-]

Value	Label	Cases	Percentage
0	POOR	687	 1.1%
1	FAIR	3075	 5.1%
2	GOOD	14222	 23.7%
3	VERY GOOD	22460	 37.4%

File : cchs_2012






GENDMHI: Perceived Mental Health - (D)

Value	Label	Cases	Percentage
4	EXCELLENT	19687	 32.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1576	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GENGSWL: Satisfaction with life in general


Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=59567 /-] [Invalid=2140 /-]

Value	Label	Cases	Percentage
1	VERY SATISFIED	23311	 39.1%
2	SATISFIED	31122	 52.2%
3	NEITHER NOR	3408	 5.7%
4	DISSATISFIED	1344	 2.3%
5	VERY DISSATIS.	382	 0.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	2140	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOORG: Module: ORG - (F)



Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12456 /-] [Invalid=49251 /-]

Value	Label	Cases	Percentage
1	YES	12456	 100.0%
2	NO	0	
6	NOT APPLICABLE	49251	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORG_1: Member of a voluntary organization

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=12201 /-] [Invalid=49506 /-]

Value	Label	Cases	Percentage
1	YES	3260	 26.7%
2	NO	8941	 73.3%
6	NOT APPLICABLE	49251	
7	DON'T KNOW	9	
8	REFUSAL	0	

File : cchs_2012

ORG_1: Member of a voluntary organization

Value	Label	Cases	Percentage
9	NOT STATED	246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ORG_2: Frequency - participate in activities

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3252 /-] [Invalid=58455 /-]

Value	Label	Cases	Percentage
1	>= ONCE A WEEK	1176	36.2%
2	>= ONCE A MONTH	970	29.8%
3	>= 3 TO 4 T./YR	590	18.1%
4	>= ONCE A YEAR	270	8.3%
5	NOT AT ALL	246	7.6%
6	NOT APPLICABLE	58192	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	255	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOSLP: Optional module: SLP - (F)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22813 /-] [Invalid=38894 /-]

Value	Label	Cases	Percentage
1	YES	22813	100.0%
2	NO	0	
6	NOT APPLICABLE	38894	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP01: Number of hours spent sleeping per night

Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]
Statistics [NW/ W]	[Valid=22248 /-] [Invalid=39459 /-]

Value	Label	Cases	Percentage
1	< 2 HOURS	118	0.5%
2	3 TO < 4 HOURS	276	1.2%
3	4 TO < 5 HOURS	829	3.7%
4	5 TO < 6 HOURS	2156	9.7%
5	6 TO < 7 HOURS	4859	21.8%
6	7 TO < 8 HOURS	6720	30.2%
7	8 TO < 9 HOURS	5401	24.3%
8	9 TO < 10 HOURS	1223	5.5%
9	10 TO < 11 HOURS	472	2.1%

File : cchs_2012

SLP01: Number of hours spent sleeping per night

Value	Label	Cases	Percentage
10	11 TO < 12 HOURS	100	0.4%
11	>= 12 HOURS	94	0.4%
96	NOT APPLICABLE	38894	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	565	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_02: Freq. - trouble sleeping

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22256 /-] [Invalid=39451 /-]

Value	Label	Cases	Percentage
1	NONE OF THE TIME	5607	25.2%
2	LITTLE/TIME	6356	28.6%
3	SOME OF THE TIME	6167	27.7%
4	MOST OF THE TIME	2906	13.1%
5	ALL OF THE TIME	1220	5.5%
6	NOT APPLICABLE	38894	
7	DON'T KNOW	117	
8	REFUSAL	7	
9	NOT STATED	433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_03: Frequency - find sleep refreshing

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22182 /-] [Invalid=39525 /-]

Value	Label	Cases	Percentage
1	NONE OF THE TIME	735	3.3%
2	LITTLE/TIME	2252	10.2%
3	SOME OF THE TIME	4988	22.5%
4	MOST OF THE TIME	10324	46.5%
5	ALL OF THE TIME	3883	17.5%
6	NOT APPLICABLE	38894	
7	DON'T KNOW	192	
8	REFUSAL	6	
9	NOT STATED	433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SLP_04: Frequency - difficult to stay awake

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=22155 /-] [Invalid=39552 /-]

Value	Label	Cases	Percentage
1	NONE OF THE TIME	9497	42.9%

File : cchs_2012

SLP_04: Frequency - difficult to stay awake

Value	Label	Cases	Percentage
2	LITTLE/TIME	6277	28.3%
3	SOME OF THE TIME	4609	20.8%
4	MOST OF THE TIME	1356	6.1%
5	ALL OF THE TIME	416	1.9%
6	NOT APPLICABLE	38894	
7	DON'T KNOW	218	
8	REFUSAL	7	
9	NOT STATED	433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DOCH: Module.: Changes made to improve hlth

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=25461 /-] [Invalid=36246 /-]

Value	Label	Cases	Percentage
1	YES	25461	100.0%
2	NO	0	
6	NOT APPLICABLE	36246	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_1: Did something to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24909 /-] [Invalid=36798 /-]

Value	Label	Cases	Percentage
1	YES	14408	57.8%
2	NO	10501	42.2%
6	NOT APPLICABLE	36246	
7	DON'T KNOW	60	
8	REFUSAL	5	
9	NOT STATED	487	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_2: Most important change to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=14365 /-] [Invalid=47342 /-]

Value	Label	Cases	Percentage
1	MORE EXERCISE	7297	50.8%
2	LOST WEIGHT	1562	10.9%
3	EATING HABITS	2469	17.2%
4	SMOKE LESS/STOP	744	5.2%
5	LESS ALCOHOL	114	0.8%

File : cchs_2012

CIH_2: Most important change to improve health

Value	Label	Cases	Percentage
6	REDUCE STRESS LE	181	1.3%
7	MEDICAL TREAT	1070	7.4%
8	TOOK VITAMINS	175	1.2%
9	OTHER	753	5.2%
96	NOT APPLICABLE	46747	
97	DON'T KNOW	38	
98	REFUSAL	5	
99	NOT STATED	552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_3: Thinks should do something to improve hl

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=24630 /-] [Invalid=37077 /-]

Value	Label	Cases	Percentage
1	YES	16825	68.3%
2	NO	7805	31.7%
6	NOT APPLICABLE	36246	
7	DON'T KNOW	273	
8	REFUSAL	6	
9	NOT STATED	552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_4: Most important thing to improve health

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=16761 /-] [Invalid=44946 /-]

Value	Label	Cases	Percentage
1	MORE EXERCISE	8804	52.5%
2	LOST WEIGHT	1448	8.6%
3	EATING HABITS	3146	18.8%
4	SMOKE LESS/STOP	1943	11.6%
5	LESS ALCOHOL	116	0.7%
6	REDUCE STRESS LE	287	1.7%
7	MEDICAL TREAT	233	1.4%
8	TOOK VITAMINS	43	0.3%
9	OTHER	741	4.4%
96	NOT APPLICABLE	44051	
97	DON'T KNOW	61	
98	REFUSAL	3	
99	NOT STATED	831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



CIH_5: Barrier to improving health

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
-------------	--

File : cchs_2012

CIH_5: Barrier to improving health

Statistics [NW/ W] [Valid=16750 /-] [Invalid=44957 /-]



Value	Label	Cases	Percentage
1	YES	8650	 51.6%
2	NO	8100	 48.4%
6	NOT APPLICABLE	44051	
7	DON'T KNOW	75	
8	REFUSAL	0	
9	NOT STATED	831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6A: Barrier improve hlth - lack will power

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=8637 /-] [Invalid=53070 /-]



Value	Label	Cases	Percentage
1	YES	3011	 34.9%
2	NO	5626	 65.1%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6I: Barrier improve health - family respons.

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=8637 /-] [Invalid=53070 /-]



Value	Label	Cases	Percentage
1	YES	980	 11.3%
2	NO	7657	 88.7%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6B: Barrier improve hlth - lwork schedule

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=8637 /-] [Invalid=53070 /-]

Value	Label	Cases	Percentage
1	YES	1575	 18.2%
2	NO	7062	 81.8%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	

File : cchs_2012

CIH_6B: Barrier improve hlth - lwork schedule

Value	Label	Cases	Percentage
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6J: Barrier improve health -add. drugs/alc.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]

Value	Label	Cases	Percentage
1	YES	86	1.0%
2	NO	8551	99.0%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6K: Barrier improve health - phys. condition

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]

Value	Label	Cases	Percentage
1	YES	448	5.2%
2	NO	8189	94.8%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6G: Barrier improve hlth - disability

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]

Value	Label	Cases	Percentage
1	YES	761	8.8%
2	NO	7876	91.2%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



CIH_6F: Barrier improve health - too stressed

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]

Value	Label	Cases	Percentage
-------	-------	-------	------------

File : cchs_2012



CIH_6F: Barrier improve health - too stressed

Value	Label	Cases	Percentage
1	YES	332	 3.8%
2	NO	8305	 96.2%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CIH_6E: Barrier improve health - too costly

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]

Value	Label	Cases	Percentage
1	YES	422	 4.9%
2	NO	8215	 95.1%
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# CIH_6L: Barrier improve health - not avail./area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]		
Value	Label	Cases	Percentage
1	YES	98	<div><div></div>1.1%</div>
2	NO	8539	<div><div></div>98.9%</div>
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CIH_6M: Barrier improve health - trans. problems			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]		
Value	Label	Cases	Percentage
1	YES	64	<div><div></div>0.7%</div>
2	NO	8573	<div><div></div>99.3%</div>
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CIH_6N: Barrier improve health - weather prob.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]		
Value	Label	Cases	Percentage
1	YES	222	<div><div></div>2.6%</div>
2	NO	8415	<div><div></div>97.4%</div>
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CIH_6H: Barrier improve health - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8637 /-] [Invalid=53070 /-]		
Value	Label	Cases	Percentage
1	YES	1776	<div><div></div>20.6%</div>
2	NO	6861	<div><div></div>79.4%</div>
6	NOT APPLICABLE	52151	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	906	

# CIH_6H: Barrier improve health - other			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CIH_7: Intending to improve health over next yr			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=16507 /-] [Invalid=45200 /-]		
Value	Label	Cases	Percentage
1	YES	13048	<div><div></div></div> 79.0%
2	NO	3459	<div><div></div></div> 21.0%
6	NOT APPLICABLE	44051	
7	DON'T KNOW	315	
8	REFUSAL	3	
9	NOT STATED	831	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CIH_8A: Health improvement - more exercise			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12990 /-] [Invalid=48717 /-]		
Value	Label	Cases	Percentage
1	YES	9257	<div><div></div></div> 71.3%
2	NO	3733	<div><div></div></div> 28.7%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CIH_8B: Health improvement - lose weight			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12990 /-] [Invalid=48717 /-]		
Value	Label	Cases	Percentage
1	YES	1255	<div><div></div></div> 9.7%
2	NO	11735	<div><div></div></div> 90.3%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CIH_8C: Health improvement - eating habits			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12990 /-] [Invalid=48717 /-]		
Value	Label	Cases	Percentage
1	YES	2650	<div><div></div></div> 20.4%
2	NO	10340	<div><div></div></div> 79.6%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	

# CIH_8C: Health improvement - eating habits			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	1149	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CIH_8J: Health improvement - quit smoking			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=12990 /-] [Invalid=48717 /-]	
Value	Label	Cases	Percentage
1	YES	1184	<div><div></div></div> 9.1%
2	NO	11806	<div><div></div></div> 90.9%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CIH_8K: Health improvement - drink less alcohol			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=12990 /-] [Invalid=48717 /-]	
Value	Label	Cases	Percentage
1	YES	97	<div><div></div></div> 0.7%
2	NO	12893	<div><div></div></div> 99.3%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CIH_8G: Health improvement - reduce stress			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=12990 /-] [Invalid=48717 /-]	
Value	Label	Cases	Percentage
1	YES	394	<div><div></div></div> 3.0%
2	NO	12596	<div><div></div></div> 97.0%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CIH_8L: Health improv.- receive med. treatment			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=12990 /-] [Invalid=48717 /-]	
Value	Label	Cases	Percentage
1	YES	415	<div><div></div></div> 3.2%

# CIH_8L: Health improv.- receive med. treatment			
Value	Label	Cases	Percentage
2	NO	12575	<div></div> 96.8%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CIH_8H: Health improvement - take vitamins			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12990 /-] [Invalid=48717 /-]		
Value	Label	Cases	Percentage
1	YES	95	<div></div> 0.7%
2	NO	12895	<div></div> 99.3%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CIH_8I: Health improvement - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12990 /-] [Invalid=48717 /-]		
Value	Label	Cases	Percentage
1	YES	805	<div></div> 6.2%
2	NO	12185	<div></div> 93.8%
6	NOT APPLICABLE	47510	
7	DON'T KNOW	57	
8	REFUSAL	1	
9	NOT STATED	1149	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOOH1: Theme module: Oral health 1			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3486 /-] [Invalid=58221 /-]		
Value	Label	Cases	Percentage
1	YES	3486	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	58221	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OH1_20: Self-perceived health of teeth and mouth			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		

# OH1_20: Self-perceived health of teeth and mouth			
Statistics [NW/ W]		[Valid=3401 /-] [Invalid=58306 /-]	
Value	Label	Cases	Percentage
1	EXCELLENT	647	<div><div></div></div> 19.0%
2	VERY GOOD	1192	<div><div></div></div> 35.0%
3	GOOD	1076	<div><div></div></div> 31.6%
4	FAIR	343	<div><div></div></div> 10.1%
5	POOR	143	<div><div></div></div> 4.2%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	23	
8	REFUSAL	2	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH1_21A: Ability to chew - firm foods			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3391 /-] [Invalid=58316 /-]	
Value	Label	Cases	Percentage
1	YES	3299	<div><div></div></div> 97.3%
2	NO	92	<div><div></div></div> 2.7%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	10	
8	REFUSAL	0	
9	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH1_21B: Ability to chew - fresh apple			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3388 /-] [Invalid=58319 /-]	
Value	Label	Cases	Percentage
1	YES	3124	<div><div></div></div> 92.2%
2	NO	264	<div><div></div></div> 7.8%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH1_21C: Ability to chew - boiled vegetables			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3400 /-] [Invalid=58307 /-]	
Value	Label	Cases	Percentage
1	YES	3388	<div><div></div></div> 99.6%
2	NO	12	<div><div></div></div> 0.4%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	1	

# OH1_21C: Ability to chew - boiled vegetables			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH1_22: Freq. - pain in teeth/gums - past mo.			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=3391 /-] [Invalid=58316 /-]	
Value	Label	Cases	Percentage
1	OFTEN	140	<div><div></div></div> 4.1%
2	SOMETIMES	466	<div><div></div></div> 13.7%
3	RARELY	868	<div><div></div></div> 25.6%
4	NEVER	1917	<div><div></div></div> 56.5%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	10	
8	REFUSAL	0	
9	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HWT_4: Opinion of own weight - self-reported			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=58051 /-] [Invalid=3656 /-]	
Value	Label	Cases	Percentage
1	OVERWEIGHT	24226	<div><div></div></div> 41.7%
2	UNDERWEIGHT	2332	<div><div></div></div> 4.0%
3	JUST ABOUT RIGHT	31493	<div><div></div></div> 54.3%
6	NOT APPLICABLE	469	
7	DON'T KNOW	157	
8	REFUSAL	10	
9	NOT STATED	3020	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HWTGHTM: Height (metres) / self-reported - (D,G)			
Information		[Type= continuous] [Format=numeric] [Range= 0.914-2.134] [Missing=*]	
Statistics [NW/ W]		[Valid=59261 /-] [Invalid=2446 /-]	
Value	Label	Cases	Percentage
0.914	0.926 M OR LESS	0	
0.94	0.927 TO 0.952 M	0	
0.965	0.953 TO 0.977 M	0	
0.991	0.978 TO 1.002 M	0	
1.016	1.003 TO 1.028 M	0	
1.041	1.029 TO 1.053 M	0	
1.067	1.054 TO 1.079 M	0	
1.092	1.080 TO 1.104 M	0	
1.118	1.105 TO 1.129 M	0	

HWTGHTM: Height (metres) / self-reported - (D,G)

Value	Label	Cases	Percentage
1.143	1.130 TO 1.155 M	0	
1.168	1.156 TO 1.180 M	0	
1.194	1.181 TO 1.206 M	0	
1.219	1.207 TO 1.231 M	0	
1.245	1.232 TO 1.256 M	0	
1.27	1.257 TO 1.282 M	11	0.0%
1.295	1.283 TO 1.307 M	0	
1.321	1.308 TO 1.333 M	7	0.0%
1.346	1.334 TO 1.358 M	9	0.0%
1.372	1.359 TO 1.383 M	8	0.0%
1.397	1.384 TO 1.409 M	33	0.1%
1.422	1.410 TO 1.434 M	51	0.1%
1.448	1.435 TO 1.460 M	140	0.2%
1.473	1.461 TO 1.485 M	376	0.6%
1.499	1.486 TO 1.510 M	811	1.4%
1.524	1.511 TO 1.536 M	2196	3.7%
1.549	1.537 TO 1.561 M	2569	4.3%
1.575	1.562 TO 1.587 M	4794	8.1%
1.6	1.588 TO 1.612 M	4647	7.8%
1.626	1.613 TO 1.637 M	5494	9.3%
1.651	1.638 TO 1.663 M	4633	7.8%
1.676	1.664 TO 1.688 M	5269	8.9%
1.702	1.689 TO 1.714 M	5028	8.5%
1.727	1.715 TO 1.739 M	4865	8.2%
1.753	1.740 TO 1.764 M	3991	6.7%
1.778	1.765 TO 1.790 M	4271	7.2%
1.803	1.791 TO 1.815 M	3527	6.0%
1.829	1.816 TO 1.841 M	2882	4.9%
1.854	1.842 TO 1.866 M	1544	2.6%
1.88	1.867 TO 1.891 M	1074	1.8%
1.905	1.892 TO 1.917 M	513	0.9%
1.93	1.918 TO 1.942 M	408	0.7%
1.956	1.943 TO 1.968 M	110	0.2%
1.981	1.969 TO 1.993 M	0	
2.007	1.994 TO 2.018 M	0	
2.032	2.019 TO 2.044 M	0	
2.057	2.045 TO 2.069 M	0	
2.083	2.070 TO 2.095 M	0	
2.108	2.096 TO 2.120 M	0	
2.134	2.121M OR TALLER	0	
9.996	NOT APPLICABLE	469	
9.997	DON'T KNOW	0	
9.998	REFUSAL	0	

# HWTGHTM: Height (metres) / self-reported - (D,G)			
Value	Label	Cases	Percentage
9.999	NOT STATED	1977	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HWTGWTK: Weight (kilograms)/self-reported - (D,G)			
Information	[Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*]		
Statistics [NW/ W]	[Valid=58183 -] [Invalid=3524 -] [Mean=74.593 -] [StdDev=17.513 -]		
Value	Label	Cases	Percentage
999.96	NOT APPLICABLE	0	
999.97	DON'T KNOW	0	
999.98	REFUSAL	0	
999.99	NOT STATED	3524	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HWTGBMI: BMI / self-report - (D,G)			
Information	[Type= continuous] [Format=numeric] [Range= 11.91-54.96] [Missing=*]		
Statistics [NW/ W]	[Valid=57802 -] [Invalid=3905 -] [Mean=26.151 -] [StdDev=5.38 -]		
Value	Label	Cases	Percentage
999.96	NOT APPLICABLE	0	
999.97	DON'T KNOW	0	
999.98	REFUSAL	0	
999.99	NOT STATED	3905	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HWTGISW: BMI class. (18 +) / self-report - (D,G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=53285 -] [Invalid=8422 -]		
Value	Label	Cases	Percentage
1	UNDERWEIGHT	1191	<div><div></div></div> 2.2%
2	NORMAL WEIGHT	22187	<div><div></div></div> 41.6%
3	OVERWEIGHT	18465	<div><div></div></div> 34.7%
4	OBESE	11442	<div><div></div></div> 21.5%
6	NOT APPLICABLE	5106	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	3316	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HWTDCOL: BMI class. (12-17) / self-report. - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4412 -] [Invalid=57295 -]		
Value	Label	Cases	Percentage
1	NEITHER NOR	3405	<div><div></div></div> 77.2%
2	OVERWEIGHT	751	<div><div></div></div> 17.0%
3	OBESE	256	<div><div></div></div> 5.8%
6	NOT APPLICABLE	56601	

# HWTDCOL: BMI class. (12-17) / self-report. - (D)			
Value	Label	Cases	Percentage
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	694	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_031: Has asthma			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61630 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
1	YES	5305	<div><div></div></div> 8.6%
2	NO	56325	<div><div></div></div> 91.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	63	
8	REFUSAL	14	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_035: Asthma - had symptoms/attacks			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5286 /-] [Invalid=56421 /-]		
Value	Label	Cases	Percentage
1	YES	2646	<div><div></div></div> 50.1%
2	NO	2640	<div><div></div></div> 49.9%
6	NOT APPLICABLE	56325	
7	DON'T KNOW	17	
8	REFUSAL	2	
9	NOT STATED	77	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_036: Asthma - took medication			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=56407 /-]		
Value	Label	Cases	Percentage
1	YES	4145	<div><div></div></div> 78.2%
2	NO	1155	<div><div></div></div> 21.8%
6	NOT APPLICABLE	56325	
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	77	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_051: Has arthritis			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=59070 /-] [Invalid=2637 /-]		

# CCC_051: Has arthritis			
Value	Label	Cases	Percentage
1	YES	13293	<div><div></div></div> 22.5%
2	NO	45777	<div><div></div></div> 77.5%
6	NOT APPLICABLE	2478	
7	DON'T KNOW	141	
8	REFUSAL	4	
9	NOT STATED	14	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_061: Has back problems/excl. fibro/arthritis			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61596 /-] [Invalid=111 /-]		
Value	Label	Cases	Percentage
1	YES	12764	<div><div></div></div> 20.7%
2	NO	48832	<div><div></div></div> 79.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	94	
8	REFUSAL	3	
9	NOT STATED	14	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_071: Has high blood pressure			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61450 /-] [Invalid=257 /-]		
Value	Label	Cases	Percentage
1	YES	14364	<div><div></div></div> 23.4%
2	NO	47086	<div><div></div></div> 76.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	235	
8	REFUSAL	8	
9	NOT STATED	14	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_072: Ever diagnosed with high blood pressure			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=47180 /-] [Invalid=14527 /-]		
Value	Label	Cases	Percentage
1	YES	3410	<div><div></div></div> 7.2%
2	NO	43770	<div><div></div></div> 92.8%
6	NOT APPLICABLE	14364	
7	DON'T KNOW	137	
8	REFUSAL	4	
9	NOT STATED	22	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# CCC_073: Medication - high blood pressure			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17737 /-] [Invalid=43970 /-]		
Value	Label	Cases	Percentage
1	YES	14252	<div><div></div></div> 80.4%
2	NO	3485	<div><div></div></div> 19.6%
6	NOT APPLICABLE	43770	
7	DON'T KNOW	37	
8	REFUSAL	0	
9	NOT STATED	163	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_073A: Preg. - diag. high blood press. 1st time			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8620 /-] [Invalid=53087 /-]		
Value	Label	Cases	Percentage
1	YES	451	<div><div></div></div> 5.2%
2	NO	8169	<div><div></div></div> 94.8%
6	NOT APPLICABLE	52879	
7	DON'T KNOW	120	
8	REFUSAL	4	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_073B: Not pregnant - diagn. high blood press.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=451 /-] [Invalid=61256 /-]		
Value	Label	Cases	Percentage
1	YES	399	<div><div></div></div> 88.5%
2	NO	52	<div><div></div></div> 11.5%
6	NOT APPLICABLE	61048	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	208	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_081: Has migraine headaches			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61637 /-] [Invalid=70 /-]		
Value	Label	Cases	Percentage
1	YES	5766	<div><div></div></div> 9.4%
2	NO	55871	<div><div></div></div> 90.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	53	
8	REFUSAL	3	
9	NOT STATED	14	

# CCC_081: Has migraine headaches			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_091: Has a COPD			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=44326 /-] [Invalid=17381 /-]		
Value	Label	Cases	Percentage
1	YES	2463	<div><div></div></div> 5.6%
2	NO	41863	<div><div></div></div> 94.4%
6	NOT APPLICABLE	17252	
7	DON'T KNOW	110	
8	REFUSAL	5	
9	NOT STATED	14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_101: Has diabetes			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61632 /-] [Invalid=75 /-]		
Value	Label	Cases	Percentage
1	YES	5094	<div><div></div></div> 8.3%
2	NO	56538	<div><div></div></div> 91.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	55	
8	REFUSAL	6	
9	NOT STATED	14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCCG102: Diabetes - age first diagnosed - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=5078 /-] [Invalid=56629 /-]		
Value	Label	Cases	Percentage
1	0 TO 11 YEARS	97	<div><div></div></div> 1.9%
2	12 TO 17 YEARS	78	<div><div></div></div> 1.5%
3	18 TO 24 YEARS	98	<div><div></div></div> 1.9%
4	25 TO 29 YEARS	105	<div><div></div></div> 2.1%
5	30 TO 34 YEARS	172	<div><div></div></div> 3.4%
6	35 TO 39 YEARS	226	<div><div></div></div> 4.5%
7	40 TO 44 YEARS	384	<div><div></div></div> 7.6%
8	45 TO 49 YEARS	503	<div><div></div></div> 9.9%
9	50 TO 54 YEARS	716	<div><div></div></div> 14.1%
10	55 TO 59 YEARS	705	<div><div></div></div> 13.9%
11	60 TO 64 YEARS	736	<div><div></div></div> 14.5%
12	65 TO 69 YEARS	544	<div><div></div></div> 10.7%
13	70 TO 74 YEARS	390	<div><div></div></div> 7.7%
14	75 TO 79 YEARS	189	<div><div></div></div> 3.7%
15	80 YEARS OR MORE	135	<div><div></div></div> 2.7%
96	NOT APPLICABLE	56538	

# CCCG102: Diabetes - age first diagnosed - (G)			
Value	Label	Cases	Percentage
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	91	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_10A: Diabetes diagnosed when pregnant			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=799 /-] [Invalid=60908 /-]		
Value	Label	Cases	Percentage
1	YES	110	<div><div></div></div> 13.8%
2	NO	689	<div><div></div></div> 86.2%
6	NOT APPLICABLE	60871	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_10B: Diabetes diagnosed - other than pregnant			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=110 /-] [Invalid=61597 /-]		
Value	Label	Cases	Percentage
1	YES	85	<div><div></div></div> 77.3%
2	NO	25	<div><div></div></div> 22.7%
6	NOT APPLICABLE	61560	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	37	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_10C: Diabetes diag. - when started w/insulin			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=5041 /-] [Invalid=56666 /-]		
Value	Label	Cases	Percentage
1	< 1 MONTH	436	<div><div></div></div> 8.6%
2	1 TO < 2 MONTHS	40	<div><div></div></div> 0.8%
3	2 TO < 6 MONTHS	46	<div><div></div></div> 0.9%
4	6 MONTH - < 1 YR	61	<div><div></div></div> 1.2%
5	>= 1 YR	807	<div><div></div></div> 16.0%
6	NEVER	3651	<div><div></div></div> 72.4%
96	NOT APPLICABLE	56563	
97	DON'T KNOW	28	
98	REFUSAL	0	
99	NOT STATED	75	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# CCC_105: Diabetes - currently takes insulin			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5064 /-] [Invalid=56643 /-]		
Value	Label	Cases	Percentage
1	YES	1271	<div><div></div></div> 25.1%
2	NO	3793	<div><div></div></div> 74.9%
6	NOT APPLICABLE	56563	
7	DON'T KNOW	4	
8	REFUSAL	1	
9	NOT STATED	75	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_106: Diabetes - pills to control blood sugar			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5049 /-] [Invalid=56658 /-]		
Value	Label	Cases	Percentage
1	YES	3816	<div><div></div></div> 75.6%
2	NO	1233	<div><div></div></div> 24.4%
6	NOT APPLICABLE	56563	
7	DON'T KNOW	19	
8	REFUSAL	1	
9	NOT STATED	75	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_121: Has heart disease			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61508 /-] [Invalid=199 /-]		
Value	Label	Cases	Percentage
1	YES	4429	<div><div></div></div> 7.2%
2	NO	57079	<div><div></div></div> 92.8%
6	NOT APPLICABLE	0	
7	DON'T KNOW	176	
8	REFUSAL	9	
9	NOT STATED	14	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_131: Has cancer			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61599 /-] [Invalid=108 /-]		
Value	Label	Cases	Percentage
1	YES	2197	<div><div></div></div> 3.6%
2	NO	59402	<div><div></div></div> 96.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	84	
8	REFUSAL	10	
9	NOT STATED	14	

# CCC_131: Has cancer			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_31A: Ever had cancer			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=59424 +/-] [Invalid=2283 +/-]	
Value	Label	Cases	Percentage
1	YES	3742	<div><div></div>6.3%</div>
2	NO	55682	<div><div></div>93.7%</div>
6	NOT APPLICABLE	2199	
7	DON'T KNOW	58	
8	REFUSAL	2	
9	NOT STATED	24	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_141: Has stomach or intestinal ulcers			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61509 +/-] [Invalid=198 +/-]	
Value	Label	Cases	Percentage
1	YES	1677	<div><div></div>2.7%</div>
2	NO	59832	<div><div></div>97.3%</div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	172	
8	REFUSAL	12	
9	NOT STATED	14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCC_151: Suffers from the effects of a stroke			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61631 +/-] [Invalid=76 +/-]	
Value	Label	Cases	Percentage
1	YES	1053	<div><div></div>1.7%</div>
2	NO	60578	<div><div></div>98.3%</div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	55	
8	REFUSAL	7	
9	NOT STATED	14	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# CCC_161: Has urinary incontinence			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=51564 /-] [Invalid=10143 /-]		
Value	Label	Cases	Percentage
1	YES	3310	<div><div></div></div> 6.4%
2	NO	48254	<div><div></div></div> 93.6%
6	NOT APPLICABLE	10033	
7	DON'T KNOW	82	
8	REFUSAL	13	
9	NOT STATED	15	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_171: Has bowel disorder			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61573 /-] [Invalid=134 /-]		
Value	Label	Cases	Percentage
1	YES	3342	<div><div></div></div> 5.4%
2	NO	58231	<div><div></div></div> 94.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	107	
8	REFUSAL	13	
9	NOT STATED	14	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_17A: Type of bowel disease			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3284 /-] [Invalid=58423 /-]		
Value	Label	Cases	Percentage
1	CROHN'S DISEASE	264	<div><div></div></div> 8.0%
2	ULCER. COLITIS	348	<div><div></div></div> 10.6%
3	IRRITABLE BOWEL	1911	<div><div></div></div> 58.2%
4	INCONTINENCE	168	<div><div></div></div> 5.1%
5	OTHER	593	<div><div></div></div> 18.1%
6	NOT APPLICABLE	58231	
7	DON'T KNOW	55	
8	REFUSAL	3	
9	NOT STATED	134	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_280: Has a mood disorder			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61580 /-] [Invalid=127 /-]		
Value	Label	Cases	Percentage
1	YES	4849	<div><div></div></div> 7.9%
2	NO	56731	<div><div></div></div> 92.1%
6	NOT APPLICABLE	0	

# CCC_280: Has a mood disorder			
Value	Label	Cases	Percentage
7	DON'T KNOW	98	
8	REFUSAL	15	
9	NOT STATED	14	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCC_290: Has an anxiety disorder			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61579 /-] [Invalid=128 /-]		
Value	Label	Cases	Percentage
1	YES	4086	<div><div></div>6.6%</div>
2	NO	57493	<div><div></div>93.4%</div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	97	
8	REFUSAL	17	
9	NOT STATED	14	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCCDDIA: Diabetes type			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=5028 /-] [Invalid=56679 /-]		
Value	Label	Cases	Percentage
1	TYPE 1 DIABETES	157	<div><div></div>3.1%</div>
2	TYPE 2 DIABETES	4785	<div><div></div>95.2%</div>
3	GEST. DIABETES	9	0.2%
4	NOT CLASSIFIED	77	<div><div></div>1.5%</div>
6	NOT APPLICABLE	56514	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	165	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DODIA: Module: DIA - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=27713 /-] [Invalid=33994 /-]		
Value	Label	Cases	Percentage
1	YES	27713	<div><div></div>100.0%</div>
2	NO	0	
6	NOT APPLICABLE	33994	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_01: Tested for "A-one-C" haemoglobin			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# DIA_01: Tested for "A-one-C" haemoglobin			
Statistics [NW/ W]		[Valid=2354 /-] [Invalid=59353 /-]	
Value	Label	Cases	Percentage
1	YES	1992	<div><div></div></div> 84.6%
2	NO	362	<div><div></div></div> 15.4%
6	NOT APPLICABLE	59218	
7	DON'T KNOW	96	
8	REFUSAL	0	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_02: No. of times - tested for "A-one-C"			
Information		[Type= discrete] [Format=numeric] [Range= 1-48] [Missing=*]	
Statistics [NW/ W]		[Valid=1944 /-] [Invalid=59763 /-]	
Value	Label	Cases	Percentage
1		285	<div><div></div></div> 14.7%
2		503	<div><div></div></div> 25.9%
3		263	<div><div></div></div> 13.5%
4		775	<div><div></div></div> 39.9%
5		14	<div><div></div></div> 0.7%
6		34	<div><div></div></div> 1.7%
7		3	<div><div></div></div> 0.2%
8		4	<div><div></div></div> 0.2%
10		1	<div><div></div></div> 0.1%
11		2	<div><div></div></div> 0.1%
12		42	<div><div></div></div> 2.2%
14		1	<div><div></div></div> 0.1%
15		2	<div><div></div></div> 0.1%
18		2	<div><div></div></div> 0.1%
20		1	<div><div></div></div> 0.1%
23		1	<div><div></div></div> 0.1%
24		4	<div><div></div></div> 0.2%
30		1	<div><div></div></div> 0.1%
36		1	<div><div></div></div> 0.1%
40		1	<div><div></div></div> 0.1%
45		1	<div><div></div></div> 0.1%
48		3	<div><div></div></div> 0.2%
996	NOT APPLICABLE	59580	
997	DON'T KNOW	45	
998	REFUSAL	3	
999	NOT STATED	135	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_03: Feet checked by health professional			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=2427 /-] [Invalid=59280 /-]	

# DIA_03: Feet checked by health professional			
Value	Label	Cases	Percentage
1	YES	1366	<div><div></div></div> 56.3%
2	NO	1061	<div><div></div></div> 43.7%
3	NO FEET	0	
6	NOT APPLICABLE	59218	
7	DON'T KNOW	22	
8	REFUSAL	1	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_04: No of times - feet checked by hlth prof.			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=1336 /-] [Invalid=60371 /-]		
Value	Label	Cases	Percentage
1		435	<div><div></div></div> 32.6%
2		310	<div><div></div></div> 23.2%
3		106	<div><div></div></div> 7.9%
4		255	<div><div></div></div> 19.1%
5		18	<div><div></div></div> 1.3%
6		70	<div><div></div></div> 5.2%
7		10	<div><div></div></div> 0.7%
8		26	<div><div></div></div> 1.9%
9		12	<div><div></div></div> 0.9%
10		14	<div><div></div></div> 1.0%
11		2	<div><div></div></div> 0.1%
12		54	<div><div></div></div> 4.0%
13		1	<div><div></div></div> 0.1%
15		3	<div><div></div></div> 0.2%
18		1	<div><div></div></div> 0.1%
24		1	<div><div></div></div> 0.1%
30		1	<div><div></div></div> 0.1%
36		2	<div><div></div></div> 0.1%
52		8	<div><div></div></div> 0.6%
56		1	<div><div></div></div> 0.1%
96		2	<div><div></div></div> 0.1%
99		4	<div><div></div></div> 0.3%
996	NOT APPLICABLE	60288	
997	DON'T KNOW	28	
998	REFUSAL	2	
999	NOT STATED	53	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_05: Urine tested for protein by health prof.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2304 /-] [Invalid=59403 /-]		

# DIA_05: Urine tested for protein by health prof.			
Value	Label	Cases	Percentage
1	YES	1791	<div><div></div></div> 77.7%
2	NO	513	<div><div></div></div> 22.3%
6	NOT APPLICABLE	59218	
7	DON'T KNOW	145	
8	REFUSAL	1	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_06: Ever had eye exam with pupils dilated			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2401 /-] [Invalid=59306 /-]		
Value	Label	Cases	Percentage
1	YES	1925	<div><div></div></div> 80.2%
2	NO	476	<div><div></div></div> 19.8%
6	NOT APPLICABLE	59218	
7	DON'T KNOW	48	
8	REFUSAL	1	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_07: Eye exam with pupils dilated - last time			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1917 /-] [Invalid=59790 /-]		
Value	Label	Cases	Percentage
1	LESS 1 MONTH	282	<div><div></div></div> 14.7%
2	1 MO.TO < 1 YEAR	1123	<div><div></div></div> 58.6%
3	1 TO < 2 YEARS	309	<div><div></div></div> 16.1%
4	2 OR MORE YEARS	203	<div><div></div></div> 10.6%
6	NOT APPLICABLE	59694	
7	DON'T KNOW	7	
8	REFUSAL	1	
9	NOT STATED	88	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_08: Checks glucose level/self-reporting unit			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=2429 /-] [Invalid=59278 /-]		
Value	Label	Cases	Percentage
1	PER DAY	1315	<div><div></div></div> 54.1%
2	PER WEEK	646	<div><div></div></div> 26.6%
3	PER MONTH	185	<div><div></div></div> 7.6%
4	PER YEAR	46	<div><div></div></div> 1.9%
5	NEVER	237	<div><div></div></div> 9.8%
6	NOT APPLICABLE	59218	

# DIA_08: Checks glucose level/self-reporting unit			
Value	Label	Cases	Percentage
7	DON'T KNOW	21	
8	REFUSAL	0	
9	NOT STATED	39	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DIA_N8B: Checks glucose level/self-no times day			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=1309 /-] [Invalid=60398 /-]	
Value	Label	Cases	Percentage
1		534	<div></div> 40.8%
2		385	<div></div> 29.4%
3		179	<div></div> 13.7%
4		139	<div></div> 10.6%
5		35	<div></div> 2.7%
6		19	<div></div> 1.5%
7		6	<div></div> 0.5%
8		5	<div></div> 0.4%
9		2	<div></div> 0.2%
10		3	<div></div> 0.2%
11		1	<div></div> 0.1%
15		1	<div></div> 0.1%
996	NOT APPLICABLE	60332	
997	DON'T KNOW	6	
998	REFUSAL	0	
999	NOT STATED	60	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DIA_N8C: Checks glucose level - no times per week			
Information		[Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]	
Statistics [NW/ W]		[Valid=645 /-] [Invalid=61062 /-]	
Value	Label	Cases	Percentage
1		182	<div></div> 28.2%
2		175	<div></div> 27.1%
3		167	<div></div> 25.9%
4		85	<div></div> 13.2%
5		26	<div></div> 4.0%
6		4	<div></div> 0.6%
9		1	<div></div> 0.2%
10		2	<div></div> 0.3%
11		1	<div></div> 0.2%
12		1	<div></div> 0.2%
20		1	<div></div> 0.2%
996	NOT APPLICABLE	61001	
997	DON'T KNOW	1	

# DIA_N8C: Checks glucose level - no times per week			
Value	Label	Cases	Percentage
998	REFUSAL	0	
999	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# DIA_N8D: Checks glucose level -no times per month			
Information		[Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]	
Statistics [NW/ W]		[Valid=183 /-] [Invalid=61524 /-]	
Value	Label	Cases	Percentage
1		89	<div></div> 48.6%
2		67	<div></div> 36.6%
3		10	<div></div> 5.5%
4		5	<div></div> 2.7%
5		2	<div></div> 1.1%
6		1	<div></div> 0.5%
7		1	<div></div> 0.5%
10		4	<div></div> 2.2%
15		3	<div></div> 1.6%
20		1	<div></div> 0.5%
996	NOT APPLICABLE	61462	
997	DON'T KNOW	2	
998	REFUSAL	0	
999	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_N8E: Checks glucose level -no times per year			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=46 /-] [Invalid=61661 /-]	
Value	Label	Cases	Percentage
1		4	<div></div> 8.7%
2		12	<div></div> 26.1%
3		6	<div></div> 13.0%
4		15	<div></div> 32.6%
6		5	<div></div> 10.9%
7		1	<div></div> 2.2%
9		1	<div></div> 2.2%
15		1	<div></div> 2.2%
24		1	<div></div> 2.2%
996	NOT APPLICABLE	61601	
997	DON'T KNOW	0	
998	REFUSAL	0	
999	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_09: Checks feet / self-reporting unit			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	

# DIA_09: Checks feet / self-reporting unit			
Statistics [NW/ W]		[Valid=2380 /-] [Invalid=59327 /-]	
Value	Label	Cases	Percentage
1	PER DAY	909	<div><div></div></div> 38.2%
2	PER WEEK	542	<div><div></div></div> 22.8%
3	PER MONTH	192	<div><div></div></div> 8.1%
4	PER YEAR	147	<div><div></div></div> 6.2%
5	NEVER	590	<div><div></div></div> 24.8%
6	NOT APPLICABLE	59218	
7	DON'T KNOW	69	
8	REFUSAL	1	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_N9B: Checks feet/self-number of times per day			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=902 /-] [Invalid=60805 /-]	
Value	Label	Cases	Percentage
1		861	<div><div></div></div> 95.5%
2		32	<div><div></div></div> 3.5%
3		5	<div><div></div></div> 0.6%
4		1	<div><div></div></div> 0.1%
7		1	<div><div></div></div> 0.1%
11		1	<div><div></div></div> 0.1%
12		1	<div><div></div></div> 0.1%
996	NOT APPLICABLE	60689	
997	DON'T KNOW	7	
998	REFUSAL	0	
999	NOT STATED	109	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_N9C: Checks feet/self-number of times week			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=539 /-] [Invalid=61168 /-]	
Value	Label	Cases	Percentage
1		276	<div><div></div></div> 51.2%
2		96	<div><div></div></div> 17.8%
3		95	<div><div></div></div> 17.6%
4		44	<div><div></div></div> 8.2%
5		24	<div><div></div></div> 4.5%
6		2	<div><div></div></div> 0.4%
7		2	<div><div></div></div> 0.4%
996	NOT APPLICABLE	61056	
997	DON'T KNOW	3	
998	REFUSAL	0	

# DIA_N9C: Checks feet/self-number of times week			
Value	Label	Cases	Percentage
999	NOT STATED	109	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_N9D: Checks feet/self-number of times month			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=191 /-] [Invalid=61516 /-]	
Value	Label	Cases	Percentage
1		143	<div></div> 74.9%
2		41	<div></div> 21.5%
3		3	<div></div> 1.6%
4		2	<div></div> 1.0%
6		1	<div></div> 0.5%
15		1	<div></div> 0.5%
996	NOT APPLICABLE	61406	
997	DON'T KNOW	1	
998	REFUSAL	0	
999	NOT STATED	109	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_N9E: Checks feet/self-number of times year			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=147 /-] [Invalid=61560 /-]	
Value	Label	Cases	Percentage
1		32	<div></div> 21.8%
2		30	<div></div> 20.4%
3		15	<div></div> 10.2%
4		28	<div></div> 19.0%
5		5	<div></div> 3.4%
6		19	<div></div> 12.9%
8		2	<div></div> 1.4%
9		7	<div></div> 4.8%
10		6	<div></div> 4.1%
12		1	<div></div> 0.7%
15		1	<div></div> 0.7%
24		1	<div></div> 0.7%
996	NOT APPLICABLE	61451	
997	DON'T KNOW	0	
998	REFUSAL	0	
999	NOT STATED	109	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_10: Medication - ASA - past month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2378 /-] [Invalid=59329 /-]	

# DIA_10: Medication - ASA - past month			
Value	Label	Cases	Percentage
1	YES	1330	<div></div> 55.9%
2	NO	1048	<div></div> 44.1%
6	NOT APPLICABLE	59281	
7	DON'T KNOW	8	
8	REFUSAL	1	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIA_11: Medication -blood cholesterol-past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2354 /-] [Invalid=59353 /-]		
Value	Label	Cases	Percentage
1	YES	1592	<div></div> 67.6%
2	NO	762	<div></div> 32.4%
6	NOT APPLICABLE	59281	
7	DON'T KNOW	30	
8	REFUSAL	3	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOMED: Optional module: MED - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11573 /-] [Invalid=50134 /-]		
Value	Label	Cases	Percentage
1	YES	11573	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	50134	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1A: Took pain relievers - In the past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11555 /-] [Invalid=50152 /-]		
Value	Label	Cases	Percentage
1	YES	7640	<div></div> 66.1%
2	NO	3915	<div></div> 33.9%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	16	
8	REFUSAL	2	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# MED_1B: Took tranquilizers- In the past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11551 /-] [Invalid=50156 /-]		
Value	Label	Cases	Percentage
1	YES	744	<div><div></div>6.4%</div>
2	NO	10807	<div><div></div>93.6%</div>
6	NOT APPLICABLE	50134	
7	DON'T KNOW	20	
8	REFUSAL	0	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1C: Took diet pills- In the past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11568 /-] [Invalid=50139 /-]		
Value	Label	Cases	Percentage
1	YES	30	<div><div></div>0.3%</div>
2	NO	11538	<div><div></div>99.7%</div>
6	NOT APPLICABLE	50134	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1D: Took anti-depressants- In the past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11561 /-] [Invalid=50146 /-]		
Value	Label	Cases	Percentage
1	YES	878	<div><div></div>7.6%</div>
2	NO	10683	<div><div></div>92.4%</div>
6	NOT APPLICABLE	50134	
7	DON'T KNOW	10	
8	REFUSAL	0	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1E: Took codeine/morphine-past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11558 /-] [Invalid=50149 /-]		
Value	Label	Cases	Percentage
1	YES	394	<div><div></div>3.4%</div>
2	NO	11164	<div><div></div>96.6%</div>
6	NOT APPLICABLE	50134	
7	DON'T KNOW	13	
8	REFUSAL	0	
9	NOT STATED	2	

# MED_1E: Took codeine/morphine-past month			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1F: Took allergy medicine- In the past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11562 /-] [Invalid=50145 /-]		
Value	Label	Cases	Percentage
1	YES	1151	<div><div></div></div> 10.0%
2	NO	10411	<div><div></div></div> 90.0%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	8	
8	REFUSAL	1	
9	NOT STATED	2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1G: Took asthma medications-past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11565 /-] [Invalid=50142 /-]		
Value	Label	Cases	Percentage
1	YES	897	<div><div></div></div> 7.8%
2	NO	10668	<div><div></div></div> 92.2%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1H: Took cough or cold remedies- past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11559 /-] [Invalid=50148 /-]		
Value	Label	Cases	Percentage
1	YES	1886	<div><div></div></div> 16.3%
2	NO	9673	<div><div></div></div> 83.7%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	10	
8	REFUSAL	2	
9	NOT STATED	2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1I: Took penicillin/antibiotics-past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11560 /-] [Invalid=50147 /-]		
Value	Label	Cases	Percentage
1	YES	610	<div><div></div></div> 5.3%
2	NO	10950	<div><div></div></div> 94.7%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	9	

# MED_1I: Took penicillin/antibiotics-past month			
Value	Label	Cases	Percentage
8	REFUSAL	2	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1J: Took medicine for heart-past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11551 /-] [Invalid=50156 /-]		
Value	Label	Cases	Percentage
1	YES	1102	<div><div></div></div> 9.5%
2	NO	10449	<div><div></div></div> 90.5%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	18	
8	REFUSAL	2	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1L: Took diuretics-in past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11536 /-] [Invalid=50171 /-]		
Value	Label	Cases	Percentage
1	YES	604	<div><div></div></div> 5.2%
2	NO	10932	<div><div></div></div> 94.8%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	33	
8	REFUSAL	2	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1M: Took steroids- In the past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11558 /-] [Invalid=50149 /-]		
Value	Label	Cases	Percentage
1	YES	52	<div><div></div></div> 0.4%
2	NO	11506	<div><div></div></div> 99.6%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	11	
8	REFUSAL	2	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1P: Took sleeping pills- In the past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11556 /-] [Invalid=50151 /-]		
Value	Label	Cases	Percentage
1	YES	791	<div><div></div></div> 6.8%

# MED_1P: Took sleeping pills- In the past month			
Value	Label	Cases	Percentage
2	NO	10765	<div><div></div></div> 93.2%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	12	
8	REFUSAL	3	
9	NOT STATED	2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1Q: Took stomach remedies- In the past month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=11551 /-] [Invalid=50156 /-]	
Value	Label	Cases	Percentage
1	YES	1846	<div><div></div></div> 16.0%
2	NO	9705	<div><div></div></div> 84.0%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	18	
8	REFUSAL	2	
9	NOT STATED	2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1R: Took laxatives- In the past month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=11555 /-] [Invalid=50152 /-]	
Value	Label	Cases	Percentage
1	YES	549	<div><div></div></div> 4.8%
2	NO	11006	<div><div></div></div> 95.2%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	14	
8	REFUSAL	2	
9	NOT STATED	2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1S: Took birth control pill-past month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2846 /-] [Invalid=58861 /-]	
Value	Label	Cases	Percentage
1	YES	958	<div><div></div></div> 33.7%
2	NO	1888	<div><div></div></div> 66.3%
6	NOT APPLICABLE	58857	
7	DON'T KNOW	4	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MED_1T: Took hormones for menopause-past month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	

# MED_1T: Took hormones for menopause-past month			
Statistics [NW/ W]		[Valid=5082 /-] [Invalid=56625 /-]	
Value	Label	Cases	Percentage
1	YES	544	<div><div></div></div> 10.7%
2	NO	4538	<div><div></div></div> 89.3%
6	NOT APPLICABLE	56615	
7	DON'T KNOW	7	
8	REFUSAL	2	
9	NOT STATED	1	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1T1: Type of homones taken			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=464 /-] [Invalid=61243 /-]	
Value	Label	Cases	Percentage
1	ESTROGEN	201	<div><div></div></div> 43.3%
2	PROGESTERONE	22	<div><div></div></div> 4.7%
3	BOTH	184	<div><div></div></div> 39.7%
4	NEITHER	57	<div><div></div></div> 12.3%
6	NOT APPLICABLE	61153	
7	DON'T KNOW	79	
8	REFUSAL	1	
9	NOT STATED	10	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1T2: Year this hormone therapy was started			
Information		[Type= continuous] [Format=numeric] [Range= 1964-2012] [Missing=*]	
Statistics [NW/ W]		[Valid=528 /-] [Invalid=61179 /-] [Mean=2000.737 /-] [StdDev=10.025 /-]	
Value	Label	Cases	Percentage
9996	NOT APPLICABLE	61153	
9997	DON'T KNOW	11	
9998	REFUSAL	2	
9999	NOT STATED	13	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MED_1U: Took thyroid medication-in past month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=11560 /-] [Invalid=50147 /-]	
Value	Label	Cases	Percentage
1	YES	1131	<div><div></div></div> 9.8%
2	NO	10429	<div><div></div></div> 90.2%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	9	
8	REFUSAL	2	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# MED_1V: Took any other medication-past month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=11555 /-] [Invalid=50152 /-]	
Value	Label	Cases	Percentage
1	YES	3880	<div><div></div></div> 33.6%
2	NO	7675	<div><div></div></div> 66.4%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	15	
8	REFUSAL	1	
9	NOT STATED	2	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUPDPAD: Pain (function code)			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=61434 /-] [Invalid=273 /-]	
Value	Label	Cases	Percentage
1	NO PAIN	47157	<div><div></div></div> 76.8%
2	DOESN'T PREVENT	3899	<div><div></div></div> 6.3%
3	PREVENTS A FEW	3828	<div><div></div></div> 6.2%
4	PREVENTS SOME	3419	<div><div></div></div> 5.6%
5	PREVENTS MOST	3131	<div><div></div></div> 5.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	273	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HCU_1AA: Has regular medical doctor			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61601 /-] [Invalid=106 /-]	
Value	Label	Cases	Percentage
1	YES	53573	<div><div></div></div> 87.0%
2	NO	8028	<div><div></div></div> 13.0%
6	NOT APPLICABLE	0	
7	DON'T KNOW	104	
8	REFUSAL	2	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# HCU_1BA: Reason no dr - no one available in area			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=7870 /-] [Invalid=53837 /-]	
Value	Label	Cases	Percentage
1	YES	1715	<div><div></div></div> 21.8%
2	NO	6155	<div><div></div></div> 78.2%
6	NOT APPLICABLE	53573	
7	DON'T KNOW	157	
8	REFUSAL	1	
9	NOT STATED	106	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HCU_1BB: Reason no dr - none taking new patients			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=7870 /-] [Invalid=53837 /-]	
Value	Label	Cases	Percentage
1	YES	1534	<div><div></div></div> 19.5%
2	NO	6336	<div><div></div></div> 80.5%
6	NOT APPLICABLE	53573	
7	DON'T KNOW	157	
8	REFUSAL	1	
9	NOT STATED	106	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HCU_1BC: Reason no dr - not tried to contact one			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=7870 /-] [Invalid=53837 /-]	
Value	Label	Cases	Percentage
1	YES	3014	<div><div></div></div> 38.3%
2	NO	4856	<div><div></div></div> 61.7%
6	NOT APPLICABLE	53573	
7	DON'T KNOW	157	
8	REFUSAL	1	
9	NOT STATED	106	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HCU_1BD: Reason no dr - has left/retired			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=7870 /-] [Invalid=53837 /-]	
Value	Label	Cases	Percentage
1	YES	1864	<div><div></div></div> 23.7%
2	NO	6006	<div><div></div></div> 76.3%
6	NOT APPLICABLE	53573	
7	DON'T KNOW	157	
8	REFUSAL	1	
9	NOT STATED	106	

# HCU_1BD: Reason no dr - has left/retired			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HCU_1BE: Reason no dr - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7870 /-] [Invalid=53837 /-]		
Value	Label	Cases	Percentage
1	YES	765	<div><div></div></div> 9.7%
2	NO	7105	<div><div></div></div> 90.3%
6	NOT APPLICABLE	53573	
7	DON'T KNOW	157	
8	REFUSAL	1	
9	NOT STATED	106	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HCU_1A1: Regular medical doctor			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8006 /-] [Invalid=53701 /-]		
Value	Label	Cases	Percentage
1	YES	6613	<div><div></div></div> 82.6%
2	NO	1393	<div><div></div></div> 17.4%
6	NOT APPLICABLE	53573	
7	DON'T KNOW	22	
8	REFUSAL	0	
9	NOT STATED	106	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HCU_1A2: Kind of place			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=6603 /-] [Invalid=55104 /-]		
Value	Label	Cases	Percentage
1	DOCTOR'S OFFICE	264	<div><div></div></div> 4.0%
2	COMM HLTH CENTRE	954	<div><div></div></div> 14.4%
3	WALK-IN CLINIC	2937	<div><div></div></div> 44.5%
4	APPOINT CLINIC	495	<div><div></div></div> 7.5%
5	TELEPHO H. LINE	66	<div><div></div></div> 1.0%
6	EMERGENCY ROOM	1170	<div><div></div></div> 17.7%
7	HOSP OUTPAT CLIN	303	<div><div></div></div> 4.6%
8	OTHER	414	<div><div></div></div> 6.3%
96	NOT APPLICABLE	54966	
97	DON'T KNOW	9	
98	REFUSAL	1	
99	NOT STATED	128	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHP_01: Overnight patient			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# CHP_01: Overnight patient			
Statistics [NW/ W]		[Valid=61654 /-] [Invalid=53 /-]	
Value	Label	Cases	Percentage
1	YES	5887	<div><div></div></div> 9.5%
2	NO	55767	<div><div></div></div> 90.5%
6	NOT APPLICABLE	0	
7	DON'T KNOW	42	
8	REFUSAL	11	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPG02: No. of nights as patient - (G)			
Information		[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/ W]		[Valid=61606 /-] [Invalid=101 /-]	
Value	Label	Cases	Percentage
31	31 NIGHTS OR +	315	<div><div></div></div> 100.0%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHP_03: Consulted fam. doctor/gen. practitioner			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61607 /-] [Invalid=100 /-]	
Value	Label	Cases	Percentage
1	YES	47475	<div><div></div></div> 77.1%
2	NO	14132	<div><div></div></div> 22.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	83	
8	REFUSAL	6	
9	NOT STATED	11	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPG04: No. of consult. - family doctor - (G)			
Information		[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/ W]		[Valid=61145 /-] [Invalid=562 /-]	
Value	Label	Cases	Percentage
31	31+ CONSULTATION	152	<div><div></div></div> 100.0%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	562	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPG05: Where was most recent contact - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	

# CHPG05: Where was most recent contact - (G)			
Statistics [NW/ W]		[Valid=47407 /-] [Invalid=14300 /-]	
Value	Label	Cases	Percentage
1	DOCTOR'S OFFICE	37472	<div><div></div></div> 79.0%
2	HOSP EMERG ROOM	1439	<div><div></div></div> 3.0%
3	HOSP OUTPAT CLIN	1162	<div><div></div></div> 2.5%
4	WALK-IN CLINIC	2964	<div><div></div></div> 6.3%
5	APPOINT CLINIC	2836	<div><div></div></div> 6.0%
6	COMM HLTH CENTRE	889	<div><div></div></div> 1.9%
7	WORK/SCHOOL/OTH	337	<div><div></div></div> 0.7%
8	AT HOME	176	<div><div></div></div> 0.4%
9	TEL CONSULT ONLY	132	<div><div></div></div> 0.3%
96	NOT APPLICABLE	14132	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	168	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHP_06: Consulted with eye specialist			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61564 /-] [Invalid=143 /-]	
Value	Label	Cases	Percentage
1	YES	27271	<div><div></div></div> 44.3%
2	NO	34293	<div><div></div></div> 55.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	128	
8	REFUSAL	4	
9	NOT STATED	11	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPG07: No. of consult. - eye specialist - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]		[Valid=61503 /-] [Invalid=204 /-]	
Value	Label	Cases	Percentage
0		34293	<div><div></div></div> 55.8%
1		21312	<div><div></div></div> 34.7%
2		3597	<div><div></div></div> 5.8%
3		992	<div><div></div></div> 1.6%
4		580	<div><div></div></div> 0.9%
5		222	<div><div></div></div> 0.4%
6		206	<div><div></div></div> 0.3%
7		53	<div><div></div></div> 0.1%
8		70	<div><div></div></div> 0.1%
9		20	<div><div></div></div> 0.0%
10		56	<div><div></div></div> 0.1%

# CHPG07: No. of consult. - eye specialist - (G)			
Value	Label	Cases	Percentage
11		5	0.0%
12	12+ CONSULTATION	97	0.2%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	204	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CHP_08: Consulted with other medical doctor			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61618 +/-] [Invalid=89 +/-]		
Value	Label	Cases	Percentage
1	YES	20143	<div></div> 32.7%
2	NO	41475	<div></div> 67.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	69	
8	REFUSAL	9	
9	NOT STATED	11	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CHPG09: No. of consult. - other doctor - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=61494 +/-] [Invalid=213 +/-]		
Value	Label	Cases	Percentage
0		41475	<div></div> 67.4%
1		7973	<div></div> 13.0%
2		4634	<div></div> 7.5%
3		2278	<div></div> 3.7%
4		1584	<div></div> 2.6%
5		716	<div></div> 1.2%
6		691	<div></div> 1.1%
7		232	<div></div> 0.4%
8		263	<div></div> 0.4%
9		89	<div></div> 0.1%
10		329	<div></div> 0.5%
11		41	<div></div> 0.1%
12	12+ CONSULTATION	1189	<div></div> 1.9%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	213	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CHPG10: Where was most recent contact - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# CHPG10: Where was most recent contact - (G)			
Statistics [NW/ W]		[Valid=20101 /-] [Invalid=41606 /-]	
Value	Label	Cases	Percentage
1	DOCTOR'S OFFICE	11399	<div><div></div></div> 56.7%
2	HOSP EMERG ROOM	751	<div><div></div></div> 3.7%
3	HOSP OUTPAT CLIN	5162	<div><div></div></div> 25.7%
4	WALK-IN CLINIC	196	<div><div></div></div> 1.0%
5	APPOINT CLINIC	1685	<div><div></div></div> 8.4%
6	COMM HLTH CENTRE	269	<div><div></div></div> 1.3%
7	WORK/SCHOOL/OTH	525	<div><div></div></div> 2.6%
8	AT HOME	41	<div><div></div></div> 0.2%
9	TEL CONSULT ONLY	73	<div><div></div></div> 0.4%
96	NOT APPLICABLE	41475	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	131	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHP_11: Consulted with nurse			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61623 /-] [Invalid=84 /-]	
Value	Label	Cases	Percentage
1	YES	8691	<div><div></div></div> 14.1%
2	NO	52932	<div><div></div></div> 85.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	69	
8	REFUSAL	4	
9	NOT STATED	11	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPG12: No. of consult. - nurse - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]		[Valid=61404 /-] [Invalid=303 /-]	
Value	Label	Cases	Percentage
0		52932	<div><div></div></div> 86.2%
1		3175	<div><div></div></div> 5.2%
2		1734	<div><div></div></div> 2.8%
3		896	<div><div></div></div> 1.5%
4		643	<div><div></div></div> 1.0%
5		312	<div><div></div></div> 0.5%
6		331	<div><div></div></div> 0.5%
7		70	<div><div></div></div> 0.1%
8		92	<div><div></div></div> 0.1%
9		26	<div><div></div></div> 0.0%
10		198	<div><div></div></div> 0.3%

# CHPG12: No. of consult. - nurse - (G)			
Value	Label	Cases	Percentage
11		9	0.0%
12	12+ CONSULTATION	986	1.6%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	303	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPG13: Where was most recent contact - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=8653 /-] [Invalid=53054 /-]	
Value	Label	Cases	Percentage
1	DOCTOR'S OFFICE	1457	16.8%
2	HOSP EMERG ROOM	875	10.1%
3	HOSP OUTPAT CLIN	1052	12.2%
4	WALK-IN CLINIC	402	4.6%
5	APPOINT CLINIC	677	7.8%
6	COMM HLTH CENTRE	1188	13.7%
7	WORK/SCHOOL/OTH	858	9.9%
8	AT HOME	1238	14.3%
9	TEL CONSULT ONLY	906	10.5%
96	NOT APPLICABLE	52932	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	122	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHP_14: Consulted with dentist or orthodontist			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61635 /-] [Invalid=72 /-]	
Value	Label	Cases	Percentage
1	YES	38899	63.1%
2	NO	22736	36.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	55	
8	REFUSAL	6	
9	NOT STATED	11	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPG15: No. of consult. - dentist/orthod. - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]		[Valid=61419 /-] [Invalid=288 /-]	
Value	Label	Cases	Percentage
0		22736	37.0%

# CHPG15: No. of consult. - dentist/orthod. - (G)			
Value	Label	Cases	Percentage
1		15926	<div><div></div></div> 25.9%
2		13768	<div><div></div></div> 22.4%
3		4249	<div><div></div></div> 6.9%
4		2315	<div><div></div></div> 3.8%
5		739	<div><div></div></div> 1.2%
6		574	<div><div></div></div> 0.9%
7		173	<div><div></div></div> 0.3%
8		221	<div><div></div></div> 0.4%
9		52	<div><div></div></div> 0.1%
10		189	<div><div></div></div> 0.3%
11		23	<div><div></div></div> 0.0%
12	12+ CONSULTATION	454	<div><div></div></div> 0.7%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	288	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CHPGMDC: No. of consult. w/medical doctor (D,G)			
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]		
Statistics [NW/ W]	[Valid=60994 /-] [Invalid=713 /-]		
Value	Label	Cases	Percentage
31	31+ CONSULTATION	533	<div><div></div></div> 100.0%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	713	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOUCN: Module: UCN - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=31008 /-] [Invalid=30699 /-]		
Value	Label	Cases	Percentage
1	YES	31008	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	30699	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_010: Unmet health care needs - self-perceived			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30948 /-] [Invalid=30759 /-]		

# UCN_010: Unmet health care needs - self-perceived			
Value	Label	Cases	Percentage
1	YES	3281	<div><div></div></div> 10.6%
2	NO	27667	<div><div></div></div> 89.4%
6	NOT APPLICABLE	30699	
7	DON'T KNOW	52	
8	REFUSAL	8	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_020A: Care not rec'd - not avail. in area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	288	<div><div></div></div> 8.8%
2	NO	2985	<div><div></div></div> 91.2%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_020B: Care not rec'd - not avail. time req'd			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	490	<div><div></div></div> 15.0%
2	NO	2783	<div><div></div></div> 85.0%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_020C: Care not rec'd - wait too long			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	1065	<div><div></div></div> 32.5%
2	NO	2208	<div><div></div></div> 67.5%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# UCN_020D: Care not rec'd - felt be inadequate			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	165	<div><div></div>5.0%</div>
2	NO	3108	<div><div></div>95.0%</div>
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_020E: Care not rec'd - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	389	<div><div></div>11.9%</div>
2	NO	2884	<div><div></div>88.1%</div>
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_020F: Care not rec'd - too busy			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	173	<div><div></div>5.3%</div>
2	NO	3100	<div><div></div>94.7%</div>
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_020G: Care not rec'd - didn't get around it			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	181	<div><div></div>5.5%</div>
2	NO	3092	<div><div></div>94.5%</div>
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	

# UCN_020G: Care not rec'd - didn't get around it			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# UCN_020H: Care not rec'd - decided not seek care			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	236	<div><div></div></div> 7.2%
2	NO	3037	<div><div></div></div> 92.8%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# UCN_020I: Care not rec'd - doctor think not nec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	234	<div><div></div></div> 7.1%
2	NO	3039	<div><div></div></div> 92.9%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# UCN_020J: Care not rec'd - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3273 /-] [Invalid=58434 /-]		
Value	Label	Cases	Percentage
1	YES	914	<div><div></div></div> 27.9%
2	NO	2359	<div><div></div></div> 72.1%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	60	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# UCN_030A: Type care not rec'd - physical hlth prob			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3265 /-] [Invalid=58442 /-]		
Value	Label	Cases	Percentage
1	YES	2166	<div><div></div></div> 66.3%
2	NO	1099	<div><div></div></div> 33.7%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	13	

# UCN_030A: Type care not rec'd - physical hlth prob			
Value	Label	Cases	Percentage
8	REFUSAL	3	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_030B: Type care not rec'd - emotional problem			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3265 /-] [Invalid=58442 /-]	
Value	Label	Cases	Percentage
1	YES	320	<div><div></div></div> 9.8%
2	NO	2945	<div><div></div></div> 90.2%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	13	
8	REFUSAL	3	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_030C: Type care not rec'd - regular check-up			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3265 /-] [Invalid=58442 /-]	
Value	Label	Cases	Percentage
1	YES	245	<div><div></div></div> 7.5%
2	NO	3020	<div><div></div></div> 92.5%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	13	
8	REFUSAL	3	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_030D: Type care not rec'd - care of injury			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3265 /-] [Invalid=58442 /-]	
Value	Label	Cases	Percentage
1	YES	291	<div><div></div></div> 8.9%
2	NO	2974	<div><div></div></div> 91.1%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	13	
8	REFUSAL	3	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_030E: Type care not rec'd - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3265 /-] [Invalid=58442 /-]	
Value	Label	Cases	Percentage
1	YES	522	<div><div></div></div> 16.0%

# UCN_030E: Type care not rec'd - other			
Value	Label	Cases	Percentage
2	NO	2743	<div><div></div></div> 84.0%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	13	
8	REFUSAL	3	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_040A: Tried get serv. - doctor's office			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3219 /-] [Invalid=58488 /-]		
Value	Label	Cases	Percentage
1	YES	1544	<div><div></div></div> 48.0%
2	NO	1675	<div><div></div></div> 52.0%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	50	
8	REFUSAL	12	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_040B: Tried get serv. - comm. hlth centre/CLSC			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3219 /-] [Invalid=58488 /-]		
Value	Label	Cases	Percentage
1	YES	113	<div><div></div></div> 3.5%
2	NO	3106	<div><div></div></div> 96.5%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	50	
8	REFUSAL	12	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_040C: Tried get serv. - walk-in clinic			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3219 /-] [Invalid=58488 /-]		
Value	Label	Cases	Percentage
1	YES	333	<div><div></div></div> 10.3%
2	NO	2886	<div><div></div></div> 89.7%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	50	
8	REFUSAL	12	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_040D: Tried get serv. - appointment clinic			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# UCN_040D: Tried get serv. - appointment clinic			
Statistics [NW/ W]		[Valid=3219 /-] [Invalid=58488 /-]	
Value	Label	Cases	Percentage
1	YES	114	<div><div></div></div> 3.5%
2	NO	3105	<div><div></div></div> 96.5%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	50	
8	REFUSAL	12	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_040E: Tried get serv. - hospital emergency			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3219 /-] [Invalid=58488 /-]	
Value	Label	Cases	Percentage
1	YES	521	<div><div></div></div> 16.2%
2	NO	2698	<div><div></div></div> 83.8%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	50	
8	REFUSAL	12	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_040F: Tried get serv. - hsp. outpatient clinic			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3219 /-] [Invalid=58488 /-]	
Value	Label	Cases	Percentage
1	YES	235	<div><div></div></div> 7.3%
2	NO	2984	<div><div></div></div> 92.7%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	50	
8	REFUSAL	12	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UCN_040G: Tried get serv. - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3219 /-] [Invalid=58488 /-]	
Value	Label	Cases	Percentage
1	YES	731	<div><div></div></div> 22.7%
2	NO	2488	<div><div></div></div> 77.3%
6	NOT APPLICABLE	58366	
7	DON'T KNOW	50	
8	REFUSAL	12	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# DOPAS: Module: PAS - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=883 /-] [Invalid=60824 /-]		
Value	Label	Cases	Percentage
1	YES	883	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	60824	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAS_11: Rec'd health care services			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=826 /-] [Invalid=60881 /-]		
Value	Label	Cases	Percentage
1	YES	789	<div><div></div></div> 95.5%
2	NO	37	<div><div></div></div> 4.5%
6	NOT APPLICABLE	60862	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAS_12: Rating of quality of care rec'd			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=782 /-] [Invalid=60925 /-]		
Value	Label	Cases	Percentage
1	EXCELLENT	329	<div><div></div></div> 42.1%
2	GOOD	372	<div><div></div></div> 47.6%
3	FAIR	63	<div><div></div></div> 8.1%
4	POOR	18	<div><div></div></div> 2.3%
6	NOT APPLICABLE	60899	
7	DON'T KNOW	7	
8	REFUSAL	0	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PAS_13: Satisfaction with way care provided			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=780 /-] [Invalid=60927 /-]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	387	<div><div></div></div> 49.6%
2	SOMEWAT SAT.	295	<div><div></div></div> 37.8%
3	NEITHER	27	<div><div></div></div> 3.5%
4	SOMEWHAT DISSAT.	44	<div><div></div></div> 5.6%
5	VERY DISSAT.	27	<div><div></div></div> 3.5%
6	NOT APPLICABLE	60899	
7	DON'T KNOW	9	
8	REFUSAL	0	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAS_21A: Rec'd health care services at hospital			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=788 /-] [Invalid=60919 /-]	
Value	Label	Cases	Percentage
1	YES	276	<div><div></div></div> 35.0%
2	NO	512	<div><div></div></div> 65.0%
6	NOT APPLICABLE	60899	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAS_21B: Type of patient - most recent visit			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=61431 /-]	
Value	Label	Cases	Percentage
1	ADMTED OVERNIGHT	51	<div><div></div></div> 18.5%
2	OUTPATIENT	145	<div><div></div></div> 52.5%
3	ER PATIENT	80	<div><div></div></div> 29.0%
6	NOT APPLICABLE	61411	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	20	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAS_22: Rating quality care rec'd - hospital			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=275 /-] [Invalid=61432 /-]	
Value	Label	Cases	Percentage
1	EXCELLENT	164	<div><div></div></div> 59.6%
2	GOOD	83	<div><div></div></div> 30.2%

# PAS_22: Rating quality care rec'd - hospital			
Value	Label	Cases	Percentage
3	FAIR	22	<div><div></div></div> 8.0%
4	POOR	6	<div><div></div></div> 2.2%
6	NOT APPLICABLE	61411	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	20	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAS_23: Satisfaction w/way care provided - hosp.			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=276 /-] [Invalid=61431 /-]		
Value	Label	Cases	Percentage
1	VERY SATISFIED	172	<div><div></div></div> 62.3%
2	SOMEWAT SAT.	74	<div><div></div></div> 26.8%
3	NEITHER	4	<div><div></div></div> 1.4%
4	SOMEWHAT DISSAT.	14	<div><div></div></div> 5.1%
5	VERY DISSAT.	12	<div><div></div></div> 4.3%
6	NOT APPLICABLE	61411	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	20	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAS_31A: Rec'd physician care			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=789 /-] [Invalid=60918 /-]		
Value	Label	Cases	Percentage
1	YES	503	<div><div></div></div> 63.8%
2	NO	286	<div><div></div></div> 36.2%
6	NOT APPLICABLE	60899	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	19	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAS_31B: Type of physician - most recent care			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=502 /-] [Invalid=61205 /-]		
Value	Label	Cases	Percentage
1	FAMILY DOCTOR	431	<div><div></div></div> 85.9%
2	SPECIALIST	71	<div><div></div></div> 14.1%
6	NOT APPLICABLE	61185	
7	DON'T KNOW	1	
8	REFUSAL	0	

# PAS_31B: Type of physician - most recent care			
Value	Label	Cases	Percentage
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# PAS_32: Rating of quality of care rec'd - phy.			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=502 /-] [Invalid=61205 /-]	
Value	Label	Cases	Percentage
1	EXCELLENT	302	<div></div> 60.2%
2	GOOD	170	<div></div> 33.9%
3	FAIR	25	<div></div> 5.0%
4	POOR	5	<div></div> 1.0%
6	NOT APPLICABLE	61185	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	20	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAS_33: Satisfaction w/way care provided - phy.			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=500 /-] [Invalid=61207 /-]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	341	<div></div> 68.2%
2	SOMEWAT SAT.	128	<div></div> 25.6%
3	NEITHER	12	<div></div> 2.4%
4	SOMEWHAT DISSAT.	13	<div></div> 2.6%
5	VERY DISSAT.	6	<div></div> 1.2%
6	NOT APPLICABLE	61185	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	20	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOPSC: Module: PSC - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=29657 /-] [Invalid=32050 /-]	
Value	Label	Cases	Percentage
1	YES	29657	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	32050	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PSC_1: Received any community-based care			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26899 /-] [Invalid=34808 /-]	
Value	Label	Cases	Percentage
1	YES	6061	<div><div></div></div> 22.5%
2	NO	20838	<div><div></div></div> 77.5%
6	NOT APPLICABLE	33282	
7	DON'T KNOW	40	
8	REFUSAL	9	
9	NOT STATED	1477	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSC_2: How rate quality of com.-based received			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=6042 /-] [Invalid=55665 /-]	
Value	Label	Cases	Percentage
1	EXCELLENT	2422	<div><div></div></div> 40.1%
2	GOOD	2514	<div><div></div></div> 41.6%
3	FAIR	793	<div><div></div></div> 13.1%
4	POOR	313	<div><div></div></div> 5.2%
6	NOT APPLICABLE	54120	
7	DON'T KNOW	18	
8	REFUSAL	1	
9	NOT STATED	1526	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSC_3: Satisf.the way com.-based care provided			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=6035 /-] [Invalid=55672 /-]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	3008	<div><div></div></div> 49.8%
2	SOMEWAT SAT.	1982	<div><div></div></div> 32.8%
3	NEITHER	439	<div><div></div></div> 7.3%
4	SOMEWHAT DISSAT.	413	<div><div></div></div> 6.8%
5	VERY DISSAT.	193	<div><div></div></div> 3.2%
6	NOT APPLICABLE	54120	
7	DON'T KNOW	26	
8	REFUSAL	0	
9	NOT STATED	1526	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# RAC_1: Has difficulty with activities			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=61577 /-] [Invalid=130 /-]	
Value	Label	Cases	Percentage
1	SOMETIMES	11180	<div><div></div></div> 18.2%

# RAC_1: Has difficulty with activities			
Value	Label	Cases	Percentage
2	OFTEN	9319	<div><div></div></div> 15.1%
3	NEVER	41078	<div><div></div></div> 66.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	114	
8	REFUSAL	16	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RAC_2A: Reduction kind/amount activities - home			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=61547 /-] [Invalid=160 /-]		
Value	Label	Cases	Percentage
1	SOMETIMES	9189	<div><div></div></div> 14.9%
2	OFTEN	5939	<div><div></div></div> 9.6%
3	NEVER	46419	<div><div></div></div> 75.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	141	
8	REFUSAL	3	
9	NOT STATED	16	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RAC_2B1: Reduction kind/amount activities- school			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=61662 /-] [Invalid=45 /-]		
Value	Label	Cases	Percentage
1	SOMETIMES	852	<div><div></div></div> 1.4%
2	OFTEN	366	<div><div></div></div> 0.6%
3	NEVER	12048	<div><div></div></div> 19.5%
4	NOT AT SCHOOL	48396	<div><div></div></div> 78.5%
6	NOT APPLICABLE	0	
7	DON'T KNOW	25	
8	REFUSAL	1	
9	NOT STATED	19	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RAC_2B2: Reduction kind/amount act. - at work			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=61624 /-] [Invalid=83 /-]		
Value	Label	Cases	Percentage
1	SOMETIMES	4180	<div><div></div></div> 6.8%
2	OFTEN	1603	<div><div></div></div> 2.6%
3	NEVER	30490	<div><div></div></div> 49.5%
4	HAS NO JOB	25351	<div><div></div></div> 41.1%
6	NOT APPLICABLE	0	

# RAC_2B2: Reduction kind/amount act. - at work			
Value	Label	Cases	Percentage
7	DON'T KNOW	59	
8	REFUSAL	4	
9	NOT STATED	20	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# RAC_2C: Reduction kind/amount act. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=61445 /-] [Invalid=262 /-]		
Value	Label	Cases	Percentage
1	SOMETIMES	7704	<div><div></div></div> 12.5%
2	OFTEN	5706	<div><div></div></div> 9.3%
3	NEVER	48035	<div><div></div></div> 78.2%
6	NOT APPLICABLE	0	
7	DON'T KNOW	229	
8	REFUSAL	9	
9	NOT STATED	24	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# RACG5: Cause of health problem - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=24141 /-] [Invalid=37566 /-]		
Value	Label	Cases	Percentage
1	INJURY	4613	<div><div></div></div> 19.1%
2	DISEASE OR ILLNE	6792	<div><div></div></div> 28.1%
3	AGEING	5962	<div><div></div></div> 24.7%
4	EXISTED AT BIRTH	2285	<div><div></div></div> 9.5%
5	WORK CONDITIONS	2289	<div><div></div></div> 9.5%
6	OTHER	2200	<div><div></div></div> 9.1%
96	NOT APPLICABLE	36852	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	714	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# RACDIMP: Impact of health problems - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=61501 /-] [Invalid=206 /-]		
Value	Label	Cases	Percentage
1	SOMETIMES	10802	<div><div></div></div> 17.6%
2	OFTEN	8310	<div><div></div></div> 13.5%
3	NEVER	42389	<div><div></div></div> 68.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	

# RACDIMP: Impact of health problems - (D)			
Value	Label	Cases	Percentage
9	NOT STATED	206	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# RACDPAL: Participation and activity limit. - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=61228 -/] [Invalid=479 -/]	
Value	Label	Cases	Percentage
1	SOMETIMES	12701	<div></div> 20.7%
2	OFTEN	11675	<div></div> 19.1%
3	NEVER	36852	<div></div> 60.2%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	479	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOADL: Content module - ADL (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=23022 -/] [Invalid=38685 -/]	
Value	Label	Cases	Percentage
1	YES	23022	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	38685	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ADL_01: Needs help - preparing meals			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=23008 -/] [Invalid=38699 -/]	
Value	Label	Cases	Percentage
1	YES	976	<div></div> 4.2%
2	NO	22032	<div></div> 95.8%
6	NOT APPLICABLE	38685	
7	DON'T KNOW	12	
8	REFUSAL	2	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ADL_02: Needs help - getting to appointments			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=23007 -/] [Invalid=38700 -/]	
Value	Label	Cases	Percentage
1	YES	2074	<div></div> 9.0%

# ADL_02: Needs help - getting to appointments			
Value	Label	Cases	Percentage
2	NO	20933	<div><div></div></div> 91.0%
6	NOT APPLICABLE	38685	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ADL_03: Needs help - doing housework			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23002 /-] [Invalid=38705 /-]		
Value	Label	Cases	Percentage
1	YES	2160	<div><div></div></div> 9.4%
2	NO	20842	<div><div></div></div> 90.6%
6	NOT APPLICABLE	38685	
7	DON'T KNOW	19	
8	REFUSAL	1	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ADL_04: Needs help - personal care			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23016 /-] [Invalid=38691 /-]		
Value	Label	Cases	Percentage
1	YES	735	<div><div></div></div> 3.2%
2	NO	22281	<div><div></div></div> 96.8%
6	NOT APPLICABLE	38685	
7	DON'T KNOW	4	
8	REFUSAL	2	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ADL_05: Needs help - moving about inside house			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23014 /-] [Invalid=38693 /-]		
Value	Label	Cases	Percentage
1	YES	429	<div><div></div></div> 1.9%
2	NO	22585	<div><div></div></div> 98.1%
6	NOT APPLICABLE	38685	
7	DON'T KNOW	7	
8	REFUSAL	1	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ADL_06: Needs help - looking after finances			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# ADL_06: Needs help - looking after finances			
Statistics [NW/ W]		[Valid=22972 /-] [Invalid=38735 /-]	
Value	Label	Cases	Percentage
1	YES	923	<div><div></div></div> 4.0%
2	NO	22049	<div><div></div></div> 96.0%
6	NOT APPLICABLE	38685	
7	DON'T KNOW	44	
8	REFUSAL	6	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ADLF6R: Help needed for tasks - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=22968 /-] [Invalid=38739 /-]	
Value	Label	Cases	Percentage
1	YES	3232	<div><div></div></div> 14.1%
2	NO	19736	<div><div></div></div> 85.9%
6	NOT APPLICABLE	38685	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	54	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_160: Ever had a flu shot			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60009 /-] [Invalid=1698 /-]	
Value	Label	Cases	Percentage
1	YES	38356	<div><div></div></div> 63.9%
2	NO	21653	<div><div></div></div> 36.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	280	
8	REFUSAL	8	
9	NOT STATED	1410	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_162: Had flu shot - last time			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=38105 /-] [Invalid=23602 /-]	
Value	Label	Cases	Percentage
1	< 1 YEAR	21492	<div><div></div></div> 56.4%
2	1 TO < 2 YEARS	5101	<div><div></div></div> 13.4%
3	2 YEARS OR MORE	11512	<div><div></div></div> 30.2%
6	NOT APPLICABLE	21653	
7	DON'T KNOW	246	
8	REFUSAL	5	
9	NOT STATED	1698	

# FLU_162: Had flu shot - last time			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FLU_164: Had flu shot - which month			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=20213 /-] [Invalid=41494 /-]		
Value	Label	Cases	Percentage
1	JANUARY	356	<div><div></div></div> 1.8%
2	FEBRUARY	176	<div><div></div></div> 0.9%
3	MARCH	141	<div><div></div></div> 0.7%
4	APRIL	82	<div><div></div></div> 0.4%
5	MAY	45	<div><div></div></div> 0.2%
6	JUNE	26	<div><div></div></div> 0.1%
7	JULY	37	<div><div></div></div> 0.2%
8	AUGUST	68	<div><div></div></div> 0.3%
9	SEPTEMBER	678	<div><div></div></div> 3.4%
10	OCTOBER	8266	<div><div></div></div> 40.9%
11	NOVEMBER	9420	<div><div></div></div> 46.6%
12	DECEMBER	918	<div><div></div></div> 4.5%
96	NOT APPLICABLE	38266	
97	DON'T KNOW	1259	
98	REFUSAL	20	
99	NOT STATED	1949	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FLU_165: Had flu shot - current/last year			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2054 /-] [Invalid=59653 /-]		
Value	Label	Cases	Percentage
1	THIS YEAR	1015	<div><div></div></div> 49.4%
2	LAST YEAR	1039	<div><div></div></div> 50.6%
6	NOT APPLICABLE	56413	
7	DON'T KNOW	9	
8	REFUSAL	0	
9	NOT STATED	3231	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FLU_66A: No flu shot - have not gotten around it			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	5672	<div><div></div></div> 15.1%
2	NO	31834	<div><div></div></div> 84.9%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	

# FLU_66A: No flu shot - have not gotten around it			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# FLU_66B: No flu shot - resp. didn't think nec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	26720	<div><div></div></div> 71.2%
2	NO	10786	<div><div></div></div> 28.8%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66C: No flu shot - doctor didn't think nec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	690	<div><div></div></div> 1.8%
2	NO	36816	<div><div></div></div> 98.2%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66D: No flu shot - personal/family resp.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	210	<div><div></div></div> 0.6%
2	NO	37296	<div><div></div></div> 99.4%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66E: No flu shot - not available when req'd			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	402	<div><div></div></div> 1.1%
2	NO	37104	<div><div></div></div> 98.9%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	

# FLU_66E: No flu shot - not available when req'd			
Value	Label	Cases	Percentage
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66F: No flu shot - not available in area			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=37506 /-] [Invalid=24201 /-]	
Value	Label	Cases	Percentage
1	YES	128	0.3%
2	NO	37378	99.7%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66G: No flu shot - waiting time was too long			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=37506 /-] [Invalid=24201 /-]	
Value	Label	Cases	Percentage
1	YES	89	0.2%
2	NO	37417	99.8%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66H: No flu shot - transportation problems			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=37506 /-] [Invalid=24201 /-]	
Value	Label	Cases	Percentage
1	YES	72	0.2%
2	NO	37434	99.8%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66I: No flu shot - language problem			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=37506 /-] [Invalid=24201 /-]	
Value	Label	Cases	Percentage
1	YES	4	0.0%

# FLU_66I: No flu shot - language problem			
Value	Label	Cases	Percentage
2	NO	37502	<div><div></div></div> 100.0%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FLU_66J: No flu shot - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	115	<div><div></div></div> 0.3%
2	NO	37391	<div><div></div></div> 99.7%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FLU_66K: No flu shot - did not know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	339	<div><div></div></div> 0.9%
2	NO	37167	<div><div></div></div> 99.1%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FLU_66L: No flu shot - fear			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=37506 /-] [Invalid=24201 /-]		
Value	Label	Cases	Percentage
1	YES	1731	<div><div></div></div> 4.6%
2	NO	35775	<div><div></div></div> 95.4%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FLU_66M: No flu shot - bad reaction to prev. shot			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# FLU_66M: No flu shot - bad reaction to prev. shot			
Statistics [NW/ W]		[Valid=37506 /-] [Invalid=24201 /-]	
Value	Label	Cases	Percentage
1	YES	2778	<div><div></div></div> 7.4%
2	NO	34728	<div><div></div></div> 92.6%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66O: No flu shot - unable leave house/hlth			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=37506 /-] [Invalid=24201 /-]	
Value	Label	Cases	Percentage
1	YES	88	<div><div></div></div> 0.2%
2	NO	37418	<div><div></div></div> 99.8%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FLU_66N: No flu shot - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=37506 /-] [Invalid=24201 /-]	
Value	Label	Cases	Percentage
1	YES	553	<div><div></div></div> 1.5%
2	NO	36953	<div><div></div></div> 98.5%
6	NOT APPLICABLE	21492	
7	DON'T KNOW	738	
8	REFUSAL	22	
9	NOT STATED	1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOBLT: Theme module: Blood test - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61707 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# BLT_01: Blood test - ordered by a health profes.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=43165 /-] [Invalid=18542 /-]	
Value	Label	Cases	Percentage
1	YES	30812	<div></div> 71.4%
2	NO	12353	<div></div> 28.6%
6	NOT APPLICABLE	17252	
7	DON'T KNOW	213	
8	REFUSAL	11	
9	NOT STATED	1066	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# BLT_02A: Blood test - for assessment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30675 /-] [Invalid=31032 /-]		
Value	Label	Cases	Percentage
1	YES	17686	<div><div></div></div> 57.7%
2	NO	12989	<div><div></div></div> 42.3%
6	NOT APPLICABLE	29605	
7	DON'T KNOW	128	
8	REFUSAL	9	
9	NOT STATED	1290	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BLT_02B: Blood test - to monitor existing cond.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30675 /-] [Invalid=31032 /-]		
Value	Label	Cases	Percentage
1	YES	12287	<div><div></div></div> 40.1%
2	NO	18388	<div><div></div></div> 59.9%
6	NOT APPLICABLE	29605	
7	DON'T KNOW	128	
8	REFUSAL	9	
9	NOT STATED	1290	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BLT_02C: Blood test - to check health condition			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30675 /-] [Invalid=31032 /-]		
Value	Label	Cases	Percentage
1	YES	3097	<div><div></div></div> 10.1%
2	NO	27578	<div><div></div></div> 89.9%
6	NOT APPLICABLE	29605	
7	DON'T KNOW	128	
8	REFUSAL	9	
9	NOT STATED	1290	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BLT_02D: Blood test - as the result of emergency			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30675 /-] [Invalid=31032 /-]		
Value	Label	Cases	Percentage
1	YES	682	<div><div></div></div> 2.2%
2	NO	29993	<div><div></div></div> 97.8%
6	NOT APPLICABLE	29605	
7	DON'T KNOW	128	
8	REFUSAL	9	
9	NOT STATED	1290	

# BLT_02D: Blood test - as the result of emergency			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BLT_02E: Blood test - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30675 /-] [Invalid=31032 /-]		
Value	Label	Cases	Percentage
1	YES	813	<div><div></div></div> 2.7%
2	NO	29862	<div><div></div></div> 97.3%
6	NOT APPLICABLE	29605	
7	DON'T KNOW	128	
8	REFUSAL	9	
9	NOT STATED	1290	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BLT_03A: Blood test - high chol., heart rel. con.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14382 /-] [Invalid=47325 /-]		
Value	Label	Cases	Percentage
1	YES	4464	<div><div></div></div> 31.0%
2	NO	9918	<div><div></div></div> 69.0%
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	
8	REFUSAL	13	
9	NOT STATED	1427	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BLT_03B: Blood test - diabetes			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14382 /-] [Invalid=47325 /-]		
Value	Label	Cases	Percentage
1	YES	3772	<div><div></div></div> 26.2%
2	NO	10610	<div><div></div></div> 73.8%
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	
8	REFUSAL	13	
9	NOT STATED	1427	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BLT_03C: Blood test - thyroid			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14382 /-] [Invalid=47325 /-]		
Value	Label	Cases	Percentage
1	YES	2148	<div><div></div></div> 14.9%
2	NO	12234	<div><div></div></div> 85.1%
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	

# BLT_03C: Blood test - thyroid			
Value	Label	Cases	Percentage
8	REFUSAL	13	
9	NOT STATED	1427	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BLT_03D: Blood test - prostate			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=14382 /-] [Invalid=47325 /-]	
Value	Label	Cases	Percentage
1	YES	732	<div><div></div>5.1%</div>
2	NO	13650	<div><div></div>94.9%</div>
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	
8	REFUSAL	13	
9	NOT STATED	1427	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BLT_03E: Blood test - infectious disease			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=14382 /-] [Invalid=47325 /-]	
Value	Label	Cases	Percentage
1	YES	229	<div><div></div>1.6%</div>
2	NO	14153	<div><div></div>98.4%</div>
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	
8	REFUSAL	13	
9	NOT STATED	1427	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BLT_03F: Blood test - liver function			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=14382 /-] [Invalid=47325 /-]	
Value	Label	Cases	Percentage
1	YES	625	<div><div></div>4.3%</div>
2	NO	13757	<div><div></div>95.7%</div>
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	
8	REFUSAL	13	
9	NOT STATED	1427	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BLT_03G: Blood test - hormone-related			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=14382 /-] [Invalid=47325 /-]	
Value	Label	Cases	Percentage
1	YES	277	<div><div></div>1.9%</div>

# BLT_03G: Blood test - hormone-related			
Value	Label	Cases	Percentage
2	NO	14105	<div></div> 98.1%
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	
8	REFUSAL	13	
9	NOT STATED	1427	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BLT_03H: Blood test - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14382 /-] [Invalid=47325 /-]		
Value	Label	Cases	Percentage
1	YES	5982	<div></div> 41.6%
2	NO	8400	<div></div> 58.4%
6	NOT APPLICABLE	45660	
7	DON'T KNOW	225	
8	REFUSAL	13	
9	NOT STATED	1427	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOBPC: Module: BPC - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11654 /-] [Invalid=50053 /-]		
Value	Label	Cases	Percentage
1	YES	11654	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	50053	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BPC_010: Ever had blood pressure taken			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11400 /-] [Invalid=50307 /-]		
Value	Label	Cases	Percentage
1	YES	10936	<div></div> 95.9%
2	NO	464	<div></div> 4.1%
6	NOT APPLICABLE	50053	
7	DON'T KNOW	35	
8	REFUSAL	1	
9	NOT STATED	218	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BPC_012: Last time blood pressure was taken			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		

# BPC_012: Last time blood pressure was taken			
Statistics [NW/ W]		[Valid=10783 /-] [Invalid=50924 /-]	
Value	Label	Cases	Percentage
1	< 6 MONTHS	6888	<div><div></div></div> 63.9%
2	6 MTHS TO < 1 YR	1994	<div><div></div></div> 18.5%
3	1 TO < 2 YEARS	1028	<div><div></div></div> 9.5%
4	2 TO < 5 YEARS	660	<div><div></div></div> 6.1%
5	5 YEARS OR MORE	213	<div><div></div></div> 2.0%
6	NOT APPLICABLE	50517	
7	DON'T KNOW	151	
8	REFUSAL	2	
9	NOT STATED	254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_013: Pregnant - blood pressure taken			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2636 /-] [Invalid=59071 /-]	
Value	Label	Cases	Percentage
1	YES	204	<div><div></div></div> 7.7%
2	NO	2432	<div><div></div></div> 92.3%
6	NOT APPLICABLE	59008	
7	DON'T KNOW	6	
8	REFUSAL	1	
9	NOT STATED	56	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16A: B.p. not taken - not gotten around to it			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	168	<div><div></div></div> 23.0%
2	NO	562	<div><div></div></div> 77.0%
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16B: B.p. not taken - resp. didn't think nec.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	451	<div><div></div></div> 61.8%
2	NO	279	<div><div></div></div> 38.2%
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	

# BPC_16B: B.p. not taken - resp. didn't think nec.			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16C: B.p. not taken - dr. didn't think nec.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	38	<div><div></div>5.2%</div>
2	NO	692	<div><div></div>94.8%</div>
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16D: B.p. not taken - personal/family resp.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	2	<div><div></div>0.3%</div>
2	NO	728	<div><div></div>99.7%</div>
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16G: B.p. not taken - waiting time too long			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div><div></div>0.5%</div>
2	NO	726	<div><div></div>99.5%</div>
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16H: B.p. not taken - transportation problems			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div>0.1%</div>

# BPC_16H: B.p. not taken - transportation problems			
Value	Label	Cases	Percentage
2	NO	729	<div><div></div></div> 99.9%
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BPC_16I: B.p. not taken - language problem			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=730 /-] [Invalid=60977 /-]		
Value	Label	Cases	Percentage
1	YES	0	<div><div></div></div> 100.0%
2	NO	730	
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BPC_16J: B.p. not taken - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=730 /-] [Invalid=60977 /-]		
Value	Label	Cases	Percentage
1	YES	0	<div><div></div></div> 100.0%
2	NO	730	
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BPC_16K: B.p. not taken - didn't know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=730 /-] [Invalid=60977 /-]		
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 0.4%
2	NO	727	<div><div></div></div> 99.6%
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BPC_16L: B.p. not taken - fear			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# BPC_16L: B.p. not taken - fear			
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	1	0.1%
2	NO	729	<div></div> 99.9%
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16N: B.p. not taken - unable leave house			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	1	0.1%
2	NO	729	<div></div> 99.9%
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BPC_16M: B.p. not taken - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=730 /-] [Invalid=60977 /-]	
Value	Label	Cases	Percentage
1	YES	95	<div></div> 13.0%
2	NO	635	<div></div> 87.0%
6	NOT APPLICABLE	60688	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOPAP: Module: PAP smear test - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61707 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	YES	61707	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PAP_020: Ever had PAP smear test			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=30865 /-] [Invalid=30842 /-]	
Value	Label	Cases	Percentage
1	YES	27339	<div><div></div></div> 88.6%
2	NO	3526	<div><div></div></div> 11.4%
6	NOT APPLICABLE	30130	
7	DON'T KNOW	226	
8	REFUSAL	37	
9	NOT STATED	449	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_022: Last time had PAP smear test			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=27012 /-] [Invalid=34695 /-]	
Value	Label	Cases	Percentage
1	< 6 MONTHS	4626	<div><div></div></div> 17.1%
2	6 MTHS TO < 1 YR	6102	<div><div></div></div> 22.6%
3	1 TO < 3 YEARS	7680	<div><div></div></div> 28.4%
4	3 TO < 5 YEARS	1974	<div><div></div></div> 7.3%
5	5 OR MORE YEARS	6630	<div><div></div></div> 24.5%
6	NOT APPLICABLE	33656	
7	DON'T KNOW	308	
8	REFUSAL	19	
9	NOT STATED	712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26A: No PAP - have not gotten around to it			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=11764 /-] [Invalid=49943 /-]	
Value	Label	Cases	Percentage
1	YES	1657	<div><div></div></div> 14.1%
2	NO	10107	<div><div></div></div> 85.9%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26B: No PAP - resp. didn't think necessary			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=11764 /-] [Invalid=49943 /-]	
Value	Label	Cases	Percentage
1	YES	3505	<div><div></div></div> 29.8%
2	NO	8259	<div><div></div></div> 70.2%
6	NOT APPLICABLE	48538	

# PAP_26B: No PAP - resp. didn't think necessary			
Value	Label	Cases	Percentage
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26C: No PAP - doctor didn't think necessary			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	2704	<div><div></div>23.0%</div>
2	NO	9060	<div><div></div>77.0%</div>
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26D: No PAP - personal/fam. responsibilities			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	24	<div><div></div>0.2%</div>
2	NO	11740	<div><div></div>99.8%</div>
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26E: No PAP - not available when required			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	94	<div><div></div>0.8%</div>
2	NO	11670	<div><div></div>99.2%</div>
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26F: No PAP - not available in area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		

# PAP_26F: No PAP - not available in area			
Value	Label	Cases	Percentage
1	YES	84	0.7%
2	NO	11680	99.3%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26G: No PAP - waiting time too long			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	49	0.4%
2	NO	11715	99.6%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26H: No PAP - transportation problems			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	14	0.1%
2	NO	11750	99.9%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26I: No PAP - language problem			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	3	0.0%
2	NO	11761	100.0%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PAP_26J: No PAP - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	10	0.1%
2	NO	11754	99.9%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26K: No PAP - did not know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	101	0.9%
2	NO	11663	99.1%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26L: No PAP - fear			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	137	1.2%
2	NO	11627	98.8%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAP_26M: No PAP - hysterectomy			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11767 /-] [Invalid=49940 /-]		
Value	Label	Cases	Percentage
1	YES	2883	24.5%
2	NO	8884	75.5%
6	NOT APPLICABLE	48538	
7	DON'T KNOW	342	
8	REFUSAL	21	
9	NOT STATED	1039	

# PAP_26M: No PAP - hysterectomy			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAP_26N: No PAP - hate/dislike having one done			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	304	<div><div></div>2.6%</div>
2	NO	11460	<div><div></div>97.4%</div>
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAP_26P: No PAP - unable leave house/hlth prob.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	18	<div><div></div>0.2%</div>
2	NO	11746	<div><div></div>99.8%</div>
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAP_26O: No PAP - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11764 /-] [Invalid=49943 /-]		
Value	Label	Cases	Percentage
1	YES	1250	<div><div></div>10.6%</div>
2	NO	10514	<div><div></div>89.4%</div>
6	NOT APPLICABLE	48538	
7	DON'T KNOW	345	
8	REFUSAL	21	
9	NOT STATED	1039	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOMAM: Module: Mammography - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div>100.0%</div>
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	

# DOMAM: Module: Mammography - (F)			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# MAM_030: Ever had mammogram			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24550 /-] [Invalid=37157 /-]		
Value	Label	Cases	Percentage
1	YES	19388	<div></div> 79.0%
2	NO	5162	<div></div> 21.0%
6	NOT APPLICABLE	36721	
7	DON'T KNOW	44	
8	REFUSAL	16	
9	NOT STATED	376	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# MAM_31A: Had mammogram - family history			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	2280	<div><div></div></div> 11.8%
2	NO	16997	<div><div></div></div> 88.2%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	
8	REFUSAL	8	
9	NOT STATED	436	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_31B: Had mammogram - regular check-up			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	13750	<div><div></div></div> 71.3%
2	NO	5527	<div><div></div></div> 28.7%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	
8	REFUSAL	8	
9	NOT STATED	436	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_31C: Had mammogram - age			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	2481	<div><div></div></div> 12.9%
2	NO	16796	<div><div></div></div> 87.1%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	
8	REFUSAL	8	
9	NOT STATED	436	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_31D: Had mammogram - previously detected lump			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	1774	<div><div></div></div> 9.2%
2	NO	17503	<div><div></div></div> 90.8%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	
8	REFUSAL	8	
9	NOT STATED	436	

# MAM_31D: Had mammogram - previously detected lump			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_31E: Had mammogram - follow-up treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	667	<div><div></div></div> 3.5%
2	NO	18610	<div><div></div></div> 96.5%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	
8	REFUSAL	8	
9	NOT STATED	436	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_31F: Had mammogram - hormone replac. therapy			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	36	<div><div></div></div> 0.2%
2	NO	19241	<div><div></div></div> 99.8%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	
8	REFUSAL	8	
9	NOT STATED	436	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_31G: Had mammogram - breast problem			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	496	<div><div></div></div> 2.6%
2	NO	18781	<div><div></div></div> 97.4%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	
8	REFUSAL	8	
9	NOT STATED	436	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_31H: Had mammogram - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19277 /-] [Invalid=42430 /-]		
Value	Label	Cases	Percentage
1	YES	634	<div><div></div></div> 3.3%
2	NO	18643	<div><div></div></div> 96.7%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	103	

# MAM_31H: Had mammogram - other			
Value	Label	Cases	Percentage
8	REFUSAL	8	
9	NOT STATED	436	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_032: Last time mammogram was done			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=19192 /-] [Invalid=42515 /-]		
Value	Label	Cases	Percentage
1	< 6 MONTHS	3562	<div></div> 18.6%
2	6 MTHS TO < 1 YR	4801	<div></div> 25.0%
3	1 TO < 2 YEARS	4784	<div></div> 24.9%
4	2 TO < 5 YEARS	3075	<div></div> 16.0%
5	5 YEARS OR MORE	2970	<div></div> 15.5%
6	NOT APPLICABLE	41883	
7	DON'T KNOW	188	
8	REFUSAL	8	
9	NOT STATED	436	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36A: No mam. -have not gotten ar.to it -2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	992	<div></div> 31.5%
2	NO	2155	<div></div> 68.5%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36B: No mam. resp.- didn't think nec. - 2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	1199	<div></div> 38.1%
2	NO	1948	<div></div> 61.9%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36C: No mam. -doctor didn't think nec. -2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# MAM_36C: No mam. -doctor didn't think nec. -2 yrs			
Statistics [NW/ W]		[Valid=3147 /-] [Invalid=58560 /-]	
Value	Label	Cases	Percentage
1	YES	437	<div><div></div></div> 13.9%
2	NO	2710	<div><div></div></div> 86.1%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36D: No mam. - personal/family resp. - 2 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3147 /-] [Invalid=58560 /-]	
Value	Label	Cases	Percentage
1	YES	35	<div><div></div></div> 1.1%
2	NO	3112	<div><div></div></div> 98.9%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36E: No mam. - not ava. when required - 2 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3147 /-] [Invalid=58560 /-]	
Value	Label	Cases	Percentage
1	YES	37	<div><div></div></div> 1.2%
2	NO	3110	<div><div></div></div> 98.8%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36F: No mam. - not avai. in the area - 2 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3147 /-] [Invalid=58560 /-]	
Value	Label	Cases	Percentage
1	YES	52	<div><div></div></div> 1.7%
2	NO	3095	<div><div></div></div> 98.3%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# MAM_36G: No mam. -wait. time was too long - 2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	32	1.0%
2	NO	3115	99.0%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36H: No mam. -transportation problems - 2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	33	1.0%
2	NO	3114	99.0%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36I: No mam. - language problem - 2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	3147	100.0%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36J: No mam. - cost - 2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	12	0.4%
2	NO	3135	99.6%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	

# MAM_36J: No mam. - cost - 2 yrs			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_36K: No mam. -did not know where to go -2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	80	<div><div></div>2.5%</div>
2	NO	3067	<div><div></div>97.5%</div>
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_36L: No mam. - fear - 2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	283	<div><div></div>9.0%</div>
2	NO	2864	<div><div></div>91.0%</div>
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_36N: No mam. -un. leave house/hlth pro -2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	30	<div><div></div>1.0%</div>
2	NO	3117	<div><div></div>99.0%</div>
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MAM_36O: No mam. -Breasts removed/Mastec. -2 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3147 /-] [Invalid=58560 /-]		
Value	Label	Cases	Percentage
1	YES	40	<div><div></div>1.3%</div>
2	NO	3107	<div><div></div>98.7%</div>
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	

# MAM_36O: No mam. -Breasts removed/Mastec. -2 yrs			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_36M: No mam. - other - 2 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3147 /-] [Invalid=58560 /-]	
Value	Label	Cases	Percentage
1	YES	122	<div><div></div></div> 3.9%
2	NO	3025	<div><div></div></div> 96.1%
6	NOT APPLICABLE	58315	
7	DON'T KNOW	53	
8	REFUSAL	1	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAM_038: Had a hysterectomy			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=31006 /-] [Invalid=30701 /-]	
Value	Label	Cases	Percentage
1	YES	6909	<div><div></div></div> 22.3%
2	NO	24097	<div><div></div></div> 77.7%
6	NOT APPLICABLE	30130	
7	DON'T KNOW	42	
8	REFUSAL	20	
9	NOT STATED	509	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOBRX: Module: BRX - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=4475 /-] [Invalid=57232 /-]	
Value	Label	Cases	Percentage
1	YES	4475	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	57232	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BRX_110: Had breasts examined by health prof.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2226 /-] [Invalid=59481 /-]	
Value	Label	Cases	Percentage
1	YES	1715	<div><div></div></div> 77.0%

BRX_110: Had breasts examined by health prof.

Value	Label	Cases	Percentage
2	NO	511	<div><div></div></div> 23.0%
6	NOT APPLICABLE	59449	
7	DON'T KNOW	9	
8	REFUSAL	2	
9	NOT STATED	21	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_112: Last time breasts examined for lumps

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=1678 /-] [Invalid=60029 /-]

Value	Label	Cases	Percentage
1	< 6 MONTHS	305	<div><div></div></div> 18.2%
2	6 MTHS TO < 1 YR	448	<div><div></div></div> 26.7%
3	1 TO < 2 YEARS	362	<div><div></div></div> 21.6%
4	2 TO < 5 YEARS	290	<div><div></div></div> 17.3%
5	5 YEARS OR MORE	273	<div><div></div></div> 16.3%
6	NOT APPLICABLE	59960	
7	DON'T KNOW	37	
8	REFUSAL	0	
9	NOT STATED	32	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16A: No breast ex. - havn't gotten around/it

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]

Value	Label	Cases	Percentage
1	YES	241	<div><div></div></div> 24.3%
2	NO	749	<div><div></div></div> 75.7%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16B: No breast ex. - resp. didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]

Value	Label	Cases	Percentage
1	YES	363	<div><div></div></div> 36.7%
2	NO	627	<div><div></div></div> 63.3%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16C: No breast ex. - doctor didn't think nec.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]

Value	Label	Cases	Percentage
1	YES	189	<div><div></div></div> 19.1%
2	NO	801	<div><div></div></div> 80.9%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16D: No breast ex. - personal/family resp.

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]

Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 0.7%
2	NO	983	<div><div></div></div> 99.3%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16E: No breast ex. - not avail. when req'd

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]

Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 0.5%
2	NO	985	<div><div></div></div> 99.5%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BRX_16F: No breast ex. - not available in area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]

Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 1.0%
2	NO	980	<div><div></div></div> 99.0%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	

# BRX_16F: No breast ex. - not available in area			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BRX_16G: No breast ex. - waiting time too long			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]		
Value	Label	Cases	Percentage
1	YES	7	0.7%
2	NO	983	99.3%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BRX_16H: No breast ex. - transportation problems			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]		
Value	Label	Cases	Percentage
1	YES	4	0.4%
2	NO	986	99.6%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BRX_16I: No breast ex. - language problem			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]		
Value	Label	Cases	Percentage
1	YES	0	100.0%
2	NO	990	
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BRX_16J: No breast ex. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]		
Value	Label	Cases	Percentage
1	YES	0	100.0%
2	NO	990	
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	

# BRX_16J: No breast ex. - cost			
Value	Label	Cases	Percentage
8	REFUSAL	2	
9	NOT STATED	69	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BRX_16K: No breast ex. - did not know where to go			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=990 /-] [Invalid=60717 /-]	
Value	Label	Cases	Percentage
1	YES	5	0.5%
2	NO	985	<div>99.5%</div>
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BRX_16L: No breast ex. - fear			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=990 /-] [Invalid=60717 /-]	
Value	Label	Cases	Percentage
1	YES	12	1.2%
2	NO	978	<div>98.8%</div>
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BRX_16N: No breast ex. - unable to leave house			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=990 /-] [Invalid=60717 /-]	
Value	Label	Cases	Percentage
1	YES	1	0.1%
2	NO	989	<div>99.9%</div>
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# BRX_16O: No breast - breast removed/mastectomy			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=990 /-] [Invalid=60717 /-]	
Value	Label	Cases	Percentage
1	YES	11	1.1%

# BRX_16O: No breast - breast removed/mastectomy			
Value	Label	Cases	Percentage
2	NO	979	<div><div></div></div> 98.9%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BRX_16M: No breast ex. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=990 /-] [Invalid=60717 /-]		
Value	Label	Cases	Percentage
1	YES	207	<div><div></div></div> 20.9%
2	NO	783	<div><div></div></div> 79.1%
6	NOT APPLICABLE	60564	
7	DON'T KNOW	82	
8	REFUSAL	2	
9	NOT STATED	69	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOSPI: Theme module: Spirometry - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SPI_01: Ever had a spirometry test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=59576 /-] [Invalid=2131 /-]		
Value	Label	Cases	Percentage
1	YES	15778	<div><div></div></div> 26.5%
2	NO	43798	<div><div></div></div> 73.5%
6	NOT APPLICABLE	0	
7	DON'T KNOW	697	
8	REFUSAL	24	
9	NOT STATED	1410	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SPI_02: Last time -spirometry test			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		

# SPI_02: Last time -spriormetry test				
Statistics [NW/ W]		[Valid=15542 /-] [Invalid=46165 /-]		
Value	Label	Cases	Percentage	
1	< 6 MONTHS	1537	<div></div>	9.9%
2	6 MTHS TO < 1 YR	1455	<div></div>	9.4%
3	1 TO < 2 YEARS	1641	<div></div>	10.6%
4	2 TO < 5 YEARS	3331	<div></div>	21.4%
5	5 YEARS OR MORE	7578	<div></div>	48.8%
6	NOT APPLICABLE	43798		
7	DON'T KNOW	230		
8	REFUSAL	6		
9	NOT STATED	2131		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DOHRT: Module: HRT - (F)				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=883 /-] [Invalid=60824 /-]		
Value	Label	Cases	Percentage	
1	YES	883	<div></div>	100.0%
2	NO	0		
6	NOT APPLICABLE	60824		
7	DON'T KNOW	0		
8	REFUSAL	0		
9	NOT STATED	0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HRT_01: Experienced symptoms of menopause/ageing				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=361 /-] [Invalid=61346 /-]		
Value	Label	Cases	Percentage	
1	YES	129	<div></div>	35.7%
2	NO	232	<div></div>	64.3%
6	NOT APPLICABLE	61342		
7	DON'T KNOW	1		
8	REFUSAL	0		
9	NOT STATED	3		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# HRT_02: Taken a form of Hormone Therapy				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=361 /-] [Invalid=61346 /-]		
Value	Label	Cases	Percentage	
1	YES	30	<div></div>	8.3%
2	NO	331	<div></div>	91.7%
6	NOT APPLICABLE	61342		
7	DON'T KNOW	0		

# HRT_02: Taken a form of Hormone Therapy			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest</i>			
# HRT_03: Currently taking hormones			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=30 /-] [Invalid=61677 /-]	
Value	Label	Cases	Percentage
1	YES	20	<div></div> 66.7%
2	NO	10	<div></div> 33.3%
6	NOT APPLICABLE	61673	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	4	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# HRT_04A: Type of hormones - Estrogen only			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	15	<div><div></div></div> 53.6%
2	NO	13	<div><div></div></div> 46.4%
6	NOT APPLICABLE	61673	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_04B: Type of hormones - Progestin only			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 10.7%
2	NO	25	<div><div></div></div> 89.3%
6	NOT APPLICABLE	61673	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_04C: Type of hormones - Estrogen/Progestin			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	6	<div><div></div></div> 21.4%
2	NO	22	<div><div></div></div> 78.6%
6	NOT APPLICABLE	61673	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_04D: Type of hormones - Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 25.0%
2	NO	21	<div><div></div></div> 75.0%
6	NOT APPLICABLE	61673	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	4	

# HRT_04D: Type of hormones - Other			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_05: Year started homone therapy			
Information	[Type= continuous] [Format=numeric] [Range= 1967-2012] [Missing=*]		
Statistics [NW/ W]	[Valid=29 -/] [Invalid=61678 -/] [Mean=2000.517 -/] [StdDev=11.278 -/]		
Value	Label	Cases	Percentage
9996	NOT APPLICABLE	61673	
9997	DON'T KNOW	1	
9998	REFUSAL	0	
9999	NOT STATED	4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_07: HRT for menopause symptoms			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=237 -/] [Invalid=61470 -/]		
Value	Label	Cases	Percentage
1	YES	74	<div><div></div></div> 31.2%
2	NO	163	<div><div></div></div> 68.8%
6	NOT APPLICABLE	61372	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	97	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_10: Used-health products for menopause			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=135 -/] [Invalid=61572 -/]		
Value	Label	Cases	Percentage
1	YES	9	<div><div></div></div> 6.7%
2	NO	126	<div><div></div></div> 93.3%
6	NOT APPLICABLE	61567	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_11A: Used-vitamins/dietary supplements			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9 -/] [Invalid=61698 -/]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 44.4%
2	NO	5	<div><div></div></div> 55.6%
6	NOT APPLICABLE	61693	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	

# HRT_11A: Used-vitamins/dietary supplements			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HRT_11B: Used-Herbs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=61698 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 22.2%
2	NO	7	<div><div></div></div> 77.8%
6	NOT APPLICABLE	61693	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HRT_11C: Used-Herbal teas			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=61698 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 22.2%
2	NO	7	<div><div></div></div> 77.8%
6	NOT APPLICABLE	61693	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HRT_11D: Used-Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=61698 /-]		
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 33.3%
2	NO	6	<div><div></div></div> 66.7%
6	NOT APPLICABLE	61693	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HRT_12: Used anything else past 12 months			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=135 /-] [Invalid=61572 /-]		
Value	Label	Cases	Percentage
1	YES	22	<div><div></div></div> 16.3%
2	NO	113	<div><div></div></div> 83.7%
6	NOT APPLICABLE	61567	
7	DON'T KNOW	0	

# HRT_12: Used anything else past 12 months			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_13A: Ate more foods rich in soy flax calcium			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=22 /-] [Invalid=61685 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 18.2%
2	NO	18	<div><div></div></div> 81.8%
6	NOT APPLICABLE	61680	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_13B: Ate more legumes			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=22 /-] [Invalid=61685 /-]	
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 13.6%
2	NO	19	<div><div></div></div> 86.4%
6	NOT APPLICABLE	61680	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_13C: Avoided certain foods or activities			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=22 /-] [Invalid=61685 /-]	
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 22.7%
2	NO	17	<div><div></div></div> 77.3%
6	NOT APPLICABLE	61680	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_13D: Increased exercise			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=22 /-] [Invalid=61685 /-]	
Value	Label	Cases	Percentage
1	YES	11	<div><div></div></div> 50.0%

# HRT_13D: Increased exercise			
Value	Label	Cases	Percentage
2	NO	11	<div><div></div></div> 50.0%
6	NOT APPLICABLE	61680	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_13E: Did relaxation exercises			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=61685 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 9.1%
2	NO	20	<div><div></div></div> 90.9%
6	NOT APPLICABLE	61680	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_13F: Rec'd massage therapy treatments			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=61685 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	22	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61680	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HRT_13G: Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=61685 /-]		
Value	Label	Cases	Percentage
1	YES	12	<div><div></div></div> 54.5%
2	NO	10	<div><div></div></div> 45.5%
6	NOT APPLICABLE	61680	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOPCU: Theme module: Physical check-up - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# DOPCU: Theme module: Physical check-up - (F)			
Statistics [NW/ W]		[Valid=61707 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_150: Phys. check-up w/o a health problem			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=59977 /-] [Invalid=1730 /-]	
Value	Label	Cases	Percentage
1	YES	49517	<div><div></div></div> 82.6%
2	NO	10460	<div><div></div></div> 17.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	301	
8	REFUSAL	19	
9	NOT STATED	1410	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_153: Frequency - general physical check-up			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=49178 /-] [Invalid=12529 /-]	
Value	Label	Cases	Percentage
1	> ONCE A YEAR	2396	<div><div></div></div> 4.9%
2	ONCE A YEAR	24506	<div><div></div></div> 49.8%
3	ONCE EVERY 2 YRS	6890	<div><div></div></div> 14.0%
4	ONCE EVERY 3 YRS	1998	<div><div></div></div> 4.1%
5	<ONCE EVERY 3 YR	1737	<div><div></div></div> 3.5%
6	NO REG. PATTERN	11651	<div><div></div></div> 23.7%
96	NOT APPLICABLE	10460	
97	DON'T KNOW	327	
98	REFUSAL	12	
99	NOT STATED	1730	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_152: Physical check up - last time			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=48583 /-] [Invalid=13124 /-]	
Value	Label	Cases	Percentage
1	> ONCE A YEAR	25112	<div><div></div></div> 51.7%
2	ONCE A YEAR	10118	<div><div></div></div> 20.8%
3	ONCE EVERY 2 YRS	4413	<div><div></div></div> 9.1%

# PCU_152: Physical check up - last time			
Value	Label	Cases	Percentage
4	ONCE EVERY 3 YRS	2050	<div><div></div></div> 4.2%
5	<ONCE EVERY 3 YR	1615	<div><div></div></div> 3.3%
6	NO REG. PATTERN	5275	<div><div></div></div> 10.9%
96	NOT APPLICABLE	10460	
97	DON'T KNOW	916	
98	REFUSAL	18	
99	NOT STATED	1730	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154A: No p.check-up -haven't got.around -3 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=18662 /-] [Invalid=43045 /-]	
Value	Label	Cases	Percentage
1	YES	3286	<div><div></div></div> 17.6%
2	NO	15376	<div><div></div></div> 82.4%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154B: No ph. che. -resp.think not nec. -3 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=18662 /-] [Invalid=43045 /-]	
Value	Label	Cases	Percentage
1	YES	10915	<div><div></div></div> 58.5%
2	NO	7747	<div><div></div></div> 41.5%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154C: No p. check-up -dr.think not nec. -3 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=18662 /-] [Invalid=43045 /-]	
Value	Label	Cases	Percentage
1	YES	1658	<div><div></div></div> 8.9%
2	NO	17004	<div><div></div></div> 91.1%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PCU_154D: No p. check-up -pers./family resp. -3yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	91	0.5%
2	NO	18571	99.5%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154E: No p. check-up -n.a. when require -3 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	298	1.6%
2	NO	18364	98.4%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154F: No phys. check-up - n. a./area _ 3 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	357	1.9%
2	NO	18305	98.1%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154G: No p.check-up -wait.time too long -3 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	257	1.4%
2	NO	18405	98.6%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	

# PCU_154G: No p.check-up -wait.time too long -3 yrs			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PCU_154H: No phys. check-up -transp. prob. - 3 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	42	0.2%
2	NO	18620	99.8%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PCU_154I: No phys. check-up - lang. problem -3 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	5	0.0%
2	NO	18657	100.0%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PCU_154J: No phys. check-up - cost - 3 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	77	0.4%
2	NO	18585	99.6%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PCU_154K: No phys. check-up - DK where/go - 3 yrs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18662 /-] [Invalid=43045 /-]		
Value	Label	Cases	Percentage
1	YES	176	0.9%
2	NO	18486	99.1%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	

# PCU_154K: No phys. check-up - DK where/go - 3 yrs			
Value	Label	Cases	Percentage
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154L: No phys. check-up - fear - 3 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=18662 /-] [Invalid=43045 /-]	
Value	Label	Cases	Percentage
1	YES	128	0.7%
2	NO	18534	99.3%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154M: No p.check-up -unable leave house -3 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=18662 /-] [Invalid=43045 /-]	
Value	Label	Cases	Percentage
1	YES	21	0.1%
2	NO	18641	99.9%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_154N: No phys. check-up - other - 3 yrs			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=18662 /-] [Invalid=43045 /-]	
Value	Label	Cases	Percentage
1	YES	3136	16.8%
2	NO	15526	83.2%
6	NOT APPLICABLE	39643	
7	DON'T KNOW	731	
8	REFUSAL	7	
9	NOT STATED	2664	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PCU_155: Weighted by a health professional			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=40007 /-] [Invalid=21700 /-]	
Value	Label	Cases	Percentage
1	YES	35453	88.6%

# PCU_155: Weighted by a health professional			
Value	Label	Cases	Percentage
2	NO	4554	<div><div></div></div> 11.4%
6	NOT APPLICABLE	19400	
7	DON'T KNOW	558	
8	REFUSAL	12	
9	NOT STATED	1730	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PCU_156: Height measured by a health professional			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=39597 /-] [Invalid=22110 /-]		
Value	Label	Cases	Percentage
1	YES	28798	<div><div></div></div> 72.7%
2	NO	10799	<div><div></div></div> 27.3%
6	NOT APPLICABLE	19400	
7	DON'T KNOW	970	
8	REFUSAL	10	
9	NOT STATED	1730	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PCU_157: Blood pressure checked by health prof.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=40274 /-] [Invalid=21433 /-]		
Value	Label	Cases	Percentage
1	YES	38934	<div><div></div></div> 96.7%
2	NO	1340	<div><div></div></div> 3.3%
6	NOT APPLICABLE	19400	
7	DON'T KNOW	296	
8	REFUSAL	7	
9	NOT STATED	1730	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PCU_158: Risks of weighth discuss. with hea. prof.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=40261 /-] [Invalid=21446 /-]		
Value	Label	Cases	Percentage
1	YES	10791	<div><div></div></div> 26.8%
2	NO	29470	<div><div></div></div> 73.2%
6	NOT APPLICABLE	19400	
7	DON'T KNOW	307	
8	REFUSAL	9	
9	NOT STATED	1730	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOPSA: Module: PSA - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# DOPSA: Module: PSA - (F)			
Statistics [NW/ W]		[Valid=23491 /-] [Invalid=38216 /-]	
Value	Label	Cases	Percentage
1	YES	23491	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	38216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_170: Ever had a PSA blood test			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=6882 /-] [Invalid=54825 /-]	
Value	Label	Cases	Percentage
1	YES	4237	<div><div></div></div> 61.6%
2	NO	2645	<div><div></div></div> 38.4%
6	NOT APPLICABLE	54309	
7	DON'T KNOW	194	
8	REFUSAL	17	
9	NOT STATED	305	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_172: Last time had PSA blood test			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=4187 /-] [Invalid=57520 /-]	
Value	Label	Cases	Percentage
1	< 1 YEAR	2250	<div><div></div></div> 53.7%
2	1 TO < 2 YEARS	960	<div><div></div></div> 22.9%
3	2 TO < 3 YEARS	417	<div><div></div></div> 10.0%
4	3 TO < 5 YEARS	280	<div><div></div></div> 6.7%
5	5 YEARS OR MORE	280	<div><div></div></div> 6.7%
6	NOT APPLICABLE	56954	
7	DON'T KNOW	49	
8	REFUSAL	1	
9	NOT STATED	516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_73A: Had PSA test - family history			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=4221 /-] [Invalid=57486 /-]	
Value	Label	Cases	Percentage
1	YES	249	<div><div></div></div> 5.9%
2	NO	3972	<div><div></div></div> 94.1%
6	NOT APPLICABLE	56954	
7	DON'T KNOW	15	

# PSA_73A: Had PSA test - family history			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_73B: Had PSA test - regular check-up			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=4221 +/-] [Invalid=57486 +/-]	
Value	Label	Cases	Percentage
1	YES	3188	<div><div></div></div> 75.5%
2	NO	1033	<div><div></div></div> 24.5%
6	NOT APPLICABLE	56954	
7	DON'T KNOW	15	
8	REFUSAL	1	
9	NOT STATED	516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_73C: Had PSA test - age			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=4221 +/-] [Invalid=57486 +/-]	
Value	Label	Cases	Percentage
1	YES	535	<div><div></div></div> 12.7%
2	NO	3686	<div><div></div></div> 87.3%
6	NOT APPLICABLE	56954	
7	DON'T KNOW	15	
8	REFUSAL	1	
9	NOT STATED	516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_73D: Had PSA test - follow-up / problem			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=4221 +/-] [Invalid=57486 +/-]	
Value	Label	Cases	Percentage
1	YES	475	<div><div></div></div> 11.3%
2	NO	3746	<div><div></div></div> 88.7%
6	NOT APPLICABLE	56954	
7	DON'T KNOW	15	
8	REFUSAL	1	
9	NOT STATED	516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_73E: Had PSA test - follow-up/prostate treat.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=4221 +/-] [Invalid=57486 +/-]	
Value	Label	Cases	Percentage
1	YES	236	<div><div></div></div> 5.6%

PSA_73E: Had PSA test - follow-up/prostate treat.

Value	Label	Cases	Percentage
2	NO	3985	<div></div> 94.4%
6	NOT APPLICABLE	56954	
7	DON'T KNOW	15	
8	REFUSAL	1	
9	NOT STATED	516	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PSA_73F: Had PSA test - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4221 /-] [Invalid=57486 /-]

Value	Label	Cases	Percentage
1	YES	140	<div></div> 3.3%
2	NO	4081	<div></div> 96.7%
6	NOT APPLICABLE	56954	
7	DON'T KNOW	15	
8	REFUSAL	1	
9	NOT STATED	516	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# PSA_174: Had a digital rectal exam			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7030 /-] [Invalid=54677 /-]		
Value	Label	Cases	Percentage
1	YES	4724	<div><div></div></div> 67.2%
2	NO	2306	<div><div></div></div> 32.8%
6	NOT APPLICABLE	54309	
7	DON'T KNOW	36	
8	REFUSAL	10	
9	NOT STATED	322	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PSA_175: Last time had digital rectal exam			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=4671 /-] [Invalid=57036 /-]		
Value	Label	Cases	Percentage
1	< 1 YEAR	1887	<div><div></div></div> 40.4%
2	1 TO < 2 YEARS	1023	<div><div></div></div> 21.9%
3	2 TO < 3 YEARS	543	<div><div></div></div> 11.6%
4	3 TO < 5 YEARS	419	<div><div></div></div> 9.0%
5	5 YEARS OR MORE	799	<div><div></div></div> 17.1%
6	NOT APPLICABLE	56615	
7	DON'T KNOW	51	
8	REFUSAL	2	
9	NOT STATED	368	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOCCS: Module: CCS - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_180: Had an FOBT test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=43035 /-] [Invalid=18672 /-]		
Value	Label	Cases	Percentage
1	YES	19247	<div><div></div></div> 44.7%
2	NO	23788	<div><div></div></div> 55.3%
6	NOT APPLICABLE	17252	

# CCS_180: Had an FOBT test			
Value	Label	Cases	Percentage
7	DON'T KNOW	324	
8	REFUSAL	30	
9	NOT STATED	1066	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCS_182: Last time FOBT test done			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=18888 /-] [Invalid=42819 /-]		
Value	Label	Cases	Percentage
1	< 1 YEAR	6536	<div></div> 34.6%
2	1 TO < 2 YEARS	4285	<div></div> 22.7%
3	2 TO < 3 YEARS	2555	<div></div> 13.5%
4	3 TO < 5 YEARS	1996	<div></div> 10.6%
5	5 TO < 10YEARS	1957	<div></div> 10.4%
6	5 YEARS OR MORE	1559	<div></div> 8.3%
96	NOT APPLICABLE	41040	
97	DON'T KNOW	354	
98	REFUSAL	5	
99	NOT STATED	1420	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCS_83A: Had FOBT - family history			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18714 /-] [Invalid=42993 /-]		
Value	Label	Cases	Percentage
1	YES	1007	<div></div> 5.4%
2	NO	17707	<div></div> 94.6%
6	NOT APPLICABLE	41040	
7	DON'T KNOW	526	
8	REFUSAL	7	
9	NOT STATED	1420	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CCS_83B: Had FOBT - regular check-up			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18714 /-] [Invalid=42993 /-]		
Value	Label	Cases	Percentage
1	YES	12689	<div></div> 67.8%
2	NO	6025	<div></div> 32.2%
6	NOT APPLICABLE	41040	
7	DON'T KNOW	526	
8	REFUSAL	7	
9	NOT STATED	1420	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# CCS_83C: Had FOBT - age			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18714 /-] [Invalid=42993 /-]		
Value	Label	Cases	Percentage
1	YES	1076	<div><div></div>5.7%</div>
2	NO	17638	<div><div></div>94.3%</div>
6	NOT APPLICABLE	41040	
7	DON'T KNOW	526	
8	REFUSAL	7	
9	NOT STATED	1420	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_83D: Had FOBT - follow-up of problem			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18714 /-] [Invalid=42993 /-]		
Value	Label	Cases	Percentage
1	YES	3943	<div><div></div>21.1%</div>
2	NO	14771	<div><div></div>78.9%</div>
6	NOT APPLICABLE	41040	
7	DON'T KNOW	526	
8	REFUSAL	7	
9	NOT STATED	1420	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_83E: Had FOBT - follow-up of treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18714 /-] [Invalid=42993 /-]		
Value	Label	Cases	Percentage
1	YES	168	<div><div></div>0.9%</div>
2	NO	18546	<div><div></div>99.1%</div>
6	NOT APPLICABLE	41040	
7	DON'T KNOW	526	
8	REFUSAL	7	
9	NOT STATED	1420	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_83F: Had FOBT - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=18714 /-] [Invalid=42993 /-]		
Value	Label	Cases	Percentage
1	YES	1113	<div><div></div>5.9%</div>
2	NO	17601	<div><div></div>94.1%</div>
6	NOT APPLICABLE	41040	
7	DON'T KNOW	526	
8	REFUSAL	7	
9	NOT STATED	1420	

# CCS_83F: Had FOBT - other			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_184: Had colonoscopy or sigmoidoscopy			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=43171 +/-] [Invalid=18536 +/-]		
Value	Label	Cases	Percentage
1	YES	16016	<div><div></div></div> 37.1%
2	NO	27155	<div><div></div></div> 62.9%
6	NOT APPLICABLE	17252	
7	DON'T KNOW	185	
8	REFUSAL	2	
9	NOT STATED	1097	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_185: Last time had colonoscopy/sigmoidoscopy			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=15854 +/-] [Invalid=45853 +/-]		
Value	Label	Cases	Percentage
1	< 1 YEAR	3064	<div><div></div></div> 19.3%
2	1 TO < 2 YEARS	2587	<div><div></div></div> 16.3%
3	2 TO < 3 YEARS	2526	<div><div></div></div> 15.9%
4	3 TO < 5 YEARS	2997	<div><div></div></div> 18.9%
5	5 TO < 10YEARS	2710	<div><div></div></div> 17.1%
6	5 YEARS OR MORE	1970	<div><div></div></div> 12.4%
96	NOT APPLICABLE	44407	
97	DON'T KNOW	160	
98	REFUSAL	2	
99	NOT STATED	1284	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_86A: Had colonoscopy - family history			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15719 +/-] [Invalid=45988 +/-]		
Value	Label	Cases	Percentage
1	YES	2512	<div><div></div></div> 16.0%
2	NO	13207	<div><div></div></div> 84.0%
6	NOT APPLICABLE	44407	
7	DON'T KNOW	292	
8	REFUSAL	5	
9	NOT STATED	1284	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_86B: Had colonoscopy - regular check-up			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15719 +/-] [Invalid=45988 +/-]		

# CCS_86B: Had colonoscopy - regular check-up			
Value	Label	Cases	Percentage
1	YES	5930	<div><div></div></div> 37.7%
2	NO	9789	<div><div></div></div> 62.3%
6	NOT APPLICABLE	44407	
7	DON'T KNOW	292	
8	REFUSAL	5	
9	NOT STATED	1284	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_86C: Had colonoscopy - age			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15719 /-] [Invalid=45988 /-]		
Value	Label	Cases	Percentage
1	YES	962	<div><div></div></div> 6.1%
2	NO	14757	<div><div></div></div> 93.9%
6	NOT APPLICABLE	44407	
7	DON'T KNOW	292	
8	REFUSAL	5	
9	NOT STATED	1284	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_86D: Had colonoscopy - follow-up of problem			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15719 /-] [Invalid=45988 /-]		
Value	Label	Cases	Percentage
1	YES	6642	<div><div></div></div> 42.3%
2	NO	9077	<div><div></div></div> 57.7%
6	NOT APPLICABLE	44407	
7	DON'T KNOW	292	
8	REFUSAL	5	
9	NOT STATED	1284	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_86E: Had colonoscopy - follow-up of treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15719 /-] [Invalid=45988 /-]		
Value	Label	Cases	Percentage
1	YES	353	<div><div></div></div> 2.2%
2	NO	15366	<div><div></div></div> 97.8%
6	NOT APPLICABLE	44407	
7	DON'T KNOW	292	
8	REFUSAL	5	
9	NOT STATED	1284	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# CCS_86F: Had colonoscopy - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15719 /-] [Invalid=45988 /-]		
Value	Label	Cases	Percentage
1	YES	1076	<div><div></div></div> 6.8%
2	NO	14643	<div><div></div></div> 93.2%
6	NOT APPLICABLE	44407	
7	DON'T KNOW	292	
8	REFUSAL	5	
9	NOT STATED	1284	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CCS_187: Colonoscopy/sigmoidoscopy - FOBT test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9167 /-] [Invalid=52540 /-]		
Value	Label	Cases	Percentage
1	YES	1950	<div><div></div></div> 21.3%
2	NO	7217	<div><div></div></div> 78.7%
6	NOT APPLICABLE	50415	
7	DON'T KNOW	743	
8	REFUSAL	5	
9	NOT STATED	1377	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DODEN: Module: DEN - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10771 /-] [Invalid=50936 /-]		
Value	Label	Cases	Percentage
1	YES	10771	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	50936	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_130: Visited dentist			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6548 /-] [Invalid=55159 /-]		
Value	Label	Cases	Percentage
1	YES	6462	<div><div></div></div> 98.7%
2	NO	86	<div><div></div></div> 1.3%
6	NOT APPLICABLE	55064	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	92	

# DEN_130: Visited dentist			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_132: Last time visited dentist			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=10484 +/-] [Invalid=51223 +/-]		
Value	Label	Cases	Percentage
1	< 1 YEAR	6484	<div><div></div></div> 61.8%
2	1 TO <2 YEARS	1200	<div><div></div></div> 11.4%
3	2 TO < 3 YEARS	791	<div><div></div></div> 7.5%
4	3 TO < 4 YEARS	363	<div><div></div></div> 3.5%
5	4 TO < 5 YEARS	281	<div><div></div></div> 2.7%
6	5 YEARS OR MORE	1289	<div><div></div></div> 12.3%
7	NEVER	76	<div><div></div></div> 0.7%
96	NOT APPLICABLE	50936	
97	DON'T KNOW	83	
98	REFUSAL	3	
99	NOT STATED	201	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36A: No dent. vis. - haven't got around to it			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 +/-] [Invalid=59713 +/-]		
Value	Label	Cases	Percentage
1	YES	198	<div><div></div></div> 9.9%
2	NO	1796	<div><div></div></div> 90.1%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36B: No dent. vis. - resp. didn't think nec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 +/-] [Invalid=59713 +/-]		
Value	Label	Cases	Percentage
1	YES	558	<div><div></div></div> 28.0%
2	NO	1436	<div><div></div></div> 72.0%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36C: No dent. vis. - dent. didn't think nec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 +/-] [Invalid=59713 +/-]		

# DEN_36C: No dent. vis. - dent. didn't think nec.			
Value	Label	Cases	Percentage
1	YES	10	0.5%
2	NO	1984	99.5%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36D: No dent. vis. - pers./family respons.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	6	0.3%
2	NO	1988	99.7%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36E: No dent. vis. - not avail. when req'd.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	6	0.3%
2	NO	1988	99.7%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36F: No dent. vis. - not available in area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	11	0.6%
2	NO	1983	99.4%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# DEN_36G: No dent. vis. - waiting time too long			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	6	0.3%
2	NO	1988	99.7%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36H: No dent. vis. - transportation problems			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	5	0.3%
2	NO	1989	99.7%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36I: No dent. vis. - language problem			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	1994	100.0%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36J: No dent. vis. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	225	11.3%
2	NO	1769	88.7%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	

# DEN_36J: No dent. vis. - cost			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DEN_36K: No dent. vis. - didn't know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	8	0.4%
2	NO	1986	99.6%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DEN_36L: No dent. vis. - fear			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	106	5.3%
2	NO	1888	94.7%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DEN_36M: No dent. vis. - wears dentures			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	857	43.0%
2	NO	1137	57.0%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DEN_36O: No dent. vis. - unable to leave house			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	4	0.2%
2	NO	1990	99.8%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	

# DEN_36O: No dent. vis. - unable to leave house			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DEN_36N: No dent. vis. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1994 /-] [Invalid=59713 /-]		
Value	Label	Cases	Percentage
1	YES	159	<div><div></div></div> 8.0%
2	NO	1835	<div><div></div></div> 92.0%
6	NOT APPLICABLE	59411	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	287	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOOH2: Module: OH2 - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3486 /-] [Invalid=58221 /-]		
Value	Label	Cases	Percentage
1	YES	3486	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	58221	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_10: Freq. usually visits the dentist			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3325 /-] [Invalid=58382 /-]		
Value	Label	Cases	Percentage
1	> ONCE/YEAR	933	<div><div></div></div> 28.1%
2	ONCE/YEAR	1189	<div><div></div></div> 35.8%
3	< ONCE/YEAR	296	<div><div></div></div> 8.9%
4	EMERGENCY	907	<div><div></div></div> 27.3%
6	NOT APPLICABLE	58246	
7	DON'T KNOW	69	
8	REFUSAL	7	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_11: Insurance for dental expenses			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3295 /-] [Invalid=58412 /-]		

# OH2_11: Insurance for dental expenses			
Value	Label	Cases	Percentage
1	YES	2025	<div><div></div></div> 61.5%
2	NO	1270	<div><div></div></div> 38.5%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	52	
8	REFUSAL	3	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_11A: Dental ins. - government-sponsored			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1955 /-] [Invalid=59752 /-]		
Value	Label	Cases	Percentage
1	YES	295	<div><div></div></div> 15.1%
2	NO	1660	<div><div></div></div> 84.9%
6	NOT APPLICABLE	59491	
7	DON'T KNOW	70	
8	REFUSAL	0	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_11B: Type of plan - employer-sponsored			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1955 /-] [Invalid=59752 /-]		
Value	Label	Cases	Percentage
1	YES	1486	<div><div></div></div> 76.0%
2	NO	469	<div><div></div></div> 24.0%
6	NOT APPLICABLE	59491	
7	DON'T KNOW	70	
8	REFUSAL	0	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_11C: Type of plan - private			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1955 /-] [Invalid=59752 /-]		
Value	Label	Cases	Percentage
1	YES	223	<div><div></div></div> 11.4%
2	NO	1732	<div><div></div></div> 88.6%
6	NOT APPLICABLE	59491	
7	DON'T KNOW	70	
8	REFUSAL	0	
9	NOT STATED	191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# OH2_12: Teeth removed by dentist - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2108 -/] [Invalid=59599 -/]		
Value	Label	Cases	Percentage
1	YES	290	<div><div></div></div> 13.8%
2	NO	1818	<div><div></div></div> 86.2%
6	NOT APPLICABLE	59489	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	104	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_13: Teeth removed -decay/gum disease - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=285 -/] [Invalid=61422 -/]		
Value	Label	Cases	Percentage
1	YES	158	<div><div></div></div> 55.4%
2	NO	127	<div><div></div></div> 44.6%
6	NOT APPLICABLE	61307	
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	110	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_20: Has one or more of own teeth			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3345 -/] [Invalid=58362 -/]		
Value	Label	Cases	Percentage
1	YES	3035	<div><div></div></div> 90.7%
2	NO	310	<div><div></div></div> 9.3%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_21: Wears dentures			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3344 -/] [Invalid=58363 -/]		
Value	Label	Cases	Percentage
1	YES	830	<div><div></div></div> 24.8%
2	NO	2514	<div><div></div></div> 75.2%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	136	

# OH2_21: Wears dentures			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OH2_22: Mouth cond.- diff. speaking clearly			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3344 /-] [Invalid=58363 /-]	
Value	Label	Cases	Percentage
1	YES	132	<div><div></div></div> 3.9%
2	NO	3212	<div><div></div></div> 96.1%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	136	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OH2_23: Cond. mouth - avoided conversat. - 12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=3347 /-] [Invalid=58360 /-]	
Value	Label	Cases	Percentage
1	OFTEN	14	<div><div></div></div> 0.4%
2	SOMETIMES	44	<div><div></div></div> 1.3%
3	RARELY	105	<div><div></div></div> 3.1%
4	NEVER	3184	<div><div></div></div> 95.1%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	136	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# OH2_24: Mouth cond. -av. laughing/smiling -12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3340 /-] [Invalid=58367 /-]		
Value	Label	Cases	Percentage
1	OFTEN	34	<div><div></div></div> 1.0%
2	SOMETIMES	79	<div><div></div></div> 2.4%
3	RARELY	85	<div><div></div></div> 2.5%
4	NEVER	3142	<div><div></div></div> 94.1%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	10	
8	REFUSAL	0	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_25A: Had a toothache - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3033 /-] [Invalid=58674 /-]		
Value	Label	Cases	Percentage
1	YES	320	<div><div></div></div> 10.6%
2	NO	2713	<div><div></div></div> 89.4%
6	NOT APPLICABLE	58536	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_25B: Teeth sensitive to hot/cold - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3034 /-] [Invalid=58673 /-]		
Value	Label	Cases	Percentage
1	YES	842	<div><div></div></div> 27.8%
2	NO	2192	<div><div></div></div> 72.2%
6	NOT APPLICABLE	58536	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_25C: Had pain - jaw joints - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3346 /-] [Invalid=58361 /-]		
Value	Label	Cases	Percentage
1	YES	278	<div><div></div></div> 8.3%
2	NO	3068	<div><div></div></div> 91.7%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	3	

# OH2_25C: Had pain - jaw joints - past mo			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_25D: Had pain - mouth/face - past mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3347 /-] [Invalid=58360 /-]	
Value	Label	Cases	Percentage
1	YES	243	<div><div></div></div> 7.3%
2	NO	3104	<div><div></div></div> 92.7%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	2	
8	REFUSAL	1	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_25E: Had bleeding gums - past mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3348 /-] [Invalid=58359 /-]	
Value	Label	Cases	Percentage
1	YES	369	<div><div></div></div> 11.0%
2	NO	2979	<div><div></div></div> 89.0%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_25F: Had dry mouth - past mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3340 /-] [Invalid=58367 /-]	
Value	Label	Cases	Percentage
1	YES	648	<div><div></div></div> 19.4%
2	NO	2692	<div><div></div></div> 80.6%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	9	
8	REFUSAL	1	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_25G: Had bad breath - past mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3202 /-] [Invalid=58505 /-]	
Value	Label	Cases	Percentage
1	YES	751	<div><div></div></div> 23.5%

# OH2_25G: Had bad breath - past mo			
Value	Label	Cases	Percentage
2	NO	2451	<div><div></div></div> 76.5%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	146	
8	REFUSAL	2	
9	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2_30: Frequency of brushing teeth			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=3025 /-] [Invalid=58682 /-]	
Value	Label	Cases	Percentage
1	> TWICE/DAY	474	<div><div></div></div> 15.7%
2	TWICE/DAY	1631	<div><div></div></div> 53.9%
3	ONCE/DAY	774	<div><div></div></div> 25.6%
4	< ONCE/DAY	93	<div><div></div></div> 3.1%
5	ONCE/WEEK	17	<div><div></div></div> 0.6%
6	< ONCE/WEEK	36	<div><div></div></div> 1.2%
96	NOT APPLICABLE	58536	
97	DON'T KNOW	8	
98	REFUSAL	2	
99	NOT STATED	136	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2FLIM: Ltd soc. due to oral hlth - 12 mo - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3339 /-] [Invalid=58368 /-]	
Value	Label	Cases	Percentage
1	SOCIAL LIMIT.	136	<div><div></div></div> 4.1%
2	NO SOCIAL LIMIT.	3203	<div><div></div></div> 95.9%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	147	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# OH2FOFP: Oral/facial pain - past mo - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3272 /-] [Invalid=58435 /-]	
Value	Label	Cases	Percentage
1	HAS EXP. PAIN	1813	<div><div></div></div> 55.4%
2	NOT EXP. PAIN	1459	<div><div></div></div> 44.6%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	0	
8	REFUSAL	0	

# OH2FOFP: Oral/facial pain - past mo - (F)			
Value	Label	Cases	Percentage
9	NOT STATED	214	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOFDC: Module: FDC - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19746 /-] [Invalid=41961 /-]		
Value	Label	Cases	Percentage
1	YES	19746	100.0%
2	NO	0	
6	NOT APPLICABLE	41961	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FDC_1A: Chooses/avoids foods - weight concern			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19132 /-] [Invalid=42575 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	10024	52.4%
2	NO	9108	47.6%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	163	
8	REFUSAL	18	
9	NOT STATED	433	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FDC_1B: Chooses/avoids foods - heart disease			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19085 /-] [Invalid=42622 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	8109	42.5%
2	NO	10976	57.5%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	46	
8	REFUSAL	1	
9	NOT STATED	614	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FDC_1C: Chooses/avoids foods - cancer			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19081 /-] [Invalid=42626 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	5870	30.8%
2	NO	13211	69.2%

# FDC_1C: Chooses/avoids foods - cancer			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	41961	
7	DON'T KNOW	51	
8	REFUSAL	0	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_1D: Chooses/avoids foods - osteoporosis			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19053 +/-] [Invalid=42654 +/-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	4841	<div></div> 25.4%
2	NO	14212	<div></div> 74.6%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	77	
8	REFUSAL	2	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_2A: Reason/choose foods - lower fat content			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19084 +/-] [Invalid=42623 +/-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	12851	<div></div> 67.3%
2	NO	6233	<div></div> 32.7%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	46	
8	REFUSAL	2	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_2B: Reason/choose foods - fibre content			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19072 +/-] [Invalid=42635 +/-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	12045	<div></div> 63.2%
2	NO	7027	<div></div> 36.8%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	56	
8	REFUSAL	4	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_2C: Reason/choose foods - calcium content			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19056 +/-] [Invalid=42651 +/-]		

# FDC_2C: Reason/choose foods - calcium content			
Value	Label	Cases	Percentage
1	YES / SOMETIMES	8589	<div></div> 45.1%
2	NO	10467	<div></div> 54.9%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	72	
8	REFUSAL	4	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_3A: Reason/avoid foods - fat content			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19090 /-] [Invalid=42617 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	13086	<div></div> 68.5%
2	NO	6004	<div></div> 31.5%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	38	
8	REFUSAL	4	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_3B: Reason/avoid foods - type of fat			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19004 /-] [Invalid=42703 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	11637	<div></div> 61.2%
2	NO	7367	<div></div> 38.8%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	123	
8	REFUSAL	5	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_3C: Reason/avoid foods - salt content			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19090 /-] [Invalid=42617 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	11967	<div></div> 62.7%
2	NO	7123	<div></div> 37.3%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	38	
8	REFUSAL	4	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# FDC_3D: Reason/avoid foods - cholesterol content			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19044 /-] [Invalid=42663 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	9197	<div><div></div></div> 48.3%
2	NO	9847	<div><div></div></div> 51.7%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	83	
8	REFUSAL	5	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDC_3E: Reason/avoid foods - calorie content			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19076 /-] [Invalid=42631 /-]		
Value	Label	Cases	Percentage
1	YES / SOMETIMES	10146	<div><div></div></div> 53.2%
2	NO	8930	<div><div></div></div> 46.8%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	51	
8	REFUSAL	5	
9	NOT STATED	614	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDCFAVD: Avoids foods for content reasons - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19087 /-] [Invalid=42620 /-]		
Value	Label	Cases	Percentage
1	YES	15669	<div><div></div></div> 82.1%
2	NO	3418	<div><div></div></div> 17.9%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	659	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDCFCAH: Chooses/avoids foods hlth concerns - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19096 /-] [Invalid=42611 /-]		
Value	Label	Cases	Percentage
1	YES	12544	<div><div></div></div> 65.7%
2	NO	6552	<div><div></div></div> 34.3%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	650	

# FDCFCAH: Chooses/avoids foods hlth concerns - (F)			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FDCFCHO: Chooses foods for content reasons - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19084 /-] [Invalid=42623 /-]		
Value	Label	Cases	Percentage
1	YES	14909	<div><div></div></div> 78.1%
2	NO	4175	<div><div></div></div> 21.9%
6	NOT APPLICABLE	41961	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	662	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCDJUI: Daily consumption - fruit juice - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=59292 /-] [Invalid=2415 /-] [Mean=0.696 /-] [StdDev=0.905 /-]		
Value	Label	Cases	Percentage
999.6	NOT APPLICABLE	0	
999.7	DON'T KNOW	0	
999.8	REFUSAL	0	
999.9	NOT STATED	2415	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCDFRU: Daily consumption - fruit - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=59009 /-] [Invalid=2698 /-] [Mean=1.423 /-] [StdDev=1.236 /-]		
Value	Label	Cases	Percentage
999.6	NOT APPLICABLE	0	
999.7	DON'T KNOW	0	
999.8	REFUSAL	0	
999.9	NOT STATED	2698	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCDLAL: Daily consumption - green salad - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=58877 /-] [Invalid=2830 /-] [Mean=0.513 /-] [StdDev=0.511 /-]		
Value	Label	Cases	Percentage
999.6	NOT APPLICABLE	0	
999.7	DON'T KNOW	0	
999.8	REFUSAL	0	
999.9	NOT STATED	2830	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCDPOT: Daily consumption - potatoes - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=59060 /-] [Invalid=2647 /-] [Mean=0.365 /-] [StdDev=0.402 /-]		

# FVCDPOT: Daily consumption - potatoes - (D)			
Value	Label	Cases	Percentage
999.6	NOT APPLICABLE	0	
999.7	DON'T KNOW	0	
999.8	REFUSAL	0	
999.9	NOT STATED	2647	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCDCAR: Daily consumption - carrots - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=58603 /-] [Invalid=3104 /-] [Mean=0.375 /-] [StdDev=0.434 /-]		
Value	Label	Cases	Percentage
999.6	NOT APPLICABLE	0	
999.7	DON'T KNOW	0	
999.8	REFUSAL	0	
999.9	NOT STATED	3104	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCDVEG: Daily consumption other vegetables - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=58213 /-] [Invalid=3494 /-] [Mean=1.376 /-] [StdDev=1.233 /-]		
Value	Label	Cases	Percentage
999.6	NOT APPLICABLE	0	
999.7	DON'T KNOW	0	
999.8	REFUSAL	0	
999.9	NOT STATED	3494	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCDTOT: Daily cons. - total fruits and veg. - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]		
Statistics [NW/ W]	[Valid=56546 /-] [Invalid=5161 /-] [Mean=4.758 /-] [StdDev=2.601 /-]		
Value	Label	Cases	Percentage
999.6	NOT APPLICABLE	0	
999.7	DON'T KNOW	0	
999.8	REFUSAL	0	
999.9	NOT STATED	5161	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FVCGTOT: Daily cons. total fruits/veg. - (D, G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=56546 /-] [Invalid=5161 /-]		
Value	Label	Cases	Percentage
1	LESS 5 PER DAY	33593	<div><div></div></div> 59.4%
2	5 - 10 TIMES/DAY	20909	<div><div></div></div> 37.0%
3	MORE 10 TIMES/DA	2044	<div><div></div></div> 3.6%
6	NOT APPLICABLE	0	

# FVCGTOT: Daily cons. total fruits/veg. - (D, G)			
Value	Label	Cases	Percentage
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5161	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1A: Act./last 3 mo - walking			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	43925	<div></div> 72.9%
2	NO	16314	<div></div> 27.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1B: Act./last 3 mo - gardening/yard work			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	30868	<div></div> 51.2%
2	NO	29371	<div></div> 48.8%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1C: Act./last 3 mo - swimming			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	13861	<div></div> 23.0%
2	NO	46378	<div></div> 77.0%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1D: Act./last 3 mo - bicycling			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		

# PAC_1D: Act./last 3 mo - bicycling			
Value	Label	Cases	Percentage
1	YES	12850	<div><div></div></div> 21.3%
2	NO	47389	<div><div></div></div> 78.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1E: Act./last 3 mo - popular/social dance			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	10011	<div><div></div></div> 16.6%
2	NO	50228	<div><div></div></div> 83.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1F: Act./last 3 mo - home exercises			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	22663	<div><div></div></div> 37.6%
2	NO	37576	<div><div></div></div> 62.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1G: Act./last 3 mo - ice hockey			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	2950	<div><div></div></div> 4.9%
2	NO	57289	<div><div></div></div> 95.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PAC_1H: Act./last 3 mo - ice skating			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	3868	<div><div></div>6.4%</div>
2	NO	56371	<div><div></div>93.6%</div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1I: Act./last 3 mo - in-line skating/roll.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	1686	<div><div></div>2.8%</div>
2	NO	58553	<div><div></div>97.2%</div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1J: Act./last 3 mo - jogging or running			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	12337	<div><div></div>20.5%</div>
2	NO	47902	<div><div></div>79.5%</div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1K: Act./last 3 mo - golfing			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	5774	<div><div></div>9.6%</div>
2	NO	54465	<div><div></div>90.4%</div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	

# PAC_1K: Act./last 3 mo - golfing			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1L: Act./last 3 mo - exer. class/aerobics			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	7060	<div><div></div></div> 11.7%
2	NO	53179	<div><div></div></div> 88.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1M: Act./last 3 mo - skiing/snowboarding			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	2378	<div><div></div></div> 3.9%
2	NO	57861	<div><div></div></div> 96.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1N: Act./last 3 mo - bowling			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	5537	<div><div></div></div> 9.2%
2	NO	54702	<div><div></div></div> 90.8%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1O: Act./last 3 mo - baseball or softball			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	2949	<div><div></div></div> 4.9%
2	NO	57290	<div><div></div></div> 95.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	

PAC_10: Act./last 3 mo - baseball or softball

Value	Label	Cases	Percentage
8	REFUSAL	30	
9	NOT STATED	1411	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# PAC_1P: Act./last 3 mo - tennis			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	2041	<div><div></div></div> 3.4%
2	NO	58198	<div><div></div></div> 96.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1Q: Act./last 3 mo - weight-training			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	9909	<div><div></div></div> 16.4%
2	NO	50330	<div><div></div></div> 83.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1R: Act./last 3 mo - fishing			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	7458	<div><div></div></div> 12.4%
2	NO	52781	<div><div></div></div> 87.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1S: Act./last 3 mo - volleyball			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	YES	3406	<div><div></div></div> 5.7%
2	NO	56833	<div><div></div></div> 94.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	

# PAC_1S: Act./last 3 mo - volleyball			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1T: Act./last 3 mo - basketball			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60239 /-] [Invalid=1468 /-]	
Value	Label	Cases	Percentage
1	YES	3919	<div><div></div></div> 6.5%
2	NO	56320	<div><div></div></div> 93.5%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1Z: Act./last 3 mo - Soccer			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60239 /-] [Invalid=1468 /-]	
Value	Label	Cases	Percentage
1	YES	4626	<div><div></div></div> 7.7%
2	NO	55613	<div><div></div></div> 92.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1U: Act./last 3 mo - Any other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60239 /-] [Invalid=1468 /-]	
Value	Label	Cases	Percentage
1	YES	8502	<div><div></div></div> 14.1%
2	NO	51737	<div><div></div></div> 85.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	
8	REFUSAL	30	
9	NOT STATED	1411	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_1V: Act./last 3 mo - No physical activity			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60239 /-] [Invalid=1468 /-]	
Value	Label	Cases	Percentage
1	YES	4475	<div><div></div></div> 7.4%
2	NO	55764	<div><div></div></div> 92.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	27	

# PAC_1V: Act./last 3 mo - No physical activity			
Value	Label	Cases	Percentage
8	REFUSAL	30	
9	NOT STATED	1411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1W: Act./last 3 mo - other (#2)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=8500 /-] [Invalid=53207 /-]	
Value	Label	Cases	Percentage
1	YES	1605	<div><div></div></div> 18.9%
2	NO	6895	<div><div></div></div> 81.1%
6	NOT APPLICABLE	51737	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_1X: Act./last 3 mo - other (#3)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1605 /-] [Invalid=60102 /-]	
Value	Label	Cases	Percentage
1	YES	318	<div><div></div></div> 19.8%
2	NO	1287	<div><div></div></div> 80.2%
6	NOT APPLICABLE	58632	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1470	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2A: No. of times - walking for exercise			
Information		[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]	
Statistics [NW/ W]		[Valid=43431 /-] [Invalid=18276 /-] [Mean=48.619 /-] [StdDev=38.475 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	16314	
997	DON'T KNOW	487	
998	REFUSAL	7	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3A: Time spent - walking for exercise			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=43253 /-] [Invalid=18454 /-]	
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	3790	<div><div></div></div> 8.8%
2	16 TO 30 MINUTES	16438	<div><div></div></div> 38.0%
3	31 TO 60 MINUTES	17534	<div><div></div></div> 40.5%

# PAC_3A: Time spent - walking for exercise			
Value	Label	Cases	Percentage
4	MORE THAN 1 HOUR	5491	<div><div></div></div> 12.7%
6	NOT APPLICABLE	16314	
7	DON'T KNOW	175	
8	REFUSAL	3	
9	NOT STATED	1962	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2B: No. of times - gardening/yard work			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=30155 /-] [Invalid=31552 /-] [Mean=23.225 /-] [StdDev=25.821 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	29371	
997	DON'T KNOW	706	
998	REFUSAL	7	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3B: Time spent - gardening/yard work			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=30013 /-] [Invalid=31694 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	1492	<div><div></div></div> 5.0%
2	16 TO 30 MINUTES	5886	<div><div></div></div> 19.6%
3	31 TO 60 MINUTES	9315	<div><div></div></div> 31.0%
4	MORE THAN 1 HOUR	13320	<div><div></div></div> 44.4%
6	NOT APPLICABLE	29371	
7	DON'T KNOW	141	
8	REFUSAL	1	
9	NOT STATED	2181	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2C: No. of times - swimming			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=13759 /-] [Invalid=47948 /-] [Mean=14.473 /-] [StdDev=18.988 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	46378	
997	DON'T KNOW	102	
998	REFUSAL	0	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3C: Time spent - swimming			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=13717 /-] [Invalid=47990 /-]		

# PAC_3C: Time spent - swimming			
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	811	<div><div></div></div> 5.9%
2	16 TO 30 MINUTES	3092	<div><div></div></div> 22.5%
3	31 TO 60 MINUTES	5388	<div><div></div></div> 39.3%
4	MORE THAN 1 HOUR	4426	<div><div></div></div> 32.3%
6	NOT APPLICABLE	46378	
7	DON'T KNOW	42	
8	REFUSAL	0	
9	NOT STATED	1570	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2D: No. of times - bicycling			
Information		[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]	
Statistics [NW/ W]		[Valid=12728 /-] [Invalid=48979 /-] [Mean=20.164 /-] [StdDev=25.505 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	47389	
997	DON'T KNOW	115	
998	REFUSAL	7	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3D: Time spent - bicycling			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=12691 /-] [Invalid=49016 /-]	
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	1046	<div><div></div></div> 8.2%
2	16 TO 30 MINUTES	3867	<div><div></div></div> 30.5%
3	31 TO 60 MINUTES	4557	<div><div></div></div> 35.9%
4	MORE THAN 1 HOUR	3221	<div><div></div></div> 25.4%
6	NOT APPLICABLE	47389	
7	DON'T KNOW	36	
8	REFUSAL	1	
9	NOT STATED	1590	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2E: No. of times - popular/social dance			
Information		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=9925 /-] [Invalid=51782 /-] [Mean=8.967 /-] [StdDev=14.17 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	50228	
997	DON'T KNOW	85	
998	REFUSAL	1	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PAC_3E: Time spent - popular/social dance			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=9872 /-] [Invalid=51835 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	467	<div><div></div></div> 4.7%
2	16 TO 30 MINUTES	1055	<div><div></div></div> 10.7%
3	31 TO 60 MINUTES	2162	<div><div></div></div> 21.9%
4	MORE THAN 1 HOUR	6188	<div><div></div></div> 62.7%
6	NOT APPLICABLE	50228	
7	DON'T KNOW	53	
8	REFUSAL	0	
9	NOT STATED	1554	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2F: No. of times - home exercises			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=22367 /-] [Invalid=39340 /-] [Mean=38.158 /-] [StdDev=30.543 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	37576	
997	DON'T KNOW	289	
998	REFUSAL	7	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3F: Time spent - home exercises			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=22312 /-] [Invalid=39395 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	4490	<div><div></div></div> 20.1%
2	16 TO 30 MINUTES	9882	<div><div></div></div> 44.3%
3	31 TO 60 MINUTES	6539	<div><div></div></div> 29.3%
4	MORE THAN 1 HOUR	1401	<div><div></div></div> 6.3%
6	NOT APPLICABLE	37576	
7	DON'T KNOW	51	
8	REFUSAL	4	
9	NOT STATED	1764	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACG2G: No. of times - ice hockey - (G			
Information	[Type= continuous] [Format=numeric] [Range= -999-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2929 /-] [Invalid=58778 /-]		
Value	Label	Cases	Percentage
-999	NUMBER OF TIMES	0	
996	NOT APPLICABLE	57289	
999	NOT STATED	1489	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PAC_3G: Time spent - ice hockey			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2927 /-] [Invalid=58780 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	11	<div><div></div></div> 0.4%
2	16 TO 30 MINUTES	78	<div><div></div></div> 2.7%
3	31 TO 60 MINUTES	1029	<div><div></div></div> 35.2%
4	MORE THAN 1 HOUR	1809	<div><div></div></div> 61.8%
6	NOT APPLICABLE	57289	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	1489	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2H: No. of times - ice skating			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=3843 /-] [Invalid=57864 /-] [Mean=6.845 /-] [StdDev=10.897 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	56371	
997	DON'T KNOW	23	
998	REFUSAL	2	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3H: Time spent - ice skating			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3839 /-] [Invalid=57868 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	44	<div><div></div></div> 1.1%
2	16 TO 30 MINUTES	498	<div><div></div></div> 13.0%
3	31 TO 60 MINUTES	1926	<div><div></div></div> 50.2%
4	MORE THAN 1 HOUR	1371	<div><div></div></div> 35.7%
6	NOT APPLICABLE	56371	
7	DON'T KNOW	4	
8	REFUSAL	0	
9	NOT STATED	1493	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2I: No. of times - in-line skating/roller b.			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=1680 /-] [Invalid=60027 /-] [Mean=8.896 /-] [StdDev=14.572 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	58553	
997	DON'T KNOW	6	
998	REFUSAL	0	
999	NOT STATED	1468	

# PAC_2I: No. of times - in-line skating/roller b.			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_3I: Time spent - in-line skating/roller b.			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1673 /-] [Invalid=60034 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	109	<div><div></div></div> 6.5%
2	16 TO 30 MINUTES	405	<div><div></div></div> 24.2%
3	31 TO 60 MINUTES	672	<div><div></div></div> 40.2%
4	MORE THAN 1 HOUR	487	<div><div></div></div> 29.1%
6	NOT APPLICABLE	58553	
7	DON'T KNOW	5	
8	REFUSAL	2	
9	NOT STATED	1474	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_2J: No. of times - jogging or running			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=12203 /-] [Invalid=49504 /-] [Mean=23.616 /-] [StdDev=22.801 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	47902	
997	DON'T KNOW	123	
998	REFUSAL	11	
999	NOT STATED	1468	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_3J: Time spent - jogging or running			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=12178 /-] [Invalid=49529 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	1728	<div><div></div></div> 14.2%
2	16 TO 30 MINUTES	5402	<div><div></div></div> 44.4%
3	31 TO 60 MINUTES	4215	<div><div></div></div> 34.6%
4	MORE THAN 1 HOUR	833	<div><div></div></div> 6.8%
6	NOT APPLICABLE	47902	
7	DON'T KNOW	25	
8	REFUSAL	0	
9	NOT STATED	1602	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_2K: No. of times - golfing			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=5752 /-] [Invalid=55955 /-] [Mean=10.058 /-] [StdDev=14.23 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	54465	
997	DON'T KNOW	21	

# PAC_2K: No. of times - golfing			
Value	Label	Cases	Percentage
998	REFUSAL	1	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3K: Time spent - golfing			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=5749 /-] [Invalid=55958 /-]	
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	18	<div><div></div>0.3%</div>
2	16 TO 30 MINUTES	45	<div><div></div>0.8%</div>
3	31 TO 60 MINUTES	186	<div><div></div>3.2%</div>
4	MORE THAN 1 HOUR	5500	<div><div></div>95.7%</div>
6	NOT APPLICABLE	54465	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	1490	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2L: No. of times- exercise class/aerobics			
Information		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=7015 /-] [Invalid=54692 /-] [Mean=20.315 /-] [StdDev=18.259 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	53179	
997	DON'T KNOW	44	
998	REFUSAL	1	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3L: Time spent - exercise class/aerobics			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=7007 /-] [Invalid=54700 /-]	
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	138	<div><div></div>2.0%</div>
2	16 TO 30 MINUTES	784	<div><div></div>11.2%</div>
3	31 TO 60 MINUTES	4540	<div><div></div>64.8%</div>
4	MORE THAN 1 HOUR	1545	<div><div></div>22.0%</div>
6	NOT APPLICABLE	53179	
7	DON'T KNOW	7	
8	REFUSAL	1	
9	NOT STATED	1513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2M: No. of times - skiing/snowboarding			
Information		[Type= continuous] [Format=numeric] [Range= 1-91] [Missing=*]	
Statistics [NW/ W]		[Valid=2373 /-] [Invalid=59334 /-] [Mean=5.906 /-] [StdDev=9.672 /-]	

# PAC_2M: No. of times - skiing/snowboarding			
Value	Label	Cases	Percentage
996	NOT APPLICABLE	57861	
997	DON'T KNOW	5	
998	REFUSAL	0	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3M: Time spent - skiing/snowboarding			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2371 /-] [Invalid=59336 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	14	<div><div></div></div> 0.6%
2	16 TO 30 MINUTES	22	<div><div></div></div> 0.9%
3	31 TO 60 MINUTES	77	<div><div></div></div> 3.2%
4	MORE THAN 1 HOUR	2258	<div><div></div></div> 95.2%
6	NOT APPLICABLE	57861	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	1473	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2N: No. of times - bowling			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=5526 /-] [Invalid=56181 /-] [Mean=4.229 /-] [StdDev=6.64 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	54702	
997	DON'T KNOW	10	
998	REFUSAL	1	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3N: Time spent - bowling			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=5521 /-] [Invalid=56186 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	22	<div><div></div></div> 0.4%
2	16 TO 30 MINUTES	137	<div><div></div></div> 2.5%
3	31 TO 60 MINUTES	1319	<div><div></div></div> 23.9%
4	MORE THAN 1 HOUR	4043	<div><div></div></div> 73.2%
6	NOT APPLICABLE	54702	
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	1479	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PAC_2O: No. of times - baseball/softball			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2924 /-] [Invalid=58783 /-] [Mean=9.394 /-] [StdDev=12.294 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	57290	
997	DON'T KNOW	23	
998	REFUSAL	2	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3O: Time spent - baseball/softball			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2924 /-] [Invalid=58783 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	41	<div><div></div>1.4%</div>
2	16 TO 30 MINUTES	264	<div><div></div>9.0%</div>
3	31 TO 60 MINUTES	749	<div><div></div>25.6%</div>
4	MORE THAN 1 HOUR	1870	<div><div></div>64.0%</div>
6	NOT APPLICABLE	57290	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1493	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2P: No. of times - tennis			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2028 /-] [Invalid=59679 /-] [Mean=7.822 /-] [StdDev=12.242 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	58198	
997	DON'T KNOW	12	
998	REFUSAL	1	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3P: Time spent - tennis			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2027 /-] [Invalid=59680 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	38	<div><div></div>1.9%</div>
2	16 TO 30 MINUTES	212	<div><div></div>10.5%</div>
3	31 TO 60 MINUTES	817	<div><div></div>40.3%</div>
4	MORE THAN 1 HOUR	960	<div><div></div>47.4%</div>
6	NOT APPLICABLE	58198	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	1481	

# PAC_3P: Time spent - tennis			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_2Q: No. of times - weight-training			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=9842 /-] [Invalid=51865 /-] [Mean=29.051 /-] [StdDev=23.114 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	50330	
997	DON'T KNOW	61	
998	REFUSAL	6	
999	NOT STATED	1468	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_3Q: Time spent - weight-training			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=9822 /-] [Invalid=51885 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	1364	<div><div></div></div> 13.9%
2	16 TO 30 MINUTES	3310	<div><div></div></div> 33.7%
3	31 TO 60 MINUTES	3624	<div><div></div></div> 36.9%
4	MORE THAN 1 HOUR	1524	<div><div></div></div> 15.5%
6	NOT APPLICABLE	50330	
7	DON'T KNOW	19	
8	REFUSAL	1	
9	NOT STATED	1535	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_2R: No. of times - fishing			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=7406 /-] [Invalid=54301 /-] [Mean=7.199 /-] [StdDev=11.349 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	52781	
997	DON'T KNOW	48	
998	REFUSAL	4	
999	NOT STATED	1468	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_3R: Time spent - fishing			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=7399 /-] [Invalid=54308 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	43	<div><div></div></div> 0.6%
2	16 TO 30 MINUTES	170	<div><div></div></div> 2.3%
3	31 TO 60 MINUTES	554	<div><div></div></div> 7.5%
4	MORE THAN 1 HOUR	6632	<div><div></div></div> 89.6%
6	NOT APPLICABLE	52781	
7	DON'T KNOW	6	

# PAC_3R: Time spent - fishing			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	1520	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2S: No. of times - volleyball			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=3367 /-] [Invalid=58340 /-] [Mean=10.273 /-] [StdDev=14.063 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	56833	
997	DON'T KNOW	38	
998	REFUSAL	1	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3S: Time spent - volleyball			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3360 /-] [Invalid=58347 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	85	<div><div></div></div> 2.5%
2	16 TO 30 MINUTES	477	<div><div></div></div> 14.2%
3	31 TO 60 MINUTES	1327	<div><div></div></div> 39.5%
4	MORE THAN 1 HOUR	1471	<div><div></div></div> 43.8%
6	NOT APPLICABLE	56833	
7	DON'T KNOW	7	
8	REFUSAL	0	
9	NOT STATED	1507	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2T: No. of times - basketball			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=3869 /-] [Invalid=57838 /-] [Mean=14.233 /-] [StdDev=19.45 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	56320	
997	DON'T KNOW	48	
998	REFUSAL	2	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3T: Time spent - basketball			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3860 /-] [Invalid=57847 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	150	<div><div></div></div> 3.9%
2	16 TO 30 MINUTES	767	<div><div></div></div> 19.9%
3	31 TO 60 MINUTES	1491	<div><div></div></div> 38.6%

PAC_3T: Time spent - basketball

Value	Label	Cases	Percentage
4	MORE THAN 1 HOUR	1452	<div></div> 37.6%
6	NOT APPLICABLE	56320	
7	DON'T KNOW	9	
8	REFUSAL	0	
9	NOT STATED	1518	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# PAC_2Z: No. of times - soccer			
Information		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=4585 /-] [Invalid=57122 /-] [Mean=12.652 /-] [StdDev=16.806 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	55613	
997	DON'T KNOW	40	
998	REFUSAL	1	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3Z: Time spent - soccer			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=4578 /-] [Invalid=57129 /-]	
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	143	<div><div></div></div> 3.1%
2	16 TO 30 MINUTES	740	<div><div></div></div> 16.2%
3	31 TO 60 MINUTES	1688	<div><div></div></div> 36.9%
4	MORE THAN 1 HOUR	2007	<div><div></div></div> 43.8%
6	NOT APPLICABLE	55613	
7	DON'T KNOW	7	
8	REFUSAL	0	
9	NOT STATED	1509	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2U: No. of times - other activity (#1)			
Information		[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]	
Statistics [NW/ W]		[Valid=8444 /-] [Invalid=53263 /-] [Mean=20.949 /-] [StdDev=24.195 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	51737	
997	DON'T KNOW	54	
998	REFUSAL	4	
999	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3U: Time spent - other activity (#1)			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=8432 /-] [Invalid=53275 /-]	
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	299	<div><div></div></div> 3.5%
2	16 TO 30 MINUTES	829	<div><div></div></div> 9.8%
3	31 TO 60 MINUTES	2206	<div><div></div></div> 26.2%
4	MORE THAN 1 HOUR	5098	<div><div></div></div> 60.5%
6	NOT APPLICABLE	51737	
7	DON'T KNOW	12	
8	REFUSAL	0	
9	NOT STATED	1526	

# PAC_3U: Time spent - other activity (#1)			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2W: No. of times - other activity (#2)			
Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]		
Statistics [NW/ W]	[Valid=1595 /-] [Invalid=60112 /-] [Mean=15.176 /-] [StdDev=21.609 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	58632	
997	DON'T KNOW	10	
998	REFUSAL	0	
999	NOT STATED	1470	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3W: Time spent - other activity (#2)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1589 /-] [Invalid=60118 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	51	<div><div></div></div> 3.2%
2	16 TO 30 MINUTES	174	<div><div></div></div> 11.0%
3	31 TO 60 MINUTES	370	<div><div></div></div> 23.3%
4	MORE THAN 1 HOUR	994	<div><div></div></div> 62.6%
6	NOT APPLICABLE	58632	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	1480	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_2X: No. of times - other activity (#3)			
Information	[Type= continuous] [Format=numeric] [Range= 1-120] [Missing=*]		
Statistics [NW/ W]	[Valid=317 /-] [Invalid=61390 /-] [Mean=12.303 /-] [StdDev=17.985 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	59919	
997	DON'T KNOW	1	
998	REFUSAL	0	
999	NOT STATED	1470	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_3X: Time spent - other activity (#3)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=317 /-] [Invalid=61390 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	17	<div><div></div></div> 5.4%
2	16 TO 30 MINUTES	38	<div><div></div></div> 12.0%
3	31 TO 60 MINUTES	92	<div><div></div></div> 29.0%
4	MORE THAN 1 HOUR	170	<div><div></div></div> 53.6%
6	NOT APPLICABLE	59919	
7	DON'T KNOW	0	

# PAC_3X: Time spent - other activity (#3)			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	1471	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_7: No. of times/3 mo./walking work/school			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=60194 /-] [Invalid=1513 /-]		
Value	Label	Cases	Percentage
1	YES	8624	14.3%
2	NO	30157	50.1%
3	NO WORK/NO SCHOO	21413	35.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	40	
8	REFUSAL	5	
9	NOT STATED	1468	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_7A: No. of times/3 mo./walking work/school			
Information	[Type= continuous] [Format=numeric] [Range= 1-270] [Missing=*]		
Statistics [NW/ W]	[Valid=8509 /-] [Invalid=53198 /-] [Mean=45.845 /-] [StdDev=42.157 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	51570	
997	DON'T KNOW	114	
998	REFUSAL	1	
999	NOT STATED	1513	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_7B: Time spent - walking to go work/school			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=8495 /-] [Invalid=53212 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	3582	42.2%
2	16 TO 30 MINUTES	2958	34.8%
3	31 TO 60 MINUTES	1496	17.6%
4	MORE THAN 1 HOUR	459	5.4%
6	NOT APPLICABLE	51570	
7	DON'T KNOW	13	
8	REFUSAL	1	
9	NOT STATED	1628	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PAC_8: No. of times/3 mo./bicycl. work/school			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=60210 /-] [Invalid=1497 /-]		

# PAC_8: No. of times/3 mo./bicycl. work/school			
Value	Label	Cases	Percentage
1	YES	1784	<div><div></div></div> 3.0%
2	NO	36806	<div><div></div></div> 61.1%
3	NO WORK/NO SCHOO	21620	<div><div></div></div> 35.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	24	
8	REFUSAL	5	
9	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_8A: No. of times/3 mo./bicycl. work/school			
Information	[Type= continuous] [Format=numeric] [Range= 1-200] [Missing=*]		
Statistics [NW/ W]	[Valid=1765 /-] [Invalid=59942 /-] [Mean=22.023 /-] [StdDev=26.552 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	58426	
997	DON'T KNOW	19	
998	REFUSAL	0	
999	NOT STATED	1497	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PAC_8B: Time spent - bicycl. to go work/school			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1762 /-] [Invalid=59945 /-]		
Value	Label	Cases	Percentage
1	1 TO 15 MINUTES	725	<div><div></div></div> 41.1%
2	16 TO 30 MINUTES	555	<div><div></div></div> 31.5%
3	31 TO 60 MINUTES	345	<div><div></div></div> 19.6%
4	MORE THAN 1 HOUR	137	<div><div></div></div> 7.8%
6	NOT APPLICABLE	58426	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	1516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACDEE: Daily energy expenditure - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-36.5] [Missing=*]		
Statistics [NW/ W]	[Valid=60226 /-] [Invalid=1481 /-] [Mean=2.32 /-] [StdDev=2.5 /-]		
Value	Label	Cases	Percentage
99.6	NOT APPLICABLE	0	
99.7	DON'T KNOW	0	
99.8	REFUSAL	0	
99.9	NOT STATED	1481	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACFLEI: Participant - leisure phys. activity-(F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# PACFLEI: Participant - leisure phys. activity-(F)			
Statistics [NW/ W]		[Valid=60239 /-] [Invalid=1468 /-]	
Value	Label	Cases	Percentage
1	YES	55764	<div><div></div></div> 92.6%
2	NO	4475	<div><div></div></div> 7.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACDFM: Monthly freq./phys. act. >15 min. - (D)			
Information		[Type= continuous] [Format=numeric] [Range= 0-325] [Missing=*]	
Statistics [NW/ W]		[Valid=60226 /-] [Invalid=1481 /-] [Mean=27.495 /-] [StdDev=25.768 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	0	
997	DON'T KNOW	0	
998	REFUSAL	0	
999	NOT STATED	1481	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACDFR: Freq. of all physical activity - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=60226 /-] [Invalid=1481 /-]	
Value	Label	Cases	Percentage
1	REGULAR	41177	<div><div></div></div> 68.4%
2	OCCASIONAL	8572	<div><div></div></div> 14.2%
3	INFREQUENT	10477	<div><div></div></div> 17.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1481	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACFD: Partic. daily phys. act. > 15 min. - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60226 /-] [Invalid=1481 /-]	
Value	Label	Cases	Percentage
1	YES	24695	<div><div></div></div> 41.0%
2	NO	35531	<div><div></div></div> 59.0%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1481	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# PACDPAI: Physical activity index - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=60239 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	ACTIVE	17357	<div><div></div></div> 28.8%
2	MODERATE ACTIVE	15019	<div><div></div></div> 24.9%
3	INACTIVE	27863	<div><div></div></div> 46.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1468	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACDLTI: Leisure and transp. phys. activity index			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=59816 /-] [Invalid=1891 /-]		
Value	Label	Cases	Percentage
1	ACTIVE	17912	<div><div></div></div> 29.9%
2	MODERATE ACTIVE	15204	<div><div></div></div> 25.4%
3	INACTIVE	26700	<div><div></div></div> 44.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1891	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACDTLE: Dai. ener. expen. - Tran. and leis. act.			
Information	[Type= continuous] [Format=numeric] [Range= 0-36.7] [Missing=*]		
Statistics [NW/ W]	[Valid=59803 /-] [Invalid=1904 /-]		
Value	Label	Cases	Percentage
0	NO PHY. ACTIVITY	5316	<div><div></div></div> 100.0%
99.6	NOT APPLICABLE	0	
99.7	DON'T KNOW	0	
99.8	REFUSAL	0	
99.9	NOT STATED	1904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PACFLTI: Particip. - Leis. or trans. phys. activ.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=60238 /-] [Invalid=1469 /-]		
Value	Label	Cases	Percentage
1	YES	56092	<div><div></div></div> 93.1%
2	NO	4146	<div><div></div></div> 6.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	

# PACFLTI: Particip. - Leis. or trans. phys. activ.			
Value	Label	Cases	Percentage
9	NOT STATED	1469	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest</i>			
# DOSCP: Module: SCP - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SCP_01: level of physical activity/ every week			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=22318 /-] [Invalid=39389 /-]		
Value	Label	Cases	Percentage
1	VERY PHYS.ACTIVE	3857	17.3%
2	MOD. PHYS.ACTIVE	10211	45.8%
3	A BIT PHYS. ACT.	5940	26.6%
4	NOT PHYS. ACTIVE	2310	10.4%
6	NOT APPLICABLE	38789	
7	DON'T KNOW	71	
8	REFUSAL	14	
9	NOT STATED	515	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SCP_02: increase of physical activity level			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14044 /-] [Invalid=47663 /-]		
Value	Label	Cases	Percentage
1	YES	5406	38.5%
2	NO	8638	61.5%
6	NOT APPLICABLE	47039	
7	DON'T KNOW	24	
8	REFUSAL	0	
9	NOT STATED	600	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SCP_03: increase of physical activity level			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8073 /-] [Invalid=53634 /-]		

# SCP_03: increase of physical activity level			
Value	Label	Cases	Percentage
1	YES	4577	<div></div> 56.7%
2	NO	3496	<div></div> 43.3%
6	NOT APPLICABLE	52857	
7	DON'T KNOW	175	
8	REFUSAL	2	
9	NOT STATED	600	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCP_04: increase of physical activity level			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3378 /-] [Invalid=58329 /-]		
Value	Label	Cases	Percentage
1	YES	1491	<div></div> 44.1%
2	NO	1887	<div></div> 55.9%
6	NOT APPLICABLE	57434	
7	DON'T KNOW	118	
8	REFUSAL	0	
9	NOT STATED	777	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCPDSTG: Stages of changes - physical activity			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=21999 /-] [Invalid=39708 /-]		
Value	Label	Cases	Percentage
1	PRE-CONTEMP.	1887	<div></div> 8.6%
2	CONTEMPLATION	1491	<div></div> 6.8%
3	PREPARATION	4577	<div></div> 20.8%
4	ACTION	5406	<div></div> 24.6%
5	MAINTENANCE	8638	<div></div> 39.3%
6	NOT APPLICABLE	38789	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	919	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSAC: Module: Sedentary activities			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	

# DOSAC: Module: Sedentary activities			
Value	Label	Cases	Percentage
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SACG1: No. of hrs.-on a computer -past3mo(G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=59947 /-] [Invalid=1760 /-]	
Value	Label	Cases	Percentage
1	NONE OR < 1 HR	15171	<div></div> 25.3%
2	1 TO 2 HOURS	9989	<div></div> 16.7%
3	3 TO 5 HOURS	9352	<div></div> 15.6%
4	6 TO 10 HOURS	11995	<div></div> 20.0%
5	11 TO 14 HOURS	5054	<div></div> 8.4%
6	15 TO 20 HOURS	2756	<div></div> 4.6%
7	MORE THAN 20 HRS	5630	<div></div> 9.4%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1760	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SACG2: No. of hrs.-play video games -past3mo(G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=59871 /-] [Invalid=1836 /-]	
Value	Label	Cases	Percentage
1	NONE OR < 1 HR	48453	<div></div> 80.9%
2	1 TO 2 HOURS	4932	<div></div> 8.2%
3	3 TO 5 HOURS	2657	<div></div> 4.4%
4	6 TO 10 HOURS	2049	<div></div> 3.4%
5	11 TO 14 HOURS	591	<div></div> 1.0%
6	15 TO 20 HOURS	500	<div></div> 0.8%
7	MORE THAN 20 HRS	689	<div></div> 1.2%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1836	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SACG3: No. of hrs.-watch tv/videos -past3mo(G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=59399 /-] [Invalid=2308 /-]	
Value	Label	Cases	Percentage
1	NONE OR < 1 HR	2915	<div></div> 4.9%
2	1 TO 2 HOURS	4199	<div></div> 7.1%
3	3 TO 5 HOURS	7603	<div></div> 12.8%

# SACG3: No. of hrs.-watch tv/videos -past3mo(G)			
Value	Label	Cases	Percentage
4	6 TO 10 HOURS	13480	<div></div> 22.7%
5	11 TO 14 HOURS	10592	<div></div> 17.8%
6	15 TO 20 HOURS	5553	<div></div> 9.3%
7	21 TO 25 HOURS	6749	<div></div> 11.4%
8	26 TO 30 HOURS	4055	<div></div> 6.8%
9	MORE THAN 30 HRS	4253	<div></div> 7.2%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	2308	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SACG4: No. of hrs.-read -past3mo(G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=59182 +/-] [Invalid=2525 +/-]		
Value	Label	Cases	Percentage
1	NONE OR < 1 HR	10524	<div></div> 17.8%
2	1 TO 2 HOURS	11505	<div></div> 19.4%
3	3 TO 5 HOURS	12292	<div></div> 20.8%
4	6 TO 10 HOURS	14344	<div></div> 24.2%
5	11 TO 14 HOURS	4888	<div></div> 8.3%
6	15 TO 20 HOURS	2353	<div></div> 4.0%
7	MORE THAN 20 HRS	3276	<div></div> 5.5%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	2525	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SACDTOT: Tot. hrs. -seden. activit. - 3 mo - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=58735 +/-] [Invalid=2972 +/-]		
Value	Label	Cases	Percentage
1	LESS 5 HOURS	1387	<div></div> 2.4%
2	5 TO 9 HOURS	4419	<div></div> 7.5%
3	10 TO 14 HOURS	6543	<div></div> 11.1%
4	15 TO 19 HOURS	7519	<div></div> 12.8%
5	20 TO 24 HOURS	8240	<div></div> 14.0%
6	25 TO 29 HOURS	7218	<div></div> 12.3%
7	30 TO 34 HOURS	4942	<div></div> 8.4%
8	35 TO 39 HOURS	5171	<div></div> 8.8%
9	40 TO 44 HOURS	3829	<div></div> 6.5%
10	45 OR MORE HOURS	9467	<div></div> 16.1%
96	NOT APPLICABLE	0	

# SACDTOT: Tot. hrs. -seden. activit. - 3 mo - (D)			
Value	Label	Cases	Percentage
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	2972	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SACDTER: No. hrs / wk. (exc. read.) - seden. act.			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=59331 /-] [Invalid=2376 /-]		
Value	Label	Cases	Percentage
1	LESS 5 HOURS	3708	<div><div></div></div> 6.2%
2	5 TO 9 HOURS	7549	<div><div></div></div> 12.7%
3	10 TO 14 HOURS	10087	<div><div></div></div> 17.0%
4	15 TO 19 HOURS	7508	<div><div></div></div> 12.7%
5	20 TO 24 HOURS	9425	<div><div></div></div> 15.9%
6	25 TO 29 HOURS	6411	<div><div></div></div> 10.8%
7	30 TO 34 HOURS	3164	<div><div></div></div> 5.3%
8	35 TO 39 HOURS	3810	<div><div></div></div> 6.4%
9	40 TO 44 HOURS	2682	<div><div></div></div> 4.5%
10	45 OR MORE HOURS	4987	<div><div></div></div> 8.4%
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	2376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOUPE: Module: UPE - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=29425 /-] [Invalid=32282 /-]		
Value	Label	Cases	Percentage
1	YES	29425	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	32282	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# UPE_01A: Done any bicycling in past 12 months			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=22403 /-] [Invalid=39304 /-]		
Value	Label	Cases	Percentage
1	YES	3481	<div><div></div></div> 15.5%
2	NO	18922	<div><div></div></div> 84.5%
6	NOT APPLICABLE	38529	

# UPE_01A: Done any bicycling in past 12 months			
Value	Label	Cases	Percentage
7	DON'T KNOW	29	
8	REFUSAL	11	
9	NOT STATED	735	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_01: Freq. - helmet - bicycling			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=9705 /-] [Invalid=52002 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	3754	<div><div></div></div> 38.7%
2	MOST OF THE TIME	924	<div><div></div></div> 9.5%
3	RARELY	824	<div><div></div></div> 8.5%
4	NEVER	4203	<div><div></div></div> 43.3%
6	NOT APPLICABLE	51204	
7	DON'T KNOW	19	
8	REFUSAL	4	
9	NOT STATED	775	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_02: Freq. - helmet - in-line skating			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=27882 /-] [Invalid=33825 /-]		
Value	Label	Cases	Percentage
1	YES	830	<div><div></div></div> 3.0%
2	NO	27052	<div><div></div></div> 97.0%
6	NOT APPLICABLE	33055	
7	DON'T KNOW	22	
8	REFUSAL	2	
9	NOT STATED	746	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_02A: Freq. - wrist guards - in-line skating			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1602 /-] [Invalid=60105 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	537	<div><div></div></div> 33.5%
2	MOST OF THE TIME	119	<div><div></div></div> 7.4%
3	RARELY	113	<div><div></div></div> 7.1%
4	NEVER	833	<div><div></div></div> 52.0%
6	NOT APPLICABLE	59334	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	770	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# UPE_02B: Freq. - elbow pads - in-line skating			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1601 /-] [Invalid=60106 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	324	<div><div></div></div> 20.2%
2	MOST OF THE TIME	62	<div><div></div></div> 3.9%
3	RARELY	87	<div><div></div></div> 5.4%
4	NEVER	1128	<div><div></div></div> 70.5%
6	NOT APPLICABLE	59334	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	770	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_02C: Wear knee pads			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1601 /-] [Invalid=60106 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	199	<div><div></div></div> 12.4%
2	MOST OF THE TIME	42	<div><div></div></div> 2.6%
3	RARELY	77	<div><div></div></div> 4.8%
4	NEVER	1283	<div><div></div></div> 80.1%
6	NOT APPLICABLE	59334	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	770	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_02D: Wear knee pads			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1601 /-] [Invalid=60106 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	221	<div><div></div></div> 13.8%
2	MOST OF THE TIME	57	<div><div></div></div> 3.6%
3	RARELY	85	<div><div></div></div> 5.3%
4	NEVER	1238	<div><div></div></div> 77.3%
6	NOT APPLICABLE	59334	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	770	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_03A: Downhill skiing/snowboarding - 3 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1035 /-] [Invalid=60672 /-]		

# UPE_03A: Downhill skiing/snowboarding - 3 mo			
Value	Label	Cases	Percentage
1	DOWNHILL SKIING	584	<div><div></div></div> 56.4%
2	SNOWBOARDING	389	<div><div></div></div> 37.6%
3	BOTH	62	<div><div></div></div> 6.0%
4	NEITHER	0	
6	NOT APPLICABLE	59896	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	770	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_03B: Downhill skiing/snowboarding - 12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=27619 /-] [Invalid=34088 /-]	
Value	Label	Cases	Percentage
1	DOWNHILL SKIING	1114	<div><div></div></div> 4.0%
2	SNOWBOARDING	515	<div><div></div></div> 1.9%
3	BOTH	101	<div><div></div></div> 0.4%
4	NEITHER	25889	<div><div></div></div> 93.7%
6	NOT APPLICABLE	33323	
7	DON'T KNOW	17	
8	REFUSAL	2	
9	NOT STATED	746	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_04A: Freq. - helmet - downhill skiing			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=1859 /-] [Invalid=59848 /-]	
Value	Label	Cases	Percentage
1	ALWAYS	1182	<div><div></div></div> 63.6%
2	MOST OF THE TIME	54	<div><div></div></div> 2.9%
3	RARELY	47	<div><div></div></div> 2.5%
4	NEVER	576	<div><div></div></div> 31.0%
6	NOT APPLICABLE	59075	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	771	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_05A: Freq. - helmet - snowboarding			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=1065 /-] [Invalid=60642 /-]	
Value	Label	Cases	Percentage
1	ALWAYS	660	<div><div></div></div> 62.0%
2	MOST OF THE TIME	72	<div><div></div></div> 6.8%

# UPE_05A: Freq. - helmet - snowboarding			
Value	Label	Cases	Percentage
3	RARELY	66	<div><div></div></div> 6.2%
4	NEVER	267	<div><div></div></div> 25.1%
6	NOT APPLICABLE	59869	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	771	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_05B: Freq. - wrist guards - snowboarding			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1066 /-] [Invalid=60641 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	64	<div><div></div></div> 6.0%
2	MOST OF THE TIME	24	<div><div></div></div> 2.3%
3	RARELY	38	<div><div></div></div> 3.6%
4	NEVER	940	<div><div></div></div> 88.2%
6	NOT APPLICABLE	59869	
7	DON'T KNOW	0	
8	REFUSAL	1	
9	NOT STATED	771	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_06: Freq. - helmet - skateboarding			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3224 /-] [Invalid=58483 /-]		
Value	Label	Cases	Percentage
1	YES	492	<div><div></div></div> 15.3%
2	NO	2732	<div><div></div></div> 84.7%
6	NOT APPLICABLE	58382	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	99	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# UPE_06A: Freq. - wrist guards - skateboarding			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=492 -/] [Invalid=61215 -/]		
Value	Label	Cases	Percentage
1	ALWAYS	127	<div><div></div></div> 25.8%
2	MOST OF THE TIME	59	<div><div></div></div> 12.0%
3	RARELY	63	<div><div></div></div> 12.8%
4	NEVER	243	<div><div></div></div> 49.4%
6	NOT APPLICABLE	61114	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_06B: Freq. - elbow pads - skateboarding			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=492 -/] [Invalid=61215 -/]		
Value	Label	Cases	Percentage
1	ALWAYS	29	<div><div></div></div> 5.9%
2	MOST OF THE TIME	18	<div><div></div></div> 3.7%
3	RARELY	35	<div><div></div></div> 7.1%
4	NEVER	410	<div><div></div></div> 83.3%
6	NOT APPLICABLE	61114	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_06C: Freq. - elbow pads - skateboarding			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=492 -/] [Invalid=61215 -/]		
Value	Label	Cases	Percentage
1	ALWAYS	25	<div><div></div></div> 5.1%
2	MOST OF THE TIME	15	<div><div></div></div> 3.0%
3	RARELY	35	<div><div></div></div> 7.1%
4	NEVER	417	<div><div></div></div> 84.8%
6	NOT APPLICABLE	61114	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_07: Wear a mouth guard			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=27190 -/] [Invalid=34517 -/]		

# UPE_07: Wear a mouth guard			
Value	Label	Cases	Percentage
1	YES	792	<div><div></div></div> 2.9%
2	NO	26398	<div><div></div></div> 97.1%
6	NOT APPLICABLE	33748	
7	DON'T KNOW	18	
8	REFUSAL	5	
9	NOT STATED	746	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPE_07A: Wear a mouth guard			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=2257 /-] [Invalid=59450 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	594	<div><div></div></div> 26.3%
2	MOST OF THE TIME	124	<div><div></div></div> 5.5%
3	RARELY	129	<div><div></div></div> 5.7%
4	NEVER	1410	<div><div></div></div> 62.5%
6	NOT APPLICABLE	58680	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	769	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPEFILS: Wears all prot. equip. - in-line skating			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1601 /-] [Invalid=60106 /-]		
Value	Label	Cases	Percentage
1	YES	155	<div><div></div></div> 9.7%
2	NO	1446	<div><div></div></div> 90.3%
6	NOT APPLICABLE	59334	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	772	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPEFSKB: Wears all prot. equip. - skateb. - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=492 /-] [Invalid=61215 /-]		
Value	Label	Cases	Percentage
1	YES	25	<div><div></div></div> 5.1%
2	NO	467	<div><div></div></div> 94.9%
6	NOT APPLICABLE	61114	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	101	

# UPEFSKB: Wears all prot. equip. - skateb. - (F)			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# UPEFSNB: Wears all prot. equip. - snowb.- (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1066 /-] [Invalid=60641 /-]		
Value	Label	Cases	Percentage
1	YES	77	<div><div></div></div> 7.2%
2	NO	989	<div><div></div></div> 92.8%
6	NOT APPLICABLE	59869	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	772	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSSB: Module: SSB - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2457 /-] [Invalid=59250 /-]		
Value	Label	Cases	Percentage
1	YES	2457	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	59250	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_01: Been sunburnt - past 12 months			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2396 /-] [Invalid=59311 /-]		
Value	Label	Cases	Percentage
1	YES	791	<div><div></div></div> 33.0%
2	NO	1605	<div><div></div></div> 67.0%
6	NOT APPLICABLE	59250	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_02: Sunburn involved blistering			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=789 /-] [Invalid=60918 /-]		
Value	Label	Cases	Percentage
1	YES	68	<div><div></div></div> 8.6%
2	NO	721	<div><div></div></div> 91.4%
6	NOT APPLICABLE	60855	
7	DON'T KNOW	2	

# SSB_02: Sunburn involved blistering			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	61	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_03: Sunburns involved pain - more than 1 day			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=791 /-] [Invalid=60916 /-]	
Value	Label	Cases	Percentage
1	YES	243	<div></div> 30.7%
2	NO	548	<div></div> 69.3%
6	NOT APPLICABLE	60855	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	61	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_06: Amount time in the sun - 11 am to 4 pm			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=2380 /-] [Invalid=59327 /-]	
Value	Label	Cases	Percentage
1	NONE	360	<div></div> 15.1%
2	< 30 MIN.	239	<div></div> 10.0%
3	30 TO 59 MINUTES	285	<div></div> 12.0%
4	1 TO < 2 HOURS	414	<div></div> 17.4%
5	2 TO < 3 HOURS	407	<div></div> 17.1%
6	3 TO < 4 HOURS	256	<div></div> 10.8%
7	4 TO < 5 HOURS	135	<div></div> 5.7%
8	5 HOURS	284	<div></div> 11.9%
96	NOT APPLICABLE	59250	
97	DON'T KNOW	16	
98	REFUSAL	0	
99	NOT STATED	61	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_07: Frequency - seek shade			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=1776 /-] [Invalid=59931 /-]	
Value	Label	Cases	Percentage
1	ALWAYS	257	<div></div> 14.5%
2	OFTEN	563	<div></div> 31.7%
3	SOMETIMES	505	<div></div> 28.4%
4	RARELY	292	<div></div> 16.4%
5	NEVER	159	<div></div> 9.0%
6	NOT APPLICABLE	59849	

# SSB_07: Frequency - seek shade			
Value	Label	Cases	Percentage
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_08: Frequency - wear hat in the sun			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1779 /-] [Invalid=59928 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	481	<div></div> 27.0%
2	OFTEN	254	<div></div> 14.3%
3	SOMETIMES	204	<div></div> 11.5%
4	RARELY	182	<div></div> 10.2%
5	NEVER	658	<div></div> 37.0%
6	NOT APPLICABLE	59849	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_09A: Frequency - wear long pants or skirt			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1779 /-] [Invalid=59928 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	381	<div></div> 21.4%
2	OFTEN	206	<div></div> 11.6%
3	SOMETIMES	230	<div></div> 12.9%
4	RARELY	256	<div></div> 14.4%
5	NEVER	706	<div></div> 39.7%
6	NOT APPLICABLE	59849	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_09B: Frequency - use sunscreen on your face			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1780 /-] [Invalid=59927 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	544	<div></div> 30.6%
2	OFTEN	313	<div></div> 17.6%
3	SOMETIMES	234	<div></div> 13.1%
4	RARELY	159	<div></div> 8.9%
5	NEVER	530	<div></div> 29.8%

# SSB_09B: Frequency - use sunscreen on your face			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	59849	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_10: SPF use - face			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1042 /-] [Invalid=60665 /-]		
Value	Label	Cases	Percentage
1	LESS THAN 15	27	<div><div></div></div> 2.6%
2	15 TO 25	261	<div><div></div></div> 25.0%
3	MORE THAN 25	754	<div><div></div></div> 72.4%
6	NOT APPLICABLE	60538	
7	DON'T KNOW	48	
8	REFUSAL	1	
9	NOT STATED	78	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_11: Frequency - use sunscreen on your body			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1779 /-] [Invalid=59928 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	377	<div><div></div></div> 21.2%
2	OFTEN	335	<div><div></div></div> 18.8%
3	SOMETIMES	272	<div><div></div></div> 15.3%
4	RARELY	228	<div><div></div></div> 12.8%
5	NEVER	567	<div><div></div></div> 31.9%
6	NOT APPLICABLE	59849	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	77	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSB_12: SPF use - body			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=945 /-] [Invalid=60762 /-]		
Value	Label	Cases	Percentage
1	LESS THAN 15	37	<div><div></div></div> 3.9%
2	15 TO 25	207	<div><div></div></div> 21.9%
3	MORE THAN 25	701	<div><div></div></div> 74.2%
6	NOT APPLICABLE	60644	
7	DON'T KNOW	38	
8	REFUSAL	1	

# SSB_12: SPF use - body			
Value	Label	Cases	Percentage
9	NOT STATED	79	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOINJ: Module: INJ - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5520 /-] [Invalid=56187 /-]	
Value	Label	Cases	Percentage
1	YES	5520	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	56187	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_1A: Repetitive strain injury			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5494 /-] [Invalid=56213 /-]	
Value	Label	Cases	Percentage
1	YES	796	<div></div> 14.5%
2	NO	4698	<div></div> 85.5%
6	NOT APPLICABLE	56187	
7	DON'T KNOW	25	
8	REFUSAL	1	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_2: Limit your normal activities			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=793 /-] [Invalid=60914 /-]	
Value	Label	Cases	Percentage
1	YES	432	<div></div> 54.5%
2	NO	361	<div></div> 45.5%
6	NOT APPLICABLE	60885	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	26	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REPG3: Rep. strain - body part affected - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=431 /-] [Invalid=61276 /-]	
Value	Label	Cases	Percentage
1	NECK	13	<div></div> 3.0%
2	SHOULDER /UP ARM	85	<div></div> 19.7%

# REPG3: Rep. strain - body part affected - (G)			
Value	Label	Cases	Percentage
3	ELBOW, LOWER ARM	74	<div><div></div></div> 17.2%
4	WRIST / HAND	97	<div><div></div></div> 22.5%
5	KNEE / LOWER LEG	52	<div><div></div></div> 12.1%
6	ANKLE / FOOT	27	<div><div></div></div> 6.3%
7	UPPER BACK	10	<div><div></div></div> 2.3%
8	LOWER BACK	53	<div><div></div></div> 12.3%
9	OTHER	20	<div><div></div></div> 4.6%
96	NOT APPLICABLE	61246	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	30	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_3A: Rep. strain-activity causing injury			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=428 /-] [Invalid=61279 /-]		
Value	Label	Cases	Percentage
1	YES	379	<div><div></div></div> 88.6%
2	NO	49	<div><div></div></div> 11.4%
6	NOT APPLICABLE	61246	
7	DON'T KNOW	4	
8	REFUSAL	0	
9	NOT STATED	29	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_4: Rep. strain - working at a job/business			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	185	<div><div></div></div> 49.1%
2	NO	192	<div><div></div></div> 50.9%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	34	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5A: Activity - Walking			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	18	<div><div></div></div> 4.8%
2	NO	359	<div><div></div></div> 95.2%
6	NOT APPLICABLE	61295	

# REP_5A: Activity - Walking			
Value	Label	Cases	Percentage
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5B: Activity - Sports			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	99	<div><div></div></div> 26.3%
2	NO	278	<div><div></div></div> 73.7%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5C: Activity - Leisure			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	21	<div><div></div></div> 5.6%
2	NO	356	<div><div></div></div> 94.4%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5D: Activity - Household chores			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	36	<div><div></div></div> 9.5%
2	NO	341	<div><div></div></div> 90.5%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5F: Activity - Computer			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		

# REP_5F: Activity - Computer			
Value	Label	Cases	Percentage
1	YES	44	<div><div></div></div> 11.7%
2	NO	333	<div><div></div></div> 88.3%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5G: Activity - Driving a motor vehicle			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 1.9%
2	NO	370	<div><div></div></div> 98.1%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5H: Activity - Lifting or carrying			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	82	<div><div></div></div> 21.8%
2	NO	295	<div><div></div></div> 78.2%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# REP_5I: Activity - Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=377 /-] [Invalid=61330 /-]		
Value	Label	Cases	Percentage
1	YES	97	<div><div></div></div> 25.7%
2	NO	280	<div><div></div></div> 74.3%
6	NOT APPLICABLE	61295	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	33	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# INJ_01: Injured in past 12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5507 /-] [Invalid=56200 /-]	
Value	Label	Cases	Percentage
1	YES	1013	<div><div></div></div> 18.4%
2	NO	4494	<div><div></div></div> 81.6%
6	NOT APPLICABLE	56187	
7	DON'T KNOW	9	
8	REFUSAL	4	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG02: No. of injuries in past 12 mo - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=1007 /-] [Invalid=60700 /-]	
Value	Label	Cases	Percentage
1	ONE INJURY	718	<div><div></div></div> 71.3%
2	TWO INJURIES	162	<div><div></div></div> 16.1%
3	3 TO 5 INJURIES	98	<div><div></div></div> 9.7%
4	6+ INJURIES	29	<div><div></div></div> 2.9%
6	NOT APPLICABLE	60681	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG05: Most serious injury - type - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=996 /-] [Invalid=60711 /-]	
Value	Label	Cases	Percentage
1	MULT INJURIES	12	<div><div></div></div> 1.2%
2	BROKEN BONES	174	<div><div></div></div> 17.5%
3	BURN, SCALD, CHE	22	<div><div></div></div> 2.2%
4	DISLOCATION	33	<div><div></div></div> 3.3%
5	SPRAIN OR STRAIN	510	<div><div></div></div> 51.2%
6	CUT, PUNCTURE	89	<div><div></div></div> 8.9%
7	SCRAP, BRUISE	78	<div><div></div></div> 7.8%
8	CONCUSSION OR IN	37	<div><div></div></div> 3.7%
9	OTHER	41	<div><div></div></div> 4.1%
96	NOT APPLICABLE	60681	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	30	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# INJG06: Most serious inj. - body part aff. - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=967 /-] [Invalid=60740 /-]	
Value	Label	Cases	Percentage
1	MULTIPLE SITES	18	<div><div></div></div> 1.9%
2	EYES/HEAD/NECK	50	<div><div></div></div> 5.2%
3	SHOULDER, UPPER	82	<div><div></div></div> 8.5%
4	ELBOW,LOWER ARM	40	<div><div></div></div> 4.1%
5	WRIST OR HAND	157	<div><div></div></div> 16.2%
6	HIP OR THIGH	46	<div><div></div></div> 4.8%
7	KNEE, LOWER LEG	146	<div><div></div></div> 15.1%
8	ANKLE, FOOT	231	<div><div></div></div> 23.9%
9	UPPER OR LOWER B	140	<div><div></div></div> 14.5%
10	CHEST OR ABDOMEN	57	<div><div></div></div> 5.9%
96	NOT APPLICABLE	60718	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	22	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG08: Most serious injury - place - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=1001 /-] [Invalid=60706 /-]	
Value	Label	Cases	Percentage
1	HOME/SURROUNDNG	335	<div><div></div></div> 33.5%
2	RESIDENT./SCHOOL	56	<div><div></div></div> 5.6%
3	SPORTS/ATHLETICS	69	<div><div></div></div> 6.9%
4	OTHER SPORTS	133	<div><div></div></div> 13.3%
5	STREET, HIGHWAY	92	<div><div></div></div> 9.2%
6	COMMERCIAL AREA	85	<div><div></div></div> 8.5%
7	INDUSTRIAL AREA	72	<div><div></div></div> 7.2%
8	OTHER	159	<div><div></div></div> 15.9%
96	NOT APPLICABLE	60681	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	25	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG092: Most serious inj.- activity when inj.(G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=994 /-] [Invalid=60713 /-]	
Value	Label	Cases	Percentage
1	SPORTS/EXERCISE	306	<div><div></div></div> 30.8%
2	LEISURE	68	<div><div></div></div> 6.8%
3	WORKING AT A JOB	158	<div><div></div></div> 15.9%

# INJG092: Most serious inj.- activity when inj.(G)			
Value	Label	Cases	Percentage
4	DRIVER/BOAT.,ATV	56	<div><div></div></div> 5.6%
5	HOUSEHOLD CHORES	158	<div><div></div></div> 15.9%
6	GOING UP/DOWN ST	180	<div><div></div></div> 18.1%
7	OTHER	68	<div><div></div></div> 6.8%
96	NOT APPLICABLE	60681	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	32	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INW_01: Injury occurred in current job			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=149 /-] [Invalid=61558 /-]		
Value	Label	Cases	Percentage
1	YES	120	<div><div></div></div> 80.5%
2	NO	29	<div><div></div></div> 19.5%
6	NOT APPLICABLE	61536	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	21	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INWGSOC: Occup. group (SOC) where inj. occ. - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=61570 /-]		
Value	Label	Cases	Percentage
1	MANAG./ART, EDUC	23	<div><div></div></div> 16.8%
2	BUSIN./FINANC.	4	<div><div></div></div> 2.9%
3	SALES, SERVICES	26	<div><div></div></div> 19.0%
4	TRADES/TRANSP.	57	<div><div></div></div> 41.6%
5	PRIM. IND./PROC.	27	<div><div></div></div> 19.7%
6	NOT APPLICABLE	61567	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	3	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJ_10: Most serious injury - result of a fall			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1004 /-] [Invalid=60703 /-]		
Value	Label	Cases	Percentage
1	YES	417	<div><div></div></div> 41.5%
2	NO	587	<div><div></div></div> 58.5%
6	NOT APPLICABLE	60681	

# INJ_10: Most serious injury - result of a fall			
Value	Label	Cases	Percentage
7	DON'T KNOW	2	
8	REFUSAL	1	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG11A: How did you fall - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=414 -/] [Invalid=61293 -/]		
Value	Label	Cases	Percentage
1	SKATE/SKI/SNOWB	38	<div><div></div></div> 9.2%
2	WHILE OTHER SP.	78	<div><div></div></div> 18.8%
3	STRAIRS/FURNIT.	73	<div><div></div></div> 17.6%
4	SLIP/TRIP/STUMB.	73	<div><div></div></div> 17.6%
5	SLIP/TRIP/STUMB.	115	<div><div></div></div> 27.8%
6	HEALTH PROBLEMS	37	<div><div></div></div> 8.9%
96	NOT APPLICABLE	61268	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	25	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJ_13: Most serious inj. - rec'd treat./48 hrs.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1002 -/] [Invalid=60705 -/]		
Value	Label	Cases	Percentage
1	YES	546	<div><div></div></div> 54.5%
2	NO	456	<div><div></div></div> 45.5%
6	NOT APPLICABLE	60681	
7	DON'T KNOW	4	
8	REFUSAL	1	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJ_14A: Receive treatment in the 48 hours			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=545 -/] [Invalid=61162 -/]		
Value	Label	Cases	Percentage
1	YES	87	<div><div></div></div> 16.0%
2	NO	458	<div><div></div></div> 84.0%
6	NOT APPLICABLE	61137	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	24	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# INJ_14B: Receive treatment in the 48 hours			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=61162 /-]		
Value	Label	Cases	Percentage
1	YES	304	<div><div></div></div> 55.8%
2	NO	241	<div><div></div></div> 44.2%
6	NOT APPLICABLE	61137	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	24	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG14C: Most serious inj.- treated in clinic (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=61162 /-]		
Value	Label	Cases	Percentage
1	YES	81	<div><div></div></div> 14.9%
2	NO	464	<div><div></div></div> 85.1%
6	NOT APPLICABLE	61137	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	25	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG14J2: Most ser.inj.-physio/mass/chiro/other(G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=61162 /-]		
Value	Label	Cases	Percentage
1	YES	68	<div><div></div></div> 12.5%
2	NO	477	<div><div></div></div> 87.5%
6	NOT APPLICABLE	61137	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	25	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJ_14O: Receive treatment in the 48 hours			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=61162 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 3.1%
2	NO	528	<div><div></div></div> 96.9%
6	NOT APPLICABLE	61137	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	24	

INJ_14O: Receive treatment in the 48 hours
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# INJ_15: Follow-up care because of injury			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=546 /-] [Invalid=61161 /-]		
Value	Label	Cases	Percentage
1	YES	43	<div><div></div></div> 7.9%
2	NO	503	<div><div></div></div> 92.1%
6	NOT APPLICABLE	61137	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	24	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJ_15A: Follow-up care because of injury			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1005 /-] [Invalid=60702 /-]		
Value	Label	Cases	Percentage
1	YES	187	<div><div></div></div> 18.6%
2	NO	818	<div><div></div></div> 81.4%
6	NOT APPLICABLE	60681	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJ_16: Other injuries - treated / not limiting			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5483 /-] [Invalid=56224 /-]		
Value	Label	Cases	Percentage
1	YES	307	<div><div></div></div> 5.6%
2	NO	5176	<div><div></div></div> 94.4%
6	NOT APPLICABLE	56187	
7	DON'T KNOW	18	
8	REFUSAL	0	
9	NOT STATED	19	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJG17: Other injuries - number - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=304 /-] [Invalid=61403 /-]		
Value	Label	Cases	Percentage
1	ONE INJURY	248	<div><div></div></div> 81.6%
2	2 TO 5 INJURIES	50	<div><div></div></div> 16.4%
3	6 OR MORE INJ.	6	<div><div></div></div> 2.0%
6	NOT APPLICABLE	61363	
7	DON'T KNOW	0	
8	REFUSAL	0	

# INJG17: Other injuries - number - (G)			
Value	Label	Cases	Percentage
9	NOT STATED	40	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# INJGCAU: Cause of injury - (D,G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=989 /-] [Invalid=60718 /-]	
Value	Label	Cases	Percentage
1	FALL	417	<div></div> 42.2%
2	TRANSPORT ACC	39	<div></div> 3.9%
3	ACC. BUMPED	65	<div></div> 6.6%
4	ACC. STRUCK	86	<div></div> 8.7%
5	ACC. SHARP OBJECT	73	<div></div> 7.4%
6	OVEREXERTION	194	<div></div> 19.6%
7	OTHER	115	<div></div> 11.6%
96	NOT APPLICABLE	60681	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	37	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INJDSTT: Injury Status - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=5483 /-] [Invalid=56224 /-]	
Value	Label	Cases	Percentage
0	NO INJURIES	4250	<div></div> 77.5%
1	ACTIVITY-LIMIT.	926	<div></div> 16.9%
2	NON-ACT-LIMIT.	229	<div></div> 4.2%
3	LIM AND NON-LIM	78	<div></div> 1.4%
6	NOT APPLICABLE	56187	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	37	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSWL: Module: SWL - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=13037 /-] [Invalid=48670 /-]	
Value	Label	Cases	Percentage
1	YES	13037	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	48670	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SWL_02: Satisfaction - job			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12574 -/] [Invalid=49133 -/]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	4394	<div><div></div></div> 34.9%
2	SATISFIED	6403	<div><div></div></div> 50.9%
3	NEITHER NOR	869	<div><div></div></div> 6.9%
4	DISSATISFIED	739	<div><div></div></div> 5.9%
5	VERY DISSATIS.	169	<div><div></div></div> 1.3%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	113	
8	REFUSAL	46	
9	NOT STATED	304	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SWL_03: Satisfaction - leisure activities			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12594 -/] [Invalid=49113 -/]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	3891	<div><div></div></div> 30.9%
2	SATISFIED	6525	<div><div></div></div> 51.8%
3	NEITHER NOR	1006	<div><div></div></div> 8.0%
4	DISSATISFIED	1049	<div><div></div></div> 8.3%
5	VERY DISSATIS.	123	<div><div></div></div> 1.0%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	89	
8	REFUSAL	4	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SWL_04: Satisfaction - financial situation			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12531 -/] [Invalid=49176 -/]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	2299	<div><div></div></div> 18.3%
2	SATISFIED	6686	<div><div></div></div> 53.4%
3	NEITHER NOR	1400	<div><div></div></div> 11.2%
4	DISSATISFIED	1652	<div><div></div></div> 13.2%
5	VERY DISSATIS.	494	<div><div></div></div> 3.9%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	134	
8	REFUSAL	22	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SWL_05: Satisfaction - with self			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12592 -/] [Invalid=49115 -/]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	3771	<div><div></div></div> 29.9%
2	SATISFIED	7325	<div><div></div></div> 58.2%
3	NEITHER NOR	844	<div><div></div></div> 6.7%
4	DISSATISFIED	564	<div><div></div></div> 4.5%
5	VERY DISSATIS.	88	<div><div></div></div> 0.7%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	86	
8	REFUSAL	9	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SWL_06: Satisfaction - way body looks			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12563 -/] [Invalid=49144 -/]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	1775	<div><div></div></div> 14.1%
2	SATISFIED	6998	<div><div></div></div> 55.7%
3	NEITHER NOR	1570	<div><div></div></div> 12.5%
4	DISSATISFIED	1961	<div><div></div></div> 15.6%
5	VERY DISSATIS.	259	<div><div></div></div> 2.1%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	111	
8	REFUSAL	13	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SWL_07: Satisfaction - relationship with family			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12587 -/] [Invalid=49120 -/]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	6044	<div><div></div></div> 48.0%
2	SATISFIED	5515	<div><div></div></div> 43.8%
3	NEITHER NOR	528	<div><div></div></div> 4.2%
4	DISSATISFIED	418	<div><div></div></div> 3.3%
5	VERY DISSATIS.	82	<div><div></div></div> 0.7%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	85	
8	REFUSAL	15	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SWL_08: Satisfaction - relationship with friends			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12618 /-] [Invalid=49089 /-]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	5353	<div></div> 42.4%
2	SATISFIED	6442	<div></div> 51.1%
3	NEITHER NOR	483	<div></div> 3.8%
4	DISSATISFIED	291	<div></div> 2.3%
5	VERY DISSATIS.	49	<div></div> 0.4%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	60	
8	REFUSAL	9	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SWL_09: Satisfaction - housing			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12647 /-] [Invalid=49060 /-]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	5655	<div></div> 44.7%
2	SATISFIED	5871	<div></div> 46.4%
3	NEITHER NOR	499	<div></div> 3.9%
4	DISSATISFIED	513	<div></div> 4.1%
5	VERY DISSATIS.	109	<div></div> 0.9%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	31	
8	REFUSAL	9	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SWL_10: Satisfaction - neighbourhood			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=12600 /-] [Invalid=49107 /-]	
Value	Label	Cases	Percentage
1	VERY SATISFIED	5263	<div></div> 41.8%
2	SATISFIED	6069	<div></div> 48.2%
3	NEITHER NOR	718	<div></div> 5.7%
4	DISSATISFIED	468	<div></div> 3.7%
5	VERY DISSATIS.	82	<div></div> 0.7%
6	NOT APPLICABLE	48670	
7	DON'T KNOW	78	
8	REFUSAL	9	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# DOCST: Optional module: CST - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7517 /-] [Invalid=54190 /-]		
Value	Label	Cases	Percentage
1	YES	7517	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	54190	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CST_1: Spent 2 weeks or more in the hospital			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6678 /-] [Invalid=55029 /-]		
Value	Label	Cases	Percentage
1	YES	1032	<div><div></div></div> 15.5%
2	NO	5646	<div><div></div></div> 84.5%
6	NOT APPLICABLE	54750	
7	DON'T KNOW	82	
8	REFUSAL	26	
9	NOT STATED	171	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CST_2: Parents divorced			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6738 /-] [Invalid=54969 /-]		
Value	Label	Cases	Percentage
1	YES	1164	<div><div></div></div> 17.3%
2	NO	5574	<div><div></div></div> 82.7%
6	NOT APPLICABLE	54750	
7	DON'T KNOW	19	
8	REFUSAL	3	
9	NOT STATED	197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CST_3: Parents unemployed for a long time			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6660 /-] [Invalid=55047 /-]		
Value	Label	Cases	Percentage
1	YES	809	<div><div></div></div> 12.1%
2	NO	5851	<div><div></div></div> 87.9%
6	NOT APPLICABLE	54750	
7	DON'T KNOW	93	
8	REFUSAL	7	
9	NOT STATED	197	

# CST_3: Parents unemployed for a long time			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CST_4: Something happened that scared you			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6695 /-] [Invalid=55012 /-]		
Value	Label	Cases	Percentage
1	YES	1504	<div><div></div></div> 22.5%
2	NO	5191	<div><div></div></div> 77.5%
6	NOT APPLICABLE	54750	
7	DON'T KNOW	52	
8	REFUSAL	13	
9	NOT STATED	197	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CST_5: Sent away from home - something wrong			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6732 /-] [Invalid=54975 /-]		
Value	Label	Cases	Percentage
1	YES	206	<div><div></div></div> 3.1%
2	NO	6526	<div><div></div></div> 96.9%
6	NOT APPLICABLE	54750	
7	DON'T KNOW	20	
8	REFUSAL	8	
9	NOT STATED	197	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CST_6: Family prob./parents abusing alc./drugs			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6721 /-] [Invalid=54986 /-]		
Value	Label	Cases	Percentage
1	YES	1040	<div><div></div></div> 15.5%
2	NO	5681	<div><div></div></div> 84.5%
6	NOT APPLICABLE	54750	
7	DON'T KNOW	27	
8	REFUSAL	12	
9	NOT STATED	197	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CST_7: Physically abused - someone close to you			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6707 /-] [Invalid=55000 /-]		
Value	Label	Cases	Percentage
1	YES	718	<div><div></div></div> 10.7%
2	NO	5989	<div><div></div></div> 89.3%
6	NOT APPLICABLE	54750	
7	DON'T KNOW	26	

# CST_7: Physically abused - someone close to you			
Value	Label	Cases	Percentage
8	REFUSAL	27	
9	NOT STATED	197	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSFE: Module: SFE - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11573 /-] [Invalid=50134 /-]		
Value	Label	Cases	Percentage
1	YES	11573	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	50134	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SFE_501: Self-esteem - has good qualities			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=11227 /-] [Invalid=50480 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	4696	<div><div></div></div> 41.8%
2	AGREE	6342	<div><div></div></div> 56.5%
3	NEITHER NOR	137	<div><div></div></div> 1.2%
4	DISAGREE	47	<div><div></div></div> 0.4%
5	STRONG DISAGREE	5	<div><div></div></div> 0.0%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	71	
8	REFUSAL	49	
9	NOT STATED	226	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SFE_502: Self-esteem - is person of worth			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=11225 /-] [Invalid=50482 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	5533	<div><div></div></div> 49.3%
2	AGREE	5337	<div><div></div></div> 47.5%
3	NEITHER NOR	197	<div><div></div></div> 1.8%
4	DISAGREE	149	<div><div></div></div> 1.3%
5	STRONG DISAGREE	9	<div><div></div></div> 0.1%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	72	
8	REFUSAL	1	
9	NOT STATED	275	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SFE_503: Self-esteem - is able to do things well			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=11216 /-] [Invalid=50491 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	4852	<div><div></div></div> 43.3%
2	AGREE	5646	<div><div></div></div> 50.3%
3	NEITHER NOR	427	<div><div></div></div> 3.8%
4	DISAGREE	265	<div><div></div></div> 2.4%
5	STRONG DISAGREE	26	<div><div></div></div> 0.2%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	81	
8	REFUSAL	1	
9	NOT STATED	275	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SFE_504: Self-esteem - takes positive attitude			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=11232 /-] [Invalid=50475 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	4503	<div><div></div></div> 40.1%
2	AGREE	5812	<div><div></div></div> 51.7%
3	NEITHER NOR	574	<div><div></div></div> 5.1%
4	DISAGREE	313	<div><div></div></div> 2.8%
5	STRONG DISAGREE	30	<div><div></div></div> 0.3%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	64	
8	REFUSAL	2	
9	NOT STATED	275	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SFE_505: Self-esteem - satisfied with self			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=11241 /-] [Invalid=50466 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	4197	<div><div></div></div> 37.3%
2	AGREE	6326	<div><div></div></div> 56.3%
3	NEITHER NOR	436	<div><div></div></div> 3.9%
4	DISAGREE	256	<div><div></div></div> 2.3%
5	STRONG DISAGREE	26	<div><div></div></div> 0.2%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	56	
8	REFUSAL	1	
9	NOT STATED	275	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SFE_506: Self-esteem - feels is a failure			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=11214 /-] [Invalid=50493 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	31	<div></div> 0.3%
2	AGREE	224	<div></div> 2.0%
3	NEITHER NOR	249	<div></div> 2.2%
4	DISAGREE	3109	<div></div> 27.7%
5	STRONG DISAGREE	7601	<div></div> 67.8%
6	NOT APPLICABLE	50134	
7	DON'T KNOW	77	
8	REFUSAL	7	
9	NOT STATED	275	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SFEDE1: Self-esteem scale - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 3-24] [Missing=*]	
Statistics [NW/ W]		[Valid=11084 /-] [Invalid=50623 /-]	
Value	Label	Cases	Percentage
3		1	<div></div> 0.0%
4		2	<div></div> 0.0%
5		3	<div></div> 0.0%
6		4	<div></div> 0.0%
7		8	<div></div> 0.1%
8		14	<div></div> 0.1%
9		8	<div></div> 0.1%
10		23	<div></div> 0.2%
11		30	<div></div> 0.3%
12		51	<div></div> 0.5%
13		68	<div></div> 0.6%
14		96	<div></div> 0.9%
15		145	<div></div> 1.3%
16		273	<div></div> 2.5%
17		399	<div></div> 3.6%
18		1698	<div></div> 15.3%
19		2153	<div></div> 19.4%
20		895	<div></div> 8.1%
21		836	<div></div> 7.5%
22		948	<div></div> 8.6%
23		1140	<div></div> 10.3%
24		2289	<div></div> 20.7%
96	NOT APPLICABLE	50134	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	489	

# SFEDE1: Self-esteem scale - (D)			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOMAS: Module: MAS - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2457 /-] [Invalid=59250 /-]		
Value	Label	Cases	Percentage
1	YES	2457	<div><div></div></div> 100.0%
2	NO	0	<div><div></div></div>
6	NOT APPLICABLE	59250	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAS_601: Mastery - lack of control			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=2339 /-] [Invalid=59368 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	111	<div><div></div></div> 4.7%
2	AGREE	616	<div><div></div></div> 26.3%
3	NEITHER NOR	186	<div><div></div></div> 8.0%
4	DISAGREE	1079	<div><div></div></div> 46.1%
5	STRONG DISAGREE	347	<div><div></div></div> 14.8%
6	NOT APPLICABLE	59250	<div><div></div></div>
7	DON'T KNOW	55	
8	REFUSAL	3	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAS_602: Mastery - cannot solve problems			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=2344 /-] [Invalid=59363 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	77	<div><div></div></div> 3.3%
2	AGREE	532	<div><div></div></div> 22.7%
3	NEITHER NOR	123	<div><div></div></div> 5.2%
4	DISAGREE	1297	<div><div></div></div> 55.3%
5	STRONG DISAGREE	315	<div><div></div></div> 13.4%
6	NOT APPLICABLE	59250	<div><div></div></div>
7	DON'T KNOW	48	
8	REFUSAL	2	
9	NOT STATED	63	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAS_603: Mastery - cannot change things			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		

# MAS_603: Mastery - cannot change things				
Statistics [NW/ W]		[Valid=2349 /-] [Invalid=59358 /-]		
Value	Label	Cases	Percentage	
1	STRONGLY AGREE	39	<div><div></div></div>	1.7%
2	AGREE	515	<div><div></div></div>	21.9%
3	NEITHER NOR	104	<div><div></div></div>	4.4%
4	DISAGREE	1378	<div><div></div></div>	58.7%
5	STRONG DISAGREE	313	<div><div></div></div>	13.3%
6	NOT APPLICABLE	59250		
7	DON'T KNOW	43		
8	REFUSAL	2		
9	NOT STATED	63		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAS_604: Mastery - helpless				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2364 /-] [Invalid=59343 /-]		
Value	Label	Cases	Percentage	
1	STRONGLY AGREE	40	<div><div></div></div>	1.7%
2	AGREE	399	<div><div></div></div>	16.9%
3	NEITHER NOR	139	<div><div></div></div>	5.9%
4	DISAGREE	1456	<div><div></div></div>	61.6%
5	STRONG DISAGREE	330	<div><div></div></div>	14.0%
6	NOT APPLICABLE	59250		
7	DON'T KNOW	28		
8	REFUSAL	2		
9	NOT STATED	63		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAS_605: Mastery - pushed around				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2375 /-] [Invalid=59332 /-]		
Value	Label	Cases	Percentage	
1	STRONGLY AGREE	36	<div><div></div></div>	1.5%
2	AGREE	387	<div><div></div></div>	16.3%
3	NEITHER NOR	112	<div><div></div></div>	4.7%
4	DISAGREE	1481	<div><div></div></div>	62.4%
5	STRONG DISAGREE	359	<div><div></div></div>	15.1%
6	NOT APPLICABLE	59250		
7	DON'T KNOW	18		
8	REFUSAL	1		
9	NOT STATED	63		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# MAS_606: Mastery - fate depends upon self				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		

# MAS_606: Mastery - fate depends upon self			
Statistics [NW/ W]		[Valid=2362 /-] [Invalid=59345 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	495	<div><div></div></div> 21.0%
2	AGREE	1618	<div><div></div></div> 68.5%
3	NEITHER NOR	100	<div><div></div></div> 4.2%
4	DISAGREE	129	<div><div></div></div> 5.5%
5	STRONG DISAGREE	20	<div><div></div></div> 0.8%
6	NOT APPLICABLE	59250	
7	DON'T KNOW	31	
8	REFUSAL	1	
9	NOT STATED	63	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MAS_607: Mastery - can do anything			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=2377 /-] [Invalid=59330 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	422	<div><div></div></div> 17.8%
2	AGREE	1611	<div><div></div></div> 67.8%
3	NEITHER NOR	97	<div><div></div></div> 4.1%
4	DISAGREE	225	<div><div></div></div> 9.5%
5	STRONG DISAGREE	22	<div><div></div></div> 0.9%
6	NOT APPLICABLE	59250	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	63	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MASDM1: Mastery scale - (D)			
Information		[Type= continuous] [Format=numeric] [Range= 1-28] [Missing=*]	
Statistics [NW/ W]		[Valid=2255 /-] [Invalid=59452 /-] [Mean=18.986 /-] [StdDev=4.214 /-]	
Value	Label	Cases	Percentage
96	NOT APPLICABLE	59250	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	202	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMK_01A: Smoked 100 or more cigarettes - life			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=61537 /-] [Invalid=170 /-]	
Value	Label	Cases	Percentage
1	YES	29850	<div><div></div></div> 48.5%
2	NO	31687	<div><div></div></div> 51.5%
6	NOT APPLICABLE	0	

# SMK_01A: Smoked 100 or more cigarettes - life			
Value	Label	Cases	Percentage
7	DON'T KNOW	113	
8	REFUSAL	57	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMK_01B: Ever smoked whole cigarette			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=31635 /-] [Invalid=30072 /-]		
Value	Label	Cases	Percentage
1	YES	7872	<div></div> 24.9%
2	NO	23763	<div></div> 75.1%
6	NOT APPLICABLE	29850	
7	DON'T KNOW	69	
8	REFUSAL	43	
9	NOT STATED	110	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMKG01C: Age - smoked first whole cigarette - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=36799 /-] [Invalid=24908 /-]		
Value	Label	Cases	Percentage
1	5 TO 11 YEARS	2653	<div></div> 7.2%
2	12 TO 14 YEARS	10611	<div></div> 28.8%
3	15 TO 17 YEARS	13231	<div></div> 36.0%
4	18 TO 19 YEARS	4932	<div></div> 13.4%
5	20 TO 24 YEARS	3836	<div></div> 10.4%
6	25 TO 29 YEARS	845	<div></div> 2.3%
7	30 TO 34 YEARS	389	<div></div> 1.1%
8	35 TO 39 YEARS	126	<div></div> 0.3%
9	40 TO 44 YEARS	95	<div></div> 0.3%
10	45 TO 49 YEARS	42	<div></div> 0.1%
11	50 YEARS OR MORE	39	<div></div> 0.1%
96	NOT APPLICABLE	23763	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1145	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMK_202: Type of smoker			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=61406 /-] [Invalid=301 /-]		
Value	Label	Cases	Percentage
1	DAILY	9540	<div></div> 15.5%
2	OCCASIONALLY	2551	<div></div> 4.2%

# SMK_202: Type of smoker			
Value	Label	Cases	Percentage
3	NOT AT ALL	49315	<div><div></div></div> 80.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	14	
8	REFUSAL	9	
9	NOT STATED	278	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMKG203: Age start smok daily (daily smoker)-(G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=9345 /-] [Invalid=52362 /-]		
Value	Label	Cases	Percentage
1	5 TO 11 YEARS	263	<div><div></div></div> 2.8%
2	12 TO 14 YEARS	1722	<div><div></div></div> 18.4%
3	15 TO 17 YEARS	3514	<div><div></div></div> 37.6%
4	18 TO 19 YEARS	1597	<div><div></div></div> 17.1%
5	20 TO 24 YEARS	1427	<div><div></div></div> 15.3%
6	25 TO 29 YEARS	448	<div><div></div></div> 4.8%
7	30 TO 34 YEARS	184	<div><div></div></div> 2.0%
8	35 TO 39 YEARS	62	<div><div></div></div> 0.7%
9	40 TO 44 YEARS	39	<div><div></div></div> 0.4%
10	45 TO 49 YEARS	37	<div><div></div></div> 0.4%
11	50 YEARS OR MORE	52	<div><div></div></div> 0.6%
96	NOT APPLICABLE	51866	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	496	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMK_204: No. of cig. smoked/day (daily smoker)			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=9474 /-] [Invalid=52233 /-] [Mean=15.311 /-] [StdDev=8.937 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	51866	
997	DON'T KNOW	60	
998	REFUSAL	6	
999	NOT STATED	301	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMK_05B: No. of cig. per day (occasional smoker)			
Information	[Type= discrete] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=2507 /-] [Invalid=59200 /-]		
Value	Label	Cases	Percentage
1		699	<div><div></div></div> 27.9%
2		586	<div><div></div></div> 23.4%

# SMK_05B: No. of cig. per day (occasional smoker)			
Value	Label	Cases	Percentage
3		399	<div><div></div></div> 15.9%
4		208	<div><div></div></div> 8.3%
5		274	<div><div></div></div> 10.9%
6		89	<div><div></div></div> 3.6%
7		18	<div><div></div></div> 0.7%
8		33	<div><div></div></div> 1.3%
9		5	<div><div></div></div> 0.2%
10		119	<div><div></div></div> 4.7%
11		1	<div><div></div></div> 0.0%
12		26	<div><div></div></div> 1.0%
13		3	<div><div></div></div> 0.1%
14		1	<div><div></div></div> 0.0%
15		19	<div><div></div></div> 0.8%
17		1	<div><div></div></div> 0.0%
18		1	<div><div></div></div> 0.0%
20		12	<div><div></div></div> 0.5%
25		13	<div><div></div></div> 0.5%
996	NOT APPLICABLE	58855	
997	DON'T KNOW	42	
998	REFUSAL	2	
999	NOT STATED	301	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMK_05C: No. of days-1 cig. or more (occ. smoker)			
Information		[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]	
Statistics [NW/ W]		[Valid=2460 /-] [Invalid=59247 /-] [Mean=9.12 /-] [StdDev=8.443 /-]	
Value	Label	Cases	Percentage
96	NOT APPLICABLE	58855	
97	DON'T KNOW	86	
98	REFUSAL	4	
99	NOT STATED	302	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMK_05D: Ever smoked cigarettes daily			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=20206 /-] [Invalid=41501 /-]	
Value	Label	Cases	Percentage
1	YES	18098	<div><div></div></div> 89.6%
2	NO	2108	<div><div></div></div> 10.4%
6	NOT APPLICABLE	41197	
7	DON'T KNOW	31	
8	REFUSAL	1	
9	NOT STATED	272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SMK_06A: Stopped smoking-when (never daily smok.)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1555 /-] [Invalid=60152 /-]		
Value	Label	Cases	Percentage
1	LESS THAN 1 YEAR	69	<div><div></div></div> 4.4%
2	1 TO < 2 YEARS	48	<div><div></div></div> 3.1%
3	2 TO < 3 YEARS	60	<div><div></div></div> 3.9%
4	3 OR MORE YEARS	1378	<div><div></div></div> 88.6%
6	NOT APPLICABLE	59840	
7	DON'T KNOW	13	
8	REFUSAL	3	
9	NOT STATED	296	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMKG06C: No. of years since stopped smoking - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1327 /-] [Invalid=60380 /-]		
Value	Label	Cases	Percentage
1	3 TO 5 YEARS	90	<div><div></div></div> 6.8%
2	6 TO YEARS	160	<div><div></div></div> 12.1%
3	11 OR MORE YEARS	1077	<div><div></div></div> 81.2%
6	NOT APPLICABLE	60017	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	363	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMKG207: Age - started smoking daily - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=17618 /-] [Invalid=44089 /-]		
Value	Label	Cases	Percentage
1	5 TO 11 YEARS	305	<div><div></div></div> 1.7%
2	12 TO 14 YEARS	2429	<div><div></div></div> 13.8%
3	15 TO 17 YEARS	6392	<div><div></div></div> 36.3%
4	18 TO 19 YEARS	3826	<div><div></div></div> 21.7%
5	20 TO 24 YEARS	3365	<div><div></div></div> 19.1%
6	25 TO 29 YEARS	703	<div><div></div></div> 4.0%
7	30 TO 34 YEARS	342	<div><div></div></div> 1.9%
8	35 TO 39 YEARS	109	<div><div></div></div> 0.6%
9	40 TO 44 YEARS	83	<div><div></div></div> 0.5%
10	45 TO 49 YEARS	33	<div><div></div></div> 0.2%
11	50 YEARS OR MORE	31	<div><div></div></div> 0.2%
96	NOT APPLICABLE	43305	
97	DON'T KNOW	0	
98	REFUSAL	0	

# SMK207: Age - started smoking daily - (G)			
Value	Label	Cases	Percentage
99	NOT STATED	784	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMK_208: No. of cig. smoked/day (former daily)			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=17333 /-] [Invalid=44374 /-] [Mean=17.307 /-] [StdDev=12.863 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	43305	
997	DON'T KNOW	742	
998	REFUSAL	20	
999	NOT STATED	307	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMK_09A: Stopped smoking daily - when			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=18026 /-] [Invalid=43681 /-]		
Value	Label	Cases	Percentage
1	LESS THAN 1 YEAR	1317	<div></div> 7.3%
2	1 TO < 2 YEARS	761	<div></div> 4.2%
3	2 TO < 3 YEARS	776	<div></div> 4.3%
4	3 OR MORE YEARS	15172	<div></div> 84.2%
6	NOT APPLICABLE	43305	
7	DON'T KNOW	62	
8	REFUSAL	5	
9	NOT STATED	309	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMK09C: Years since stopped smoking daily - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=15029 /-] [Invalid=46678 /-]		
Value	Label	Cases	Percentage
1	3 TO 5 YEARS	1369	<div></div> 9.1%
2	6 TO YEARS	2425	<div></div> 16.1%
3	11 OR MORE YEARS	11235	<div></div> 74.8%
6	NOT APPLICABLE	46159	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMK_10: Quit smoking completely			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=16481 /-] [Invalid=45226 /-]		
Value	Label	Cases	Percentage
1	YES	16020	<div></div> 97.2%

# SMK_10: Quit smoking completely			
Value	Label	Cases	Percentage
2	NO	461	<div><div></div></div> 2.8%
6	NOT APPLICABLE	44902	
7	DON'T KNOW	8	
8	REFUSAL	2	
9	NOT STATED	314	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMK_10A: Stopped smoking completely - when			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=444 /-] [Invalid=61263 /-]		
Value	Label	Cases	Percentage
1	LESS THAN 1 YEAR	81	<div><div></div></div> 18.2%
2	1 TO < 2 YEARS	45	<div><div></div></div> 10.1%
3	2 TO < 3 YEARS	34	<div><div></div></div> 7.7%
4	3 OR MORE YEARS	284	<div><div></div></div> 64.0%
6	NOT APPLICABLE	60922	
7	DON'T KNOW	16	
8	REFUSAL	1	
9	NOT STATED	324	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMKG10C: No. of years since stopped smoking - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=275 /-] [Invalid=61432 /-]		
Value	Label	Cases	Percentage
1	3 TO 5 YEARS	46	<div><div></div></div> 16.7%
2	6 TO YEARS	69	<div><div></div></div> 25.1%
3	11 OR MORE YEARS	160	<div><div></div></div> 58.2%
6	NOT APPLICABLE	61082	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	350	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SMKDSTY: Type of smoker - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=61232 /-] [Invalid=475 /-]		
Value	Label	Cases	Percentage
1	DAILY	9540	<div><div></div></div> 15.6%
2	OCCASIONAL	1588	<div><div></div></div> 2.6%
3	ALWAYS OCCASION.	954	<div><div></div></div> 1.6%
4	FORMER DAILY	16510	<div><div></div></div> 27.0%
5	FORMER OCCASION.	8943	<div><div></div></div> 14.6%
6	NEVER SMOKED	23697	<div><div></div></div> 38.7%

# SMKDSTY: Type of smoker - (D)			
Value	Label	Cases	Percentage
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	475	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMKGSTP: No. of years stop smoking compl. (D,G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=17851 /-] [Invalid=43856 /-]		
Value	Label	Cases	Percentage
1	< 1 YEAR	1055	<div><div></div></div> 5.9%
2	1 TO 2 YEARS	1321	<div><div></div></div> 7.4%
3	3 TO 5 YEARS	1240	<div><div></div></div> 6.9%
4	6 TO 10 YEARS	2305	<div><div></div></div> 12.9%
5	11 OR MORE YEARS	11930	<div><div></div></div> 66.8%
6	NOT APPLICABLE	43150	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	706	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SMKDYCS: Number of years smoked - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]		
Statistics [NW/ W]	[Valid=9345 /-] [Invalid=52362 /-] [Mean=29.845 /-] [StdDev=16.257 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	51866	
997	DON'T KNOW	0	
998	REFUSAL	0	
999	NOT STATED	496	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOSCH: Module: SCH - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=19090 /-] [Invalid=42617 /-]		
Value	Label	Cases	Percentage
1	YES	19090	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	42617	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SCH_1: Quitting smoking - next 6 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# SCH_1: Quitting smoking - next 6 mo			
Statistics [NW/ W]		[Valid=3540 /-] [Invalid=58167 /-]	
Value	Label	Cases	Percentage
1	YES	2122	<div><div></div></div> 59.9%
2	NO	1418	<div><div></div></div> 40.1%
6	NOT APPLICABLE	57995	
7	DON'T KNOW	87	
8	REFUSAL	2	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCH_2: Quitting smoking - next 30 days			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2053 /-] [Invalid=59654 /-]	
Value	Label	Cases	Percentage
1	YES	934	<div><div></div></div> 45.5%
2	NO	1119	<div><div></div></div> 54.5%
6	NOT APPLICABLE	59413	
7	DON'T KNOW	69	
8	REFUSAL	0	
9	NOT STATED	172	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCH_3: Stopped smok. for at least 24 hrs -12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3617 /-] [Invalid=58090 /-]	
Value	Label	Cases	Percentage
1	YES	1630	<div><div></div></div> 45.1%
2	NO	1987	<div><div></div></div> 54.9%
6	NOT APPLICABLE	57995	
7	DON'T KNOW	8	
8	REFUSAL	2	
9	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCH_4: No.times stop.for at least 24 hrs -12 mo			
Information		[Type= continuous] [Format=numeric] [Range= 1-95] [Missing=*]	
Statistics [NW/ W]		[Valid=1560 /-] [Invalid=60147 /-] [Mean=5.304 /-] [StdDev=10.697 /-]	
Value	Label	Cases	Percentage
96	NOT APPLICABLE	59982	
97	DON'T KNOW	70	
98	REFUSAL	0	
99	NOT STATED	95	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCHDSTG: Smoking stage of change - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	

# SCHDSTG: Smoking stage of change - (D)			
Statistics [NW/ W]		[Valid=9307 /-] [Invalid=52400 /-]	
Value	Label	Cases	Percentage
1	PRE-CONTEMP.	1418	<div></div> 15.2%
2	CONTEMPLATION	1407	<div></div> 15.1%
3	PREPARATION	603	<div></div> 6.5%
4	ACTION	238	<div></div> 2.6%
5	MAINTENANCE	5641	<div></div> 60.6%
6	NOT APPLICABLE	51941	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	459	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSCA: Module: SCA - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=9751 /-] [Invalid=51956 /-]	
Value	Label	Cases	Percentage
1	YES	9751	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	51956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_10: Usefulness of nicotine patch			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=133 /-] [Invalid=61574 /-]	
Value	Label	Cases	Percentage
1	YES	37	<div></div> 27.8%
2	NO	96	<div></div> 72.2%
6	NOT APPLICABLE	61533	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	41	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_10A: Usefulness of nicotine patch			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=36 /-] [Invalid=61671 /-]	
Value	Label	Cases	Percentage
1	VERY USEFUL	20	<div></div> 55.6%
2	SOMEWHAT USEFUL	9	<div></div> 25.0%
3	NOT VERY USEFUL	1	<div></div> 2.8%
4	NOT AT ALL USE.	6	<div></div> 16.7%

# SCA_10A: Usefulness of nicotine patch			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	61629	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	41	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_11: Usefulness of nicotine gum/candy			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=133 /-] [Invalid=61574 /-]		
Value	Label	Cases	Percentage
1	VERY USEFUL	18	<div><div></div></div> 13.5%
2	SOMEWHAT USEFUL	115	<div><div></div></div> 86.5%
3	NOT VERY USEFUL	0	
4	NOT AT ALL USE.	0	
6	NOT APPLICABLE	61533	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	41	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_11A: Usefulness of nicotine gum/candy			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=61689 /-]		
Value	Label	Cases	Percentage
1	VERY USEFUL	11	<div><div></div></div> 61.1%
2	SOMEWHAT USEFUL	2	<div><div></div></div> 11.1%
3	NOT VERY USEFUL	3	<div><div></div></div> 16.7%
4	NOT AT ALL USE.	2	<div><div></div></div> 11.1%
6	NOT APPLICABLE	61648	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	41	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_12: Usefulness of medication such as Zyban			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=133 /-] [Invalid=61574 /-]		
Value	Label	Cases	Percentage
1	YES	25	<div><div></div></div> 18.8%
2	NO	108	<div><div></div></div> 81.2%
6	NOT APPLICABLE	61533	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	41	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SCA_12A: Usefulness of medication such as Zyban			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=25 /-] [Invalid=61682 /-]	
Value	Label	Cases	Percentage
1	VERY USEFUL	17	<div><div></div></div> 68.0%
2	SOMEWHAT USEFUL	6	<div><div></div></div> 24.0%
3	NOT VERY USEFUL	1	<div><div></div></div> 4.0%
4	NOT AT ALL USE.	1	<div><div></div></div> 4.0%
6	NOT APPLICABLE	61641	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	41	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_50: Stopped smoking for at least 24 hrs.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1568 /-] [Invalid=60139 /-]	
Value	Label	Cases	Percentage
1	YES	778	<div><div></div></div> 49.6%
2	NO	790	<div><div></div></div> 50.4%
6	NOT APPLICABLE	60099	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	39	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_60: Tried quit smoking - nicotine patch			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=60931 /-]	
Value	Label	Cases	Percentage
1	YES	219	<div><div></div></div> 28.2%
2	NO	557	<div><div></div></div> 71.8%
6	NOT APPLICABLE	60889	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	40	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCA_61: Tried quit smo. -nicot. gum/candy -12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=776 /-] [Invalid=60931 /-]	
Value	Label	Cases	Percentage
1	YES	199	<div><div></div></div> 25.6%
2	NO	577	<div><div></div></div> 74.4%
6	NOT APPLICABLE	60889	
7	DON'T KNOW	1	

# SCA_61: Tried quit smo. -nicot. gum/candy -12 mo			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	40	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# SCA_62: Tried quit smoking - Zyban			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=775 /-] [Invalid=60932 /-]	
Value	Label	Cases	Percentage
1	YES	126	<div><div></div></div> 16.3%
2	NO	649	<div><div></div></div> 83.7%
6	NOT APPLICABLE	60889	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	41	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SCADQUI: Attempted to stop smoking - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=4577 /-] [Invalid=57130 /-]	
Value	Label	Cases	Percentage
1	DIDN'T TRY	790	<div><div></div></div> 17.3%
2	TRIED TO QUIT	778	<div><div></div></div> 17.0%
3	QUIT LAST YR	146	<div><div></div></div> 3.2%
4	QUIT > 1 YR AGO	2863	<div><div></div></div> 62.6%
6	NOT APPLICABLE	56991	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	139	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSPC: Module: SPC - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=8400 /-] [Invalid=53307 /-]	
Value	Label	Cases	Percentage
1	YES	8400	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	53307	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_10: Visited regular medical doctor			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1148 /-] [Invalid=60559 /-]	

# SPC_10: Visited regular medical doctor			
Value	Label	Cases	Percentage
1	YES	956	<div><div></div></div> 83.3%
2	NO	192	<div><div></div></div> 16.7%
6	NOT APPLICABLE	60508	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_11: Doctor - knows smokes/smoked			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=939 /-] [Invalid=60768 /-]		
Value	Label	Cases	Percentage
1	YES	860	<div><div></div></div> 91.6%
2	NO	79	<div><div></div></div> 8.4%
6	NOT APPLICABLE	60700	
7	DON'T KNOW	16	
8	REFUSAL	1	
9	NOT STATED	51	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_12: Doctor - advised to quit			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=857 /-] [Invalid=60850 /-]		
Value	Label	Cases	Percentage
1	YES	593	<div><div></div></div> 69.2%
2	NO	264	<div><div></div></div> 30.8%
6	NOT APPLICABLE	60779	
7	DON'T KNOW	2	
8	REFUSAL	1	
9	NOT STATED	68	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_13: Doctor - gave specific help			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=854 /-] [Invalid=60853 /-]		
Value	Label	Cases	Percentage
1	YES	405	<div><div></div></div> 47.4%
2	NO	449	<div><div></div></div> 52.6%
6	NOT APPLICABLE	60779	
7	DON'T KNOW	2	
8	REFUSAL	1	
9	NOT STATED	71	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SPC_14A: Type help - referral to one-on-one prog.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=399 /-] [Invalid=61308 /-]		
Value	Label	Cases	Percentage
1	YES	28	<div><div></div></div> 7.0%
2	NO	371	<div><div></div></div> 93.0%
6	NOT APPLICABLE	61228	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	74	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_14B: Type help - referral to group prog.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=399 /-] [Invalid=61308 /-]		
Value	Label	Cases	Percentage
1	YES	16	<div><div></div></div> 4.0%
2	NO	383	<div><div></div></div> 96.0%
6	NOT APPLICABLE	61228	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	74	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_14C: Type help - recommended nicotine patch			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=399 /-] [Invalid=61308 /-]		
Value	Label	Cases	Percentage
1	YES	127	<div><div></div></div> 31.8%
2	NO	272	<div><div></div></div> 68.2%
6	NOT APPLICABLE	61228	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	74	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_14D: Type help - recommended Zyban/other med.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=399 /-] [Invalid=61308 /-]		
Value	Label	Cases	Percentage
1	YES	192	<div><div></div></div> 48.1%
2	NO	207	<div><div></div></div> 51.9%
6	NOT APPLICABLE	61228	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	74	

# SPC_14D: Type help - recommended Zyban/other med.			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SPC_14E: Type help - provided self-help info.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=399 /-] [Invalid=61308 /-]		
Value	Label	Cases	Percentage
1	YES	142	<div><div></div></div> 35.6%
2	NO	257	<div><div></div></div> 64.4%
6	NOT APPLICABLE	61228	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	74	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SPC_14F: Type help - doctor offered couns.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=399 /-] [Invalid=61308 /-]		
Value	Label	Cases	Percentage
1	YES	65	<div><div></div></div> 16.3%
2	NO	334	<div><div></div></div> 83.7%
6	NOT APPLICABLE	61228	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	74	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SPC_14G: Type help - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=399 /-] [Invalid=61308 /-]		
Value	Label	Cases	Percentage
1	YES	48	<div><div></div></div> 12.0%
2	NO	351	<div><div></div></div> 88.0%
6	NOT APPLICABLE	61228	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	74	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SPC_20: Visited dentist			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=725 /-] [Invalid=60982 /-]		
Value	Label	Cases	Percentage
1	YES	717	<div><div></div></div> 98.9%
2	NO	8	<div><div></div></div> 1.1%
6	NOT APPLICABLE	60946	
7	DON'T KNOW	1	

# SPC_20: Visited dentist			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	35	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_21: Dentist/hygienist - knows smokes/smoked			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=682 /-] [Invalid=61025 /-]	
Value	Label	Cases	Percentage
1	YES	564	<div></div> 82.7%
2	NO	118	<div></div> 17.3%
6	NOT APPLICABLE	60954	
7	DON'T KNOW	35	
8	REFUSAL	0	
9	NOT STATED	36	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPC_22: Dentist/hygienist - advised to quit			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=557 /-] [Invalid=61150 /-]	
Value	Label	Cases	Percentage
1	YES	283	<div></div> 50.8%
2	NO	274	<div></div> 49.2%
6	NOT APPLICABLE	61072	
7	DON'T KNOW	5	
8	REFUSAL	2	
9	NOT STATED	71	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOYSM: Optional module: YSM - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3592 /-] [Invalid=58115 /-]	
Value	Label	Cases	Percentage
1	YES	3592	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	58115	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# YSMG1: Source of cigarettes - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=44 /-] [Invalid=61663 /-]	
Value	Label	Cases	Percentage
1	BUY - GROCERY	7	<div></div> 15.9%

YSMG1: Source of cigarettes - (G)

Value	Label	Cases	Percentage	
2	BUY - OTHER GROC	26	<div></div>	59.1%
3	OTHER	11	<div></div>	25.0%
6	NOT APPLICABLE	61659		
7	DON'T KNOW	0		
8	REFUSAL	0		
9	NOT STATED	4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSM_2: Bought cigarettes for self/others

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=11 /-] [Invalid=61696 /-]		
Value	Label	Cases	Percentage	
1	YES	1	<div></div>	9.1%
2	NO	10	<div></div>	90.9%
6	NOT APPLICABLE	61692		
7	DON'T KNOW	0		
8	REFUSAL	0		
9	NOT STATED	4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSM_3: Age asked when buying cig. in store

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=33 /-] [Invalid=61674 /-]		
Value	Label	Cases	Percentage	
1	YES	20	<div></div>	60.6%
2	NO	13	<div></div>	39.4%
6	NOT APPLICABLE	61669		
7	DON'T KNOW	1		
8	REFUSAL	0		
9	NOT STATED	4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

YSM_4: Someone refused to sell cigarettes

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=34 /-] [Invalid=61673 /-]		
Value	Label	Cases	Percentage	
1	YES	8	<div></div>	23.5%
2	NO	26	<div></div>	76.5%
6	NOT APPLICABLE	61669		
7	DON'T KNOW	0		
8	REFUSAL	0		
9	NOT STATED	4		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# YSM_5: Asked a stranger to buy cigarettes			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=44 /-] [Invalid=61663 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 11.4%
2	NO	39	<div><div></div></div> 88.6%
6	NOT APPLICABLE	61659	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	4	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ETS_10: Someone smokes inside home			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=57347 /-] [Invalid=4360 /-]		
Value	Label	Cases	Percentage
1	YES	4921	<div><div></div></div> 8.6%
2	NO	52426	<div><div></div></div> 91.4%
6	NOT APPLICABLE	3886	
7	DON'T KNOW	35	
8	REFUSAL	24	
9	NOT STATED	415	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ETSG11: No. of people who smoke inside home -(G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=4902 /-] [Invalid=56805 /-]		
Value	Label	Cases	Percentage
1	1 PERSON	2815	<div><div></div></div> 57.4%
2	2 PERSONS	1737	<div><div></div></div> 35.4%
3	3 PERSONS	243	<div><div></div></div> 5.0%
4	4 OR + PERSONS	107	<div><div></div></div> 2.2%
6	NOT APPLICABLE	56312	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	493	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ETS_20: Exposed to 2nd-hand smoke - private veh.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=49105 /-] [Invalid=12602 /-]		
Value	Label	Cases	Percentage
1	YES	3009	<div><div></div></div> 6.1%
2	NO	46096	<div><div></div></div> 93.9%
6	NOT APPLICABLE	12091	
7	DON'T KNOW	38	

# ETS_20: Exposed to 2nd-hand smoke - private veh.			
Value	Label	Cases	Percentage
8	REFUSAL	4	
9	NOT STATED	469	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ETS_20B: Exposed to 2nd-hand smoke -public places			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=49071 /-] [Invalid=12636 /-]		
Value	Label	Cases	Percentage
1	YES	5532	<div><div></div></div> 11.3%
2	NO	43539	<div><div></div></div> 88.7%
6	NOT APPLICABLE	12091	
7	DON'T KNOW	70	
8	REFUSAL	5	
9	NOT STATED	470	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ETS_35: Smoking allowed - House			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=56161 /-] [Invalid=5546 /-]		
Value	Label	Cases	Percentage
1	YES	5805	<div><div></div></div> 10.3%
2	NO	50356	<div><div></div></div> 89.7%
6	NOT APPLICABLE	4921	
7	DON'T KNOW	115	
8	REFUSAL	13	
9	NOT STATED	497	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ETS_36: Smoking restrictions			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10672 /-] [Invalid=51035 /-]		
Value	Label	Cases	Percentage
1	YES	3909	<div><div></div></div> 36.6%
2	NO	6763	<div><div></div></div> 63.4%
6	NOT APPLICABLE	50356	
7	DON'T KNOW	45	
8	REFUSAL	4	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ETS_37A: Type of restrictions -certain rooms only			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3892 /-] [Invalid=57815 /-]		
Value	Label	Cases	Percentage
1	YES	2095	<div><div></div></div> 53.8%

# ETS_37A: Type of restrictions -certain rooms only			
Value	Label	Cases	Percentage
2	NO	1797	<div><div></div></div> 46.2%
6	NOT APPLICABLE	57119	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	679	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ETS_37B: Type of restrictions - young children			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3892 /-] [Invalid=57815 /-]		
Value	Label	Cases	Percentage
1	YES	1197	<div><div></div></div> 30.8%
2	NO	2695	<div><div></div></div> 69.2%
6	NOT APPLICABLE	57119	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	679	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ETS_37C: Type of restrictions - windows open			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3892 /-] [Invalid=57815 /-]		
Value	Label	Cases	Percentage
1	YES	1413	<div><div></div></div> 36.3%
2	NO	2479	<div><div></div></div> 63.7%
6	NOT APPLICABLE	57119	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	679	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ETS_37D: Type of restrictions - Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3892 /-] [Invalid=57815 /-]		
Value	Label	Cases	Percentage
1	YES	663	<div><div></div></div> 17.0%
2	NO	3229	<div><div></div></div> 83.0%
6	NOT APPLICABLE	57119	
7	DON'T KNOW	17	
8	REFUSAL	0	
9	NOT STATED	679	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOTAL: Module: TAL - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# DOTAL: Module: TAL - (F)			
Statistics [NW/ W]		[Valid=26777 /-] [Invalid=34930 /-]	
Value	Label	Cases	Percentage
1	YES	26777	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	34930	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# TAL_1: Smoked cigars - last month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26419 /-] [Invalid=35288 /-]	
Value	Label	Cases	Percentage
1	YES	1140	<div><div></div></div> 4.3%
2	NO	25279	<div><div></div></div> 95.7%
6	NOT APPLICABLE	34930	
7	DON'T KNOW	4	
8	REFUSAL	9	
9	NOT STATED	345	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# TAL_2: Smoked a pipe - last month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26414 /-] [Invalid=35293 /-]	
Value	Label	Cases	Percentage
1	YES	177	<div><div></div></div> 0.7%
2	NO	26237	<div><div></div></div> 99.3%
6	NOT APPLICABLE	34930	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	360	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# TAL_3: Used snuff - last month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26412 /-] [Invalid=35295 /-]	
Value	Label	Cases	Percentage
1	YES	69	<div><div></div></div> 0.3%
2	NO	26343	<div><div></div></div> 99.7%
6	NOT APPLICABLE	34930	
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	360	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# TAL_4: Used chewing tobacco - last month			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26413 /-] [Invalid=35294 /-]	
Value	Label	Cases	Percentage
1	YES	198	0.7%
2	NO	26215	99.3%
6	NOT APPLICABLE	34930	
7	DON'T KNOW	4	
8	REFUSAL	0	
9	NOT STATED	360	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALC_1: Drank alcohol - past 12 months			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60904 /-] [Invalid=803 /-]	
Value	Label	Cases	Percentage
1	YES	45766	75.1%
2	NO	15138	24.9%
6	NOT APPLICABLE	0	
7	DON'T KNOW	24	
8	REFUSAL	52	
9	NOT STATED	727	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALC_2: Frequency of drinking alcohol			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=45487 /-] [Invalid=16220 /-]	
Value	Label	Cases	Percentage
1	< ONCE A MONTH	10511	23.1%
2	ONCE A MONTH	4642	10.2%
3	2 TO 3 TIMES/MO	5795	12.7%
4	ONCE/WEEK	7122	15.7%
5	2 TO 3 TIMES/WK	9378	20.6%
6	4 TO 6 TIMES/WK	3196	7.0%
7	EVERY DAY	4843	10.6%
96	NOT APPLICABLE	15138	
97	DON'T KNOW	242	
98	REFUSAL	29	
99	NOT STATED	811	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALC_3: Frequency of having 5 or more drinks			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=45384 /-] [Invalid=16323 /-]	
Value	Label	Cases	Percentage
1	NEVER	24553	54.1%

# ALC_3: Frequency of having 5 or more drinks			
Value	Label	Cases	Percentage
2	LESS ONCE/MONTH	11524	<div><div></div></div> 25.4%
3	ONCE/MONTH	3082	<div><div></div></div> 6.8%
4	2-3 TIMES/MONTH	2639	<div><div></div></div> 5.8%
5	ONCE/WEEK	2147	<div><div></div></div> 4.7%
6	MORE ONCE/WEEK	1439	<div><div></div></div> 3.2%
96	NOT APPLICABLE	15138	
97	DON'T KNOW	331	
98	REFUSAL	35	
99	NOT STATED	819	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALCDTM: Type of drinker (12 months)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=60625 /-] [Invalid=1082 /-]		
Value	Label	Cases	Percentage
1	REGULAR DRINKER	34976	<div><div></div></div> 57.7%
2	OCCASIO. DRINKER	10511	<div><div></div></div> 17.3%
3	NO DRINK LAST12M	15138	<div><div></div></div> 25.0%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1082	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOALW: Module: ALW - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=41673 /-] [Invalid=20034 /-]		
Value	Label	Cases	Percentage
1	YES	41673	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	20034	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_1: Drank alcohol in past week			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=31013 /-] [Invalid=30694 /-]		
Value	Label	Cases	Percentage
1	YES	19668	<div><div></div></div> 63.4%
2	NO	11345	<div><div></div></div> 36.6%
6	NOT APPLICABLE	29980	
7	DON'T KNOW	24	

# ALW_1: Drank alcohol in past week			
Value	Label	Cases	Percentage
8	REFUSAL	15	
9	NOT STATED	675	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_2A1: No. of drinks - Sunday			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=19602 -/] [Invalid=42105 -/] [Mean=1.141 -/] [StdDev=2.039 -/]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	41325	
997	DON'T KNOW	53	
998	REFUSAL	11	
999	NOT STATED	716	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_2A2: No. of drinks - Monday			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=19532 -/] [Invalid=42175 -/] [Mean=1.087 -/] [StdDev=2.124 -/]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	41325	
997	DON'T KNOW	112	
998	REFUSAL	8	
999	NOT STATED	730	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_2A3: No. of drinks - Tuesday			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=19450 -/] [Invalid=42257 -/] [Mean=1.148 -/] [StdDev=2.249 -/]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	41325	
997	DON'T KNOW	192	
998	REFUSAL	9	
999	NOT STATED	731	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_2A4: No. of drinks - Wednesday			
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]		
Statistics [NW/ W]	[Valid=19328 -/] [Invalid=42379 -/] [Mean=1.119 -/] [StdDev=2.145 -/]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	41325	
997	DON'T KNOW	313	
998	REFUSAL	10	
999	NOT STATED	731	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_2A5: No. of drinks - Thursday			
Information	[Type= discrete] [Format=numeric] [Range= 0-40] [Missing=*]		

# ALW_2A5: No. of drinks - Thursday			
Statistics [NW/ W]		[Valid=19190 /-] [Invalid=42517 /-]	
Value	Label	Cases	Percentage
0		11433	<div></div> 59.6%
1		3507	<div></div> 18.3%
2		1993	<div></div> 10.4%
3		832	<div></div> 4.3%
4		428	<div></div> 2.2%
5		345	<div></div> 1.8%
6		227	<div></div> 1.2%
7		62	<div></div> 0.3%
8		88	<div></div> 0.5%
9		17	<div></div> 0.1%
10		105	<div></div> 0.5%
11		6	<div></div> 0.0%
12		77	<div></div> 0.4%
13		6	<div></div> 0.0%
14		4	<div></div> 0.0%
15		34	<div></div> 0.2%
18		3	<div></div> 0.0%
20		9	<div></div> 0.0%
24		6	<div></div> 0.0%
25		4	<div></div> 0.0%
26		1	<div></div> 0.0%
30		2	<div></div> 0.0%
40		1	<div></div> 0.0%
996	NOT APPLICABLE	41325	
997	DON'T KNOW	447	
998	REFUSAL	14	
999	NOT STATED	731	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_2A6: No. of drinks - Friday			
Information		[Type= continuous] [Format=numeric] [Range= 0-87] [Missing=*]	
Statistics [NW/ W]		[Valid=19027 /-] [Invalid=42680 /-] [Mean=0.9 /-] [StdDev=1.965 /-]	
Value	Label	Cases	Percentage
996	NOT APPLICABLE	41325	
997	DON'T KNOW	606	
998	REFUSAL	17	
999	NOT STATED	732	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALW_2A7: No. of drinks - Saturday			
Information		[Type= continuous] [Format=numeric] [Range= 0-65] [Missing=*]	
Statistics [NW/ W]		[Valid=18937 /-] [Invalid=42770 /-] [Mean=0.805 /-] [StdDev=1.812 /-]	

# ALW_2A7: No. of drinks - Saturday			
Value	Label	Cases	Percentage
996	NOT APPLICABLE	41325	
997	DON'T KNOW	690	
998	REFUSAL	22	
999	NOT STATED	733	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALWDWKY: Weekly consumption			
Information	[Type= continuous] [Format=numeric] [Range= 0-449] [Missing=*]		
Statistics [NW/ W]	[Valid=29965 /-] [Invalid=31742 /-]		
Value	Label	Cases	Percentage
0	NO DRINKS LAST W	11345	<div></div> 100.0%
996	NOT APPLICABLE	29980	
997	DON'T KNOW	0	
998	REFUSAL	0	
999	NOT STATED	1762	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ALWDDL Y: Average daily alcohol consumption			
Information	[Type= discrete] [Format=numeric] [Range= 0-64] [Missing=*]		
Statistics [NW/ W]	[Valid=29965 /-] [Invalid=31742 /-]		
Value	Label	Cases	Percentage
0		18986	<div></div> 63.4%
1		7294	<div></div> 24.3%
2		2182	<div></div> 7.3%
3		800	<div></div> 2.7%
4		338	<div></div> 1.1%
5		148	<div></div> 0.5%
6		96	<div></div> 0.3%
7		44	<div></div> 0.1%
8		17	<div></div> 0.1%
9		16	<div></div> 0.1%
10		14	<div></div> 0.0%
11		11	<div></div> 0.0%
12		9	<div></div> 0.0%
13		3	<div></div> 0.0%
14		2	<div></div> 0.0%
15		1	<div></div> 0.0%
17		1	<div></div> 0.0%
19		1	<div></div> 0.0%
21		1	<div></div> 0.0%
64		1	<div></div> 0.0%
996	NOT APPLICABLE	29980	
997	DON'T KNOW	0	
998	REFUSAL	0	

# ALWDDLY: Average daily alcohol consumption			
Value	Label	Cases	Percentage
999	NOT STATED	1762	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DODRV: Module: DRV - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=9889 /-] [Invalid=51818 /-]	
Value	Label	Cases	Percentage
1	YES	9889	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	51818	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_01A: Drove a motor vehicle			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=9661 /-] [Invalid=52046 /-]	
Value	Label	Cases	Percentage
1	YES	8159	<div></div> 84.5%
2	NO	1502	<div></div> 15.5%
6	NOT APPLICABLE	51818	
7	DON'T KNOW	1	
8	REFUSAL	6	
9	NOT STATED	221	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_01B: Drove a motorcycle			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=9659 /-] [Invalid=52048 /-]	
Value	Label	Cases	Percentage
1	YES	589	<div></div> 6.1%
2	NO	9070	<div></div> 93.9%
6	NOT APPLICABLE	51818	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	228	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_02: Freq. - seat belt when driving			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=8154 /-] [Invalid=53553 /-]	
Value	Label	Cases	Percentage
1	ALWAYS	7426	<div></div> 91.1%
2	MOST OF THE TIME	578	<div></div> 7.1%

# DRV_02: Freq. - seat belt when driving			
Value	Label	Cases	Percentage
3	RARELY	106	<div><div></div></div> 1.3%
4	NEVER	44	<div><div></div></div> 0.5%
6	NOT APPLICABLE	53320	
7	DON'T KNOW	3	
8	REFUSAL	1	
9	NOT STATED	229	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_03A: Use of a cell phone while driving			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=8142 /-] [Invalid=53565 /-]		
Value	Label	Cases	Percentage
1	OFTEN	253	<div><div></div></div> 3.1%
2	SOMETIMES	620	<div><div></div></div> 7.6%
3	RARELY	1407	<div><div></div></div> 17.3%
4	NEVER	5862	<div><div></div></div> 72.0%
6	NOT APPLICABLE	53320	
7	DON'T KNOW	15	
8	REFUSAL	1	
9	NOT STATED	229	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_03B: Use of a hands-free while driving			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=8135 /-] [Invalid=53572 /-]		
Value	Label	Cases	Percentage
1	OFTEN	1095	<div><div></div></div> 13.5%
2	SOMETIMES	635	<div><div></div></div> 7.8%
3	RARELY	645	<div><div></div></div> 7.9%
4	NEVER	5760	<div><div></div></div> 70.8%
6	NOT APPLICABLE	53320	
7	DON'T KNOW	20	
8	REFUSAL	3	
9	NOT STATED	229	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_04: Freq. - tired when driving			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=8117 /-] [Invalid=53590 /-]		
Value	Label	Cases	Percentage
1	OFTEN	606	<div><div></div></div> 7.5%
2	SOMETIMES	1886	<div><div></div></div> 23.2%
3	RARELY	2963	<div><div></div></div> 36.5%
4	NEVER	2662	<div><div></div></div> 32.8%

# DRV_04: Freq. - tired when driving			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	53296	
7	DON'T KNOW	59	
8	REFUSAL	4	
9	NOT STATED	231	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_05: Driving speed compared to others			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=8056 /-] [Invalid=53651 /-]		
Value	Label	Cases	Percentage
1	MUCH FASTER	120	<div><div></div></div> 1.5%
2	A LITTLE FASTER	1486	<div><div></div></div> 18.4%
3	ABOUT THE SAME	4845	<div><div></div></div> 60.1%
4	A LITTLE SLOWER	1493	<div><div></div></div> 18.5%
5	MUCH SLOWER	112	<div><div></div></div> 1.4%
6	NOT APPLICABLE	53296	
7	DON'T KNOW	116	
8	REFUSAL	7	
9	NOT STATED	232	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_06: Driving aggression compared to others			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=7984 /-] [Invalid=53723 /-]		
Value	Label	Cases	Percentage
1	MUCH MORE	69	<div><div></div></div> 0.9%
2	A LITTLE MORE	997	<div><div></div></div> 12.5%
3	ABOUT THE SAME	3253	<div><div></div></div> 40.7%
4	A LITTLE LESS	2431	<div><div></div></div> 30.4%
5	MUCH LESS	1234	<div><div></div></div> 15.5%
6	NOT APPLICABLE	53296	
7	DON'T KNOW	184	
8	REFUSAL	11	
9	NOT STATED	232	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_07: No. of times - drove after 2+ drinks			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6499 /-] [Invalid=55208 /-]		
Value	Label	Cases	Percentage
1	YES	456	<div><div></div></div> 7.0%
2	NO	6043	<div><div></div></div> 93.0%
6	NOT APPLICABLE	55067	
7	DON'T KNOW	5	

# DRV_07: No. of times - drove after 2+ drinks			
Value	Label	Cases	Percentage
8	REFUSAL	4	
9	NOT STATED	132	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_07A: No. of times - drove after 2+ drinks			
Information	[Type= discrete] [Format=numeric] [Range= 1-95] [Missing=*]		
Statistics [NW/ W]	[Valid=426 /-] [Invalid=61281 /-]		
Value	Label	Cases	Percentage
1		83	<div></div> 19.5%
2		123	<div></div> 28.9%
3		54	<div></div> 12.7%
4		30	<div></div> 7.0%
5		31	<div></div> 7.3%
6		25	<div></div> 5.9%
7		2	<div></div> 0.5%
8		2	<div></div> 0.5%
9		1	<div></div> 0.2%
10		25	<div></div> 5.9%
12		25	<div></div> 5.9%
15		4	<div></div> 0.9%
16		1	<div></div> 0.2%
18		1	<div></div> 0.2%
20		4	<div></div> 0.9%
24		4	<div></div> 0.9%
25		1	<div></div> 0.2%
30		2	<div></div> 0.5%
40		1	<div></div> 0.2%
50		2	<div></div> 0.5%
52		1	<div></div> 0.2%
75		1	<div></div> 0.2%
95		3	<div></div> 0.7%
96	NOT APPLICABLE	61110	
97	DON'T KNOW	30	
98	REFUSAL	0	
99	NOT STATED	141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_08A: Freq. - seat belt - front seat pass.			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=9648 /-] [Invalid=52059 /-]		
Value	Label	Cases	Percentage
1	ALWAYS	8798	<div></div> 91.2%
2	MOST OF THE TIME	604	<div></div> 6.3%
3	RARELY	106	<div></div> 1.1%

DRV_08A: Freq. - seat belt - front seat pass.

Value	Label	Cases	Percentage
4	NEVER	58	<div></div> 0.6%
5	NOT RIDE/FRONT S	82	<div></div> 0.8%
6	NOT APPLICABLE	51818	
7	DON'T KNOW	9	
8	REFUSAL	2	
9	NOT STATED	230	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_08B: Freq. - seat belt - back seat pass.

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=9632 /-] [Invalid=52075 /-]

Value	Label	Cases	Percentage
1	ALWAYS	7366	<div></div> 76.5%
2	MOST OF THE TIME	860	<div></div> 8.9%
3	RARELY	336	<div></div> 3.5%
4	NEVER	277	<div></div> 2.9%
5	NOT RIDE/BACK S	793	<div></div> 8.2%
6	NOT APPLICABLE	51818	
7	DON'T KNOW	19	
8	REFUSAL	7	
9	NOT STATED	231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_09: Freq. - seat belt - in taxi

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=9573 /-] [Invalid=52134 /-]

Value	Label	Cases	Percentage
1	ALWAYS	3724	<div></div> 38.9%
2	MOST OF THE TIME	468	<div></div> 4.9%
3	RARELY	353	<div></div> 3.7%
4	NEVER	1002	<div></div> 10.5%
5	NOT TAKE TAXIS	4026	<div></div> 42.1%
6	NOT APPLICABLE	51818	
7	DON'T KNOW	80	
8	REFUSAL	5	
9	NOT STATED	231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DRV_10: No. times - pass./driver after 2+ drinks

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=9579 /-] [Invalid=52128 /-]

Value	Label	Cases	Percentage
1	YES	988	<div></div> 10.3%
2	NO	8591	<div></div> 89.7%

# DRV_10: No. times - pass./driver after 2+ drinks			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	51818	
7	DON'T KNOW	73	
8	REFUSAL	6	
9	NOT STATED	231	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# DRV_10A: No. times - pass./driver after 2+ drinks			
Information	[Type= discrete] [Format=numeric] [Range= 1-75] [Missing=*]		
Statistics [NW/ W]	[Valid=931 /-] [Invalid=60776 /-]		
Value	Label	Cases	Percentage
1		214	<div></div> 23.0%
2		296	<div></div> 31.8%
3		130	<div></div> 14.0%
4		66	<div></div> 7.1%
5		69	<div></div> 7.4%
6		51	<div></div> 5.5%
7		2	<div></div> 0.2%
8		5	<div></div> 0.5%
10		37	<div></div> 4.0%
11		1	<div></div> 0.1%
12		22	<div></div> 2.4%
15		10	<div></div> 1.1%
20		13	<div></div> 1.4%
24		3	<div></div> 0.3%
25		1	<div></div> 0.1%
30		3	<div></div> 0.3%
50		3	<div></div> 0.3%
52		4	<div></div> 0.4%
75		1	<div></div> 0.1%
96	NOT APPLICABLE	60409	
97	DON'T KNOW	56	
98	REFUSAL	1	
99	NOT STATED	310	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_11A: Driver/pass. - snowmobile/motor boat			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9645 /-] [Invalid=52062 /-]		
Value	Label	Cases	Percentage
1	YES	2288	<div></div> 23.7%
2	NO	7357	<div></div> 76.3%
6	NOT APPLICABLE	51818	
7	DON'T KNOW	6	
8	REFUSAL	6	

# DRV_11A: Driver/pass. - snowmobile/motor boat			
Value	Label	Cases	Percentage
9	NOT STATED	232	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# DRV_11B: Driver/pass. - ATV			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=9638 /-] [Invalid=52069 /-]	
Value	Label	Cases	Percentage
1	YES	2114	<div></div> 21.9%
2	NO	7524	<div></div> 78.1%
6	NOT APPLICABLE	51818	
7	DON'T KNOW	7	
8	REFUSAL	0	
9	NOT STATED	244	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRV_12: Freq. - wears helmet - ATV			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=2104 /-] [Invalid=59603 /-]	
Value	Label	Cases	Percentage
1	ALWAYS	826	<div></div> 39.3%
2	MOST OF THE TIME	304	<div></div> 14.4%
3	RARELY	257	<div></div> 12.2%
4	NEVER	717	<div></div> 34.1%
6	NOT APPLICABLE	59342	
7	DON'T KNOW	9	
8	REFUSAL	1	
9	NOT STATED	251	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# DRV_13: No. times - With driver 2+ drinks - ATV				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=3249 /-] [Invalid=58458 /-]		
Value	Label	Cases	Percentage	
1	YES	207	<div><div></div></div>	6.4%
2	NO	3042	<div><div></div></div>	93.6%
6	NOT APPLICABLE	58195		
7	DON'T KNOW	12		
8	REFUSAL	0		
9	NOT STATED	251		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_13A: No. times - With driver 2+ drinks - ATV				
Information		[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]		
Statistics [NW/ W]		[Valid=200 /-] [Invalid=61507 /-]		
Value	Label	Cases	Percentage	
1		55	<div><div></div></div>	27.5%
2		58	<div><div></div></div>	29.0%
3		23	<div><div></div></div>	11.5%
4		16	<div><div></div></div>	8.0%
5		13	<div><div></div></div>	6.5%
6		12	<div><div></div></div>	6.0%
7		1	<div><div></div></div>	0.5%
8		1	<div><div></div></div>	0.5%
10		8	<div><div></div></div>	4.0%
12		4	<div><div></div></div>	2.0%
14		1	<div><div></div></div>	0.5%
15		1	<div><div></div></div>	0.5%
16		1	<div><div></div></div>	0.5%
20		1	<div><div></div></div>	0.5%
25		1	<div><div></div></div>	0.5%
26		1	<div><div></div></div>	0.5%
30		3	<div><div></div></div>	1.5%
96	NOT APPLICABLE	61237		
97	DON'T KNOW	7		
98	REFUSAL	0		
99	NOT STATED	263		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DRV_14: No. times - drove snow./ATV aft. 2+ drks				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=2645 /-] [Invalid=59062 /-]		
Value	Label	Cases	Percentage	
1	YES	135	<div><div></div></div>	5.1%
2	NO	2510	<div><div></div></div>	94.9%

# DRV_14: No. times - drove snow./ATV aft. 2+ drks			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	58921	
7	DON'T KNOW	4	
8	REFUSAL	0	
9	NOT STATED	137	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# DRV_14A: No. times - drove snow./ATV aft. 2+ drks			
Information	[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=61579 /-]		
Value	Label	Cases	Percentage
1		33	<div></div> 25.8%
2		35	<div></div> 27.3%
3		20	<div></div> 15.6%
4		9	<div></div> 7.0%
5		4	<div></div> 3.1%
6		11	<div></div> 8.6%
10		8	<div></div> 6.2%
12		6	<div></div> 4.7%
26		1	<div></div> 0.8%
50		1	<div></div> 0.8%
96	NOT APPLICABLE	61431	
97	DON'T KNOW	7	
98	REFUSAL	0	
99	NOT STATED	141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DRVFSBU: Passenger seat belt use - motor vehicle			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=9567 /-] [Invalid=52140 /-]		
Value	Label	Cases	Percentage
1	ALW. FAST.S/BELT	7926	<div></div> 82.8%
2	NOT ALW. FASTEN	1641	<div></div> 17.2%
6	NOT APPLICABLE	51883	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	257	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOMEX: Module flag: MEX - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div></div> 100.0%
2	NO	0	

# DOMEX: Module flag: MEX - (F)			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_01: Year of birth of last baby			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14811 /-] [Invalid=46896 /-]		
Value	Label	Cases	Percentage
1	YES	3129	<div><div></div></div> 21.1%
2	NO	11682	<div><div></div></div> 78.9%
6	NOT APPLICABLE	42817	
7	DON'T KNOW	3759	
8	REFUSAL	6	
9	NOT STATED	314	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_02: Took folic acid - before last pregnancy			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3102 /-] [Invalid=58605 /-]		
Value	Label	Cases	Percentage
1	YES	1848	<div><div></div></div> 59.6%
2	NO	1254	<div><div></div></div> 40.4%
6	NOT APPLICABLE	58249	
7	DON'T KNOW	24	
8	REFUSAL	3	
9	NOT STATED	329	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_03: Breastfed/tried breastfeed/last child			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3124 /-] [Invalid=58583 /-]		
Value	Label	Cases	Percentage
1	YES	2779	<div><div></div></div> 89.0%
2	NO	345	<div><div></div></div> 11.0%
6	NOT APPLICABLE	58249	
7	DON'T KNOW	2	
8	REFUSAL	3	
9	NOT STATED	329	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEXG04: Reason did not breastfeed - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=341 /-] [Invalid=61366 /-]		

MEXG04: Reason did not breastfeed - (G)

Value	Label	Cases	Percentage
1	BOTTLE FEED.EASY	66	<div><div></div></div> 19.4%
2	FORMULA AS GOOD	29	<div><div></div></div> 8.5%
3	UNAPPEALING	82	<div><div></div></div> 24.0%
4	FATHER DN'T WANT	0	
5	RETURNED TO WORK	4	<div><div></div></div> 1.2%
6	C-SECTION	108	<div><div></div></div> 31.7%
7	ALCOHOL/SMOKE	12	<div><div></div></div> 3.5%
8	OTHER	40	<div><div></div></div> 11.7%
96	NOT APPLICABLE	61028	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_05: Still breastfeeding last child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2779 /-] [Invalid=58928 /-]

Value	Label	Cases	Percentage
1	YES	507	<div><div></div></div> 18.2%
2	NO	2272	<div><div></div></div> 81.8%
6	NOT APPLICABLE	58594	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MEX_06: Other liquids / baby's feeds

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=2269 /-] [Invalid=59438 /-]

Value	Label	Cases	Percentage
1	< 1 WEEK	155	<div><div></div></div> 6.8%
2	1 TO 2 WEEKS	154	<div><div></div></div> 6.8%
3	3 TO 4 WEEKS	170	<div><div></div></div> 7.5%
4	5 TO 8 WEEKS	135	<div><div></div></div> 5.9%
5	9 TO < 12 WEEKS	79	<div><div></div></div> 3.5%
6	3 MONTHS	156	<div><div></div></div> 6.9%
7	4 MONTHS	108	<div><div></div></div> 4.8%
8	5 MONTHS	76	<div><div></div></div> 3.3%
9	6 MONTHS	253	<div><div></div></div> 11.2%
10	7 TO 9 MONTHS	290	<div><div></div></div> 12.8%
11	10 TO 12 MONTHS	344	<div><div></div></div> 15.2%
12	> 1 YEAR	349	<div><div></div></div> 15.4%
13	NOT ADDED S. FO.	0	
96	NOT APPLICABLE	59101	

# MEX_06: Other liquids / baby's feeds			
Value	Label	Cases	Percentage
97	DON'T KNOW	2	
98	REFUSAL	1	
99	NOT STATED	334	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_06A: Other liquids / baby's feeds			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=507 /-] [Invalid=61200 /-]		
Value	Label	Cases	Percentage
1	YES	317	<div></div> 62.5%
2	NO	190	<div></div> 37.5%
6	NOT APPLICABLE	60866	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	334	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_06B: Age of last baby/other liquids			
Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
Statistics [NW/ W]	[Valid=2551 /-] [Invalid=59156 /-]		
Value	Label	Cases	Percentage
1	< 1 WEEK	373	<div></div> 14.6%
2	1 TO 2 WEEKS	207	<div></div> 8.1%
3	3 TO 4 WEEKS	167	<div></div> 6.5%
4	5 TO 8 WEEKS	141	<div></div> 5.5%
5	9 TO < 12 WEEKS	96	<div></div> 3.8%
6	3 MONTHS	181	<div></div> 7.1%
7	4 MONTHS	166	<div></div> 6.5%
8	5 MONTHS	141	<div></div> 5.5%
9	6 MONTHS	465	<div></div> 18.2%
10	7 TO 9 MONTHS	296	<div></div> 11.6%
11	10 TO 12 MONTHS	252	<div></div> 9.9%
12	> 1 YEAR	50	<div></div> 2.0%
13	NOT ADD/LIQUIDS	16	<div></div> 0.6%
96	NOT APPLICABLE	58784	
97	DON'T KNOW	29	
98	REFUSAL	3	
99	NOT STATED	340	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_08A: Age of last baby/solid food			
Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
Statistics [NW/ W]	[Valid=2712 /-] [Invalid=58995 /-]		
Value	Label	Cases	Percentage

# MEX_08A: Age of last baby/solid food			
Value	Label	Cases	Percentage
1	< 1 WEEK	5	0.2%
2	1 TO 2 WEEKS	0	
3	3 TO 4 WEEKS	21	<div></div> 0.8%
4	5 TO 8 WEEKS	42	<div></div> 1.5%
5	9 TO < 12 WEEKS	45	<div></div> 1.7%
6	3 MONTHS	149	<div></div> 5.5%
7	4 MONTHS	358	<div></div> 13.2%
8	5 MONTHS	447	<div></div> 16.5%
9	6 MONTHS	975	<div></div> 36.0%
10	7 TO 9 MONTHS	317	<div></div> 11.7%
11	10 TO 12 MONTHS	99	<div></div> 3.7%
12	> 1 YEAR	21	<div></div> 0.8%
13	NOT ADDED S. FO.	233	<div></div> 8.6%
96	NOT APPLICABLE	58594	
97	DON'T KNOW	27	
98	REFUSAL	1	
99	NOT STATED	373	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_08B: Main reason/add other liquids,solid food			
Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
Statistics [NW/ W]	[Valid=2646 /-] [Invalid=59061 /-]		
Value	Label	Cases	Percentage
1	NOT ENOUGH BREAS	602	<div></div> 22.8%
2	READY FOR SOLIDS	1131	<div></div> 42.7%
3	INCONVENIENCE	128	<div></div> 4.8%
4	DIFFICULTY	175	<div></div> 6.6%
5	MED. COND.MOTHER	40	<div></div> 1.5%
6	MED. COND. BABY	96	<div></div> 3.6%
7	ADVICE OF DOCTOR	208	<div></div> 7.9%
8	RETURNED TO WORK	38	<div></div> 1.4%
9	ADVICE OF OTHERS	18	<div></div> 0.7%
10	FORMULA HEALTHY	25	<div></div> 0.9%
11	WANTED TO DRINK	4	0.2%
12	WANTED TO SMOKE	4	0.2%
13	OTHER	177	<div></div> 6.7%
96	NOT APPLICABLE	58601	
97	DON'T KNOW	49	
98	REFUSAL	9	
99	NOT STATED	402	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_09: Give Vitamin D to the baby			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# MEX_09: Give Vitamin D to the baby			
Statistics [NW/ W]		[Valid=2377 /-] [Invalid=59330 /-]	
Value	Label	Cases	Percentage
1	YES	1911	<div><div></div></div> 80.4%
2	NO	466	<div><div></div></div> 19.6%
6	NOT APPLICABLE	58971	
7	DON'T KNOW	15	
8	REFUSAL	2	
9	NOT STATED	342	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_09B: Frequency/giving the Vitamin D to baby			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=1882 /-] [Invalid=59825 /-]	
Value	Label	Cases	Percentage
1	EVERY DAY	1225	<div><div></div></div> 65.1%
2	ALMOST EVERY D.	430	<div><div></div></div> 22.8%
3	ONCE/TWICE A WK	177	<div><div></div></div> 9.4%
4	< ONCE A WEEK	50	<div><div></div></div> 2.7%
6	NOT APPLICABLE	59437	
7	DON'T KNOW	28	
8	REFUSAL	0	
9	NOT STATED	360	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEX_10: Main reason stopped breastfeeding			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=2247 /-] [Invalid=59460 /-]	
Value	Label	Cases	Percentage
1	NOT ENOUGH MILK	576	<div><div></div></div> 25.6%
2	READY FOR SOLIDS	357	<div><div></div></div> 15.9%
3	INCONVENIENCE	158	<div><div></div></div> 7.0%
4	DIFFICULTY	250	<div><div></div></div> 11.1%
5	MED.COND.MOTHER	77	<div><div></div></div> 3.4%
6	MED. COND. BABY	59	<div><div></div></div> 2.6%
7	PLANNED TO STOP	171	<div><div></div></div> 7.6%
8	WEANED SELF	297	<div><div></div></div> 13.2%
9	ADVICE OF DOCTOR	15	<div><div></div></div> 0.7%
10	RETURNED TO WORK	217	<div><div></div></div> 9.7%
11	ADVICE OF OTHERS	5	<div><div></div></div> 0.2%
12	FORMULA HEALTHY	11	<div><div></div></div> 0.5%
13	WANTED TO DRINK	0	
14	WANTED TO SMOKE	1	0.0%
15	OTHER	53	<div><div></div></div> 2.4%
96	NOT APPLICABLE	59101	

# MEX_10: Main reason stopped breastfeeding			
Value	Label	Cases	Percentage
97	DON'T KNOW	11	
98	REFUSAL	3	
99	NOT STATED	345	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEXDEBF2: Length of exclusive breastfeeding (D)			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2932 /-] [Invalid=58775 /-]		
Value	Label	Cases	Percentage
0	DID NOT BF/LAST	345	<div></div> 11.8%
1	< I WEEK	396	<div></div> 13.5%
2	1 TO < 5 WEEKS	409	<div></div> 13.9%
3	5 TO < 12 WEEKS	258	<div></div> 8.8%
4	12 TO < 16 WEEKS	220	<div></div> 7.5%
5	16 TO < 20 WEEKS	270	<div></div> 9.2%
6	20 TO < 24 WEEKS	280	<div></div> 9.5%
7	24 TO < 28 WEEKS	578	<div></div> 19.7%
8	7 MONTHS OR MORE	176	<div></div> 6.0%
96	NOT APPLICABLE	58374	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	401	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MEXFEB6: Exclus. breastfeed for at least 6 months			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2932 /-] [Invalid=58775 /-]		
Value	Label	Cases	Percentage
1	YES	754	<div></div> 25.7%
2	NO	2178	<div></div> 74.3%
6	NOT APPLICABLE	58374	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	401	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOMXS: Module: MXS - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=13338 /-] [Invalid=48369 /-]		
Value	Label	Cases	Percentage
1	YES	13338	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	48369	
7	DON'T KNOW	0	

# DOMXS: Module: MXS - (F)			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest</i>			
# MXS_01: Type of smoker - last pregnancy			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=411 /-] [Invalid=61296 /-]		
Value	Label	Cases	Percentage
1	DAILY	55	<div><div></div></div> 13.4%
2	OCCASIONALLY	50	<div><div></div></div> 12.2%
3	NOT AT ALL	306	<div><div></div></div> 74.5%
6	NOT APPLICABLE	61209	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	86	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MXSG02: No. daily - last preg. (daily smk)			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=54 /-] [Invalid=61653 /-]		
Value	Label	Cases	Percentage
1	1 CIGARETTE	3	<div><div></div></div> 5.6%
2	2 CIGARETTES	2	<div><div></div></div> 3.7%
3	3 CIGARETTES	3	<div><div></div></div> 5.6%
4	4 CIGARETTES	6	<div><div></div></div> 11.1%
5	5 CIGARETTES	9	<div><div></div></div> 16.7%
6	6 TO 10 CIG.	20	<div><div></div></div> 37.0%
7	11 TO 15 CIG.	5	<div><div></div></div> 9.3%
8	16+ CIGARETTES	6	<div><div></div></div> 11.1%
96	NOT APPLICABLE	61565	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	88	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MXSG03: No. daily - last preg. (occ. smk)			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=49 /-] [Invalid=61658 /-]		
Value	Label	Cases	Percentage
1	1 CIGARETTE	9	<div><div></div></div> 18.4%
2	2 CIGARETTES	11	<div><div></div></div> 22.4%
3	3 CIGARETTES	9	<div><div></div></div> 18.4%
4	4 CIGARETTES	6	<div><div></div></div> 12.2%
5	5 CIGARETTES	5	<div><div></div></div> 10.2%

# MXSG03: No. daily - last preg. (occ. smk)			
Value	Label	Cases	Percentage
6	6+ CIGARETTES	9	<div></div> 18.4%
96	NOT APPLICABLE	61570	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	88	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MXS_04: Smoked while breastfeeding (occ. smoker)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=339 /-] [Invalid=61368 /-]	
Value	Label	Cases	Percentage
1	DAILY	41	<div></div> 12.1%
2	OCCASIONALLY	19	<div></div> 5.6%
3	NOT AT ALL	279	<div></div> 82.3%
6	NOT APPLICABLE	61282	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	86	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MXSG05: No. daily - breastfeeding (daily smk)			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=40 /-] [Invalid=61667 /-]	
Value	Label	Cases	Percentage
1	1 CIGARETTE	2	<div></div> 5.0%
2	2 CIGARETTES	2	<div></div> 5.0%
3	3 CIGARETTES	3	<div></div> 7.5%
4	4 CIGARETTES	3	<div></div> 7.5%
5	5 CIGARETTES	6	<div></div> 15.0%
6	6 TO 10 CIG.	17	<div></div> 42.5%
7	11 TO 15 CIG.	1	<div></div> 2.5%
8	16+ CIGARETTES	6	<div></div> 15.0%
96	NOT APPLICABLE	61580	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MXSG06: No. daily - breastfeeding (occ. smk)			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=19 /-] [Invalid=61688 /-]	
Value	Label	Cases	Percentage
1	1 CIGARETTE	7	<div></div> 36.8%
2	2 CIGARETTES	6	<div></div> 31.6%

# MXSG06: No. daily - breastfeeding (occ. smk)			
Value	Label	Cases	Percentage
3	3 CIGARETTES	2	<div><div></div></div> 10.5%
4	4 CIGARETTES	1	<div><div></div></div> 5.3%
5	5 CIGARETTES	2	<div><div></div></div> 10.5%
6	6+ CIGARETTES	1	<div><div></div></div> 5.3%
96	NOT APPLICABLE	61602	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	86	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# MXS_07: 2nd-hand smoke - during/after last preg.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=412 /-] [Invalid=61295 /-]		
Value	Label	Cases	Percentage
1	YES	77	<div><div></div></div> 18.7%
2	NO	335	<div><div></div></div> 81.3%
6	NOT APPLICABLE	61209	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	86	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOPMH: Module: PMH - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMH_01: Felt happy -in the past			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=57534 /-] [Invalid=4173 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	22136	<div><div></div></div> 38.5%
2	ALMOST EVERY DAY	25729	<div><div></div></div> 44.7%
3	2 OR 3 TIMES\WK	6641	<div><div></div></div> 11.5%
4	ONCE A WEEK	1412	<div><div></div></div> 2.5%
5	ONCE OR TWICE	1014	<div><div></div></div> 1.8%
6	NEVER	602	<div><div></div></div> 1.0%

# PMH_01: Felt happy -in the past			
Value	Label	Cases	Percentage
96	NOT APPLICABLE	0	
97	DON'T KNOW	1449	
98	REFUSAL	364	
99	NOT STATED	2360	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMH_02: Felt interested in life			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=56901 /-] [Invalid=4806 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	36917	<div></div> 64.9%
2	ALMOST EVERY DAY	14378	<div></div> 25.3%
3	2 OR 3 TIMES\WK	3436	<div></div> 6.0%
4	ONCE A WEEK	910	<div></div> 1.6%
5	ONCE OR TWICE	702	<div></div> 1.2%
6	NEVER	558	<div></div> 1.0%
96	NOT APPLICABLE	0	
97	DON'T KNOW	579	
98	REFUSAL	39	
99	NOT STATED	4188	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMH_03: Felt satisfied with life			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=56938 /-] [Invalid=4769 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	31063	<div></div> 54.6%
2	ALMOST EVERY DAY	18024	<div></div> 31.7%
3	2 OR 3 TIMES\WK	4416	<div></div> 7.8%
4	ONCE A WEEK	1223	<div></div> 2.1%
5	ONCE OR TWICE	1003	<div></div> 1.8%
6	NEVER	1209	<div></div> 2.1%
96	NOT APPLICABLE	0	
97	DON'T KNOW	519	
98	REFUSAL	52	
99	NOT STATED	4198	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMH_04: Felt something imp. contribute society			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=54901 /-] [Invalid=6806 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	18507	<div></div> 33.7%
2	ALMOST EVERY DAY	14559	<div></div> 26.5%

# PMH_04: Felt something imp. contribute society			
Value	Label	Cases	Percentage
3	2 OR 3 TIMES\WK	8459	<div></div> 15.4%
4	ONCE A WEEK	4645	<div></div> 8.5%
5	ONCE OR TWICE	3448	<div></div> 6.3%
6	NEVER	5283	<div></div> 9.6%
96	NOT APPLICABLE	0	
97	DON'T KNOW	2459	
98	REFUSAL	140	
99	NOT STATED	4207	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PMH_05: Felt belonged to a community			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=56215 /-] [Invalid=5492 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	25104	<div></div> 44.7%
2	ALMOST EVERY DAY	11062	<div></div> 19.7%
3	2 OR 3 TIMES\WK	5455	<div></div> 9.7%
4	ONCE A WEEK	3765	<div></div> 6.7%
5	ONCE OR TWICE	3144	<div></div> 5.6%
6	NEVER	7685	<div></div> 13.7%
96	NOT APPLICABLE	0	
97	DON'T KNOW	1197	
98	REFUSAL	76	
99	NOT STATED	4219	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PMH_06: Felt society becoming a better place			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=51795 /-] [Invalid=9912 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	12557	<div></div> 24.2%
2	ALMOST EVERY DAY	12260	<div></div> 23.7%
3	2 OR 3 TIMES\WK	7670	<div></div> 14.8%
4	ONCE A WEEK	4622	<div></div> 8.9%
5	ONCE OR TWICE	4881	<div></div> 9.4%
6	NEVER	9805	<div></div> 18.9%
96	NOT APPLICABLE	0	
97	DON'T KNOW	5419	
98	REFUSAL	254	
99	NOT STATED	4239	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# PMH_07: Felt people are good			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=56035 /-] [Invalid=5672 /-]		

PMH_07: Felt people are good

Value	Label	Cases	Percentage
1	EVERY DAY	22216	39.6%
2	ALMOST EVERY DAY	19825	35.4%
3	2 OR 3 TIMES\WK	7607	13.6%
4	ONCE A WEEK	2807	5.0%
5	ONCE OR TWICE	2176	3.9%
6	NEVER	1404	2.5%
96	NOT APPLICABLE	0	
97	DON'T KNOW	1291	
98	REFUSAL	121	
99	NOT STATED	4260	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_08: Felt way society works makes sense

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=53712 /-] [Invalid=7995 /-]

Value	Label	Cases	Percentage
1	EVERY DAY	12105	22.5%
2	ALMOST EVERY DAY	15010	27.9%
3	2 OR 3 TIMES\WK	9613	17.9%
4	ONCE A WEEK	4773	8.9%
5	ONCE OR TWICE	4799	8.9%
6	NEVER	7412	13.8%
96	NOT APPLICABLE	0	
97	DON'T KNOW	3487	
98	REFUSAL	233	
99	NOT STATED	4275	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PMH_09: Felt liked most part of personality

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=56147 /-] [Invalid=5560 /-]

Value	Label	Cases	Percentage
1	EVERY DAY	30825	54.9%
2	ALMOST EVERY DAY	18413	32.8%
3	2 OR 3 TIMES\WK	4286	7.6%
4	ONCE A WEEK	1207	2.1%
5	ONCE OR TWICE	819	1.5%
6	NEVER	597	1.1%
96	NOT APPLICABLE	0	
97	DON'T KNOW	1147	
98	REFUSAL	125	
99	NOT STATED	4288	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# PMH_10: Felt good at managing responsibilities			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=56897 /-] [Invalid=4810 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	32995	<div><div></div></div> 58.0%
2	ALMOST EVERY DAY	17594	<div><div></div></div> 30.9%
3	2 OR 3 TIMES\WK	4160	<div><div></div></div> 7.3%
4	ONCE A WEEK	1065	<div><div></div></div> 1.9%
5	ONCE OR TWICE	607	<div><div></div></div> 1.1%
6	NEVER	476	<div><div></div></div> 0.8%
96	NOT APPLICABLE	0	
97	DON'T KNOW	424	
98	REFUSAL	86	
99	NOT STATED	4300	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMH_11: Felt had trusting relationships			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=56792 /-] [Invalid=4915 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	37460	<div><div></div></div> 66.0%
2	ALMOST EVERY DAY	13497	<div><div></div></div> 23.8%
3	2 OR 3 TIMES\WK	3338	<div><div></div></div> 5.9%
4	ONCE A WEEK	1072	<div><div></div></div> 1.9%
5	ONCE OR TWICE	727	<div><div></div></div> 1.3%
6	NEVER	698	<div><div></div></div> 1.2%
96	NOT APPLICABLE	0	
97	DON'T KNOW	498	
98	REFUSAL	103	
99	NOT STATED	4314	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMH_12: Felt exp. challenge be better person			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=55266 /-] [Invalid=6441 /-]		
Value	Label	Cases	Percentage
1	EVERY DAY	26078	<div><div></div></div> 47.2%
2	ALMOST EVERY DAY	14691	<div><div></div></div> 26.6%
3	2 OR 3 TIMES\WK	7080	<div><div></div></div> 12.8%
4	ONCE A WEEK	3210	<div><div></div></div> 5.8%
5	ONCE OR TWICE	2162	<div><div></div></div> 3.9%
6	NEVER	2045	<div><div></div></div> 3.7%
96	NOT APPLICABLE	0	
97	DON'T KNOW	1941	
98	REFUSAL	174	

# PMH_12: Felt exp. challenge be better person			
Value	Label	Cases	Percentage
99	NOT STATED	4326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# PMH_13: Felt confident express own opinions			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=56640 /-] [Invalid=5067 /-]	
Value	Label	Cases	Percentage
1	EVERY DAY	32767	<div><div></div></div> 57.9%
2	ALMOST EVERY DAY	14569	<div><div></div></div> 25.7%
3	2 OR 3 TIMES\WK	5567	<div><div></div></div> 9.8%
4	ONCE A WEEK	1896	<div><div></div></div> 3.3%
5	ONCE OR TWICE	1080	<div><div></div></div> 1.9%
6	NEVER	761	<div><div></div></div> 1.3%
96	NOT APPLICABLE	0	
97	DON'T KNOW	617	
98	REFUSAL	112	
99	NOT STATED	4338	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMH_14: Felt life had a sense of direction			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=55777 /-] [Invalid=5930 /-]	
Value	Label	Cases	Percentage
1	EVERY DAY	32254	<div><div></div></div> 57.8%
2	ALMOST EVERY DAY	14054	<div><div></div></div> 25.2%
3	2 OR 3 TIMES\WK	4492	<div><div></div></div> 8.1%
4	ONCE A WEEK	1867	<div><div></div></div> 3.3%
5	ONCE OR TWICE	1442	<div><div></div></div> 2.6%
6	NEVER	1668	<div><div></div></div> 3.0%
96	NOT APPLICABLE	0	
97	DON'T KNOW	1439	
98	REFUSAL	145	
99	NOT STATED	4346	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMHDCLA: Positive Mental Health Classification			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=57534 /-] [Invalid=4173 /-]	
Value	Label	Cases	Percentage
1	FLOURISHING	45416	<div><div></div></div> 78.9%
2	LANGUISHING	867	<div><div></div></div> 1.5%
3	MODERATE M.H.	11251	<div><div></div></div> 19.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	

# PMHDCLA: Positive Mental Health Classification			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	4173	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMHDSCR: Positive Mental Health Continuous Score			
Information		[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]	
Statistics [NW/ W]		[Valid=45986 /-] [Invalid=15721 /-] [Mean=55.657 /-] [StdDev=10.614 /-]	
Value	Label	Cases	Percentage
96	NOT APPLICABLE	0	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	15721	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOIDG: Illicit drugs use - Inclusion Flag - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24849 /-] [Invalid=36858 /-]	
Value	Label	Cases	Percentage
1	YES	24849	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	36858	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDGFLCA: Cannabis drug use/incl.1 time only - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=23468 /-] [Invalid=38239 /-]	
Value	Label	Cases	Percentage
1	YES	8946	<div></div> 38.1%
2	NO	14522	<div></div> 61.9%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1381	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDGFLCM: Cannabis drug use/excl.1 time only - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=23468 /-] [Invalid=38239 /-]	
Value	Label	Cases	Percentage
1	YES	6951	<div></div> 29.6%
2	NO	16517	<div></div> 70.4%
6	NOT APPLICABLE	36858	

# IDGFLCM: Cannabis drug use/excl.1 time only - (F)			
Value	Label	Cases	Percentage
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1381	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# IDGFYCM: Can.drg use/excl.1 time only -12 mo -(F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23459 /-] [Invalid=38248 /-]		
Value	Label	Cases	Percentage
1	YES	2142	<div><div></div>9.1%</div>
2	NO	21317	<div><div></div>90.9%</div>
6	NOT APPLICABLE	36858	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1390	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# IDGFLA: Illicit drg use/incl. 1 time cann. - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23437 /-] [Invalid=38270 /-]		
Value	Label	Cases	Percentage
1	YES	9059	<div><div></div></div> 38.7%
2	NO	14378	<div><div></div></div> 61.3%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1412	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDGFLAC: Illicit drug use/excl.1 time cann. - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23433 /-] [Invalid=38274 /-]		
Value	Label	Cases	Percentage
1	YES	7172	<div><div></div></div> 30.6%
2	NO	16261	<div><div></div></div> 69.4%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1416	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDGFYA: Illicit drg /incl.1 time can.-12 mo -(F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23414 /-] [Invalid=38293 /-]		
Value	Label	Cases	Percentage
1	YES	2321	<div><div></div></div> 9.9%
2	NO	21093	<div><div></div></div> 90.1%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1435	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDGFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=23414 /-] [Invalid=38293 /-]		
Value	Label	Cases	Percentage
1	YES	2203	<div><div></div></div> 9.4%
2	NO	21211	<div><div></div></div> 90.6%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1435	

# IDGFYAC: Illi.drg use/excl.1 time can.-12 mo -(F)			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDGDINT: Illicit drug interference mean - 12 mo			
Information	[Type= continuous] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=1245 /-] [Invalid=60462 /-] [Mean=0.556 /-] [StdDev=1.286 /-]		
Value	Label	Cases	Percentage
99.6	NOT APPLICABLE	58988	
99.7	DON'T KNOW	0	
99.8	REFUSAL	0	
99.9	NOT STATED	1474	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# IDGFINT: Illicit drug interference - 12 mo - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1250 /-] [Invalid=60457 /-]		
Value	Label	Cases	Percentage
1	YES	187	<div><div></div>15.0%</div>
2	NO	1063	<div><div></div>85.0%</div>
6	NOT APPLICABLE	58988	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1469	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSXB: Module: SXB - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=21257 /-] [Invalid=40450 /-]		
Value	Label	Cases	Percentage
1	YES	21257	<div><div></div>100.0%</div>
2	NO	0	
6	NOT APPLICABLE	40450	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_1: Ever had sexual intercourse			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7242 /-] [Invalid=54465 /-]		
Value	Label	Cases	Percentage
1	YES	5984	<div><div></div>82.6%</div>
2	NO	1258	<div><div></div>17.4%</div>
6	NOT APPLICABLE	53918	
7	DON'T KNOW	25	
8	REFUSAL	195	
9	NOT STATED	327	

# SXB_1: Ever had sexual intercourse			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_3: Had sexual intercourse - past 12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=6655 /-] [Invalid=55052 /-]	
Value	Label	Cases	Percentage
1	YES	6022	<div><div></div></div> 90.5%
2	NO	633	<div><div></div></div> 9.5%
6	NOT APPLICABLE	54211	
7	DON'T KNOW	0	
8	REFUSAL	7	
9	NOT STATED	834	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_07: Ever diagnosed with STD			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=6641 /-] [Invalid=55066 /-]	
Value	Label	Cases	Percentage
1	YES	454	<div><div></div></div> 6.8%
2	NO	6187	<div><div></div></div> 93.2%
6	NOT APPLICABLE	54211	
7	DON'T KNOW	5	
8	REFUSAL	3	
9	NOT STATED	847	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_7A: Condom use - last time			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2568 /-] [Invalid=59139 /-]	
Value	Label	Cases	Percentage
1	YES	1465	<div><div></div></div> 57.0%
2	NO	1103	<div><div></div></div> 43.0%
6	NOT APPLICABLE	58281	
7	DON'T KNOW	1	
8	REFUSAL	10	
9	NOT STATED	847	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_09: Important to avoid getting pregnant			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=646 /-] [Invalid=61061 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	530	<div><div></div></div> 82.0%
2	AGREE	83	<div><div></div></div> 12.8%
3	NEITHER NOR	17	<div><div></div></div> 2.6%
4	DISAGREE	9	<div><div></div></div> 1.4%

# SXB_09: Important to avoid getting pregnant			
Value	Label	Cases	Percentage
5	STRONG DISAGREE	7	<div><div></div></div> 1.1%
6	NOT APPLICABLE	60984	
7	DON'T KNOW	0	
8	REFUSAL	1	
9	NOT STATED	76	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_10: Important avoid getting partner pregnant			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=646 /-] [Invalid=61061 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	489	<div><div></div></div> 75.7%
2	AGREE	102	<div><div></div></div> 15.8%
3	NEITHER NOR	17	<div><div></div></div> 2.6%
4	DISAGREE	7	<div><div></div></div> 1.1%
5	STRONG DISAGREE	11	<div><div></div></div> 1.7%
6	NO PARTNER	16	<div><div></div></div> 2.5%
7	PARTNER PREGNANT	4	<div><div></div></div> 0.6%
96	NOT APPLICABLE	60962	
97	DON'T KNOW	2	
98	REFUSAL	1	
99	NOT STATED	96	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_11: Usually use birth control - past 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1299 /-] [Invalid=60408 /-]		
Value	Label	Cases	Percentage
1	YES	1079	<div><div></div></div> 83.1%
2	NO	220	<div><div></div></div> 16.9%
6	NOT APPLICABLE	60222	
7	DON'T KNOW	11	
8	REFUSAL	1	
9	NOT STATED	174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_12A: Usual birth control method - condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1054 /-] [Invalid=60653 /-]		
Value	Label	Cases	Percentage
1	YES	692	<div><div></div></div> 65.7%
2	NO	362	<div><div></div></div> 34.3%
6	NOT APPLICABLE	60442	
7	DON'T KNOW	24	

# SXB_12A: Usual birth control method - condom			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_12B: Usual birth control method - the pill			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1054 /-] [Invalid=60653 /-]		
Value	Label	Cases	Percentage
1	YES	716	<div><div></div></div> 67.9%
2	NO	338	<div><div></div></div> 32.1%
6	NOT APPLICABLE	60442	
7	DON'T KNOW	24	
8	REFUSAL	1	
9	NOT STATED	186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_12C: Usual birth control method - diaphragm			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1054 /-] [Invalid=60653 /-]		
Value	Label	Cases	Percentage
1	YES	15	<div><div></div></div> 1.4%
2	NO	1039	<div><div></div></div> 98.6%
6	NOT APPLICABLE	60442	
7	DON'T KNOW	24	
8	REFUSAL	1	
9	NOT STATED	186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_12D: Usual birth control method - spermicide			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1054 /-] [Invalid=60653 /-]		
Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 0.9%
2	NO	1044	<div><div></div></div> 99.1%
6	NOT APPLICABLE	60442	
7	DON'T KNOW	24	
8	REFUSAL	1	
9	NOT STATED	186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_12F: Usual birth control method - injection			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1054 /-] [Invalid=60653 /-]		
Value	Label	Cases	Percentage
1	YES	21	<div><div></div></div> 2.0%

# SXB_12F: Usual birth control method - injection			
Value	Label	Cases	Percentage
2	NO	1033	<div><div></div></div> 98.0%
6	NOT APPLICABLE	60442	
7	DON'T KNOW	24	
8	REFUSAL	1	
9	NOT STATED	186	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_12E: Usual birth control method - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1054 /-] [Invalid=60653 /-]		
Value	Label	Cases	Percentage
1	YES	61	<div><div></div></div> 5.8%
2	NO	993	<div><div></div></div> 94.2%
6	NOT APPLICABLE	60442	
7	DON'T KNOW	24	
8	REFUSAL	1	
9	NOT STATED	186	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_13A: B.c. method used last time - condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1038 /-] [Invalid=60669 /-]		
Value	Label	Cases	Percentage
1	YES	671	<div><div></div></div> 64.6%
2	NO	367	<div><div></div></div> 35.4%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	211	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_13B: B.c. method used last time - the pill			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1038 /-] [Invalid=60669 /-]		
Value	Label	Cases	Percentage
1	YES	638	<div><div></div></div> 61.5%
2	NO	400	<div><div></div></div> 38.5%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	211	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SXB_13C: B.c. method used last time - diaphragm			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# SXB_13C: B.c. method used last time - diaphragm			
Statistics [NW/ W]		[Valid=1038 /-] [Invalid=60669 /-]	
Value	Label	Cases	Percentage
1	YES	8	0.8%
2	NO	1030	99.2%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	211	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_13D: B.c. method used last time - spermicide			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1038 /-] [Invalid=60669 /-]	
Value	Label	Cases	Percentage
1	YES	8	0.8%
2	NO	1030	99.2%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	211	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_13F: B.c. method used last time - injection			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1038 /-] [Invalid=60669 /-]	
Value	Label	Cases	Percentage
1	YES	18	1.7%
2	NO	1020	98.3%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	211	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SXB_13G: Method used last time - nothing			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1038 /-] [Invalid=60669 /-]	
Value	Label	Cases	Percentage
1	YES	24	2.3%
2	NO	1014	97.7%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	211	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SXB_13E: B.c. method used last time - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1038 /-] [Invalid=60669 /-]		
Value	Label	Cases	Percentage
1	YES	54	<div><div></div></div> 5.2%
2	NO	984	<div><div></div></div> 94.8%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	211	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSPS: Module: SPS - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=20513 /-] [Invalid=41194 /-]		
Value	Label	Cases	Percentage
1	YES	20513	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	41194	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPS_01: Relationships - people/help			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=19390 /-] [Invalid=42317 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	12883	<div><div></div></div> 66.4%
2	AGREE	6121	<div><div></div></div> 31.6%
3	DISAGREE	299	<div><div></div></div> 1.5%
4	STRONG DISAGREE	87	<div><div></div></div> 0.4%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	100	
8	REFUSAL	62	
9	NOT STATED	961	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPS_02: Relationships - social activities			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=19249 /-] [Invalid=42458 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	10215	<div><div></div></div> 53.1%
2	AGREE	8087	<div><div></div></div> 42.0%
3	DISAGREE	743	<div><div></div></div> 3.9%
4	STRONG DISAGREE	204	<div><div></div></div> 1.1%

# SPS_02: Relationships - social activities			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	41194	
7	DON'T KNOW	126	
8	REFUSAL	13	
9	NOT STATED	1125	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# SPS_03: Relationship-emotional security/wellbein			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=19309 /-] [Invalid=42398 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	11506	<div><div></div></div> 59.6%
2	AGREE	7173	<div><div></div></div> 37.1%
3	DISAGREE	510	<div><div></div></div> 2.6%
4	STRONG DISAGREE	120	<div><div></div></div> 0.6%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	69	
8	REFUSAL	7	
9	NOT STATED	1128	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPS_04: Relationships-important decisions			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=19323 /-] [Invalid=42384 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	12124	<div><div></div></div> 62.7%
2	AGREE	6511	<div><div></div></div> 33.7%
3	DISAGREE	555	<div><div></div></div> 2.9%
4	STRONG DISAGREE	133	<div><div></div></div> 0.7%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	52	
8	REFUSAL	7	
9	NOT STATED	1131	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPS_05: Relationships - Competence and skill			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=19117 /-] [Invalid=42590 /-]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	9308	<div><div></div></div> 48.7%
2	AGREE	9039	<div><div></div></div> 47.3%
3	DISAGREE	649	<div><div></div></div> 3.4%
4	STRONG DISAGREE	121	<div><div></div></div> 0.6%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	245	

# SPS_05: Relationships - Competence and skill			
Value	Label	Cases	Percentage
8	REFUSAL	16	
9	NOT STATED	1135	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# SPS_06: Relationships-trustworthy person/advice			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=19303 /-] [Invalid=42404 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	12119	<div><div></div></div> 62.8%
2	AGREE	6675	<div><div></div></div> 34.6%
3	DISAGREE	425	<div><div></div></div> 2.2%
4	STRONG DISAGREE	84	<div><div></div></div> 0.4%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	62	
8	REFUSAL	9	
9	NOT STATED	1139	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPS_07: Relationships-share attitudes/beliefs			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=19203 /-] [Invalid=42504 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	8925	<div><div></div></div> 46.5%
2	AGREE	8745	<div><div></div></div> 45.5%
3	DISAGREE	1293	<div><div></div></div> 6.7%
4	STRONG DISAGREE	240	<div><div></div></div> 1.2%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	157	
8	REFUSAL	13	
9	NOT STATED	1140	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPS_08: Relationships - strong emotional bond			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=19305 /-] [Invalid=42402 /-]	
Value	Label	Cases	Percentage
1	STRONGLY AGREE	12270	<div><div></div></div> 63.6%
2	AGREE	6376	<div><div></div></div> 33.0%
3	DISAGREE	551	<div><div></div></div> 2.9%
4	STRONG DISAGREE	108	<div><div></div></div> 0.6%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	53	
8	REFUSAL	10	
9	NOT STATED	1145	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SPS_09: Relationships-admire talents/abilities			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=18941 -/] [Invalid=42766 -/]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	8752	<div><div></div></div> 46.2%
2	AGREE	9601	<div><div></div></div> 50.7%
3	DISAGREE	514	<div><div></div></div> 2.7%
4	STRONG DISAGREE	74	<div><div></div></div> 0.4%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	408	
8	REFUSAL	19	
9	NOT STATED	1145	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPS_10: Relationships - people/emergency			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=19327 -/] [Invalid=42380 -/]		
Value	Label	Cases	Percentage
1	STRONGLY AGREE	12698	<div><div></div></div> 65.7%
2	AGREE	6380	<div><div></div></div> 33.0%
3	DISAGREE	201	<div><div></div></div> 1.0%
4	STRONG DISAGREE	48	<div><div></div></div> 0.2%
6	NOT APPLICABLE	41194	
7	DON'T KNOW	31	
8	REFUSAL	8	
9	NOT STATED	1147	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPSDCON: Soc.Prov.Scale-			
Information	[Type= continuous] [Format=numeric] [Range= 10-40] [Missing=*]		
Statistics [NW/ W]	[Valid=18466 -/] [Invalid=43241 -/] [Mean=35.449 -/] [StdDev=4.397 -/]		
Value	Label	Cases	Percentage
96	NOT APPLICABLE	41194	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	2047	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPSDATT: Soc.Prov.Scale-Attachment			
Information	[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]		
Statistics [NW/ W]	[Valid=20067 -/] [Invalid=41640 -/]		
Value	Label	Cases	Percentage
2		38	<div><div></div></div> 0.2%
3		40	<div><div></div></div> 0.2%
4		220	<div><div></div></div> 1.1%
5		564	<div><div></div></div> 2.8%

# SPSDATT: Soc.Prov.Scale-Attachment			
Value	Label	Cases	Percentage
6		5090	<div><div></div></div> 25.4%
7		3059	<div><div></div></div> 15.2%
8		10230	<div><div></div></div> 51.0%
9		826	<div><div></div></div> 4.1%
96	NOT APPLICABLE	41194	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	446	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPSDGUI: Soc.Prov.Scale-Guidance			
Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]		
Statistics [NW/ W]	[Valid=19260 /-] [Invalid=42447 /-]		
Value	Label	Cases	Percentage
2		46	<div><div></div></div> 0.2%
3		32	<div><div></div></div> 0.2%
4		265	<div><div></div></div> 1.4%
5		440	<div><div></div></div> 2.3%
6		5247	<div><div></div></div> 27.2%
7		2391	<div><div></div></div> 12.4%
8		10839	<div><div></div></div> 56.3%
96	NOT APPLICABLE	41194	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1253	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPSDALL: Soc.Prov.Scale-Reliable alliance			
Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]		
Statistics [NW/ W]	[Valid=19327 /-] [Invalid=42380 /-]		
Value	Label	Cases	Percentage
2		24	<div><div></div></div> 0.1%
3		29	<div><div></div></div> 0.2%
4		107	<div><div></div></div> 0.6%
5		272	<div><div></div></div> 1.4%
6		4429	<div><div></div></div> 22.9%
7		3468	<div><div></div></div> 17.9%
8		10998	<div><div></div></div> 56.9%
96	NOT APPLICABLE	41194	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SPSDINT: Soc.Prov.Scale-Social integration			
Information		[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]	
Statistics [NW/ W]		[Valid=19090 /-] [Invalid=42617 /-]	
Value	Label	Cases	Percentage
2		61	0.3%
3		97	0.5%
4		421	2.2%
5		1084	5.7%
6		6133	32.1%
7		3920	20.5%
8		7374	38.6%
96	NOT APPLICABLE	41194	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1423	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPSDWOR: Soc.Prov.Scale-Reassurance of worth			
Information		[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]	
Statistics [NW/ W]		[Valid=18771 /-] [Invalid=42936 /-]	
Value	Label	Cases	Percentage
2		36	0.2%
3		34	0.2%
4		263	1.4%
5		577	3.1%
6		7131	38.0%
7		3674	19.6%
8		7056	37.6%
96	NOT APPLICABLE	41194	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1742	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSSA: Module: SSA - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3592 /-] [Invalid=58115 /-]	
Value	Label	Cases	Percentage
1	YES	3592	100.0%
2	NO	0	
6	NOT APPLICABLE	58115	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SSA_01: No. of close friends and relatives				
Information		[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]		[Valid=3101 /-] [Invalid=58606 /-] [Mean=11.306 /-] [StdDev=12.826 /-]		
Value	Label	Cases	Percentage	
996	NOT APPLICABLE	58115		
997	DON'T KNOW	355		
998	REFUSAL	39		
999	NOT STATED	97		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_02: Has someone to give help if confined bed				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=3022 /-] [Invalid=58685 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	143	<div></div>	4.7%
2	LITTLE/TIME	141	<div></div>	4.7%
3	SOME OF THE TIME	405	<div></div>	13.4%
4	MOST OF THE TIME	910	<div></div>	30.1%
5	ALL OF THE TIME	1423	<div></div>	47.1%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	74		
8	REFUSAL	4		
9	NOT STATED	492		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_03: Has someone to listen				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=3011 /-] [Invalid=58696 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	29	<div></div>	1.0%
2	LITTLE/TIME	53	<div></div>	1.8%
3	SOME OF THE TIME	195	<div></div>	6.5%
4	MOST OF THE TIME	757	<div></div>	25.1%
5	ALL OF THE TIME	1977	<div></div>	65.7%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	10		
8	REFUSAL	0		
9	NOT STATED	571		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_04: Has som. to receive advice about crisis				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2999 /-] [Invalid=58708 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	67	<div></div>	2.2%
2	LITTLE/TIME	69	<div></div>	2.3%

SSA_04: Has som. to receive advice about crisis

Value	Label	Cases	Percentage
3	SOME OF THE TIME	252	8.4%
4	MOST OF THE TIME	739	24.6%
5	ALL OF THE TIME	1872	62.4%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	22	
8	REFUSAL	0	
9	NOT STATED	571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SSA_05: Has someone to take to doctor

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3010 /-] [Invalid=58697 /-]

Value	Label	Cases	Percentage
1	NONE OF THE TIME	52	1.7%
2	LITTLE/TIME	41	1.4%
3	SOME OF THE TIME	184	6.1%
4	MOST OF THE TIME	570	18.9%
5	ALL OF THE TIME	2163	71.9%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	11	
8	REFUSAL	0	
9	NOT STATED	571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# SSA_06: Has someone who shows love and affection			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=3007 /-] [Invalid=58700 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	44	<div><div></div></div> 1.5%
2	LITTLE/TIME	45	<div><div></div></div> 1.5%
3	SOME OF THE TIME	150	<div><div></div></div> 5.0%
4	MOST OF THE TIME	483	<div><div></div></div> 16.1%
5	ALL OF THE TIME	2285	<div><div></div></div> 76.0%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	13	
8	REFUSAL	1	
9	NOT STATED	571	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSA_07: Has someone to have a good time with			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=3006 /-] [Invalid=58701 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	46	<div><div></div></div> 1.5%
2	LITTLE/TIME	71	<div><div></div></div> 2.4%
3	SOME OF THE TIME	257	<div><div></div></div> 8.5%
4	MOST OF THE TIME	670	<div><div></div></div> 22.3%
5	ALL OF THE TIME	1962	<div><div></div></div> 65.3%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	14	
8	REFUSAL	1	
9	NOT STATED	571	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSA_08: Has some. to receive info/help situation			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=2994 /-] [Invalid=58713 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	38	<div><div></div></div> 1.3%
2	LITTLE/TIME	59	<div><div></div></div> 2.0%
3	SOME OF THE TIME	298	<div><div></div></div> 10.0%
4	MOST OF THE TIME	863	<div><div></div></div> 28.8%
5	ALL OF THE TIME	1736	<div><div></div></div> 58.0%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	26	
8	REFUSAL	1	
9	NOT STATED	571	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SSA_09: Has someone to confide in			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=3006 /-] [Invalid=58701 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	48	<div><div></div></div> 1.6%
2	LITTLE/TIME	63	<div><div></div></div> 2.1%
3	SOME OF THE TIME	249	<div><div></div></div> 8.3%
4	MOST OF THE TIME	684	<div><div></div></div> 22.8%
5	ALL OF THE TIME	1962	<div><div></div></div> 65.3%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	12	
8	REFUSAL	3	
9	NOT STATED	571	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSA_10: Has someone who gives hugs			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=3005 /-] [Invalid=58702 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	120	<div><div></div></div> 4.0%
2	LITTLE/TIME	98	<div><div></div></div> 3.3%
3	SOME OF THE TIME	290	<div><div></div></div> 9.7%
4	MOST OF THE TIME	525	<div><div></div></div> 17.5%
5	ALL OF THE TIME	1972	<div><div></div></div> 65.6%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	14	
8	REFUSAL	2	
9	NOT STATED	571	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSA_11: Has someone to get together w/for relax.			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=3002 /-] [Invalid=58705 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	70	<div><div></div></div> 2.3%
2	LITTLE/TIME	80	<div><div></div></div> 2.7%
3	SOME OF THE TIME	357	<div><div></div></div> 11.9%
4	MOST OF THE TIME	769	<div><div></div></div> 25.6%
5	ALL OF THE TIME	1726	<div><div></div></div> 57.5%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	17	
8	REFUSAL	2	
9	NOT STATED	571	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SSA_12: Has someone to prepare meals				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2982 /-] [Invalid=58725 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	137	<div><div></div></div>	4.6%
2	LITTLE/TIME	105	<div><div></div></div>	3.5%
3	SOME OF THE TIME	393	<div><div></div></div>	13.2%
4	MOST OF THE TIME	642	<div><div></div></div>	21.5%
5	ALL OF THE TIME	1705	<div><div></div></div>	57.2%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	36		
8	REFUSAL	2		
9	NOT STATED	572		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_13: Has someone to give advice				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2980 /-] [Invalid=58727 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	82	<div><div></div></div>	2.8%
2	LITTLE/TIME	94	<div><div></div></div>	3.2%
3	SOME OF THE TIME	392	<div><div></div></div>	13.2%
4	MOST OF THE TIME	751	<div><div></div></div>	25.2%
5	ALL OF THE TIME	1661	<div><div></div></div>	55.7%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	37		
8	REFUSAL	3		
9	NOT STATED	572		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_14: Has someone to do things to get mind off				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2992 /-] [Invalid=58715 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	77	<div><div></div></div>	2.6%
2	LITTLE/TIME	82	<div><div></div></div>	2.7%
3	SOME OF THE TIME	418	<div><div></div></div>	14.0%
4	MOST OF THE TIME	815	<div><div></div></div>	27.2%
5	ALL OF THE TIME	1600	<div><div></div></div>	53.5%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	27		
8	REFUSAL	1		
9	NOT STATED	572		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# SSA_15: Has someone to help with daily chores				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2993 /-] [Invalid=58714 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	122	<div><div></div></div>	4.1%
2	LITTLE/TIME	119	<div><div></div></div>	4.0%
3	SOME OF THE TIME	402	<div><div></div></div>	13.4%
4	MOST OF THE TIME	722	<div><div></div></div>	24.1%
5	ALL OF THE TIME	1628	<div><div></div></div>	54.4%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	25		
8	REFUSAL	2		
9	NOT STATED	572		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_16: Has someone to share most priv. worries				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2991 /-] [Invalid=58716 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	97	<div><div></div></div>	3.2%
2	LITTLE/TIME	95	<div><div></div></div>	3.2%
3	SOME OF THE TIME	345	<div><div></div></div>	11.5%
4	MOST OF THE TIME	647	<div><div></div></div>	21.6%
5	ALL OF THE TIME	1807	<div><div></div></div>	60.4%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	24		
8	REFUSAL	4		
9	NOT STATED	573		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# SSA_17: Has someone to turn to for suggestions				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=2999 /-] [Invalid=58708 /-]		
Value	Label	Cases	Percentage	
1	NONE OF THE TIME	64	<div><div></div></div>	2.1%
2	LITTLE/TIME	76	<div><div></div></div>	2.5%
3	SOME OF THE TIME	330	<div><div></div></div>	11.0%
4	MOST OF THE TIME	714	<div><div></div></div>	23.8%
5	ALL OF THE TIME	1815	<div><div></div></div>	60.5%
6	NOT APPLICABLE	58115		
7	DON'T KNOW	17		
8	REFUSAL	3		
9	NOT STATED	573		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				

# SSA_18: Has someone to do something enjoyable			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=3002 /-] [Invalid=58705 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	35	<div><div></div></div> 1.2%
2	LITTLE/TIME	75	<div><div></div></div> 2.5%
3	SOME OF THE TIME	313	<div><div></div></div> 10.4%
4	MOST OF THE TIME	760	<div><div></div></div> 25.3%
5	ALL OF THE TIME	1819	<div><div></div></div> 60.6%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	14	
8	REFUSAL	3	
9	NOT STATED	573	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSA_19: Has someone who understands problems			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=2986 /-] [Invalid=58721 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	63	<div><div></div></div> 2.1%
2	LITTLE/TIME	71	<div><div></div></div> 2.4%
3	SOME OF THE TIME	379	<div><div></div></div> 12.7%
4	MOST OF THE TIME	840	<div><div></div></div> 28.1%
5	ALL OF THE TIME	1633	<div><div></div></div> 54.7%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	29	
8	REFUSAL	3	
9	NOT STATED	574	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSA_20: Has someone who loves/makes feel wanted			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=2989 /-] [Invalid=58718 /-]	
Value	Label	Cases	Percentage
1	NONE OF THE TIME	52	<div><div></div></div> 1.7%
2	LITTLE/TIME	64	<div><div></div></div> 2.1%
3	SOME OF THE TIME	202	<div><div></div></div> 6.8%
4	MOST OF THE TIME	576	<div><div></div></div> 19.3%
5	ALL OF THE TIME	2095	<div><div></div></div> 70.1%
6	NOT APPLICABLE	58115	
7	DON'T KNOW	26	
8	REFUSAL	3	
9	NOT STATED	574	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SSADTNG: Tangible social support - MOS - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]	
Statistics [NW/ W]		[Valid=2959 /-] [Invalid=58748 /-]	
Value	Label	Cases	Percentage
0		27	<div><div></div></div> 0.9%
1		7	<div><div></div></div> 0.2%
2		22	<div><div></div></div> 0.7%
3		12	<div><div></div></div> 0.4%
4		26	<div><div></div></div> 0.9%
5		25	<div><div></div></div> 0.8%
6		35	<div><div></div></div> 1.2%
7		48	<div><div></div></div> 1.6%
8		85	<div><div></div></div> 2.9%
9		90	<div><div></div></div> 3.0%
10		139	<div><div></div></div> 4.7%
11		155	<div><div></div></div> 5.2%
12		329	<div><div></div></div> 11.1%
13		256	<div><div></div></div> 8.7%
14		323	<div><div></div></div> 10.9%
15		363	<div><div></div></div> 12.3%
16		1017	<div><div></div></div> 34.4%
96	NOT APPLICABLE	58115	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	633	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSADAFF: Affection - MOS subscale - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
Statistics [NW/ W]		[Valid=2972 /-] [Invalid=58735 /-]	
Value	Label	Cases	Percentage
0		23	<div><div></div></div> 0.8%
1		11	<div><div></div></div> 0.4%
2		15	<div><div></div></div> 0.5%
3		26	<div><div></div></div> 0.9%
4		30	<div><div></div></div> 1.0%
5		34	<div><div></div></div> 1.1%
6		89	<div><div></div></div> 3.0%
7		58	<div><div></div></div> 2.0%
8		121	<div><div></div></div> 4.1%
9		285	<div><div></div></div> 9.6%
10		258	<div><div></div></div> 8.7%
11		290	<div><div></div></div> 9.8%
12		1732	<div><div></div></div> 58.3%
96	NOT APPLICABLE	58115	

# SSADAFF: Affection - MOS subscale - (D)			
Value	Label	Cases	Percentage
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	620	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SSADSOC: Positive social interaction - MOS - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]	
Statistics [NW/ W]		[Valid=2963 /-] [Invalid=58744 /-]	
Value	Label	Cases	Percentage
0		10	<div></div> 0.3%
1		8	<div></div> 0.3%
2		9	<div></div> 0.3%
3		16	<div></div> 0.5%
4		30	<div></div> 1.0%
5		18	<div></div> 0.6%
6		25	<div></div> 0.8%
7		32	<div></div> 1.1%
8		116	<div></div> 3.9%
9		79	<div></div> 2.7%
10		95	<div></div> 3.2%
11		137	<div></div> 4.6%
12		393	<div></div> 13.3%
13		188	<div></div> 6.3%
14		249	<div></div> 8.4%
15		246	<div></div> 8.3%
16		1312	<div></div> 44.3%
96	NOT APPLICABLE	58115	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	629	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SSADEMO: Emot./info. support - MOS subscale - (D)			
Information		[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]	
Statistics [NW/ W]		[Valid=2901 /-] [Invalid=58806 /-] [Mean=27.226 /-] [StdDev=5.89 /-]	
Value	Label	Cases	Percentage
96	NOT APPLICABLE	58115	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	691	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOSPR: Opt. module flag: SPV - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5943 /-] [Invalid=55764 /-]	

# DOSPR: Opt. module flag: SPV - (F)			
Value	Label	Cases	Percentage
1	YES	5943	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	55764	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPV_1: Spirit. values-playing imp. role in life			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5649 /-] [Invalid=56058 /-]		
Value	Label	Cases	Percentage
1	YES	3834	<div><div></div></div> 67.9%
2	NO	1815	<div><div></div></div> 32.1%
6	NOT APPLICABLE	55764	
7	DON'T KNOW	90	
8	REFUSAL	22	
9	NOT STATED	182	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPV_2: Spirit. values-help find meaning to life			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3802 /-] [Invalid=57905 /-]		
Value	Label	Cases	Percentage
1	A LOT	2156	<div><div></div></div> 56.7%
2	SOME	1259	<div><div></div></div> 33.1%
3	A LITTLE	361	<div><div></div></div> 9.5%
4	NOT AT ALL	26	<div><div></div></div> 0.7%
6	NOT APPLICABLE	57579	
7	DON'T KNOW	28	
8	REFUSAL	3	
9	NOT STATED	295	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPV_3: Spirit. values-strength everyday diff.			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3776 /-] [Invalid=57931 /-]		
Value	Label	Cases	Percentage
1	A LOT	2123	<div><div></div></div> 56.2%
2	SOME	1227	<div><div></div></div> 32.5%
3	A LITTLE	341	<div><div></div></div> 9.0%
4	NOT AT ALL	85	<div><div></div></div> 2.3%
6	NOT APPLICABLE	57579	
7	DON'T KNOW	55	

# SPV_3: Spirit. values-strength everyday diff.			
Value	Label	Cases	Percentage
8	REFUSAL	2	
9	NOT STATED	295	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPV_4: Spirit. values-understanding diff. life			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3747 /-] [Invalid=57960 /-]		
Value	Label	Cases	Percentage
1	A LOT	1991	<div><div></div></div> 53.1%
2	SOME	1261	<div><div></div></div> 33.7%
3	A LITTLE	398	<div><div></div></div> 10.6%
4	NOT AT ALL	97	<div><div></div></div> 2.6%
6	NOT APPLICABLE	57579	
7	DON'T KNOW	77	
8	REFUSAL	8	
9	NOT STATED	296	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPVGRL: Religion - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=5465 /-] [Invalid=56242 /-]		
Value	Label	Cases	Percentage
1	CHRISTIAN	4625	<div><div></div></div> 84.6%
2	OTHER RELIGIONS	216	<div><div></div></div> 4.0%
3	NO REL. AFFILIA.	624	<div><div></div></div> 11.4%
6	NOT APPLICABLE	55764	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	478	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPV_6: Freq. - attends religious serv./meetings			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=5450 /-] [Invalid=56257 /-]		
Value	Label	Cases	Percentage
1	ONCE/WEEK OR +	1396	<div><div></div></div> 25.6%
2	ONCE/MONTH	613	<div><div></div></div> 11.2%
3	3 TO 4 TIMES/YR	644	<div><div></div></div> 11.8%
4	ONCE/YEAR	735	<div><div></div></div> 13.5%
5	NOT AT ALL	2062	<div><div></div></div> 37.8%
6	NOT APPLICABLE	55764	
7	DON'T KNOW	8	
8	REFUSAL	7	
9	NOT STATED	478	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# SPV_6B: Freq. engages religious act. On own			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=5416 /-] [Invalid=56291 /-]		
Value	Label	Cases	Percentage
1	ONCE A DAY	1866	<div><div></div></div> 34.5%
2	ONCE A WEEK	953	<div><div></div></div> 17.6%
3	ONCE A MONTH	424	<div><div></div></div> 7.8%
4	ONCE A YEAR	232	<div><div></div></div> 4.3%
5	ONCE /TWICE A YR	308	<div><div></div></div> 5.7%
6	NOT AT ALL	1633	<div><div></div></div> 30.2%
96	NOT APPLICABLE	55764	
97	REFUSAL	37	
98	REFUSAL	11	
99	NOT STATED	479	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SPV_7: Self-perception - being religious			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=5323 /-] [Invalid=56384 /-]		
Value	Label	Cases	Percentage
1	VERY RELIGIOUS	491	<div><div></div></div> 9.2%
2	RELIGIOUS	2265	<div><div></div></div> 42.6%
3	NOT VERY RELIG.	1535	<div><div></div></div> 28.8%
4	NOT RELIG AT ALL	1032	<div><div></div></div> 19.4%
6	NOT APPLICABLE	55764	<div><div></div></div>
7	DON'T KNOW	127	
8	REFUSAL	14	
9	NOT STATED	479	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOCMH: Module: CMH - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div></div> 100.0%
2	NO	0	<div><div></div></div>
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CMH_01K: Consulted mental health professional			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=58784 /-] [Invalid=2923 /-]		

# CMH_01K: Consulted mental health professional			
Value	Label	Cases	Percentage
1	YES	7646	<div><div></div></div> 13.0%
2	NO	51138	<div><div></div></div> 87.0%
6	NOT APPLICABLE	0	
7	DON'T KNOW	58	
8	REFUSAL	79	
9	NOT STATED	2786	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CMHG01L: Cons. mental hlth prof. - no. times -(G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=7555 /-] [Invalid=54152 /-]		
Value	Label	Cases	Percentage
1	1 CONSULTATION	2082	<div><div></div></div> 27.6%
2	2 CONSULTATIONS	1395	<div><div></div></div> 18.5%
3	3 CONSULTATIONS	766	<div><div></div></div> 10.1%
4	4 CONSULTATIONS	701	<div><div></div></div> 9.3%
5	5 CONSULTATIONS	360	<div><div></div></div> 4.8%
6	6 CONSULTATIONS	457	<div><div></div></div> 6.0%
7	7 CONSULTATIONS	97	<div><div></div></div> 1.3%
8	8 CONSULTATIONS	186	<div><div></div></div> 2.5%
9	9 CONSULTATIONS	33	<div><div></div></div> 0.4%
10	10 CONSULTATIONS	222	<div><div></div></div> 2.9%
11	11 CONSULTATIONS	13	<div><div></div></div> 0.2%
12	12+ CONSULTATION	1243	<div><div></div></div> 16.5%
96	NOT APPLICABLE	51138	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	3014	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CMH_1MA: Consulted mental hlth prof. - fam. doc.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7619 /-] [Invalid=54088 /-]		
Value	Label	Cases	Percentage
1	YES	4198	<div><div></div></div> 55.1%
2	NO	3421	<div><div></div></div> 44.9%
6	NOT APPLICABLE	51138	
7	DON'T KNOW	19	
8	REFUSAL	4	
9	NOT STATED	2927	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CMH_1MB: Consulted men. hlth prof. - psychiatrist			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7619 /-] [Invalid=54088 /-]		

# CMH_1MB: Consulted men. hlth prof. - psychiatrist			
Value	Label	Cases	Percentage
1	YES	1433	<div><div></div></div> 18.8%
2	NO	6186	<div><div></div></div> 81.2%
6	NOT APPLICABLE	51138	
7	DON'T KNOW	19	
8	REFUSAL	4	
9	NOT STATED	2927	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CMH_1MC: Consulted men. hlth prof. - psychologist			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7619 /-] [Invalid=54088 /-]		
Value	Label	Cases	Percentage
1	YES	1366	<div><div></div></div> 17.9%
2	NO	6253	<div><div></div></div> 82.1%
6	NOT APPLICABLE	51138	
7	DON'T KNOW	19	
8	REFUSAL	4	
9	NOT STATED	2927	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CMH_1MD: Consulted mental hlth prof. - nurse			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7619 /-] [Invalid=54088 /-]		
Value	Label	Cases	Percentage
1	YES	461	<div><div></div></div> 6.1%
2	NO	7158	<div><div></div></div> 93.9%
6	NOT APPLICABLE	51138	
7	DON'T KNOW	19	
8	REFUSAL	4	
9	NOT STATED	2927	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# CMH_1ME: Consulted men. hlth prof.- social worker			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7619 /-] [Invalid=54088 /-]		
Value	Label	Cases	Percentage
1	YES	1735	<div><div></div></div> 22.8%
2	NO	5884	<div><div></div></div> 77.2%
6	NOT APPLICABLE	51138	
7	DON'T KNOW	19	
8	REFUSAL	4	
9	NOT STATED	2927	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# CMH_1MF: Consulted mental hlth prof. - other				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=7619 /-] [Invalid=54088 /-]		
Value	Label	Cases	Percentage	
1	YES	498	<div><div></div></div>	6.5%
2	NO	7121	<div><div></div></div>	93.5%
6	NOT APPLICABLE	51138		
7	DON'T KNOW	19		
8	REFUSAL	4		
9	NOT STATED	2927		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DODIS: Module: DIS - (F)				
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]		[Valid=24849 /-] [Invalid=36858 /-]		
Value	Label	Cases	Percentage	
1	YES	24849	<div><div></div></div>	100.0%
2	NO	0		
6	NOT APPLICABLE	36858		
7	DON'T KNOW	0		
8	REFUSAL	0		
9	NOT STATED	0		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10A: Frequency/distress:tired out-past month				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=23301 /-] [Invalid=38406 /-]		
Value	Label	Cases	Percentage	
1	ALL OF THE TIME	776	<div><div></div></div>	3.3%
2	MOST OF THE TIME	1379	<div><div></div></div>	5.9%
3	SOME OF THE TIME	5207	<div><div></div></div>	22.3%
4	LITTLE OF TIME	6650	<div><div></div></div>	28.5%
5	NONE OF THE TIME	9289	<div><div></div></div>	39.9%
6	NOT APPLICABLE	36858		
7	DON'T KNOW	176		
8	REFUSAL	103		
9	NOT STATED	1269		
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.				
# DIS_10B: Freq./distress: felt nervous - past mo				
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]		[Valid=23222 /-] [Invalid=38485 /-]		
Value	Label	Cases	Percentage	
1	ALL OF THE TIME	309	<div><div></div></div>	1.3%
2	MOST OF THE TIME	700	<div><div></div></div>	3.0%
3	SOME OF THE TIME	3539	<div><div></div></div>	15.2%

# DIS_10B: Freq./distress: felt nervous - past mo			
Value	Label	Cases	Percentage
4	LITTLE OF THE TIME	5939	<div></div> 25.6%
5	NONE OF THE TIME	12735	<div></div> 54.8%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	68	
8	REFUSAL	10	
9	NOT STATED	1549	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10C: Freq./distress:so nervous - past month			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23186 /-] [Invalid=38521 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	59	<div></div> 0.3%
2	MOST OF THE TIME	146	<div></div> 0.6%
3	SOME OF THE TIME	544	<div></div> 2.3%
4	LITTLE OF THE TIME	892	<div></div> 3.8%
5	NONE OF THE TIME	21545	<div></div> 92.9%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	33	
8	REFUSAL	3	
9	NOT STATED	1627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10D: Freq./distress: felt hopeless - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23218 /-] [Invalid=38489 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	137	<div></div> 0.6%
2	MOST OF THE TIME	310	<div></div> 1.3%
3	SOME OF THE TIME	1158	<div></div> 5.0%
4	LITTLE OF THE TIME	1695	<div></div> 7.3%
5	NONE OF THE TIME	19918	<div></div> 85.8%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	64	
8	REFUSAL	17	
9	NOT STATED	1550	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10E: Freq./distress: felt restless - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23193 /-] [Invalid=38514 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	519	<div></div> 2.2%
2	MOST OF THE TIME	772	<div></div> 3.3%

# DIS_10E: Freq./distress: felt restless - past mo			
Value	Label	Cases	Percentage
3	SOME OF THE TIME	3719	<div><div></div></div> 16.0%
4	LITTLE OF TIME	4560	<div><div></div></div> 19.7%
5	NONE OF THE TIME	13623	<div><div></div></div> 58.7%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	94	
8	REFUSAL	10	
9	NOT STATED	1552	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DIS_10F: Frequency/distress:could not sit still			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23151 /-] [Invalid=38556 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	257	<div><div></div></div> 1.1%
2	MOST OF THE TIME	342	<div><div></div></div> 1.5%
3	SOME OF THE TIME	1258	<div><div></div></div> 5.4%
4	LITTLE OF TIME	1496	<div><div></div></div> 6.5%
5	NONE OF THE TIME	19798	<div><div></div></div> 85.5%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	40	
8	REFUSAL	2	
9	NOT STATED	1656	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DIS_10G: Freq./distress: sad,depressed - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23212 /-] [Invalid=38495 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	275	<div><div></div></div> 1.2%
2	MOST OF THE TIME	655	<div><div></div></div> 2.8%
3	SOME OF THE TIME	3012	<div><div></div></div> 13.0%
4	LITTLE OF TIME	4859	<div><div></div></div> 20.9%
5	NONE OF THE TIME	14411	<div><div></div></div> 62.1%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	59	
8	REFUSAL	24	
9	NOT STATED	1554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DIS_10H: Freq./d.:dep,nothing cheer up - past mo.			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23176 /-] [Invalid=38531 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	104	<div><div></div></div> 0.4%

# DIS_10H: Freq./d.:dep,nothing cheer up - past mo.			
Value	Label	Cases	Percentage
2	MOST OF THE TIME	253	<div><div></div></div> 1.1%
3	SOME OF THE TIME	744	<div><div></div></div> 3.2%
4	LITTLE OF TIME	900	<div><div></div></div> 3.9%
5	NONE OF THE TIME	21175	<div><div></div></div> 91.4%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	34	
8	REFUSAL	2	
9	NOT STATED	1637	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10I: Freq./distr: every. was effort - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23127 /-] [Invalid=38580 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	634	<div><div></div></div> 2.7%
2	MOST OF THE TIME	896	<div><div></div></div> 3.9%
3	SOME OF THE TIME	2631	<div><div></div></div> 11.4%
4	LITTLE OF TIME	2847	<div><div></div></div> 12.3%
5	NONE OF THE TIME	16119	<div><div></div></div> 69.7%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	148	
8	REFUSAL	19	
9	NOT STATED	1555	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10J: Freq./distr.: felt worthless - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=23197 /-] [Invalid=38510 /-]		
Value	Label	Cases	Percentage
1	ALL OF THE TIME	136	<div><div></div></div> 0.6%
2	MOST OF THE TIME	283	<div><div></div></div> 1.2%
3	SOME OF THE TIME	928	<div><div></div></div> 4.0%
4	LITTLE OF TIME	1093	<div><div></div></div> 4.7%
5	NONE OF THE TIME	20757	<div><div></div></div> 89.5%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	75	
8	REFUSAL	22	
9	NOT STATED	1555	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10K: Freq. of distress feelings - past mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=23058 /-] [Invalid=38649 /-]		
Value	Label	Cases	Percentage

# DIS_10K: Freq. of distress feelings - past mo			
Value	Label	Cases	Percentage
1	MORE OFTEN	2685	<div><div></div></div> 11.6%
2	LESS OFTEN	2178	<div><div></div></div> 9.4%
3	ABOUT THE SAME	13737	<div><div></div></div> 59.6%
4	NEVER HAD ANY	4458	<div><div></div></div> 19.3%
6	NOT APPLICABLE	36858	
7	DON'T KNOW	196	
8	REFUSAL	26	
9	NOT STATED	1569	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10L: Freq. of distress feelings (more often)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=2667 /-] [Invalid=59040 /-]	
Value	Label	Cases	Percentage
1	A LOT	948	<div><div></div></div> 35.5%
2	SOMEWHAT	837	<div><div></div></div> 31.4%
3	A LITTLE	882	<div><div></div></div> 33.1%
6	NOT APPLICABLE	57231	<div><div></div></div>
7	DON'T KNOW	17	
8	REFUSAL	1	
9	NOT STATED	1791	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# DIS_10M: Freq. of distress feelings (less often)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2140 /-] [Invalid=59567 /-]		
Value	Label	Cases	Percentage
1	A LOT	826	<div><div></div></div> 38.6%
2	SOMEWHAT	589	<div><div></div></div> 27.5%
3	A LITTLE	725	<div><div></div></div> 33.9%
6	NOT APPLICABLE	57738	
7	DON'T KNOW	35	
8	REFUSAL	3	
9	NOT STATED	1791	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DIS_10N: Freq./distr. feelings int. w/life-p.m.			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=18532 /-] [Invalid=43175 /-]		
Value	Label	Cases	Percentage
1	A LOT	950	<div><div></div></div> 5.1%
2	SOME	1887	<div><div></div></div> 10.2%
3	A LITTLE	4467	<div><div></div></div> 24.1%
4	NOT AT ALL	11228	<div><div></div></div> 60.6%
6	NOT APPLICABLE	41316	
7	DON'T KNOW	52	
8	REFUSAL	12	
9	NOT STATED	1795	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DISDK6: Distress scale - K6 - past month - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=22842 /-] [Invalid=38865 /-] [Mean=2.545 /-] [StdDev=3.32 /-]		
Value	Label	Cases	Percentage
96	NOT APPLICABLE	36858	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	2007	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DISDCHR: Chronicity of distress/impair. scale (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=23002 /-] [Invalid=38705 /-]		
Value	Label	Cases	Percentage
1	A LOT MORE	948	<div><div></div></div> 4.1%
2	SOMEWHAT MORE	837	<div><div></div></div> 3.6%
3	LITTLE MORE	882	<div><div></div></div> 3.8%
4	ABOUT THE SAME	13737	<div><div></div></div> 59.7%
5	LITTLE LESS	725	<div><div></div></div> 3.2%

# DISDCHR: Chronicity of distress/impair. scale (D)			
Value	Label	Cases	Percentage
6	SOMEWHAT LESS	589	<div><div></div></div> 2.6%
7	A LOT LESS	826	<div><div></div></div> 3.6%
8	NEVER HAD ANY	4458	<div><div></div></div> 19.4%
96	NOT APPLICABLE	36858	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	1847	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DISDDSX: Distress scale - K10 - past month - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
Statistics [NW/ W]	[Valid=22788 /-] [Invalid=38919 /-] [Mean=4.54 /-] [StdDev=5.264 /-]		
Value	Label	Cases	Percentage
96	NOT APPLICABLE	36858	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	2061	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DODEP: Module: DPS - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=16451 /-] [Invalid=45256 /-]		
Value	Label	Cases	Percentage
1	YES	16451	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	45256	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_02: Depressed >= 2 weeks - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15840 /-] [Invalid=45867 /-]		
Value	Label	Cases	Percentage
1	YES	2142	<div><div></div></div> 13.5%
2	NO	13698	<div><div></div></div> 86.5%
6	NOT APPLICABLE	45256	
7	DON'T KNOW	41	
8	REFUSAL	35	
9	NOT STATED	535	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_03: Dep. -length/time feelings lasted - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		

# DPS_03: Dep. -length/time feelings lasted - 2 wk			
Statistics [NW/ W]		[Valid=2110 /-] [Invalid=59597 /-]	
Value	Label	Cases	Percentage
1	ALL DAY LONG	544	<div><div></div></div> 25.8%
2	MOST OF THE DAY	752	<div><div></div></div> 35.6%
3	ABOUT HALF/DAY	422	<div><div></div></div> 20.0%
4	LESS HALF/DAY	392	<div><div></div></div> 18.6%
6	NOT APPLICABLE	58954	
7	DON'T KNOW	28	
8	REFUSAL	4	
9	NOT STATED	611	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_04: Depressed - frequence - 2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=1290 /-] [Invalid=60417 /-]	
Value	Label	Cases	Percentage
1	EVERY DAY	637	<div><div></div></div> 49.4%
2	ALMOST EVERY DAY	568	<div><div></div></div> 44.0%
3	LESS OFTEN	85	<div><div></div></div> 6.6%
6	NOT APPLICABLE	59768	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	643	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_05: Dep.-lost interest in most things - 2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1199 /-] [Invalid=60508 /-]	
Value	Label	Cases	Percentage
1	YES	982	<div><div></div></div> 81.9%
2	NO	217	<div><div></div></div> 18.1%
6	NOT APPLICABLE	59853	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	649	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_06: Dep. - felt tired all of the time - 2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1195 /-] [Invalid=60512 /-]	
Value	Label	Cases	Percentage
1	YES	1053	<div><div></div></div> 88.1%
2	NO	142	<div><div></div></div> 11.9%
6	NOT APPLICABLE	59853	
7	DON'T KNOW	4	

# DPS_06: Dep. - felt tired all of the time - 2 wk			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	655	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_07: Depressed - weight change - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1178 /-] [Invalid=60529 /-]		
Value	Label	Cases	Percentage
1	GAINED WEIGHT	247	<div><div></div></div> 21.0%
2	LOST WEIGHT	302	<div><div></div></div> 25.6%
3	STAYED SAME	628	<div><div></div></div> 53.3%
4	WAS ON A DIET	1	0.1%
6	NOT APPLICABLE	59853	
7	DON'T KNOW	16	
8	REFUSAL	1	
9	NOT STATED	659	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_08A: Depressed -weight change (amount) - 2 wk			
Information	[Type= continuous] [Format=numeric] [Range= 1-85] [Missing=*]		
Statistics [NW/ W]	[Valid=508 /-] [Invalid=61199 /-] [Mean=13.831 /-] [StdDev=11.641 /-]		
Value	Label	Cases	Percentage
996	NOT APPLICABLE	60482	
997	DON'T KNOW	40	
998	REFUSAL	1	
999	NOT STATED	676	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_08B: Depressed - weight change (lb/kg) - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=508 /-] [Invalid=61199 /-]		
Value	Label	Cases	Percentage
1	POUNDS	503	<div><div></div></div> 99.0%
2	KILOGRAMS	5	1.0%
6	NOT APPLICABLE	60482	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	717	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_09: Depressed - trouble fall asleep - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1169 /-] [Invalid=60538 /-]		
Value	Label	Cases	Percentage
1	YES	826	<div><div></div></div> 70.7%

# DPS_09: Depressed - trouble fall asleep - 2 wk			
Value	Label	Cases	Percentage
2	NO	343	<div></div> 29.3%
6	NOT APPLICABLE	59853	
7	DON'T KNOW	8	
8	REFUSAL	1	
9	NOT STATED	676	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_10: Depr. - fall asleep (freq.) - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=821 /-] [Invalid=60886 /-]		
Value	Label	Cases	Percentage
1	EVERY NIGHT	353	<div></div> 43.0%
2	NEARLY EVERY	397	<div></div> 48.4%
3	LESS OFTEN	71	<div></div> 8.6%
6	NOT APPLICABLE	60196	
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	685	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_11: Depressed - trouble concentrating - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1151 /-] [Invalid=60556 /-]		
Value	Label	Cases	Percentage
1	YES	973	<div></div> 84.5%
2	NO	178	<div></div> 15.5%
6	NOT APPLICABLE	59853	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	690	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_12: Depressed - felt down on self - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1148 /-] [Invalid=60559 /-]		
Value	Label	Cases	Percentage
1	YES	777	<div></div> 67.7%
2	NO	371	<div></div> 32.3%
6	NOT APPLICABLE	59853	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	703	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# DPS_13: Depr.- thought a lot about death - 2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1141 /-] [Invalid=60566 /-]	
Value	Label	Cases	Percentage
1	YES	693	<div><div></div></div> 60.7%
2	NO	448	<div><div></div></div> 39.3%
6	NOT APPLICABLE	59853	
7	DON'T KNOW	4	
8	REFUSAL	3	
9	NOT STATED	706	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_14: Depressed - number of weeks - 12 mo			
Information		[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]	
Statistics [NW/ W]		[Valid=1064 /-] [Invalid=60643 /-] [Mean=13.281 /-] [StdDev=13.806 /-]	
Value	Label	Cases	Percentage
96	NOT APPLICABLE	59857	
97	DON'T KNOW	72	
98	REFUSAL	1	
99	NOT STATED	713	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_15: Depressed - most recent month - 2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=968 /-] [Invalid=60739 /-]	
Value	Label	Cases	Percentage
1	JANUARY	122	<div><div></div></div> 12.6%
2	FEBRUARY	82	<div><div></div></div> 8.5%
3	MARCH	97	<div><div></div></div> 10.0%
4	APRIL	71	<div><div></div></div> 7.3%
5	MAY	63	<div><div></div></div> 6.5%
6	JUNE	67	<div><div></div></div> 6.9%
7	JULY	76	<div><div></div></div> 7.9%
8	AUGUST	57	<div><div></div></div> 5.9%
9	SEPTEMBER	73	<div><div></div></div> 7.5%
10	OCTOBER	75	<div><div></div></div> 7.7%
11	NOVEMBER	90	<div><div></div></div> 9.3%
12	DECEMBER	95	<div><div></div></div> 9.8%
96	NOT APPLICABLE	59917	
97	DON'T KNOW	34	
98	REFUSAL	2	
99	NOT STATED	786	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_16: Loss int. - things give pleasure - 12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	

# DPS_16: Loss int. - things give pleasure - 12 mo			
Statistics [NW/ W]		[Valid=14538 /-] [Invalid=47169 /-]	
Value	Label	Cases	Percentage
1	YES	1058	<div><div></div></div> 7.3%
2	NO	13480	<div><div></div></div> 92.7%
6	NOT APPLICABLE	46461	
7	DON'T KNOW	54	
8	REFUSAL	5	
9	NOT STATED	649	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_17: Loss interest - freq. - 12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=1038 /-] [Invalid=60669 /-]	
Value	Label	Cases	Percentage
1	ALL DAY LONG	203	<div><div></div></div> 19.6%
2	MOST OF THE DAY	270	<div><div></div></div> 26.0%
3	ABOUT HALF/DAY	309	<div><div></div></div> 29.8%
4	LESS HALF/DAY	256	<div><div></div></div> 24.7%
6	NOT APPLICABLE	59941	
7	DON'T KNOW	19	
8	REFUSAL	1	
9	NOT STATED	708	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_18: Loss interest - freq. - 2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=470 /-] [Invalid=61237 /-]	
Value	Label	Cases	Percentage
1	EVERY DAY	108	<div><div></div></div> 23.0%
2	ALMOST EVERY DAY	242	<div><div></div></div> 51.5%
3	LESS OFTEN	120	<div><div></div></div> 25.5%
6	NOT APPLICABLE	60506	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	728	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_19: Loss int. -felt tired all the time -2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=349 /-] [Invalid=61358 /-]	
Value	Label	Cases	Percentage
1	YES	308	<div><div></div></div> 88.3%
2	NO	41	<div><div></div></div> 11.7%
6	NOT APPLICABLE	60626	
7	DON'T KNOW	0	

# DPS_19: Loss int. -felt tired all the time -2 wk			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	732	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# DPS_20: Loss interest - weight change - 2 wk			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=345 /-] [Invalid=61362 /-]	
Value	Label	Cases	Percentage
1	GAINED WEIGHT	60	<div></div> 17.4%
2	LOST WEIGHT	68	<div></div> 19.7%
3	STAYED SAME	217	<div></div> 62.9%
4	WAS ON A DIET	0	
6	NOT APPLICABLE	60626	
7	DON'T KNOW	4	
8	REFUSAL	0	
9	NOT STATED	732	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_21A: Loss interest - weight change (amount)			
Information		[Type= discrete] [Format=numeric] [Range= 1-50] [Missing=*]	
Statistics [NW/ W]		[Valid=120 /-] [Invalid=61587 /-]	
Value	Label	Cases	Percentage
1		2	<div></div> 1.7%
2		8	<div></div> 6.7%
3		6	<div></div> 5.0%
4		2	<div></div> 1.7%
5		23	<div></div> 19.2%
6		1	<div></div> 0.8%
7		4	<div></div> 3.3%
8		2	<div></div> 1.7%
9		1	<div></div> 0.8%
10		29	<div></div> 24.2%
12		3	<div></div> 2.5%
13		1	<div></div> 0.8%
15		14	<div></div> 11.7%
18		1	<div></div> 0.8%
19		1	<div></div> 0.8%
20		10	<div></div> 8.3%
25		2	<div></div> 1.7%
28		1	<div></div> 0.8%
30		6	<div></div> 5.0%
40		2	<div></div> 1.7%
50		1	<div></div> 0.8%
996	NOT APPLICABLE	60843	

# DPS_21A: Loss interest - weight change (amount)			
Value	Label	Cases	Percentage
997	DON'T KNOW	8	
998	REFUSAL	0	
999	NOT STATED	736	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_21B: Loss int. - weight change (lb/kg) - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=120 /-] [Invalid=61587 /-]		
Value	Label	Cases	Percentage
1	POUNDS	118	<div></div> 98.3%
2	KILOGRAMS	2	<div></div> 1.7%
6	NOT APPLICABLE	60843	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	744	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_22: Loss interest -trouble fall asleep -2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=345 /-] [Invalid=61362 /-]		
Value	Label	Cases	Percentage
1	YES	218	<div></div> 63.2%
2	NO	127	<div></div> 36.8%
6	NOT APPLICABLE	60626	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	736	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_23: Loss int. -trouble to sleep (freq) -2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=215 /-] [Invalid=61492 /-]		
Value	Label	Cases	Percentage
1	EVERY NIGHT	74	<div></div> 34.4%
2	NEARLY EVERY	104	<div></div> 48.4%
3	LESS OFTEN	37	<div></div> 17.2%
6	NOT APPLICABLE	60753	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	736	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_24: Loss int.- trouble concentrating - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=342 /-] [Invalid=61365 /-]		

# DPS_24: Loss int.- trouble concentrating - 2 wk			
Value	Label	Cases	Percentage
1	YES	263	<div><div></div></div> 76.9%
2	NO	79	<div><div></div></div> 23.1%
6	NOT APPLICABLE	60626	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	739	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_25: Loss interest - felt down on self - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=340 /-] [Invalid=61367 /-]		
Value	Label	Cases	Percentage
1	YES	215	<div><div></div></div> 63.2%
2	NO	125	<div><div></div></div> 36.8%
6	NOT APPLICABLE	60626	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	739	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_26: Loss int.- thought a lot/death - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=340 /-] [Invalid=61367 /-]		
Value	Label	Cases	Percentage
1	YES	176	<div><div></div></div> 51.8%
2	NO	164	<div><div></div></div> 48.2%
6	NOT APPLICABLE	60626	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	741	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_27: Loss interest - nombre of weeks - 12 mo			
Information	[Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]		
Statistics [NW/ W]	[Valid=301 /-] [Invalid=61406 /-] [Mean=10.07 /-] [StdDev=13.031 /-]		
Value	Label	Cases	Percentage
96	NOT APPLICABLE	60637	
97	DON'T KNOW	28	
98	REFUSAL	0	
99	NOT STATED	741	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPS_28: Loss interest - most recent month - 2 wk			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=278 /-] [Invalid=61429 /-]		

# DPS_28: Loss interest - most recent month - 2 wk			
Value	Label	Cases	Percentage
1	JANUARY	37	<div></div> 13.3%
2	FEBRUARY	30	<div></div> 10.8%
3	MARCH	18	<div></div> 6.5%
4	APRIL	25	<div></div> 9.0%
5	MAY	25	<div></div> 9.0%
6	JUNE	16	<div></div> 5.8%
7	JULY	14	<div></div> 5.0%
8	AUGUST	20	<div></div> 7.2%
9	SEPTEMBER	17	<div></div> 6.1%
10	OCTOBER	16	<div></div> 5.8%
11	NOVEMBER	23	<div></div> 8.3%
12	DECEMBER	37	<div></div> 13.3%
96	NOT APPLICABLE	60650	
97	DON'T KNOW	10	
98	REFUSAL	0	
99	NOT STATED	769	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPSDSF: Depr. scale - short form score - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=15646 /-] [Invalid=46061 /-]		
Value	Label	Cases	Percentage
0		14165	<div></div> 90.5%
1		20	<div></div> 0.1%
2		45	<div></div> 0.3%
3		106	<div></div> 0.7%
4		202	<div></div> 1.3%
5		320	<div></div> 2.0%
6		363	<div></div> 2.3%
7		310	<div></div> 2.0%
8		115	<div></div> 0.7%
96	NOT APPLICABLE	45256	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPSDPP: Depr. scale - predicted prob. - (D)			
Information	[Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]		
Statistics [NW/ W]	[Valid=15646 /-] [Invalid=46061 /-]		
Value	Label	Cases	Percentage
0	0.00	14165	<div></div> 90.5%
0.05	0.05	20	<div></div> 0.1%
0.25	0.25	45	<div></div> 0.3%

# DPSDPP: Depr. scale - predicted prob. - (D)			
Value	Label	Cases	Percentage
0.5	0.50	106	<div><div></div></div> 0.7%
0.8	0.80	202	<div><div></div></div> 1.3%
0.9	0.90	1108	<div><div></div></div> 7.1%
9.96	NOT APPLICABLE	45256	
9.97	DON'T KNOW	0	
9.98	REFUSAL	0	
9.99	NOT STATED	805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPSDWK: No. of weeks felt depressed - (D)			
Information		[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]	
Statistics [NW/ W]		[Valid=1328 /-] [Invalid=60379 /-] [Mean=12.563 /-] [StdDev=13.728 /-]	
Value	Label	Cases	Percentage
96	NOT APPLICABLE	59436	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	943	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DPSDMT: Mth last felt depr.- 2 wks in a row -(D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=1215 /-] [Invalid=60492 /-]	
Value	Label	Cases	Percentage
1	JANUARY	159	<div><div></div></div> 13.1%
2	FEBRUARY	110	<div><div></div></div> 9.1%
3	MARCH	111	<div><div></div></div> 9.1%
4	APRIL	94	<div><div></div></div> 7.7%
5	MAY	85	<div><div></div></div> 7.0%
6	JUNE	80	<div><div></div></div> 6.6%
7	JULY	88	<div><div></div></div> 7.2%
8	AUGUST	76	<div><div></div></div> 6.3%
9	SEPTEMBER	89	<div><div></div></div> 7.3%
10	OCTOBER	88	<div><div></div></div> 7.2%
11	NOVEMBER	107	<div><div></div></div> 8.8%
12	DECEMBER	128	<div><div></div></div> 10.5%
96	NOT APPLICABLE	59509	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	983	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOSUI: Module: SUI - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=10877 /-] [Invalid=50830 /-]	

# DOSUI: Module: SUI - (F)			
Value	Label	Cases	Percentage
1	YES	10877	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	50830	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SUI_1: Has considered suicide - lifetime			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10023 /-] [Invalid=51684 /-]		
Value	Label	Cases	Percentage
1	YES	967	<div><div></div></div> 9.6%
2	NO	9056	<div><div></div></div> 90.4%
6	NOT APPLICABLE	51295	
7	DON'T KNOW	19	
8	REFUSAL	44	
9	NOT STATED	326	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SUI_2: Has considered suicide - past 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=966 /-] [Invalid=60741 /-]		
Value	Label	Cases	Percentage
1	YES	227	<div><div></div></div> 23.5%
2	NO	739	<div><div></div></div> 76.5%
6	NOT APPLICABLE	60351	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	389	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DOACC: Module: ACC - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=11739 /-] [Invalid=49968 /-]		
Value	Label	Cases	Percentage
1	YES	11739	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	49968	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_10: Required visit to medical specialist			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10716 /-] [Invalid=50991 /-]		
Value	Label	Cases	Percentage
1	YES	3708	<div><div></div></div> 34.6%
2	NO	7008	<div><div></div></div> 65.4%
6	NOT APPLICABLE	50409	
7	DON'T KNOW	14	
8	REFUSAL	19	
9	NOT STATED	549	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_11: Diff. getting specialist care			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3707 /-] [Invalid=58000 /-]		
Value	Label	Cases	Percentage
1	YES	908	<div><div></div></div> 24.5%
2	NO	2799	<div><div></div></div> 75.5%
6	NOT APPLICABLE	57417	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	582	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_12A: Diff. - getting a referral			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	92	<div><div></div></div> 10.1%
2	NO	816	<div><div></div></div> 89.9%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_12B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	319	<div><div></div></div> 35.1%
2	NO	589	<div><div></div></div> 64.9%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	

# ACC_12B: Diff. - getting an appointment			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_12C: Diff. - no specialists in area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	88	<div><div></div></div> 9.7%
2	NO	820	<div><div></div></div> 90.3%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_12D: Diff. - waited too long for appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	503	<div><div></div></div> 55.4%
2	NO	405	<div><div></div></div> 44.6%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_12E: Diff. - waited too long /see doc.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	129	<div><div></div></div> 14.2%
2	NO	779	<div><div></div></div> 85.8%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ACC_12F: Diff. - transportation			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	29	<div><div></div></div> 3.2%
2	NO	879	<div><div></div></div> 96.8%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_12G: Diff. - language			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 0.6%
2	NO	903	<div><div></div></div> 99.4%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_12H: Diff. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	27	<div><div></div></div> 3.0%
2	NO	881	<div><div></div></div> 97.0%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_12I: Diff. - pers./family responsibilities			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 0.6%
2	NO	903	<div><div></div></div> 99.4%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	

# ACC_12I: Diff. - pers./family responsibilities			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_12J: Diff. - deterioration of health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	24	<div><div></div>2.6%</div>
2	NO	884	<div><div></div>97.4%</div>
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_12K: Diff. - appointment cancelled/deferred			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	34	<div><div></div>3.7%</div>
2	NO	874	<div><div></div>96.3%</div>
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_12L: Diff. - still waiting for visit			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	73	<div><div></div>8.0%</div>
2	NO	835	<div><div></div>92.0%</div>
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_12M: Diff. - unable leave house/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div>0.2%</div>
2	NO	906	<div><div></div>99.8%</div>
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	

# ACC_12M: Diff. - unable leave house/health			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	583	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_12N: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=908 /-] [Invalid=60799 /-]		
Value	Label	Cases	Percentage
1	YES	127	<div><div></div></div> 14.0%
2	NO	781	<div><div></div></div> 86.0%
6	NOT APPLICABLE	60216	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	583	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_20: Required non-emergency surgery			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10723 /-] [Invalid=50984 /-]		
Value	Label	Cases	Percentage
1	YES	1014	<div><div></div></div> 9.5%
2	NO	9709	<div><div></div></div> 90.5%
6	NOT APPLICABLE	50409	
7	DON'T KNOW	7	
8	REFUSAL	17	
9	NOT STATED	551	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_21: Diff. getting non-emerg. surg.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1013 /-] [Invalid=60694 /-]		
Value	Label	Cases	Percentage
1	YES	206	<div><div></div></div> 20.3%
2	NO	807	<div><div></div></div> 79.7%
6	NOT APPLICABLE	60118	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	575	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22A: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	59	<div><div></div></div> 28.6%

# ACC_22A: Diff. - getting an appointment			
Value	Label	Cases	Percentage
2	NO	147	<div><div></div></div> 71.4%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_22B: Diff. - getting a diagnosis			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	15	<div><div></div></div> 7.3%
2	NO	191	<div><div></div></div> 92.7%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_22C: Diff. - wait too long/diag. test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	23	<div><div></div></div> 11.2%
2	NO	183	<div><div></div></div> 88.8%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_22D: Diff. - waited too long/hosp. bed			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 8.3%
2	NO	189	<div><div></div></div> 91.7%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_22E: Diff. - waited too long/surgery			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# ACC_22E: Diff. - waited too long/surgery			
Statistics [NW/ W]		[Valid=206 /-] [Invalid=61501 /-]	
Value	Label	Cases	Percentage
1	YES	107	<div><div></div></div> 51.9%
2	NO	99	<div><div></div></div> 48.1%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22F: Diff. - service not available/area			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=206 /-] [Invalid=61501 /-]	
Value	Label	Cases	Percentage
1	YES	11	<div><div></div></div> 5.3%
2	NO	195	<div><div></div></div> 94.7%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22G: Diff. - transportation			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=206 /-] [Invalid=61501 /-]	
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 2.4%
2	NO	201	<div><div></div></div> 97.6%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22H: Diff. - language			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=206 /-] [Invalid=61501 /-]	
Value	Label	Cases	Percentage
1	YES	0	
2	NO	206	
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_22I: Diff. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 1.5%
2	NO	203	<div><div></div></div> 98.5%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22J: Diff. - pers./family responsibilities			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	206	
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22K: Diff. - deterioration of health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 3.4%
2	NO	199	<div><div></div></div> 96.6%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22L: Diff. - appointment cancelled/deferred			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=206 /-] [Invalid=61501 /-]		
Value	Label	Cases	Percentage
1	YES	16	<div><div></div></div> 7.8%
2	NO	190	<div><div></div></div> 92.2%
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	

# ACC_22L: Diff. - appointment cancelled/deferred			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# ACC_22M: Diff. - still waiting for surgery			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=206 /-] [Invalid=61501 /-]	
Value	Label	Cases	Percentage
1	YES	39	<div><div></div>18.9%</div>
2	NO	167	<div><div></div>81.1%</div>
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22N: Diff. - unable leave house/health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=206 /-] [Invalid=61501 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div>0.5%</div>
2	NO	205	<div><div></div>99.5%</div>
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_22O: Diff. - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=206 /-] [Invalid=61501 /-]	
Value	Label	Cases	Percentage
1	YES	22	<div><div></div>10.7%</div>
2	NO	184	<div><div></div>89.3%</div>
6	NOT APPLICABLE	60925	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	576	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_30: Required MRI, CT Scan, angiography			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=10694 /-] [Invalid=51013 /-]	
Value	Label	Cases	Percentage
1	YES	1710	<div><div></div>16.0%</div>
2	NO	8984	<div><div></div>84.0%</div>
6	NOT APPLICABLE	50409	
7	DON'T KNOW	32	

# ACC_30: Required MRI, CT Scan, angiography			
Value	Label	Cases	Percentage
8	REFUSAL	17	
9	NOT STATED	555	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_31: Difficulties getting test			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1710 /-] [Invalid=59997 /-]	
Value	Label	Cases	Percentage
1	YES	290	<div><div></div></div> 17.0%
2	NO	1420	<div><div></div></div> 83.0%
6	NOT APPLICABLE	59393	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32A: Diff. - getting a referral			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=289 /-] [Invalid=61418 /-]	
Value	Label	Cases	Percentage
1	YES	21	<div><div></div></div> 7.3%
2	NO	268	<div><div></div></div> 92.7%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32B: Diff. - getting an appointment			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=289 /-] [Invalid=61418 /-]	
Value	Label	Cases	Percentage
1	YES	68	<div><div></div></div> 23.5%
2	NO	221	<div><div></div></div> 76.5%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32C: Diff. - waited too long for appt.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=289 /-] [Invalid=61418 /-]	
Value	Label	Cases	Percentage
1	YES	181	<div><div></div></div> 62.6%

# ACC_32C: Diff. - waited too long for appt.			
Value	Label	Cases	Percentage
2	NO	108	<div><div></div></div> 37.4%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32D: Diff. - waited too long/get test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=289 /-] [Invalid=61418 /-]		
Value	Label	Cases	Percentage
1	YES	75	<div><div></div></div> 26.0%
2	NO	214	<div><div></div></div> 74.0%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32E: Diff. - not available at time required			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=289 /-] [Invalid=61418 /-]		
Value	Label	Cases	Percentage
1	YES	15	<div><div></div></div> 5.2%
2	NO	274	<div><div></div></div> 94.8%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32F: Diff. - not available/area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=289 /-] [Invalid=61418 /-]		
Value	Label	Cases	Percentage
1	YES	22	<div><div></div></div> 7.6%
2	NO	267	<div><div></div></div> 92.4%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32G: Diff. - transportation			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# ACC_32G: Diff. - transportation			
Statistics [NW/ W]		[Valid=289 /-] [Invalid=61418 /-]	
Value	Label	Cases	Percentage
1	YES	11	<div><div></div></div> 3.8%
2	NO	278	<div><div></div></div> 96.2%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32H: Diff. - language			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=289 /-] [Invalid=61418 /-]	
Value	Label	Cases	Percentage
1	YES	0	
2	NO	289	<div><div></div></div> 100.0%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32I: Diff. - cost			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=289 /-] [Invalid=61418 /-]	
Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 3.5%
2	NO	279	<div><div></div></div> 96.5%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32J: Diff. - deterioration of health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=289 /-] [Invalid=61418 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 1.4%
2	NO	285	<div><div></div></div> 98.6%
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_32K: Diff. - did not know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=289 /-] [Invalid=61418 /-]		
Value	Label	Cases	Percentage
1	YES	0	<div><div></div></div> 100.0%
2	NO	289	
6	NOT APPLICABLE	60813	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32L: Diff. - still waiting for test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=289 /-] [Invalid=61418 /-]		
Value	Label	Cases	Percentage
1	YES	30	<div><div></div></div> 10.4%
2	NO	259	<div><div></div></div> 89.6%
6	NOT APPLICABLE	60813	<div></div>
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32M: Diff. - unable leave house /health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=289 /-] [Invalid=61418 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 0.3%
2	NO	288	<div><div></div></div> 99.7%
6	NOT APPLICABLE	60813	<div></div>
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_32N: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=289 /-] [Invalid=61418 /-]		
Value	Label	Cases	Percentage
1	YES	29	<div><div></div></div> 10.0%
2	NO	260	<div><div></div></div> 90.0%
6	NOT APPLICABLE	60813	<div></div>
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	604	

# ACC_32N: Diff. - other			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_40: Required health information			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10678 /-] [Invalid=51029 /-]		
Value	Label	Cases	Percentage
1	YES	5395	<div><div></div></div> 50.5%
2	NO	5283	<div><div></div></div> 49.5%
6	NOT APPLICABLE	50409	
7	DON'T KNOW	34	
8	REFUSAL	23	
9	NOT STATED	563	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_40A: Contact/health info - doctor			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5388 /-] [Invalid=56319 /-]		
Value	Label	Cases	Percentage
1	YES	4207	<div><div></div></div> 78.1%
2	NO	1181	<div><div></div></div> 21.9%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	621	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_40B: Contact/health info - community hlth ctr			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5388 /-] [Invalid=56319 /-]		
Value	Label	Cases	Percentage
1	YES	325	<div><div></div></div> 6.0%
2	NO	5063	<div><div></div></div> 94.0%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	621	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_40C: Contact/health info - walk-in clinic			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5388 /-] [Invalid=56319 /-]		
Value	Label	Cases	Percentage
1	YES	988	<div><div></div></div> 18.3%
2	NO	4400	<div><div></div></div> 81.7%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	5	

# ACC_40C: Contact/health info - walk-in clinic			
Value	Label	Cases	Percentage
8	REFUSAL	1	
9	NOT STATED	621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_40D: Contact/health info - health line			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5388 +/-] [Invalid=56319 +/-]	
Value	Label	Cases	Percentage
1	YES	620	<div><div></div></div> 11.5%
2	NO	4768	<div><div></div></div> 88.5%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_40E: Contact/health info - emergency room			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5388 +/-] [Invalid=56319 +/-]	
Value	Label	Cases	Percentage
1	YES	873	<div><div></div></div> 16.2%
2	NO	4515	<div><div></div></div> 83.8%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_40F: Contact/health info - other hosp. serv.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5388 +/-] [Invalid=56319 +/-]	
Value	Label	Cases	Percentage
1	YES	380	<div><div></div></div> 7.1%
2	NO	5008	<div><div></div></div> 92.9%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_40G: Contact/health info - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5388 +/-] [Invalid=56319 +/-]	
Value	Label	Cases	Percentage
1	YES	847	<div><div></div></div> 15.7%

ACC_40G: Contact/health info - other

Value	Label	Cases	Percentage
2	NO	4541	84.3%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	5	
8	REFUSAL	1	
9	NOT STATED	621	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# ACC_41: Diff. getting health information			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5385 /-] [Invalid=56322 /-]	
Value	Label	Cases	Percentage
1	YES	770	<div><div></div></div> 14.3%
2	NO	4615	<div><div></div></div> 85.7%
6	NOT APPLICABLE	55692	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	622	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_42: Exp. diff. during regular hrs.			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=761 /-] [Invalid=60946 /-]	
Value	Label	Cases	Percentage
1	YES	616	<div><div></div></div> 80.9%
2	NO	115	<div><div></div></div> 15.1%
3	NOT REQUIRED	30	<div><div></div></div> 3.9%
6	NOT APPLICABLE	60307	
7	DON'T KNOW	8	
8	REFUSAL	0	
9	NOT STATED	631	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43A: Diff. - contact a physician/nurse			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=614 /-] [Invalid=61093 /-]	
Value	Label	Cases	Percentage
1	YES	186	<div><div></div></div> 30.3%
2	NO	428	<div><div></div></div> 69.7%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43B: Diff. - did not have a phone number			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=614 /-] [Invalid=61093 /-]	
Value	Label	Cases	Percentage
1	YES	9	<div><div></div></div> 1.5%
2	NO	605	<div><div></div></div> 98.5%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	

# ACC_43B: Diff. - did not have a phone number			
Value	Label	Cases	Percentage
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43C: Diff. - could not get through			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=614 /-] [Invalid=61093 /-]	
Value	Label	Cases	Percentage
1	YES	70	<div><div></div></div> 11.4%
2	NO	544	<div><div></div></div> 88.6%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43D: Diff. - waited too long to speak			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=614 /-] [Invalid=61093 /-]	
Value	Label	Cases	Percentage
1	YES	193	<div><div></div></div> 31.4%
2	NO	421	<div><div></div></div> 68.6%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43E: Diff. - inadequate information			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=614 /-] [Invalid=61093 /-]	
Value	Label	Cases	Percentage
1	YES	207	<div><div></div></div> 33.7%
2	NO	407	<div><div></div></div> 66.3%
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43F: Diff. - language			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=614 /-] [Invalid=61093 /-]	
Value	Label	Cases	Percentage
1	YES	8	<div><div></div></div> 1.3%
2	NO	606	<div><div></div></div> 98.7%

# ACC_43F: Diff. - language			
Value	Label	Cases	Percentage
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43G: Diff. - did not know where to go/call			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=614 /-] [Invalid=61093 /-]		
Value	Label	Cases	Percentage
1	YES	29	<div><div></div>4.7%</div>
2	NO	585	<div><div></div>95.3%</div>
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43H: Diff. - unable to leave house/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=614 /-] [Invalid=61093 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div><div></div>0.8%</div>
2	NO	609	<div><div></div>99.2%</div>
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_43I: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=614 /-] [Invalid=61093 /-]		
Value	Label	Cases	Percentage
1	YES	196	<div><div></div>31.9%</div>
2	NO	418	<div><div></div>68.1%</div>
6	NOT APPLICABLE	60452	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	639	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_44: Exp. diff. during evening/weekends			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=756 /-] [Invalid=60951 /-]		

# ACC_44: Exp. diff. during evening/weekends			
Value	Label	Cases	Percentage
1	YES	222	<div></div> 29.4%
2	NO	249	<div></div> 32.9%
3	NOT REQUIRED	285	<div></div> 37.7%
6	NOT APPLICABLE	60307	
7	DON'T KNOW	12	
8	REFUSAL	1	
9	NOT STATED	631	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_45A: Diff. - contact a physician/nurse			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	80	<div></div> 36.2%
2	NO	141	<div></div> 63.8%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_45B: Diff. - did not have a phone number			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div></div> 2.3%
2	NO	216	<div></div> 97.7%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_45C: Diff. - could not get through			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	14	<div></div> 6.3%
2	NO	207	<div></div> 93.7%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_45D: Diff. - waited too long to speak			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	88	<div><div></div></div> 39.8%
2	NO	133	<div><div></div></div> 60.2%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_45E: Diff. - inadequate information			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	69	<div><div></div></div> 31.2%
2	NO	152	<div><div></div></div> 68.8%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_45F: Diff. - language			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	6	<div><div></div></div> 2.7%
2	NO	215	<div><div></div></div> 97.3%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_45G: Diff. - did not know where to go/call			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	9	<div><div></div></div> 4.1%
2	NO	212	<div><div></div></div> 95.9%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	

# ACC_45G: Diff. - did not know where to go/call			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_45H: Diff. - unable to leave/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 1.4%
2	NO	218	<div><div></div></div> 98.6%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_45I: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=221 /-] [Invalid=61486 /-]		
Value	Label	Cases	Percentage
1	YES	63	<div><div></div></div> 28.5%
2	NO	158	<div><div></div></div> 71.5%
6	NOT APPLICABLE	60841	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	645	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_46: Exp. diff. during middle of night			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=760 /-] [Invalid=60947 /-]		
Value	Label	Cases	Percentage
1	YES	67	<div><div></div></div> 8.8%
2	NO	295	<div><div></div></div> 38.8%
3	NOT REQUIRED	398	<div><div></div></div> 52.4%
6	NOT APPLICABLE	60307	
7	DON'T KNOW	7	
8	REFUSAL	1	
9	NOT STATED	632	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_47A: Diff. - contact a physician/nurse			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	24	<div><div></div></div> 35.8%
2	NO	43	<div><div></div></div> 64.2%
6	NOT APPLICABLE	61000	

# ACC_47A: Diff. - contact a physician/nurse			
Value	Label	Cases	Percentage
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_47B: Diff. - did not have a phone number			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div>1.5%</div>
2	NO	66	<div><div></div>98.5%</div>
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_47C: Diff. - could not get through			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div>6.0%</div>
2	NO	63	<div><div></div>94.0%</div>
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_47D: Diff. - waited too long/to speak			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	29	<div><div></div>43.3%</div>
2	NO	38	<div><div></div>56.7%</div>
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_47E: Diff. - inadequate information			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		

# ACC_47E: Diff. - inadequate information			
Value	Label	Cases	Percentage
1	YES	18	<div><div></div></div> 26.9%
2	NO	49	<div><div></div></div> 73.1%
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_47F: Diff. - language			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	67	
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_47G: Diff. - did not know where to go/call			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 1.5%
2	NO	66	<div><div></div></div> 98.5%
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_47H: Diff. - unable to leave/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 3.0%
2	NO	65	<div><div></div></div> 97.0%
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_47I: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=61640 /-]		
Value	Label	Cases	Percentage
1	YES	18	<div><div></div></div> 26.9%
2	NO	49	<div><div></div></div> 73.1%
6	NOT APPLICABLE	61000	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_50A: Has a regular family doctor			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10698 /-] [Invalid=51009 /-]		
Value	Label	Cases	Percentage
1	YES	9639	<div><div></div></div> 90.1%
2	NO	1059	<div><div></div></div> 9.9%
6	NOT APPLICABLE	50409	
7	DON'T KNOW	16	
8	REFUSAL	17	
9	NOT STATED	567	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_50: Required routine care for self/family			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10683 /-] [Invalid=51024 /-]		
Value	Label	Cases	Percentage
1	YES	6274	<div><div></div></div> 58.7%
2	NO	4409	<div><div></div></div> 41.3%
6	NOT APPLICABLE	50409	
7	DON'T KNOW	25	
8	REFUSAL	22	
9	NOT STATED	568	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_51: Exp. diff. getting on-going care			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6267 /-] [Invalid=55440 /-]		
Value	Label	Cases	Percentage
1	YES	747	<div><div></div></div> 11.9%
2	NO	5520	<div><div></div></div> 88.1%
6	NOT APPLICABLE	54818	
7	DON'T KNOW	2	
8	REFUSAL	4	
9	NOT STATED	616	

# ACC_51: Exp. diff. getting on-going care			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_52: Experienced diff. during regular hours			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=745 -/] [Invalid=60962 -/]		
Value	Label	Cases	Percentage
1	YES	639	<div><div></div></div> 85.8%
2	NO	84	<div><div></div></div> 11.3%
3	NOT REQUIRED	22	<div><div></div></div> 3.0%
6	NOT APPLICABLE	60338	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	622	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_53A: Diff. - contact a physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 -/] [Invalid=61068 -/]		
Value	Label	Cases	Percentage
1	YES	101	<div><div></div></div> 15.8%
2	NO	538	<div><div></div></div> 84.2%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_53B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 -/] [Invalid=61068 -/]		
Value	Label	Cases	Percentage
1	YES	285	<div><div></div></div> 44.6%
2	NO	354	<div><div></div></div> 55.4%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_53C: Diff. - do not have family physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 -/] [Invalid=61068 -/]		
Value	Label	Cases	Percentage
1	YES	46	<div><div></div></div> 7.2%
2	NO	593	<div><div></div></div> 92.8%
6	NOT APPLICABLE	60444	

# ACC_53C: Diff. - do not have family physician			
Value	Label	Cases	Percentage
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_53D: Diff. - waited too long for appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		
Value	Label	Cases	Percentage
1	YES	257	<div><div></div></div> 40.2%
2	NO	382	<div><div></div></div> 59.8%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_53E: Diff. - waited too long/see doc.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		
Value	Label	Cases	Percentage
1	YES	121	<div><div></div></div> 18.9%
2	NO	518	<div><div></div></div> 81.1%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_53F: Diff. - not available at time required			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		
Value	Label	Cases	Percentage
1	YES	45	<div><div></div></div> 7.0%
2	NO	594	<div><div></div></div> 93.0%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_53G: Diff. - not available in the area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		

ACC_53G: Diff. - not available in the area

Value	Label	Cases	Percentage
1	YES	36	<div><div></div>5.6%</div>
2	NO	603	<div><div></div>94.4%</div>
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]

Value	Label	Cases	Percentage
1	YES	21	<div><div></div>3.3%</div>
2	NO	618	<div><div></div>96.7%</div>
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]

Value	Label	Cases	Percentage
1	YES	2	<div><div></div>0.3%</div>
2	NO	637	<div><div></div>99.7%</div>
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_53J: Diff. - cost

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]

Value	Label	Cases	Percentage
1	YES	17	<div><div></div>2.7%</div>
2	NO	622	<div><div></div>97.3%</div>
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# ACC_53K: Diff. - did not know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		
Value	Label	Cases	Percentage
1	YES	8	<div><div></div></div> 1.3%
2	NO	631	<div><div></div></div> 98.7%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_53L: Diff. - unable to leave house/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 0.6%
2	NO	635	<div><div></div></div> 99.4%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_53M: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		
Value	Label	Cases	Percentage
1	YES	130	<div><div></div></div> 20.3%
2	NO	509	<div><div></div></div> 79.7%
6	NOT APPLICABLE	60444	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_54: Exp. diff. during evening/weekends			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=742 /-] [Invalid=60965 /-]		
Value	Label	Cases	Percentage
1	YES	156	<div><div></div></div> 21.0%
2	NO	274	<div><div></div></div> 36.9%
3	NOT REQUIRED	312	<div><div></div></div> 42.0%
6	NOT APPLICABLE	60338	
7	DON'T KNOW	3	
8	REFUSAL	1	

# ACC_54: Exp. diff. during evening/weekends			
Value	Label	Cases	Percentage
9	NOT STATED	623	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest</i>			
# ACC_55A: Diff. - contact a physician			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=156 /-] [Invalid=61551 /-]	
Value	Label	Cases	Percentage
1	YES	38	<div><div></div></div> 24.4%
2	NO	118	<div><div></div></div> 75.6%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ACC_55B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	38	<div><div></div></div> 24.4%
2	NO	118	<div><div></div></div> 75.6%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55C: Diff. - do not have family physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 6.4%
2	NO	146	<div><div></div></div> 93.6%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55D: Diff. - waited too long for appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	35	<div><div></div></div> 22.4%
2	NO	121	<div><div></div></div> 77.6%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55E: Diff. - waited too long/see doc			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	44	<div><div></div></div> 28.2%
2	NO	112	<div><div></div></div> 71.8%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	

ACC_55E: Diff. - waited too long/see doc

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_55F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	41	<div><div></div></div> 26.3%
2	NO	115	<div><div></div></div> 73.7%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55G: Diff. - not available/area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	15	<div><div></div></div> 9.6%
2	NO	141	<div><div></div></div> 90.4%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55H: Diff. - transportation			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 4.5%
2	NO	149	<div><div></div></div> 95.5%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55I: Diff. - language			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=61551 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	156	
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	

# ACC_55I: Diff. - language			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55J: Diff. - cost			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=156 /-] [Invalid=61551 /-]	
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 1.9%
2	NO	153	<div><div></div></div> 98.1%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55K: Diff. - did not know where to go			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=156 /-] [Invalid=61551 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 0.6%
2	NO	155	<div><div></div></div> 99.4%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55L: Diff. - unable to leave house/health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=156 /-] [Invalid=61551 /-]	
Value	Label	Cases	Percentage
1	YES	0	
2	NO	156	
6	NOT APPLICABLE	60924	100.0%
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_55M: Diff. - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=156 /-] [Invalid=61551 /-]	
Value	Label	Cases	Percentage
1	YES	26	<div><div></div></div> 16.7%

# ACC_55M: Diff. - other			
Value	Label	Cases	Percentage
2	NO	130	<div></div> 83.3%
6	NOT APPLICABLE	60924	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	627	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_60: Required immediate care - self/family			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=10675 /-] [Invalid=51032 /-]		
Value	Label	Cases	Percentage
1	YES	3639	<div></div> 34.1%
2	NO	7036	<div></div> 65.9%
6	NOT APPLICABLE	50409	
7	DON'T KNOW	24	
8	REFUSAL	26	
9	NOT STATED	573	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_61: Exp. diff. getting immediate care			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3638 /-] [Invalid=58069 /-]		
Value	Label	Cases	Percentage
1	YES	640	<div></div> 17.6%
2	NO	2998	<div></div> 82.4%
6	NOT APPLICABLE	57445	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	623	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_62: Experienced diff. during regular hours			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=639 /-] [Invalid=61068 /-]		
Value	Label	Cases	Percentage
1	YES	410	<div></div> 64.2%
2	NO	148	<div></div> 23.2%
3	NOT REQUIRED	81	<div></div> 12.7%
6	NOT APPLICABLE	60443	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_63A: Diff. - contact a physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	63	<div><div></div></div> 15.4%
2	NO	347	<div><div></div></div> 84.6%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	123	<div><div></div></div> 30.0%
2	NO	287	<div><div></div></div> 70.0%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63C: Diff. - do not have family physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	14	<div><div></div></div> 3.4%
2	NO	396	<div><div></div></div> 96.6%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63D: Diff. - waited too long/for appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	98	<div><div></div></div> 23.9%
2	NO	312	<div><div></div></div> 76.1%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	

# ACC_63D: Diff. - waited too long/for appointment			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_63E: Diff. - waited too long/see doc			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	167	<div><div></div></div> 40.7%
2	NO	243	<div><div></div></div> 59.3%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_63F: Diff. - not available at time required			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	24	<div><div></div></div> 5.9%
2	NO	386	<div><div></div></div> 94.1%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_63G: Diff. - not available/area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	13	<div><div></div></div> 3.2%
2	NO	397	<div><div></div></div> 96.8%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_63H: Diff. - transportation			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	6	<div><div></div></div> 1.5%
2	NO	404	<div><div></div></div> 98.5%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	

# ACC_63H: Diff. - transportation			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63I: Diff. - language			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=410 /-] [Invalid=61297 /-]	
Value	Label	Cases	Percentage
1	YES	2	0.5%
2	NO	408	99.5%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63J: Diff. - cost			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=410 /-] [Invalid=61297 /-]	
Value	Label	Cases	Percentage
1	YES	3	0.7%
2	NO	407	99.3%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63K: Diff. - did not know where to go			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=410 /-] [Invalid=61297 /-]	
Value	Label	Cases	Percentage
1	YES	5	1.2%
2	NO	405	98.8%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63L: Diff. - unable to leave house/health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=410 /-] [Invalid=61297 /-]	
Value	Label	Cases	Percentage
1	YES	0	

# ACC_63L: Diff. - unable to leave house/health			
Value	Label	Cases	Percentage
2	NO	410	<div><div></div></div> 100.0%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_63M: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 /-] [Invalid=61297 /-]		
Value	Label	Cases	Percentage
1	YES	85	<div><div></div></div> 20.7%
2	NO	325	<div><div></div></div> 79.3%
6	NOT APPLICABLE	60672	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	625	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_64: Exp. diff. during evening/weekends			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=634 /-] [Invalid=61073 /-]		
Value	Label	Cases	Percentage
1	YES	295	<div><div></div></div> 46.5%
2	NO	161	<div><div></div></div> 25.4%
3	NOT REQUIRED	178	<div><div></div></div> 28.1%
6	NOT APPLICABLE	60443	
7	DON'T KNOW	6	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65A: Diff. - contact a physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	43	<div><div></div></div> 14.6%
2	NO	252	<div><div></div></div> 85.4%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_65B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	39	<div><div></div></div> 13.2%
2	NO	256	<div><div></div></div> 86.8%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65C: Diff. - do not have family physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 1.7%
2	NO	290	<div><div></div></div> 98.3%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65D: Diff. - waited too long/for appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	29	<div><div></div></div> 9.8%
2	NO	266	<div><div></div></div> 90.2%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65E: Diff. - waited too long/see doc			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	167	<div><div></div></div> 56.6%
2	NO	128	<div><div></div></div> 43.4%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	

ACC_65E: Diff. - waited too long/see doc

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65F: Diff. - not available at time required

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 -/] [Invalid=61412 -/]		
Value	Label	Cases	Percentage
1	YES	37	<div><div></div></div> 12.5%
2	NO	258	<div><div></div></div> 87.5%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65G: Diff. - not available/area

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 -/] [Invalid=61412 -/]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 5.8%
2	NO	278	<div><div></div></div> 94.2%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65H: Diff. - transportation

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 -/] [Invalid=61412 -/]		
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 2.4%
2	NO	288	<div><div></div></div> 97.6%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ACC_65I: Diff. - language

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 -/] [Invalid=61412 -/]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	295	
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	

# ACC_65I: Diff. - language			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65J: Diff. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	1	0.3%
2	NO	294	99.7%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65K: Diff. - did not know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	4	1.4%
2	NO	291	98.6%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65L: Diff. - unable to leave house/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	295	
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_65M: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=61412 /-]		
Value	Label	Cases	Percentage
1	YES	56	19.0%

# ACC_65M: Diff. - other			
Value	Label	Cases	Percentage
2	NO	239	<div></div> 81.0%
6	NOT APPLICABLE	60782	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	630	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_66: Exp. diff. during middle of night			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=638 /-] [Invalid=61069 /-]		
Value	Label	Cases	Percentage
1	YES	125	<div></div> 19.6%
2	NO	221	<div></div> 34.6%
3	NOT REQUIRED	292	<div></div> 45.8%
6	NOT APPLICABLE	60443	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	624	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67A: Diff. - contact a physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div></div> 13.6%
2	NO	108	<div></div> 86.4%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	8	<div></div> 6.4%
2	NO	117	<div></div> 93.6%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ACC_67C: Diff. - do not have family physician			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 0.8%
2	NO	124	<div><div></div></div> 99.2%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67D: Diff. - waited too long/for appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 5.6%
2	NO	118	<div><div></div></div> 94.4%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67E: Diff. - waited too long/see doc			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	70	<div><div></div></div> 56.0%
2	NO	55	<div><div></div></div> 44.0%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67F: Diff. - not available at time required			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 13.6%
2	NO	108	<div><div></div></div> 86.4%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	

# ACC_67F: Diff. - not available at time required			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_67G: Diff. - not available/area			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=125 -/] [Invalid=61582 -/]	
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 4.0%
2	NO	120	<div><div></div></div> 96.0%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ACC_67H: Diff. - transportation			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 3.2%
2	NO	121	<div><div></div></div> 96.8%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67I: Diff. - language			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 1.6%
2	NO	123	<div><div></div></div> 98.4%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67J: Diff. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 0.8%
2	NO	124	<div><div></div></div> 99.2%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ACC_67K: Diff. - did not know where to go			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 0.8%
2	NO	124	<div><div></div></div> 99.2%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	

# ACC_67K: Diff. - did not know where to go			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_67L: Diff. - unable to leave house/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	125	<div><div></div></div> 100.0%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ACC_67M: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=61582 /-]		
Value	Label	Cases	Percentage
1	YES	28	<div><div></div></div> 22.4%
2	NO	97	<div><div></div></div> 77.6%
6	NOT APPLICABLE	60956	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	626	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LBSG31: Employment status - 12 mo - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=31044 /-] [Invalid=30663 /-]		
Value	Label	Cases	Percentage
1	EMPLOYEE	25643	<div><div></div></div> 82.6%
2	SELF-EMPLOYED	5401	<div><div></div></div> 17.4%
6	NOT APPLICABLE	29329	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1334	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LBSGHPW: Total usual hrs. worked current - (D, G)			
Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=30664 /-] [Invalid=31043 /-]		
Value	Label	Cases	Percentage
99	99 HRS OR MORE	149	<div><div></div></div> 100.0%
996	NOT APPLICABLE	29329	
997	DON'T KNOW	0	
998	REFUSAL	0	

# LBSGHPW: Total usual hrs. worked current - (D, G)			
Value	Label	Cases	Percentage
999	NOT STATED	1714	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LBSDPFT: Full/part-time - current jobs - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=30664 /-] [Invalid=31043 /-]		
Value	Label	Cases	Percentage
1	FULL-TIME	24661	80.4%
2	PART-TIME	6003	19.6%
6	NOT APPLICABLE	29329	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1714	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LBSDWSS: Working status last week - 4 grps - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=50451 /-] [Invalid=11256 /-]		
Value	Label	Cases	Percentage
1	AT WORK LAST WK	28406	56.3%
2	ABSENT LAST WK	2744	5.4%
3	NO JOB LAST WK	17392	34.5%
4	UNABLE/PERMANENT	1909	3.8%
6	NOT APPLICABLE	10028	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1228	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LBSGSOC: Occupation group - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=30948 /-] [Invalid=30759 /-]		
Value	Label	Cases	Percentage
1	MANAG./ART, EDUC	10922	35.3%
2	BUSIN./FINANC.	5276	17.0%
3	SALES, SERVICES	7417	24.0%
4	TRADES/TRANSP.	4650	15.0%
5	PRIM. IND./PROC.	2683	8.7%
6	NOT APPLICABLE	29329	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1430	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# DOLOP: Module: LOP - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12456 /-] [Invalid=49251 /-]		
Value	Label	Cases	Percentage
1	YES	12456	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	49251	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOP_015: Employed in past 3 months			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6961 /-] [Invalid=54746 /-]		
Value	Label	Cases	Percentage
1	YES	6331	<div></div> 90.9%
2	NO	630	<div></div> 9.1%
6	NOT APPLICABLE	54400	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	344	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOPG020: Reason for not working - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=3948 /-] [Invalid=57759 /-]		
Value	Label	Cases	Percentage
1	CHRON. PHY./MENT	441	<div></div> 11.2%
2	OWN INJURY	54	<div></div> 1.4%
3	OWN INFECTION DISE.	58	<div></div> 1.5%
4	CARING /OWN CHI.	256	<div></div> 6.5%
5	EDUC., TRAINING	367	<div></div> 9.3%
6	CARING/ELDERLY	77	<div></div> 2.0%
7	RETIRED	2258	<div></div> 57.2%
8	OTHER	437	<div></div> 11.1%
96	NOT APPLICABLE	57278	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	481	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOP_030: Couldn't work due to chronic condition			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6328 /-] [Invalid=55379 /-]		

# LOP_030: Couldn't work due to chronic condition			
Value	Label	Cases	Percentage
1	YES	327	<div><div></div></div> 5.2%
2	NO	6001	<div><div></div></div> 94.8%
6	NOT APPLICABLE	54907	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	470	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOPG040: Work days lost due to chronic cond. (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*]		
Statistics [NW/ W]	[Valid=324 /-] [Invalid=61383 /-]		
Value	Label	Cases	Percentage
1		78	<div><div></div></div> 24.1%
2		55	<div><div></div></div> 17.0%
3		44	<div><div></div></div> 13.6%
4		9	<div><div></div></div> 2.8%
5		11	<div><div></div></div> 3.4%
6		10	<div><div></div></div> 3.1%
7		7	<div><div></div></div> 2.2%
8		3	<div><div></div></div> 0.9%
9		3	<div><div></div></div> 0.9%
10		11	<div><div></div></div> 3.4%
12		9	<div><div></div></div> 2.8%
14		7	<div><div></div></div> 2.2%
15		7	<div><div></div></div> 2.2%
16		1	<div><div></div></div> 0.3%
17		1	<div><div></div></div> 0.3%
20		4	<div><div></div></div> 1.2%
21		3	<div><div></div></div> 0.9%
24		4	<div><div></div></div> 1.2%
25		3	<div><div></div></div> 0.9%
30		18	<div><div></div></div> 5.6%
31	31 DAYS OR MORE	36	<div><div></div></div> 11.1%
96	NOT APPLICABLE	60908	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	475	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOPG050: Chronic condition - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=707 /-] [Invalid=61000 /-]		
Value	Label	Cases	Percentage
1	ARTHRITIS	56	<div><div></div></div> 7.9%

# LOPG050: Chronic condition - (G)			
Value	Label	Cases	Percentage
2	CARDIOV. DISEASE	41	<div><div></div></div> 5.8%
3	ASTHMA	6	<div><div></div></div> 0.8%
4	CHRONIC BR,	19	<div><div></div></div> 2.7%
5	DIABETES	18	<div><div></div></div> 2.5%
6	MIGRAINE	32	<div><div></div></div> 4.5%
7	BACK PROBLEMS	80	<div><div></div></div> 11.3%
8	CANCER	38	<div><div></div></div> 5.4%
9	DIGEST. DISEASE	14	<div><div></div></div> 2.0%
10	FIBROMY, CHRO	21	<div><div></div></div> 3.0%
11	OTHER	382	<div><div></div></div> 54.0%
96	NOT APPLICABLE	60455	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	545	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOP_060: Missed work due to injury			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5872 /-] [Invalid=55835 /-]	
Value	Label	Cases	Percentage
1	YES	219	<div><div></div></div> 3.7%
2	NO	5653	<div><div></div></div> 96.3%
6	NOT APPLICABLE	54895	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	938	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOPG070: Work days missed due to injury - (G)			
Information		[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]	
Statistics [NW/ W]		[Valid=215 /-] [Invalid=61492 /-]	
Value	Label	Cases	Percentage
31	31 DAYS OR MORE	18	<div><div></div></div> 100.0%
96	NOT APPLICABLE	60548	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	944	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOP_080: Missed work due to infectious disease			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5871 /-] [Invalid=55836 /-]	
Value	Label	Cases	Percentage
1	YES	681	<div><div></div></div> 11.6%

# LOP_080: Missed work due to infectious disease			
Value	Label	Cases	Percentage
2	NO	5190	<div><div></div></div> 88.4%
6	NOT APPLICABLE	54895	
7	DON'T KNOW	1	
8	REFUSAL	1	
9	NOT STATED	939	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LOP_81A: Had a cold			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=680 /-] [Invalid=61027 /-]		
Value	Label	Cases	Percentage
1	YES	255	<div><div></div></div> 37.5%
2	NO	425	<div><div></div></div> 62.5%
6	NOT APPLICABLE	60085	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	941	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LOP_81B: Had the flu or influenza			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=680 /-] [Invalid=61027 /-]		
Value	Label	Cases	Percentage
1	YES	121	<div><div></div></div> 17.8%
2	NO	559	<div><div></div></div> 82.2%
6	NOT APPLICABLE	60085	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	941	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LOP_81C: Stomach Flu			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=680 /-] [Invalid=61027 /-]		
Value	Label	Cases	Percentage
1	YES	187	<div><div></div></div> 27.5%
2	NO	493	<div><div></div></div> 72.5%
6	NOT APPLICABLE	60085	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	941	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LOP_81D: Respiratory Flu			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# LOP_81D: Respiratory Flu			
Statistics [NW/ W]		[Valid=680 /-] [Invalid=61027 /-]	
Value	Label	Cases	Percentage
1	YES	64	<div><div></div></div> 9.4%
2	NO	616	<div><div></div></div> 90.6%
6	NOT APPLICABLE	60085	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	941	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOP_81E: Other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=680 /-] [Invalid=61027 /-]	
Value	Label	Cases	Percentage
1	YES	81	<div><div></div></div> 11.9%
2	NO	599	<div><div></div></div> 88.1%
6	NOT APPLICABLE	60085	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	941	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOPG082: Work days missed due to cold - (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]	
Statistics [NW/ W]		[Valid=254 /-] [Invalid=61453 /-]	
Value	Label	Cases	Percentage
1		150	<div><div></div></div> 59.1%
2		63	<div><div></div></div> 24.8%
3		30	<div><div></div></div> 11.8%
4		9	<div><div></div></div> 3.5%
5		1	<div><div></div></div> 0.4%
10		1	<div><div></div></div> 0.4%
11	11 DAYS OR MORE	0	
96	NOT APPLICABLE	60510	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	943	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOPG083: Work days missed due/ flu/influenza (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]	
Statistics [NW/ W]		[Valid=121 /-] [Invalid=61586 /-]	
Value	Label	Cases	Percentage
1		69	<div><div></div></div> 57.0%
2		28	<div><div></div></div> 23.1%

# LOPG083: Work days missed due/ flu/influenza (G)			
Value	Label	Cases	Percentage
3		13	<div></div> 10.7%
4		7	<div></div> 5.8%
5		2	<div></div> 1.7%
6		1	<div></div> 0.8%
10		1	<div></div> 0.8%
11	11 DAYS OR MORE	0	
96	NOT APPLICABLE	60644	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	942	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LOPG084: Work days missed due to stomach flu (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=187 /-] [Invalid=61520 /-]		
Value	Label	Cases	Percentage
1		97	<div></div> 51.9%
2		65	<div></div> 34.8%
3		19	<div></div> 10.2%
4		2	<div></div> 1.1%
5		2	<div></div> 1.1%
7		2	<div></div> 1.1%
11	11 DAYS OR MORE	0	
96	NOT APPLICABLE	60578	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	942	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LOPG085: Work days missed due/ respir.infect. (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]		
Statistics [NW/ W]	[Valid=64 /-] [Invalid=61643 /-]		
Value	Label	Cases	Percentage
1		27	<div></div> 42.2%
2		17	<div></div> 26.6%
3		3	<div></div> 4.7%
4		3	<div></div> 4.7%
5		3	<div></div> 4.7%
7		4	<div></div> 6.2%
8		2	<div></div> 3.1%
10		2	<div></div> 3.1%
11	11 DAYS OR MORE	3	<div></div> 4.7%
96	NOT APPLICABLE	60701	
97	DON'T KNOW	0	

# LOPG085: Work days missed due/ respir.infect. (G)			
Value	Label	Cases	Percentage
98	REFUSAL	0	
99	NOT STATED	942	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# LOPG086: Wrk days missed due/other infect.dis.(G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]	
Statistics [NW/ W]		[Valid=81 /-] [Invalid=61626 /-]	
Value	Label	Cases	Percentage
1		38	<div></div> 46.9%
2		24	<div></div> 29.6%
3		3	<div></div> 3.7%
4		3	<div></div> 3.7%
5		4	<div></div> 4.9%
7		3	<div></div> 3.7%
10		3	<div></div> 3.7%
11	11 DAYS OR MORE	3	<div></div> 3.7%
96	NOT APPLICABLE	60684	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	942	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOP_090: Missed work for reason /ph. Or m. health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5870 /-] [Invalid=55837 /-]	
Value	Label	Cases	Percentage
1	YES	606	<div></div> 10.3%
2	NO	5264	<div></div> 89.7%
6	NOT APPLICABLE	54895	
7	DON'T KNOW	1	
8	REFUSAL	2	
9	NOT STATED	939	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# LOPG100: Work days missed related/ ph/m hlth (G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]	
Statistics [NW/ W]		[Valid=605 /-] [Invalid=61102 /-]	
Value	Label	Cases	Percentage
1		282	<div></div> 46.6%
2		117	<div></div> 19.3%
3		48	<div></div> 7.9%
4		21	<div></div> 3.5%
5		35	<div></div> 5.8%
6		11	<div></div> 1.8%

# LOPG100: Work days missed related/ ph/m hlth (G)			
Value	Label	Cases	Percentage
7		13	<div><div></div></div> 2.1%
8		1	<div><div></div></div> 0.2%
9		3	<div><div></div></div> 0.5%
10		10	<div><div></div></div> 1.7%
11		1	<div><div></div></div> 0.2%
12		2	<div><div></div></div> 0.3%
14		5	<div><div></div></div> 0.8%
15		6	<div><div></div></div> 1.0%
16		2	<div><div></div></div> 0.3%
20		7	<div><div></div></div> 1.2%
21	21 DAYS OR MORE	41	<div><div></div></div> 6.8%
96	NOT APPLICABLE	60159	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	943	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDCGCB12: Country of birth - Canada/other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=59894 /-] [Invalid=1813 /-]		
Value	Label	Cases	Percentage
1	CANADA	50744	<div><div></div></div> 84.7%
2	OTHER	9150	<div><div></div></div> 15.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1813	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDC_5A_1: Knowledge of official languages			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=60050 /-] [Invalid=1657 /-]		
Value	Label	Cases	Percentage
1	ENGLISH ONLY	42796	<div><div></div></div> 71.3%
2	FRENCH ONLY	6240	<div><div></div></div> 10.4%
3	BOTH FR. AND EN.	10681	<div><div></div></div> 17.8%
4	NEITHER F NOR E	333	<div><div></div></div> 0.6%
6	NOT APPLICABLE	0	
7	DON'T KNOW	12	
8	REFUSAL	32	
9	NOT STATED	1613	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDCDFOLS: First official language spoken - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		

# SDCDFOLS: First official language spoken - (D)			
Statistics [NW/ W]		[Valid=60047 /-] [Invalid=1660 /-]	
Value	Label	Cases	Percentage
1	ENGLISH	46537	<div><div></div></div> 77.5%
2	FRENCH	12327	<div><div></div></div> 20.5%
3	ENG & FRE	865	<div><div></div></div> 1.4%
4	NOR ENG NOR FRE	318	<div><div></div></div> 0.5%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1660	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# DHH_OWN: Owned, Rented			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=59923 /-] [Invalid=1784 /-]	
Value	Label	Cases	Percentage
1	OWNER	46000	<div><div></div></div> 76.8%
2	RENTED	13923	<div><div></div></div> 23.2%
6	NOT APPLICABLE	0	
7	DON'T KNOW	125	
8	REFUSAL	118	
9	NOT STATED	1541	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDCGLHM: Language(s) spoken at home			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=60086 /-] [Invalid=1621 /-]	
Value	Label	Cases	Percentage
1	ENG. W-W/O OTHER	44816	<div><div></div></div> 74.6%
2	FRE. W-W/O OTHER	10971	<div><div></div></div> 18.3%
3	ENG./FRE. W-W/O	1829	<div><div></div></div> 3.0%
4	NOT ENGL. / FRE.	2470	<div><div></div></div> 4.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDCFIMM: Immigrant - (F)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=59811 /-] [Invalid=1896 /-]	
Value	Label	Cases	Percentage
1	YES	8740	<div><div></div></div> 14.6%
2	NO	51071	<div><div></div></div> 85.4%
6	NOT APPLICABLE	0	

# SDCFIMM: Immigrant - (F)			
Value	Label	Cases	Percentage
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	1896	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDCGRES: Length/time in Canada since imm. - (D,G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=8601 /-] [Invalid=53106 /-]		
Value	Label	Cases	Percentage
1	0 TO 9 YEARS	1733	<div><div></div></div> 20.1%
2	10 OR MORE YEARS	6868	<div><div></div></div> 79.9%
6	NOT APPLICABLE	51071	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	2035	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDCGCGT: Cultural or racial origin - (D, G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=59568 /-] [Invalid=2139 /-]		
Value	Label	Cases	Percentage
1	WHITE	50984	<div><div></div></div> 85.6%
2	VISIBLE MINORITY	8584	<div><div></div></div> 14.4%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	2139	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# PMKPROXY: Person most knowledgeable			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3257 /-] [Invalid=58450 /-]		
Value	Label	Cases	Percentage
1	RESP<16,PARTICI.	3186	<div><div></div></div> 97.8%
2	RESP<16,REFUSES	71	<div><div></div></div> 2.2%
6	NOT APPLICABLE	58333	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	117	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDC_8: Current student			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=57429 /-] [Invalid=4278 /-]		

# SDC_8: Current student			
Value	Label	Cases	Percentage
1	YES	6268	<div><div></div></div> 10.9%
2	NO	51161	<div><div></div></div> 89.1%
6	NOT APPLICABLE	2478	
7	DON'T KNOW	88	
8	REFUSAL	75	
9	NOT STATED	1637	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SDCG9: Full-time student or part-time student			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6134 /-] [Invalid=55573 /-]		
Value	Label	Cases	Percentage
1	FULL-TIME	4905	<div><div></div></div> 80.0%
2	PART-TIME	1229	<div><div></div></div> 20.0%
6	NOT APPLICABLE	53639	
7	DON'T KNOW	120	
8	REFUSAL	0	
9	NOT STATED	1814	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# EDUDH04: Highest level/edu. - HH 4 levels - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=56791 /-] [Invalid=4916 /-]		
Value	Label	Cases	Percentage
1	< THAN SECONDARY	6397	<div><div></div></div> 11.3%
2	SECONDARY GRAD.	7325	<div><div></div></div> 12.9%
3	OTHER POST-SEC.	2013	<div><div></div></div> 3.5%
4	POST-SEC. GRAD.	41056	<div><div></div></div> 72.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	4916	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# EDUDR04: Highest level/edu. - respond. 4 levels -			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=59433 /-] [Invalid=2274 /-]		
Value	Label	Cases	Percentage
1	< SEC. SCHOOL GR	14539	<div><div></div></div> 24.5%
2	SEC. SCHOOL. GR.	10451	<div><div></div></div> 17.6%
3	SOME POST-SEC ED	2922	<div><div></div></div> 4.9%
4	POST-SEC CERT	31521	<div><div></div></div> 53.0%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	

# EDUDR04: Highest level/edu. - respond. 4 levels -			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	2274	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# DOFSC: Module: Food security			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	YES	61707	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_010: Food situation in household - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=59826 /-] [Invalid=1881 /-]		
Value	Label	Cases	Percentage
1	ALWAYS ENOUGH	53234	<div><div></div></div> 89.0%
2	ENOUGH-NOT KIND	5802	<div><div></div></div> 9.7%
3	SOMETIMES NOT	591	<div><div></div></div> 1.0%
4	OFTEN NOT	199	<div><div></div></div> 0.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	112	
8	REFUSAL	125	
9	NOT STATED	1644	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_020: Worried food would run out - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=59728 /-] [Invalid=1979 /-]		
Value	Label	Cases	Percentage
1	OFTEN TRUE	1049	<div><div></div></div> 1.8%
2	SOMETIMES TRUE	3695	<div><div></div></div> 6.2%
3	NEVER TRUE	54984	<div><div></div></div> 92.1%
6	NOT APPLICABLE	0	
7	DON'T KNOW	55	
8	REFUSAL	33	
9	NOT STATED	1891	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_030: No food and no money for more - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		

# FSC_030: No food and no money for more - 12 mo			
Statistics [NW/ W]		[Valid=59720 /-] [Invalid=1987 /-]	
Value	Label	Cases	Percentage
1	OFTEN TRUE	789	<div><div></div></div> 1.3%
2	SOMETIMES TRUE	2952	<div><div></div></div> 4.9%
3	NEVER TRUE	55979	<div><div></div></div> 93.7%
6	NOT APPLICABLE	0	
7	DON'T KNOW	59	
8	REFUSAL	34	
9	NOT STATED	1894	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_040: Could not afford balanced meals - 12 mo			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=59683 /-] [Invalid=2024 /-]	
Value	Label	Cases	Percentage
1	OFTEN TRUE	1022	<div><div></div></div> 1.7%
2	SOMETIMES TRUE	3059	<div><div></div></div> 5.1%
3	NEVER TRUE	55602	<div><div></div></div> 93.2%
6	NOT APPLICABLE	0	
7	DON'T KNOW	91	
8	REFUSAL	38	
9	NOT STATED	1895	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# FSC_050: Few kinds low-cost food for kids -12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=15851 /-] [Invalid=45856 /-]		
Value	Label	Cases	Percentage
1	OFTEN TRUE	184	<div><div></div>1.2%</div>
2	SOMETIMES TRUE	1068	<div><div></div>6.7%</div>
3	NEVER TRUE	14599	<div><div></div>92.1%</div>
6	NOT APPLICABLE	45313	
7	DON'T KNOW	49	
8	REFUSAL	34	
9	NOT STATED	460	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_060: Couldn't feed child. bal. meal - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=15845 /-] [Invalid=45862 /-]		
Value	Label	Cases	Percentage
1	OFTEN TRUE	117	<div><div></div>0.7%</div>
2	SOMETIMES TRUE	685	<div><div></div>4.3%</div>
3	NEVER TRUE	15043	<div><div></div>94.9%</div>
6	NOT APPLICABLE	45313	
7	DON'T KNOW	54	
8	REFUSAL	34	
9	NOT STATED	461	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_070: Children were not eating enough - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=2473 /-] [Invalid=59234 /-]		
Value	Label	Cases	Percentage
1	OFTEN TRUE	60	<div><div></div>2.4%</div>
2	SOMETIMES TRUE	281	<div><div></div>11.4%</div>
3	NEVER TRUE	2132	<div><div></div>86.2%</div>
6	NOT APPLICABLE	58676	
7	DON'T KNOW	12	
8	REFUSAL	5	
9	NOT STATED	541	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_080: Adults cut or skipped meals - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6652 /-] [Invalid=55055 /-]		
Value	Label	Cases	Percentage
1	YES	1973	<div><div></div>29.7%</div>
2	NO	4679	<div><div></div>70.3%</div>
6	NOT APPLICABLE	52931	

# FSC_080: Adults cut or skipped meals - 12 mo			
Value	Label	Cases	Percentage
7	DON'T KNOW	10	
8	REFUSAL	9	
9	NOT STATED	2105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_081: Adults skipped meals (freq) - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1961 /-] [Invalid=59746 /-]		
Value	Label	Cases	Percentage
1	ALMOST EVERY MON	758	<div></div> 38.7%
2	SOME MONTHS	674	<div></div> 34.4%
3	ONLY 1 OR 2 MONT	529	<div></div> 27.0%
6	NOT APPLICABLE	57610	
7	DON'T KNOW	12	
8	REFUSAL	0	
9	NOT STATED	2124	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_090: Ate less than felt should - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6646 /-] [Invalid=55061 /-]		
Value	Label	Cases	Percentage
1	YES	2152	<div></div> 32.4%
2	NO	4494	<div></div> 67.6%
6	NOT APPLICABLE	52931	
7	DON'T KNOW	15	
8	REFUSAL	10	
9	NOT STATED	2105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_100: Was hungry but could not eat - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6646 /-] [Invalid=55061 /-]		
Value	Label	Cases	Percentage
1	YES	1226	<div></div> 18.4%
2	NO	5420	<div></div> 81.6%
6	NOT APPLICABLE	52931	
7	DON'T KNOW	15	
8	REFUSAL	10	
9	NOT STATED	2105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_110: Lost weight no money for food- 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=6602 /-] [Invalid=55105 /-]		

# FSC_110: Lost weight no money for food- 12 mo			
Value	Label	Cases	Percentage
1	YES	782	<div><div></div></div> 11.8%
2	NO	5820	<div><div></div></div> 88.2%
6	NOT APPLICABLE	52931	
7	DON'T KNOW	57	
8	REFUSAL	12	
9	NOT STATED	2105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_120: Adults did not eat whole day - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2707 /-] [Invalid=59000 /-]		
Value	Label	Cases	Percentage
1	YES	508	<div><div></div></div> 18.8%
2	NO	2199	<div><div></div></div> 81.2%
6	NOT APPLICABLE	56856	
7	DON'T KNOW	4	
8	REFUSAL	1	
9	NOT STATED	2139	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_121: Adults not eat whole day (freq) - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=505 /-] [Invalid=61202 /-]		
Value	Label	Cases	Percentage
1	ALMOST EVERY MON	212	<div><div></div></div> 42.0%
2	SOME MONTHS	173	<div><div></div></div> 34.3%
3	ONLY 1 OR 2 MONT	120	<div><div></div></div> 23.8%
6	NOT APPLICABLE	59055	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	2144	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_130: Cut size of children's meals - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=972 /-] [Invalid=60735 /-]		
Value	Label	Cases	Percentage
1	YES	98	<div><div></div></div> 10.1%
2	NO	874	<div><div></div></div> 89.9%
6	NOT APPLICABLE	60172	
7	DON'T KNOW	2	
8	REFUSAL	4	
9	NOT STATED	557	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# FSC_140: Children skipped meals - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=972 /-] [Invalid=60735 /-]		
Value	Label	Cases	Percentage
1	YES	72	<div><div></div></div> 7.4%
2	NO	900	<div><div></div></div> 92.6%
6	NOT APPLICABLE	60172	
7	DON'T KNOW	3	
8	REFUSAL	3	
9	NOT STATED	557	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_141: Freq. - child. skipped meals - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=70 /-] [Invalid=61637 /-]		
Value	Label	Cases	Percentage
1	ALMOST EVERY MON	18	<div><div></div></div> 25.7%
2	SOME MONTHS	31	<div><div></div></div> 44.3%
3	ONLY 1 OR 2 MONT	21	<div><div></div></div> 30.0%
6	NOT APPLICABLE	61072	
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	563	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_150: Children were hungry - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=970 /-] [Invalid=60737 /-]		
Value	Label	Cases	Percentage
1	YES	117	<div><div></div></div> 12.1%
2	NO	853	<div><div></div></div> 87.9%
6	NOT APPLICABLE	60172	
7	DON'T KNOW	4	
8	REFUSAL	4	
9	NOT STATED	557	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSC_160: Children did not eat whole day - 12 mo			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=971 /-] [Invalid=60736 /-]		
Value	Label	Cases	Percentage
1	YES	23	<div><div></div></div> 2.4%
2	NO	948	<div><div></div></div> 97.6%
6	NOT APPLICABLE	60172	
7	DON'T KNOW	4	
8	REFUSAL	3	

# FSC_160: Children did not eat whole day - 12 mo			
Value	Label	Cases	Percentage
9	NOT STATED	557	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSCDHFS2: Household Food Security Status (HC)			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=59428 /-] [Invalid=2279 /-]		
Value	Label	Cases	Percentage
0	FOOD SECURE	55233	<div></div> 92.9%
1	MOD. FOOD INSEC.	2915	<div></div> 4.9%
2	SEV. FOOD INSEC.	1280	<div></div> 2.2%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	2279	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSCDAFS2: Food Security - Adult Status			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=59452 /-] [Invalid=2255 /-]		
Value	Label	Cases	Percentage
0	FOOD SECURE	55311	<div></div> 93.0%
1	MOD. FOOD INSEC.	2855	<div></div> 4.8%
2	SEV. FOOD INSEC.	1286	<div></div> 2.2%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	2255	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# FSCDCFS2: Food Security - Child Status			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=15810 /-] [Invalid=45897 /-]		
Value	Label	Cases	Percentage
0	FOOD SECURE	15077	<div></div> 95.4%
1	MOD. FOOD INSEC.	659	<div></div> 4.2%
2	SEV. FOOD INSEC.	74	<div></div> 0.5%
6	NOT APPLICABLE	45313	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	584	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INCG2: Total hhld inc. - main source - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=55755 /-] [Invalid=5952 /-]		

# INCG2: Total hhld inc. - main source - (G)			
Value	Label	Cases	Percentage
1	EMPLOYMENT INC.	36434	<div><div></div></div> 65.3%
2	EI/WORKER'S COMP	1983	<div><div></div></div> 3.6%
3	SENIOR BENEFITS	15222	<div><div></div></div> 27.3%
4	OTHER	2116	<div><div></div></div> 3.8%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	5952	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INCG7: Main source of personal income - (G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=34715 /-] [Invalid=26992 /-]		
Value	Label	Cases	Percentage
1	EMPLOYMENT INC.	22100	<div><div></div></div> 63.7%
2	EI/WORKER'S COMP	1362	<div><div></div></div> 3.9%
3	SENIOR BENEFITS	7996	<div><div></div></div> 23.0%
4	OTHER	3257	<div><div></div></div> 9.4%
6	NOT APPLICABLE	19045	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	7947	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INCGHH: Total hhld inc. from all sources - (D,G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=61647 /-] [Invalid=60 /-]		
Value	Label	Cases	Percentage
1	NO OR <\$20,000	6894	<div><div></div></div> 11.2%
2	\$20,000-\$39,999	13607	<div><div></div></div> 22.1%
3	\$40,000-\$59,999	11661	<div><div></div></div> 18.9%
4	\$60,000-\$79,999	8956	<div><div></div></div> 14.5%
5	\$80,000 OR MORE	20529	<div><div></div></div> 33.3%
6	NOT APPLICABLE	0	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	60	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INCGPER: Total pers. inc. from all sources (D,G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=49721 /-] [Invalid=11986 /-]		
Value	Label	Cases	Percentage
1	NO INCOME	1386	<div><div></div></div> 2.8%

# INCGPER: Total pers. inc. from all sources (D,G)			
Value	Label	Cases	Percentage
2	LESS THAN 20,000	14159	<div></div> 28.5%
3	\$20,000-\$39,999	14466	<div></div> 29.1%
4	\$40,000-\$59,999	9117	<div></div> 18.3%
5	\$60,000-\$79,999	5047	<div></div> 10.2%
6	\$80,000 OR MORE	5546	<div></div> 11.2%
96	NOT APPLICABLE	3375	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	8611	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INCDRCA: Household income distribution - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=60226 /-] [Invalid=1481 /-]		
Value	Label	Cases	Percentage
1	DECILE 1	5278	<div></div> 8.8%
2	DECILE 2	6331	<div></div> 10.5%
3	DECILE 3	6199	<div></div> 10.3%
4	DECILE 4	5949	<div></div> 9.9%
5	DECILE 5	6294	<div></div> 10.5%
6	DECILE 6	6411	<div></div> 10.6%
7	DECILE 7	5939	<div></div> 9.9%
8	DECILE 8	5589	<div></div> 9.3%
9	DECILE 9	5873	<div></div> 9.8%
10	DECILE 10	6363	<div></div> 10.6%
96	NOT APPLICABLE	1423	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	58	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INCDRPR: Hhld inc. distribution-prov. level - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=60226 /-] [Invalid=1481 /-]		
Value	Label	Cases	Percentage
1	DECILE 1	5453	<div></div> 9.1%
2	DECILE 2	6529	<div></div> 10.8%
3	DECILE 3	6350	<div></div> 10.5%
4	DECILE 4	5912	<div></div> 9.8%
5	DECILE 5	6258	<div></div> 10.4%
6	DECILE 6	5976	<div></div> 9.9%
7	DECILE 7	5898	<div></div> 9.8%
8	DECILE 8	5872	<div></div> 9.7%
9	DECILE 9	5792	<div></div> 9.6%

# INCDRPR: Hhld inc. distribution-prov. level - (D)			
Value	Label	Cases	Percentage
10	DECILE 10	6186	<div></div> 10.3%
96	NOT APPLICABLE	1423	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	58	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# INCDRRS: Hhld inc. distribution- hr level - (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=54916 /-] [Invalid=6791 /-]		
Value	Label	Cases	Percentage
1	DECILE 1	5806	<div></div> 10.6%
2	DECILE 2	6224	<div></div> 11.3%
3	DECILE 3	5732	<div></div> 10.4%
4	DECILE 4	5682	<div></div> 10.3%
5	DECILE 5	5583	<div></div> 10.2%
6	DECILE 6	5414	<div></div> 9.9%
7	DECILE 7	5184	<div></div> 9.4%
8	DECILE 8	5055	<div></div> 9.2%
9	DECILE 9	4985	<div></div> 9.1%
10	DECILE 10	5251	<div></div> 9.6%
96	NOT APPLICABLE	1423	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	5368	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTS_M: Weights - Master			
Information	[Type= continuous] [Format=numeric] [Range= 9.31-20207.6] [Missing=*]		
Statistics [NW/ W]	[Valid=61707 /-] [Invalid=0 /-] [Mean=477.92 /-] [StdDev=807.226 /-]		
# DOHUI: Module: HUI - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3486 /-] [Invalid=58221 /-]		
Value	Label	Cases	Percentage
1	YES	3486	<div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	58221	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIGVIS: Vision trouble - function code - (D,G)			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		

# HUIGVIS: Vision trouble - function code - (D,G)			
Statistics [NW/ W]		[Valid=3420 /-] [Invalid=58287 /-]	
Value	Label	Cases	Percentage
1	NO VISUAL PROBL.	1364	<div><div></div></div> 39.9%
2	CORR. BY LENSES	1984	<div><div></div></div> 58.0%
3	HYPERMET/N CORR	26	<div><div></div></div> 0.8%
4	MYOPIA/N CORR	28	<div><div></div></div> 0.8%
5	MYOPIA&HYPERMET	18	<div><div></div></div> 0.5%
6	NOT APPLICABLE	58221	
9	NOT STATED	66	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIGHER: Hearing problems - function code - (D,G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=3386 /-] [Invalid=58321 /-]	
Value	Label	Cases	Percentage
1	NO PROBLEMS	3175	<div><div></div></div> 93.8%
2	CORRECTED	132	<div><div></div></div> 3.9%
3	NOT CORRECTED	79	<div><div></div></div> 2.3%
6	NOT APPLICABLE	58221	
9	NOT STATED	100	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIGSPE: Speech trouble - function code - (D,G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3470 /-] [Invalid=58237 /-]	
Value	Label	Cases	Percentage
1	NO PROBLEMS	3431	<div><div></div></div> 98.9%
2	PART/NOT UNDERST	39	<div><div></div></div> 1.1%
6	NOT APPLICABLE	58221	
9	NOT STATED	16	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIGMOB: Mobility trouble - function code - (D,G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=3468 /-] [Invalid=58239 /-]	
Value	Label	Cases	Percentage
1	NO PROBLEMS	3179	<div><div></div></div> 91.7%
2	NO AID REQUIRED	51	<div><div></div></div> 1.5%
3	NEED MECH. SUPP	183	<div><div></div></div> 5.3%
4	HELP/CAN'T WALK	55	<div><div></div></div> 1.6%
6	NOT APPLICABLE	58221	
9	NOT STATED	18	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIGDEX: Dexterity trouble - function code -(D,G)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	

# HUIGDEX: Dexterity trouble - function code -(D,G)			
Statistics [NW/ W]		[Valid=3471 /-] [Invalid=58236 /-]	
Value	Label	Cases	Percentage
1	NO PROBLEMS	3443	<div></div> 99.2%
2	NO HELP REQ'D	11	0.3%
3	NEEDS HELP	17	0.5%
6	NOT APPLICABLE	58221	
9	NOT STATED	15	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIDEMO: Emotion (function code)			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=3464 /-] [Invalid=58243 /-]	
Value	Label	Cases	Percentage
1	EMOT. ATT. LEV.1	2673	<div></div> 77.2%
2	EMOT. ATT. LEV.2	682	<div></div> 19.7%
3	EMOT. ATT. LEV.3	92	<div></div> 2.7%
4	EMOT. ATT. LEV.4	10	0.3%
5	EMOT. ATT. LEV.5	7	0.2%
6	NOT APPLICABLE	58221	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	22	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIDCOG: Cognition prob. - function code - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=3440 /-] [Invalid=58267 /-]	
Value	Label	Cases	Percentage
1	COG. ATT. LEVE 1	2070	<div></div> 60.2%
2	COG. ATT. LEVE 2	158	<div></div> 4.6%
3	COG. ATT. LEVE 3	831	<div></div> 24.2%
4	COG. ATT. LEVE 4	294	<div></div> 8.5%
5	COG. ATT. LEVE 5	83	<div></div> 2.4%
6	COG. ATT. LEVE 6	4	0.1%
96	NOT APPLICABLE	58221	
97	DON'T KNOW	0	
98	REFUSAL	0	
99	NOT STATED	46	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# HUIDHSI: Health utilities index			
Information		[Type= continuous] [Format=numeric] [Range= -0.278-1] [Missing=*]	
Statistics [NW/ W]		[Valid=3265 /-] [Invalid=58442 /-] [Mean=0.837 /-] [StdDev=0.217 /-]	
Value	Label	Cases	Percentage
99.996	NOT APPLICABLE	58221	

# HUDHSI: Health utilities index			
Value	Label	Cases	Percentage
99.997	DON'T KNOW	0	
99.998	REFUSAL	0	
99.999	NOT STATED	221	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOSSU: Module: SSU - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3592 /-] [Invalid=58115 /-]		
Value	Label	Cases	Percentage
1	YES	3592	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	58115	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SSU_21A: Received tangible social support			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2968 /-] [Invalid=58739 /-]		
Value	Label	Cases	Percentage
1	YES	1269	<div><div></div></div> 42.8%
2	NO	1699	<div><div></div></div> 57.2%
6	NOT APPLICABLE	58142	
7	DON'T KNOW	10	
8	REFUSAL	6	
9	NOT STATED	581	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SSU_21B: Freq. of tangible social support			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=1254 /-] [Invalid=60453 /-]		
Value	Label	Cases	Percentage
1	ALMOST ALWAYS	1018	<div><div></div></div> 81.2%
2	FREQUENTLY	121	<div><div></div></div> 9.6%
3	HALF THE TIME	55	<div><div></div></div> 4.4%
4	RARELY	52	<div><div></div></div> 4.1%
5	NEVER	8	<div><div></div></div> 0.6%
6	NOT APPLICABLE	59841	
7	DON'T KNOW	14	
8	REFUSAL	0	
9	NOT STATED	598	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# SSU_22A: Received affective support			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2961 /-] [Invalid=58746 /-]	
Value	Label	Cases	Percentage
1	YES	2832	<div><div></div></div> 95.6%
2	NO	129	<div><div></div></div> 4.4%
6	NOT APPLICABLE	58138	
7	DON'T KNOW	11	
8	REFUSAL	9	
9	NOT STATED	588	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSU_22B: Freq. of affective support			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=2814 /-] [Invalid=58893 /-]	
Value	Label	Cases	Percentage
1	ALMOST ALWAYS	2255	<div><div></div></div> 80.1%
2	FREQUENTLY	362	<div><div></div></div> 12.9%
3	HALF THE TIME	143	<div><div></div></div> 5.1%
4	RARELY	54	<div><div></div></div> 1.9%
5	NEVER	0	
6	NOT APPLICABLE	58267	
7	DON'T KNOW	16	
8	REFUSAL	2	
9	NOT STATED	608	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSU_23A: Rec'd pos. social interac. supp.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=2978 /-] [Invalid=58729 /-]	
Value	Label	Cases	Percentage
1	YES	2874	<div><div></div></div> 96.5%
2	NO	104	<div><div></div></div> 3.5%
6	NOT APPLICABLE	58125	
7	DON'T KNOW	11	
8	REFUSAL	8	
9	NOT STATED	585	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# SSU_23B: Freq. of pos. social interac. supp.			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=2856 /-] [Invalid=58851 /-]	
Value	Label	Cases	Percentage
1	ALMOST ALWAYS	2218	<div><div></div></div> 77.7%
2	FREQUENTLY	444	<div><div></div></div> 15.5%
3	HALF THE TIME	140	<div><div></div></div> 4.9%

# SSU_23B: Freq. of pos. social interac. supp.			
Value	Label	Cases	Percentage
4	RARELY	53	<div><div></div></div> 1.9%
5	NEVER	1	0.0%
6	NOT APPLICABLE	58229	
7	DON'T KNOW	16	
8	REFUSAL	2	
9	NOT STATED	604	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SSU_24A: Received emotional/informational support			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2970 /-] [Invalid=58737 /-]		
Value	Label	Cases	Percentage
1	YES	2811	<div><div></div></div> 94.6%
2	NO	159	<div><div></div></div> 5.4%
6	NOT APPLICABLE	58125	
7	DON'T KNOW	21	
8	REFUSAL	10	
9	NOT STATED	581	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SSU_24B: Freq. of emotional/info. support			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=2800 /-] [Invalid=58907 /-]		
Value	Label	Cases	Percentage
1	ALMOST ALWAYS	2196	<div><div></div></div> 78.4%
2	FREQUENTLY	430	<div><div></div></div> 15.4%
3	HALF THE TIME	123	<div><div></div></div> 4.4%
4	RARELY	50	<div><div></div></div> 1.8%
5	NEVER	1	0.0%
6	NOT APPLICABLE	58284	
7	DON'T KNOW	11	
8	REFUSAL	0	
9	NOT STATED	612	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DOWTM: Module: WTM - (F)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1765 /-] [Invalid=59942 /-]		
Value	Label	Cases	Percentage
1	YES	1765	<div><div></div></div> 100.0%
2	NO	0	
6	NOT APPLICABLE	59942	
7	DON'T KNOW	0	
8	REFUSAL	0	

# DOWTM: Module: WTM - (F)			
Value	Label	Cases	Percentage
9	NOT STATED	0	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# WTM_01: Required visit to medical specialist			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=490 /-] [Invalid=61217 /-]		
Value	Label	Cases	Percentage
1	YES	202	<div></div> 41.2%
2	NO	288	<div></div> 58.8%
6	NOT APPLICABLE	61134	
7	DON'T KNOW	0	
8	REFUSAL	1	
9	NOT STATED	82	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_02: Req. vis. med. spec. - type of condition			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=200 /-] [Invalid=61507 /-]		
Value	Label	Cases	Percentage
1	HEART CONDITION	11	<div></div> 5.5%
2	CANCER	17	<div></div> 8.5%
3	ASTHMA	6	<div></div> 3.0%
4	ARTHRITIS/RHEUM.	5	<div></div> 2.5%
5	CATARACT	6	<div></div> 3.0%
6	MENTAL HEALTH	8	<div></div> 4.0%
7	SKIN CONDITIONS	16	<div></div> 8.0%
8	GYNAECOLOGICAL	31	<div></div> 15.5%
9	OTHER	100	<div></div> 50.0%
96	NOT APPLICABLE	61422	
97	DON'T KNOW	1	
98	REFUSAL	0	
99	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_03: Person who referred resp. to med. spec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=202 /-] [Invalid=61505 /-]		
Value	Label	Cases	Percentage
1	FAMILY DOCTOR	169	<div></div> 83.7%
2	OTHER SPECIALIST	12	<div></div> 5.9%
3	OTHER HLTH CARE	16	<div></div> 7.9%
4	DID NOT REQUIRE	5	<div></div> 2.5%
6	NOT APPLICABLE	61422	
7	DON'T KNOW	0	

# WTM_03: Person who referred resp. to med. spec.			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_04: Already visited the medical specialist			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=202 /-] [Invalid=61505 /-]	
Value	Label	Cases	Percentage
1	YES	178	<div><div></div></div> 88.1%
2	NO	24	<div><div></div></div> 11.9%
6	NOT APPLICABLE	61422	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_05: Difficulty seeing medical specialist			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=178 /-] [Invalid=61529 /-]	
Value	Label	Cases	Percentage
1	YES	28	<div><div></div></div> 15.7%
2	NO	150	<div><div></div></div> 84.3%
6	NOT APPLICABLE	61446	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_06A: Diff. - getting referral			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 3.6%
2	NO	27	<div><div></div></div> 96.4%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 35.7%
2	NO	18	<div><div></div></div> 64.3%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06C: Diff. - no specialists in area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 7.1%
2	NO	26	<div><div></div></div> 92.9%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06D: Diff. - waited too long for appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 60.7%
2	NO	11	<div><div></div></div> 39.3%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	

# WTM_06D: Diff. - waited too long for appointment			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_06E: Diff. - waited too long to see doc.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 14.3%
2	NO	24	<div><div></div></div> 85.7%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_06F: Diff. - transportation			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 7.1%
2	NO	26	<div><div></div></div> 92.9%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_06G: Diff. - language			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	28	
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_06H: Diff. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	28	
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	

# WTM_06H: Diff. - cost			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06I: Diff. - pers./family responsibilities			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=28 /-] [Invalid=61679 /-]	
Value	Label	Cases	Percentage
1	YES	0	<div></div> 100.0%
2	NO	28	
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06J: Diff. - deterioration of health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=28 /-] [Invalid=61679 /-]	
Value	Label	Cases	Percentage
1	YES	0	<div></div> 100.0%
2	NO	28	
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06K: Diff. - appointment cancelled/deferred			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=28 /-] [Invalid=61679 /-]	
Value	Label	Cases	Percentage
1	YES	2	<div></div> 7.1%
2	NO	26	<div></div> 92.9%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06L: Diff. - unable leave house/health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=28 /-] [Invalid=61679 /-]	
Value	Label	Cases	Percentage
1	YES	0	

# WTM_06L: Diff. - unable leave house/health			
Value	Label	Cases	Percentage
2	NO	28	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_06M: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=61679 /-]		
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 10.7%
2	NO	25	<div><div></div></div> 89.3%
6	NOT APPLICABLE	61596	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_07A: Length of wait to see specialist			
Information	[Type= discrete] [Format=numeric] [Range= 1-36] [Missing=*]		
Statistics [NW/ W]	[Valid=173 /-] [Invalid=61534 /-]		
Value	Label	Cases	Percentage
1		43	<div><div></div></div> 24.9%
2		41	<div><div></div></div> 23.7%
3		34	<div><div></div></div> 19.7%
4		12	<div><div></div></div> 6.9%
5		6	<div><div></div></div> 3.5%
6		15	<div><div></div></div> 8.7%
7		2	<div><div></div></div> 1.2%
8		4	<div><div></div></div> 2.3%
9		3	<div><div></div></div> 1.7%
10		1	<div><div></div></div> 0.6%
11		1	<div><div></div></div> 0.6%
12		5	<div><div></div></div> 2.9%
14		2	<div><div></div></div> 1.2%
18		3	<div><div></div></div> 1.7%
36		1	<div><div></div></div> 0.6%
996	NOT APPLICABLE	61446	
997	DON'T KNOW	5	
998	REFUSAL	0	
999	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_07B: Length of wait to see specialist - unit			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=173 /-] [Invalid=61534 /-]		
Value	Label	Cases	Percentage
1	DAYS	22	<div><div></div></div> 12.7%
2	WEEKS	63	<div><div></div></div> 36.4%
3	MONTHS	88	<div><div></div></div> 50.9%
6	NOT APPLICABLE	61446	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	88	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_08A: Length of time been waiting to see spec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-365] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=61684 /-]		
Value	Label	Cases	Percentage
1		3	<div><div></div></div> 13.0%
2		2	<div><div></div></div> 8.7%
4		4	<div><div></div></div> 17.4%
6		3	<div><div></div></div> 13.0%
7		2	<div><div></div></div> 8.7%
9		3	<div><div></div></div> 13.0%
10		2	<div><div></div></div> 8.7%
11		1	<div><div></div></div> 4.3%
12		1	<div><div></div></div> 4.3%
48		1	<div><div></div></div> 4.3%
365		1	<div><div></div></div> 4.3%
996	NOT APPLICABLE	61600	
997	DON'T KNOW	1	
998	REFUSAL	0	
999	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_08B: Length of time waiting/see spec. - unit			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=61684 /-]		
Value	Label	Cases	Percentage
1	DAYS	1	<div><div></div></div> 4.3%
2	WEEKS	6	<div><div></div></div> 26.1%
3	MONTHS	16	<div><div></div></div> 69.6%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_10: Respondent's opinion of waiting time			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=202 -/] [Invalid=61505 -/]		
Value	Label	Cases	Percentage
1	ACCEPTABLE	136	<div><div></div></div> 67.3%
2	NOT ACCEPTABLE	63	<div><div></div></div> 31.2%
3	NO VIEW	3	<div><div></div></div> 1.5%
6	NOT APPLICABLE	61422	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_11A: Acceptable waiting time			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=63 -/] [Invalid=61644 -/]		
Value	Label	Cases	Percentage
1		26	<div><div></div></div> 41.3%
2		16	<div><div></div></div> 25.4%
3		11	<div><div></div></div> 17.5%
4		3	<div><div></div></div> 4.8%
5		1	<div><div></div></div> 1.6%
6		5	<div><div></div></div> 7.9%
8		1	<div><div></div></div> 1.6%
996	NOT APPLICABLE	61558	
997	DON'T KNOW	3	
998	REFUSAL	0	
999	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_11B: Acceptable waiting time - unit			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=63 -/] [Invalid=61644 -/]		
Value	Label	Cases	Percentage
1	DAYS	6	<div><div></div></div> 9.5%
2	WEEKS	21	<div><div></div></div> 33.3%
3	MONTHS	36	<div><div></div></div> 57.1%
6	NOT APPLICABLE	61558	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	86	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_12: Visit to specialist cancelled/postponed			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=202 -/] [Invalid=61505 -/]		

# WTM_12: Visit to specialist cancelled/postponed			
Value	Label	Cases	Percentage
1	YES	32	<div><div></div></div> 15.8%
2	NO	170	<div><div></div></div> 84.2%
6	NOT APPLICABLE	61422	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_13A: Visit cancelled/postponed - respondent			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=61675 /-]		
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 21.9%
2	NO	25	<div><div></div></div> 78.1%
6	NOT APPLICABLE	61592	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_13B: Visit cancelled/postponed - specialist			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=61675 /-]		
Value	Label	Cases	Percentage
1	YES	24	<div><div></div></div> 75.0%
2	NO	8	<div><div></div></div> 25.0%
6	NOT APPLICABLE	61592	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_13C: Visit cancelled/postponed - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=61675 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 6.2%
2	NO	30	<div><div></div></div> 93.8%
6	NOT APPLICABLE	61592	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_14: Life affected by wait/spec.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=201 /-] [Invalid=61506 /-]		
Value	Label	Cases	Percentage
1	YES	37	<div><div></div></div> 18.4%
2	NO	164	<div><div></div></div> 81.6%
6	NOT APPLICABLE	61422	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_15A: Life affected by wait - worry			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=61671 /-]		
Value	Label	Cases	Percentage
1	YES	28	<div><div></div></div> 77.8%
2	NO	8	<div><div></div></div> 22.2%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_15B: Life affected by wait - worry for family			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=61671 /-]		
Value	Label	Cases	Percentage
1	YES	14	<div><div></div></div> 38.9%
2	NO	22	<div><div></div></div> 61.1%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_15C: Life affected by wait - pain			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=61671 /-]		
Value	Label	Cases	Percentage
1	YES	14	<div><div></div></div> 38.9%
2	NO	22	<div><div></div></div> 61.1%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	

# WTM_15C: Life affected by wait - pain			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15D: Life affected by wait - prob. daily act.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=36 /-] [Invalid=61671 /-]	
Value	Label	Cases	Percentage
1	YES	13	<div></div> 36.1%
2	NO	23	<div></div> 63.9%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15E: Life affected by wait - loss of work			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=36 /-] [Invalid=61671 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div></div> 11.1%
2	NO	32	<div></div> 88.9%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15F: Life affected by wait - loss of income			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=36 /-] [Invalid=61671 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div></div> 11.1%
2	NO	32	<div></div> 88.9%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15G: Life affected by wait - incr. dependence			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=36 /-] [Invalid=61671 /-]	
Value	Label	Cases	Percentage
1	YES	7	<div></div> 19.4%
2	NO	29	<div></div> 80.6%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	

# WTM_15G: Life affected by wait - incr. dependence			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15H: Life affected by wait - incr. use med.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=61671 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 2.8%
2	NO	35	<div><div></div></div> 97.2%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15I: Life affected by wait - health deter.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=61671 /-]		
Value	Label	Cases	Percentage
1	YES	8	<div><div></div></div> 22.2%
2	NO	28	<div><div></div></div> 77.8%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15J: Life affected by wait - health improved			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=61671 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	36	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_15K: Life affected by wait - pers. rel.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=61671 /-]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 11.1%

WTM_15K: Life affected by wait - pers. rel.

Value	Label	Cases	Percentage
2	NO	32	<div><div></div></div> 88.9%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_15L: Life affected by wait - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=36 /-] [Invalid=61671 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 11.1%
2	NO	32	<div><div></div></div> 88.9%
6	NOT APPLICABLE	61586	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_17: Already had the surgery			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=115 /-] [Invalid=61592 /-]	
Value	Label	Cases	Percentage
1	YES	103	<div><div></div></div> 89.6%
2	NO	12	<div><div></div></div> 10.4%
6	NOT APPLICABLE	61511	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_18: Surgery required overnight hospital stay			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=103 /-] [Invalid=61604 /-]	
Value	Label	Cases	Percentage
1	YES	36	<div><div></div></div> 35.0%
2	NO	67	<div><div></div></div> 65.0%
6	NOT APPLICABLE	61523	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_19: Diff. getting this surgery			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	

# WTM_19: Diff. getting this surgery			
Statistics [NW/ W]		[Valid=103 /-] [Invalid=61604 /-]	
Value	Label	Cases	Percentage
1	YES	12	<div><div></div></div> 11.7%
2	NO	91	<div><div></div></div> 88.3%
6	NOT APPLICABLE	61523	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20A: Diff. - getting an appointment			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=12 /-] [Invalid=61695 /-]	
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 16.7%
2	NO	10	<div><div></div></div> 83.3%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20B: Diff. - getting a diagnosis			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=12 /-] [Invalid=61695 /-]	
Value	Label	Cases	Percentage
1	YES	0	
2	NO	12	
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20C: Diff. - wait too long for diag. test			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=12 /-] [Invalid=61695 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 8.3%
2	NO	11	<div><div></div></div> 91.7%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_20D: Diff. - waited too long for hosp. bed			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	12	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20E: Diff. - waited too long/surgery			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	6	<div><div></div></div> 50.0%
2	NO	6	<div><div></div></div> 50.0%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20F: Diff. - service not available/area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 8.3%
2	NO	11	<div><div></div></div> 91.7%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20G: Diff. - transportation			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 8.3%
2	NO	11	<div><div></div></div> 91.7%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	

# WTM_20G: Diff. - transportation			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_20H: Diff. - language			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	12	<div></div> 100.0%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_20I: Diff. - cost			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	12	<div></div> 100.0%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_20J: Diff. - pers./family responsibilities			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div></div> 8.3%
2	NO	11	<div></div> 91.7%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# WTM_20K: Diff. - deterioration of health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	12	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20L: Diff. - appt. cancelled/deferred			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 33.3%
2	NO	8	<div><div></div></div> 66.7%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20M: Diff. - unable leave house/health			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	12	<div><div></div></div> 100.0%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_20N: Diff. - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=61695 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 16.7%
2	NO	10	<div><div></div></div> 83.3%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	

# WTM_20N: Diff. - other			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_21A: Length of wait/surgery			
Information		[Type= discrete] [Format=numeric] [Range= 1-84] [Missing=*]	
Statistics [NW/ W]		[Valid=101 /-] [Invalid=61606 /-]	
Value	Label	Cases	Percentage
1		28	<div><div></div></div> 27.7%
2		25	<div><div></div></div> 24.8%
3		20	<div><div></div></div> 19.8%
4		2	<div><div></div></div> 2.0%
5		8	<div><div></div></div> 7.9%
6		10	<div><div></div></div> 9.9%
7		1	<div><div></div></div> 1.0%
8		1	<div><div></div></div> 1.0%
10		1	<div><div></div></div> 1.0%
21		1	<div><div></div></div> 1.0%
24		1	<div><div></div></div> 1.0%
36		1	<div><div></div></div> 1.0%
72		1	<div><div></div></div> 1.0%
84		1	<div><div></div></div> 1.0%
996	NOT APPLICABLE	61523	
997	DON'T KNOW	2	
998	REFUSAL	0	
999	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_21B: Length of wait/surgery - unit			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=101 /-] [Invalid=61606 /-]	
Value	Label	Cases	Percentage
1	DAYS	15	<div><div></div></div> 14.9%
2	WEEKS	39	<div><div></div></div> 38.6%
3	MONTHS	47	<div><div></div></div> 46.5%
6	NOT APPLICABLE	61523	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_22: Surg. will require overnight hosp. stay			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=61700 /-]	
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 42.9%
2	NO	4	<div><div></div></div> 57.1%
6	NOT APPLICABLE	61614	

# WTM_22: Surg. will require overnight hosp. stay			
Value	Label	Cases	Percentage
7	DON'T KNOW	5	
8	REFUSAL	0	
9	NOT STATED	81	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_23A: Time since decision/have surgery			
Information	[Type= discrete] [Format=numeric] [Range= 3-36] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=61698 /-]		
Value	Label	Cases	Percentage
3		1	<div></div> 11.1%
4		1	<div></div> 11.1%
5		1	<div></div> 11.1%
6		1	<div></div> 11.1%
12		1	<div></div> 11.1%
18		2	<div></div> 22.2%
24		1	<div></div> 11.1%
36		1	<div></div> 11.1%
996	NOT APPLICABLE	61614	
997	DON'T KNOW	3	
998	REFUSAL	0	
999	NOT STATED	81	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_23B: Time since decision/have surgery - unit			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=61698 /-]		
Value	Label	Cases	Percentage
1	DAYS	1	<div></div> 11.1%
2	WEEKS	2	<div></div> 22.2%
3	MONTHS	6	<div></div> 66.7%
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_24: Respondent's opinion of waiting time			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=115 /-] [Invalid=61592 /-]		
Value	Label	Cases	Percentage
1	ACCEPTABLE	86	<div></div> 74.8%
2	NOT ACCEPTABLE	29	<div></div> 25.2%
3	NO VIEW	0	
6	NOT APPLICABLE	61511	

# WTM_24: Respondent's opinion of waiting time			
Value	Label	Cases	Percentage
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_25A: Acceptable waiting time			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=61680 /-]		
Value	Label	Cases	Percentage
1		11	<div><div></div></div> 40.7%
2		6	<div><div></div></div> 22.2%
3		6	<div><div></div></div> 22.2%
6		2	<div><div></div></div> 7.4%
12		2	<div><div></div></div> 7.4%
996	NOT APPLICABLE	61597	
997	DON'T KNOW	2	
998	REFUSAL	0	
999	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_25B: Acceptable waiting time - unit			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=61680 /-]		
Value	Label	Cases	Percentage
1	DAYS	2	<div><div></div></div> 7.4%
2	WEEKS	7	<div><div></div></div> 25.9%
3	MONTHS	18	<div><div></div></div> 66.7%
6	NOT APPLICABLE	61597	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_26: Surgery cancelled or postponed			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=114 /-] [Invalid=61593 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 14.9%
2	NO	97	<div><div></div></div> 85.1%
6	NOT APPLICABLE	61511	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_27A: Surgery cancelled/postponed - respondent			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=61690 /-]		
Value	Label	Cases	Percentage
1	YES	6	<div><div></div></div> 35.3%
2	NO	11	<div><div></div></div> 64.7%
6	NOT APPLICABLE	61608	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	82	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_27B: Surgery cancelled/postponed - surgeon			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=61690 /-]		
Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 58.8%
2	NO	7	<div><div></div></div> 41.2%
6	NOT APPLICABLE	61608	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	82	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_27C: Surgery cancelled/postponed - hospital			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=61690 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 11.8%
2	NO	15	<div><div></div></div> 88.2%
6	NOT APPLICABLE	61608	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	82	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_27D: Surgery cancelled/postponed - other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=61690 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	17	
6	NOT APPLICABLE	61608	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	82	

WTM_27D: Surgery cancelled/postponed - other

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_28: Life affected by wait for surgery

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=115 /-] [Invalid=61592 /-]		
Value	Label	Cases	Percentage
1	YES	26	<div><div></div></div> 22.6%
2	NO	89	<div><div></div></div> 77.4%
6	NOT APPLICABLE	61511	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29A: Life affected by wait - worry

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=61681 /-]		
Value	Label	Cases	Percentage
1	YES	12	<div><div></div></div> 46.2%
2	NO	14	<div><div></div></div> 53.8%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29B: Life affected by wait - worry/family

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=61681 /-]		
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 15.4%
2	NO	22	<div><div></div></div> 84.6%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_29C: Life affected by wait - pain

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=61681 /-]		
Value	Label	Cases	Percentage
1	YES	12	<div><div></div></div> 46.2%
2	NO	14	<div><div></div></div> 53.8%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	

# WTM_29C: Life affected by wait - pain			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29D: Life affected by wait - prob. daily act.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=61681 /-]	
Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 38.5%
2	NO	16	<div><div></div></div> 61.5%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29E: Life affected by wait - loss of work			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=61681 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 15.4%
2	NO	22	<div><div></div></div> 84.6%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29F: Life affected by wait - loss of income			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=61681 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 3.8%
2	NO	25	<div><div></div></div> 96.2%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29G: Life affected by wait - incr. dependence			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=61681 /-]	
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 19.2%

# WTM_29G: Life affected by wait - incr. dependence			
Value	Label	Cases	Percentage
2	NO	21	<div><div></div></div> 80.8%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29H: Life affected by wait - incr. use med.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=61681 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 7.7%
2	NO	24	<div><div></div></div> 92.3%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29I: Life affected by wait - health deter.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=61681 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 19.2%
2	NO	21	<div><div></div></div> 80.8%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29J: Life affected by wait - health improved			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=61681 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	26	
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29K: Life affected by wait - pers. rel.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# WTM_29K: Life affected by wait - pers. rel.			
Statistics [NW/ W]		[Valid=26 /-] [Invalid=61681 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 3.8%
2	NO	25	<div><div></div></div> 96.2%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_29L: Life affected by wait - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=61681 /-]	
Value	Label	Cases	Percentage
1	YES	8	<div><div></div></div> 30.8%
2	NO	18	<div><div></div></div> 69.2%
6	NOT APPLICABLE	61600	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	81	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_30: Type of diagnostic test required			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=232 /-] [Invalid=61475 /-]	
Value	Label	Cases	Percentage
1	MRI	73	<div><div></div></div> 31.5%
2	CAT SCAN	147	<div><div></div></div> 63.4%
3	ANGIOGRAPHY	12	<div><div></div></div> 5.2%
6	NOT APPLICABLE	61390	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_31: Required diag. test - type of condition			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=231 /-] [Invalid=61476 /-]	
Value	Label	Cases	Percentage
1	HEART DISEASE	27	<div><div></div></div> 11.7%
2	CANCER	31	<div><div></div></div> 13.4%
3	JOINTS/FRACTURES	38	<div><div></div></div> 16.5%
4	NEUROLOGICAL	26	<div><div></div></div> 11.3%
5	OTHER	109	<div><div></div></div> 47.2%
6	NOT APPLICABLE	61390	

# WTM_31: Required diag. test - type of condition			
Value	Label	Cases	Percentage
7	DON'T KNOW	2	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_32: Already had diagnostic test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=233 -/] [Invalid=61474 -/]		
Value	Label	Cases	Percentage
1	YES	224	<div><div></div></div> 96.1%
2	NO	9	<div><div></div></div> 3.9%
6	NOT APPLICABLE	61390	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_33: Location of test			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=224 -/] [Invalid=61483 -/]		
Value	Label	Cases	Percentage
1	HOSPITAL	224	<div><div></div></div> 100.0%
2	PUBLIC CLINIC	0	
3	PRIVATE CLINIC	0	
4	OTHER	0	
6	NOT APPLICABLE	61399	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_34: Location of clinic			
Informtion	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=0 -/] [Invalid=61707 -/]		
Value	Label	Cases	Percentage
1	RESP'S PROV.	0	
2	ANOTHER PROV.	0	
3	OTHER	0	
6	NOT APPLICABLE	61623	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_35: Patient in hospital at time of test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=61483 /-]		
Value	Label	Cases	Percentage
1	YES	23	<div><div></div></div> 10.3%
2	NO	201	<div><div></div></div> 89.7%
6	NOT APPLICABLE	61399	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_36: Diff. getting diagnostic test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=61483 /-]		
Value	Label	Cases	Percentage
1	YES	24	<div><div></div></div> 10.7%
2	NO	200	<div><div></div></div> 89.3%
6	NOT APPLICABLE	61399	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37A: Diff. - getting referral			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=61683 /-]		
Value	Label	Cases	Percentage
1	YES	2	<div><div></div></div> 8.3%
2	NO	22	<div><div></div></div> 91.7%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37B: Diff. - getting an appointment			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=61683 /-]		
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 12.5%
2	NO	21	<div><div></div></div> 87.5%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	

# WTM_37B: Diff. - getting an appointment			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_37C: Diff. - waited too long to get an appt.			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=61683 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 70.8%
2	NO	7	<div><div></div></div> 29.2%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_37D: Diff. - waited too long/get test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=61683 /-]		
Value	Label	Cases	Percentage
1	YES	5	<div><div></div></div> 20.8%
2	NO	19	<div><div></div></div> 79.2%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_37E: Diff. - service not avail./time required			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=61683 /-]		
Value	Label	Cases	Percentage
1	YES	0	
2	NO	24	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WTM_37F: Diff. - service not available/area			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=61683 /-]		
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 4.2%
2	NO	23	<div><div></div></div> 95.8%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	

# WTM_37F: Diff. - service not available/area			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37G: Diff. - transportation			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=61683 /-]	
Value	Label	Cases	Percentage
1	YES	0	<div></div> 100.0%
2	NO	24	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37H: Diff. - language			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=61683 /-]	
Value	Label	Cases	Percentage
1	YES	0	<div></div> 100.0%
2	NO	24	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37I: Diff. - cost			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=61683 /-]	
Value	Label	Cases	Percentage
1	YES	0	<div></div> 100.0%
2	NO	24	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37J: Diff. - deterioration of health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=61683 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div></div> 4.2%

# WTM_37J: Diff. - deterioration of health			
Value	Label	Cases	Percentage
2	NO	23	<div><div></div></div> 95.8%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37K: Diff. - did not know where to go			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=61683 /-]	
Value	Label	Cases	Percentage
1	YES	0	<div><div></div></div> 100.0%
2	NO	24	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37L: Diff. - unable leave house/health			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=61683 /-]	
Value	Label	Cases	Percentage
1	YES	0	<div><div></div></div> 100.0%
2	NO	24	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_37M: Diff. - other			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=61683 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 4.2%
2	NO	23	<div><div></div></div> 95.8%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_38A: Length of wait / test			
Information		[Type= discrete] [Format=numeric] [Range= 1-30] [Missing=*]	
Statistics [NW/ W]		[Valid=210 /-] [Invalid=61497 /-]	
Value	Label	Cases	Percentage
1		79	<div></div> 37.6%
2		56	<div></div> 26.7%
3		32	<div></div> 15.2%
4		5	<div></div> 2.4%
5		6	<div></div> 2.9%
6		16	<div></div> 7.6%
7		5	<div></div> 2.4%
8		3	<div></div> 1.4%
9		1	<div></div> 0.5%
10		2	<div></div> 1.0%
12		3	<div></div> 1.4%
24		1	<div></div> 0.5%
30		1	<div></div> 0.5%
996	NOT APPLICABLE	61399	
997	DON'T KNOW	14	
998	REFUSAL	0	
999	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_38B: Lgth wait decision and test - unit			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=210 /-] [Invalid=61497 /-]	
Value	Label	Cases	Percentage
1	DAYS	47	<div></div> 22.4%
2	WEEKS	78	<div></div> 37.1%
3	MONTHS	85	<div></div> 40.5%
6	NOT APPLICABLE	61399	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	98	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_39A: Length of time been waiting/diag. test			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=61700 /-]	
Value	Label	Cases	Percentage
1		1	<div></div> 14.3%
2		2	<div></div> 28.6%
3		2	<div></div> 28.6%
4		1	<div></div> 14.3%
7		1	<div></div> 14.3%

# WTM_39A: Length of time been waiting/diag. test			
Value	Label	Cases	Percentage
996	NOT APPLICABLE	61614	
997	DON'T KNOW	2	
998	REFUSAL	0	
999	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_39B: Lgth time been waiting for test - unit			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=61700 /-]		
Value	Label	Cases	Percentage
1	DAYS	0	<div></div> 42.9%
2	WEEKS	3	
3	MONTHS	4	
6	NOT APPLICABLE	61614	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	86	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_40: Respondent's opinion of waiting time			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=232 /-] [Invalid=61475 /-]		
Value	Label	Cases	Percentage
1	ACCEPTABLE	192	<div></div> 82.8%
2	NOT ACCEPTABLE	40	<div></div> 17.2%
3	NO VIEW	0	
6	NOT APPLICABLE	61390	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_41A: Acceptable waiting time			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=61667 /-]		
Value	Label	Cases	Percentage
1		18	<div></div> 45.0%
2		12	<div></div> 30.0%
3		5	<div></div> 12.5%
4		2	<div></div> 5.0%
5		1	<div></div> 2.5%
6		1	<div></div> 2.5%
7		1	<div></div> 2.5%
996	NOT APPLICABLE	61582	

# WTM_41A: Acceptable waiting time			
Value	Label	Cases	Percentage
997	DON'T KNOW	1	
998	REFUSAL	0	
999	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_41B: Acceptable waiting time - unit			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=40 /-] [Invalid=61667 /-]	
Value	Label	Cases	Percentage
1	DAYS	7	<div><div></div></div> 17.5%
2	WEEKS	19	<div><div></div></div> 47.5%
3	MONTHS	14	<div><div></div></div> 35.0%
6	NOT APPLICABLE	61582	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_42: Test cancelled or postponed			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=232 /-] [Invalid=61475 /-]	
Value	Label	Cases	Percentage
1	YES	14	<div><div></div></div> 6.0%
2	NO	218	<div><div></div></div> 94.0%
6	NOT APPLICABLE	61390	
7	DON'T KNOW	1	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_43: Test cancelled or postponed by			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=14 /-] [Invalid=61693 /-]	
Value	Label	Cases	Percentage
1	SELF	3	<div><div></div></div> 21.4%
2	SPECIALIST	1	<div><div></div></div> 7.1%
3	HOSPITAL	10	<div><div></div></div> 71.4%
4	CLINIC	0	
5	OTHER	0	
6	NOT APPLICABLE	61608	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# WTM_44: Life affected by wait/test			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=230 /-] [Invalid=61477 /-]		
Value	Label	Cases	Percentage
1	YES	21	<div><div></div></div> 9.1%
2	NO	209	<div><div></div></div> 90.9%
6	NOT APPLICABLE	61390	
7	DON'T KNOW	3	
8	REFUSAL	0	
9	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45A: Life affected by wait - worry			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=21 /-] [Invalid=61686 /-]		
Value	Label	Cases	Percentage
1	YES	17	<div><div></div></div> 81.0%
2	NO	4	<div><div></div></div> 19.0%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45B: Life affected by wait - worry for family			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=21 /-] [Invalid=61686 /-]		
Value	Label	Cases	Percentage
1	YES	6	<div><div></div></div> 28.6%
2	NO	15	<div><div></div></div> 71.4%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45C: Life affected by wait - pain			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=21 /-] [Invalid=61686 /-]		
Value	Label	Cases	Percentage
1	YES	10	<div><div></div></div> 47.6%
2	NO	11	<div><div></div></div> 52.4%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	

# WTM_45C: Life affected by wait - pain			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45D: Life affected by wait - prob. daily act.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 /-] [Invalid=61686 /-]	
Value	Label	Cases	Percentage
1	YES	7	<div><div></div></div> 33.3%
2	NO	14	<div><div></div></div> 66.7%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45E: Life affected by wait - loss of work			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 /-] [Invalid=61686 /-]	
Value	Label	Cases	Percentage
1	YES	3	<div><div></div></div> 14.3%
2	NO	18	<div><div></div></div> 85.7%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45F: Life affected by wait - loss of income			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 /-] [Invalid=61686 /-]	
Value	Label	Cases	Percentage
1	YES	1	<div><div></div></div> 4.8%
2	NO	20	<div><div></div></div> 95.2%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45G: Life affected by wait - incr. dependence			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 /-] [Invalid=61686 /-]	
Value	Label	Cases	Percentage
1	YES	4	<div><div></div></div> 19.0%
2	NO	17	<div><div></div></div> 81.0%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	

# WTM_45G: Life affected by wait - incr. dependence			
Value	Label	Cases	Percentage
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45H: Life affected by wait-incr. use med.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 +/-] [Invalid=61686 +/-]	
Value	Label	Cases	Percentage
1	YES	0	<div></div> 100.0%
2	NO	21	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45I: Life affected by wait - health deter.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 +/-] [Invalid=61686 +/-]	
Value	Label	Cases	Percentage
1	YES	4	<div></div> 19.0%
2	NO	17	<div></div> 81.0%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45J: Life affected by wait - health improved			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 +/-] [Invalid=61686 +/-]	
Value	Label	Cases	Percentage
1	YES	0	<div></div> 100.0%
2	NO	21	
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTM_45K: Life affected by wait - pers. rel.			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=21 +/-] [Invalid=61686 +/-]	
Value	Label	Cases	Percentage
1	YES	2	<div></div> 9.5%

WTM_45K: Life affected by wait - pers. rel.

Value	Label	Cases	Percentage
2	NO	19	<div></div> 90.5%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTM_45L: Life affected by wait - other

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=21 /-] [Invalid=61686 /-]

Value	Label	Cases	Percentage
1	YES	2	<div></div> 9.5%
2	NO	19	<div></div> 90.5%
6	NOT APPLICABLE	61599	
7	DON'T KNOW	0	
8	REFUSAL	0	
9	NOT STATED	87	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDSO: # days wait/med. spec. -seen spec. - (D)

Information	[Type= continuous] [Format=numeric] [Range= 1-1080] [Missing=*]
Statistics [NW/ W]	[Valid=173 /-] [Invalid=61534 /-] [Mean=76.896 /-] [StdDev=124.189 /-]

Value	Label	Cases	Percentage
9996	NOT APPLICABLE	61446	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	88	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WTMDSN: # days wait/med. spec. - not seen - (D)

Information	[Type= discrete] [Format=numeric] [Range= 7-1440] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=61684 /-]

Value	Label	Cases	Percentage
7		2	<div></div> 8.7%
14		1	<div></div> 4.3%
28		2	<div></div> 8.7%
30		1	<div></div> 4.3%
42		1	<div></div> 4.3%
60		1	<div></div> 4.3%
120		2	<div></div> 8.7%
180		2	<div></div> 8.7%
210		2	<div></div> 8.7%
270		3	<div></div> 13.0%
300		2	<div></div> 8.7%

# WTMDSN: # days wait/med. spec. - not seen - (D)			
Value	Label	Cases	Percentage
330		1	<div></div> 4.3%
360		1	<div></div> 4.3%
365		1	<div></div> 4.3%
1440		1	<div></div> 4.3%
9996	NOT APPLICABLE	61600	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTMDSA: # days accept. wait - med. spec. (D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-240] [Missing=*]		
Statistics [NW/ W]	[Valid=194 /-] [Invalid=61513 /-]		
Value	Label	Cases	Percentage
1		12	<div></div> 6.2%
2		3	<div></div> 1.5%
3		2	<div></div> 1.0%
4		5	<div></div> 2.6%
5		1	<div></div> 0.5%
7		24	<div></div> 12.4%
8		1	<div></div> 0.5%
10		1	<div></div> 0.5%
14		30	<div></div> 15.5%
21		14	<div></div> 7.2%
28		4	<div></div> 2.1%
30		34	<div></div> 17.5%
35		2	<div></div> 1.0%
42		6	<div></div> 3.1%
49		2	<div></div> 1.0%
60		20	<div></div> 10.3%
84		1	<div></div> 0.5%
90		19	<div></div> 9.8%
120		3	<div></div> 1.5%
150		1	<div></div> 0.5%
180		8	<div></div> 4.1%
240		1	<div></div> 0.5%
9996	NOT APPLICABLE	61422	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	91	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTMDCO: # days wait-non-urg. surg -surg. done(D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2520] [Missing=*]		
Statistics [NW/ W]	[Valid=101 /-] [Invalid=61606 /-]		

# WTMDCO: # days wait-non-urg. surg -surg. done(D)			
Value	Label	Cases	Percentage
1		8	<div></div> 7.9%
2		2	<div></div> 2.0%
3		1	<div></div> 1.0%
5		2	<div></div> 2.0%
7		9	<div></div> 8.9%
10		1	<div></div> 1.0%
14		13	<div></div> 12.9%
21		7	<div></div> 6.9%
28		2	<div></div> 2.0%
30		11	<div></div> 10.9%
35		2	<div></div> 2.0%
42		5	<div></div> 5.0%
56		1	<div></div> 1.0%
60		10	<div></div> 9.9%
90		13	<div></div> 12.9%
150		4	<div></div> 4.0%
180		5	<div></div> 5.0%
210		1	<div></div> 1.0%
504		1	<div></div> 1.0%
720		1	<div></div> 1.0%
1080		1	<div></div> 1.0%
2520		1	<div></div> 1.0%
9996	NOT APPLICABLE	61523	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	83	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTMDCN: # days wait - non-urg. surg-not done(D)			
Information		[Type= discrete] [Format=numeric] [Range= 5-1080] [Missing=*]	
Statistics [NW/ W]		[Valid=9 /-] [Invalid=61698 /-]	
Value	Label	Cases	Percentage
5		1	<div></div> 11.1%
21		1	<div></div> 11.1%
120		1	<div></div> 11.1%
126		1	<div></div> 11.1%
180		1	<div></div> 11.1%
360		1	<div></div> 11.1%
540		1	<div></div> 11.1%
720		1	<div></div> 11.1%
1080		1	<div></div> 11.1%
9996	NOT APPLICABLE	61614	
9997	DON'T KNOW	0	

# WTMDCN: # days wait - non-urg. surg-not done(D)			
Value	Label	Cases	Percentage
9998	REFUSAL	0	
9999	NOT STATED	84	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest			
# WTMDCA: # days accept. wait -n-emer. surg.- (D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-540] [Missing=*]	
Statistics [NW/ W]		[Valid=111 /-] [Invalid=61596 /-]	
Value	Label	Cases	Percentage
1		9	<div></div> 8.1%
2		3	<div></div> 2.7%
3		1	<div></div> 0.9%
5		2	<div></div> 1.8%
7		13	<div></div> 11.7%
10		1	<div></div> 0.9%
14		15	<div></div> 13.5%
21		9	<div></div> 8.1%
28		1	<div></div> 0.9%
30		16	<div></div> 14.4%
35		2	<div></div> 1.8%
42		4	<div></div> 3.6%
56		1	<div></div> 0.9%
60		12	<div></div> 10.8%
90		14	<div></div> 12.6%
150		1	<div></div> 0.9%
180		4	<div></div> 3.6%
360		2	<div></div> 1.8%
540		1	<div></div> 0.9%
9996	NOT APPLICABLE	61511	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	85	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTMDTO: # days wait - diag. test - done - (D)			
Information		[Type= discrete] [Format=numeric] [Range= 1-720] [Missing=*]	
Statistics [NW/ W]		[Valid=210 /-] [Invalid=61497 /-]	
Value	Label	Cases	Percentage
1		30	<div></div> 14.3%
2		8	<div></div> 3.8%
3		2	<div></div> 1.0%
5		2	<div></div> 1.0%
6		1	<div></div> 0.5%
7		21	<div></div> 10.0%
10		2	<div></div> 1.0%

# WTMDTO: # days wait - diag. test - done - (D)			
Value	Label	Cases	Percentage
14		35	<div><div></div></div> 16.7%
21		16	<div><div></div></div> 7.6%
28		2	<div><div></div></div> 1.0%
30		30	<div><div></div></div> 14.3%
35		1	<div><div></div></div> 0.5%
42		4	<div><div></div></div> 1.9%
60		13	<div><div></div></div> 6.2%
90		14	<div><div></div></div> 6.7%
120		3	<div><div></div></div> 1.4%
150		3	<div><div></div></div> 1.4%
180		11	<div><div></div></div> 5.2%
210		4	<div><div></div></div> 1.9%
240		3	<div><div></div></div> 1.4%
270		1	<div><div></div></div> 0.5%
360		3	<div><div></div></div> 1.4%
720		1	<div><div></div></div> 0.5%
9996	NOT APPLICABLE	61399	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	98	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTMDTN: # days wait - diag. test -not done -(D)			
Information	[Type= continuous] [Format=numeric] [Range= 14-210] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=61700 /-] [Mean=64.714 /-] [StdDev=69.289 /-]		
Value	Label	Cases	Percentage
9996	NOT APPLICABLE	61614	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	86	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# WTMDTA: # days accept. wait - diag. test -(D)			
Information	[Type= discrete] [Format=numeric] [Range= 1-360] [Missing=*]		
Statistics [NW/ W]	[Valid=219 /-] [Invalid=61488 /-]		
Value	Label	Cases	Percentage
1		33	<div><div></div></div> 15.1%
2		11	<div><div></div></div> 5.0%
3		2	<div><div></div></div> 0.9%
5		2	<div><div></div></div> 0.9%
7		27	<div><div></div></div> 12.3%
10		2	<div><div></div></div> 0.9%
14		43	<div><div></div></div> 19.6%
21		18	<div><div></div></div> 8.2%

WTMDTA: # days accept. wait - diag. test -(D)

Value	Label	Cases	Percentage
28		4	<div><div></div></div> 1.8%
30		36	<div><div></div></div> 16.4%
35		2	<div><div></div></div> 0.9%
42		2	<div><div></div></div> 0.9%
60		11	<div><div></div></div> 5.0%
90		11	<div><div></div></div> 5.0%
120		1	<div><div></div></div> 0.5%
150		2	<div><div></div></div> 0.9%
180		8	<div><div></div></div> 3.7%
210		2	<div><div></div></div> 0.9%
360		2	<div><div></div></div> 0.9%
9996	NOT APPLICABLE	61390	
9997	DON'T KNOW	0	
9998	REFUSAL	0	
9999	NOT STATED	98	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.