| CCHS 2013-2014: Data Dictionary |
|-------------------------------------|
| Public Use Microdata File - 24-Mont |

March 2016

Variable Name VERDATE Length 8 Position 1 - 8

Question Name

Concept Date of file creation

Question

Universe All respondents

Note Format = YYYYMMDD

Variable Name ADM_RNO Length 6 Position 9 - 14

Question Name

Concept Sequential record number

Question Universe Note

Variable Name GEOGPRV Length 2 Position 15 - 16

Question Name

Concept Province of residence of respondent - (G)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------------------------|-------------|---------------|-------------------|
| NEWFOUNDLAND AND LABRADOR | 10 | 3,979 | 452,485 |
| PRINCE EDWARD ISLAND | 11 | 1,985 | 125,591 |
| NOVA SCOTIA | 12 | 5,243 | 810,032 |
| NEW BRUNSWICK | 13 | 4,941 | 643,833 |
| QUEBEC | 24 | 23,298 | 6,964,711 |
| ONTARIO | 35 | 42,553 | 11,682,112 |
| MANITOBA | 46 | 7,438 | 1,018,598 |
| SASKATCHEWAN | 47 | 7,371 | 875,543 |
| ALBERTA | 48 | 12,072 | 3,358,681 |
| BRITISH COLUMBIA | 59 | 15,340 | 3,978,590 |
| YUKON/NORTHWEST/NUNAVUT TERRITORIES | 60 | 3,242 | 92,641 |
| | Total | 127,462 | 30,002,817 |

Page 2

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name GEODPMF Length 5 Position 17 - 21

Question Name

Concept Health Region - (G)

Question

Universe All respondents

Note Based on GEODHR4. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| EASTERN REGIONAL INTEGRATED HA | 10911 | 1,578 | 273,563 |
| CENTRAL REGIONAL INTEGRATED HA | 10912 | 930 | 80,685 |
| WESTERN/LABRADOR-GRENFELL REGIONAL HA | 10913 | 1,471 | 98,236 |
| PRINCE EDWARD ISLAND | 11901 | 1,985 | 125,591 |
| SOUTH SHORE-SOUTH WEST NOVA | 12910 | 831 | 102,289 |
| ANNAPOLIS VALLEY DISTRICT HEALTH AUT. | 12923 | 652 | 70,423 |
| COLCHESTER EAST HANTS—CUMBERLAND | 12930 | 751 | 90,523 |
| PICTOU COUNTY—GUYSBOROUGH ANTIGONISH | 12940 | 742 | 76,917 |
| CAPE BRETON DISTRICT HEALTH AUTHORITY | 12958 | 804 | 99,445 |
| CAPITAL DISTRICT HEALTH AUTHORITY | 12969 | 1,463 | 370,436 |
| ZONE 1 | 13901 | 980 | 179,193 |
| ZONE 2 | 13902 | 967 | 150,154 |
| ZONE 3 | 13903 | 939 | 146,140 |
| ZONES 4 AND 5 | 13904 | 939 | 63,705 |
| ZONES 6 AND 7 | 13906 | 1,116 | 104,641 |
| RÉGION DU BAS-SAINT-LAURENT | 24901 | 1,157 | 173,590 |
| RÉGION DU SAGUENAY - LAC-SAINT-JEAN | 24902 | 1,232 | 238,330 |
| RÉGION DE LA CAPITALE-NATIONALE | 24903 | 1,881 | 630,086 |
| RÉGION DE LA MAURICIE-CENTRE-DU-QUÉBEC | 24904 | 1,638 | 432,615 |
| RÉGION DE L'ESTRIE | 24905 | 1,232 | 274,732 |
| RÉGION DE MONTRÉAL | 24906 | 2,970 | 1,697,821 |
| RÉGION DE L'OUTAOUAIS | 24907 | 1,236 | 324,930 |
| RÉGION DE L'ABITIBI-TÉMISCAMINGUE | 24908 | 1,144 | 122,264 |
| RÉGION DE LA CÔTE-NORD | 24909 | 1,113 | 70,965 |
| RÉG. DE LA GASPÉSIE-ÎLES-DE-LA-MADELEINE | 24911 | 1,205 | 79,879 |
| RÉGION DE LA CHAUDIÈRE-APPALACHES | 24912 | 1,536 | 357,294 |
| RÉGION DE LAVAL | 24913 | 1,356 | 357,715 |
| RÉGION DE LANAUDIÈRE | 24914 | 1,420 | 418,196 |
| RÉGION DES LAURENTIDES | 24915 | 1,514 | 502,401 |

Page 3

March 2016

| RÉGION DE LA MONTÉRÉGIE | 24916 | 2,664 | 1,283,893 |
|---|-------|-------|-----------|
| DISTRICT OF ALGOMA HEALTH UNIT | 35926 | 755 | 98,807 |
| BRANT COUNTY HEALTH UNIT | 35927 | 775 | 114,055 |
| DURHAM REGIONAL HEALTH UNIT | 35930 | 1,571 | 557,724 |
| ELGIN-ST THOMAS HEALTH UNIT | 35931 | 693 | 76,074 |
| GREY BRUCE HEALTH UNIT | 35933 | 910 | 140,253 |
| HALDIMAND-NORFOLK HEALTH UNIT | 35934 | 744 | 95,843 |
| HALIBURTON-KAWARTHA-PINE RIDGE DHU | 35935 | 880 | 158,009 |
| HALTON REGIONAL HEALTH UNIT | 35936 | 1,429 | 459,907 |
| CITY OF HAMILTON HEALTH UNIT | 35937 | 1,574 | 474,046 |
| HASTINGS AND PRINCE EDWARD COUNTIES HU | 35938 | 922 | 138,693 |
| HURON AND PERTH HEALTH UNITS | 35939 | 1,245 | 116,843 |
| CHATHAM-KENT HEALTH UNIT | 35940 | 656 | 90,460 |
| KINGSTON-FRONTENAC-LENNOX-ADDINGTON HU | 35941 | 960 | 170,820 |
| LAMBTON HEALTH UNIT | 35942 | 925 | 111,186 |
| LEEDS-GRENVILLE-LANARK DHU | 35943 | 892 | 148,066 |
| MIDDLESEX-LONDON HEALTH UNIT | 35944 | 1,480 | 398,172 |
| NIAGARA REGIONAL AREA HEALTH UNIT | 35946 | 1,435 | 389,570 |
| NORTH BAY AND TIMISKAMING HEALTH UNITS | 35947 | 1,210 | 138,911 |
| NORTHWESTERN HEALTH UNIT | 35949 | 788 | 57,922 |
| CITY OF OTTAWA HEALTH UNIT | 35951 | 2,053 | 805,062 |
| OXFORD COUNTY HEALTH UNIT | 35952 | 634 | 94,455 |
| PEEL REGIONAL HEALTH UNIT | 35953 | 2,490 | 1,197,121 |
| PETERBOROUGH COUNTY-CITY HEALTH UNIT | 35955 | 802 | 121,407 |
| PORCUPINE HEALTH UNIT | 35956 | 813 | 68,724 |
| RENFREW COUNTY AND DISTRICT HEALTH UNIT | 35957 | 752 | 86,238 |
| EASTERN ONTARIO HEALTH UNIT | 35958 | 962 | 175,959 |
| SIMCOE MUSKOKA DISTRICT HEALTH UNIT | 35960 | 2,188 | 462,456 |
| SUDBURY AND DISTRICT HEALTH UNIT | 35961 | 1,095 | 168,854 |
| THUNDER BAY DISTRICT HEALTH UNIT | 35962 | 1,289 | 126,439 |
| WATERLOO HEALTH UNIT | 35965 | 1,554 | 457,440 |
| WELLINGTON-DUFFERIN-GUELPH HU | 35966 | 1,109 | 239,744 |
| WINDSOR-ESSEX COUNTY HEALTH UNIT | 35968 | 1,454 | 346,384 |
| YORK REGIONAL HEALTH UNIT | 35970 | 1,790 | 955,969 |
| CITY OF TORONTO HEALTH UNIT | 35995 | 3,724 | 2,440,500 |
| WINNIPEG RHA | 46901 | 2,230 | 619,737 |
| | | | |

| CCHS 2013-2014: Data Dictionary |
|--------------------------------------|
| Public Use Microdata File - 24-Month |

March 2016

| DDAIDIE M. HEALTH | 40000 | 4.040 | 400 505 |
|---|-------|---------|------------|
| PRAIRIE M. HEALTH | 46902 | 1,813 | 130,595 |
| INTERLAKE-EASTERN RHA | 46903 | 1,155 | 96,587 |
| NORTHEN RHA | 46904 | 908 | 26,077 |
| SOUTHEN HEALTH | 46905 | 1,332 | 145,602 |
| SUN COUNTRY/FIVE HILLS/CYPRESS | 47901 | 1,742 | 129,635 |
| REGINA QU'APPELLE | 47904 | 1,186 | 227,411 |
| SUNRISE/KELSEY TRAIL | 47905 | 1,027 | 77,989 |
| SASKATOON | 47906 | 1,342 | 287,137 |
| HEARTLAND/PRAIRIE NORTH | 47907 | 1,110 | 88,070 |
| PRINCE ALBERT/MAMAWETAN/KEEWATIN/ATHABA | 47909 | 964 | 65,300 |
| SOUTH ZONE | 48931 | 1,843 | 237,288 |
| CALGARY ZONE | 48932 | 2,745 | 1,291,200 |
| CENTRAL ZONE | 48933 | 2,325 | 382,608 |
| EDMONTON ZONE | 48934 | 2,673 | 1,092,843 |
| NORTH ZONE | 48935 | 2,486 | 354,743 |
| EAST KOOTENAY | 59911 | 591 | 66,007 |
| KOOTENAY-BOUNDARY | 59912 | 585 | 69,211 |
| OKANAGAN | 59913 | 1,160 | 294,722 |
| THOMPSON/CARIBOO | 59914 | 1,035 | 183,017 |
| FRASER EAST | 59921 | 1,010 | 238,220 |
| FRASER NORTH | 59922 | 1,420 | 564,758 |
| FRASER SOUTH | 59923 | 1,553 | 664,052 |
| RICHMOND | 59931 | 782 | 180,795 |
| VANCOUVER | 59932 | 1,333 | 594,478 |
| NORTH SHORE/COAST GARIBALDI | 59933 | 1,197 | 236,317 |
| SOUTH VANCOUVER ISLAND | 59941 | 1,287 | 323,312 |
| CENTRAL VANCOUVER ISLAND | 59942 | 995 | 226,898 |
| NORTH VANCOUVER ISLAND | 59943 | 508 | 106,210 |
| NORTHWEST | 59951 | 642 | 53,640 |
| NORTHERN INTERIOR | 59952 | 728 | 119,281 |
| NORTHEAST | 59953 | 514 | 57,671 |
| YUKON/NORTHWEST TERRITORIES/NUNAVUT | 60901 | 3,242 | 92,641 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name **GEODBCHA** Length **Position** 22 - 25

Question Name

Concept British Columbia Health Authority (BCHA) - (D)

Question

Respondents who reside in British Columbia Universe

Note Based on GEODPC. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| INTERIOR | 5910 | 3,371 | 612,958 |
| FRASER | 5920 | 3,983 | 1,467,030 |
| VANCOUVER | 5930 | 3,312 | 1,011,590 |
| VANCOUVER ISLAND | 5940 | 2,790 | 656,420 |
| NORTHERN | 5950 | 1,884 | 230,592 |
| NOT APPLICABLE | 9996 | 112,122 | 26,024,227 |
| | Total | 127,462 | 30,002,817 |

Variable Name ADM_PRX Length 26 1 **Position**

Question Name

Concept Health Component completed by proxy

Question

Universe All respondents

Note

| Content | <u>Co</u> | <u>ode</u> | <u>Sample</u> | <u>Population</u> |
|---------|-----------|------------|---------------|-------------------|
| YES | | 1 | 3,101 | 584,741 |
| NO | | 2 | 124,361 | 29,418,076 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ADM_N09 Length 1 Position 27

Question Name ADM_N09

Concept Interview by telephone or in person

Question Interviewer: Was this interview conducted on the telephone or in person?

Universe Respondents with CASETYPE = 0 (area frame) and (DHH_AGE > 17 or PMKProxy NE 2)

Note All CAPI cases completed as CATI (CASETPE = 2) for SAM_CP = 201307, 201309, 201311, 201405,

201407, 201409, 201411 skipped this question

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| ON TELEPHONE | 1 | 12,530 | 4,934,824 |
| IN PERSON | 2 | 35,146 | 10,896,810 |
| вотн | 3 | 1,322 | 497,224 |
| NOT APPLICABLE | 6 | 78,008 | 13,516,105 |
| NOT STATED | 9 | 456 | 157,854 |
| Tot | tal | 127,462 | 30,002,817 |

Variable Name ADM_N10 Length 1 Position 28

Question Name ADM_N10

Concept Respondent alone during interview

Question Interviewer: Was the respondent alone when you asked this health questionnaire?

Universe DHH_AGE > 17 or PMKProxy NE 2

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 109,796 | 24,973,188 |
| NO | 2 | 14,078 | 4,084,870 |
| DON'T KNOW | 7 | 259 | 62,326 |
| REFUSAL | 8 | 18 | 5,905 |
| NOT STATED | 9 | 3,311 | 876,528 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name ADM_N11 Length 1 Position 29

Question Name ADM_N11

Concept Answers affected by presence of another person

Question Interviewer: Do you think that the answers of the respondent were affected by someone else being there?

Universe Respondents with ADM_N10 = (2, 7 or 8) and (DHH_AGE > 17 or PMKProxy NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,488 | 401,556 |
| NO | 2 | 12,444 | 3,652,032 |
| NOT APPLICABLE | 6 | 109,796 | 24,973,188 |
| DON'T KNOW | 7 | 143 | 29,501 |
| REFUSAL | 8 | 2 | 1,744 |
| NOT STATED | 9 | 3,589 | 944,797 |
| ד | otal | 127,462 | 30,002,817 |

March 2016

Variable Name DHHGAGE Length 2 Position 30 - 31

Question Name

Concept Age - (G)

Question What is your age?
Universe All respondents

Note Derived from DHH_DOB, DHH_MOB and DHH_YOB during interview and confirmed with respondent.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| 12 TO 14 YEARS | 1 | 4,896 | 1,088,948 |
| 15 TO 17 YEARS | 2 | 5,132 | 1,272,998 |
| 18 TO 19 YEARS | 3 | 3,157 | 817,136 |
| 20 TO 24 YEARS | 4 | 6,692 | 2,418,278 |
| 25 TO 29 YEARS | 5 | 7,086 | 2,372,150 |
| 30 TO 34 YEARS | 6 | 7,117 | 2,320,556 |
| 35 TO 39 YEARS | 7 | 7,563 | 2,295,442 |
| 40 TO 44 YEARS | 8 | 7,352 | 2,414,213 |
| 45 TO 49 YEARS | 9 | 6,332 | 2,333,830 |
| 50 TO 54 YEARS | 10 | 9,607 | 2,707,880 |
| 55 TO 59 YEARS | 11 | 12,025 | 2,575,488 |
| 60 TO 64 YEARS | 12 | 12,615 | 2,183,497 |
| 65 TO 69 YEARS | 13 | 12,044 | 1,821,531 |
| 70 TO 74 YEARS | 14 | 9,131 | 1,301,035 |
| 75 TO 79 YEARS | 15 | 7,142 | 946,056 |
| 80 YEARS OR OLDER | 16 | 9,571 | 1,133,779 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DHH_SEX Length 1 Position 32

Question Name SEX_Q01
Concept Sex

Question Interviewer: Enter the respondent's sex. If necessary, ask: Is respondent male or female?

Universe All respondents

Note

 Content
 Code
 Sample
 Population

 MALE
 1
 57,174
 14,808,850

 FEMALE
 2
 70,288
 15,193,967

 Total
 127,462
 30,002,817

Variable Name DHHGMS Length 1 Position 33

Question Name

Concept Marital Status - (G)

Question What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single,

never married?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------------------|-------------|---------------|-------------------|
| MARRIED | 1 | 54,075 | 14,034,977 |
| COMMON-LAW | 2 | 10,572 | 3,235,021 |
| WIDOWED / SEPARATED / DIVORCED | 3 | 26,405 | 3,674,877 |
| SINGLE, NEVER MARRIED | 4 | 36,133 | 8,983,818 |
| NOT STATED | 9 | 277 | 74,124 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DHHGLE5 Length 1 Position 34

Question Name

Concept Number of persons 5 years old or less in household - (D, G)

Question

Universe All respondents

Note Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 NONE
 0
 114,463
 26,094,335

 1 OR MORE
 1
 12,999
 3,908,482

 Total
 127,462
 30,002,817

Variable Name DHHG611 Length 1 Position 35

Question Name

Concept Number of persons 6 to 11 years old in household - (D, G)

Question

Universe All respondents

Note Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 NONE
 0
 112,592
 25,660,575

 1 OR MORE
 1
 14,870
 4,342,242

 Total
 127,462
 30,002,817

Public Use Microdata File - 24-Month

March 2016

Variable Name DHHGL12 Length 1 Position 36

Question Name

Concept Number of persons less than 12 years old in household -(D,G)

Question

Universe All respondents

Note Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------|-------------|---------------|-------------------|
| NONE | 0 | 104,724 | 23,146,096 |
| 1 OR MORE | 1 | 22,738 | 6,856,721 |
| | Total | 127,462 | 30,002,817 |

Variable Name DHHGLVG Length 2 Position 37 - 38

Question Name

Concept Living arrangement of selected respondent - (D, G)

Question

Universe All respondents

Note Based on relationship matrix, DHHDHSZ. See documentation on derived variables.

| Content | <u>Cod</u> | <u>le</u> | <u>Sample</u> | <u>Population</u> |
|--|------------|-----------|---------------|-------------------|
| UNATTACHED INDIVIDUAL LIVING ALONE | | 1 | 35,225 | 4,281,704 |
| UNATTACHED INDIVIDUAL LIVING WITH OTHERS | | 2 | 3,805 | 1,545,622 |
| LIVING WITH SPOUSE / PARTNER | | 3 | 41,911 | 7,999,781 |
| PARENT LIVING W/SPOUSE/PARTN., CHILDREN | | 4 | 18,075 | 7,543,181 |
| SINGLE PARENT LIVING WITH CHILDREN | | 5 | 3,658 | 1,245,344 |
| CHILD LIVING W/ONE PARENT W/WO SIBLINGS | | 6 | 4,660 | 1,184,431 |
| CHILD LIVING W/TWO PARENTS W/WO SIBLINGS | | 7 | 14,399 | 3,715,353 |
| OTHER | | 8 | 5,037 | 2,281,905 |
| NOT STATED | | 99 | 692 | 205,497 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable NameDHHGHSZLength1Position39

Question Name

Concept Household size - (D, G)

Question

Universe All respondents

Note Based on household roster, SAMPLEID, PERSONID. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| 1 PERSON | 1 | 35,244 | 4,284,798 |
| 2 PERSONS | 2 | 49,696 | 10,152,606 |
| 3 PERSONS | 3 | 16,851 | 5,562,911 |
| 4 PERSONS | 4 | 16,746 | 5,961,869 |
| 5 OR MORE PERSONS | 5 | 8,868 | 4,026,249 |
| NOT STATED | 9 | 57 | 14,385 |
| | Total | 127,462 | 30,002,817 |

Variable Name GEN_01 Length 1 Position 40

Question Name GEN_Q01

Concept Self-perceived health

Question In general, would you say your health is...?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 23,570 | 6,204,277 |
| VERY GOOD | 2 | 47,214 | 11,546,058 |
| GOOD | 3 | 38,661 | 8,837,044 |
| FAIR | 4 | 13,175 | 2,529,080 |
| POOR | 5 | 4,641 | 853,901 |
| DON'T KNOW | 7 | 180 | 27,690 |
| REFUSAL | 8 | 20 | 4,343 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name GEN_02 Length 1 Position 41

Question Name GEN_Q02A

Concept Self-perceived health compared to one year ago

Question Compared to one year ago, how would you say your health is now? Is it...?

Universe All respondents

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|-------------------------------------|-------|-------------|---------------|-------------------|
| MUCH BETTER NOW THAN 1 YEAR AGO | | 1 | 10,548 | 2,613,465 |
| SOMEWHAT BETTER NOW THAN 1 YEAR AGO | | 2 | 15,255 | 3,939,163 |
| ABOUT THE SAME AS 1 YEAR AGO | | 3 | 85,723 | 20,061,312 |
| SOMEWHAT WORSE NOW THAN 1 YEAR AGO | | 4 | 13,226 | 2,900,129 |
| MUCH WORSE NOW THAN 1 YEAR AGO | | 5 | 2,443 | 451,976 |
| DON'T KNOW | | 7 | 255 | 34,098 |
| REFUSAL | | 8 | 11 | 2,252 |
| NOT STATED | | 9 | 1 | 424 |
| | Total | | 127,462 | 30,002,817 |

Page 14

March 2016

Variable Name GEN_02A2 Length 2 Position 42 - 43

Question Name GEN_Q02B

Concept Satisfaction with life in general

Question Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel

about your life as a whole right now?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| VERY DISSATISFIED | 0 | 562 | 99,245 |
| 1 | 1 | 269 | 76,599 |
| 2 | 2 | 516 | 111,990 |
| 3 | 3 | 887 | 181,448 |
| 4 | 4 | 1,500 | 349,351 |
| 5 | 5 | 6,787 | 1,528,997 |
| 6 | 6 | 6,196 | 1,445,438 |
| 7 | 7 | 18,572 | 4,875,365 |
| 8 | 8 | 39,329 | 9,543,790 |
| 9 | 9 | 22,969 | 5,529,857 |
| VERY SATISFIED | 10 | 25,405 | 5,482,091 |
| DON'T KNOW | 97 | 1,183 | 156,515 |
| REFUSAL | 98 | 183 | 35,073 |
| NOT STATED | 99 | 3,104 | 587,059 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name GEN_02B Length 1 Position 44

Question Name GEN_Q02C

Concept Self-perceived mental health

Question In general, would you say your mental health is ...?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 39,560 | 9,855,536 |
| VERY GOOD | 2 | 46,354 | 11,012,174 |
| GOOD | 3 | 29,785 | 6,630,878 |
| FAIR | 4 | 6,707 | 1,506,476 |
| POOR | 5 | 1,669 | 343,833 |
| DON'T KNOW | 7 | 227 | 37,909 |
| REFUSAL | 8 | 57 | 29,278 |
| NOT STATED | 9 | 3,103 | 586,733 |
| | Total | 127,462 | 30,002,817 |

Page 16

March 2016

Variable Name GEN_07 Length 1 Position 45

Question Name GEN_Q07

Concept Perceived life stress

Question Thinking about the amount of stress in your life, would you say that most days are...?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------------|-------------|---------------|-------------------|
| NOT AT ALL STRESSFUL | 1 | 18,304 | 3,499,364 |
| NOT VERY STRESSFUL | 2 | 33,666 | 7,081,964 |
| A BIT STRESSFUL | 3 | 50,428 | 12,599,148 |
| QUITE A BIT STRESSFUL | 4 | 20,747 | 5,708,589 |
| EXTREMELY STRESSFUL | 5 | 3,573 | 1,005,549 |
| DON'T KNOW | 7 | 671 | 95,355 |
| REFUSAL | 8 | 72 | 12,424 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name GEN_08 Length 1 Position 46

Question Name GEN_Q08

Concept Worked at job or business

Question Have you worked at a job or business at any time in the past 12 months?

Universe Respondents aged 15 to 75

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 71,698 | 20,300,243 |
| NO | 2 | 32,589 | 6,203,572 |
| NOT APPLICABLE | 6 | 21,608 | 3,168,747 |
| DON'T KNOW | 7 | 16 | 2,496 |
| REFUSAL | 8 | 16 | 4,391 |
| NOT STATED | 9 | 1,535 | 323,368 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name GEN_09 Length 1 Position 47

Question Name GEN_Q09

Concept Self-perceived work stress

Question Would you say that most days at work were...?

Universe Respondents who answered GEN_08 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------------|-------------|---------------|-------------------|
| NOT AT ALL STRESSFUL | 1 | 7,780 | 1,874,878 |
| NOT VERY STRESSFUL | 2 | 14,457 | 3,825,118 |
| A BIT STRESSFUL | 3 | 30,041 | 8,679,255 |
| QUITE A BIT STRESSFUL | 4 | 15,388 | 4,769,456 |
| EXTREMELY STRESSFUL | 5 | 3,011 | 938,011 |
| NOT APPLICABLE | 6 | 54,197 | 9,372,319 |
| DON'T KNOW | 7 | 147 | 30,845 |
| REFUSAL | 8 | 18 | 2,254 |
| NOT STATED | 9 | 2,423 | 510,681 |
| | Total | 127,462 | 30,002,817 |

Page 18

March 2016

Variable Name GEN_10 Length 1 Position 48

Question Name GEN_Q10

Concept Sense of belonging to local community

Question How would you describe your sense of belonging to your local community? Would you say it is...?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| VERY STRONG | 1 | 24,173 | 4,914,586 |
| SOMEWHAT STRONG | 2 | 62,312 | 14,316,571 |
| SOMEWHAT WEAK | 3 | 27,534 | 7,566,057 |
| VERY WEAK | 4 | 8,390 | 2,258,147 |
| DON'T KNOW | 7 | 1,826 | 324,381 |
| REFUSAL | 8 | 120 | 35,011 |
| NOT STATED | 9 | 3,107 | 588,066 |
| | Total | 127,462 | 30,002,817 |

Variable Name GENDHDI Length 1 Position 49

Question Name

Concept Perceived Health

Question

Universe All respondents

Note Based on GEN_01. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| POOR | 0 | 4,641 | 853,901 |
| FAIR | 1 | 13,175 | 2,529,080 |
| GOOD | 2 | 38,661 | 8,837,044 |
| VERY GOOD | 3 | 47,214 | 11,546,058 |
| EXCELLENT | 4 | 23,570 | 6,204,277 |
| NOT STATED | 9 | 201 | 32,458 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name GENDMHI Length 1 Position 50

Question Name

Concept Perceived Mental Health

Question

Universe All respondents

Note Based on GEN_02B. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| POOR | 0 | 1,669 | 343,833 |
| FAIR | 1 | 6,707 | 1,506,476 |
| GOOD | 2 | 29,785 | 6,630,878 |
| VERY GOOD | 3 | 46,354 | 11,012,174 |
| EXCELLENT | 4 | 39,560 | 9,855,536 |
| NOT STATED | 9 | 3,387 | 653,920 |
| | Total | 127,462 | 30,002,817 |

Variable Name GENGSWL Length 1 Position 51

Question Name

Concept Satisfaction with life in general

Question

Universe All respondents

Note Based on GEN_02A2. See documentation on derived variables

| Content | <u>(</u> | <u>Code</u> | <u>Sample</u> | Population |
|------------------------------------|----------|-------------|---------------|-------------------|
| VERY SATISFIED | | 1 | 48,374 | 11,011,948 |
| SATISFIED | | 2 | 64,097 | 15,864,593 |
| NEITHER SATISFIED NOR DISSATISFIED | | 3 | 6,787 | 1,528,997 |
| DISSATISFIED | | 4 | 2,903 | 642,789 |
| VERY DISSATISFIED | | 5 | 831 | 175,844 |
| NOT STATED | | 9 | 4,470 | 778,647 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOSLP Length 1 Position 52

Question Name DOSLP

Concept Optional module: Sleep - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 9,423 | 1,144,189 |
| NO | 2 | 118,039 | 28,858,628 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SLPG01 Length 2 Position 53 - 54

Question Name

Concept Number of hours spent sleeping per night - (G)

Question

Universe Respondents with DOSLP = 1

Note Does not include time spent resting.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------------|-------------|---------------|-------------------|
| UNDER 3 HOURS | 1 | 58 | 6,876 |
| 3 HOURS TO LESS THAN 4 HOURS | 2 | 128 | 13,748 |
| 4 HOURS TO LESS THAN 5 HOURS | 3 | 412 | 49,199 |
| 5 HOURS TO LESS THAN 6 HOURS | 4 | 971 | 117,986 |
| 6 HOURS TO LESS THAN 7 HOURS | 5 | 2,207 | 299,548 |
| 7 HOURS TO LESS THAN 8 HOURS | 6 | 2,556 | 341,272 |
| 8 HOURS TO LESS THAN 9 HOURS | 7 | 2,035 | 212,619 |
| 9 HOURS TO LESS THAN 10 HOURS | 8 | 470 | 53,090 |
| 10 HOURS TO LESS THAN 11 HOURS | 9 | 183 | 15,577 |
| 11 HOURS TO LESS THAN 12 HOURS | 10 | 43 | 4,025 |
| 12 HOURS OR MORE | 11 | 33 | 3,831 |
| NOT APPLICABLE | 96 | 118,039 | 28,858,628 |
| NOT STATED | 99 | 327 | 26,419 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SLP_02 Length 1 Position 55

Question Name SLP_Q02

Concept Frequency - trouble sleeping

Question How often do you have trouble going to sleep or staying asleep: (none of the time, a little of the time, some

of the time, most of the time, or all of the time)?

Universe Respondents with DOSLP = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| NONE OF THE TIME | 1 | 2,395 | 323,865 |
| A LITTLE OF THE TIME | 2 | 2,477 | 322,742 |
| SOME OF THE TIME | 3 | 2,449 | 265,840 |
| MOST OF THE TIME | 4 | 1,235 | 145,808 |
| ALL OF THE TIME | 5 | 574 | 59,552 |
| NOT APPLICABLE | 6 | 118,039 | 28,858,628 |
| DON'T KNOW | 7 | 45 | 4,392 |
| REFUSAL | 8 | 1 | 19 |
| NOT STATED | 9 | 247 | 21,971 |
| ٦ | Γotal | 127,462 | 30,002,817 |

March 2016

Variable Name SLP_03 Length 1 Position 56

Question Name SLP_Q03

Concept Frequency - find sleep refreshing

Question How often do you find your sleep refreshing?

Universe Respondents with DOSLP = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| NONE OF THE TIME | 1 | 418 | 54,131 |
| A LITTLE OF THE TIME | 2 | 1,141 | 149,448 |
| SOME OF THE TIME | 3 | 2,371 | 305,568 |
| MOST OF THE TIME | 4 | 3,962 | 464,294 |
| ALL OF THE TIME | 5 | 1,211 | 143,861 |
| NOT APPLICABLE | 6 | 118,039 | 28,858,628 |
| DON'T KNOW | 7 | 70 | 4,717 |
| REFUSAL | 8 | 3 | 197 |
| NOT STATED | 9 | 247 | 21,971 |
| | Total | 127,462 | 30,002,817 |

Page 24

March 2016

Variable Name SLP_04 Length 1 Position 57

Question Name SLP_Q04

Concept Frequency - find it difficult to stay awake

Question How often do you find it difficult to stay awake when you want to?

Universe Respondents with DOSLP = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| NONE OF THE TIME | 1 | 4,078 | 474,321 |
| A LITTLE OF THE TIME | 2 | 2,388 | 307,787 |
| SOME OF THE TIME | 3 | 1,938 | 244,427 |
| MOST OF THE TIME | 4 | 496 | 62,247 |
| ALL OF THE TIME | 5 | 161 | 23,651 |
| NOT APPLICABLE | 6 | 118,039 | 28,858,628 |
| DON'T KNOW | 7 | 111 | 9,422 |
| REFUSAL | 8 | 4 | 363 |
| NOT STATED | 9 | 247 | 21,971 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOCIH Length 1 Position 58

Question Name DOCIH

Concept Changes made to improve health module - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | 9 | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------|-------------|---------------|-------------------|
| YES | | 1 | 30,006 | 5,932,812 |
| NO | | 2 | 97,456 | 24,070,005 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_1 Length 1 Position 59

Question Name CIH_Q1

Concept Did something to improve health

Question In the past 12 months, did you do anything to improve your health? (For example, lost weight, quit smoking,

increased exercise)

Universe Respondents with DOCIH = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 16,506 | 3,508,537 |
| NO | 2 | 12,596 | 2,288,479 |
| NOT APPLICABLE | 6 | 97,456 | 24,070,005 |
| DON'T KNOW | 7 | 76 | 8,855 |
| REFUSAL | 8 | 4 | 852 |
| NOT STATED | 9 | 824 | 126,090 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CIH_2 Length 2 Position 60 - 61

Question Name CIH_Q2

Concept Most important change to improve health

Question What is the single most important change you have made?

Universe Respondents who answered CIH_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| START/INCR. EXERCISE/SPORTS/PHYS. ACt. | 1 | 7,997 | 1,872,358 |
| LOST WEIGHT | 2 | 1,703 | 303,197 |
| CHANGED DIET / IMPROVE EATING HABITS | 3 | 2,993 | 644,648 |
| QUIT SMOKING / REDUCED AMOUNT SMOKED | 4 | 802 | 160,895 |
| DRANK LESS ALCOHOL | 5 | 161 | 37,780 |
| REDUCE STRESS LEVEL | 6 | 314 | 62,362 |
| RECEIVED MEDICAL TREATMENT | 7 | 1,399 | 222,345 |
| TOOK VITAMINS | 8 | 203 | 37,504 |
| OTHER | 9 | 865 | 156,661 |
| NOT APPLICABLE | 96 | 110,052 | 26,358,484 |
| DON'T KNOW | 97 | 65 | 9,619 |
| REFUSAL | 98 | 4 | 1,168 |
| NOT STATED | 99 | 904 | 135,796 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_3 Length 1 Position 62

Question Name CIH_Q3

Concept Thinks should do something to improve health

Question Do you think there is anything you should do to improve your physical health?

Universe Respondents with DOCIH = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 19,397 | 4,107,441 |
| NO | 2 | 9,400 | 1,648,327 |
| NOT APPLICABLE | 6 | 97,456 | 24,070,005 |
| DON'T KNOW | 7 | 297 | 39,591 |
| REFUSAL | 8 | 8 | 1,656 |
| NOT STATED | 9 | 904 | 135,796 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CIH_4 Length 2 Position 63 - 64

Question Name CIH_Q4

Concept Most important thing to improve health **Question** What is the most important thing?

Universe Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| START/INCR. EXERCISE/SPORTS/PHYS. ACt. | 1 | 10,178 | 2,155,113 |
| LOST WEIGHT | 2 | 2,049 | 356,099 |
| CHANGED DIET / IMPROVE EATING HABITS | 3 | 3,409 | 857,681 |
| QUIT SMOKING / REDUCED AMOUNT SMOKED | 4 | 1,815 | 338,666 |
| DRANK LESS ALCOHOL | 5 | 165 | 46,004 |
| REDUCE STRESS LEVEL | 6 | 380 | 93,478 |
| RECEIVED MEDICAL TREATMENT | 7 | 437 | 72,753 |
| TOOK VITAMINS | 8 | 39 | 9,435 |
| OTHER | 9 | 834 | 165,467 |
| NOT APPLICABLE | 96 | 106,856 | 25,718,333 |
| DON'T KNOW | 97 | 85 | 11,820 |
| REFUSAL | 98 | 6 | 923 |
| NOT STATED | 99 | 1,209 | 177,044 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_5 Length 1 Position 65

Question Name CIH_Q5

Concept Barrier to improving health

Question Is there anything stopping you from making this improvement?

Universe Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 9,714 | 2,071,796 |
| NO | 2 | 9,610 | 2,025,301 |
| NOT APPLICABLE | 6 | 106,856 | 25,718,333 |
| DON'T KNOW | 7 | 69 | 9,945 |
| REFUSAL | 8 | 4 | 399 |
| NOT STATED | 9 | 1,209 | 177,044 |
| | Total | 127,462 | 30,002,817 |

Variable Name CIH_6A Length 1 Position 66

Question Name CIH_Q6A

Concept Barrier to improving health - lack of will power

Question What is that? - Lack of will power / self-discipline

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,035 | 626,797 |
| NO | 2 | 6,659 | 1,442,991 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_6I Length 1 Position 67

Question Name CIH_Q6B

Concept Barrier to improving health - family responsibilities

Question What is that? - family responsibilities

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,213 | 335,128 |
| NO | 2 | 8,481 | 1,734,661 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Variable Name CIH_6B Length 1 Position 68

Question Name CIH_Q6C

Concept Barrier to improving health - work schedule

Question What is that? -work schedule

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,939 | 575,934 |
| NO | 2 | 7,755 | 1,493,854 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_6J Length 1 Position 69

Question Name CIH_Q6D

Concept Barrier to improving health - addiction to drugs / alcohol

Question What is that? - Addiction to drugs / alcohol

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 86 | 17,210 |
| NO | 2 | 9,608 | 2,052,578 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name CIH_6K Length 1 Position 70

Question Name CIH_Q6E

Concept Barrier to improving health - physical condition

Question What is that? - Physical condition

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 854 | 119,637 |
| NO | 2 | 8,840 | 1,950,151 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_6G Length 1 Position 71

Question Name CIH_Q6F

Concept Barrier to improving health - disability / health problem

Question What is that? - disability / health problem

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 930 | 138,719 |
| NO | 2 | 8,764 | 1,931,069 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| To | otal | 127,462 | 30,002,817 |

Variable Name CIH_6F Length 1 Position 72

Question Name CIH_Q6G

Concept Barrier to improving health - too stressed

Question What is that? - Too stressed

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 464 | 95,607 |
| NO | 2 | 9,230 | 1,974,181 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_6E Length 1 Position 73

Question Name CIH_Q6H

Concept Barrier to improving health - too costly

Question What is that? - Too costly / financial constraints

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 631 | 141,072 |
| NO | 2 | 9,063 | 1,928,717 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Variable Name CIH_6L Length 1 Position 74

Question Name CIH_Q6I

Concept Barrier to improving health - not available - in area

Question What is that? - Not available - in area

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 137 | 25,125 |
| NO | 2 | 9,557 | 2,044,663 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Page 34

March 2016

Variable Name CIH_6M Length 1 Position 75

Question Name CIH_Q6J

Concept Barrier to improving health - transportation problems

Question What is that? - Transportation problem

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 82 | 16,881 |
| NO | 2 | 9,612 | 2,052,908 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name CIH_6N Length 1 Position 76

Question Name CIH_Q6K

Concept Barrier to improving health - weather problems

Question What is that? - Weather problems

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 453 | 69,405 |
| NO | 2 | 9,241 | 2,000,383 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_6H Length 1 Position 77

Question Name CIH_Q6L

Concept Barrier to improving health - other

Question What is that? - Other

Universe Respondents who answered CIH_5 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,557 | 327,863 |
| NO | 2 | 8,137 | 1,741,925 |
| NOT APPLICABLE | 6 | 116,466 | 27,743,634 |
| DON'T KNOW | 7 | 18 | 1,628 |
| REFUSAL | 8 | 2 | 380 |
| NOT STATED | 9 | 1,282 | 187,387 |
| | Total | 127,462 | 30,002,817 |

Variable Name CIH_7 Length 1 Position 78

Question Name CIH_Q7

Concept Intending to improve health over next year

Question Is there anything you intend to do to improve your physical health in the next year?

Universe Respondents who answered CIH_3 = (1, 7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 14,597 | 3,192,026 |
| NO | 2 | 4,480 | 866,857 |
| NOT APPLICABLE | 6 | 106,856 | 25,718,333 |
| DON'T KNOW | 7 | 314 | 48,037 |
| REFUSAL | 8 | 6 | 521 |
| NOT STATED | 9 | 1,209 | 177,044 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_8A Length 1 Position 79

Question Name CIH_Q8A

Concept Health improvement - more exercise

Question What is that? - Start / Increase exercise, sports / physical activity

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10,253 | 2,308,751 |
| NO | 2 | 4,312 | 879,369 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| | Total | 127,462 | 30,002,817 |

Variable Name CIH_8B Length 1 Position 80

Question Name CIH_Q8B

Concept Health improvement - lose weight

Question What is that? - Lose weight

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,522 | 318,363 |
| NO | 2 | 13,043 | 2,869,758 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_8C Length 1 Position 81

Question Name CIH_Q8C

Concept Health improvement - improve eating habits

Question What is that? - Change diet / improve eating habits

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,009 | 775,865 |
| NO | 2 | 11,556 | 2,412,256 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| | Total | 127,462 | 30,002,817 |

Variable Name CIH_8J Length 1 Position 82

Question Name CIH_Q8D

Concept Health improvement - quit smoking

Question What is that? - Quit smoking / reduce amount smoked

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,038 | 197,450 |
| NO | 2 | 13,527 | 2,990,670 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| | Total | 127,462 | 30,002,817 |

Page 38

March 2016

Variable Name CIH_8K Length 1 Position 83

Question Name CIH_Q8E

Concept Health improvement - drink less alcohol

Question What is that? - Drink less alcohol

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 113 | 36,446 |
| NO | 2 | 14,452 | 3,151,675 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| 1 | Total . | 127,462 | 30,002,817 |

Variable Name CIH_8G Length 1 Position 84

Question Name CIH_Q8F

Concept Health improvement - reduce stress level

Question What is that? - Reduce stress level

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 514 | 143,773 |
| NO | 2 | 14,051 | 3,044,348 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| | Total | 127,462 | 30,002,817 |

Page 39

March 2016

Variable Name CIH_8L Length 1 Position 85

Question Name CIH_Q8G

Concept Health improvement - receive medical treatment

Question What is that? - Receive medical treatment

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 622 | 116,995 |
| NO | 2 | 13,943 | 3,071,125 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| | Total | 127,462 | 30,002,817 |

Variable Name CIH_8H Length 1 Position 86

Question Name CIH_Q8H

Concept Health improvement - take vitamins

Question What is that? - Take vitamins

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 141 | 46,184 |
| NO | 2 | 14,424 | 3,141,936 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CIH_8I Length 1 Position 87

Question Name CIH_Q8I

Concept Health improvement - other

Question What is that? - Other

Universe Respondents who answered CIH_7 = (1, 7 or 8) or CIH_3 = (7 or 8) or CIH_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 971 | 204,663 |
| NO | 2 | 13,594 | 2,983,457 |
| NOT APPLICABLE | 6 | 111,336 | 26,585,190 |
| DON'T KNOW | 7 | 28 | 3,369 |
| REFUSAL | 8 | 4 | 536 |
| NOT STATED | 9 | 1,529 | 225,601 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Variable Name DOOH1 Length 1 Position 88

Question Name DOOH1

Concept Theme module: Oral health 1 - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 42,553 | 11,682,112 |
| NO | 2 | 84,909 | 18,320,705 |
| | Total | 127,462 | 30,002,817 |

March 2016

OH1_20 Variable Name Length 1 **Position** 89

Question Name OH1_Q20

Self-perceived health of teeth and mouth Concept

In general, would you say the health of your teeth and mouth is: Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 8,399 | 2,321,517 |
| VERY GOOD | 2 | 14,373 | 3,956,168 |
| GOOD | 3 | 12,457 | 3,428,220 |
| FAIR | 4 | 4,153 | 1,160,272 |
| POOR | 5 | 1,924 | 531,569 |
| NOT APPLICABLE | 6 | 84,909 | 18,320,705 |
| DON'T KNOW | 7 | 113 | 22,960 |
| REFUSAL | 8 | 28 | 5,033 |
| NOT STATED | 9 | 1,106 | 256,374 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name OH1_21A Length 1 Position 90

Question Name OH1_Q21A

Concept Ability to chew - firm foods

Question Now a few questions about your ability to chew different foods, whether you eat them or not. Can you:

...chew firm foods (e.g., meat)?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 40,334 | 11,110,191 |
| NO | 2 | 922 | 275,246 |
| NOT APPLICABLE | 6 | 84,909 | 18,320,705 |
| DON'T KNOW | 7 | 43 | 10,127 |
| REFUSAL | 8 | 7 | 2,182 |
| NOT STATED | 9 | 1,247 | 284,367 |
| То | otal | 127,462 | 30,002,817 |

Variable Name OH1_21B Length 1 Position 91

Question Name OH1_Q21B

Concept Ability to chew - fresh apple

Question (Can you:)

...bite off and chew a piece of fresh apple?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 38,050 | 10,723,169 |
| NO | 2 | 3,157 | 659,172 |
| NOT APPLICABLE | 6 | 84,909 | 18,320,705 |
| DON'T KNOW | 7 | 92 | 14,385 |
| REFUSAL | 8 | 7 | 1,019 |
| NOT STATED | 9 | 1,247 | 284,367 |
| | Total | 127,462 | 30,002,817 |

Page 43

March 2016

Variable Name OH1_21C Length 1 Position 92

Question Name OH1_Q21C

Concept Ability to chew - boiled vegetables

Question (Can you:)

...chew boiled vegetables?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 41,236 | 11,369,060 |
| NO | 2 | 67 | 26,714 |
| NOT APPLICABLE | 6 | 84,909 | 18,320,705 |
| DON'T KNOW | 7 | 2 | 1,547 |
| REFUSAL | 8 | 1 | 425 |
| NOT STATED | 9 | 1,247 | 284,367 |
| | Total | 127,462 | 30,002,817 |

Variable Name OH1_22 Length 1 Position 93

Question Name OH1_Q22

Concept Frequency of pain in teeth or gums - past month

Question In the past month, how often have you had any pain or discomfort in your teeth or gums?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 1,732 | 500,360 |
| SOMETIMES | 2 | 5,313 | 1,651,888 |
| RARELY | 3 | 9,951 | 2,669,548 |
| NEVER | 4 | 24,249 | 6,562,323 |
| NOT APPLICABLE | 6 | 84,909 | 18,320,705 |
| DON'T KNOW | 7 | 48 | 10,647 |
| REFUSAL | 8 | 13 | 2,979 |
| NOT STATED | 9 | 1,247 | 284,367 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOHCS Length 1 Position 94

Question Name DOHCS

Concept Health care system satisfaction module- Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>C</u> | <u>ode</u> | <u>Sample</u> | <u>Population</u> |
|---------|----------|------------|---------------|-------------------|
| YES | | 1 | 12,072 | 3,358,681 |
| NO | | 2 | 115,390 | 26,644,136 |
| | Total | | 127,462 | 30,002,817 |

Variable Name HCS_1 Length 1 Position 95

Question Name HCS_Q1

Concept Rating of availability of health care - province

Question Now, a few questions about health care services in ^DT_ProvinceE. Overall, how would you rate the

availability of health care services in ^DT_ProvinceE?

Would you say it is:

Universe Respondents aged 15 and over with DOHCS = 1

Note

| Content | 9 | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------|-------------|---------------|-------------------|
| EXCELLENT | | 1 | 1,833 | 563,323 |
| GOOD | | 2 | 5,454 | 1,522,125 |
| FAIR | | 3 | 2,719 | 758,604 |
| POOR | | 4 | 1,069 | 278,422 |
| NOT APPLICABLE | | 6 | 115,858 | 26,762,186 |
| DON'T KNOW | | 7 | 282 | 69,709 |
| REFUSAL | | 8 | 15 | 6,529 |
| NOT STATED | | 9 | 232 | 41,919 |
| | Total | | 127,462 | 30,002,817 |

March 2016

Variable Name HCS_2 Length 1 Position 96

Question Name HCS_Q2

Concept Rating of quality of health care - province

Question Overall, how would you rate the quality of the health care services that are available in ^DT_ProvinceE?

Universe Respondents aged 15 and over with DOHCS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 2,235 | 688,833 |
| GOOD | 2 | 6,084 | 1,715,980 |
| FAIR | 3 | 2,114 | 549,408 |
| POOR | 4 | 526 | 145,223 |
| NOT APPLICABLE | 6 | 115,858 | 26,762,186 |
| DON'T KNOW | 7 | 111 | 21,006 |
| REFUSAL | 8 | 5 | 2,025 |
| NOT STATED | 9 | 529 | 118,157 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name HCS_3 Length 1 Position 97

Question Name HCS_Q3

Concept Rating of availability of health care - community

Question Overall, how would you rate the availability of health care services in your community?

Universe Respondents aged 15 and over with DOHCS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 1,808 | 561,856 |
| GOOD | 2 | 5,086 | 1,453,293 |
| FAIR | 3 | 2,563 | 706,593 |
| POOR | 4 | 1,404 | 331,834 |
| NOT APPLICABLE | 6 | 115,858 | 26,762,186 |
| DON'T KNOW | 7 | 206 | 65,554 |
| REFUSAL | 8 | 8 | 3,344 |
| NOT STATED | 9 | 529 | 118,157 |
| | Total | 127,462 | 30,002,817 |

Page 47

March 2016

Variable Name HCS_4 Length 1 Position 98

Question Name HCS_Q4

Concept Rating of quality of health care - community

Question Overall, how would you rate the quality of the health care services that are available in your community?

Universe Respondents aged 15 and over with DOHCS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 1,976 | 583,941 |
| GOOD | 2 | 5,864 | 1,676,958 |
| FAIR | 3 | 2,182 | 566,396 |
| POOR | 4 | 765 | 201,004 |
| NOT APPLICABLE | 6 | 115,858 | 26,762,186 |
| DON'T KNOW | 7 | 274 | 85,920 |
| REFUSAL | 8 | 14 | 8,255 |
| NOT STATED | 9 | 529 | 118,157 |
| | Total | 127,462 | 30,002,817 |

Variable Name HWT_4 Length 1 Position 99

Question Name HWT_Q4

Concept Respondent's opinion of own weight - self-reported

Question Do you consider yourself:

Universe All respondents excluding pregnant women (MAM_037 = 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| OVERWEIGHT | 1 | 49,947 | 11,082,217 |
| UNDERWEIGHT | 2 | 4,679 | 1,235,652 |
| JUST ABOUT RIGHT | 3 | 65,065 | 16,040,116 |
| NOT APPLICABLE | 6 | 997 | 303,244 |
| DON'T KNOW | 7 | 213 | 42,909 |
| REFUSAL | 8 | 20 | 3,195 |
| NOT STATED | 9 | 6,541 | 1,295,484 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name HWTGHTM Length 5.3 Position 100 - 104

Question Name

Concept Height (metres) / self-reported - (D, G)

Question

Universe All respondents

Note Based on HWT_2, HWT_2C, HWT_2D, HWT_2E, HWT_2F. See documentation on derived variables.

| | = , = | | |
|-----------------------|-------------|---------------|-------------------|
| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
| 1.257 TO 1.282 METRES | 1.270 | 17 | 3,297 |
| 1.283 TO 1.307 METRES | 1.295 | 4 | 1,239 |
| 1.308 TO 1.333 METRES | 1.321 | 33 | 8,707 |
| 1.334 TO 1.358 METRES | 1.346 | 23 | 5,327 |
| 1.359 TO 1.383 METRES | 1.372 | 29 | 4,565 |
| 1.384 TO 1.409 METRES | 1.397 | 74 | 10,407 |
| 1.410 TO 1.434 METRES | 1.422 | 96 | 18,254 |
| 1.435 TO 1.460 METRES | 1.448 | 266 | 38,542 |
| 1.461 TO 1.485 METRES | 1.473 | 794 | 134,645 |
| 1.486 TO 1.510 METRES | 1.499 | 1,750 | 360,721 |
| 1.511 TO 1.536 METRES | 1.524 | 4,558 | 918,981 |
| 1.537 TO 1.561 METRES | 1.549 | 5,212 | 1,029,506 |
| 1.562 TO 1.587 METRES | 1.575 | 9,922 | 2,017,361 |
| 1.588 TO 1.612 METRES | 1.600 | 9,596 | 2,151,950 |
| 1.613 TO 1.637 METRES | 1.626 | 11,129 | 2,462,220 |
| 1.638 TO 1.663 METRES | 1.651 | 9,695 | 2,271,930 |
| 1.664 TO 1.688 METRES | 1.676 | 10,903 | 2,532,206 |
| 1.689 TO 1.714 METRES | 1.702 | 10,397 | 2,558,264 |
| 1.715 TO 1.739 METRES | 1.727 | 10,141 | 2,444,246 |
| 1.740 TO 1.764 METRES | 1.753 | 8,207 | 2,108,129 |
| 1.765 TO 1.790 METRES | 1.778 | 8,824 | 2,225,344 |
| 1.791 TO 1.815 METRES | 1.803 | 7,220 | 1,921,191 |
| 1.816 TO 1.841 METRES | 1.829 | 5,736 | 1,552,417 |
| 1.842 TO 1.866 METRES | 1.854 | 3,052 | 859,004 |
| 1.867 TO 1.891 METRES | 1.880 | 2,287 | 616,937 |
| 1.892 TO 1.917 METRES | 1.905 | 1,160 | 318,199 |
| 1.918 TO 1.942 METRES | 1.930 | 773 | 229,272 |
| 1.943 TO 1.968 METRES | 1.956 | 231 | 89,880 |
| NOT APPLICABLE | 9.996 | 997 | 303,244 |
| | | | |

| CCHS 2013-2014: Data Dictionary |
|--------------------------------------|
| Public Use Microdata File - 24-Month |

March 2016

NOT STATED 9.999 4,336 806,832

Total 127,462 30,002,817

Variable Name HWTGWTK Length 6.2 Position 105 - 110

Question Name

Concept Weight (kilograms) / self-reported - (D, G)

Question

Universe All respondents

Note Based on HWT_3, HWT_N4. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 WEIGHT IN KILOGRAMS
 30.60 - 135.00
 119,879
 28,395,516

 NOT STATED
 999.99
 7,583
 1,607,300

 Total
 127,462
 30,002,817

Variable Name HWTGBMI Length 6.2 Position 111 - 116

Question Name

Concept Body Mass Index (BMI) / self-report - (D, G)

Question

Universe All respondents excluding pregnant women (MAM_037 = 1)

Note Based on HWTGHTM, HWTGWTK. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 BMI - SELF-REPORT
 12.00 - 56.73
 119,099
 28,252,637

 NOT STATED
 999.99
 8,363
 1,750,181

 Total
 127,462
 30,002,817

Public Use Microdata File - 24-Month

March 2016

Variable Name HWTGISW Length 1 Position 117

Question Name

Concept BMI class. (18 +) / self-report - Intern. standard - (D, G)

Question

Universe Respondents aged 18 and over excluding pregnant women (MAM_037 = 1)

Note Based on DHH_AGE, HWTDBMI. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| UNDERWEIGHT | 1 | 2,547 | 699,225 |
| NORMAL WEIGHT | 2 | 44,609 | 11,399,184 |
| OVERWEIGHT | 3 | 38,664 | 8,972,615 |
| OBESE | 4 | 24,529 | 5,100,666 |
| NOT APPLICABLE | 6 | 10,028 | 2,361,947 |
| NOT STATED | 9 | 7,085 | 1,469,180 |
| 1 | otal | 127,462 | 30,002,817 |

Variable Name HWTDCOL Length 1 Position 118

Question Name

Concept BMI class. (12 to 17) / self-report - Cole system - (D)

Question

Universe Respondents aged 12 to 17 excluding pregnant women (MAM_037 = 1)

Note Based on HWTDBMI, DHH_YOB, DHH_MOB, DHH_DOB, ADM_YOI, ADM_MOI, ADM_DOI, DHH_SEX

and MAM_037. See documentation on derived variables.

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------------|-------|-------------|---------------|-------------------|
| NEITHER OVERWEIGHT NOR OBESE | | 1 | 6,543 | 1,586,066 |
| OVERWEIGHT | | 2 | 1,458 | 332,051 |
| OBESE | | 3 | 544 | 113,706 |
| NOT APPLICABLE | | 6 | 117,434 | 27,640,870 |
| NOT STATED | | 9 | 1,483 | 330,124 |
| | Total | | 127,462 | 30,002,817 |
| | | | | |

Page 51

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name HWTDWHO Length 1 Position 119

Question Name

Concept BMI of school-aged children & adolescents - self-report (D)

Question

Universe Respondents with (11 < DHH_AGE < 18), excluding pregnant women (MAM_037 = 1, 7, 8 or 9)

Note Based on HWTDBMI, DHH_AGE, DHH_YOB, DHH_MOB, DHH_DOB, ADM_YOI, ADM_MOI, ADM_DOI,

DHH_SEX and MAM_037. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------------|-------------|---------------|-------------------|
| NEITHER OVERWEIGHT NOR OBESE | 1 | 6,313 | 1,536,348 |
| OVERWEIGHT | 2 | 1,315 | 296,818 |
| OBESE | 3 | 457 | 107,196 |
| SEVERELY OBESE | 4 | 460 | 91,461 |
| NOT APPLICABLE | 6 | 117,434 | 27,640,870 |
| NOT STATED | 9 | 1,483 | 330,124 |
| Total | | 127,462 | 30,002,817 |

Variable Name CCC_031 Length 1 Position 120

Question Name CCC_Q031
Concept Has asthma

Question ^DOVERB_C ^YOU2 have asthma?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 10,777 | 2,404,338 |
| NO | 2 | 116,514 | 27,563,099 |
| DON'T KNOW | 7 | 145 | 30,120 |
| REFUSAL | 8 | 25 | 4,836 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_035 Length 1 Position 121

Question Name CCC_Q035

Concept Asthma - had symptoms or attacks

Question ^HAVE_C ^YOU1 had any asthma symptoms or asthma attacks in the past 12 months?

Universe Respondents who answered CCC_031 = (1, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,330 | 1,221,462 |
| NO | 2 | 5,418 | 1,177,810 |
| NOT APPLICABLE | 6 | 116,514 | 27,563,099 |
| DON'T KNOW | 7 | 29 | 5,067 |
| NOT STATED | 9 | 171 | 35,380 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name CCC_036 Length 1 Position 122

Question Name CCC_Q036

Concept Asthma - took medication

Question In the past 12 months, ^HAVE ^YOU1 taken any medicine for asthma such as inhalers, nebulizers, pills,

liquids or injections?

Universe Respondents who answered CCC_031 = (1, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8,393 | 1,783,080 |
| NO | 2 | 2,375 | 619,857 |
| NOT APPLICABLE | 6 | 116,514 | 27,563,099 |
| DON'T KNOW | 7 | 9 | 1,401 |
| NOT STATED | 9 | 171 | 35,380 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_051 Length 1 Position 123

Question NameCCC_Q051ConceptHas arthritis

Question ^DOVERB_C ^YOU1 have arthritis, excluding fibromyalgia?

Universe Respondents aged 14 and over.

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 29,500 | 4,670,592 |
| NO | 2 | 92,690 | 24,176,210 |
| NOT APPLICABLE | 6 | 3,215 | 713,388 |
| DON'T KNOW | 7 | 335 | 60,150 |
| REFUSAL | 8 | 15 | 1,656 |
| NOT STATED | 9 | 1,707 | 380,821 |
| Tot | tal | 127,462 | 30,002,817 |

Variable Name CCC_061 Length 1 Position 124

Question Name CCC_Q061

Concept Has back problems excluding fibromyalgia and arthritis

Question ^DOVERB_C ^YOU2 have back problems, excluding fibromyalgia and arthritis?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 26,511 | 5,474,133 |
| NO | 2 | 100,702 | 24,493,457 |
| DON'T KNOW | 7 | 209 | 27,388 |
| REFUSAL | 8 | 14 | 2,579 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_071 Length 1 Position 125

Question Name CCC_Q071

Concept Has high blood pressure

Question Remember, we're interested in conditions diagnosed by a health professional and that are expected to last

or have already lasted 6 months or more. ^DOVERB_C ^YOU2 have high blood pressure?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 30,945 | 5,295,561 |
| NO | 2 | 96,055 | 24,620,522 |
| DON'T KNOW | 7 | 415 | 78,373 |
| REFUSAL | 8 | 21 | 3,101 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_072 Length 1 Position 126

Question Name CCC_Q072

Concept Ever diagnosed with high blood pressure

Question ^HAVE_C ^YOU1 ever been diagnosed with high blood pressure?

Universe Respondents who answered CCC_071 = 2, 7, 8 or CCC_031 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7,263 | 1,409,464 |
| NO | 2 | 88,934 | 23,244,012 |
| NOT APPLICABLE | 6 | 30,945 | 5,295,561 |
| DON'T KNOW | 7 | 266 | 43,602 |
| REFUSAL | 8 | 7 | 1,818 |
| NOT STATED | 9 | 47 | 8,361 |
| To | tal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_073 Length 1 Position 127

Question Name CCC_Q073

Concept Medication - high blood pressure - past month

Question In the past month, ^HAVE ^YOU1 taken any medicine for high blood pressure?

Universe Respondents who answered CCC_072 = 1, 7, 8 or CCC_071 = 1, 8 or CCC_031 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 30,763 | 5,057,371 |
| NO | 2 | 7,380 | 1,640,274 |
| NOT APPLICABLE | 6 | 88,934 | 23,244,012 |
| DON'T KNOW | 7 | 64 | 7,334 |
| REFUSAL | 8 | 1 | 45 |
| NOT STATED | 9 | 320 | 53,781 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_073A Length 1 Position 128

Question Name CCC_Q075

Concept Pregnant when first diagnosed with high blood pressure

Question Were you pregnant when you were first diagnosed with high blood pressure?

Universe Females aged 16 and over who answered (CCC_071 = 1 or 8 or (CCC_072 = 1, 7 or 8 and CCC_073 = 1, 7

or 8) or $CCC_031 = 8$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 933 | 194,804 |
| NO | 2 | 17,260 | 2,497,432 |
| NOT APPLICABLE | 6 | 108,832 | 27,242,311 |
| DON'T KNOW | 7 | 227 | 31,128 |
| REFUSAL | 8 | 10 | 1,298 |
| NOT STATED | 9 | 200 | 35,844 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_073B Length 1 Position 129

Question Name CCC_Q077

Concept Other than during pregnancy - diag. with high blood pressure

Question Other than during pregnancy, has a health professional ever told you that you have high blood pressure?

Universe Respondents who answered CCC_073A = 1, 7 or 8 or females aged 16 and over who answered (CCC_071

= 8 or (CCC_072 = 7 or 8 and CCC_073 = 7 or 8) or CCC_031 = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 820 | 146,784 |
| NO | 2 | 112 | 48,001 |
| NOT APPLICABLE | 6 | 126,091 | 29,739,540 |
| DON'T KNOW | 7 | 1 | 19 |
| NOT STATED | 9 | 438 | 68,472 |
| То | otal | 127,462 | 30,002,817 |

Variable Name CCC_081 Length 1 Position 130

Question Name CCC_Q081

Concept Has migraine headaches

Question Remember, we're interested in conditions diagnosed by a health professional and that are expected to last

or have already lasted 6 months or more. Do you have migraine headaches?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 11,961 | 2,986,391 |
| NO | 2 | 115,345 | 26,983,102 |
| DON'T KNOW | 7 | 115 | 24,526 |
| REFUSAL | 8 | 15 | 3,538 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_091 Length 1 Position 131

Question Name CCC_Q091
Concept Has a COPD

Question ^DOVERB_C ^YOU2 have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or

COPD?

Universe Respondents aged 35 and over

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,232 | 817,556 |
| NO | 2 | 87,918 | 18,859,366 |
| NOT APPLICABLE | 6 | 34,080 | 10,290,067 |
| DON'T KNOW | 7 | 188 | 26,978 |
| REFUSAL | 8 | 20 | 3,706 |
| NOT STATED | 9 | 24 | 5,145 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_101 Length 1 Position 132

Question Name CCC_Q101
Concept Has diabetes

Question (Remember, we're interested in conditions diagnosed by a health professional and that are expected to last

or have already lasted 6 months or more.)

^DOVERB_C ^YOU2 have diabetes?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 11,493 | 1,987,507 |
| NO | 2 | 115,796 | 27,982,805 |
| DON'T KNOW | 7 | 134 | 25,258 |
| REFUSAL | 8 | 13 | 1,986 |
| NOT STATED | 9 | 26 | 5,260 |
| 7 | Γotal | 127,462 | 30,002,817 |

March 2016

Variable Name CCCG102 Length 2 Position 133 - 134

Question Name

Concept Diabetes - age first diagnosed - (G)

Question How old were you when this was first diagnosed?

Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 0 TO 11 YEARS | 1 | 222 | 52,036 |
| 12 TO 17 YEARS | 2 | 168 | 34,294 |
| 18 TO 24 YEARS | 3 | 224 | 44,745 |
| 25 TO 29 YEARS | 4 | 234 | 53,595 |
| 30 TO 34 YEARS | 5 | 375 | 92,239 |
| 35 TO 39 YEARS | 6 | 509 | 145,830 |
| 40 TO 44 YEARS | 7 | 804 | 164,797 |
| 45 TO 49 YEARS | 8 | 1,001 | 202,181 |
| 50 TO 54 YEARS | 9 | 1,655 | 303,777 |
| 55 TO 59 YEARS | 10 | 1,648 | 251,956 |
| 60 TO 64 YEARS | 11 | 1,657 | 245,961 |
| 65 TO 69 YEARS | 12 | 1,253 | 179,494 |
| 70 TO 74 YEARS | 13 | 813 | 97,534 |
| 75 TO 79 YEARS | 14 | 414 | 55,969 |
| 80 YEARS AND OLDER | 15 | 272 | 29,445 |
| NOT APPLICABLE | 96 | 115,796 | 27,982,805 |
| NOT STATED | 99 | 417 | 66,158 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_10A Length **Position** 135 1

Question Name CCC_Q10A

Concept Diabetes diagnosed - when pregnant

^WERE ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with diabetes? Question

Universe Females aged 15 and over who answered (15 <= CCC_102 <= 49) or CCC_102 = 997, 998 or CCC_101 =

7, 8 or $CCC_031 = 8$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 293 | 80,433 |
| NO | 2 | 1,465 | 254,700 |
| NOT APPLICABLE | 6 | 125,588 | 29,650,192 |
| DON'T KNOW | 7 | 14 | 1,550 |
| REFUSAL | 8 | 5 | 349 |
| NOT STATED | 9 | 97 | 15,593 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_10B 136 Length 1 **Position**

Question Name CCC_Q10B

Concept Diabetes diagnosed - other than when pregnant

Other than during pregnancy, has a health professional ever told ^YOU2 that ^YOU1 ^HAVE diabetes? Question Females aged 15 and over who answered CCC_10A = 1, 7, 8 or CCC_102 = 997, 998 or CCC_101 = 7, 8 Universe

or $CCC_031 = 8$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 228 | 57,765 |
| NO | 2 | 62 | 21,593 |
| NOT APPLICABLE | 6 | 127,053 | 29,904,892 |
| DON'T KNOW | 7 | 3 | 1,074 |
| NOT STATED | 9 | 116 | 17,492 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_10C Length 2 Position 137 - 138

Question Name CCC_Q10C

Concept Diabetes diagnosed - when started with insulin

Question When ^YOU1 ^WERE first diagnosed with diabetes, how long was it before ^YOU1 ^WERE started on

insulin?

Universe Respondents who answered CCC_101 = 1, 7, 8 or CCC_031 = 8, excluding females aged 15 and over who

answered CCC_10B = 2

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------------|-------------|---------------|-------------------|
| LESS THAN 1 MONTH | 1 | 923 | 180,662 |
| 1 MONTH TO LESS THAN 2 MONTHS | 2 | 73 | 13,384 |
| 2 MONTHS TO LESS THAN 6 MONTHS | 3 | 104 | 16,778 |
| 6 MONTHS TO LESS THAN 1 YEAR | 4 | 119 | 19,630 |
| 1 YEAR OR MORE | 5 | 1,971 | 304,339 |
| NEVER | 6 | 8,169 | 1,419,006 |
| NOT APPLICABLE | 96 | 115,858 | 28,004,398 |
| DON'T KNOW | 97 | 68 | 10,764 |
| REFUSAL | 98 | 1 | 279 |
| NOT STATED | 99 | 176 | 33,579 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_105 Length 1 Position 139

Question Name CCC_Q105

Concept Diabetes - currently takes insulin

Question ^DOVERB_C ^YOU2 currently take insulin for ^YOUR1 diabetes?

Universe Respondents who answered CCC_101 = 1, 7, 8 or CCC_031 = 8, excluding females aged 15 and over who

answered CCC_10B = 2

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,932 | 489,337 |
| NO | 2 | 8,486 | 1,474,350 |
| NOT APPLICABLE | 6 | 115,858 | 28,004,398 |
| DON'T KNOW | 7 | 10 | 1,153 |
| NOT STATED | 9 | 176 | 33,579 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_106 Length 1 Position 140

Question Name CCC_Q106

Concept Diabetes - takes pills to control blood sugar

Question In the past month, did ^YOU2 take pills to control ^YOUR1 blood sugar?

Universe Respondents who answered CCC_101 = 1, 7, 8 or CCC_031 = 8, excluding females aged 15 and over who

answered CCC_10B = 2

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8,758 | 1,488,918 |
| NO | 2 | 2,641 | 473,137 |
| NOT APPLICABLE | 6 | 115,858 | 28,004,398 |
| DON'T KNOW | 7 | 29 | 2,785 |
| NOT STATED | 9 | 176 | 33,579 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CCC_121 Length 1 Position 141

Question Name CCC_Q121

Concept Has heart disease

Question ^DOVERB_C ^YOU1 have heart disease?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 9,250 | 1,455,377 |
| NO | 2 | 117,785 | 28,492,725 |
| DON'T KNOW | 7 | 385 | 45,991 |
| REFUSAL | 8 | 16 | 3,464 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_131 Length 1 Position 142

Question Name CCC_Q131
Concept Has cancer

Question (^DOVERB_C ^YOU1 have:)

... cancer?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 3,311 | 552,156 |
| NO | 2 | 123,937 | 29,417,043 |
| DON'T KNOW | 7 | 172 | 24,195 |
| REFUSAL | 8 | 16 | 4,163 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_31A Length 1 Position 143

Question Name CCC_Q132
Concept Ever had cancer

Question ^HAVE ^YOU1 ever been diagnosed with cancer?

Universe Respondents who answered CCC_131 = 2, 7, 8 or CCC_031 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 9,509 | 1,475,228 |
| NO | 2 | 114,499 | 27,952,781 |
| NOT APPLICABLE | 6 | 3,313 | 552,612 |
| DON'T KNOW | 7 | 95 | 12,501 |
| REFUSAL | 8 | 4 | 272 |
| NOT STATED | 9 | 42 | 9,423 |
| • | Total | 127,462 | 30,002,817 |

Variable Name CCC_141 Length 1 Position 144

Question Name CCC_Q141

Concept Has stomach or intestinal ulcers

Question Remember, we're interested in conditions diagnosed by a health professional and that are expected to last

or have already lasted 6 months or more.^DOVERB_C ^YOU1 have intestinal or stomach ulcers?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 3,405 | 758,023 |
| NO | 2 | 123,655 | 29,168,321 |
| DON'T KNOW | 7 | 357 | 67,010 |
| REFUSAL | 8 | 19 | 4,203 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_151 Length 1 Position 145

Question Name CCC_Q151

Concept Suffers from the effects of a stroke

Question ^DOVERB ^YOU2 suffer from the effects of a stroke?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 2,077 | 333,109 |
| NO | 2 | 125,243 | 29,648,301 |
| DON'T KNOW | 7 | 102 | 13,100 |
| REFUSAL | 8 | 14 | 3,047 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_161 Length 1 Position 146

Question Name CCC_Q161

Concept Has urinary incontinence

Question ^DOVERB_C ^YOU2 have: urinary incontinence?

Universe Respondents aged 25 and over.

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7,167 | 1,039,098 |
| NO | 2 | 100,223 | 23,339,669 |
| NOT APPLICABLE | 6 | 19,877 | 5,597,360 |
| DON'T KNOW | 7 | 146 | 17,009 |
| REFUSAL | 8 | 23 | 4,421 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_171 Length 1 Position 147

Question Name CCC_Q171

Concept Has a bowel disorder / Crohn's Disease or colitis

Question ^DOVERB_C ^YOU2 have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel

Syndrome or bowel incontinence?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 7,317 | 1,368,688 |
| NO | 2 | 119,850 | 28,572,787 |
| DON'T KNOW | 7 | 249 | 41,043 |
| REFUSAL | 8 | 20 | 15,040 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_17A Length 1 Position 148

Question Name CCC_Q172

Concept Type of bowel disease

Question What kind of bowel disease do you have?

Universe Respondents who answered CCC_171 = 1, 7, 8 or CCC_031 = 8

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------|-------------|---------------|-------------------|
| CROHN'S DISEASE | | 1 | 627 | 122,134 |
| ULCERATIVE COLITIS | | 2 | 721 | 150,462 |
| IRRITABLE BOWEL SYNDROME | | 3 | 4,153 | 798,015 |
| BOWEL INCONTINENCE | | 4 | 331 | 50,016 |
| OTHER | | 5 | 1,342 | 228,473 |
| NOT APPLICABLE | | 6 | 119,850 | 28,572,787 |
| DON'T KNOW | | 7 | 140 | 18,086 |
| REFUSAL | | 8 | 3 | 1,503 |
| NOT STATED | | 9 | 295 | 61,342 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_173 Length 1 Position 149

Question Name CCC_Q173

Concept Diagnosed with scoliosis

Question ^HAVE_C ^YOU1 been diagnosed with scoliosis?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 4,294 | 982,217 |
| NO | 2 | 122,903 | 28,971,904 |
| DON'T KNOW | 7 | 222 | 40,184 |
| REFUSAL | 8 | 17 | 3,252 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCC_280 Length 1 Position 150

Question Name CCC_Q280

Concept Has a mood disorder

Question Remember, we're interested in conditions diagnosed by a health professional and that are expected to last

or have already lasted 6 months or more.

^DOVERB_C ^YOU2 have a mood disorder such as depression, bipolar disorder, mania or dysthymia?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 10,980 | 2,303,641 |
| NO | 2 | 116,245 | 27,653,998 |
| DON'T KNOW | 7 | 167 | 33,164 |
| REFUSAL | 8 | 44 | 6,754 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCC_290 Length 1 Position 151

Question Name CCC_Q290

Concept Has an anxiety disorder

Question ^DOVERB_C ^YOU2 have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic

disorder?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 9,207 | 2,058,438 |
| NO | 2 | 117,972 | 27,884,601 |
| DON'T KNOW | 7 | 220 | 46,086 |
| REFUSAL | 8 | 37 | 8,432 |
| NOT STATED | 9 | 26 | 5,260 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCCDDIA Length 1 Position 152

Question Name

ConceptDiabetes typeQuestionDiabetes typeUniverseAll respondents

Note Based on CCC_10A, CCC_10B, CCC_10C, CCC_101, CCC_102, CCC_105, CCC_106, DHH_AGE,

DDH_SEX. See documentation on derived variables

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| TYPE 1 DIABETES | 1 | 347 | 86,384 |
| TYPE 2 DIABETES | 2 | 10,747 | 1,832,537 |
| GESTIONAL DIABETES | 3 | 62 | 21,593 |
| NOT APPLICABLE | 6 | 115,796 | 27,982,805 |
| NOT STATED | 9 | 510 | 79,497 |
| Т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DODIA Length 1 Position 153

Question Name DODIA

Concept Diabetes care - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 3,979 | 452,485 |
| NO | 2 | 123,483 | 29,550,332 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_01 Length 1 Position 154

Question Name DIA_Q01

Concept Tested for "A-one-C" haemoglobin

Question In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin "A- one-C"? (An "A-

one-C" haemoglobin test measures the average level of blood sugar over a 3-month period.)

Universe Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or (CCC_031 = 8, excluding females

aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 331 | 30,021 |
| NO | 2 | 94 | 7,495 |
| NOT APPLICABLE | 6 | 127,015 | 29,964,094 |
| DON'T KNOW | 7 | 18 | 964 |
| NOT STATED | 9 | 4 | 242 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_02 Length 3 Position 155 - 157

Question Name DIA_Q02

Concept Number of times - tested for haemoglobin "A-one-C"

Question How many times? (In the past 12 months, has a health care professional tested ^YOU2 for haemoglobin

"A-one-C"?)

Universe Respondents with DODIA = 1 who answered DIA_01 = (1, 7 or 8) or (CCC_101 = (7 or 8) and CCC_10A <>

1)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 20 | 321 | 29,141 |
| NOT APPLICABLE | 996 | 127,109 | 29,971,589 |
| DON'T KNOW | 997 | 10 | 880 |
| NOT STATED | 999 | 22 | 1,206 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_03 Length 1 Position 158

Question Name DIA_Q03

Concept Feet checked by health professional

Question In the past 12 months, has a health care professional checked YOUR1 feet for any sores or irritations?

Universe Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or (CCC_031 = 8, excluding females

aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 170 | 13,120 |
| NO | 2 | 272 | 25,327 |
| NOT APPLICABLE | 6 | 127,015 | 29,964,094 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 4 | 242 |
| Т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_04 Length 3 Position 159 - 161

Question Name DIA_Q04

Concept Number of times - feet checked by health professional

Question How many times? (In the past 12 months, has a health care professional checked ^YOUR1 feet for any

sores or irritations?)

Universe Respondents with DODIA = 1 who answered DIA_03 = (1, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 20 | 164 | 12,348 |
| NOT APPLICABLE | 996 | 127,288 | 29,989,455 |
| DON'T KNOW | 997 | 6 | 773 |
| NOT STATED | 999 | 4 | 242 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_05 Length 1 Position 162

Question Name DIA_Q05

Concept Urine tested for protein by health professional

Question In the past 12 months, has a health care professional tested ^YOUR1 urine for protein (i.e., Microalbumin)?

Universe Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or (CCC_031 = 8, excluding females

aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 305 | 26,591 |
| NO | 2 | 115 | 9,578 |
| NOT APPLICABLE | 6 | 127,015 | 29,964,094 |
| DON'T KNOW | 7 | 23 | 2,312 |
| NOT STATED | 9 | 4 | 242 |
| Т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_06 Length 1 Position 163

Question Name DIA_Q06

Concept Ever had eye exam with pupils dilated

Question ^HAVE_C ^YOU2 ever had an eye exam where the pupils of ^YOUR1 eyes were dilated? (This procedure

would have made ^HIMHER temporarily sensitive to light.)

Universe Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or (CCC_031 = 8, excluding females

aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 319 | 26,446 |
| NO | 2 | 121 | 11,911 |
| NOT APPLICABLE | 6 | 127,015 | 29,964,094 |
| DON'T KNOW | 7 | 3 | 123 |
| NOT STATED | 9 | 4 | 242 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_07 Length 1 Position 164

Question Name DIA_Q07

Concept Eye exam with pupils dilated - last time

Question When was the last time?

Universe Respondents with DODIA = 1 who answered DIA_06 = (1, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|-------------------------------------|-------|-------------|---------------|-------------------|
| LESS THAN ONE MONTH AGO | | 1 | 27 | 2,517 |
| ONE MONTH TO LESS THAN ONE YEAR AGO | | 2 | 168 | 14,103 |
| ONE YEAR TO LESS THAN 2 YEARS AGO | | 3 | 59 | 5,050 |
| 2 OR MORE YEARS AGO | | 4 | 65 | 4,776 |
| NOT APPLICABLE | | 6 | 127,136 | 29,976,006 |
| NOT STATED | | 9 | 7 | 365 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_08 Length 1 Position 165

Question Name DIA_Q08

Concept Checks glucose level / self - reporting unit

Question How often ^DOVERB ^YOU1 usually have ^YOUR1 blood checked for glucose or sugar by ^YOURSELF or

by a family member or friend?

Universe Respondents with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or (CCC_031 = 8, excluding females

aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| PER DAY | 1 | 237 | 20,290 |
| PER WEEK | 2 | 141 | 13,127 |
| PER MONTH | 3 | 26 | 1,754 |
| PER YEAR | 4 | 11 | 755 |
| NEVER | 5 | 27 | 2,532 |
| NOT APPLICABLE | 6 | 127,015 | 29,964,094 |
| DON'T KNOW | 7 | 1 | 23 |
| NOT STATED | 9 | 4 | 242 |
| То | tal | 127,462 | 30,002,817 |

Variable Name DIA_N8B Length 3 Position 166 - 168

Question Name DIA_N08B

Concept Checks glucose level/self - number of times per day

Question Interviewer: Enter the number of times per day.

Universe Respondents with DODIA = 1 who answered DIA_08 = (1, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_08.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 10 | 235 | 20,127 |
| NOT APPLICABLE | 996 | 127,220 | 29,982,262 |
| DON'T KNOW | 997 | 2 | 162 |
| NOT STATED | 999 | 5 | 265 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_N8C Length 3 Position 169 - 171

Question Name DIA_N08C

Concept Checks glucose level/self - number of times per week

Question Interviewer: Enter the number of times per week.

Universe Respondents with DODIA = 1 who answered DIA_08 = (2, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_08.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 8 | 141 | 13,127 |
| NOT APPLICABLE | 996 | 127,317 | 29,989,448 |
| NOT STATED | 999 | 4 | 242 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_N8D Length 3 Position 172 - 174

Question Name DIA_N08D

Concept Checks glucose level/self - number of times per month

Question Interviewer: Enter the number of times per month.

Universe Respondents with DODIA = 1 who answered DIA_08 = (3, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_08.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 6 | 24 | 1,559 |
| NOT APPLICABLE | 996 | 127,432 | 30,000,821 |
| DON'T KNOW | 997 | 2 | 196 |
| NOT STATED | 999 | 4 | 242 |
| Total | | 127,462 | 30,002,817 |

Page 74

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_N8E Length 3 Position 175 - 177

Question Name DIA_N08E

ConceptChecks glucose level/self - number of times per yearQuestionInterviewer: Enter the number of times per year.

Universe Respondents with DODIA = 1 who answered DIA_08 = (4, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_08.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 6 | 11 | 755 |
| NOT APPLICABLE | 996 | 127,447 | 30,001,820 |
| NOT STATED | 999 | 4 | 242 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_09 Length 1 Position 178

Question Name DIA_Q09

Concept Checks feet / self - reporting unit

Question How often ^DOVERB ^YOU1 usually have ^YOUR1 feet checked for any sores or irritations by

^YOURSELF or by a family member or friend?

Universe Respondents with DODIA = 1 who answered (CCC_101 = (1, 7 or 8) and CCC_10A <> 1) and DIA_03 = (1,

2, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| PER DAY | 1 | 187 | 16,461 |
| PER WEEK | 2 | 97 | 7,804 |
| PER MONTH | 3 | 22 | 1,936 |
| PER YEAR | 4 | 17 | 954 |
| NEVER | 5 | 111 | 10,621 |
| NOT APPLICABLE | 6 | 127,015 | 29,964,094 |
| DON'T KNOW | 7 | 9 | 706 |
| NOT STATED | 9 | 4 | 242 |
| 7 | Γotal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_N9B Length 3 Position 179 - 181

Question Name DIA_N09B

Concept Checks feet / self - number of times per day

Question Interviewer: Enter the number of times per day.

Universe Respondents with DODIA = 1 who answered DIA_09 = (1, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_09.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 5 | 187 | 16,461 |
| NOT APPLICABLE | 996 | 127,262 | 29,985,408 |
| NOT STATED | 999 | 13 | 948 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_N9C Length 3 Position 182 - 184

Question Name DIA_N09C

Concept Checks feet / self - number of times per week

Question Interviewer: Enter the number of times per week.

Universe Respondents with DODIA = 1 who answered DIA_09 = (2, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_09.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 10 | 97 | 7,804 |
| NOT APPLICABLE | 996 | 127,356 | 29,994,448 |
| NOT STATED | 999 | 9 | 566 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_N9D Length 3 Position 185 - 187

Question Name DIA_N09D

Concept Checks feet / self - number of times per month

Question Interviewer: Enter the number of times per month.

Universe Respondents with DODIA = 1 who answered DIA_09 = (3, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_09.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 15 | 22 | 1,936 |
| NOT APPLICABLE | 996 | 127,431 | 30,000,316 |
| NOT STATED | 999 | 9 | 566 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_N9E Length 3 Position 188 - 190

Question Name DIA_N09E

Concept Checks feet / self - number of times per year

Question Interviewer: Enter the number of times per year.

Universe Respondents with DODIA = 1 who answered DIA_09 = (4, 7 or 8) or ((CCC_101 = (7 or 8) or DIA_01 = 8)

and CCC_10A <> 1)

Note Unit of measure of value in DIA_09.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 6 | 17 | 954 |
| NOT APPLICABLE | 996 | 127,436 | 30,001,298 |
| NOT STATED | 999 | 9 | 566 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIA_10 Length 1 Position 191

Question Name DIA_Q10

Concept Medication - ASA - past month

Question In the past month, did ^YOU1 take aspirin or other ASA (acetylsalicylic acid) medication every day or every

second day?

Universe Respondents aged 35 and over with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or (CCC_031 = 8,

excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 238 | 20,422 |
| NO | 2 | 195 | 16,480 |
| NOT APPLICABLE | 6 | 127,025 | 29,965,673 |
| NOT STATED | 9 | 4 | 242 |
| | Total | 127,462 | 30,002,817 |

Variable Name DIA_11 Length 1 Position 192

Question Name DIA_Q11

Concept Medication - blood cholesterol - past month

Question In the past month, did ^YOU1 take prescription medications such as Lipitor or Zocor to control ^YOUR1

blood cholesterol levels?

Universe Respondents aged 35 and over with DODIA = 1 who answered CCC_101 = (1, 7 or 8) or (CCC_031 = 8,

excluding females aged 15 and over who answered (15 <= CCC_102 <= 49) and CCC_10A <> 1)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 283 | 23,437 |
| NO | 2 | 142 | 12,637 |
| NOT APPLICABLE | 6 | 127,025 | 29,965,673 |
| DON'T KNOW | 7 | 8 | 827 |
| NOT STATED | 9 | 4 | 242 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOHUI Length 1 Position 193

Question Name DOHUI

Concept Health utility index - Inclusion Flag - (F)

Question

Universe All respondents

Note

 Content
 Code
 Sample
 Population

 YES
 1
 127,462
 30,002,817

 Total
 127,462
 30,002,817

Variable Name HUIGVIS Length 1 Position 194

Question Name

Concept Vision (function code) - (D, G)

Question Universe

Note Based on HUI_01, HUI_02, HUI_03, HUI_04, HUI_05. Comprehensive Health Status Measurement System

(CHSMS-HUI3). See documentation on derived variables.

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------|-------------|---------------|-------------------|
| NO VISUAL PROBLEMS | | 1 | 50,700 | 13,954,335 |
| PROBLEMS CORRECTED BY LENSES | | 2 | 73,212 | 15,489,914 |
| PROBLEM SEEING DISTANCE - NOT CORRECTED | | 3 | 662 | 123,833 |
| PROBLEM SEEING CLOSE - NOT CORRECTED | | 4 | 816 | 136,947 |
| PROBLEM SEEING CLOSE & DISTANCE/NO SIGHT | | 5 | 594 | 88,425 |
| NOT STATED | | 9 | 1,478 | 209,362 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name HUIGHER Length 1 Position 195

Question Name

Concept Hearing (function code) - (D, G)

Question Universe

Note Based on HUI_06, HUI_07, HUI_07A, HUI_08, HUI_09. Comprehensive Health Status Measurement

System (CHSMS-HUI3). See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------|-------------|---------------|-------------------|
| NO HEARING PROBLEMS | 1 | 118,506 | 28,673,397 |
| PROBLEM HEARING - CORRECTED | 2 | 4,621 | 693,373 |
| PROBLEM HEARING - NOT CORRECTED | 3 | 2,267 | 339,140 |
| NOT STATED | 9 | 2,068 | 296,907 |
| | Total | 127,462 | 30,002,817 |

Variable Name HUIGSPE Length 1 Position 196

Question Name

Concept Speech (function code) - (D, G)

Question Universe

Note Based on HUI_10, HUI_11, HUI_12, HUI_13. Comprehensive Health Status Measurement System

(CHSMS-HUI3). See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------------------|-------------|---------------|-------------------|
| NO SPEECH PROBLEMS | 1 | 125,917 | 29,731,800 |
| PARTIALLY OR NOT UNDERSTOOD | 2 | 1,248 | 226,045 |
| NOT STATED | 9 | 297 | 44,972 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name HUIGMOB Length 1 Position 197

Question Name

Concept Ambulation (mobility) (function code) - (D, G)

Question Universe

Note Based on HUI_14, HUI_15, HUI_16, HUI_17, HUI_18. Comprehensive Health Status Measurement System

(CHSMS-HUI3). See documentation on derived variables.

| Content | <u>Code</u> | | <u>Sample</u> | <u>Population</u> |
|-------------------------------------|-------------|---|---------------|-------------------|
| NO MOBILITY PROBLEMS | | 1 | 117,942 | 28,618,826 |
| PROBLEM - NO AID REQUIRED | | 2 | 1,712 | 240,670 |
| PROBL REQUIRES SUPPORT / WHEELCHAIR | | 3 | 5,555 | 789,138 |
| PROBL REQUIRES HELP / CANNOT WALK | | 4 | 1,880 | 299,064 |
| NOT STATED | | 9 | 373 | 55,119 |
| | Total | | 127,462 | 30,002,817 |

Variable Name HUIGDEX Length 1 Position 198

Question Name

Concept Dexterity (function code) - (D, G)

Question Universe

Note Based on HUI_21, HUI_22, HUI_23, HUI_24. Comprehensive Health Status Measurement System

(CHSMS-HUI3). See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------------|-------------|---------------|-------------------|
| NO DEXTERITY PROBLEMS | 1 | 126,198 | 29,781,051 |
| DEXTERITY PROBLEMS - NO HELP REQUIRED | 2 | 487 | 82,642 |
| DEXTERITY PROBLEMS - NEEDS HELP | 3 | 556 | 105,904 |
| NOT STATED | 9 | 221 | 33,220 |
| | Total | 127,462 | 30,002,817 |

Page 81

March 2016

Variable Name HUIDEMO Length 1 Position 199

Question Name

Concept Emotion (function code) - (D)

Question

Universe Respondents with DOHUI = 1

Note This variable classifies respondents based on emotional health status. Based on HUI_25. See

documentation on derived variables for complete description of emotion attribute levels.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------------------|-------------|---------------|-------------------|
| EMOTION ATTRIBUTE - LEVEL 1 | 1 | 98,456 | 23,075,646 |
| EMOTION ATTRIBUTE - LEVEL 2 | 2 | 23,612 | 5,724,466 |
| EMOTION ATTRIBUTE - LEVEL 3 | 3 | 3,379 | 791,595 |
| EMOTION ATTRIBUTE - LEVEL 4 | 4 | 989 | 229,221 |
| EMOTION ATTRIBUTE - LEVEL 5 | 5 | 306 | 60,039 |
| NOT STATED | 9 | 720 | 121,850 |
| Tota | I | 127,462 | 30,002,817 |

Variable Name HUIDCOG Length 2 Position 200 - 201

Question Name

Concept Cognition problems - function code - (D)

Question

Universe Respondents with DOHUI = 1

Note This variable classifies respondents based on cognitive health status. Based on HUI_26, HUI_27. See

documentation on derived variables for complete description of cognition attribute levels.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------------|------------------------------|--------------------------|
| COGNITION ATTRIBUTE - LEVEL 1 | 1 | 83,647 | 20,340,678 |
| COGNITION ATTRIBUTE - LEVEL 2 | 2 | 5,411 | 1,220,771 |
| COGNITION ATTRIBUTE - LEVEL 3 | 3 | 25,399 | 5,582,439 |
| COGNITION ATTRIBUTE - LEVEL 4 | 4 | 8,869 | 1,984,275 |
| COGNITION ATTRIBUTE - LEVEL 5 | 5 | 3,197 | 707,551 |
| COGNITION ATTRIBUTE - LEVEL 6 | 6 | 339 | 67,936 |
| NOT STATED | 99 | 600 | 99,168 |
| Т | otal | 127,462 | 30,002,817 |
| COGNITION ATTRIBUTE - LEVEL 4 COGNITION ATTRIBUTE - LEVEL 5 COGNITION ATTRIBUTE - LEVEL 6 NOT STATED | 4 5 6 99 | 8,869 3,197 339 600 | 1,984 707 67 99 |

Public Use Microdata File - 24-Month

March 2016

Variable Name HUIDHSI Length 6.3 Position 202 - 207

Question Name

Concept Health utilities index - (D)

Question

Universe Respondents with DOHUI = 1

Note Based on HUIDVIS, HUIDHER, HUIDSPE, HUIDMOB, HUIDDEX, HUIDEMO, HUIDCOG, HUPDPAD. See

documentation on derived variables.

 Content
 Code
 Sample
 Population

 INDEX SCORE
 -0.359 - 1.000
 122,809
 29,324,229

 NOT STATED
 99.999
 4,653
 678,588

 Total
 127,462
 30,002,817

Variable Name HUPDPAD Length 1 Position 208

Question Name

Concept Pain (function code) - (D)

Question

Universe All respondents

Note This variable classifies respondents based on activity limitation due to pain or discomfort. Based on

HUP_01, HUP_03. See documentation on derived variables.

| Content | Code | 2 | <u>Sample</u> | <u>Population</u> |
|--------------------------------|-------|---|---------------|-------------------|
| NO PAIN OR DISCOMFORT | | 1 | 96,641 | 23,659,189 |
| PAIN PREVENTS NO ACTIVITIES | | 2 | 8,692 | 1,852,708 |
| PAIN PREVENTS A FEW ACTIVITIES | | 3 | 9,267 | 1,990,470 |
| PAIN PREVENTS SOME ACTIVITIES | | 4 | 7,119 | 1,471,523 |
| PAIN PREVENTS MOST ACTIVITIES | | 5 | 5,320 | 976,681 |
| NOT STATED | | 9 | 423 | 52,246 |
| | Total | | 127,462 | 30,002,817 |
| | | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name HCU_1AA Length 1 Position 209

Question Name HCU_Q10

Concept Has regular medical doctor

Question ^DOVERB_C ^YOU2 have a regular medical doctor?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 110,917 | 25,401,588 |
| NO | 2 | 16,313 | 4,558,552 |
| DON'T KNOW | 7 | 226 | 41,798 |
| REFUSAL | 8 | 5 | 455 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name HCU_1BA Length 1 Position 210

Question Name HCU_Q20A

Concept Reason has no regular doctor - no one available in area

Question Why do you not have a regular medical doctor? - No medical doctors available in the area

Universe Respondents who answered HCU_1AA = (2, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,276 | 633,123 |
| NO | 2 | 12,626 | 3,833,989 |
| NOT APPLICABLE | 6 | 110,917 | 25,401,588 |
| DON'T KNOW | 7 | 399 | 87,135 |
| REFUSAL | 8 | 12 | 4,305 |
| NOT STATED | 9 | 232 | 42,677 |
| | Total | 127,462 | 30,002,817 |

Page 84

March 2016

Variable Name HCU_1BB Length **Position** 211 1

Question Name HCU_Q20B

Concept Reason has no regular doctor - none taking new patients

Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients Question

Respondents who answered HCU_1AA = (2, 7 or 8) Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,165 | 982,080 |
| NO | 2 | 12,737 | 3,485,032 |
| NOT APPLICABLE | 6 | 110,917 | 25,401,588 |
| DON'T KNOW | 7 | 399 | 87,135 |
| REFUSAL | 8 | 12 | 4,305 |
| NOT STATED | 9 | 232 | 42,677 |
| | Total | 127,462 | 30,002,817 |

Variable Name HCU_1BC 212 Length 1 **Position**

Question Name HCU_Q20C

Concept Reason has no regular doctor - not tried to contact one

Question Why do you not have a regular medical doctor? - Have not tried to contact one

Respondents who answered HCU_1AA = (2, 7 or 8) Universe

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,078 | 2,088,278 |
| NO | 2 | 9,824 | 2,378,834 |
| NOT APPLICABLE | 6 | 110,917 | 25,401,588 |
| DON'T KNOW | 7 | 399 | 87,135 |
| REFUSAL | 8 | 12 | 4,305 |
| NOT STATED | 9 | 232 | 42,677 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name HCU_1BD Length 1 Position 213

Question Name HCU_Q20D

Concept Reason has no regular doctor - has left or retired

Question Why do you not have a regular medical doctor? - Had a medical doctor who left or retired

Universe Respondents who answered HCU_1AA = (2, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,110 | 843,252 |
| NO | 2 | 11,792 | 3,623,861 |
| NOT APPLICABLE | 6 | 110,917 | 25,401,588 |
| DON'T KNOW | 7 | 399 | 87,135 |
| REFUSAL | 8 | 12 | 4,305 |
| NOT STATED | 9 | 232 | 42,677 |
| 7 | Γotal | 127,462 | 30,002,817 |

Variable Name HCU_1BE Length 1 Position 214

Question Name HCU_Q20E

Concept Reason has no regular doctor - other

Question Why do you not have a regular medical doctor? - Other

Universe Respondents who answered HCU_1AA = (2, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,723 | 567,072 |
| NO | 2 | 14,179 | 3,900,040 |
| NOT APPLICABLE | 6 | 110,917 | 25,401,588 |
| DON'T KNOW | 7 | 399 | 87,135 |
| REFUSAL | 8 | 12 | 4,305 |
| NOT STATED | 9 | 232 | 42,677 |
| | Total | 127,462 | 30,002,817 |

Lloc Mierodoto File O4 Month

Page 86

March 2016

Variable Name HCU_1A1 Length 1 Position 215

Question Name HCU_Q30

Concept Regular medical doctor

Question Is there a place that ^YOU2 usually ^DT_GOVERB to when ^YOU1 ^ARE sick or need^S advice about

^YOUR1 health?

Universe Respondents who answered HCU_1AA = (2, 7, 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 13,483 | 3,681,796 |
| NO | 2 | 2,748 | 859,733 |
| NOT APPLICABLE | 6 | 110,917 | 25,401,588 |
| DON'T KNOW | 7 | 82 | 17,024 |
| NOT STATED | 9 | 232 | 42,677 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name HCU_1A2 Length 2 Position 216 - 217

Question Name HCU_Q40
Concept Kind of place

Question What kind of place is it?

Universe Respondents who answered HCU_1A1 = (1, 7 or 8) or HCU_1AA = (7, 8)

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------|-------------|---------------|-------------------|
| DOCTOR'S OFFICE | | 1 | 563 | 135,765 |
| COMMUNITY HEALTH CENTRE / CLSC | | 2 | 2,037 | 317,957 |
| WALK-IN CLINIC | | 3 | 5,924 | 2,166,612 |
| APPOINTMENT CLINIC | | 4 | 989 | 178,557 |
| TELEPHONE HEALTH LINE (E.G., HEALTHLINK) | | 5 | 97 | 29,025 |
| HOSPITAL EMERGENCY ROOM | | 6 | 2,372 | 499,154 |
| HOSPITAL OUTPATIENT CLINIC | | 7 | 616 | 91,112 |
| OTHER | | 8 | 845 | 253,429 |
| NOT APPLICABLE | | 96 | 113,665 | 26,261,321 |
| DON'T KNOW | | 97 | 38 | 9,914 |
| REFUSAL | | 98 | 2 | 271 |
| NOT STATED | | 99 | 314 | 59,701 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_01 Length 1 Position 218

Question Name CHP_Q01

Concept Overnight patient

Question In the past 12 months, ^HAVE ^YOU2 been a patient overnight in a hospital, nursing home or convalescent

home?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 12,249 | 2,414,425 |
| NO | 2 | 115,121 | 27,575,099 |
| DON'T KNOW | 7 | 71 | 10,141 |
| REFUSAL | 8 | 20 | 2,728 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name CHPG02 Length 2 Position 219 - 220

Question Name

Concept Number of nights as patient - (G)

Question

Universe Respondents who answered CHP_01 = (1, 7 or 8)

Note Formerly HCUG01A before 2009. Based on CHP_02. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| NUMBER OF NIGHTS | 0 - 30 | 126,556 | 29,854,827 |
| 31 NIGHTS OR MORE | 31 | 658 | 107,021 |
| NOT STATED | 99 | 248 | 40,969 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_03 Length 1 Position 221

Question Name CHP_Q03

Concept Consulted with family doctor/general practitioner

Question ^DT_COUNT, ^HAVE ^YOU2 seen, or talked to any of the following health professionals about ^YOUR1

physical, emotional or mental health:

...a family doctor, ^DT_PED or general practitioner?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 98,807 | 22,504,572 |
| NO | 2 | 28,449 | 7,458,837 |
| DON'T KNOW | 7 | 174 | 33,750 |
| REFUSAL | 8 | 11 | 2,506 |
| NOT STATED | 9 | 21 | 3,152 |
| | Total | 127,462 | 30,002,817 |

Variable Name CHPG04 Length 2 Position 222 - 223

Question Name

Concept Num consultations - fam. doctor/general practitioner - (G)

Question

Universe Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG02A before 2009. Based on CHP_04. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 30 | 126,032 | 29,728,019 |
| 31 OR MORE CONSULTATIONS | 31 | 302 | 72,961 |
| NOT STATED | 99 | 1,128 | 201,838 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CHPG05 Length 2 Position 224 - 225

Question Name

Concept Where most recent cont-fam doctor/general practitioner-(G)

Question

Universe Respondents who answered CHP_03 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG03A before 2009. Based on CHP_05. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------------|-------------|---------------|-------------------|
| DOCTOR'S OFFICE | 1 | 78,349 | 17,506,414 |
| HOSPITAL EMERGENCY ROOM | 2 | 3,118 | 654,725 |
| HOSPITAL OUTPATIENT CLINIC | 3 | 2,153 | 413,373 |
| WALK-IN CLINIC | 4 | 6,097 | 2,017,605 |
| APPOINTMENT CLINIC | 5 | 5,765 | 1,267,959 |
| COMMUNITY HEALTH CENTRE / CLSC | 6 | 1,961 | 357,003 |
| AT WORK / AT SCHOOL / OTHER | 7 | 585 | 127,346 |
| AT HOME | 8 | 374 | 65,938 |
| TELEPHONE CONSULTATION ONLY | 9 | 257 | 63,502 |
| NOT APPLICABLE | 96 | 28,449 | 7,458,837 |
| NOT STATED | 99 | 354 | 70,117 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_06 Length 1 Position 226

Question Name CHP_Q06

Concept Consulted with eye specialist

Question (^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:)

...an eye specialist, such as an ophthalmologist or optometrist (about ^YOUR1 physical, emotional or

mental health)?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 57,854 | 12,379,775 |
| NO | 2 | 69,292 | 17,568,515 |
| DON'T KNOW | 7 | 289 | 49,524 |
| REFUSAL | 8 | 6 | 1,850 |
| NOT STATED | 9 | 21 | 3,152 |
| | Total | 127,462 | 30,002,817 |

Variable Name CHPG07 Length 2 Position 227 - 228

Question Name

Concept Number of consultations - eye specialist - (G)

Question

Universe Respondents who answered CHP_06 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG02B before 2009. Based on CHP_07. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 11 | 126,763 | 29,892,172 |
| 12 OR MORE CONSULTATIONS | 12 | 265 | 36,923 |
| NOT STATED | 99 | 434 | 73,721 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_08 Length 1 Position 229

Question Name CHP_Q08

Concept Consulted with other medical doctor

Question ^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:)

...any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, ^DT_DOCTOR or

psychiatrist (about ^YOUR1 physical, emotional or mental health)?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 41,675 | 9,399,718 |
| NO | 2 | 85,604 | 20,575,370 |
| DON'T KNOW | 7 | 150 | 21,298 |
| REFUSAL | 8 | 12 | 3,278 |
| NOT STATED | 9 | 21 | 3,152 |
| | Total | 127,462 | 30,002,817 |

Variable Name CHPG09 Length 2 Position 230 - 231

Question Name

Concept Number consultations-other medical doctor - (G)

Question

Universe Respondents who answered CHP_08 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG02C before 2009. Based on CHP_09. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 11 | 124,928 | 29,400,597 |
| 12 OR MORE CONSULTATIONS | 12 | 2,120 | 529,722 |
| NOT STATED | 99 | 414 | 72,498 |
| Т | otal | 127,462 | 30,002,817 |

March 2016

Variable Name CHPG10 Length 2 Position 232 - 233

Question Name

Concept Where most recent contact-other medical doctor - (G)

Question

Universe Respondents who answered CHP_08 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG03C before 2009. Based on CHP_10. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------------------|-------------|---------------|-------------------|
| DOCTOR'S OFFICE | 1 | 23,389 | 5,501,697 |
| HOSPITAL EMERGENCY ROOM | 2 | 1,276 | 347,600 |
| HOSPITAL OUTPATIENT CLINIC | 3 | 11,398 | 2,289,787 |
| WALK-IN CLINIC | 4 | 377 | 107,128 |
| APPOINTMENT CLINIC | 5 | 3,497 | 816,336 |
| COMMUNITY HEALTH CENTRE / CLSC | 6 | 504 | 95,106 |
| AT WORK / AT SCHOOL / OTHER | 7 | 889 | 177,087 |
| AT HOME | 8 | 93 | 22,068 |
| TELEPHONE CONSULTATION ONLY | 9 | 164 | 24,697 |
| NOT APPLICABLE | 96 | 85,604 | 20,575,370 |
| NOT STATED | 99 | 271 | 45,940 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_11 Length 1 Position 234

Question Name CHP_Q11

Concept Consulted with nurse

Question ^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:

...a nurse for care or advice about ^YOUR1 physical, emotional or mental health?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|--------------|---------------|-------------------|
| YES | 1 | 18,547 | 3,756,884 |
| NO | 2 | 108,711 | 26,213,395 |
| DON'T KNOW | 7 | 170 | 27,165 |
| REFUSAL | 8 | 13 | 2,221 |
| NOT STATED | 9 | 21 | 3,152 |
| ٦ | Total | 127,462 | 30,002,817 |

Variable Name CHPG12 Length 2 Position 235 - 236

Question Name

Concept Number of consultations - nurse - (G)

Question

Universe Respondents who answered CHP_11 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG02D before 2009. Based on CHP_12. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 11 | 124,783 | 29,549,399 |
| 12 OR MORE CONSULTATIONS | 12 | 2,062 | 357,090 |
| NOT STATED | 99 | 617 | 96,329 |
| То | otal | 127,462 | 30,002,817 |

March 2016

Variable Name CHPG13 Length 2 Position 237 - 238

Question Name

Concept Wheremost recent contact took place - nurse - (G)

Question

Universe Respondents who answered CHP_11 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG03D before 2009. Based on CHP_13. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------------|-------------|---------------|-------------------|
| DOCTOR'S OFFICE | 1 | 3,383 | 680,509 |
| HOSPITAL EMERGENCY ROOM | 2 | 1,817 | 434,325 |
| HOSPITAL OUTPATIENT CLINIC | 3 | 2,315 | 456,917 |
| WALK-IN CLINIC | 4 | 857 | 216,825 |
| APPOINTMENT CLINIC | 5 | 1,605 | 293,041 |
| COMMUNITY HEALTH CENTRE / CLSC | 6 | 2,534 | 445,279 |
| AT WORK / AT SCHOOL / OTHER | 7 | 1,731 | 390,972 |
| AT HOME | 8 | 2,496 | 424,149 |
| TELEPHONE CONSULTATION ONLY | 9 | 1,755 | 406,082 |
| NOT APPLICABLE | 96 | 108,711 | 26,213,395 |
| NOT STATED | 99 | 258 | 41,324 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_14 Length 1 Position 239

Question Name CHP_Q14

Concept Consulted with dentist or orthodontist

Question (^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:)

...a dentist, dental hygienist or orthodontist (about ^YOUR1 physical, emotional or mental health)?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 81,585 | 19,922,366 |
| NO | 2 | 45,739 | 10,053,047 |
| DON'T KNOW | 7 | 112 | 19,861 |
| REFUSAL | 8 | 5 | 4,391 |
| NOT STATED | 9 | 21 | 3,152 |
| | Total | 127,462 | 30,002,817 |

Variable Name CHPG15 Length 2 Position 240 - 241

Question Name

Concept Number of consultations - dentist or orthodontist - (G)

Question

Universe Respondents who answered CHP_14 = (1, 7, 8) or CHP_01 = 8

Note Formerly HCUG02E before 2009. Based on CHP_15. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 11 | 125,861 | 29,629,097 |
| 12 OR MORE CONSULTATIONS | 12 | 880 | 226,146 |
| NOT STATED | 99 | 721 | 147,575 |
| Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHPGMDC Length 2 Position 242 - 243

Question Name

Concept Number of consultations with medical doctor - (D, G)

Question

Universe All respondents

Note Formerly HCUGMDC before 2009. Based on CHPDMDC. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 30 | 125,070 | 29,505,371 |
| 31 OR MORE CONSULTATIONS | 31 | 965 | 244,004 |
| NOT STATED | 99 | 1,427 | 253,442 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOCP2 Length 1 Position 244

Question Name DOCP2

Concept Contacts with Health Prof. - Part 2 - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------|-------------|---------------|-------------------|
| YES | | 1 | 3,979 | 452,485 |
| NO | | 2 | 123,483 | 29,550,332 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_16 Length 1 Position 245

Question Name CP2_Q16

Concept Consulted with chiropractor

Question (^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:)

...a chiropractor (about ^YOUR1 physical, emotional or mental health)?

Universe Respondents with DOCP2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 246 | 31,665 |
| NO | 2 | 3,731 | 420,420 |
| NOT APPLICABLE | 6 | 123,483 | 29,550,332 |
| DON'T KNOW | 7 | 2 | 400 |
| | Total | 127,462 | 30,002,817 |

Variable Name CHPG17 Length 2 Position 246 - 247

Question Name

Concept Number of consultations - chiropractor - (G)

Question How many times (in the past 12 months)?

Universe Respondents with DOCP2=1 and who answered CHP_16 = (1, 7, 8) or CHP_01 = 8

Note Based on CHP_17

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 30 | 3,975 | 451,890 |
| 31 OR MORE CONSULTATIONS | 31 | 2 | 194 |
| NOT APPLICABLE | 96 | 123,483 | 29,550,332 |
| NOT STATED | 99 | 2 | 400 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_18 Length 1 Position 248

Question Name CP2_Q18

Concept Consulted with physiotherapist

Question ^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:

...a physiotherapist about ^YOUR1 physical, emotional or mental health?

Universe Respondents with DOCP2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 343 | 44,326 |
| NO | 2 | 3,633 | 407,939 |
| NOT APPLICABLE | 6 | 123,483 | 29,550,332 |
| DON'T KNOW | 7 | 2 | 206 |
| REFUSAL | 8 | 1 | 14 |
| • | Total | 127,462 | 30,002,817 |

Variable Name CHPG19 Length 2 Position 249 - 250

Question Name

Concept Number of consultations - physiotherapist - (G)

Question How many times (in the past 12 months)?

Universe Respondents with DOCP2=1 and who answered CHP_18 = (1, 7, 8) or CHP_01 = 8

Note Based on CHP_19

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 26 | 3,960 | 448,831 |
| 31 OR MORE CONSULTATIONS | 31 | 15 | 3,217 |
| NOT APPLICABLE | 96 | 123,483 | 29,550,332 |
| NOT STATED | 99 | 4 | 437 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_20 Length 1 Position 251

Question Name CP2_Q20

Concept Consulted with psychologist

Question (^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:)

...a psychologist (about ^YOUR1 physical, emotional or mental health)?

Universe Respondents with DOCP2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 89 | 12,205 |
| NO | 2 | 3,889 | 440,266 |
| NOT APPLICABLE | 6 | 123,483 | 29,550,332 |
| REFUSAL | 8 | 1 | 14 |
| | Total | 127,462 | 30,002,817 |

Variable Name CHPG21 Length 2 Position 252 - 253

Question Name

Concept Number of consultations - psychologist - (G)

Question How many times (in the past 12 months)?

Universe Respondents with DOCP2=1 and who answered CHP_20 = (1, 7, 8) or CHP_01 = 8

Note Based on CHP_21

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 10 | 3,965 | 450,520 |
| 12 OR MORE CONSULTATIONS | 12 | 13 | 1,951 |
| NOT APPLICABLE | 96 | 123,483 | 29,550,332 |
| NOT STATED | 99 | 1 | 14 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_22 Length 1 Position 254

Question Name CP2_Q22

Concept Consulted with social worker or counsellor

Question (^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:)

...a social worker or counsellor (about ^YOUR1 physical, emotional or mental health)?

Universe Respondents with DOCP2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 186 | 23,254 |
| NO | 2 | 3,791 | 429,158 |
| NOT APPLICABLE | 6 | 123,483 | 29,550,332 |
| DON'T KNOW | 7 | 1 | 59 |
| REFUSAL | 8 | 1 | 14 |
| • | Total | 127,462 | 30,002,817 |

Variable Name CHPG23 Length 2 Position 255 - 256

Question Name

Concept Number of consultations - social worker or counsellor - (G)

Question How many times (in the past 12 months)?

Universe Respondents with DOCP2=1 and who answered CHP_22 = (1, 7, 8) or CHP_01 = 8

Note Based on CHP_23

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 10 | 3,939 | 447,920 |
| 12 OR MORE CONSULTATIONS | 12 | 35 | 4,219 |
| NOT APPLICABLE | 96 | 123,483 | 29,550,332 |
| NOT STATED | 99 | 5 | 346 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CHP_24 Length 1 Position 257

Question Name CP2_Q24

Concept Consulted with speech/audiology/occ. therapist

Question ^DT_COUNT, ^HAVE ^YOU2 seen, or talked to:

...an audiologist, a speech or occupational therapist about ^YOUR1 physical, emotional or mental health?

Universe Respondents with DOCP2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 147 | 16,259 |
| NO | 2 | 3,829 | 436,098 |
| NOT APPLICABLE | 6 | 123,483 | 29,550,332 |
| DON'T KNOW | 7 | 2 | 114 |
| REFUSAL | 8 | 1 | 14 |
| 7 | otal | 127,462 | 30,002,817 |

Variable Name CHPG25 Length 2 Position 258 - 259

Question Name

Concept No. of consultations - speech/audiology/occ. therap. - (G)

Question How many times (in the past 12 months)?

Universe Respondents with DOCP2=1 and who answered CHP_24 = (1, 7, 8) or CHP_01 = 8

Note Based on CHP_25

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NUMBER OF CONSULTATIONS | 0 - 7 | 3,972 | 451,875 |
| 12 OR MORE CONSULTATIONS | 12 | 3 | 320 |
| NOT APPLICABLE | 96 | 123,483 | 29,550,332 |
| NOT STATED | 99 | 4 | 289 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOUCN Length 1 Position 260

Question Name DOUCN

Concept Unmet health care needs - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 58,604 | 15,493,278 |
| NO | 2 | 68,858 | 14,509,539 |
| | Total | 127,462 | 30,002,817 |

Variable Name UCN_010 Length 1 Position 261

Question Name UCN_Q010

Concept Unmet health care needs - self-perceived

Question During the past 12 months, was there ever a time when you felt that you needed health care but you didn't

receive it?

Universe Respondents with DOUCN = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,709 | 1,610,410 |
| NO | 2 | 52,753 | 13,856,373 |
| NOT APPLICABLE | 6 | 68,858 | 14,509,539 |
| DON'T KNOW | 7 | 119 | 21,863 |
| REFUSAL | 8 | 23 | 4,632 |
| | Total | 127,462 | 30,002,817 |

Page 104

Public Use Microdata File - 24-Month

March 2016

Variable Name UCN_020A Length 1 Position 262

Question Name UCN_Q020A

Concept Care not received - not available in area

Question Thinking of the most recent time, why didn't you get care? - Not available - in the area

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 551 | 128,301 |
| NO | 2 | 5,121 | 1,472,810 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Variable Name UCN_020B Length 1 Position 263

Question Name UCN_Q020B

Concept Care not received - not available at time required

Question Thinking of the most recent time, why didn't you get care? - Not available - at time required (e.g. doctor on

holidays, inconvenient hours)

Universe Respondents who answered UCN_010 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 768 | 208,818 |
| NO | 2 | 4,904 | 1,392,294 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Page 105

March 2016

Variable Name UCN_020C Length 1 Position 264

Question Name UCN_Q020C

Concept Care not received - waiting time too long

Question Thinking of the most recent time, why didn't you get care? - Waiting time too long

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,575 | 438,175 |
| NO | 2 | 4,097 | 1,162,936 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Variable Name UCN_020D Length 1 Position 265

Question Name UCN_Q020D

Concept Care not received - felt would be inadequate

Question Thinking of the most recent time, why didn't you get care? - Felt would be inadequate

Universe Respondents who answered UCN_010 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 245 | 63,033 |
| NO | 2 | 5,427 | 1,538,079 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Page 106

March 2016

Variable Name UCN_020E Length 1 Position 266

Question Name UCN_Q020E

Concept Care not received - cost

Question Thinking of the most recent time, why didn't you get care? - Cost

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 722 | 267,187 |
| NO | 2 | 4,950 | 1,333,925 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name UCN_020F Length 1 Position 267

Question Name UCN_Q020F

Concept Care not received - too busy

Question Thinking of the most recent time, why didn't you get care? - Too busy

Universe Respondents who answered UCN_010 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 344 | 120,191 |
| NO | 2 | 5,328 | 1,480,921 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

013-2014: Data Dictionary Page 107

March 2016

Variable Name UCN_020G Length 1 Position 268

Question Name UCN_Q020G

Concept Care not received - didn't get around to it

Question Thinking of the most recent time, why didn't you get care? - Didn't get around to it / didn't bother

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 347 | 101,808 |
| NO | 2 | 5,325 | 1,499,303 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| То | otal | 127,462 | 30,002,817 |

Variable Name UCN_020H Length 1 Position 269

Question Name UCN_Q020H

Concept Care not received - decided not to seek care

Question Thinking of the most recent time, why didn't you get care? - Decided not to seek care

Universe Respondents who answered UCN_010 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 489 | 126,738 |
| NO | 2 | 5,183 | 1,474,374 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Page 108

March 2016

Variable Name UCN_020I Length 1 Position 270

Question Name UCN_Q020I

Concept Care not received - dr didn't think it was necessary

Question Thinking of the most recent time, why didn't you get care? - Doctor - didn't think it was necessary

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 425 | 110,353 |
| NO | 2 | 5,247 | 1,490,759 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Variable Name UCN_020J Length 1 Position 271

Question Name UCN_Q020J

Concept Care not received - other

Question Thinking of the most recent time, why didn't you get care? - Other

Universe Respondents who answered UCN_010 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,501 | 403,595 |
| NO | 2 | 4,171 | 1,197,517 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 29 | 6,958 |
| REFUSAL | 8 | 8 | 2,340 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Page 109

March 2016

Variable Name UCN_030A Length 1 Position 272

Question Name UCN_Q030A

Concept Type of care not received - treatment phys. health problem

Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - a

physical health problem

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,727 | 1,040,429 |
| NO | 2 | 1,941 | 564,715 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 35 | 4,223 |
| REFUSAL | 8 | 6 | 1,043 |
| NOT STATED | 9 | 142 | 26,495 |
| 1 | Γotal | 127,462 | 30,002,817 |

Variable Name UCN_030B Length 1 Position 273

Question Name UCN_Q030B

Concept Type of care not received - treatment emotional problem

Question Again, thinking of the most recent time, what was the type of care that was needed? - Treatment of - an

emotional or mental health problem

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 583 | 169,653 |
| NO | 2 | 5,085 | 1,435,490 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 35 | 4,223 |
| REFUSAL | 8 | 6 | 1,043 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UCN_030C Length 1 Position 274

Question Name UCN_Q030C

Concept Type of care not received - regular check-up

Question Again, thinking of the most recent time, what was the type of care that was needed? - A regular check-up

(including regular pre-natal care)

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 463 | 133,978 |
| NO | 2 | 5,205 | 1,471,166 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 35 | 4,223 |
| REFUSAL | 8 | 6 | 1,043 |
| NOT STATED | 9 | 142 | 26,495 |
| 1 | Γotal | 127,462 | 30,002,817 |

Variable Name UCN_030D Length 1 Position 275

Question Name UCN_Q030D

Concept Type of care not received - care of injury

Question Again, thinking of the most recent time, what was the type of care that was needed? - Care of an injury

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 468 | 141,611 |
| NO | 2 | 5,200 | 1,463,532 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 35 | 4,223 |
| REFUSAL | 8 | 6 | 1,043 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UCN_030E Length 1 Position 276

Question Name UCN_Q030E

Concept Type of care not received - other

Question Again, thinking of the most recent time, what was the type of care that was needed? - Other

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 842 | 232,540 |
| NO | 2 | 4,826 | 1,372,603 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 35 | 4,223 |
| REFUSAL | 8 | 6 | 1,043 |
| NOT STATED | 9 | 142 | 26,495 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name UCN_040A Length 1 Position 277

Question Name UCN_Q040A

Concept Location tried to get service - doctor's office

Question Where did you try to get the service you were seeking? - Doctor's office

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,547 | 711,896 |
| NO | 2 | 3,010 | 850,091 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 129 | 44,276 |
| REFUSAL | 8 | 23 | 4,146 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UCN_040B Length 1 Position 278

Question Name UCN_Q040B

Concept Location tried to get service - community health centre/CLSC

Question Where did you try to get the service you were seeking? - Community health centre / CLSC

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 205 | 50,396 |
| NO | 2 | 5,352 | 1,511,591 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 129 | 44,276 |
| REFUSAL | 8 | 23 | 4,146 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Variable Name UCN_040C Length 1 Position 279

Question Name UCN_Q040C

Concept Location tried to get service - walk-in clinic

Question Where did you try to get the service you were seeking? - Walk-in clinic

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 483 | 181,513 |
| NO | 2 | 5,074 | 1,380,475 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 129 | 44,276 |
| REFUSAL | 8 | 23 | 4,146 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Page 113

March 2016

Variable Name UCN_040D Length 1 Position 280

Question Name UCN_Q040D

Concept Location tried to get service - appointment clinic

Question Where did you try to get the service you were seeking? - Appointment clinic

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 240 | 70,364 |
| NO | 2 | 5,317 | 1,491,623 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 129 | 44,276 |
| REFUSAL | 8 | 23 | 4,146 |
| NOT STATED | 9 | 142 | 26,495 |
| To | otal | 127,462 | 30,002,817 |

Variable Name UCN_040E Length 1 Position 281

Question Name UCN_Q040E

Concept Location tried to get service - hospital emergency room

Question Where did you try to get the service you were seeking? - Hospital - emergency room

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 870 | 211,888 |
| NO | 2 | 4,687 | 1,350,100 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 129 | 44,276 |
| REFUSAL | 8 | 23 | 4,146 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UCN_040F Length 1 Position 282

Question Name UCN_Q040F

Concept Location tried to get service - hosp. outpatient clinic

Question Where did you try to get the service you were seeking? - Hospital - outpatient clinic

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 381 | 96,040 |
| NO | 2 | 5,176 | 1,465,948 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 129 | 44,276 |
| REFUSAL | 8 | 23 | 4,146 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Variable Name UCN_040G Length 1 Position 283

Question Name UCN_Q040G

Concept Location tried to get service - other

Question Where did you try to get the service you were seeking? - Other

Universe Respondents who answered UCN_010 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,432 | 419,869 |
| NO | 2 | 4,125 | 1,142,119 |
| NOT APPLICABLE | 6 | 121,611 | 28,365,912 |
| DON'T KNOW | 7 | 129 | 44,276 |
| REFUSAL | 8 | 23 | 4,146 |
| NOT STATED | 9 | 142 | 26,495 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOPAS Length 1 Position 284

Question Name DOPAS

Concept Patient sat. - Health care service - Inclusion Flag -(F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 19,300 | 4,294,305 |
| NO | 2 | 108,162 | 25,708,512 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAS_11 Length 1 Position 285

Question Name PAS_Q11

Concept Received health care services

Question In the past 12 months, have you received any health care services?

Universe Respondents aged 15 and over with DOPAS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 17,218 | 3,821,648 |
| NO | 2 | 922 | 253,751 |
| NOT APPLICABLE | 6 | 108,883 | 25,861,512 |
| DON'T KNOW | 7 | 2 | 820 |
| REFUSAL | 8 | 2 | 459 |
| NOT STATED | 9 | 435 | 64,629 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PAS_12 Length 1 Position 286

Question Name PAS_Q12

Concept Rating of quality of care received

Question Overall, how would you rate the quality of the health care you received? Would you say it was...?

Universe Respondents with PAS_11 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 7,562 | 1,582,987 |
| GOOD | 2 | 7,707 | 1,747,588 |
| FAIR | 3 | 1,441 | 352,418 |
| POOR | 4 | 411 | 116,089 |
| NOT APPLICABLE | 6 | 109,805 | 26,115,262 |
| DON'T KNOW | 7 | 83 | 20,398 |
| REFUSAL | 8 | 12 | 1,992 |
| NOT STATED | 9 | 441 | 66,082 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PAS_13 Length 1 Position 287

Question Name PAS_Q13

Concept Satisfaction with way care provided

Question Overall, how satisfied were you with the way health care services were provided? Were you...?

Universe Respondents with PAS_11 = (1, 7 or 8)

Note

| Content | Coo | <u>le</u> | <u>Sample</u> | <u>Population</u> |
|------------------------------------|-------|-----------|---------------|-------------------|
| VERY SATISFIED | | 1 | 8,784 | 1,831,321 |
| SOMEWHAT SATISFIED | | 2 | 6,329 | 1,491,289 |
| NEITHER SATISFIED NOR DISSATISFIED | | 3 | 669 | 185,426 |
| SOMEWHAT DISSATISFIED | | 4 | 926 | 210,884 |
| VERY DISSATISFIED | | 5 | 344 | 76,579 |
| NOT APPLICABLE | | 6 | 109,805 | 26,115,262 |
| DON'T KNOW | | 7 | 146 | 22,279 |
| REFUSAL | | 8 | 18 | 3,696 |
| NOT STATED | | 9 | 441 | 66,082 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAS_21A Length 1 Position 288

Question Name PAS_Q21A

Concept Received health care services at hospital

Question In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day

surgery service, overnight stay, or as an emergency room patient?

Universe Respondents with PAS_11 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,003 | 1,099,574 |
| NO | 2 | 11,179 | 2,714,480 |
| NOT APPLICABLE | 6 | 109,805 | 26,115,262 |
| DON'T KNOW | 7 | 30 | 7,038 |
| REFUSAL | 8 | 4 | 382 |
| NOT STATED | 9 | 441 | 66,082 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAS_21B Length 1 Position 289

Question Name PAS_Q21B

Concept Type of patient - most recent visit

Question Thinking of your most recent hospital visit, were you...?

Universe Respondents with PAS_21A = (1, 7 or 8) or PAS_11 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------------|-------------|---------------|-------------------|
| ADMITTED OVERNIGHT/LONGER | 1 | 950 | 185,465 |
| PATIENT AT DIAGNOSTIC CLINIC | 2 | 2,953 | 483,212 |
| EMERGENCY ROOM PATIENT | 3 | 2,090 | 429,345 |
| NOT APPLICABLE | 6 | 120,984 | 28,829,742 |
| DON'T KNOW | 7 | 10 | 1,552 |
| NOT STATED | 9 | 475 | 73,502 |
| Tot | tal | 127,462 | 30,002,817 |

March 2016

Variable Name PAS_22 Length 1 Position 290

Question Name PAS_Q22

Concept Rating of quality of care received - hospital

Question (Thinking of this most recent hospital visit:)

how would you rate the quality of the care you received? Would you say it was...?

Universe Respondents with PAS_21A = (1, 7 or 8) or PAS_11 = (7 or 8)

Note

| Content | <u>Code</u> | Code Sample | |
|----------------|-------------|-------------|------------|
| EXCELLENT | 1 | 3,368 | 593,558 |
| GOOD | 2 | 1,848 | 337,195 |
| FAIR | 3 | 502 | 107,893 |
| POOR | 4 | 265 | 57,698 |
| NOT APPLICABLE | 6 | 120,984 | 28,829,742 |
| DON'T KNOW | 7 | 8 | 1,088 |
| REFUSAL | 8 | 2 | 590 |
| NOT STATED | 9 | 485 | 75,054 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PAS_23 Length 1 Position 291

Question Name PAS_Q23

Concept Satisfaction with way care provided - hospital

Question (Thinking of this most recent hospital visit:)

how satisfied were you with the way hospital services were provided?

Were you ...?

Universe Respondents with PAS_21A = (1, 7 or 8) or PAS_11 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------------------------------|-------------|---------------|-------------------|
| VERY SATISFIED | 1 | 3,481 | 590,559 |
| SOMEWHAT SATISFIED | 2 | 1,677 | 334,082 |
| NEITHER SATISFIED NOR DISSATISFIED | 3 | 221 | 51,530 |
| SOMEWHAT DISSATISFIED | 4 | 375 | 78,808 |
| VERY DISSATISFIED | 5 | 216 | 41,301 |
| NOT APPLICABLE | 6 | 120,984 | 28,829,742 |
| DON'T KNOW | 7 | 23 | 1,742 |
| NOT STATED | 9 | 485 | 75,054 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAS_31A Length 1 Position 292

Question Name PAS_Q31A

Concept Received physician care

Question In the past 12 months, not counting hospital visits, have you received any health care services from a

family doctor or other physician?

Universe Respondents with PAS_11 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10,960 | 2,361,557 |
| NO | 2 | 6,215 | 1,450,269 |
| NOT APPLICABLE | 6 | 109,805 | 26,115,262 |
| DON'T KNOW | 7 | 36 | 9,210 |
| REFUSAL | 8 | 5 | 437 |
| NOT STATED | 9 | 441 | 66,082 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAS_31B Length 1 Position 293

Question Name PAS_Q31B

Concept Type of physician - most recent care

Question Thinking of the most recent time, was care provided by...?

Universe Respondents with PAS_31A = (1, 7, 8) or PAS_11 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------------------------|-------------|---------------|-------------------|
| FAMILY DOCTOR (GENERAL PRACTITIONER) | 1 | 9,439 | 2,036,648 |
| MEDICAL SPECIALIST | 2 | 1,500 | 321,488 |
| NOT APPLICABLE | 6 | 116,020 | 27,565,531 |
| DON'T KNOW | 7 | 21 | 3,422 |
| NOT STATED | 9 | 482 | 75,729 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PAS_32 Length 1 Position 294

Question Name PAS_Q32

Concept Rating of quality of care received - physician

Question (Thinking of this most recent care from a physician:)

how would you rate the quality of the care you received? Would you say it was...?

Universe Respondents with PAS_31A = (1, 7, 8) or PAS_11 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 6,537 | 1,340,603 |
| GOOD | 2 | 3,563 | 817,797 |
| FAIR | 3 | 636 | 154,852 |
| POOR | 4 | 186 | 39,942 |
| NOT APPLICABLE | 6 | 116,020 | 27,565,531 |
| DON'T KNOW | 7 | 13 | 2,560 |
| REFUSAL | 8 | 4 | 2,383 |
| NOT STATED | 9 | 503 | 79,151 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PAS_33 Length 1 Position 295

Question Name PAS_Q33

Concept Satisfaction with way care provided - physician

Question (Thinking of this most recent care from a physician:)

how satisfied were you with the way physician care was provided? Were you...?

Universe Respondents with PAS_31A = (1, 7, 8) or PAS_11 = (7, 8)

Note

| Content | <u>Code</u> | | <u>Sample</u> | <u>Population</u> |
|------------------------------------|-------------|---|---------------|-------------------|
| VERY SATISFIED | | 1 | 7,336 | 1,487,792 |
| SOMEWHAT SATISFIED | | 2 | 2,815 | 688,062 |
| NEITHER SATISFIED NOR DISSATISFIED | | 3 | 316 | 82,516 |
| SOMEWHAT DISSATISFIED | | 4 | 323 | 72,253 |
| VERY DISSATISFIED | | 5 | 118 | 23,984 |
| NOT APPLICABLE | | 6 | 116,020 | 27,565,531 |
| DON'T KNOW | | 7 | 30 | 3,421 |
| REFUSAL | | 8 | 1 | 106 |
| NOT STATED | | 9 | 503 | 79,151 |
| | Total | | 127,462 | 30,002,817 |

Variable Name DOPSC Length 1 Position 296

Question Name DOPSC

Concept Patient sat. - Community-based care - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------|-------------|---------------|-------------------|
| YES | | 1 | 14,057 | 3,484,272 |
| NO | | 2 | 113,405 | 26,518,545 |
| | Total | | 127,462 | 30,002,817 |

Page 124

March 2016

Variable Name PSC_1 Length 1 Position 297

Question Name PSC_Q41

Concept Received any community-based care

Question In the past 12 months, have you received any community-based care?

Universe Respondents aged 15 and over with DOPSC = 1 who answered ((PAS_11 = (1, 7 or 8) or CHP_01 = (1, 7

or 8) or CHP_03 = (1, 7 or 8) or CHP_06 = (1, 7 or 8) or CHP_08 = (1, 7 or 8) or CHP_11 = (1, 7 or 8) or CHP_14 in (1, 7 or 8) or CHP_16 = (1, 7 or 8) or CHP_18 = (1, 7 or 8) or CHP_20 = (1, 7 or 8) or CHP_22

= (1, 7 or 8) or CHP_24 = (1, 7 or 8)) or (DOCP2 = 2 and DOPAS = 2))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,426 | 626,042 |
| NO | 2 | 10,048 | 2,466,240 |
| NOT APPLICABLE | 6 | 114,672 | 26,859,917 |
| DON'T KNOW | 7 | 22 | 4,331 |
| REFUSAL | 8 | 3 | 340 |
| NOT STATED | 9 | 291 | 45,948 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PSC_2 Length 1 Position 298

Question Name PSC_Q42

Concept How rate quality of the community-based received

Question Overall, how would you rate the quality of the community-based care you received? Would you say it was...?

Universe Respondents aged 15 and over with DOPSC = 1 who answered PSC_1 = (1,7 or 8) or (PAS_11 = (7 or 8)

and CHP_01 = (7 or 8) and CHP_03 = (7 or 8) and CHP_06 = (7 or 8) and CHP_08 = (7 or 8) and CHP_11 = (7 or 8) and CHP_14 in (7 or 8) and CHP_16 = (7 or 8) and CHP_18 = (7 or 8) and CHP_20 = (7 or 8)

and CHP_22 = (7 or 8) and CHP_24 = (7 or 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EXCELLENT | 1 | 959 | 207,513 |
| GOOD | 2 | 1,048 | 293,648 |
| FAIR | 3 | 316 | 94,643 |
| POOR | 4 | 99 | 29,786 |
| NOT APPLICABLE | 6 | 124,720 | 29,326,157 |
| DON'T KNOW | 7 | 3 | 335 |
| REFUSAL | 8 | 1 | 117 |
| NOT STATED | 9 | 316 | 50,619 |
| • | Total | 127,462 | 30,002,817 |

Page 126

March 2016

PSC_3 Variable Name **Position** 299 Length 1

Question Name PSC Q43

How satisfied with the way community-based care provided Concept

Overall, how satisfied were you with the way community-based care was provided? Were you...? Question

Respondents aged 15 and over with DOPSC = 1 who answered PSC_1 = (1,7 or 8) or (PAS_11 = (7 or 8) Universe

and CHP_01 = (7 or 8) and CHP_03 = (7 or 8) and CHP_06 = (7 or 8) and CHP_08 = (7 or 8) and CHP_11 = (7 or 8) and CHP_14 in (7 or 8) and CHP_16 = (7 or 8) and CHP_18 = (7 or 8) and CHP_20 = (7 or 8)

and CHP_22 = (7 or 8) and CHP_24 = (7 or 8))

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|------------------------------------|-------|-------------|---------------|-------------------|
| VERY SATISFIED | | 1 | 1,186 | 251,950 |
| SOMEWHAT SATISFIED | | 2 | 878 | 266,683 |
| NEITHER SATISFIED NOR DISSATISFIED | | 3 | 149 | 50,971 |
| SOMEWHAT DISSATISFIED | | 4 | 146 | 38,179 |
| VERY DISSATISFIED | | 5 | 57 | 17,076 |
| NOT APPLICABLE | | 6 | 124,720 | 29,326,157 |
| DON'T KNOW | | 7 | 8 | 1,001 |
| REFUSAL | | 8 | 2 | 180 |
| NOT STATED | | 9 | 316 | 50,619 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name RAC_1 Length 1 Position 300

Question Name RAC_Q1

Concept Has dificulty with activities

Question ^DOVERB ^YOU1 have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending,

learning or doing any similar activities?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| SOMETIMES | 1 | 23,771 | 4,706,293 |
| OFTEN | 2 | 16,041 | 2,814,559 |
| NEVER | 3 | 87,418 | 22,446,422 |
| DON'T KNOW | 7 | 192 | 27,141 |
| REFUSAL | 8 | 39 | 7,978 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name RAC_2A Length 1 Position 301

Question Name RAC_Q2A

Concept Reduction in kind/amount of activities - at home

Question Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind

of activity ^YOU1 can do:

... at home?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| SOMETIMES | 1 | 20,079 | 3,944,336 |
| OFTEN | 2 | 11,113 | 1,966,650 |
| NEVER | 3 | 96,010 | 24,049,396 |
| DON'T KNOW | 7 | 197 | 31,386 |
| REFUSAL | 8 | 23 | 2,646 |
| NOT STATED | 9 | 40 | 8,402 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name RAC_2B1 Length 1 Position 302

Question Name RAC_Q2B_1

Concept Reduction in kind/amount of activities - at school

Question (Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind

of activity ^YOU1 can do:)

... at school?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| SOMETIMES | 1 | 1,709 | 446,342 |
| OFTEN | 2 | 766 | 164,988 |
| NEVER | 3 | 25,720 | 6,789,655 |
| DOES NOT ATTEND SCHOOL | 4 | 99,153 | 22,577,802 |
| DON'T KNOW | 7 | 44 | 9,995 |
| REFUSAL | 8 | 7 | 2,986 |
| NOT STATED | 9 | 63 | 11,049 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name RAC_2B2 Length 1 Position 303

Question Name RAC_Q2B_2

Concept Reduction in kind/amount of activities - at work

Question (Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind

of activity ^YOU1 can do:)

... at work?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| SOMETIMES | 1 | 8,384 | 2,147,624 |
| OFTEN | 2 | 2,959 | 736,451 |
| NEVER | 3 | 61,879 | 17,546,195 |
| DOES NOT WORK AT A JOB | 4 | 54,088 | 9,540,473 |
| DON'T KNOW | 7 | 79 | 17,595 |
| REFUSAL | 8 | 3 | 444 |
| NOT STATED | 9 | 70 | 14,034 |
| • | Total | 127,462 | 30,002,817 |

March 2016

Variable Name RAC_2C Length 1 Position 304

Question Name RAC_Q2C

Concept Reduction in kind/amount of activities - other activities

Question (Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind

of activity ^YOU1 can do:)

... in other activities, for example, transportation or leisure?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| SOMETIMES | 1 | 16,395 | 3,535,340 |
| OFTEN | 2 | 10,701 | 2,026,723 |
| NEVER | 3 | 99,931 | 24,378,387 |
| DON'T KNOW | 7 | 338 | 45,010 |
| REFUSAL | 8 | 24 | 2,878 |
| NOT STATED | 9 | 73 | 14,479 |
| Т | otal | 127,462 | 30,002,817 |

Page 131

March 2016

Variable Name RACG5 Length 2 Position 305 - 306

Question Name

Concept Cause of health problem - (G)

Question Which one of the following is the best description of the cause of this condition: (accident at home, motor

vehicle accident, accident at work, other type of accident, existed from birth or genetic, ..., or use of alcohol

or drugs)?

Universe Respondents who answered RAC_1 = (1, 2, 7 or 8) or RAC_2A = (1, 2, 7 or 8) or RAC_2B1 = (1, 2, 7 or 8)

or RAC_2B2 = (1, 2, 7 or 8) or RAC_2C = (1, 2, 7 or 8)

Note Based on RAC_5. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------------------|-------------|---------------|-------------------|
| INJURY | 1 | 9,449 | 2,114,188 |
| DISEASE OR ILLNESS | 2 | 13,697 | 2,549,543 |
| AGEING | 3 | 11,637 | 1,921,662 |
| EXISTED AT BIRTH OR GENETIC | 4 | 4,428 | 972,268 |
| WORK CONDITIONS | 5 | 4,029 | 806,673 |
| OTHER | 6 | 4,629 | 1,100,471 |
| NOT APPLICABLE | 96 | 78,094 | 20,278,238 |
| NOT STATED | 99 | 1,499 | 259,775 |
| | Total | 127,462 | 30,002,817 |

Variable Name RACDIMP Length 1 Position 307

Question Name

Concept Impact of health problems - (D)

Question

Universe All respondents

Note Based on RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| SOMETIMES | 1 | 23,232 | 4,816,853 |
| OFTEN | 2 | 15,707 | 2,941,433 |
| NEVER | 3 | 88,151 | 22,186,952 |
| NOT STATED | 9 | 372 | 57,579 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable NameRACDPALLength1Position308

Question Name

Concept Participation and activity limitation - (D)

Question

Universe All respondents

Note Based on RAC_1, RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| SOMETIMES | 1 | 27,399 | 5,721,204 |
| OFTEN | 2 | 21,192 | 3,888,402 |
| NEVER | 3 | 78,094 | 20,278,238 |
| NOT STATED | 9 | 777 | 114,974 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOADL Length 1 Position 309

Question Name DOADL

Concept Activities of daily living - Inclusion Flag - (F)

Question

Universe All respondents

Note

 Content
 Code
 Sample
 Population

 YES
 1
 127,462
 30,002,817

 Total
 127,462
 30,002,817

Public Use Microdata File - 24-Month

March 2016

Variable Name ADL_01 Length 1 Position 310

Question Name ADL_Q01

Concept Needs help - preparing meals

Question Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help

of another person:

... with preparing meals?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 4,798 | 962,587 |
| NO | 2 | 122,575 | 29,020,889 |
| DON'T KNOW | 7 | 62 | 10,247 |
| REFUSAL | 8 | 26 | 8,669 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name ADL_02 Length 1 Position 311

Question Name ADL_Q02

Concept Needs help - getting to appointments / running errands

Question Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help

of another person:

... with getting to appointments and running errands such as shopping for groceries?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 10,253 | 1,792,312 |
| NO | 2 | 117,104 | 28,188,972 |
| DON'T KNOW | 7 | 71 | 9,206 |
| REFUSAL | 8 | 33 | 11,902 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ADL_03 Length 1 Position 312

Question Name ADL_Q03

Concept Needs help - doing housework

Question Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the

help of another person:

... with doing everyday housework?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 10,321 | 1,869,567 |
| NO | 2 | 117,020 | 28,107,855 |
| DON'T KNOW | 7 | 93 | 14,011 |
| REFUSAL | 8 | 27 | 10,960 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name ADL_04 Length 1 Position 313

Question Name ADL_Q04

Concept Needs help - personal care

Question Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help

of another person:

... with personal care such as washing, dressing, eating or taking medication?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 3,307 | 599,983 |
| NO | 2 | 124,109 | 29,387,222 |
| DON'T KNOW | 7 | 17 | 3,829 |
| REFUSAL | 8 | 28 | 11,358 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ADL_05 Length 1 Position 314

Question Name ADL_Q05

Concept Needs help - moving about inside the house

Question Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help

of another person:

... with moving about inside the house?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 1,734 | 390,756 |
| NO | 2 | 125,668 | 29,594,590 |
| DON'T KNOW | 7 | 31 | 5,228 |
| REFUSAL | 8 | 28 | 11,819 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name ADL_06 Length 1 Position 315

Question Name ADL_Q06

Concept Needs help - looking after personal finances

Question Because of any physical condition or mental condition or health problem, ^DOVERB ^YOU1 need the help

of another person:

... with looking after ^YOUR1 personal finances such as making bank transactions or paying bills?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 5,017 | 916,073 |
| NO | 2 | 122,200 | 29,033,601 |
| DON'T KNOW | 7 | 186 | 33,388 |
| REFUSAL | 8 | 58 | 19,330 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ADLF6R Length 1 Position 316

Question Name

Concept Help needed for tasks - (F)

Question

Universe All respondents

Note Based on ADL_01, ADL_02, ADL_03, ADL_04, ADL_05, ADL_06. Prior to 2009, ADLF6R was called

RACF6R and was a part of the Restriction of Activities (RAC) module. See documentation on derived

variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 16,033 | 2,839,680 |
| NO | 2 | 111,171 | 27,108,888 |
| NOT STATED | 9 | 258 | 54,248 |
| | Total | 127,462 | 30,002,817 |

Variable Name FLU_160 Length 1 Position 317

Question Name FLU_Q160

Concept Ever had a flu shot

Question Have you ever had a seasonal flu shot?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 80,884 | 17,506,889 |
| NO | 2 | 42,844 | 11,731,682 |
| DON'T KNOW | 7 | 595 | 160,848 |
| REFUSAL | 8 | 31 | 15,046 |
| NOT STATED | 9 | 3,108 | 588,352 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name FLU_162 Length 1 Position 318

Question Name FLU_Q162

Concept Had flu shot - last time

Question When did you have your last seasonal flu shot?

Universe Respondents who answered FLU_160 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------|-------------|---------------|-------------------|
| LESS THAN 1 YEAR AGO | | 1 47,691 | 9,010,368 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 2 7,932 | 2,000,547 |
| 2 YEARS AGO OR MORE | | 3 24,775 | 6,404,601 |
| NOT APPLICABLE | | 6 42,844 | 11,731,682 |
| DON'T KNOW | | 7 468 | 88,447 |
| REFUSAL | | 3 18 | 2,926 |
| NOT STATED | | 9 3,734 | 764,246 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name FLU_164 Length 2 Position 319 - 320

Question Name FLU_Q164

Concept Had flu shot - which month

Question In which month did you have your last seasonal flu shot?

Universe Respondents who answered FLU_162 = (1, 7, 8) or FLU_160 = (7 or 8).

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| JANUARY | 1 | 1,650 | 368,690 |
| FEBRUARY | 2 | 552 | 122,464 |
| MARCH | 3 | 280 | 68,582 |
| APRIL | 4 | 174 | 34,547 |
| MAY | 5 | 84 | 15,366 |
| JUNE | 6 | 80 | 20,739 |
| JULY | 7 | 50 | 10,123 |
| AUGUST | 8 | 115 | 19,222 |
| SEPTEMBER | 9 | 1,343 | 293,149 |
| OCTOBER | 10 | 18,440 | 3,062,184 |
| NOVEMBER | 11 | 20,019 | 3,957,741 |
| DECEMBER | 12 | 2,594 | 621,607 |
| NOT APPLICABLE | 96 | 75,551 | 20,136,830 |
| DON'T KNOW | 97 | 2,264 | 407,948 |
| REFUSAL | 98 | 46 | 8,006 |
| NOT STATED | 99 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_165 Length 1 Position 321

Question Name FLU_Q165

Concept Had flu shot - current/last year

Question Was that this year or last year?

Universe Respondents who answered FLU_164 = (current month, 97, 98) or FLU_160 = (7 or 8) or FLU_162 = (7 or

8).

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| THIS YEAR | 1 | 2,268 | 419,604 |
| LAST YEAR | 2 | 2,308 | 445,826 |
| NOT APPLICABLE | 6 | 116,334 | 27,861,819 |
| DON'T KNOW | 7 | 9 | 2,626 |
| REFUSAL | 8 | 3 | 308 |
| NOT STATED | 9 | 6,540 | 1,272,634 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name FLU_66A Length 1 Position 322

Question Name FLU_Q166A

Concept No flu shot - have not gotten around to it

Question What are the reasons that you have not had a flu shot in the past year? - Have not gotten around to it

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 11,211 | 3,110,070 |
| NO | 2 | 62,797 | 16,691,061 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_66B Length 1 Position 323

Question Name FLU_Q166B

Concept No flu shot - respondent didn't think it was necessary

Question What are the reasons that you have not had a flu shot in the past year? - Respondent did not think it was

necessary

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 52,541 | 14,347,791 |
| NO | 2 | 21,467 | 5,453,341 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Variable Name FLU_66C Length 1 Position 324

Question Name FLU_Q166C

Concept No flu shot - doctor didn't think it was necessary

Question What are the reasons that you have not had a flu shot in the past year? - Doctor did not think it was

necessary

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,220 | 323,299 |
| NO | 2 | 72,788 | 19,477,832 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_66D Length 1 Position 325

Question Name FLU_Q166D

Concept No flu shot - personal or family responsibilities

Question What are the reasons that you have not had a flu shot in the past year? - Personal or family responsibilities

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 376 | 95,215 |
| NO | 2 | 73,632 | 19,705,916 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| 7 | Total | 127,462 | 30,002,817 |

Variable Name FLU_66E Length 1 Position 326

Question Name FLU_Q166E

Concept No flu shot - not available at time required

Question What are the reasons that you have not had a flu shot in the past year? - Not available at time required

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 749 | 177,318 |
| NO | 2 | 73,259 | 19,623,814 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_66F Length 1 Position 327

Question Name FLU_Q166F

Concept No flu shot - not available at all in area

Question What are the reasons that you have not had a flu shot in the past year? - Not available at all in the area

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 300 | 59,849 |
| NO | 2 | 73,708 | 19,741,283 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| - | Γotal | 127,462 | 30,002,817 |

Variable Name FLU_66G Length 1 Position 328

Question Name FLU_Q166G

Concept No flu shot - waiting time was too long

Question What are the reasons that you have not had a flu shot in the past year? - Waiting time was too long

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 162 | 61,744 |
| NO | 2 | 73,846 | 19,739,387 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_66H Length 1 Position 329

Question Name FLU_Q166H

Concept No flu shot - transportation problems

Question What are the reasons that you have not had a flu shot in the past year? - Transportation problems

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 129 | 29,373 |
| NO | 2 | 73,879 | 19,771,759 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| To | otal | 127,462 | 30,002,817 |

Variable Name FLU_66I Length 1 Position 330

Question Name FLU_Q166I

Concept No flu shot - language problem

Question What are the reasons that you have not had a flu shot in the past year? - Language problem

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 11 | 4,379 |
| NO | 2 | 73,997 | 19,796,753 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_66J Length 1 Position 331

Question Name FLU_Q166J

Concept No flu shot - cost

Question What are the reasons that you have not had a flu shot in the past year? - Cost Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 156 | 61,358 |
| NO | 2 | 73,852 | 19,739,774 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name FLU_66K Length 1 Position 332

Question Name FLU_Q166K

Concept No flu shot - did not know where to go

Question What are the reasons that you have not had a flu shot in the past year? - Did not know where to go /

uninformed

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 603 | 206,904 |
| NO | 2 | 73,405 | 19,594,227 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Γotal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_66L Length 1 Position 333

Question Name FLU_Q166L

Concept No flu shot - fear

Question What are the reasons that you have not had a flu shot in the past year? - Fear (e.g., painful, embarrassing,

find something wrong)

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,591 | 899,061 |
| NO | 2 | 70,417 | 18,902,070 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| 1 | Γotal | 127,462 | 30,002,817 |

Variable Name FLU_66M Length 1 Position 334

Question Name FLU_Q166M

Concept No flu shot - bad reaction to previous shot

Question What are the reasons that you have not had a flu shot in the past year? - Bad reaction to previous shot

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,970 | 1,361,789 |
| NO | 2 | 68,038 | 18,439,342 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FLU_66O Length 1 Position 335

Question Name FLU_Q166N

Concept No flu shot - unable to leave house / health problem

Question What are the reasons that you have not had a flu shot in the past year? - Unable to leave the house

because of a health problem

Universe Respondents who answered $FLU_160 = (2, 7, 8)$ or $FLU_162 = (2, 3, 7, 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 161 | 24,870 |
| NO | 2 | 73,847 | 19,776,262 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| 1 | Total | 127,462 | 30,002,817 |

Variable Name FLU_66N Length 1 Position 336

Question Name FLU_Q166O

Concept No flu shot - other

Question What are the reasons that you have not had a flu shot in the past year? - Other

Universe Respondents who answered FLU_160 = (2, 7, 8) or FLU_162 = (2, 3, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,331 | 328,157 |
| NO | 2 | 72,677 | 19,472,975 |
| NOT APPLICABLE | 6 | 47,691 | 9,010,368 |
| DON'T KNOW | 7 | 1,505 | 324,335 |
| REFUSAL | 8 | 38 | 11,364 |
| NOT STATED | 9 | 4,220 | 855,619 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOBPC Length 1 Position 337

Question Name DOBPC

Concept Blood pressure check - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 7,228 | 935,624 |
| NO | 2 | 120,234 | 29,067,193 |
| | Total | 127,462 | 30,002,817 |

Variable Name BPC_010 Length 1 Position 338

Question Name BPC_Q010

Concept Ever had blood pressure taken

Question Have you ever had your blood pressure taken?

Universe Respondents with DOBPC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,760 | 864,657 |
| NO | 2 | 238 | 43,764 |
| NOT APPLICABLE | 6 | 120,234 | 29,067,193 |
| DON'T KNOW | 7 | 15 | 2,618 |
| REFUSAL | 8 | 1 | 54 |
| NOT STATED | 9 | 214 | 24,530 |
| | Total | 127,462 | 30,002,817 |

Page 148

March 2016

Variable Name BPC_012 Length 1 Position 339

Question Name BPC_Q012

Concept Last time blood pressure was taken

Question When was the last time?

Universe Respondents who answered BPC_010 = (1, 7 or 8)

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|----------------------------------|-------|-------------|---------------|-------------------|
| LESS THAN 6 MONTHS AGO | | 1 | 4,459 | 535,182 |
| 6 MONTHS TO LESS THAN 1 YEAR AGO | | 2 | 1,225 | 167,191 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 3 | 560 | 81,592 |
| 2 YEARS TO LESS THAN 5 YEARS AGO | | 4 | 337 | 58,086 |
| 5 YEARS AGO OR MORE | | 5 | 103 | 14,649 |
| NOT APPLICABLE | | 6 | 120,472 | 29,110,958 |
| DON'T KNOW | | 7 | 76 | 7,958 |
| NOT STATED | | 9 | 230 | 27,202 |
| | Total | | 127,462 | 30,002,817 |

Variable Name BPC_013 Length 1 Position 340

Question Name BPC_Q013

Concept Pregnant - blood pressure taken

Question Were you pregnant the last time your blood pressure was taken?

Universe Females aged 15 to 55 who answered BPC_012 = (1, 2, 3, 7 or 8) or BPC_010 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 91 | 14,812 |
| NO | 2 | 1,295 | 210,397 |
| NOT APPLICABLE | 6 | 126,049 | 29,775,188 |
| REFUSAL | 8 | 1 | 33 |
| NOT STATED | 9 | 26 | 2,387 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name BPC_16A Length 1 Position 341

Question Name BPC_Q016A

Concept Blood pressure not taken - have not gotten around to it

Question What are the reasons that you have not had your blood pressure taken in the past 2 years? - Have not

gotten around to it

Universe Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 88 | 17,237 |
| NO | 2 | 311 | 56,401 |
| NOT APPLICABLE | 6 | 126,831 | 29,904,672 |
| DON'T KNOW | 7 | 8 | 877 |
| NOT STATED | 9 | 224 | 23,631 |
| 1 | Γotal | 127,462 | 30,002,817 |

Variable Name BPC_16B Length 1 Position 342

Question Name BPC_Q016B

Concept Blood pressure not taken - respondent didn't think necessary

Question What are the reasons that you have not had your blood pressure taken in the past 2 years? - Respondent

did not think it was necessary

Universe Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 248 | 45,593 |
| NO | 2 | 151 | 28,044 |
| NOT APPLICABLE | 6 | 126,831 | 29,904,672 |
| DON'T KNOW | 7 | 8 | 877 |
| NOT STATED | 9 | 224 | 23,631 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name BPC_16C Length 1 Position 343

Question Name BPC_Q016C

Concept Blood pressure not taken - doctor didn't think necessary

Question What are the reasons that you have not had your blood pressure taken in the past 2 years? - Doctor did not

think it was necessary

Universe Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 45 | 10,108 |
| NO | 2 | 354 | 63,530 |
| NOT APPLICABLE | 6 | 126,831 | 29,904,672 |
| DON'T KNOW | 7 | 8 | 877 |
| NOT STATED | 9 | 224 | 23,631 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name BPC_16H Length 1 Position 344

Question Name BPC_Q016H

Concept Blood pressure not taken - transportation problems

Question What are the reasons that you have not had your blood pressure taken in the past 2 years? -

Transportation problems

Universe Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

Note

| <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------|------------------|---------------------------|
| 2 | 399 | 73,638 |
| 6 | 126,831 | 29,904,672 |
| 7 | 8 | 877 |
| 9 | 224 | 23,631 |
| otal | 127,462 | 30,002,817 |
| | 2 6 7 9 | 2 399 6 126,831 7 8 9 224 |

Public Use Microdata File - 24-Month

March 2016

Variable Name BPC_16l Length 1 Position 345

Question Name BPC_Q016I

Concept Blood pressure not taken - language problem

Question What are the reasons that you have not had your blood pressure taken in the past 2 years? - Language

problem

Universe Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 399 | 73,638 |
| NOT APPLICABLE | 6 | 126,831 | 29,904,672 |
| DON'T KNOW | 7 | 8 | 877 |
| NOT STATED | 9 | 224 | 23,631 |
| | Total | 127,462 | 30,002,817 |

Variable Name BPC_16N Length 1 Position 346

Question Name BPC_Q016M

Concept Blood pressure not taken - unable to leave house/health prob

Question What are the reasons that you have not had your blood pressure taken in the past 2 years? - Unable to

leave the house because of a health problem

Universe Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 399 | 73,638 |
| NOT APPLICABLE | 6 | 126,831 | 29,904,672 |
| DON'T KNOW | 7 | 8 | 877 |
| NOT STATED | 9 | 224 | 23,631 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name BPCG16M Length 1 Position 347

Question Name

Concept Blood pressure not taken - (G) - other

Question What are the reasons that you have not had your blood pressure taken in the past 2 years?

Universe Respondents aged 25 and over who answered BPC_010 = (2, 7 or 8) or BPC_012 = (4, 5, 7 or 8)

Note Based on BPC_16D, BPC_16G, BPC_16J, BPC_16K, BPC_16L, BPC_16M

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 46 | 7,717 |
| NO | 2 | 353 | 65,920 |
| NOT APPLICABLE | 6 | 126,831 | 29,904,672 |
| NOT STATED | 9 | 232 | 24,507 |
| To | otal | 127,462 | 30,002,817 |

Variable Name DOPAP Length 1 Position 348

Question Name DOPAP

Concept PAP smear test module - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 6,926 | 769,424 |
| NO | 2 | 120,536 | 29,233,393 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PAP_020 Length 1 Position 349

Question Name PAP_Q020

Concept Ever had PAP smear test

Question (Now PAP tests)

Have you ever had a PAP smear test?

Universe Females aged 18 and over and DOPAP = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,382 | 334,798 |
| NO | 2 | 260 | 23,324 |
| NOT APPLICABLE | 6 | 123,741 | 29,638,321 |
| DON'T KNOW | 7 | 12 | 718 |
| REFUSAL | 8 | 3 | 174 |
| NOT STATED | 9 | 64 | 5,483 |
| 7 | Γotal | 127,462 | 30,002,817 |

March 2016

Variable Name PAP_022 Length 1 Position 350

Question Name PAP_Q022

Concept Last time had PAP smear test

Question When was the last time?

Universe Respondents who answered PAP_020 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------------|-------------|---------------|-------------------|
| LESS THAN 6 MONTHS AGO | 1 | 497 | 57,128 |
| 6 MONTHS TO LESS THAN 1 YEAR AGO | 2 | 684 | 78,484 |
| 1 YEAR TO LESS THAN 3 YEARS AGO | 3 | 968 | 103,506 |
| 3 YEARS TO LESS THAN 5 YEARS AGO | 4 | 282 | 25,276 |
| 5 OR MORE YEARS AGO | 5 | 931 | 69,210 |
| NOT APPLICABLE | 6 | 124,001 | 29,661,645 |
| DON'T KNOW | 7 | 17 | 1,043 |
| REFUSAL | 8 | 3 | 152 |
| NOT STATED | 9 | 79 | 6,375 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAP_26A Length 1 Position 351

Question Name PAP_Q026A

Concept No PAP smear - have not gotten around to it

Question What are the reasons that you have not had a PAP smear test in the past 3 years? - Have not gotten

around to it

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 198 | 22,248 |
| NO | 2 | 1,238 | 92,926 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| DON'T KNOW | 7 | 33 | 2,391 |
| REFUSAL | 8 | 4 | 243 |
| NOT STATED | 9 | 99 | 7,569 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAP_26B Length 1 Position 352

Question Name PAP_Q026B

Concept No PAP smear - respondent didn't think necessary

Question What are the reasons that you have you not had a PAP smear test in the past 3 years? - Respondent did

not think it was necessary

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 411 | 28,155 |
| NO | 2 | 1,025 | 87,020 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| DON'T KNOW | 7 | 33 | 2,391 |
| REFUSAL | 8 | 4 | 243 |
| NOT STATED | 9 | 99 | 7,569 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAP_26C Length 1 Position 353

Question Name PAP_Q026C

Concept No PAP smear - doctor didn't think necessary

Question What are the reasons that you have not had a PAP smear test in the past 3 years? - Doctor did not think it

was necessary

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 364 | 27,279 |
| NO | 2 | 1,072 | 87,896 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| DON'T KNOW | 7 | 33 | 2,391 |
| REFUSAL | 8 | 4 | 243 |
| NOT STATED | 9 | 99 | 7,569 |
| T | otal | 127,462 | 30,002,817 |

Variable Name PAPG26G Length 1 Position 354

Question Name

Concept No PAP smear - (G) - Not avail. /Wait time

Question What are the reasons that you have not had a PAP smear test in the past 3 years?

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note Based on PAP_26E, PAP_26G

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 9 | 591 |
| NO | 2 | 1,427 | 114,584 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| NOT STATED | 9 | 136 | 10,203 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAP_26K Length 1 Position 355

Question Name PAP_Q026K

Concept No PAP smear - did not know where to go

Question What are the reasons that you have not had a PAP smear test in the past 3 years? - Did not know where to

go / uninformed

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10 | 911 |
| NO | 2 | 1,426 | 114,264 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| DON'T KNOW | 7 | 33 | 2,391 |
| REFUSAL | 8 | 4 | 243 |
| NOT STATED | 9 | 99 | 7,569 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAP_26L Length 1 Position 356

Question Name PAP_Q026L

Concept No PAP smear - fear

Question What are the reasons that you have not had a PAP smear test in the past 3 years? - Fear (e.g. painful,

embarrassing, find something wrong)

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 24 | 2,999 |
| NO | 2 | 1,412 | 112,176 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| DON'T KNOW | 7 | 33 | 2,391 |
| REFUSAL | 8 | 4 | 243 |
| NOT STATED | 9 | 99 | 7,569 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAP_26M Length 1 Position 357

Question Name PAP_Q026M

Concept No PAP smear - hysterectomy

Question What are the reasons that you have not had a PAP smear test in the past 3 years? - Have had a

hysterectomy

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 384 | 28,990 |
| NO | 2 | 1,052 | 86,185 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| DON'T KNOW | 7 | 33 | 2,391 |
| REFUSAL | 8 | 4 | 243 |
| NOT STATED | 9 | 99 | 7,569 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAP_26N Length 1 Position 358

Question Name PAP_Q026N

Concept No PAP smear - hate / dislike having one done

Question What are the reasons that you have not had a PAP smear test in the past 3 years? - Hate / dislike having

one done

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 37 | 3,933 |
| NO | 2 | 1,399 | 111,242 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| DON'T KNOW | 7 | 33 | 2,391 |
| REFUSAL | 8 | 4 | 243 |
| NOT STATED | 9 | 99 | 7,569 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAPG260 Length 1 Position 359

Question Name

Concept No PAP smear - other - (G)

Question

Universe Respondents who answered PAP_020 = (2, 7 or 8) or PAP_022 = (4, 5, 7 or 8)

Note Based on PAP_26D, PAP_26F, PAP_26H, PAP_26I, PAP_26J, PAP_26P

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 126 | 10,401 |
| NO | 2 | 1,310 | 104,774 |
| NOT APPLICABLE | 6 | 125,890 | 29,877,439 |
| NOT STATED | 9 | 136 | 10,203 |
| To | otal | 127,462 | 30,002,817 |

Variable Name DOMAM Length 1 Position 360

Question Name DOMAM

Concept Mammography - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 22,256 | 4,812,546 |
| NO | 2 | 105,206 | 25,190,271 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MAM_030 Length 1 Position 361

Question Name MAM_Q30

Concept Ever had mammogram

Question (Now Mammography)

Have you ever had a mammogram, that is, a breast x-ray?

Universe Females aged 35 and over and DOMAM = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7,296 | 1,134,921 |
| NO | 2 | 1,704 | 411,324 |
| NOT APPLICABLE | 6 | 118,317 | 28,435,853 |
| DON'T KNOW | 7 | 10 | 1,065 |
| REFUSAL | 8 | 2 | 261 |
| NOT STATED | 9 | 133 | 19,393 |
| | Total | 127,462 | 30,002,817 |

Variable Name MAM_31A Length 1 Position 362

Question Name MAM_Q31A

Concept Had mammogram - family history

Question Why did you have it? - Family history of breast cancer

Universe Respondents who answered MAM_030 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 867 | 146,239 |
| NO | 2 | 6,402 | 986,124 |
| NOT APPLICABLE | 6 | 120,021 | 28,847,177 |
| DON'T KNOW | 7 | 26 | 2,513 |
| REFUSAL | 8 | 1 | 46 |
| NOT STATED | 9 | 145 | 20,719 |
| | Total | 127,462 | 30,002,817 |

Page 161

March 2016

Variable Name MAM_31B Length 1 Position 363

Question Name MAM_Q31B

Concept Had mammogram - regular check-up

Question Why did you have it? - Part of regular check-up / routine screening

Universe Respondents who answered MAM_030 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,223 | 790,895 |
| NO | 2 | 2,046 | 341,468 |
| NOT APPLICABLE | 6 | 120,021 | 28,847,177 |
| DON'T KNOW | 7 | 26 | 2,513 |
| REFUSAL | 8 | 1 | 46 |
| NOT STATED | 9 | 145 | 20,719 |
| | Total | 127,462 | 30,002,817 |

Variable Name MAM_31C Length 1 Position 364

Question Name MAM_Q31C

Concept Had mammogram - age

Question Why did you have it? - Age

Universe Respondents who answered MAM_030 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 834 | 149,387 |
| NO | 2 | 6,435 | 982,976 |
| NOT APPLICABLE | 6 | 120,021 | 28,847,177 |
| DON'T KNOW | 7 | 26 | 2,513 |
| REFUSAL | 8 | 1 | 46 |
| NOT STATED | 9 | 145 | 20,719 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name MAM_31D Length 1 **Position** 365

Question Name MAM_Q31D

Concept Had mammogram - previously detected lump Why did you have it? - Previously detected lump Question Respondents who answered MAM_030 = (1, 7 or 8) Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 640 | 112,925 |
| NO | 2 | 6,629 | 1,019,438 |
| NOT APPLICABLE | 6 | 120,021 | 28,847,177 |
| DON'T KNOW | 7 | 26 | 2,513 |
| REFUSAL | 8 | 1 | 46 |
| NOT STATED | 9 | 145 | 20,719 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name MAM_31E **Position** 366 Length 1

Question Name MAM_Q31E

Concept Had mammogram - follow-up of treatment

Question Why did you have it? - Follow-up of breast cancer treatment

Universe Respondents who answered MAM_030 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 236 | 25,921 |
| NO | 2 | 7,033 | 1,106,442 |
| NOT APPLICABLE | 6 | 120,021 | 28,847,177 |
| DON'T KNOW | 7 | 26 | 2,513 |
| REFUSAL | 8 | 1 | 46 |
| NOT STATED | 9 | 145 | 20,719 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name MAM_31G Length 1 Position 367

Question Name MAM_Q31G

Concept Had mammogram - breast problem

Question Why did you have it? - Breast problem

Universe Respondents who answered MAM_030 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 223 | 34,942 |
| NO | 2 | 7,046 | 1,097,421 |
| NOT APPLICABLE | 6 | 120,021 | 28,847,177 |
| DON'T KNOW | 7 | 26 | 2,513 |
| REFUSAL | 8 | 1 | 46 |
| NOT STATED | 9 | 145 | 20,719 |
| | Total | 127,462 | 30,002,817 |

Variable Name MAMG31H Length 1 Position 368

Question Name

Concept Had mammogram - (G)

Question Why did you have it?

Universe Respondents who answered MAM_030 = (1, 7 or 8)

Note Based on MAM_31F, MAM_31H

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 151 | 29,228 |
| NO | 2 | 7,118 | 1,103,135 |
| NOT APPLICABLE | 6 | 120,021 | 28,847,177 |
| NOT STATED | 9 | 172 | 23,277 |
| | Total | 127,462 | 30,002,817 |

Page 164

March 2016

Variable Name MAM_032 Length 1 Position 369

Question Name MAM_Q32

Concept Last time mammogram was done

Question When was the last time?

Universe Respondents who answered MAM_030 = (1, 7 or 8)

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|----------------------------------|-------|-------------|---------------|-------------------|
| LESS THAN 6 MONTHS AGO | | 1 | 1,381 | 223,349 |
| 6 MONTHS TO LESS THAN 1 YEAR AGO | | 2 | 1,699 | 276,963 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 3 | 1,705 | 261,718 |
| 2 YEARS TO LESS THAN 5 YEARS AGO | | 4 | 1,420 | 234,147 |
| 5 YEARS AGO OR MORE | | 5 | 1,015 | 130,209 |
| NOT APPLICABLE | | 6 | 120,021 | 28,847,177 |
| DON'T KNOW | | 7 | 75 | 8,490 |
| REFUSAL | | 8 | 1 | 46 |
| NOT STATED | | 9 | 145 | 20,719 |
| | Total | | 127,462 | 30,002,817 |

Variable Name MAM_36A Length 1 Position 370

Question Name MAM_Q36A

Concept No mammogram - have not gotten around to it - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Have not gotten around to it

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 448 | 81,940 |
| NO | 2 | 901 | 146,668 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MAM_36B Length 1 Position 371

Question Name MAM_Q36B

Concept No mammogram - resp. did not think necessary - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Respondent did not think it was

necessar

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 496 | 75,285 |
| NO | 2 | 853 | 153,323 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name MAM_36C Length 1 Position 372

Question Name MAM_Q36C

Concept No mammogram - doctor did not think necessary - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Doctor did not think it was necessary

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 231 | 46,792 |
| NO | 2 | 1,118 | 181,817 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| | Total | 127,462 | 30,002,817 |

Page 166

i ubile ose microdata i lie

March 2016

Variable Name MAM_36D Length 1 Position 373

Question Name MAM_Q36D

Concept No mammogram - personal/family responsibilities - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Personal or family responsibilities

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 23 | 3,973 |
| NO | 2 | 1,326 | 224,635 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| T | otal | 127,462 | 30,002,817 |

Variable Name MAMG36F Length 1 Position 374

Question Name

Concept No mammogram - past 2 yrs - (G)

Question What are the reasons you have not had one in the past 2 years?

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note Based on MAM_36E, MAM_36F

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 33 | 5,626 |
| NO | 2 | 1,316 | 222,983 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| NOT STATED | 9 | 97 | 15,196 |
| | Total | 127,462 | 30,002,817 |

Page 167

March 2016

Variable Name MAM_36H Length 1 Position 375

Question Name MAM_Q36H

Concept No mammogram - transportation problems - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Transportation problems

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 13 | 2,085 |
| NO | 2 | 1,336 | 226,524 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| | Total | 127,462 | 30,002,817 |

Variable Name MAM_36K Length 1 Position 376

Question Name MAM_Q36K

Concept No mammogram - did not know where to go - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Did not know where to go / uninformed

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 26 | 7,067 |
| NO | 2 | 1,323 | 221,542 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MAM_36L Length 1 Position 377

Question Name MAM_Q36L

Concept No mammogram - fear - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Fear (e.g., painful, embarrassing, find

something wrong)

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 86 | 9,510 |
| NO | 2 | 1,263 | 219,099 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| | Total | 127,462 | 30,002,817 |

Variable Name MAM_36N Length 1 Position 378

Question Name MAM_Q36M

Concept No mammogram - unable to leave house/hith prob - past 2 yrs

Question What are the reasons you have not had one in the past 2 years? - Unable to leave the house because of a

health problem

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7 | 727 |
| NO | 2 | 1,342 | 227,882 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| | Total | 127,462 | 30,002,817 |

Page 169

March 2016

Variable Name MAM_360 Length 1 Position 379

Question Name MAM_Q36N

Concept No mammogram - Breasts removed / Mastectomy

Question What are the reasons you have not had one in the past 2 years? - Breasts removed / Mastectomy

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 16 | 5,218 |
| NO | 2 | 1,333 | 223,391 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| DON'T KNOW | 7 | 35 | 4,907 |
| REFUSAL | 8 | 1 | 100 |
| NOT STATED | 9 | 61 | 10,189 |
| | Total | 127,462 | 30,002,817 |

Variable Name MAMG36M Length 1 Position 380

Question Name

Concept No mammogram - past 2 yrs - (G)

Question What are the reasons you have not had one in the past 2 years?

Universe Respondents aged 50 to 69 who answered MAM_030 = (2, 7 or 8) or MAM_032 = (4, 5, 7 or 8)

Note Based on MAM_36G, MAM_36I, MAM_36J, MAM_36M

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 81 | 10,992 |
| NO | 2 | 1,268 | 217,617 |
| NOT APPLICABLE | 6 | 126,016 | 29,759,012 |
| NOT STATED | 9 | 97 | 15,196 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MAM_038 Length 1 Position 381

Question Name MAM_Q38

Concept Had a hysterectomy

Question Have you had a hysterectomy? (in other words, has your uterus been removed)?

Universe Females aged 18 and over and DOMAM = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,807 | 344,884 |
| NO | 2 | 8,435 | 1,837,331 |
| NOT APPLICABLE | 6 | 116,034 | 27,789,541 |
| DON'T KNOW | 7 | 11 | 6,367 |
| REFUSAL | 8 | 5 | 676 |
| NOT STATED | 9 | 170 | 24,019 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOPSA Length 1 Position 382

Question Name DOPSA

Concept Prostate cancer screening - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 23,298 | 6,964,711 |
| NO | 2 | 104,164 | 23,038,106 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PSA_170 Length 1 Position 383

Question Name PSA_Q170

Concept Ever had a PSA blood test (prostate cancer)

Question (Now Prostate tests)

Have you ever had a prostate specific antigen test for prostate cancer, that is, a

PSA blood test?

Universe Males aged 35 and over with DOPSA = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,758 | 967,675 |
| NO | 2 | 3,195 | 1,149,334 |
| NOT APPLICABLE | 6 | 119,883 | 27,708,699 |
| DON'T KNOW | 7 | 395 | 118,986 |
| REFUSAL | 8 | 5 | 1,333 |
| NOT STATED | 9 | 226 | 56,790 |
| | Total | 127,462 | 30,002,817 |

Variable Name PSA_172 Length 1 Position 384

Question Name PSA_Q172

Concept Last time had PSA blood test

Question When was the last time?

Universe Respondents who answered PSA_170 = (1, 7 or 8)

Note

| Content | <u>c</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------------|----------|-------------|---------------|-------------------|
| LESS THAN 1 YEAR AGO | | 1 | 2,333 | 594,913 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 2 | 625 | 159,442 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | | 3 | 338 | 85,352 |
| 3 YEARS TO LESS THAN 5 YEARS AGO | | 4 | 212 | 59,021 |
| 5 YEARS AGO OR MORE | | 5 | 214 | 62,473 |
| NOT APPLICABLE | | 6 | 123,078 | 28,858,033 |
| DON'T KNOW | | 7 | 36 | 6,473 |
| NOT STATED | | 9 | 626 | 177,110 |
| | Total | | 127,462 | 30,002,817 |

March 2016

Variable Name PSA_73A Length 1 Position 385

Question Name PSA_Q173A

Concept Had PSA test - family history of prostate cancer

Question Why did you have it? - Family history of prostate cancer
Universe Respondents who answered PSA_170 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 202 | 61,374 |
| NO | 2 | 3,541 | 904,313 |
| NOT APPLICABLE | 6 | 123,078 | 28,858,033 |
| DON'T KNOW | 7 | 15 | 1,988 |
| NOT STATED | 9 | 626 | 177,110 |
| | Total | 127,462 | 30,002,817 |

Variable Name PSA_73B Length 1 Position 386

Question Name PSA_Q173B

Concept Had PSA test - regular check-up

Question Why did you have it? - Part of regular check-up / routine screening

Universe Respondents who answered PSA_170 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,753 | 701,980 |
| NO | 2 | 990 | 263,707 |
| NOT APPLICABLE | 6 | 123,078 | 28,858,033 |
| DON'T KNOW | 7 | 15 | 1,988 |
| NOT STATED | 9 | 626 | 177,110 |
| | Total | 127,462 | 30,002,817 |

Page 173

March 2016

Variable Name PSA_73C Length 1 Position 387

Question Name PSA_Q173C

Concept Had PSA test - age

Question Why did you have it? - Age

Universe Respondents who answered PSA_170 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 440 | 129,831 |
| NO | 2 | 3,303 | 835,856 |
| NOT APPLICABLE | 6 | 123,078 | 28,858,033 |
| DON'T KNOW | 7 | 15 | 1,988 |
| NOT STATED | 9 | 626 | 177,110 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name PSA_73D Length 1 Position 388

Question Name PSA_Q173E

Concept Had PSA test - follow-up of problem

Question Why did you have it? - Follow-up of problem

Universe Respondents who answered PSA_170 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 475 | 117,563 |
| NO | 2 | 3,268 | 848,124 |
| NOT APPLICABLE | 6 | 123,078 | 28,858,033 |
| DON'T KNOW | 7 | 15 | 1,988 |
| NOT STATED | 9 | 626 | 177,110 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Page 174

March 2016

Variable Name PSA_73E Length 1 Position 389

Question Name PSA_Q173F

Concept Had PSA test - follow-up of prostate cancer treatment

Question Why did you have it? - Follow-up of prostate cancer treatment

Universe Respondents who answered PSA_170 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 178 | 40,664 |
| NO | 2 | 3,565 | 925,023 |
| NOT APPLICABLE | 6 | 123,078 | 28,858,033 |
| DON'T KNOW | 7 | 15 | 1,988 |
| NOT STATED | 9 | 626 | 177,110 |
| | Total | 127,462 | 30,002,817 |

Variable Name PSA_73F Length 1 Position 390

Question Name PSA_Q173G

Concept Had PSA test - other

Question Why did you have it? - Other

Universe Respondents who answered PSA_170 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 116 | 33,420 |
| NO | 2 | 3,627 | 932,267 |
| NOT APPLICABLE | 6 | 123,078 | 28,858,033 |
| DON'T KNOW | 7 | 15 | 1,988 |
| NOT STATED | 9 | 626 | 177,110 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PSA_174 Length 1 Position 391

Question Name PSA_Q174

Concept Had a digital rectal exam

Question A Digital Rectal Exam is an exam in which a gloved finger is inserted into the rectum in order to feel the

prostate gland.

Have you ever had this exam?

Universe Males aged 35 and over with DOPSA = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,944 | 1,316,676 |
| NO | 2 | 2,373 | 911,239 |
| NOT APPLICABLE | 6 | 119,883 | 27,708,699 |
| DON'T KNOW | 7 | 30 | 7,818 |
| REFUSAL | 8 | 1 | 262 |
| NOT STATED | 9 | 231 | 58,123 |
| | Total | 127,462 | 30,002,817 |

Page 176

March 2016

Variable Name PSA_175 Length 1 Position 392

Question Name PSA_Q175

Concept Last time had digital rectal exam

Question When was the last time?

Universe Respondents who answered PSA_174 = (1, 7 or 8) or PSA_170 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------------|-------------|---------------|-------------------|
| LESS THAN 1 YEAR AGO | 1 | 2,145 | 575,966 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | 2 | 840 | 211,339 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | 3 | 572 | 148,198 |
| 3 YEARS TO LESS THAN 5 YEARS AGO | 4 | 471 | 119,121 |
| 5 YEARS AGO OR MORE | 5 | 883 | 253,455 |
| NOT APPLICABLE | 6 | 122,256 | 28,619,938 |
| DON'T KNOW | 7 | 32 | 8,500 |
| REFUSAL | 8 | 1 | 96 |
| NOT STATED | 9 | 262 | 66,203 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOCCS Length 1 Position 393

Question Name DOCCS

Concept Colorectal cancer screening - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 53,713 | 12,563,898 |
| NO | 2 | 73,749 | 17,438,919 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCS_180 Length 1 Position 394

Question Name CCS_Q180

Concept Had an FOBT test

Question Now a few questions about various colorectal exams.

An FOBT is a test to check for blood in your stool, where you have a bowel movement and use a stick to

smear a small sample on a special card.

Have you ever had this test?

Universe Respondents with DOCCS = 1, aged 35 and over

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 15,288 | 2,518,913 |
| NO | 2 | 22,553 | 5,505,264 |
| NOT APPLICABLE | 6 | 88,363 | 21,752,513 |
| DON'T KNOW | 7 | 265 | 53,062 |
| REFUSAL | 8 | 33 | 6,049 |
| NOT STATED | 9 | 960 | 167,017 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CCS_182 Length 2 Position 395 - 396

Question Name CCS_Q182

Concept Last time FOBT test done

Question When was the last time?

Universe Respondents who answered CCS_180 = (1, 7 or 8)

Note

| Content | <u>Code</u> | | <u>Sample</u> | <u>Population</u> |
|-----------------------------------|-------------|----|---------------|-------------------|
| LESS THAN 1 YEAR AGO | | 1 | 5,446 | 905,779 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 2 | 3,018 | 474,638 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | | 3 | 2,145 | 371,348 |
| 3 YEARS TO LESS THAN 5 YEARS AGO | | 4 | 1,681 | 274,283 |
| 5 YEARS TO LESS THAN 10 YEARS AGO | | 5 | 1,433 | 233,687 |
| 10 YEARS AGO OR MORE | | 6 | 1,313 | 227,688 |
| NOT APPLICABLE | | 96 | 110,916 | 27,257,777 |
| DON'T KNOW | | 97 | 249 | 30,989 |
| REFUSAL | | 98 | 3 | 501 |
| NOT STATED | | 99 | 1,258 | 226,128 |
| | Total | | 127,462 | 30,002,817 |

Page 179

March 2016

Variable Name CCS_83A Length 1 Position 397

Question Name CCS_Q183A

Concept Had FOBT - family history

Question Why did you have it? - Family history of colorectal cancer

Universe Respondents who answered CCS_180 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 916 | 149,501 |
| NO | 2 | 14,044 | 2,322,933 |
| NOT APPLICABLE | 6 | 110,916 | 27,257,777 |
| DON'T KNOW | 7 | 326 | 46,149 |
| REFUSAL | 8 | 2 | 330 |
| NOT STATED | 9 | 1,258 | 226,128 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name CCS_83B Length 1 Position 398

Question Name CCS_Q183B

Concept Had FOBT - regular check-up

Question Why did you have it? - Part of regular check-up / routine screening

Universe Respondents who answered CCS_180 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10,156 | 1,645,629 |
| NO | 2 | 4,804 | 826,805 |
| NOT APPLICABLE | 6 | 110,916 | 27,257,777 |
| DON'T KNOW | 7 | 326 | 46,149 |
| REFUSAL | 8 | 2 | 330 |
| NOT STATED | 9 | 1,258 | 226,128 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCS_83C Length 1 Position 399

Question NameCCS_Q183CConceptHad FOBT - age

Question Why did you have it? - Age

Universe Respondents who answered CCS_180 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 661 | 124,435 |
| NO | 2 | 14,299 | 2,347,998 |
| NOT APPLICABLE | 6 | 110,916 | 27,257,777 |
| DON'T KNOW | 7 | 326 | 46,149 |
| REFUSAL | 8 | 2 | 330 |
| NOT STATED | 9 | 1,258 | 226,128 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCS_83D Length 1 Position 400

Question Name CCS_Q183E

Concept Had FOBT - follow-up of problem

Question Why did you have it? - Follow-up of problem

Universe Respondents who answered CCS_180 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,443 | 574,268 |
| NO | 2 | 11,517 | 1,898,165 |
| NOT APPLICABLE | 6 | 110,916 | 27,257,777 |
| DON'T KNOW | 7 | 326 | 46,149 |
| REFUSAL | 8 | 2 | 330 |
| NOT STATED | 9 | 1,258 | 226,128 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCS_83E Length 1 Position 401

Question Name CCS_Q183F

Concept Had FOBT - follow-up of treatment

Question Why did you have it? - Follow-up of colorectal cancer treatment

Universe Respondents who answered CCS_180 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 157 | 28,636 |
| NO | 2 | 14,803 | 2,443,798 |
| NOT APPLICABLE | 6 | 110,916 | 27,257,777 |
| DON'T KNOW | 7 | 326 | 46,149 |
| REFUSAL | 8 | 2 | 330 |
| NOT STATED | 9 | 1,258 | 226,128 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name CCS_83F Length 1 Position 402

Question Name CCS_Q183G
Concept Had FOBT - other

Question Why did you have it? - Other

Universe Respondents who answered CCS_180 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 549 | 107,459 |
| NO | 2 | 14,411 | 2,364,975 |
| NOT APPLICABLE | 6 | 110,916 | 27,257,777 |
| DON'T KNOW | 7 | 326 | 46,149 |
| REFUSAL | 8 | 2 | 330 |
| NOT STATED | 9 | 1,258 | 226,128 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CCS_184 Length 1 Position 403

Question Name CCS_Q184

Concept Had colonoscopy or sigmoidoscopy

Question A colonoscopy or sigmoidoscopy is when a tube is inserted into the rectum to view the bowel for early signs

of cancer and other health problems. Have you ever had either of these exams?

Universe Respondents with DOCCS = 1, aged 35 and over

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 14,476 | 2,643,887 |
| NO | 2 | 23,475 | 5,407,822 |
| NOT APPLICABLE | 6 | 88,363 | 21,752,513 |
| DON'T KNOW | 7 | 150 | 24,700 |
| REFUSAL | 8 | 5 | 829 |
| NOT STATED | 9 | 993 | 173,066 |
| - | Γotal | 127,462 | 30,002,817 |

March 2016

Variable Name CCS_185 Length 2 Position 404 - 405

Question Name CCS_Q185

Concept Last time had colonoscopy or sigmoidoscopy

Question When was the last time?

Universe Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------------------------|-------------|---------------|-------------------|
| LESS THAN 1 YEAR AGO | 1 | 2,757 | 505,502 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | 2 | 2,138 | 402,878 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | 3 | 2,328 | 413,105 |
| 3 YEARS TO LESS THAN 5 YEARS AGO | 4 | 2,732 | 509,416 |
| 5 YEARS TO LESS THAN 10 YEARS AGO | 5 | 2,453 | 445,365 |
| 10 YEARS AGO OR MORE | 6 | 1,937 | 348,363 |
| NOT APPLICABLE | 96 | 111,838 | 27,160,335 |
| DON'T KNOW | 97 | 127 | 18,612 |
| REFUSAL | 98 | 4 | 647 |
| NOT STATED | 99 | 1,148 | 198,595 |
| | Total | 127,462 | 30,002,817 |

Page 184

March 2016

Variable Name CCS_86A Length 1 Position 406

Question Name CCS_Q186A

Concept Had colonoscopy/sigmoidoscopy - family history

Question Why did you have it? - Family history of colorectal cancer

Universe Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,480 | 500,179 |
| NO | 2 | 11,767 | 2,109,076 |
| NOT APPLICABLE | 6 | 111,838 | 27,160,335 |
| DON'T KNOW | 7 | 225 | 33,984 |
| REFUSAL | 8 | 4 | 648 |
| NOT STATED | 9 | 1,148 | 198,595 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Variable Name CCS_86B Length 1 Position 407

Question Name CCS_Q186B

Concept Had colonoscopy/sigmoidoscopy - regular check-up

Question Why did you have it? - Part of regular check-up / routine screening

Universe Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8

| Content | <u>Code</u> | | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---|---------------|-------------------|
| YES | | 1 | 5,236 | 938,935 |
| NO | | 2 | 9,011 | 1,670,320 |
| NOT APPLICABLE | | 6 | 111,838 | 27,160,335 |
| DON'T KNOW | | 7 | 225 | 33,984 |
| REFUSAL | | 8 | 4 | 648 |
| NOT STATED | | 9 | 1,148 | 198,595 |
| | Total | | 127,462 | 30,002,817 |
| | | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCS_86C Length 1 Position 408

Question Name CCS_Q186C

Concept Had colonoscopy/sigmoidoscopy - age

Question Why did you have it? - Age

Universe Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 681 | 139,298 |
| NO | 2 | 13,566 | 2,469,957 |
| NOT APPLICABLE | 6 | 111,838 | 27,160,335 |
| DON'T KNOW | 7 | 225 | 33,984 |
| REFUSAL | 8 | 4 | 648 |
| NOT STATED | 9 | 1,148 | 198,595 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCS_86D Length 1 Position 409

Question Name CCS_Q186E

Concept Had colonoscopy/sigmoidoscopy - follow-up of problem

Question Why did you have it? - Follow-up of problem

Universe Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,326 | 1,109,306 |
| NO | 2 | 7,921 | 1,499,948 |
| NOT APPLICABLE | 6 | 111,838 | 27,160,335 |
| DON'T KNOW | 7 | 225 | 33,984 |
| REFUSAL | 8 | 4 | 648 |
| NOT STATED | 9 | 1,148 | 198,595 |
| | Total | 127,462 | 30,002,817 |

Page 186

March 2016

Variable Name CCS_86E Length 1 Position 410

Question Name CCS_Q186F

 Concept
 Had colonoscopy/sigmoidoscopy - follow-up of treatment

 Question
 Why did you have it? - Follow-up of colorectal cancer treatment

 Universe
 Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 345 | 58,638 |
| NO | 2 | 13,902 | 2,550,616 |
| NOT APPLICABLE | 6 | 111,838 | 27,160,335 |
| DON'T KNOW | 7 | 225 | 33,984 |
| REFUSAL | 8 | 4 | 648 |
| NOT STATED | 9 | 1,148 | 198,595 |
| | Total | 127,462 | 30,002,817 |

Variable Name CCS_86F Length 1 Position 411

Question Name CCS_Q186G

Concept Had colonoscopy/sigmoidoscopy - other

Question Why did you have it? - Other

Universe Respondents who answered CCS_184 = (1, 7 or 8) or CCS_180 = 8

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 649 | 137,031 |
| NO | 2 | 13,598 | 2,472,224 |
| NOT APPLICABLE | 6 | 111,838 | 27,160,335 |
| DON'T KNOW | 7 | 225 | 33,984 |
| REFUSAL | 8 | 4 | 648 |
| NOT STATED | 9 | 1,148 | 198,595 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CCS_187 Length 1 Position 412

Question Name CCS_Q187

Concept Colonoscopy or sigmoidoscopy followed FOBT test

Question Was the colonoscopy or sigmoidoscopy a follow-up of the results of an FOBT?

Universe Respondents who answered (CCS_184 = (1, 7 or 8) and CCS_180 = (1 or 7)) or CCS_180 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,489 | 236,216 |
| NO | 2 | 5,989 | 989,862 |
| NOT APPLICABLE | 6 | 118,232 | 28,495,959 |
| DON'T KNOW | 7 | 539 | 63,050 |
| REFUSAL | 8 | 8 | 1,682 |
| NOT STATED | 9 | 1,205 | 216,048 |
| | Total | 127,462 | 30,002,817 |

Variable Name DODEN Length 1 Position 413

Question Name DODEN

Concept Dental visits - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 42,553 | 11,682,112 |
| NO | 2 | 84,909 | 18,320,705 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DEN_130 Length 1 Position 414

Question Name DEN_Q130
Concept Visited dentist

Question It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually

visit one?

Universe Respondents with DODEN = 1 who answered CHP_14 = (1, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 29,629 | 8,215,716 |
| NO | 2 | 203 | 54,494 |
| NOT APPLICABLE | 6 | 96,949 | 21,580,654 |
| DON'T KNOW | 7 | 7 | 4,488 |
| REFUSAL | 8 | 8 | 3,133 |
| NOT STATED | 9 | 666 | 144,332 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DEN_132 Length 2 Position 415 - 416

Question Name DEN_Q132

Concept Last time visited dentist

Question When was the last time that you went to a dentist?

Universe Respondents with DODEN = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------------|-------------|---------------|-------------------|
| LESS THAN 1 YEAR AGO | 1 | 29,681 | 8,231,292 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | 2 | 3,529 | 1,111,101 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | 3 | 1,935 | 563,985 |
| 3 YEARS TO LESS THAN 4 YEARS AGO | 4 | 1,015 | 321,164 |
| 4 YEARS TO LESS THAN 5 YEARS AGO | 5 | 725 | 206,660 |
| 5 YEARS AGO OR MORE | 6 | 3,939 | 805,972 |
| NEVER | 7 | 308 | 107,396 |
| NOT APPLICABLE | 96 | 84,909 | 18,320,705 |
| DON'T KNOW | 97 | 267 | 60,055 |
| REFUSAL | 98 | 32 | 9,864 |
| NOT STATED | 99 | 1,122 | 264,623 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DEN_36A Length 1 Position 417

Question Name DEN_Q136A

Concept No dental visit - have not gotten around to it

Question What are the reasons that you have not been to a dentist in the past 3 years? - Have not gotten around to it

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 489 | 151,756 |
| NO | 2 | 5,479 | 1,284,917 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name DEN_36B Length 1 Position 418

Question Name DEN_Q136B

Concept No dental visit - respondent didn't think necessary

Question What are the reasons that you have not been to a dentist in the past 3 years? - Respondent did not think it

was necessary

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,515 | 473,196 |
| NO | 2 | 4,453 | 963,477 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DEN_36C Length 1 Position 419

Question Name DEN_Q136C

Concept No dental visit - dentist didn't think necessary

Question What are the reasons that you have not been to a dentist in the past 3 years? - Dentist did not think it was

necessary

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 34 | 11,297 |
| NO | 2 | 5,934 | 1,425,376 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| - | Γotal | 127,462 | 30,002,817 |

Variable Name DEN_36D Length 1 Position 420

Question Name DEN_Q136D

Concept No dental visit - personal / family responsibilities

Question What are the reasons that you have not been to a dentist in the past 3 years? - Personal or family

responsibilities

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 31 | 10,826 |
| NO | 2 | 5,937 | 1,425,847 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DEN_36E Length 1 Position 421

Question Name DEN_Q136E

Concept No dental visit - not available when required

Question What are the reasons that you have not been to a dentist in the past 3 years? - Not available at time

required

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 16 | 4,425 |
| NO | 2 | 5,952 | 1,432,247 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| T | otal | 127,462 | 30,002,817 |

Variable Name DEN_36F Length 1 Position 422

Question Name DEN_Q136F

Concept No dental visit - not available in area

Question What are the reasons that you have not been to a dentist in the past 3 years? - Not available at all in the

area

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 13 | 3,547 |
| NO | 2 | 5,955 | 1,433,125 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DEN_36H Length 1 Position 423

Question Name DEN_Q136H

Concept No dental visit - transportation problems

Question What are the reasons that you have not been to a dentist in the past 3 years? - Transportation problems

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 21 | 4,537 |
| NO | 2 | 5,947 | 1,432,136 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| 7 | Γotal | 127,462 | 30,002,817 |

Variable Name DEN_36l Length 1 Position 424

Question Name DEN_Q136I

Concept No dental visit - language problem

Question What are the reasons that you have not been to a dentist in the past 3 years? - Language problem

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 5,968 | 1,436,673 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| То | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DEN_36J Length 1 Position 425

Question Name DEN_Q136J

Concept No dental visit - cost

Question What are the reasons that you have not been to a dentist in the past 3 years? - Cost

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,526 | 486,086 |
| NO | 2 | 4,442 | 950,587 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| | Total | 127,462 | 30,002,817 |

Variable Name DEN_36K Length 1 Position 426

Question Name DEN_Q136K

Concept No dental visit - did not know where to go

Question What are the reasons that you have not been to a dentist in the past 3 years? - Did not know where to go /

uninformed

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 23 | 9,361 |
| NO | 2 | 5,945 | 1,427,311 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DEN_36L Length 1 Position 427

Question Name DEN_Q136L

Concept No dental visit - fear

Question What are the reasons that you have not been to a dentist in the past 3 years? - Fear (e.g., painful,

embarrassing, find something wrong)

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 346 | 91,529 |
| NO | 2 | 5,622 | 1,345,144 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| То | otal | 127,462 | 30,002,817 |

Variable Name DEN_36M Length 1 Position 428

Question Name DEN_Q136M

Concept No dental visit - wears dentures

Question What are the reasons that you have not been to a dentist in the past 3 years? - Wears dentures

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,244 | 291,487 |
| NO | 2 | 3,724 | 1,145,186 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| DON'T KNOW | 7 | 17 | 3,402 |
| REFUSAL | 8 | 2 | 1,117 |
| NOT STATED | 9 | 1,421 | 334,542 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DENG36N Length 1 Position 429

Question Name

Concept No dental visit - (G)

Question What are the reasons that you have not been to a dentist in the past 3 years?

Universe Respondents who answered DEN_132 = (4, 5, 6, 7, 97, or 98) or DEN_130 = (7 or 8)

Note Based on DEN_36G, DEN_36O, DEN_36N

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 343 | 92,340 |
| NO | 2 | 5,625 | 1,344,333 |
| NOT APPLICABLE | 6 | 120,054 | 28,227,083 |
| NOT STATED | 9 | 1,440 | 339,061 |
| 7 | Total | 127,462 | 30,002,817 |

Variable Name DOOH2 Length 1 Position 430

Question Name DOOH2

Concept Oral health 2 - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>C</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|----------|-------------|---------------|-------------------|
| YES | | 1 | 57,362 | 13,576,253 |
| NO | | 2 | 70,100 | 16,426,564 |
| | Total | | 127,462 | 30,002,817 |

Page 197

March 2016

Variable Name OH2_10 Length 1 Position 431

Question Name OH2_Q10

ConceptFrequency usually visits the dentistQuestionDo you usually visit the dentist:

Universe Respondents with DOOH2 = 1 excluding those who answered DEN_132 = 7

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------------------------|-------|-------------|---------------|-------------------|
| MORE THAN ONCE A YEAR FOR CHECK-UPS | | 1 | 20,336 | 5,447,535 |
| ABOUT ONCE A YEAR FOR CHECK-UPS | | 2 | 18,374 | 4,129,639 |
| LESS THAN ONCE A YEAR FOR CHECK-UPS | | 3 | 3,926 | 915,968 |
| ONLY FOR EMERGENCY CARE | | 4 | 11,947 | 2,566,141 |
| NOT APPLICABLE | | 6 | 70,408 | 16,533,959 |
| DON'T KNOW | | 7 | 849 | 100,733 |
| REFUSAL | | 8 | 174 | 21,519 |
| NOT STATED | | 9 | 1,448 | 287,322 |
| | Total | | 127,462 | 30,002,817 |

Variable Name OH2_11 Length 1 Position 432

Question Name OH2_Q11

Concept Insurance for dental expenses

Question Do you have insurance that covers all or part of your dental expenses?

Universe Respondents with DOOH2 = 1

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 34,010 | 8,755,721 |
| NO | 2 | 20,066 | 4,237,736 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 790 | 169,682 |
| REFUSAL | 8 | 25 | 3,540 |
| NOT STATED | 9 | 2,471 | 409,574 |
| Т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name OH2_11A Length 1 Position 433

Question Name OH2_Q11AA

Concept Type of dental insurance plan - government-sponsored

Question Is it a government-sponsored plan?

Universe Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,079 | 835,223 |
| NO | 2 | 29,062 | 7,740,566 |
| NOT APPLICABLE | 6 | 90,166 | 20,664,300 |
| DON'T KNOW | 7 | 859 | 177,858 |
| REFUSAL | 8 | 10 | 2,075 |
| NOT STATED | 9 | 3,286 | 582,796 |
| | Total | 127,462 | 30,002,817 |

Variable Name OH2_11B Length 1 Position 434

Question Name OH2_Q11AB

Concept Type of dental insurance plan - employer-sponsored

Question Is it an employer-sponsored plan?

Universe Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 26,215 | 7,157,626 |
| NO | 2 | 6,926 | 1,418,162 |
| NOT APPLICABLE | 6 | 90,166 | 20,664,300 |
| DON'T KNOW | 7 | 859 | 177,858 |
| REFUSAL | 8 | 10 | 2,075 |
| NOT STATED | 9 | 3,286 | 582,796 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name OH2_11C Length 1 Position 435

Question Name OH2_Q11AC

Concept Type of dental insurance plan - private

Question Is it a private plan?

Universe Respondents who answered OH2_11 = (1, 7 or 8) or OH2_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 3,400 | 687,043 |
| NO | 2 | 29,741 | 7,888,745 |
| NOT APPLICABLE | 6 | 90,166 | 20,664,300 |
| DON'T KNOW | 7 | 859 | 177,858 |
| REFUSAL | 8 | 10 | 2,075 |
| NOT STATED | 9 | 3,286 | 582,796 |
| 7 | Total | 127,462 | 30,002,817 |

Variable Name OH2_12 Length 1 Position 436

Question Name OH2_Q12

Concept Teeth removed by dentist - 12 mo

Question In the past 12 months, have you had any teeth removed by a dentist?

Universe Respondents with DOOH2 = 1 who answered DEN_130 = (1, 7 or 8) or DEN_132 = (1, 97 or 98)

Note Due to an error in the interview application used to collect the data, some data were not collected;

therefore, OH2_Q12 and OH2_Q13 were skipped for these respondents. Please refer to CHP_Q14 and/or

DEN_Q130 or DEN_Q132 for more complete information

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,983 | 938,246 |
| NO | 2 | 33,648 | 8,300,931 |
| NOT APPLICABLE | 6 | 81,551 | 19,542,842 |
| DON'T KNOW | 7 | 35 | 5,257 |
| REFUSAL | 8 | 1 | 202 |
| NOT STATED | 9 | 8,244 | 1,215,338 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name OH2_13 Length 1 Position 437

Question Name OH2_Q13

Concept Teeth removed - decay or gum disease - 12 mo

Question (In the past 12 months,) were any teeth removed because of decay or gum disease?

Universe Respondents with DOOH2 = 1 who answered OH2_12 = (1, 7 or 8) or OH2_10 = (7 or 8) and (DEN_130 =

1 or DEN_132 = 1) or DEN_130 = (7 or 8) or DEN_132 = (97 or 98)

Note Due to an error in the interview application used to collect the data, some data were not collected;

therefore, OH2_Q12 and OH2_Q13 were skipped for these respondents. Please refer to CHP_Q14 and/or

DEN_Q130 or DEN_Q132 for more complete information

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,957 | 461,294 |
| NO | 2 | 1,945 | 465,537 |
| NOT APPLICABLE | 6 | 115,199 | 27,843,773 |
| DON'T KNOW | 7 | 77 | 10,215 |
| REFUSAL | 8 | 4 | 1,200 |
| NOT STATED | 9 | 8,280 | 1,220,798 |
| T | otal | 127,462 | 30,002,817 |

Variable Name OH2_20 Length 1 Position 438

Question Name OH2_Q20

Concept Has one or more of own teeth

Question Do you have one or more of your own teeth?

Universe Respondents with DOOH2 = 1

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 50,439 | 12,578,087 |
| NO | 2 | 4,414 | 583,051 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 31 | 4,108 |
| REFUSAL | 8 | 7 | 1,434 |
| NOT STATED | 9 | 2,471 | 409,574 |
| | Total | 127,462 | 30,002,817 |

Page 201

March 2016

Variable Name OH2_21 Length 1 Position 439

Question Name OH2_Q21

Concept Wears dentures

Question Do you wear dentures or false teeth?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 12,807 | 2,089,096 |
| NO | 2 | 42,057 | 11,071,790 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 19 | 3,277 |
| REFUSAL | 8 | 8 | 2,517 |
| NOT STATED | 9 | 2,471 | 409,574 |
| | Total | 127,462 | 30,002,817 |

Variable Name OH2_22 Length 1 Position 440

Question Name OH2_Q22

Concept Condition of teeth/mouth - difficulty speaking clearly

Question Because of the condition of your ^DT_TEETH, do you have difficulty pronouncing any words or speaking

clearly?

Universe Respondents with DOOH2 = 1

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,622 | 336,164 |
| NO | 2 | 53,226 | 12,822,634 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 38 | 3,775 |
| REFUSAL | 8 | 5 | 4,106 |
| NOT STATED | 9 | 2,471 | 409,574 |
| 1 | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

OH2_23 Variable Name Length 1 **Position** 441

Question Name OH2_Q23

Concept Condition of teeth/mouth - avoided conversation - 12 mo In the past 12 months, how often have you avoided: Question

...conversation or contact with other people, because of the condition of your ^DT_TEETH?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 272 | 63,903 |
| SOMETIMES | 2 | 799 | 215,971 |
| RARELY | 3 | 1,303 | 293,954 |
| NEVER | 4 | 52,477 | 12,581,779 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 32 | 5,768 |
| REFUSAL | 8 | 8 | 5,304 |
| NOT STATED | 9 | 2,471 | 409,574 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name OH2_24 Length 1 Position 442

Question Name OH2_Q24

Concept Condition of teeth/mouth - avoided laughing/smiling - 12 mo

Question (In the past 12 months, how often have you avoided:)

...laughing or smiling, because of the condition of your ^DT_TEETH?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 666 | 155,497 |
| SOMETIMES | 2 | 1,298 | 350,032 |
| RARELY | 3 | 1,108 | 261,544 |
| NEVER | 4 | 51,752 | 12,386,868 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 56 | 6,717 |
| REFUSAL | 8 | 11 | 6,022 |
| NOT STATED | 9 | 2,471 | 409,574 |
| | Total | 127,462 | 30,002,817 |

S 2013-2014: Data Dictionary Page 204

March 2016

Variable Name OH2_25A Length 1 Position 443

Question Name OH2_Q25A

Concept Had a toothache - past mo.

Question In the past month, have you had:

...a toothache?

Universe Respondents with OH2_20 = (1, 7 or 8) or OH2_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,413 | 1,466,062 |
| NO | 2 | 44,998 | 11,103,542 |
| NOT APPLICABLE | 6 | 74,538 | 17,012,985 |
| DON'T KNOW | 7 | 31 | 5,339 |
| REFUSAL | 8 | 10 | 5,207 |
| NOT STATED | 9 | 2,472 | 409,681 |
| | Total | 127,462 | 30,002,817 |

Variable Name OH2_25B Length 1 Position 444

Question Name OH2_Q25B

Concept Teeth sensitive to hot or cold - past mo.

Question In the past month, were your teeth:

...sensitive to hot or cold food or drinks?

Universe Respondents with OH2_20 = (1, 7 or 8) or OH2_10 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 14,393 | 3,868,696 |
| NO | 2 | 36,015 | 8,698,541 |
| NOT APPLICABLE | 6 | 74,538 | 17,012,985 |
| DON'T KNOW | 7 | 32 | 6,421 |
| REFUSAL | 8 | 13 | 6,601 |
| NOT STATED | 9 | 2,471 | 409,574 |
| • | Γotal | 127,462 | 30,002,817 |

March 2016

Variable Name OH2_25C Length 1 Position 445

Question Name OH2_Q25C

ConceptHad pain - jaw joints - past mo.QuestionIn the past month, have you had:

...pain in or around the jaw joints?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,712 | 1,274,763 |
| NO | 2 | 50,132 | 11,877,699 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 32 | 8,013 |
| REFUSAL | 8 | 15 | 6,204 |
| NOT STATED | 9 | 2,471 | 409,574 |
| To | otal | 127,462 | 30,002,817 |

Variable Name OH2_25D Length 1 Position 446

Question Name OH2_Q25D

Concept Had pain - mouth or face - past mo.

Question (In the past month, have you had:)

...other pain in the mouth or face?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,612 | 908,520 |
| NO | 2 | 51,233 | 12,243,158 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 32 | 9,129 |
| REFUSAL | 8 | 14 | 5,872 |
| NOT STATED | 9 | 2,471 | 409,574 |
| То | otal | 127,462 | 30,002,817 |

March 2016

Variable Name OH2_25E Length 1 Position 447

Question Name OH2_Q25E

Concept Had bleeding gums - past mo.

Question (In the past month, have you had:)

...bleeding gums?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,949 | 1,786,561 |
| NO | 2 | 48,909 | 11,368,504 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 20 | 5,790 |
| REFUSAL | 8 | 13 | 5,824 |
| NOT STATED | 9 | 2,471 | 409,574 |
| | Total | 127,462 | 30,002,817 |

Variable Name OH2_25F Length 1 Position 448

Question Name OH2_Q25F

Concept Had dry mouth - past mo.

Question (In the past month, have you had:)

...dry mouth?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 9,172 | 1,840,050 |
| NO | 2 | 45,646 | 11,306,280 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 61 | 14,729 |
| REFUSAL | 8 | 12 | 5,620 |
| NOT STATED | 9 | 2,471 | 409,574 |
| • | Total | 127,462 | 30,002,817 |

March 2016

Variable Name OH2_25G Length 1 Position 449

Question Name OH2_Q25G

Concept Had bad breath - past mo.

Question (In the past month, have you had:)

...bad breath?

Universe Respondents with DOOH2 = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8,356 | 1,992,185 |
| NO | 2 | 45,522 | 10,999,190 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| DON'T KNOW | 7 | 999 | 169,617 |
| REFUSAL | 8 | 14 | 5,687 |
| NOT STATED | 9 | 2,471 | 409,574 |
| | Total | 127,462 | 30,002,817 |

Page 208

March 2016

 Variable Name
 OH2_30
 Length
 2
 Position
 450 - 451

Question Name OH2_Q30

Concept Frequency of brushing teeth

Question How often do you brush your teeth?

Universe Respondents who answered OH2_20 = (1, 7 or 8) or OH2_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| MORE THAN TWICE A DAY | 1 | 8,817 | 2,160,378 |
| TWICE A DAY | 2 | 30,024 | 7,915,987 |
| ONCE A DAY | 3 | 10,181 | 2,256,860 |
| LESS THAN ONCE A DAY, MORE ONCE A WEEK | 4 | 751 | 136,122 |
| ONCE A WEEK | 5 | 226 | 37,653 |
| LESS THAN ONCE A WEEK | 6 | 320 | 49,594 |
| NOT APPLICABLE | 96 | 74,538 | 17,012,985 |
| DON'T KNOW | 97 | 89 | 10,877 |
| REFUSAL | 98 | 31 | 10,615 |
| NOT STATED | 99 | 2,485 | 411,746 |
| | Total | 127,462 | 30,002,817 |

Variable Name OH2FLIM Length 1 Position 452

Question Name

Concept Limited socially due to oral health status - 12 mo - (F)

Question

Universe Respondents with DOOH2 = 1.

Note Based on OH2_23, OH2_24. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---|-------------|---------------|-------------------|
| SOCIAL LIMITATION DUE TO ORAL HEALTH | 1 | 2,307 | 587,261 |
| NO SOCIAL LIMITATION DUE TO ORAL HEALTH | 2 | 52,512 | 12,566,255 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| NOT STATED | 9 | 2,543 | 422,738 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name OH2FOFP Length 1 Position 453

Question Name

Concept Oral or facial pain - past mo. - (F)

Question

Universe Respondents with DOOH2 = 1

Note Based on OH2_25A, OH2_25B, OH2_25C, OH2_25D, OH2_25E, OH2_25F, OH2_25G. See

documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| HAS EXPERIENCED ANY PAIN OR DISCOMFORT | 1 | 27,731 | 6,769,021 |
| HAS NOT EXPERIENCED PAIN OR DISCOMFORT | 2 | 26,678 | 6,322,020 |
| NOT APPLICABLE | 6 | 70,100 | 16,426,564 |
| NOT STATED | 9 | 2,953 | 485,212 |
| Tota | ıl | 127,462 | 30,002,817 |

Variable Name DOFDC Length 1 Position 454

Question Name DOFDC

Concept Food choices - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 37,596 | 8,791,136 |
| NO | 2 | 89,866 | 21,211,681 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FDC_1A Length 1 Position 455

Question Name FDC_Q1A

Concept Chooses or avoids foods - concerned about body weight

Question Do you choose certain foods or avoid others:

...because you are concerned about your body weight?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 18,577 | 4,535,916 |
| NO | 2 | 17,706 | 4,038,699 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 262 | 40,656 |
| REFUSAL | 8 | 87 | 11,450 |
| NOT STATED | 9 | 964 | 164,416 |
| т | otal | 127,462 | 30,002,817 |

Variable NameFDC_1BLength1Position456

Question Name FDC_Q1B

Concept Chooses or avoids foods - concerned about heart disease

Question (Do you choose certain foods or avoid others:)

...because you are concerned about heart disease?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 14,937 | 3,404,961 |
| NO | 2 | 21,296 | 5,160,469 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 46 | 8,686 |
| REFUSAL | 8 | 4 | 499 |
| NOT STATED | 9 | 1,313 | 216,521 |
| То | otal | 127,462 | 30,002,817 |

Page 211

March 2016

Variable Name FDC_1C Length 1 Position 457

Question Name FDC_Q1C

Concept Chooses or avoids foods - concerned about cancer

Question (Do you choose certain foods or avoid others:)

...because you are concerned about cancer?

Universe Respondents with DOFDC = 1

Note

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 11,061 | 2,653,412 |
| NO | 2 | 25,145 | 5,909,658 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 73 | 11,103 |
| REFUSAL | 8 | 4 | 442 |
| NOT STATED | 9 | 1,313 | 216,521 |
| Tota | al | 127,462 | 30,002,817 |

Variable Name FDC_1D Length 1 Position 458

Question Name FDC_Q1D

Concept Chooses or avoids foods - concerned about osteoporosis

Question (Do you choose certain foods or avoid others:)

...because you are concerned about osteoporosis (brittle bones)?

Universe Respondents with DOFDC = 1

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 8,470 | 1,949,623 |
| NO | 2 | 27,705 | 6,607,884 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 105 | 16,687 |
| REFUSAL | 8 | 3 | 420 |
| NOT STATED | 9 | 1,313 | 216,521 |
| т | otal | 127,462 | 30,002,817 |

March 2016

Variable NameFDC_2ALength1Position459

Question Name FDC_Q2A

Concept Reason to choose foods - lower fat content **Question** Do you choose certain foods because of:

...the lower fat content?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 23,863 | 5,511,940 |
| NO | 2 | 12,364 | 3,056,567 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 47 | 4,928 |
| REFUSAL | 8 | 9 | 1,179 |
| NOT STATED | 9 | 1,313 | 216,521 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name FDC_2B Length 1 Position 460

Question Name FDC_Q2B

Concept Reason to choose foods - fibre content

Question (Do you choose certain foods because of:)

...the fibre content?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 22,328 | 5,113,497 |
| NO | 2 | 13,876 | 3,449,048 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 73 | 11,526 |
| REFUSAL | 8 | 6 | 543 |
| NOT STATED | 9 | 1,313 | 216,521 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name FDC_2C Length 1 Position 461

Question Name FDC_Q2C

Concept Reason to choose foods - calcium content **Question** (Do you choose certain foods because of:)

...the calcium content?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|--------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 15,983 | 3,648,755 |
| NO | 2 | 20,201 | 4,908,806 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 90 | 15,905 |
| REFUSAL | 8 | 9 | 1,148 |
| NOT STATED | 9 | 1,313 | 216,521 |
| 7 | Total | 127,462 | 30,002,817 |

Variable Name FDC_3A Length 1 Position 462

Question Name FDC_Q3A

ConceptReason to avoid foods - fat contentQuestionDo you avoid certain foods because of:

...the fat content?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 24,456 | 5,744,592 |
| NO | 2 | 11,749 | 2,816,729 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 69 | 12,415 |
| REFUSAL | 8 | 9 | 878 |
| NOT STATED | 9 | 1,313 | 216,521 |
| To | otal | 127,462 | 30,002,817 |

Page 214

March 2016

Variable Name FDC_3B Length 1 Position 463

Question Name FDC_Q3B

Concept Reason to avoid foods - type of fat

Question (Do you avoid certain foods because of:)

...the type of fat they contain?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 22,417 | 5,258,821 |
| NO | 2 | 13,685 | 3,283,298 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 170 | 31,483 |
| REFUSAL | 8 | 11 | 1,013 |
| NOT STATED | 9 | 1,313 | 216,521 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name FDC_3C Length 1 Position 464

Question Name FDC_Q3C

Concept Reason to avoid foods - salt content

Question (Do you avoid certain foods because of:)

...the salt content?

Universe Respondents with DOFDC = 1

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 23,094 | 5,309,360 |
| NO | 2 | 13,132 | 3,256,024 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 48 | 8,320 |
| REFUSAL | 8 | 9 | 910 |
| NOT STATED | 9 | 1,313 | 216,521 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name FDC_3D Length 1 Position 465

Question Name FDC_Q3D

Concept Reason to avoid foods - cholesterol content

Question (Do you avoid certain foods because of:)

...the cholesterol content?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 17,842 | 4,105,333 |
| NO | 2 | 18,320 | 4,452,960 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 112 | 15,411 |
| REFUSAL | 8 | 9 | 910 |
| NOT STATED | 9 | 1,313 | 216,521 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name FDC_3E Length 1 Position 466

Question Name FDC_Q3E

Concept Reason to avoid foods - calorie content

Question (Do you avoid certain foods because of:)

...the calorie content?

Universe Respondents with DOFDC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| YES (OR SOMETIMES) | 1 | 19,310 | 4,608,043 |
| NO | 2 | 16,891 | 3,954,972 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| DON'T KNOW | 7 | 72 | 10,458 |
| REFUSAL | 8 | 10 | 1,142 |
| NOT STATED | 9 | 1,313 | 216,521 |
| То | tal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FDCFAVD Length 1 Position 467

Question Name

Concept Avoids foods for content reasons - (F)

Question

Universe Respondents with DOFDC = 1

Note Based on FDC_3A, FDC_3B, FDC_3C, FDC_3D, FDC_3E. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 29,721 | 6,983,657 |
| NO | 2 | 6,505 | 1,582,473 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| NOT STATED | 9 | 1,370 | 225,006 |
| То | otal | 127,462 | 30,002,817 |

Variable Name FDCFCAH Length 1 Position 468

Question Name

Concept Chooses/avoids foods b/c of certain health concerns - (F)

Question

Universe Respondents with DOFDC = 1

Note Based on FDC_1A, FDC_1B, FDC_1C, FDC_1D. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 23,298 | 5,539,729 |
| NO | 2 | 12,937 | 3,028,543 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| NOT STATED | 9 | 1,361 | 222,864 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FDCFCHO Length 1 Position 469

Question Name

Concept Chooses foods for content reasons - (F)

Question

Universe Respondents with DOFDC = 1

Note Based on FDC_2A, FDC_2B, FDC_2C. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 27,898 | 6,473,167 |
| NO | 2 | 8,332 | 2,094,720 |
| NOT APPLICABLE | 6 | 89,866 | 21,211,681 |
| NOT STATED | 9 | 1,366 | 223,249 |
| Tot | tal | 127,462 | 30,002,817 |

Variable Name FVCDJUI Length 5.1 Position 470 - 474

Question Name

Concept Daily consumption - fruit juice - (D)

Question

Universe All respondents

Note Based on FVC_1A, FVC_1B, FVC_1C, FVC_1D, FVC_1E. The CCHS measures the number of times

(frequency), not the amount consumed. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------|-------------|---------------|-------------------|
| TIMES PER DAY | 0.0 - 20.0 | 122,083 | 29,054,650 |
| NOT STATED | 999.9 | 5,379 | 948,167 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FVCDFRU Length 5.1 Position 475 - 479

Question Name

Concept Daily consumption - fruit - (D)

Question

Universe All respondents

Note Based on FVC_2A, FVC_2B, FVC_2C, FVC_2D, FVC_2E. The CCHS measures the number of times

(frequency), not the amount consumed. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 TIMES PER DAY
 0.0 - 20.0
 121,447
 28,964,065

 NOT STATED
 999.9
 6,015
 1,038,752

 Total
 127,462
 30,002,817

Variable Name FVCDSAL Length 5.1 Position 480 - 484

Question Name

Concept Daily consumption - green salad - (D)

Question

Universe All respondents

Note Based on FVC_3A, FVC_3B, FVC_3C, FVC_3D, FVC_3E. The CCHS measures the number of times

(frequency), not the amount consumed. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 TIMES PER DAY
 0.0 - 14.0
 121,228
 28,941,619

 NOT STATED
 999.9
 6,234
 1,061,199

 Total
 127,462
 30,002,817

Public Use Microdata File - 24-Month

March 2016

Variable Name FVCDPOT Length 5.1 Position 485 - 489

Question Name

Concept Daily consumption - potatoes - (D)

Question

Universe All respondents

Note Based on FVC_4A, FVC_4B, FVC_4C, FVC_4D, FVC_4E. The CCHS measures the number of times

(frequency), not the amount consumed. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 TIMES PER DAY
 0.0 - 20.0
 121,622
 28,979,288

 NOT STATED
 999.9
 5,840
 1,023,528

 Total
 127,462
 30,002,817

Variable Name FVCDCAR Length 5.1 Position 490 - 494

Question Name

Concept Daily consumption - carrots - (D)

Question

Universe All respondents

Note Based on FVC_5A, FVC_5B, FVC_5C, FVC_5D, FVC_5E. The CCHS measures the number of times

(frequency), not the amount consumed. See documentation on derived variables.

 Content
 Code
 Sample
 Population

 TIMES PER DAY
 0.0 - 13.0
 120,796
 28,856,253

 NOT STATED
 999.9
 6,666
 1,146,563

 Total
 127,462
 30,002,817

Public Use Microdata File - 24-Month

March 2016

Variable Name FVCDVEG Length 5.1 Position 495 - 499

Question Name

Concept Daily consumption - other vegetables - (D)

Question

Universe All respondents

Note Based on FVC_6A, FVC_6B, FVC_6C, FVC_6D, FVC_6E. The CCHS measures the number of times

(frequency), not the amount consumed. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| SERVINGS PER DAY | 0.0 - 20.0 | 119,739 | 28,652,291 |
| NOT STATED | 999.9 | 7,723 | 1,350,526 |
| | Total | 127,462 | 30,002,817 |

Variable Name FVCDTOT Length 5.1 Position 500 - 504

Question Name

Concept Daily consumption - total fruits and vegetables - (D)

Question

Universe All respondents

Note Based on FVCDJUI, FVCDFRU, FVCDSAL, FVCDPOT, FVCDCAR, FVCDVEG. The CCHS measures the

number of times (frequency), not the amount consumed. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------|-------------|---------------|-------------------|
| TIMES PER DAY | 0.0 - 42.4 | 116,598 | 28,180,539 |
| NOT STATED | 999.9 | 10,864 | 1,822,279 |
| | Total | 127,462 | 30,002,817 |

Page 221

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name FVCGTOT Length 1 Position 505

Question Name

Concept Daily consumption - total fruits and vegetables - (D, G)

Question

Universe All respondents

Note Based on FVCDTOT. The CCHS measures the number of times (frequency), not the amount consumed.

See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------------|-------------|---------------|-------------------|
| LESS THAN 5 TIMES / SERVINGS PER DAY | 1 | 69,934 | 16,864,971 |
| 5 TO 10 TIMES / SERVINGS PER DAY | 2 | 42,673 | 10,268,237 |
| MORE THAN 10 TIMES / SERVINGS PER DAY | 3 | 3,991 | 1,047,329 |
| NOT STATED | 9 | 10,864 | 1,822,279 |
| Total | l | 127,462 | 30,002,817 |

Variable Name PAC_1A Length 1 Position 506

Question Name PAC_Q1A

Concept Activity / last 3 months - walking

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Walking for exercise

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 91,097 | 21,047,605 |
| NO | 2 | 33,102 | 8,328,962 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1B Length 1 Position 507

Question Name PAC_Q1B

Concept Activity / last 3 months - gardening or yard work

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Gardening or yard work

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|--------------|---------------|-------------------|
| YES | 1 | 65,697 | 14,366,204 |
| NO | 2 | 58,502 | 15,010,363 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| 1 | Total | 127,462 | 30,002,817 |

Variable Name PAC_1C Length 1 Position 508

Question Name PAC_Q1C

Concept Activity / last 3 months - swimming

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Swimming

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 27,707 | 7,117,806 |
| NO | 2 | 96,492 | 22,258,760 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1D Length **Position** 509 1

Question Name PAC Q1D

Concept Activity / last 3 months - bicycling

Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to Question

yesterday?- Bicycling

All respondents Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 24,385 | 6,753,307 |
| NO | 2 | 99,814 | 22,623,260 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

PAC_1E Variable Name Length **Position** 510

Question Name PAC_Q1E

Concept Activity / last 3 months - popular or social dance

Have you done any of the following in the past 3 months, that is, from D ATETHREEMONTHSAGO to yesterday?- Popular or social dance Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 19,894 | 4,838,258 |
| NO | 2 | 104,305 | 24,538,309 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1F Length 1 Position 511

Question Name PAC_Q1F

Concept Activity / last 3 months - home exercises

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Home exercises

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 49,230 | 11,747,845 |
| NO | 2 | 74,969 | 17,628,721 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_1G Length 1 Position 512

Question Name PAC_Q1G

Concept Activity / last 3 months - ice hockey

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Ice hockey

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 5,921 | 1,632,494 |
| NO | 2 | 118,278 | 27,744,073 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1H Length 1 Position 513

Question Name PAC_Q1H

Concept Activity / last 3 months - ice skating

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Ice skating

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 8,306 | 2,097,469 |
| NO | 2 | 115,893 | 27,279,098 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| 1 | Γotal | 127,462 | 30,002,817 |

Variable Name PAC_1I Length 1 Position 514

Question Name PAC_Q1I

Concept Activity / last 3 months - in-line skating or rollerblading

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- In-line skating or rollerblading

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 2,753 | 857,383 |
| NO | 2 | 121,446 | 28,519,184 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1J Length 1 Position 515

Question Name PAC_Q1J

Concept Activity / last 3 months - jogging or running

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Jogging or running

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 25,896 | 7,852,162 |
| NO | 2 | 98,303 | 21,524,405 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_1K Length 1 Position 516

Question Name PAC_Q1K

Concept Activity / last 3 months - golfing

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Golfing

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 10,951 | 2,709,712 |
| NO | 2 | 113,248 | 26,666,855 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1L **Position** 517 Length 1

Question Name PAC Q1L

Concept Activity / last 3 months - exercise class or aerobics

Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to Question

yesterday?- Exercise class or aerobics

All respondents Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|--------------|---------------|-------------------|
| YES | 1 | 14,686 | 3,877,918 |
| NO | 2 | 109,513 | 25,498,649 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| 1 | Total | 127,462 | 30,002,817 |

PAC_1M Variable Name Length **Position** 518

Question Name PAC_Q1M

Concept Activity / last 3 months - downhill skiing or snowboarding

Have you done any of the following in the past 3 months, that is, from D ATETHREEMONTHSAGO to yesterday?- Downhill skiing or snowboarding Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 5,345 | 1,542,254 |
| NO | 2 | 118,854 | 27,834,312 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1N Length 1 Position 519

Question Name PAC_Q1N

Concept Activity / last 3 months - bowling

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Bowling

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 10,807 | 2,744,242 |
| NO | 2 | 113,392 | 26,632,325 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| 1 | Γotal | 127,462 | 30,002,817 |

Variable Name PAC_10 Length 1 Position 520

Question Name PAC_Q10

Concept Activity / last 3 months - baseball or softball

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Baseball or softball

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 5,639 | 1,480,352 |
| NO | 2 | 118,560 | 27,896,215 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1P Length 1 Position 521

Question Name PAC_Q1P

Concept Activity / last 3 months - tennis

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Tennis

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 3,749 | 1,236,373 |
| NO | 2 | 120,450 | 28,140,194 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_1Q Length 1 Position 522

Question Name PAC_Q1Q

Concept Activity / last 3 months - weight-training

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Weight-training

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 20,922 | 6,049,062 |
| NO | 2 | 103,277 | 23,327,505 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1R Length **Position** 523 1

PAC_Q1R **Question Name**

Concept Activity / last 3 months - fishing

Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to Question

yesterday?- Fishing

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 15,143 | 3,102,030 |
| NO | 2 | 109,056 | 26,274,537 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| 7 | Γotal | 127,462 | 30,002,817 |

PAC_1S 524 Variable Name Length **Position**

Question Name PAC_Q1S

Concept Activity / last 3 months - volleyball

Have you done any of the following in the past 3 months, that is, from D ATETHREEMONTHSAGO to yesterday?- Volleyball Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 6,659 | 1,824,911 |
| NO | 2 | 117,540 | 27,551,655 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1T Length 1 Position 525

Question Name PAC_Q1T

Concept Activity / last 3 months - basketball

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Basketball

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 7,815 | 2,354,614 |
| NO | 2 | 116,384 | 27,021,953 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| • | Total | 127,462 | 30,002,817 |

Variable Name PAC_1Z Length 1 Position 526

Question Name PAC_Q1U

Concept Activity / last 3 months - Soccer

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Soccer

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 9,126 | 2,866,350 |
| NO | 2 | 115,073 | 26,510,217 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1U Length 1 Position 527

Question Name PAC_Q1V

Concept Activity / last 3 months - Any other

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- Any other

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 17,546 | 4,375,600 |
| NO | 2 | 106,653 | 25,000,967 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| т | otal | 127,462 | 30,002,817 |

Variable Name PAC_1V Length 1 Position 528

Question Name PAC_Q1W

Concept Activity / last 3 months - No physical activity

Question Have you done any of the following in the past 3 months, that is, from ^DATETHREEMONTHSAGO to

yesterday?- No physical activity

Universe All respondents

Note Includes only leisure time activities.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 8,918 | 2,162,221 |
| NO | 2 | 115,281 | 27,214,346 |
| DON'T KNOW | 7 | 65 | 11,283 |
| REFUSAL | 8 | 87 | 24,082 |
| NOT STATED | 9 | 3,111 | 590,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_1W Length 1 Position 529

Question Name PAC_Q1X

Concept Activity / last 3 months - other (#2)

Question In the past 3 months, did you do any other physical activity for leisure?

Universe Respondents who answered PAC_1U = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 3,402 | 851,974 |
| NO | 2 | 14,140 | 3,522,632 |
| NOT APPLICABLE | 6 | 106,653 | 25,000,967 |
| DON'T KNOW | 7 | 4 | 994 |
| NOT STATED | 9 | 3,263 | 626,250 |
| 7 | Total | 127,462 | 30,002,817 |

Variable Name PAC_1X Length 1 Position 530

Question Name PAC_Q1Y

Concept Activity / last 3 months - other (#3)

Question In the past 3 months, did you do any other physical activity for leisure?

Universe Respondents who answered PAC_1W = (1, 7 or 8) or PAC_1U = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 714 | 167,621 |
| NO | 2 | 2,677 | 682,792 |
| NOT APPLICABLE | 6 | 120,793 | 28,523,599 |
| DON'T KNOW | 7 | 3 | 239 |
| NOT STATED | 9 | 3,275 | 628,566 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2A Length 3 Position 531 - 533

Question Name PAC_Q2A

Concept Number of times / 3 months - walking for exercise

Question In the past 3 months, how many times did you [participate in identified activity]? - Walking for exercise

Universe Respondents who answered PAC_1A = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 270 | 90,046 | 20,894,028 |
| NOT APPLICABLE | 996 | 33,102 | 8,328,962 |
| DON'T KNOW | 997 | 1,022 | 144,315 |
| REFUSAL | 998 | 29 | 9,263 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3A Length 1 Position 534

Question Name PAC_Q3A

Concept Time spent - walking for exercise

Question About how much time did you spend on each occasion? - Walking for exercise

Universe Respondents who answered PAC_1A = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 8,196 | 1,867,045 |
| 16 TO 30 MINUTES | 2 | 34,780 | 8,178,074 |
| 31 TO 60 MINUTES | 3 | 35,574 | 8,223,650 |
| MORE THAN ONE HOUR | 4 | 11,146 | 2,574,848 |
| NOT APPLICABLE | 6 | 33,102 | 8,328,962 |
| DON'T KNOW | 7 | 337 | 48,379 |
| REFUSAL | 8 | 13 | 2,031 |
| NOT STATED | 9 | 4,314 | 779,829 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2B Length 3 Position 535 - 537

Question Name PAC_Q2B

Concept Number of times / 3 months - gardening/yard work

Question In the past 3 months, how many times did you [participate in identified activity]? - Gardening or yard work

Universe Respondents who answered PAC_1B = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 64,293 | 14,175,496 |
| NOT APPLICABLE | 996 | 58,502 | 15,010,363 |
| DON'T KNOW | 997 | 1,372 | 182,311 |
| REFUSAL | 998 | 32 | 8,397 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3B Length 1 Position 538

Question Name PAC_Q3B

Concept Time spent - gardening or yard work

Question About how much time did you spend on each occasion? - Gardening or yard work

Universe Respondents who answered PAC_1B = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 3,449 | 714,947 |
| 16 TO 30 MINUTES | 2 | 13,579 | 3,023,904 |
| 31 TO 60 MINUTES | 3 | 20,331 | 4,554,164 |
| MORE THAN ONE HOUR | 4 | 26,655 | 5,847,114 |
| NOT APPLICABLE | 6 | 58,502 | 15,010,363 |
| DON'T KNOW | 7 | 270 | 33,857 |
| REFUSAL | 8 | 9 | 1,510 |
| NOT STATED | 9 | 4,667 | 816,958 |
| | Total | 127,462 | 30,002,817 |

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

S 2013-2014: Data Dictionary

Page 236

March 2016

Variable Name PAC_2C Length 3 Position 539 - 541

Question Name PAC_Q2C

Concept Number of times / 3 months - swimming

Question In the past 3 months, how many times did you [participate in identified activity]? - Swimming

Universe Respondents who answered PAC_1C = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 27,520 | 7,079,546 |
| NOT APPLICABLE | 996 | 96,492 | 22,258,760 |
| DON'T KNOW | 997 | 174 | 32,158 |
| REFUSAL | 998 | 13 | 6,102 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3C Length 1 Position 542

Question Name PAC_Q3C

Concept Time spent - swimming

Question About how much time did you spend on each occasion? - Swimming

Universe Respondents who answered PAC_1C = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 1,601 | 414,433 |
| 16 TO 30 MINUTES | 2 | 6,251 | 1,726,805 |
| 31 TO 60 MINUTES | 3 | 10,951 | 2,792,335 |
| MORE THAN ONE HOUR | 4 | 8,643 | 2,131,275 |
| NOT APPLICABLE | 6 | 96,492 | 22,258,760 |
| DON'T KNOW | 7 | 69 | 14,088 |
| REFUSAL | 8 | 5 | 610 |
| NOT STATED | 9 | 3,450 | 664,510 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2D Length 3 Position 543 - 545

Question Name PAC_Q2D

Concept Number of times / 3 months - bicycling

Question In the past 3 months, how many times did you [participate in identified activity]? - Bicycling

Universe Respondents who answered PAC_1D = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 200 | 24,152 | 6,711,597 |
| NOT APPLICABLE | 996 | 99,814 | 22,623,260 |
| DON'T KNOW | 997 | 218 | 38,885 |
| REFUSAL | 998 | 15 | 2,825 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3D Length 1 Position 546

Question Name PAC_Q3D

Concept Time spent - bicycling

Question About how much time did you spend on each occasion? - Bicycling

Universe Respondents who answered PAC_1D = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 1,962 | 477,754 |
| 16 TO 30 MINUTES | 2 | 7,410 | 1,952,305 |
| 31 TO 60 MINUTES | 3 | 8,720 | 2,415,472 |
| MORE THAN ONE HOUR | 4 | 6,014 | 1,856,035 |
| NOT APPLICABLE | 6 | 99,814 | 22,623,260 |
| DON'T KNOW | 7 | 44 | 9,734 |
| REFUSAL | 8 | 2 | 297 |
| NOT STATED | 9 | 3,496 | 667,960 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2E Length 3 Position 547 - 549

Question Name PAC_Q2E

Concept Number of times / 3 months - popular or social dance

Question In the past 3 months, how many times did you [participate in identified activity]? - Popular or social dance

Universe Respondents who answered PAC_1E = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 19,753 | 4,817,978 |
| NOT APPLICABLE | 996 | 104,305 | 24,538,309 |
| DON'T KNOW | 997 | 133 | 19,589 |
| REFUSAL | 998 | 8 | 692 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3E Length 1 Position 550

Question Name PAC_Q3E

Concept Time spent - popular or social dance

Question About how much time did you spend on each occasion? - Popular / social dance

Universe Respondents who answered PAC_1E = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 1,123 | 288,860 |
| 16 TO 30 MINUTES | 2 | 2,152 | 556,149 |
| 31 TO 60 MINUTES | 3 | 4,392 | 1,039,701 |
| MORE THAN ONE HOUR | 4 | 11,993 | 2,914,933 |
| NOT APPLICABLE | 6 | 104,305 | 24,538,309 |
| DON'T KNOW | 7 | 91 | 16,851 |
| REFUSAL | 8 | 2 | 1,483 |
| NOT STATED | 9 | 3,404 | 646,531 |
| • | Гotal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2F Length 3 Position 551 - 553

Question Name PAC_Q2F

Concept Number of times / 3 months - home exercises

Question In the past 3 months, how many times did you [participate in identified activity]? - Home exercises

Universe Respondents who answered PAC_1F = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 48,646 | 11,663,509 |
| NOT APPLICABLE | 996 | 74,969 | 17,628,721 |
| DON'T KNOW | 997 | 555 | 77,820 |
| REFUSAL | 998 | 29 | 6,518 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3F Length 1 Position 554

Question Name PAC_Q3F

Concept Time spent - home exercises

Question About how much time did you spend on each occasion? - Home exercises

Universe Respondents who answered PAC_1F = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 10,005 | 2,128,940 |
| 16 TO 30 MINUTES | 2 | 21,580 | 5,095,407 |
| 31 TO 60 MINUTES | 3 | 14,145 | 3,681,398 |
| MORE THAN ONE HOUR | 4 | 2,806 | 745,386 |
| NOT APPLICABLE | 6 | 74,969 | 17,628,721 |
| DON'T KNOW | 7 | 106 | 12,046 |
| REFUSAL | 8 | 4 | 332 |
| NOT STATED | 9 | 3,847 | 710,587 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PACG2G Length 3 Position 555 - 557

Question Name

Concept Number of times / 3 months - ice hockey - (G)

Question

Universe Respondents who answered PAC_1G = (1, 7 or 8)

Note Based on PAC_2G. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 5,879 | 1,621,747 |
| NOT APPLICABLE | 996 | 118,278 | 27,744,073 |
| NOT STATED | 999 | 3,305 | 636,997 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3G Length 1 Position 558

Question Name PAC_Q3G

Concept Time spent - ice hockey

Question About how much time did you spend on each occasion? - Ice hockey

Universe Respondents who answered PAC_1G = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 29 | 7,855 |
| 16 TO 30 MINUTES | 2 | 142 | 27,246 |
| 31 TO 60 MINUTES | 3 | 2,181 | 595,485 |
| MORE THAN ONE HOUR | 4 | 3,524 | 990,856 |
| NOT APPLICABLE | 6 | 118,278 | 27,744,073 |
| DON'T KNOW | 7 | 3 | 305 |
| NOT STATED | 9 | 3,305 | 636,997 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2H Length 3 Position 559 - 561

Question Name PAC_Q2H

Concept Number of times / 3 months - ice skating

Question In the past 3 months, how many times did you [participate in identified activity]? - Ice skating

Universe Respondents who answered PAC_1H = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 8,258 | 2,088,689 |
| NOT APPLICABLE | 996 | 115,893 | 27,279,098 |
| DON'T KNOW | 997 | 44 | 7,418 |
| REFUSAL | 998 | 4 | 1,362 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3H Length 1 Position 562

Question Name PAC_Q3H

Concept Time spent - ice skating

Question About how much time did you spend on each occasion? - Ice skating

Universe Respondents who answered PAC_1H = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 115 | 31,401 |
| 16 TO 30 MINUTES | 2 | 1,066 | 261,575 |
| 31 TO 60 MINUTES | 3 | 4,251 | 1,047,446 |
| MORE THAN ONE HOUR | 4 | 2,822 | 747,862 |
| NOT APPLICABLE | 6 | 115,893 | 27,279,098 |
| DON'T KNOW | 7 | 4 | 406 |
| NOT STATED | 9 | 3,311 | 635,030 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2I Length 3 Position 563 - 565

Question Name PAC_Q2I

Concept Number of times / 3 months- in-line skating or rollerblading

Question In the past 3 months, how many times did you [participate in identified activity]? - In-line skating or roller

blading

Universe Respondents who answered $PAC_1I = (1, 7 \text{ or } 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 2,740 | 852,639 |
| NOT APPLICABLE | 996 | 121,446 | 28,519,184 |
| DON'T KNOW | 997 | 12 | 2,913 |
| REFUSAL | 998 | 1 | 1,831 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3I Length 1 Position 566

Question Name PAC_Q3I

Concept Time spent - in-line skating or rollerblading

Question About how much time did you spend on each occasion? - In-line skating or roller blading

Universe Respondents who answered PAC_1I = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 145 | 34,667 |
| 16 TO 30 MINUTES | 2 | 755 | 232,739 |
| 31 TO 60 MINUTES | 3 | 1,070 | 340,731 |
| MORE THAN ONE HOUR | 4 | 765 | 243,934 |
| NOT APPLICABLE | 6 | 121,446 | 28,519,184 |
| DON'T KNOW | 7 | 5 | 569 |
| NOT STATED | 9 | 3,276 | 630,994 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2J Length 3 Position 567 - 569

Question Name PAC_Q2J

Concept Number of times / 3 months - jogging or running

Question In the past 3 months, how many times did you [participate in identified activity]? - Jogging or running

Universe Respondents who answered PAC_1J = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 25,661 | 7,803,756 |
| NOT APPLICABLE | 996 | 98,303 | 21,524,405 |
| DON'T KNOW | 997 | 218 | 42,906 |
| REFUSAL | 998 | 17 | 5,500 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3J Length 1 Position 570

Question Name PAC_Q3J

Concept Time spent - jogging or running

Question About how much time did you spend on each occasion? - Jogging or running

Universe Respondents who answered PAC_1J = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 3,566 | 1,002,839 |
| 16 TO 30 MINUTES | 2 | 11,340 | 3,479,961 |
| 31 TO 60 MINUTES | 3 | 8,904 | 2,767,625 |
| MORE THAN ONE HOUR | 4 | 1,803 | 543,319 |
| NOT APPLICABLE | 6 | 98,303 | 21,524,405 |
| DON'T KNOW | 7 | 43 | 9,359 |
| REFUSAL | 8 | 5 | 653 |
| NOT STATED | 9 | 3,498 | 674,656 |
| | Total | 127,462 | 30,002,817 |

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2K Length 3 **Position** 571 - 573

Question Name PAC_Q2K

Concept Number of times / 3 months - golfing

In the past 3 months, how many times did you [participate in identified activity]? - Golfing Question

Respondents who answered PAC_1K = (1, 7 or 8) Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 10,908 | 2,700,656 |
| NOT APPLICABLE | 996 | 113,248 | 26,666,855 |
| DON'T KNOW | 997 | 34 | 7,493 |
| REFUSAL | 998 | 9 | 1,562 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3K Length **Position** 574 1

Question Name PAC_Q3K

Concept Time spent - golfing

Question About how much time did you spend on each occasion? - Golfing

Universe Respondents who answered PAC_1K = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 19 | 6,367 |
| 16 TO 30 MINUTES | 2 | 95 | 24,123 |
| 31 TO 60 MINUTES | 3 | 355 | 108,310 |
| MORE THAN ONE HOUR | 4 | 10,435 | 2,561,618 |
| NOT APPLICABLE | 6 | 113,248 | 26,666,855 |
| DON'T KNOW | 7 | 4 | 238 |
| NOT STATED | 9 | 3,306 | 635,306 |
| | Total | 127,462 | 30,002,817 |

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

Page 245

March 2016

Variable Name PAC_2L Length 3 Position 575 - 577

Question Name PAC_Q2L

Concept Number of times / 3 months - exercise class or aerobics

Question In the past 3 months, how many times did you [participate in identified activity]? - Exercise class or aerobics

Universe Respondents who answered PAC_1L = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 14,608 | 3,864,579 |
| NOT APPLICABLE | 996 | 109,513 | 25,498,649 |
| DON'T KNOW | 997 | 64 | 9,917 |
| REFUSAL | 998 | 14 | 3,422 |
| NOT STATED | 999 | 3,263 | 626,250 |
| То | tal | 127,462 | 30,002,817 |

Variable Name PAC_3L Length 1 Position 578

Question Name PAC_Q3L

Concept Time spent - exercise class or aerobics

Question About how much time did you spend on each occasion? - Exercise class or aerobics

Universe Respondents who answered PAC_1L = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 213 | 47,306 |
| 16 TO 30 MINUTES | 2 | 1,680 | 440,347 |
| 31 TO 60 MINUTES | 3 | 9,532 | 2,481,406 |
| MORE THAN ONE HOUR | 4 | 3,164 | 892,730 |
| NOT APPLICABLE | 6 | 109,513 | 25,498,649 |
| DON'T KNOW | 7 | 18 | 2,624 |
| REFUSAL | 8 | 1 | 165 |
| NOT STATED | 9 | 3,341 | 639,589 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2M Length 3 Position 579 - 581

Question Name PAC_Q2M

Concept Number of times / 3 months - downhill skiing or snowboarding

Question In the past 3 months, how many times did you [participate in identified activity]? - Downhill ski or

snowboarding

Universe Respondents who answered PAC_1M = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 5,324 | 1,536,348 |
| NOT APPLICABLE | 996 | 118,854 | 27,834,312 |
| DON'T KNOW | 997 | 17 | 3,070 |
| REFUSAL | 998 | 4 | 2,836 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3M Length 1 Position 582

Question Name PAC_Q3M

Concept Time spent - downhill skiing or snowboarding

Question About how much time did you spend on each occasion? - Downhill skiing or snowboarding

Universe Respondents who answered PAC_1M = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 20 | 6,079 |
| 16 TO 30 MINUTES | 2 | 47 | 9,017 |
| 31 TO 60 MINUTES | 3 | 147 | 38,508 |
| MORE THAN ONE HOUR | 4 | 5,107 | 1,481,354 |
| NOT APPLICABLE | 6 | 118,854 | 27,834,312 |
| DON'T KNOW | 7 | 3 | 1,390 |
| NOT STATED | 9 | 3,284 | 632,157 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2N Length 3 Position 583 - 585

Question Name PAC_Q2N

Concept Number of times / 3 months - bowling

Question In the past 3 months, how many times did you [participate in identified activity]? - Bowling

Universe Respondents who answered PAC_1N = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 10,778 | 2,739,767 |
| NOT APPLICABLE | 996 | 113,392 | 26,632,325 |
| DON'T KNOW | 997 | 22 | 3,230 |
| REFUSAL | 998 | 7 | 1,245 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3N Length 1 Position 586

Question Name PAC_Q3N

Concept Time spent - bowling

Question About how much time did you spend on each occasion? - Bowling

Universe Respondents who answered PAC_1N = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 32 | 10,635 |
| 16 TO 30 MINUTES | 2 | 288 | 68,947 |
| 31 TO 60 MINUTES | 3 | 2,707 | 668,520 |
| MORE THAN ONE HOUR | 4 | 7,729 | 1,986,837 |
| NOT APPLICABLE | 6 | 113,392 | 26,632,325 |
| DON'T KNOW | 7 | 21 | 4,519 |
| REFUSAL | 8 | 1 | 310 |
| NOT STATED | 9 | 3,292 | 630,725 |
| | Total | 127,462 | 30,002,817 |

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

2014: Data Dictionary Page 248

March 2016

Variable Name PAC_2O Length 3 Position 587 - 589

Question Name PAC_Q2O

Concept Number of times / 3 months - baseball or softball

Question In the past 3 months, how many times did you [participate in identified activity]? - Baseball or softball

Universe Respondents who answered PAC_1O = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 5,598 | 1,472,755 |
| NOT APPLICABLE | 996 | 118,560 | 27,896,215 |
| DON'T KNOW | 997 | 38 | 6,481 |
| REFUSAL | 998 | 3 | 1,116 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3O Length 1 Position 590

Question Name PAC_Q3O

Concept Time spent - baseball or softball

Question About how much time did you spend on each occasion? - Baseball or softball

Universe Respondents who answered PAC_1O = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 72 | 16,877 |
| 16 TO 30 MINUTES | 2 | 498 | 130,464 |
| 31 TO 60 MINUTES | 3 | 1,438 | 353,635 |
| MORE THAN ONE HOUR | 4 | 3,584 | 970,863 |
| NOT APPLICABLE | 6 | 118,560 | 27,896,215 |
| DON'T KNOW | 7 | 6 | 916 |
| NOT STATED | 9 | 3,304 | 633,847 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2P Length 3 Position 591 - 593

Question Name PAC_Q2P

Concept Number of times / 3 months - tennis

Question In the past 3 months, how many times did you [participate in identified activity]? - Tennis

Universe Respondents who answered PAC_1P = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 3,732 | 1,233,509 |
| NOT APPLICABLE | 996 | 120,450 | 28,140,194 |
| DON'T KNOW | 997 | 15 | 2,653 |
| REFUSAL | 998 | 2 | 211 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3P Length 1 Position 594

Question Name PAC_Q3P

Concept Time spent - tennis

Question About how much time did you spend on each occasion? - Tennis

Universe Respondents who answered PAC_1P = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 62 | 14,883 |
| 16 TO 30 MINUTES | 2 | 435 | 138,890 |
| 31 TO 60 MINUTES | 3 | 1,542 | 516,648 |
| MORE THAN ONE HOUR | 4 | 1,691 | 562,950 |
| NOT APPLICABLE | 6 | 120,450 | 28,140,194 |
| DON'T KNOW | 7 | 1 | 100 |
| REFUSAL | 8 | 1 | 39 |
| NOT STATED | 9 | 3,280 | 629,115 |
| • | Total | 127,462 | 30,002,817 |

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

Page 250

March 2016

595 - 597 Variable Name PAC_2Q Length 3 Position

Question Name PAC_Q2Q

Concept Number of times / 3 months - weight-training

In the past 3 months, how many times did you [participate in identified activity]? - Weight-training Question

Universe Respondents who answered PAC_1Q = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 20,794 | 6,024,498 |
| NOT APPLICABLE | 996 | 103,277 | 23,327,505 |
| DON'T KNOW | 997 | 113 | 20,775 |
| REFUSAL | 998 | 15 | 3,788 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3Q Length **Position** 598 1

Question Name PAC_Q3Q

Concept Time spent - weight-training

Question About how much time did you spend on each occasion? - Weight-training

Universe Respondents who answered PAC_1Q = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 3,021 | 747,599 |
| 16 TO 30 MINUTES | 2 | 7,029 | 1,930,089 |
| 31 TO 60 MINUTES | 3 | 7,527 | 2,296,733 |
| MORE THAN ONE HOUR | 4 | 3,195 | 1,048,013 |
| NOT APPLICABLE | 6 | 103,277 | 23,327,505 |
| DON'T KNOW | 7 | 20 | 1,821 |
| REFUSAL | 8 | 2 | 243 |
| NOT STATED | 9 | 3,391 | 650,813 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2R Length 3 Position 599 - 601

Question Name PAC_Q2R

Concept Number of times / 3 months - fishing

Question In the past 3 months, how many times did you [participate in identified activity]? - Fishing

Universe Respondents who answered PAC_1R = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 15,042 | 3,087,690 |
| NOT APPLICABLE | 996 | 109,056 | 26,274,537 |
| DON'T KNOW | 997 | 94 | 12,778 |
| REFUSAL | 998 | 7 | 1,562 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3R Length 1 Position 602

Question Name PAC_Q3R

Concept Time spent - fishing

Question About how much time did you spend on each occasion? - Fishing

Universe Respondents who answered PAC_1R = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 95 | 26,078 |
| 16 TO 30 MINUTES | 2 | 336 | 61,724 |
| 31 TO 60 MINUTES | 3 | 1,184 | 267,275 |
| MORE THAN ONE HOUR | 4 | 13,413 | 2,730,281 |
| NOT APPLICABLE | 6 | 109,056 | 26,274,537 |
| DON'T KNOW | 7 | 14 | 2,332 |
| NOT STATED | 9 | 3,364 | 640,590 |
| | Total | 127,462 | 30,002,817 |

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

Page 252

March 2016

Variable Name PAC_2S Length 3 Position 603 - 605

Question Name PAC_Q2S

Concept Number of times / 3 months - volleyball

Question In the past 3 months, how many times did you [participate in identified activity]? - Volleyball

Universe Respondents who answered PAC_1S = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 6,613 | 1,815,543 |
| NOT APPLICABLE | 996 | 117,540 | 27,551,655 |
| DON'T KNOW | 997 | 45 | 9,166 |
| REFUSAL | 998 | 1 | 202 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3S Length 1 Position 606

Question Name PAC_Q3S

Concept Time spent - volleyball

Question About how much time did you spend on each occasion? - Volleyball

Universe Respondents who answered PAC_1S = (1, 7 or 8)

Note

| <u>Content</u> | Cod | <u>le</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------|-----------|---------------|-------------------|
| 1 TO 15 MINUTES | | 1 | 129 | 35,715 |
| 16 TO 30 MINUTES | | 2 | 914 | 262,010 |
| 31 TO 60 MINUTES | | 3 | 2,645 | 695,431 |
| MORE THAN ONE HOUR | | 4 | 2,917 | 820,100 |
| NOT APPLICABLE | | 6 | 117,540 | 27,551,655 |
| DON'T KNOW | | 7 | 8 | 2,287 |
| NOT STATED | | 9 | 3,309 | 635,618 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2T Length 3 Position 607 - 609

Question Name PAC_Q2T

Concept Number of times / 3 months - basketball

Question In the past 3 months, how many times did you [participate in identified activity]? - Basketball

Universe Respondents who answered PAC_1T = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 7,755 | 2,343,060 |
| NOT APPLICABLE | 996 | 116,384 | 27,021,953 |
| DON'T KNOW | 997 | 59 | 10,499 |
| REFUSAL | 998 | 1 | 1,055 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3T Length 1 Position 610

Question Name PAC_Q3T

Concept Time spent - basketball

Question About how much time did you spend on each occasion? - Basketball

Universe Respondents who answered PAC_1T = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 280 | 75,414 |
| 16 TO 30 MINUTES | 2 | 1,654 | 466,365 |
| 31 TO 60 MINUTES | 3 | 3,019 | 858,309 |
| MORE THAN ONE HOUR | 4 | 2,791 | 940,077 |
| NOT APPLICABLE | 6 | 116,384 | 27,021,953 |
| DON'T KNOW | 7 | 11 | 2,896 |
| NOT STATED | 9 | 3,323 | 637,804 |
| | Total | 127,462 | 30,002,817 |

D13-2014: Data Dictionary Page 254

March 2016

Variable Name PAC_2Z Length 3 Position 611 - 613

Question Name PAC_Q2U

Concept Number of times / 3 months - soccer

Question In the past 3 months, how many times did you [participate in identified activity]? - Soccer

Universe Respondents who answered PAC_1Z = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 9,048 | 2,855,292 |
| NOT APPLICABLE | 996 | 115,073 | 26,510,217 |
| DON'T KNOW | 997 | 75 | 10,493 |
| REFUSAL | 998 | 3 | 565 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3Z Length 1 Position 614

Question Name PAC_Q3U

Concept Time spent - soccer

Question About how much time did you spend on each occasion? - Soccer

Universe Respondents who answered PAC_1Z = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 303 | 74,773 |
| 16 TO 30 MINUTES | 2 | 1,642 | 503,743 |
| 31 TO 60 MINUTES | 3 | 3,408 | 990,051 |
| MORE THAN ONE HOUR | 4 | 3,679 | 1,282,814 |
| NOT APPLICABLE | 6 | 115,073 | 26,510,217 |
| DON'T KNOW | 7 | 16 | 3,912 |
| NOT STATED | 9 | 3,341 | 637,309 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2U Length 3 Position 615 - 617

Question Name PAC_Q2V

Concept Number of times / 3 months - other activity (#1)

Question In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#1)

Universe Respondents who answered PAC_1U = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 200 | 17,444 | 4,357,967 |
| NOT APPLICABLE | 996 | 106,653 | 25,000,967 |
| DON'T KNOW | 997 | 95 | 16,105 |
| REFUSAL | 998 | 7 | 1,527 |
| NOT STATED | 999 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3U Length 1 Position 618

Question Name PAC_Q3V

Concept Time spent - other activity (#1)

Question About how much time did you spend on each occasion? - Other activity (#1)

Universe Respondents who answered PAC_1U = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 584 | 150,324 |
| 16 TO 30 MINUTES | 2 | 1,793 | 438,922 |
| 31 TO 60 MINUTES | 3 | 4,836 | 1,271,929 |
| MORE THAN ONE HOUR | 4 | 10,211 | 2,493,845 |
| NOT APPLICABLE | 6 | 106,653 | 25,000,967 |
| DON'T KNOW | 7 | 18 | 2,717 |
| REFUSAL | 8 | 2 | 230 |
| NOT STATED | 9 | 3,365 | 643,883 |
| | Total | 127,462 | 30,002,817 |

Page 256

March 2016

Variable Name PAC_2W Length 3 Position 619 - 621

Question Name PAC_Q2X

Concept Number of times / 3 months - other activity (#2)

Question In the past 3 months, how many times did you [participate in identified activity]? - Other activity (#2)

Universe Respondents who answered PAC_1W = (1, 7 or 8) or PAC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 3,376 | 848,573 |
| NOT APPLICABLE | 996 | 120,793 | 28,523,599 |
| DON'T KNOW | 997 | 16 | 1,950 |
| REFUSAL | 998 | 2 | 129 |
| NOT STATED | 999 | 3,275 | 628,566 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3W Length 1 Position 622

Question Name PAC_Q3X

Concept Time spent - other activity (#2)

Question About how much time did you spend on each occasion? - Other activity (#2)

Universe Respondents who answered PAC_1W = (1, 7 or 8) or PAC_1U = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 138 | 35,993 |
| 16 TO 30 MINUTES | 2 | 403 | 94,331 |
| 31 TO 60 MINUTES | 3 | 896 | 251,663 |
| MORE THAN ONE HOUR | 4 | 1,927 | 464,284 |
| NOT APPLICABLE | 6 | 120,793 | 28,523,599 |
| DON'T KNOW | 7 | 11 | 2,218 |
| REFUSAL | 8 | 1 | 84 |
| NOT STATED | 9 | 3,293 | 630,645 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_2X Length 3 Position 623 - 625

Question Name PAC_Q2Y

Concept Number of times - other activity (#3)

Question In the past 3 months, how many times [did you participate in identified activity]? - Other activity (#3)

Universe Respondents who answered PAC_1X = (1, 7 or 8) or PAC_1U = (7 or 8) or PAC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 99 | 712 | 167,437 |
| NOT APPLICABLE | 996 | 123,470 | 29,206,391 |
| DON'T KNOW | 997 | 2 | 183 |
| NOT STATED | 999 | 3,278 | 628,805 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_3X Length 1 Position 626

Question Name PAC_Q3Y

Concept Time spent - other activity (#3)

Question About how much time did you spend on each occasion? - Other activity (#3)

Universe Respondents who answered PAC_1X = (1, 7 or 8) or PAC_1W = (7 or 8) or PAC_1U = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 34 | 7,415 |
| 16 TO 30 MINUTES | 2 | 96 | 19,277 |
| 31 TO 60 MINUTES | 3 | 187 | 47,244 |
| MORE THAN ONE HOUR | 4 | 394 | 93,417 |
| NOT APPLICABLE | 6 | 123,470 | 29,206,391 |
| REFUSAL | 8 | 1 | 84 |
| NOT STATED | 9 | 3,280 | 628,988 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_7 Length 1 Position 627

Question Name PAC_Q7A

Concept Walked to work or school / last 3 months

Question ^DT_TIMEW in the past 3 months when you walked to and from work or school?

Universe All respondents

Note

| Content | Cod | <u>le</u> | <u>Sample</u> | Population |
|-------------------------------|-------|-----------|---------------|-------------------|
| YES | | 1 | 17,097 | 5,015,169 |
| NO | | 2 | 61,444 | 16,976,065 |
| DOES NOT WORK OR GO TO SCHOOL | | 3 | 45,560 | 7,357,821 |
| DON'T KNOW | | 7 | 64 | 13,140 |
| REFUSAL | | 8 | 34 | 14,373 |
| NOT STATED | | 9 | 3,263 | 626,250 |
| | Total | | 127,462 | 30,002,817 |

Variable Name PAC_7A Length 3 Position 628 - 630

Question Name PAC_Q7B

Concept Number of times / 3 months - walking to go work or school

Question How many times?

Universe Respondents who answered PAC_7 = (1, 7, 8) or PAC_1n = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 270 | 16,883 | 4,970,557 |
| NOT APPLICABLE | 996 | 107,004 | 24,333,886 |
| DON'T KNOW | 997 | 209 | 44,081 |
| REFUSAL | 998 | 5 | 531 |
| NOT STATED | 999 | 3,361 | 653,762 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name PAC_7B Length **Position** 631 1

Question Name PAC_Q7C

Concept Time spent - walking to / from work or school

About how much time did you spend on each occasion? Question

Respondents who answered PAC_7 = (1, 7, 8) or PAC_1n = (7 or 8) Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 7,123 | 1,906,506 |
| 16 TO 30 MINUTES | 2 | 6,071 | 1,875,093 |
| 31 TO 60 MINUTES | 3 | 2,832 | 910,139 |
| MORE THAN ONE HOUR | 4 | 832 | 275,404 |
| NOT APPLICABLE | 6 | 107,004 | 24,333,886 |
| DON'T KNOW | 7 | 25 | 3,415 |
| NOT STATED | 9 | 3,575 | 698,374 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_8 Length **Position** 632 1

Question Name PAC_Q8A

Concept Bicycled to work or school / last 3 months

Question ^DT_TIMEB in the past 3 months when you bicycled to and from work or school?

Universe All respondents

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------------------|-------|-------------|---------------|-------------------|
| YES | | 1 | 3,245 | 1,001,433 |
| NO | | 2 | 74,805 | 20,845,197 |
| DOES NOT WORK OR GO TO SCHOOL | | 3 | 46,087 | 7,509,593 |
| DON'T KNOW | | 7 | 34 | 6,835 |
| REFUSAL | | 8 | 28 | 13,508 |
| NOT STATED | | 9 | 3,263 | 626,250 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PAC_8A Length 3 Position 633 - 635

Question Name PAC_Q8B

Concept # times / 3 months - bicycling to and from work or school

Question How many times?

Universe Respondents who answered PAC_8 = (1, 7, 8) or PAC_1n = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 200 | 3,207 | 995,904 |
| NOT APPLICABLE | 996 | 120,892 | 28,354,790 |
| DON'T KNOW | 997 | 37 | 5,251 |
| REFUSAL | 998 | 1 | 279 |
| NOT STATED | 999 | 3,325 | 646,593 |
| | Total | 127,462 | 30,002,817 |

Variable Name PAC_8B Length 1 Position 636

Question Name PAC_Q8C

Concept Time spent - bicycling to go work or school

Question About how much time did you spend on each occasion?

Universe Respondents who answered PAC_8 = (1, 7, 8) or PAC_1n = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| 1 TO 15 MINUTES | 1 | 1,366 | 334,888 |
| 16 TO 30 MINUTES | 2 | 961 | 336,298 |
| 31 TO 60 MINUTES | 3 | 635 | 235,441 |
| MORE THAN ONE HOUR | 4 | 237 | 87,101 |
| NOT APPLICABLE | 6 | 120,892 | 28,354,790 |
| DON'T KNOW | 7 | 8 | 2,177 |
| NOT STATED | 9 | 3,363 | 652,123 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PACDEE Length 4.1 Position 637 - 640

Question Name

Concept Daily energy expenditure - Leisure physical activities - (D)

Question

Universe All respondents

Note Based on PAC_1V, PAC_2A, PAC_2B, PAC_2C, PAC_2D, PAC_2E, PAC_2F, PAC_2G, PAC_2H,

PAC_2I, PAC_2J, PAC_2K, PAC_2L, PAC_2M, PAC_2N, PAC_2O, PAC_2P, PAC_2Q, PAC_2R, PAC_2S, PAC_2T, PAC_2U, PAC_2W, PAC_2X, PAC_2Z, PAC_3A, PAC_3B, PAC_3C, PAC_3D, PAC_3E, PAC_3F, PAC_3G, PAC_3H, PAC_3I, PAC_3J, PAC_3K, PAC_3L, PAC_3M, PAC_3N, PAC_3O, PAC_3P, PAC_3Q, PAC_3R, PAC_3S, PAC_3T, PAC_3U, PAC_3W, PAC_3X, PAC_3Z. See

documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------------|-------------|---------------|-------------------|
| AMOUNT OF ENERGY EXPENDITURE | 0.0 - 42.2 | 124,173 | 29,369,907 |
| NOT STATED | 99.9 | 3,289 | 632,910 |
| | Total | 127,462 | 30,002,817 |

Variable Name PACFLEI Length 1 Position 641

Question Name

Concept Participant in leisure physical activity - (F)

Question

Universe All respondents

Note Based on PAC_1V. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 115,281 | 27,214,346 |
| NO | 2 | 8,918 | 2,162,221 |
| NOT STATED | 9 | 3,263 | 626,250 |
| Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PACDFM Length 3 Position 642 - 644

Question Name

Concept Month. freq. - Leisure phys. activity lasting >15 min. - (D)

Question

Universe All respondents

Note Based on PAC_1V, PAC_2A, PAC_2B, PAC_2C, PAC_2D, PAC_2E, PAC_2F, PAC_2G, PAC_2H,

PAC_2I, PAC_2J, PAC_2K, PAC_2L, PAC_2M, PAC_2N, PAC_2O, PAC_2P, PAC_2Q, PAC_2R, PAC_2S, PAC_2T, PAC_2Z, PAC_2U, PAC_2W, PAC_2X, PAC_3A, PAC_3B, PAC_3C, PAC_3D, PAC_3E, PAC_3F, PAC_3G, PAC_3H, PAC_3I, PAC_3J, PAC_3K, PAC_3L, PAC_3M, PAC_3N, PAC_3O, PAC_3P, PAC_3Q, PAC_3R, PAC_3S, PAC_3T, PAC_3Z, PAC_3U, PAC_3W, PAC_3X. See

documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| MONTHLY FREQUENCY | 0 - 343 | 124,173 | 29,369,908 |
| NOT STATED | 999 | 3,289 | 632,910 |
| | Total | 127,462 | 30,002,817 |

Variable Name PACDFR Length 1 Position 645

Question Name

Concept Frequency of all leisure physical activity > 15 min. - (D)

Question

Universe All respondents

Note Based on PACDFM. The variable uses values for the derived variable Monthly Frequency of Physical

Activity (PACDFM). The values for PACDFM reflect a one-month average based on data reported for a

three-month period. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| REGULAR | 1 | 85,218 | 20,046,602 |
| OCCASIONAL | 2 | 17,286 | 4,336,908 |
| INFREQUENT | 3 | 21,669 | 4,986,397 |
| NOT STATED | 9 | 3,289 | 632,910 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PACFD Length 1 Position 646

Question Name

Concept Participant in daily leisure phys. activity > 15 min. - (F)

Question

Universe All respondents

Note Based on PACDFM. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 52,033 | 11,892,390 |
| NO | 2 | 72,140 | 17,477,517 |
| NOT STATED | 9 | 3,289 | 632,910 |
| | Total | 127,462 | 30,002,817 |

Variable Name PACDPAI Length 1 Position 647

Question Name

Concept Leisure physical activity index - (D)

Question

Universe All respondents

Note Based on PACDEE. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-------------------|-------------|---------------|-------------------|
| ACTIVE | 1 | 35,927 | 8,660,434 |
| MODERATELY ACTIVE | 2 | 31,147 | 7,329,427 |
| INACTIVE | 3 | 57,125 | 13,386,706 |
| NOT STATED | 9 | 3,263 | 626,250 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PACDLTI Length 1 Position 648

Question Name

Concept Leisure and transportation physical activity index - (D)

Question

Universe All respondents

Note Based on PACDTLE. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| ACTIVE | 1 | 36,987 | 9,045,152 |
| MODERATELY ACTIVE | 2 | 31,522 | 7,478,490 |
| INACTIVE | 3 | 54,846 | 12,635,555 |
| NOT STATED | 9 | 4,107 | 843,620 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name PACDTLE Length 4.1 Position 649 - 652

Question Name

Concept Daily ener. expend. - Transport. and leisure phy. act. - (D)

Question

Universe All respondents

Note Based on PACDEE, PAC_Q7, PAC_Q7A, PAC_Q7B, PAC_Q8, PAC_Q8A, PAC_Q8B. See documentation

on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------------|-------------|---------------|-------------------|
| TOTAL DAILY ENERGY EXPENDITURE | 0.1 - 42.2 | 112,670 | 26,811,484 |
| NO PHYSICAL ACTIVITY | 0 | 10,660 | 2,341,088 |
| NOT STATED | 99.9 | 4,132 | 850,245 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name PACFLTI Length 1 Position 653

Question Name

Concept Participant in leisure or transportation phys. activ. - (F)

Question

Universe All respondents

Note Based on PAC_1V, PAC_7, PAC_8. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 115,961 | 27,477,546 |
| NO | 2 | 8,226 | 1,893,614 |
| NOT STATED | 9 | 3,275 | 631,657 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOSCP Length 1 Position 654

Question Name DOSCP

Concept Physical activity - Stages of change - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | Sample | <u>Population</u> |
|---------|-------------|-----------|-------------------|
| YES | | 1 15,340 | 3,978,590 |
| NO | | 2 112,122 | 26,024,227 |
| | Total | 127,462 | 30,002,817 |

Page 266

March 2016

Variable Name SCP_01 Length 1 Position 655

Question Name SCP_Q01

Concept level of physical activity for every week

Question Thinking about the level of physical activity you do every week, do you consider yourself to be...?

Universe Respondents with DOSCP = 1 who answered HWT_Q1 <> 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------------|-------------|---------------|-------------------|
| VERY PHYSICALLY ACTIVE | 1 | 2,585 | 679,788 |
| MODERATELY PHYSICALLY ACTIVE | 2 | 7,395 | 1,865,840 |
| A BIT PHYSICALLY ACTIVE | 3 | 3,727 | 1,019,150 |
| NOT AT ALL PHYSICALLY ACTIVE | 4 | 1,065 | 284,905 |
| NOT APPLICABLE | 6 | 112,213 | 26,055,568 |
| DON'T KNOW | 7 | 38 | 8,245 |
| REFUSAL | 8 | 12 | 5,328 |
| NOT STATED | 9 | 427 | 83,992 |
| | Total | 127,462 | 30,002,817 |

Variable Name SCP_02 Length 1 Position 656

Question Name SCP_Q02

Concept Increase of physical activity level

Question Did you increase your physical activity level in the last 6 months?

Universe Respondents who answered SCP_01 = (1, 2, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | | 1 4,039 | 1,160,376 |
| NO | : | 5,926 | 1,383,607 |
| NOT APPLICABLE | • | 6 117,005 | 27,359,623 |
| DON'T KNOW | 7 | 7 15 | 1,645 |
| NOT STATED | 9 | 9 477 | 97,565 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCP_03 Length 1 Position 657

Question Name SCP_Q03

Concept Intend to increase of physical activity level/next 30 days

Question Do you intend to increase your physical activity level in the next 30 days?

Universe Respondents who answered SCP_01 = (3, 4, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,764 | 812,421 |
| NO | 2 | 1,951 | 478,113 |
| NOT APPLICABLE | 6 | 122,193 | 28,601,196 |
| DON'T KNOW | 7 | 76 | 13,468 |
| REFUSAL | 8 | 1 | 53 |
| NOT STATED | 9 | 477 | 97,565 |
| | Total | 127,462 | 30,002,817 |

Variable Name SCP_04 Length 1 Position 658

Question Name SCP_Q04

Concept Intend to increase of physical activity level/next 6 months

Question Do you intend to increase your physical activity level in the next 6 months?

Universe Respondents who answered SCP_03 = (2, 7 or 8) or SCP_01 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 860 | 252,476 |
| NO | 2 | 1,032 | 215,168 |
| NOT APPLICABLE | 6 | 124,957 | 29,413,618 |
| DON'T KNOW | 7 | 59 | 10,469 |
| NOT STATED | 9 | 554 | 111,087 |
| • | Total | 127,462 | 30,002,817 |

Page 268

March 2016

Variable Name SCPDSTG Length 1 Position 659

Question Name

Concept Stages of changes - physical activity

Question

Universe Respondents with DOSCP = 1 and HWT_Q1 <> 1

Note Based on MAM_037, ADM_PRX, SCP_01, SCP_02, SCP_03, SCP_04. See documentation on derived

variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| PRECONTEMPLATION STAGE | 1 | 1,032 | 215,168 |
| CONTEMPLATION STAGE | 2 | 860 | 252,476 |
| PREPARATION STAGE | 3 | 2,764 | 812,421 |
| ACTION STAGE | 4 | 4,039 | 1,160,376 |
| MAINTENANCE STAGE | 5 | 5,926 | 1,383,607 |
| NOT APPLICABLE | 6 | 112,213 | 26,055,568 |
| NOT STATED | 9 | 628 | 123,200 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name DOSAC Length 1 Position 660

Question Name DOSAC

Concept Sedentary activities module - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------|-------------|---------------|-------------------|
| YES | | 1 | 1,985 | 125,591 |
| NO | | 2 | 125,477 | 29,877,226 |
| | Total | | 127,462 | 30,002,817 |

March 2016

Variable Name SACG1 Length 2 Position 661 - 662

Question Name

Concept Number of hours - on a computer - past 3 mo - (G)

Question

Universe Respondents with DOSAC = 1

Note Includes only leisure time activities. Based on SAC_1. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NONE OR LESS THAN 1 HOUR | 1 | 463 | 22,227 |
| FROM 1 TO 2 HOURS | 2 | 302 | 22,690 |
| FROM 3 TO 5 HOURS | 3 | 279 | 18,552 |
| FROM 6 TO 10 HOURS | 4 | 415 | 25,982 |
| FROM 11 TO 14 HOURS | 5 | 175 | 12,850 |
| FROM 15 TO 20 HOURS | 6 | 89 | 5,652 |
| MORE THAN 20 HOURS | 7 | 197 | 13,881 |
| NOT APPLICABLE | 96 | 125,477 | 29,877,226 |
| NOT STATED | 99 | 65 | 3,757 |
| | Total | 127,462 | 30,002,817 |

Tublic Osc Microdata File - 2

March 2016

Variable Name SACG2 Length 2 Position 663 - 664

Question Name

Concept Number of hours - playing video games - past 3 mo - (G)

Question

Universe Respondents aged 25 or less and DOSAC = 1

Note Includes only leisure time activities. Based on SAC_2. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NONE OR LESS THAN 1 HOUR | 1 | 1,558 | 92,912 |
| FROM 1 TO 2 HOURS | 2 | 148 | 10,665 |
| FROM 3 TO 5 HOURS | 3 | 93 | 7,140 |
| FROM 6 TO 10 HOURS | 4 | 59 | 5,588 |
| FROM 11 TO 14 HOURS | 5 | 25 | 2,477 |
| FROM 15 TO 20 HOURS | 6 | 19 | 1,489 |
| MORE THAN 20 HOURS | 7 | 16 | 1,342 |
| NOT APPLICABLE | 96 | 125,477 | 29,877,226 |
| NOT STATED | 99 | 67 | 3,979 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SACG3 Length 2 Position 665 - 666

Question Name

Concept Number hours-watching television/videos - past 3 mo - (G)

Question

Universe Respondents with DOSAC = 1

Note Includes only leisure time activities. Based on SAC_3. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| NONE OR LESS THAN 1 HOUR | 1 | 94 | 6,747 |
| FROM 1 TO 2 HOURS | 2 | 118 | 8,851 |
| FROM 3 TO 5 HOURS | 3 | 241 | 15,557 |
| FROM 6 TO 10 HOURS | 4 | 444 | 33,100 |
| FROM 11 TO 14 HOURS | 5 | 342 | 21,026 |
| FROM 15 TO 20 HOURS | 6 | 173 | 10,142 |
| FROM 21 TO 25 HOURS | 7 | 220 | 12,731 |
| FROM26 TO 30 HOURS | 8 | 141 | 6,046 |
| MORE THAN 30 HOURS | 9 | 129 | 6,887 |
| NOT APPLICABLE | 96 | 125,477 | 29,877,226 |
| NOT STATED | 99 | 83 | 4,506 |
| | Total | 127,462 | 30,002,817 |

Page 272

March 2016

Variable Name SACG4 Length 2 Position 667 - 668

Question Name

Concept Number of hours - reading - past 3 mo - (G)

Question

Universe Respondents with DOSAC = 1

Note Includes books, magazines, newspapers, and homework. Based on SAC_4. See documentation on derived

variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------------|-------------|---------------|-------------------|
| NONE OR LESS THAN 1 HOUR | 1 | 319 | 23,593 |
| FROM 1 TO 2 HOURS | 2 | 360 | 24,351 |
| FROM 3 TO 5 HOURS | 3 | 392 | 25,608 |
| FROM 6 TO 10 HOURS | 4 | 483 | 30,123 |
| FROM 11 TO 14 HOURS | 5 | 161 | 8,282 |
| FROM 15 TO 20 HOURS | 6 | 88 | 4,922 |
| MORE THAN 20 HOURS | 7 | 99 | 4,282 |
| NOT APPLICABLE | 96 | 125,477 | 29,877,226 |
| NOT STATED | 99 | 83 | 4,431 |
| | Total | 127,462 | 30,002,817 |

Page 273

March 2016

SACDTOT Variable Name Length 2 **Position** 669 - 670

Question Name

Concept Total number hours - sedentary activities - past 3 mo - (D)

Question

Respondents with DOSAC = 1 Universe

Note Based on SAC_1, SAC_2, SAC_3, SAC_4. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------|-------------|---------------|-------------------|
| LESS THAN 5 HOURS | 1 | 42 | 3,312 |
| FROM 5 TO 9 HOURS | 2 | 128 | 9,461 |
| FROM 10 TO 14 HOURS | 3 | 184 | 12,059 |
| FROM 15 TO 19 HOURS | 4 | 261 | 17,698 |
| FROM 20 TO 24 HOURS | 5 | 264 | 17,275 |
| FROM 25 TO 29 HOURS | 6 | 249 | 15,115 |
| FROM 30 TO 34 HOURS | 7 | 138 | 8,999 |
| FROM 35 TO 39 HOURS | 8 | 167 | 9,771 |
| FROM 40 TO 44 HOURS | 9 | 129 | 6,983 |
| 45 OR MORE HOURS | 10 | 322 | 19,568 |
| NOT APPLICABLE | 96 | 125,477 | 29,877,226 |
| NOT STATED | 99 | 101 | 5,351 |
| | Total | 127,462 | 30,002,817 |

Page 274

March 2016

Variable Name SACDTER Length 2 Position 671 - 672

Question Name

Concept Total no. hrs / week (excl. reading) - sedentary act. - (D)

Question

Universe Respondents with DOSAC = 1

Note Based on SAC_1, SAC_2, SAC_3. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------|-------------|---------------|-------------------|
| LESS THAN 5 HOURS | 1 | 103 | 7,405 |
| FROM 5 TO 9 HOURS | 2 | 234 | 16,357 |
| FROM 10 TO 14 HOURS | 3 | 311 | 19,353 |
| FROM 15 TO 19 HOURS | 4 | 259 | 15,905 |
| FROM 20 TO 24 HOURS | 5 | 299 | 19,031 |
| FROM 25 TO 29 HOURS | 6 | 200 | 11,678 |
| FROM 30 TO 34 HOURS | 7 | 103 | 6,222 |
| FROM 35 TO 39 HOURS | 8 | 130 | 7,903 |
| FROM 40 TO 44 HOURS | 9 | 95 | 5,494 |
| 45 OR MORE HOURS | 10 | 166 | 11,515 |
| NOT APPLICABLE | 96 | 125,477 | 29,877,226 |
| NOT STATED | 99 | 85 | 4,728 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOUPE Length 1 Position 673

Question Name DOUPE

Concept Use of protective equipment - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

 Content
 Code
 Sample
 Population

 YES
 1
 127,462
 30,002,817

 Total
 127,462
 30,002,817

Public Use Microdata File - 24-Month

March 2016

Variable Name UPE_01A Length 1 Position 674

Question Name UPE_Q1A

Concept Done any bicycling in past 12 months

Question In the past 12 months, have you done any bicycling?

Universe Respondents with DOUPE = 1 who answered PAC_1D = (2, 7 or 8) and PAC_8 = (2, 3, 7, 8 or 9)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 18,465 | 4,931,240 |
| NO | 2 | 80,741 | 17,474,815 |
| NOT APPLICABLE | 6 | 25,018 | 6,967,208 |
| DON'T KNOW | 7 | 42 | 12,480 |
| REFUSAL | 8 | 82 | 25,763 |
| NOT STATED | 9 | 3,114 | 591,310 |
| | Total | 127,462 | 30,002,817 |

Variable Name UPE_01 Length 1 Position 675

Question Name UPE_Q1B

Concept Frequency - wears helmet - bicycling

Question When riding a bicycle, how often do you wear a helmet?

Universe Respondents with DOUPE = 1 who answered ((PAC_1D = 1 or PAC_8 = 1) or UPE_01A = (1, 7 or 8) or

 $(PAC_1D = (7 \text{ or } 8) \text{ and } PAC_8 = (7, 8 \text{ or } 9) \text{ and } UPE_01 = (1, 7 \text{ or } 8)))$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 17,855 | 4,988,943 |
| MOST OF THE TIME | 2 | 4,003 | 1,101,016 |
| RARELY | 3 | 3,859 | 1,114,712 |
| NEVER | 4 | 17,671 | 4,673,448 |
| NOT APPLICABLE | 6 | 80,741 | 17,474,815 |
| DON'T KNOW | 7 | 77 | 16,997 |
| REFUSAL | 8 | 21 | 3,757 |
| NOT STATED | 9 | 3,235 | 629,129 |
| | Total | 127,462 | 30,002,817 |

Page 276

March 2016

Variable Name UPE_02 Length 1 Position 676

Question Name UPE_Q2A

Concept Done any in-line skating in past 12 months

Question In the past 12 months, have you done any in-line skating or rollerblading?

Universe Respondents with DOUPE = 1 who answered PAC_1I = (2, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,510 | 1,072,077 |
| NO | 2 | 117,956 | 27,438,218 |
| NOT APPLICABLE | 6 | 2,753 | 857,383 |
| DON'T KNOW | 7 | 39 | 15,468 |
| REFUSAL | 8 | 11 | 3,022 |
| NOT STATED | 9 | 3,193 | 616,649 |
| | Total | 127,462 | 30,002,817 |

Variable Name UPE_02A Length 1 Position 677

Question Name UPE_Q2B

Concept Frequency - wears helmet - in-line skating

Question When in-line skating or rollerblading, how often do you wear a helmet?

Universe Respondents with DOUPE = 1 who answered UPE_02 = (1, 7 or 8) or PAC_1I = 1 or UPE_01A = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 2,063 | 582,202 |
| MOST OF THE TIME | 2 | 399 | 107,945 |
| RARELY | 3 | 427 | 131,381 |
| NEVER | 4 | 3,368 | 1,105,176 |
| NOT APPLICABLE | 6 | 117,956 | 27,438,218 |
| DON'T KNOW | 7 | 4 | 782 |
| REFUSAL | 8 | 2 | 1,976 |
| NOT STATED | 9 | 3,243 | 635,139 |
| T | otal | 127,462 | 30,002,817 |

March 2016

Variable Name UPE_02B Length 1 Position 678

Question Name UPE_Q2C

Concept Frequency - wears wrist guards - in-line skating

Question How often do you wear wrist guards or wrist protectors?

Universe Respondents with DOUPE = 1 who answered UPE_02 = (1, 7 or 8) or PAC_1I = 2 or UPE_01A = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 1,309 | 392,784 |
| MOST OF THE TIME | 2 | 244 | 64,654 |
| RARELY | 3 | 313 | 91,424 |
| NEVER | 4 | 4,391 | 1,376,408 |
| NOT APPLICABLE | 6 | 117,956 | 27,438,218 |
| DON'T KNOW | 7 | 5 | 2,360 |
| REFUSAL | 8 | 1 | 1,831 |
| NOT STATED | 9 | 3,243 | 635,139 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name UPE_02C Length 1 Position 679

Question Name UPE_Q2D

Concept Frequency - wears elbow pads - in-line skating

Question How often do you wear elbow pads?

Universe Respondents with DOUPE = 1 who answered UPE_02 = (1, 7 or 8) or PAC_1I = 3 or UPE_01A = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 731 | 205,142 |
| MOST OF THE TIME | 2 | 183 | 50,297 |
| RARELY | 3 | 305 | 83,114 |
| NEVER | 4 | 5,040 | 1,588,409 |
| NOT APPLICABLE | 6 | 117,956 | 27,438,218 |
| DON'T KNOW | 7 | 3 | 668 |
| REFUSAL | 8 | 1 | 1,831 |
| NOT STATED | 9 | 3,243 | 635,139 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UPE_02D Length 1 Position 680

Question Name UPE_Q2E

Concept Frequency - wears knee pads - in-line skating

Question How often do you wear knee pads?

Universe Respondents with DOUPE = 1 who answered UPE_02 = (1, 7 or 8) or PAC_1I = 4 or UPE_01A = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 871 | 243,700 |
| MOST OF THE TIME | 2 | 223 | 58,129 |
| RARELY | 3 | 305 | 79,260 |
| NEVER | 4 | 4,859 | 1,545,851 |
| NOT APPLICABLE | 6 | 117,956 | 27,438,218 |
| DON'T KNOW | 7 | 4 | 689 |
| REFUSAL | 8 | 1 | 1,831 |
| NOT STATED | 9 | 3,243 | 635,139 |
| | Total | 127,462 | 30,002,817 |

Variable Name UPE_03A Length 1 Position 681

Question Name UPE_Q3A

Concept Downhill skiing or snowboarding - past 3 mo.

Question Earlier, you mentioned going downhill skiing or snowboarding in the past 3 months. Was that:?

Universe Respondents with DOUPE = 1 who answered PAC_1M = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| DOWNHILL SKIING ONLY | 1 | 3,259 | 949,935 |
| SNOWBOARDING ONLY | 2 | 1,704 | 494,079 |
| ВОТН | 3 | 372 | 95,137 |
| NOT APPLICABLE | 6 | 118,854 | 27,834,312 |
| DON'T KNOW | 7 | 6 | 615 |
| REFUSAL | 8 | 3 | 1,941 |
| NOT STATED | 9 | 3,264 | 626,798 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name UPE_03B Length **Position** 682 1

Question Name UPE Q3B

Concept Downhill skiing or snowboarding - past 12 mo

In the past 12 months, did you do any downhill skiing or snowboarding? Question Respondents with DOUPE = 1 who answered PAC_1M = (2, 7 or 8) Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| DOWNHILL SKIING ONLY | 1 | 4,513 | 1,479,572 |
| SNOWBOARDING ONLY | 2 | 2,004 | 653,091 |
| вотн | 3 | 419 | 133,465 |
| NEITHER | 4 | 111,938 | 25,560,338 |
| NOT APPLICABLE | 6 | 5,335 | 1,539,151 |
| DON'T KNOW | 7 | 36 | 12,148 |
| REFUSAL | 8 | 15 | 5,847 |
| NOT STATED | 9 | 3,202 | 619,205 |
| To | tal | 127,462 | 30,002,817 |

Variable Name UPE_04A **Position** 683 Length 1

Question Name UPE_Q4A

Frequency - wears helmet - downhill skiing Concept

Question When downhill skiing, how often do you wear a helmet?

Respondents who answered UPE_03A = (1, 3, 7 or 8) or UPE_03B = (1, 3, 7 or 8) or UPE_01A = 8 Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 5,730 | 1,820,785 |
| MOST OF THE TIME | 2 | 276 | 72,644 |
| RARELY | 3 | 217 | 57,953 |
| NEVER | 4 | 2,332 | 704,040 |
| NOT APPLICABLE | 6 | 115,646 | 26,707,507 |
| DON'T KNOW | 7 | 8 | 2,688 |
| NOT STATED | 9 | 3,253 | 637,200 |
| | Total | 127,462 | 30,002,817 |

Page 281

March 2016

Variable Name UPE_05A Length 1 Position 684

Question Name UPE_Q5A

Concept Frequency - wears helmet - snowboarding

Question When snowboarding, how often do you wear a helmet?

Universe Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8) or UPE_01A = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 3,019 | 928,339 |
| MOST OF THE TIME | 2 | 263 | 78,987 |
| RARELY | 3 | 241 | 65,775 |
| NEVER | 4 | 974 | 301,878 |
| NOT APPLICABLE | 6 | 119,710 | 27,989,846 |
| DON'T KNOW | 7 | 2 | 794 |
| NOT STATED | 9 | 3,253 | 637,200 |
| | Total | 127,462 | 30,002,817 |

Variable Name UPE_05B Length 1 Position 685

Question Name UPE_Q5B

Concept Frequency - wears wrist guards - snowboarding

Question How often do you wear wrist guards or wrist protectors?

Universe Respondents who answered $UPE_03A = (2, 3, 7 \text{ or } 8)$ or $UPE_03B = (2, 3, 7 \text{ or } 8)$ or $UPE_01A = 8$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 234 | 68,122 |
| MOST OF THE TIME | 2 | 114 | 35,746 |
| RARELY | 3 | 128 | 41,198 |
| NEVER | 4 | 4,018 | 1,228,997 |
| NOT APPLICABLE | 6 | 119,710 | 27,989,846 |
| DON'T KNOW | 7 | 5 | 1,708 |
| NOT STATED | 9 | 3,253 | 637,200 |
| т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UPE_06 Length 1 Position 686

Question Name UPE_Q6A

Concept Has done skateboarding - past 12 mo

Question In the past 12 months, have you done any skateboarding?

Universe Respondents with DOUPE = 1 and 12 <= DHH_AGE <= 19

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,239 | 570,786 |
| NO | 2 | 10,538 | 2,532,924 |
| NOT APPLICABLE | 6 | 114,277 | 26,823,734 |
| DON'T KNOW | 7 | 2 | 927 |
| NOT STATED | 9 | 406 | 74,445 |
| | Total | 127,462 | 30,002,817 |

Variable Name UPE_06A Length 1 Position 687

Question Name UPE_Q6B

Concept Frequency - wears helmet - skateboarding

Question How often do you wear a helmet?

Universe Respondents with DOUPE = 1 and (UPE_06 = (1, 7 or 8) or (12 <= DHH_AGE <= 19 and UPE_01A = 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 522 | 120,467 |
| MOST OF THE TIME | 2 | 229 | 53,702 |
| RARELY | 3 | 307 | 79,912 |
| NEVER | 4 | 1,179 | 316,564 |
| NOT APPLICABLE | 6 | 124,815 | 29,356,658 |
| DON'T KNOW | 7 | 1 | 50 |
| REFUSAL | 8 | 1 | 92 |
| NOT STATED | 9 | 408 | 75,373 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UPE_06B Length 1 Position 688

Question Name UPE_Q6C

Concept Frequency - wears wrist guards/protectors - skateboarding **Question** How often do you wear wrist guards or wrist protectors?

Universe Respondents with DOUPE = 1 and (UPE_06 = (1, 7 or 8) or (12 <= DHH_AGE <= 19 and UPE_01A = 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 85 | 20,273 |
| MOST OF THE TIME | 2 | 59 | 13,502 |
| RARELY | 3 | 132 | 37,123 |
| NEVER | 4 | 1,962 | 499,797 |
| NOT APPLICABLE | 6 | 124,815 | 29,356,658 |
| REFUSAL | 8 | 1 | 92 |
| NOT STATED | 9 | 408 | 75,373 |
| | Total | 127,462 | 30,002,817 |

Variable Name UPE_06C Length 1 Position 689

Question Name UPE_Q6D

Concept Frequency - wears elbow pads - skateboarding

Question How often do you wear elbow pads?

Universe Respondents with DOUPE = 1 and (UPE_06 = (1, 7 or 8) or (12 <= DHH_AGE <= 19 and UPE_01A = 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 87 | 18,916 |
| MOST OF THE TIME | 2 | 54 | 11,131 |
| RARELY | 3 | 131 | 34,297 |
| NEVER | 4 | 1,965 | 506,182 |
| NOT APPLICABLE | 6 | 124,815 | 29,356,658 |
| DON'T KNOW | 7 | 1 | 168 |
| REFUSAL | 8 | 1 | 92 |
| NOT STATED | 9 | 408 | 75,373 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UPE_07 Length 1 Position 690

Question Name UPE_Q7A

Concept Played ice hockey past 12 months

Question In the past 12 months, have you played any ice hockey?

Universe Respondents with DOUPE = 1 who answered PAC_1G = (2, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,705 | 1,033,040 |
| NO | 2 | 114,593 | 26,701,176 |
| NOT APPLICABLE | 6 | 5,921 | 1,632,494 |
| DON'T KNOW | 7 | 34 | 13,041 |
| REFUSAL | 8 | 14 | 6,232 |
| NOT STATED | 9 | 3,195 | 616,834 |
| | Total | 127,462 | 30,002,817 |

Variable Name UPE_07A Length 1 Position 691

Question Name UPE_Q7B

Concept Wear a mouth guard

Question When playing ice hockey, how often do you wear a mouth guard?

Universe Respondents with DOUPE = 1 who answered (PAC_1G = (1, 7 or 8) or UPE_07 = (1, 7, or 8) or UPE_01A

= 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 1,968 | 524,948 |
| MOST OF THE TIME | 2 | 606 | 151,268 |
| RARELY | 3 | 617 | 161,872 |
| NEVER | 4 | 6,427 | 1,824,041 |
| NOT APPLICABLE | 6 | 114,593 | 26,701,176 |
| DON'T KNOW | 7 | 7 | 2,517 |
| REFUSAL | 8 | 3 | 1,074 |
| NOT STATED | 9 | 3,241 | 635,921 |
| 1 | Total . | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UPEFILS Length 1 Position 692

Question Name

Concept Wears all protective equipment - in-line skating - (F)

Question

Universe Respondents with DOUPE = 1 who answered PAC_1I = (1, 7 or 8)

Note Based on UPE_02, UPE_02A, UPE_02B, UPE_02C, UPE_02D, PAC_11. Respondents that does not in-line

skate were excluded from the population. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 581 | 153,766 |
| NO | 2 | 5,677 | 1,773,050 |
| NOT APPLICABLE | 6 | 117,956 | 27,438,218 |
| NOT STATED | 9 | 3,248 | 637,782 |
| • | Total | 127,462 | 30,002,817 |

Variable Name UPEFSKB Length 1 Position 693

Question Name

Concept Wears all protective equipment - skateboarding - (F)

Question

Universe Respondents aged 12 to 19 who answered UPE_06 = (1, 7 or 8)

Note Based on UPE_06A, UPE_06B, UPE_06C. Respondents less than 12 years old or more than 19 years old

and respondents that have not skateboarded in the past 12 months were excluded from the population.

See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 85 | 20,564 |
| NO | 2 | 2,153 | 550,130 |
| NOT APPLICABLE | 6 | 124,815 | 29,356,658 |
| NOT STATED | 9 | 409 | 75,465 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name UPEFSNB Length 1 Position 694

Question Name

Concept Wears all protective equipment - snowboarding - (F)

Question

Universe Respondents who answered UPE_03A = (2, 3, 7 or 8) or UPE_03B = (2, 3, 7 or 8)

Note Based on UPE_05A, UPE_05B. Respondents that have not snowboarded in past 12 months were excluded

from the population. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 324 | 95,982 |
| NO | 2 | 4,170 | 1,278,081 |
| NOT APPLICABLE | 6 | 119,710 | 27,989,846 |
| NOT STATED | 9 | 3,258 | 638,908 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name DOSSB Length 1 Position 695

Question Name DOSSB

Concept Sun safety behaviours - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 7,371 | 875,543 |
| NO | 2 | 120,091 | 29,127,274 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SSB_01 Length 1 Position 696

Question Name SSB_Q01

Concept Been sunburnt - past 12 months

Question In the past 12 months, has any part of your body been sunburnt?

Universe Respondents with DOSSB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,642 | 370,386 |
| NO | 2 | 4,561 | 491,453 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 8 | 818 |
| REFUSAL | 8 | 1 | 25 |
| NOT STATED | 9 | 159 | 12,860 |
| | Total | 127,462 | 30,002,817 |

Variable Name SSB_02 Length 1 Position 697

Question Name SSB_Q02

Concept Sunburn involved blistering

Question Did any of your sunburns involve blistering?

Universe Respondents who answered SSB_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 285 | 38,215 |
| NO | 2 | 2,357 | 332,171 |
| NOT APPLICABLE | 6 | 124,652 | 29,618,727 |
| NOT STATED | 9 | 168 | 13,704 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SSB_03 Length 1 Position 698

Question Name SSB_Q03

Concept Sunburns involved pain - lasting more than 1 day

Question Did any of your sunburns involve pain or discomfort that lasted for more than 1 day?

Universe Respondents who answered SSB_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 885 | 135,999 |
| NO | 2 | 1,753 | 233,878 |
| NOT APPLICABLE | 6 | 124,652 | 29,618,727 |
| DON'T KNOW | 7 | 4 | 509 |
| NOT STATED | 9 | 168 | 13,704 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SSB_06 Length 2 Position 699 - 700

Question Name SSB_Q06

Concept Amount of time in the sun - 11 am to 4 pm

Question About how much time each day do you spend in the sun between 11 am and 4 pm?

Universe Respondents with DOSSB = 1

Note

| Content | <u>Code</u> | Sample | <u>Population</u> |
|------------------------------|-------------|---------|-------------------|
| NONE | 1 | 611 | 59,257 |
| LESS THAN 30 MINUTES | 2 | 773 | 82,206 |
| 30 TO 59 MINUTES | 3 | 669 | 83,600 |
| 1 HOUR TO LESS THAN 2 HOURS | 4 | 1,254 | 157,701 |
| 2 HOURS TO LESS THAN 3 HOURS | 5 | 1,432 | 188,803 |
| 3 HOURS TO LESS THAN 4 HOURS | 6 | 795 | 95,101 |
| 4 HOURS TO LESS THAN 5 HOURS | 7 | 531 | 65,292 |
| 5 HOURS | 8 | 853 | 107,355 |
| NOT APPLICABLE | 96 | 120,091 | 29,127,274 |
| DON'T KNOW | 97 | 278 | 22,120 |
| REFUSAL | 98 | 7 | 404 |
| NOT STATED | 99 | 168 | 13,704 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SSB_07 Length 1 Position 701

Question Name SSB_Q07

Concept Frequency - seek shade

Question In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more,

how often do you:

seek shade?

Universe Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 553 | 56,243 |
| OFTEN | 2 | 1,647 | 205,459 |
| SOMETIMES | 3 | 1,931 | 252,670 |
| RARELY | 4 | 854 | 115,668 |
| NEVER | 5 | 487 | 62,897 |
| NOT APPLICABLE | 6 | 121,475 | 29,268,737 |
| DON'T KNOW | 7 | 59 | 4,686 |
| REFUSAL | 8 | 3 | 230 |
| NOT STATED | 9 | 453 | 36,228 |
| | Total | 127,462 | 30,002,817 |

Page 291

March 2016

Variable Name SSB_08 Length 1 Position 702

Question Name SSB_Q08

Concept Frequency - wear hat in the sun

Question (In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more,

how often do you:)

wear a hat that shades your face, ears and neck?

Universe Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 1,588 | 172,548 |
| OFTEN | 2 | 829 | 106,011 |
| SOMETIMES | 3 | 838 | 121,085 |
| RARELY | 4 | 563 | 77,423 |
| NEVER | 5 | 1,707 | 220,206 |
| NOT APPLICABLE | 6 | 121,475 | 29,268,737 |
| DON'T KNOW | 7 | 6 | 397 |
| REFUSAL | 8 | 3 | 184 |
| NOT STATED | 9 | 453 | 36,228 |
| | Total | 127,462 | 30,002,817 |

Page 292

March 2016

Variable Name SSB_09A Length 1 Position 703

Question Name SSB_Q09A

Concept Frequency - wear long pants or skirt in the sun

Question (In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more,

how often do you:)

wear long pants or a long skirt to protect your skin from the sun?

Universe Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 1,435 | 140,303 |
| OFTEN | 2 | 656 | 69,509 |
| SOMETIMES | 3 | 809 | 98,169 |
| RARELY | 4 | 651 | 104,872 |
| NEVER | 5 | 1,962 | 283,094 |
| NOT APPLICABLE | 6 | 121,475 | 29,268,737 |
| DON'T KNOW | 7 | 18 | 1,720 |
| REFUSAL | 8 | 3 | 184 |
| NOT STATED | 9 | 453 | 36,228 |
| | Total | 127,462 | 30,002,817 |

Page 293

March 2016

Variable Name SSB_09B Length 1 Position 704

Question Name SSB_Q09B

Concept Frequency - use sunscreen on your face

Question (In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more,

how often do you:)

use sunscreen on your face?

Universe Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 1,411 | 177,642 |
| OFTEN | 2 | 748 | 102,357 |
| SOMETIMES | 3 | 780 | 103,805 |
| RARELY | 4 | 557 | 70,225 |
| NEVER | 5 | 2,027 | 243,264 |
| NOT APPLICABLE | 6 | 121,475 | 29,268,737 |
| DON'T KNOW | 7 | 8 | 376 |
| REFUSAL | 8 | 3 | 184 |
| NOT STATED | 9 | 453 | 36,228 |
| | Total | 127,462 | 30,002,817 |

March 2016

SSB_10 Variable Name Length 1 **Position** 705

Question Name SSB_Q10

Sun Proctection factor (SPF) usually use - face Concept

What Sun Protection factor (SPF) do you usually use? Question

Respondents who answered SSB_09B = (1, 2, 3, 7, 8) or SSB_01 = (7, 8) or SSB_06 = (97, 98) Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| LESS THAN 15 | 1 | 71 | 9,728 |
| 15 TO 25 | 2 | 663 | 85,281 |
| MORE THAN 25 | 3 | 1,969 | 260,596 |
| NOT APPLICABLE | 6 | 124,059 | 29,582,225 |
| DON'T KNOW | 7 | 236 | 28,199 |
| NOT STATED | 9 | 464 | 36,788 |
| • | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SSB_11 Length 1 Position 706

Question Name SSB_Q11

Concept Frequency - use sunscreen on your body

Question In the summer months, on a typical weekend or day off, when you are in the sun for 30 minutes or more,

how often do you:

use sunscreen on your body?

Universe Respondents who answered SSB_06 = (3, 4, 5, 6, 7, 8, 97 or 98) or SSB_01 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 895 | 108,816 |
| OFTEN | 2 | 790 | 114,492 |
| SOMETIMES | 3 | 922 | 122,444 |
| RARELY | 4 | 829 | 109,602 |
| NEVER | 5 | 2,068 | 240,699 |
| NOT APPLICABLE | 6 | 121,475 | 29,268,737 |
| DON'T KNOW | 7 | 26 | 1,583 |
| REFUSAL | 8 | 4 | 216 |
| NOT STATED | 9 | 453 | 36,228 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SSB_12 Length 1 Position 707

Question Name SSB_Q12

Concept Sun Proctection factor (SPF) usually use on body

Question What Sun Protection factor (SPF) do you usually use?

Universe Respondents who answered SSB_11 = (1, 2, 3, 7, 8) or SSB_01 = (7, 8) or SSB_06 = (97, 98)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| LESS THAN 15 | 1 | 64 | 8,593 |
| 15 TO 25 | 2 | 482 | 64,747 |
| MORE THAN 25 | 3 | 1,883 | 249,988 |
| NOT APPLICABLE | 6 | 124,372 | 29,619,038 |
| DON'T KNOW | 7 | 178 | 22,425 |
| NOT STATED | 9 | 483 | 38,027 |
| To | otal | 127,462 | 30,002,817 |

Variable Name DOINJ Length 1 Position 708

Question Name DOINJ

Concept Injuries - Inclusion Flag - (F)

Question

Universe All respondents

Note

 Content
 Code
 Sample
 Population

 YES
 1
 127,462
 30,002,817

 Total
 127,462
 30,002,817

Public Use Microdata File - 24-Month

March 2016

Variable Name REP_1A Length 1 Position 709

Question Name REP_Q1

Concept Repetitive strain injury

Question In the past 12 months, did ^YOU2 have any injuries due to repetitive strain?

Universe Respondents with DOINJ = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 17,766 | 4,486,301 |
| NO | 2 | 109,245 | 25,412,024 |
| DON'T KNOW | 7 | 319 | 60,855 |
| REFUSAL | 8 | 131 | 43,213 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name REP_2 Length 1 Position 710

Question Name REP_Q2

Concept Repetitive strain injury - normal activities limited

Question Were these injuries serious enough to limit ^YOUR1 normal activities?

Universe Respondents who answered REP_1A = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10,001 | 2,486,129 |
| NO | 2 | 7,748 | 1,998,341 |
| NOT APPLICABLE | 6 | 109,245 | 25,412,024 |
| DON'T KNOW | 7 | 17 | 1,832 |
| NOT STATED | 9 | 451 | 104,492 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name REPG3 Length 2 Position 711 - 712

Question Name

Concept Repetitive strain - body part affected - (G)

Question Thinking about the most serious repetitive strain, what part of the body was affected?

Universe Respondents who answered REP_1A = (1, 7 or 8)

Note Based on REP_3. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| NECK | 1 | 309 | 84,416 |
| SHOULDER, UPPER ARM | 2 | 2,456 | 562,222 |
| ELBOW, LOWER ARM | 3 | 1,391 | 373,200 |
| WRIST, HAND | 4 | 2,025 | 472,230 |
| KNEE, LOWER LEG | 5 | 1,154 | 305,556 |
| ANKLE, FOOT | 6 | 678 | 184,764 |
| UPPER BACK OR UPPER SPINE | 7 | 250 | 77,178 |
| LOWER BACK OR LOWER SPINE | 8 | 1,212 | 306,920 |
| OTHER | 9 | 502 | 116,722 |
| NOT APPLICABLE | 96 | 116,993 | 27,410,365 |
| NOT STATED | 99 | 492 | 109,246 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name REP_3A Length 1 Position 713

Question Name REP_Q3B

Concept Repetitive strain- activity causing injury

Question Do you know what type of activity caused this repetitive strain injury?

Universe Respondents who answered REP_2 = (1,7, or 8) or REP_1A = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8,647 | 2,206,012 |
| NO | 2 | 1,285 | 266,987 |
| NOT APPLICABLE | 6 | 116,993 | 27,410,365 |
| DON'T KNOW | 7 | 66 | 12,783 |
| REFUSAL | 8 | 3 | 347 |
| NOT STATED | 9 | 468 | 106,323 |
| | Total | 127,462 | 30,002,817 |

Variable Name REP_4 Length 1 Position 714

Question Name REP_Q4

Concept Repetitive strain- working at a job or business

Question Was the activity something ^YOU1 did while working at a job or

business (excluding travel to or from work)?

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,984 | 1,062,032 |
| NO | 2 | 4,588 | 1,136,222 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,278 |
| NOT STATED | 9 | 592 | 124,933 |
| | Total | 127,462 | 30,002,817 |

Page 300

Public Use Microdata File - 24-Month

March 2016

Variable Name REP_5A Length 1 Position 715

Question Name REP_Q5A

 Concept
 Repetitive strain - Activity - walking

 Question
 What type of activity was this? Walking

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 472 | 110,696 |
| NO | 2 | 8,154 | 2,092,880 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| To | tal | 127,462 | 30,002,817 |

Variable Name REP_5B Length 1 Position 716

Question Name REP_Q5B

Concept Repetitive strain - Activity - sports

Question What type of activity was this? Sports or physical exercise (including school activities and running)

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,137 | 626,188 |
| NO | 2 | 6,489 | 1,577,389 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name REP_5C Length 1 Position 717

Question Name REP_Q5C

Concept Repetitive strain - Activity - leisure

Question What type of activity was this? Leisure or hobby (include volunteering)

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 387 | 77,870 |
| NO | 2 | 8,239 | 2,125,707 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name REP_5D Length 1 Position 718

Question Name REP_Q5D

Concept Repetitive strain - Activity - household chores

Question What type of activity was this? Household chores, outdoor yard maintenance,home renovations or other

unpaid work

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,166 | 249,650 |
| NO | 2 | 7,460 | 1,953,927 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name REP_5F Length 1 Position 719

Question Name REP_Q5E

Concept Repetitive strain - Activity - computer

Question What type of activity was this? Computer use or typing

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 922 | 253,236 |
| NO | 2 | 7,704 | 1,950,341 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name REP_5G Length 1 Position 720

Question Name REP_Q5F

Concept Repetitive strain - Activity - driving motor vehicle

Question What type of activity was this? Driving a motor vehicle

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 166 | 47,969 |
| NO | 2 | 8,460 | 2,155,608 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name REP_5H Length 1 Position 721

Question Name REP_Q5G

Concept Repetitive strain - Activity - lifting or carrying

Question What type of activity was this? Lifting or carrying an object or person

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,749 | 451,247 |
| NO | 2 | 6,877 | 1,752,329 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| т | otal | 127,462 | 30,002,817 |

Variable Name REP_5I Length 1 Position 722

Question Name REP_Q5H

Concept Repetitive strain - Activity - other

Question What type of activity was this? Other

Universe Respondents who answered REP_3A = (1,7, or 8) or REP_1A = (7 or 8) or REP_2 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,112 | 518,984 |
| NO | 2 | 6,514 | 1,684,592 |
| NOT APPLICABLE | 6 | 118,278 | 27,677,352 |
| DON'T KNOW | 7 | 20 | 2,300 |
| REFUSAL | 8 | 1 | 135 |
| NOT STATED | 9 | 537 | 119,454 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INJ_01 Length 1 Position 723

Question Name INJ_Q01

Concept Injured in past 12 months

Question ^DT_INJURIES1 in the past 12 months, that is, from ^DATEONEYEARAGOE to yesterday, ^WERE ^YOU1

injured?

Universe Respondents with DOINJ = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 19,528 | 4,733,780 |
| NO | 2 | 107,651 | 25,196,661 |
| DON'T KNOW | 7 | 145 | 32,572 |
| REFUSAL | 8 | 137 | 39,379 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

Variable Name INJG02 Length 1 Position 724

Question Name

Concept Number of injuries in past 12 months - (G)

Question How many times were you injured?

Universe Respondents who answered INJ_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| ONE INJURY | 1 | 14,320 | 3,438,040 |
| TWO INJURIES | 2 | 2,995 | 730,158 |
| THREE TO FIVE INJURIES | 3 | 1,698 | 435,736 |
| SIX OR MORE INJURIES | 4 | 438 | 115,425 |
| NOT APPLICABLE | 6 | 107,651 | 25,196,661 |
| NOT STATED | 9 | 360 | 86,797 |
| | Total | 127,462 | 30,002,817 |
| | | | |

March 2016

Variable Name INJG05 Length 2 Position 725 - 726

Question Name

Concept Most serious injury - type - (G)

Question What type of injury did you have? For example, a broken bone or burn.

Universe Respondents who answered INJ_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | | <u>Sample</u> | Population |
|-------------------------------------|-------------|----|---------------|-------------------|
| MULTIPLE INJURIES | | 1 | 249 | 62,907 |
| BROKEN OR FRACTURED BONES | | 2 | 3,482 | 727,450 |
| BURN, SCALD, CHEMICAL BURN | | 3 | 593 | 151,951 |
| DISLOCATION | | 4 | 550 | 121,704 |
| SPRAIN OR STRAIN | | 5 | 9,335 | 2,420,851 |
| CUT, PUNCTURE, ANIMAL OR HUMAN BITE | | 6 | 1,849 | 452,782 |
| SCRAPE, BRUISE, BLISTER | | 7 | 1,376 | 289,670 |
| CONCUSSION OR INTERNAL INJURY | | 8 | 654 | 173,200 |
| OTHER | | 9 | 1,271 | 303,515 |
| NOT APPLICABLE | | 96 | 107,651 | 25,196,661 |
| NOT STATED | | 99 | 452 | 102,126 |
| | Total | | 127,462 | 30,002,817 |

Page 306

March 2016

Variable Name INJG06 Length 2 Position 727 - 728

Question Name

Concept Most serious injury - body part affected - (G)

Question What part of the body was injured?

Universe Respondents who answered INJ_05 = (1, 2, 3, 4, 5, 6, 7, 11, 97 or 98) or INJ_01 = (7 or 8) or INJ_02 = (97

or 98

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| MULTIPLE SITES | 1 | 408 | 93,376 |
| EYES / HEAD / NECK | 2 | 1,082 | 270,244 |
| SHOULDER, UPPER ARM | 3 | 1,854 | 428,028 |
| ELBOW, LOWER ARM | 4 | 660 | 157,527 |
| WRIST OR HAND | 5 | 3,218 | 789,068 |
| HIP OR THIGH | 6 | 923 | 198,610 |
| KNEE, LOWER LEG | 7 | 2,708 | 623,189 |
| ANKLE, FOOT | 8 | 4,097 | 1,051,812 |
| UPPER OR LOWER BACK/UPPER OR LOWER SPINE | 9 | 2,878 | 731,714 |
| CHEST OR ABDOMEN OR PELVIS | 10 | 876 | 185,452 |
| NOT APPLICABLE | 96 | 108,335 | 25,377,548 |
| NOT STATED | 99 | 423 | 96,248 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name INJG08 Length 2 Position 729 - 730

Question Name

Concept Most serious injury - place of occurrence - (G)

Question Where did the injury happen?

Universe Respondents who answered INJ_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| IN A HOME OR ITS SURROUNDING AREA | 1 | 7,886 | 1,660,801 |
| RESIDENTIAL/SCHOOL/COLL./UNIV./OTHER INS | 2 | 1,209 | 285,916 |
| SPORTS OR ATHLETICS AREA/OF SCHOOL/UNIV. | 3 | 1,233 | 367,063 |
| OTHER SPORT OR ATHLETICS(EXCL. SCHOOL) | 4 | 2,390 | 737,695 |
| STREET, HIGHWAY, SIDEWALK | 5 | 1,906 | 504,061 |
| COMMERCIAL AREA | 6 | 1,324 | 307,206 |
| INDUSTRIAL/CONSTRUCTION AREA OR FARM | 7 | 835 | 215,662 |
| OTHER | 8 | 2,495 | 604,209 |
| NOT APPLICABLE | 96 | 107,651 | 25,196,661 |
| NOT STATED | 99 | 533 | 123,541 |
| | Total | 127,462 | 30,002,817 |

Page 308

March 2016

Variable Name INJG092 Length 2 Position 731 - 732

Question Name

Concept Most serious injury - activity when injured - (G)

Question

Universe Respondents who answered INJ_01 = (1, 7 or 8) or INJ_02 = (97, 98)

Note Based on INJ_09. Due to new 2009 INJ_09 answer categories, this derived variable differs from INJG09

produced previous to 2009. See documentation on derived variables.

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------|-------------|---------------|-------------------|
| SPORTS OR PHYSICAL EXERCISE | | 1 | 5,454 | 1,565,379 |
| LEISURE OR HOBBY | | 2 | 1,379 | 315,037 |
| WORKING AT A JOB OR BUSINESS | | 3 | 2,335 | 619,976 |
| DRIVER OR PASSENGER IN/ON OFF-R. MOTOR V | | 4 | 974 | 234,419 |
| HOUSEHOLD CHORES, OTHER UNPAID WORK | | 5 | 3,417 | 701,281 |
| GOING UP AND DOWN STAIRS/WALKING | | 6 | 3,737 | 788,236 |
| OTHER | | 7 | 1,904 | 443,541 |
| NOT APPLICABLE | | 96 | 107,651 | 25,196,661 |
| NOT STATED | | 99 | 611 | 138,288 |
| | Total | | 127,462 | 30,002,817 |

Variable Name INW_01 Length 1 Position 733

Question Name INW_Q01

Concept Injury occured in current job

Question Did this injury occur in ^YOUR1 current main job?

 $\textbf{Universe} \qquad \qquad \text{Respondents who answered (INJ_09 = (3, 97 \text{ or } 98) \text{ or INJ_01 = (7 \text{ or } 8)) and (14 < DHH_Age < 75)}$

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,943 | 517,656 |
| NO | 2 | 281 | 78,204 |
| NOT APPLICABLE | 6 | 124,653 | 29,265,135 |
| DON'T KNOW | 7 | 2 | 104 |
| NOT STATED | 9 | 583 | 141,717 |
| | Total | 127,462 | 30,002,817 |

Page 309

March 2016

Variable Name INWGSOC Length 1 Position 734

Question Name

Concept Occupation group (SOC) where injury occurred - (G)

Question

Universe Répondants âgés de 15 à 75 ans avec LBSDWSS ne (3,4) et LBSCSOC ne (97, 98, 99)

Note Based on INWDOCG. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| OCCUP. MANAG., HEALTH, EDUC. ART, CULT. | 1 | 420 | 108,534 |
| OCCUP. RELATED TO BUSIN. FINANCE, ADMIN. | 2 | 122 | 36,489 |
| OCCUP. REL. TO SALES AND SERVICES | 3 | 499 | 133,459 |
| OCCUP. REL. TO TRADES, TRANSP. EQUIP. OP | 4 | 596 | 172,254 |
| OCCUP. UNIQUE TO PRIM. IND., PROC.,MANU. | 5 | 342 | 92,637 |
| NOT APPLICABLE | 6 | 125,344 | 29,427,409 |
| NOT STATED | 9 | 139 | 32,035 |
| | Total | 127,462 | 30,002,817 |

Variable Name INJ_10 Length 1 Position 735

Question Name INJ_Q10

Concept Most serious injury - result of a fall

Question Was the injury the result of a fall?

Universe Respondents who answered $INJ_05 = (1,2,3,4,5,6,7,8,10,11,97 \text{ or } 98)$ or $INJ_01 = (7 \text{ or } 8)$ or $INJ_02 = (97 \text{ or } 8)$

or 98)

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8,198 | 1,818,261 |
| NO | 2 | 11,162 | 2,877,173 |
| NOT APPLICABLE | 6 | 107,681 | 25,204,349 |
| DON'T KNOW | 7 | 57 | 15,866 |
| REFUSAL | 8 | 4 | 372 |
| NOT STATED | 9 | 360 | 86,797 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name INJG11A Length 2 Position 736 - 737

Question Name

Concept How did you fall - (G)

Question

Universe Respondents who answered INJ_05 = (1,2,3,4,5,6,7,8,10,11,97 or 98) or INJ_01 = (7 or 8) or INJ_02 = (97

or 98)

Note Based on INJ_11A. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| WHILE SKATING, SKIING, SNOWBOARDING | 1 | 619 | 180,834 |
| WHILE ENGAGED IN OTHER SPORT OR PHY.ACT. | 2 | 1,485 | 390,351 |
| STAIRS/FURNITURE/ELEVATED POSITION | 3 | 1,443 | 307,645 |
| SLIP, TRIP, STUMBLE/WALK ON ICE/SNOW | 4 | 1,304 | 249,836 |
| SLIP, TRIP, STUMBLE/WALK ON ICE/SURF | 5 | 2,566 | 531,954 |
| DUE TO HEALTH PROBLEMS/OTHER | 6 | 739 | 148,863 |
| NOT APPLICABLE | 96 | 118,843 | 28,081,522 |
| NOT STATED | 99 | 463 | 111,812 |
| | Total | 127,462 | 30,002,817 |

Variable Name INJ_13 Length 1 Position 738

Question Name INJ_Q13

Concept Most serious injury - received treatment within 48 hours

Question Did ^YOU2 receive any medical attention for the injury from a health professional in the 48 hours following

the injury?

Universe Respondents who answered INJ_01 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10,182 | 2,428,115 |
| NO | 2 | 9,228 | 2,283,449 |
| NOT APPLICABLE | 6 | 107,651 | 25,196,661 |
| DON'T KNOW | 7 | 36 | 7,278 |
| REFUSAL | 8 | 5 | 518 |
| NOT STATED | 9 | 360 | 86,797 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INJ_14A Length 1 Position 739

Question Name INJ_Q14A

Concept Treated doctor's office

Question Where did you receive treatment in the 48 hours? Doctor's office

Universe Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,572 | 407,248 |
| NO | 2 | 8,593 | 2,017,773 |
| NOT APPLICABLE | 6 | 116,879 | 27,480,111 |
| DON'T KNOW | 7 | 16 | 2,070 |
| REFUSAL | 8 | 1 | 1,024 |
| NOT STATED | 9 | 401 | 94,592 |
| | Total | 127,462 | 30,002,817 |

Variable Name INJ_14B Length 1 Position 740

Question Name INJ_Q14B

Concept Treated emergency room

Question Where did you receive treatment in the 48 hours? Hospital emergency room

Universe Respondents who answered $INJ_13 = (1, 7 \text{ or } 8) \text{ or } INJ_01 = (7 \text{ or } 8) \text{ or } INJ_02 = (97 \text{ or } 98)$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,053 | 1,313,487 |
| NO | 2 | 4,112 | 1,111,534 |
| NOT APPLICABLE | 6 | 116,879 | 27,480,111 |
| DON'T KNOW | 7 | 16 | 2,070 |
| REFUSAL | 8 | 1 | 1,024 |
| NOT STATED | 9 | 401 | 94,592 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name INJG14C Length 4 Position 741 - 744

Question Name

Concept Most serious injury - (G) - treated in clinic/ CLSC

Question

Universe Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)

Note The 48 hours reference period was introduced in 2009. Based on INJ_14C, INJ_14L, INJ_14F. See

documentation on derived variables. Grouping specifications changed in 2009 due to new INJ_14 answer

categories.

| Content | <u>Code</u> | <u>Samp</u> | <u>le</u> <u>Population</u> |
|----------------|-------------|-------------|-----------------------------|
| YES | | 1 1,61 | 7 446,558 |
| NO | | 2 8,54 | 8 1,978,463 |
| NOT APPLICABLE | | 6 116,87 | 9 27,480,111 |
| NOT STATED | | 9 41 | 8 97,685 |
| | Total | 127,46 | 2 30,002,817 |

Variable Name INJ_14O Length 1 Position 745

Question Name INJ_Q14H

Concept Treated where injury happened

Question Where did you receive treatment in the 48 hours? Where the injury happened/on-site (workplace, school,

sports field, hotel, ski hill)

Universe Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 339 | 86,274 |
| NO | 2 | 9,826 | 2,338,747 |
| NOT APPLICABLE | 6 | 116,879 | 27,480,111 |
| DON'T KNOW | 7 | 16 | 2,070 |
| REFUSAL | 8 | 1 | 1,024 |
| NOT STATED | 9 | 401 | 94,592 |
| | Total | 127,462 | 30,002,817 |

Page 313

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name INJG14J2 Length 4 Position 746 - 749

Question Name

Concept Most serious inj. - treated physio/mass.ther/chiro/other (G)

Question

Universe Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)

Note The 48 hours reference period was introduced in 2009. Based on INJ_14M, INJ_14N, INJ_14K. See

documentation on derived variables. Differs from INJG14J produced previous to 2009.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,105 | 295,550 |
| NO | 2 | 9,060 | 2,129,471 |
| NOT APPLICABLE | 6 | 116,879 | 27,480,111 |
| NOT STATED | 9 | 418 | 97,685 |
| | Total | 127,462 | 30,002,817 |

Variable Name INJ_15 Length 1 Position 750

Question Name INJ_Q15A

Concept Follow-up care because of injury

Question Were you admitted to a hospital overnight?

Universe Respondents who answered INJ_13 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 935 | 174,731 |
| NO | 2 | 9,242 | 2,252,828 |
| NOT APPLICABLE | 6 | 116,879 | 27,480,111 |
| DON'T KNOW | 7 | 4 | 445 |
| REFUSAL | 8 | 1 | 111 |
| NOT STATED | 9 | 401 | 94,592 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INJ_15A Length 1 Position 751

Question Name INJ_Q15B

Concept Follow-up care because of injury

Question At the present time, are you getting follow-up care from a health professional because of this injury?

Universe Respondents who answered INJ_01 = (1, 7 or 8)

Note

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,793 | 883,201 |
| NO | 2 | 15,638 | 3,833,558 |
| NOT APPLICABLE | 6 | 107,651 | 25,196,661 |
| DON'T KNOW | 7 | 12 | 1,715 |
| REFUSAL | 8 | 7 | 827 |
| NOT STATED | 9 | 361 | 86,854 |
| | Total | 127,462 | 30,002,817 |

Variable Name INJ_16 Length 1 Position 752

Question Name INJ_Q16

Concept Other injuries - treated but did not limit normal activities

Question In the past 12 months, did ^YOU2 have any other injuries that were treated by a health professional, but

did not limit ^YOUR1 normal activities?

Universe Respondents with DOINJ = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 6,361 | 1,515,644 |
| NO | 2 | 120,618 | 28,375,412 |
| DON'T KNOW | 7 | 104 | 18,829 |
| REFUSAL | 8 | 19 | 6,135 |
| NOT STATED | 9 | 360 | 86,797 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INJG17 Length 1 Position 753

Question Name

Concept Other injuries - number - (G)

Question

Universe Respondents who answered INJ_16 = (1, 7 or 8) or INJ_01 = (7 or 8) or INJ_02 = (97 or 98)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ONE INJURY | 1 | 5,215 | 1,233,591 |
| TWO TO FIVE INJURIES | 2 | 995 | 252,744 |
| SIX OR MORE INJURIES | 3 | 103 | 20,383 |
| NOT APPLICABLE | 6 | 120,618 | 28,375,412 |
| NOT STATED | 9 | 531 | 120,687 |
| To | otal | 127,462 | 30,002,817 |

Variable Name INJGCAU Length 2 Position 754 - 755

Question Name

Concept Cause of injury - (D, G)

Question

Universe Respondents who answered INJ_01 = (1, 7 or 8)

Note Based on INJ_10, INJ_12. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| FALL | 1 | 8,198 | 1,818,261 |
| TRANSPORTATION ACCIDENT | 2 | 660 | 167,104 |
| ACCIDENTALLY BUMPED, PUSHED, BITTEN, ETC | 3 | 1,031 | 270,120 |
| ACCIDENTALLY STRUCK, CRUSHED BY OBJECT | 4 | 1,329 | 341,403 |
| ACCIDENTALLY CONTACT-SHARP OBJECT, ETC. | 5 | 1,202 | 299,691 |
| OVEREXERTION OR STRENUOUS MOVEMENT | 6 | 4,415 | 1,145,369 |
| OTHER | 7 | 2,258 | 586,953 |
| NOT APPLICABLE | 96 | 107,681 | 25,204,349 |
| NOT STATED | 99 | 688 | 169,569 |
| | Total | 127,462 | 30,002,817 |

Page 316

March 2016

Variable Name INJDSTT Length 1 Position 756

Question Name

Concept Injury Status - (D)

Question

Universe Respondents with DOINJ = 1

Note Based on INJ_01, INJ_16. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------------------------------|-------------|---------------|-------------------|
| NO INJURIES | 0 | 102,612 | 24,025,572 |
| ACTIVITY-LIMITING INJURY ONLY | 1 | 18,006 | 4,349,840 |
| NON-ACTIVITY-LIMITING INJURY ONLY | 2 | 4,957 | 1,154,232 |
| LIMITING AND NON-LIMITING INJURIES | 3 | 1,404 | 361,412 |
| NOT STATED | 9 | 483 | 111,761 |
| To | tal | 127,462 | 30,002,817 |

Variable Name SMK_01A Length 1 Position 757

Question Name SMK_Q201A

Concept Smoked 100 or more cigarettes - life

Question In ^YOUR1 lifetime, ^HAVE ^YOU2 smoked a total of 100 or more cigarettes (about 4 packs)?

Universe All respondents

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 60,781 | 12,763,258 |
| NO | 2 | 66,341 | 17,161,804 |
| DON'T KNOW | 7 | 237 | 49,411 |
| REFUSAL | 8 | 102 | 27,920 |
| NOT STATED | 9 | 1 | 424 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SMK_01B Length 1 Position 758

Question Name SMK_Q201B

Concept Ever smoked whole cigarette

Question ^HAVE_C ^YOU1 ever smoked a whole cigarette?

Universe Respondents who answered SMK_01A = (2, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 16,674 | 3,980,727 |
| NO | 2 | 49,504 | 13,126,848 |
| NOT APPLICABLE | 6 | 60,781 | 12,763,258 |
| DON'T KNOW | 7 | 193 | 46,075 |
| REFUSAL | 8 | 82 | 24,351 |
| NOT STATED | 9 | 228 | 61,558 |
| То | otal | 127,462 | 30,002,817 |

March 2016

Variable Name SMKG01C Length 2 Position 759 - 760

Question Name

Concept Age - smoked first whole cigarette - (G)

Question At what age did you smoke your first whole cigarette?

Universe Respondents who answered SMK_01A = 1 or SMK_01B = 1 or SMK_01A = 8 and SMK_01B = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| 5 TO 11 YEARS | 1 | 4,995 | 985,955 |
| 12 TO 14 YEARS | 2 | 20,982 | 4,477,855 |
| 15 TO 17 YEARS | 3 | 28,043 | 6,141,890 |
| 18 TO 19 YEARS | 4 | 10,512 | 2,419,283 |
| 20 TO 24 YEARS | 5 | 7,976 | 1,825,557 |
| 25 TO 29 YEARS | 6 | 1,695 | 341,088 |
| 30 TO 34 YEARS | 7 | 791 | 154,746 |
| 35 TO 39 YEARS | 8 | 278 | 53,903 |
| 40 TO 44 YEARS | 9 | 219 | 30,387 |
| 45 TO 49 YEARS | 10 | 68 | 11,113 |
| 50 YEARS OR OLDER | 11 | 112 | 17,398 |
| NOT APPLICABLE | 96 | 49,504 | 13,126,848 |
| NOT STATED | 99 | 2,287 | 416,794 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SMK_202 Length 1 Position 761

Question Name SMK_Q202

Concept Type of smoker

Question At the present time, ^DOVERB ^YOU2 smoke cigarettes daily, occasionally or not at all?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------|-------------|---------------|-------------------|
| DAILY | 1 | 18,413 | 4,147,683 |
| OCCASIONALLY | 2 | 5,145 | 1,420,302 |
| NOT AT ALL | 3 | 103,325 | 24,295,477 |
| DON'T KNOW | 7 | 49 | 14,860 |
| REFUSAL | 8 | 16 | 2,128 |
| NOT STATED | 9 | 514 | 122,366 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SMKG203 Length 2 Position 762 - 763

Question Name

Concept Age - started smoking daily (daily smoker) - (G)

Question At what age did you begin to smoke cigarettes daily?

Universe Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| 5 TO 11 YEARS | 1 | 522 | 103,503 |
| 12 TO 14 YEARS | 2 | 3,051 | 657,377 |
| 15 TO 17 YEARS | 3 | 6,599 | 1,475,800 |
| 18 TO 19 YEARS | 4 | 3,275 | 792,810 |
| 20 TO 24 YEARS | 5 | 2,967 | 703,926 |
| 25 TO 29 YEARS | 6 | 779 | 189,959 |
| 30 TO 34 YEARS | 7 | 361 | 74,230 |
| 35 TO 39 YEARS | 8 | 159 | 34,386 |
| 40 TO 44 YEARS | 9 | 122 | 22,149 |
| 45 TO 49 YEARS | 10 | 54 | 16,095 |
| 50 YEARS OR OLDER | 11 | 88 | 12,016 |
| NOT APPLICABLE | 96 | 108,470 | 25,715,779 |
| NOT STATED | 99 | 1,015 | 204,787 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SMK_204 Length 3 Position 764 - 766

Question Name SMK_Q204

Concept Number of cigarettes smoked per day (daily smoker)

Question How many cigarettes ^DOVERB ^YOU1 smoke each day now?

Universe Respondents who answered SMK_202 = (1, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| NUMBER OF CIGARETTES | 1 - 80 | 18,268 | 4,126,411 |
| NOT APPLICABLE | 996 | 108,470 | 25,715,779 |
| DON'T KNOW | 997 | 120 | 17,974 |
| REFUSAL | 998 | 17 | 2,133 |
| NOT STATED | 999 | 587 | 140,520 |
| | Total | 127,462 | 30,002,817 |

Variable Name SMK_05B Length 3 Position 767 - 769

Question Name SMK_Q205B

Concept Number of cigarettes smoked per day (occasional smoker)

Question On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke?

Universe Respondents who answered SMK_202 = (2, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| NUMBER OF CIGARETTES | 1 - 40 | 5,072 | 1,406,873 |
| NOT APPLICABLE | 996 | 121,738 | 28,443,160 |
| DON'T KNOW | 997 | 62 | 11,764 |
| REFUSAL | 998 | 8 | 1,034 |
| NOT STATED | 999 | 582 | 139,985 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SMK_05C Length 2 Position 770 - 771

Question Name SMK_Q205C

Concept Number of days - smoked 1 cigarette or more (occ. smoker)

Question In the past month, on how many days ^HAVE ^YOU1 smoked 1 or more cigarettes?

Universe Respondents who answered SMK_202 = (2, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------|-------------|---------------|-------------------|
| NUMBER OF DAYS | | 0 - 30 | 4,951 | 1,384,968 |
| NOT APPLICABLE | | 96 | 121,738 | 28,443,160 |
| DON'T KNOW | | 97 | 182 | 33,396 |
| REFUSAL | | 98 | 9 | 1,308 |
| NOT STATED | | 99 | 582 | 139,985 |
| | Total | | 127,462 | 30,002,817 |

Variable Name SMK_05D Length 1 Position 772

Question Name SMK_Q205D

Concept Ever smoked cigarettes daily

Question ^HAVE_C ^YOU1 ever smoked cigarettes daily?

Universe Respondents who answered (SMK_01A IN (1, 7, 8) and SMK_202 IN (2, 3, 7, 8)) or (SMK_01A = 8 and

 $SMK_01B = 8$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 37,516 | 7,440,452 |
| NO | 2 | 4,688 | 1,154,859 |
| NOT APPLICABLE | 6 | 84,686 | 21,291,631 |
| DON'T KNOW | 7 | 42 | 4,169 |
| REFUSAL | 8 | 6 | 1,416 |
| NOT STATED | 9 | 524 | 110,290 |
| 1 | Total | 127,462 | 30,002,817 |

Page 323

March 2016

Variable Name SMK_06A Length 1 Position 773

Question Name SMK_Q206A

Concept Stopped smoking - when (was never a daily smoker)

Question When did ^YOU1 stop smoking? Was it...?

Universe (SMK_202 = 3 and (SMK_05D IN (2, 7, 8) or SMK_01A IN (7, 8))) or (SMK_202 IN (7, 8) and SMK_01A IN

(1, 7, 8)) or $(SMK_01A = 8 \text{ and } SMK_01B = 8)$

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------------|-------|-------------|---------------|-------------------|
| LESS THAN ONE YEAR AGO | | 1 | 103 | 28,567 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 2 | 71 | 17,944 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | | 3 | 110 | 32,702 |
| 3 OR MORE YEARS AGO | | 4 | 3,150 | 695,424 |
| NOT APPLICABLE | | 6 | 123,435 | 29,103,662 |
| DON'T KNOW | | 7 | 37 | 10,064 |
| REFUSAL | | 8 | 9 | 3,169 |
| NOT STATED | | 9 | 547 | 111,286 |
| | Total | | 127,462 | 30,002,817 |

Variable Name SMKG06C Length 1 Position 774

Question Name

Concept Number of years since stopped smoking - (G)

Question How many years ago was it?

Universe Respondents who answered SMK_06A = (4, 7 or 8) or (SMK_01A = (7 or 8) or SMK_05D = (7 or 8)) and

 $SMK_202 = 3 \text{ or } SMK_01A = (1, 7 \text{ or } 8) \text{ and } SMK_202 = (7 \text{ or } 8) \text{ or } SMK_01A = 8 \text{ and } SMK_01B = 8$

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| 3 TO 5 YEARS | 1 | 152 | 43,475 |
| 6 TO 10 YEARS | 2 | 334 | 86,859 |
| 11 OR MORE YEARS | 3 | 2,565 | 543,368 |
| NOT APPLICABLE | 6 | 123,719 | 29,182,875 |
| NOT STATED | 9 | 692 | 146,239 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SMKG207 Length 2 Position 775 - 776

Question Name

Concept Age - started smoking daily (former daily smoker) - (G)

Question At what age did you begin to smoke cigarettes daily?

Universe Respondents who answered $SMK_05D = (1, 7 \text{ or } 8) \text{ or } SMK_01A = (7 \text{ or } 8) \text{ and } SMK_202 = (2 \text{ or } 3) \text{ or } SMK_01A = (7 \text{ or } 8) \text{ and } SMK_01A = (7 \text{ or } 8) \text{ and } SMK_01A = (7 \text{ or } 8) \text{ or } SMK_01A = (7 \text{ or }$

SMK_01A = (1, 7 or 8) and SMK_202 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| 5 TO 11 YEARS | 1 | 551 | 100,937 |
| 12 TO 14 YEARS | 2 | 4,777 | 974,148 |
| 15 TO 17 YEARS | 3 | 13,506 | 2,678,500 |
| 18 TO 19 YEARS | 4 | 7,942 | 1,620,408 |
| 20 TO 24 YEARS | 5 | 6,952 | 1,407,955 |
| 25 TO 29 YEARS | 6 | 1,616 | 300,737 |
| 30 TO 34 YEARS | 7 | 649 | 124,419 |
| 35 TO 39 YEARS | 8 | 217 | 37,614 |
| 40 TO 44 YEARS | 9 | 165 | 28,425 |
| 45 TO 49 YEARS | 10 | 57 | 8,648 |
| 50 YEARS OR OLDER | 11 | 86 | 12,490 |
| NOT APPLICABLE | 96 | 89,374 | 22,446,490 |
| NOT STATED | 99 | 1,570 | 262,046 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SMK_208 Length 3 Position 777 - 779

Question Name SMK_Q208

ConceptNumber of cigarettes smoked per day (former daily smoker)QuestionHow many cigarettes did ^YOU1 usually smoke each day?

Universe SMK_05D IN (1, 7, 8) or (SMK_01A IN (7, 8) and SMK_202 IN (2, 3)) or (SMK_01A IN (1, 7, 8) and

SMK_202 IN (7, 8)) or (SMK_01A = 8 and SMK_01B = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------------|-------------|---------------|-------------------|
| NUMBER OF CIGARETTES | 1 - 99 | 35,853 | 7,213,666 |
| NOT APPLICABLE | 996 | 89,374 | 22,446,490 |
| DON'T KNOW | 997 | 1,614 | 219,563 |
| REFUSAL | 998 | 38 | 5,060 |
| NOT STATED | 999 | 583 | 118,038 |
| | Total | 127,462 | 30,002,817 |

Variable Name SMK_09A Length 1 Position 780

Question Name SMK_Q209A

Concept Stopped smoking daily - when stopped (former daily smoker)

Question When did ^YOU1 stop smoking daily? Was it...?

Universe Respondents who answered SMK_05D IN (1, 7, 8) or (SMK_01A IN (7, 8) and SMK_202 IN (2, 3)) or

(SMK_01A IN (1, 7, 8) and SMK_202 IN (7, 8)) or (SMK_01A = 8 and SMK_01B = 8)

Note

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------------|-------|-------------|---------------|-------------------|
| LESS THAN ONE YEAR AGO | | 1 | 2,707 | 651,399 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 2 | 1,517 | 362,429 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | | 3 | 1,590 | 386,521 |
| 3 OR MORE YEARS AGO | | 4 | 31,575 | 6,018,019 |
| NOT APPLICABLE | | 6 | 89,374 | 22,446,490 |
| DON'T KNOW | | 7 | 98 | 14,845 |
| REFUSAL | | 8 | 14 | 4,624 |
| NOT STATED | | 9 | 587 | 118,489 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SMKG09C Length 1 Position 781

Question Name

Concept Yrs since stopped smoking daily (former daily smoker) - (G)

Question How many years ago was it?

Universe Respondents who answered SMK_09A = (4, 7 or 8) or SMK_05D = (7 or 8) or SMK_01A = (7 or 8) and

 $SMK_202 = (2 \text{ or } 3) \text{ or } SMK_01A = (1, 7 \text{ or } 8) \text{ and } SMK_202 = (7 \text{ or } 8) \text{ or } SMK_01A = 8 \text{ and } SMK_01B = 8$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| 3 TO 5 YEARS | 1 | 2,904 | 720,117 |
| 6 TO 10 YEARS | 2 | 4,698 | 1,064,045 |
| 11 OR MORE YEARS | 3 | 23,717 | 4,189,111 |
| NOT APPLICABLE | 6 | 95,188 | 23,846,839 |
| NOT STATED | 9 | 955 | 182,705 |
| Total | I | 127,462 | 30,002,817 |

Variable Name SMK_10 Length 1 Position 782

Question Name SMK_Q210A

Concept Quit smoking completely (former daily smoker) **Question** Was that when you completely quit smoking?

Universe (SMK_202 IN (3, 7, 8) and SMK_05D IN (1, 7, 8)) or (SMK_01A IN (7, 8) and SMK_202 = 3) or (SMK_01A

IN (1, 7, 8) and SMK_202 IN (7, 8)) or (SMK_01A = 8 and SMK_01b = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 33,446 | 6,409,394 |
| NO | 2 | 876 | 209,122 |
| NOT APPLICABLE | 6 | 92,534 | 23,264,786 |
| DON'T KNOW | 7 | 17 | 2,112 |
| NOT STATED | 9 | 589 | 117,402 |
| | Total | 127,462 | 30,002,817 |

Page 327

rubiic Use Microdala File - 24-MO

March 2016

Variable Name SMK_10A Length 1 Position 783

Question Name SMK_Q210B

Concept Stopped smoking completely - when (former daily smoker)

Question When did ^YOU1 stop smoking completely? Was it...?

Universe SMK_10 IN (2, 7, 8) or ((SMK_01A IN (7, 8) or SMK_05D IN (7, 8) or SMK_09A IN (7, 8)) and SMK_202 =

3) or (SMK_01A IN (1, 7, 8) and SMK_202 IN (7, 8)) or (SMK_01A = 8 and SMK_01B = 8)

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|----------------------------------|-------|-------------|---------------|-------------------|
| LESS THAN ONE YEAR AGO | | 1 | 164 | 42,655 |
| 1 YEAR TO LESS THAN 2 YEARS AGO | | 2 | 67 | 21,845 |
| 2 YEARS TO LESS THAN 3 YEARS AGO | | 3 | 68 | 25,319 |
| 3 OR MORE YEARS AGO | | 4 | 558 | 113,929 |
| NOT APPLICABLE | | 6 | 125,980 | 29,674,180 |
| DON'T KNOW | | 7 | 17 | 4,317 |
| REFUSAL | | 8 | 2 | 1,056 |
| NOT STATED | | 9 | 606 | 119,515 |
| | Total | | 127,462 | 30,002,817 |

Variable Name SMKG10C Length 1 Position 784

Question Name

Concept Number of years since stopped smoking (daily) - (G)

Question How many years ago was it?

Universe Respondents who answered SMK_10A = (4, 7 or 8) or SMK_10 = (7 or 8) or (SMK_01A = (7 or 8) or

 $SMK_05D = (7 \text{ or } 8) \text{ or } SMK_09A = (7 \text{ or } 8)) \text{ and } SMK_202 = 3 \text{ or } SMK_01A = (1, 7 \text{ or } 8) \text{ and } SMK_202 = 3 \text{ or } SMK_01A = (1, 7 \text{ or } 8) \text{ and } SMK_01A = (1, 17$

 $(7 \text{ or } 8) \text{ or } SMK_01A = 8 \text{ and } SMK_01B = 8$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| 3 TO 5 YEARS | 1 | 105 | 26,938 |
| 6 TO 10 YEARS | 2 | 133 | 24,458 |
| 11 OR MORE YEARS | 3 | 308 | 60,648 |
| NOT APPLICABLE | 6 | 126,279 | 29,764,000 |
| NOT STATED | 9 | 637 | 126,774 |
| To | otal | 127,462 | 30,002,817 |

Page 328

March 2016

Variable Name SMKDSTY Length 2 Position 785 - 786

Question Name

Concept Type of smoker - (D)

Question

Universe All respondents

Note Based on SMK_01A, SMK_01B, SMK_202, SMK_05D. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---|-------------|---------------|-------------------|
| DAILY SMOKER | 1 | 18,413 | 4,147,683 |
| OCCASIONAL SMOKER (FORMER DAILY SMOKER) | 2 | 3,135 | 813,707 |
| ALWAYS AN OCCASIONAL SMOKER | 3 | 1,985 | 602,006 |
| FORMER DAILY SMOKER | 2 | 34,381 | 6,626,745 |
| FORMER OCCASIONAL SMOKER | Ę | 19,197 | 4,511,751 |
| NEVER SMOKED | 6 | 49,385 | 13,099,102 |
| NOT STATED | 99 | 966 | 201,822 |
| | Total | 127,462 | 30,002,817 |

Variable Name SMKGSTP Length 1 Position 787

Question Name

Concept Number of years since stopping smoking completely - (D, G)

Question

Universe Répondants avec SMKDSTY = (4 ou 5) et qui ont répondus SMK_01A = (1, 7 ou 8) ou avec SMKDSTY = 99

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| LESS THAN 1 YEAR | 1 | 2,169 | 513,448 |
| 1 TO 2 YEARS | 2 | 2,632 | 629,880 |
| 3 TO 5 YEARS | 3 | 2,633 | 634,141 |
| 6 TO 10 YEARS | 4 | 4,490 | 1,009,179 |
| 11 OR MORE YEARS | 5 | 25,499 | 4,544,155 |
| NOT APPLICABLE | 6 | 88,635 | 22,386,380 |
| NOT STATED | 9 | 1,404 | 285,633 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SMKDYCS Length 3 Position 788 - 790

Question Name

Concept Number of years smoked (current daily smokers) - (D)

Question

Universe Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8 or (SMK_01A = 8

and $SMK_01B = 8$)

Note Based on SMK_202, SMK_203, DHH_AGE. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF YEARS | 0 - 82 | 17,977 | 4,082,251 |
| NOT APPLICABLE | 996 | 108,470 | 25,715,779 |
| NOT STATED | 999 | 1,015 | 204,787 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOSCH Length 1 Position 791

Question Name DOSCH

Concept Smoking - stages of change - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Co</u> | <u>ode</u> | <u>Sample</u> | <u>Population</u> |
|---------|-----------|------------|---------------|-------------------|
| YES | | 1 | 42,553 | 11,682,112 |
| NO | | 2 | 84,909 | 18,320,705 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCH_1 Length 1 Position 792

Question Name SCH_Q1

Concept Quitting smoking - next 6 months

Question Are you seriously considering quitting smoking within the next 6 months?

Universe Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B =

8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,212 | 1,201,519 |
| NO | 2 | 2,827 | 784,851 |
| NOT APPLICABLE | 6 | 119,718 | 27,852,856 |
| DON'T KNOW | 7 | 138 | 29,558 |
| REFUSAL | 8 | 10 | 911 |
| NOT STATED | 9 | 557 | 133,123 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name SCH_2 Length 1 Position 793

Question Name SCH_Q2

Concept Quitting smoking - next 30 days

Question Are you seriously considering quitting within the next 30 days?

Universe Respondents with DOSCH = 1 who answered SCH_1 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8

and $SMK_01B = 8$)

Note

| Content | Co | <u>ode</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------|------------|---------------|-------------------|
| YES | | 1 | 1,975 | 565,886 |
| NO | | 2 | 2,100 | 605,943 |
| NOT APPLICABLE | | 6 | 122,545 | 28,637,707 |
| DON'T KNOW | | 7 | 130 | 28,831 |
| REFUSAL | | 8 | 7 | 859 |
| NOT STATED | | 9 | 705 | 163,592 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCH_3 Length 1 Position 794

Question Name SCH_Q3

Concept Stopped smoking for at least 24 hours - 12 mo

Question In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?

Universe Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B =

8)

Note

| Content | Coc | <u>le</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------|-----------|---------------|-------------------|
| YES | | 1 | 3,224 | 930,043 |
| NO | | 2 | 3,928 | 1,075,884 |
| NOT APPLICABLE | | 6 | 119,718 | 27,852,856 |
| DON'T KNOW | | 7 | 27 | 9,422 |
| REFUSAL | | 8 | 7 | 1,310 |
| NOT STATED | | 9 | 558 | 133,302 |
| | Total | | 127,462 | 30,002,817 |

Variable Name SCH_4 Length 2 Position 795 - 796

Question Name SCH_Q4

Concept Number of times stopped for at least 24 hours - 12 mo

Question How many times? (in the past 12 months, did you stop smoking for at least 24 hours because you were

trying to quit)

Universe Respondents with DOSCH = 1 who answered SCH_3 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A = 8

and $SMK_01B = 8$)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 95 | 3,002 | 863,532 |
| NOT APPLICABLE | 96 | 123,646 | 28,928,740 |
| DON'T KNOW | 97 | 215 | 62,192 |
| REFUSAL | 98 | 7 | 4,319 |
| NOT STATED | 99 | 592 | 144,034 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCHDSTG Length 1 Position 797

Question Name

Concept Smoking stages of change - (D)

Question

Universe Respondents with DOSCH = 1 who answered SMK_202 = (1, 2, 7 or 8) or SMK_01A <> 2

Note Based on SMK_202, SMK_06A, SMK_06B, SMK_09A, SMK_09B, SMK_10, SMK_10A, SMK_10B,

SCH_1, SCH_2, SCH_3, SCH_4, ADM_MOI. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| PRECONTEMPLATION STAGE | 1 | 2,827 | 784,851 |
| CONTEMPLATION STAGE | 2 | 2,656 | 754,417 |
| PREPARATION STAGE | 3 | 1,280 | 376,292 |
| ACTION STAGE | 4 | 386 | 107,661 |
| MAINTENANCE STAGE | 5 | 11,091 | 2,393,464 |
| NOT APPLICABLE | 6 | 107,826 | 25,278,873 |
| NOT STATED | 9 | 1,396 | 307,259 |
| Tot | tal | 127,462 | 30,002,817 |

Variable Name DOSCA Length 1 Position 798

Question Name DOSCA

Concept Smoking cessation methods - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 42,553 | 11,682,112 |
| NO | 2 | 84,909 | 18,320,705 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCA_10 Length 1 Position 799

Question Name SCA_Q10A

Concept Used nicotine patch

Question In the past 12 months, did you try a nicotine patch to quit smoking?

Universe Respondents with DOSCA = 1 who answered SMK_202 = (3, 7 or 8) and ((SMK_06A = (1, 7 or 8) or

SMK_09A = (1, 7 or 8)) or (SMK_01A = 8 and SMK_01B = 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 118 | 30,285 |
| NO | 2 | 471 | 129,588 |
| NOT APPLICABLE | 6 | 126,345 | 29,721,931 |
| NOT STATED | 9 | 528 | 121,013 |
| 7 | Total | 127,462 | 30,002,817 |

Variable Name SCAG10A Length 1 Position 800

Question Name

Concept Usefulness of nicotine patch - (G)

Question How useful was that in helping you quit?

Universe Respondents with DOSCA = 1 who answered SCA_10 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or

8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B =

8)

Note Based on SCA_10A

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-------------------------|-------------|---------------|-------------------|
| Very or somewhat useful | 1 | 88 | 16,455 |
| Not very useful | 2 | 14 | 10,671 |
| Not useful at all | 3 | 14 | 1,921 |
| Not applicable | 6 | 126,816 | 29,851,519 |
| Not stated | 9 | 530 | 122,251 |
| Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCA_11 Length 1 Position 801

Question Name SCA_Q11A

Concept Used nicotine gum or candy

Question (In the past 12 months) did you try Nicorettes or other nicotine gum or candy to quit smoking?

Universe Respondents with DOSCA = 1 who answered (SCA_10 = (7 or 8) or SMK_202 = (3, 7 or 8) and ((SMK_06A

 $= (1, 7 \text{ or } 8) \text{ or } SMK_09A = (1, 7 \text{ or } 8)) \text{ or } (SMK_01A = 8 \text{ and } SMK_01B = 8)))$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| VERY USEFUL | 1 | 104 | 27,346 |
| SOMEWHAT USEFUL | 2 | 485 | 132,527 |
| NOT APPLICABLE | 6 | 126,345 | 29,721,931 |
| NOT STATED | 9 | 528 | 121,013 |
| | Total | 127,462 | 30,002,817 |

Variable Name SCA_11A Length 1 Position 802

Question Name SCA_Q11B

Concept Usefulness of nicotine gum or candy

Question How useful was that in helping you quit?

Universe Respondents with DOSCA = 1 who answered SCA_11 = (1, 7 or 8) or (SCA_10 = (7 or 8) or (SMK_202 =

(3, 7 or 8) and ((SMK_06A = (7 or 8) and SMK_09A = (7 or 8)) or (SMK_01A = 8 and SMK_01B = 8))))

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-------------------|-------------|---------------|-------------------|
| VERY USEFUL | 1 | 38 | 6,059 |
| SOMEWHAT USEFUL | 2 | 26 | 6,783 |
| NOT VERY USEFUL | 3 | 12 | 7,888 |
| NOT USEFUL AT ALL | 4 | 28 | 6,616 |
| NOT APPLICABLE | 6 | 126,830 | 29,854,458 |
| NOT STATED | 9 | 528 | 121,013 |
| Tota | ıl | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCA_12 Length 1 Position 803

Question Name SCA_Q12A

Concept Used medication such as Zyban

Question In the past 12 months, did you try medication such as Zyban, Prolev or Wellbutrin to quit smoking?

Universe Respondents with DOSCA = 1 who answered SMK_202 = (3, 7 or 8) and ((SMK_06A = (1, 7 or 8) or

 $SMK_09A = (1, 7 \text{ or } 8)) \text{ or } (SMK_01A = 8 \text{ and } SMK_01B = 8))$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 90 | 22,033 |
| NO | 2 | 499 | 137,840 |
| NOT APPLICABLE | 6 | 126,345 | 29,721,931 |
| NOT STATED | 9 | 528 | 121,013 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name SCAG12A Length 1 Position 804

Question Name

Concept Usefulness of medication such as Zyban - (G)

Question How useful was that in helping you quit?

Universe Respondents with DOSCA = 1 who answered SCA_12 = (1, 7 or 8) or SMK_202 = 3 and (SMK_06A = (7 or

8) or SMK_09A = (7 or 8) or SMK_05D = (7 or 8)) or SMK_202 = (7 or 8) or (SMK_01A = 8 and SMK_01B =

8)

Note Based on SCA_12A

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------------|-------------|---------------|-------------------|
| Very useful | 1 | 63 | 15,212 |
| Somewhat useful | 2 | 13 | 4,092 |
| Not very useful or not usefull at all | 3 | 13 | 2,258 |
| Not applicable | 6 | 126,844 | 29,859,771 |
| Not stated | 9 | 529 | 121,484 |
| Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCA_50 Length 1 Position 805

Question Name SCA_Q50

Concept Stopped smoking for at least 24 hours

Question In the past 12 months, did you stop smoking for at least 24 hours because you were trying to quit?

Universe Respondents with DOSCA = 1 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B =

8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,224 | 930,043 |
| NO | 2 | 3,928 | 1,075,884 |
| NOT APPLICABLE | 6 | 119,718 | 27,852,856 |
| NOT STATED | 9 | 592 | 144,034 |
| | Total | 127,462 | 30,002,817 |

Variable Name SCA_60 Length 1 Position 806

Question Name SCA_Q60

Concept Tried to quit smoking - nicotine patch

Question In the past 12 months, did you try any of the following to quit smoking:

...a nicotine patch?

Universe Respondents with DOSCA = 1 who answered SCA_50 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A =

 $8 \text{ and } SMK_01B = 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 675 | 168,185 |
| NO | 2 | 2,547 | 761,579 |
| NOT APPLICABLE | 6 | 123,646 | 28,928,740 |
| NOT STATED | 9 | 594 | 144,313 |
| • | Γotal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCA_61 Length 1 Position 807

Question Name SCA_Q61

Concept Tried to quit smoking - nicotine gum or candy - past 12 mo

Question (In the past 12 months, did you try any of the following to quit smoking:)

...Nicorettes or other nicotine gum or candy?

Universe Respondents with DOSCA = 1 who answered SCA_50 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A =

 $8 \text{ and SMK}_{-}01B = 8)$

Note

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 774 | 191,403 |
| NO | 2 | 2,448 | 738,361 |
| NOT APPLICABLE | 6 | 123,646 | 28,928,740 |
| NOT STATED | 9 | 594 | 144,313 |
| | Total | 127,462 | 30,002,817 |

Variable Name SCA_62 Length 1 Position 808

Question Name SCA_Q62

Concept Tried to quit smoking - medication such as Zyban

Question (In the past 12 months, did you try any of the following to quit smoking:)

...medication such as Zyban, Prolev or Wellbutrin?

Universe Respondents with DOSCA = 1 who answered SCA_50 = (1, 7 or 8) or SMK_202 = (7 or 8) or (SMK_01A =

8 and $SMK_01B = 8$)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 414 | 103,616 |
| NO | 2 | 2,807 | 826,047 |
| NOT APPLICABLE | 6 | 123,646 | 28,928,740 |
| DON'T KNOW | 7 | 1 | 101 |
| NOT STATED | 9 | 594 | 144,313 |
| 7 | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SCADQUI Length 1 Position 809

Question Name

Concept Attempted to stop smoking - (D)

Question

Universe Respondents with DOSCA = 1 who answered SMK_01A = (1, 7 or 8) or SMK_202 = (1, 2, 7 or 8)

Note Based on SMKDSTY, SMK_01A, SMK_202, SMK_06A, SMK_09A, SMK_10, SMK_10A, SCA_50, SCH_3.

Current non-smokers and respondents who smoked less than 100 cigarettes in their lifetime were excluded

from the population. See documentation on derived variables.

| Content | | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---|-------|-------------|---------------|-------------------|
| DID NOT TRY TO QUIT LAST YEAR | | 1 | 3,928 | 1,075,884 |
| TRIED TO QUIT UNSUCCESFULLY / LAST YEAR | | 2 | 3,224 | 930,043 |
| SUCCESFULLY QUIT IN THE LAST YEAR | | 3 | 611 | 165,909 |
| SUCCESFULLY QUIT MORE THAN 1 YEAR AGO | | 4 | 10,883 | 2,342,430 |
| NOT APPLICABLE | | 6 | 107,826 | 25,278,873 |
| NOT STATED | | 9 | 990 | 209,677 |
| | Total | | 127,462 | 30,002,817 |

Variable Name DOSPC Length 1 Position 810

Question Name DOSPC

Concept Smoking - physician counselling - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | | <u>Sample</u> | Population |
|---------|-------------|---|---------------|-------------------|
| YES | | 1 | 1,985 | 125,591 |
| NO | | 2 | 125,477 | 29,877,226 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SPC_10 Length 1 Position 811

Question Name SPC_Q10

Concept Visited regular medical doctor

Question Earlier, you mentioned having a regular medical doctor. In the past 12 months, did you go see this doctor?

Universe Respondents with DOSPC = 1 who answered (((SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1)

and HCU_1AA = (1, 7 or 8)) or (((SMK_01A = 8 and SMK_01B = 8) or SMK_202 = (7 or 8) or SMK_06A =

 $(7 \text{ or } 8) \text{ or } SMK_09A = (7 \text{ or } 8)) \text{ and } HCU_1AA = (1, 7 \text{ or } 8)))$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 266 | 16,809 |
| NO | 2 | 68 | 4,834 |
| NOT APPLICABLE | 6 | 127,109 | 29,979,874 |
| NOT STATED | 9 | 19 | 1,300 |
| | Total | 127,462 | 30,002,817 |

Variable Name SPC_11 Length 1 Position 812

Question Name SPC_Q11

Concept Doctor - knows smokes/smoked

Question Does your doctor know that you ^DT_SMOKING cigarettes?

Universe Respondents with DOSPC = 1 who answered (SPC_10 = (1, 7 or 8) and (((SMK_202 = (1 or 2) or

 $SMK_06A = 1 \text{ or } SMK_09A = 1) \text{ and } HCU_1AA = (1, 7 \text{ or } 8)) \text{ or } (((SMK_01A = 8) \text{ and } SMK_01B = 8)) \text{ or } (((SMK_01A = 8) \text{ or } SMK_01B = 8)))$

SMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = (7 or 8)) and HCU_1AA = (1, 7 or 8))))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 246 | 15,865 |
| NO | 2 | 15 | 722 |
| NOT APPLICABLE | 6 | 127,146 | 29,982,103 |
| DON'T KNOW | 7 | 4 | 144 |
| NOT STATED | 9 | 51 | 3,983 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SPC_12 Length 1 Position 813

Question Name SPC_Q12

Concept Doctor - advised to quit

Question In the past 12 months, did your doctor advise you to quit smoking?

Universe Respondents with DOSPC = 1 who answered (SPC_11 = (1, 7 or 8) and SPC_10 = (1, 7 or 8) and

 $(((SMK_202 = (1 \text{ or } 2) \text{ or } SMK_06A = 1 \text{ or } SMK_09A = 1) \text{ and } HCU_1AA = (1, 7 \text{ or } 8)) \text{ or } (((SMK_01A = 8 \text{ and } SMK_01B = 8) \text{ or } SMK_202 = (7 \text{ or } 8) \text{ or } SMK_06A = (7 \text{ or } 8) \text{ or } SMK_09A = (7 \text{ or } 8)) \text{ and } HCU_1AA = (1, 2 \text{ or } 8) \text{ or } SMK_01A = (2 \text{ or } 8) \text$

(1, 7 or 8))))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 161 | 11,180 |
| NO | 2 | 85 | 4,685 |
| NOT APPLICABLE | 6 | 127,161 | 29,982,825 |
| NOT STATED | 9 | 55 | 4,126 |
| | Total | 127,462 | 30,002,817 |

Variable Name SPC_13 Length 1 Position 814

Question Name SPC_Q13

Concept Doctor - gave specific help

Question (In the past 12 months,) did your doctor give you any specific help or information to quit smoking?

Universe Respondents with DOSPC = 1 who answered (SPC_11 = (1, 7 or 8) and SPC_10 = (1, 7 or 8) and

 $(((SMK_202 = (1 \text{ or } 2) \text{ or } SMK_06A = 1 \text{ or } SMK_09A = 1) \text{ and } HCU_1AA = (1, 7 \text{ or } 8)) \text{ or } (((SMK_01A = 8 \text{ and } SMK_01B = 8) \text{ or } SMK_202 = (7 \text{ or } 8) \text{ or } SMK_06A = (7 \text{ or } 8) \text{ or } SMK_09A = (7 \text{ or } 8)) \text{ and } HCU_1AA = (1, 2 \text{ or } 8) \text{ or } SMK_08A = (1, 2 \text{ or } 8) \text{ or } SMK_08A = (1, 2 \text{ or } 8) \text{ or } SMK_08A = (1, 2 \text{ or } 8) \text{ or } SMK_08A = (1, 2 \text{ or } 8)) \text{ or } SMK_08A = (1, 2 \text{ or } 8) \text{ or } SM$

(1, 7 or 8)))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 86 | 6,459 |
| NO | 2 | 159 | 9,391 |
| NOT APPLICABLE | 6 | 127,161 | 29,982,825 |
| DON'T KNOW | 7 | 1 | 15 |
| NOT STATED | 9 | 55 | 4,126 |
| 7 | Гotal | 127,462 | 30,002,817 |

Page 341

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable NameSPC_14CLength1Position815

Question Name SPC_Q14C

Concept Type of help - recommended nicotine patch or gum

Question What type of help did the doctor give? - Recommended use of nicotine patch or nicotine gum

Universe Respondents with DOSPC = 1 who answered (SPC_13 = (1, 7 or 8) and SPC_11 = (1, 7 or 8) and SPC_10

= (1, 7 or 8) and $(((SMK_202 = (1 \text{ or } 2) \text{ or } SMK_06A = 1 \text{ or } SMK_9A = 1)$ and $HCU_1AA = (1, 7 \text{ or } 8))$ or $(((SMK_01A = 8) \text{ and } SMK_01B = 8) \text{ or } SMK_202 = (7 \text{ or } 8) \text{ or } SMK_06A = (7 \text{ or } 8) \text{ or } SMK_09A = (7 \text{ or } 8))$

and HCU_1AA = (1, 7 or 8))))

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 31 | 2,059 |
| NO | 2 | 55 | 4,400 |
| NOT APPLICABLE | 6 | 127,320 | 29,992,217 |
| NOT STATED | 9 | 56 | 4,141 |
| To | otal | 127,462 | 30,002,817 |

Variable Name SPC_14D Length 1 Position 816

Question Name SPC_Q14D

Concept Type of help - recommended Zyban or other medication

Question What type of help did the doctor give? - Recommended Zyban or other medication

Universe Respondents with DOSPC = 1 who answered (SPC_13 = (1, 7 or 8) and SPC_11 = (1, 7 or 8) and SPC_10

= (1, 7 or 8) and $(((SMK_202 = (1 \text{ or } 2) \text{ or } SMK_06A = 1 \text{ or } SMK_09A = 1)$ and $HCU_1AA = (1, 7 \text{ or } 8))$ or $(((SMK_01A = 8) \text{ and } SMK_01B = 8) \text{ or } SMK_202 = (7 \text{ or } 8) \text{ or } SMK_06A = (7 \text{ or } 8) \text{ or } SMK_09A = (7 \text{ or } 8))$

and $HCU_1AA = (1, 7 \text{ or } 8))$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 32 | 2,659 |
| NO | 2 | 54 | 3,800 |
| NOT APPLICABLE | 6 | 127,320 | 29,992,217 |
| NOT STATED | 9 | 56 | 4,141 |
| Т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SPC_14E Length 1 Position 817

Question Name SPC_Q14E

Concept Type of help - provided self-help information

Question What type of help did the doctor give? - Provided self-help information (e.g., pamphlet, referral to website)

Universe Respondents with DOSPC = 1 who answered (SPC_13 = (1, 7 or 8) and SPC_11 = (1, 7 or 8) and SPC_10

= (1, 7 or 8) and $(((SMK_202 = (1 \text{ or } 2) \text{ or } SMK_06A = 1 \text{ or } SMK_9A = 1)$ and $HCU_1AA = (1, 7 \text{ or } 8))$ or $(((SMK_01A = 8) \text{ and } SMK_01B = 8) \text{ or } SMK_202 = (7 \text{ or } 8) \text{ or } SMK_06A = (7 \text{ or } 8) \text{ or } SMK_09A = (7 \text{ or } 8))$

and HCU_1AA = (1, 7 or 8))))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 34 | 2,760 |
| NO | 2 | 52 | 3,699 |
| NOT APPLICABLE | 6 | 127,320 | 29,992,217 |
| NOT STATED | 9 | 56 | 4,141 |
| • | Total | 127,462 | 30,002,817 |

Variable Name SPCG14G Length 1 Position 818

Question Name

Concept Type of help - (G)

Question What type of help did the doctor give?

Universe Respondents with DOSPC = 1 who answered SPC_13 = (1, 7 or 8) or SPC_12 = (7 or 8) or SPC_11 = (7 or

8) or SPC_10 = (7 or 8) or SMK_01A = 8 and SMK_01B = 8 and SMK_202 = (7 or 8) and SMK_06A =

8) and SMK_09A = (7 or 8) and HCU_1AA = (7 or 8) and (SMK_202 = (1 or 2) and SMK_06A = 1 and

 $SMK_09A = 1$

Note Based on SPC_14A, SPC_14B, SPC_14F, SPC_14G

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 18 | 1,089 |
| NO | 2 | 68 | 5,370 |
| NOT APPLICABLE | 6 | 127,320 | 29,992,217 |
| NOT STATED | 9 | 56 | 4,141 |
| Tot | tal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SPC_20 Length 1 Position 819

Question Name SPC_Q20
Concept Visited dentist

Question Earlier, you mentioned having "seen or talked to" a dentist in the past 12 months. Did you actually go to the

dentist?

Universe "Respondents with DOSPC = 1 and CHP_14 = (1, 7 or 8) and (SMK_202 = (1, 2, 7 or 8) or SMK_06A = (1,

7 or 8) or SMK_09A = (1, 7 or 8)) and ((DODEN = 2 or (DEN_132 = (2, 7 or 8)) or (((SMK_01A = 8 and

SMK_01B = 8) orSMK_202 = (7 or 8) or SMK_06A = (7 or 8) or SMK_09A = (7 or 8))))"

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | • | 179 | 11,386 |
| NO | 2 | 2 2 | 225 |
| NOT APPLICABLE | 6 | 127,269 | 29,990,211 |
| NOT STATED | Ş | 9 12 | 995 |
| | Total | 127,462 | 30,002,817 |

Variable Name SPC_21 Length 1 Position 820

Question Name SPC_Q21

Concept Dentist/hygienist - knows smokes/smoked

Question Does your dentist or dental hygienist know that you ^DT_SMOKING cigarettes?

Universe "Respondents with DOSPC = 1 and (SPC_20 = (1, 7 or 8) or (DODEN = 1 and (DEN_130 = (1, 7 or 8) or

= 8 and SMK_01B = 8) or SMK_202 = (7 or 8) or SMK_06A = (7 or 8)or SMK_09A = (7 or 8))))"

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 144 | 9,431 |
| NO | 2 | 22 | 1,130 |
| NOT APPLICABLE | 6 | 127,271 | 29,990,436 |
| DON'T KNOW | 7 | 13 | 825 |
| NOT STATED | 9 | 12 | 995 |
| То | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SPC_22 Length 1 Position 821

Question Name SPC_Q22

Concept Dentist/hygienist - advised to quit

Question In the past 12 months, did the dentist or hygienist advise you to quit smoking?

Universe "Respondents with DOSPC = 1 and (SPC_21 = (1, 7 or 8) or spc_20 = (7 or 8) or ((DEN_130 = (7 or 8) and

DEN_132 = (97 or 98))) and ((SMK_202 = (1 or 2) or SMK_06A = 1 or SMK_09A = 1) or ((SMK_01A = 8

and SMK_01B = 8) or SMK_202 = (7 or 8) or SMK_06A = (7 or 8)or SMK_09A = (7 or 8))))"

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 51 | 3,647 |
| NO | 2 | 90 | 5,587 |
| NOT APPLICABLE | 6 | 127,293 | 29,991,566 |
| DON'T KNOW | 7 | 2 | 166 |
| NOT STATED | 9 | 26 | 1,851 |
| To | otal | 127,462 | 30,002,817 |

Variable Name DOYSM Length 1 Position 822

Question Name DOYSM

Concept Optional module: Smoking - Youth smoking - (F)

Question

Universe All respondents

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------|-------------|---------------|-------------------|
| YES | | 1 | 7,371 | 875,543 |
| NO | | 2 | 120,091 | 29,127,274 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name YSMG1 Length 1 Position 823

Question Name

Concept Source of cigarettes - (G)

Question

Universe Respondents aged less than 20 who answered SMK_202 = (1, 2, 7 or 8) or (SMK_01A = 8 and SMK_01B =

8)

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---|-------------|---------------|-------------------|
| BUY FROM - SMALL GROCERY / CORNER STORE | 1 | 24 | 4,354 |
| BUY FROM - OTHER THAN SMALL GROCERY | 2 | 21 | 3,177 |
| OTHER | 3 | 18 | 2,020 |
| NOT APPLICABLE | 6 | 127,394 | 29,992,385 |
| NOT STATED | 9 | 5 | 881 |
| Total | | 127,462 | 30,002,817 |

Variable Name YSM_3 Length 1 Position 824

Question Name YSM_Q3

Concept Age asked when buying cigarettes in store

Question In the past 12 months, have you been asked your age when buying cigarettes in a store?

Universe Respondents aged less than 20 with DOYSM = 1 who answered YSM_1 = (1, 2, 3, 4, 5, 6, 7, 97, 98) or

 $YSM_2 = (1, 7, 8)$ or $SMK_202 = (7, 8)$ or $(SMK_01A = 8)$ and $SMK_01B = 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 22 | 3,628 |
| NO | 2 | 25 | 4,255 |
| NOT APPLICABLE | 6 | 127,410 | 29,994,054 |
| NOT STATED | 9 | 5 | 881 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name YSM_5 Length 1 Position 825

Question Name YSM_Q5

Concept Asked a stranger to buy cigarettes

Question In the past 12 months, have you asked a stranger to buy you cigarettes?

Universe Respondents aged less than 20 with DOYSM = 1 who answered SMK_202 = (1, 2, 7, 8) or (SMK_01A = 8

and $SMK_01B = 8$)

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10 | 2,545 |
| NO | 2 | 53 | 7,006 |
| NOT APPLICABLE | 6 | 127,394 | 29,992,385 |
| NOT STATED | 9 | 5 | 881 |
| To | otal | 127,462 | 30,002,817 |

Variable Name ETS_10 Length 1 Position 826

Question Name ETS_Q10

Concept Someone smokes inside home

Question Including both household members and regular visitors, does anyone smoke inside your home, every day

or almost every day?

Universe Respondents with DHHDHSZ > 1 or who answered (SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and

 $SMK_01B = 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8,573 | 2,169,789 |
| NO | 2 | 110,038 | 26,487,925 |
| NOT APPLICABLE | 6 | 7,844 | 1,094,160 |
| DON'T KNOW | 7 | 30 | 5,671 |
| REFUSAL | 8 | 53 | 15,435 |
| NOT STATED | 9 | 924 | 229,837 |
| T | otal | 127,462 | 30,002,817 |

Page 347

March 2016

Variable Name ETSG11 Length 1 Position 827

Question Name

Concept Number of people who smoke inside home - (G)

Question How many people smoke inside your home every day or almost every day?

Universe Respondents who answered ETS_10 = (1, 7 or 8)

Note Includes household members and regular visitors.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| 1 PERSON | 1 | 4,959 | 1,211,695 |
| 2 PERSONS | 2 | 3,059 | 796,598 |
| 3 PERSONS | 3 | 392 | 116,699 |
| 4 OR MORE PERSONS | 4 | 148 | 42,222 |
| NOT APPLICABLE | 6 | 117,882 | 27,582,085 |
| NOT STATED | 9 | 1,022 | 253,517 |
| Tot | tal | 127,462 | 30,002,817 |

Variable Name ETS_20 Length 1 Position 828

Question Name ETS_Q20A

Concept Exposed to second-hand smoke in private vehicle

Question In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or

other private vehicle?

Universe Respondents who answered SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)

Note

| <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------|----------------------------|--|
| 1 | 5,567 | 1,395,126 |
| 2 | 97,335 | 22,804,197 |
| 6 | 23,558 | 5,567,985 |
| 7 | 41 | 5,888 |
| 8 | 6 | 749 |
| 9 | 955 | 228,872 |
| tal | 127,462 | 30,002,817 |
| | 1 2 6 7 8 9 | 1 5,567 2 97,335 6 23,558 7 41 8 6 9 955 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ETS_20B Length 1 Position 829

Question Name ETS_Q20B

Concept Exposed to second-hand smoke in public places

Question (In the past month,) were you exposed to second-hand smoke, every day or almost every day, in public

places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?

Universe Respondents who answered SMK_202 = (3, 7 or 8) or (SMK_01A = 8 and SMK_01B = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 11,170 | 3,150,935 |
| NO | 2 | 91,594 | 21,015,771 |
| NOT APPLICABLE | 6 | 23,558 | 5,567,985 |
| DON'T KNOW | 7 | 161 | 35,123 |
| REFUSAL | 8 | 10 | 1,645 |
| NOT STATED | 9 | 969 | 231,358 |
| 7 | Total | 127,462 | 30,002,817 |

Variable Name ETS_35 Length 1 Position 830

Question Name ETS_Q35

Concept Smoking allowed - House

Question Is smoking allowed inside your home?

Universe Respondents who answered (ETS_10 = 2, 7 or 8) or (DHHDHSZ = 1 and SMK_202 = (1, 2, 7 or 8)) and

ETS_10 ne 1

Note

| Content | Co | <u>de</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------|-----------|---------------|-------------------|
| YES | | 1 | 10,919 | 1,818,432 |
| NO | | 2 | 106,643 | 25,714,378 |
| NOT APPLICABLE | | 6 | 8,573 | 2,169,789 |
| DON'T KNOW | | 7 | 231 | 36,978 |
| REFUSAL | | 8 | 25 | 2,433 |
| NOT STATED | | 9 | 1,071 | 260,807 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ETS_36 Length 1 Position 831

Question Name ETS_Q36

Concept Smoking restrictions

Question Is smoking inside your home restricted in anyway?

Universe Respondents who answered ETS_10 = (1, 7 or 8) or ETS_35 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7,160 | 1,531,103 |
| NO | 2 | 12,234 | 2,442,568 |
| NOT APPLICABLE | 6 | 106,643 | 25,714,378 |
| DON'T KNOW | 7 | 91 | 12,608 |
| REFUSAL | 8 | 4 | 708 |
| NOT STATED | 9 | 1,330 | 301,452 |
| - | Γotal | 127,462 | 30,002,817 |

Variable Name ETS_37A Length 1 Position 832

Question Name ETS_Q37A

Concept Type of restrictions -certain rooms only

Question How is smoking restricted inside your home? - Allowed in certain rooms only

Universe Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,029 | 849,854 |
| NO | 2 | 3,099 | 675,941 |
| NOT APPLICABLE | 6 | 118,877 | 28,156,946 |
| DON'T KNOW | 7 | 27 | 3,935 |
| REFUSAL | 8 | 4 | 1,319 |
| NOT STATED | 9 | 1,426 | 314,822 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ETS_37B Length 1 Position 833

Question Name ETS_Q37B

Concept Type of restrictions - young children

Question How is smoking restricted inside your home? - Restricted in the presence of young children

Universe Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,225 | 428,171 |
| NO | 2 | 4,903 | 1,097,624 |
| NOT APPLICABLE | 6 | 118,877 | 28,156,946 |
| DON'T KNOW | 7 | 27 | 3,935 |
| REFUSAL | 8 | 4 | 1,319 |
| NOT STATED | 9 | 1,426 | 314,822 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Variable Name ETS_37C Length 1 Position 834

Question Name ETS_Q37C

Concept Type of restrictions - windows open

Question How is smoking restricted inside your home? - Allowed only if windows are open or with another type of

ventilation

Universe Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,816 | 608,317 |
| NO | 2 | 4,312 | 917,479 |
| NOT APPLICABLE | 6 | 118,877 | 28,156,946 |
| DON'T KNOW | 7 | 27 | 3,935 |
| REFUSAL | 8 | 4 | 1,319 |
| NOT STATED | 9 | 1,426 | 314,822 |
| т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ETS_37D Length 1 Position 835

Question Name ETS_Q37D

Concept Type of restrictions - Other

Question How is smoking restricted inside your home? - Other restriction (s)

Universe Respondents who answered ETS_36 = (1, 7 or 8) or ETS_10 = (7 or 8) or ETS_35 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,203 | 250,340 |
| NO | 2 | 5,925 | 1,275,456 |
| NOT APPLICABLE | 6 | 118,877 | 28,156,946 |
| DON'T KNOW | 7 | 27 | 3,935 |
| REFUSAL | 8 | 4 | 1,319 |
| NOT STATED | 9 | 1,426 | 314,822 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOTAL Length 1 Position 836

Question Name DOTAL

Concept Smoking - Other tobacco products - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 49,924 | 12,557,655 |
| NO | 2 | 77,538 | 17,445,162 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name TAL_1 Length 1 Position 837

Question Name TAL_Q1

Concept Smoked cigars - last month

Question Now I'd like to ask about "YOUR1 use of tobacco other than cigarettes."

In the past month, ^HAVE ^YOU1 smoked cigars?

Universe Respondents with DOTAL = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,010 | 583,108 |
| NO | 2 | 47,287 | 11,825,470 |
| NOT APPLICABLE | 6 | 77,538 | 17,445,162 |
| DON'T KNOW | 7 | 9 | 1,588 |
| REFUSAL | 8 | 14 | 4,483 |
| NOT STATED | 9 | 604 | 143,006 |
| To | otal | 127,462 | 30,002,817 |

Variable Name TAL_2 Length 1 Position 838

Question Name TAL_Q2

Concept Smoked a pipe - past month

Question (In the past month,) ^HAVE ^YOU1 smoked a pipe?

Universe Respondents with DOTAL = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 394 | 105,460 |
| NO | 2 | 48,898 | 12,302,393 |
| NOT APPLICABLE | 6 | 77,538 | 17,445,162 |
| DON'T KNOW | 7 | 2 | 286 |
| NOT STATED | 9 | 630 | 149,516 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name TAL_3 Length 1 Position 839

Question Name TAL_Q3

Concept Used snuff - past month

Question (In the past month,) ^HAVE ^YOU1 used snuff?

Universe Respondents with DOTAL = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 163 | 28,732 |
| NO | 2 | 49,123 | 12,375,005 |
| NOT APPLICABLE | 6 | 77,538 | 17,445,162 |
| DON'T KNOW | 7 | 5 | 2,594 |
| REFUSAL | 8 | 1 | 414 |
| NOT STATED | 9 | 632 | 150,910 |
| | Total | 127,462 | 30,002,817 |

Variable Name TAL_4 Length 1 Position 840

Question Name TAL_Q4

Concept Used chewing tobacco - past month

Question (In the past month,) ^HAVE ^YOU1 used chewing tobacco?

Universe Respondents with DOTAL =1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 346 | 88,789 |
| NO | 2 | 48,943 | 12,317,463 |
| NOT APPLICABLE | 6 | 77,538 | 17,445,162 |
| DON'T KNOW | 7 | 1 | 44 |
| REFUSAL | 8 | 2 | 449 |
| NOT STATED | 9 | 632 | 150,910 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name ALC_1 Length 1 Position 841

Question Name ALC_Q1

Concept Drank alcohol in past 12 months

Question During the past 12 months, that is, from [date one year ago] to yesterday, ^HAVE ^YOU2 had a drink of

beer, wine, liquor or any other alcoholic beverage?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------|-------------|---------------|-------------------|
| YES | 1 | 93,447 | 22,387,228 |
| NO | 2 | 32,180 | 7,155,928 |
| DON'T KNOW | 7 | 57 | 7,012 |
| REFUSAL | 8 | 125 | 34,448 |
| NOT STATED | 9 | 1,653 | 418,201 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name ALC_2 Length 2 Position 842 - 843

Question Name ALC_Q2

Concept Frequency of drinking alcohol

Question During the past 12 months, how often did ^YOU1 drink alcoholic beverages?

Universe Respondents who answered ALC_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| LESS THAN ONCE A MONTH | 1 | 21,923 | 4,887,942 |
| ONCE A MONTH | 2 | 9,782 | 2,337,675 |
| 2 TO 3 TIMES A MONTH | 3 | 12,078 | 3,023,550 |
| ONCE A WEEK | 4 | 14,552 | 3,648,127 |
| 2 TO 3 TIMES A WEEK | 5 | 18,733 | 4,852,850 |
| 4 TO 6 TIMES A WEEK | 6 | 6,395 | 1,616,089 |
| EVERY DAY | 7 | 9,397 | 1,917,486 |
| NOT APPLICABLE | 96 | 32,180 | 7,155,928 |
| DON'T KNOW | 97 | 511 | 83,624 |
| REFUSAL | 98 | 61 | 16,248 |
| NOT STATED | 99 | 1,850 | 463,298 |
| | Total | 127,462 | 30,002,817 |

Page 356

March 2016

Variable Name ALC_3 Length 2 Position 844 - 845

Question Name ALC_Q3

Concept Frequency of drinking 4 (female)/ 5 (male) or more drinks

Question How often in the past 12 months ^HAVE ^YOU1 had 5 or more drinks on one occasion?

Universe Respondents who answered ALC_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| NEVER | 1 | 46,746 | 10,193,233 |
| LESS THAN ONCE A MONTH | 2 | 25,493 | 6,619,464 |
| ONCE A MONTH | 3 | 6,880 | 1,854,128 |
| 2 TO 3 TIMES A MONTH | 4 | 5,870 | 1,569,602 |
| ONCE A WEEK | 5 | 4,428 | 1,191,620 |
| MORE THAN ONCE A WEEK | 6 | 3,152 | 789,446 |
| NOT APPLICABLE | 96 | 32,180 | 7,155,928 |
| DON'T KNOW | 97 | 715 | 125,860 |
| REFUSAL | 98 | 76 | 19,384 |
| NOT STATED | 99 | 1,922 | 484,152 |
| | Total | 127,462 | 30,002,817 |

Variable Name ALCDTTM Length 1 Position 846

Question Name

Concept Type of drinker (12 months) - (D)

Question

Universe All respondents

Note Based on ALC_1, ALC_2. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------------------------|-------------|---------------|-------------------|
| REGULAR DRINKER | 1 | 70,937 | 17,395,778 |
| OCCASIONAL DRINKER | 2 | 21,923 | 4,887,942 |
| DID NOT DRINK IN THE LAST 12 MONTHS | 3 | 32,180 | 7,155,928 |
| NOT STATED | 9 | 2,422 | 563,170 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DOALW Length 1 Position 847

Question Name DOALW

Concept Alcohol use - past week - Inlusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 82,645 | 20,666,556 |
| NO | 2 | 44,817 | 9,336,261 |
| | Total | 127,462 | 30,002,817 |

Variable Name ALW_1 Length 1 Position 848

Question Name ALW_Q5

Concept Drank alcohol in past week

Question Thinking back over the past week, that is, from [date last week] to yesterday, did ^YOU2 have a drink of

beer, wine, liquor or any other alcoholic beverage?

Universe Respondents with DOALW = 1 who answered ALC_1 = (1, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 37,808 | 9,737,338 |
| NO | 2 | 23,299 | 5,702,090 |
| NOT APPLICABLE | 6 | 64,737 | 14,133,484 |
| DON'T KNOW | 7 | 43 | 15,207 |
| REFUSAL | 8 | 28 | 7,256 |
| NOT STATED | 9 | 1,547 | 407,442 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name ALW_2A1 Length 3 Position 849 - 851

Question Name ALW_Q5A_1

Concept Number of drinks - Day1

Question Starting with yesterday, that is ^DayE[1], how many drinks did ^YOU2 have?

Universe Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 0 - 60 | 37,685 | 9,709,806 |
| NOT APPLICABLE | 996 | 88,036 | 19,835,574 |
| DON'T KNOW | 997 | 93 | 18,396 |
| REFUSAL | 998 | 23 | 7,411 |
| NOT STATED | 999 | 1,625 | 431,630 |
| | Total | 127,462 | 30,002,817 |

Variable Name ALW_2A2 Length 3 Position 852 - 854

Question Name ALW_Q5A_2

Concept Number of drinks - Day 2

Question (How many drinks did ^YOU1 have:)

...on ^DayE[2]?

Universe Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 0 - 37 | 37,549 | 9,687,862 |
| NOT APPLICABLE | 996 | 88,036 | 19,835,574 |
| DON'T KNOW | 997 | 224 | 40,080 |
| REFUSAL | 998 | 5 | 260 |
| NOT STATED | 999 | 1,648 | 439,042 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

855 - 857 Variable Name ALW_2A3 Length 3 **Position**

Question Name ALW_Q5A_3

Concept Number of drinks - Day 3

(How many drinks did ^YOU1 have:) Question

...on ^DayE[3]?

Universe Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 0 - 40 | 37,417 | 9,664,228 |
| NOT APPLICABLE | 996 | 88,036 | 19,835,574 |
| DON'T KNOW | 997 | 346 | 61,899 |
| REFUSAL | 998 | 12 | 1,899 |
| NOT STATED | 999 | 1,651 | 439,217 |
| • | Total | 127,462 | 30,002,817 |

ALW_2A4 Variable Name Length 3 **Position** 858 - 860

Question Name ALW_Q5A_4

Concept Number of drinks - Day 4

(How many drinks did ^YOU1 have:) ...on ^DayE[4]? Question

Universe Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 0 - 40 | 37,193 | 9,620,493 |
| NOT APPLICABLE | 996 | 88,036 | 19,835,574 |
| DON'T KNOW | 997 | 562 | 103,693 |
| REFUSAL | 998 | 19 | 3,533 |
| NOT STATED | 999 | 1,652 | 439,526 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ALW_2A5 Length 3 Position 861 - 863

Question Name ALW_Q5A_5

Concept Number of drinks - Day 5

(How many drinks did ^YOU1 have:) Question

...on ^DayE[5]?

Universe Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 0 - 40 | 36,971 | 9,573,900 |
| NOT APPLICABLE | 996 | 88,036 | 19,835,574 |
| DON'T KNOW | 997 | 780 | 150,506 |
| REFUSAL | 998 | 23 | 3,313 |
| NOT STATED | 999 | 1,652 | 439,526 |
| • | Total | 127,462 | 30,002,817 |

Variable Name ALW_2A6 Length 3 **Position** 864 - 866

Question Name ALW_Q5A_6

Concept Number of drinks - Day 6

(How many drinks did ^YOU1 have:) ...on ^DayE[6]? Question

Universe Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)

Note

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 0 - 34 | 36,715 | 9,519,896 |
| NOT APPLICABLE | 996 | 88,036 | 19,835,574 |
| DON'T KNOW | 997 | 1,028 | 203,709 |
| REFUSAL | 998 | 30 | 4,046 |
| NOT STATED | 999 | 1,653 | 439,592 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ALW_2A7 Length 3 Position 867 - 869

Question Name ALW_Q5A_7

Concept Number of drinks - Day 7

Question (How many drinks did ^YOU1 have:)

...on ^DayE[7]?

Universe Respondents with DOALW = 1 who answered ALW_1 = (1, 7, 8) or ALC_1 = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 0 - 35 | 36,502 | 9,475,330 |
| NOT APPLICABLE | 996 | 88,036 | 19,835,574 |
| DON'T KNOW | 997 | 1,237 | 246,466 |
| REFUSAL | 998 | 33 | 5,810 |
| NOT STATED | 999 | 1,654 | 439,637 |
| | Total | 127,462 | 30,002,817 |

Variable Name ALWDWKY Length 3 Position 870 - 872

Question Name

Concept Weekly consumption - (D)

Question

Universe Respondents with DOALW = 1 who answered ALC_1 = (1, 7 or 8)

Note Based on ALC_1, ALW_2A1, ALW_2A2, ALW_2A3, ALW_2A4, ALW_2A5, ALW_2A6, ALW_2A7. See

documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------|-------------|---------------|-------------------|
| NUMBER OF DRINKS | 1 - 264 | 35,896 | 9,339,907 |
| HASN'T HAD A DRINK IN LAST WEEK | 0 | 23,299 | 5,702,090 |
| NOT APPLICABLE | 996 | 64,737 | 14,133,484 |
| NOT STATED | 999 | 3,530 | 827,337 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ALWDDLY Length 3 Position 873 - 875

Question Name

Concept Average daily alcohol consumption - (D)

Question

Universe Respondents with DOALW = 1 who answered ALC_1 = (1, 7 or 8)

Note Based on ALWDWKY. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------------------------|-------------|---------------|-------------------|
| AVERAGE DAILY ALCOHOL CONSUMPTION | 0 - 38 | 59,195 | 15,041,995 |
| NOT APPLICABLE | 996 | 64,737 | 14,133,484 |
| NOT STATED | 999 | 3,530 | 827,337 |
| | Total | 127,462 | 30,002,817 |

Variable Name DODRV Length 1 Position 876

Question Name DODRV

Concept Driving and safety - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 62,063 | 16,059,391 |
| NO | 2 | 65,399 | 13,943,426 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_01A Length 1 Position 877

Question Name DRV_Q01A

Concept Drove a motor vehicle

Question In the past 12 months, have you driven a motor vehicle?

Universe Respondents with DODRV =1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 48,648 | 12,373,164 |
| NO | 2 | 11,001 | 3,159,190 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 3 | 367 |
| REFUSAL | 8 | 15 | 4,408 |
| NOT STATED | 9 | 2,396 | 522,263 |
| To | otal | 127,462 | 30,002,817 |

Variable Name DRV_01B Length 1 Position 878

Question Name DRV_Q01B

Concept Drove a motorcycle

Question In the past 12 months, have you driven a motorcycle?

Universe Respondents with DODRV = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,614 | 708,714 |
| NO | 2 | 57,022 | 14,819,016 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 5 | 1,849 |
| REFUSAL | 8 | 2 | 528 |
| NOT STATED | 9 | 2,420 | 529,285 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_02 Length 1 Position 879

Question Name DRV_Q02

Concept Frequency - used seat belt when driving

Question How often do you fasten your seat belt when you drive a motor vehicle?

Universe Respondents who answered DRV_01A = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 46,060 | 11,757,770 |
| MOST OF THE TIME | 2 | 2,018 | 479,595 |
| RARELY | 3 | 370 | 88,240 |
| NEVER | 4 | 172 | 43,061 |
| NOT APPLICABLE | 6 | 76,400 | 17,102,616 |
| DON'T KNOW | 7 | 12 | 1,729 |
| REFUSAL | 8 | 10 | 952 |
| NOT STATED | 9 | 2,420 | 528,853 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_03A Length 1 Position 880

Question Name DRV_Q03A

Concept Use of a cell phone while driving

Question Excluding hands-free use, how often do you use a cell phone while you are driving a motor vehicle?

Universe Respondents who answered DRV_01A = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 1,160 | 423,489 |
| SOMETIMES | 2 | 2,843 | 946,784 |
| RARELY | 3 | 6,730 | 2,137,621 |
| NEVER | 4 | 37,865 | 8,855,594 |
| NOT APPLICABLE | 6 | 76,400 | 17,102,616 |
| DON'T KNOW | 7 | 20 | 2,786 |
| REFUSAL | 8 | 22 | 4,357 |
| NOT STATED | 9 | 2,422 | 529,571 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_03B Length 1 Position 881

Question Name DRV_Q03B

Concept Use of a hands-free while driving

Question How often do you use a hands-free when talking on the cell phone while you are driving a motor vehicle?

Universe Respondents who answered DRV_01A = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 6,885 | 2,394,703 |
| SOMETIMES | 2 | 4,255 | 1,505,776 |
| RARELY | 3 | 4,744 | 1,379,244 |
| NEVER | 4 | 32,708 | 7,081,353 |
| NOT APPLICABLE | 6 | 76,400 | 17,102,616 |
| DON'T KNOW | 7 | 32 | 6,419 |
| REFUSAL | 8 | 15 | 2,646 |
| NOT STATED | 9 | 2,423 | 530,060 |
| | Total | 127,462 | 30,002,817 |

March 2016

DRV_04 Variable Name Length 1 **Position** 882

Question Name DRV_Q04

Concept Frequency - felt tired when driving

How often do you drive when you are feeling tired? Question

Universe Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 3,375 | 1,079,846 |
| SOMETIMES | 2 | 10,055 | 2,942,387 |
| RARELY | 3 | 17,597 | 4,425,892 |
| NEVER | 4 | 17,550 | 3,914,723 |
| NOT APPLICABLE | 6 | 76,303 | 17,077,594 |
| DON'T KNOW | 7 | 138 | 24,205 |
| REFUSAL | 8 | 14 | 2,924 |
| NOT STATED | 9 | 2,430 | 535,246 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_05 Length 1 Position 883

Question Name DRV_Q05

Concept Driving speed compared to others

Question Compared to other drivers, would you say you usually drive:

Universe Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| MUCH FASTER | 1 | 670 | 218,869 |
| A LITTLE FASTER | 2 | 9,351 | 2,747,030 |
| ABOUT THE SAME SPEED | 3 | 30,008 | 7,500,730 |
| A LITTLE SLOWER | 4 | 7,814 | 1,730,198 |
| MUCH SLOWER | 5 | 479 | 123,753 |
| NOT APPLICABLE | 6 | 76,303 | 17,077,594 |
| DON'T KNOW | 7 | 371 | 62,960 |
| REFUSAL | 8 | 31 | 4,955 |
| NOT STATED | 9 | 2,435 | 536,727 |
| Т | otal | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_06 Length 1 Position 884

Question Name DRV_Q06

Concept Driving aggression compared to others

Question (Compared to other drivers,) would you say you usually drive:

Universe Respondents who answered DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------|-------------|---------------|-------------------|
| MUCH MORE AGGRESSIVELY | 1 | 401 | 126,064 |
| A LITTLE MORE AGGRESSIVELY | 2 | 5,283 | 1,578,020 |
| ABOUT THE SAME | 3 | 19,624 | 5,388,320 |
| A LITTLE LESS AGGRESSIVELY | 4 | 14,346 | 3,446,361 |
| MUCH LESS AGGRESSIVELY | 5 | 8,417 | 1,738,484 |
| NOT APPLICABLE | 6 | 76,303 | 17,077,594 |
| DON'T KNOW | 7 | 612 | 105,676 |
| REFUSAL | 8 | 37 | 5,018 |
| NOT STATED | 9 | 2,439 | 537,280 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DRV_07 Length 1 Position 885

Question Name DRV_Q07A

Concept Number of times - drove after 2+ drinks

Question In the past 12 months, have you driven a motor vehicle after having 2 or more drinks in the hour before you

drove

Universe Respondents who answered ALC_1 = (1, 7, 8) and (DRV_01A = (1, 7 or 8) or DRV_01B = (1, 7 or 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,759 | 522,291 |
| NO | 2 | 37,501 | 9,512,668 |
| NOT APPLICABLE | 6 | 86,500 | 19,593,583 |
| DON'T KNOW | 7 | 20 | 5,334 |
| REFUSAL | 8 | 14 | 3,039 |
| NOT STATED | 9 | 1,668 | 365,902 |
| T | otal | 127,462 | 30,002,817 |

Variable Name DRV_07A Length 2 Position 886 - 887

Question Name DRV_Q07B

Concept Number of times - drove after 2+ drinks

Question How many times (in the past 12 months)?

Universe Respondents who answered DRV_07 = (1, 7 or 8) or (ALC_1 = (7 or 8) and (DRV_01A = (7 or 8) or

 $DR\dot{V}_01B = (7 \text{ or } 8))$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 95 | 1,643 | 493,704 |
| NOT APPLICABLE | 96 | 124,001 | 29,106,251 |
| DON'T KNOW | 97 | 112 | 28,303 |
| REFUSAL | 98 | 4 | 285 |
| NOT STATED | 99 | 1,702 | 374,275 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_08A Length 1 Position 888

Question Name DRV_Q08A

Concept Frequency - uses seat belt - front seat passenger

Question When you are a front seat passenger, how often do you fasten your seat belt?

Universe Respondents with DODRV = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 56,246 | 14,661,011 |
| MOST OF THE TIME | 2 | 2,060 | 538,599 |
| RARELY | 3 | 392 | 97,838 |
| NEVER | 4 | 257 | 64,883 |
| DO NOT RIDE IN FRONT SEAT | 5 | 604 | 145,827 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 23 | 3,461 |
| REFUSAL | 8 | 7 | 1,029 |
| NOT STATED | 9 | 2,474 | 546,743 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_08B Length 1 Position 889

Question Name DRV_Q08B

Concept Frequency - uses seat belt - back seat passenger

Question When you are a back seat passenger, how often do you fasten your seat belt?

Universe Respondents with DODRV = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 47,738 | 12,018,480 |
| MOST OF THE TIME | 2 | 4,176 | 1,300,660 |
| RARELY | 3 | 1,523 | 515,399 |
| NEVER | 4 | 1,272 | 498,961 |
| DO NOT RIDE IN BACK SEAT | 5 | 4,797 | 1,166,192 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 63 | 9,236 |
| REFUSAL | 8 | 10 | 1,746 |
| NOT STATED | 9 | 2,484 | 548,718 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DRV_09 Length 1 Position 890

Question Name DRV_Q09

Concept Frequency - uses seat belt - in taxi

Question When you are a passenger in a taxi, how often do you fasten your seat belt?

Universe Respondents with DODRV = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 24,551 | 6,574,771 |
| MOST OF THE TIME | 2 | 3,009 | 958,832 |
| RARELY | 3 | 2,225 | 763,050 |
| NEVER | 4 | 5,511 | 1,683,211 |
| DO NOT TAKE TAXIS | 5 | 23,979 | 5,477,327 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 278 | 48,072 |
| REFUSAL | 8 | 21 | 3,836 |
| NOT STATED | 9 | 2,489 | 550,293 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable NameDRV_10Length1Position891

Question Name DRV_Q10A

Concept No. of times - passenger/driver had 2+ drinks

Question In the past 12 months, have you been a passenger with a driver who had 2 or more drinks in the hour

before driving?

Universe Respondents with DODRV = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,335 | 1,257,841 |
| NO | 2 | 54,845 | 14,159,687 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 356 | 84,253 |
| REFUSAL | 8 | 33 | 5,324 |
| NOT STATED | 9 | 2,494 | 552,286 |
| | Total | 127,462 | 30,002,817 |

Variable Name DRV_10A Length 2 Position 892 - 893

Question Name DRV_Q10B

Concept No. of times - passenger/driver had 2+ drinks

Question How many times (in the past 12 months)?

Universe Respondents who answered DRV_10 = (1, 7 or 8) or DRV_01A = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 95 | 4,102 | 1,207,143 |
| NOT APPLICABLE | 96 | 120,244 | 28,103,113 |
| DON'T KNOW | 97 | 222 | 49,411 |
| REFUSAL | 98 | 11 | 1,287 |
| NOT STATED | 99 | 2,883 | 641,863 |
| | Total | 127,462 | 30,002,817 |

Page 375

March 2016

Variable Name DRV_11A Length 1 Position 894

Question Name DRV_Q11A

Concept Driver or passenger - snowmobile, motor boat or seadoo

Question In the past 12 months, have you been the driver of, or a passenger in, a snowmobile, motor boat or seadoo?

Universe Respondents with DODRV = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 13,508 | 3,259,465 |
| NO | 2 | 46,023 | 12,236,318 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 23 | 7,392 |
| REFUSAL | 8 | 13 | 3,711 |
| NOT STATED | 9 | 2,496 | 552,505 |
| 1 | Total | 127,462 | 30,002,817 |

Variable Name DRV_11B Length 1 Position 895

Question Name DRV_Q11B

Concept Driver or passenger - ATV

Question In the past 12 months, have you been the driver of, or a passenger in, an ATV (all terrain vehicle)?

Universe Respondents with DODRV = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 9,213 | 1,944,234 |
| NO | 2 | 50,290 | 13,545,329 |
| NOT APPLICABLE | 6 | 65,399 | 13,943,426 |
| DON'T KNOW | 7 | 22 | 4,134 |
| REFUSAL | 8 | 2 | 1,184 |
| NOT STATED | 9 | 2,536 | 564,510 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DRV_12 Length 1 Position 896

Question Name DRV_Q12

Concept Frequency wears helmet - ATV

Question How often do you wear a helmet when on an ATV?

Universe Respondents who answered DRV_11B = (1, 7 or 8) or DRV_01A = (7 or 8) or DRV_11A = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| ALWAYS | 1 | 4,779 | 1,076,089 |
| MOST OF THE TIME | 2 | 1,313 | 272,204 |
| RARELY | 3 | 868 | 159,351 |
| NEVER | 4 | 2,244 | 433,424 |
| NOT APPLICABLE | 6 | 115,689 | 27,488,755 |
| DON'T KNOW | 7 | 8 | 1,106 |
| REFUSAL | 8 | 1 | 2,061 |
| NOT STATED | 9 | 2,560 | 569,828 |
| То | tal | 127,462 | 30,002,817 |

Variable Name DRV_13 Length 1 Position 897

Question Name DRV_Q13A

Concept No. of times - passenger/driver had 2+ drinks-ATV/snowmobile

Question In the past 12 months, have you been a passenger on ^DT_ATV with a driver who had 2 or more drinks in

the hour before driving?

Universe Respondents who answered (DRV_11A = (1,7 or 8) or DRV_11B = (1,7 or 8)) or DRV_01A = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 953 | 259,715 |
| NO | 2 | 16,098 | 3,708,362 |
| NOT APPLICABLE | 6 | 107,777 | 25,439,687 |
| DON'T KNOW | 7 | 68 | 24,316 |
| REFUSAL | 8 | 5 | 562 |
| NOT STATED | 9 | 2,561 | 570,176 |
| | Total | 127,462 | 30,002,817 |

Page 377

Public Use Microdata File - 24-Month

March 2016

Variable Name DRV_13A 2 Position 898 - 899 Length

Question Name DRV Q13B

No. of times - passenger/driver had 2+ drinks-ATV/snowmobile Concept

How many times (in the past 12 months)? Question

Respondents who answered DRV_13 = (1,7 or 8) or DRV_01A = (7 or 8) OR DRV_11A = (7 or 8) or Universe

 $DRV_{11B} = (7 \text{ or } 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 95 | 917 | 251,414 |
| NOT APPLICABLE | 96 | 123,875 | 29,148,049 |
| DON'T KNOW | 97 | 33 | 7,974 |
| REFUSAL | 98 | 3 | 327 |
| NOT STATED | 99 | 2,634 | 595,054 |
| | Total | 127,462 | 30,002,817 |

Variable Name DRV 14 Length **Position** 900

Question Name DRV_Q14A

Concept No. of times - drove snowmobile, ATV, etc after 2+ drinks

Question In the past 12 months, have you driven ^DT_ATV after having 2 or more drinks in the hour before you

drove?

Respondents with DODRV = 1 who answered (ALC_1 = (1.7 or 8) and (DRV_11A ne 2 and DRV_11B ne 2)) or ((ALC_1 = (1.7 or 8) and (DRV_11A ne 2 and DRV_11B ne 2)) and DRV_01A = (7 or 8) or DRV_11A Universe

= (7 or 8) or DRV_11B = (7 or 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 735 | 205,956 |
| NO | 2 | 13,405 | 3,158,810 |
| NOT APPLICABLE | 6 | 111,608 | 26,254,789 |
| DON'T KNOW | 7 | 4 | 5,365 |
| REFUSAL | 8 | 3 | 900 |
| NOT STATED | 9 | 1,707 | 376,998 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DRV_14A Length 2 Position 901 - 902

Question Name DRV_Q14B

Concept No. of times - drove snowmobile, ATV, etc after 2+ drinks

Question How many times (in the past 12 months)?

Universe "Respondents with DODRV = 1 who answered ALC_1 = (1,7 or 8) and (DRV_14 = (1,7 or 8) or DRV_11A

=(7 or 8) or DRV_11B = (7 or 8) or (DRV_01A = (7 or 8) and (DRV_11A <> 2 and DRV_11B <> 2)))"

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF TIMES | 1 - 95 | 697 | 197,455 |
| NOT APPLICABLE | 96 | 125,013 | 29,413,599 |
| DON'T KNOW | 97 | 36 | 8,041 |
| REFUSAL | 98 | 2 | 459 |
| NOT STATED | 99 | 1,714 | 383,263 |
| | Total | 127,462 | 30,002,817 |

Variable Name DRVFSBU Length 1 Position 903

Question Name

Concept Passenger seat belt use - motor vehicle - (F)

Question

Universe Respondents who answered DRV_08A < 5 or DRV_08B < 5

Note Based on DRV_08A, DRV_08B. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------------|-------------|---------------|-------------------|
| ALWAYS FASTENS SEATBELT | 1 | 51,428 | 12,927,213 |
| DOES NOT ALWAYS FASTEN SEAT BELT | 2 | 7,574 | 2,453,328 |
| NOT APPLICABLE | 6 | 65,904 | 14,062,192 |
| NOT STATED | 9 | 2,556 | 560,083 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name ALDGSF Length 2 Position 904 - 905

Question Name

Concept Alcohol dependence scale - short form score - (G)

Question Alcohol dep. scale - short frm score (D)

Universe Respondents with DOALD = 1

Note Based on ALDDSF

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| 0 | 0 | 14,012 | 3,579,366 |
| 1 | 1 | 539 | 170,131 |
| 2 | 2 | 237 | 83,953 |
| 3 | 3 | 108 | 32,982 |
| 4 | 4 | 71 | 21,145 |
| 5 | 5 | 30 | 8,404 |
| 6 | 6 | 23 | 9,922 |
| NOT APPLICABLE | 96 | 112,122 | 26,024,227 |
| NOT STATED | 99 | 320 | 72,688 |
| | Total | 127,462 | 30,002,817 |

Page 380

March 2016

Variable Name ALDDPP Length 4.2 Position 906 - 909

Question Name

Concept Probability of caseness to respondents - (D)

Question

Universe Respondents with DOALD = 1

Note Based on ALDDSF. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| 0.00 | 0.00 | 14,012 | 3,579,366 |
| 0.05 | 0.05 | 539 | 170,131 |
| 0.40 | 0.40 | 237 | 83,953 |
| 0.85 | 0.85 | 108 | 32,982 |
| 1.00 | 1.00 | 124 | 39,471 |
| NOT APPLICABLE | 9.96 | 112,122 | 26,024,227 |
| NOT STATED | 9.99 | 320 | 72,688 |
| | Total | 127,462 | 30,002,817 |

Variable Name ALDDINT Length 4.1 Position 910 - 913

Question Name

Concept Alcohol interference - mean - 12 mo - (D)

Question

Universe Respondents who answered ALD_01 = (1, 7, 8) or ALD_03 = (1, 7, 8) or ALD_04 = (1, 7, 8) or ALD_05 =

(1, 7, 8) or ALD_06 = (1, 7, 8) or ALD_07 = (1, 7, 8) or ALD_09 = (1, 7, 8) or ALD_10 = (1, 7, 8) or ALD_11

= (1, 7, 8) or ALD_12 = (1, 7, 8) or ALD_13 = (1, 7, 8) or ALD_14 = (1, 7, 8)

Note Based on ALD_15A, ALD_5B1, ALD_5B2, ALD_15C, ALD_15D. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------|-------------|---------------|-------------------|
| INTERFERENCE DEGREE | 0.0 - 10.0 | 1,145 | 367,105 |
| NOT APPLICABLE | 99.6 | 126,277 | 29,626,304 |
| NOT STATED | 99.9 | 40 | 9,407 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ALDFINT Length 1 Position 914

Question Name

Concept Alcohol interference - 12 mo - (F)

Question

Universe Respondents who answered ALD_01 = (1, 7, 8) or ALD_03 = (1, 7, 8) or ALD_04 = (1, 7, 8) or ALD_05 =

(1, 7, 8) or ALD_06 = (1, 7, 8) or ALD_07 = (1, 7, 8) or ALD_09 = (1, 7, 8) or ALD_10 = (1, 7, 8) or ALD_11

= (1, 7, 8) or ALD_12 = (1, 7, 8) or ALD_13 = (1, 7, 8) or ALD_14 = (1, 7, 8)

Note Based on ALD_15A, ALD_5B1, ALD_5B2, ALD_15C, ALD_15D. Respondents who answered no to each of

the questions in relation to the alcohol dependence have been excluded from the population. See

documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 182 | 64,720 |
| NO | 2 | 966 | 303,158 |
| NOT APPLICABLE | 6 | 126,277 | 29,626,304 |
| NOT STATED | 9 | 37 | 8,635 |
| То | tal | 127,462 | 30,002,817 |

Variable NameDOMEXLength1Position915

Question Name DOMEX

Concept Module flag: Maternal Experiences - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 88,107 | 23,459,369 |
| NO | 2 | 39,355 | 6,543,448 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MEX_01 Length 1 Position 916

Question Name MEX_Q01A

Concept Given birth in the past 5 years

Question Have you given birth in the past 5 years?

Universe Female respondents with DOMEX = 1 and AGE > = 15 and AGE <= 55

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,233 | 1,280,834 |
| NO | 2 | 15,676 | 5,503,788 |
| NOT APPLICABLE | 6 | 104,383 | 22,367,228 |
| DON'T KNOW | 7 | 2,648 | 674,760 |
| REFUSAL | 8 | 16 | 5,684 |
| NOT STATED | 9 | 506 | 170,523 |
| | Total | 127,462 | 30,002,817 |

Variable Name MEX_02 Length 1 Position 917

Question Name MEX_Q02

Concept Took folic acid - before last pregnancy

Question Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you

found out that you were pregnant?

Universe Respondents who answered MEX_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,487 | 767,120 |
| NO | 2 | 1,716 | 503,070 |
| NOT APPLICABLE | 6 | 122,703 | 28,543,845 |
| DON'T KNOW | 7 | 29 | 10,371 |
| NOT STATED | 9 | 527 | 178,411 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MEX_03 Length 1 Position 918

Question Name MEX_Q03

Concept Breastfed or tried to breastfeed last child

Question For your last baby, did you breastfeed or try to breastfeed your baby, even if only for a short time?

Universe Respondents who answered MEX_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 3,768 | 1,159,959 |
| NO | 2 | 464 | 120,602 |
| NOT APPLICABLE | 6 | 122,703 | 28,543,845 |
| NOT STATED | 9 | 527 | 178,411 |
| 1 | Total | 127,462 | 30,002,817 |

Variable Name MEXG04 Length 2 Position 919 - 920

Question Name

Concept Main reason did not breastfeed last child - (G)

Question

Universe Respondents who answered MEX_03 = (2, 7 or 8) or MEX_01 = (7 or 8)

Note

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|--|-------|-------------|---------------|-------------------|
| BOTTLE FEEDING EASIER | | 1 | 102 | 24,990 |
| FORMULA AS GOOD AS BREAST MILK | | 2 | 41 | 9,053 |
| BREASTFEEDING IS UNAPPEALING /DISGUSTING | | 3 | 102 | 25,156 |
| FATHER/PARTNER DIDN'T WANT ME TO | | 4 | 8 | 3,632 |
| RETURN TO WORK / SCHOOL EARLY | | 5 | 131 | 36,879 |
| C-SECTION, MEDICAL CONDITION, ETC. | | 6 | 16 | 3,685 |
| WANTED TO DRINK ALCOHOL OR SMOKE | | 7 | 61 | 15,958 |
| NOT APPLICABLE | | 96 | 126,471 | 29,703,804 |
| NOT STATED | | 99 | 530 | 179,660 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MEX_05 Length 1 Position 921

Question Name MEX_Q05

ConceptStill breastfeeding last childQuestionAre you still breastfeeding?

Universe Respondents who answered MEX_03 = (1, 7 or 8) or MEX_01 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 692 | 222,648 |
| NO | 2 | 3,076 | 937,311 |
| NOT APPLICABLE | 6 | 123,167 | 28,664,447 |
| NOT STATED | 9 | 527 | 178,411 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name MEX_06 Length 2 Position 922 - 923

Question Name MEX_Q06A

Concept Duration of breastfeeding last child

How long did you breastfeed (your last baby)? Question

Universe Respondents who answered $MEX_05 = (2,7,8)$ or $MEX_03 = (7,8)$ or $MEX_01 = (7,8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------------------------|-------------|---------------|-------------------|
| LESS THAN 1 WEEK | 1 | 203 | 50,945 |
| 1 TO 2 WEEKS | 2 | 182 | 52,078 |
| 3 TO 4 WEEKS | 3 | 216 | 55,517 |
| 5 TO 8 WEEKS | 4 | 189 | 54,528 |
| 9 TO LESS THAN 12 WEEKS | 5 | 99 | 32,430 |
| 3 MONTHS (12 TO LESS THAN 16 WEEKS) | 6 | 201 | 64,733 |
| 4 MONTHS (16 TO LESS THAN 20 WEEKS) | 7 | 137 | 39,040 |
| 5 MONTHS (20 TO LESS THAN 24 WEEKS) | 8 | 96 | 33,306 |
| 6 MONTHS (24 TO LESS THAN 28 WEEKS) | 9 | 330 | 105,960 |
| 7 TO 9 MONTHS | 10 | 403 | 119,354 |
| 10 TO 12 MONTHS | 11 | 507 | 164,895 |
| MORE THAN 1 YEAR | 12 | 510 | 163,704 |
| NOT APPLICABLE | 96 | 123,859 | 28,887,095 |
| DON'T KNOW | 97 | 1 | 403 |
| REFUSAL | 98 | 2 | 419 |
| NOT STATED | 99 | 527 | 178,411 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MEX_06A Length 1 Position 924

Question Name MEX_Q06B

Concept Other liquids have been introduced to the baby's feeds

Question Have other liquids such as milk, formula, water, juice, tea or herbal mixture been introduced to the baby's

feeds?

Universe Respondents who answered MEX_05 = (1,7,8) or MEX_03 = (7,8) or MEX_01 = (7,8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 423 | 132,047 |
| NO | 2 | 269 | 90,601 |
| NOT APPLICABLE | 6 | 126,243 | 29,601,758 |
| NOT STATED | 9 | 527 | 178,411 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MEX_06B Length 2 Position 925 - 926

Question Name MEX_Q06C

Concept Age of last baby when other liquds were first added to feeds

Question How old was your (last) baby when other liquids ^DT_LIQUIDS were first added to the baby's feeds?

Universe Respondents who answered MEX_06a in (1,7,8) or MEX_06 in (97,98) or MEX_05 in (2,7,8) or MEX_03 in

(7,8) or MEX_01 in (7,8)

Note

| Content | <u>Code</u> | Sample | <u>Population</u> |
|-------------------------------------|-------------|---------|-------------------|
| LESS THAN 1 WEEK | 1 | 498 | 143,680 |
| 1 TO 2 WEEKS | 2 | 222 | 62,608 |
| 3 TO 4 WEEKS | 3 | 244 | 67,695 |
| 5 TO 8 WEEKS | 4 | 184 | 68,389 |
| 9 TO LESS THAN 12 WEEKS | 5 | 115 | 37,178 |
| 3 MONTHS (12 TO LESS THAN 16 WEEKS) | 6 | 243 | 79,259 |
| 4 MONTHS (16 TO LESS THAN 20 WEEKS) | 7 | 244 | 86,208 |
| 5 MONTHS (20 TO LESS THAN 24 WEEKS) | 8 | 166 | 51,619 |
| 6 MONTHS (24 TO LESS THAN 28 WEEKS) | 9 | 658 | 215,445 |
| 7 TO 9 MONTHS | 10 | 463 | 124,257 |
| 10 TO 12 MONTHS | 11 | 324 | 87,032 |
| MORE THAN 1 YEAR | 12 | 80 | 31,275 |
| HAVE NOT ADDED LIQUIDS/SOLIDS | 13 | 17 | 5,048 |
| NOT APPLICABLE | 96 | 123,436 | 28,755,048 |
| DON'T KNOW | 97 | 34 | 8,283 |
| REFUSAL | 98 | 3 | 483 |
| NOT STATED | 99 | 531 | 179,311 |
| | Total | 127,462 | 30,002,817 |

Page 388

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name MEX_08A Length 2 Position 927 - 928

Question Name MEX_Q08A

Concept Age of last baby when solid food were first added to feeds

Question How old was your (last) baby when solid foods such as cereals, mashed up or pureed meat vegetables or

fruits were first added to the baby's feeds?

Universe Respondents who answered MEX_05 in (1,2,7,8) or MEX_03 in (7,8) or MEX_01 in (7,8)

Note Replaces MEX_Q07, which was split in two for 2011

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------------------------|-------------|---------------|-------------------|
| LESS THAN 1 WEEK | 1 | 4 | 1,226 |
| 1 TO 2 WEEKS | 2 | 2 | 596 |
| 3 TO 4 WEEKS | 3 | 24 | 4,504 |
| 5 TO 8 WEEKS | 4 | 48 | 18,463 |
| 9 TO LESS THAN 12 WEEKS | 5 | 41 | 11,127 |
| 3 MONTHS (12 TO LESS THAN 16 WEEKS) | 6 | 178 | 49,353 |
| 4 MONTHS (16 TO LESS THAN 20 WEEKS) | 7 | 473 | 144,591 |
| 5 MONTHS (20 TO LESS THAN 24 WEEKS) | 8 | 674 | 178,245 |
| 6 MONTHS (24 TO LESS THAN 28 WEEKS) | 9 | 1,455 | 465,724 |
| 7 TO 9 MONTHS | 10 | 350 | 108,344 |
| 10 TO 12 MONTHS | 11 | 103 | 40,631 |
| MORE THAN 1 YEAR | 12 | 34 | 12,042 |
| HAVE NOT ADDED SOLID FOODS | 13 | 308 | 103,901 |
| NOT APPLICABLE | 96 | 123,167 | 28,664,447 |
| DON'T KNOW | 97 | 31 | 9,628 |
| NOT STATED | 99 | 570 | 189,996 |
| | Total | 127,462 | 30,002,817 |

Page 389

March 2016

Variable Name MEXG08B Length 2 Position 929 - 930

Question Name

Concept Main reason - other liquids/foods added - (G)

Question What is the main reason that you first added other liquids or solid foods?

Universe Respondents who answered mex_08a in(1,2,3,4,5,6,7,8,9,10,11,12,97,98) or mex_06b

in(1,2,3,4,5,6,7,8,9,10,11,12,96,97,98)) or mex_06a in (7,8) or mex_06 in (97,98) or mex_05 in (7,8) or

mex_03 in (7,8) or mex_01 in (7,8)

Note Based on MEX_08B

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| Not enough breast milk | 1 | 763 | 243,131 |
| Baby was ready for solid food | 2 | 1,561 | 461,880 |
| Inconvenience/fatigue due breastfeeding | 3 | 136 | 40,788 |
| Difficulty with bf techniques | 4 | 234 | 63,299 |
| Medical condition - mother | 5 | 50 | 16,181 |
| Medical condition - baby | 6 | 124 | 29,430 |
| Advice of doctor/health professional | 7 | 328 | 114,848 |
| Return to work / school | 8 | 40 | 21,267 |
| Advice of partner/family/friends | 9 | 32 | 9,255 |
| Formula equally healthy for baby | 10 | 41 | 13,051 |
| Wanted to drink alcohol, smoke, or other | 11 | 176 | 54,265 |
| Not applicable | 96 | 123,345 | 28,725,886 |
| Not stated | 99 | 632 | 209,536 |
| т | otal | 127,462 | 30,002,817 |
| | | | |

Page 390

March 2016

Variable Name MEX_09 Length 1 Position 931

Question Name MEX_Q09A

Concept Give a vitamin supplement containing Vitamin D to the baby

Question During the time when your (last) baby was less than one year old and fed breast milk, did you give the baby

a vitamin supplement containing Vitamin D?

Universe Respondents who answered MEX_08A = (2,3,4,5,6,7,8,9,10,11,12,13,97 or 98) and MEX_06B =

(2,3,4,5,6,7,8,9,10,11,12,13,96,97 or 98)) or MEX_06B = (97 or 98) or MEX_06A = (7 or 8) or MEX_06 =

(97 or 98) or MEX_05 = (7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8)

Note Replaces MEX_Q09

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,680 | 846,422 |
| NO | 2 | 558 | 159,341 |
| NOT APPLICABLE | 6 | 123,667 | 28,808,702 |
| DON'T KNOW | 7 | 20 | 5,507 |
| REFUSAL | 8 | 2 | 465 |
| NOT STATED | 9 | 535 | 182,380 |
| | Total | 127,462 | 30,002,817 |

Page 391

March 2016

Variable Name MEX_09B Length 1 Position 932

Question Name MEX_Q09B

Concept Frequency of giving the Vitamin D supplementation to baby

Question Overall, how often did you give the baby a supplement containing Vitamin D?

Universe Respondents who answered MEX_09 = (1,7 or 8) and MEX_08A = (2,3,4,5,6,7,8,9,10,11,12,13,97 or 98)

and $MEX_06B = (2,3,4,5,6,7,8,9,10,11,12,13,96,97 \text{ or } 98))$ or $MEX_06B = (97 \text{ or } 98)$ or $MEX_06A = (7 \text{ or } 8)$

or MEX_06 = (97 or 98) or MEX_05 = (7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8)

Note New question. Introduced in 2011.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------------|-------------|---------------|-------------------|
| EVERY DAY | 1 | 1,673 | 545,130 |
| ALMOST EVERY DAY | 2 | 605 | 185,076 |
| ONCE OR TWICE A WEEK | 3 | 276 | 80,334 |
| LESS THAN ONCE A WEEK | 4 | 85 | 22,395 |
| NOT APPLICABLE | 6 | 124,225 | 28,968,043 |
| DON'T KNOW | 7 | 41 | 13,486 |
| NOT STATED | 9 | 557 | 188,352 |
| To | otal | 127,462 | 30,002,817 |

Page 392

March 2016

Variable Name MEXG10 Length 2 Position 933 - 934

Question Name

Concept Main reason why stopped breastfeeding - (G)

Question What is the main reason that you stopped breastfeeding?

Universe Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 (7 or 8)

Note Based on MEX_10

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---|-------------|---------------|-------------------|
| Not enough breast milk | 1 | 734 | 233,344 |
| Baby was ready for solid food | 2 | 515 | 166,629 |
| Inconvenience/fatigue due breastfeeding | 3 | 256 | 67,849 |
| Difficulty with bf techniques | 4 | 282 | 74,913 |
| Medical condition - mother | 5 | 114 | 37,607 |
| Medical condition - baby | 6 | 83 | 21,203 |
| Planned to stop at this time | 7 | 201 | 63,735 |
| Child weaned him/herself | 8 | 438 | 124,734 |
| Advice of doctor/health professional | 9 | 27 | 11,119 |
| Return to work / school | 10 | 309 | 101,164 |
| Formula equally healthy for baby | 11 | 19 | 5,333 |
| Other | 12 | 83 | 24,278 |
| Not applicable | 96 | 123,859 | 28,887,095 |
| Not stated | 99 | 542 | 183,815 |
| | Total | 127,462 | 30,002,817 |

Page 393

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name MEXDEBF2 Length 2 Position 935 - 936

Question Name

Concept Length of exclusive breastfeeding (D)

Question

Universe "Respondents who answered mex_01 = (1, 7 or 8) and not(MEX_05 = 1 and (MEX_06A = 2 or MEX_06B

= 13) andMEX_08A = 13)"

Note Based on DOMEX, MEX_01, MEX_03, MEX_05, MEX_06, MEX_06A, MEX_06B, MEX_08A. This variable

is an update of MEXDEBF. It includes more categories, covers the 6 month period in a single category, and takes into account conflicting information provided in MEX_06 and MEX_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive

breastfeeding, mothers who are breastfeeding and have not yet added any other liquid or solid foods to the

baby's feeds are also excluded.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------------------------|-------------|---------------|-------------------|
| HAS NOT BREASTFEED HER LAST BABY | 0 | 464 | 120,602 |
| LESS THAN 1 WEEK | 1 | 528 | 149,732 |
| 1 WEEK TO LESS THAN 5 WEEKS | 2 | 505 | 141,411 |
| 5 WEEKS TO LESS THAN 12 WEEKS | 3 | 317 | 108,001 |
| 12 WEEKS TO LESS THAN 16 WEEKS | 4 | 291 | 90,748 |
| 16 WEEKS TO LESS THAN 20 WEEKS | 5 | 380 | 129,367 |
| 20 WEEKS TO LESS THAN 24 WEEKS | 6 | 413 | 117,649 |
| 24 WEEKS TO LESS THAN 28 WEEKS | 7 | 901 | 279,527 |
| 7 MONTHS OR MORE | 8 | 189 | 63,133 |
| NOT APPLICABLE | 96 | 122,873 | 28,603,024 |
| NOT STATED | 99 | 601 | 199,624 |
| | Total | 127,462 | 30,002,817 |

Page 394

March 2016

Variable Name MEXFEB6 Length 1 Position 937

Question Name

Concept Exclusively breastfed for 6 months or more

Question

Universe "Respondents who answered mex_01 = (1, 7 or 8) and not(MEX_05 = 1 and (MEX_06A = 2 and

 $MEX_08A = 13)$ "

Note Based on DOMEX, MEX_01, MEX_03, MEX_06, MEX_6A, MEX_06B, MEX_08A. In 2011, MEX_07 was

split into two questions: MEX_06B and MEX_08A; therefore, this variable needed to be updated

accordingly. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,090 | 342,660 |
| NO | 2 | 2,898 | 857,509 |
| NOT APPLICABLE | 6 | 122,873 | 28,603,024 |
| NOT STATED | 9 | 601 | 199,624 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOMXA Length 1 Position 938

Question Name DOMXA

Concept Maternal exp.- Alcohol during preg. - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | Cod | <u>de</u> | <u>Sample</u> | Population |
|---------|-------|-----------|---------------|-------------------|
| YES | | 1 | 12,072 | 3,358,681 |
| NO | | 2 | 115,390 | 26,644,136 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MXA_01 Length 1 Position 939

Question Name MXA_Q30

Concept Drank alcohol - last pregnancy

Question Did you drink any alcohol during your last pregnancy?

Universe Females aged 15 to 55 with DOMXA = 1 who answered MEX_01 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 28 | 6,538 |
| NO | 2 | 696 | 209,955 |
| NOT APPLICABLE | 6 | 126,704 | 29,776,485 |
| REFUSAL | 8 | 1 | 137 |
| NOT STATED | 9 | 33 | 9,703 |
| To | otal | 127,462 | 30,002,817 |

Variable Name MXAG02 Length 1 Position 940

Question Name

Concept Frequency of drinking - last pregnancy - (G)

Question How often did you drink?

Universe Females aged 15 to 55 with DOMXA = 1 who answered (MXA_01 = (1, 7 or 8) or (MEX_01 = (1, 7 or 8) and

(ALC_1 = (7 or 8) or ALN_1 = (7 or 8)) and MXA_01 ne 2) or (MEX_01 = (7 or 8) and (ALC_1 = 1 or ALN_1

= (1 or 6)) and MXA_01 ne 2))

Note Based on MXA_02

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------------|-------------|---------------|-------------------|
| Less than once a month | 1 | 20 | 4,881 |
| Once a month or more | 2 | 7 | 1,545 |
| Not applicable | 6 | 127,400 | 29,986,440 |
| Not stated | 9 | 35 | 9,951 |
| Total | | 127,462 | 30,002,817 |

Tage 390

March 2016

Variable Name MXA_03 Length 1 Position 941

Question Name MXA_Q32

Concept Drank alcohol - while breastfeeding last baby

Question Did you drink any alcohol while you were breastfeeding (your last baby)?

Universe Females aged 15 to 55 with DOMXA = 1 who answered MEX_01 = (1, 7 or 8) and MEX_03 = (1,7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 150 | 39,296 |
| NO | 2 | 525 | 165,881 |
| NOT APPLICABLE | 6 | 126,751 | 29,787,231 |
| DON'T KNOW | 7 | 2 | 570 |
| NOT STATED | 9 | 34 | 9,840 |
| To | otal | 127,462 | 30,002,817 |

Variable Name MXAG04 Length 1 Position 942

Question Name

Concept Frequency of drinking - while breastfeeding last baby - (G)

Question How often did you drink?

Universe Females aged 15 to 55 with DOMXA = 1 who answered (MXA_03 = (1, 7 or 8) or ((MEX_03 = (7 or 8) and

not (MEX_01 = 2 or (ALC_1 = 2 and ALN_1 = 2))) or (MEX_01 = (7 or 8)) and (ALC_1 = (1, 7 or 8) or ALN_1 = (1, 6, 7 or 8))) or (MEX_01 = (7 or 8) and (ALC_1 = 2 and ALN_1 = 2) and ADM_PRX = 2))

Note Based on MXA_04

| Content | <u>Code</u> | Sample | <u>Population</u> |
|-----------------------------|-------------|---------|-------------------|
| Less than once a month | 1 | 90 | 24,668 |
| Once a month | 2 | 25 | 5,654 |
| 2 to 3 times a month | 3 | 10 | 2,337 |
| Once a week | 4 | 13 | 2,288 |
| 2 to 3 times a week or more | 5 | 11 | 4,045 |
| Not applicable | 6 | 127,276 | 29,953,112 |
| Not stated | 9 | 37 | 10,714 |
| То | tal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOMXS Length 1 Position 943

Question Name DOMXS

Concept Maternal exp.- Smoking during preg. - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 12,072 | 3,358,681 |
| NO | 2 | 115,390 | 26,644,136 |
| | Total | 127,462 | 30,002,817 |

Variable Name MXS_01 Length 1 Position 944

Question Name MXS_Q20

Concept Type of smoker - last pregnancy

Question During your last pregnancy, did you smoke daily, occasionally or not at all?

Universe Females aged 15 to 55 with DOMXS = 1 who answered ((MEX_01 = 1) and (SMK_202 = (1, 2, 7 or 8) or

SMK_01a = (1, 7 or 8) or SMK_01b = (1, 7 or 8)) or MEX_01 = (7 or 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| DAILY | 1 | 42 | 13,151 |
| OCCASIONALLY | 2 | 40 | 10,529 |
| NOT AT ALL | 3 | 291 | 79,211 |
| NOT APPLICABLE | 6 | 127,057 | 29,891,984 |
| NOT STATED | 9 | 32 | 7,940 |
| | Total | 127,462 | 30,002,817 |

Page 398

March 2016

Variable Name MXSG02 Length 2 Position 945 - 946

Question Name

Concept No. of cigarettes daily - last pregnancy (daily smoker) -(G)

Question How many cigarettes did you usually smoke each day?

Universe Females aged 15 to 55 with DOMXS = 1 who answered (MXS_01 = (1, 7, 8 or 9) or (MEX_01 = 1 and (

 $(SMK_202 = (3, 7, 8 \text{ or } 9) \text{ and } SMK_01a = (2, 7, 8 \text{ or } 9) \text{ and } SMK_01b = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9))) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)) \text{ or } (SMK_01a = (7, 8 \text{ or } 9))) \text{ or } (SMK_01a = (7, 8 \text{ or } 9))) \text{ or } (SMK_01a = (7, 8 \text{ or } 9)))$

or 9) and SMK_01b = (2, 7, 8 or 9)) or (SMK_01a = 8 and SMK_01b = 8))))

Note Formerly MEX_Q21 in cycle 3.1.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------------|-------------|---------------|-------------------|
| 1 CIGARETTE | 1 | 1 | 370 |
| 2 CIGARETTES | 2 | 2 | 1,023 |
| 3 CIGARETTES | 3 | 2 | 524 |
| 4 CIGARETTES | 4 | 6 | 2,099 |
| 5 CIGARETTES | 5 | 8 | 1,068 |
| 6 TO 10 CIGARETTES | 6 | 12 | 5,809 |
| 11 TO 15 CIGARETTES | 7 | 9 | 1,828 |
| 16 OR MORE CIGARETTES | 8 | 2 | 432 |
| NOT APPLICABLE | 96 | 127,388 | 29,981,725 |
| NOT STATED | 99 | 32 | 7,940 |
| | Total | 127,462 | 30,002,817 |

Page 399

March 2016

Variable Name MXSG03 Length 2 Position 947 - 948

Question Name

Concept No. of cig. daily - last pregnancy (occasional smoker) - (G)

Question On the days that you smoked, how many cigarettes did you usually smoke?

Universe Females aged 15 to 55 with DOMXS = 1 who answered (MXS_01 = (2, 7 or 8) or (MEX_01 = 1 and

 $((SMK_202 = (3, 7 \text{ or } 8) \text{ and } SMK_01a = (2, 7 \text{ or } 8) \text{ and } SMK_01b = (7 \text{ or } 8)) \text{ or } (SMK_01a = (7 \text{ or } 8) \text{ and } SMK_01b = (7 \text{ or } 8))$

SMK_01b = (2, 7 or 8)) or (SMK_01a = 8 and SMK_01b = 8))))

Note Formerly MEX_Q22 in cycle 3.1.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| 1 CIGARETTE | 1 | 13 | 4,933 |
| 2 CIGARETTES | 2 | 13 | 3,258 |
| 3 CIGARETTES | 3 | 3 | 519 |
| 4 CIGARETTES | 4 | 2 | 179 |
| 5 CIGARETTES | 5 | 5 | 612 |
| 6 OR MORE CIGARETTES | 6 | 3 | 966 |
| NOT APPLICABLE | 96 | 127,390 | 29,984,347 |
| NOT STATED | 99 | 33 | 8,002 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name MXS_04 Length 1 Position 949

Question Name MXS_Q23

Concept Smoked while breastfeeding last baby (occasional smoker)

Question When you were breastfeeding (your last baby), did you smoke daily, occasionally or not at all?

Universe Females aged 15 to 55 with DOMXS = 1 who answered ((MEX_01 = 1) and (SMK_202 = (1,2,7 or 8)

orSMK_01A = (1,7 or 8) or SMK_01B = (1,7 or 8)) or MEX_01 = (7 or 8)) and MEX_03 = (1,7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| DAILY | 1 | 48 | 15,658 |
| OCCASIONALLY | 2 | 30 | 5,060 |
| NOT AT ALL | 3 | 264 | 74,934 |
| NOT APPLICABLE | 6 | 127,086 | 29,898,598 |
| DON'T KNOW | 7 | 1 | 298 |
| REFUSAL | 8 | 1 | 328 |
| NOT STATED | 9 | 32 | 7,940 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name MXSG05 Length 2 Position 950 - 951

Question Name

Concept No. of cig. daily - while breastfeeding (daily smoker) - (G)

Question How many cigarettes did you usually smoke each day?

Universe Females aged 15 to 55 with DOMXS = 1 who answered MXS_04 = (1, 7 or 8)

Note Formerly MEX_Q24 in cycle 3.1.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------------|-------------|---------------|-------------------|
| 1 CIGARETTE | 1 | 1 | 315 |
| 2 CIGARETTES | 2 | 2 | 610 |
| 3 CIGARETTES | 3 | 3 | 739 |
| 4 CIGARETTES | 4 | 6 | 1,082 |
| 5 CIGARETTES | 5 | 7 | 2,429 |
| 6 TO 10 CIGARETTES | 6 | 15 | 7,403 |
| 11 TO 15 CIGARETTES | 7 | 12 | 2,770 |
| 16 OR MORE CIGARETTES | 8 | 2 | 311 |
| NOT APPLICABLE | 96 | 127,380 | 29,978,592 |
| NOT STATED | 99 | 34 | 8,567 |
| | Total | 127,462 | 30,002,817 |

Page 402

Public Use Microdata File - 24-Month

March 2016

Variable Name MXSG06 Length 2 Position 952 - 953

Question Name

Concept No. of cig. daily - while breastfeeding (occ. smoker) - (G)

Question On the days that you smoked, how many cigarettes did you usually smoke?

Universe Females aged 15 to 55 with DOMXS = 1 who answered MXS_04 = (2, 7 or 8)

Note Formerly MEX_Q25 in cycle 3.1.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| 1 CIGARETTE | 1 | 9 | 1,262 |
| 2 CIGARETTES | 2 | 11 | 2,310 |
| 3 CIGARETTES | 3 | 3 | 631 |
| 4 CIGARETTES | 4 | 4 | 536 |
| 5 CIGARETTES | 5 | 2 | 260 |
| NOT APPLICABLE | 96 | 127,398 | 29,989,190 |
| NOT STATED | 99 | 35 | 8,629 |
| | Total | 127,462 | 30,002,817 |

Variable Name MXS_07 Length 1 Position 954

Question Name MXS_Q26

Concept Second-hand smoke - during or after last pregnancy

Question Did anyone regularly smoke in your presence during or after the pregnancy (about 6 months after)?

Universe Females aged 15 to 55 with DOMXS = 1 who answered ((MEX_01 = 1) and (SMK_202 = (1,2,7 or 8))

orSMK_01A = (1,7 or 8) or SMK_01B = (1,7 or 8)) or MEX_01 = (7 or 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 86 | 22,993 |
| NO | 2 | 285 | 79,352 |
| NOT APPLICABLE | 6 | 127,057 | 29,891,984 |
| DON'T KNOW | 7 | 1 | 219 |
| REFUSAL | 8 | 1 | 328 |
| NOT STATED | 9 | 32 | 7,940 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable NameDOIDGLength1Position955

Question Name DOIDG

Concept Illicit drugs use - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 19,319 | 4,431,075 |
| NO | 2 | 108,143 | 25,571,742 |
| | Total | 127,462 | 30,002,817 |

Variable Name IDGFLCA Length 1 Position 956

Question Name

Concept Cannabis drug use - including one time only - ever - (F)

Question

Universe Respondents with DOIDG = 1

Note Based on IDG_01. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7,802 | 1,918,129 |
| NO | 2 | 10,636 | 2,344,884 |
| NOT APPLICABLE | 6 | 108,143 | 25,571,742 |
| NOT STATED | 9 | 881 | 168,062 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name IDGFLCM Length 1 Position 957

Question Name

Concept Cannabis drug use - excluding one time only - ever - (F)

Question

Universe Respondents with DOIDG = 1

Note Based on IDG_01. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,291 | 1,605,101 |
| NO | 2 | 12,147 | 2,657,912 |
| NOT APPLICABLE | 6 | 108,143 | 25,571,742 |
| NOT STATED | 9 | 881 | 168,062 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name IDGFYCM Length 1 Position 958

Question Name

Concept Cannabis drug use - excluding one time only - 12 mo - (F)

Question

Universe Respondents with DOIDG = 1

Note Based on IDG_01, IDG_02. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,100 | 613,769 |
| NO | 2 | 16,330 | 3,648,239 |
| NOT APPLICABLE | 6 | 108,143 | 25,571,742 |
| NOT STATED | 9 | 889 | 169,067 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name IDGFLA Length 1 Position 959

Question Name

Concept Illicit drug use - including one time cannabis - ever - (F)

Question

Universe Respondents with DOIDG = 1

Note Based on IDGFLCA, IDGFLCO, IDGFLAM, IDGFLEX, IDGFLHA, IDGFLGL, IDGFLHE, IDGFLST. See

documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7,886 | 1,941,710 |
| NO | 2 | 10,539 | 2,317,838 |
| NOT APPLICABLE | 6 | 108,143 | 25,571,742 |
| NOT STATED | 9 | 894 | 171,526 |
| | Total | 127,462 | 30,002,817 |

Variable Name IDGFLAC Length 1 Position 960

Question Name

Concept Illicit drug use - excluding one time cannabis - ever - (F)

Question

Universe Respondents with DOIDG = 1

Note Based on IDGFLCM, IDGFLCO, IDGFLAM, IDGFLEX, IDGFLHA, IDGFLGL, IDGFLHE, IDGFLST. See

documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,518 | 1,655,978 |
| NO | 2 | 11,905 | 2,602,964 |
| NOT APPLICABLE | 6 | 108,143 | 25,571,742 |
| NOT STATED | 9 | 896 | 172,132 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name IDGFYA Length 1 Position 961

Question Name

Concept Illicit drug use - including one time cannabis - 12 mo - (F)

Question

Universe Respondents with DOIDG = 1

Note Based on IDG_02, IDG_05, IDG_08, IDG_11, IDG_14, IDG_17, IDG_20, IDG_23. See documentation on

derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,262 | 662,588 |
| NO | 2 | 16,139 | 3,592,920 |
| NOT APPLICABLE | 6 | 108,143 | 25,571,742 |
| NOT STATED | 9 | 918 | 175,567 |
| т | otal | 127,462 | 30,002,817 |

Variable Name IDGFYAC Length 1 Position 962

Question Name

Concept Illicit drug use - excluding one time cannabis - 12 mo - (F)

Question

Universe Respondents with DOIDG = 1

Note Based on IDGFYCM, IDG_05, IDG_08, IDG_11, IDG_14, IDG_17, IDG_20, IDG_23. See documentation

on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,162 | 633,536 |
| NO | 2 | 16,239 | 3,621,972 |
| NOT APPLICABLE | 6 | 108,143 | 25,571,742 |
| NOT STATED | 9 | 918 | 175,567 |
| То | tal | 127,462 | 30,002,817 |

Page 407

March 2016

Variable Name IDGDINT Length 4.1 Position 963 - 966

Question Name

Concept Illicit drug interference - mean - 12 mo - (D)

Question

Universe Respondents who answered one of (IDG_03, IDG_06, IDG_09, IDG_12, IDG_15, IDG_18, IDG_21) = (2, 3,

4, 5, 7 or 8) and one of (IDG_01, IDG_04, IDG_07, IDG_10, IDG_13, IDG_16, IDG_19) = (1, 2, 7 or 8)

Note Based on IDG_26A, IDG_6B1, IDG_6B2, IDG_26C, IDG_26D. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------|-------------|---------------|-------------------|
| INTERFERENCE DEGREE | 0.0 - 10.0 | 1,342 | 363,355 |
| NOT APPLICABLE | 99.6 | 125,161 | 29,453,416 |
| NOT STATED | 99.9 | 959 | 186,045 |
| | Total | 127,462 | 30,002,817 |

Variable NameIDGFINTLength1Position967

Question Name

Concept Illicit drug interference - 12 mo - (F)

Question

Universe Respondents who answered one of (IDG_03, IDG_06, IDG_09, IDG_12, IDG_15, IDG_18, IDG_21) = (2, 3,

4, 5, 7 or 8) and one of (IDG_01, IDG_04, IDG_07, IDG_10, IDG_13, IDG_16, IDG_19) = (1, 2, 7 or 8)

Note Based on IDG_26A, IDG_6B1, IDG_6B2, IDG_26C, IDG_26D. See documentation on derived variables.

| Content | <u>Cod</u> | <u>e</u> | <u>Sample</u> | <u>Population</u> |
|----------------|------------|----------|---------------|-------------------|
| YES | | 1 | 165 | 43,031 |
| NO | | 2 | 1,180 | 320,558 |
| NOT APPLICABLE | | 6 | 125,161 | 29,453,416 |
| NOT STATED | | 9 | 956 | 185,812 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOCPG Length 1 Position 968

Question Name DOCPG

Concept Problem gambling - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------|-------------|---------------|-------------------|
| YES | 1 | 53,447 | 12,837,442 |
| NO | 2 | 74,015 | 17,165,375 |
| | Total | 127,462 | 30,002,817 |

Variable Name CPGFGAM Length 1 Position 969

Question Name

Concept Gambling activity - gambler vs. non-gambler - (F)

Question

Universe Respondents with DOCPG = 1

Note Based on CPG_01A, CPG_01B, CPG_01C, CPG_01D, CPG_01E, CPG_01F, CPG_01G, CPG_01H,

CPG_01I, CPG_01J, CPG_01K, CPG_01L, CPG_01M. See documentation on derived variables.

| Content | <u>Code</u> | ! | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---|---------------|-------------------|
| YES | | 1 | 33,642 | 7,814,075 |
| NO | | 2 | 16,711 | 4,344,096 |
| NOT APPLICABLE | | 6 | 74,015 | 17,165,375 |
| NOT STATED | | 9 | 3,094 | 679,271 |
| | Total | | 127,462 | 30,002,817 |

Page 409

March 2016

Variable Name CPGDSEV Length 2 Position 970 - 971

Question Name

Concept Problem gambling severity index - (D)

Question

Universe Respondents with CPGFGAM <> 2 and DOCPG = 1

Note Based on CPG_02, CPG_03, CPG_04, CPG_05, CPG_06, CPG_07, CPG_08, CPG_09, CPG_10,

CPG_13, CPGFGAM. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---|-------------|---------------|-------------------|
| NUMBER OF SEVERE GAMBLING PROBLEMS | 0 - 25 | 23,418 | 5,539,300 |
| DOES NOT CONSIDER HIM/HERSELF A GAMBLER | 95 | 9,919 | 2,226,968 |
| NOT APPLICABLE | 96 | 90,726 | 21,509,472 |
| NOT STATED | 99 | 3,399 | 727,077 |
| | Total | 127,462 | 30,002,817 |

Variable Name CPGDTYP Length 2 Position 972 - 973

Question Name

Concept Type of gambler - (D)

Question

Universe Respondents with DOCPG = 1

Note Based on CPGDSEV, CPGFGAM. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------------------------|-------------|---------------|-------------------|
| NON-GAMBLER | 1 | 16,711 | 4,344,096 |
| NON-PROBLEM GAMBLER | 2 | 21,855 | 5,203,782 |
| LOW RISK GAMBLER | 3 | 962 | 196,963 |
| MODERATE RISK GAMBLER | 4 | 477 | 97,277 |
| PROBLEM GAMBLER | 5 | 124 | 41,278 |
| DOES NOT CONSIDER BEING A GAMBLER | 95 | 9,919 | 2,226,968 |
| NOT APPLICABLE | 96 | 74,015 | 17,165,375 |
| NOT STATED | 99 | 3,399 | 727,077 |
| | Total | 127,462 | 30,002,817 |

Page 410

March 2016

Variable Name CPGDACT Length 2 Position 974 - 975

Question Name

Concept Number of different types of gambling activities - (D)

Question

Universe Respondents with DOCPG = 1

Note Based on CPG_01A, CPG_01B, CPG_01C, CPG_01D, CPG_01E, CPG_01F, CPG_01G, CPG_01H,

CPG_01I, CPG_01J, CPG_01K, CPG_01L, CPG_01M. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------------|-------------|---------------|-------------------|
| NUMBER OF DIFFERENT TYPES OF GAMBLING | 0 - 13 | 50,001 | 12,113,162 |
| NOT APPLICABLE | 96 | 74,015 | 17,165,375 |
| NOT STATED | 99 | 3,446 | 724,279 |
| | Total | 127,462 | 30,002,817 |

Variable Name CPGDINT Length 4.1 Position 976 - 979

Question Name

Concept Gambling interference - Mean - (D)

Question

Universe Respondents whose score is "> 2" to the sum of recoded values (1 = 0; 2 = 1; 3 = 2; 4 = 3) in CPG_03 to

CPG_10 and CPG_13 or whose score is " <= 2 " and at least one of CPG_03 to CPG_10 or CPG_13 = (7 or 8) or CPG_02 = 8 or CPG_01A = 98 or all of CPG_01A through CPG_01M = (7, 8, 97 or 98) with at

least one response of "97" or "98".

Note Based on CPG_19A, CPG_9B1, CPG_9B2, CPG_19C, CPG_19D. See documentation on derived

variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------|-------------|---------------|-------------------|
| INTERFERENCE DEGREE | 0.0 - 10.0 | 605 | 139,221 |
| NOT APPLICABLE | 99.6 | 125,103 | 29,556,015 |
| NOT STATED | 99.9 | 1,754 | 307,581 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name CPGFINT Length 1 Position 980

Question Name

Concept Gambling Interference - (F)

Question

Universe Respondents whose score is "> 2" to the sum of recoded values (1 = 0; 2 = 1; 3 = 2; 4 = 3) in CPG_03 to

CPG_10 and CPG_13 or whose score is " <= 2 " and at least one of CPG_03 to CPG_10 or CPG_13 = (7 or 8) or CPG_02 = 8 or CPG_01A = 98 or all of CPG_01A through CPG_01M = (7, 8, 97 or 98) with at

least one response of "97" or "98".

Note Based on CPG_19A, CPG_9B1, CPG_9B2, CPG_19C, CPG_19D. See documentation on derived

variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 103 | 26,892 |
| NO | 2 | 505 | 112,935 |
| NOT APPLICABLE | 6 | 125,103 | 29,556,015 |
| NOT STATED | 9 | 1,751 | 306,975 |
| | Total | 127,462 | 30,002,817 |

Variable Name DOSXB Length 1 Position 981

Question Name DOSXB

Concept Sexual behaviours - Inclusion Flag - (F)

Question

Universe All respondents

Note

 Content
 Code
 Sample
 Population

 YES
 1
 127,462
 30,002,817

 Total
 127,462
 30,002,817

Page 412

March 2016

Variable Name SXB_1 Length 1 Position 982

Question Name SXB_Q01

Concept Ever had sexual intercourse

QuestionHave you ever had sexual intercourse?UniverseRespondents aged 15 to 49 with DOSXB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 41,183 | 13,387,366 |
| NO | 2 | 6,581 | 1,998,654 |
| NOT APPLICABLE | 6 | 77,031 | 13,758,214 |
| DON'T KNOW | 7 | 106 | 30,799 |
| REFUSAL | 8 | 1,037 | 382,571 |
| NOT STATED | 9 | 1,524 | 445,213 |
| | Total | 127,462 | 30,002,817 |

Variable Name SXB_3 Length 1 Position 983

Question Name SXB_Q03

Concept Had sexual intercourse - past 12 months

Question In the past 12 months, have you had sexual intercourse?

Universe Respondents with DOSXB = 1 who answered (SXB_1 = (1, 7 or 8) or (MEX_01 = (1, 7 or 8) and 15 <=

DHH_AGE <= 49))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 35,845 | 11,813,573 |
| NO | 2 | 3,784 | 1,005,556 |
| NOT APPLICABLE | 6 | 83,612 | 15,756,868 |
| DON'T KNOW | 7 | 12 | 4,917 |
| REFUSAL | 8 | 26 | 12,723 |
| NOT STATED | 9 | 4,183 | 1,409,179 |
| Т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SXB_07 Length 1 Position 984

Question Name SXB_Q07

Concept Ever diagnosed with STI

Question Have you ever been diagnosed with a sexually transmitted infection?

Universe Respondents who answered SXB_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,429 | 1,055,998 |
| NO | 2 | 36,096 | 11,741,845 |
| NOT APPLICABLE | 6 | 83,612 | 15,756,868 |
| DON'T KNOW | 7 | 37 | 6,601 |
| REFUSAL | 8 | 13 | 2,753 |
| NOT STATED | 9 | 4,275 | 1,438,752 |
| | Total | 127,462 | 30,002,817 |

Variable Name SXB_7A Length 1 Position 985

Question Name SXB_Q08

Concept Condom use - last time

Question Did you use a condom the last time you had sexual intercourse?

Universe Respondents with DOSXB = 1 who answered ((SXB_1 = (1, 7 or 8) or (MEX_01 = (1, 7 or 8) and 15 <=

DHH_AGE \leq 49) and (sxb_3 = (1, 7 or 8) and (sxb_4 = (2, 3, 4, 7 or 8) or dhh_ms = (3, 4, 5, 6, 7, 97,

98 or 99))))

Note

| Content | C | <u>ode</u> | Sample | Population |
|----------------|----------|----------------|---------|--------------------|
| Content | <u> </u> | oue | Sample | <u>i opulation</u> |
| YES | | 1 | 8,291 | 2,381,443 |
| NO | | 2 | 7,035 | 2,136,250 |
| NOT APPLICABLE | | 6 | 107,837 | 24,039,054 |
| DON'T KNOW | | 7 | 7 | 1,652 |
| REFUSAL | | 8 | 16 | 5,452 |
| NOT STATED | | 9 | 4,276 | 1,438,967 |
| | Total | | 127,462 | 30,002,817 |

Page 414

March 2016

Variable Name SXB_09 Length 1 Position 986

Question Name SXB_Q09

Concept Important to avoid getting pregnant

Question It is important to me to avoid getting pregnant right now.

Universe "Respondents with DOSXB = 1 who answered ((SXB_1 = (1, 7 or 8) or (MEX_01 = (1, 7 or 8) and 15 <=

 $DHH_AGE \le 49)$) and (sxb_3 = (1, 7 or 8) and (dhh_sex NE spousesex and dhh_age <= 24) and

(dhh_sex = 2 and mam_037 = (2, 7 or 8))))"

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 2,829 | 815,135 |
| AGREE | 2 | 657 | 177,488 |
| NEITHER AGREE NOR DISAGREE | 3 | 161 | 50,107 |
| DISAGREE | 4 | 88 | 18,031 |
| STRONGLY DISAGREE | 5 | 65 | 22,114 |
| NOT APPLICABLE | 6 | 123,220 | 28,783,610 |
| DON'T KNOW | 7 | 3 | 668 |
| REFUSAL | 8 | 3 | 565 |
| NOT STATED | 9 | 436 | 135,098 |
| • | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SXB_10 Length 2 Position 987 - 988

Question Name SXB_Q10

Concept Important to avoid getting partner pregnant

Question It is important to me to avoid getting my partner pregnant right now.

Universe Males aged 24 or less who answered SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)

Note

| Content | <u>C</u> | ode | <u>Sample</u> | <u>Population</u> |
|----------------------------------|----------|-----|---------------|-------------------|
| STRONGLY AGREE | | 1 | 2,597 | 847,405 |
| AGREE | | 2 | 756 | 216,649 |
| NEITHER AGREE NOR DISAGREE | | 3 | 101 | 46,992 |
| DISAGREE | | 4 | 72 | 18,458 |
| STRONGLY DISAGREE | | 5 | 52 | 20,483 |
| DOESN'T HAVE A PARTNER RIGHT NOW | | 6 | 99 | 36,665 |
| PARTNER ALREADY PREGNANT | | 7 | 39 | 14,776 |
| NOT APPLICABLE | | 96 | 123,177 | 28,651,251 |
| DON'T KNOW | | 97 | 14 | 3,806 |
| REFUSAL | | 98 | 11 | 2,724 |
| NOT STATED | | 99 | 544 | 143,609 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SXB_11 Length 1 Position 989

Question Name SXB_Q11

Concept Usually use birth control - past 12 months

Question In the past 12 months, did you and your partner usually use birth control?

Universe Respondents aged 24 or less who answered SXB_3 = (1, 7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or

8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6,315 | 1,883,850 |
| NO | 2 | 1,320 | 440,889 |
| NOT APPLICABLE | 6 | 118,772 | 27,383,329 |
| DON'T KNOW | 7 | 54 | 11,865 |
| REFUSAL | 8 | 1 | 146 |
| NOT STATED | 9 | 1,000 | 282,738 |
| | Total | 127,462 | 30,002,817 |

Variable Name SXB_12A Length 1 Position 990

Question Name SXB_Q12A

Concept Usual birth control method - condom

Question What kind of birth control did you and your partner usually use? - Condom (male or female condom)

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or

SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,783 | 1,104,215 |
| NO | 2 | 2,331 | 734,255 |
| NOT APPLICABLE | 6 | 120,092 | 27,824,219 |
| DON'T KNOW | 7 | 192 | 42,257 |
| REFUSAL | 8 | 9 | 3,124 |
| NOT STATED | 9 | 1,055 | 294,749 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SXB_12B Length 1 Position 991

Question Name SXB_Q12B

Concept Usual birth control method - Birth control pill

Question What kind of birth control did you and your partner usually use? - Birth control pill

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or

SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,053 | 1,187,849 |
| NO | 2 | 2,061 | 650,620 |
| NOT APPLICABLE | 6 | 120,092 | 27,824,219 |
| DON'T KNOW | 7 | 192 | 42,257 |
| REFUSAL | 8 | 9 | 3,124 |
| NOT STATED | 9 | 1,055 | 294,749 |
| - | Total | 127,462 | 30,002,817 |

Variable Name SXB_12C Length 1 Position 992

Question Name SXB_Q12C

Concept Usual birth control method - diaphragm

Question What kind of birth control did you and your partner usually use? - Diaphragm

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or

SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 109 | 32,218 |
| NO | 2 | 6,005 | 1,806,251 |
| NOT APPLICABLE | 6 | 120,092 | 27,824,219 |
| DON'T KNOW | 7 | 192 | 42,257 |
| REFUSAL | 8 | 9 | 3,124 |
| NOT STATED | 9 | 1,055 | 294,749 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SXB_12D **Position** 993 Length 1

Question Name SXB Q12D

Concept Usual birth control method - spermicide

What kind of birth control did you and your partner usually use? - Spermicide (e.g., foam, jelly, film) Question

Respondents aged 24 or less who answered $SXB_11 = (1, 7 \text{ or } 8)$ or $SXB_09 = 8 \text{ or } SXB_10 = 98 \text$ Universe

SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 32 | 11,147 |
| NO | 2 | 6,082 | 1,827,322 |
| NOT APPLICABLE | 6 | 120,092 | 27,824,219 |
| DON'T KNOW | 7 | 192 | 42,257 |
| REFUSAL | 8 | 9 | 3,124 |
| NOT STATED | 9 | 1,055 | 294,749 |
| | Total | 127,462 | 30,002,817 |

Variable Name SXB_12F 994 Length **Position**

Question Name SXB_Q12E

Concept Usual birth control method - birth control injection

Question What kind of birth control did you and your partner usually use? - Birth control injection (Deprovera) Universe

Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or

SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 212 | 52,056 |
| NO | 2 | 5,902 | 1,786,414 |
| NOT APPLICABLE | 6 | 120,092 | 27,824,219 |
| DON'T KNOW | 7 | 192 | 42,257 |
| REFUSAL | 8 | 9 | 3,124 |
| NOT STATED | 9 | 1,055 | 294,749 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SXB_12E Length 1 Position 995

Question Name SXB_Q12F

Concept Usual birth control method - other

Question What kind of birth control did you and your partner usually use? - Other

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7 or 8) or SXB_09 = 8 or SXB_10 = 98 or

SXB_4 = 8 or SXB_3 = (7 or 8) or SXB_2 = (997 or 998) or SXB_1 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 475 | 135,283 |
| NO | 2 | 5,639 | 1,703,186 |
| NOT APPLICABLE | 6 | 120,092 | 27,824,219 |
| DON'T KNOW | 7 | 192 | 42,257 |
| REFUSAL | 8 | 9 | 3,124 |
| NOT STATED | 9 | 1,055 | 294,749 |
| | Total | 127,462 | 30,002,817 |

Variable Name SXB_13A Length 1 Position 996

Question Name SXB_Q13A

Concept Birth control method used last time - condom

Question What kind of birth control did you and your partner use the last time you had sex? - Condom (male or

female condom)

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or

SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered

 $MAM_{037} = 1$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,593 | 1,043,383 |
| NO | 2 | 2,381 | 752,228 |
| NOT APPLICABLE | 6 | 120,201 | 27,858,193 |
| DON'T KNOW | 7 | 38 | 9,964 |
| REFUSAL | 8 | 1 | 579 |
| NOT STATED | 9 | 1,248 | 338,470 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SXB_13B Length 1 Position 997

Question Name SXB_Q13B

Concept Birth control method used last time - birth control pill

Question What kind of birth control did you and your partner use the last time you had sex? - Birth control pill

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or

SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered

 $MAM_037 = 1$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,579 | 1,042,985 |
| NO | 2 | 2,395 | 752,626 |
| NOT APPLICABLE | 6 | 120,201 | 27,858,193 |
| DON'T KNOW | 7 | 38 | 9,964 |
| REFUSAL | 8 | 1 | 579 |
| NOT STATED | 9 | 1,248 | 338,470 |
| т | otal | 127,462 | 30,002,817 |

Variable Name SXB_13C Length 1 Position 998

Question Name SXB_Q13C

Concept Birth control method used last time - diaphragm

Question What kind of birth control did you and your partner use the last time you had sex? - Diaphragm

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or

SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered

 $MAM_037 = 1$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 84 | 25,441 |
| NO | 2 | 5,890 | 1,770,170 |
| NOT APPLICABLE | 6 | 120,201 | 27,858,193 |
| DON'T KNOW | 7 | 38 | 9,964 |
| REFUSAL | 8 | 1 | 579 |
| NOT STATED | 9 | 1,248 | 338,470 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SXB_13D Length 1 Position 999

Question Name SXB_Q13D

Concept Birth control method used last time - spermicide

Question What kind of birth control did you and your partner use the last time you had sex? - Spermicide (e.g., foam,

jelly, film)

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or

SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered

 $MAM_037 = 1$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 17 | 4,972 |
| NO | 2 | 5,957 | 1,790,639 |
| NOT APPLICABLE | 6 | 120,201 | 27,858,193 |
| DON'T KNOW | 7 | 38 | 9,964 |
| REFUSAL | 8 | 1 | 579 |
| NOT STATED | 9 | 1,248 | 338,470 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name SXB_13F Length 1 Position 1000

Question Name SXB_Q13E

Concept Birth cntrl. method used last time - birth control injection

Question What kind of birth control did you and your partner use the last time you had sex? - Birth control injection

(Deprovera)

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or

SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered

 $MAM_037 = 1$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 165 | 36,379 |
| NO | 2 | 5,809 | 1,759,232 |
| NOT APPLICABLE | 6 | 120,201 | 27,858,193 |
| DON'T KNOW | 7 | 38 | 9,964 |
| REFUSAL | 8 | 1 | 579 |
| NOT STATED | 9 | 1,248 | 338,470 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SXB_13G Length 1 Position 1001

Question Name SXB_Q13F

Concept Method used last time - nothing

Question What kind of birth control did you and your partner use the last time you had sex? - nothing

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or

SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered

 $MAM_037 = 1$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 158 | 49,677 |
| NO | 2 | 5,816 | 1,745,934 |
| NOT APPLICABLE | 6 | 120,201 | 27,858,193 |
| DON'T KNOW | 7 | 38 | 9,964 |
| REFUSAL | 8 | 1 | 579 |
| NOT STATED | 9 | 1,248 | 338,470 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name SXB_13E Length 1 Position 1002

Question Name SXB_Q13G

Concept Birth control method used last time - other

Question What kind of birth control did you and your partner use the last time you had sex? - Other

Universe Respondents aged 24 or less who answered SXB_11 = (1, 7, 8) or SXB_09 = 8 or SXB_10 = (7, 98) or

SXB_4 = 8 or SXB_3 = (7, 8) or SXB_2 = (997, 998) or SXB_1 = (7, 8) excluding females who answered

 $MAM_{-}^{-}037 = 1$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 390 | 109,367 |
| NO | 2 | 5,584 | 1,686,244 |
| NOT APPLICABLE | 6 | 120,201 | 27,858,193 |
| DON'T KNOW | 7 | 38 | 9,964 |
| REFUSAL | 8 | 1 | 579 |
| NOT STATED | 9 | 1,248 | 338,470 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DOSPS Length 1 Position 1003

Question Name DOSPS

Concept Social Provisions - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>C</u> | <u>ode</u> | <u>Sample</u> | Population |
|---------|----------|------------|---------------|-------------------|
| YES | | 1 | 28,541 | 7,774,743 |
| NO | | 2 | 98,921 | 22,228,074 |
| | Total | | 127,462 | 30,002,817 |

Variable Name SPS_01 Length 1 Position 1004

Question Name SPS_Q01

Concept Relationships - people who can be count on to have help

Question There are people I can depend on to help me if I really need it.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 17,157 | 4,909,801 |
| AGREE | 2 | 8,960 | 2,189,427 |
| DISAGREE | 3 | 451 | 137,373 |
| STRONGLY DISAGREE | 4 | 132 | 36,314 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 151 | 30,903 |
| REFUSAL | 8 | 42 | 11,410 |
| NOT STATED | 9 | 1,648 | 459,514 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPS_02 Length 1 Position 1005

Question Name SPS_Q02

Concept Relationships - enjoy the same social activities

Question There are people who enjoy the same social activities I do.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 14,304 | 4,210,332 |
| AGREE | 2 | 10,477 | 2,638,883 |
| DISAGREE | 3 | 1,313 | 292,295 |
| STRONGLY DISAGREE | 4 | 293 | 69,051 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 288 | 58,406 |
| REFUSAL | 8 | 20 | 2,682 |
| NOT STATED | 9 | 1,846 | 503,094 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPS_03 Length 1 Position 1006

Question Name SPS_Q03

Concept Relationships - sense of emotional security and wellbeing

QuestionI have close relationships that provide me with a sense of emotional security and wellbeing.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 15,763 | 4,603,091 |
| AGREE | 2 | 9,966 | 2,437,533 |
| DISAGREE | 3 | 715 | 170,963 |
| STRONGLY DISAGREE | 4 | 138 | 33,465 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 95 | 23,529 |
| REFUSAL | 8 | 10 | 1,577 |
| NOT STATED | 9 | 1,854 | 504,586 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPS_04 Length 1 Position 1007

Question Name SPS_Q04

Concept Relationships - Talk about important decisions in life

Question There is someone I could talk to about important decisions in my life.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 16,456 | 4,817,803 |
| AGREE | 2 | 9,174 | 2,217,290 |
| DISAGREE | 3 | 827 | 183,001 |
| STRONGLY DISAGREE | 4 | 156 | 40,044 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 56 | 9,195 |
| REFUSAL | 8 | 13 | 2,111 |
| NOT STATED | 9 | 1,859 | 505,299 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPS_05 Length 1 Position 1008

Question Name SPS_Q05

Concept Relationships - Competence and skill are recognized

Question I have relationships where my competence and skill are recognized.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 13,828 | 4,053,296 |
| AGREE | 2 | 11,470 | 2,891,259 |
| DISAGREE | 3 | 894 | 210,384 |
| STRONGLY DISAGREE | 4 | 121 | 42,169 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 344 | 67,710 |
| REFUSAL | 8 | 20 | 3,843 |
| NOT STATED | 9 | 1,864 | 506,083 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

SPS_06 Variable Name Length 1 **Position** 1009

Question Name SPS_Q06

Concept Relationships - trustworthy person for advice

There is a trustworthy person I could turn to for advice if I were having problems. Question

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 16,696 | 4,810,249 |
| AGREE | 2 | 9,285 | 2,263,970 |
| DISAGREE | 3 | 530 | 146,142 |
| STRONGLY DISAGREE | 4 | 86 | 31,574 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 62 | 13,659 |
| REFUSAL | 8 | 14 | 2,433 |
| NOT STATED | 9 | 1,868 | 506,716 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPS_07 Length 1 Position 1010

Question Name SPS_Q07

Concept Relationships - share attitudes and beliefs

Question I feel part of a group of people who share my attitudes and beliefs.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 12,960 | 3,812,124 |
| AGREE | 2 | 11,211 | 2,818,743 |
| DISAGREE | 3 | 1,919 | 485,044 |
| STRONGLY DISAGREE | 4 | 299 | 90,444 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 256 | 57,240 |
| REFUSAL | 8 | 24 | 3,856 |
| NOT STATED | 9 | 1,872 | 507,294 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPS_08 Length 1 Position 1011

Question Name SPS_Q08

Concept Relationships - strong emotional bond

Question I feel a strong emotional bond with at least one other person.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 16,302 | 4,759,903 |
| AGREE | 2 | 9,126 | 2,221,398 |
| DISAGREE | 3 | 970 | 217,326 |
| STRONGLY DISAGREE | 4 | 169 | 48,263 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 78 | 16,920 |
| REFUSAL | 8 | 18 | 2,599 |
| NOT STATED | 9 | 1,878 | 508,335 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPS_09 Length 1 Position 1012

Question Name SPS_Q09

Concept Relationships - admire talents and abilities

Question There are people who admire my talents and abilities.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 12,640 | 3,706,206 |
| AGREE | 2 | 12,513 | 3,210,293 |
| DISAGREE | 3 | 786 | 198,798 |
| STRONGLY DISAGREE | 4 | 87 | 27,196 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 613 | 119,418 |
| REFUSAL | 8 | 22 | 4,284 |
| NOT STATED | 9 | 1,880 | 508,548 |
| | Total | 127,462 | 30,002,817 |

Page 432

March 2016

Variable Name SPS_10 Length 1 Position 1013

Question Name SPS_Q10

 Concept
 Relationships - people to count on in an emergency

 Question
 There are people I can count on in an emergency.

Universe Respondents with DOSPS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| STRONGLY AGREE | 1 | 17,116 | 4,986,354 |
| AGREE | 2 | 9,199 | 2,188,051 |
| DISAGREE | 3 | 233 | 61,537 |
| STRONGLY DISAGREE | 4 | 49 | 16,899 |
| NOT APPLICABLE | 6 | 98,921 | 22,228,074 |
| DON'T KNOW | 7 | 47 | 10,271 |
| REFUSAL | 8 | 15 | 2,726 |
| NOT STATED | 9 | 1,882 | 508,905 |
| 7 | Γotal | 127,462 | 30,002,817 |

Variable Name SPSDCON Length 2 Position 1014 - 1015

Question Name

Concept Social Provisions Overall Scale

Question

Universe All respondents

Note Based on SPS_01, SPS_02, SPS_03, SPS_04, SPS_05, SPS_06, SPS_07, SPS_08, SPS_09, SPS_10

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------------------|-------------|---------------|-------------------|
| SCORE OBTAINED ON SOCIAL PROV. SCALE | 10 - 40 | 25,311 | 6,989,116 |
| NOT APPLICABLE | 96 | 98,921 | 22,228,074 |
| NOT STATED | 99 | 3,230 | 785,627 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name SPSDATT Length 2 Position 1016 - 1017

Question Name

Concept Social Provisions Scale - Attachment

Question

Universe All respondents

Note Based on SPS_03, SPS_08

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---|-------------|---------------|-------------------|
| SCORE OBTAINED ON SOC. PROV. SCALE-ATT. | 2 - 9 | 27,922 | 7,634,599 |
| NOT APPLICABLE | 96 | 98,921 | 22,228,074 |
| NOT STATED | 99 | 619 | 140,144 |
| | Total | 127,462 | 30,002,817 |

Variable Name SPSDGUI Length 2 Position 1018 - 1019

Question Name

Concept Social Provisions Scale - Guidance

Question

Universe All respondents

Note Based on SPS_04, SPS_06

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| SCORE ODTAINED ON SOC. PROV SCALE-GUID | 2 - 8 | 26,550 | 7,244,384 |
| NOT APPLICABLE | 96 | 98,921 | 22,228,074 |
| NOT STATED | 99 | 1,991 | 530,359 |
| Tota | I | 127,462 | 30,002,817 |

March 2016

Variable Name SPSDALL Length 2 Position 1020 - 1021

Question Name

Concept Social Provisions Scale -Reliable alliance

Question

Universe All respondents

Note Based on SPS_01, SPS_10

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------------------------|-------------|---------------|-------------------|
| SCORE ON SOC. PROV. SCALE-REL. ALL. | 2 - 8 | 26,597 | 7,252,842 |
| NOT APPLICABLE | 96 | 98,921 | 22,228,074 |
| NOT STATED | 99 | 1,944 | 521,901 |
| | Total | 127,462 | 30,002,817 |

Variable Name SPSDINT Length 2 Position 1022 - 1023

Question Name

Concept Social Provisions Scale - Social Integration

Question

Universe All respondents

Note Based on SPS_02, SPS_07

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------------|-------------|---------------|-------------------|
| SCORE ON SOC. PROV. SCALE-SOC. INTEG. | 2 - 8 | 26,136 | 7,155,749 |
| NOT APPLICABLE | 96 | 98,921 | 22,228,074 |
| NOT STATED | 99 | 2,405 | 618,994 |
| т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SPSDWOR Length 2 Position 1024 - 1025

Question Name

Concept Social Provisions Scale - Reassurance of Worth

Question

Universe All respondents

Note Based on SPS_05, SPS_09

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| SCORE ON SOC. PROV. SCALE-REAS. OF WORTH | 2 - 8 | 25,815 | 7,100,913 |
| NOT APPLICABLE | 96 | 98,921 | 22,228,074 |
| NOT STATED | 99 | 2,726 | 673,829 |
| | Total | 127,462 | 30,002,817 |

Variable NameDOCMHLength1Position1026

Question Name DOCMH

Concept Consultations - mental health module - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 92,608 | 24,096,496 |
| NO | 2 | 34,854 | 5,906,321 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CMH_01K Length 1 Position 1027

Question Name CMH_Q01K

Concept Consulted mental health professional

Question In the past 12 months, that is, from ^DATEONEYEARAGO to yesterday, have you seen or talked to a

health professional about your emotional or mental health?

Universe Respondents with DOCMH = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10,753 | 2,791,634 |
| NO | 2 | 77,057 | 20,146,404 |
| NOT APPLICABLE | 6 | 34,854 | 5,906,321 |
| DON'T KNOW | 7 | 47 | 7,950 |
| REFUSAL | 8 | 83 | 24,736 |
| NOT STATED | 9 | 4,668 | 1,125,772 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CMHG01L Length 2 Position 1028 - 1029

Question Name

Concept Consulted mental health professional - number of times - (G)

Question How many times (in the past 12 months)?

Universe Note

| Content | <u>Code</u> | <u>Samp</u> | <u>le</u> <u>Population</u> |
|--------------------------|-------------|-------------|-----------------------------|
| 1 CONSULTATION | | 1 2,76 | 7 701,446 |
| 2 CONSULTATIONS | | 2 1,96 | 4 498,577 |
| 3 CONSULTATIONS | | 3 1,11 | 2 308,620 |
| 4 CONSULTATIONS | | 4 94 | 6 245,786 |
| 5 CONSULTATIONS | | 5 48 | 5 132,852 |
| 6 CONSULTATIONS | | 6 66 | 6 166,681 |
| 7 CONSULTATIONS | | 7 14 | 8 44,881 |
| 8 CONSULTATIONS | | 8 27 | 5 72,817 |
| 9 CONSULTATIONS | | 9 6 | 5 14,382 |
| 10 CONSULTATIONS | | 10 36 | 8 94,264 |
| 11 CONSULTATIONS | | 11 2 | 3 6,346 |
| 12 OR MORE CONSULTATIONS | | 1,80 | 6 473,387 |
| NOT APPLICABLE | 9 | 96 111,91 | 1 26,052,725 |
| NOT STATED | 9 | 99 4,92 | 6 1,190,054 |
| | Total | 127,46 | 2 30,002,817 |

March 2016

Variable Name CMH_1MA Length 1 Position 1030

Question Name CMH_Q01MA

Concept Consulted mental health professional - family doctor

Question Whom did you see or talk to? - Family doctor or general practitioner

Universe Respondents who answered CMH_01K = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5,991 | 1,476,908 |
| NO | 2 | 4,721 | 1,306,557 |
| NOT APPLICABLE | 6 | 111,911 | 26,052,725 |
| DON'T KNOW | 7 | 27 | 5,690 |
| REFUSAL | 8 | 13 | 2,424 |
| NOT STATED | 9 | 4,799 | 1,158,513 |
| | Total | 127,462 | 30,002,817 |

Variable Name CMH_1MB Length 1 Position 1031

Question Name CMH_Q01MB

Concept Consulted mental health professional - psychiatrist

Question Whom did you see or talk to? - Psychiatrist

Universe Respondents who answered CMH_01K = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,132 | 527,752 |
| NO | 2 | 8,580 | 2,255,713 |
| NOT APPLICABLE | 6 | 111,911 | 26,052,725 |
| DON'T KNOW | 7 | 27 | 5,690 |
| REFUSAL | 8 | 13 | 2,424 |
| NOT STATED | 9 | 4,799 | 1,158,513 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CMH_1MC Length 1 Position 1032

Question Name CMH_Q01MC

 Concept
 Consulted mental health professional - psychologist

 Question
 Whom did you see or talk to? - Psychologist

Universe Respondents who answered CMH_01K = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,156 | 654,044 |
| NO | 2 | 8,556 | 2,129,421 |
| NOT APPLICABLE | 6 | 111,911 | 26,052,725 |
| DON'T KNOW | 7 | 27 | 5,690 |
| REFUSAL | 8 | 13 | 2,424 |
| NOT STATED | 9 | 4,799 | 1,158,513 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name CMH_1MD Length 1 Position 1033

Question Name CMH_Q01MD

Concept Consulted mental health professional - nurse

Question Whom did you see or talk to? - Nurse

Universe Respondents who answered CMH_01K = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 571 | 135,682 |
| NO | 2 | 10,141 | 2,647,783 |
| NOT APPLICABLE | 6 | 111,911 | 26,052,725 |
| DON'T KNOW | 7 | 27 | 5,690 |
| REFUSAL | 8 | 13 | 2,424 |
| NOT STATED | 9 | 4,799 | 1,158,513 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name CMH_1ME Length **Position** 1034 1

Question Name CMH_Q01ME

Concept Consulted mental hlth. professional - social worker

Whom did you see or talk to? - Social worker or counsellor Question

Respondents who answered CMH_01K = (1, 7 or 8) Universe

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,591 | 636,927 |
| NO | 2 | 8,121 | 2,146,538 |
| NOT APPLICABLE | 6 | 111,911 | 26,052,725 |
| DON'T KNOW | 7 | 27 | 5,690 |
| REFUSAL | 8 | 13 | 2,424 |
| NOT STATED | 9 | 4,799 | 1,158,513 |
| | Total | 127,462 | 30,002,817 |

Variable Name CMH_1MF **Position** 1035 Length 1

Question Name CMH_Q01MF

Concept Consulted mental health professional - other

Question Whom did you see or talk to? - Other

Universe Respondents who answered CMH_01K = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 584 | 153,493 |
| NO | 2 | 10,128 | 2,629,973 |
| NOT APPLICABLE | 6 | 111,911 | 26,052,725 |
| DON'T KNOW | 7 | 27 | 5,690 |
| REFUSAL | 8 | 13 | 2,424 |
| NOT STATED | 9 | 4,799 | 1,158,513 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOMDB Length 1 Position 1036

Question Name DOMDB

Concept Mood (Bradburn affect balance scale) - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | ! | <u>Sample</u> | Population |
|---------|-------------|---|---------------|-------------------|
| YES | | 1 | 7,371 | 875,543 |
| NO | | 2 | 120,091 | 29,127,274 |
| | Total | | 127,462 | 30,002,817 |

Variable Name MDB_1 Length 1 Position 1037

Question Name MDB_Q1

Concept Frequency - felt on top of the world

Question During the past few weeks, how often have you felt: on top of

the world?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 2,071 | 236,480 |
| SOMETIMES | 2 | 3,524 | 449,956 |
| NEVER | 3 | 1,369 | 154,021 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 186 | 16,071 |
| REFUSAL | 8 | 35 | 2,963 |
| NOT STATED | 9 | 186 | 16,052 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

MDB_2 Variable Name **Position** 1038 Length 1

Question Name MDB Q2

Frequency - felt lonely or remote from other people Concept (During the past few weeks, how often have you felt:) Question

very lonely or remote from other people?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 359 | 37,237 |
| SOMETIMES | 2 | 2,338 | 283,449 |
| NEVER | 3 | 4,250 | 518,613 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 15 | 925 |
| REFUSAL | 8 | 2 | 233 |
| NOT STATED | 9 | 407 | 35,086 |
| | Total | 127,462 | 30,002,817 |

MDB_3 1039 Variable Name Length 1 **Position**

Question Name MDB_Q3

Concept Frequency - felt particularly excited or interested Question (During the past few weeks, how often have you felt:) particularly excited or interested in something?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 2,640 | 345,096 |
| SOMETIMES | 2 | 3,576 | 426,915 |
| NEVER | 3 | 678 | 64,119 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 63 | 3,898 |
| REFUSAL | 8 | 5 | 339 |
| NOT STATED | 9 | 409 | 35,176 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name MDB_4 Length 1 Position 1040

Question Name MDB_Q4

Concept Frequency - felt depressed or very unhappy

Question (During the past few weeks, how often have you felt:)

depressed or very unhappy?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 276 | 31,061 |
| SOMETIMES | 2 | 2,029 | 256,987 |
| NEVER | 3 | 4,624 | 549,483 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 28 | 2,499 |
| REFUSAL | 8 | 4 | 310 |
| NOT STATED | 9 | 410 | 35,203 |
| | Total | 127,462 | 30,002,817 |

Variable Name MDB_5 Length 1 Position 1041

Question Name MDB_Q5

Concept Frequency - felt pleased about having accomplished something

Question During the past few weeks, how often have you felt:

pleased about having accomplished something?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 3,341 | 403,946 |
| SOMETIMES | 2 | 3,153 | 390,797 |
| NEVER | 3 | 404 | 41,166 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 57 | 3,828 |
| REFUSAL | 8 | 6 | 603 |
| NOT STATED | 9 | 410 | 35,203 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MDB_6 Length 1 Position 1042

Question Name MDB_Q6

Concept Frequency - felt bored

Question (During the past few weeks, how often have you felt:)

bored?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 781 | 99,799 |
| SOMETIMES | 2 | 2,851 | 381,657 |
| NEVER | 3 | 3,302 | 356,552 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 20 | 1,663 |
| REFUSAL | 8 | 7 | 669 |
| NOT STATED | 9 | 410 | 35,203 |
| | Total | 127,462 | 30,002,817 |

Variable Name MDB_7 Length 1 Position 1043

Question Name MDB_Q7

Concept Frequency - felt proud

Question (During the past few weeks, how often have you felt:)

proud because someone complimented you on something you had done?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 1,948 | 236,723 |
| SOMETIMES | 2 | 4,214 | 525,652 |
| NEVER | 3 | 725 | 71,418 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 66 | 5,755 |
| REFUSAL | 8 | 8 | 793 |
| NOT STATED | 9 | 410 | 35,203 |
| 7 | Γotal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MDB_8 Length 1 Position 1044

Question Name MDB_Q8

Concept Frequency - felt so restless could not sit

Question ((During the past few weeks, how often have you felt:)

so restless you couldn't sit long in a chair?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 888 | 113,473 |
| SOMETIMES | 2 | 1,996 | 270,774 |
| NEVER | 3 | 4,028 | 453,037 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 43 | 2,640 |
| REFUSAL | 8 | 6 | 416 |
| NOT STATED | 9 | 410 | 35,203 |
| | Total | 127,462 | 30,002,817 |

Variable Name MDB_9 Length 1 Position 1045

Question Name MDB_Q9

Concept Frequency - felt that things were going your way

Question (During the past few weeks, how often have you felt:)

that things were going your way?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 2,763 | 315,412 |
| SOMETIMES | 2 | 3,612 | 459,987 |
| NEVER | 3 | 492 | 58,498 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 81 | 5,519 |
| REFUSAL | 8 | 11 | 810 |
| NOT STATED | 9 | 412 | 35,317 |
| T | otal | 127,462 | 30,002,817 |

Page 446

March 2016

Variable Name MDB_10 Length 1 Position 1046

Question Name MDB_Q10

Concept Frequency - felt upset because someone criticized you

Question During the past few weeks, how often have you felt:

upset because someone criticized you?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN | 1 | 185 | 24,197 |
| SOMETIMES | 2 | 2,017 | 281,036 |
| NEVER | 3 | 4,701 | 529,078 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 45 | 5,128 |
| REFUSAL | 8 | 11 | 786 |
| NOT STATED | 9 | 412 | 35,317 |
| | Total | 127,462 | 30,002,817 |

Variable Name MDB_11 Length 1 Position 1047

Question Name MDB_Q11

Concept Happiness - self-perceived

Question Taking things all together, how would you say things are these days? Would you say you're...?

Universe Respondents with DOMDB = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| VERY HAPPY | 1 | 2,242 | 279,276 |
| PRETTY HAPPY | 2 | 4,323 | 517,022 |
| NOT TOO HAPPY | 3 | 328 | 39,108 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| DON'T KNOW | 7 | 55 | 4,063 |
| REFUSAL | 8 | 11 | 757 |
| NOT STATED | 9 | 412 | 35,317 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name MDBDPOS Length 2 Position 1048 - 1049

Question Name

Concept Balance affect- positive mood - (D)

Question

Universe Respondents with DOMDB = 1

Note Based on MDB_01, MDB_03, MDB_05, MDB_07, MDB_09

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| POSITIVE AFFECT | 5 - 15 | 6,721 | 823,128 |
| NOT APPLICABLE | 96 | 120,091 | 29,127,274 |
| NOT STATED | 99 | 650 | 52,415 |
| | Total | 127,462 | 30,002,817 |

Variable Name MDBDNEG Length 2 Position 1050 - 1051

Question Name

Concept Balance affect- negative mood - (D)

Question

Universe Respondents with DOMDB = 1

Note Based on MDB_2, MDB_4, MDB_6, MDB_8, MDB_10

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NEGATIVE AFFECT | 5 - 15 | 6,825 | 829,575 |
| NOT APPLICABLE | 96 | 120,091 | 29,127,274 |
| NOT STATED | 99 | 546 | 45,968 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name MDBDBA1 Length 3 Position 1052 - 1054

Question Name

Concept Balance affect- method A - (D)

Question

Universe Respondents with DOMDB = 1

Note Based on MDBDPOS, MDBDNEG

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------------------|-------------|---------------|-------------------|
| AFFECT BALANCE SCORE (METHOD A) | -10 - 10 | 6,645 | 816,562 |
| NOT APPLICABLE | 996 | 120,091 | 29,127,274 |
| NOT STATED | 999 | 726 | 58,981 |
| | Total | 127,462 | 30,002,817 |

Variable Name MDBDBA2 Length 1 Position 1055

Question Name

Concept Balance affect- method B - (D)

Question

Universe Respondents with DOMDB = 1

Note Based on MDBDPOS, MDBDNEG

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| NEGATIVE BALANCE | 1 | 219 | 25,013 |
| EVEN | 2 | 2,023 | 264,588 |
| POSITIVE BALANCE | 3 | 4,403 | 526,961 |
| NOT APPLICABLE | 6 | 120,091 | 29,127,274 |
| NOT STATED | 9 | 726 | 58,981 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DODIS Length 1 Position 1056

Question Name DODIS

Concept Distress - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | 9 | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------|-------------|---------------|-------------------|
| YES | | 1 | 23,298 | 6,964,711 |
| NO | | 2 | 104,164 | 23,038,106 |
| | Total | | 127,462 | 30,002,817 |

Variable Name DIS_10A Length 1 Position 1057

Question Name DIS_Q01A

Concept Frequency - distress: felt tired out - past month

Question During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:

... tired out for no good reason?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 340 | 95,449 |
| MOST OF THE TIME | 2 | 985 | 320,952 |
| SOME OF THE TIME | 3 | 4,419 | 1,306,059 |
| A LITTLE OF THE TIME | 4 | 6,345 | 1,942,800 |
| NONE OF THE TIME | 5 | 9,518 | 2,811,358 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 89 | 18,754 |
| REFUSAL | 8 | 54 | 18,755 |
| NOT STATED | 9 | 1,548 | 450,584 |
| • | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10B Length 1 Position 1058

Question Name DIS_Q01B

Concept Frequency - distress: felt nervous - past month

Question During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:

... nervous?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 492 | 145,439 |
| MOST OF THE TIME | 2 | 1,515 | 496,520 |
| SOME OF THE TIME | 3 | 6,456 | 1,959,243 |
| A LITTLE OF THE TIME | 4 | 6,269 | 1,943,240 |
| NONE OF THE TIME | 5 | 6,833 | 1,923,005 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 38 | 8,242 |
| REFUSAL | 8 | 2 | 446 |
| NOT STATED | 9 | 1,693 | 488,578 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10C Length 1 Position 1059

Question Name DIS_Q01C

Concept Freq./-distress: so nervous nothing calms down - past month

Question (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

... so nervous that nothing could calm you down?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 85 | 28,525 |
| MOST OF THE TIME | 2 | 290 | 89,985 |
| SOME OF THE TIME | 3 | 1,045 | 309,015 |
| A LITTLE OF THE TIME | 4 | 2,068 | 622,353 |
| NONE OF THE TIME | 5 | 18,043 | 5,411,034 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 31 | 5,990 |
| REFUSAL | 8 | 2 | 304 |
| NOT STATED | 9 | 1,734 | 497,505 |
| | Total | 127,462 | 30,002,817 |

014: Data Dictionary Page 452

March 2016

Variable Name DIS_10D Length 1 Position 1060

Question Name DIS_Q01D

Concept Frequency - distress: felt hopeless - past month

Question (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

... hopeless?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 76 | 23,714 |
| MOST OF THE TIME | 2 | 231 | 81,808 |
| SOME OF THE TIME | 3 | 1,231 | 399,217 |
| A LITTLE OF THE TIME | 4 | 1,910 | 602,388 |
| NONE OF THE TIME | 5 | 18,127 | 5,362,821 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 21 | 4,714 |
| REFUSAL | 8 | 7 | 961 |
| NOT STATED | 9 | 1,695 | 489,088 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10E Length 1 Position 1061

Question Name DIS_Q01E

Concept Frequency - distress: felt restless - past month

Question During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:

... restless or fidgety?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 211 | 75,515 |
| MOST OF THE TIME | 2 | 537 | 174,352 |
| SOME OF THE TIME | 3 | 2,434 | 756,561 |
| A LITTLE OF THE TIME | 4 | 3,180 | 1,037,452 |
| NONE OF THE TIME | 5 | 15,201 | 4,419,978 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 36 | 11,160 |
| REFUSAL | 8 | 4 | 605 |
| NOT STATED | 9 | 1,695 | 489,088 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10F Length 1 Position 1062

Question Name DIS_Q01F

Concept Frequency - distress: could not sit still - past month

Question (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

... so restless you could not sit still?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 115 | 36,144 |
| MOST OF THE TIME | 2 | 261 | 91,653 |
| SOME OF THE TIME | 3 | 934 | 275,631 |
| A LITTLE OF THE TIME | 4 | 1,542 | 478,430 |
| NONE OF THE TIME | 5 | 18,695 | 5,575,671 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 14 | 4,998 |
| REFUSAL | 8 | 2 | 1,331 |
| NOT STATED | 9 | 1,735 | 500,852 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10G Length 1 Position 1063

Question Name DIS_Q01G

Concept Frequency - distress: felt sad / depressed - past month

Question (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

... sad or depressed?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 149 | 44,031 |
| MOST OF THE TIME | 2 | 573 | 150,095 |
| SOME OF THE TIME | 3 | 3,715 | 1,124,182 |
| A LITTLE OF THE TIME | 4 | 4,443 | 1,465,625 |
| NONE OF THE TIME | 5 | 12,692 | 3,686,296 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 22 | 3,673 |
| REFUSAL | 8 | 7 | 1,641 |
| NOT STATED | 9 | 1,697 | 489,168 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10H Length 1 Position 1064

Question Name DIS_Q01H

Concept Frequency - distress: depressed/nothing cheers - past month

Question (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

... so depressed that nothing could cheer you up?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 67 | 25,592 |
| MOST OF THE TIME | 2 | 222 | 58,494 |
| SOME OF THE TIME | 3 | 804 | 230,729 |
| A LITTLE OF THE TIME | 4 | 1,460 | 467,512 |
| NONE OF THE TIME | 5 | 18,998 | 5,683,331 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 19 | 3,735 |
| REFUSAL | 8 | 2 | 837 |
| NOT STATED | 9 | 1,726 | 494,482 |
| Т | otal | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10I Length 1 Position 1065

Question Name DIS_Q011

Concept Freq. - distress: felt everything was an effort - past month

Question (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

... that everything was an effort?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 266 | 68,532 |
| MOST OF THE TIME | 2 | 594 | 192,155 |
| SOME OF THE TIME | 3 | 2,085 | 615,088 |
| A LITTLE OF THE TIME | 4 | 2,562 | 829,157 |
| NONE OF THE TIME | 5 | 16,014 | 4,750,549 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 65 | 16,499 |
| REFUSAL | 8 | 13 | 3,443 |
| NOT STATED | 9 | 1,699 | 489,289 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10J Length 1 Position 1066

Question Name DIS_Q01J

Concept Frequency - distress: felt worthless - past month

Question (During the past month, that is, from [date one month ago] to yesterday, about how often did you feel:)

... worthless?

Universe Respondents with DODIS = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------|-------------|---------------|-------------------|
| ALL OF THE TIME | 1 | 151 | 37,071 |
| MOST OF THE TIME | 2 | 218 | 67,366 |
| SOME OF THE TIME | 3 | 964 | 282,955 |
| A LITTLE OF THE TIME | 4 | 1,546 | 448,013 |
| NONE OF THE TIME | 5 | 18,656 | 5,622,331 |
| NOT APPLICABLE | 6 | 104,164 | 23,038,106 |
| DON'T KNOW | 7 | 47 | 12,493 |
| REFUSAL | 8 | 15 | 4,720 |
| NOT STATED | 9 | 1,701 | 489,763 |
| | Total | 127,462 | 30,002,817 |

Page 459

March 2016

Variable Name DIS_10K Length 1 Position 1067

Question Name DIS_Q01K

Concept Frequency of distress feelings - past month

Question We just talked about feelings that occurred to different degrees during the past month. Taking them

altogether, did these feelings occur more often in the past month than is usual for you, less often than usual

or about the same as usual?

 $\textbf{Universe} \qquad \qquad \text{Respondents who answered DIS_Q01B} = (1, 2, 3, 4, 7, 8) \text{ or DIS_Q01D} = (1, 2, 3, 4, 7, 8) \text{ or DIS_Q01E} = (1, 2, 3, 4, 7, 8) \text{ or DIS$

(1, 2, 3, 4, 7, 8) or DIS_Q01G = (1, 2, 3, 4, 7, 8) or DIS_Q01I = (1, 2, 3, 4, 7, 8) or DIS_Q01J = (1, 2, 3, 4, 7, 8)

7, 8)

Note Due to an error in the interview application used to collect the data, some data may be missing for

DIS_10K.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------|-------------|---------------|-------------------|
| MORE OFTEN | 1 | 2,838 | 873,715 |
| LESS OFTEN | 2 | 1,497 | 484,462 |
| ABOUT THE SAME | 3 | 11,347 | 3,525,095 |
| NEVER HAVE HAD ANY | 4 | 832 | 239,858 |
| NOT APPLICABLE | 6 | 109,057 | 24,346,247 |
| DON'T KNOW | 7 | 120 | 24,954 |
| REFUSAL | 8 | 13 | 4,124 |
| NOT STATED | 9 | 1,758 | 504,362 |
| 1 | Гotal | 127,462 | 30,002,817 |

Page 460

March 2016

Variable Name DIS_10L Length **Position** 1068

Question Name DIS_Q01L

Frequency of distress feelings (more often) Concept

Is that a lot more, somewhat more or only a little more often than usual? Question

Respondents who answered DIS_10K = (1, 7, 8) or DIS_10A = (7, 8) or (DIS_10B = (7, 8) and DIS_10C = Universe

(7, 8) and DIS_10D = (7, 8) and DIS_10E = (7, 8) and DIS_10F = (7, 8) and DIS_10G = (7, 8) and DIS_10H = (7, 8) and DIS_10J = (7, 8) and DIS_10J = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| A LOT | 1 | 845 | 273,809 |
| SOMEWHAT | 2 | 598 | 201,366 |
| A LITTLE | 3 | 1,374 | 392,710 |
| NOT APPLICABLE | 6 | 122,733 | 28,595,662 |
| DON'T KNOW | 7 | 18 | 3,916 |
| REFUSAL | 8 | 3 | 1,914 |
| NOT STATED | 9 | 1,891 | 533,440 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name DIS_10M Length 1 **Position** 1069

Question Name DIS_Q01M

Frequency of distress feelings (less often) Concept

Is that a lot less, somewhat less or only a little less often than usual? Question

Respondents who answered DIS_10K = (2, 7, 8) or DIS_10A = (7, 8) or (DIS_10B = (7, 8) and DIS_10C = Universe

(7, 8) and DIS_10D = (7, 8) and DIS_10E = (7, 8) and DIS_10F = (7, 8) and DIS_10G = (7, 8) and DIS_10H = (7, 8) and DIS_10J = (7, 8) and DIS_10J = (7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| A LOT | 1 | 484 | 134,426 |
| SOMEWHAT | 2 | 367 | 131,898 |
| A LITTLE | 3 | 601 | 208,336 |
| NOT APPLICABLE | 6 | 124,074 | 28,984,916 |
| DON'T KNOW | 7 | 43 | 9,537 |
| REFUSAL | 8 | 2 | 266 |
| NOT STATED | 9 | 1,891 | 533,440 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DIS_10N Length 1 Position 1070

Question Name DIS_Q01N

Concept Frequency of dist. feelings interfere with life - past month

Question During the past month, how much did these feelings usually interfere with your life or activities?

Universe Respondents who answered DIS_10K = (1, 2, 3, 7, 8) or DIS_10A = (7, 8) or (DIS_10B = (7, 8) and

DIS_10C = (7, 8) and DIS_10D = (7, 8) and DIS_10E = (7, 8) and DIS_10F = (7, 8) and DIS_10G = (7, 8)

and DIS_10H = (7, 8) and DIS_10I = (7, 8) and DIS_10J = (7, 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| A LOT | 1 | 803 | 229,801 |
| SOME | 2 | 1,304 | 424,706 |
| A LITTLE | 3 | 4,520 | 1,391,149 |
| NOT AT ALL | 4 | 9,014 | 2,828,093 |
| NOT APPLICABLE | 6 | 109,889 | 24,586,105 |
| DON'T KNOW | 7 | 34 | 8,142 |
| REFUSAL | 8 | 4 | 555 |
| NOT STATED | 9 | 1,894 | 534,266 |
| - | Total | 127,462 | 30,002,817 |

Variable Name DISDK6 Length 2 Position 1071 - 1072

Question Name

Concept Distress scale - K6 - past month - (D)

Question

Universe Respondents with DODIS = 1

Note Based on DIS_10B, DIS_10E, DIS_10E, DIS_10I, DIS_10I, DIS_10J. See documentation on derived

variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------------|-------------|---------------|-------------------|
| DISTRESS SCALE K6 | 0 - 24 | 21,394 | 6,421,569 |
| NOT APPLICABLE | 96 | 104,164 | 23,038,106 |
| NOT STATED | 99 | 1,904 | 543,142 |
| | Total | 127,462 | 30,002,817 |

Page 463

March 2016

Variable Name DISDCHR Length 2 Position 1073 - 1074

Question Name

Concept Chronicity of distress/impairment scale - past month - (D)

Question

Universe Respondents with DODIS = 1

Note Based on DIS_10K, DIS_10L, DIS_10M. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| A LOT MORE THAN USUAL | 1 | 845 | 273,809 |
| SOMEWHAT MORE THAN USUAL | 2 | 598 | 201,366 |
| A LITTLE MORE THAN USUAL | 3 | 1,374 | 392,710 |
| ABOUT THE SAME AS USUAL | 4 | 11,347 | 3,525,095 |
| A LITTLE LESS THAN USUAL | 5 | 601 | 208,336 |
| SOMEWHAT LESS THAN USUAL | 6 | 367 | 131,898 |
| A LOT LESS THAN USUAL | 7 | 484 | 134,426 |
| NEVER HAD ANY | 8 | 832 | 239,858 |
| NOT APPLICABLE | 96 | 109,057 | 24,346,247 |
| NOT STATED | 99 | 1,957 | 549,073 |
| | Total | 127,462 | 30,002,817 |

Variable Name DISDDSX Length 2 Position 1075 - 1076

Question Name

Concept Distress scale - K10 - past month - (D)

Question

Universe Respondents with DODIS = 1

Note Based on DIS_10A, DIS_10B, DIS_10C, DIS_10D, DIS_10E, DIS_10F, DIS_10G, DIS_10H, DIS_10I,

DIS_10J. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------|-------------|---------------|-------------------|
| DISTRESS SCALE K10 | 0 - 40 | 21,362 | 6,412,498 |
| NOT APPLICABLE | 96 | 104,164 | 23,038,106 |
| NOT STATED | 99 | 1,936 | 552,212 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DODEP Length 1 Position 1077

Question Name DODEP

Concept Depression - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 41,943 | 9,371,417 |
| NO | 2 | 85,519 | 20,631,400 |
| | Total | 127,462 | 30,002,817 |

Variable Name DPSDSF Length 2 Position 1078 - 1079

Question Name

Concept Depression scale - short form score - (D)

Question

Universe Respondents with DODPS = 1

Note Based on DPS_02, DPS_05, DPS_06, DPS_08A, DPS_08B, DPS_10, DPS_11, DPS_12, DPS_13,

DPS_16, DPS_17, DPS_18, DPS_19, DPS_21A, DPS_21B, DPS_23, DPS_24, DPS_25, DPS_26. Higher

scores indicate higher level of depression. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| SHORT FORM SCORE | 0 - 8 | 39,193 | 8,757,964 |
| NOT APPLICABLE | 96 | 85,519 | 20,631,400 |
| NOT STATED | 99 | 2,750 | 613,453 |
| т | otal | 127,462 | 30,002,817 |

March 2016

Variable Name DPSDPP Length 4.2 Position 1080 - 1083

Question Name

Concept Depression scale - Predicted probability - (D)

Question

Universe Respondents with DODPS = 1

Note Based on DPSDSF. A probability of caseness of 0 was assigned to respondents who denied the stem

questions. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| 0.00 | 0.00 | 36,016 | 8,096,706 |
| 0.05 | 0.05 | 39 | 7,964 |
| 0.25 | 0.25 | 141 | 31,496 |
| 0.50 | 0.5 | 257 | 52,147 |
| 0.80 | 0.8 | 452 | 98,981 |
| 0.90 | 0.9 | 2,288 | 470,669 |
| NOT APPLICABLE | 9.96 | 85,519 | 20,631,400 |
| NOT STATED | 9.99 | 2,750 | 613,453 |
| | Total | 127,462 | 30,002,817 |

Page 466

March 2016

Variable Name DPSDWK Length 2 Position 1084 - 1085

Question Name

Concept Number of weeks felt depressed - (D)

Question

Universe Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or

 $DPS_23 = (7 \text{ or } 8)$

Note Based on DPS_14, DPS_27. Respondents who did not report feeling sad, blue or depressed and who did

not report having lost interest in most things are excluded from the calculation of this variable; or did not show any required signs of depression have been excluded from the population. See documentation on

derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF WEEKS | 2 - 53 | 2,928 | 616,313 |
| NOT APPLICABLE | 96 | 121,570 | 28,735,575 |
| NOT STATED | 99 | 2,964 | 650,929 |
| • | Total | 127,462 | 30,002,817 |

Page 467

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name DPSDMT Length 2 Position 1086 - 1087

Question Name

Concept Specific month last felt depressed - 2 weeks in a row - (D)

Question

Universe Respondents who answered DPS_14 < 52 or DPS_27 < 52 or DPS_14 = (97 or 98) or DPS_27 = (97 or 98)

or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 =

(7 or 8)

Note Based on DPS_14, DPS_15, DPS_27, DPS_28. The following respondents have been excluded from the

population: respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things; or respondents who did not show any required signs of depression; or

respondents who have been depressed more than 51 weeks in the last past year; in the calculation of this

variable. See documentation on derived variables.

| Content | <u>Code</u> | Sample | <u>Population</u> |
|----------------|-------------|------------|-------------------|
| JANUARY | | 1 256 | 55,152 |
| FEBRUARY | | 2 243 | 48,890 |
| MARCH | | 3 284 | 62,395 |
| APRIL | | 4 214 | 48,253 |
| MAY | | 5 185 | 38,622 |
| JUNE | | 6 189 | 46,744 |
| JULY | | 7 173 | 35,160 |
| AUGUST | | 8 189 | 35,382 |
| SEPTEMBER | | 9 214 | 47,291 |
| OCTOBER | 1 | 0 216 | 47,987 |
| NOVEMBER | 1 | 1 230 | 48,082 |
| DECEMBER | 1 | 2 255 | 56,346 |
| NOT APPLICABLE | g | 96 121,782 | 28,772,328 |
| NOT STATED | g | 99 3,032 | 660,185 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOSUI Length 1 Position 1088

Question Name DOSUI

Concept Suicidal thoughts & attempts - Inclusion Flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>0</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|----------|-------------|---------------|-------------------|
| YES | | 1 | 26,245 | 5,200,499 |
| NO | | 2 | 101,217 | 24,802,318 |
| | Total | | 127,462 | 30,002,817 |

Variable Name SUI_1 Length 1 Position 1089

Question Name SUI_Q1

Concept Seriously considered suicide - lifetime

Question Have you ever seriously considered committing suicide or taking your own life?

Universe Respondents aged 15 and over with DOSUI = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,458 | 480,630 |
| NO | 2 | 21,635 | 4,319,727 |
| NOT APPLICABLE | 6 | 102,205 | 24,995,970 |
| DON'T KNOW | 7 | 26 | 4,663 |
| REFUSAL | 8 | 72 | 19,238 |
| NOT STATED | 9 | 1,066 | 182,590 |
| | Total | 127,462 | 30,002,817 |

Page 469

March 2016

Variable Name SUI_2 Length 1 Position 1090

Question Name SUI_Q2

ConceptSeriously considered suicide - past 12 monthsQuestionHas this happened in the past 12 months?UniverseRespondents who answered SUI_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 501 | 100,675 |
| NO | 2 | 1,949 | 379,055 |
| NOT APPLICABLE | 6 | 123,840 | 29,315,697 |
| DON'T KNOW | 7 | 6 | 623 |
| REFUSAL | 8 | 2 | 277 |
| NOT STATED | 9 | 1,164 | 206,491 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name DOACC Length 1 Position 1091

Question Name DOACC

Concept Access to health care services - Inclusion flag - (F)

Question

Universe All respondents

Note Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated",

which mostly explains the higher proportion of this category compared to modules where proxy was

allowed.

| Content | <u>Cc</u> | <u>ode</u> | <u>Sample</u> | <u>Population</u> |
|---------|-----------|------------|---------------|-------------------|
| YES | | 1 | 5,243 | 810,032 |
| NO | | 2 | 122,219 | 29,192,785 |
| | Total | | 127,462 | 30,002,817 |

Page 470

March 2016

Variable Name ACC_10 Length 1 Position 1092

Question Name ACC_Q10

Concept Required visit to medical specialist

Question In the past 12 months, did you require a visit to a medical specialist for a diagnosis or a consultation?

Universe Respondents aged 15 and over with DOACC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,715 | 243,641 |
| NO | 2 | 3,152 | 507,538 |
| NOT APPLICABLE | 6 | 122,393 | 29,222,480 |
| DON'T KNOW | 7 | 3 | 594 |
| REFUSAL | 8 | 1 | 110 |
| NOT STATED | 9 | 198 | 28,455 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_11 Length 1 Position 1093

Question Name ACC_Q11

Concept Experienced difficulties getting specialist care

Question In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a

diagnosis or consultation?

Universe Respondents who answered ACC_10 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 375 | 52,436 |
| NO | 2 | 1,339 | 191,164 |
| NOT APPLICABLE | 6 | 125,545 | 29,730,018 |
| DON'T KNOW | 7 | 1 | 42 |
| NOT STATED | 9 | 202 | 29,158 |
| | Total | 127,462 | 30,002,817 |

Page 471

March 2016

Variable Name ACC_12A Length 1 Position 1094

Question Name ACC_Q12A

Concept Difficulty - getting a referral

Question What type of difficulties did you experience? - Difficulty getting a referral

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 41 | 6,342 |
| NO | 2 | 333 | 46,059 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_12B Length 1 Position 1095

Question Name ACC_Q12B

Concept Difficulty - getting an appointment

Question What type of difficulties did you experience? - Difficulty getting an appointment

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 137 | 21,905 |
| NO | 2 | 237 | 30,496 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| | Total | 127,462 | 30,002,817 |

Page 472

March 2016

Variable Name ACC_12C Length 1 Position 1096

Question Name ACC_Q12C

Concept Difficulty - no specialists in area

Question What type of difficulties did you experience? - No specialists in the area

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 29 | 4,184 |
| NO | 2 | 345 | 48,217 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_12D Length 1 Position 1097

Question Name ACC_Q12D

Concept Difficulty - waited too long for an appointment

Question What type of difficulties did you experience? - Waited too long between booking appointment and visit

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 183 | 28,217 |
| NO | 2 | 191 | 24,184 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_12E Length 1 Position 1098

Question Name ACC_Q12E

Concept Difficulty - waited too long to see doc.

Question What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 62 | 8,141 |
| NO | 2 | 312 | 44,260 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| 7 | Γotal | 127,462 | 30,002,817 |

Variable Name ACC_12F Length 1 Position 1099

Question Name ACC_Q12F

Concept Difficulty - transportation

Question What type of difficulties did you experience? - Transportation problems

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 12 | 2,061 |
| NO | 2 | 362 | 50,340 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| | Total | 127,462 | 30,002,817 |

Page 474

March 2016

Variable Name ACC_12J Length 1 Position 1100

Question Name ACC_Q12J

Concept Difficulty - general deterioration of health

Question What type of difficulties did you experience? - General deterioration of health

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10 | 1,323 |
| NO | 2 | 364 | 51,078 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_12K Length 1 Position 1101

Question Name ACC_Q12K

Concept Difficulty - appointment cancelled/deferred

Question What type of difficulties did you experience? - Appointment cancelled or deferred by specialist

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

| <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-------------|-----------------------|--|
| 1 | 14 | 3,022 |
| 2 | 360 | 49,379 |
| 6 | 126,884 | 29,921,182 |
| 7 | 1 | 34 |
| 9 | 203 | 29,200 |
| ıl | 127,462 | 30,002,817 |
| | 1 2 6 7 9 | 1 14 2 360 6 126,884 7 1 9 203 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_12L Length 1 Position 1102

Question Name ACC_Q12L

Concept Difficulty - still waiting for visit

Question What type of difficulties did you experience? - Still waiting for visit

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 38 | 6,049 |
| NO | 2 | 336 | 46,352 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| DON'T KNOW | 7 | 1 | 34 |
| NOT STATED | 9 | 203 | 29,200 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACCG12N Length 1 Position 1103

Question Name

Concept Difficulties - specialist care - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)

Note Based on ACC_12G, ACC_12H, ACC_12I, ACC_12M, ACC_12N

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 73 | 9,277 |
| NO | 2 | 301 | 43,124 |
| NOT APPLICABLE | 6 | 126,884 | 29,921,182 |
| NOT STATED | 9 | 204 | 29,234 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_20 Length 1 Position 1104

Question Name ACC_Q20

Concept Required non-emergency surgery

Question In the past 12 months, did you require any non-emergency surgery?

Universe Respondents aged 15 and over with DOACC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 456 | 59,540 |
| NO | 2 | 4,413 | 692,149 |
| NOT APPLICABLE | 6 | 122,393 | 29,222,480 |
| DON'T KNOW | 7 | 1 | 135 |
| NOT STATED | 9 | 199 | 28,513 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACC_21 Length 1 Position 1105

Question Name ACC_Q21

Concept Experienced difficulties getting non-emerg. surgery

Question In the past 12 months, did you ever experience any difficulties getting the surgery you needed?

Universe Respondents who answered ACC_20 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 89 | 13,392 |
| NO | 2 | 367 | 46,148 |
| NOT APPLICABLE | 6 | 126,806 | 29,914,629 |
| NOT STATED | 9 | 200 | 28,648 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG22B Length 1 Position 1106

Question Name

Concept Difficulties - surgery - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note Based on ACC_22A, ACC_22B

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 25 | 5,249 |
| NO | 2 | 64 | 8,142 |
| NOT APPLICABLE | 6 | 127,173 | 29,960,777 |
| NOT STATED | 9 | 200 | 28,648 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACCG22D Length 1 Position 1107

Question Name

Concept Difficulties - surgery - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note Based on ACC_22C, ACC_22D

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 11 | 1,678 |
| NO | 2 | 78 | 11,714 |
| NOT APPLICABLE | 6 | 127,173 | 29,960,777 |
| NOT STATED | 9 | 200 | 28,648 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_22E Length 1 Position 1108

Question Name ACC_Q22E

Concept Difficulty - waited too long for surgery

Question What type of difficulties did you experience? - Waited too long for surgery

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 56 | 7,686 |
| NO | 2 | 33 | 5,705 |
| NOT APPLICABLE | 6 | 127,173 | 29,960,777 |
| NOT STATED | 9 | 200 | 28,648 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_22H Length 1 Position 1109

Question Name ACC_Q22H

Concept Difficulty - language

Question What type of difficulties did you experience? - Language problem

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note

| Content | Co | <u>de</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------|-----------|---------------|-------------------|
| NO | | 2 | 89 | 13,392 |
| NOT APPLICABLE | | 6 | 127,173 | 29,960,777 |
| NOT STATED | | 9 | 200 | 28,648 |
| | Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_22J Length 1 Position 1110

Question Name ACC_Q22J

Concept Difficulty - personal or family responsibilities

Question What type of difficulties did you experience? - Personal or family responsibilities

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 89 | 13,392 |
| NOT APPLICABLE | 6 | 127,173 | 29,960,777 |
| NOT STATED | 9 | 200 | 28,648 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_22L Length 1 Position 1111

Question Name ACC_Q22L

Concept Difficulty - appointment cancelled/deferred

Question What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8 | 970 |
| NO | 2 | 81 | 12,422 |
| NOT APPLICABLE | 6 | 127,173 | 29,960,777 |
| NOT STATED | 9 | 200 | 28,648 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_22M Length 1 Position 1112

Question Name ACC_Q22M

Concept Difficulty - still waiting for surgery

Question What type of difficulties did you experience? - Still waiting for surgery

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 21 | 2,648 |
| NO | 2 | 68 | 10,744 |
| NOT APPLICABLE | 6 | 127,173 | 29,960,777 |
| NOT STATED | 9 | 200 | 28,648 |
| To | otal | 127,462 | 30,002,817 |

Variable Name ACCG220 Length 1 Position 1113

Question Name

Concept Difficulties - surgery - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)

Note Based on ACC_22F, ACC_22G, ACC_22I, ACC_22K, ACC_22N, ACC_22O

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | | 1 20 | 2,818 |
| NO | | 2 69 | 10,574 |
| NOT APPLICABLE | | 6 127,173 | 29,960,777 |
| NOT STATED | | 9 200 | 28,648 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Page 481

March 2016

Variable Name ACC_30 Length 1 Position 1114

Question Name ACC_Q30

Concept Required MRI, CT Scan, angiography

Question In the past 12 months, did you require one of these tests?

Universe Respondents aged 15 and over with DOACC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 776 | 106,254 |
| NO | 2 | 4,085 | 644,893 |
| NOT APPLICABLE | 6 | 122,393 | 29,222,480 |
| DON'T KNOW | 7 | 8 | 624 |
| REFUSAL | 8 | 1 | 54 |
| NOT STATED | 9 | 199 | 28,513 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACC_31 Length 1 Position 1115

Question Name ACC_Q31

Concept Experienced difficulties getting test

Question In the past 12 months, did you ever experience any difficulties getting the tests you needed?

Universe Respondents who answered ACC_30 = (1, 7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 103 | 14,283 |
| NO | 2 | 673 | 91,971 |
| NOT APPLICABLE | 6 | 126,478 | 29,867,373 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_32A Length 1 Position 1116

Question Name ACC_Q32A

Concept Difficulty - getting a referral

Question What type of difficulties did you experience? - Difficulty getting a referral

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7 | 1,058 |
| NO | 2 | 95 | 13,155 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_32B Length 1 Position 1117

Question Name ACC_Q32B

Concept Difficulty - getting an appointment

Question What type of difficulties did you experience? - Difficulty getting an appointment

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 25 | 4,665 |
| NO | 2 | 77 | 9,548 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_32C Length 1 Position 1118

Question Name ACC_Q32C

Concept Difficulty - waited too long to get an appointment

Question What type of difficulties did you experience? - Waited too long to get an appointment

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 55 | 9,179 |
| NO | 2 | 47 | 5,034 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| • | Total | 127,462 | 30,002,817 |

Variable Name ACC_32D Length 1 Position 1119

Question Name ACC_Q32D

Concept Difficulty - waited too long to get test

Question What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 23 | 2,502 |
| NO | 2 | 79 | 11,711 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG32F Length 1 Position 1120

Question Name

Concept Difficulties - getting test - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note Based on ACC_32E, ACC_32F

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 9 | 737 |
| NO | 2 | 93 | 13,476 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| NOT STATED | 9 | 209 | 29,261 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_32H Length 1 Position 1121

Question Name ACC_Q32H

Concept Difficulty - language

Question What type of difficulties did you experience? - Language problem

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>C</u> | <u>ode</u> | <u>Sample</u> | <u>Population</u> |
|----------------|----------|------------|---------------|-------------------|
| NO | | 2 | 102 | 14,213 |
| NOT APPLICABLE | | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | | 7 | 1 | 70 |
| NOT STATED | | 9 | 208 | 29,191 |
| | Total | | 127,462 | 30,002,817 |
| | | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_32J Length 1 Position 1122

Question Name ACC_Q32J

Concept Difficulty - general deterioration of health

Question What type of difficulties did you experience? - General deterioration of health

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 102 | 14,213 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_32K Length 1 Position 1123

Question Name ACC_Q32K

Concept Difficulty - did not know where to go

Question What type of difficulties did you experience? - Did not know where to go (i.e. information problems)

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 102 | 14,213 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_32L Length 1 Position 1124

Question Name ACC_Q32L

Concept Difficulty - still waiting for test

Question What type of difficulties did you experience? - Still waiting for test

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10 | 2,898 |
| NO | 2 | 92 | 11,315 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_32M Length 1 Position 1125

Question Name ACC_Q32M

Concept Difficulty - unable to leave house / health problem

Question What type of difficulties did you experience? - Unable to leave the house because of a health problem

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 102 | 14,213 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| DON'T KNOW | 7 | 1 | 70 |
| NOT STATED | 9 | 208 | 29,191 |
| | Total | 127,462 | 30,002,817 |

Page 487

March 2016

Variable Name ACCG32N Length 1 Position 1126

Question Name

Concept Difficulties - getting test - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)

Note Based on ACC_32G, ACC_32I, ACC_32N

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 17 | 1,668 |
| NO | 2 | 85 | 12,545 |
| NOT APPLICABLE | 6 | 127,151 | 29,959,343 |
| NOT STATED | 9 | 209 | 29,261 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name ACC_40 Length 1 Position 1127

Question Name ACC_Q40

Concept Required health information for self or family member

Question In the past 12 months, have you required health information or advice ^DT_YourFamily?

Universe Respondents aged 15 and over with DOACC = 1

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,373 | 384,069 |
| NO | 2 | 2,489 | 366,952 |
| NOT APPLICABLE | 6 | 122,393 | 29,222,480 |
| DON'T KNOW | 7 | 7 | 706 |
| NOT STATED | 9 | 200 | 28,610 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_40A Length 1 Position 1128

Question Name ACC_Q40AA

Concept Contact for health information - doctor's office

Question Who did you contact when you needed health information or advice ^DT_YourFamily? - Doctor's office

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,810 | 287,912 |
| NO | 2 | 561 | 95,909 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 2 | 248 |
| NOT STATED | 9 | 207 | 29,316 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACC_40B Length 1 Position 1129

Question Name ACC_Q40AB

Concept Contact for health information - community hlth ctr / CLSC

Question Who did you contact when you needed health information or advice ^DT_YourFamily? - Community health

centre / CLSC

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 134 | 23,175 |
| NO | 2 | 2,237 | 360,646 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 2 | 248 |
| NOT STATED | 9 | 207 | 29,316 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_40C Length 1 Position 1130

Question Name ACC_Q40AC

Concept Contact for health information - walk-in clinic

Question Who did you contact when you needed health information or advice ^DT_YourFamily? - Walk-in clinic

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 328 | 65,943 |
| NO | 2 | 2,043 | 317,878 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 2 | 248 |
| NOT STATED | 9 | 207 | 29,316 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACC_40D Length 1 Position 1131

Question Name ACC_Q40AD

Concept Contact for health information - telephone health line

Question Who did you contact when you needed health information or advice ^DT_YourFamily? - Telephone health

line (for example, HealthLinks, Telehealth Ontario, Health-Line, TeleCare, Info-Santé)

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 466 | 82,667 |
| NO | 2 | 1,905 | 301,154 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 2 | 248 |
| NOT STATED | 9 | 207 | 29,316 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_40E Length 1 Position 1132

Question Name ACC_Q40AE

Concept Contact for health information - emergency room

Question Who did you contact when you needed health information or advice ^DT_YourFamily? - Hospital

emergency room

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 470 | 79,969 |
| NO | 2 | 1,901 | 303,852 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 2 | 248 |
| NOT STATED | 9 | 207 | 29,316 |
| • | Total | 127,462 | 30,002,817 |

Variable Name ACC_40F Length 1 Position 1133

Question Name ACC_Q40AF

Concept Contact for health information - other hospital service

Question Who did you contact when you needed health information or advice ^DT_YourFamily? - Other hospital

service

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 229 | 36,020 |
| NO | 2 | 2,142 | 347,801 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 2 | 248 |
| NOT STATED | 9 | 207 | 29,316 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_40G Length 1 Position 1134

Question Name ACC_Q40AG

Concept Contact for health information - other

Question Who did you contact when you needed health information or advice ^DT_YourFamily? - Other

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 325 | 51,299 |
| NO | 2 | 2,046 | 332,522 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 2 | 248 |
| NOT STATED | 9 | 207 | 29,316 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_41 Length 1 Position 1135

Question Name ACC_Q41

Concept Experienced diff. getting health information - self/family

Question In the past 12 months, did you ever experience any difficulties getting the health information or advice

^DT_YourFamily?

Universe Respondents who answered ACC_40 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 323 | 49,735 |
| NO | 2 | 2,045 | 333,848 |
| NOT APPLICABLE | 6 | 124,882 | 29,589,432 |
| DON'T KNOW | 7 | 5 | 486 |
| NOT STATED | 9 | 207 | 29,316 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_42 Length 1 Position 1136

Question Name ACC_Q42

Concept Experienced difficulties during regular hours

Question Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?

Universe Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 241 | 35,583 |
| NO | 2 | 60 | 10,953 |
| NOT REQUIRED AT THIS TIME | 3 | 17 | 2,531 |
| NOT APPLICABLE | 6 | 126,927 | 29,923,280 |
| DON'T KNOW | 7 | 5 | 669 |
| NOT STATED | 9 | 212 | 29,802 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACCG43B Length 1 Position 1137

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note Based on ACC_43A, ACC_43B

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 76 | 11,089 |
| NO | 2 | 163 | 23,516 |
| NOT APPLICABLE | 6 | 127,004 | 29,936,763 |
| NOT STATED | 9 | 219 | 31,449 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_43C Length 1 Position 1138

Question Name ACC_Q43C

Concept Difficulty - could not get through

Question What type of difficulties did you experience? - Could not get through (i.e. no answer)

Universe Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 32 | 5,171 |
| NO | 2 | 207 | 29,434 |
| NOT APPLICABLE | 6 | 127,004 | 29,936,763 |
| DON'T KNOW | 7 | 1 | 820 |
| REFUSAL | 8 | 1 | 158 |
| NOT STATED | 9 | 217 | 30,471 |
| • | Total | 127,462 | 30,002,817 |

Variable Name ACC_43D Length 1 Position 1139

Question Name ACC_Q43D

Concept Difficulty - waited too long to speak to someone

Question What type of difficulties did you experience? - Waited too long to speak to someone

Universe Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 79 | 12,707 |
| NO | 2 | 160 | 21,898 |
| NOT APPLICABLE | 6 | 127,004 | 29,936,763 |
| DON'T KNOW | 7 | 1 | 820 |
| REFUSAL | 8 | 1 | 158 |
| NOT STATED | 9 | 217 | 30,471 |
| | Total | 127,462 | 30,002,817 |

Page 494

March 2016

Variable Name ACC_43E Length 1 Position 1140

Question Name ACC_Q43E

Concept Difficulty - did not get adequate info or advice

Question What type of difficulties did you experience? - Did not get adequate info or advice

Universe Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 100 | 15,496 |
| NO | 2 | 139 | 19,109 |
| NOT APPLICABLE | 6 | 127,004 | 29,936,763 |
| DON'T KNOW | 7 | 1 | 820 |
| REFUSAL | 8 | 1 | 158 |
| NOT STATED | 9 | 217 | 30,471 |
| т | otal | 127,462 | 30,002,817 |

Variable Name ACC_43G Length 1 Position 1141

Question Name ACC_Q43G

Concept Difficulty - did not know where to go/call/uninformed

Question What type of difficulties did you experience? - Did not know where to go / call / uninformed

Universe Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 12 | 2,831 |
| NO | 2 | 227 | 31,774 |
| NOT APPLICABLE | 6 | 127,004 | 29,936,763 |
| DON'T KNOW | 7 | 1 | 820 |
| REFUSAL | 8 | 1 | 158 |
| NOT STATED | 9 | 217 | 30,471 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG43I Length 1 Position 1142

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note Based on ACC_43F, ACC_43H, ACC_43I

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 61 | 7,990 |
| NO | 2 | 178 | 26,615 |
| NOT APPLICABLE | 6 | 127,004 | 29,936,763 |
| NOT STATED | 9 | 219 | 31,449 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_44 Length 1 Position 1143

Question Name ACC_Q44

Concept Experienced difficulties during evenings/weekends

Question Did you experience difficulties getting health information or advice during evenings and weekends (that is,

5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Universe Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 108 | 17,892 |
| NO | 2 | 88 | 12,638 |
| NOT REQUIRED AT THIS TIME | 3 | 124 | 18,115 |
| NOT APPLICABLE | 6 | 126,927 | 29,923,280 |
| DON'T KNOW | 7 | 3 | 1,091 |
| NOT STATED | 9 | 212 | 29,802 |
| | Total | 127,462 | 30,002,817 |

Page 496

March 2016

Variable Name ACCG45B Length 1 Position 1144

Question Name

Concept Difficulties during evenings/weekends - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note Based on ACC_45A, ACC_45B

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 29 | 4,145 |
| NO | 2 | 78 | 13,709 |
| NOT APPLICABLE | 6 | 127,139 | 29,954,032 |
| NOT STATED | 9 | 216 | 30,931 |
| • | Total | 127,462 | 30,002,817 |

Variable Name ACC_45C Length 1 Position 1145

Question Name ACC_Q45C

Concept Difficulty - could not get through

Question What type of difficulties did you experience? - Could not get through (i.e. no answer)

Universe Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 16 | 2,672 |
| NO | 2 | 91 | 15,182 |
| NOT APPLICABLE | 6 | 127,139 | 29,954,032 |
| DON'T KNOW | 7 | 1 | 37 |
| NOT STATED | 9 | 215 | 30,893 |
| • | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_45D Length 1 Position 1146

Question Name ACC_Q45D

Concept Difficulty - waited too long to speak to someone

Question What type of difficulties did you experience? - Waited too long to speak to someone

Universe Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 51 | 7,713 |
| NO | 2 | 56 | 10,141 |
| NOT APPLICABLE | 6 | 127,139 | 29,954,032 |
| DON'T KNOW | 7 | 1 | 37 |
| NOT STATED | 9 | 215 | 30,893 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_45E Length 1 Position 1147

Question Name ACC_Q45E

Concept Difficulty - did not get adequate info or advice

Question What type of difficulties did you experience? - Did not get adequate info or advice

Universe Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 32 | 5,033 |
| NO | 2 | 75 | 12,822 |
| NOT APPLICABLE | 6 | 127,139 | 29,954,032 |
| DON'T KNOW | 7 | 1 | 37 |
| NOT STATED | 9 | 215 | 30,893 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Page 498

March 2016

Variable Name ACCG45I Length 1 Position 1148

Question Name

Concept Difficulties during evenings/weekends - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note Based on ACC_45F, ACC_45G, ACC_45H, ACC_45I

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 32 | 5,421 |
| NO | 2 | 75 | 12,433 |
| NOT APPLICABLE | 6 | 127,139 | 29,954,032 |
| NOT STATED | 9 | 216 | 30,931 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACC_46 Length 1 Position 1149

Question Name ACC_Q46

Concept Experienced difficulties during middle of night

Question Did you experience difficulties getting health information or advice during the middle of the night?

Universe Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 25 | 3,915 |
| NO | 2 | 111 | 19,351 |
| NOT REQUIRED AT THIS TIME | 3 | 185 | 26,198 |
| NOT APPLICABLE | 6 | 126,927 | 29,923,280 |
| DON'T KNOW | 7 | 2 | 271 |
| NOT STATED | 9 | 212 | 29,802 |
| • | Total | 127,462 | 30,002,817 |

Page 499

March 2016

Variable Name ACCG47C Length 1 Position 1150

Question Name

Concept Difficulties during middle of night - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note Based on ACC_47A, ACC_47B, ACC_47C

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 7 | 1,266 |
| NO | 2 | 17 | 2,611 |
| NOT APPLICABLE | 6 | 127,223 | 29,968,829 |
| NOT STATED | 9 | 215 | 30,110 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_47D Length 1 Position 1151

Question Name ACC_Q47D

Concept Difficulty - waited too long to speak to someone

Question What type of difficulties did you experience? - Waited too long to speak to someone

Universe Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 13 | 1,728 |
| NO | 2 | 11 | 2,149 |
| NOT APPLICABLE | 6 | 127,223 | 29,968,829 |
| DON'T KNOW | 7 | 1 | 37 |
| NOT STATED | 9 | 214 | 30,073 |
| | Total | 127,462 | 30,002,817 |
| | | | |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_47E Length 1 Position 1152

Question Name ACC_Q47E

Concept Difficulty - did not get adequate info or advice

Question What type of difficulties did you experience? - Did not get adequate info or advice

Universe Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 6 | 1,291 |
| NO | 2 | 18 | 2,586 |
| NOT APPLICABLE | 6 | 127,223 | 29,968,829 |
| DON'T KNOW | 7 | 1 | 37 |
| NOT STATED | 9 | 214 | 30,073 |
| ٦ | Total | 127,462 | 30,002,817 |

Variable Name ACC_47F Length 1 Position 1153

Question Name ACC_Q47F

Concept Difficulty - language

Question What type of difficulties did you experience? - Language problem

Universe Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 24 | 3,877 |
| NOT APPLICABLE | 6 | 127,223 | 29,968,829 |
| DON'T KNOW | 7 | 1 | 37 |
| NOT STATED | 9 | 214 | 30,073 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG47I Length 1 Position 1154

Question Name

Concept Difficulties during middle of night - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)

Note Based on ACC_47G, ACC_47H, ACC_47I

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 8 | 1,740 |
| NO | 2 | 16 | 2,137 |
| NOT APPLICABLE | 6 | 127,223 | 29,968,829 |
| NOT STATED | 9 | 215 | 30,110 |
| т | otal | 127,462 | 30,002,817 |

Variable Name ACC_50A Length 1 Position 1155

Question Name ACC_Q50A

Concept Has a regular family doctor

Question Do you have a regular family doctor?

Universe Respondents aged 15 and over with DOACC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 4,494 | 672,757 |
| NO | 2 | 371 | 78,404 |
| NOT APPLICABLE | 6 | 122,393 | 29,222,480 |
| DON'T KNOW | 7 | 3 | 547 |
| NOT STATED | 9 | 201 | 28,629 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_50 Length 1 Position 1156

Question Name ACC_Q50

Concept Required routine care for self/family

Question In the past 12 months, did you require any routine or on-going care ^DT_YourFamily?

Universe Respondents aged 15 and over with DOACC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,887 | 429,876 |
| NO | 2 | 1,972 | 320,564 |
| NOT APPLICABLE | 6 | 122,393 | 29,222,480 |
| DON'T KNOW | 7 | 6 | 833 |
| REFUSAL | 8 | 2 | 351 |
| NOT STATED | 9 | 202 | 28,713 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_51 Length 1 Position 1157

Question Name ACC_Q51

Concept Experienced diff. getting routine/on-going care - self/fam.

Question In the past 12 months, did you ever experience any difficulties getting the routine or on-going care

^DT_Family needed?

Universe Respondents who answered ACC_50 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 316 | 49,359 |
| NO | 2 | 2,566 | 380,097 |
| NOT APPLICABLE | 6 | 124,365 | 29,543,044 |
| DON'T KNOW | 7 | 5 | 420 |
| NOT STATED | 9 | 210 | 29,897 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_52 Length 1 Position 1158

Question Name ACC_Q52

Concept Experienced difficulties during regular hours

Question Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm,

Monday to Friday)?

Universe Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 261 | 39,443 |
| NO | 2 | 37 | 5,813 |
| NOT REQUIRED AT THIS TIME | 3 | 14 | 3,775 |
| NOT APPLICABLE | 6 | 126,931 | 29,923,141 |
| DON'T KNOW | 7 | 4 | 329 |
| NOT STATED | 9 | 215 | 30,317 |
| Tota | al | 127,462 | 30,002,817 |

Variable Name ACC_53A Length 1 Position 1159

Question Name ACC_Q53A

Concept Difficulty - contacting a physican

Question What type of difficulties did you experience? - Difficulty contacting a physician

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 43 | 5,059 |
| NO | 2 | 217 | 34,349 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| DON'T KNOW | 7 | 1 | 35 |
| NOT STATED | 9 | 219 | 30,646 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_53B Length 1 Position 1160

Question Name ACC_Q53B

Concept Difficulty - getting an appointment

Question What type of difficulties did you experience? - Difficulty getting an appointment

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 111 | 17,722 |
| NO | 2 | 149 | 21,686 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| DON'T KNOW | 7 | 1 | 35 |
| NOT STATED | 9 | 219 | 30,646 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_53D Length 1 Position 1161

Question Name ACC_Q53D

Concept Difficulty - waited too long to get an appointment

Question What type of difficulties did you experience? - Waited too long to get an appointment

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 94 | 15,133 |
| NO | 2 | 166 | 24,275 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| DON'T KNOW | 7 | 1 | 35 |
| NOT STATED | 9 | 219 | 30,646 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_53E Length 1 Position 1162

Question Name ACC_Q53E

Concept Difficulty - waited too long to see doc.

Question What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 49 | 9,641 |
| NO | 2 | 211 | 29,768 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| DON'T KNOW | 7 | 1 | 35 |
| NOT STATED | 9 | 219 | 30,646 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_53F Length 1 Position 1163

Question Name ACC_Q53F

Concept Difficulty - service not available at time required

Question What type of difficulties did you experience? - Service not available at time required

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 20 | 2,782 |
| NO | 2 | 240 | 36,626 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| DON'T KNOW | 7 | 1 | 35 |
| NOT STATED | 9 | 219 | 30,646 |
| т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG53G Length 1 Position 1164

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note Based on ACC_53C, ACC_53G

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 29 | 5,334 |
| NO | 2 | 231 | 34,075 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| NOT STATED | 9 | 220 | 30,680 |
| т | otal | 127,462 | 30,002,817 |

Variable Name ACCG53J Length 1 Position 1165

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note Based on ACC_53H, ACC_53J, ACC_53J

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5 | 890 |
| NO | 2 | 255 | 38,518 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| NOT STATED | 9 | 220 | 30,680 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG53M Length 1 Position 1166

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note Based on ACC_53K, ACC_53L, ACC_53M

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 60 | 7,894 |
| NO | 2 | 200 | 31,514 |
| NOT APPLICABLE | 6 | 126,982 | 29,932,728 |
| NOT STATED | 9 | 220 | 30,680 |
| 1 | Total | 127,462 | 30,002,817 |

Variable Name ACC_54 Length 1 Position 1167

Question Name ACC_Q54

Concept Experienced difficulties during evenings/weekends

Question Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm

Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Universe Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 71 | 11,612 |
| NO | 2 | 100 | 16,849 |
| NOT REQUIRED AT THIS TIME | 3 | 141 | 20,573 |
| NOT APPLICABLE | 6 | 126,931 | 29,923,141 |
| DON'T KNOW | 7 | 4 | 326 |
| NOT STATED | 9 | 215 | 30,317 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_55A Length 1 Position 1168

Question Name ACC_Q55A

Concept Difficulty - contacting a physican

Question What type of difficulties did you experience? - Difficulty contacting a physician

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 18 | 3,526 |
| NO | 2 | 53 | 8,086 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| To | otal | 127,462 | 30,002,817 |

Variable Name ACC_55B Length 1 Position 1169

Question Name ACC_Q55B

Concept Difficulty - getting an appointment

Question What type of difficulties did you experience? - Difficulty getting an appointment

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 22 | 3,450 |
| NO | 2 | 49 | 8,161 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_55D Length 1 Position 1170

Question Name ACC_Q55D

Concept Difficulty - waited too long to get an appointment

Question What type of difficulties did you experience? - Waited too long to get an appointment

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 16 | 2,797 |
| NO | 2 | 55 | 8,814 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_55E Length 1 Position 1171

Question Name ACC_Q55E

Concept Difficulty - waited too long to see doc.

Question What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 17 | 2,550 |
| NO | 2 | 54 | 9,062 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_55F Length 1 Position 1172

Question Name ACC_Q55F

Concept Difficulty - service not available at time required

Question What type of difficulties did you experience? - Service not available at time required

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 24 | 3,038 |
| NO | 2 | 47 | 8,574 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| • | Total | 127,462 | 30,002,817 |

Variable Name ACCG55G Length 1 Position 1173

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note Based on ACC_55C, ACC_55G

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 11 | 1,710 |
| NO | 2 | 60 | 9,902 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_55I Length 1 Position 1174

Question Name ACC_Q55I

Concept Difficulty - language

Question What type of difficulties did you experience? - Language problem

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 71 | 11,612 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_55L Length 1 Position 1175

Question Name ACC_Q55L

Concept Difficulty - unable to leave house / health problem

Question What type of difficulties did you experience? - Unable to leave house because of a health problem

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note

| Content | ! | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------|-------------|---------------|-------------------|
| NO | | 2 | 71 | 11,612 |
| NOT APPLICABLE | | 6 | 127,172 | 29,960,563 |
| NOT STATED | | 9 | 219 | 30,643 |
| | Total | | 127,462 | 30,002,817 |

March 2016

Variable Name ACCG55M Length 1 Position 1176

Question Name

Concept Difficulties during evenings/weekends - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)

Note Based on ACC_55H, ACC_55J, ACC_55K, ACC_55M

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 11 | 2,387 |
| NO | 2 | 60 | 9,225 |
| NOT APPLICABLE | 6 | 127,172 | 29,960,563 |
| NOT STATED | 9 | 219 | 30,643 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACC_60 Length 1 Position 1177

Question Name ACC_Q60

Concept Required immediate care/minor health problem - self/family

Question In the past 12 months, did ^DT_Famiily require immediate health care services for a minor health problem?

Universe Respondents aged 15 and over with DOACC = 1

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,507 | 270,935 |
| NO | 2 | 3,352 | 479,980 |
| NOT APPLICABLE | 6 | 122,393 | 29,222,480 |
| DON'T KNOW | 7 | 6 | 602 |
| REFUSAL | 8 | 2 | 107 |
| NOT STATED | 9 | 202 | 28,713 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_61 Length 1 Position 1178

Question Name ACC_Q61

Concept Experienced difficulties getting immediate care - self/fam.

Question In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a

minor health problem ^DT_YourFamily?

Universe Respondents who answered ACC_60 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 287 | 48,284 |
| NO | 2 | 1,220 | 222,651 |
| NOT APPLICABLE | 6 | 125,745 | 29,702,460 |
| NOT STATED | 9 | 210 | 29,422 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_62 Length 1 Position 1179

Question Name ACC_Q62

Concept Experienced difficulties during regular hours

Question Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm,

Monday to Friday)?

Universe Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 170 | 27,506 |
| NO | 2 | 78 | 16,157 |
| NOT REQUIRED AT THIS TIME | 3 | 35 | 4,221 |
| NOT APPLICABLE | 6 | 126,965 | 29,925,111 |
| DON'T KNOW | 7 | 4 | 399 |
| NOT STATED | 9 | 210 | 29,422 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable NameACC_63ALength1Position1180

Question Name ACC_Q63A

Concept Difficulty - contacting a physican

Question What type of difficulties did you experience? - Difficulty contacting a physician

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 26 | 3,290 |
| NO | 2 | 144 | 24,216 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_63B Length 1 Position 1181

Question Name ACC_Q63B

Concept Difficulty - getting an appointment

Question What type of difficulties did you experience? - Difficulty getting an appointment

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 58 | 10,451 |
| NO | 2 | 112 | 17,055 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_63D Length 1 Position 1182

Question Name ACC_Q63D

Concept Difficulty - waited too long to get an appointment

Question What type of difficulties did you experience? - Waited too long to get an appointment

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 40 | 5,972 |
| NO | 2 | 130 | 21,534 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_63E Length 1 Position 1183

Question Name ACC_Q63E

Concept Difficulty - waited too long to see doc.

Question What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 70 | 12,051 |
| NO | 2 | 100 | 15,455 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_63F Length 1 Position 1184

Question Name ACC_Q63F

Concept Difficulty - service not available at time required

Question What type of difficulties did you experience? - Service not available at time required

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 11 | 1,591 |
| NO | 2 | 159 | 25,915 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACCG63G Length 1 Position 1185

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note Based on ACC_63C, ACC_63G

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6 | 1,092 |
| NO | 2 | 164 | 26,414 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG63L Length 1 Position 1186

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note Based on ACC_63K, ACC_63L

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 5 | 802 |
| NO | 2 | 165 | 26,704 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| 1 | otal | 127,462 | 30,002,817 |

Variable Name ACCG63M Length 1 Position 1187

Question Name

Concept Difficulties during regular hours - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note Based on ACC_63H, ACC_63I, ACC_63J, ACC_63M

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 22 | 2,479 |
| NO | 2 | 148 | 25,027 |
| NOT APPLICABLE | 6 | 127,078 | 29,945,489 |
| NOT STATED | 9 | 214 | 29,822 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_64 Length 1 Position 1188

Question Name ACC_Q64

Concept Experienced difficulties during evenings/weekends

Question Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm,

Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)?

Universe Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 153 | 26,324 |
| NO | 2 | 57 | 9,604 |
| NOT REQUIRED AT THIS TIME | 3 | 71 | 11,788 |
| NOT APPLICABLE | 6 | 126,965 | 29,925,111 |
| DON'T KNOW | 7 | 6 | 568 |
| NOT STATED | 9 | 210 | 29,422 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACC_65A Length 1 Position 1189

Question Name ACC_Q65A

Concept Difficulty - contacting a physican

Question What type of difficulties did you experience? - Difficulty contacting a physician

Universe Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 28 | 4,877 |
| NO | 2 | 124 | 21,421 |
| NOT APPLICABLE | 6 | 127,093 | 29,946,503 |
| DON'T KNOW | 7 | 1 | 25 |
| NOT STATED | 9 | 216 | 29,991 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable NameACC_65BLength1Position1190

Question Name ACC_Q65B

Concept Difficulty - getting an appointment

Question What type of difficulties did you experience? - Difficulty getting an appointment

Universe Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | | 1 18 | 3,809 |
| NO | | 2 134 | 22,489 |
| NOT APPLICABLE | | 6 127,093 | 29,946,503 |
| DON'T KNOW | | 7 1 | 25 |
| NOT STATED | | 9 216 | 29,991 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_65D Length 1 Position 1191

Question Name ACC_Q65D

Concept Difficulty - waited too long to get an appointment

Question What type of difficulties did you experience? - Waited too long to get an appointment

Universe Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 18 | 4,011 |
| NO | 2 | 134 | 22,287 |
| NOT APPLICABLE | 6 | 127,093 | 29,946,503 |
| DON'T KNOW | 7 | 1 | 25 |
| NOT STATED | 9 | 216 | 29,991 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_65E Length 1 Position 1192

Question Name ACC_Q65E

Concept Difficulty - waited too long to see doc.

Question What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

Universe Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 97 | 16,967 |
| NO | 2 | 55 | 9,331 |
| NOT APPLICABLE | 6 | 127,093 | 29,946,503 |
| DON'T KNOW | 7 | 1 | 25 |
| NOT STATED | 9 | 216 | 29,991 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Variable Name ACC_65F Length 1 Position 1193

Question Name ACC_Q65F

Concept Difficulty - service not available at time required

Question What type of difficulties did you experience? - Service not available at time required

Universe Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 21 | 3,578 |
| NO | 2 | 131 | 22,720 |
| NOT APPLICABLE | 6 | 127,093 | 29,946,503 |
| DON'T KNOW | 7 | 1 | 25 |
| NOT STATED | 9 | 216 | 29,991 |
| • | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG65G Length 1 Position 1194

Question Name

Concept Difficulties during evenings/weekends - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note Based on ACC_65C, ACC_65G

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 6 | 865 |
| NO | 2 | 146 | 25,433 |
| NOT APPLICABLE | 6 | 127,093 | 29,946,503 |
| NOT STATED | 9 | 217 | 30,016 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACCG65M Length 1 Position 1195

Question Name

Concept Difficulties during evenings/weekends - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note Based on ACC_65H, ACC_65I, ACC_65J, ACC_65K, ACC_65L, ACC_65M

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 25 | 6,033 |
| NO | 2 | 127 | 20,266 |
| NOT APPLICABLE | 6 | 127,093 | 29,946,503 |
| NOT STATED | 9 | 217 | 30,016 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_66 Length 1 Position 1196

Question Name ACC_Q66

Concept Experienced difficulties during middle of night

Question Did you experience difficulties getting such care during the middle of the night?

Universe Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| YES | 1 | 46 | 7,975 |
| NO | 2 | 100 | 20,641 |
| NOT REQUIRED AT THIS TIME | 3 | 138 | 19,408 |
| NOT APPLICABLE | 6 | 126,965 | 29,925,111 |
| DON'T KNOW | 7 | 3 | 259 |
| NOT STATED | 9 | 210 | 29,422 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name ACCG67E Length 1 Position 1197

Question Name

Concept Difficulties during middle of night - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note Based on ACC_67D, ACC_67E

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 37 | 6,349 |
| NO | 2 | 9 | 1,626 |
| NOT APPLICABLE | 6 | 127,203 | 29,965,161 |
| NOT STATED | 9 | 213 | 29,681 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACC_67I Length 1 Position 1198

Question Name ACC_Q67I

Concept Difficulty - language

Question What type of difficulties did you experience? - Language problem

Universe Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 46 | 7,975 |
| NOT APPLICABLE | 6 | 127,203 | 29,965,161 |
| NOT STATED | 9 | 213 | 29,681 |
| | Total | 127,462 | 30,002,817 |

Variable Name ACC_67J Length 1 Position 1199

 Question Name
 ACC_Q67J

 Concept
 Difficulty - cost

Question What type of difficulties did you experience? - Cost

Universe Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NO | 2 | 46 | 7,975 |
| NOT APPLICABLE | 6 | 127,203 | 29,965,161 |
| NOT STATED | 9 | 213 | 29,681 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name ACCG67M Length 1 Position 1200

Question Name

Concept Difficulties during middle of night - (G)

Question What type of difficulties did you experience?

Universe Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)

Note Based on ACC_67A, ACC_67B, ACC_67C, ACC_67F, ACC_67G, ACC_67H, ACC_67K, ACC_67L,

ACC_67M

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 16 | 3,178 |
| NO | 2 | 30 | 4,797 |
| NOT APPLICABLE | 6 | 127,203 | 29,965,161 |
| NOT STATED | 9 | 213 | 29,681 |
| т | otal | 127,462 | 30,002,817 |

Variable Name LBSG31 Length 1 Position 1201

Question Name

Concept Employment status - 12 months - (G)

Question Are you an employee or self-employed?

Universe Respondents who answered LBS_01 = (1, 7, 8) or LBS_02 = (1, 7, 8)

Note Based on LBS_31. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| EMPLOYEE | 1 | 51,322 | 14,920,054 |
| SELF-EMPLOYED | 2 | 10,721 | 2,973,384 |
| NOT APPLICABLE | 6 | 62,862 | 11,386,404 |
| NOT STATED | 9 | 2,557 | 722,975 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LBSGHPW Length 3 Position 1202 - 1204

Question Name

Concept Total usual hours worked - current jobs - (D, G)

Question

Universe Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8).

Note Based on LBSDHPW. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------------------|-------------|---------------|-------------------|
| NUMBER OF HOURS WORKED PER WEEK | 1 - 98 | 61,059 | 17,669,608 |
| 99 HOURS OR MORE | 99 | 223 | 50,503 |
| NOT APPLICABLE | 996 | 62,862 | 11,386,404 |
| NOT STATED | 999 | 3,318 | 896,302 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name LBSDPFT Length 1 Position 1205

Question Name

Concept Current - full-time / part-time status - (D)

Question

Universe Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8).

Note Based on LBSDHPW. Usual hours currently worked. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| FULL-TIME | 1 | 49,084 | 14,637,626 |
| PART-TIME | 2 | 12,198 | 3,082,484 |
| NOT APPLICABLE | 6 | 62,862 | 11,386,404 |
| NOT STATED | 9 | 3,318 | 896,302 |
| | Total | 127,462 | 30,002,817 |

Page 526

March 2016

Variable Name LBSDWSS Length 1 Position 1206

Question Name

Concept Working status last week - 4 groups - (D)

Question

Universe Respondents aged 15 to 75

Note Based on LBS_01, LBS_02. See documentation on derived variables.

| Content | | <u>Code</u> | <u>Sample</u> | Population |
|--|-------|-------------|---------------|-------------------|
| HAD A JOB - AT WORK LAST WEEK | | 1 | 56,668 | 16,566,010 |
| HAD A JOB - ABSENT FROM WORK LAST WEEK | | 2 | 5,586 | 1,374,797 |
| DID NOT HAVE A JOB LAST WEEK | | 3 | 37,274 | 7,497,194 |
| PERMANENTLY UNABLE TO WORK | | 4 | 3,984 | 721,339 |
| NOT APPLICABLE | | 6 | 21,608 | 3,168,747 |
| NOT STATED | | 9 | 2,342 | 674,729 |
| | Total | | 127,462 | 30,002,817 |

Variable Name LBSGSOC Length 1 Position 1207

Question Name

Concept Occupation group - (D,G)

Question

Universe Respondents who answered LBS_01 = (1, 7, 8) or LBS_02 = (1, 7, 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| GROUP 1 | 1 | 21,772 | 6,510,829 |
| GROUP 2 | 2 | 10,407 | 3,107,597 |
| GROUP 3 | 3 | 14,988 | 4,208,855 |
| GROUP 4 | 4 | 8,982 | 2,611,864 |
| GROUP 5 | 5 | 5,659 | 1,343,160 |
| NOT APPLICABLE | 6 | 62,866 | 11,387,281 |
| NOT STATED | 9 | 2,788 | 833,232 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name DOLOP Length 1 Position 1208

Question Name DOLOP

Concept Loss of production - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | | 1 3,979 | 452,485 |
| NO | : | 2 123,483 | 29,550,332 |
| | Total | 127,462 | 30,002,817 |

Variable Name LOP_015 Length 1 Position 1209

Question Name LOP_Q015

Concept Were you employed in past three months?

Question Did you work at a job or a business at any time in the past three months?

Universe Respondents with DOLOP = 1 and 15 <= DHH_AGE <= 75 and GEN_08 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,876 | 257,335 |
| NO | 2 | 281 | 33,220 |
| NOT APPLICABLE | 6 | 125,203 | 29,698,830 |
| REFUSAL | 8 | 1 | 102 |
| NOT STATED | 9 | 101 | 13,331 |
| • | Total | 127,462 | 30,002,817 |

Page 528

March 2016

Variable Name LOPG020 Length 2 Position 1210 - 1211

Question Name

Concept Reason for not working - (G)

Question

Universe 15 < DHH_AGE < 75 et GR_N01A = 2 et (LOP_015 = 2 ou GEN_08 = 2)

Note Based on LOP_020. See documentation on derived variables.

| Content | <u>Code</u> | | <u>Sample</u> | <u>Population</u> |
|--|-------------|----|---------------|-------------------|
| CHRONIC PHYS. OR MEN. H. COND. DIAGNOSED | | 1 | 183 | 17,312 |
| OWN INJURY SUCH AS BROKEN BONE, BAD CUT | | 2 | 11 | 952 |
| OWN INFECTIOUS DISEASE AS COLD, FLU | | 3 | 28 | 3,265 |
| CARING/OWN CHILD/OR ELD./MAT. LEAVE | | 4 | 99 | 11,392 |
| EDUCATION, TRANING OR SCHOOL | | 5 | 121 | 14,568 |
| TEMPORARY LAY-OFF/STRIKE OR LOCKOUT | | 6 | 72 | 6,860 |
| RETIRED | | 7 | 807 | 69,158 |
| OTHER | | 8 | 165 | 18,508 |
| NOT APPLICABLE | | 96 | 125,873 | 29,847,960 |
| NOT STATED | | 99 | 103 | 12,842 |
| | Total | | 127,462 | 30,002,817 |

Variable Name LOP_030 Length 1 Position 1212

Question Name LOP_Q030

Concept Missed work due to chronic condition

Question In the past 3 months, have you missed any days at work because of a chronic health condition?

That is, a long-term physical or mental condition that is expected to last or has lasted 6 months or more

and that has been diagnosed by a health prof.

Universe Respondents with LOP_015 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 111 | 15,696 |
| NO | 2 | 1,747 | 239,822 |
| NOT APPLICABLE | 6 | 125,485 | 29,732,848 |
| NOT STATED | 9 | 119 | 14,451 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name LOPG040 Length 2 Position 1213 - 1214

Question Name

Concept Number of work days lost due to chronic condition - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_030 = 1

Note Based on LOP_040. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 30 | 101 | 14,999 |
| 31 DAYS OR MORE | 31 | 9 | 650 |
| NOT APPLICABLE | 96 | 127,232 | 29,972,670 |
| NOT STATED | 99 | 120 | 14,497 |
| | Total | 127,462 | 30,002,817 |

Page 530

March 2016

Variable Name LOPG050 Length 2 Position 1215 - 1216

Question Name

Concept Chronic condition - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOPG020 = 1 or LOP_030 = 1

Note Based on LOP_050. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| ARTHRITIS (SUCH AS RHEUMATOID, OSTEOARTH | 1 | 44 | 5,739 |
| CARDIOVASCULAR DISEASE(STROKE, H.P) | 2 | 20 | 1,659 |
| ASTHMA | 3 | 5 | 410 |
| CHRONIC BR, EMPHY. OR CHRO. OBS.(COPD) | 4 | 5 | 307 |
| DIABETES | 5 | 8 | 586 |
| MIGRAINE | 6 | 6 | 1,087 |
| BACK PROBLEMS | 7 | 60 | 8,719 |
| CANCER | 8 | 8 | 809 |
| DIGESTIVE DISEASES(AS CELIAC, STOMA. ULC | 9 | 7 | 663 |
| FIBROMY, CHRO. FATIGUE SYN. OR MULT. CHE | 10 | 7 | 1,153 |
| OTHER | 11 | 114 | 11,051 |
| NOT APPLICABLE | 96 | 127,060 | 29,956,452 |
| NOT STATED | 99 | 118 | 14,182 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOP_060 Length 1 Position 1217

Question Name LOP_Q060

Concept Missed work due to injury

Question In the past three months, have you missed any days at work because of an injury such as a broken bone, a

bad cut, a burn or a sprain?

Universe Respondents with LOP_015 = (1,7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 51 | 6,888 |
| NO | 2 | 1,807 | 248,631 |
| NOT APPLICABLE | 6 | 125,496 | 29,733,942 |
| NOT STATED | 9 | 108 | 13,356 |
| • | Total | 127,462 | 30,002,817 |

Variable Name LOPG070 Length 2 Position 1218 - 1219

Question Name

Concept Number of work days missed due to injury - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 AND LOP_060 = 1

Note Based on LOP_070. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 30 | 49 | 6,537 |
| 31 DAYS OR MORE | 31 | 1 | 182 |
| NOT APPLICABLE | 96 | 127,303 | 29,982,573 |
| NOT STATED | 99 | 109 | 13,525 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOP_080 Length 1 Position 1220

Question Name LOP_Q080

Concept Missed work due to infectious disease

Question In the past three months, have you missed any days at work because of an infectious disease such as a

cold, a stomach flu or a respiratory infection?

Universe Respondents with LOP_015 = (1,7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 305 | 44,636 |
| NO | 2 | 1,553 | 210,882 |
| NOT APPLICABLE | 6 | 125,496 | 29,733,942 |
| NOT STATED | 9 | 108 | 13,356 |
| | Total | 127,462 | 30,002,817 |

Variable Name LOP_81A Length 1 Position 1221

Question Name LOP_Q081A
Concept Had a cold

Question Which infectious disease was this? - Cold

Universe Respondents with LOP_080 = (1,7 or 8) or LOP_015 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 137 | 22,008 |
| NO | 2 | 167 | 22,542 |
| NOT APPLICABLE | 6 | 127,049 | 29,944,824 |
| DON'T KNOW | 7 | 1 | 86 |
| NOT STATED | 9 | 108 | 13,356 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOP_81B Length 1 Position 1222

Question Name LOP_Q081B

Concept Had the flu or influenza

Question Which infectious disease was this? - Flu or influenza

Universe Respondents with LOP_080 = (1,7 or 8) or LOP_015 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 69 | 8,797 |
| NO | 2 | 235 | 35,754 |
| NOT APPLICABLE | 6 | 127,049 | 29,944,824 |
| DON'T KNOW | 7 | 1 | 86 |
| NOT STATED | 9 | 108 | 13,356 |
| | Total | 127,462 | 30,002,817 |

Variable Name LOP_81C Length 1 Position 1223

Question Name LOP_Q081C
Concept Stomach Flu

Question Which infectious disease was this? - Stomach flu

Universe Respondents with LOP_080 = (1,7 or 8) or LOP_015 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 85 | 11,566 |
| NO | 2 | 219 | 32,984 |
| NOT APPLICABLE | 6 | 127,049 | 29,944,824 |
| DON'T KNOW | 7 | 1 | 86 |
| NOT STATED | 9 | 108 | 13,356 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOP_81D Length 1 Position 1224

Question Name LOP_Q081D

Concept Respiratory infection

Question Which infectious disease was this? - Respiratory infection

Universe Respondents with LOP_080 = (1,7 or 8) or LOP_015 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 18 | 2,378 |
| NO | 2 | 286 | 42,172 |
| NOT APPLICABLE | 6 | 127,049 | 29,944,824 |
| DON'T KNOW | 7 | 1 | 86 |
| NOT STATED | 9 | 108 | 13,356 |
| | Total | 127,462 | 30,002,817 |

Variable Name LOP_81E Length 1 Position 1225

Question Name LOP_Q081E

Concept Other

Question Which infectious disease was this? - Other

Universe Respondents with LOP_080 = (1,7 or 8) or LOP_015 = (7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 22 | 2,458 |
| NO | 2 | 282 | 42,092 |
| NOT APPLICABLE | 6 | 127,049 | 29,944,824 |
| DON'T KNOW | 7 | 1 | 86 |
| NOT STATED | 9 | 108 | 13,356 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOPG082 Length 2 Position 1226 - 1227

Question Name

Concept Number of work days missed due to cold - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081A = 1

Note Based on LOP_082. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 7 | 137 | 22,008 |
| NOT APPLICABLE | 96 | 127,216 | 29,967,366 |
| NOT STATED | 99 | 109 | 13,442 |
| | Total | 127,462 | 30,002,817 |

Variable Name LOPG083 Length 2 Position 1228 - 1229

Question Name

Concept Number of work days missed due to flu or influenza - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081B = 1

Note Based on LOP_083. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 8 | 68 | 8,640 |
| 11 DAYS OR MORE | 11 | 1 | 157 |
| NOT APPLICABLE | 96 | 127,284 | 29,980,578 |
| NOT STATED | 99 | 109 | 13,442 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOPG084 Length 2 Position 1230 - 1231

Question Name

Concept Number of work days missed due to stomach flu - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081C = 1

Note Based on LOP_084. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 7 | 85 | 11,566 |
| NOT APPLICABLE | 96 | 127,268 | 29,977,809 |
| NOT STATED | 99 | 109 | 13,442 |
| | Total | 127,462 | 30,002,817 |

Variable Name LOPG085 Length 2 Position 1232 - 1233

Question Name

Concept No. of work days missed due to respiratory infection - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081D = 1

Note Based on LOP_085. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 10 | 16 | 2,237 |
| 11 DAYS OR MORE | 11 | 1 | 43 |
| NOT APPLICABLE | 96 | 127,335 | 29,986,997 |
| NOT STATED | 99 | 110 | 13,540 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOPG086 Length 2 Position 1234 - 1235

Question Name

Concept No. of work days missed due to other infect. disease - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081E = 1

Note Based on LOP_086. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 10 | 22 | 2,458 |
| NOT APPLICABLE | 96 | 127,331 | 29,986,916 |
| NOT STATED | 99 | 109 | 13,442 |
| | Total | 127,462 | 30,002,817 |

Variable NameLOP_090Length1Position1236

Question Name LOP_Q090

Concept Missed work for any other reason related to ph. or m. health

Question In the past three months, have you been absent from work because of any other reason related to your

physical or mental health?

Universe Respondents with LOP_015 = (1,7 or 8)

Note

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 175 | 27,142 |
| NO | 2 | 1,683 | 228,376 |
| NOT APPLICABLE | 6 | 125,496 | 29,733,942 |
| NOT STATED | 9 | 108 | 13,356 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name LOPG100 Length 2 Position 1237 - 1238

Question Name

Concept Work days missed related to physical or mental hlth - (G)

Question

Universe 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_090 = 1

Note Based on LOP_100. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|-----------------|-------------|---------------|-------------------|
| NUMBER OF DAYS | 1 - 20 | 159 | 25,453 |
| 21 DAYS OR MORE | 21 | 15 | 1,629 |
| NOT APPLICABLE | 96 | 127,179 | 29,962,319 |
| NOT STATED | 99 | 109 | 13,416 |
| | Total | 127,462 | 30,002,817 |

Variable Name EDUDH04 Length 1 Position 1239

Question Name

Concept Highest level of education – household, 4 levels - (D)

Question

Universe All respondents

Note Based on EDUDR04 for each member of the household. See documentation on derived variables. From

2010 to 2012, the "Not Stated" category includes respondents for whom a person most

knowledgeableabout the household could not be identified (PMKProxy = 2).

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------------|-------------|---------------|-------------------|
| LESS THAN SECONDARY SCHOOL GRADUATION | 1 | 14,651 | 1,935,354 |
| SECONDARY SCHOOL GRADUATION | 2 | 17,727 | 3,486,280 |
| SOME POST-SECONDARY | 3 | 4,288 | 1,093,387 |
| POST-SECONDARY GRADUATION | 4 | 86,486 | 22,317,976 |
| NOT STATED | 9 | 4,310 | 1,169,820 |
| | Total | 127,462 | 30,002,817 |

Page 539

CCHS 2013-2014: Data Dictionary Public Use Microdata File - 24-Month

March 2016

Variable Name EDUDR04 Length 1 Position 1240

Question Name

Concept Highest level of education - respondent, 4 levels - (D)

Question

Universe All respondents

Note In 2011, the external name for EDU_Q04 was changed from EDU_4 to EDU_4A due to the addition of two

new response categories in the question. In 2013, the prefix for EDU_Q01, EDU_Q02, EDU_Q03 and EDU_Q04A changed to EHG2 on the questionnaire, but the external name prefix will remain EDU. From 2010 to 2012, the "Not Stated" category includes respondents for whom a person most knowledgeable

about the household could not be identified (PMKProxy = 2)

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------------------------|-------------|---------------|-------------------|
| LESS THAN SECONDARY SCHOOL GRADUATION | 1 | 30,632 | 5,800,060 |
| SEC. SCHOOL. GRAD, NO POST-SEC. | 2 | 24,698 | 5,730,547 |
| SOME POST-SECONDARY EDUCATION | 3 | 5,848 | 1,611,825 |
| POST-SEC CERT./DIP OR UNIV. DEG. | 4 | 64,208 | 16,355,657 |
| NOT STATED | 9 | 2,076 | 504,729 |
| To | otal | 127,462 | 30,002,817 |

Variable Name SDC_8 Length 1 Position 1241

Question Name EDU_Q05
Concept Current student

Question Are you currently attending a school, college, cégep or university?

Universe Respondents with DHH_AGE >= 14

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 12,090 | 3,809,554 |
| NO | 2 | 107,409 | 24,328,773 |
| NOT APPLICABLE | 6 | 4,896 | 1,088,948 |
| DON'T KNOW | 7 | 98 | 8,627 |
| REFUSAL | 8 | 57 | 11,351 |
| NOT STATED | 9 | 2,912 | 755,564 |
| | Total | 127,462 | 30,002,817 |

2014: Data Dictionary Page 540

March 2016

Variable Name SDCG9 Length 1 Position 1242

Question Name

Concept Full-time student or part-time student - (Grouped)

Question

Universe Respondents who answered SDC_8 = (1, 7 or 8) and DHH_AGE > PMKPROXY = 1

Note Based on SDC_9. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| FULL-TIME | 1 | 9,738 | 3,020,645 |
| PART-TIME | 2 | 2,118 | 752,342 |
| NOT APPLICABLE | 6 | 112,305 | 25,417,721 |
| DON'T KNOW | 7 | 219 | 34,125 |
| NOT STATED | 9 | 3,082 | 777,983 |
| | Total | 127,462 | 30,002,817 |

Variable Name SDCGCB13 Length 1 Position 1243

Question Name

Concept Country of birth - Canada/other - (G)

Question

Universe All respondents

Note Based on SDCGCB10. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| CANADA | 1 | 105,007 | 21,688,988 |
| OTHER | 2 | 18,612 | 7,305,272 |
| NOT STATED | 9 | 3,843 | 1,008,557 |
| Total | | 127,462 | 30,002,817 |

Page 541

March 2016

Variable Name SDC_5A_1 Length 1 Position 1244

Question Name SDC_Q5A_1

Concept Knowledge of official languages

Question Of English or French, which language(s) do you speak well enough to conduct a conversation? Is it?

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------|-------------|---------------|-------------------|
| ENGLISH ONLY | 1 | 89,715 | 19,877,761 |
| FRENCH ONLY | 2 | 12,441 | 2,993,786 |
| BOTH ENGLISH AND FRENCH | 3 | 21,373 | 5,885,408 |
| NEITHER ENGLISH NOR FRENCH | 4 | 696 | 434,577 |
| DON'T KNOW | 7 | 24 | 5,808 |
| REFUSAL | 8 | 64 | 14,090 |
| NOT STATED | 9 | 3,149 | 791,387 |
| | Total | 127,462 | 30,002,817 |

Variable Name SDCDFOLS Length 1 Position 1245

Question Name

Concept First official language spoken - (D)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------------------|-------------|---------------|-------------------|
| ENGLISH | 1 | 97,431 | 21,953,778 |
| FRENCH | 2 | 24,593 | 6,284,893 |
| ENGLISH, FRENCH | 3 | 1,507 | 534,306 |
| NEITHER ENGLISH NOR FRENCH | 4 | 645 | 420,169 |
| NOT STATED | 9 | 3,286 | 809,671 |
| | Total | 127,462 | 30,002,817 |

Page 542

March 2016

Variable Name DHH_OWN Length 1 Position 1246

Question Name SDC_Q7A

Concept Dwelling ownership - own or rent

Question Is this dwelling...?
Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------------|-------------|---------------|-------------------|
| OWNED BY YOU OR A MEMBER OF THIS HHLD | 1 | 95,435 | 21,291,953 |
| RENTED, EVEN IF NO CASH RENT IS PAID | 2 | 28,524 | 7,829,005 |
| DON'T KNOW | 7 | 229 | 38,900 |
| REFUSAL | 8 | 267 | 61,020 |
| NOT STATED | 9 | 3,007 | 781,938 |
| | Total | 127,462 | 30,002,817 |

Variable Name SDCGLHM Length 1 Position 1247

Question Name

Concept Language(s) spoken at home - (D, G)

Question

Universe All respondents

Note Based on SDC_5AA, SDC_5AB, SDC_5AC, SDC_5AD, SDC_5AE, SDC_5AF, SDC_5AG, SDC_5AH,

 $SDC_5AI, SDC_5AJ, SDC_5AK, SDC_5AL, SDC_5AM, SDC_5AN, SDC_5AO, SDC_5AP, SDC_5AQ, SDC_5AR, SDC_5AS, SDC_5AT, SDC_5AU, SDC_5AV, SDC_5AW. See documentation on derived$

variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| ENGLISH (WITH OR WITHOUT OTHER) | 1 | 93,347 | 19,951,197 |
| FRENCH (WITH OR WITHOUT OTHER) | 2 | 21,841 | 5,575,791 |
| ENGLISH AND FRENCH (WITH OR W/O OTHER) | 3 | 3,404 | 922,009 |
| NEITHER ENGLISH NOR FRENCH (OTHER) | 4 | 5,669 | 2,723,044 |
| NOT STATED | 9 | 3,201 | 830,775 |
| 7 | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SDCFIMM Length 1 Position 1248

Question Name

Concept Immigrant - (F)

Question

Universe All respondents

Note Based on SDCCCB13 and SDC_3. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------|-------------|---------------|-------------------|
| YES | 1 | 17,730 | 7,063,658 |
| NO | 2 | 105,702 | 21,869,104 |
| NOT STATED | 9 | 4,030 | 1,070,055 |
| | Total | 127,462 | 30,002,817 |

Variable Name SDCGRES Length 1 Position 1249

Question Name

Concept Length of time in Canada since immigration - (D, G)

Question

Universe Respondents who answered SDC_2 = (2, 7 or 8) or SDC_1 = (97 or 98)

Note Based on SDC_3 and ADM_YOI. See documentation on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|------------------|-------------|---------------|-------------------|
| 0 TO 9 YEARS | 1 | 3,419 | 2,037,559 |
| 10 OR MORE YEARS | 2 | 14,311 | 5,026,099 |
| NOT APPLICABLE | 6 | 105,702 | 21,869,104 |
| NOT STATED | 9 | 4,030 | 1,070,055 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name SDCGCGT Length 1 Position 1250

Question Name

Concept Cultural or racial origin - (D, G)

Question

Universe All respondents

Note Based on SDC_7A, SDC_7B, SDC_7C, SDC_7D, SDC_7E, SDC_7F, SDC_7G, SDC_7H, SDC_7I,

SDC_7J, SDC_7K, SDC_7L, SDC_7M, SDC_43A, SDC_43B, SDC_43C, SDC_43D, SDC_43E, SDC_43F,

SDC_43G, SDC_43H, SDC_43I, SDC_43J, SDC_43K, SDC_43L, SDC_43M.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|------------------|-------------|---------------|-------------------|
| WHITE | 1 | 105,041 | 22,054,347 |
| VISIBLE MINORITY | 2 | 18,247 | 6,941,437 |
| NOT STATED | 9 | 4,174 | 1,007,033 |
| • | Total | 127,462 | 30,002,817 |

Variable Name PMKPROXY Length 1 Position 1251

Question Name

Concept Person most knowledgeable

Question

Universe Respondents aged 12 to 17 inclusively

Note The purpose of selecting a person most knowledgeable, (PMK), is to identify a person in the household

who is likely more knowledgeable to answer household level questions than a selected respondent between the age of 12 -17. The PMK will answer questions on home safety, insurance coverage, food security,

neurological conditions, education of household members, and income.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--|-------------|---------------|-------------------|
| RESP. AGED<18, PMK AVAIL./PARTICIPATES | 1 | 9,424 | 2,221,065 |
| RESP. AGED<18, PMK NOT AVAIL./REFUSES | 2 | 258 | 80,613 |
| NOT APPLICABLE | 6 | 117,456 | 27,644,890 |
| NOT STATED | 9 | 324 | 56,249 |
| Total | | 127,462 | 30,002,817 |

o zo ro zo r r. Data Diotionary

March 2016

Variable Name DOINS Length 1 Position 1252

Question Name DOINS

Concept Insurance coverage - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 47,494 | 12,325,945 |
| NO | 2 | 79,968 | 17,676,872 |
| | Total | 127,462 | 30,002,817 |

Variable Name INS_1 Length 1 Position 1253

Question Name INS_Q1

Concept Insurance - prescription medications

Question ^DOVERB_C ^YOU2 have insurance that covers all or part of the cost of ^YOUR1 prescription medications?

Universe Respondents with DOINS = 1 and (DHH_AGE > 17 or PMKPROXY NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 36,083 | 9,101,019 |
| NO | 2 | 9,763 | 2,791,205 |
| NOT APPLICABLE | 6 | 79,968 | 17,676,872 |
| DON'T KNOW | 7 | 288 | 76,445 |
| REFUSAL | 8 | 73 | 21,720 |
| NOT STATED | 9 | 1,287 | 335,557 |
| | Total | 127,462 | 30,002,817 |

Page 546

March 2016

Variable Name INS_1A Length 1 Position 1254

Question Name INS_Q1AA

Concept Type of insurance for prescription meds - government

Question Is it a government-sponsored plan?

Universe Respondents who answered INS_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 10,764 | 1,943,304 |
| NO | 2 | 25,093 | 7,114,788 |
| NOT APPLICABLE | 6 | 89,731 | 20,468,077 |
| DON'T KNOW | 7 | 223 | 42,823 |
| REFUSAL | 8 | 3 | 104 |
| NOT STATED | 9 | 1,648 | 433,721 |
| • | Total | 127,462 | 30,002,817 |

Variable Name INS_1B Length 1 Position 1255

Question Name INS_Q1AB

Concept Type of insurance for prescription meds - employer

Question Is it an employer-sponsored plan?

Universe Respondents who answered INS_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 23,670 | 6,731,844 |
| NO | 2 | 12,187 | 2,326,247 |
| NOT APPLICABLE | 6 | 89,731 | 20,468,077 |
| DON'T KNOW | 7 | 223 | 42,823 |
| REFUSAL | 8 | 3 | 104 |
| NOT STATED | 9 | 1,648 | 433,721 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INS_1C Length 1 Position 1256

Question Name INS_Q1AC

Concept Type of insurance for prescription meds - private plan

Question Is it a private plan?

Universe Respondents who answered INS_1 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,157 | 661,492 |
| NO | 2 | 32,700 | 8,396,599 |
| NOT APPLICABLE | 6 | 89,731 | 20,468,077 |
| DON'T KNOW | 7 | 223 | 42,823 |
| REFUSAL | 8 | 3 | 104 |
| NOT STATED | 9 | 1,648 | 433,721 |
| | Total | 127,462 | 30,002,817 |

Variable Name INS_2 Length 1 Position 1257

Question Name INS_Q2

Concept Insurance - dental expenses

Question (^DOVERB_C ^YOU2 have insurance that covers all or part of:)

...^YOUR1 dental expenses?

Universe Respondents with DOINS = 1 and (DHH_AGE > 17 or PMKPROXY NE 2) and (DOOH2 = 2 or (DOOH2 = 1

AND $ADM_PRX = 1)$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,338 | 530,814 |
| NO | 2 | 2,527 | 340,411 |
| NOT APPLICABLE | 6 | 121,265 | 29,045,367 |
| DON'T KNOW | 7 | 67 | 7,964 |
| REFUSAL | 8 | 1 | 2,358 |
| NOT STATED | 9 | 264 | 75,903 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INS_2A Length 1 Position 1258

Question Name INS_Q2AA

ConceptType of dental insurance - governmentQuestionIs it a government-sponsored plan?

Universe Respondents with DOINS = 1 and (DHH_AGE > 17 or PMKPROXY NE 2) and (DOOH2 = 2 or (DOOH2 = 1

and ADM_PRX = 1)) and (INS_2 = (1, 7 or 8) or INS_1 = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 644 | 100,515 |
| NO | 2 | 2,665 | 427,060 |
| NOT APPLICABLE | 6 | 123,792 | 29,385,777 |
| DON'T KNOW | 7 | 27 | 3,082 |
| REFUSAL | 8 | 2 | 157 |
| NOT STATED | 9 | 332 | 86,225 |
| То | otal | 127,462 | 30,002,817 |

Variable Name INS_2B Length 1 Position 1259

Question Name INS_Q2AB

Concept Type of dental insurance - employer

Question Is it an employer-sponsored plan?

Universe Respondents with DOINS = 1 and (DHH_AGE > 17 or PMKPROXY NE 2) and (DOOH2 = 2 or (DOOH2 = 1

and ADM_PRX = 1)) and (INS_2 = (1, 7 or 8) or INS_1 = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,330 | 379,486 |
| NO | 2 | 979 | 148,089 |
| NOT APPLICABLE | 6 | 123,792 | 29,385,777 |
| DON'T KNOW | 7 | 27 | 3,082 |
| REFUSAL | 8 | 2 | 157 |
| NOT STATED | 9 | 332 | 86,225 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INS_2C Length 1 Position 1260

Question Name INS_Q2AC

Concept Type of dental insurance - private plan

Question Is it a private plan?

Universe Respondents with DOINS = 1 and (DHH_AGE > 17 or PMKPROXY NE 2) and (DOOH2 = 2 or (DOOH2 = 1

and ADM_PRX = 1)) and (INS_2 = (1, 7 or 8) or INS_1 = 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 412 | 59,185 |
| NO | 2 | 2,897 | 468,390 |
| NOT APPLICABLE | 6 | 123,792 | 29,385,777 |
| DON'T KNOW | 7 | 27 | 3,082 |
| REFUSAL | 8 | 2 | 157 |
| NOT STATED | 9 | 332 | 86,225 |
| | Total | 127,462 | 30,002,817 |

Variable Name INS_3 Length 1 Position 1261

Question Name INS_Q3

Concept Insurance - eye glasses / contact lenses

Question (^DOVERB_C ^YOU2 have insurance that covers all or part of:)

...the costs of eye glasses or contact lenses?

Universe Respondents with DOINS = 1 and (DHH_AGE > 17 or PMKPROXY NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 27,386 | 7,303,155 |
| NO | 2 | 17,791 | 4,396,575 |
| NOT APPLICABLE | 6 | 79,968 | 17,676,872 |
| DON'T KNOW | 7 | 931 | 261,094 |
| REFUSAL | 8 | 24 | 7,777 |
| NOT STATED | 9 | 1,362 | 357,343 |
| • | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INS_3A Length 1 Position 1262

Question Name INS_Q3AA

Concept Type of insurance for eye glasses/contacts - government

Question Is it a government-sponsored plan?

Universe Respondents who answered INS_3 = (1, 7 or 8) or INS_1 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,749 | 761,961 |
| NO | 2 | 23,473 | 6,514,780 |
| NOT APPLICABLE | 6 | 97,759 | 22,073,447 |
| DON'T KNOW | 7 | 159 | 25,831 |
| REFUSAL | 8 | 5 | 585 |
| NOT STATED | 9 | 2,317 | 626,214 |
| T | otal | 127,462 | 30,002,817 |

Variable Name INS_3B Length 1 Position 1263

Question Name INS_Q3AB

Concept Type of insurance for eye glasses/contacts - employer

Question Is it an employer-sponsored plan?

Universe Respondents who answered INS_3 = (1, 7 or 8) or INS_1 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 21,283 | 6,076,592 |
| NO | 2 | 5,939 | 1,200,148 |
| NOT APPLICABLE | 6 | 97,759 | 22,073,447 |
| DON'T KNOW | 7 | 159 | 25,831 |
| REFUSAL | 8 | 5 | 585 |
| NOT STATED | 9 | 2,317 | 626,214 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INS_3C Length 1 Position 1264

Question Name INS_Q3AC

Concept Type of insurance for eye glasses/contacts - private plan

Question Is it a private plan?

Universe Respondents who answered INS_3 = (1, 7 or 8) or INS_1 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,686 | 528,080 |
| NO | 2 | 24,536 | 6,748,660 |
| NOT APPLICABLE | 6 | 97,759 | 22,073,447 |
| DON'T KNOW | 7 | 159 | 25,831 |
| REFUSAL | 8 | 5 | 585 |
| NOT STATED | 9 | 2,317 | 626,214 |
| To | otal | 127,462 | 30,002,817 |

Variable Name INS_4 Length 1 Position 1265

Question Name INS_Q4

Concept Insurance - hospital charges

Question (^DOVERB_C ^YOU2 have insurance that covers all or part of:)

...hospital charges for a private or semi-private room?

Universe Respondents with DOINS = 1 and (DHH_AGE > 17 or PMKPROXY NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 24,514 | 6,256,048 |
| NO | 2 | 17,636 | 4,548,676 |
| NOT APPLICABLE | 6 | 79,968 | 17,676,872 |
| DON'T KNOW | 7 | 3,885 | 1,129,830 |
| REFUSAL | 8 | 97 | 34,048 |
| NOT STATED | 9 | 1,362 | 357,343 |
| 7 | Total | 127,462 | 30,002,817 |

Page 552

March 2016

Variable Name INS_4A Length 1 Position 1266

Question Name INS_Q4AA

Concept Type of insurance for hospital room charges - government

Question Is it a government-sponsored plan?

Universe Respondents who answered INS_4 = (1, 7 or 8) or INS_1 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,940 | 526,926 |
| NO | 2 | 21,428 | 5,710,610 |
| NOT APPLICABLE | 6 | 97,604 | 22,225,548 |
| DON'T KNOW | 7 | 142 | 18,275 |
| REFUSAL | 8 | 4 | 237 |
| NOT STATED | 9 | 5,344 | 1,521,221 |
| т | otal | 127,462 | 30,002,817 |

Variable Name INS_4B Length 1 Position 1267

Question Name INS_Q4AB

Concept Type of insurance for hospital room charges - employer

Question Is it an employer-sponsored plan?

Universe Respondents who answered INS_4 = (1, 7 or 8) or INS_1 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 19,188 | 5,315,057 |
| NO | 2 | 5,180 | 922,479 |
| NOT APPLICABLE | 6 | 97,604 | 22,225,548 |
| DON'T KNOW | 7 | 142 | 18,275 |
| REFUSAL | 8 | 4 | 237 |
| NOT STATED | 9 | 5,344 | 1,521,221 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INS_4C Length 1 Position 1268

Question Name INS_Q4AC

Concept Type of insurance for hospital room charges - private plan

Question Is it a private plan?

Universe Respondents who answered INS_4 = (1, 7 or 8) or INS_1 = 8

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 2,644 | 467,894 |
| NO | 2 | 21,724 | 5,769,642 |
| NOT APPLICABLE | 6 | 97,604 | 22,225,548 |
| DON'T KNOW | 7 | 142 | 18,275 |
| REFUSAL | 8 | 4 | 237 |
| NOT STATED | 9 | 5,344 | 1,521,221 |
| T | otal | 127,462 | 30,002,817 |

Variable Name DOFSC Length 1 Position 1269

Question Name DOFSC

Concept Food security - Inclusion Flag - (F)

Question

Universe All respondents

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------|-------------|---------------|-------------------|
| YES | 1 | 97,463 | 24,460,503 |
| NO | 2 | 29,999 | 5,542,314 |
| | Total | 127,462 | 30,002,817 |

Page 554

March 2016

Variable Name FSC_010 Length 1 Position 1270

Question Name FSC_Q010

Concept Food situation in household - 12 mo

Question Which of the following statements best describes the food eaten in your household in the past 12 months,

that is, since [current month] of last year?

Universe Respondents with DOFSC = 1 and (DHH_AGE >17 or PMKProxy NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--|-------------|---------------|-------------------|
| ALWAYS HAD ENOUGH KINDS OF FOOD WANTED | 1 | 85,723 | 21,158,415 |
| ENOUGH, BUT NOT ALWAYS KINDS WANTED | 2 | 7,431 | 2,135,159 |
| SOMETIMES DID NOT HAVE ENOUGH | 3 | 939 | 239,820 |
| OFTEN DID NOT HAVE ENOUGH | 4 | 271 | 75,017 |
| NOT APPLICABLE | 6 | 29,999 | 5,542,314 |
| DON'T KNOW | 7 | 154 | 31,703 |
| REFUSAL | 8 | 215 | 69,504 |
| NOT STATED | 9 | 2,730 | 750,886 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_020 Length 1 Position 1271

Question Name FSC_Q020

Concept Worried food would run out - 12 mo

Question The first statement is: ...^DT_YouAndOthers_C worried that food would run out before you got money to

buy more. Was that often true, sometimes true, or never true in the past 12 months?

Universe Respondents with DOFSC = 1 and (DHH_AGE >17 or PMKProxy NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN TRUE | 1 | 1,563 | 436,202 |
| SOMETIMES TRUE | 2 | 5,373 | 1,615,704 |
| NEVER TRUE | 3 | 87,310 | 21,532,693 |
| NOT APPLICABLE | 6 | 29,999 | 5,542,314 |
| DON'T KNOW | 7 | 61 | 8,834 |
| REFUSAL | 8 | 40 | 10,523 |
| NOT STATED | 9 | 3,116 | 856,547 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name FSC_030 Length 1 Position 1272

Question Name FSC_Q030

Concept Food bought just didn't last and no money to buy more -12 mo

Question The food that ^DT_YouAndOthers bought just didn't last, and there wasn't any money to get more. Was

that often true, sometimes true, or never true in the past 12 months?

Universe Respondents with DOFSC = 1 and (DHH_AGE >17 or PMKProxy NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN TRUE | 1 | 1,115 | 293,237 |
| SOMETIMES TRUE | 2 | 4,258 | 1,246,514 |
| NEVER TRUE | 3 | 88,829 | 22,039,744 |
| NOT APPLICABLE | 6 | 29,999 | 5,542,314 |
| DON'T KNOW | 7 | 87 | 12,795 |
| REFUSAL | 8 | 53 | 10,756 |
| NOT STATED | 9 | 3,121 | 857,458 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name FSC_040 Length 1 Position 1273

Question Name FSC_Q040

Concept Could not afford to eat balanced meals - 12 mo

Question ^DT_YouAndOthers_C couldn't afford to eat balanced meals. In the past 12 months was that often true,

sometimes true, or never true?

Universe Respondents with DOFSC = 1 and (DHH_AGE >17 or PMKProxy NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| OFTEN TRUE | 1 | 1,545 | 396,421 |
| SOMETIMES TRUE | 2 | 4,389 | 1,273,768 |
| NEVER TRUE | 3 | 88,231 | 21,903,961 |
| NOT APPLICABLE | 6 | 29,999 | 5,542,314 |
| DON'T KNOW | 7 | 114 | 16,892 |
| REFUSAL | 8 | 61 | 11,795 |
| NOT STATED | 9 | 3,123 | 857,667 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_050 Length 1 Position 1274

Question Name FSC_Q050

Concept Relied on few kinds of low-cost food for children - 12 mo

Question ^DT_YouOtherAdults_C relied on only a few kinds of low-cost food to feed ^DT_ChildFName because you

were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12

months?

Universe Respondents with DOFSC = 1 and (DHHDOKD + DHHDYKD) > 0 and (DHH_AGE > 17 or PMKProxy NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN TRUE | 1 | 317 | 133,683 |
| SOMETIMES TRUE | 2 | 1,513 | 536,356 |
| NEVER TRUE | 3 | 22,081 | 8,046,793 |
| NOT APPLICABLE | 6 | 102,697 | 20,929,593 |
| DON'T KNOW | 7 | 42 | 12,699 |
| REFUSAL | 8 | 28 | 9,609 |
| NOT STATED | 9 | 784 | 334,086 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name FSC_060 Length 1 Position 1275

Question Name FSC_Q060

Concept Could not feed children a balanced meal - 12 mo

Question ^DT_YouOtherAdults_C couldn't feed ^DT_ChildFName a balanced meal, because you couldn't afford it.

Was that often true, sometimes true, or never true in the past 12 months?

Universe Respondents with DOFSC = 1 and (DHHDOKD + DHHDYKD) > 0 and (DHH_AGE > 17 or PMKProxy NE 2)

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN TRUE | 1 | 152 | 48,533 |
| SOMETIMES TRUE | 2 | 1,066 | 394,985 |
| NEVER TRUE | 3 | 22,698 | 8,274,899 |
| NOT APPLICABLE | 6 | 102,697 | 20,929,593 |
| DON'T KNOW | 7 | 39 | 11,083 |
| REFUSAL | 8 | 25 | 9,057 |
| NOT STATED | 9 | 785 | 334,666 |
| | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_070 Length 1 Position 1276

Question Name FSC_Q070

Concept Children were not eating enough - 12 mo

Question ^DT_ChildWas not eating enough because ^DT_YouOtherAdults just couldn't afford enough food. Was that

often, sometimes, or never true in the past 12 months?

Universe Respondents with (DHHDOKD + DHHDYKD) > 0, who answered ((FSC_020 or FSC_030 or FSC_040 or

FSC_050 or FSC_060) = (1,2, 7 or 8) or FSC_010 = (3, 4, 7 or 8))

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| OFTEN TRUE | 1 | 73 | 25,232 |
| SOMETIMES TRUE | 2 | 373 | 172,483 |
| NEVER TRUE | 3 | 3,088 | 1,098,082 |
| NOT APPLICABLE | 6 | 123,052 | 28,343,344 |
| DON'T KNOW | 7 | 18 | 3,927 |
| REFUSAL | 8 | 3 | 2,211 |
| NOT STATED | 9 | 855 | 357,537 |
| | Total | 127,462 | 30,002,817 |

Variable Name FSC_080 Length 1 Position 1277

Question Name FSC_Q080

Concept Adults skipped or cut size of meals - 12 mo

Question In the past 12 months, since last [current month] did ^DT_YouOtherAdults ever cut the size of your meals

or skip meals because there wasn't enough money for food?

Universe Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or $FSC_010 = (3, 4, 7 \text{ or } 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|--------------|---------------|-------------------|
| YES | 1 | 3,034 | 825,261 |
| NO | 2 | 6,558 | 1,943,057 |
| NOT APPLICABLE | 6 | 114,467 | 26,317,690 |
| DON'T KNOW | 7 | 20 | 2,763 |
| REFUSAL | 8 | 12 | 3,832 |
| NOT STATED | 9 | 3,371 | 910,214 |
| 1 | Total | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_081 Length 1 Position 1278

Question Name FSC_Q081

Concept Adults skipped or cut size of meals - frequency - 12 mo

Question How often did this happen---almost every month, some months but not every month, or in only 1 or 2

months?

Universe Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or $FSC_010 = (3, 4, 7 \text{ or } 8))$ and $FSC_080 = (1, 7 \text{ or } 8))$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------------------|-------------|---------------|-------------------|
| ALMOST EVERY MONTH | 1 | 1,138 | 278,541 |
| SOME MONTHS BUT NOT EVERY MONTH | 2 | 1,097 | 318,793 |
| ONLY 1 OR 2 MONTHS | 3 | 789 | 226,623 |
| NOT APPLICABLE | 6 | 121,025 | 28,260,747 |
| DON'T KNOW | 7 | 9 | 1,292 |
| REFUSAL | 8 | 1 | 12 |
| NOT STATED | 9 | 3,403 | 916,809 |
| | Total | 127,462 | 30,002,817 |

Variable Name FSC_090 Length 1 Position 1279

Question Name FSC_Q090

Concept Ate less than felt should - 12 mo

Question In the past 12 months, did you ^Personallyever eat less than you felt you should because there wasn't

enough money to buy food?

Universe Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or $FSC_010 = (3, 4, 7 \text{ or } 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 3,290 | 920,985 |
| NO | 2 | 6,283 | 1,842,703 |
| NOT APPLICABLE | 6 | 114,467 | 26,317,690 |
| DON'T KNOW | 7 | 34 | 6,610 |
| REFUSAL | 8 | 17 | 4,614 |
| NOT STATED | 9 | 3,371 | 910,214 |
| То | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_100 Length 1 Position 1280

Question Name FSC_Q100

Concept Was hungry but could not afford to eat - 12 mo

Question In the past 12 months, were you ^Personallyever hungry but didn't eat because you couldn't afford enough

food?

Universe Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or $FSC_010 = (3, 4, 7 \text{ or } 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,822 | 541,116 |
| NO | 2 | 7,752 | 2,225,025 |
| NOT APPLICABLE | 6 | 114,467 | 26,317,690 |
| DON'T KNOW | 7 | 34 | 4,289 |
| REFUSAL | 8 | 16 | 4,482 |
| NOT STATED | 9 | 3,371 | 910,214 |
| Т | otal | 127,462 | 30,002,817 |

Variable Name FSC_110 Length 1 Position 1281

Question Name FSC_Q110

Concept Lost weight no money to buy food- 12 mo

Question In the past 12 months, did you ^Personallylose weight because you didn't have enough money for food?

Universe Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or $FSC_010 = (3, 4, 7 \text{ or } 8)$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 1,227 | 328,021 |
| NO | 2 | 8,293 | 2,424,496 |
| NOT APPLICABLE | 6 | 114,467 | 26,317,690 |
| DON'T KNOW | 7 | 86 | 17,671 |
| REFUSAL | 8 | 18 | 4,725 |
| NOT STATED | 9 | 3,371 | 910,214 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_120 Length 1 Position 1282

Question Name FSC_Q120

Concept Adults did not eat for whole day - 12 mo

Question In the past 12 months, did ^DT_YouOtherAdults ever not eat for a whole day because there wasn't enough

money for food?

 $\textbf{Universe} \qquad \qquad \text{Respondents who answered ((FSC_020 \text{ or FSC}_030 \text{ or FSC}_040 \text{ or FSC}_050 \text{ or FSC}_060) = (1, 2, 7 \text{ or } 8) }$

or FSC_010 = (3, 4, 7 or 8)) and (FSC_070 = (1, 2, 7 or 8 or (FSC_080 or FSC_090 or FSC_100 or

 $FSC_{110} = (1, 7 \text{ or } 8)))$

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 754 | 192,346 |
| NO | 2 | 3,311 | 982,786 |
| NOT APPLICABLE | 6 | 119,957 | 27,902,751 |
| DON'T KNOW | 7 | 4 | 495 |
| REFUSAL | 8 | 5 | 856 |
| NOT STATED | 9 | 3,431 | 923,583 |
| То | tal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_121 Length 1 Position 1283

Question Name FSC_Q121

Concept Adults did not eat whole day - frequency - 12 mo

Question How often did this happen---almost every month, some months but not every month, or in only 1 or 2

months?

Universe Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or FSC_010 = (3, 4, 7 or 8)) and (FSC_070 = (1, 2, 7 or 8 or (FSC_080 or FSC_090 or FSC_100 or

FSC_110 = (1, 7 or 8))))) and FSC_120 = (1, 7 or 8)

Note

| Content | Code | <u> </u> | <u>Sample</u> | Population |
|---------------------------------|-------|----------|---------------|-------------------|
| ALMOST EVERY MONTH | | 1 | 320 | 75,219 |
| SOME MONTHS BUT NOT EVERY MONTH | | 2 | 258 | 75,268 |
| ONLY 1 OR 2 MONTHS | | 3 | 173 | 41,680 |
| NOT APPLICABLE | | 6 | 123,268 | 28,885,537 |
| DON'T KNOW | | 7 | 2 | 153 |
| REFUSAL | | 8 | 1 | 25 |
| NOT STATED | | 9 | 3,440 | 924,934 |
| | Total | | 127,462 | 30,002,817 |

Variable Name FSC_130 Length 1 Position 1284

Question Name FSC_Q130

Concept Adults cut size of children's meals - 12 mo

Question In the past 12 months, did ^DT_YouOtherAdults ever cut the size of ^DT_AnyChilds meals because there

wasn't enough money for food?

Universe Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or FSC_010 = (3, 4, 7 or 8)) and (FSC_070 = (1, 2, 7 or 8 or (FSC_080 or FSC_090 or FSC_100 or

 $FSC_110 = (1, 7 \text{ or } 8))))$ and (DHHDOKD + DHHDYKD) > 0

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 124 | 60,595 |
| NO | 2 | 1,341 | 479,264 |
| NOT APPLICABLE | 6 | 125,111 | 29,095,184 |
| REFUSAL | 8 | 3 | 1,391 |
| NOT STATED | 9 | 883 | 366,383 |
| Tot | tal | 127,462 | 30,002,817 |

Page 564

March 2016

Variable Name FSC_140 Length 1 Position 1285

Question Name FSC_Q140

Concept Children skipped meals - 12 mo

Question In the past 12 months, did ^DT_AnyChild ever skip meals because there wasn't enough money for food?

Universe Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or FSC_010 = (3, 4, 7 or 8)) and (FSC_070 = (1, 2, 7 or 8 or (FSC_080 or FSC_090 or FSC_100 or

FSC_110 = (1, 7 or 8))))) and (DHHDOKD + DHHDYKD) > 0

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 75 | 30,622 |
| NO | 2 | 1,389 | 509,153 |
| NOT APPLICABLE | 6 | 125,111 | 29,095,184 |
| DON'T KNOW | 7 | 1 | 83 |
| REFUSAL | 8 | 3 | 1,391 |
| NOT STATED | 9 | 883 | 366,383 |
| | Total | 127,462 | 30,002,817 |

Page 565

March 2016

Variable Name FSC_141 Length Position 1286

Question Name FSC Q141

Children skipped meals - frequency - 12 mo Concept

How often did this happen---almost every month, some months but not every month, or in only 1 or 2 Question

months?

Universe $(((((FSC_020 = (3, 4, 7 \text{ or } 8) \text{ or } FSC_030 = (3, 4, 7 \text{ or } 8) \text{ or } FSC_040 = (3, 4, 7 \text{ or } 8) \text{ or } FSC_050 = (3, 4, 7 \text{ or$

or 8) or FSC_060 = (1, 2, 7 or 8) or FSC_010 = (3, 4, 7 or 8)) and (FSC_070 = (1, 2, 7 or 8)) or (FSC_080

= (1, 7 or 8) or FSC_090 = (1, 7 or 8) or FSC_100 = (1, 7 or 8) or FSC_110 = (1, 7 or 8))))) and (DHHDOKD + DHHDYKD) > 0) and FSC_140 = (1, 7 or 8)

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------------------|-------------|---------------|-------------------|
| ALMOST EVERY MONTH | 1 | 24 | 6,841 |
| SOME MONTHS BUT NOT EVERY MONTH | 2 | 27 | 9,880 |
| ONLY 1 OR 2 MONTHS | 3 | 23 | 13,775 |
| NOT APPLICABLE | 6 | 126,500 | 29,604,338 |
| DON'T KNOW | 7 | 1 | 127 |
| NOT STATED | 9 | 887 | 367,857 |
| т | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSC_150 Length 1 Position 1287

Question Name FSC_Q150

Concept Children were hungry - 12 mo

Question In the past 12 months, ^DT_WasAnyChild ever hungry but you just couldn't afford more food?

Universe Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or FSC_010 = (3, 4, 7 or 8)) and (FSC_070 = (1, 2, 7 or 8 or (FSC_080 or FSC_090 or FSC_100 or

 $FSC_110 = (1, 7 \text{ or } 8))))$ and (DHHDOKD + DHHDYKD) > 0

Note

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 127 | 53,684 |
| NO | 2 | 1,332 | 483,044 |
| NOT APPLICABLE | 6 | 125,111 | 29,095,184 |
| DON'T KNOW | 7 | 6 | 3,131 |
| REFUSAL | 8 | 3 | 1,391 |
| NOT STATED | 9 | 883 | 366,383 |
| ٦ | Γotal | 127,462 | 30,002,817 |

Variable Name FSC_160 Length 1 Position 1288

Question Name FSC_Q160

Concept Children did not eat for whole day - 12 mo

Question In the past 12 months, did ^DT_AnyChild ever not eat for a whole day because there wasn't enough money

for food?

Universe Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)

or FSC_010 = (3, 4, 7 or 8)) and (FSC_070 = (1, 2, 7 or 8 or (FSC_080 or FSC_090 or FSC_100 or

 $FSC_110 = (1, 7 \text{ or } 8))))$ and (DHHDOKD + DHHDYKD) > 0

Note

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| YES | 1 | 15 | 3,979 |
| NO | 2 | 1,447 | 533,659 |
| NOT APPLICABLE | 6 | 125,111 | 29,095,184 |
| DON'T KNOW | 7 | 2 | 1,882 |
| REFUSAL | 8 | 4 | 1,731 |
| NOT STATED | 9 | 883 | 366,383 |
| To | otal | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSCDHFS2 Length 1 Position 1289

Question Name

Concept Household Food Security Status - Modified version - (D)

Question

Universe Respondents with DOFSC = 1 and PMKProxy NE 2

Note Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable

about the household could not be identified (PMKProxy = 2)

| <u>Content</u> | <u>Code</u> | <u>Sample</u> | Population |
|--------------------------|-------------|---------------|-------------------|
| FOOD SECURE | 0 | 87,701 | 21,708,200 |
| MODERATELY FOOD INSECURE | 1 | 4,195 | 1,238,318 |
| SEVERELY FOOD INSECURE | 2 | 1,954 | 553,440 |
| NOT APPLICABLE | 6 | 29,999 | 5,542,314 |
| NOT STATED | 9 | 3,613 | 960,546 |
| Total | | 127,462 | 30,002,817 |

Variable Name FSCDAFS2 Length 1 Position 1290

Question Name

Concept Food Security - Adult Status (D)

Question

Universe Respondents with DOFSC = 1 and PMKProxy NE 2

Note The "Not Stated" category includes respondents for whom a person most knowledgeable about the

household could not be identified (PMKProxy = 2)

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|--------------------------|-------------|---------------|-------------------|
| FOOD SECURE | 0 | 87,815 | 21,742,433 |
| MODERATELY FOOD INSECURE | 1 | 4,106 | 1,213,415 |
| SEVERELY FOOD INSECURE | 2 | 1,951 | 552,951 |
| NOT APPLICABLE | 6 | 29,999 | 5,542,314 |
| NOT STATED | 9 | 3,591 | 951,704 |
| Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name FSCDCFS2 Length 1 Position 1291

Question Name

Concept Food Security - Child Status (D)

Question

Universe Respondents with DOFSC = 1 and (DHH_AGE > 17 or PMKProxy NE 2)

Note Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable

about the household could not be identified (PMKProxy = 2)

| Content | <u>Code</u> | <u>Sample</u> | Population |
|--------------------------|-------------|---------------|-------------------|
| FOOD SECURE | 0 | 22,705 | 8,266,361 |
| MODERATELY FOOD INSECURE | 1 | 1,058 | 395,998 |
| SEVERELY FOOD INSECURE | 2 | 72 | 31,373 |
| NOT APPLICABLE | 6 | 102,719 | 20,933,837 |
| NOT STATED | 9 | 908 | 375,249 |
| т | otal | 127,462 | 30,002,817 |

Variable Name INCG2 Length 1 Position 1292

Question Name

Concept Total household income - main source - (G)

Question

Universe DHH_AGE > 15 or PMKProxy = 1

Note Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable

about the household could not be identified (PMKProxy = 2). Based on INC_2. See documentation on

derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|---------------------------|-------------|---------------|-------------------|
| EMPLOYMENT INCOME | 1 | 73,953 | 21,335,170 |
| EI / WORK COMP. / WELFARE | 2 | 4,193 | 867,854 |
| SENIOR'S BENEFITS | 3 | 33,390 | 4,450,586 |
| OTHER | 4 | 4,658 | 999,895 |
| NOT STATED | 9 | 11,268 | 2,349,312 |
| Total | | 127,462 | 30,002,817 |

Public Use Microdata File - 24-Month

March 2016

Variable Name INCG7 Length 1 Position 1293

Question Name

Concept Main source of personal income - (G)

Question

Universe Respondents who answered INC_3 > 0 and who live in a household of more than one person and

 $(DHH_AGE > 15 \text{ or } PMKProxy = 1)$

Note Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable

about the household could not be identified (PMKProxy = 2). Based on INC_7. See documentation on

derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------|-------------|---------------|-------------------|
| EMPLOYMENT INCOME | 1 | 43,062 | 14,380,859 |
| EI / WORK COMP. / WELFARE | 2 | 2,846 | 791,888 |
| SENIOR'S BENEFITS | 3 | 17,330 | 3,131,838 |
| OTHER | 4 | 5,692 | 1,621,147 |
| NOT APPLICABLE | 6 | 46,162 | 6,913,597 |
| NOT STATED | 9 | 12,370 | 3,163,489 |
| Tot | al | 127,462 | 30,002,817 |

Variable Name INCGHH Length 1 Position 1294

Question Name

Concept Total household income from all sources - (D, G)

Question

Universe DHH_AGE > 15 or PMKProxy = 1

Note Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable

about the household could not be identified (PMKProxy = 2). Based on INCDHH. See documentation on

derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|---------------------------------|-------------|---------------|-------------------|
| NO INCOME OR LESS THAN \$20,000 | 1 | 13,570 | 2,264,863 |
| \$20,000 TO \$39,999 | 2 | 27,822 | 5,256,470 |
| \$40,000 TO \$59,999 | 3 | 23,129 | 5,254,532 |
| \$60,000 TO \$79,999 | 4 | 18,139 | 4,406,295 |
| \$80,000 OR MORE | 5 | 44,668 | 12,803,252 |
| NOT STATED | 9 | 134 | 17,405 |
| Tot | al | 127,462 | 30,002,817 |

March 2016

Variable Name **INCGPER** Length 2 **Position** 1295 - 1296

Question Name

Concept Total personal income from all sources - (D, G)

Question

Universe Respondents aged 15 and over or PMKProxy = 1

Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INCDPER. See documentation on Note

derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------------|-------------|---------------|-------------------|
| NO INCOME | 1 | 1,817 | 606,615 |
| LESS THAN \$20,000 | 2 | 26,560 | 5,634,699 |
| \$20,000 TO \$39,999 | 3 | 30,224 | 6,246,352 |
| \$40,000 TO \$59,999 | 4 | 19,286 | 4,716,358 |
| \$60,000 TO \$79,999 | 5 | 10,592 | 2,764,583 |
| \$80,000 OR MORE | 6 | 12,893 | 3,531,178 |
| NOT APPLICABLE | 96 | 10,028 | 2,361,947 |
| NOT STATED | 99 | 16,062 | 4,141,086 |
| To | otal | 127,462 | 30,002,817 |

March 2016

Variable Name INCDRCA Length 2 Position 1297 - 1298

Question Name

Concept Household income distribution - (D)

Question

Universe Respondents with GEO_PRV < 60 and (DHH_AGE > 17 or PMKProxy <> 2)

Note Based on INCDADR. See document on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | Population |
|----------------|-------------|---------------|-------------------|
| DECILE 1 | 1 | 10,355 | 2,982,067 |
| DECILE 2 | 2 | 13,326 | 2,993,143 |
| DECILE 3 | 3 | 12,923 | 2,990,933 |
| DECILE 4 | 4 | 13,335 | 3,001,799 |
| DECILE 5 | 5 | 12,319 | 3,022,818 |
| DECILE 6 | 6 | 12,887 | 3,016,263 |
| DECILE 7 | 7 | 11,897 | 2,972,910 |
| DECILE 8 | 8 | 11,929 | 2,962,021 |
| DECILE 9 | 9 | 12,699 | 2,964,002 |
| DECILE 10 | 10 | 12,421 | 2,986,913 |
| NOT APPLICABLE | 96 | 3,242 | 92,641 |
| NOT STATED | 99 | 129 | 17,307 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name INCDRPR Length 2 Position 1299 - 1300

Question Name

Concept Household income distribution - provincial level - (D)

Question

Universe Respondents with GEO_PRV < 60 and (DHH_AGE > 17 or PMKProxy <> 2)

Note Based on INCDADR, GEO_PRV. See document on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| DECILE 1 | 1 | 10,866 | 2,993,135 |
| DECILE 2 | 2 | 13,883 | 3,029,682 |
| DECILE 3 | 3 | 13,271 | 2,992,329 |
| DECILE 4 | 4 | 12,888 | 2,972,883 |
| DECILE 5 | 5 | 12,209 | 3,010,520 |
| DECILE 6 | 6 | 12,222 | 2,954,025 |
| DECILE 7 | 7 | 12,406 | 3,049,628 |
| DECILE 8 | 8 | 12,021 | 2,963,348 |
| DECILE 9 | 9 | 12,077 | 2,955,725 |
| DECILE 10 | 10 | 12,248 | 2,971,594 |
| NOT APPLICABLE | 96 | 3,242 | 92,641 |
| NOT STATED | 99 | 129 | 17,307 |
| | Total | 127,462 | 30,002,817 |

March 2016

Variable Name INCDRRS Length 2 Position 1301 - 1302

Question Name

Concept Household income distribution - health region level - (D)

Question

Universe Respondents with GEO_PRV < 60 and (DHH_AGE > 17 or PMKProxy <> 2)

Note Based on INCDADR, GEODHR4. See document on derived variables.

| Content | <u>Code</u> | <u>Sample</u> | <u>Population</u> |
|----------------|-------------|---------------|-------------------|
| DECILE 1 | 1 | 11,623 | 2,959,261 |
| DECILE 2 | 2 | 12,901 | 2,898,606 |
| DECILE 3 | 3 | 12,177 | 2,888,818 |
| DECILE 4 | 4 | 11,378 | 2,929,385 |
| DECILE 5 | 5 | 11,123 | 2,920,770 |
| DECILE 6 | 6 | 10,636 | 2,878,700 |
| DECILE 7 | 7 | 10,657 | 2,872,887 |
| DECILE 8 | 8 | 10,533 | 2,890,674 |
| DECILE 9 | 9 | 10,107 | 2,864,830 |
| DECILE 10 | 10 | 10,168 | 2,781,535 |
| NOT APPLICABLE | 96 | 3,242 | 92,641 |
| NOT STATED | 99 | 12,917 | 1,024,710 |
| | Total | 127,462 | 30,002,817 |

Variable Name WTS_M Length 8.2 Position 1303 - 1310

Question Name

Concept Weights - Master

Question

Universe All respondents

Note