| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| VERDATE | 8 | 0001 - 0008 | Date of file creation |
| REFPER | 13 | 0009 - 0021 | Reference period |
| SAMPLEID | 20 | 0022 - 0041 | Household identifier |
| PERSONID | 2 | 0042 - 0043 | Person identifier of respondent selected - health interview |
| GEO_PRV | 2 | 0044 - 0045 | Province of residence of respondent |
| GEODPC | 6 | 0046 - 0051 | Postal code - (D) |
| GEODHR4 | 4 | 0052 - 0055 | Health Region of residence of respondent - (D) |
| GEODLHN | 4 | 0056 - 0059 | Local Health Integrated Networks (LHIN) - Ontario - (D) |
| GEODDA06 | 8 | 0060 - 0067 | 2006 Census Dissemination Area - (D) |
| GEODDA01 | 8 | 0068 - 0075 | 2001 Census Dissemination Area - (D) |
| GEODFED | 5 | 0076 - 0080 | Federal Electoral District - (D) |
| GEODCSD | 7 | 0081 - 0087 | Census Sub-Division - (D) |
| GEODCD | 4 | 0088 - 0091 | Census Division - (D) |
| GEODSAT | 1 | 0092 - 0092 | Statistical area classification type - (D) |
| GEODCMA6 | 3 | 0093 - 0095 | 2006 Census Metropolitan Area (CMA) - (D) |
| GEODCMA1 | 3 | 0096 - 0098 | 2001 Census Metropolitan Area (CMA) - (D) |
| GEODPRG | 2 | 0099 - 0100 | Health Region Peer Group - (D) |
| GEODUR | 1 | 0101 - 0101 | Urban and Rural Areas |
| GEODUR2 | 1 | 0102 - 0102 | Urban and Rural Areas - 2 levels - (D) |
| GEODPSZ | 1 | 0103 - 0103 | Population size group - (D) |
| SAM_CP | 6 | 0104 - 0109 | Sampled collection period |
| SAM_TYP | 1 | 0110 - 0110 | Sample type |
| SAMDSHR | 1 | 0111 - 0111 | Permission to share data - (D) |
| SAMDLNK | 1 | 0112 - 0112 | Permission to link data - (D) |
| ADM_STA | 2 | 0113 - 0114 | Response status after processing |
| ADM_PRX | 1 | 0115 - 0115 | Health Component completed by proxy |
| ADM_YOI | 4 | 0116 - 0119 | Year of interview |
| ADM_MOI | 2 | 0120 - 0121 | Month of interview |
| ADM_DOI | 2 | 0122 - 0123 | Day of interview |
| ADM_N09 | 1 | 0124 - 0124 | Interview by telephone or in person |
| ADM_N10 | 1 | 0125 - 0125 | Respondent alone during interview |
| ADM_N11 | 1 | 0126 - 0126 | Answers affected by presence of another person |
| ADM_N12 | 2 | 0127 - 0128 | Language of interview |
| ADM_LHH | 1 | 0129 - 0129 | Language of preference - household interview |
| DHH_AGE | 3 | 0130 - 0132 | Age |
| DHH_YOB | 4 | 0133 - 0136 | Year of birth |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| DHH_MOB | 2 | 0137 - 0138 | Month of birth |
| DHH_DOB | 2 | 0139 - 0140 | Day of birth |
| DHH_SEX | 1 | 0141 - 0141 | Sex |
| DHH_MS | 2 | 0142 - 0143 | Marital Status |
| DHHDYKD | 2 | 0144 - 0145 | Number of persons 15 years old or less in household - (D) |
| DHHDOKD | 2 | 0146 - 0147 | Number of dependents 16 or 17 years old in household - (D) |
| GEN_01 | 1 | 0148 - 0148 | Self-perceived health |
| GEN_02 | 1 | 0149 - 0149 | Self-perceived health compared to one year ago |
| GEN_02A | 1 | 0150 - 0150 | Satisfaction with life in general |
| GEN_02B | 1 | 0151 - 0151 | Self-perceived mental health |
| GEN_07 | 1 | 0152 - 0152 | Perceived life stress |
| GEN_08 | 1 | 0153 - 0153 | Worked at job or business |
| GEN_09 | 1 | 0154 - 0154 | Self-perceived work stress |
| GEN_10 | 1 | 0155 - 0155 | Sense of belonging to local community |
| GENDHDI | 1 | 0156 - 0156 | Perceived Health |
| GENDMHI | 1 | 0157 - 0157 | Perceived Mental Health |
| ORGFOPT | 1 | 0158 - 0158 | Opt. module : Voluntary organizations - Participation - (F) |
| ORG_1 | 1 | 0159 - 0159 | Member of a voluntary organization |
| ORG_2 | 1 | 0160 - 0160 | Frequency - participate in activities |
| SLPFOPT | 1 | 0161 - 0161 | Optional module: Sleep - (F) |
| SLP_01 | 2 | 0162 - 0163 | Number of hours spent sleeping per night |
| SLP_02 | 1 | 0164 - 0164 | Frequency - trouble sleeping |
| SLP_03 | 1 | 0165 - 0165 | Frequency - find sleep refreshing |
| SLP_04 | 1 | 0166 - 0166 | Frequency - find it difficult to stay awake |
| CIHFTH | 1 | 0167 - 0167 | Theme module: Changes made to improve health - (F) |
| CIH_1 | 1 | 0168 - 0168 | Did something to improve health |
| CIH_2 | 2 | 0169 - 0170 | Most important change to improve health |
| CIH_3 | 1 | 0171 - 0171 | Thinks should do something to improve health |
| CIH_4 | 2 | 0172 - 0173 | Most important thing to improve health |
| CIH_5 | 1 | 0174 - 0174 | Barrier to improving health |
| CIH_6A | 1 | 0175 - 0175 | Barrier to improving health - lack of will power |
| CIH_6I | 1 | 0176 - 0176 | Barrier to improving health - family responsabilities |
| CIH_6B | 1 | 0177 - 0177 | Barrier to improving health - work schedule |
| CIH_6J | 1 | 0178 - 0178 | Barrier to improving health - addiction to drugs / alcohol |
| CIH_6K | 1 | 0179 - 0179 | Barrier to improving health - physical condition |
| CIH_6G | 1 | 0180 - 0180 | Barrier to improving health - disability / health problem |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| CIH_6F | 1 | 0181 - 0181 | Barrier to improving health - too stressed |
| CIH_6E | 1 | 0182 - 0182 | Barrier to improving health - too costly |
| CIH_6L | 1 | 0183 - 0183 | Barrier to improving health - not available - in area |
| CIH_6M | 1 | 0184 - 0184 | Barrier to improving health - transportation problems |
| CIH_6N | 1 | 0185 - 0185 | Barrier to improving health - weather problems |
| CIH_6H | 1 | 0186 - 0186 | Barrier to improving health - other |
| CIH_7 | 1 | 0187 - 0187 | Intending to improve health over next year |
| CIH_8A | 1 | 0188 - 0188 | Health improvement - more exercise |
| CIH_8B | 1 | 0189 - 0189 | Health improvement - lose weight |
| CIH_8C | 1 | 0190 - 0190 | Health improvement - improve eating habits |
| CIH_8J | 1 | 0191 - 0191 | Health improvement - quit smoking |
| CIH_8K | 1 | 0192 - 0192 | Health improvement - drink less alcohol |
| CIH_8G | 1 | 0193 - 0193 | Health improvement - reduce stress level |
| CIH_8L | 1 | 0194 - 0194 | Health improvement - receive medical treatment |
| CIH_8H | 1 | 0195 - 0195 | Health improvement - take vitamins |
| CIH_8I | 1 | 0196 - 0196 | Health improvement - other |
| OH1FTH | 1 | 0197 - 0197 | Theme module: Oral health 1 - (F) |
| OH1_20 | 1 | 0198 - 0198 | Self-perceived health of teeth and mouth |
| OH1_21A | 1 | 0199 - 0199 | Ability to chew - firm foods |
| OH1_21B | 1 | 0200 - 0200 | Ability to chew - fresh apple |
| OH1_21C | 1 | 0201 - 0201 | Ability to chew - boiled vegetables |
| OH1_22 | 1 | 0202 - 0202 | Frequency of pain in teeth or gums - past month |
| OH1FCHW | 1 | 0203 - 0203 | Inability to chew - (F) |
| HCSFOPT | 1 | 0204 - 0204 | Optional module: Health care system satisfaction - (F) |
| HCS_1 | 1 | 0205 - 0205 | Rating of availability of health care - province |
| HCS_2 | 1 | 0206 - 0206 | Rating of quality of health care - province |
| HCS_3 | 1 | 0207 - 0207 | Rating of availability of health care - community |
| HCS_4 | 1 | 0208 - 0208 | Rating of quality of health care - community |
| MAM_037 | 1 | 0209 - 0209 | Currently pregnant |
| HWT_2 | 2 | 0210 - 0211 | Height / self-reported |
| HWT_2A | 2 | 0212 - 0213 | Height - exact height from 1'0" to 1'11" / self-reported |
| HWT_2B | 2 | 0214 - 0215 | Height - exact height from 2'0" to 2'11" / self-reported |
| HWT_2C | 2 | 0216 - 0217 | Height - exact height from 3'0" to 3'11" / self-reported |
| HWT_2D | 2 | 0218 - 0219 | Height - exact height from 4'0" to 4'11" / self-reported |
| HWT_2E | 2 | 0220 - 0221 | Height - exact height from 5'0" to 5'11" / self-reported |
| HWT_2F | 2 | 0222 - 0223 | Height - exact height from 6'0" to 6'11" / self-reported |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| HWT_3 | 3 | 0224 - 0226 | Weight / self-reported |
| HWT_N4 | 1 | 0227 - 0227 | Weight - unit of measure in pounds/kilograms / self-reported |
| HWT_4 | 1 | 0228 - 0228 | Respondent's opinion of own weight - self-reported |
| HWTDHTM | 5.3 | 0229 - 0233 | Height (metres) / self-reported - (D) |
| HWTDWTK | 6.2 | 0234 - 0239 | Weight (kilograms) / self-reported - (D) |
| HWTDBMI | 6.2 | 0240 - 0245 | Body Mass Index (BMI) / self-report - (D) |
| HWTDISW | 2 | 0246 - 0247 | BMI class. (18 +) / self-report - Intern. standard - (D) |
| HWTDCOL | 1 | 0248 - 0248 | BMI class. (12 to 17) / self-report - Cole system - (D) |
| CCC_031 | 1 | 0249 - 0249 | Has asthma |
| CCC_035 | 1 | 0250 - 0250 | Asthma - had symptoms or attacks |
| CCC_036 | 1 | 0251 - 0251 | Asthma - took medication |
| CCC_051 | 1 | 0252 - 0252 | Has arthritis or rheumatism |
| CCC_061 | 1 | 0253 - 0253 | Has back problems excluding fibromyalgia and arthritis |
| CCC_071 | 1 | 0254 - 0254 | Has high blood pressure |
| CCC_072 | 1 | 0255 - 0255 | Ever diagnosed with high blood pressure |
| CCC_073 | 1 | 0256 - 0256 | Medication - high blood pressure - past month |
| CCC_081 | 1 | 0257 - 0257 | Has migraine headaches |
| CCC_91E | 1 | 0258 - 0258 | Has emphysema |
| CCC_91F | 1 | 0259 - 0259 | Has chronic obstructive pulmonary disease |
| CCC_101 | 1 | 0260 - 0260 | Has diabetes |
| CCC_102 | 3 | 0261 - 0263 | Diabetes - age first diagnosed |
| CCC_10A | 1 | 0264 - 0264 | Diabetes diagnosed - when pregnant |
| CCC_10B | 1 | 0265 - 0265 | Diabetes diagnosed - other than when pregnant |
| CCC_10C | 2 | 0266 - 0267 | Diabetes diagnosed - when started with insulin |
| CCC_105 | 1 | 0268 - 0268 | Diabetes - currently takes insulin |
| CCC_106 | 1 | 0269 - 0269 | Diabetes - takes pills to control blood sugar |
| CCC_121 | 1 | 0270 - 0270 | Has heart disease |
| CCC_131 | 1 | 0271 - 0271 | Has cancer |
| CCC_31A | 1 | 0272 - 0272 | Ever had cancer |
| CCC_141 | 1 | 0273 - 0273 | Has stomach or intestinal ulcers |
| CCC_151 | 1 | 0274 - 0274 | Suffers from the effects of a stroke |
| CCC_161 | 1 | 0275 - 0275 | Has urinary incontinence |
| CCC_171 | 1 | 0276 - 0276 | Has a bowel disorder / Crohn's Disease or colitis |
| CCC_17A | 1 | 0277 - 0277 | Type of bowel disease |
| CCC_181 | 1 | 0278 - 0278 | Has Alzheimer's disease or other dementia |
| CCC_280 | 1 | 0279 - 0279 | Has a mood disorder |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| CCC_290 | 1 | 0280 - 0280 | Has an anxiety disorder |
| DIAFOPT | 1 | 0281 - 0281 | Optional module: Diabetes care - (F) |
| DIA_01 | 1 | 0282 - 0282 | Tested for "A-one-C" haemoglobin |
| DIA_02 | 3 | 0283 - 0285 | Number of times - tested for haemoglobin "A-one-C" |
| DIA_03 | 1 | 0286 - 0286 | Feet checked by health professional |
| DIA_04 | 3 | 0287 - 0289 | Number of times - feet checked by health professional |
| DIA_05 | 1 | 0290 - 0290 | Urine tested for protein by health professional |
| DIA_06 | 1 | 0291 - 0291 | Ever had eye exam with pupils dilated |
| DIA_07 | 1 | 0292 - 0292 | Eye exam with pupils dilated - last time |
| DIA_08 | 1 | 0293 - 0293 | Checks glucose level / self - reporting unit |
| DIA_N8B | 3 | 0294 - 0296 | Checks glucose level/self - number of times per day |
| DIA_N8C | 3 | 0297 - 0299 | Checks glucose level/self - number of times per week |
| DIA_N8D | 3 | 0300 - 0302 | Checks glucose level/self - number of times per month |
| DIA_N8E | 3 | 0303 - 0305 | Checks glucose level/self - number of times per year |
| DIA_09 | 1 | 0306 - 0306 | Checks feet / self - reporting unit |
| DIA_N9B | 3 | 0307 - 0309 | Checks feet / self - number of times per day |
| DIA_N9C | 3 | 0310 - 0312 | Checks feet / self - number of times per week |
| DIA_N9D | 3 | 0313 - 0315 | Checks feet / self - number of times per month |
| DIA_N9E | 3 | 0316 - 0318 | Checks feet / self - number of times per year |
| DIA_10 | 1 | 0319 - 0319 | Medication - ASA - past month |
| DIA_11 | 1 | 0320 - 0320 | Medication - blood cholesterol - past month |
| HUIFOPT | 1 | 0321 - 0321 | Optional module: Health utility index - (F) |
| HUI_01 | 1 | 0322 - 0322 | Vision - read newsprint without glasses / contacts |
| HUI_02 | 1 | 0323 - 0323 | Vision - read newsprint with glasses / contacts |
| HUI_03 | 1 | 0324 - 0324 | Vision - able to see |
| HUI_04 | 1 | 0325 - 0325 | Vision - recognize a friend without glasses / contacts |
| HUI_05 | 1 | 0326 - 0326 | Vision - recognize a friend with glasses / contacts |
| HUI_06 | 1 | 0327 - 0327 | Hearing - in group without hearing aid |
| HUI_07 | 1 | 0328 - 0328 | Hearing - in group with hearing aid |
| HUI_07A | 1 | 0329 - 0329 | Hearing - able to hear |
| HUI_08 | 1 | 0330 - 0330 | Hearing - in quiet room without hearing aid |
| HUI_09 | 1 | 0331 - 0331 | Hearing - in quiet room with hearing aid |
| HUI_10 | 1 | 0332 - 0332 | Speech - completely understood by strangers |
| HUI_11 | 1 | 0333 - 0333 | Speech - partially understood by strangers |
| HUI_12 | 1 | 0334 - 0334 | Speech - completely understood by non-strangers |
| HUI_13 | 1 | 0335 - 0335 | Speech - partially understood by non-strangers |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| HUI_14 | 1 | 0336 - 0336 | Mobility - walk without difficulty and without support |
| HUI_15 | 1 | 0337 - 0337 | Mobility - able to walk |
| HUI_16 | 1 | 0338 - 0338 | Mobility - requires support to walk |
| HUI_17 | 1 | 0339 - 0339 | Mobility - requires help of person to walk |
| HUI_18 | 1 | 0340 - 0340 | Mobility - requires a wheelchair |
| HUI_19 | 1 | 0341 - 0341 | Mobility - frequency of wheelchair use |
| HUI_20 | 1 | 0342 - 0342 | Mobility - requires help to move in wheelchair |
| HUI_21 | 1 | 0343 - 0343 | Dexterity - able to grasp and handle small objects |
| HUI_22 | 1 | 0344 - 0344 | Dexterity - requires help due to limitation in hands |
| HUI_23 | 1 | 0345 - 0345 | Dexterity - requires help with tasks |
| HUI_24 | 1 | 0346 - 0346 | Dexterity - requires special equipment / hand limitation |
| HUI_25 | 1 | 0347 - 0347 | Emotion - self evaluation |
| HUI_26 | 1 | 0348 - 0348 | Cognition - ability to remember things |
| HUI_27 | 1 | 0349 - 0349 | Cognition - ability to think and solve problems |
| HUIDVIS | 2 | 0350 - 0351 | Vision (function code) - (D) |
| HUIDHER | 2 | 0352 - 0353 | Hearing (function code) - (D) |
| HUIDSPE | 1 | 0354 - 0354 | Speech (function code) - (D) |
| HUIDMOB | 2 | 0355 - 0356 | Ambulation (mobility) (function code) - (D) |
| HUIDDEX | 2 | 0357 - 0358 | Dexterity (function code) - (D) |
| HUIDEMO | 1 | 0359 - 0359 | Emotion (function code) - (D) |
| HUIDCOG | 2 | 0360 - 0361 | Cognition problems - function code - (D) |
| HUIDHSI | 6.3 | 0362 - 0367 | Health utilities index - (D) |
| HUP_01 | 1 | 0368 - 0368 | Usually free of pain or discomfort |
| HUP_02 | 1 | 0369 - 0369 | Pain and discomfort - usual intensity |
| HUP_03 | 1 | 0370 - 0370 | Pain and discomfort - number of activities prevented |
| HUPDPAD | 1 | 0371 - 0371 | Pain (function code) - (D) |
| HCU_1AA | 1 | 0372 - 0372 | Has regular medical doctor |
| HCU_1BA | 1 | 0373 - 0373 | Reason has no regular doctor - no one available in area |
| HCU_1BB | 1 | 0374 - 0374 | Reason has no regular doctor - none taking new patients |
| HCU_1BC | 1 | 0375 - 0375 | Reason has no regular doctor - not tried to contact one |
| HCU_1BD | 1 | 0376 - 0376 | Reason has no regular doctor - has left or retired |
| HCU_1BE | 1 | 0377 - 0377 | Reason has no regular doctor - other |
| HCU_1A1 | 1 | 0378 - 0378 | Has a usual place to go when sick/needs health advice |
| HCU_1A2 | 2 | 0379 - 0380 | Kind of place |
| HCU_1AC | 2 | 0381 - 0382 | Language spoken to doctor |
| HCU_01 | 1 | 0383 - 0383 | Overnight patient |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| HCU_01A | 3 | 0384 - 0386 | Number of nights as patient |
| HCU_02AA | 1 | 0387 - 0387 | Consulted with family doctor/general practitioner |
| HCU_02A | 3 | 0388 - 0390 | Number of consultations - fam. doctor/general practitioner |
| HCU_03A | 2 | 0391 - 0392 | Where the most recent contact took place |
| HCU_02BB | 1 | 0393 - 0393 | Consulted with eye specialist |
| HCU_02B | 3 | 0394 - 0396 | Number of consultations - eye specialist |
| HCU_02CC | 1 | 0397 - 0397 | Consulted with other medical doctor |
| HCU_02C | 3 | 0398 - 0400 | Number of consultations - other medical doctor |
| HCU_03C | 2 | 0401 - 0402 | Where the most recent contact took place |
| HCU_02DD | 1 | 0403 - 0403 | Consulted with nurse |
| HCU_02D | 3 | 0404 - 0406 | Number of consultations - nurse |
| HCU_03D | 2 | 0407 - 0408 | Where the most recent contact took place |
| HCU_02EE | 1 | 0409 - 0409 | Consulted with dentist or orthodontist |
| HCU_02E | 3 | 0410 - 0412 | Number of consultations - dentist or orthodontist |
| HCU_02FF | 1 | 0413 - 0413 | Consulted with chiropractor |
| HCU_02F | 3 | 0414 - 0416 | Number of consultations - chiropractor |
| HCU_02GG | 1 | 0417 - 0417 | Consulted with physiotherapist |
| HCU_02G | 3 | 0418 - 0420 | Number of consultations - physiotherapist |
| HCU_02II | 1 | 0421 - 0421 | Consulted with psychologist |
| HCU_02I | 3 | 0422 - 0424 | Number of consultations - psychologist |
| HCU_02HH | 1 | 0425 - 0425 | Consulted with social worker or counsellor |
| HCU_02H | 3 | 0426 - 0428 | Number of consultations - social worker or counsellor |
| HCU_02JJ | 1 | 0429 - 0429 | Consulted with speech/audiology/occ. therapist |
| HCU_02J | 3 | 0430 - 0432 | Number of consultations - speech/audiology/occ. therapist |
| HCUDMDC | 3 | 0433 - 0435 | Number of consultations with medical doctor - (D) |
| HCUFCOP | 1 | 0436 - 0436 | Consultations with health professionals - (F) |
| HMCFOPT | 1 | 0437 - 0437 | Optional module: Home care services - (F) |
| HMC_09 | 1 | 0438 - 0438 | Received home care services - cost covered by government |
| HMC_10A | 1 | 0439 - 0439 | Type of govt. home care rec'd - nursing care |
| HMC_10B | 1 | 0440 - 0440 | Type of govt. home care rec'd - health services |
| HMC_10I | 1 | 0441 - 0441 | Type of govt. home care rec'd - Medical equipment |
| HMC_10C | 1 | 0442 - 0442 | Type of govt. home care rec'd - personal care |
| HMC_10D | 1 | 0443 - 0443 | Type of govt. home care rec'd - housework |
| HMC_10E | 1 | 0444 - 0444 | Type of govt. home care rec'd - meals |
| HMC_10F | 1 | 0445 - 0445 | Type of govt. home care rec'd - shopping |
| HMC_10G | 1 | 0446 - 0446 | Type of govt. home care rec'd - respite care |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| HMC_10H | 1 | 0447 - 0447 | Type of govt. home care rec'd - other |
| HMC_11 | 1 | 0448 - 0448 | Received home care services - cost not covered by government |
| HMC_12A | 1 | 0449 - 0449 | Non govt. home care - provided by nurse from private agency |
| HMC_12B | 1 | 0450 - 0450 | Non govt. home care - provided by homemaker |
| HMC_12G | 1 | 0451 - 0451 | Non govt. home care - physiotherapist |
| HMC_12C | 1 | 0452 - 0452 | Non govt. home care - provided by neighbour or friend |
| HMC_12D | 1 | 0453 - 0453 | Non govt. home care - provided by family member |
| HMC_12E | 1 | 0454 - 0454 | Non govt. home care - provided by volunteer |
| HMC_12F | 1 | 0455 - 0455 | Non govt. home care - provided by other |
| HMC_3AA | 1 | 0456 - 0456 | Home care provided by private agency nurse - nursing care |
| HMC_3AB | 1 | 0457 - 0457 | Home care provided by private agency nurse - health services |
| HMC_3AI | 1 | 0458 - 0458 | Home care provided by private agency nurse - med. equip. |
| HMC_3AC | 1 | 0459 - 0459 | Home care provided by private agency nurse - personal care |
| HMC_3AD | 1 | 0460 - 0460 | Home care provided by private agency nurse - housework |
| HMC_3AE | 1 | 0461 - 0461 | Home care provided by private agency nurse - meals |
| HMC_3AF | 1 | 0462 - 0462 | Home care provided by private agency nurse - shopping |
| HMC_3AG | 1 | 0463 - 0463 | Home care provided by private agency nurse - respite care |
| HMC_3AH | 1 | 0464 - 0464 | Home care provided by private agency nurse - other |
| HMC_3BA | 1 | 0465 - 0465 | Home care by homemaker from private agency - nursing care |
| HMC_3BB | 1 | 0466 - 0466 | Home care by homemaker from private agency - health services |
| HMC_3BI | 1 | 0467 - 0467 | Home care by homemaker from private agency - med. equip. |
| HMC_3BC | 1 | 0468 - 0468 | Home care by homemaker from private agency - personal care |
| HMC_3BD | 1 | 0469 - 0469 | Home care by homemaker from private agency - housework |
| HMC_3BE | 1 | 0470 - 0470 | Home care by homemaker from private agency - meals |
| HMC_3BF | 1 | 0471 - 0471 | Home care by homemaker from private agency - shopping |
| HMC_3BG | 1 | 0472 - 0472 | Home care by homemaker from private agency - respite care |
| HMC_3BH | 1 | 0473 - 0473 | Home care by homemaker from private agency - other |
| HMC_3GA | 1 | 0474 - 0474 | Home care by private agency physiotherapist - nursing care |
| HMC_3GB | 1 | 0475 - 0475 | Home care by private agency physiotherapist - health serv. |
| HMC_3GI | 1 | 0476 - 0476 | Home care by private agency physiotherapist - medical equip. |
| HMC_3GC | 1 | 0477 - 0477 | Home care by private agency physiotherapist - personal care |
| HMC_3GD | 1 | 0478 - 0478 | Home care by private agency physiotherapist - housework |
| HMC_3GE | 1 | 0479 - 0479 | Home care by private agency physiotherapist - meal prep. |
| HMC_3GF | 1 | 0480 - 0480 | Home care by private agency physiotherapist - shopping |
| HMC_3GG | 1 | 0481 - 0481 | Home care by private agency physiotherapist - respite care |
| HMC_3GH | 1 | 0482 - 0482 | Home care by private agency physiotherapist - other |

Page 8

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| HMC_3CA | 1 | 0483 - 0483 | Home care provided by neighbour or friend - nursing care |
| HMC_3CB | 1 | 0484 - 0484 | Home care provided by neighbour or friend - health services |
| HMC_3CI | 1 | 0485 - 0485 | Home care provided by neighbour or friend - med. equip./sup. |
| HMC_3CC | 1 | 0486 - 0486 | Home care provided by neighbour or friend - personal care |
| HMC_3CD | 1 | 0487 - 0487 | Home care provided by neighbour or friend - housework |
| HMC_3CE | 1 | 0488 - 0488 | Home care provided by neighbour or friend - meals |
| HMC_3CF | 1 | 0489 - 0489 | Home care provided by neighbour or friend - shopping |
| HMC_3CG | 1 | 0490 - 0490 | Home care provided by neighbour or friend - respite |
| HMC_3CH | 1 | 0491 - 0491 | Home care provided by neighbour or friend - other |
| HMC_3DA | 1 | 0492 - 0492 | Home care provided by family - nursing care |
| HMC_3DB | 1 | 0493 - 0493 | Home care provided by family - health services |
| HMC_3DI | 1 | 0494 - 0494 | Home care provided by family - medical equipment/supplies |
| HMC_3DC | 1 | 0495 - 0495 | Home care provided by family - personal care |
| HMC_3DD | 1 | 0496 - 0496 | Home care provided by family - housework |
| HMC_3DE | 1 | 0497 - 0497 | Home care provided by family - meal preparation or delivery |
| HMC_3DF | 1 | 0498 - 0498 | Home care provided by family - shopping |
| HMC_3DG | 1 | 0499 - 0499 | Home care provided by family - respite care |
| HMC_3DH | 1 | 0500 - 0500 | Home care provided by family - other |
| HMC_3EA | 1 | 0501 - 0501 | Home care provided by a volunteer - nursing care |
| HMC_3EB | 1 | 0502 - 0502 | Home care provided by a volunteer - health services |
| HMC_3EI | 1 | 0503 - 0503 | Home care provided by a volunteer - medical equip./supplies. |
| HMC_3EC | 1 | 0504 - 0504 | Home care provided by a volunteer - personal care |
| HMC_3ED | 1 | 0505 - 0505 | Home care provided by a volunteer - housework |
| HMC_3EE | 1 | 0506 - 0506 | Home care provided by a volunteer - meals |
| HMC_3EF | 1 | 0507 - 0507 | Home care provided by a volunteer - shopping |
| HMC_3EG | 1 | 0508 - 0508 | Home care provided by a volunteer - respite care |
| HMC_3EH | 1 | 0509 - 0509 | Home care provided by a volunteer - other |
| HMC_3FA | 1 | 0510 - 0510 | Home care provided by other - nursing care |
| HMC_3FB | 1 | 0511 - 0511 | Home care provided by other - health services |
| HMC_3FI | 1 | 0512 - 0512 | Home care provided by other - medical equipment or supplies |
| HMC_3FC | 1 | 0513 - 0513 | Home care provided by other - personal care |
| HMC_3FD | 1 | 0514 - 0514 | Home care provided by other - housework |
| HMC_3FE | 1 | 0515 - 0515 | Home care provided by other - meals |
| HMC_3FF | 1 | 0516 - 0516 | Home care provided by other - shopping |
| HMC_3FG | 1 | 0517 - 0517 | Home care provided by other - respite care |
| HMC_3FH | 1 | 0518 - 0518 | Home care provided by other - other |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| HMC_14 | 1 | 0519 - 0519 | Self-perceived unmet home care needs |
| HMC_15A | 1 | 0520 - 0520 | Home care not received - not available / area |
| HMC_15B | 1 | 0521 - 0521 | Home care not received - not available at time required |
| HMC_15C | 1 | 0522 - 0522 | Home care not received - waiting time too long |
| HMC_15D | 1 | 0523 - 0523 | Home care not received - felt would be inadequate |
| HMC_15E | 1 | 0524 - 0524 | Home care not received - cost |
| HMC_15F | 1 | 0525 - 0525 | Home care not received - too busy |
| HMC_15G | 1 | 0526 - 0526 | Home care not received - didn't get around to it |
| HMC_15H | 1 | 0527 - 0527 | Home care not received - didn't know where to go |
| HMC_15I | 1 | 0528 - 0528 | Home care not received - language problems |
| HMC_15J | 1 | 0529 - 0529 | Home care not received - family responsibilities |
| HMC_15K | 1 | 0530 - 0530 | Home care not received - decided not to seek services |
| HMC_15L | 1 | 0531 - 0531 | Home care not received - doctor didn't think necessary |
| HMC_15N | 1 | 0532 - 0532 | Home care not received - Did not qualify |
| HMC_15O | 1 | 0533 - 0533 | Home care not received - Still waiting for homecare |
| HMC_15M | 1 | 0534 - 0534 | Home care not received - other |
| HMC_16A | 1 | 0535 - 0535 | Type of home care needed - nursing care |
| HMC_16B | 1 | 0536 - 0536 | Type of home care needed - health services |
| HMC_16I | 1 | 0537 - 0537 | Type of home care needed - Medical equipment or supplies |
| HMC_16C | 1 | 0538 - 0538 | Type of home care needed - personal care |
| HMC_16D | 1 | 0539 - 0539 | Type of home care needed - housework |
| HMC_16E | 1 | 0540 - 0540 | Type of home care needed - meals |
| HMC_16F | 1 | 0541 - 0541 | Type of home care needed - shopping |
| HMC_16G | 1 | 0542 - 0542 | Type of home care needed - respite care |
| HMC_16H | 1 | 0543 - 0543 | Type of home care needed - other |
| HMC_17A | 1 | 0544 - 0544 | Who contacted for home care - government sponsored program |
| HMC_17B | 1 | 0545 - 0545 | Who contacted for home care - private agency |
| HMC_17C | 1 | 0546 - 0546 | Who contacted for home care - family member or friend |
| HMC_17D | 1 | 0547 - 0547 | Who contacted for home care - volunteer organization |
| HMC_17E | 1 | 0548 - 0548 | Who contacted for home care - other |
| HMCFRHC | 1 | 0549 - 0549 | Received home care - (F) |
| PASFOPT | 1 | 0550 - 0550 | Opt. mod.: Patient satisfaction – Health care services - (F) |
| PAS_11 | 1 | 0551 - 0551 | Received health care services |
| PAS_12 | 1 | 0552 - 0552 | Rating of quality of care received |
| PAS_13 | 1 | 0553 - 0553 | Satisfaction with way care provided |
| PAS_21A | 1 | 0554 - 0554 | Received health care services at hospital |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| PAS_21B | 1 | 0555 - 0555 | Type of patient - most recent visit |
| PAS_22 | 1 | 0556 - 0556 | Rating of quality of care received - hospital |
| PAS_23 | 1 | 0557 - 0557 | Satisfaction with way care provided - hospital |
| PAS_31A | 1 | 0558 - 0558 | Received physician care |
| PAS_31B | 1 | 0559 - 0559 | Type of physician - most recent care |
| PAS_32 | 1 | 0560 - 0560 | Rating of quality of care received - physician |
| PAS_33 | 1 | 0561 - 0561 | Satisfaction with way care provided - physician |
| PSCFOPT | 1 | 0562 - 0562 | Opt. mod.: Patient satisf Community-based care - (F) |
| PSC_1 | 1 | 0563 - 0563 | Received any community-based care |
| PSC_2 | 1 | 0564 - 0564 | How rate quality of the community-based received |
| PSC_3 | 1 | 0565 - 0565 | How satisfied with the way community-based care provided |
| RAC_1 | 1 | 0566 - 0566 | Has dificulty with activities |
| RAC_2A | 1 | 0567 - 0567 | Reduction in kind/amount of activities - at home |
| RAC_2B1 | 1 | 0568 - 0568 | Reduction in kind/amount of activities - at school |
| RAC_2B2 | 1 | 0569 - 0569 | Reduction in kind/amount of activities - at work |
| RAC_2C | 1 | 0570 - 0570 | Reduction in kind/amount of activities - other activities |
| RAC_5 | 2 | 0571 - 0572 | Cause of health problem |
| RAC_6A | 1 | 0573 - 0573 | Needs help - preparing meals |
| RAC_6B1 | 1 | 0574 - 0574 | Needs help - getting to appointments / running errands |
| RAC_6C | 1 | 0575 - 0575 | Needs help - doing housework |
| RAC_6E | 1 | 0576 - 0576 | Needs help - personal care |
| RAC_6F | 1 | 0577 - 0577 | Needs help - moving about inside the house |
| RAC_6G | 1 | 0578 - 0578 | Needs help - looking after personal finances |
| RACDIMP | 1 | 0579 - 0579 | Impact of health problems - (D) |
| RACDPAL | 1 | 0580 - 0580 | Participation and activity limitation - (D) |
| RACF6R | 1 | 0581 - 0581 | Help needed for tasks - (F) |
| FLU_160 | 1 | 0582 - 0582 | Ever had a flu shot |
| FLU_162 | 1 | 0583 - 0583 | Had flu shot - last time |
| FLU_164 | 2 | 0584 - 0585 | Had flu shot - which month |
| FLU_165 | 1 | 0586 - 0586 | Had flu shot - current/last year |
| FLU_66A | 1 | 0587 - 0587 | No flu shot - have not gotten around to it |
| FLU_66B | 1 | 0588 - 0588 | No flu shot - respondent didn't think it was necessary |
| FLU_66C | 1 | 0589 - 0589 | No flu shot - doctor didn't think it was necessary |
| FLU_66D | 1 | 0590 - 0590 | No flu shot - personal or family responsibilities |
| FLU_66E | 1 | 0591 - 0591 | No flu shot - not available at time required |
| FLU_66F | 1 | 0592 - 0592 | No flu shot - not available at all in area |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| FLU_66G | 1 | 0593 - 0593 | No flu shot - waiting time was too long |
| FLU_66H | 1 | 0594 - 0594 | No flu shot - transportation problems |
| FLU_66I | 1 | 0595 - 0595 | No flu shot - language problem |
| FLU_66J | 1 | 0596 - 0596 | No flu shot - cost |
| FLU_66K | 1 | 0597 - 0597 | No flu shot - did not know where to go |
| FLU_66L | 1 | 0598 - 0598 | No flu shot - fear |
| FLU_66M | 1 | 0599 - 0599 | No flu shot - bad reaction to previous shot |
| FLU_660 | 1 | 0600 - 0600 | No flu shot - unable to leave house / health problem |
| FLU_66N | 1 | 0601 - 0601 | No flu shot - other |
| BPCFOPT | 1 | 0602 - 0602 | Optional module: Blood pressure check - (F) |
| BPC_010 | 1 | 0603 - 0603 | Ever had blood pressure taken |
| BPC_012 | 1 | 0604 - 0604 | Last time blood pressure was taken |
| BPC_16A | 1 | 0605 - 0605 | Blood pressure not taken - have not gotten around to it |
| BPC_16B | 1 | 0606 - 0606 | Blood pressure not taken - respondent didn't think necessary |
| BPC_16C | 1 | 0607 - 0607 | Blood pressure not taken - doctor didn't think necessary |
| BPC_16D | 1 | 0608 - 0608 | Blood pressure not taken - personal / fam. responsibilities |
| BPC_16E | 1 | 0609 - 0609 | Blood pressure not taken - not available when required |
| BPC_16F | 1 | 0610 - 0610 | Blood pressure not taken - not available in area |
| BPC_16G | 1 | 0611 - 0611 | Blood pressure not taken - waiting time too long |
| BPC_16H | 1 | 0612 - 0612 | Blood pressure not taken - transportation problems |
| BPC_16I | 1 | 0613 - 0613 | Blood pressure not taken - language problem |
| BPC_16J | 1 | 0614 - 0614 | Blood pressure not taken - cost |
| BPC_16K | 1 | 0615 - 0615 | Blood pressure not taken - did not know where to go |
| BPC_16L | 1 | 0616 - 0616 | Blood pressure not taken - fear |
| BPC_16N | 1 | 0617 - 0617 | Blood pressure not taken - unable to leave house/health prob |
| BPC_16M | 1 | 0618 - 0618 | Blood pressure not taken - other |
| PAPFOPT | 1 | 0619 - 0619 | Optional module: PAP smear test - (F) |
| PAP_020 | 1 | 0620 - 0620 | Ever had PAP smear test |
| PAP_022 | 1 | 0621 - 0621 | Last time had PAP smear test |
| PAP_26A | 1 | 0622 - 0622 | No PAP smear - have not gotten around to it |
| PAP_26B | 1 | 0623 - 0623 | No PAP smear - respondent didn't think necessary |
| PAP_26C | 1 | 0624 - 0624 | No PAP smear - doctor didn't think necessary |
| PAP_26D | 1 | 0625 - 0625 | No PAP smear - personal / family responsibilities |
| PAP_26E | 1 | 0626 - 0626 | No PAP smear - not available when required |
| PAP_26F | 1 | 0627 - 0627 | No PAP smear - not available in area |
| PAP_26G | 1 | 0628 - 0628 | No PAP smear - waiting time too long |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| PAP_26H | 1 | 0629 - 0629 | No PAP smear - transportation problems |
| PAP_26I | 1 | 0630 - 0630 | No PAP smear - language problem |
| PAP_26J | 1 | 0631 - 0631 | No PAP smear - cost |
| PAP_26K | 1 | 0632 - 0632 | No PAP smear - did not know where to go |
| PAP_26L | 1 | 0633 - 0633 | No PAP smear - fear |
| PAP_26M | 1 | 0634 - 0634 | No PAP smear - hysterectomy |
| PAP_26N | 1 | 0635 - 0635 | No PAP smear - hate / dislike having one done |
| PAP_26P | 1 | 0636 - 0636 | No PAP smear - unable to leave house / health problem |
| PAP_26O | 1 | 0637 - 0637 | No PAP smear - other |
| MAMFOPT | 1 | 0638 - 0638 | Optional module: Mammography - (F) |
| MAM_030 | 1 | 0639 - 0639 | Ever had mammogram |
| MAM_31A | 1 | 0640 - 0640 | Had mammogram - family history |
| MAM_31B | 1 | 0641 - 0641 | Had mammogram - regular check-up |
| MAM_31C | 1 | 0642 - 0642 | Had mammogram - age |
| MAM_31D | 1 | 0643 - 0643 | Had mammogram - previously detected lump |
| MAM_31E | 1 | 0644 - 0644 | Had mammogram - follow-up of treatment |
| MAM_31F | 1 | 0645 - 0645 | Had mammogram - on hormone replacement therapy |
| MAM_31G | 1 | 0646 - 0646 | Had mammogram - breast problem |
| MAM_31H | 1 | 0647 - 0647 | Had mammogram - other |
| MAM_032 | 1 | 0648 - 0648 | Last time mammogram was done |
| MAM_36A | 1 | 0649 - 0649 | No mammogram - have not gotten around to it - past 2 yrs |
| MAM_36B | 1 | 0650 - 0650 | No mammogram - resp. did not think necessary - past 2 yrs |
| MAM_36C | 1 | 0651 - 0651 | No mammogram - doctor did not think necessary - past 2 yrs |
| MAM_36D | 1 | 0652 - 0652 | No mammogram - personal/family responsibilities - past 2 yrs |
| MAM_36E | 1 | 0653 - 0653 | No mammogram - not available when required - past 2 yrs |
| MAM_36F | 1 | 0654 - 0654 | No mammogram - not available in the area - past 2 yrs |
| MAM_36G | 1 | 0655 - 0655 | No mammogram - waiting time too long - past 2 yrs |
| MAM_36H | 1 | 0656 - 0656 | No mammogram - transportation problems - past 2 yrs |
| MAM_36I | 1 | 0657 - 0657 | No mammogram - language problem - past 2 yrs |
| MAM_36J | 1 | 0658 - 0658 | No mammogram - cost - past 2 yrs |
| MAM_36K | 1 | 0659 - 0659 | No mammogram - did not know where to go - past 2 yrs |
| MAM_36L | 1 | 0660 - 0660 | No mammogram - fear - past 2 yrs |
| MAM_36N | 1 | 0661 - 0661 | No mammogram - unable to leave house/hith prob - past 2 yrs |
| MAM_36O | 1 | 0662 - 0662 | No mammogram - Breasts removed / Mastectomy |
| MAM_36M | 1 | 0663 - 0663 | No mammogram - other - past 2 yrs |
| MAM_038 | 1 | 0664 - 0664 | Had a hysterectomy |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| BRXFOPT | 1 | 0665 - 0665 | Optional module: Breast examinations - (F) |
| BRX_110 | 1 | 0666 - 0666 | Had breasts examined by health professional |
| BRX_112 | 1 | 0667 - 0667 | Last time breasts exam for lumps |
| BRX_16A | 1 | 0668 - 0668 | No breast exam - have not gotten around to it |
| BRX_16B | 1 | 0669 - 0669 | No breast exam - respondent didn't think necessary |
| BRX_16C | 1 | 0670 - 0670 | No breast exam - doctor didn't think necessary |
| BRX_16D | 1 | 0671 - 0671 | No breast exam - personal / family responsibilities |
| BRX_16E | 1 | 0672 - 0672 | No breast exam - not available when required |
| BRX_16F | 1 | 0673 - 0673 | No breast exam - not available in area |
| BRX_16G | 1 | 0674 - 0674 | No breast exam - waiting time too long |
| BRX_16H | 1 | 0675 - 0675 | No breast exam - transportation problems |
| BRX_16I | 1 | 0676 - 0676 | No breast exam - language problem |
| BRX_16J | 1 | 0677 - 0677 | No breast exam - cost |
| BRX_16K | 1 | 0678 - 0678 | No breast exam - did not know where to go |
| BRX_16L | 1 | 0679 - 0679 | No breast exam - fear |
| BRX_16N | 1 | 0680 - 0680 | No breast exam - unable to leave house / health problem |
| BRX_16O | 1 | 0681 - 0681 | No breast exam - breast removed / mastectomy |
| BRX_16M | 1 | 0682 - 0682 | No breast exam - other |
| BSXFOPT | 1 | 0683 - 0683 | Optional module: Breast self examinations - (F) |
| BSX_120 | 1 | 0684 - 0684 | Self-examined breasts for lumps |
| BSX_121 | 1 | 0685 - 0685 | Frequency - breast self-examination |
| BSX_22A | 1 | 0686 - 0686 | Breast self-exam learned from - doctor |
| BSX_22B | 1 | 0687 - 0687 | Breast self-exam learned from - nurse |
| BSX_22C | 1 | 0688 - 0688 | Breast self-exam learned from - book / magazine / pamphlet |
| BSX_22D | 1 | 0689 - 0689 | Breast self-exam learned from - TV / video / film |
| BSX_22H | 1 | 0690 - 0690 | Breast self-exam learned from - family member |
| BSX_22G | 1 | 0691 - 0691 | Breast self-exam learned from - other |
| EYXFOPT | 1 | 0692 - 0692 | Optional module: Eye examinations - (F) |
| EYX_140 | 1 | 0693 - 0693 | Visit eye doctor - 12 m |
| EYX_142 | 1 | 0694 - 0694 | Last time eye examination |
| EYX_46A | 1 | 0695 - 0695 | No eye exam - not gotten around to it - past 2 yrs |
| EYX_46B | 1 | 0696 - 0696 | No eye exam - respondent didn't think necessary |
| EYX_46C | 1 | 0697 - 0697 | No eye exam - doctor didn't think necessary |
| EYX_46D | 1 | 0698 - 0698 | No eye exam - personal or family responsibilities |
| EYX_46E | 1 | 0699 - 0699 | No eye exam - not available when required |
| EYX_46F | 1 | 0700 - 0700 | No eye exam- not available in area |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| EYX_46G | 1 | 0701 - 0701 | No eye exam - waiting time too long |
| EYX_46H | 1 | 0702 - 0702 | No eye exam - transportation problems |
| EYX_46I | 1 | 0703 - 0703 | No eye exam - language problem |
| EYX_46J | 1 | 0704 - 0704 | No eye exam - cost |
| EYX_46K | 1 | 0705 - 0705 | No eye exam - did not know where to go |
| EYX_46L | 1 | 0706 - 0706 | No eye exam - fear |
| EYX_46N | 1 | 0707 - 0707 | No eye exam - health problem |
| EYX_46M | 1 | 0708 - 0708 | No eye exam - other reason |
| PSAFOPT | 1 | 0709 - 0709 | Optional module: Prostate cancer screening - (F) |
| PSA_170 | 1 | 0710 - 0710 | Ever had a PSA blood test (prostate cancer) |
| PSA_172 | 1 | 0711 - 0711 | Last time had PSA blood test |
| PSA_73A | 1 | 0712 - 0712 | Had PSA test - family history of prostate cancer |
| PSA_73B | 1 | 0713 - 0713 | Had PSA test - regular check-up |
| PSA_73C | 1 | 0714 - 0714 | Had PSA test - age |
| PSA_73G | 1 | 0715 - 0715 | Had PSA test - race |
| PSA_73D | 1 | 0716 - 0716 | Had PSA test - follow-up of problem |
| PSA_73E | 1 | 0717 - 0717 | Had PSA test - follow-up of prostate cancer treatment |
| PSA_73F | 1 | 0718 - 0718 | Had PSA test - other |
| PSA_174 | 1 | 0719 - 0719 | Had a digital rectal exam |
| PSA_175 | 1 | 0720 - 0720 | Last time had digital rectal exam |
| CCSFOPT | 1 | 0721 - 0721 | Optional module: Colorectal cancer exams - (F) |
| CCS_180 | 1 | 0722 - 0722 | Had an FOBT test |
| CCS_182 | 2 | 0723 - 0724 | Last time FOBT test done |
| CCS_83A | 1 | 0725 - 0725 | Had FOBT - family history |
| CCS_83B | 1 | 0726 - 0726 | Had FOBT - regular check-up |
| CCS_83C | 1 | 0727 - 0727 | Had FOBT - age |
| CCS_83G | 1 | 0728 - 0728 | Had FOBT - race |
| CCS_83D | 1 | 0729 - 0729 | Had FOBT - follow-up of problem |
| CCS_83E | 1 | 0730 - 0730 | Had FOBT - follow-up of treatment |
| CCS_83F | 1 | 0731 - 0731 | Had FOBT - other |
| CCS_184 | 1 | 0732 - 0732 | Had colonoscopy or sigmoidoscopy |
| CCS_185 | 2 | 0733 - 0734 | Last time had colonoscopy or sigmoidoscopy |
| CCS_86A | 1 | 0735 - 0735 | Had colonoscopy/sigmoidoscopy - family history |
| CCS_86B | 1 | 0736 - 0736 | Had colonoscopy/sigmoidoscopy - regular check-up |
| CCS_86C | 1 | 0737 - 0737 | Had colonoscopy/sigmoidoscopy - age |
| CCS_86G | 1 | 0738 - 0738 | Had colonoscopy/sigmoidoscopy - race |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| CCS_86D | 1 | 0739 - 0739 | Had colonoscopy/sigmoidoscopy - follow-up of problem |
| CCS_86E | 1 | 0740 - 0740 | Had colonoscopy/sigmoidoscopy - follow-up of treatment |
| CCS_86F | 1 | 0741 - 0741 | Had colonoscopy/sigmoidoscopy - other |
| CCS_187 | 1 | 0742 - 0742 | Colonoscopy or sigmoidoscopy followed FOBT test |
| DENFOPT | 1 | 0743 - 0743 | Optional module: Dental visits - (F) |
| DEN_130 | 1 | 0744 - 0744 | Visited dentist |
| DEN_132 | 2 | 0745 - 0746 | Last time visited dentist |
| DEN_36A | 1 | 0747 - 0747 | No dental visit - have not gotten around to it |
| DEN_36B | 1 | 0748 - 0748 | No dental visit - respondent didn't think necessary |
| DEN_36C | 1 | 0749 - 0749 | No dental visit - dentist didn't think necessary |
| DEN_36D | 1 | 0750 - 0750 | No dental visit - personal / family responsibilities |
| DEN_36E | 1 | 0751 - 0751 | No dental visit - not available when required |
| DEN_36F | 1 | 0752 - 0752 | No dental visit - not available in area |
| DEN_36G | 1 | 0753 - 0753 | No dental visit - waiting time too long |
| DEN_36H | 1 | 0754 - 0754 | No dental visit - transportation problems |
| DEN_36I | 1 | 0755 - 0755 | No dental visit - language problem |
| DEN_36J | 1 | 0756 - 0756 | No dental visit - cost |
| DEN_36K | 1 | 0757 - 0757 | No dental visit - did not know where to go |
| DEN_36L | 1 | 0758 - 0758 | No dental visit - fear |
| DEN_36M | 1 | 0759 - 0759 | No dental visit - wears dentures |
| DEN_360 | 1 | 0760 - 0760 | No dental visit - unable to leave house / health problem |
| DEN_36N | 1 | 0761 - 0761 | No dental visit - other |
| OH2FOPT | 1 | 0762 - 0762 | Optional module: Oral health 2 - (F) |
| OH2_10 | 1 | 0763 - 0763 | Frequency usually visits the dentist |
| OH2_11 | 1 | 0764 - 0764 | Insurance for dental expenses |
| OH2_11A | 1 | 0765 - 0765 | Type of dental insurance plan - government-sponsored |
| OH2_11B | 1 | 0766 - 0766 | Type of dental insurance plan - employer-sponsored |
| OH2_11C | 1 | 0767 - 0767 | Type of dental insurance plan - private |
| OH2_12 | 1 | 0768 - 0768 | Teeth removed by dentist - 12 mo |
| OH2_13 | 1 | 0769 - 0769 | Teeth removed - decay or gum disease - 12 mo |
| OH2_20 | 1 | 0770 - 0770 | Has one or more of own teeth |
| OH2_21 | 1 | 0771 - 0771 | Wears dentures |
| OH2_22 | 1 | 0772 - 0772 | Condition of teeth/mouth - difficulty speaking clearly |
| OH2_23 | 1 | 0773 - 0773 | Condition of teeth/mouth - avoided conversation - 12 mo |
| OH2_24 | 1 | 0774 - 0774 | Condition of teeth/mouth - avoided laughing/smiling - 12 mo |
| OH2_25A | 1 | 0775 - 0775 | Had a toothache - past mo. |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| OH2_25B | 1 | 0776 - 0776 | Teeth sensitive to hot or cold - past mo. |
| OH2_25C | 1 | 0777 - 0777 | Had pain - jaw joints - past mo. |
| OH2_25D | 1 | 0778 - 0778 | Had pain - mouth or face - past mo. |
| OH2_25E | 1 | 0779 - 0779 | Had bleeding gums - past mo. |
| OH2_25F | 1 | 0780 - 0780 | Had dry mouth - past mo. |
| OH2_25G | 1 | 0781 - 0781 | Had bad breath - past mo. |
| OH2_30 | 2 | 0782 - 0783 | Frequency of brushing teeth |
| OH2FLIM | 1 | 0784 - 0784 | Limited socially due to oral health status - 12 mo - (F) |
| OH2FOFP | 1 | 0785 - 0785 | Oral or facial pain - past mo (F) |
| FDCFOPT | 1 | 0786 - 0786 | Optional module: Food choices - (F) |
| FDC_1A | 1 | 0787 - 0787 | Chooses or avoids foods - concerned about body weight |
| FDC_1B | 1 | 0788 - 0788 | Chooses or avoids foods - concerned about heart disease |
| FDC_1C | 1 | 0789 - 0789 | Chooses or avoids foods - concerned about cancer |
| FDC_1D | 1 | 0790 - 0790 | Chooses or avoids foods - concerned about osteoporosis |
| FDC_2A | 1 | 0791 - 0791 | Reason to choose foods - lower fat content |
| FDC_2B | 1 | 0792 - 0792 | Reason to choose foods - fibre content |
| FDC_2C | 1 | 0793 - 0793 | Reason to choose foods - calcium content |
| FDC_3A | 1 | 0794 - 0794 | Reason to avoid foods - fat content |
| FDC_3B | 1 | 0795 - 0795 | Reason to avoid foods - type of fat |
| FDC_3C | 1 | 0796 - 0796 | Reason to avoid foods - salt content |
| FDC_3D | 1 | 0797 - 0797 | Reason to avoid foods - cholesterol content |
| FDC_3E | 1 | 0798 - 0798 | Reason to avoid foods - calorie content |
| FDCFCAH | 1 | 0799 - 0799 | Chooses/avoids foods b/c of certain health concerns - (F) |
| FDCFCHO | 1 | 0800 - 0800 | Chooses foods for content reasons - (F) |
| FDCFAVD | 1 | 0801 - 0801 | Avoids foods for content reasons - (F) |
| DSUFOPT | 1 | 0802 - 0802 | Optional module flag: Dietary Supplement - (F) |
| DSU_1A | 1 | 0803 - 0803 | Took vitamin or mineral supplements - past 4 weeks |
| DSU_1B | 1 | 0804 - 0804 | Took supplements - at least once a week |
| DSU_1C | 2 | 0805 - 0806 | Took supplements - number of days - last week |
| DSU_1D | 2 | 0807 - 0808 | Took supplements - number of days - past 4 weeks |
| DSUDCON | 2 | 0809 - 0810 | Freq. of consumption of vitamin/mineral supplements - (F) |
| FVC_1A | 1 | 0811 - 0811 | Drinks fruit juices - reporting unit |
| FVC_1B | 2 | 0812 - 0813 | Drinks fruit juices - number of times per day |
| FVC_1C | 2 | 0814 - 0815 | Drinks fruit juices - number of times per week |
| FVC_1D | 3 | 0816 - 0818 | Drinks fruit juices - number of times per month |
| FVC_1E | 3 | 0819 - 0821 | Drinks fruit juices - number of times per year |
| | | | |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| FVC_2A | 1 | 0822 - 0822 | Eats fruit - reporting unit |
| FVC_2B | 2 | 0823 - 0824 | Eats fruit - number of times per day |
| FVC_2C | 2 | 0825 - 0826 | Eats fruit - number of times per week |
| FVC_2D | 3 | 0827 - 0829 | Eats fruit - number of times per month |
| FVC_2E | 3 | 0830 - 0832 | Eats fruit - number of times per year |
| FVC_3A | 1 | 0833 - 0833 | Eats green salad - reporting unit |
| FVC_3B | 2 | 0834 - 0835 | Eats green salad - number of times per day |
| FVC_3C | 2 | 0836 - 0837 | Eats green salad - number of times per week |
| FVC_3D | 3 | 0838 - 0840 | Eats green salad - number of times per month |
| FVC_3E | 3 | 0841 - 0843 | Eats green salad - number of times per year |
| FVC_4A | 1 | 0844 - 0844 | Eats potatoes - reporting unit |
| FVC_4B | 2 | 0845 - 0846 | Eats potatoes - number of times per day |
| FVC_4C | 2 | 0847 - 0848 | Eats potatoes - number of times per week |
| FVC_4D | 3 | 0849 - 0851 | Eats potatoes - number of times per month |
| FVC_4E | 3 | 0852 - 0854 | Eats potatoes - number of times per year |
| FVC_5A | 1 | 0855 - 0855 | Eats carrots - reporting unit |
| FVC_5B | 2 | 0856 - 0857 | Eats carrots - number of times per day |
| FVC_5C | 2 | 0858 - 0859 | Eats carrots - number of times per week |
| FVC_5D | 3 | 0860 - 0862 | Eats carrots - number of times per month |
| FVC_5E | 3 | 0863 - 0865 | Eats carrots - number of times per year |
| FVC_6A | 1 | 0866 - 0866 | Eats other vegetables - reporting unit |
| FVC_6B | 2 | 0867 - 0868 | Eats other vegetables - number of servings per day |
| FVC_6C | 2 | 0869 - 0870 | Eats other vegetables - number of servings per week |
| FVC_6D | 3 | 0871 - 0873 | Eats other vegetables - number of servings per month |
| FVC_6E | 3 | 0874 - 0876 | Eats other vegetables - number of servings per year |
| FVCDJUI | 5.1 | 0877 - 0881 | Daily consumption - fruit juice - (D) |
| FVCDFRU | 5.1 | 0882 - 0886 | Daily consumption - fruit - (D) |
| FVCDSAL | 5.1 | 0887 - 0891 | Daily consumption - green salad - (D) |
| FVCDPOT | 5.1 | 0892 - 0896 | Daily consumption - potatoes - (D) |
| FVCDCAR | 5.1 | 0897 - 0901 | Daily consumption - carrots - (D) |
| FVCDVEG | 5.1 | 0902 - 0906 | Daily consumption - other vegetables - (D) |
| FVCDTOT | 5.1 | 0907 - 0911 | Daily consumption - total fruits and vegetables - (D) |
| FVCGTOT | 1 | 0912 - 0912 | Daily consumption - total fruits and vegetables - (D, G) |
| PAC_1A | 1 | 0913 - 0913 | Activity / last 3 months - walking |
| PAC_1B | 1 | 0914 - 0914 | Activity / last 3 months - gardening or yard work |
| PAC_1C | 1 | 0915 - 0915 | Activity / last 3 months - swimming |
| | | | |

Page 18

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| PAC_1D | 1 | 0916 - 0916 | Activity / last 3 months - bicycling |
| PAC_1E | 1 | 0917 - 0917 | Activity / last 3 months - popular or social dance |
| PAC_1F | 1 | 0918 - 0918 | Activity / last 3 months - home exercises |
| PAC_1G | 1 | 0919 - 0919 | Activity / last 3 months - ice hockey |
| PAC_1H | 1 | 0920 - 0920 | Activity / last 3 months - ice skating |
| PAC_1I | 1 | 0921 - 0921 | Activity / last 3 months - in-line skating or rollerblading |
| PAC_1J | 1 | 0922 - 0922 | Activity / last 3 months - jogging or running |
| PAC_1K | 1 | 0923 - 0923 | Activity / last 3 months - golfing |
| PAC_1L | 1 | 0924 - 0924 | Activity / last 3 months - exercise class or aerobics |
| PAC_1M | 1 | 0925 - 0925 | Activity / last 3 months - downhill skiing or snowboarding |
| PAC_1N | 1 | 0926 - 0926 | Activity / last 3 months - bowling |
| PAC_1O | 1 | 0927 - 0927 | Activity / last 3 months - baseball or softball |
| PAC_1P | 1 | 0928 - 0928 | Activity / last 3 months - tennis |
| PAC_1Q | 1 | 0929 - 0929 | Activity / last 3 months - weight-training |
| PAC_1R | 1 | 0930 - 0930 | Activity / last 3 months - fishing |
| PAC_1S | 1 | 0931 - 0931 | Activity / last 3 months - volleyball |
| PAC_1T | 1 | 0932 - 0932 | Activity / last 3 months - basketball |
| PAC_1Z | 1 | 0933 - 0933 | Activity / last 3 months - Soccer |
| PAC_1U | 1 | 0934 - 0934 | Activity / last 3 months - Any other |
| PAC_1V | 1 | 0935 - 0935 | Activity / last 3 months - No physical activity |
| PAC_1W | 1 | 0936 - 0936 | Activity / last 3 months - other (#2) |
| PAC_1X | 1 | 0937 - 0937 | Activity / last 3 months - other (#3) |
| PAC_2A | 3 | 0938 - 0940 | Number of times / 3 months - walking for exercise |
| PAC_3A | 1 | 0941 - 0941 | Time spent - walking for exercise |
| PAC_2B | 3 | 0942 - 0944 | Number of times / 3 months - gardening/yard work |
| PAC_3B | 1 | 0945 - 0945 | Time spent - gardening or yard work |
| PAC_2C | 3 | 0946 - 0948 | Number of times / 3 months - swimming |
| PAC_3C | 1 | 0949 - 0949 | Time spent - swimming |
| PAC_2D | 3 | 0950 - 0952 | Number of times / 3 months - bicycling |
| PAC_3D | 1 | 0953 - 0953 | Time spent - bicycling |
| PAC_2E | 3 | 0954 - 0956 | Number of times / 3 months - popular or social dance |
| PAC_3E | 1 | 0957 - 0957 | Time spent - popular or social dance |
| PAC_2F | 3 | 0958 - 0960 | Number of times / 3 months - home exercises |
| PAC_3F | 1 | 0961 - 0961 | Time spent - home exercises |
| PAC_2G | 3 | 0962 - 0964 | Number of times / 3 months - ice hockey |
| PAC_3G | 1 | 0965 - 0965 | Time spent - ice hockey |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| PAC_2H | 3 | 0966 - 0968 | Number of times / 3 months - ice skating |
| PAC_3H | 1 | 0969 - 0969 | Time spent - ice skating |
| PAC_2I | 3 | 0970 - 0972 | Number of times / 3 months- in-line skating or rollerblading |
| PAC_3I | 1 | 0973 - 0973 | Time spent - in-line skating or rollerblading |
| PAC_2J | 3 | 0974 - 0976 | Number of times / 3 months - jogging or running |
| PAC_3J | 1 | 0977 - 0977 | Time spent - jogging or running |
| PAC_2K | 3 | 0978 - 0980 | Number of times / 3 months - golfing |
| PAC_3K | 1 | 0981 - 0981 | Time spent - golfing |
| PAC_2L | 3 | 0982 - 0984 | Number of times / 3 months - exercise class or aerobics |
| PAC_3L | 1 | 0985 - 0985 | Time spent - exercise class or aerobics |
| PAC_2M | 3 | 0986 - 0988 | Number of times / 3 months - downhill skiing or snowboarding |
| PAC_3M | 1 | 0989 - 0989 | Time spent - downhill skiing or snowboarding |
| PAC_2N | 3 | 0990 - 0992 | Number of times / 3 months - bowling |
| PAC_3N | 1 | 0993 - 0993 | Time spent - bowling |
| PAC_2O | 3 | 0994 - 0996 | Number of times / 3 months - baseball or softball |
| PAC_3O | 1 | 0997 - 0997 | Time spent - baseball or softball |
| PAC_2P | 3 | 0998 - 1000 | Number of times / 3 months - tennis |
| PAC_3P | 1 | 1001 - 1001 | Time spent - tennis |
| PAC_2Q | 3 | 1002 - 1004 | Number of times / 3 months - weight-training |
| PAC_3Q | 1 | 1005 - 1005 | Time spent - weight-training |
| PAC_2R | 3 | 1006 - 1008 | Number of times / 3 months - fishing |
| PAC_3R | 1 | 1009 - 1009 | Time spent - fishing |
| PAC_2S | 3 | 1010 - 1012 | Number of times / 3 months - volleyball |
| PAC_3S | 1 | 1013 - 1013 | Time spent - volleyball |
| PAC_2T | 3 | 1014 - 1016 | Number of times / 3 months - basketball |
| PAC_3T | 1 | 1017 - 1017 | Time spent - basketball |
| PAC_2Z | 3 | 1018 - 1020 | Number of times / 3 months - soccer |
| PAC_3Z | 1 | 1021 - 1021 | Time spent - soccer |
| PAC_2U | 3 | 1022 - 1024 | Number of times / 3 months - other activity (#1) |
| PAC_3U | 1 | 1025 - 1025 | Time spent - other activity (#1) |
| PAC_2W | 3 | 1026 - 1028 | Number of times / 3 months - other activity (#2) |
| PAC_3W | 1 | 1029 - 1029 | Time spent - other activity (#2) |
| PAC_2X | 3 | 1030 - 1032 | Number of times - other activity (#3) |
| PAC_3X | 1 | 1033 - 1033 | Time spent - other activity (#3) |
| PAC_7 | 1 | 1034 - 1034 | Walked to work or school / last 3 months |
| PAC_7A | 3 | 1035 - 1037 | Number of times / 3 months - walking to go work or school |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| PAC_7B | 1 | 1038 - 1038 | Time spent - walking to go work or school |
| PAC_8 | 1 | 1039 - 1039 | Bicycled to work or school / last 3 months |
| PAC_8A | 3 | 1040 - 1042 | Number of times / 3 months - bicycling to go work or school |
| PAC_8B | 1 | 1043 - 1043 | Time spent - bicycling to go work or school |
| PACDEE | 4.1 | 1044 - 1047 | Daily energy expenditure - Leisure physical activities - (D) |
| PACDFM | 3 | 1048 - 1050 | Month. freq Leisure phys. activity lasting >15 min (D) |
| PACFLEI | 1 | 1051 - 1051 | Participant in leisure physical activity - (F) |
| PACDFR | 1 | 1052 - 1052 | Frequency of all leisure physical activity > 15 min (D) |
| PACFD | 1 | 1053 - 1053 | Participant in daily leisure phys. activity > 15 min (F) |
| PACDPAI | 1 | 1054 - 1054 | Leisure physical activity index - (D) |
| PACDTLE | 4.1 | 1055 - 1058 | Daily ener. expend Transport. and leisure phy. act (D) |
| PACDLTI | 1 | 1059 - 1059 | Leisure and transportation physical activity index - (D) |
| PACFLTI | 1 | 1060 - 1060 | Participant in leisure or transportation phys. activ (F) |
| SACFTH | 1 | 1061 - 1061 | Theme module: Sedentary activities - (F) |
| SAC_1 | 2 | 1062 - 1063 | Number of hours - on a computer - past 3 mo |
| SAC_2 | 2 | 1064 - 1065 | Number of hours - playing video games - past 3 mo |
| SAC_3 | 2 | 1066 - 1067 | Number of hours - watching television or videos - past 3 mo |
| SAC_4 | 2 | 1068 - 1069 | Number of hours - reading - past 3 mo |
| SACDTOT | 2 | 1070 - 1071 | Total number hours - sedentary activities - past 3 mo - (D) |
| SACDTER | 2 | 1072 - 1073 | Total no. hrs / week (excl. reading) - sedentary act (D) |
| UPEFOPT | 1 | 1074 - 1074 | Optional module: Use of protective equipment - (F) |
| UPE_01 | 1 | 1075 - 1075 | Frequency - wears helmet - bicycling |
| UPE_02A | 1 | 1076 - 1076 | Frequency - wears helmet - in-line skating |
| UPE_02B | 1 | 1077 - 1077 | Frequency - wears wrist guards - in-line skating |
| UPE_02C | 1 | 1078 - 1078 | Frequency - wears elbow pads - in-line skating |
| UPE_03A | 1 | 1079 - 1079 | Downhill skiing or snowboarding - past 3 mo. |
| UPE_03B | 1 | 1080 - 1080 | Downhill skiing or snowboarding - past 12 mo |
| UPE_04A | 1 | 1081 - 1081 | Frequency - wears helmet - downhill skiing |
| UPE_05A | 1 | 1082 - 1082 | Frequency - wears helmet - snowboarding |
| UPE_05B | 1 | 1083 - 1083 | Frequency - wears wrist guards - snowboarding |
| UPE_06 | 1 | 1084 - 1084 | Has done skateboarding - past 12 mo |
| UPE_06A | 1 | 1085 - 1085 | Frequency - wears helmet - skateboarding |
| UPE_06B | 1 | 1086 - 1086 | Frequency - wears wrist guards/protectors - skateboarding |
| UPE_06C | 1 | 1087 - 1087 | Frequency - wears elbow pads - skateboarding |
| UPEFILS | 1 | 1088 - 1088 | Wears all protective equipment - in-line skating - (F) |
| UPEFSNB | 1 | 1089 - 1089 | Wears all protective equipment - snowboarding - (F) |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| UPEFSKB | 1 | 1090 - 1090 | Wears all protective equipment - skateboarding - (F) |
| SSBFOPT | 1 | 1091 - 1091 | Optional module: Sun safety behaviours - (F) |
| SSB_01 | 1 | 1092 - 1092 | Been surnburnt - past 12 months |
| SSB_02 | 1 | 1093 - 1093 | Sunburn involved blistering |
| SSB_03 | 1 | 1094 - 1094 | Sunburns involved pain - lasting more than 1 day |
| SSB_06 | 2 | 1095 - 1096 | Amount of time in the sun - 11 am to 4 pm |
| SSB_07 | 1 | 1097 - 1097 | Frequency - seek shade |
| SSB_08 | 1 | 1098 - 1098 | Frequency - wear hat in the sun |
| SSB_09A | 1 | 1099 - 1099 | Frequency - wear long pants or skirt in the sun |
| SSB_09B | 1 | 1100 - 1100 | Frequency - use sunscreen on your face |
| SSB_10 | 1 | 1101 - 1101 | Sun Proctection factor (SPF) usually use - face |
| SSB_11 | 1 | 1102 - 1102 | Frequency - use sunscreen on your body |
| SSB_12 | 1 | 1103 - 1103 | Sun Proctection factor (SPF) usually use on body |
| SSB_13 | 1 | 1104 - 1104 | Skin cancer |
| SSB_14 | 1 | 1105 - 1105 | Skin cancer - diagnostic |
| SSB_15 | 1 | 1106 - 1106 | Skin cancer - type of cancer |
| INJFOPT | 1 | 1107 - 1107 | Optional module: Injuries - (F) |
| REP_1 | 1 | 1108 - 1108 | Repetitive strain injury |
| REP_3 | 2 | 1109 - 1110 | Repetitive strain - body part affected |
| REP_4A | 1 | 1111 - 1111 | Repetitive strain - sports or physical exercise |
| REP_4B | 1 | 1112 - 1112 | Repetitive strain - leisure or hobby |
| REP_4C | 1 | 1113 - 1113 | Repetitive strain - working at a job or business |
| REP_4G | 1 | 1114 - 1114 | Repetitive strain - travel to or from work |
| REP_4D | 1 | 1115 - 1115 | Repetitive strain - chores, unpaid work, education |
| REP_4E | 1 | 1116 - 1116 | Repetitive strain - sleeping, eating, personal care |
| REP_4F | 1 | 1117 - 1117 | Repetitive strain - other |
| INJ_01 | 1 | 1118 - 1118 | Injured in past 12 months |
| INJ_02 | 2 | 1119 - 1120 | Number of injuries in past 12 months |
| INJ_03 | 2 | 1121 - 1122 | Most serious injury - month of occurrence |
| INJ_04 | 1 | 1123 - 1123 | Most serious injury - year of occurrence |
| INJ_05 | 2 | 1124 - 1125 | Most serious injury - type |
| INJ_06 | 2 | 1126 - 1127 | Most serious injury - body part affected |
| INJ_07 | 1 | 1128 - 1128 | Internal organs - body part affected |
| INJ_08 | 2 | 1129 - 1130 | Most serious injury - place of occurrence |
| INJ_09 | 2 | 1131 - 1132 | Most serious injury - activity when injured |
| INJ_10 | 1 | 1133 - 1133 | Most serious injury - result of a fall |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| INJ_11 | 2 | 1134 - 1135 | Most serious injury - how fell |
| INJ_12 | 2 | 1136 - 1137 | Most serious injury - cause |
| INJ_13 | 1 | 1138 - 1138 | Most serious injury - received treatment within 48 hours |
| INJ_14A | 1 | 1139 - 1139 | Most serious injury - treated in doctor's office |
| INJ_14B | 1 | 1140 - 1140 | Most serious injury - treated in hospital emergency room |
| INJ_14C | 1 | 1141 - 1141 | Most serious injury - treated in outpatient clinic |
| INJ_14D | 1 | 1142 - 1142 | Most serious injury - treated in walk-in clinic |
| INJ_14E | 1 | 1143 - 1143 | Most serious injury - treated in appointment clinic |
| INJ_14F | 1 | 1144 - 1144 | Most serious injury - treated in community h. centre / CLSC |
| INJ_14G | 1 | 1145 - 1145 | Most serious injury - treated at work |
| INJ_14H | 1 | 1146 - 1146 | Most serious injury - treated at school |
| INJ_14I | 1 | 1147 - 1147 | Most serious injury - treated at home |
| INJ_14J | 1 | 1148 - 1148 | Most serious injury - treated by telephone consultation |
| INJ_14K | 1 | 1149 - 1149 | Most serious injury - treated in other place |
| INJ_15 | 1 | 1150 - 1150 | Most serious injury - admitted to hospital |
| INJ_16 | 1 | 1151 - 1151 | Other injuries - treated but did not limit normal activities |
| INJ_17 | 2 | 1152 - 1153 | Other injuries - number |
| INJDTBS | 4 | 1154 - 1157 | Type of injury by body site - (D) |
| INJDCAU | 2 | 1158 - 1159 | Cause of injury - (D) |
| INJDCBP | 4 | 1160 - 1163 | Cause of injury by place of occurrence - (D) |
| INJDSTT | 1 | 1164 - 1164 | Injury Status - (D) |
| SWLFOPT | 1 | 1165 - 1165 | Optional module: Satisfaction with life - (F) |
| SWL_02 | 1 | 1166 - 1166 | Satisfaction - job |
| SWL_03 | 1 | 1167 - 1167 | Satisfaction - leisure activities |
| SWL_04 | 1 | 1168 - 1168 | Satisfaction - financial situation |
| SWL_05 | 1 | 1169 - 1169 | Satisfaction - with self |
| SWL_06 | 1 | 1170 - 1170 | Satisfaction - way body looks |
| SWL_07 | 1 | 1171 - 1171 | Satisfaction - relationships with other family members |
| SWL_08 | 1 | 1172 - 1172 | Satisfaction - relationships with friends |
| SWL_09 | 1 | 1173 - 1173 | Satisfaction - housing |
| SWL_10 | 1 | 1174 - 1174 | Satisfaction - neighbourhood |
| STSFOPT | 1 | 1175 - 1175 | Optional module: Stress - sources - (F) |
| STS_1 | 1 | 1176 - 1176 | Self-perceived ability to handle unexpected problem |
| STS_2 | 1 | 1177 - 1177 | Self-perceived ability to handle day-to-day demands |
| STS_3 | 2 | 1178 - 1179 | Most important source of feelings of stress |
| STCFOPT | 1 | 1180 - 1180 | Optional module: Stress – Coping with stress - (F) |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| STC_61 | 1 | 1181 - 1181 | Frequency - coping - problem solving |
| STC_62 | 1 | 1182 - 1182 | Frequency - coping - talking to others |
| STC_63 | 1 | 1183 - 1183 | Frequency - coping - avoiding being with people |
| STC_64 | 1 | 1184 - 1184 | Frequency - coping - sleeping more than usual |
| STC_65A | 1 | 1185 - 1185 | Frequency - coping - eating more or less than usual |
| STC_65B | 1 | 1186 - 1186 | Frequency - coping - smoking more cigarettes than usual |
| STC_65C | 1 | 1187 - 1187 | Frequency - coping - drinking alcohol |
| STC_65D | 1 | 1188 - 1188 | Frequency - coping - using drugs or medication |
| STC_66 | 1 | 1189 - 1189 | Frequency - coping - jogging or other exercise |
| STC_67 | 1 | 1190 - 1190 | Frequency - coping - praying or seeking spiritual help |
| STC_68 | 1 | 1191 - 1191 | Frequency - coping - doing something enjoyable |
| STC_69 | 1 | 1192 - 1192 | Frequency - coping - looking on the bright side of things |
| STC_610 | 1 | 1193 - 1193 | Frequency - coping - blaming oneself |
| STC_611 | 1 | 1194 - 1194 | Frequency - coping - wishing situation would go away |
| RLEFOPT | 1 | 1195 - 1195 | Optional module: Stress - Recent life events - (F) |
| RLE_201 | 1 | 1196 - 1196 | Beaten up, physically attacked / past 12 months |
| RLE_202 | 1 | 1197 - 1197 | Unwanted pregnancy / past 12 months |
| RLE_203 | 1 | 1198 - 1198 | Abortion, miscarriage / past 12 months |
| RLE_204 | 1 | 1199 - 1199 | Financial crisis / past 12 months |
| RLE_205 | 1 | 1200 - 1200 | Fail school, training program / past 12 months |
| RLE_206 | 1 | 1201 - 1201 | Change of job - job worse than preceding / past 12 months |
| RLE_207 | 1 | 1202 - 1202 | Demotion at work, cut in pay / past 12 months |
| RLE_208 | 1 | 1203 - 1203 | Arguments with partner / past 12 months |
| RLE_209 | 1 | 1204 - 1204 | Gone on welfare / past 12 months |
| RLE_210 | 1 | 1205 - 1205 | Has children |
| RLE_211 | 1 | 1206 - 1206 | Child move back house / past 12 months |
| CSTFOPT | 1 | 1207 - 1207 | Optional mod.: Stress - Childhood and adult stressors - (F) |
| CST_1 | 1 | 1208 - 1208 | Spent 2 weeks or more in the hospital |
| CST_2 | 1 | 1209 - 1209 | Parents divorced |
| CST_3 | 1 | 1210 - 1210 | Parents unemployed for a long time |
| CST_4 | 1 | 1211 - 1211 | Something happened that scared you |
| CST_5 | 1 | 1212 - 1212 | Sent away from home for doing something wrong |
| CST_6 | 1 | 1213 - 1213 | Family problems due to parents abusing alcohol or drugs |
| CST_7 | 1 | 1214 - 1214 | Physically abused by someone close to you |
| WSTFOPT | 1 | 1215 - 1215 | Optional module: Stress - Work stress - (F) |
| WST_401 | 1 | 1216 - 1216 | Work stress - must learn new things |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| WST_402 | 1 | 1217 - 1217 | Work stress - high level of skill |
| WST_403 | 1 | 1218 - 1218 | Work stress - freedom to decide |
| WST_404 | 1 | 1219 - 1219 | Work stress - repetitive tasks |
| WST_405 | 1 | 1220 - 1220 | Work stress - job hectic |
| WST_406 | 1 | 1221 - 1221 | Work stress - free from conflicting demands |
| WST_407 | 1 | 1222 - 1222 | Work stress - good job security |
| WST_408 | 1 | 1223 - 1223 | Work stress - required a lot of physical effort |
| WST_409 | 1 | 1224 - 1224 | Work stress - had own job input |
| WST_410 | 1 | 1225 - 1225 | Work stress - hostility or conflict from others |
| WST_411 | 1 | 1226 - 1226 | Work stress - supervisor helpful |
| WST_412 | 1 | 1227 - 1227 | Work stress - co-workers helpful |
| WST_12A | 1 | 1228 - 1228 | Work stress - had materials/equpiment needed |
| WST_413 | 1 | 1229 - 1229 | Work stress - job satisfaction |
| WSTDSKI | 2 | 1230 - 1231 | Work stress - decision latitude / discretion - (D) |
| WSTDAUT | 2 | 1232 - 1233 | Work stress - decision latitude / authority - (D) |
| WSTDPSY | 2 | 1234 - 1235 | Work stress - psychological demands - (D) |
| WSTDJIN | 1 | 1236 - 1236 | Work stress - job insecurity - (D) |
| WSTDPHY | 1 | 1237 - 1237 | Work stress - physical exertion - (D) |
| WSTDSOC | 2 | 1238 - 1239 | Work stress - social support - (D) |
| WSTDJST | 4.2 | 1240 - 1243 | Work stress - job strain - (D) |
| SFEFOPT | 1 | 1244 - 1244 | Optional module: Self-esteem - (F) |
| SFE_501 | 1 | 1245 - 1245 | Self-esteem - has good qualities |
| SFE_502 | 1 | 1246 - 1246 | Self-esteem - is person of worth |
| SFE_503 | 1 | 1247 - 1247 | Self-esteem - is able to do things well |
| SFE_504 | 1 | 1248 - 1248 | Self-esteem - takes positive attitude towards self |
| SFE_505 | 1 | 1249 - 1249 | Self-esteem - satisfied with self |
| SFE_506 | 1 | 1250 - 1250 | Self-esteem - feels is a failure |
| SFEDE1 | 2 | 1251 - 1252 | Self-esteem scale - (D) |
| MASFOPT | 1 | 1253 - 1253 | Optional module flag: Mastery - (F) |
| MAS_601 | 1 | 1254 - 1254 | Mastery - lack of control |
| MAS_602 | 1 | 1255 - 1255 | Mastery - cannot solve problems |
| MAS_603 | 1 | 1256 - 1256 | Mastery - cannot change things |
| MAS_604 | 1 | 1257 - 1257 | Mastery - helpless |
| MAS_605 | 1 | 1258 - 1258 | Mastery - pushed around |
| MAS_606 | 1 | 1259 - 1259 | Mastery - fate depends upon self |
| MAS_607 | 1 | 1260 - 1260 | Mastery - can do anything |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| MASDM1 | 2 | 1261 - 1262 | Mastery scale - (D) |
| SMK_01A | 1 | 1263 - 1263 | Smoked 100 or more cigarettes - life |
| SMK_01B | 1 | 1264 - 1264 | Ever smoked whole cigarette |
| SMK_01C | 3 | 1265 - 1267 | Age - smoked first whole cigarette |
| SMK_202 | 1 | 1268 - 1268 | Type of smoker |
| SMK_203 | 3 | 1269 - 1271 | Age - started smoking daily (daily smoker) |
| SMK_204 | 3 | 1272 - 1274 | Number of cigarettes smoked per day (daily smoker) |
| SMK_05B | 3 | 1275 - 1277 | Number of cigarettes smoked per day (occasional smoker) |
| SMK_05C | 2 | 1278 - 1279 | Number of days - smoked 1 cigarette or more (occ. smoker) |
| SMK_05D | 1 | 1280 - 1280 | Ever smoked cigarettes daily |
| SMK_06A | 1 | 1281 - 1281 | Stopped smoking - when (was never a daily smoker) |
| SMK_06B | 2 | 1282 - 1283 | Stopped smoking - month (never daily smoker) |
| SMK_06C | 3 | 1284 - 1286 | Number of years since stopped smoking |
| SMK_207 | 3 | 1287 - 1289 | Age - started smoking daily (former daily smoker) |
| SMK_208 | 3 | 1290 - 1292 | Number of cigarettes smoked per day (former daily smoker) |
| SMK_09A | 1 | 1293 - 1293 | Stopped smoking daily - when stopped (former daily smoker) |
| SMK_09B | 2 | 1294 - 1295 | Stopped smoking daily - month (former daily smoker) |
| SMK_09C | 3 | 1296 - 1298 | No. of yrs since stopped smoking daily (former daily smoker) |
| SMK_10 | 1 | 1299 - 1299 | Quit smoking completely (former daily smoker) |
| SMK_10A | 1 | 1300 - 1300 | Stopped smoking completely - when (former daily smoker) |
| SMK_10B | 2 | 1301 - 1302 | Stopped smoking completely - month (former daily smoker) |
| SMK_10C | 3 | 1303 - 1305 | Number of years since stopped smoking (daily) |
| SMKDSTY | 2 | 1306 - 1307 | Type of smoker - (D) |
| SMKDSTP | 3 | 1308 - 1310 | Number of years since stopped smoking completely - (D) |
| SMKDYCS | 3 | 1311 - 1313 | Number of years smoked (current daily smokers) - (D) |
| SCHFOPT | 1 | 1314 - 1314 | Optional module: Smoking - stages of change - (F) |
| SCH_1 | 1 | 1315 - 1315 | Quitting smoking - next 6 months |
| SCH_2 | 1 | 1316 - 1316 | Quitting smoking - next 30 days |
| SCH_3 | 1 | 1317 - 1317 | Stopped smoking for at least 24 hours - 12 mo |
| SCH_4 | 2 | 1318 - 1319 | Number of times stopped for at least 24 hours - 12 mo |
| SCHDSTG | 1 | 1320 - 1320 | Smoking stages of change - (D) |
| NDEFOPT | 1 | 1321 - 1321 | Optional module: Smoking - Nicotine dependence - (F) |
| NDE_1 | 1 | 1322 - 1322 | How long after waking smokes first cigarette |
| NDE_2 | 1 | 1323 - 1323 | Difficult to not smoke where forbidden |
| NDE_3 | 1 | 1324 - 1324 | Cigarette most hates to give up |
| NDE_4 | 1 | 1325 - 1325 | Smokes more frequently after waking |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| NDE_5 | 1 | 1326 - 1326 | Smokes even if sick |
| NDEDFTT | 1 | 1327 - 1327 | Fagerström Tolerance Test - (D) |
| SCAFOPT | 1 | 1328 - 1328 | Optional module: Smoking cessation methods - (F) |
| SCA_10 | 1 | 1329 - 1329 | Has used nicotine patch |
| SCA_10A | 1 | 1330 - 1330 | Usefulness of nicotine patch |
| SCA_11 | 1 | 1331 - 1331 | Has used nicotine gum or candy |
| SCA_11A | 1 | 1332 - 1332 | Usefulness of nicotine gum or candy |
| SCA_12 | 1 | 1333 - 1333 | Has used medication such as Zyban |
| SCA_12A | 1 | 1334 - 1334 | Usefulness of medication such as Zyban |
| SCA_50 | 1 | 1335 - 1335 | Stopped smoking for at least 24 hours |
| SCA_60 | 1 | 1336 - 1336 | Tried to quit smoking - nicotine patch |
| SCA_61 | 1 | 1337 - 1337 | Tried to quit smoking - nicotine gum or candy - past 12 mo |
| SCA_62 | 1 | 1338 - 1338 | Tried to quit smoking - medication such as Zyban |
| SCADQUI | 1 | 1339 - 1339 | Attempted to stop smoking - (D) |
| SPCFOPT | 1 | 1340 - 1340 | Optional module: Smoking - physician counselling - (F) |
| SPC_10 | 1 | 1341 - 1341 | Visited regular medical doctor |
| SPC_11 | 1 | 1342 - 1342 | Doctor - knows smokes/smoked |
| SPC_12 | 1 | 1343 - 1343 | Doctor - advised to quit |
| SPC_13 | 1 | 1344 - 1344 | Doctor - gave specific help |
| SPC_14A | 1 | 1345 - 1345 | Type of help - referral to one-on-one program |
| SPC_14B | 1 | 1346 - 1346 | Type of help - referral to group program |
| SPC_14C | 1 | 1347 - 1347 | Type of help - recommended nicotine patch or gum |
| SPC_14D | 1 | 1348 - 1348 | Type of help - recommended Zyban or other medication |
| SPC_14E | 1 | 1349 - 1349 | Type of help - provided self-help information |
| SPC_14F | 1 | 1350 - 1350 | Type of help - doctor offered counselling |
| SPC_14G | 1 | 1351 - 1351 | Type of help - other |
| SPC_20 | 1 | 1352 - 1352 | Visited dentist |
| SPC_21 | 1 | 1353 - 1353 | Dentist/hygienist - knows smokes/smoked |
| SPC_22 | 1 | 1354 - 1354 | Dentist/hygienist - advised to quit |
| YSMFOPT | 1 | 1355 - 1355 | Optional module: Smoking - Youth smoking - (F) |
| YSM_1 | 2 | 1356 - 1357 | Source of cigarettes |
| YSM_2 | 1 | 1358 - 1358 | Bought cigarettes for self or others |
| YSM_3 | 1 | 1359 - 1359 | Age asked when buying cigarettes in store |
| YSM_4 | 1 | 1360 - 1360 | Someone refused to sell cigarettes |
| YSM_5 | 1 | 1361 - 1361 | Asked a stranger to buy cigarettes |
| ETS_10 | 1 | 1362 - 1362 | Someone smokes inside home |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| ETS_11 | 2 | 1363 - 1364 | Number of people who smoke inside home |
| ETS_20 | 1 | 1365 - 1365 | Exposed to second-hand smoke in private vehicle |
| ETS_20B | 1 | 1366 - 1366 | Exposed to second-hand smoke in public places |
| ETS_5 | 1 | 1367 - 1367 | Restrictions against smoking cigarettes in home |
| ETS_6A | 1 | 1368 - 1368 | Smoking restrictions - not permitted in home |
| ETS_6B | 1 | 1369 - 1369 | Smoking restrictions - permitted in certain rooms only |
| ETS_6C | 1 | 1370 - 1370 | Smoking restrictions - not in presence of young children |
| ETS_6D | 1 | 1371 - 1371 | Smoking restrictions - other |
| TALFOPT | 1 | 1372 - 1372 | Optional module: Smoking - Other tobacco products - (F) |
| TAL_1 | 1 | 1373 - 1373 | Smoked cigars - last month |
| TAL_2 | 1 | 1374 - 1374 | Smoked a pipe - last month |
| TAL_3 | 1 | 1375 - 1375 | Used snuff - last month |
| TAL_4 | 1 | 1376 - 1376 | Used chewing tobacco - last month |
| ALC_1 | 1 | 1377 - 1377 | Drank alcohol in past 12 months |
| ALC_2 | 2 | 1378 - 1379 | Frequency of drinking alcohol |
| ALC_3 | 2 | 1380 - 1381 | Frequency of having 5 or more drinks |
| ALCDTTM | 1 | 1382 - 1382 | Type of drinker (12 months) - (D) |
| ALWFOPT | 1 | 1383 - 1383 | Optional module: Alcohol use during the past week - (F) |
| ALW_1 | 1 | 1384 - 1384 | Drank alcohol in past week |
| ALW_2A1 | 3 | 1385 - 1387 | Number of drinks - Sunday |
| ALW_2A2 | 3 | 1388 - 1390 | Number of drinks - Monday |
| ALW_2A3 | 3 | 1391 - 1393 | Number of drinks - Tuesday |
| ALW_2A4 | 3 | 1394 - 1396 | Number of drinks - Wednesday |
| ALW_2A5 | 3 | 1397 - 1399 | Number of drinks - Thursday |
| ALW_2A6 | 3 | 1400 - 1402 | Number of drinks - Friday |
| ALW_2A7 | 3 | 1403 - 1405 | Number of drinks - Saturday |
| ALWDDLY | 3 | 1406 - 1408 | Average daily alcohol consumption - (D) |
| ALWDWKY | 3 | 1409 - 1411 | Weekly consumption - (D) |
| ALNFOPT | 1 | 1412 - 1412 | Optional module: Alcohol use – Former drinkers - (F) |
| ALN_1 | 1 | 1413 - 1413 | Ever had a drink |
| ALN_2 | 1 | 1414 - 1414 | Regularly drank more than 12 drinks a week |
| ALN_3A | 1 | 1415 - 1415 | Reason reduced drinking - dieting |
| ALN_3B | 1 | 1416 - 1416 | Reason reduced drinking - athletic training |
| ALN_3C | 1 | 1417 - 1417 | Reason reduced drinking - pregnancy |
| ALN_3D | 1 | 1418 - 1418 | Reason reduced drinking - getting older |
| ALN_3E | 1 | 1419 - 1419 | Reason reduced drinking - drinking too much |
| | | | |

| ALN_3G 1 1421 - 1421 Reason reduced drinking - interfered with life ALN_3H 1 1422 - 1422 Reason reduced drinking - affected social relationships ALN_3I 1 1425 - 1423 Reason reduced drinking - affected social relationships ALN_3L 1 1426 - 1425 Reason reduced drinking - affected hoppiness ALN_3L 1 1426 - 1426 Reason reduced drinking - affected hoppiness ALN_3L 1 1426 - 1427 Reason reduced drinking - affected happiness ALN_3M 1 1426 - 1428 Reason reduced drinking - other ALN_3M 1 1428 - 1428 Reason reduced drinking - other ALN_SIM 1 1428 - 1428 Reason reduced drinking - other ALN_SIM 1 1432 - 1431 Drove a motor vehicle DRV_OFDT 1 1433 - 1433 Drove a motor vehicle DRV_01B 1 1435 - 1433 Frequency - used seat belt when driving DRV_02 1 1436 - 1436 Frequency - used seat belt when driving DRV_03 1 1437 - 1437 Driving aggression compared | Variable | Length | Position | Concept |
|--|----------|--------|-------------|--|
| ALN_3H 1 1422 - 1422 Reason reduced drinking - affected physical health ALN_3I 1 1423 - 1423 Reason reduced drinking - affected happiness ALN_3J 1 1425 - 1425 Reason reduced drinking - affected happiness ALN_3K 1 1426 - 1426 Reason reduced drinking - affected happiness ALN_3L 1 1426 - 1426 Reason reduced drinking - affected happiness ALN_3M 1 1426 - 1428 Reason reduced drinking - affected happiness ALN_3M 1 1426 - 1428 Reason reduced drinking - other ALN_3M 1 1426 - 1428 Reason reduced drinking - other ALN_3M 1 1427 - 1429 Type of drinker (lifetime) - (D) DRV-FOPT 1 1430 - 1430 Optional module: Driving and safety - (F) DRV_01A 1 1433 - 1433 Frequency - used seat belt when driving DRV_02 1 1433 - 1433 Frequency - used seat belt when driving DRV_03 1 1438 - 1436 Driving aggression compared to others DRV_04 1 1437 - 1437 Driving agg | ALN_3F | 1 | 1420 - 1420 | Reason reduced drinking - affected work / studies |
| ALL_3I11423 - 1423Reason reduced drinking - affected social relationshipsALN_3J11424 - 1424Reason reduced drinking - affected financial positionALN_3K11425 - 1425Reason reduced drinking - affected happinessALN_3L11426 - 1426Reason reduced drinking - influence of family / friendsALN_3N11427 - 1427Reason reduced drinking - influence of family / friendsALN_3M11427 - 1427Reason reduced drinking - otherALNDTYP11428 - 1428Reason reduced drinking - otherALNDTYP11428 - 1428Type of drinker (lifetime) - (D)DRV_OTH11430 - 1430Optional module: Driving and safety - (F)DRV_0TH11431 - 1431Drove a motor vehicleDRV_0TH11432 - 1432Drove a motor vehicleDRV_0TH11433 - 1433Frequency - used seat belt when drivingDRV_0211433 - 1435Frequency - used seat belt when drivingDRV_0311434 - 1434Frequency - used seat belt when drivingDRV_0411435 - 1435Frequency - used seat belt when drivingDRV_0511438 - 1438Drove a motor vehicle after 2 or more drinksDRV_0611437 - 1437Driving aggression compared to othersDRV_07711438 - 1438Drove a motor vehicle after 2 + drinksDRV_0811441 - 1441Frequency - uses seat belt - font seat passengerDRV_09011442 - 1442Frequency - uses s | ALN_3G | 1 | 1421 - 1421 | Reason reduced drinking - interfered with life |
| ALN_3J11424 - 1424Reason reduced drinking - affected financial positionALN_3K11425 - 1425Reason reduced drinking - affected happinessALN_3L11426 - 1426Reason reduced drinking - influence of family / friendsALN_3M11427 - 1427Reason reduced drinking - influence of family / friendsALN_3M11428 - 1428Reason reduced drinking - otherALN_3M11429 - 1429Type of drinker (lifetime) - (D)DRV-DPT11430 - 1430Optional module: Driving and safety - (F)DRV_01A11431 - 1431Drove a motor vehicleDRV_01B11432 - 1432Drove a motorcycleDRV_0211433 - 1433Frequency - used cell phone when drivingDRV_0311434 - 1434Frequency - used cell phone when drivingDRV_0411435 - 1435Frequency - used cell phone when drivingDRV_0511436 - 1436Driving aggression compared to othersDRV_06111437 - 1437Driving aggression compared to othersDRV_07A21443 - 1442Frequency - uses seat belt - front seat passengerDRV_08A11441 - 1441Frequency - uses seat belt - hackDRV_08B11442 - 1442Frequency - uses seat belt - hackDRV_10A21444 - 1444Passenger/driver had 2+ drinksDRV_10A11444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger is nowmobile, motor boat or seadoo | ALN_3H | 1 | 1422 - 1422 | Reason reduced drinking - affected physical health |
| ALN_3K11425 - 1425Reason reduced drinking - affected happinessALN_3L11426 - 1426Reason reduced drinking - influence of family / friendsALN_3M11427 - 1427Reason reduced drinking - influence of family / friendsALN_3M11428 - 1428Reason reduced drinking - otherALNOTYP11429 - 1429Type of drinker (lifetime) - (D)DRV-OPT11430 - 1430Optional module: Driving and safety - (F)DRV_01A11431 - 1431Drove a motor vehicleDRV_01B11432 - 1432Drove a motor vehicleDRV_0211433 - 1433Frequency - used seat belt when drivingDRV_0311434 - 1434Frequency - used seat belt when drivingDRV_0411435 - 1435Frequency - used seat belt when drivingDRV_0511436 - 1436Driving speed compared to othersDRV_0611437 - 1437Driving aggression compared to othersDRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11442 - 1442Frequency - uses seat belt - front seat passengerDRV_08B11444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - anvomobile, motor boat or seadooDRV_11A11446 - 1452No. of times - passenger/driver had 2+ drinksDRV_11A11445 - 1445No. of times - passenger/driv | ALN_3I | 1 | 1423 - 1423 | Reason reduced drinking - affected social relationships |
| ALN_3L 1 1426 - 1426 Reason reduced drinking - influence of family / friends ALN_3N 1 1427 - 1427 Reason reduced drinking - life change ALN_3M 1 1428 - 1428 Reason reduced drinking - life change ALN_3M 1 1428 - 1428 Reason reduced drinking - other ALN_DTYP 1 1429 - 1429 Type of drinker (lifetime) - (D) DRV_FOPT 1 1430 - 1430 Optional module: Driving and safety - (F) DRV_01A 1 1431 - 1431 Drove a motor vehicle DRV_01B 1 1432 - 1432 Drove a motorcycle DRV_02 1 1433 - 1433 Frequency - used seat belt when driving DRV_03 1 1434 - 1434 Frequency - used seat belt when driving DRV_04 1 1435 - 1435 Frequency - used call phone when driving DRV_05 1 1436 - 1436 Driving aggression compared to others DRV_06 1 1437 - 1437 Driving aggression compared to others DRV_07A 2 1439 - 1440 Number of times - drove after 2 + drinks DRV_08B 1 1442 - 1442 Frequency - uses seat b | ALN_3J | 1 | 1424 - 1424 | Reason reduced drinking - affected financial position |
| ALN_3N 1 1427 - 1427 Reason reduced drinking - life change ALN_3M 1 1428 - 1428 Reason reduced drinking - other ALN_TYP 1 1429 - 1429 Type of drinker (lifetime) - (D) DRVFOPT 1 1430 - 1430 Optional module: Driving and safety - (F) DRV_01A 1 1431 - 1431 Drove a motor vehicle DRV_01B 1 1432 - 1432 Drove a motor vehicle DRV_02 1 1433 - 1433 Frequency - used seat belt when driving DRV_03 1 1434 - 1434 Frequency - used seat belt when driving DRV_04 1 1435 - 1435 Frequency - used seat belt when driving DRV_05 1 1436 - 1436 Driving aggression compared to others DRV_06 1 1437 - 1437 Driving aggression compared to others DRV_07 1 1438 - 1438 Drove a motor vehicle after 2 or more drinks DRV_07A 2 1439 - 1440 Number of times - drove after 2 + drinks DRV_08B 1 1441 - 1441 Frequency - uses seat belt - front seat passenger < | ALN_3K | 1 | 1425 - 1425 | Reason reduced drinking - affected happiness |
| ALN_3M11428 - 1428Reason reduced drinking - otherALNDTYP11429 - 1429Type of drinker (lifetime) - (D)DRV_FOPT11430 - 1430Optional module: Driving and safety - (F)DRV_01A11431 - 1431Drove a motor vehicleDRV_01B11432 - 1432Drove a motor vehicleDRV_0211433 - 1433Frequency - used seat belt when drivingDRV_0311434 - 1434Frequency - used seat belt when drivingDRV_0411435 - 1435Frequency - used cell phone when drivingDRV_0511436 - 1436Driving speed compared to othersDRV_0611437 - 1437Driving speed compared to othersDRV_07A21438 - 1438Drove a motor vehicle after 2 or more drinksDRV_07A11443 - 1444Frequency - uses seat belt - front seat passengerDRV_07A21438 - 1442Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_0911443 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11B11448 - 1448Driver or passenger - snownobile, motor boat or seadooDRV_11B11448 - 1445Driver or passenger - ATVDRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks - ATV, snownobileDRV_13A11450 - 1450Passenger widriver had 2+ drinks - ATV, | ALN_3L | 1 | 1426 - 1426 | Reason reduced drinking - influence of family / friends |
| ALNDTYP 1 1429 - 1429 Type of drinker (lifetime) - (D) DRVFOPT 1 1430 - 1430 Optional module: Driving and safety - (F) DRV_01A 1 1431 - 1431 Drove a motor vehicle DRV_01B 1 1432 - 1432 Drove a motorcycle DRV_02 1 1433 - 1433 Frequency - used seat belt when driving DRV_03 1 1434 - 1434 Frequency - used cell phone when driving DRV_04 1 1435 - 1435 Frequency - used cell phone when driving DRV_05 1 1436 - 1436 Driving speed compared to others DRV_06 1 1437 - 1437 Driving aggression compared to others DRV_06 1 1437 - 1437 Driving aggression compared to others DRV_07 1 1438 - 1438 Drove a motor vehicle after 2 or more drinks DRV_07A 2 1439 - 1440 Number of times - drove after 2+ drinks DRV_07A 1 1443 - 1444 Frequency - uses seat belt - back seat passenger DRV_08A 1 1442 - 1442 Frequency - uses seat belt - back seat passenger < | ALN_3N | 1 | 1427 - 1427 | Reason reduced drinking - life change |
| DRVFOPT 1 1430 Optional module: Driving and safety - (F) DRV_01A 1 1431 - 1431 Drove a motor vehicle DRV_01B 1 1432 - 1432 Drove a motorcycle DRV_02 1 1433 - 1433 Frequency - used seat belt when driving DRV_03 1 1434 - 1434 Frequency - used seat belt when driving DRV_04 1 1435 - 1435 Frequency - felt tired when driving DRV_05 1 1436 - 1436 Driving speed compared to others DRV_06 1 1437 - 1437 Driving aggression compared to others DRV_07 1 1438 - 1438 Drove a motor vehicle after 2 or more drinks DRV_07 1 1438 - 1438 Drove a motor vehicle after 2 or more drinks DRV_07A 2 1439 - 1440 Number of times - drove after 2+ drinks DRV_08A 1 1441 - 1441 Frequency - uses seat belt - front seat passenger DRV_08B 1 1442 - 1442 Frequency - uses seat belt - in taxi DRV_10A 1 1444 - 1444 Passenger/driver had 2+ drinks | ALN_3M | 1 | 1428 - 1428 | Reason reduced drinking - other |
| DRV_01A 1 1431 - 1431 Drove a motor vehicle DRV_01B 1 1432 - 1432 Drove a motorcycle DRV_02 1 1433 - 1433 Frequency - used seat belt when driving DRV_03 1 1434 - 1434 Frequency - used cell phone when driving DRV_04 1 1435 - 1435 Frequency - felt tired when driving DRV_05 1 1436 - 1436 Driving speed compared to others DRV_06 1 1437 - 1437 Driving aggression compared to others DRV_07 1 1438 - 1438 Drove a motor vehicle after 2 or more drinks DRV_07A 2 1439 - 1440 Number of times - drove after 2+ drinks DRV_08B 1 1441 - 1441 Frequency - uses seat belt - front seat passenger DRV_09B 1 1443 - 1442 Frequency - uses seat belt - in taxi DRV_101 1 1444 - 1444 Passenger/driver had 2+ drinks DRV_103 1 1445 - 1446 No. of times - passenger/driver had 2+ drinks DRV_11B 1 1448 - 1448 Driver or passenger - ATV <td< td=""><td>ALNDTYP</td><td>1</td><td>1429 - 1429</td><td>Type of drinker (lifetime) - (D)</td></td<> | ALNDTYP | 1 | 1429 - 1429 | Type of drinker (lifetime) - (D) |
| DRV_01B 1 1432 - 1432 Drove a motorcycle DRV_02 1 1433 - 1433 Frequency - used seat belt when driving DRV_03 1 1434 - 1434 Frequency - used cell phone when driving DRV_04 1 1435 - 1435 Frequency - felt tired when driving DRV_05 1 1436 - 1436 Driving speed compared to others DRV_06 1 1437 - 1437 Driving aggression compared to others DRV_07 1 1438 - 1438 Drove a motor vehicle after 2 or more drinks DRV_077 1 1438 - 1438 Drove a motor vehicle after 2 or more drinks DRV_077 1 1443 - 1441 Frequency - uses seat belt - front seat passenger DRV_088 1 1441 - 1441 Frequency - uses seat belt - back seat passenger DRV_099 1 1443 - 1442 Frequency - uses seat belt - in taxi DRV_104 1 1444 - 1444 Passenger/driver had 2+ drinks DRV_110 1 1444 - 1444 Passenger / driver had 2+ drinks DRV_114 1 1447 - 1447 Drive or passenger - ATV | DRVFOPT | 1 | 1430 - 1430 | Optional module: Driving and safety - (F) |
| DRV_0211433 - 1433Frequency - used seat belt when drivingDRV_0311434 - 1434Frequency - used cell phone when drivingDRV_0411435 - 1435Frequency - felt tired when drivingDRV_0511436 - 1436Driving speed compared to othersDRV_0611437 - 1437Driving aggression compared to othersDRV_0711438 - 1438Drove a motor vehicle after 2 or more drinksDRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_0911443 - 1443Frequency - uses seat belt - in taxiDRV_0911443 - 1444Passenger/driver had 2+ drinksDRV_10011444 - 1444Passenger/driver had 2+ drinksDRV_11011444 - 1444Passenger/driver had 2+ drinksDRV_11011444 - 1444Passenger/driver had 2+ drinksDRV_111811445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11211448 - 1448Driver or passenger - ATVDRV_1311449 - 1449Frequency wears helmet - ATVDRV_1311453 - 1455No. of times - passenger/driver had 2+ drinks-ATV/snowmobile, etc.DRV_1311451 - 1452No. of times - passenger/driver had 2+ drinks-ATV/snowmobileDRV_14411453 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRV_14411453 - 1455No. of times - drove snowm | DRV_01A | 1 | 1431 - 1431 | Drove a motor vehicle |
| DRV_0311434 - 1434Frequency - used cell phone when drivingDRV_0411435 - 1435Frequency - felt tired when drivingDRV_0511435 - 1436Driving speed compared to othersDRV_0611437 - 1437Driving aggression compared to othersDRV_0711438 - 1438Drove a motor vehicle after 2 or more drinksDRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_0911443 - 1444Passenger/driver had 2+ drinksDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger - snowmobile, motor boat or seadooDRV_11A11447 - 1447Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger/driver had 2+ drinks - ATV, snowmobile, etc.DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks - ATV, snowmobileDRV_14411453 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11456 - 1456Passenger seat belt use - motor vehicle - (F)ALD_0111458 - 1458Druk - at work / school / takes care of child | DRV_01B | 1 | 1432 - 1432 | Drove a motorcycle |
| DRV_0411435 - 1435Frequency - felt tired when driving DRV_05DRV_0511436 - 1436Driving speed compared to othersDRV_0611437 - 1437Driving aggression compared to othersDRV_0711438 - 1438Drove a motor vehicle after 2 or more drinksDRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_0911443 - 1443Frequency - uses seat belt - in taxiDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - passenger/driver had 2+ drinksDRV_14A11453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRV_14A21454 - 1456 </td <td>DRV_02</td> <td>1</td> <td>1433 - 1433</td> <td>Frequency - used seat belt when driving</td> | DRV_02 | 1 | 1433 - 1433 | Frequency - used seat belt when driving |
| DRV_0511436 - 1436Driving speed compared to othersDRV_0611437 - 1437Driving aggression compared to othersDRV_0711438 - 1438Drove a motor vehicle after 2 or more drinksDRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_08B11443 - 1443Frequency - uses seat belt - in taxiDRV_0911443 - 1444Passenger/driver had 2+ drinksDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV/snowmobile, etc.DRV_14A21451 - 1452No. of times - passenger/driver had 2+ drinks - ATV/snowmobileDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRV_15BU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11458 - 1458Drunk - at work / school / takes care of child< | DRV_03 | 1 | 1434 - 1434 | Frequency - used cell phone when driving |
| DRV_0611437 - 1437Driving aggression compared to othersDRV_0711438 - 1438Drove a motor vehicle after 2 or more drinksDRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_08B11443 - 1443Frequency - uses seat belt - in taxiDRV_0911443 - 1444Passenger/driver had 2+ drinksDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_11011444 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11811447 - 1447Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger /driver had 2+ drinks - ATV, snowmobile, etc.DRV_1311450 - 1450Passenger /driver had 2+ drinks - ATV, snowmobile, etc.DRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14421454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRV_14421456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11456 - 1456Passenger seat belt use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_04 | 1 | 1435 - 1435 | Frequency - felt tired when driving |
| DRV_0711438 - 1438Drove a motor vehicle after 2 or more drinksDRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_0911443 - 1444Passenger/driver had 2+ drinksDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_11011444 - 1447Passenger/driver had 2+ drinksDRV_11021445 - 1446No. of times - passenger / driver had 2+ drinksDRV_11411447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11811448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_1411453 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRV_5BU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_05 | 1 | 1436 - 1436 | Driving speed compared to others |
| DRV_07A21439 - 1440Number of times - drove after 2+ drinksDRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_0911443 - 1443Frequency - uses seat belt - in taxiDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14421454 - 1455No. of times - passenger/driver had 2+ drinks -ATV/snowmobileDRV_14A21454 - 1455No. of times - passenger/driver had 2+ drinksDRV_14A11453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11458 - 1458Drunk - at work / school / takes care of child | DRV_06 | 1 | 1437 - 1437 | Driving aggression compared to others |
| DRV_08A11441 - 1441Frequency - uses seat belt - front seat passengerDRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_0911443 - 1443Frequency - uses seat belt - in taxiDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_1411453 - 1452No. of times - passenger/driver had 2+ drinks - ATV/snowmobileDRV_14421451 - 1452No. of times - passenger/driver had 2+ drinks - ATV/snowmobileDRV_14A11453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F) | DRV_07 | 1 | 1438 - 1438 | Drove a motor vehicle after 2 or more drinks |
| DRV_08B11442 - 1442Frequency - uses seat belt - back seat passengerDRV_0911443 - 1443Frequency - uses seat belt - in taxiDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14421454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F) | DRV_07A | 2 | 1439 - 1440 | Number of times - drove after 2+ drinks |
| DRV_0911443 - 1443Frequency - uses seat belt - in taxiDRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_14A21451 - 1452No. of times - passenger/driver had 2+ drinks - ATV/snowmobileDRV_14A11453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11458 - 1458Drunk - at work / school / takes care of child | DRV_08A | 1 | 1441 - 1441 | Frequency - uses seat belt - front seat passenger |
| DRV_1011444 - 1444Passenger/driver had 2+ drinksDRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks - ATV/snowmobileDRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_08B | 1 | 1442 - 1442 | Frequency - uses seat belt - back seat passenger |
| DRV_10A21445 - 1446No. of times - passenger/driver had 2+ drinksDRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks-ATV/snowmobileDRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11458 - 1458Drunk - at work / school / takes care of child | DRV_09 | 1 | 1443 - 1443 | Frequency - uses seat belt - in taxi |
| DRV_11A11447 - 1447Driver or passenger - snowmobile, motor boat or seadooDRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks-ATV/snowmobileDRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F) | DRV_10 | 1 | 1444 - 1444 | Passenger/driver had 2+ drinks |
| DRV_11B11448 - 1448Driver or passenger - ATVDRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks-ATV/snowmobileDRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_10A | 2 | 1445 - 1446 | No. of times - passenger/driver had 2+ drinks |
| DRV_1211449 - 1449Frequency wears helmet - ATVDRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks-ATV/snowmobileDRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_11A | 1 | 1447 - 1447 | Driver or passenger - snowmobile, motor boat or seadoo |
| DRV_1311450 - 1450Passenger w/driver had 2+ drinks - ATV, snowmobile, etc.DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks-ATV/snowmobileDRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_11B | 1 | 1448 - 1448 | Driver or passenger - ATV |
| DRV_13A21451 - 1452No. of times - passenger/driver had 2+ drinks-ATV/snowmobileDRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_12 | 1 | 1449 - 1449 | Frequency wears helmet - ATV |
| DRV_1411453 - 1453Drove snowmobile/ATV, etc. after 2+ drinksDRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_13 | 1 | 1450 - 1450 | Passenger w/driver had 2+ drinks - ATV, snowmobile, etc. |
| DRV_14A21454 - 1455No. of times - drove snowmobile, ATV, etc after 2+ drinksDRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_13A | 2 | 1451 - 1452 | No. of times - passenger/driver had 2+ drinks-ATV/snowmobile |
| DRVFSBU11456 - 1456Passenger seat belt use - motor vehicle - (F)ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_14 | 1 | 1453 - 1453 | Drove snowmobile/ATV, etc. after 2+ drinks |
| ALDFOPT11457 - 1457Optional module: Alcohol use - Dependence - (F)ALD_0111458 - 1458Drunk - at work / school / takes care of child | DRV_14A | 2 | 1454 - 1455 | No. of times - drove snowmobile, ATV, etc after 2+ drinks |
| ALD_01 1 1458 - 1458 Drunk - at work / school / takes care of child | DRVFSBU | 1 | 1456 - 1456 | Passenger seat belt use - motor vehicle - (F) |
| | ALDFOPT | 1 | 1457 - 1457 | Optional module: Alcohol use - Dependence - (F) |
| ALD_02 1 1459 - 1459 Number of times - drunk / hung-over | ALD_01 | 1 | 1458 - 1458 | Drunk - at work / school / takes care of child |
| | ALD_02 | 1 | 1459 - 1459 | Number of times - drunk / hung-over |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| ALD_03 | 1 | 1460 - 1460 | Being drunk increased chances of getting hurt |
| ALD_04 | 1 | 1461 - 1461 | Emotional or psychological problems due to alcohol |
| ALD_05 | 1 | 1462 - 1462 | Strong desire or urge to drink |
| ALD_06 | 1 | 1463 - 1463 | Spent lot of time getting drunk - one month or more |
| ALD_07 | 1 | 1464 - 1464 | Drank much more than intended |
| ALD_08 | 1 | 1465 - 1465 | Number of times - drank much more than intended |
| ALD_09 | 1 | 1466 - 1466 | Had to drink more for the same effect |
| ALD_10 | 1 | 1467 - 1467 | Had symptoms - stopped/cut down/went without |
| ALD_11 | 1 | 1468 - 1468 | Drank alcohol - even though promised wouldn't |
| ALD_12 | 1 | 1469 - 1469 | Drank alcohol - little time for anything else |
| ALD_13 | 1 | 1470 - 1470 | Reduced important activities - because of alcohol |
| ALD_14 | 1 | 1471 - 1471 | Continued despite health problems |
| ALD_15A | 2 | 1472 - 1473 | Level of interference - home responsibilities |
| ALD_5B1 | 2 | 1474 - 1475 | Level of interference - attend school |
| ALD_5B2 | 2 | 1476 - 1477 | Level of interference - work at a job |
| ALD_15C | 2 | 1478 - 1479 | Level of interference - close relationships |
| ALD_15D | 2 | 1480 - 1481 | Level of interference - social life |
| ALDDSF | 2 | 1482 - 1483 | Alcohol dependence scale - short form score - (D) |
| ALDDINT | 4.1 | 1484 - 1487 | Alcohol interference - mean - 12 mo - (D) |
| ALDDPP | 4.2 | 1488 - 1491 | Probability of caseness to respondents - (D) |
| ALDFINT | 1 | 1492 - 1492 | Alcohol interference - 12 mo - (F) |
| MEX_01 | 1 | 1493 - 1493 | Has given birth in the past 5 years |
| MEX_01A | 4 | 1494 - 1497 | Year of birth of last baby |
| MEX_02 | 1 | 1498 - 1498 | Took folic acid - before last pregnancy |
| MEX_03 | 1 | 1499 - 1499 | Breastfed or tried to breastfeed last child |
| MEX_04 | 2 | 1500 - 1501 | Main reason did not breastfeed last child |
| MEX_05 | 1 | 1502 - 1502 | Still breastfeeding last child |
| MEX_06 | 2 | 1503 - 1504 | Duration of breastfeeding last child |
| MEX_07 | 2 | 1505 - 1506 | Age of last baby - other foods added |
| MEX_08 | 2 | 1507 - 1508 | Main reason - other foods added |
| MEX_09 | 1 | 1509 - 1509 | Gave vitamin D - when breast milk only |
| MEX_10 | 2 | 1510 - 1511 | Main reason why stopped breastfeeding |
| MEXDEBF | 2 | 1512 - 1513 | Duration of exclusive breastfeeding - (D) |
| MEXFEB6 | 1 | 1514 - 1514 | Exclusively breastfed for at least 6 months - (F) |
| MXAFOPT | 1 | 1515 - 1515 | Opt. mod.: Maternal exp. – Alcohol during pregnancy - (F) |
| MXA_01 | 1 | 1516 - 1516 | Drank alcohol - last pregnancy |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| MXA_02 | 2 | 1517 - 1518 | Frequency of drinking - last pregnancy |
| MXA_03 | 1 | 1519 - 1519 | Drank alcohol - while breastfeeding last baby |
| MXA_04 | 2 | 1520 - 1521 | Frequency of drinking - while breastfeeding last baby |
| MXSFOPT | 1 | 1522 - 1522 | Opt. mod.: Maternal exp. – Smoking during pregnancy - (F) |
| MXS_01 | 1 | 1523 - 1523 | Type of smoker - last pregnancy |
| MXS_02 | 3 | 1524 - 1526 | No. of cigarettes daily - last pregnancy (daily smoker) |
| MXS_03 | 3 | 1527 - 1529 | No. of cigarettes daily - last pregnancy (occasional smoker) |
| MXS_04 | 1 | 1530 - 1530 | Smoked while breastfeeding last baby (occasional smoker) |
| MXS_05 | 3 | 1531 - 1533 | No. of cigarettes daily - while breastfeeding (daily smoker) |
| MXS_06 | 3 | 1534 - 1536 | No. of cigarettes daily - while breastfeeding (occ. smoker) |
| MXS_07 | 1 | 1537 - 1537 | Second-hand smoke - during or after last pregnancy |
| IDGFOPT | 1 | 1538 - 1538 | Optional module: Illicit drugs use - (F) |
| IDG_01 | 1 | 1539 - 1539 | Used - marijuana, cannabis, hashish - life |
| IDG_02 | 1 | 1540 - 1540 | Used - marijuana, cannabis, hashish - 12 mo |
| IDG_03 | 1 | 1541 - 1541 | Frequency - marijuana, cannabis, hashish - 12 mo |
| IDG_04 | 1 | 1542 - 1542 | Used - cocaine, crack - life |
| IDG_05 | 1 | 1543 - 1543 | Used - cocaine, crack - 12 mo |
| IDG_06 | 1 | 1544 - 1544 | Frequency - cocaine, crack - 12 mo |
| IDG_07 | 1 | 1545 - 1545 | Used - speed (amphetamines) - life |
| IDG_08 | 1 | 1546 - 1546 | Used - speed (amphetamines) - 12 mo |
| IDG_09 | 1 | 1547 - 1547 | Frequency - speed (amphetamines) - 12 mo |
| IDG_10 | 1 | 1548 - 1548 | Used - ecstasy (MDMA) - life |
| IDG_11 | 1 | 1549 - 1549 | Used - ecstasy (MDMA) - 12 mo |
| IDG_12 | 1 | 1550 - 1550 | Frequency - ecstacy (MDMA) - 12 mo |
| IDG_13 | 1 | 1551 - 1551 | Used - hallucinogens, PCP, LSD - life |
| IDG_14 | 1 | 1552 - 1552 | Used - hallucinogens, PCP, LSD - 12 mo |
| IDG_15 | 1 | 1553 - 1553 | Frequency - hallucinogens, PCP, LSD - 12 mo |
| IDG_16 | 1 | 1554 - 1554 | Sniffed - glue, gasoline, other solvents - life |
| IDG_17 | 1 | 1555 - 1555 | Sniffed - glue, gasoline, other solvents - 12 mo |
| IDG_18 | 1 | 1556 - 1556 | Frequency - glue, gasoline, other solvents - 12 mo |
| IDG_19 | 1 | 1557 - 1557 | Used - heroin - life |
| IDG_20 | 1 | 1558 - 1558 | Used - heroin - 12 mo |
| IDG_21 | 1 | 1559 - 1559 | Frequency - heroin - 12 mo |
| IDG_22 | 1 | 1560 - 1560 | Used - steroids - life |
| IDG_23 | 1 | 1561 - 1561 | Used - steroids - 12 mo |
| IDG_24 | 1 | 1562 - 1562 | Frequency - steroids - 12 mo |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| IDG_25A | 1 | 1563 - 1563 | Needed more drugs than usual to get high - 12 mo |
| IDG_25B | 1 | 1564 - 1564 | Had symptom during period of cut down/no drugs - 12 mo |
| IDG_25C | 1 | 1565 - 1565 | Used drugs - prevent having symptoms - 12 mo |
| IDG_25D | 1 | 1566 - 1566 | Used drugs - even though promised wouldn't - 12 mo |
| IDG_25E | 1 | 1567 - 1567 | Used drugs - more frequently than intended - 12 mo |
| IDG_25F | 1 | 1568 - 1568 | Used drugs - little time for anything else 12 mo |
| IDG_25G | 1 | 1569 - 1569 | Reduced important activities - because of drugs - 12 mo |
| IDG_25H | 1 | 1570 - 1570 | Continued taking drugs despite health problems - 12 mo |
| IDG_26A | 2 | 1571 - 1572 | Level of interference - home responsibilities - 12 mo |
| IDG_6B1 | 2 | 1573 - 1574 | Level of interference - attend school - 12 mo |
| IDG_6B2 | 2 | 1575 - 1576 | Level of interference - work at a job - 12 mo |
| IDG_26C | 2 | 1577 - 1578 | Level of interference - close relationships - 12 mo |
| IDG_26D | 2 | 1579 - 1580 | Level of interference - social life - 12 mo |
| IDGFLCA | 1 | 1581 - 1581 | Cannabis drug use - including one time only - life - (F) |
| IDGFLCM | 1 | 1582 - 1582 | Cannabis drug use - excluding one time only - life - (F) |
| IDGFYCM | 1 | 1583 - 1583 | Cannabis drug use - excluding one time only - 12 mo - (F) |
| IDGFLCO | 1 | 1584 - 1584 | Cocaine / crack drug use - life - (F) |
| IDGFLAM | 1 | 1585 - 1585 | Amphetamine (speed) drug use - life - (F) |
| IDGFLEX | 1 | 1586 - 1586 | MDMA (ecstasy) drug use - life - (F) |
| IDGFLHA | 1 | 1587 - 1587 | Hallucinogens, PCP or LSD drug use - life - (F) |
| IDGFLGL | 1 | 1588 - 1588 | Glue, gasoline or other solvent use - life - (F) |
| IDGFLHE | 1 | 1589 - 1589 | Heroin drug use - life - (F) |
| IDGFLST | 1 | 1590 - 1590 | Steroid use - life - (F) |
| IDGFLA | 1 | 1591 - 1591 | Illicit drug use - including one time cannabis - life - (F) |
| IDGFLAC | 1 | 1592 - 1592 | Illicit drug use - excluding one time cannabis - life - (F) |
| IDGFYA | 1 | 1593 - 1593 | Illicit drug use - including one time cannabis - 12 mo - (F) |
| IDGFYAC | 1 | 1594 - 1594 | Illicit drug use - excluding one time cannabis - 12 mo - (F) |
| IDGDINT | 4.1 | 1595 - 1598 | Illicit drug interference - mean - 12 mo - (D) |
| IDGFINT | 1 | 1599 - 1599 | Illicit drug interference - 12 mo - (F) |
| CPGFOPT | 1 | 1600 - 1600 | Optional module: Problem gambling - (F) |
| CPG_01A | 2 | 1601 - 1602 | Frequence - spending \$ on instant/daily win tickets - 12 mo |
| CPG_01B | 2 | 1603 - 1604 | Frequency - spending money on lottery tickets |
| CPG_01C | 2 | 1605 - 1606 | Frequency - spending money on bingo |
| CPG_01D | 2 | 1607 - 1608 | Frequency - spending money on cards/boards games |
| CPG_01E | 2 | 1609 - 1610 | Frequency - spending money on VLTs/outside casinos |
| CPG_01F | 2 | 1611 - 1612 | Frequency - spending money on VLTs/at casinos |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| CPG_01G | 2 | 1613 - 1614 | Frequency - spending money on other games/at casinos |
| CPG_01H | 2 | 1615 - 1616 | Frequency - spending money on Internet/arcade gambling |
| CPG_01I | 2 | 1617 - 1618 | Frequency - spending money on live horse racing |
| CPG_01J | 2 | 1619 - 1620 | Frequency - spending money on sports lotteries |
| CPG_01K | 2 | 1621 - 1622 | Frequency - spending money on speculative investments |
| CPG_01L | 2 | 1623 - 1624 | Frequency - spending money on games of skill |
| CPG_01M | 2 | 1625 - 1626 | Frequency - spending money on other forms of gambling |
| CPG_01N | 2 | 1627 - 1628 | Amount of money spent on gambling activities |
| CPG_02 | 1 | 1629 - 1629 | Frequency - spent more than wanted on gambling |
| CPG_03 | 1 | 1630 - 1630 | Frequency - gambled more money for same feeling |
| CPG_04 | 1 | 1631 - 1631 | Frequency - returned to try to win back money lost |
| CPG_05 | 1 | 1632 - 1632 | Frequency - borrowed money/sold to get \$ for gambling |
| CPG_06 | 1 | 1633 - 1633 | Frequency - felt might have a problem with gambling |
| CPG_07 | 1 | 1634 - 1634 | Frequency - gambling caused any health problems |
| CPG_08 | 1 | 1635 - 1635 | Frequency - people criticized respondent's betting |
| CPG_09 | 1 | 1636 - 1636 | Frequency - gambling caused financial problems |
| CPG_10 | 1 | 1637 - 1637 | Frequency - felt guilty about gambling |
| CPG_11 | 1 | 1638 - 1638 | Frequency - lied to hide gambling |
| CPG_12 | 1 | 1639 - 1639 | Frequency - wanted to stop betting but thought could not |
| CPG_13 | 1 | 1640 - 1640 | Frequency - bet more than could afford to lose |
| CPG_14 | 1 | 1641 - 1641 | Frequency - tried to quit/cut down; but unable |
| CPG_15 | 1 | 1642 - 1642 | Frequency - gambled to forget problems/feel better |
| CPG_16 | 1 | 1643 - 1643 | Frequency - gambling caused problem with family/friends |
| CPG_17 | 1 | 1644 - 1644 | Other family member with gambling problems |
| CPG_18 | 1 | 1645 - 1645 | Used alcohol or drugs while gambling |
| CPG_19A | 2 | 1646 - 1647 | Level of interference - home responsibilities - 12 mo |
| CPG_9B1 | 2 | 1648 - 1649 | Level of interference - ability to attend school - 12 mo |
| CPG_9B2 | 2 | 1650 - 1651 | Level of interference - ability to work at a job - 12 mo |
| CPG_19C | 2 | 1652 - 1653 | Level of interference - close relationships - 12 mo |
| CPG_19D | 2 | 1654 - 1655 | Level of interference - social life -12 mo |
| CPGFGAM | 1 | 1656 - 1656 | Gambling activity - gambler vs. non-gambler - (F) |
| CPGDSEV | 2 | 1657 - 1658 | Problem gambling severity index - (D) |
| CPGDTYP | 2 | 1659 - 1660 | Type of gambler - (D) |
| CPGDACT | 2 | 1661 - 1662 | Number of different types of gambling activities - (D) |
| CPGDINT | 4.1 | 1663 - 1666 | Gambling interference - Mean - (D) |
| CPGFINT | 1 | 1667 - 1667 | Gambling Interference - (F) |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| SXBFOPT | 1 | 1668 - 1668 | Optional module: Sexual behaviours - (F) |
| SXB_1 | 1 | 1669 - 1669 | Ever had sexual intercourse |
| SXB_2 | 3 | 1670 - 1672 | Age - first sexual intercourse |
| SXB_3 | 1 | 1673 - 1673 | Had sexual intercourse - past 12 months |
| SXB_4 | 1 | 1674 - 1674 | Number of different partners - past 12 months |
| SXB_07 | 1 | 1675 - 1675 | Ever diagnosed with STD |
| SXB_7A | 1 | 1676 - 1676 | Condom use - last time |
| SXB_09 | 1 | 1677 - 1677 | Important to avoid getting pregnant |
| SXB_10 | 2 | 1678 - 1679 | Important to avoid getting partner pregnant |
| SXB_11 | 1 | 1680 - 1680 | Usually use birth control - past 12 months |
| SXB_12A | 1 | 1681 - 1681 | Usual birth control method - condom |
| SXB_12B | 1 | 1682 - 1682 | Usual birth control method - Birth control pill |
| SXB_12C | 1 | 1683 - 1683 | Usual birth control method - diaphragm |
| SXB_12D | 1 | 1684 - 1684 | Usual birth control method - spermicide |
| SXB_12F | 1 | 1685 - 1685 | Usual birth control method - birth control injection |
| SXB_12E | 1 | 1686 - 1686 | Usual birth control method - other |
| SXB_13A | 1 | 1687 - 1687 | Birth control method used last time - condom |
| SXB_13B | 1 | 1688 - 1688 | Birth control method used last time - birth control pill |
| SXB_13C | 1 | 1689 - 1689 | Birth control method used last time - diaphragm |
| SXB_13D | 1 | 1690 - 1690 | Birth control method used last time - spermicide |
| SXB_13F | 1 | 1691 - 1691 | Birth control method used last time - other |
| SXB_13G | 1 | 1692 - 1692 | Birth cntrl. method used last time - birth control injection |
| SXB_13E | 1 | 1693 - 1693 | Method used last time - nothing |
| PWBFOPT | 1 | 1694 - 1694 | Optional module: Psychological well-being - (F) |
| PWB_01 | 1 | 1695 - 1695 | Frequency - felt self-confident - past month |
| PWB_02 | 1 | 1696 - 1696 | Frequency - satisfied with accomplishments - past month |
| PWB_03 | 1 | 1697 - 1697 | Frequency - took on lots of projects - past month |
| PWB_04 | 1 | 1698 - 1698 | Frequency - felt emotionally balanced - past month |
| PWB_05 | 1 | 1699 - 1699 | Frequency - felt loved and appreciated - past month |
| PWB_06 | 1 | 1700 - 1700 | Frequency - had goals and ambitions - past month |
| PWB_07 | 1 | 1701 - 1701 | Frequency - felt like having fun - past month |
| PWB_08 | 1 | 1702 - 1702 | Frequency - felt useful - past month |
| PWB_09 | 1 | 1703 - 1703 | Frequency - smiled easily - past month |
| PWB_10 | 1 | 1704 - 1704 | Frequency - was true to self - past month |
| PWB_11 | 1 | 1705 - 1705 | Frequency - did good job listening to friends - past month |
| PWB_12 | 1 | 1706 - 1706 | Frequency - was curious and interested - past month |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| PWB_13 | 1 | 1707 - 1707 | Frequency - was able to clearly sort things out - past month |
| PWB_14 | 1 | 1708 - 1708 | Frequency - found life exciting - past month |
| PWB_15 | 1 | 1709 - 1709 | Frequency - life was well-balanced - past month |
| PWB_16 | 1 | 1710 - 1710 | Frequency - was calm and level-headed - past month |
| PWB_17 | 1 | 1711 - 1711 | Frequency - easily found answers - past month |
| PWB_18 | 1 | 1712 - 1712 | Frequency - got along well with others - past month |
| PWB_19 | 1 | 1713 - 1713 | Frequency - lived at normal pace - past month |
| PWB_20 | 1 | 1714 - 1714 | Frequency - impression of enjoying life - past month |
| PWB_21 | 1 | 1715 - 1715 | Frequency - had good sense of humour - past month |
| PWB_22 | 1 | 1716 - 1716 | Frequency - was at peace with self - past month |
| PWB_23 | 1 | 1717 - 1717 | Frequency - felt healthy/in good shape - past month |
| PWB_24 | 1 | 1718 - 1718 | Frequency - face situations positively - past month |
| PWB_25 | 1 | 1719 - 1719 | Frequency - had good morale - past month |
| PWBDPWB | 3 | 1720 - 1722 | Psychological well-being scale - past month - (D) |
| SSAFOPT | 1 | 1723 - 1723 | Optional module: Social support - availability - (F) |
| SSA_01 | 3 | 1724 - 1726 | Number of close friends and relatives |
| SSA_02 | 1 | 1727 - 1727 | Has someone to give help if confined to bed |
| SSA_03 | 1 | 1728 - 1728 | Has someone to listen |
| SSA_04 | 1 | 1729 - 1729 | Has someone to receive advice about a crisis |
| SSA_05 | 1 | 1730 - 1730 | Has someone to take to doctor |
| SSA_06 | 1 | 1731 - 1731 | Has someone who shows love and affection |
| SSA_07 | 1 | 1732 - 1732 | Has someone to have a good time with |
| SSA_08 | 1 | 1733 - 1733 | Has someone to receive info to help understand a situation |
| SSA_09 | 1 | 1734 - 1734 | Has someone to confide in |
| SSA_10 | 1 | 1735 - 1735 | Has someone who gives hugs |
| SSA_11 | 1 | 1736 - 1736 | Has someone to get together with for relaxation |
| SSA_12 | 1 | 1737 - 1737 | Has someone to prepare meals |
| SSA_13 | 1 | 1738 - 1738 | Has someone to give advice |
| SSA_14 | 1 | 1739 - 1739 | Has someone to do things to get mind off things |
| SSA_15 | 1 | 1740 - 1740 | Has someone to help with daily chores if sick |
| SSA_16 | 1 | 1741 - 1741 | Has someone to share most private worries and fears with |
| SSA_17 | 1 | 1742 - 1742 | Has someone to turn to for suggestions for personal problems |
| SSA_18 | 1 | 1743 - 1743 | Has someone to do something enjoyable with |
| SSA_19 | 1 | 1744 - 1744 | Has someone who understands problems |
| SSA_20 | 1 | 1745 - 1745 | Has someone who loves and makes feel wanted |
| SSADTNG | 2 | 1746 - 1747 | Tangible social support - MOS subscale - (D) |

| SSADAFF 2 1748 - 1749 Affection - MOS subscale - (D) SSADAFC 2 1750 - 1751 Positive social interaction - MOS subscale - (D) SSADEMO 2 1752 - 1753 Emotional or informational support - MOS subscale - (D) SSU-DPT 1 1754 - 1754 Optional module: Social Support - utilization - (F) SSU_218 1 1756 - 1756 Received affective support SSU_228 1 1756 - 1757 Received affective support SSU_238 1 1756 - 1759 Received affective support SSU_238 1 1760 - 1760 Frequency of positive social interactive support SSU_248 1 1762 - 1762 Frequency of positive social interactive support SSU_248 1 1762 - 1762 Frequency of positive social interactive support SSU_248 1 1762 - 1762 Frequency of positive social interactive support SV_248 1 1762 - 1765 Spiritual values - helping to find meaning to life SV_24 1 1766 - 1766 Spiritual values - strength for everyday difficulties SPV_4 1 < | Variable | Length | Position | Concept |
|---|----------|--------|-------------|---|
| SADEMO 2 1752 - 1753 Emotional or informational support - MOS subscale - (D) SSUFOPT 1 1754 - 1754 Optional module: Social Support - utilization - (F) SSU_21A 1 1755 - 1755 Received tangible social support SSU_21A 1 1756 - 1756 Frequency of tangible social support SSU_22A 1 1756 - 1757 Received affective support SSU_22A 1 1759 - 1757 Received positive social interactive support SSU_23A 1 1759 - 1757 Received positive social interactive support SSU_23A 1 1759 - 1760 Frequency of positive social interactive support SSU_23A 1 1761 - 1761 Received emotional/informational support SSU_24B 1 1762 - 1762 Frequency of emotional/informational support SSV_4B 1 1762 - 1763 Optional module flag: Spiritual values - (F) SPV_11 1 1765 - 1765 Spiritual values - strength for everyday difficulties SPV_2 1 1766 - 1766 Spiritual values - strength or everyday difficulties of life SPV_5 <t< td=""><td>SSADAFF</td><td>2</td><td>1748 - 1749</td><td>Affection - MOS subscale - (D)</td></t<> | SSADAFF | 2 | 1748 - 1749 | Affection - MOS subscale - (D) |
| SUFOPT 1 1754 - 1754 Optional module: Social Support - utilization - (F) SSU_21A 1 1755 - 1755 Received tangible social support SSU_21B 1 1756 - 1756 Frequency of tangible social support SSU_22B 1 1757 - 1757 Received affective support SSU_23B 1 1758 - 1759 Received optitive social interactive support SSU_23A 1 1769 - 1760 Frequency of positive social interactive support SSU_23B 1 1761 - 1761 Received emotional/informational support SSU_24A 1 1762 - 1762 Frequency of emotional/informational support SV_4B 1 1762 - 1762 Frequency of emotional/informational support SV_4B 1 1762 - 1762 Frequency of emotional/informational support SV_4B 1 1762 - 1763 Spiritual values - leping important role in life SPV_21 1 1766 - 1766 Spiritual values - understanding difficulties of life SPV_45 2 1768 - 1767 Spiritual values - understanding difficulties of life SPV_5 2 < | SSADSOC | 2 | 1750 - 1751 | Positive social interaction - MOS subscale - (D) |
| SU_21A11755 - 1755Received tangible social supportSU_21B11756 - 1756Frequency of tangible social supportSU_22A11757 - 1757Received affective supportSU_22B11758 - 1759Received positive social interactive supportSU_23A11759 - 1759Received positive social interactive supportSU_23B11760 - 1760Frequency of positive social interactive supportSU_24A11761 - 1761Received emotional/informational supportSU_24B11762 - 1762Frequency of emotional/informational supportSV_24B11762 - 1763Optional module flag: Spiritual values - (F)SPVFOPT11763 - 1763Optional module flag: Spiritual values - (F)SPV_111766 - 1766Spiritual values - helping to find meaning to lifeSPV_211766 - 1766Spiritual values - strength for everyday difficultiesSPV_311767 - 1767Spiritual values - understanding difficulties of lifeSPV_411771 - 1771Self-perception - being religiousCMH-FOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH-OIL31774 - 1776Consulted mental health professionalCMH-OIL31774 - 1776Consulted mental health professional - number of timesCMH_1MB11778 - 1778Consulted mental health professional - social workerCMH_1MB11778 - 1779Consulted mental health professional - social worker </td <td>SSADEMO</td> <td>2</td> <td>1752 - 1753</td> <td>Emotional or informational support - MOS subscale - (D)</td> | SSADEMO | 2 | 1752 - 1753 | Emotional or informational support - MOS subscale - (D) |
| SSU_21B11756 - 1756Frequency of tangible social supportSSU_22A11757 - 1757Received affective supportSSU_22B11758 - 1758Frequency of affective supportSSU_23A11759 - 1759Received positive social interactive supportSSU_23B11760 - 1760Frequency of positive social interactive supportSSU_24A11761 - 1761Received emotional/informational supportSSU_24B11762 - 1762Frequency of emotional/informational supportSPVFOPT11763 - 1763Optional module flag: Spiritual values - (F)SPV_1111764 - 1764Spiritual values - playing important role in lifeSPV_211766 - 1765Spiritual values - understanding to lifeSPV_311766 - 1767Spiritual values - understanding difficultiesSPV_411777 - 1777Seprency - attends religious services or meetingsSPV_521768 - 1778Consulted mental health professionalCMH_01K11773 - 1777Consulted mental health professionalCMH_01K11778 - 1778Consulted mental health professional - number of timesCMH_1MD11780 - 1780Consulted mental health professional - specialristCMH_1MD11780 - 1780Consulted mental health professional - specialristCMH_1MD11780 - 1780Consulted mental health professional - specialristCMH_1MD11780 - 1780Consulted mental health professional - social worker | SSUFOPT | 1 | 1754 - 1754 | Optional module: Social Support - utilization - (F) |
| SSU_22A 1 1757 - 1757 Received affective support SSU_22B 1 1758 - 1758 Frequency of affective support SSU_23A 1 1759 - 1759 Received positive social interactive support SSU_23B 1 1760 - 1760 Frequency of positive social interactive support SSU_24A 1 1761 - 1761 Received emotional/informational support SSU_24B 1 1762 - 1762 Frequency of emotional/informational support SPVFOPT 1 1763 - 1763 Optional module flag: Spiritual values - (F) SPV_701 1 1764 - 1764 Spiritual values - helping to find meaning to life SPV_91 1 1766 - 1766 Spiritual values - strength for everyday difficulties SPV_4 1 1767 - 1767 Spiritual values - understanding difficulties of life SPV_5 2 1768 - 1769 Respondent's religion SPV_6 1 1770 - 1770 Frequency - attends religious services or meetings SPV_7 1 1771 - 1771 Self-perception - being religious CMH_01K 1 1773 - 1777 | SSU_21A | 1 | 1755 - 1755 | Received tangible social support |
| Sun_22B 1 1758 - 1758 Frequency of affective support SSU_23A 1 1759 - 1759 Received positive social interactive support SSU_23B 1 1760 - 1760 Frequency of positive social interactive support SSU_24A 1 1761 - 1761 Received emotional/informational support SSU_24B 1 1762 - 1762 Frequency of emotional/informational support SPVFOPT 1 1763 - 1763 Optional module flag: Spiritual values - (F) SPV_11 1 1764 - 1764 Spiritual values - blaying important role in life SPV_2 1 1766 - 1765 Spiritual values - strength for everyday difficulties SPV_3 1 1766 - 1766 Spiritual values - understanding difficulties of life SPV_4 1 1767 - 1767 Spiritual values - understanding difficulties of life SPV_5 2 1768 - 1769 Respondent's religion SPV_6 1 1770 - 1770 Frequency - attends religious services or meetings SPV_7 1 1771 - 1771 Self-perception - being religious CMH=OPT 1 | SSU_21B | 1 | 1756 - 1756 | Frequency of tangible social support |
| SSU_23A11759 - 1759Received positive social interactive supportSSU_23B11760 - 1760Frequency of positive social interactive supportSSU_24A11761 - 1761Received emotional/informational supportSSU_24B11762 - 1762Frequency of emotional/informational supportSPVFOPT11763 - 1763Optional module flag: Spiritual values - (F)SPV_111764 - 1764Spiritual values - playing important role in lifeSPV_211765 - 1765Spiritual values - helping to find meaning to lifeSPV_311766 - 1766Spiritual values - strength for everyday difficultiesSPV_411767 - 1767Spiritual values - understanding difficulties of lifeSPV_521768 - 1769Respondent's religionSPV_6611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11777 - 1777Consulted mental health professional - number of timesCMH_1MB11778 - 1778Consulted mental health professional - psychologistCMH_1MB11778 - 1779Consulted mental health professional - psychologistCMH_1MD11781 - 1781Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1ME11781 - 1781Consulte | SSU_22A | 1 | 1757 - 1757 | Received affective support |
| SSU_23B 1 1760 - 1760 Frequency of positive social interactive support SSU_24A 1 1761 - 1761 Received emotional/informational support SSU_24B 1 1762 - 1762 Frequency of emotional/informational support SPVFOPT 1 1763 - 1763 Optional module flag: Spiritual values - (F) SPV_1 1 1764 - 1764 Spiritual values - playing important role in life SPV_2 1 1765 - 1765 Spiritual values - helping to find meaning to life SPV_3 1 1766 - 1766 Spiritual values - strength for everyday difficulties SPV_4 1 1767 - 1767 Spiritual values - understanding difficulties of life SPV_5 2 1768 - 1769 Respondent's religion SPV_7 1 1770 - 1770 Frequency - attends religious services or meetings SPV_7 1 1771 - 1771 Self-perception - being religious CMHFOPT 1 1772 - 1772 Optional module: Consultations about mental health - (F) CMH_01K 1 1773 - 1773 Consulted mental health professional - number of times CMH_11MA <td>SSU_22B</td> <td>1</td> <td>1758 - 1758</td> <td>Frequency of affective support</td> | SSU_22B | 1 | 1758 - 1758 | Frequency of affective support |
| SSU_24A11761 - 1761Received emotional/informational supportSSU_24B11762 - 1762Frequency of emotional/informational supportSPVFOPT11763 - 1763Optional module flag: Spiritual values - (F)SPV_111764 - 1764Spiritual values - playing important role in lifeSPV_211765 - 1765Spiritual values - strength for everyday difficultiesSPV_311766 - 1766Spiritual values - strength for everyday difficultiesSPV_411767 - 1767Spiritual values - understanding difficulties of lifeSPV_521768 - 1769Respondent's religionSPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01L31774 - 1776Consulted mental health professionalCMH_1MA11777 - 1777Consulted mental health professional - number of timesCMH_1MB11778 - 1778Consulted mental health professional - social workerCMH_1MD11780 - 1780Consulted mental health professional - social workerCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1ME11781 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11786 - 1785Frequency - distress: fe | SSU_23A | 1 | 1759 - 1759 | Received positive social interactive support |
| SSU_24B 1 1762 - 1762 Frequency of emotional/informational support SPVFOPT 1 1763 - 1763 Optional module flag: Spiritual values - (F) SPV_1 1 1764 - 1764 Spiritual values - playing important role in life SPV_2 1 1765 - 1765 Spiritual values - helping to find meaning to life SPV_3 1 1766 - 1766 Spiritual values - understanding difficulties SPV_4 1 1767 - 1767 Spiritual values - understanding difficulties of life SPV_5 2 1768 - 1769 Respondent's religion SPV_6 1 1777 - 1771 Frequency - attends religious services or meetings SPV_7 1 1771 - 1771 Self-perception - being religious CMHFOPT 1 1772 - 1772 Optional module: Consultations about mental health - (F) CMH_01K 1 1777 - 1777 Consulted mental health professional number of times CMH_01L 3 1774 - 1776 Consulted mental health professional - number of times CMH_01L 1 1778 - 1779 Consulted mental health professional - sychologist | SSU_23B | 1 | 1760 - 1760 | Frequency of positive social interactive support |
| SPVFOPT11763 - 1763Optional module flag: Spiritual values - (F)SPV_111764 - 1764Spiritual values - playing important role in lifeSPV_211765 - 1765Spiritual values - helping to find meaning to lifeSPV_311766 - 1766Spiritual values - strength for everyday difficultiesSPV_411767 - 1767Spiritual values - understanding difficulties of lifeSPV_521768 - 1769Respondent's religionSPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11773 - 1773Consulted mental health professionalCMH_01K11777 - 1777Consulted mental health professional - number of timesCMI_1MA11778 - 1778Consulted mental health professional - spychiatristCMI_1MB11778 - 1779Consulted mental health professional - spychiatristCMI_1MD11780 - 1780Consulted mental health professional - spychiatristCMI_1ME11781 - 1781Consulted mental health professional - social workerCMI_1ME11781 - 1782Consulted mental health professional - social workerCMI_1ME11782 - 1782Consulted mental health professional - social workerCMI_1ME11781 - 1781Consulted mental health professional - social workerCMI_1ME11783 - 1783Optional module: Distress - (F)DIS_0PT11784 - 1784Frequency - | SSU_24A | 1 | 1761 - 1761 | Received emotional/informational support |
| SPV_111764 - 1764Spiritual values - playing important role in lifeSPV_211765 - 1765Spiritual values - helping to find meaning to lifeSPV_311766 - 1766Spiritual values - strength for everyday difficultiesSPV_411767 - 1767Spiritual values - understanding difficulties of lifeSPV_521768 - 1769Respondent's religionSPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01L31774 - 1776Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - psychiatristCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MD11778 - 1780Consulted mental health professional - nurseCMH_1ME11778 - 1780Consulted mental health professional - nurseCMH_1ME11782 - 1782Consulted mental health professional - nurseCMH_1MF11782 - 1782Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1ME11782 - 1782Consulted mental health professional - nurseCMH_1ME11782 - 1782Consulted mental health p | SSU_24B | 1 | 1762 - 1762 | Frequency of emotional/informational support |
| SPV_211765 - 1765Spiritual values - helping to find meaning to lifeSPV_311766 - 1766Spiritual values - strength for everyday difficultiesSPV_411767 - 1767Spiritual values - understanding difficulties of lifeSPV_521768 - 1769Respondent's religionSPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - spychiatristCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1MF11781 - 1782Consulted mental health professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11785 - 1785Frequency - distress: felt tired out - past monthDIS_10B11786 - 1786Frequency - distress: so nervous nothing calms down - past monthDIS_10C11786 - 1786Frequen | SPVFOPT | 1 | 1763 - 1763 | Optional module flag: Spiritual values - (F) |
| SPV_311766 - 1766Spiritual values - strength for everyday difficultiesSPV_411767 - 1767Spiritual values - understanding difficulties of lifeSPV_521768 - 1769Respondent's religionSPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11777 - 1778Consulted mental health professional - psychiatristCMH_1MD11780 - 1780Consulted mental health professional - psychiatristCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1MF11782 - 1782Consulted mental health professional - social workerCMH_1MF11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11786 - 1786Frequency - distress: so nervous nothing calms down - past month | SPV_1 | 1 | 1764 - 1764 | Spiritual values - playing important role in life |
| SPV_411767 - 1767Spiritual values - understanding difficulties of lifeSPV_521768 - 1769Respondent's religionSPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MD11780 - 1780Consulted mental health professional - psychologistCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1ME11780 - 1780Consulted mental health professional - psychologistCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1MF11782 - 1782Consulted mental health professional - social workerCMH_1MF11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt nervous - past monthDIS_10B11786 - 1786Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | SPV_2 | 1 | 1765 - 1765 | Spiritual values - helping to find meaning to life |
| SPV_521768 - 1769Respondent's religionSPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MC11778 - 1779Consulted mental health professional - psychologistCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11785 - 1785Frequency - distress: felt nervous - past monthDIS_10B11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Frequency - distress: so nervous nothing calms down - past month | SPV_3 | 1 | 1766 - 1766 | Spiritual values - strength for everyday difficulties |
| SPV_611770 - 1770Frequency - attends religious services or meetingsSPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1MF11782 - 1782Consulted mental health professional - social workerCMH_1MF11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10C11786 - 1786Frequincy - distress: so nervous nothing calms down - past month | SPV_4 | 1 | 1767 - 1767 | Spiritual values - understanding difficulties of life |
| SPV_711771 - 1771Self-perception - being religiousCMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MC11779 - 1779Consulted mental health professional - psychologistCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1MF11782 - 1782Consulted mental health professional - social workerCMH_1MF11783 - 1783Optional module: Distress - (F)DIS_10A11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | SPV_5 | 2 | 1768 - 1769 | Respondent's religion |
| CMHFOPT11772 - 1772Optional module: Consultations about mental health - (F)CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MB11778 - 1779Consulted mental health professional - psychiatristCMH_1MD11780 - 1780Consulted mental health professional - psychologistCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11785 - 1785Frequency - distress: felt tired out - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | SPV_6 | 1 | 1770 - 1770 | Frequency - attends religious services or meetings |
| CMH_01K11773 - 1773Consulted mental health professionalCMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MB11779 - 1779Consulted mental health professional - psychiatristCMH_1MC11779 - 1779Consulted mental health professional - psychologistCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11785 - 1785Frequency - distress: felt tired out - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | SPV_7 | 1 | 1771 - 1771 | Self-perception - being religious |
| CMH_01L31774 - 1776Consulted mental health professional - number of timesCMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MD11779 - 1779Consulted mental health professional - psychologistCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - nurseCMH_1MF11782 - 1782Consulted mental health professional - social workerCMH_1MF11783 - 1783Optional module: Distress - (F)DIS_10A11785 - 1785Frequency - distress: felt tired out - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMHFOPT | 1 | 1772 - 1772 | Optional module: Consultations about mental health - (F) |
| CMH_1MA11777 - 1777Consulted mental health professional - family doctorCMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MC11779 - 1779Consulted mental health professional - psychologistCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11785 - 1785Frequency - distress: felt tired out - past monthDIS_10B11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMH_01K | 1 | 1773 - 1773 | Consulted mental health professional |
| CMH_1MB11778 - 1778Consulted mental health professional - psychiatristCMH_1MC11779 - 1779Consulted mental health professional - psychologistCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11786 - 1786Frequency - distress: so nervous nothing calms down - past month | CMH_01L | 3 | 1774 - 1776 | Consulted mental health professional - number of times |
| CMH_1MC11779 - 1779Consulted mental health professional - psychologistCMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental health professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMH_1MA | 1 | 1777 - 1777 | Consulted mental health professional - family doctor |
| CMH_1MD11780 - 1780Consulted mental health professional - nurseCMH_1ME11781 - 1781Consulted mental hlth. professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMH_1MB | 1 | 1778 - 1778 | Consulted mental health professional - psychiatrist |
| CMH_1ME11781 - 1781Consulted mental hlth. professional - social workerCMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMH_1MC | 1 | 1779 - 1779 | Consulted mental health professional - psychologist |
| CMH_1MF11782 - 1782Consulted mental health professional - otherDISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMH_1MD | 1 | 1780 - 1780 | Consulted mental health professional - nurse |
| DISFOPT11783 - 1783Optional module: Distress - (F)DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMH_1ME | 1 | 1781 - 1781 | Consulted mental hlth. professional - social worker |
| DIS_10A11784 - 1784Frequency - distress: felt tired out - past monthDIS_10B11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | CMH_1MF | 1 | 1782 - 1782 | Consulted mental health professional - other |
| DIS_10B11785 - 1785Frequency - distress: felt nervous - past monthDIS_10C11786 - 1786Freq./-distress: so nervous nothing calms down - past month | DISFOPT | 1 | 1783 - 1783 | Optional module: Distress - (F) |
| DIS_10C 1 1786 - 1786 Freq./-distress: so nervous nothing calms down - past month | DIS_10A | 1 | 1784 - 1784 | Frequency - distress: felt tired out - past month |
| | DIS_10B | 1 | 1785 - 1785 | Frequency - distress: felt nervous - past month |
| DIS_10D 1 1787 - 1787 Frequency - distress: felt hopeless - past month | DIS_10C | 1 | 1786 - 1786 | Freq./-distress: so nervous nothing calms down - past month |
| | DIS_10D | 1 | 1787 - 1787 | Frequency - distress: felt hopeless - past month |
| DIS_10E 1 1788 - 1788 Frequency - distress: felt restless - past month | DIS_10E | 1 | 1788 - 1788 | Frequency - distress: felt restless - past month |
| DIS_10F 1 1789 - 1789 Frequency - distress: could not sit still - past month | DIS_10F | 1 | 1789 - 1789 | Frequency - distress: could not sit still - past month |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| DIS_10G | 1 | 1790 - 1790 | Frequency - distress: felt sad / depressed - past month |
| DIS_10H | 1 | 1791 - 1791 | Frequency - distress: depressed/nothing cheers - past month |
| DIS_10I | 1 | 1792 - 1792 | Freq distress: felt everything was an effort - past month |
| DIS_10J | 1 | 1793 - 1793 | Frequency - distress: felt worthless - past month |
| DIS_10K | 1 | 1794 - 1794 | Frequency of distress feelings - past month |
| DIS_10L | 1 | 1795 - 1795 | Frequency of distress feelings (more often) |
| DIS_10M | 1 | 1796 - 1796 | Frequency of distress feelings (less often) |
| DIS_10N | 1 | 1797 - 1797 | Frequency of dist. feelings interfere with life - past month |
| DISDK6 | 2 | 1798 - 1799 | Distress scale - K6 - past month - (D) |
| DISDDSX | 2 | 1800 - 1801 | Distress scale - K10 - past month - (D) |
| DISDCHR | 2 | 1802 - 1803 | Chronicity of distress/impairment scale - past month - (D) |
| DPSFOPT | 1 | 1804 - 1804 | Optional module: Depression - (F) |
| DPS_02 | 1 | 1805 - 1805 | Felt sad/blue/depressed - 2 weeks or more - 12 mo |
| DPS_03 | 1 | 1806 - 1806 | Sad/depressed - length feelings lasted - 2 wk |
| DPS_04 | 1 | 1807 - 1807 | Sad/depressed - frequency - 2 wk |
| DPS_05 | 1 | 1808 - 1808 | Sad/depressed - lose interest in things - 2 wk |
| DPS_06 | 1 | 1809 - 1809 | Sad/depressed - felt tired out / low on energy - 2 wk |
| DPS_07 | 1 | 1810 - 1810 | Sad/depressed - weight change - 2 wk |
| DPS_08A | 3 | 1811 - 1813 | Sad/depressed - weight change (amount) - 2 wk |
| DPS_08B | 1 | 1814 - 1814 | Sad/depressed - weight change (lb/kg) - 2 wk |
| DPS_09 | 1 | 1815 - 1815 | Sad/depressed - trouble falling asleep - 2 wk |
| DPS_10 | 1 | 1816 - 1816 | Sad/depressed trouble falling asleep - frequency - 2 wk |
| DPS_11 | 1 | 1817 - 1817 | Sad/depressed - trouble concentrating - 2 wk |
| DPS_12 | 1 | 1818 - 1818 | Sad/depressed - felt down on self - 2 wk |
| DPS_13 | 1 | 1819 - 1819 | Sad/depressed - thought a lot about death - 2 wk |
| DPS_14 | 2 | 1820 - 1821 | Sad/depressed - number of weeks - 12 mo |
| DPS_15 | 2 | 1822 - 1823 | Sad/depressed - most recent month - 2 wk |
| DPS_16 | 1 | 1824 - 1824 | Loss of interest - things that usually give pleasure - 12 mo |
| DPS_17 | 1 | 1825 - 1825 | Loss of interest - frequency - 12 mo |
| DPS_18 | 1 | 1826 - 1826 | Loss of interest - frequency - 2 wk |
| DPS_19 | 1 | 1827 - 1827 | Loss of interest - felt tired all the time - 2 wk |
| DPS_20 | 1 | 1828 - 1828 | Loss of interest - weight change - 2 wk |
| DPS_21A | 3 | 1829 - 1831 | Loss of interest - weight change (amount) |
| DPS_21B | 1 | 1832 - 1832 | Loss of interest - weight change (lb/kg) - 2 wk |
| DPS_22 | 1 | 1833 - 1833 | Loss of interest - trouble falling asleep - 2 wk |
| DPS_23 | 1 | 1834 - 1834 | Loss of interest - trouble falling asleep/frequency - 2 wk |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| DPS_24 | 1 | 1835 - 1835 | Loss of interest - trouble concentrating - 2 wk |
| DPS_25 | 1 | 1836 - 1836 | Loss of interest - felt down on self - 2 wk |
| DPS_26 | 1 | 1837 - 1837 | Loss of interest - thought a lot about death - 2 wk |
| DPS_27 | 2 | 1838 - 1839 | Loss of interest - number of weeks - 12 mo |
| DPS_28 | 2 | 1840 - 1841 | Loss of interest - most recent month - 2 wk |
| DPSDSF | 2 | 1842 - 1843 | Depression scale - short form score - (D) |
| DPSDPP | 4.2 | 1844 - 1847 | Depression scale - Predicted probability - (D) |
| DPSDWK | 2 | 1848 - 1849 | Number of weeks felt depressed - (D) |
| DPSDMT | 2 | 1850 - 1851 | Specific month last felt depressed - 2 weeks in a row - (D) |
| SUIFOPT | 1 | 1852 - 1852 | Optional module - Suicidal thoughts and attempts - (F) |
| SUI_1 | 1 | 1853 - 1853 | Seriously considered suicide - lifetime |
| SUI_2 | 1 | 1854 - 1854 | Seriously considered suicide - past 12 months |
| SUI_3 | 1 | 1855 - 1855 | Attempted suicide - lifetime |
| SUI_4 | 1 | 1856 - 1856 | Attempted suicide - past 12 months |
| SUI_5 | 1 | 1857 - 1857 | Consulted health professional following suicide attempt |
| SUI_6A | 1 | 1858 - 1858 | Suicide attempt - consulted family doctor or g.p. |
| SUI_6B | 1 | 1859 - 1859 | Suicide attempt - consulted psychiatrist |
| SUI_6C | 1 | 1860 - 1860 | Suicide attempt - consulted psychologist |
| SUI_6D | 1 | 1861 - 1861 | Suicide attempt - consulted nurse |
| SUI_6E | 1 | 1862 - 1862 | Suicide attempt - consulted social worker or counsellor |
| SUI_6G | 1 | 1863 - 1863 | Suicide attempt - consulted religious or spiritual advisor |
| SUI_6H | 1 | 1864 - 1864 | Suicide attempt - consulted a teacher or guidance counsellor |
| SUI_6F | 1 | 1865 - 1865 | Suicide attempt - consulted other health professional |
| SFRFOPT | 1 | 1866 - 1866 | Optional module: Health status (SF-36) - (F) |
| SFR_03 | 1 | 1867 - 1867 | Health status - limits vigorous activities |
| SFR_04 | 1 | 1868 - 1868 | Health status - limits moderate activities |
| SFR_05 | 1 | 1869 - 1869 | Health status - limits lifting and carrying groceries |
| SFR_06 | 1 | 1870 - 1870 | Health status - limits climbing several flights of stairs |
| SFR_07 | 1 | 1871 - 1871 | Health status - limits climbing one flight of stairs |
| SFR_08 | 1 | 1872 - 1872 | Health status - limits bending, kneeling, stooping |
| SFR_09 | 1 | 1873 - 1873 | Health status - limits walking more than one km |
| SFR_10 | 1 | 1874 - 1874 | Health status - limits walking several blocks |
| SFR_11 | 1 | 1875 - 1875 | Health status - limits walking one block |
| SFR_12 | 1 | 1876 - 1876 | Health status - limits bathing and dressing self |
| SFR_13 | 1 | 1877 - 1877 | Physical hlth - cut down time work/activities - past 4 wks |
| SFR_14 | 1 | 1878 - 1878 | Physcial htlh - accomplished less - past 4 wks |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| SFR_15 | 1 | 1879 - 1879 | Physical hlth - limited type of work/activity - past 4 wks |
| SFR_16 | 1 | 1880 - 1880 | Phys. hlth - difficulty performing work/activities - 4 wks |
| SFR_17 | 1 | 1881 - 1881 | Emotion prob less time spent/work/activities - past 4 wks |
| SFR_18 | 1 | 1882 - 1882 | Emotional problems - accomplished less - past 4 wks |
| SFR_19 | 1 | 1883 - 1883 | Emotional prob not as careful at work/act past 4 wks |
| SFR_20 | 1 | 1884 - 1884 | Phys./emo. prob. interfered with social act past 4 wks |
| SFR_21 | 2 | 1885 - 1886 | Level of bodily pain - past 4 wks |
| SFR_22 | 1 | 1887 - 1887 | Pain interfered with normal work - past 4 wks |
| SFR_23 | 2 | 1888 - 1889 | Feeling full of pep - past 4 wks |
| SFR_24 | 2 | 1890 - 1891 | Feeling nervous - past 4 wks |
| SFR_25 | 2 | 1892 - 1893 | Feeling down and can't be cheered up - past 4 wks |
| SFR_26 | 2 | 1894 - 1895 | Feeling calm and peaceful - past 4 wks |
| SFR_27 | 2 | 1896 - 1897 | Have lots of energy - past 4 wks |
| SFR_28 | 2 | 1898 - 1899 | Feeling downhearted and blue - past 4 wks |
| SFR_29 | 2 | 1900 - 1901 | Feeling worn out - past 4 wks |
| SFR_30 | 2 | 1902 - 1903 | Feeling happy - past 4 wks |
| SFR_31 | 2 | 1904 - 1905 | Feeling tired - past 4 wks |
| SFR_32 | 2 | 1906 - 1907 | Health limited social activities - past 4 wks |
| SFR_33 | 1 | 1908 - 1908 | Seem to get sick easier than others |
| SFR_34 | 1 | 1909 - 1909 | Sees self as healthy as others |
| SFR_35 | 1 | 1910 - 1910 | Expects health to worsen |
| SFR_36 | 1 | 1911 - 1911 | Views own health as excellent |
| SFRDPFS | 3 | 1912 - 1914 | Physical functioning scale - (D) |
| SFRDSFS | 3 | 1915 - 1917 | Social functioning scale - (D) |
| SFRDPRF | 3 | 1918 - 1920 | Role functioning (physical) scale - (D) |
| SFRDMRF | 3 | 1921 - 1923 | Role functioning (mental) scale - (D) |
| SFRDGMH | 3 | 1924 - 1926 | General mental health scale - (D) |
| SFRDVTS | 3 | 1927 - 1929 | Vitality scale - (D) |
| SFRDBPS | 3 | 1930 - 1932 | Bodily pain scale - (D) |
| SFRDGHP | 3 | 1933 - 1935 | General health perceptions scale - (D) |
| SFRDPCS | 2 | 1936 - 1937 | Summary measure of physical health - (D) |
| SFRDMCS | 2 | 1938 - 1939 | Summary measure of mental health - (D) |
| ACCFOPT | 1 | 1940 - 1940 | Optional module: Access to health care services - (F) |
| ACC_10 | 1 | 1941 - 1941 | Required visit to medical specialist |
| ACC_11 | 1 | 1942 - 1942 | Experienced difficulties getting specialist care |
| ACC_12A | 1 | 1943 - 1943 | Difficulty - getting a referral |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| ACC_12B | 1 | 1944 - 1944 | Difficulty - getting an appointment |
| ACC_12C | 1 | 1945 - 1945 | Difficulty - no specialists in area |
| ACC_12D | 1 | 1946 - 1946 | Difficulty - waited too long for an appointment |
| ACC_12E | 1 | 1947 - 1947 | Difficulty - waited too long to see doc. |
| ACC_12F | 1 | 1948 - 1948 | Difficulty - transportation |
| ACC_12G | 1 | 1949 - 1949 | Difficulty - language |
| ACC_12H | 1 | 1950 - 1950 | Difficulty - cost |
| ACC_12I | 1 | 1951 - 1951 | Difficulty - personal or family responsibilities |
| ACC_12J | 1 | 1952 - 1952 | Difficulty - general deterioration of health |
| ACC_12K | 1 | 1953 - 1953 | Difficulty - appointment cancelled/deferred |
| ACC_12L | 1 | 1954 - 1954 | Difficulty - still waiting for visit |
| ACC_12M | 1 | 1955 - 1955 | Difficulty - unable to leave house / health problem |
| ACC_12N | 1 | 1956 - 1956 | Difficulty - other |
| ACC_20 | 1 | 1957 - 1957 | Required non-emergency surgery |
| ACC_21 | 1 | 1958 - 1958 | Experienced difficulties getting non-emerg. surgery |
| ACC_22A | 1 | 1959 - 1959 | Difficulty - getting an appointment with a surgeon |
| ACC_22B | 1 | 1960 - 1960 | Difficulty - getting a diagnosis |
| ACC_22C | 1 | 1961 - 1961 | Difficulty - waited too long for a diagnostic test |
| ACC_22D | 1 | 1962 - 1962 | Difficulty - waited too long for a hospital bed |
| ACC_22E | 1 | 1963 - 1963 | Difficulty - waited too long for surgery |
| ACC_22F | 1 | 1964 - 1964 | Difficulty - service not available in area |
| ACC_22G | 1 | 1965 - 1965 | Difficulty - transportation |
| ACC_22H | 1 | 1966 - 1966 | Difficulty - language |
| ACC_22I | 1 | 1967 - 1967 | Difficulty - cost |
| ACC_22J | 1 | 1968 - 1968 | Difficulty - personal or family responsibilities |
| ACC_22K | 1 | 1969 - 1969 | Difficulty - general deterioration of health |
| ACC_22L | 1 | 1970 - 1970 | Difficulty - appointment cancelled/deferred |
| ACC_22M | 1 | 1971 - 1971 | Difficulty - still waiting for surgery |
| ACC_22N | 1 | 1972 - 1972 | Difficulty - unable to leave house / health problem |
| ACC_220 | 1 | 1973 - 1973 | Difficulty - other |
| ACC_30 | 1 | 1974 - 1974 | Required MRI, CT Scan, angiography |
| ACC_31 | 1 | 1975 - 1975 | Experienced difficulties getting test |
| ACC_32A | 1 | 1976 - 1976 | Difficulty - getting a referral |
| ACC_32B | 1 | 1977 - 1977 | Difficulty - getting an appointment |
| ACC_32C | 1 | 1978 - 1978 | Difficulty - waited too long to get an appointment |
| ACC_32D | 1 | 1979 - 1979 | Difficulty - waited too long to get test |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| ACC_32E | 1 | 1980 - 1980 | Difficulty - service not available at time required |
| ACC_32F | 1 | 1981 - 1981 | Difficulty - service not available in the area |
| ACC_32G | 1 | 1982 - 1982 | Difficulty - transportation |
| ACC_32H | 1 | 1983 - 1983 | Difficulty - language |
| ACC_32I | 1 | 1984 - 1984 | Difficulty - cost |
| ACC_32J | 1 | 1985 - 1985 | Difficulty - general deterioration of health |
| ACC_32K | 1 | 1986 - 1986 | Difficulty - did not know where to go |
| ACC_32L | 1 | 1987 - 1987 | Difficulty - still waiting for test |
| ACC_32M | 1 | 1988 - 1988 | Difficulty - unable to leave house / health problem |
| ACC_32N | 1 | 1989 - 1989 | Difficulty - other |
| ACC_40 | 1 | 1990 - 1990 | Required health information for self or family member |
| ACC_40A | 1 | 1991 - 1991 | Contact for health information - doctor's office |
| ACC_40B | 1 | 1992 - 1992 | Contact for health information - community hlth ctr / CLSC |
| ACC_40C | 1 | 1993 - 1993 | Contact for health information - walk-in clinic |
| ACC_40D | 1 | 1994 - 1994 | Contact for health information - telephone health line |
| ACC_40E | 1 | 1995 - 1995 | Contact for health information - emergency room |
| ACC_40F | 1 | 1996 - 1996 | Contact for health information - other hospital service |
| ACC_40G | 1 | 1997 - 1997 | Contact for health information - other |
| ACC_41 | 1 | 1998 - 1998 | Experienced diff. getting health information - self/family |
| ACC_42 | 1 | 1999 - 1999 | Experienced difficulties during regular hours |
| ACC_43A | 1 | 2000 - 2000 | Difficulty - contacting a physician or nurse |
| ACC_43B | 1 | 2001 - 2001 | Difficulty - did not have a phone number |
| ACC_43C | 1 | 2002 - 2002 | Difficulty - could not get through |
| ACC_43D | 1 | 2003 - 2003 | Difficulty - waited too long to speak to someone |
| ACC_43E | 1 | 2004 - 2004 | Difficulty - did not get adequate info or advice |
| ACC_43F | 1 | 2005 - 2005 | Difficulty - language |
| ACC_43G | 1 | 2006 - 2006 | Difficulty - did not know where to go/call/uninformed |
| ACC_43H | 1 | 2007 - 2007 | Difficulty - unable to leave house / health problem |
| ACC_43I | 1 | 2008 - 2008 | Difficulty - other |
| ACC_44 | 1 | 2009 - 2009 | Experienced difficulties during evenings/weekends |
| ACC_45A | 1 | 2010 - 2010 | Difficulty - contacting a physican or nurse |
| ACC_45B | 1 | 2011 - 2011 | Difficulty - did not have a phone number |
| ACC_45C | 1 | 2012 - 2012 | Difficulty - could not get through |
| ACC_45D | 1 | 2013 - 2013 | Difficulty - waited too long to speak to someone |
| ACC_45E | 1 | 2014 - 2014 | Difficulty - did not get adequate info or advice |
| ACC_45F | 1 | 2015 - 2015 | Difficulty - language |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| ACC_45G | 1 | 2016 - 2016 | Difficulty - did not know where to go/call/uninformed |
| ACC_45H | 1 | 2017 - 2017 | Difficulty - unable to leave house / health problem |
| ACC_45I | 1 | 2018 - 2018 | Difficulty - other |
| ACC_46 | 1 | 2019 - 2019 | Experienced difficulties during middle of night |
| ACC_47A | 1 | 2020 - 2020 | Difficulty - contacting a physican or nurse |
| ACC_47B | 1 | 2021 - 2021 | Difficulty - did not have a phone number |
| ACC_47C | 1 | 2022 - 2022 | Difficulty - could not get through |
| ACC_47D | 1 | 2023 - 2023 | Difficulty - waited too long to speak to someone |
| ACC_47E | 1 | 2024 - 2024 | Difficulty - did not get adequate info or advice |
| ACC_47F | 1 | 2025 - 2025 | Difficulty - language |
| ACC_47G | 1 | 2026 - 2026 | Difficulty - did not know where to go/call/uninformed |
| ACC_47H | 1 | 2027 - 2027 | Difficulty - unable to leave house / health problem |
| ACC_47I | 1 | 2028 - 2028 | Difficulty - other |
| ACC_50A | 1 | 2029 - 2029 | Has a regular family doctor |
| ACC_50 | 1 | 2030 - 2030 | Required routine care for self/family |
| ACC_51 | 1 | 2031 - 2031 | Experienced diff. getting routine/on-going care - self/fam. |
| ACC_52 | 1 | 2032 - 2032 | Experienced difficulties during regular hours |
| ACC_53A | 1 | 2033 - 2033 | Difficulty - contacting a physican |
| ACC_53B | 1 | 2034 - 2034 | Difficulty - getting an appointment |
| ACC_53C | 1 | 2035 - 2035 | Difficulty - do not have a family physician |
| ACC_53D | 1 | 2036 - 2036 | Difficulty - waited too long to get an appointment |
| ACC_53E | 1 | 2037 - 2037 | Difficulty - waited too long to see doc. |
| ACC_53F | 1 | 2038 - 2038 | Difficulty - service not available at time required |
| ACC_53G | 1 | 2039 - 2039 | Difficulty - service not available in the area |
| ACC_53H | 1 | 2040 - 2040 | Difficulty - transportation |
| ACC_53I | 1 | 2041 - 2041 | Difficulty - language |
| ACC_53J | 1 | 2042 - 2042 | Difficulty - cost |
| ACC_53K | 1 | 2043 - 2043 | Difficulty - did not know where to go |
| ACC_53L | 1 | 2044 - 2044 | Difficulty - unable to leave house / health problem |
| ACC_53M | 1 | 2045 - 2045 | Difficulty - other |
| ACC_54 | 1 | 2046 - 2046 | Experienced difficulties during evenings/weekends |
| ACC_55A | 1 | 2047 - 2047 | Difficulty - contacting a physican |
| ACC_55B | 1 | 2048 - 2048 | Difficulty - getting an appointment |
| ACC_55C | 1 | 2049 - 2049 | Difficulty - do not have a family physician |
| ACC_55D | 1 | 2050 - 2050 | Difficulty - waited too long to get an appointment |
| ACC_55E | 1 | 2051 - 2051 | Difficulty - waited too long to see doc. |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| ACC_55F | 1 | 2052 - 2052 | Difficulty - service not available at time required |
| ACC_55G | 1 | 2053 - 2053 | Difficulty - service not available in the area |
| ACC_55H | 1 | 2054 - 2054 | Difficulty - transportation |
| ACC_55I | 1 | 2055 - 2055 | Difficulty - language |
| ACC_55J | 1 | 2056 - 2056 | Difficulty - cost |
| ACC_55K | 1 | 2057 - 2057 | Difficulty - did not know where to go |
| ACC_55L | 1 | 2058 - 2058 | Difficulty - unable to leave house / health problem |
| ACC_55M | 1 | 2059 - 2059 | Difficulty - other |
| ACC_60 | 1 | 2060 - 2060 | Required immediate care/minor health problem - self/family |
| ACC_61 | 1 | 2061 - 2061 | Experienced difficulties getting immediate care - self/fam. |
| ACC_62 | 1 | 2062 - 2062 | Experienced difficulties during regular hours |
| ACC_63A | 1 | 2063 - 2063 | Difficulty - contacting a physican |
| ACC_63B | 1 | 2064 - 2064 | Difficulty - getting an appointment |
| ACC_63C | 1 | 2065 - 2065 | Difficulty - do not have a family physician |
| ACC_63D | 1 | 2066 - 2066 | Difficulty - waited too long to get an appointment |
| ACC_63E | 1 | 2067 - 2067 | Difficulty - waited too long to see doc. |
| ACC_63F | 1 | 2068 - 2068 | Difficulty - service not available at time required |
| ACC_63G | 1 | 2069 - 2069 | Difficulty - service not available in the area |
| ACC_63H | 1 | 2070 - 2070 | Difficulty - transportation |
| ACC_63I | 1 | 2071 - 2071 | Difficulty - language |
| ACC_63J | 1 | 2072 - 2072 | Difficulty - cost |
| ACC_63K | 1 | 2073 - 2073 | Difficulty - did not know where to go |
| ACC_63L | 1 | 2074 - 2074 | Difficulty - unable to leave house / health problem |
| ACC_63M | 1 | 2075 - 2075 | Difficulty - other |
| ACC_64 | 1 | 2076 - 2076 | Experienced difficulties during evenings/weekends |
| ACC_65A | 1 | 2077 - 2077 | Difficulty - contacting a physican |
| ACC_65B | 1 | 2078 - 2078 | Difficulty - getting an appointment |
| ACC_65C | 1 | 2079 - 2079 | Difficulty - do not have a family physician |
| ACC_65D | 1 | 2080 - 2080 | Difficulty - waited too long to get an appointment |
| ACC_65E | 1 | 2081 - 2081 | Difficulty - waited too long to see doc. |
| ACC_65F | 1 | 2082 - 2082 | Difficulty - service not available at time required |
| ACC_65G | 1 | 2083 - 2083 | Difficulty - service not available in the area |
| ACC_65H | 1 | 2084 - 2084 | Difficulty - transportation |
| ACC_65I | 1 | 2085 - 2085 | Difficulty - language |
| ACC_65J | 1 | 2086 - 2086 | Difficulty - cost |
| ACC_65K | 1 | 2087 - 2087 | Difficulty - did not know where to go |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| ACC_65L | 1 | 2088 - 2088 | Difficulty - unable to leave house / health problem |
| ACC_65M | 1 | 2089 - 2089 | Difficulty - other |
| ACC_66 | 1 | 2090 - 2090 | Experienced difficulties during middle of night |
| ACC_67A | 1 | 2091 - 2091 | Difficulty - contacting a physican |
| ACC_67B | 1 | 2092 - 2092 | Difficulty - getting an appointment |
| ACC_67C | 1 | 2093 - 2093 | Difficulty - do not have a family physician |
| ACC_67D | 1 | 2094 - 2094 | Difficulty - waited too long to get an appointment |
| ACC_67E | 1 | 2095 - 2095 | Difficulty - waited too long to see doc. |
| ACC_67F | 1 | 2096 - 2096 | Difficulty - service not available at time required |
| ACC_67G | 1 | 2097 - 2097 | Difficulty - service not available in the area |
| ACC_67H | 1 | 2098 - 2098 | Difficulty - transportation |
| ACC_67I | 1 | 2099 - 2099 | Difficulty - language |
| ACC_67J | 1 | 2100 - 2100 | Difficulty - cost |
| ACC_67K | 1 | 2101 - 2101 | Difficulty - did not know where to go |
| ACC_67L | 1 | 2102 - 2102 | Difficulty - unable to leave house / health problem |
| ACC_67M | 1 | 2103 - 2103 | Difficulty - other |
| WTMFOPT | 1 | 2104 - 2104 | Optional module: Waiting times - (F) |
| WTM_01 | 1 | 2105 - 2105 | Required visit to medical specialist |
| WTM_02 | 2 | 2106 - 2107 | Required visit to medical specialist - type of condition |
| WTM_03 | 1 | 2108 - 2108 | Person who referred respondent to medical specialist |
| WTM_04 | 1 | 2109 - 2109 | Already visited the medical specialist |
| WTM_05 | 1 | 2110 - 2110 | Had difficulties seeing the medical specialist |
| WTM_06A | 1 | 2111 - 2111 | Difficulty - getting a referral |
| WTM_06B | 1 | 2112 - 2112 | Difficulty - getting an appointment |
| WTM_06C | 1 | 2113 - 2113 | Difficulty - no specialists in area |
| WTM_06D | 1 | 2114 - 2114 | Difficulty - waited too long for an appointment |
| WTM_06E | 1 | 2115 - 2115 | Difficulty - waited too long to see doctor |
| WTM_06F | 1 | 2116 - 2116 | Difficulty - transportation |
| WTM_06G | 1 | 2117 - 2117 | Difficulty - language |
| WTM_06H | 1 | 2118 - 2118 | Difficulty - cost |
| WTM_06I | 1 | 2119 - 2119 | Difficulty - personal or family responsibilities |
| WTM_06J | 1 | 2120 - 2120 | Difficulty - general deterioration of health |
| WTM_06K | 1 | 2121 - 2121 | Difficulty - appointment cancelled/deferred |
| WTM_06L | 1 | 2122 - 2122 | Difficulty - unable to leave house/health problem |
| WTM_06M | 1 | 2123 - 2123 | Difficulty - other |
| WTM_07A | 3 | 2124 - 2126 | Length of wait to see specialist |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| WTM_07B | 1 | 2127 - 2127 | Length of wait to see specialist - reporting unit |
| WTM_08A | 3 | 2128 - 2130 | Length of time been waiting to see specialist |
| WTM_08B | 1 | 2131 - 2131 | Length of time been waiting to see specialist - report. unit |
| WTM_10 | 1 | 2132 - 2132 | Respondent's opinion of waiting time |
| WTM_11A | 3 | 2133 - 2135 | Acceptable waiting time |
| WTM_11B | 1 | 2136 - 2136 | Acceptable waiting time - reporting unit |
| WTM_12 | 1 | 2137 - 2137 | Visit to specialist cancelled or postponed |
| WTM_13A | 1 | 2138 - 2138 | Visit cancelled/postponed - by respondent |
| WTM_13B | 1 | 2139 - 2139 | Visit cancelled/postponed - by specialist |
| WTM_13C | 1 | 2140 - 2140 | Visit cancelled/postponed - by other |
| WTM_14 | 1 | 2141 - 2141 | Life affected by wait for visit to specialist |
| WTM_15A | 1 | 2142 - 2142 | Life affected by wait - worry |
| WTM_15B | 1 | 2143 - 2143 | Life affected by wait - worry for family |
| WTM_15C | 1 | 2144 - 2144 | Life affected by wait - pain |
| WTM_15D | 1 | 2145 - 2145 | Life affected by wait - prob. with activities/daily living |
| WTM_15E | 1 | 2146 - 2146 | Life affected by wait - loss of work |
| WTM_15F | 1 | 2147 - 2147 | Life affected by wait - loss of income |
| WTM_15G | 1 | 2148 - 2148 | Life affected by wait - increased dependence |
| WTM_15H | 1 | 2149 - 2149 | Life affected by wait - increased use medications |
| WTM_15I | 1 | 2150 - 2150 | Life affected by wait - health deteriorated |
| WTM_15J | 1 | 2151 - 2151 | Life affected by wait - health problem improved |
| WTM_15K | 1 | 2152 - 2152 | Life affected by wait - pers. relationships suffered |
| WTM_15L | 1 | 2153 - 2153 | Life affected by wait - other |
| WTM_16 | 2 | 2154 - 2155 | Type of surgery required |
| WTM_17 | 1 | 2156 - 2156 | Already had the surgery |
| WTM_18 | 1 | 2157 - 2157 | Surgery required overnight hospital stay |
| WTM_19 | 1 | 2158 - 2158 | Experienced difficulties getting this surgery |
| WTM_20A | 1 | 2159 - 2159 | Difficulty - getting an appointment |
| WTM_20B | 1 | 2160 - 2160 | Difficulty - getting a diagnosis |
| WTM_20C | 1 | 2161 - 2161 | Difficulty - waited too long for a diagnostic test |
| WTM_20D | 1 | 2162 - 2162 | Difficulty - waited too long for a hospital bed |
| WTM_20E | 1 | 2163 - 2163 | Difficulty - waited too long for surgery |
| WTM_20F | 1 | 2164 - 2164 | Difficulty - service not available in area |
| WTM_20G | 1 | 2165 - 2165 | Difficulty - transportation |
| WTM_20H | 1 | 2166 - 2166 | Difficulty - language |
| WTM_20I | 1 | 2167 - 2167 | Difficulty - cost |
| | | | |

Page 45

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| WTM_20J | 1 | 2168 - 2168 | Difficulty - personal or family responsibilities |
| WTM_20K | 1 | 2169 - 2169 | Difficulty - general deterioration of health |
| WTM_20L | 1 | 2170 - 2170 | Difficulty - appointment cancelled/deferred |
| WTM_20M | 1 | 2171 - 2171 | Difficulty - unable to leave house/health problem |
| WTM_20N | 1 | 2172 - 2172 | Difficulty - other |
| WTM_21A | 3 | 2173 - 2175 | Length of wait between decision and surgery |
| WTM_21B | 1 | 2176 - 2176 | Length of wait between decision and surgery - reported unit |
| WTM_22 | 1 | 2177 - 2177 | Surgery will require overnight hospital stay |
| WTM_23A | 3 | 2178 - 2180 | Time since decision to have surgery |
| WTM_23B | 1 | 2181 - 2181 | Time since decision to have surgery - reported unit |
| WTM_24 | 1 | 2182 - 2182 | Respondent's opinion of waiting time |
| WTM_25A | 3 | 2183 - 2185 | Acceptable waiting time |
| WTM_25B | 1 | 2186 - 2186 | Acceptable waiting time - reported unit |
| WTM_26 | 1 | 2187 - 2187 | Surgery cancelled or postponed |
| WTM_27A | 1 | 2188 - 2188 | Surgery cancelled/postponed - by respondent |
| WTM_27B | 1 | 2189 - 2189 | Surgery cancelled/postponed - by surgeon |
| WTM_27C | 1 | 2190 - 2190 | Surgery cancelled/postponed - by hospital |
| WTM_27D | 1 | 2191 - 2191 | Surgery cancelled/postponed - other |
| WTM_28 | 1 | 2192 - 2192 | Life affected by wait for surgery |
| WTM_29A | 1 | 2193 - 2193 | Life affected by wait - worry |
| WTM_29B | 1 | 2194 - 2194 | Life affected by wait - worry for family |
| WTM_29C | 1 | 2195 - 2195 | Life affected by wait - pain |
| WTM_29D | 1 | 2196 - 2196 | Life affected by wait - prob. with activities/daily living |
| WTM_29E | 1 | 2197 - 2197 | Life affected by wait - loss of work |
| WTM_29F | 1 | 2198 - 2198 | Life affected by wait - loss of income |
| WTM_29G | 1 | 2199 - 2199 | Life affected by wait - increased dependence |
| WTM_29H | 1 | 2200 - 2200 | Life affected by wait - increased used of medication |
| WTM_29I | 1 | 2201 - 2201 | Life affected by wait - health deteriorated |
| WTM_29J | 1 | 2202 - 2202 | Life affected by wait - health problem improved |
| WTM_29K | 1 | 2203 - 2203 | Life affected by wait - personal relationships suffered |
| WTM_29L | 1 | 2204 - 2204 | Life affected by wait - other |
| WTM_30 | 1 | 2205 - 2205 | Type of diagnostic test required |
| WTM_31 | 1 | 2206 - 2206 | Required diagnostic test - type of condition |
| WTM_32 | 1 | 2207 - 2207 | Already had diagnostic test |
| WTM_33 | 1 | 2208 - 2208 | Location of test |
| WTM_34 | 1 | 2209 - 2209 | Location of clinic |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| WTM_35 | 1 | 2210 - 2210 | Patient in hospital at time of test |
| WTM_36 | 1 | 2211 - 2211 | Had difficulties getting the diagnostic test |
| WTM_37A | 1 | 2212 - 2212 | Difficulty - getting a referral |
| WTM_37B | 1 | 2213 - 2213 | Difficulty - getting an appointment |
| WTM_37C | 1 | 2214 - 2214 | Difficulty - waited too long to get an appointment |
| WTM_37D | 1 | 2215 - 2215 | Difficulty - waited long to get test |
| WTM_37E | 1 | 2216 - 2216 | Difficulty - service not available at time required |
| WTM_37F | 1 | 2217 - 2217 | Difficulty - service not available in area |
| WTM_37G | 1 | 2218 - 2218 | Difficulty - transportation |
| WTM_37H | 1 | 2219 - 2219 | Difficulty - language |
| WTM_37I | 1 | 2220 - 2220 | Difficulty - cost |
| WTM_37J | 1 | 2221 - 2221 | Difficulty - general deterioration of health |
| WTM_37K | 1 | 2222 - 2222 | Difficulty - did not know where to get information |
| WTM_37L | 1 | 2223 - 2223 | Difficulty - unable to leave house/health problem |
| WTM_37M | 1 | 2224 - 2224 | Difficulty - other |
| WTM_38A | 3 | 2225 - 2227 | Length of wait between decision and test |
| WTM_38B | 1 | 2228 - 2228 | Length of wait between decision and test - reporting unit |
| WTM_39A | 3 | 2229 - 2231 | Length of time been waiting for diagnostic test |
| WTM_39B | 1 | 2232 - 2232 | Length of time been waiting for diagnostic test - unit |
| WTM_40 | 1 | 2233 - 2233 | Respondent's opinion of waiting time |
| WTM_41A | 3 | 2234 - 2236 | Acceptable waiting time |
| WTM_41B | 1 | 2237 - 2237 | Acceptable waiting time - unit |
| WTM_42 | 1 | 2238 - 2238 | Test cancelled or postponed |
| WTM_43 | 1 | 2239 - 2239 | Test cancelled or postponed by |
| WTM_44 | 1 | 2240 - 2240 | Life affected by wait for test |
| WTM_45A | 1 | 2241 - 2241 | Life affected by wait - worry |
| WTM_45B | 1 | 2242 - 2242 | Life affected by wait - worry for family |
| WTM_45C | 1 | 2243 - 2243 | Life affected by wait - pain |
| WTM_45D | 1 | 2244 - 2244 | Life affected by wait - prob. with activities/daily living |
| WTM_45E | 1 | 2245 - 2245 | Life affected by wait - loss of work |
| WTM_45F | 1 | 2246 - 2246 | Life affected by wait - loss of income |
| WTM_45G | 1 | 2247 - 2247 | Life affected by wait - increased dependence |
| WTM_45H | 1 | 2248 - 2248 | Life affected by wait - increased use medications |
| WTM_45I | 1 | 2249 - 2249 | Life affected by wait - health deteriorated |
| WTM_45J | 1 | 2250 - 2250 | Life affected by wait - health problem improved |
| WTM_45K | 1 | 2251 - 2251 | Life affected by wait - personal relationships suffered |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| WTM_45L | 1 | 2252 - 2252 | Life affected by wait - other |
| WTMDSO | 4 | 2253 - 2256 | Number/days wait/medical specialist - seen specialist - (D) |
| WTMDSN | 4 | 2257 - 2260 | Number/days wait/medical specialist - not seen spec (D) |
| WTMDSA | 4 | 2261 - 2264 | Number of days acceptable wait - med. specialist - (D) |
| WTMDCO | 4 | 2265 - 2268 | Number of days wait - non-urgent surgery - surgery done - (D |
| WTMDCN | 4 | 2269 - 2272 | Number of days wait - non-urgent surgery - not done - (D) |
| WTMDCA | 4 | 2273 - 2276 | Number of days acceptable wait - non emergency surgery - (D) |
| WTMDTO | 4 | 2277 - 2280 | Number of days wait - diagnostic test - done - (D) |
| WTMDTN | 4 | 2281 - 2284 | Number of days wait - diagnostic test - not done - (D) |
| WTMDTA | 4 | 2285 - 2288 | Number of days acceptable wait - diagnostic test - (D) |
| SDC_1 | 2 | 2289 - 2290 | Country of birth |
| SDC_2 | 1 | 2291 - 2291 | Canadian citizen by birth |
| SDC_3 | 4 | 2292 - 2295 | Year of immigration to Canada |
| SDC_4A | 1 | 2296 - 2296 | Ethnic origin - Canadian |
| SDC_4B | 1 | 2297 - 2297 | Ethnic origin - French |
| SDC_4C | 1 | 2298 - 2298 | Ethnic origin - English |
| SDC_4D | 1 | 2299 - 2299 | Ethnic origin - German |
| SDC_4E | 1 | 2300 - 2300 | Ethnic origin - Scottish |
| SDC_4F | 1 | 2301 - 2301 | Ethnic origin - Irish |
| SDC_4G | 1 | 2302 - 2302 | Ethnic origin - Italian |
| SDC_4H | 1 | 2303 - 2303 | Ethnic origin - Ukrainian |
| SDC_4I | 1 | 2304 - 2304 | Ethnic origin - Dutch (Netherlands) |
| SDC_4J | 1 | 2305 - 2305 | Ethnic origin - Chinese |
| SDC_4K | 1 | 2306 - 2306 | Ethnic origin - Jewish |
| SDC_4L | 1 | 2307 - 2307 | Ethnic origin - Polish |
| SDC_4M | 1 | 2308 - 2308 | Ethnic origin - Portuguese |
| SDC_4N | 1 | 2309 - 2309 | Ethnic origin - South Asian |
| SDC_4T | 1 | 2310 - 2310 | Ethnic origin - North American Indian |
| SDC_4U | 1 | 2311 - 2311 | Ethnic origin - Métis |
| SDC_4V | 1 | 2312 - 2312 | Ethnic origin - Inuit |
| SDC_4P | 1 | 2313 - 2313 | Ethnic origin - Norwegian |
| SDC_4Q | 1 | 2314 - 2314 | Ethnic origin - Welsh |
| SDC_4R | 1 | 2315 - 2315 | Ethnic origin - Swedish |
| SDC_4S | 1 | 2316 - 2316 | Ethnic origin - other |
| SDC_41 | 1 | 2317 - 2317 | Aboriginal - North American Indian, Métis, Inuit |
| SDC_42A | 1 | 2318 - 2318 | Aboriginal person(s) - North American Indian |

| SDC_42B 1 2319 Aboriginal person(s) - Métis SDC_42C 1 2320 Aboriginal person(s) - Inuit SDC_43A 1 2321 - 2321 Cultural/racial origin - Chinese SDC_43B 1 2322 - 2322 Cultural/racial origin - Chinese SDC_43B 1 2323 - 2323 Cultural/racial origin - South Asian SDC_43F 1 2325 - 2325 Cultural/racial origin - South Asian SDC_43G 1 2327 - 2327 Cultural/racial origin - South Asian SDC_43G 1 2327 - 2327 Cultural/racial origin - Atab SDC_43G 1 2328 - 2328 Cultural/racial origin - Most Asian SDC_43G 1 2328 - 2329 Cultural/racial origin - Most Asian SDC_43G 1 2330 - 2330 Cultural/racial origin - Most Asian SDC_43G 1 2331 - 2331 Ethnic origin - Korean SDC_43G 1 2332 - 2332 Can converse - French SDC_5D 1 2335 - 2335 Can converse - Grea SDC_5D 1 2337 - 2337 Ca | Variable | Length | Position | Concept |
|--|----------|--------|-------------|---|
| SDC_43A 1 2321 - 2321 Cultural/racial origin - White SDC_43B 1 2322 - 2322 Cultural/racial origin - Chinese SDC_43C 1 2322 - 2323 Cultural/racial origin - South Asian SDC_43B 1 2322 - 2324 Cultural/racial origin - Black SDC_43F 1 2325 - 2325 Cultural/racial origin - South Asian SDC_43F 1 2326 - 2326 Cultural/racial origin - South East Asian SDC_43F 1 2328 - 2328 Cultural/racial origin - Arab SDC_43H 1 2330 - 2330 Cultural/racial origin - Japanese SDC_43K 1 2331 - 2331 Ethnic origin - Korean SDC_5AB 1 2333 - 2335 Can converse - French SDC_5AG 1 2333 - 2335 Can converse - Arabic SDC_5AG 1 2333 - 2336 Can converse - Arabic SDC_5AG 1 2333 - 2338 Can converse - Arabic SDC_5AG 1 2336 - 2336 Can converse - Greek SDC_5AG 1 2336 - 2336 Can converse - Gr | SDC_42B | 1 | 2319 - 2319 | Aboriginal person(s) - Métis |
| SDC_438 1 2322 - 2322 Cultural/racial origin - Chinese SDC_432 1 2323 - 2323 Cultural/racial origin - South Asian SDC_433 1 2324 - 2324 Cultural/racial origin - South Asian SDC_436 1 2325 - 2325 Cultural/racial origin - South Asian SDC_437 1 2326 - 2326 Cultural/racial origin - South East Asian SDC_436 1 2327 - 2327 Cultural/racial origin - South East Asian SDC_431 1 2329 - 2329 Cultural/racial origin - Varb SDC_434 1 2331 - 2331 Ethnic origin - Varea SDC_434 1 2332 - 2332 Cultural/racial origin - other SDC_434 1 2331 - 2331 Ethnic origin - Korean SDC_434 1 2332 - 2332 Cultural/racial origin - other SDC_434 1 2332 - 2332 Cultural/racial origin - other SDC_56 1 2333 - 2336 Can converse - French SDC_57 1 2338 - 2336 Can converse - Othese SDC_56 1 2339 - 2337 | SDC_42C | 1 | 2320 - 2320 | Aboriginal person(s) - Inuit |
| SDC_43C 1 2323 - 2323 Cultural/racial origin - South Asian SDC_43D 1 2324 - 2324 Cultural/racial origin - Black SDC_43E 1 2325 - 2325 Cultural/racial origin - Iatin American SDC_43F 1 2326 - 2326 Cultural/racial origin - Latin American SDC_43G 1 2327 - 2327 Cultural/racial origin - South East Asian SDC_43H 1 2328 - 2328 Cultural/racial origin - West Asian SDC_43H 1 2329 - 2329 Cultural/racial origin - West Asian SDC_43H 1 2330 - 2330 Cultural/racial origin - Morea SDC_43M 1 2331 - 2331 Ethnic origin - Korean SDC_5A 1 2331 - 2331 Cultural/racial origin - Japanese SDC_5B 1 2332 - 2332 Cultural/racial origin - Morea SDC_5A 1 2333 - 2333 Can converse - English SDC_5B 1 2335 - 2335 Can converse - Arabic SDC_5F 1 2337 - 2337 Can converse - Greek SDC_5F 1 2340 - 2340< | SDC_43A | 1 | 2321 - 2321 | Cultural / racial origin - White |
| SDC_43D 1 2324 - 2324 Cultural/racial origin - Black SDC_43E 1 2325 - 2325 Cultural/racial origin - Stilpino SDC_43F 1 2326 - 2326 Cultural/racial origin - South East Asian SDC_43G 1 2328 - 2328 Cultural/racial origin - South East Asian SDC_431 1 2328 - 2328 Cultural/racial origin - Mapa SDC_431 1 2332 - 2329 Cultural/racial origin - Mapa SDC_431 1 2331 - 2330 Cultural/racial origin - Mapa SDC_434 1 2331 - 2331 Ethnic origin - Korean SDC_434 1 2332 - 2332 Cultural/racial origin - other SDC_5A 1 2332 - 2332 Cultural/racial origin - other SDC_5B 1 2333 - 2333 Can converse - English SDC_5C 1 2336 - 2336 Can converse - Cane SDC_5D 1 2338 - 2337 Can converse - Cane SDC_5F 1 2338 - 2338 Can converse - Greek SDC_5F 1 2340 - 2340 Can converse - Norean< | SDC_43B | 1 | 2322 - 2322 | Cultural/racial origin - Chinese |
| SDC_43E 1 2325 - 2325 Cultural/racial origin - Filipino SDC_43F 1 2326 - 2326 Cultural/racial origin - Latin American SDC_43G 1 2327 - 2327 Cultural/racial origin - South East Asian SDC_43H 1 2328 - 2328 Cultural/racial origin - Mab SDC_431 1 2329 - 2329 Cultural/racial origin - West Asian SDC_433 1 2330 - 2330 Cultural/racial origin - Mab SDC_434 1 2331 - 2331 Ethnic origin - Korean SDC_43M 1 2332 - 2332 Cultural/racial origin - other SDC_5A 1 2332 - 2332 Can converse - English SDC_5B 1 2335 - 2335 Can converse - Arabic SDC_5C 1 2337 - 2337 Can converse - Cree SDC_5F 1 2339 - 2339 Can converse - Gree SDC_5F 1 2340 - 2340 Can converse - Hungarian SDC_5F 1 2340 - 2340 Can converse - Hungarian SDC_5F 1 2341 - 2341 Can converse - Nersian (Farsi) </td <td>SDC_43C</td> <td>1</td> <td>2323 - 2323</td> <td>Cultural/racial origin - South Asian</td> | SDC_43C | 1 | 2323 - 2323 | Cultural/racial origin - South Asian |
| SDC_43F 1 2326 · 2326 Cultural/racial origin · Lain American SDC_43G 1 2327 · 2327 Cultural/racial origin · South East Asian SDC_43H 1 2328 · 2328 Cultural/racial origin · Arab SDC_43H 1 2329 · 2329 Cultural/racial origin · West Asian SDC_43J 1 2330 · 2330 Cultural/racial origin · Japanese SDC_43A 1 2331 · 2331 Ethnic origin · Arab SDC_43M 1 2332 · 2332 Cultural/racial origin · Japanese SDC_43M 1 2331 · 2331 Ethnic origin · Arab SDC_5A 1 2333 · 2333 Can converse - English SDC_5B 1 2333 · 2333 Can converse - French SDC_5C 1 2335 · 2335 Can converse - Arabic SDC_5F 1 2337 · 2337 Can converse - Cree SDC_5F 1 2338 · 2339 Can converse - French SDC_5F 1 2340 · 2340 Can converse - French SDC_5F 1 2340 · 2340 Can converse - French <t< td=""><td>SDC_43D</td><td>1</td><td>2324 - 2324</td><td>Cultural/racial origin - Black</td></t<> | SDC_43D | 1 | 2324 - 2324 | Cultural/racial origin - Black |
| SDC_43G 1 2327 - 2327 Cultural/racial origin - South East Asian SDC_43H 1 2328 - 2328 Cultural/racial origin - Arab SDC_43H 1 2329 - 2329 Cultural/racial origin - West Asian SDC_43J 1 2330 - 2330 Cultural/racial origin - Japanese SDC_43K 1 2331 - 2331 Ethnic origin - Korean SDC_5A 1 2332 - 2332 Cultural/racial origin - other SDC_5B 1 2334 - 2334 Can converse - English SDC_5C 1 2335 - 2335 Can converse - Arabic SDC_5D 1 2335 - 2335 Can converse - Criee SDC_5F 1 2338 - 2336 Can converse - Gree SDC_5G 1 2337 - 2337 Can converse - Gree SDC_5G 1 2338 - 2338 Can converse - Gree SDC_5G 1 2340 - 2340 Can converse - Greek SDC_5G 1 2341 - 2341 Can converse - Foreisin (Farsi) SDC_5G 1 2345 - 2345 Can converse - Porisin (Farsi) | SDC_43E | 1 | 2325 - 2325 | Cultural/racial origin - Filipino |
| SDC_43H 1 2328 - 2328 Cultural/racial origin - Arab SDC_43J 1 2329 - 2329 Cultural/racial origin - West Asian SDC_43J 1 2330 - 2330 Cultural/racial origin - Morean SDC_43K 1 2331 - 2331 Ethnic origin - Korean SDC_43M 1 2332 - 2332 Cultural/racial origin - other SDC_5A 1 2333 - 2333 Can converse - English SDC_5C 1 2335 - 2336 Can converse - Arabic SDC_5D 1 2336 - 2336 Can converse - Crinese SDC_5F 1 2337 - 2337 Can converse - Crinese SDC_5G 1 2338 - 2338 Can converse - Gree SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5G 1 2340 - 2340 Can converse - Freian SDC_5G 1 2342 - 2342 Can converse - Preian SDC_5G 1 2342 - 2342 Can converse - Preian SDC_5L 1 2342 - 2342 Can converse - Porian SDC_5L 1< | SDC_43F | 1 | 2326 - 2326 | Cultural/racial origin - Latin American |
| NDC_43I 1 2329 - 2329 Cultural/racial origin - Vest Asian SDC_43J 1 2330 - 2330 Cultural/racial origin - Japanese SDC_43K 1 2331 - 2331 Ethnic origin - Korean SDC_43M 1 2332 - 2332 Cultural/racial origin - other SDC_5A 1 2333 - 2333 Can converse - English SDC_5B 1 2335 - 2335 Can converse - French SDC_5C 1 2336 - 2336 Can converse - Chinese SDC_5D 1 2336 - 2336 Can converse - Cree SDC_5F 1 2337 - 2337 Can converse - Greman SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5H 1 2341 - 2340 Can converse - Hungarian SDC_5J 1 2342 - 2342 Can converse - Norean SDC_5L 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2344 - 2344 Can converse - Porlish SDC_5L 1 2345 - 2345 Can converse - Porlish SDC_5D | SDC_43G | 1 | 2327 - 2327 | Cultural/racial origin - South East Asian |
| NDC_43J 1 2330 - 2330 Cultural/racial origin - Japanese SDC_43K 1 2331 - 2331 Ethnic origin - Korean SDC_43M 1 2332 - 2332 Cultural/racial origin - other SDC_5A 1 2333 - 2333 Can converse - English SDC_5B 1 2335 - 2335 Can converse - French SDC_5C 1 2336 - 2336 Can converse - Arabic SDC_5D 1 2337 - 2337 Can converse - Cree SDC_5F 1 2337 - 2337 Can converse - Gree SDC_5G 1 2339 - 2339 Can converse - Gree SDC_5G 1 2340 - 2340 Can converse - Hungarian SDC_5J 1 2341 - 2341 Can converse - Hungarian SDC_5J 1 2342 - 2342 Can converse - Norean SDC_5L 1 2343 - 2343 Can converse - Foreian (Farsi) SDC_5L 1 2343 - 2345 Can converse - Norean SDC_5L 1 2343 - 2345 Can converse - Polish SDC_5N 1 | SDC_43H | 1 | 2328 - 2328 | Cultural/racial origin - Arab |
| DC_43K 1 2331 - 2331 Ethnic origin - Korean SDC_43M 1 2332 - 2332 Cultural/racial origin - other SDC_5A 1 2333 - 2333 Can converse - English SDC_5B 1 2334 - 2334 Can converse - Arabic SDC_5C 1 2335 - 2335 Can converse - Arabic SDC_5D 1 2336 - 2336 Can converse - Cree SDC_5E 1 2337 - 2337 Can converse - Gree SDC_5F 1 2338 - 2338 Can converse - Gree SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5G 1 2340 - 2340 Can converse - Hungarian SDC_5I 1 2341 - 2341 Can converse - Norean SDC_5I 1 2343 - 2343 Can converse - Norean SDC_5I 1 2343 - 2344 Can converse - Porsian (Farsi) SDC_5I 1 2344 - 2344 Can converse - Portuguese SDC_5N 1 2345 - 2345 Can converse - Spanish SDC_5D 1 2348 - 2 | SDC_43I | 1 | 2329 - 2329 | Cultural/racial origin - West Asian |
| SDC_43M 1 2332 - 2332 Cultural/racial origin - other SDC_5A 1 2333 - 2333 Can converse - English SDC_5B 1 2334 - 2334 Can converse - Arabic SDC_5C 1 2335 - 2336 Can converse - Arabic SDC_5D 1 2336 - 2336 Can converse - Chinese SDC_5F 1 2337 - 2337 Can converse - Gree SDC_5F 1 2339 - 2339 Can converse - Greek SDC_5G 1 2340 - 2340 Can converse - Greek SDC_5H 1 2341 - 2341 Can converse - Hungarian SDC_5J 1 2342 - 2342 Can converse - Hungarian SDC_5J 1 2342 - 2342 Can converse - Nerean SDC_5J 1 2342 - 2342 Can converse - Persian (Farsi) SDC_5L 1 2342 - 2342 Can converse - Polish SDC_5J 1 2344 - 2344 Can converse - Polish SDC_5D 1 2347 - 2347 Can converse - Polish SDC_5D 1 2348 - | SDC_43J | 1 | 2330 - 2330 | Cultural/racial origin - Japanese |
| NC S S S S SDC_5A 1 2333 - 2333 Can converse - French SDC_5C 1 2335 - 2335 Can converse - Arabic SDC_5D 1 2336 - 2336 Can converse - Arabic SDC_5D 1 2336 - 2336 Can converse - Cree SDC_5F 1 2337 - 2337 Can converse - Gree SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5G 1 2340 - 2340 Can converse - Greek SDC_5I 1 2341 - 2341 Can converse - Hungarian SDC_5J 1 2342 - 2342 Can converse - Nerean SDC_5J 1 2342 - 2342 Can converse - Poreian (Farsi) SDC_5J 1 2342 - 2342 Can converse - Poreian (Farsi) SDC_5J 1 2343 - 2343 Can converse - Poreian (Farsi) SDC_5J 1 2344 - 2344 Can converse - Poreian (Farsi) SDC_5J 1 2347 - 2347 Can converse - Poreian (Farsi) SDC_5J 1 234 | SDC_43K | 1 | 2331 - 2331 | Ethnic origin - Korean |
| SDC_5B 1 2334 - 2334 Can converse - French SDC_5C 1 2335 - 2335 Can converse - Arabic SDC_5D 1 2336 - 2336 Can converse - Chinese SDC_5E 1 2337 - 2337 Can converse - Cree SDC_5F 1 2338 - 2338 Can converse - Greek SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5H 1 2340 - 2340 Can converse - Greek SDC_5I 1 2341 - 2341 Can converse - Hungarian SDC_5L 1 2342 - 2342 Can converse - Korean SDC_5L 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2344 - 2344 Can converse - Portuguese SDC_5L 1 2345 - 2345 Can converse - Portuguese SDC_5D 1 2346 - 2346 Can converse - Spanish SDC_5D 1 2349 - 2349 Can converse - Spanish SDC_5D 1 2349 - 2349 Can converse - Vietnamese SDC_5D 1 2349 - 2349 Can converse - Vietnamese SDC_5D 1 <t< td=""><td>SDC_43M</td><td>1</td><td>2332 - 2332</td><td>Cultural/racial origin - other</td></t<> | SDC_43M | 1 | 2332 - 2332 | Cultural/racial origin - other |
| SDC_5C12335 - 2335Can converse - ArabicSDC_5D12336 - 2336Can converse - ChineseSDC_5E12337 - 2337Can converse - CreeSDC_5F12338 - 2338Can converse - GreekSDC_5G12339 - 2339Can converse - GreekSDC_5H12340 - 2340Can converse - HungarianSDC_5I12342 - 2342Can converse - HungarianSDC_5L12342 - 2342Can converse - KoreanSDC_5L12343 - 2343Can converse - Persian (Farsi)SDC_5L12344 - 2344Can converse - PolishSDC_5L12345 - 2345Can converse - PolishSDC_5N12346 - 2346Can converse - PoligabiSDC_5Q12347 - 2347Can converse - PunjabiSDC_5Q12348 - 2348Can converse - PunjabiSDC_5Q12349 - 2349Can converse - Tagalog (Filipino)SDC_5Q12349 - 2349Can converse - VietnameseSDC_5Q12349 - 2349Can converse - VietnameseSDC_5Q12349 - 2349Can converse - VietnameseSDC_5Q12351 - 2351Can converse - DutchSDC_5Q12351 - 2352Can converse - HindiSDC_5Q12352 - 2352Can converse - HindiSDC_5Q12351 - 2351Can converse - HindiSDC_5Q12351 - 2351Can converse - HindiSDC_5Q12351 - 2353Can converse - Hin | SDC_5A | 1 | 2333 - 2333 | Can converse - English |
| And And Add Solution SDC_5D 1 2336 - 2336 Can converse - Chinese SDC_5F 1 2337 - 2337 Can converse - Gree SDC_5G 1 2338 - 2338 Can converse - Greek SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5G 1 2340 - 2340 Can converse - Greek SDC_5I 1 2341 - 2341 Can converse - Hungarian SDC_5J 1 2342 - 2342 Can converse - Korean SDC_5L 1 2343 - 2343 Can converse - Porsian (Farsi) SDC_5L 1 2343 - 2343 Can converse - Polish SDC_5L 1 2345 - 2345 Can converse - Polish SDC_5N 1 2346 - 2346 Can converse - Polish SDC_5D 1 2347 - 2347 Can converse - Spanish SDC_5D 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5D 1 2349 - 2349 Can converse - Vietnamese SDC_5D 1 2349 - 2349 Can converse - | SDC_5B | 1 | 2334 - 2334 | Can converse - French |
| SDC_5E 1 2337 - 2337 Can converse - Cree SDC_5F 1 2338 - 2338 Can converse - Greman SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5H 1 2340 - 2340 Can converse - Hungarian SDC_5I 1 2341 - 2341 Can converse - Hungarian SDC_5J 1 2342 - 2342 Can converse - Korean SDC_5L 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2345 - 2345 Can converse - Polish SDC_5L 1 2345 - 2345 Can converse - Portuguese SDC_5N 1 2347 - 2347 Can converse - Punjabi SDC_5D 1 2347 - 2347 Can converse - Pagalog (Filipino) SDC_5D 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5D 1 2349 - 2349 Can converse - Vietnamese SDC_5D 1 2350 - 2350 Can converse - Vietnamese SDC_5D 1 2351 - 2351 Can converse - Vietnamese SDC_5D 1 2352 - 2352 Can converse - Hindi SDC_5V | SDC_5C | 1 | 2335 - 2335 | Can converse - Arabic |
| SDC_5F 1 2338 - 2338 Can converse - German SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5H 1 2340 - 2340 Can converse - Hungarian SDC_5J 1 2341 - 2341 Can converse - Italian SDC_5J 1 2342 - 2342 Can converse - Korean SDC_5K 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2345 - 2345 Can converse - Portuguese SDC_5D 1 2346 - 2346 Can converse - Punjabi SDC_5D 1 2347 - 2347 Can converse - Punjabi SDC_5D 1 2347 - 2347 Can converse - Punjabi SDC_5D 1 2347 - 2347 Can converse - Spanish SDC_5D 1 2347 - 2347 Can converse - Tagalog (Filipino) SDC_5D 1 2349 - 2349 Can converse - Vietnamese SDC_5D 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Hindi SDC_5V 1 | SDC_5D | 1 | 2336 - 2336 | Can converse - Chinese |
| SDC_5G 1 2339 - 2339 Can converse - Greek SDC_5H 1 2340 - 2340 Can converse - Hungarian SDC_5J 1 2341 - 2341 Can converse - Italian SDC_5J 1 2342 - 2342 Can converse - Korean SDC_5K 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2343 - 2343 Can converse - Polish SDC_5D 1 2345 - 2345 Can converse - Polish SDC_5D 1 2346 - 2346 Can converse - Polish SDC_5D 1 2347 - 2347 Can converse - Polipabi SDC_5D 1 2347 - 2347 Can converse - Spanish SDC_5D 1 2349 - 2349 Can converse - Tagalog (Filipino) SDC_5D 1 2349 - 2349 Can converse - Ukrainian SDC_5D 1 2350 - 2350 Can converse - Vietnamese SDC_5J 1 2351 - 2351 Can converse - Dutch SDC_5J 1 2352 - 2352 Can converse - Hindi SDC_5J 1 2353 - 2353 Can converse - Russian | SDC_5E | 1 | 2337 - 2337 | Can converse - Cree |
| SDC_5H 1 2340 - 2340 Can converse - Hungarian SDC_5I 1 2341 - 2341 Can converse - Italian SDC_5J 1 2342 - 2342 Can converse - Korean SDC_5K 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2343 - 2343 Can converse - Polish SDC_5L 1 2345 - 2345 Can converse - Polish SDC_5D 1 2346 - 2346 Can converse - Poligabi SDC_5D 1 2347 - 2347 Can converse - Punjabi SDC_5D 1 2347 - 2347 Can converse - Spanish SDC_5D 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5D 1 2349 - 2349 Can converse - Ukrainian SDC_5D 1 2350 - 2350 Can converse - Vietnamese SDC_5D 1 2350 - 2350 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5F | 1 | 2338 - 2338 | Can converse - German |
| SDC_5I 1 2341 - 2341 Can converse - Italian SDC_5J 1 2342 - 2342 Can converse - Korean SDC_5K 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2344 - 2344 Can converse - Polish SDC_5M 1 2345 - 2345 Can converse - Portuguese SDC_5N 1 2346 - 2346 Can converse - Ponjabi SDC_5O 1 2347 - 2347 Can converse - Spanish SDC_5P 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5U 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5G | 1 | 2339 - 2339 | Can converse - Greek |
| SDC_5J 1 2342 - 2342 Can converse - Korean SDC_5K 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2344 - 2344 Can converse - Polish SDC_5M 1 2345 - 2345 Can converse - Portuguese SDC_5N 1 2346 - 2346 Can converse - Punjabi SDC_5O 1 2347 - 2347 Can converse - Spanish SDC_5P 1 2349 - 2349 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Vietnamese SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5U 1 2351 - 2351 Can converse - Hindi SDC_5V 1 2352 - 2352 Can converse - Hindi | SDC_5H | 1 | 2340 - 2340 | Can converse - Hungarian |
| SDC_5K 1 2343 - 2343 Can converse - Persian (Farsi) SDC_5L 1 2344 - 2344 Can converse - Polish SDC_5M 1 2345 - 2345 Can converse - Portuguese SDC_5N 1 2346 - 2346 Can converse - Punjabi SDC_5O 1 2347 - 2347 Can converse - Spanish SDC_5P 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5I | 1 | 2341 - 2341 | Can converse - Italian |
| SDC_5L 1 2344 - 2344 Can converse - Polish SDC_5M 1 2345 - 2345 Can converse - Portuguese SDC_5N 1 2346 - 2346 Can converse - Punjabi SDC_5O 1 2347 - 2347 Can converse - Spanish SDC_5P 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5U 1 2351 - 2351 Can converse - Dutch SDC_5V 1 2353 - 2353 Can converse - Hindi | SDC_5J | 1 | 2342 - 2342 | Can converse - Korean |
| SDC_5M 1 2345 - 2345 Can converse - Portuguese SDC_5N 1 2346 - 2346 Can converse - Punjabi SDC_5O 1 2347 - 2347 Can converse - Spanish SDC_5P 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5K | 1 | 2343 - 2343 | Can converse - Persian (Farsi) |
| SDC_5N 1 2346 - 2346 Can converse - Punjabi SDC_5O 1 2347 - 2347 Can converse - Spanish SDC_5P 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5L | 1 | 2344 - 2344 | Can converse - Polish |
| SDC_5O 1 2347 - 2347 Can converse - Spanish SDC_5P 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5M | 1 | 2345 - 2345 | Can converse - Portuguese |
| SDC_5P 1 2348 - 2348 Can converse - Tagalog (Filipino) SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5N | 1 | 2346 - 2346 | Can converse - Punjabi |
| SDC_5Q 1 2349 - 2349 Can converse - Ukrainian SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_50 | 1 | 2347 - 2347 | Can converse - Spanish |
| SDC_5R 1 2350 - 2350 Can converse - Vietnamese SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5P | 1 | 2348 - 2348 | Can converse - Tagalog (Filipino) |
| SDC_5T 1 2351 - 2351 Can converse - Dutch SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5Q | 1 | 2349 - 2349 | Can converse - Ukrainian |
| SDC_5U 1 2352 - 2352 Can converse - Hindi SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5R | 1 | 2350 - 2350 | Can converse - Vietnamese |
| SDC_5V 1 2353 - 2353 Can converse - Russian | SDC_5T | 1 | 2351 - 2351 | Can converse - Dutch |
| | SDC_5U | 1 | 2352 - 2352 | Can converse - Hindi |
| SDC_5W 1 2354 - 2354 Can converse - Tamil | SDC_5V | 1 | 2353 - 2353 | Can converse - Russian |
| | SDC_5W | 1 | 2354 - 2354 | Can converse - Tamil |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| SDC_5S | 1 | 2355 - 2355 | Can converse - other language |
| SDC_5AA | 1 | 2356 - 2356 | Language spoken most often at home - English |
| SDC_5AB | 1 | 2357 - 2357 | Language spoken most often at home - French |
| SDC_5AC | 1 | 2358 - 2358 | Language spoken most often at home - Arabic |
| SDC_5AD | 1 | 2359 - 2359 | Language spoken most often at home - Chinese |
| SDC_5AE | 1 | 2360 - 2360 | Language spoken most often at home - Cree |
| SDC_5AF | 1 | 2361 - 2361 | Language spoken most often at home - German |
| SDC_5AG | 1 | 2362 - 2362 | Language spoken most often at home - Greek |
| SDC_5AH | 1 | 2363 - 2363 | Language spoken most often at home - Hungarian |
| SDC_5AI | 1 | 2364 - 2364 | Language spoken most often at home - Italian |
| SDC_5AJ | 1 | 2365 - 2365 | Language spoken most often at home - Korean |
| SDC_5AK | 1 | 2366 - 2366 | Language spoken most often at home - Persian (Farsi) |
| SDC_5AL | 1 | 2367 - 2367 | Language spoken most often at home - Polish |
| SDC_5AM | 1 | 2368 - 2368 | Language spoken most often at home - Portuguese |
| SDC_5AN | 1 | 2369 - 2369 | Language spoken most often at home - Punjabi |
| SDC_5AO | 1 | 2370 - 2370 | Language spoken most often at home - Spanish |
| SDC_5AP | 1 | 2371 - 2371 | Language spoken most often at home - Tagalog (Filipino) |
| SDC_5AQ | 1 | 2372 - 2372 | Language spoken most often at home - Ukrainian |
| SDC_5AR | 1 | 2373 - 2373 | Language spoken most often at home - Vietnamese |
| SDC_5AT | 1 | 2374 - 2374 | Language spoken most often at home - Dutch |
| SDC_5AU | 1 | 2375 - 2375 | Language spoken most often at home - Hindi |
| SDC_5AV | 1 | 2376 - 2376 | Language spoken most often at home - Russian |
| SDC_5AW | 1 | 2377 - 2377 | Language spoken most often at home - Tamil |
| SDC_5AS | 1 | 2378 - 2378 | Language spoken most often at home - Other |
| SDC_6A | 1 | 2379 - 2379 | First language learned and still understood - English |
| SDC_6B | 1 | 2380 - 2380 | First language learned and still understood - French |
| SDC_6C | 1 | 2381 - 2381 | First language learned and still understood - Arabic |
| SDC_6D | 1 | 2382 - 2382 | First language learned and still understood - Chinese |
| SDC_6E | 1 | 2383 - 2383 | First language learned and still understood - Cree |
| SDC_6F | 1 | 2384 - 2384 | First language learned and still understood - German |
| SDC_6G | 1 | 2385 - 2385 | First language learned and still understood - Greek |
| SDC_6H | 1 | 2386 - 2386 | First language learned and still understood - Hungarian |
| SDC_6I | 1 | 2387 - 2387 | First language learned and still understood - Italian |
| SDC_6J | 1 | 2388 - 2388 | First language learned and still understood - Korean |
| SDC_6K | 1 | 2389 - 2389 | First language learned / still understood - Persian (Farsi) |
| SDC_6L | 1 | 2390 - 2390 | First language learned and still understood - Polish |
| | | | |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| SDC_6M | 1 | 2391 - 2391 | First language learned and still understood - Portuguese |
| SDC_6N | 1 | 2392 - 2392 | First language learned and still understood - Punjabi |
| SDC_60 | 1 | 2393 - 2393 | First language learned and still understood - Spanish |
| SDC_6P | 1 | 2394 - 2394 | First lang. learned / still understood - Tagalog (Filipino) |
| SDC_6Q | 1 | 2395 - 2395 | First language learned and still understood - Ukrainian |
| SDC_6R | 1 | 2396 - 2396 | First language learned and still understood - Vietnamese |
| SDC_6T | 1 | 2397 - 2397 | First language learned and still understood - Dutch |
| SDC_6U | 1 | 2398 - 2398 | First language learned and still understood - Hindi |
| SDC_6V | 1 | 2399 - 2399 | First language learned and still understood - Russian |
| SDC_6W | 1 | 2400 - 2400 | First language learned and still understood - Tamil |
| SDC_6S | 1 | 2401 - 2401 | First language learned and still understood - other |
| SDC_7AA | 1 | 2402 - 2402 | Considers self heterosexual, homosexual or bisexual |
| SDCCCB | 3 | 2403 - 2405 | Country of birth - (C) |
| SDCGCB | 2 | 2406 - 2407 | Country of birth - (G) |
| SDCDAIM | 3 | 2408 - 2410 | Age at time of immigration - (D) |
| SDCFIMM | 1 | 2411 - 2411 | Immigrant - (F) |
| SDCDRES | 3 | 2412 - 2414 | Length of time in Canada since immigration - (D) |
| SDCDABT | 1 | 2415 - 2415 | Aboriginal identity - (D) |
| SDCDCGT | 2 | 2416 - 2417 | Cultural / racial background - (D) |
| SDCDLNG | 2 | 2418 - 2419 | Languages - can converse - (D) |
| SDCDFL1 | 2 | 2420 - 2421 | First official language learned and still understood - (D) |
| SDCDLHM | 2 | 2422 - 2423 | Language(s) spoken at home - (D) |
| EDU_1 | 1 | 2424 - 2424 | Highest grade of elementary or high school completed |
| EDU_2 | 1 | 2425 - 2425 | Graduated from high school (2ndary school) |
| EDU_3 | 1 | 2426 - 2426 | Received any other education |
| EDU_4 | 2 | 2427 - 2428 | Highest degree, certificate or diploma obtained |
| SDC_8 | 1 | 2429 - 2429 | Current student |
| SDC_9 | 1 | 2430 - 2430 | Full-time student or part-time student |
| EDUDH04 | 1 | 2431 - 2431 | Highest level of education – household, 4 levels - (D) |
| EDUDH10 | 2 | 2432 - 2433 | Highest level of education - household, 10 levels - (D) |
| EDUDR04 | 1 | 2434 - 2434 | Highest level of education - respondent, 4 levels - (D) |
| EDUDR10 | 2 | 2435 - 2436 | Highest level of education - respondent, 10 levels - (D) |
| LBS_01 | 1 | 2437 - 2437 | Worked at job or business last week |
| LBS_02 | 1 | 2438 - 2438 | Absent from job or business last week |
| LBS_03 | 1 | 2439 - 2439 | Had more than one job or business last week |
| LBS_11 | 1 | 2440 - 2440 | Looked for work in past 4 weeks |
| | | | |

| Variable | Length | Position | Concept |
|----------|--------|-------------|---|
| LBS_31 | 1 | 2441 - 2441 | Employee or self-employed |
| LBS_42 | 3 | 2442 - 2444 | Usual number of hours worked - current main job |
| ETS_7 | 1 | 2445 - 2445 | Smoking restrictions at place of work |
| LBS_53 | 3 | 2446 - 2448 | Usual number of hours worked - current other job |
| LBSF32 | 1 | 2449 - 2449 | Response entered-name of business (self-employed) - (F) |
| LBSF33 | 1 | 2450 - 2450 | Response entered - whom you work for - (F) |
| LBSF34 | 1 | 2451 - 2451 | Response entered - kind of business - (F) |
| LBSF35 | 1 | 2452 - 2452 | Response entered - kind of work - (F) |
| LBSF35S | 1 | 2453 - 2453 | Response entered - other - kind of work - (F) |
| LBSF36 | 1 | 2454 - 2454 | Response entered - most important duties at work - (F) |
| LBSCSIC | 5 | 2455 - 2459 | North American Industry Classification System (NAICS)'02-© |
| LBSCSOC | 4 | 2460 - 2463 | Nation. Occupatio. Class. for Statistics (NOCS), 2001 - (C) |
| LBSDHPW | 3 | 2464 - 2466 | Total usual hours worked - current jobs - (D) |
| LBSDPFT | 1 | 2467 - 2467 | Current - full-time / part-time status - (D) |
| LBSDWSS | 1 | 2468 - 2468 | Working status last week - 4 groups - (D) |
| LBSDING | 2 | 2469 - 2470 | Industry group - (D) |
| LBSDOCG | 2 | 2471 - 2472 | Occupation group - (D) |
| PAFFTH | 1 | 2473 - 2473 | Theme module: Physical activities - Facilities at work (F) |
| PAF_01 | 1 | 2474 - 2474 | Work at home |
| PAF_02 | 1 | 2475 - 2475 | At work - Access to a pleasant place to walk |
| PAF_03 | 1 | 2476 - 2476 | At work - Access to playing fields |
| PAF_04 | 1 | 2477 - 2477 | At work - Access to a gym |
| PAF_05 | 1 | 2478 - 2478 | At work - Access to fitness classes |
| PAF_06 | 1 | 2479 - 2479 | At work - Access to any organized sport teams |
| PAF_07 | 1 | 2480 - 2480 | At work - Access to showers / change rooms |
| PAF_08 | 1 | 2481 - 2481 | At work - Access to programs to improve health |
| PAFFACC | 1 | 2482 - 2482 | Access to physical activity facilities at work - (F) |
| DHHDHSZ | 2 | 2483 - 2484 | Household size - (D) |
| DHHDL12 | 2 | 2485 - 2486 | Number of persons less than 12 years old in household - (D) |
| DHHDLE5 | 2 | 2487 - 2488 | Number of persons 5 years old or less in household - (D) |
| DHHD611 | 2 | 2489 - 2490 | Number of persons 6 to 11 years old in household - (D) |
| DHHDECF | 2 | 2491 - 2492 | Household type - (D) |
| DHHDLVG | 2 | 2493 - 2494 | Living arrangement of selected respondent - (D) |
| DHHDDWE | 2 | 2495 - 2496 | Type of dwelling - (D) |
| DHH_OWN | 1 | 2497 - 2497 | Dwelling - owned by a member of household |
| DHH_BED | 2 | 2498 - 2499 | Dwelling - number of bedrooms |
| | | | |

June 2008

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| INSFOPT | 1 | 2500 - 2500 | Optional module: Insurance coverage - (F) |
| INS_1 | 1 | 2501 - 2501 | Insurance - prescription medications |
| INS_1A | 1 | 2502 - 2502 | Type of health insurance plan - government-sponsored |
| INS_1B | 1 | 2503 - 2503 | Type of health insurance plan - employer-sponsored |
| INS_1C | 1 | 2504 - 2504 | Type of health insurance plan - private |
| INS_2 | 1 | 2505 - 2505 | Insurance - dental expenses |
| INS_2A | 1 | 2506 - 2506 | Type of health insurance plan - government-sponsored |
| INS_2B | 1 | 2507 - 2507 | Type of health insurance plan - employer-sponsored |
| INS_2C | 1 | 2508 - 2508 | Type of health insurance plan - private |
| INS_3 | 1 | 2509 - 2509 | Insurance - eye glasses / contact lenses |
| INS_3A | 1 | 2510 - 2510 | Type of health insurance plan - government-sponsored |
| INS_3B | 1 | 2511 - 2511 | Type of health insurance plan - employer-sponsored |
| INS_3C | 1 | 2512 - 2512 | Type of health insurance plan - private |
| INS_4 | 1 | 2513 - 2513 | Insurance - hospital charges |
| INS_4A | 1 | 2514 - 2514 | Type of health insurance plan - government-sponsored |
| INS_4B | 1 | 2515 - 2515 | Type of health insurance plan - employer-sponsored |
| INS_4C | 1 | 2516 - 2516 | Type of health insurance plan - private |
| HMSFOPT | 1 | 2517 - 2517 | Optional module flag: Home safety - (F) |
| HMS_1 | 1 | 2518 - 2518 | Working smoke detector in home |
| HMS_2 | 1 | 2519 - 2519 | Smoke detectors on every level |
| HMS_3 | 1 | 2520 - 2520 | Smoke detectors tested each month |
| HMS_4 | 1 | 2521 - 2521 | Frequency - changed batteries in smoke detector |
| HMS_5 | 1 | 2522 - 2522 | Escape plan to get out of home |
| HMS_6 | 1 | 2523 - 2523 | Members of household discussed escape plan |
| INC_1A | 1 | 2524 - 2524 | Source of household income - wages and salaries |
| INC_1B | 1 | 2525 - 2525 | Source of household income - self-employment |
| INC_1C | 1 | 2526 - 2526 | Source of household income - dividends and interest |
| INC_1D | 1 | 2527 - 2527 | Source of household income - employment insurance |
| INC_1E | 1 | 2528 - 2528 | Source of household income - worker's compensation |
| INC_1F | 1 | 2529 - 2529 | Source of hh income - benefits from Can. / Que. Pension Plan |
| INC_1G | 1 | 2530 - 2530 | Srce of hh income - pensions, superan. and annuities |
| INC_1H | 1 | 2531 - 2531 | Source of household income - Old Age Security / G.I.S. |
| INC_1I | 1 | 2532 - 2532 | Source of household income - child tax benefit |
| INC_1J | 1 | 2533 - 2533 | Source of household income - social assistance / welfare |
| INC_1K | 1 | 2534 - 2534 | Source of household income - child support |
| INC_1L | 1 | 2535 - 2535 | Source of household income - alimony |

| Variable | Length | Position | Concept |
|----------|--------|-------------|--|
| INC_1M | 1 | 2536 - 2536 | Source of household income - other |
| INC_1N | 1 | 2537 - 2537 | Source of household income - none |
| INC_2 | 2 | 2538 - 2539 | Total household income - main source |
| INC_3 | 6 | 2540 - 2545 | Total household income - best estimate |
| INC_3A | 1 | 2546 - 2546 | Total household income - < \$20,000 or >= \$20,000 |
| INC_3B | 1 | 2547 - 2547 | Total household income - < \$10,000 or >= \$10,000 |
| INC_3C | 1 | 2548 - 2548 | Total household income - < \$5,000 or >= \$5,000 |
| INC_3D | 1 | 2549 - 2549 | Total household income - < \$15,000 or >= \$15,000 |
| INC_3E | 1 | 2550 - 2550 | Total household income - < \$40,000 or >= \$40,000 |
| INC_3F | 1 | 2551 - 2551 | Total household income - < \$30,000 or >= \$30,000 |
| INC_3G | 1 | 2552 - 2552 | Total household income - >= \$40,000 |
| INC_4 | 6 | 2553 - 2558 | Total personal income - best estimate |
| INC_4A | 1 | 2559 - 2559 | Total personal income - < \$20,000 or >= \$20,000 |
| INC_4B | 1 | 2560 - 2560 | Total personal income - < \$10,000 or >= \$10,000 |
| INC_4C | 1 | 2561 - 2561 | Total personal income - < \$5,000 or >= \$5,000 |
| INC_4D | 1 | 2562 - 2562 | Total personal income - < \$15,000 or >= \$15,000 |
| INC_4E | 1 | 2563 - 2563 | Total personal income - < \$40,000 or >= \$40,000 |
| INC_4F | 1 | 2564 - 2564 | Total personal income - < \$30,000 or >= \$30,000 |
| INC_4G | 1 | 2565 - 2565 | Total personal income - >= \$40,000 |
| INCDHH | 2 | 2566 - 2567 | Total household income from all sources - (D) |
| INCDPER | 2 | 2568 - 2569 | Total personal income from all sources - (D) |
| INCDADR | 11.9 | 2570 - 2580 | Adjusted household income ratio - (D) |
| INCDRCA | 2 | 2581 - 2582 | Household income distribution - (D) |
| INCDRPR | 2 | 2583 - 2584 | Household income distribution - provincial level - (D) |
| INCDRRS | 2 | 2585 - 2586 | Household income distribution - health region level - (D) |
| FSCFTH | 1 | 2587 - 2587 | Theme module: Food security - (F) |
| FSC_010 | 1 | 2588 - 2588 | Food situation in household - 12 mo |
| FSC_020 | 1 | 2589 - 2589 | Worried food would run out - 12 mo |
| FSC_030 | 1 | 2590 - 2590 | Food bought just didn't last and no money to buy more -12 mo |
| FSC_040 | 1 | 2591 - 2591 | Could not afford to eat balanced meals - 12 mo |
| FSC_050 | 1 | 2592 - 2592 | Relied on few kinds of low-cost food for children - 12 mo |
| FSC_060 | 1 | 2593 - 2593 | Could not feed children a balanced meal - 12 mo |
| FSC_070 | 1 | 2594 - 2594 | Children were not eating enough - 12 mo |
| FSC_080 | 1 | 2595 - 2595 | Adults skipped or cut size of meals - 12 mo |
| FSC_081 | 1 | 2596 - 2596 | Adults skipped or cut size of meals - frequency - 12 mo |
| FSC_090 | 1 | 2597 - 2597 | Ate less than felt should - 12 mo |

June 2008

| Length | Position | Concept |
|--------|---|---|
| 1 | 2598 - 2598 | Was hungry but could not afford to eat - 12 mo |
| 1 | 2599 - 2599 | Lost weight no money to buy food- 12 mo |
| 1 | 2600 - 2600 | Adults did not eat for whole day - 12 mo |
| 1 | 2601 - 2601 | Adults did not eat whole day - frequency - 12 mo |
| 1 | 2602 - 2602 | Adults cut size of children's meals - 12 mo |
| 1 | 2603 - 2603 | Children skipped meals - 12 mo |
| 1 | 2604 - 2604 | Children skipped meals - frequency - 12 mo |
| 1 | 2605 - 2605 | Children were hungry - 12 mo |
| 1 | 2606 - 2606 | Children did not eat for whole day - 12 mo |
| 1 | 2607 - 2607 | Household food security status - (D) |
| 1 | 2608 - 2608 | État de sécurité alimentaire du ménage - Version modifiée |
| 8.2 | 2609 - 2616 | Weights - Master |
| 8.2 | 2617 - 2624 | Weights - Share |
| | 1 1 1 1 1 1 1 1 1 1 8.2 | 1 2598 - 2598 1 2599 - 2599 1 2600 - 2600 1 2601 - 2601 1 2602 - 2602 1 2603 - 2603 1 2604 - 2604 1 2605 - 2605 1 2606 - 2606 1 2607 - 2607 1 2608 - 2608 8.2 2609 - 2616 |

Page 55