

Appendix D
Approximate Sampling Variability Tables

1. Input Data for Sampling Variability Tables	4
General Tables – Canada and Provinces.....	4
General Tables – Canada by Age Groups.....	4
General Tables – Ontario Health Regions	4
List of Disorders Included in the Sampling Variability Tables	5
Disorder Tables – Totals – Canada and Provinces	5
Disorder Tables – Proportions – Canada and Provinces.....	6
Disorder Tables – Totals – Canada by Age Group.....	6
Disorder Tables – Proportions – Canada by Age Group	7
Disorder Tables – Totals – Ontario Health Regions.....	7
Disorder Tables – Proportions – Ontario Health Regions	7
2. General CV Tables.....	8
CANADA	8
Newfoundland and Labrador	9
Prince-Edward-Island	10
Nova Scotia.....	11
New Brunswick.....	12
Quebec	13
Ontario	14
Manitoba.....	15
Saskatchewan.....	16
Alberta	17
British Columbia.....	18
CANADA - Age Group 15-24.....	19
CANADA - Age Group 25-44.....	20
CANADA - Age Group 45-64.....	21
CANADA - Age Group 65+.....	22
South West Ontario.....	23
Central South Ontario	24
Central West Ontario	25
Central East Ontario.....	26
Toronto.....	27
East Ontario	28
North Ontario.....	29
3. Disorder CV Tables	30
CANADA	30
Newfoundland and Labrador	31
Prince-Edward-Island	32
Nova Scotia.....	33
New Brunswick.....	34
Quebec	35
Ontario	36
Manitoba.....	37
Saskatchewan.....	38
Alberta	39
British Columbia.....	40

CANADA - Age Group 15-24.....	41
CANADA - Age Group 25-44.....	42
CANADA - Age Group 45-64.....	43
CANADA - Age Group 65+.....	44
South West Ontario.....	45
Central South Ontario.....	46
Central West Ontario.....	47
Central East Ontario.....	48
Toronto.....	49
North Ontario.....	51

1. Input Data for Sampling Variability Tables

General Tables – Canada and Provinces

PROVINCE	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 15 and older)
Newfoundland and Labrador	1.46	1 562	438 805
Prince-Edward-Island	1.57	1 002	112 041
Nova Scotia	1.92	2 785	756 387
New Brunswick	1.46	1 706	608 013
Quebec	2.34	5 332	6 040 976
Ontario	1.96	13 184	9 655 881
Manitoba	1.84	2 230	864 873
Saskatchewan	1.54	2 045	758 799
Alberta	1.64	3 236	2 428 827
British Columbia	1.84	3 902	3 331 991
CANADA	2.30	36 984	24 996 593

General Tables – Canada by Age Groups

AGE GROUP	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 15 and older)
15-24	1.99	5 673	4 136 461
25-44	2.28	12 813	9 507 319
45-64	2.49	10 762	7 626 403
65+	2.37	7 736	3 726 411

General Tables – Ontario Health Regions

HEALTH REGION	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 15 and older)
South West Ontario	1.67	1 782	1 231 182
Central South Ontario	1.64	1 675	945 060
Central West Ontario	2.40	2 035	1 748 356
Central East Ontario	2.33	1 947	1 629 716
Toronto	1.58	2 142	2 130 531
East Ontario	1.95	1 783	1 297 819
North Ontario	1.93	1 820	673 215

List of Disorders Included in the Sampling Variability Tables

	DISORDER	TIME PERIOD
A	Depression	Last 12 months
B	Depression	Lifetime
C	Mood	Last 12 months
D	Mood	Lifetime
E	Anxiety	Last 12 months
F	Anxiety	Lifetime
G	Substances dependance	Last 12 months
H	At least one disorder	Last 12 months
I	At least one disoreder	Lifetime

Disorder Tables – Totals – Canada and Provinces

PROVINCE	A	B	C	D	E	F	G	H	I
Newfoundland and Labrador	1.12	1.10	1.10	1.10	2.12	1.79	2.51	1.86	1.46
Prince-Edward-Island	0.87	1.08	0.93	1.22	0.75	1.36	1.50	1.18	1.29
Nova Scotia	1.54	2.37	1.04	2.32	2.48	2.18	3.29	2.16	2.30
New Brunswick	0.94	1.16	0.92	1.12	1.43	1.28	1.27	1.23	1.22
Quebec	1.53	1.94	1.54	2.02	2.00	2.36	1.74	1.76	2.17
Ontario	1.96	1.80	1.90	1.79	1.98	1.71	1.58	1.81	1.78
Manitoba	2.08	1.73	2.03	1.71	1.93	2.27	1.48	1.77	2.06
Saskatchewan	1.30	1.35	1.37	1.50	1.60	1.59	1.68	1.67	1.62
Alberta	1.72	1.62	1.69	1.57	1.55	1.53	1.19	1.52	1.51
British Columbia	1.70	1.72	1.28	1.49	1.60	1.87	1.38	1.76	1.18
CANADA	1.98	2.24	1.98	2.30	2.18	2.26	1.83	2.10	2.32

Disorder Tables – Proportions – Canada and Provinces

PROVINCE	A	B	C	D	E	F	G	H	I
Newfoundland and Labrador	1.40	1.39	1.38	1.41	1.56	1.53	1.46	1.62	1.45
Prince-Edward-Island	1.08	1.31	1.04	1.51	1.35	1.41	0.98	1.31	1.51
Nova Scotia	1.80	2.14	1.83	2.11	2.39	2.04	2.04	2.09	2.07
New Brunswick	1.52	1.44	1.52	1.39	1.36	1.36	1.34	1.37	1.38
Quebec	2.17	2.55	2.08	2.61	1.96	2.39	1.95	2.07	2.66
Ontario	2.40	2.21	2.34	2.23	2.29	2.08	1.88	2.18	2.11
Manitoba	2.04	1.79	2.04	1.80	1.79	1.69	1.48	1.81	1.76
Saskatchewan	1.64	1.55	1.61	1.55	1.46	1.45	1.46	1.40	1.54
Alberta	1.69	1.67	1.71	1.62	1.68	1.78	1.58	1.69	1.70
British Columbia	1.69	1.73	1.73	1.81	1.70	1.91	1.90	1.76	1.85
CANADA	2.33	2.40	2.31	2.55	2.33	2.41	2.05	2.28	2.50

Disorder Tables – Totals – Canada by Age Group

AGE GROUP	A	B	C	D	E	F	G	H	I
15-24	2.03	1.80	1.92	1.88	1.74	2.12	1.63	1.94	1.94
25-44	1.53	2.10	1.55	2.12	1.98	1.86	1.26	1.71	2.00
45-64	2.13	2.27	2.14	2.24	2.34	2.64	2.75	2.19	2.45
65+	2.65	2.31	2.65	2.30	2.56	2.24	---	2.18	2.23

--- the number of people in the sample affected by this disorder is too small to produce a reliable design effect

Disorder Tables – Proportions – Canada by Age Group

AGE GROUP	A	B	C	D	E	F	G	H	I
15-24	2.29	2.08	2.28	2.06	1.78	2.10	2.03	2.06	2.08
25-44	2.20	2.52	2.18	2.67	2.42	2.26	1.85	2.26	2.50
45-64	2.69	2.58	2.72	2.59	2.50	2.76	3.13	2.56	2.71
65+	2.09	1.99	2.08	2.01	2.10	2.01	---	2.06	2.00

--- the number of people in the sample affected by this disorder is too small to produce a reliable design effect

Disorder Tables – Totals – Ontario Health Regions

HEALTH REGION	A	B	C	D	E	F	G	H	I
South West Ontario	1.36	1.32	1.26	1.26	1.26	1.74	1.35	1.37	1.59
Central South Ontario	1.24	1.50	1.41	1.63	1.57	1.86	1.58	1.46	1.93
Central West Ontario	4.28	3.22	3.98	3.12	3.22	2.37	1.45	2.54	2.37
Central East Ontario	1.28	1.63	1.25	1.67	2.34	1.82	1.90	1.89	1.86
Toronto	1.11	1.32	1.09	1.27	1.26	1.21	0.95	1.07	1.34
East Ontario	1.74	1.69	1.75	1.78	2.06	1.98	1.70	2.05	1.87
North Ontario	2.64	2.34	2.51	2.23	1.42	1.78	2.48	2.25	2.22

Disorder Tables – Proportions – Ontario Health Regions

HEALTH REGION	A	B	C	D	E	F	G	H	I
South West Ontario	1.71	1.54	1.65	1.50	1.41	1.38	1.47	1.43	1.49
Central South Ontario	1.77	1.82	1.75	1.80	1.61	1.83	1.27	1.54	1.90
Central West Ontario	3.14	2.96	3.27	3.17	2.55	2.68	2.09	2.77	2.62
Central East Ontario	1.76	2.33	1.79	2.37	2.73	2.47	1.96	2.36	2.50
Toronto	1.46	1.51	1.39	1.48	1.35	1.40	1.79	1.33	1.47
East Ontario	2.00	1.88	1.94	1.83	1.89	2.06	1.63	2.02	2.14
North Ontario	2.32	2.34	2.32	2.33	1.80	1.78	2.09	2.28	2.03

2. General CV Tables

Canadian Community Health Survey 2002
Approximate Coefficients of Variation Table

NUMERATOR OF PERCENTAGE ('000)	CANADA													
	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	124.7	124.2	123.6	121.6	118.4	115.1	111.6	108.1	104.4	100.6	96.7	88.3	68.4	39.5
2	88.2	87.8	87.4	86.0	83.7	81.4	78.9	76.4	73.8	71.2	68.4	62.4	48.3	27.9
3	72.0	71.7	71.3	70.2	68.4	66.4	64.5	62.4	60.3	58.1	55.8	51.0	39.5	22.8
4	62.4	62.1	61.8	60.8	59.2	57.5	55.8	54.0	52.2	50.3	48.3	44.1	34.2	19.7
5	55.8	55.5	55.3	54.4	53.0	51.5	49.9	48.3	46.7	45.0	43.2	39.5	30.6	17.7
6	50.9	50.7	50.4	49.7	48.3	47.0	45.6	44.1	42.6	41.1	39.5	36.0	27.9	16.1
7	47.1	46.9	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.0	36.5	33.4	25.8	14.9
8	44.1	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
9	41.6	41.4	41.2	40.5	39.5	38.4	37.2	36.0	34.8	33.5	32.2	29.4	22.8	13.2
10	39.4	39.3	39.1	38.5	37.4	36.4	35.3	34.2	33.0	31.8	30.6	27.9	21.6	12.5
11	37.6	37.4	37.3	36.7	35.7	34.7	33.7	32.6	31.5	30.3	29.1	26.6	20.6	11.9
12	36.0	35.8	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.0	27.9	25.5	19.7	11.4
13	34.6	34.4	34.3	33.7	32.8	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	10.9
14	33.3	33.2	33.0	32.5	31.6	30.8	29.8	28.9	27.9	26.9	25.8	23.6	18.3	10.5
15	32.2	32.1	31.9	31.4	30.6	29.7	28.8	27.9	27.0	26.0	25.0	22.8	17.7	10.2
16	31.2	31.0	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
17	30.3	30.1	30.0	29.5	28.7	27.9	27.1	26.2	25.3	24.4	23.4	21.4	16.6	9.6
18	29.4	29.3	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
19	28.6	28.5	28.3	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.2	15.7	9.1
20	27.9	27.8	27.6	27.2	26.5	25.7	25.0	24.2	23.3	22.5	21.6	19.7	15.3	8.8
21	27.2	27.1	27.0	26.5	25.8	25.1	24.4	23.6	22.8	22.0	21.1	19.3	14.9	8.6
22	26.6	26.5	26.3	25.9	25.2	24.5	23.8	23.0	22.3	21.5	20.6	18.8	14.6	8.4
23	26.0	25.9	25.8	25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.2	18.4	14.3	8.2
24	25.5	25.3	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
25	*****	24.8	24.7	24.3	23.7	23.0	22.3	21.6	20.9	20.1	19.3	17.7	13.7	7.9
30	*****	22.7	22.6	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.7	16.1	12.5	7.2
35	*****	21.0	20.9	20.6	20.0	19.4	18.9	18.3	17.7	17.0	16.3	14.9	11.6	6.7
40	*****	19.6	19.5	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2
45	*****	18.5	18.4	18.1	17.7	17.2	16.6	16.1	15.6	15.0	14.4	13.2	10.2	5.9
50	*****	17.6	17.5	17.2	16.7	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
55	*****	16.7	16.7	16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3
60	*****	16.0	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
65	*****	15.4	15.3	15.1	14.7	14.3	13.8	13.4	13.0	12.5	12.0	10.9	8.5	4.9
70	*****	14.8	14.8	14.5	14.2	13.8	13.3	12.9	12.5	12.0	11.6	10.5	8.2	4.7
75	*****	14.3	14.3	14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
80	*****	13.9	13.8	13.6	13.2	12.9	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4
85	*****	13.5	13.4	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
90	*****	13.1	13.0	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
95	*****	12.7	12.7	12.5	12.1	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.0
100	*****	12.4	12.4	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
125	*****	11.1	11.1	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
150	*****	10.1	10.1	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
200	*****	8.8	8.7	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
250	*****	7.8	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.8	5.2	4.0	2.5
300	*****	7.1	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.8	3.6	2.3
350	*****	6.6	6.5	6.3	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.4	3.3	2.1
400	*****	6.2	6.1	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.0	3.0	2.0
450	*****	5.8	5.7	5.6	5.4	5.3	5.1	4.9	4.7	4.6	4.4	3.8	2.8	1.9
500	*****	5.4	5.3	5.1	5.0	4.8	4.6	4.5	4.3	4.2	4.0	3.4	2.5	1.8
750	*****	4.4	4.3	4.2	4.1	3.9	3.8	3.7	3.5	3.4	3.2	2.6	1.9	1.4
1000	*****	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	2.9	2.8	2.2	1.6	1.2
1500	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	1.6	1.2	1.0
2000	*****	2.6	2.6	2.5	2.4	2.3	2.2	2.2	2.1	2.0	1.9	1.4	1.1	0.9
3000	*****	2.1	2.0	2.0	1.9	1.8	1.8	1.7	1.6	1.5	1.4	1.0	0.8	0.7
4000	*****	1.8	1.7	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.7	0.6	0.6
5000	*****	1.5	1.5	1.4	1.4	1.3	1.2	1.2	1.1	1.0	0.9	0.7	0.6	0.6
6000	*****	1.4	1.3	1.3	1.2	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.5
7000	*****	1.2	1.2	1.2	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.4
8000	*****	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.2	0.2
9000	*****	1.0	0.9	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.1
10000	*****	0.9	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1
12500	*****	0.6	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
15000	*****	0.6	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
17500	*****	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
20000	*****	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Newfoundland and Labrador

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	63.7	63.4	62.4	60.8	59.1	57.3	55.5	53.6	51.7	49.6	45.3	35.1	20.3
2	*****	45.1	44.8	44.2	43.0	41.8	40.5	39.2	37.9	36.5	35.1	32.0	24.8	14.3
3	*****	36.8	36.6	36.1	35.1	34.1	33.1	32.0	30.9	29.8	28.7	26.2	20.3	11.7
4	*****	31.9	31.7	31.2	30.4	29.5	28.7	27.7	26.8	25.8	24.8	22.7	17.5	10.1
5	*****	28.4	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1	
6	*****	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	18.5	14.3	8.3	
7	*****	24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7	
8	*****	22.4	22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.5	16.0	12.4	7.2	
9	*****	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.8		
10	*****	19.7	19.2	18.7	18.1	17.5	17.0	16.3	15.7	14.3	11.1	6.4		
11	*****	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1		
12	*****	18.0	17.5	17.1	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8		
13	*****	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6		
14	*****	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4		
15	*****	16.1	15.7	15.3	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2		
16	*****	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1		
17	*****	15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9		
18	*****	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8		
19	*****	14.3	13.9	13.6	13.1	12.7	12.3	11.8	11.4	10.4	8.1	4.6		
20	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5		
21	*****	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4		
22	*****	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3			
23	*****	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2			
24	*****	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1			
25	*****	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1			
30	*****	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7			
35	*****	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4			
40	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2			
45	*****	8.8	8.5	8.3	8.0	7.7	7.4	7.0	6.8	5.2	3.0			
50	*****	8.4	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9				
55	*****	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7				
60	*****	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6				
65	*****	7.3	7.1	6.9	6.6	6.4	6.2	5.6	4.4	2.5				
70	*****	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4					
75	*****	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3					
80	*****	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3					
85	*****	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2					
90	*****	5.8	5.7	5.4	5.2	4.8	3.7	2.1						
95	*****	5.7	5.5	5.3	5.1	4.6	3.6	2.1						
100	*****	5.5	5.4	5.2	5.0	4.5	3.5	2.0						
125	*****	4.8	4.6	4.4	4.1	3.1	1.8							
150	*****	4.2	4.1	3.7	2.9	1.7								
200	*****	3.2	2.5	1.4										
250	*****	2.2	1.3											
300	*****	2.0	1.2											
350	*****	1.1												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Prince-Edward-Island

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	41.6	41.4	40.8	39.7	38.6	37.4	36.2	35.0	33.7	32.4	29.6	22.9	13.2
2	*****	29.3	28.8	28.1	27.3	26.5	25.6	24.8	23.9	22.9	20.9	16.2	9.4	
3	*****		23.5	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6	
4	*****		20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6	
5	*****		18.2	17.8	17.3	16.7	16.2	15.7	15.1	14.5	13.2	10.3	5.9	
6	*****			16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4	
7	*****				15.0	14.6	14.1	13.7	13.2	12.8	12.3	11.2	8.7	5.0
8	*****					14.0	13.6	13.2	12.8	12.4	11.9	10.5	8.1	4.7
9	*****						13.2	12.9	12.5	12.1	11.7	10.8	9.9	7.6
10	*****							12.6	12.2	11.8	11.5	10.7	10.3	9.4
11	*****								12.0	11.6	11.3	10.9	10.6	10.2
12	*****									11.1	10.8	10.5	10.1	9.7
13	*****										10.7	10.4	10.1	9.7
14	*****											10.3	10.0	9.7
15	*****												10.0	9.7
16	*****													9.6
17	*****													
18	*****													
19	*****													
20	*****													
21	*****													
22	*****													
23	*****													
24	*****													
25	*****													
30	*****													
35	*****													
40	*****													
45	*****													
50	*****													
55	*****													
60	*****													
65	*****													
70	*****													
75	*****													
80	*****													
85	*****													
90	*****													
95	*****													
100	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Nova Scotia

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	71.9	71.5	70.4	68.5	66.6	64.6	62.6	60.4	58.2	56.0	51.1	39.6	22.8
2	*****	50.8	50.6	49.8	48.5	47.1	45.7	44.2	42.7	41.2	39.6	36.1	28.0	16.2
3	*****	41.5	41.3	40.7	39.6	38.5	37.3	36.1	34.9	33.6	32.3	29.5	22.8	13.2
4	*****	35.9	35.8	35.2	34.3	33.3	32.3	31.3	30.2	29.1	28.0	25.5	19.8	11.4
5	*****	32.1	32.0	31.5	30.6	29.8	28.9	28.0	27.0	26.0	25.0	22.8	17.7	10.2
6	*****	29.3	29.2	28.7	28.0	27.2	26.4	25.5	24.7	23.8	22.8	20.9	16.2	9.3
7	*****	27.2	27.0	26.6	25.9	25.2	24.4	23.6	22.8	22.0	21.1	19.3	15.0	8.6
8	*****		25.3	24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.1	14.0	8.1
9	*****		23.8	23.5	22.8	22.2	21.5	20.9	20.1	19.4	18.7	17.0	13.2	7.6
10	*****		22.6	22.3	21.7	21.1	20.4	19.8	19.1	18.4	17.7	16.2	12.5	7.2
11	*****		21.6	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
12	*****		20.6	20.3	19.8	19.2	18.7	18.1	17.4	16.8	16.2	14.7	11.4	6.6
13	*****		19.8	19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3
14	*****		19.1	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1
15	*****		18.5	18.2	17.7	17.2	16.7	16.2	15.6	15.0	14.4	13.2	10.2	5.9
16	*****			17.6	17.1	16.6	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7
17	*****			17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
18	*****			16.6	16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
19	*****			16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.8	11.7	9.1	5.2
20	*****			15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
21	*****			15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.1	8.6	5.0
22	*****			15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
23	*****			14.7	14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.7	8.3	4.8
24	*****			14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7
25	*****			14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
30	*****			12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
35	*****			11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
40	*****				10.8	10.5	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6
45	*****				10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
50	*****				9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
55	*****				9.2	9.0	8.7	8.4	8.1	7.9	7.5	6.9	5.3	3.1
60	*****				8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
65	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
70	*****				8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
75	*****				7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
80	*****					7.4	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
85	*****					7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5
90	*****					7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
95	*****					6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
100	*****					6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3
125	*****						5.8	5.6	5.4	5.2	5.0	4.6	3.5	2.0
150	*****						5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9
200	*****							4.3	4.1	4.0	3.6	2.8	1.6	
250	*****								3.7	3.5	3.2	2.5	1.4	
300	*****									3.2	2.9	2.3	1.3	
350	*****										2.7	2.1	1.2	
400	*****											2.0	1.1	
450	*****												1.9	1.1
500	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

New Brunswick

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	71.7	71.3	70.2	68.3	66.4	64.4	62.4	60.3	58.1	55.8	50.9	39.5	22.8
2	*****	50.7	50.4	49.6	48.3	47.0	45.6	44.1	42.6	41.1	39.5	36.0	27.9	16.1
3	*****	41.4	41.2	40.5	39.5	38.3	37.2	36.0	34.8	33.5	32.2	29.4	22.8	13.2
4	*****	35.8	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.0	27.9	25.5	19.7	11.4
5	*****	32.1	31.9	31.4	30.6	29.7	28.8	27.9	27.0	26.0	25.0	22.8	17.6	10.2
6	*****	29.3	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
7	*****		27.0	26.5	25.8	25.1	24.4	23.6	22.8	21.9	21.1	19.3	14.9	8.6
8	*****		25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	13.9	8.1
9	*****		23.8	23.4	22.8	22.1	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6
10	*****		22.5	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.6	16.1	12.5	7.2
11	*****		21.5	21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9
12	*****		20.6	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
13	*****		19.5	19.0	18.4	17.9	17.3	16.7	16.1	16.1	15.5	14.1	10.9	6.3
14	*****		18.8	18.3	17.7	17.2	16.7	16.1	15.5	14.9	14.9	13.6	10.5	6.1
15	*****		18.1	17.6	17.1	16.6	16.1	15.6	15.0	14.4	14.4	13.2	10.2	5.9
16	*****		17.6	17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7	5.7
17	*****		17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5	5.5
18	*****		16.5	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	5.4
19	*****		16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	5.2
20	*****		15.7	15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1	5.1
21	*****		15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0	5.0
22	*****		15.0	14.6	14.2	13.7	13.3	12.8	12.4	11.9	10.9	8.4	4.9	4.9
23	*****		14.6	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7	4.7
24	*****		14.3	13.9	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.6	4.6
25	*****		14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6	4.6
30	*****		12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	4.2
35	*****		11.6	11.2	10.9	10.5	10.2	9.8	9.4	9.4	8.6	6.7	3.9	3.9
40	*****			10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6	3.6
45	*****			10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	3.4
50	*****			9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	3.2
55	*****			9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1	3.1
60	*****			8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9	2.9
65	*****				8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8	2.8
70	*****				7.9	7.7	7.5	7.2	6.9	6.7	6.1	4.7	2.7	2.7
75	*****				7.7	7.4	7.2	7.0	6.7	6.4	5.9	4.6	2.6	2.6
80	*****				7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5	2.5
85	*****				7.2	7.0	6.8	6.5	6.3	6.1	5.5	4.3	2.5	2.5
90	*****				7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4	2.4
95	*****					6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3	2.3
100	*****					6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3	2.3
125	*****						5.6	5.4	5.2	5.0	4.6	3.5	2.0	2.0
150	*****						5.1	4.9	4.7	4.6	4.2	3.2	1.9	1.9
200	*****							4.1	3.9	3.6	2.8	1.6	1.6	1.6
250	*****								3.2	3.2	2.5	1.4	1.4	1.4
300	*****									2.9	2.3	1.3	1.3	1.3
350	*****										2.1	1.2	1.2	1.2
400	*****											2.0	1.1	1.1
450	*****												1.1	1.1
500	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Quebec

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	163.4	162.6	161.8	159.3	155.1	150.7	146.2	141.6	136.8	131.8	126.6	115.6	89.5	51.7
2	115.5	115.0	114.4	112.7	109.6	106.6	103.4	100.1	96.7	93.2	89.5	81.7	63.3	36.5
3	94.3	93.9	93.4	92.0	89.5	87.0	84.4	81.7	79.0	76.1	73.1	66.7	51.7	29.8
4	81.7	81.3	80.9	79.7	77.5	75.3	73.1	70.8	68.4	65.9	63.3	57.8	44.8	25.8
5	73.1	72.7	72.4	71.2	69.3	67.4	65.4	63.3	61.2	58.9	56.6	51.7	40.0	23.1
6	66.7	66.4	66.1	65.0	63.3	61.5	59.7	57.8	55.8	53.8	51.7	47.2	36.5	21.1
7	*****	61.5	61.2	60.2	58.6	57.0	55.3	53.5	51.7	49.8	47.9	43.7	33.8	19.5
8	*****	57.5	57.2	56.3	54.8	53.3	51.7	50.0	48.4	46.6	44.8	40.9	31.7	18.3
9	*****	54.2	53.9	53.1	51.7	50.2	48.7	47.2	45.6	43.9	42.2	38.5	29.8	17.2
10	*****	51.4	51.2	50.4	49.0	47.7	46.2	44.8	43.2	41.7	40.0	36.5	28.3	16.3
11	*****	49.0	48.8	48.0	46.8	45.4	44.1	42.7	41.2	39.7	38.2	34.8	27.0	15.6
12	*****	46.9	46.7	46.0	44.8	43.5	42.2	40.9	39.5	38.0	36.5	33.4	25.8	14.9
13	*****	45.1	44.9	44.2	43.0	41.8	40.5	39.3	37.9	36.5	35.1	32.1	24.8	14.3
14	*****	43.5	43.2	42.6	41.4	40.3	39.1	37.8	36.5	35.2	33.8	30.9	23.9	13.8
15	*****	42.0	41.8	41.1	40.0	38.9	37.7	36.5	35.3	34.0	32.7	29.8	23.1	13.3
16	*****	40.7	40.5	39.8	38.8	37.7	36.5	35.4	34.2	32.9	31.7	28.9	22.4	12.9
17	*****	39.4	39.2	38.6	37.6	36.5	35.5	34.3	33.2	32.0	30.7	28.0	21.7	12.5
18	*****	38.3	38.1	37.6	36.5	35.5	34.5	33.4	32.2	31.1	29.8	27.2	21.1	12.2
19	*****	37.3	37.1	36.5	35.6	34.6	33.5	32.5	31.4	30.2	29.0	26.5	20.5	11.9
20	*****	36.4	36.2	35.6	34.7	33.7	32.7	31.7	30.6	29.5	28.3	25.8	20.0	11.6
21	*****	35.5	35.3	34.8	33.8	32.9	31.9	30.9	29.8	28.8	27.6	25.2	19.5	11.3
22	*****	34.7	34.5	34.0	33.1	32.1	31.2	30.2	29.2	28.1	27.0	24.6	19.1	11.0
23	*****	33.9	33.7	33.2	32.3	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8
24	*****	33.2	33.0	32.5	31.7	30.8	29.8	28.9	27.9	26.9	25.8	23.6	18.3	10.6
25	*****	32.5	32.4	31.9	31.0	30.1	29.2	28.3	27.4	26.4	25.3	23.1	17.9	10.3
30	*****	29.7	29.5	29.1	28.3	27.5	26.7	25.8	25.0	24.1	23.1	21.1	16.3	9.4
35	*****	27.5	27.4	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
40	*****	25.7	25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2
45	*****	24.2	24.1	23.7	23.1	22.5	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7
50	*****	23.0	22.9	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3
55	*****	21.9	21.8	21.5	20.9	20.3	19.7	19.1	18.4	17.8	17.1	15.6	12.1	7.0
60	*****	21.0	20.9	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.3	14.9	11.6	6.7
65	*****	20.1	19.8	19.2	18.7	18.1	17.6	17.0	16.3	15.7	15.1	13.8	10.7	6.2
70	*****	19.3	19.0	18.5	18.0	17.5	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
75	*****	18.7	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.7	14.2	12.9	10.0	5.8
80	*****	18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	13.7	12.5	9.7	5.6
85	*****	17.6	17.3	16.8	16.3	15.9	15.4	14.8	14.3	13.7	13.2	12.0	9.4	5.4
90	*****	17.1	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.7	11.6	9.0	5.2
95	*****	16.6	16.3	15.9	15.5	15.0	14.5	14.0	13.5	13.0	12.5	11.3	8.6	4.9
100	*****	16.2	15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	12.2	11.0	8.3	4.7
125	*****	14.2	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.8	10.3	9.1	7.0	4.4
150	*****	13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.8	9.3	8.1	6.2	4.2
200	*****	11.3	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.6	8.2	7.1	5.4	3.9
250	*****	10.1	9.8	9.5	9.2	9.0	8.6	8.3	8.0	7.7	7.3	6.3	4.8	3.5
300	*****	9.2	9.0	8.7	8.4	8.2	7.9	7.6	7.3	7.0	6.7	5.8	4.4	3.2
350	*****	8.3	8.1	7.8	7.6	7.3	7.0	6.7	6.4	6.1	5.8	5.0	3.7	2.9
400	*****	7.8	7.5	7.3	7.1	6.8	6.6	6.3	6.0	5.7	5.4	4.6	3.4	2.6
450	*****	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.7	5.4	5.1	4.3	3.2	2.4
500	*****	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.4	5.1	4.8	4.0	3.0	2.2
750	*****	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.1	2.3	1.7
1000	*****	4.6	4.5	4.3	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.4	1.8	1.4
1500	*****	3.7	3.5	3.4	3.3	3.1	2.9	2.8	2.6	2.4	2.2	1.7	1.3	1.0
2000	*****	2.9	2.8	2.6	2.5	2.3	2.2	2.0	1.9	1.7	1.6	1.2	0.9	0.7
3000	*****	2.1	2.0	1.8	1.7	1.5	1.4	1.3	1.1	1.0	0.9	0.7	0.5	0.4
4000	*****	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2
5000	*****	0.7	0.6	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	119.5	118.9	118.3	116.5	113.4	110.2	106.9	103.5	100.0	96.4	92.6	84.5	65.5	37.8
2	84.5	84.1	83.7	82.4	80.2	77.9	75.6	73.2	70.7	68.1	65.5	59.8	46.3	26.7
3	69.0	68.7	68.3	67.3	65.5	63.6	61.7	59.8	57.7	55.6	53.4	48.8	37.8	21.8
4	59.7	59.5	59.2	58.2	56.7	55.1	53.4	51.8	50.0	48.2	46.3	42.3	32.7	18.9
5	53.4	53.2	52.9	52.1	50.7	49.3	47.8	46.3	44.7	43.1	41.4	37.8	29.3	16.9
6	48.8	48.5	48.3	47.6	46.3	45.0	43.6	42.3	40.8	39.3	37.8	34.5	26.7	15.4
7	45.1	44.9	44.7	44.0	42.9	41.6	40.4	39.1	37.8	36.4	35.0	31.9	24.7	14.3
8	42.2	42.0	41.8	41.2	40.1	39.0	37.8	36.6	35.4	34.1	32.7	29.9	23.1	13.4
9	39.8	39.6	39.4	38.8	37.8	36.7	35.6	34.5	33.3	32.1	30.9	28.2	21.8	12.6
10	*****	37.6	37.4	36.8	35.9	34.8	33.8	32.7	31.6	30.5	29.3	26.7	20.7	12.0
11	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.1	27.9	25.5	19.7	11.4
12	*****	34.3	34.2	33.6	32.7	31.8	30.9	29.9	28.9	27.8	26.7	24.4	18.9	10.9
13	*****	33.0	32.8	32.3	31.4	30.6	29.6	28.7	27.7	26.7	25.7	23.4	18.2	10.5
14	*****	31.8	31.6	31.1	30.3	29.4	28.6	27.7	26.7	25.8	24.7	22.6	17.5	10.1
15	*****	30.7	30.5	30.1	29.3	28.4	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8
16	*****	29.7	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	21.1	16.4	9.4
17	*****	28.8	28.7	28.3	27.5	26.7	25.9	25.1	24.3	23.4	22.5	20.5	15.9	9.2
18	*****	28.0	27.9	27.5	26.7	26.0	25.2	24.4	23.6	22.7	21.8	19.9	15.4	8.9
19	*****	27.3	27.1	26.7	26.0	25.3	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
20	*****	26.6	26.5	26.0	25.4	24.6	23.9	23.1	22.4	21.5	20.7	18.9	14.6	8.5
21	*****	25.9	25.8	25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	18.4	14.3	8.2
22	*****	25.4	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
23	*****	24.8	24.7	24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
24	*****	24.3	24.2	23.8	23.1	22.5	21.8	21.1	20.4	19.7	18.9	17.3	13.4	7.7
25	*****	23.8	23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
30	*****	21.7	21.6	21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
35	*****	20.1	20.0	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
40	*****	18.8	18.7	18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.4	6.0
45	*****	17.7	17.6	17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
50	*****	16.8	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3
55	*****	16.0	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
60	*****	15.4	15.3	15.0	14.6	14.2	13.8	13.4	12.9	12.4	12.0	10.9	8.5	4.9
65	*****	14.7	14.7	14.4	14.1	13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7
70	*****	14.2	14.1	13.9	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
75	*****	13.7	13.7	13.5	13.1	12.7	12.3	12.0	11.5	11.1	10.7	9.8	7.6	4.4
80	*****	13.3	13.2	13.0	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.4	7.3	4.2
85	*****	12.9	12.8	12.6	12.3	12.0	11.6	11.2	10.8	10.5	10.0	9.2	7.1	4.1
90	*****	12.5	12.5	12.3	12.0	11.6	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0
95	*****	12.2	12.1	12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
100	*****	*****	11.8	11.6	11.3	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.5	3.8
125	*****	*****	10.6	10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4
150	*****	*****	9.7	9.5	9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.3	3.1
200	*****	*****	*****	8.2	8.0	7.8	7.6	7.3	7.1	6.8	6.5	6.0	4.6	2.7
250	*****	*****	*****	7.4	7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4
300	*****	*****	*****	6.7	6.5	6.4	6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2
350	*****	*****	*****	6.2	6.1	5.9	5.7	5.5	5.3	5.2	4.9	4.5	3.5	2.0
400	*****	*****	*****	5.8	5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9
450	*****	*****	*****	5.5	5.3	5.2	5.0	4.9	4.7	4.5	4.4	4.0	3.1	1.8
500	*****	*****	*****	5.1	4.9	4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7	1.1
750	*****	*****	*****	4.1	4.0	3.9	3.8	3.7	3.5	3.4	3.1	2.4	1.4	0.8
1000	*****	*****	*****	*****	3.5	3.4	3.3	3.2	3.0	2.9	2.7	2.1	1.2	0.7
1500	*****	*****	*****	*****	2.8	2.7	2.6	2.5	2.4	2.2	1.7	1.0	0.6	0.4
2000	*****	*****	*****	*****	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.5	1.2	0.7
3000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
4000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
5000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
6000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
7000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
8000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Manitoba

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	84.3	83.8	82.6	80.4	78.1	75.8	73.4	70.9	68.3	65.6	59.9	46.4	26.8
2	*****	59.6	59.3	58.4	56.8	55.2	53.6	51.9	50.1	48.3	46.4	42.3	32.8	18.9
3	*****	48.7	48.4	47.7	46.4	45.1	43.7	42.3	40.9	39.4	37.9	34.6	26.8	15.5
4	*****	42.1	41.9	41.3	40.2	39.0	37.9	36.7	35.4	34.1	32.8	29.9	23.2	13.4
5	*****	37.7	37.5	36.9	35.9	34.9	33.9	32.8	31.7	30.5	29.3	26.8	20.7	12.0
6	*****	34.4	34.2	33.7	32.8	31.9	30.9	29.9	28.9	27.9	26.8	24.5	18.9	10.9
7	*****	31.9	31.7	31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1
8	*****	29.8	29.6	29.2	28.4	27.6	26.8	25.9	25.1	24.1	23.2	21.2	16.4	9.5
9	*****	27.9	27.5	26.8	26.0	25.3	24.5	23.6	22.8	21.9	20.0	15.5	8.9	
10	*****	26.5	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.7	18.9	14.7	8.5	
11	*****	25.3	24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.1	14.0	8.1	
12	*****	24.2	23.8	23.2	22.5	21.9	21.2	20.5	19.7	18.9	17.3	13.4	7.7	
13	*****	23.3	22.9	22.3	21.7	21.0	20.3	19.7	18.9	18.2	16.6	12.9	7.4	
14	*****	22.4	22.1	21.5	20.9	20.2	19.6	18.9	18.3	17.5	16.0	12.4	7.2	
15	*****	21.6	21.3	20.7	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9	
16	*****	21.0	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7	
17	*****	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5	
18	*****		19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3	
19	*****		18.9	18.4	17.9	17.4	16.8	16.3	15.7	15.1	13.7	10.6	6.1	
20	*****		18.5	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0	
21	*****		18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
22	*****		17.6	17.1	16.6	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7	
23	*****		17.2	16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6	
24	*****		16.9	16.4	15.9	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5	
25	*****		16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4	
30	*****		15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9	
35	*****		14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
40	*****		13.1	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2	
45	*****			12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0	
50	*****			11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8	
55	*****			10.8	10.5	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6	
60	*****			10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5	
65	*****			10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3	
70	*****			9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2	
75	*****			9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1	
80	*****			9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0	
85	*****			8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9	
90	*****				8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8	
95	*****				8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7	
100	*****				7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7	
125	*****				7.0	6.8	6.6	6.3	6.1	5.9	5.4	4.1	2.4	
150	*****					6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2	
200	*****						5.2	5.0	4.8	4.6	4.2	3.3	1.9	
250	*****							4.5	4.3	4.1	3.8	2.9	1.7	
300	*****								3.9	3.8	3.5	2.7	1.5	
350	*****										3.2	2.5	1.4	
400	*****											3.0	2.3	1.3
450	*****												2.2	1.3
500	*****													2.1
750	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Saskatchewan

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	75.2	74.8	73.6	71.7	69.7	67.6	65.4	63.2	60.9	58.5	53.4	41.4	23.9
2	*****	53.2	52.9	52.1	50.7	49.3	47.8	46.3	44.7	43.1	41.4	37.8	29.3	16.9
3	*****	43.4	43.2	42.5	41.4	40.2	39.0	37.8	36.5	35.2	33.8	30.8	23.9	13.8
4	*****	37.6	37.4	36.8	35.8	34.8	33.8	32.7	31.6	30.5	29.3	26.7	20.7	11.9
5	*****	33.6	33.4	32.9	32.1	31.2	30.2	29.3	28.3	27.2	26.2	23.9	18.5	10.7
6	*****	30.7	30.5	30.1	29.3	28.4	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8
7	*****	28.4	28.3	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
8	*****		26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
9	*****		24.9	24.5	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
10	*****		23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
11	*****		22.6	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.6	16.1	12.5	7.2
12	*****		21.6	21.3	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
13	*****		20.7	20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
14	*****		20.0	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
15	*****		19.3	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
16	*****			18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.3	6.0
17	*****			17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
18	*****			17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
19	*****			16.9	16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
20	*****			16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3
21	*****			16.1	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2
22	*****			15.7	15.3	14.9	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
23	*****			15.4	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
24	*****			15.0	14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9
25	*****			14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
30	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	7.6	4.4
35	*****			12.4	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
40	*****				11.3	11.0	10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8
45	*****				10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
50	*****				10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4
55	*****				9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
60	*****				9.3	9.0	8.7	8.4	8.2	7.9	7.6	6.9	5.3	3.1
65	*****				8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
70	*****				8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9
75	*****				8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
80	*****					7.8	7.6	7.3	7.1	6.8	6.5	6.0	4.6	2.7
85	*****					7.6	7.3	7.1	6.9	6.6	6.3	5.8	4.5	2.6
90	*****					7.3	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5
95	*****					7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.5
100	*****					7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4
125	*****						6.0	5.9	5.7	5.4	5.2	4.8	3.7	2.1
150	*****							5.5	5.3	5.2	5.0	4.8	3.4	2.0
200	*****								4.5	4.3	4.1	3.8	2.9	1.7
250	*****									3.9	3.7	3.4	2.6	1.5
300	*****										3.4	3.1	2.4	1.4
350	*****											2.9	2.2	1.3
400	*****												2.1	1.2
450	*****												2.0	1.1
500	*****												1.9	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Alberta

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	110.9	110.4	109.8	108.1	105.2	102.3	99.2	96.1	92.8	89.4	85.9	78.4	60.8	35.1
2	78.4	78.0	77.6	76.5	74.4	72.3	70.2	67.9	65.6	63.2	60.8	55.5	43.0	24.8
3	*****	63.7	63.4	62.4	60.8	59.0	57.3	55.5	53.6	51.6	49.6	45.3	35.1	20.3
4	*****	55.2	54.9	54.1	52.6	51.1	49.6	48.0	46.4	44.7	43.0	39.2	30.4	17.5
5	*****	49.4	49.1	48.4	47.1	45.7	44.4	43.0	41.5	40.0	38.4	35.1	27.2	15.7
6	*****	45.1	44.8	44.1	43.0	41.8	40.5	39.2	37.9	36.5	35.1	32.0	24.8	14.3
7	*****	41.7	41.5	40.9	39.8	38.7	37.5	36.3	35.1	33.8	32.5	29.6	23.0	13.3
8	*****	39.0	38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4
9	*****	36.8	36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	20.3	11.7
10	*****	34.9	34.7	34.2	33.3	32.3	31.4	30.4	29.3	28.3	27.2	24.8	19.2	11.1
11	*****	33.3	33.1	32.6	31.7	30.8	29.9	29.0	28.0	27.0	25.9	23.6	18.3	10.6
12	*****	31.9	31.7	31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1
13	*****	30.6	30.5	30.0	29.2	28.4	27.5	26.6	25.7	24.8	23.8	21.8	16.9	9.7
14	*****	29.5	29.3	28.9	28.1	27.3	26.5	25.7	24.8	23.9	23.0	21.0	16.2	9.4
15	*****	28.5	28.4	27.9	27.2	26.4	25.6	24.8	24.0	23.1	22.2	20.3	15.7	9.1
16	*****	27.6	27.5	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
17	*****	26.8	26.6	26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.8	19.0	14.7	8.5
18	*****	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.3	18.5	14.3	8.3
19	*****	25.3	25.2	24.8	24.1	23.5	22.8	22.0	21.3	20.5	19.7	18.0	13.9	8.0
20	*****	24.7	24.6	24.2	23.5	22.9	22.2	21.5	20.8	20.0	19.2	17.5	13.6	7.8
21	*****	24.1	24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.7	17.1	13.3	7.7
22	*****	23.5	23.4	23.1	22.4	21.8	21.2	20.5	19.8	19.1	18.3	16.7	13.0	7.5
23	*****	23.0	22.9	22.5	21.9	21.3	20.7	20.0	19.4	18.6	17.9	16.4	12.7	7.3
24	*****	22.5	22.4	22.1	21.5	20.9	20.3	19.6	18.9	18.3	17.5	16.0	12.4	7.2
25	*****	22.0	22.0	21.6	21.0	20.5	19.8	19.2	18.6	17.9	17.2	15.7	12.2	7.0
30	*****	20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4	6.4
35	*****	18.6	18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.3	10.3	5.9	5.9
40	*****	17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5	5.5
45	*****	16.4	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2	5.2
50	*****	15.3	14.9	14.5	14.0	13.6	13.1	12.6	12.2	11.1	8.6	5.0	5.0	5.0
55	*****	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7	4.7	4.7
60	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	4.5	4.5
65	*****	13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4	4.4	4.4
70	*****	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	4.2	4.2
75	*****	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1	4.1	4.1
80	*****	12.1	11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	3.9	3.9
85	*****	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	3.8	3.8
90	*****	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7	3.7	3.7
95	*****	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.0	6.2	3.6	3.6	3.6
100	*****	10.8	10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5	3.5	3.5
125	*****	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1	3.1	3.1	3.1
150	*****	8.6	8.4	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9	2.9	2.9	2.9
200	*****	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5	2.5	2.5	2.5
250	*****	6.5	6.3	6.1	5.9	5.7	5.4	5.2	5.0	3.8	2.2	2.2	2.2	2.2
300	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.6	3.5	2.0	2.0	2.0	2.0
350	*****	5.5	5.3	5.1	5.0	4.8	4.6	4.4	4.2	3.2	1.9	1.9	1.9	1.9
400	*****	5.0	4.8	4.6	4.5	4.3	4.1	3.9	3.7	2.9	1.7	1.7	1.7	1.7
450	*****	4.7	4.5	4.4	4.2	4.1	3.9	3.7	3.5	2.7	1.6	1.6	1.6	1.6
500	*****	4.3	4.2	4.0	3.8	3.5	3.5	3.5	3.5	2.7	1.6	1.6	1.6	1.6
750	*****	3.3	3.1	2.9	2.2	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3	1.3
1000	*****	2.5	1.9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
1500	*****	1.6	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
2000	*****	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

British Columbia

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	125.3	124.7	124.1	122.2	118.9	115.6	112.1	108.6	104.9	101.1	97.1	88.6	68.7	39.6
2	88.6	88.2	87.8	86.4	84.1	81.7	79.3	76.8	74.2	71.5	68.7	62.7	48.6	28.0
3	72.3	72.0	71.6	70.5	68.7	66.7	64.7	62.7	60.6	58.4	56.1	51.2	39.6	22.9
4	*****	62.4	62.0	61.1	59.5	57.8	56.1	54.3	52.4	50.5	48.6	44.3	34.3	19.8
5	*****	55.8	55.5	54.6	53.2	51.7	50.1	48.6	46.9	45.2	43.4	39.6	30.7	17.7
6	*****	50.9	50.7	49.9	48.6	47.2	45.8	44.3	42.8	41.3	39.6	36.2	28.0	16.2
7	*****	47.1	46.9	46.2	44.9	43.7	42.4	41.0	39.6	38.2	36.7	33.5	26.0	15.0
8	*****	44.1	43.9	43.2	42.0	40.9	39.6	38.4	37.1	35.7	34.3	31.3	24.3	14.0
9	*****	41.6	41.4	40.7	39.6	38.5	37.4	36.2	35.0	33.7	32.4	29.5	22.9	13.2
10	*****	39.4	39.2	38.6	37.6	36.5	35.5	34.3	33.2	32.0	30.7	28.0	21.7	12.5
11	*****	37.6	37.4	36.8	35.9	34.8	33.8	32.7	31.6	30.5	29.3	26.7	20.7	12.0
12	*****	36.0	35.8	35.3	34.3	33.4	32.4	31.3	30.3	29.2	28.0	25.6	19.8	11.4
13	*****	34.6	34.4	33.9	33.0	32.1	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
14	*****	33.3	33.2	32.7	31.8	30.9	30.0	29.0	28.0	27.0	26.0	23.7	18.4	10.6
15	*****	32.2	32.0	31.5	30.7	29.8	29.0	28.0	27.1	26.1	25.1	22.9	17.7	10.2
16	*****	31.2	31.0	30.5	29.7	28.9	28.0	27.1	26.2	25.3	24.3	22.2	17.2	9.9
17	*****	30.3	30.1	29.6	28.8	28.0	27.2	26.3	25.4	24.5	23.6	21.5	16.7	9.6
18	*****	29.4	29.3	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.3
19	*****	28.6	28.5	28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.8	9.1
20	*****	27.9	27.7	27.3	26.6	25.8	25.1	24.3	23.5	22.6	21.7	19.8	15.4	8.9
21	*****	27.2	27.1	26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.3	15.0	8.7
22	*****	26.6	26.5	26.0	25.4	24.6	23.9	23.1	22.4	21.5	20.7	18.9	14.6	8.5
23	*****	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3
24	*****	25.5	25.3	24.9	24.3	23.6	22.9	22.2	21.4	20.6	19.8	18.1	14.0	8.1
25	*****	24.9	24.8	24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9
30	*****	22.8	22.7	22.3	21.7	21.1	20.5	19.8	19.1	18.5	17.7	16.2	12.5	7.2
35	*****	21.0	20.7	20.1	19.5	19.0	18.4	17.7	17.1	16.4	15.7	14.0	11.6	6.7
40	*****	19.6	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.8	13.0	10.9	6.3
45	*****	18.5	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.9	12.2	10.2	5.9
50	*****	17.6	17.3	16.8	16.3	15.9	15.4	14.8	14.3	13.7	13.1	11.5	9.7	5.6
55	*****	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.5	10.9	9.3	5.3
60	*****	16.0	15.8	15.4	14.9	14.5	14.0	13.5	13.0	12.5	12.0	10.5	8.9	5.1
65	*****	15.4	15.2	14.8	14.3	13.9	13.5	13.0	12.5	12.0	11.5	10.0	8.5	4.9
70	*****	14.6	14.4	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.2	9.7	8.2	4.7
75	*****	14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.2	7.9	4.6
80	*****	13.7	13.5	13.1	12.7	12.3	11.9	11.5	11.1	10.7	10.3	8.8	7.7	4.4
85	*****	13.3	13.1	12.7	12.3	11.9	11.5	11.1	10.7	10.3	9.9	8.4	7.4	4.3
90	*****	12.9	12.7	12.3	11.9	11.5	11.1	10.7	10.3	9.9	9.5	8.0	7.2	4.2
95	*****	12.5	12.3	11.9	11.5	11.1	10.7	10.3	9.9	9.5	9.1	7.6	7.0	4.1
100	*****	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	9.3	8.9	7.4	6.9	4.0
125	*****	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	8.4	8.0	6.5	6.1	3.5
150	*****	10.0	9.7	9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.4	5.9	5.6	3.2
200	*****	8.4	8.2	7.9	7.7	7.4	7.1	6.8	6.5	6.2	5.9	4.4	4.1	2.8
250	*****	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.9	5.6	5.4	3.9	3.7	2.5
300	*****	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.4	5.2	5.0	3.5	3.4	2.3
350	*****	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	2.9	2.8	2.1
400	*****	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	4.0	2.5	2.4	2.0
450	*****	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.2	4.0	3.8	2.3	2.2	1.9
500	*****	5.0	4.9	4.7	4.5	4.4	4.2	4.0	3.8	3.6	3.4	1.9	1.8	1.8
750	*****	4.0	3.8	3.7	3.5	3.4	3.2	3.0	2.8	2.6	2.4	1.5	1.4	1.4
1000	*****	3.2	3.1	2.9	2.8	2.6	2.5	2.3	2.2	2.0	1.8	1.3	1.2	1.3
1500	*****	2.3	2.2	2.0	1.9	1.7	1.6	1.4	1.3	1.2	1.0	0.7	0.6	1.0
2000	*****	1.5	1.4	1.3	1.2	1.0	0.9	0.8	0.7	0.6	0.5	0.3	0.2	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 15-24

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	120.4	119.8	119.2	117.4	114.2	111.0	107.7	104.3	100.7	97.1	93.3	85.1	66.0	38.1
2	85.1	84.7	84.3	83.0	80.8	78.5	76.2	73.7	71.2	68.6	66.0	60.2	46.6	26.9
3	69.5	69.2	68.8	67.8	66.0	64.1	62.2	60.2	58.2	56.1	53.9	49.2	38.1	22.0
4	60.2	59.9	59.6	58.7	57.1	55.5	53.9	52.1	50.4	48.5	46.6	42.6	33.0	19.0
5	*****	53.6	53.3	52.5	51.1	49.6	48.2	46.6	45.1	43.4	41.7	38.1	29.5	17.0
6	*****	48.9	48.7	47.9	46.6	45.3	44.0	42.6	41.1	39.6	38.1	34.8	26.9	15.5
7	*****	45.3	45.1	44.4	43.2	42.0	40.7	39.4	38.1	36.7	35.3	32.2	24.9	14.4
8	*****	42.4	42.1	41.5	40.4	39.3	38.1	36.9	35.6	34.3	33.0	30.1	23.3	13.5
9	*****	39.9	39.7	39.1	38.1	37.0	35.9	34.8	33.6	32.4	31.1	28.4	22.0	12.7
10	*****	37.9	37.7	37.1	36.1	35.1	34.1	33.0	31.9	30.7	29.5	26.9	20.9	12.0
11	*****	36.1	35.9	35.4	34.4	33.5	32.5	31.4	30.4	29.3	28.1	25.7	19.9	11.5
12	*****	34.6	34.4	33.9	33.0	32.0	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
13	*****	33.2	33.1	32.6	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
14	*****	32.0	31.9	31.4	30.5	29.7	28.8	27.9	26.9	25.9	24.9	22.8	17.6	10.2
15	*****	30.9	30.8	30.3	29.5	28.7	27.8	26.9	26.0	25.1	24.1	22.0	17.0	9.8
16	*****	30.0	29.8	29.3	28.6	27.8	26.9	26.1	25.2	24.3	23.3	21.3	16.5	9.5
17	*****	29.1	28.9	28.5	27.7	26.9	26.1	25.3	24.4	23.5	22.6	20.7	16.0	9.2
18	*****	28.2	28.1	27.7	26.9	26.2	25.4	24.6	23.7	22.9	22.0	20.1	15.5	9.0
19	*****	27.5	27.3	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
20	*****	26.8	26.7	26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.9	19.0	14.7	8.5
21	*****	26.1	26.0	25.6	24.9	24.2	23.5	22.8	22.0	21.2	20.4	18.6	14.4	8.3
22	*****	25.5	25.4	25.0	24.4	23.7	23.0	22.2	21.5	20.7	19.9	18.2	14.1	8.1
23	*****	25.0	24.9	24.5	23.8	23.1	22.5	21.7	21.0	20.2	19.4	17.8	13.8	7.9
24	*****	24.5	24.3	24.0	23.3	22.7	22.0	21.3	20.6	19.8	19.0	17.4	13.5	7.8
25	*****	24.0	23.8	23.5	22.8	22.2	21.5	20.9	20.1	19.4	18.7	17.0	13.2	7.6
30	*****	21.9	21.8	21.4	20.9	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	7.0
35	*****	20.3	20.1	19.8	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.1	6.4
40	*****	18.9	18.8	18.6	18.1	17.6	17.0	16.5	15.9	15.4	14.7	13.5	10.4	6.0
45	*****	17.8	17.5	17.0	16.5	16.1	15.5	15.0	14.5	13.9	12.7	9.8	5.7	5.7
50	*****	16.9	16.6	16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4	5.4
55	*****	16.1	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1	5.1
60	*****	15.4	15.2	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	4.9
65	*****	14.8	14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7	4.7
70	*****	14.2	14.0	13.7	13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.6	4.6
75	*****	13.8	13.6	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	4.4
80	*****	13.3	13.1	12.8	12.4	12.0	11.7	11.3	10.9	10.4	9.5	7.4	4.3	4.3
85	*****	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	4.1	4.1
90	*****	12.4	12.0	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0	4.0	4.0
95	*****	12.0	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9	3.9	3.9
100	*****	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	3.8	3.8
125	*****	10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	3.4	3.4
150	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1	3.1	3.1
200	*****	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7	2.7	2.7
250	*****	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.6	5.4	4.2	2.4	2.4	2.4
300	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.9	3.8	2.2	2.2
350	*****	6.1	5.9	5.8	5.6	5.4	5.2	5.0	4.9	4.7	4.3	3.3	1.9	1.9
400	*****	5.7	5.6	5.4	5.2	5.0	4.9	4.7	4.6	4.4	4.0	3.1	1.8	1.8
450	*****	5.2	5.1	4.9	4.7	4.6	4.4	4.3	4.2	4.0	3.8	2.9	1.7	1.7
500	*****	5.0	4.8	4.7	4.5	4.3	4.2	4.0	3.8	3.8	3.1	2.4	1.4	1.4
750	*****	3.9	3.8	3.7	3.5	3.4	3.1	2.9	2.7	2.7	2.1	1.2	1.2	1.2
1000	*****	3.3	3.2	3.1	3.0	2.9	2.7	2.6	2.5	2.4	2.2	1.7	1.0	1.0
1500	*****	2.4	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.1	0.9	0.9
2000	*****	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.7	0.7
3000	*****	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 25-44

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	129.9	129.3	128.7	126.7	123.3	119.8	116.3	112.6	108.8	104.8	100.7	91.9	71.2	41.1
2	91.9	91.5	91.0	89.6	87.2	84.7	82.2	79.6	76.9	74.1	71.2	65.0	50.3	29.1
3	75.0	74.7	74.3	73.1	71.2	69.2	67.1	65.0	62.8	60.5	58.1	53.1	41.1	23.7
4	65.0	64.7	64.3	63.3	61.7	59.9	58.1	56.3	54.4	52.4	50.3	46.0	35.6	20.6
5	58.1	57.8	57.5	56.7	55.1	53.6	52.0	50.3	48.6	46.9	45.0	41.1	31.8	18.4
6	53.0	52.8	52.5	51.7	50.3	48.9	47.5	46.0	44.4	42.8	41.1	37.5	29.1	16.8
7	49.1	48.9	48.6	47.9	46.6	45.3	43.9	42.5	41.1	39.6	38.1	34.7	26.9	15.5
8	45.9	45.7	45.5	44.8	43.6	42.4	41.1	39.8	38.4	37.1	35.6	32.5	25.2	14.5
9	43.3	43.1	42.9	42.2	41.1	39.9	38.8	37.5	36.3	34.9	33.6	30.6	23.7	13.7
10	*****	40.9	40.7	40.1	39.0	37.9	36.8	35.6	34.4	33.1	31.8	29.1	22.5	13.0
11	*****	39.0	38.8	38.2	37.2	36.1	35.1	33.9	32.8	31.6	30.4	27.7	21.5	12.4
12	*****	37.3	37.1	36.6	35.6	34.6	33.6	32.5	31.4	30.3	29.1	26.5	20.6	11.9
13	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.2	29.1	27.9	25.5	19.7	11.4
14	*****	34.6	34.4	33.9	33.0	32.0	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
15	*****	33.4	33.2	32.7	31.8	30.9	30.0	29.1	28.1	27.1	26.0	23.7	18.4	10.6
16	*****	32.3	32.2	31.7	30.8	30.0	29.1	28.1	27.2	26.2	25.2	23.0	17.8	10.3
17	*****	31.4	31.2	30.7	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
18	*****	30.5	30.3	29.9	29.1	28.2	27.4	26.5	25.6	24.7	23.7	21.7	16.8	9.7
19	*****	29.7	29.5	29.1	28.3	27.5	26.7	25.8	24.9	24.0	23.1	21.1	16.3	9.4
20	*****	28.9	28.8	28.3	27.6	26.8	26.0	25.2	24.3	23.4	22.5	20.6	15.9	9.2
21	*****	28.2	28.1	27.6	26.9	26.2	25.4	24.6	23.7	22.9	22.0	20.1	15.5	9.0
22	*****	27.6	27.4	27.0	26.3	25.5	24.8	24.0	23.2	22.3	21.5	19.6	15.2	8.8
23	*****	27.0	26.8	26.4	25.7	25.0	24.2	23.5	22.7	21.9	21.0	19.2	14.8	8.6
24	*****	26.4	26.3	25.9	25.2	24.5	23.7	23.0	22.2	21.4	20.6	18.8	14.5	8.4
25	*****	25.9	25.7	25.3	24.7	24.0	23.3	22.5	21.8	21.0	20.1	18.4	14.2	8.2
30	*****	23.6	23.5	23.1	22.5	21.9	21.2	20.6	19.9	19.1	18.4	16.8	13.0	7.5
35	*****	21.9	21.8	21.4	20.8	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	6.9
40	*****	20.4	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
45	*****	19.3	19.2	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
50	*****	18.3	18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
55	*****	17.4	17.4	17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
60	*****	16.7	16.6	16.4	15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
65	*****	16.0	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
70	*****	15.5	15.4	15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9
75	*****	14.9	14.9	14.6	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7
80	*****	14.5	14.4	14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
85	*****	14.0	14.0	13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
90	*****	13.6	13.6	13.4	13.0	12.6	12.3	11.9	11.5	11.0	10.6	9.7	7.5	4.3
95	*****	13.3	13.2	13.0	12.7	12.3	11.9	11.5	11.2	10.8	10.3	9.4	7.3	4.2
100	*****	*****	12.9	12.7	12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
125	*****	*****	11.5	11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
150	*****	*****	10.5	10.3	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4
200	*****	*****	*****	9.0	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
250	*****	*****	*****	8.0	7.8	7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
300	*****	*****	*****	7.3	7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4
350	*****	*****	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
400	*****	*****	*****	6.3	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
450	*****	*****	*****	6.0	5.8	5.6	5.5	5.3	5.1	4.9	4.7	4.3	3.4	1.9
500	*****	*****	*****	*****	5.5	5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8
750	*****	*****	*****	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.4	2.6	1.5
1000	*****	*****	*****	*****	*****	3.8	3.7	3.6	3.4	3.3	3.2	2.9	2.3	1.3
1500	*****	*****	*****	*****	*****	*****	3.0	2.9	2.8	2.7	2.6	2.4	1.8	1.1
2000	*****	*****	*****	*****	*****	*****	*****	2.5	2.4	2.3	2.3	2.1	1.6	0.9
3000	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.9	1.8	1.7	1.3	0.8
4000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5	1.1	0.6	0.6
5000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0	0.6	0.6
6000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.9	0.5
7000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.5
8000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 45-64

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	132.7	132.1	131.5	129.4	126.0	122.4	118.8	115.0	111.1	107.1	102.9	93.9	72.7	42.0
2	93.9	93.4	93.0	91.5	89.1	86.6	84.0	81.3	78.6	75.7	72.7	66.4	51.4	29.7
3	76.6	76.3	75.9	74.7	72.7	70.7	68.6	66.4	64.1	61.8	59.4	54.2	42.0	24.2
4	66.4	66.1	65.7	64.7	63.0	61.2	59.4	57.5	55.6	53.5	51.4	47.0	36.4	21.0
5	59.4	59.1	58.8	57.9	56.3	54.8	53.1	51.4	49.7	47.9	46.0	42.0	32.5	18.8
6	54.2	53.9	53.7	52.8	51.4	50.0	48.5	47.0	45.4	43.7	42.0	38.3	29.7	17.1
7	50.2	49.9	49.7	48.9	47.6	46.3	44.9	43.5	42.0	40.5	38.9	35.5	27.5	15.9
8	*****	46.7	46.5	45.8	44.5	43.3	42.0	40.7	39.3	37.9	36.4	33.2	25.7	14.8
9	*****	44.0	43.8	43.1	42.0	40.8	39.6	38.3	37.0	35.7	34.3	31.3	24.2	14.0
10	*****	41.8	41.6	40.9	39.8	38.7	37.6	36.4	35.1	33.9	32.5	29.7	23.0	13.3
11	*****	39.8	39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7
12	*****	38.1	37.9	37.4	36.4	35.3	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1
13	*****	36.6	36.5	35.9	34.9	34.0	32.9	31.9	30.8	29.7	28.5	26.0	20.2	11.6
14	*****	35.3	35.1	34.6	33.7	32.7	31.7	30.7	29.7	28.6	27.5	25.1	19.4	11.2
15	*****	34.1	33.9	33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.6	24.2	18.8	10.8
16	*****	33.0	32.9	32.4	31.5	30.6	29.7	28.8	27.8	26.8	25.7	23.5	18.2	10.5
17	*****	32.0	31.9	31.4	30.6	29.7	28.8	27.9	26.9	26.0	24.9	22.8	17.6	10.2
18	*****	31.1	31.0	30.5	29.7	28.9	28.0	27.1	26.2	25.2	24.2	22.1	17.1	9.9
19	*****	30.3	30.2	29.7	28.9	28.1	27.2	26.4	25.5	24.6	23.6	21.5	16.7	9.6
20	*****	29.5	29.4	28.9	28.2	27.4	26.6	25.7	24.8	23.9	23.0	21.0	16.3	9.4
21	*****	28.8	28.7	28.2	27.5	26.7	25.9	25.1	24.2	23.4	22.4	20.5	15.9	9.2
22	*****	28.2	28.0	27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0
23	*****	27.6	27.4	27.0	26.3	25.5	24.8	24.0	23.2	22.3	21.4	19.6	15.2	8.8
24	*****	27.0	26.8	26.4	25.7	25.0	24.2	23.5	22.7	21.9	21.0	19.2	14.8	8.6
25	*****	26.4	26.3	25.9	25.2	24.5	23.8	23.0	22.2	21.4	20.6	18.8	14.5	8.4
30	*****	24.1	24.0	23.6	23.0	22.4	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
35	*****	22.3	22.2	21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
40	*****	20.9	20.8	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6
45	*****	19.7	19.6	19.3	18.8	18.3	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3
50	*****	18.7	18.6	18.3	17.8	17.3	16.8	16.3	15.7	15.1	14.5	13.3	10.3	5.9
55	*****	17.8	17.7	17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
60	*****	17.1	17.0	16.7	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
65	*****	16.4	16.3	16.1	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.6	9.0	5.2
70	*****	15.8	15.7	15.5	15.1	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
75	*****	15.3	15.2	14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
80	*****	14.7	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	11.0	10.0	8.1	4.7
85	*****	14.3	14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.7	9.6	7.5	4.6
90	*****	13.9	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	10.3	9.2	7.1	4.4
95	*****	13.5	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	10.1	9.0	6.9	4.3
100	*****	13.1	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.8	8.7	6.6	4.2
125	*****	11.8	11.6	11.3	11.0	10.6	10.3	9.9	9.6	9.2	8.8	7.7	5.6	3.8
150	*****	10.7	10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	8.0	7.0	5.0	3.4
200	*****	9.2	8.9	8.7	8.4	8.1	7.7	7.4	7.0	6.7	6.4	5.4	3.9	3.0
250	*****	8.2	8.0	7.7	7.5	7.3	7.0	6.8	6.5	6.2	5.9	5.0	3.6	2.7
300	*****	7.5	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.6	5.4	4.5	3.2	2.4
350	*****	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.0	4.2	3.0	2.2
400	*****	6.3	6.1	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.6	3.8	2.7	2.1
450	*****	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	3.4	2.4	2.0
500	*****	5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.4	4.2	4.0	3.2	2.2	1.9
750	*****	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.6	3.4	3.2	2.5	1.7	1.5
1000	*****	3.9	3.8	3.6	3.5	3.4	3.3	3.2	3.0	2.9	2.7	2.1	1.5	1.3
1500	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.6	1.1	1.1
2000	*****	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.2	0.8	0.9
3000	*****	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.7	0.5	0.8
4000	*****	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.7
5000	*****	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.0	0.6
6000	*****	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 65+

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	106.9	106.4	105.8	104.2	101.4	98.6	95.6	92.6	89.5	86.2	82.8	75.6	58.6	33.8
2	75.6	75.2	74.8	73.7	71.7	69.7	67.6	65.5	63.3	61.0	58.6	53.5	41.4	23.9
3	61.7	61.4	61.1	60.2	58.6	56.9	55.2	53.5	51.6	49.8	47.8	43.6	33.8	19.5
4	*****	53.2	52.9	52.1	50.7	49.3	47.8	46.3	44.7	43.1	41.4	37.8	29.3	16.9
5	*****	47.6	47.3	46.6	45.4	44.1	42.8	41.4	40.0	38.5	37.0	33.8	26.2	15.1
6	*****	43.4	43.2	42.5	41.4	40.2	39.0	37.8	36.5	35.2	33.8	30.9	23.9	13.8
7	*****	40.2	40.0	39.4	38.3	37.3	36.1	35.0	33.8	32.6	31.3	28.6	22.1	12.8
8	*****	37.6	37.4	36.8	35.9	34.8	33.8	32.7	31.6	30.5	29.3	26.7	20.7	12.0
9	*****	35.5	35.3	34.7	33.8	32.9	31.9	30.9	29.8	28.7	27.6	25.2	19.5	11.3
10	*****	33.6	33.5	33.0	32.1	31.2	30.2	29.3	28.3	27.3	26.2	23.9	18.5	10.7
11	*****	32.1	31.9	31.4	30.6	29.7	28.8	27.9	27.0	26.0	25.0	22.8	17.7	10.2
12	*****	30.7	30.6	30.1	29.3	28.5	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8
13	*****	29.5	29.4	28.9	28.1	27.3	26.5	25.7	24.8	23.9	23.0	21.0	16.2	9.4
14	*****	28.4	28.3	27.9	27.1	26.3	25.6	24.7	23.9	23.0	22.1	20.2	15.7	9.0
15	*****	27.5	27.3	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
16	*****	26.6	26.5	26.1	25.4	24.6	23.9	23.1	22.4	21.5	20.7	18.9	14.6	8.5
17	*****	25.8	25.7	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2
18	*****	25.1	24.9	24.6	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
19	*****	24.4	24.3	23.9	23.3	22.6	21.9	21.2	20.5	19.8	19.0	17.3	13.4	7.8
20	*****	23.8	23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
21	*****	23.2	23.1	22.7	22.1	21.5	20.9	20.2	19.5	18.8	18.1	16.5	12.8	7.4
22	*****	22.7	22.6	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.7	16.1	12.5	7.2
23	*****	22.2	22.1	21.7	21.1	20.6	19.9	19.3	18.7	18.0	17.3	15.8	12.2	7.0
24	*****	21.7	21.6	21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
25	*****	21.3	21.2	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.6	15.1	11.7	6.8
30	*****	19.4	19.3	19.0	18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2
35	*****	18.0	17.9	17.6	17.1	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
40	*****	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3	5.3
45	*****	15.8	15.5	15.1	14.7	14.3	13.8	13.3	12.8	12.3	11.3	8.7	5.0	5.0
50	*****	15.0	14.7	14.3	13.9	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8	4.8
55	*****	14.3	14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6	4.6
60	*****	13.7	13.5	13.1	12.7	12.3	12.0	11.5	11.1	10.7	9.8	7.6	4.4	4.4
65	*****	13.1	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	4.2
70	*****	12.7	12.5	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0	4.0
75	*****	12.0	11.7	11.4	11.0	10.7	10.3	10.0	9.6	9.3	8.5	6.5	3.8	3.8
80	*****	11.7	11.3	11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.4	3.7	3.7
85	*****	11.3	11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.4	3.7	3.7	3.7
90	*****	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	3.6	3.6
95	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.8	6.0	3.5	3.5	3.5
100	*****	10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4	3.4	3.4
125	*****	9.3	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0	3.0	3.0
150	*****	8.5	8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8	2.8	2.8
200	*****	7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.7	5.3	4.1	2.4	2.4	2.4
250	*****	6.4	6.2	6.0	5.9	5.7	5.5	5.2	4.8	4.8	3.7	2.1	2.1	2.1
300	*****	5.9	5.7	5.5	5.3	5.2	5.0	4.8	4.4	4.4	3.4	2.0	2.0	2.0
350	*****	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.0	4.0	3.1	1.8	1.8	1.8
400	*****	4.9	4.8	4.6	4.5	4.3	4.1	3.8	3.8	3.4	2.9	1.7	1.7	1.7
450	*****	4.6	4.5	4.4	4.2	4.1	3.9	3.6	2.8	2.8	2.1	1.6	1.6	1.6
500	*****	4.4	4.3	4.1	4.0	3.9	3.7	3.4	2.6	2.6	2.1	1.5	1.5	1.5
750	*****	3.4	3.3	3.1	3.0	2.8	2.8	2.1	1.2	1.2	1.1	1.1	1.1	1.1
1000	*****	2.8	2.7	2.6	2.4	2.4	1.9	1.1	1.1	1.1	1.1	1.1	1.1	1.1
1500	*****	2.0	2.0	1.5	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
2000	*****	1.3	1.3	1.3	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
3000	*****	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

South West Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	107.4	106.9	106.3	104.7	101.9	99.0	96.1	93.0	89.9	86.6	83.2	75.9	58.8	34.0
2	*****	75.6	75.2	74.0	72.0	70.0	67.9	65.8	63.5	61.2	58.8	53.7	41.6	24.0
3	*****	61.7	61.4	60.4	58.8	57.2	55.5	53.7	51.9	50.0	48.0	43.8	34.0	19.6
4	*****	53.4	53.2	52.3	50.9	49.5	48.0	46.5	44.9	43.3	41.6	38.0	29.4	17.0
5	*****	47.8	47.6	46.8	45.6	44.3	43.0	41.6	40.2	38.7	37.2	34.0	26.3	15.2
6	*****	43.6	43.4	42.7	41.6	40.4	39.2	38.0	36.7	35.4	34.0	31.0	24.0	13.9
7	*****	40.4	40.2	39.6	38.5	37.4	36.3	35.2	34.0	32.7	31.4	28.7	22.2	12.8
8	*****	37.8	37.6	37.0	36.0	35.0	34.0	32.9	31.8	30.6	29.4	26.9	20.8	12.0
9	*****	35.6	35.4	34.9	34.0	33.0	32.0	31.0	30.0	28.9	27.7	25.3	19.6	11.3
10	*****	33.8	33.6	33.1	32.2	31.3	30.4	29.4	28.4	27.4	26.3	24.0	18.6	10.7
11	*****	32.2	32.1	31.6	30.7	29.9	29.0	28.0	27.1	26.1	25.1	22.9	17.7	10.2
12	*****	30.8	30.7	30.2	29.4	28.6	27.7	26.9	25.9	25.0	24.0	21.9	17.0	9.8
13	*****	29.5	29.0	28.3	27.5	26.6	25.8	24.9	24.0	23.1	22.1	21.1	16.3	9.4
14	*****	28.4	28.0	27.2	26.5	25.7	24.9	24.0	23.1	22.2	21.3	20.3	15.7	9.1
15	*****	27.5	27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	20.6	19.6	15.2	8.8
16	*****	26.6	26.2	25.5	24.8	24.0	23.3	22.5	21.6	20.8	19.9	19.0	14.7	8.5
17	*****	25.8	25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	19.4	18.4	14.3	8.2
18	*****	25.1	24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	18.7	17.9	13.9	8.0
19	*****	24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	18.3	17.4	13.5	7.8
20	*****	23.8	23.4	22.8	22.1	21.5	20.8	20.1	19.4	18.6	17.7	17.0	13.2	7.6
21	*****	23.2	22.8	22.2	21.6	21.0	20.3	19.6	18.9	18.2	17.4	16.6	12.8	7.4
22	*****	22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.8	16.2	12.5	7.2
23	*****	22.2	21.8	21.2	20.6	20.0	19.4	18.7	18.1	17.3	16.4	15.8	12.3	7.1
24	*****	21.7	21.4	20.8	20.2	19.6	19.0	18.3	17.7	17.0	16.2	15.5	12.0	6.9
25	*****	20.9	20.4	19.8	19.2	18.6	18.0	17.3	16.6	15.8	15.0	14.2	11.8	6.8
30	*****	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	14.5	13.7	13.0	10.7	6.2
35	*****	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.1	13.5	12.8	12.1	9.9	5.7
40	*****	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.6	12.0	11.4	9.3	5.4
45	*****	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.8	11.3	10.7	8.8	5.1
50	*****	14.8	14.4	14.0	13.6	13.2	12.7	12.2	11.8	11.2	10.7	10.1	8.3	4.8
55	*****	14.1	13.7	13.4	13.0	12.5	12.1	11.7	11.2	10.7	10.2	9.6	7.9	4.6
60	*****	13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.7	10.2	9.6	9.0	7.6	4.4
65	*****	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.9	9.4	8.8	8.2	7.0	4.2
70	*****	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.5	9.1	8.6	8.0	6.8	4.1
75	*****	11.8	11.4	11.1	10.7	10.4	10.0	9.6	9.2	8.8	8.3	7.7	6.6	3.9
80	*****	11.4	11.1	10.7	10.4	10.0	9.6	9.2	8.8	8.4	7.9	7.4	6.3	3.8
85	*****	11.1	10.7	10.4	10.1	9.7	9.3	8.9	8.5	8.1	7.6	7.1	6.0	3.7
90	*****	10.7	10.4	10.1	9.8	9.4	9.0	8.6	8.2	7.8	7.3	6.8	5.7	3.6
95	*****	10.5	10.2	9.9	9.5	9.2	8.8	8.4	8.0	7.6	7.1	6.6	5.5	3.5
100	*****	10.2	9.9	9.6	9.3	8.9	8.5	8.1	7.7	7.3	6.8	6.3	5.2	3.4
125	*****	8.9	8.6	8.3	8.0	7.7	7.4	7.0	6.7	6.3	5.9	5.4	4.4	3.0
150	*****	8.1	7.8	7.6	7.3	7.0	6.6	6.3	5.9	5.5	5.1	4.6	3.7	2.8
200	*****	6.8	6.6	6.4	6.1	5.8	5.5	5.2	4.9	4.6	4.2	3.8	3.0	2.4
250	*****	5.9	5.7	5.5	5.3	5.0	4.7	4.4	4.1	3.8	3.5	3.1	2.5	2.1
300	*****	5.4	5.2	5.0	4.8	4.5	4.2	3.9	3.6	3.3	3.0	2.6	2.1	2.0
350	*****	4.8	4.6	4.4	4.1	3.8	3.5	3.2	2.9	2.6	2.3	1.9	1.5	1.8
400	*****	4.3	4.2	4.0	3.8	3.5	3.2	2.9	2.6	2.3	2.0	1.6	1.2	1.7
450	*****	3.9	3.6	3.4	3.2	2.9	2.6	2.3	2.0	1.7	1.4	1.1	0.8	1.6
500	*****	3.4	3.2	3.0	2.8	2.5	2.2	1.9	1.6	1.3	1.0	0.7	0.5	1.5
750	*****	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	1.2
1000	*****	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.5	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Central South Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	95.9	95.4	93.9	91.4	88.8	86.2	83.4	80.6	77.7	74.6	68.1	52.8	30.5
2	*****	67.8	67.4	66.4	64.6	62.8	60.9	59.0	57.0	54.9	52.8	48.2	37.3	21.5
3	*****	55.3	55.1	54.2	52.8	51.3	49.7	48.2	46.5	44.8	43.1	39.3	30.5	17.6
4	*****	47.9	47.7	46.9	45.7	44.4	43.1	41.7	40.3	38.8	37.3	34.1	26.4	15.2
5	*****	42.9	42.6	42.0	40.9	39.7	38.5	37.3	36.0	34.7	33.4	30.5	23.6	13.6
6	*****	39.1	38.9	38.3	37.3	36.3	35.2	34.1	32.9	31.7	30.5	27.8	21.5	12.4
7	*****	36.2	36.0	35.5	34.5	33.6	32.6	31.5	30.5	29.4	28.2	25.7	19.9	11.5
8	*****	33.9	33.7	33.2	32.3	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8
9	*****	32.0	31.8	31.3	30.5	29.6	28.7	27.8	26.9	25.9	24.9	22.7	17.6	10.2
10	*****	30.2	29.7	28.9	28.1	27.2	26.4	25.5	24.6	23.6	22.6	21.5	16.7	9.6
11	*****	28.8	28.3	27.6	26.8	26.0	25.2	24.3	23.4	22.5	21.5	20.5	15.9	9.2
12	*****	27.5	27.1	26.4	25.6	24.9	24.1	23.3	22.4	21.5	20.5	19.7	15.2	8.8
13	*****	26.4	26.0	25.3	24.6	23.9	23.1	22.4	21.5	20.7	19.9	18.9	14.6	8.4
14	*****	25.5	25.1	24.4	23.7	23.0	22.3	21.5	20.8	19.9	19.1	18.2	14.1	8.1
15	*****	24.6	24.2	23.6	22.9	22.2	21.5	20.8	20.1	19.3	18.5	17.6	13.6	7.9
16	*****	23.8	23.5	22.8	22.2	21.5	20.9	20.1	19.4	18.7	18.0	17.0	13.2	7.6
17	*****	23.1	22.8	22.2	21.5	20.9	20.2	19.5	18.8	18.1	17.4	16.5	12.8	7.4
18	*****	22.5	22.1	21.5	20.9	20.3	19.7	19.0	18.3	17.6	16.9	16.1	12.4	7.2
19	*****	21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	16.4	15.7	15.0	11.8	7.0
20	*****	21.0	20.4	19.9	19.3	18.7	18.0	17.4	16.7	16.0	15.3	14.6	11.8	6.8
21	*****	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	15.6	14.9	14.2	11.5	6.6
22	*****	20.0	19.5	18.9	18.4	17.8	17.2	16.6	15.9	15.2	14.5	13.8	11.2	6.5
23	*****	19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	15.0	14.4	13.8	11.0	6.4
24	*****	19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.3	14.7	14.1	13.5	10.8	6.2
25	*****	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	14.3	13.7	13.1	10.6	6.1
30	*****	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	13.0	12.4	11.8	9.6	5.6
35	*****	15.9	15.4	15.0	14.6	14.1	13.6	13.1	12.6	12.1	11.5	11.0	8.9	5.1
40	*****	14.8	14.5	14.0	13.6	13.2	12.7	12.3	11.8	11.3	10.8	10.3	8.3	4.8
45	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.7	10.2	9.7	7.9	4.5
50	*****	12.9	12.6	12.2	11.8	11.4	11.0	10.6	10.2	9.7	9.2	8.7	7.5	4.3
55	*****	12.3	12.0	11.6	11.2	10.9	10.5	10.1	9.7	9.2	8.7	8.2	7.1	4.1
60	*****	11.8	11.5	11.1	10.8	10.4	10.0	9.6	9.2	8.7	8.2	7.7	6.8	3.9
65	*****	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.7	8.2	7.7	7.2	6.5	3.8
70	*****	10.9	10.6	10.3	10.0	9.6	9.2	8.7	8.2	7.7	7.2	6.7	6.3	3.6
75	*****	10.6	10.3	9.9	9.6	9.2	8.7	8.2	7.7	7.2	6.7	6.2	6.1	3.5
80	*****	10.2	9.9	9.6	9.2	8.7	8.2	7.7	7.2	6.7	6.2	5.7	5.9	3.4
85	*****	9.9	9.6	9.3	9.0	8.6	8.2	7.7	7.2	6.7	6.2	5.7	5.7	3.3
90	*****	9.6	9.3	9.0	8.6	8.2	7.7	7.2	6.7	6.2	5.7	5.2	5.6	3.2
95	*****	9.1	8.8	8.5	8.1	7.7	7.2	6.7	6.2	5.7	5.2	4.7	5.4	3.1
100	*****	8.9	8.6	8.3	8.0	7.6	7.1	6.6	6.1	5.6	5.1	4.6	5.3	3.0
125	*****	7.9	7.7	7.5	7.2	6.9	6.6	6.3	6.0	5.7	5.4	5.1	4.7	2.7
150	*****	7.0	6.8	6.6	6.3	6.0	5.7	5.4	5.1	4.8	4.5	4.2	4.3	2.5
200	*****	5.9	5.7	5.5	5.3	5.0	4.7	4.4	4.1	3.8	3.5	3.2	3.7	2.2
250	*****	5.1	4.9	4.7	4.5	4.2	3.9	3.6	3.3	3.0	2.7	2.4	3.3	1.9
300	*****	4.5	4.3	4.1	3.9	3.6	3.3	3.0	2.7	2.4	2.1	1.8	3.0	1.8
350	*****	4.0	3.8	3.6	3.4	3.1	2.8	2.5	2.2	1.9	1.6	1.3	2.8	1.6
400	*****	3.4	3.2	3.0	2.8	2.5	2.2	1.9	1.6	1.3	1.0	0.7	2.6	1.5
450	*****	3.2	3.0	2.8	2.5	2.2	1.9	1.6	1.3	1.0	0.7	0.4	2.5	1.4
500	*****	2.4	2.2	2.0	1.8	1.5	1.2	0.9	0.6	0.3	0.0	0.0	2.4	1.4
750	*****	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	2.4	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Central West Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	143.7	143.0	142.3	140.1	136.4	132.5	128.6	124.5	120.3	115.9	111.3	101.6	78.7	45.5
2	*****	101.1	100.6	99.1	96.4	93.7	90.9	88.0	85.0	81.9	78.7	71.9	55.7	32.1
3	*****	82.6	82.1	80.9	78.7	76.5	74.2	71.9	69.4	66.9	64.3	58.7	45.5	26.2
4	*****	71.5	71.1	70.0	68.2	66.3	64.3	62.2	60.1	57.9	55.7	50.8	39.4	22.7
5	*****	64.0	63.6	62.7	61.0	59.3	57.5	55.7	53.8	51.8	49.8	45.5	35.2	20.3
6	*****	58.4	58.1	57.2	55.7	54.1	52.5	50.8	49.1	47.3	45.5	41.5	32.1	18.6
7	*****	54.1	53.8	53.0	51.5	50.1	48.6	47.0	45.5	43.8	42.1	38.4	29.8	17.2
8	*****	50.6	50.3	49.5	48.2	46.9	45.5	44.0	42.5	41.0	39.4	35.9	27.8	16.1
9	*****	47.7	47.4	46.7	45.5	44.2	42.9	41.5	40.1	38.6	37.1	33.9	26.2	15.2
10	*****	45.2	45.0	44.3	43.1	41.9	40.7	39.4	38.0	36.6	35.2	32.1	24.9	14.4
11	*****	43.1	42.9	42.2	41.1	40.0	38.8	37.5	36.3	34.9	33.6	30.6	23.7	13.7
12	*****	41.3	41.1	40.4	39.4	38.3	37.1	35.9	34.7	33.5	32.1	29.3	22.7	13.1
13	*****	39.7	39.5	38.9	37.8	36.8	35.7	34.5	33.4	32.1	30.9	28.2	21.8	12.6
14	*****	38.2	38.0	37.4	36.4	35.4	34.4	33.3	32.1	31.0	29.8	27.2	21.0	12.1
15	*****	36.9	36.7	36.2	35.2	34.2	33.2	32.1	31.0	29.9	28.7	26.2	20.3	11.7
16	*****	35.8	35.6	35.0	34.1	33.1	32.1	31.1	30.1	29.0	27.8	25.4	19.7	11.4
17	*****	34.7	34.5	34.0	33.1	32.1	31.2	30.2	29.2	28.1	27.0	24.6	19.1	11.0
18	*****	*****	33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	24.0	18.6	10.7
19	*****	*****	32.6	32.1	31.3	30.4	29.5	28.6	27.6	26.6	25.5	23.3	18.1	10.4
20	*****	*****	31.8	31.3	30.5	29.6	28.7	27.8	26.9	25.9	24.9	22.7	17.6	10.2
21	*****	*****	31.0	30.6	29.8	28.9	28.1	27.2	26.2	25.3	24.3	22.2	17.2	9.9
22	*****	*****	30.3	29.9	29.1	28.3	27.4	26.5	25.6	24.7	23.7	21.7	16.8	9.7
23	*****	*****	29.7	29.2	28.4	27.6	26.8	26.0	25.1	24.2	23.2	21.2	16.4	9.5
24	*****	*****	29.0	28.6	27.8	27.0	26.2	25.4	24.5	23.7	22.7	20.7	16.1	9.3
25	*****	*****	28.5	28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.7	9.1
30	*****	*****	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
35	*****	*****	23.7	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7	7.7
40	*****	*****	22.2	21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.4	7.2	7.2
45	*****	*****	20.9	20.3	19.8	19.2	18.6	17.9	17.3	16.6	15.2	11.7	6.8	6.8
50	*****	*****	19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4	6.4
55	*****	*****	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1	6.1
60	*****	*****	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9	5.9
65	*****	*****	17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6	5.6
70	*****	*****	16.7	16.3	15.8	15.4	14.9	14.4	13.9	13.3	12.1	9.4	5.4	5.4
75	*****	*****	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2	5.2
80	*****	*****	15.7	15.2	14.8	14.4	13.9	13.4	13.0	12.4	11.4	8.8	5.1	5.1
85	*****	*****	15.2	14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9	4.9
90	*****	*****	14.4	14.0	13.6	13.1	12.7	12.2	11.7	11.2	10.7	8.3	4.8	4.8
95	*****	*****	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.9	10.4	8.1	4.7	4.7
100	*****	*****	13.6	13.3	12.9	12.4	12.0	11.6	11.1	10.6	10.2	7.9	4.5	4.5
125	*****	*****	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.6	9.1	7.0	4.1	4.1
150	*****	*****	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.7	8.3	6.4	3.7	3.7
200	*****	*****	9.4	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.8	5.6	3.2	3.2
250	*****	*****	8.4	8.1	7.9	7.6	7.3	7.0	6.7	6.4	6.0	5.0	2.9	2.9
300	*****	*****	7.4	7.2	6.9	6.7	6.4	6.1	5.8	5.5	5.2	4.5	2.6	2.6
350	*****	*****	6.7	6.4	6.2	6.0	5.7	5.4	5.1	4.8	4.5	3.9	2.4	2.4
400	*****	*****	6.2	6.0	5.8	5.6	5.4	5.1	4.8	4.5	4.2	3.7	2.3	2.3
450	*****	*****	5.7	5.5	5.2	4.8	4.5	4.2	3.9	3.7	3.4	3.0	2.1	2.1
500	*****	*****	5.4	5.2	5.0	4.5	4.2	3.9	3.7	3.4	3.1	2.9	2.0	2.0
750	*****	*****	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	2.9	1.7
1000	*****	*****	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	1.4
1500	*****	*****	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Central East Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	139.5	138.9	138.2	136.1	132.4	128.7	124.9	120.9	116.8	112.6	108.1	98.7	76.5	44.1
2	*****	98.2	97.7	96.2	93.6	91.0	88.3	85.5	82.6	79.6	76.5	69.8	54.1	31.2
3	*****	80.2	79.8	78.6	76.5	74.3	72.1	69.8	67.4	65.0	62.4	57.0	44.1	25.5
4	*****	69.5	69.1	68.0	66.2	64.4	62.4	60.4	58.4	56.3	54.1	49.4	38.2	22.1
5	*****	62.1	61.8	60.9	59.2	57.6	55.8	54.1	52.2	50.3	48.4	44.1	34.2	19.7
6	*****	56.7	56.4	55.5	54.1	52.5	51.0	49.4	47.7	45.9	44.1	40.3	31.2	18.0
7	*****	52.5	52.2	51.4	50.1	48.6	47.2	45.7	44.1	42.5	40.9	37.3	28.9	16.7
8	*****	49.1	48.9	48.1	46.8	45.5	44.1	42.7	41.3	39.8	38.2	34.9	27.0	15.6
9	*****	46.3	46.1	45.4	44.1	42.9	41.6	40.3	38.9	37.5	36.0	32.9	25.5	14.7
10	*****	43.9	43.7	43.0	41.9	40.7	39.5	38.2	36.9	35.6	34.2	31.2	24.2	14.0
11	*****	41.9	41.7	41.0	39.9	38.8	37.6	36.5	35.2	33.9	32.6	29.8	23.1	13.3
12	*****	40.1	39.9	39.3	38.2	37.2	36.0	34.9	33.7	32.5	31.2	28.5	22.1	12.7
13	*****	38.5	38.3	37.7	36.7	35.7	34.6	33.5	32.4	31.2	30.0	27.4	21.2	12.2
14	*****	37.1	36.9	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.4	11.8
15	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.2	29.1	27.9	25.5	19.7	11.4
16	*****	34.7	34.5	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
17	*****	*****	33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	23.9	18.5	10.7
18	*****	*****	32.6	32.1	31.2	30.3	29.4	28.5	27.5	26.5	25.5	23.3	18.0	10.4
19	*****	*****	31.7	31.2	30.4	29.5	28.6	27.7	26.8	25.8	24.8	22.6	17.5	10.1
20	*****	*****	30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9
21	*****	*****	30.2	29.7	28.9	28.1	27.2	26.4	25.5	24.6	23.6	21.5	16.7	9.6
22	*****	*****	29.5	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.1	21.0	16.3	9.4
23	*****	*****	28.8	28.4	27.6	26.8	26.0	25.2	24.4	23.5	22.5	20.6	15.9	9.2
24	*****	*****	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
25	*****	*****	27.6	27.2	26.5	25.7	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8
30	*****	*****	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
35	*****	*****	23.0	22.4	21.8	21.1	20.4	19.7	19.0	18.3	17.6	16.7	12.9	7.5
40	*****	*****	21.5	20.9	20.4	19.7	19.1	18.5	17.8	17.1	16.5	15.6	12.1	7.0
45	*****	*****	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	15.5	14.6	11.4	6.6
50	*****	*****	19.2	18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.7	14.0	10.8	6.2
55	*****	*****	18.3	17.9	17.4	16.8	16.3	15.7	15.2	14.6	14.0	13.3	10.3	6.0
60	*****	*****	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	13.4	12.7	9.9	5.7
65	*****	*****	16.9	16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.8	12.2	9.5	5.5
70	*****	*****	16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	12.3	11.8	9.1	5.3
75	*****	*****	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.9	11.4	8.8	5.1
80	*****	*****	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.5	11.0	8.5	4.9
85	*****	*****	14.4	14.0	13.5	13.1	12.7	12.2	11.7	11.2	10.7	10.2	8.3	4.8
90	*****	*****	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.9	10.4	9.9	8.1	4.7
95	*****	*****	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.6	10.1	9.6	7.8	4.5
100	*****	*****	13.2	12.9	12.5	12.1	11.7	11.3	10.8	10.3	9.8	9.3	7.6	4.4
125	*****	*****	11.8	11.5	11.2	10.8	10.4	10.1	9.7	9.3	8.9	8.5	6.8	3.9
150	*****	*****	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.4	8.1	7.7	6.2	3.6
200	*****	*****	9.1	8.8	8.5	8.1	7.8	7.4	7.1	6.7	6.4	6.1	5.4	3.1
250	*****	*****	7.9	7.6	7.3	7.0	6.7	6.4	6.1	5.8	5.5	5.2	4.8	2.8
300	*****	*****	7.2	7.0	6.7	6.4	6.1	5.8	5.5	5.2	4.9	4.6	4.4	2.5
350	*****	*****	6.5	6.2	6.0	5.7	5.4	5.1	4.8	4.5	4.2	3.9	4.1	2.4
400	*****	*****	6.0	5.8	5.6	5.4	5.1	4.8	4.5	4.2	3.9	3.6	3.8	2.2
450	*****	*****	5.5	5.3	5.1	4.8	4.5	4.2	3.9	3.6	3.3	3.0	3.6	2.1
500	*****	*****	5.0	4.8	4.4	4.1	3.8	3.5	3.2	2.9	2.6	2.3	3.4	2.0
750	*****	*****	3.6	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	2.8	1.6
1000	*****	*****	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Toronto

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	125.2	124.7	124.0	122.1	118.9	115.5	112.1	108.5	104.8	101.0	97.1	88.6	68.6	39.6
2	88.5	88.2	87.7	86.4	84.0	81.7	79.2	76.7	74.1	71.4	68.6	62.6	48.5	28.0
3	*****	72.0	71.6	70.5	68.6	66.7	64.7	62.6	60.5	58.3	56.0	51.1	39.6	22.9
4	*****	62.3	62.0	61.1	59.4	57.8	56.0	54.3	52.4	50.5	48.5	44.3	34.3	19.8
5	*****	55.8	55.5	54.6	53.2	51.7	50.1	48.5	46.9	45.2	43.4	39.6	30.7	17.7
6	*****	50.9	50.6	49.9	48.5	47.2	45.7	44.3	42.8	41.2	39.6	36.2	28.0	16.2
7	*****	47.1	46.9	46.2	44.9	43.7	42.4	41.0	39.6	38.2	36.7	33.5	25.9	15.0
8	*****	44.1	43.9	43.2	42.0	40.8	39.6	38.4	37.1	35.7	34.3	31.3	24.3	14.0
9	*****	41.6	41.3	40.7	39.6	38.5	37.4	36.2	34.9	33.7	32.4	29.5	22.9	13.2
10	*****	39.4	39.2	38.6	37.6	36.5	35.4	34.3	33.1	31.9	30.7	28.0	21.7	12.5
11	*****	37.6	37.4	36.8	35.8	34.8	33.8	32.7	31.6	30.5	29.3	26.7	20.7	11.9
12	*****	36.0	35.8	35.3	34.3	33.3	32.4	31.3	30.3	29.2	28.0	25.6	19.8	11.4
13	*****	34.6	34.4	33.9	33.0	32.0	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
14	*****	33.3	33.1	32.6	31.8	30.9	30.0	29.0	28.0	27.0	25.9	23.7	18.3	10.6
15	*****	32.2	32.0	31.5	30.7	29.8	28.9	28.0	27.1	26.1	25.1	22.9	17.7	10.2
16	*****	31.2	31.0	30.5	29.7	28.9	28.0	27.1	26.2	25.3	24.3	22.1	17.2	9.9
17	*****	30.2	30.1	29.6	28.8	28.0	27.2	26.3	25.4	24.5	23.5	21.5	16.6	9.6
18	*****	29.4	29.2	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.3
19	*****	28.6	28.5	28.0	27.3	26.5	25.7	24.9	24.0	23.2	22.3	20.3	15.7	9.1
20	*****	27.9	27.7	27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	19.8	15.3	8.9
21	*****	27.2	27.1	26.6	25.9	25.2	24.5	23.7	22.9	22.0	21.2	19.3	15.0	8.6
22	*****	26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	19.9	18.0	14.6	8.4
23	*****	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	19.4	17.5	14.3	8.3
24	*****	25.3	24.9	24.3	23.6	22.9	22.1	21.4	20.6	19.8	18.9	17.0	14.0	8.1
25	*****	24.8	24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	18.5	16.6	13.7	7.9
30	*****	22.6	22.3	21.7	21.1	20.5	19.8	19.1	18.4	17.7	16.9	15.0	12.5	7.2
35	*****	21.0	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.6	13.7	11.6	6.7
40	*****	19.6	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.3	14.5	12.6	10.9	6.3
45	*****	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.8	13.1	11.2	10.2	5.9
50	*****	17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	13.0	12.3	10.4	9.7	5.6
55	*****	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.5	11.9	10.0	9.3	5.3
60	*****	15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	12.0	11.4	9.5	8.9	5.1
65	*****	15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.5	11.0	9.1	8.5	4.9
70	*****	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	11.2	10.6	8.7	8.2	4.7
75	*****	14.1	13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.8	10.2	8.3	7.9	4.6
80	*****	13.7	13.3	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.9	8.0	7.7	4.4
85	*****	13.2	12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.6	7.7	7.4	4.3
90	*****	12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.8	9.3	7.4	7.2	4.2
95	*****	12.5	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.6	9.1	7.2	7.0	4.1
100	*****	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	9.3	8.9	7.0	6.9	4.0
125	*****	10.6	10.3	10.0	9.7	9.4	9.0	8.7	8.4	8.0	7.7	5.8	6.1	3.5
150	*****	9.7	9.4	9.1	8.9	8.6	8.2	7.9	7.6	7.2	6.9	5.0	5.6	3.2
200	*****	8.4	8.2	7.9	7.7	7.4	7.1	6.9	6.6	6.3	6.0	4.1	4.9	2.8
250	*****	7.3	7.1	6.9	6.6	6.4	6.1	5.9	5.6	5.4	5.1	3.2	4.3	2.5
300	*****	6.7	6.5	6.3	6.1	5.8	5.6	5.4	5.1	4.9	4.6	2.7	4.0	2.3
350	*****	6.0	5.8	5.6	5.4	5.2	5.0	4.7	4.5	4.3	4.0	2.8	3.7	2.1
400	*****	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	2.9	3.4	2.0
450	*****	5.1	4.9	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	2.5	3.2	1.9
500	*****	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.5	3.3	3.1	2.2	3.0	1.8
750	*****	3.5	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.9	1.7	1.8	2.5	1.4
1000	*****	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.3	1.1	1.2	2.2	1.3
1500	*****	2.0	1.8	1.6	1.4	1.2	1.0	0.9	0.8	0.7	0.6	0.7	1.8	1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

East Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	119.2	118.7	118.1	116.3	113.2	110.0	106.7	103.3	99.8	96.2	92.4	84.3	65.3	37.7
2	*****	83.9	83.5	82.2	80.0	77.8	75.4	73.0	70.6	68.0	65.3	59.6	46.2	26.7
3	*****	68.5	68.2	67.1	65.3	63.5	61.6	59.6	57.6	55.5	53.3	48.7	37.7	21.8
4	*****	59.3	59.0	58.1	56.6	55.0	53.3	51.7	49.9	48.1	46.2	42.2	32.7	18.9
5	*****	53.1	52.8	52.0	50.6	49.2	47.7	46.2	44.6	43.0	41.3	37.7	29.2	16.9
6	*****	48.5	48.2	47.5	46.2	44.9	43.6	42.2	40.7	39.3	37.7	34.4	26.7	15.4
7	*****	44.9	44.6	43.9	42.8	41.6	40.3	39.0	37.7	36.3	34.9	31.9	24.7	14.3
8	*****	42.0	41.8	41.1	40.0	38.9	37.7	36.5	35.3	34.0	32.7	29.8	23.1	13.3
9	*****	39.6	39.4	38.8	37.7	36.7	35.6	34.4	33.3	32.1	30.8	28.1	21.8	12.6
10	*****	37.5	37.3	36.8	35.8	34.8	33.7	32.7	31.6	30.4	29.2	26.7	20.7	11.9
11	*****	35.8	35.6	35.1	34.1	33.2	32.2	31.1	30.1	29.0	27.9	25.4	19.7	11.4
12	*****	34.3	34.1	33.6	32.7	31.7	30.8	29.8	28.8	27.8	26.7	24.3	18.9	10.9
13	*****	*****	32.8	32.2	31.4	30.5	29.6	28.7	27.7	26.7	25.6	23.4	18.1	10.5
14	*****	*****	31.6	31.1	30.2	29.4	28.5	27.6	26.7	25.7	24.7	22.5	17.5	10.1
15	*****	*****	30.5	30.0	29.2	28.4	27.5	26.7	25.8	24.8	23.9	21.8	16.9	9.7
16	*****	*****	29.5	29.1	28.3	27.5	26.7	25.8	25.0	24.0	23.1	21.1	16.3	9.4
17	*****	*****	28.6	28.2	27.4	26.7	25.9	25.1	24.2	23.3	22.4	20.5	15.8	9.1
18	*****	*****	27.8	27.4	26.7	25.9	25.1	24.3	23.5	22.7	21.8	19.9	15.4	8.9
19	*****	*****	27.1	26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
20	*****	*****	26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
21	*****	*****	25.8	25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.2	18.4	14.3	8.2
22	*****	*****	25.2	24.8	24.1	23.4	22.7	22.0	21.3	20.5	19.7	18.0	13.9	8.0
23	*****	*****	24.6	24.2	23.6	22.9	22.2	21.5	20.8	20.1	19.3	17.6	13.6	7.9
24	*****	*****	24.1	23.7	23.1	22.4	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7
25	*****	*****	23.6	23.3	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5
30	*****	*****	*****	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
35	*****	*****	*****	19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.0	6.4
40	*****	*****	*****	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
45	*****	*****	*****	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
50	*****	*****	*****	16.4	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
55	*****	*****	*****	15.7	15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
60	*****	*****	*****	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
65	*****	*****	*****	*****	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
70	*****	*****	*****	*****	13.5	13.1	12.8	12.3	11.9	11.5	11.0	10.1	7.8	4.5
75	*****	*****	*****	*****	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
80	*****	*****	*****	*****	12.7	12.3	11.9	11.5	11.2	10.8	10.3	9.4	7.3	4.2
85	*****	*****	*****	*****	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
90	*****	*****	*****	*****	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
95	*****	*****	*****	*****	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9
100	*****	*****	*****	*****	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
125	*****	*****	*****	*****	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
150	*****	*****	*****	*****	*****	9.0	8.7	8.4	8.1	7.9	7.5	6.9	5.3	3.1
200	*****	*****	*****	*****	*****	*****	7.5	7.3	7.1	6.8	6.5	6.0	4.6	2.7
250	*****	*****	*****	*****	*****	*****	6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4
300	*****	*****	*****	*****	*****	*****	*****	6.0	5.8	5.6	5.3	4.9	3.8	2.2
350	*****	*****	*****	*****	*****	*****	*****	*****	5.3	5.1	4.9	4.5	3.5	2.0
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.8	4.6	4.2	3.3	1.9
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.5	4.4	4.0	3.1	1.8
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.1	3.8	2.9	1.7
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.4	1.4
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

North Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	84.0	83.6	82.3	80.1	77.9	75.6	73.2	70.7	68.1	65.4	59.7	46.3	26.7
2	*****	59.4	59.1	58.2	56.7	55.1	53.4	51.7	50.0	48.2	46.3	42.2	32.7	18.9
3	*****	48.5	48.3	47.5	46.3	45.0	43.6	42.2	40.8	39.3	37.8	34.5	26.7	15.4
4	*****	42.0	41.8	41.2	40.1	38.9	37.8	36.6	35.3	34.1	32.7	29.9	23.1	13.4
5	*****	37.6	37.4	36.8	35.8	34.8	33.8	32.7	31.6	30.5	29.3	26.7	20.7	11.9
6	*****	34.3	34.1	33.6	32.7	31.8	30.8	29.9	28.9	27.8	26.7	24.4	18.9	10.9
7	*****	31.6	31.1	30.3	29.4	28.6	27.6	26.7	25.7	24.7	23.7	22.6	17.5	10.1
8	*****	29.6	29.1	28.3	27.5	26.7	25.9	25.0	24.1	23.1	22.1	21.1	16.4	9.4
9	*****	27.9	27.4	26.7	26.0	25.2	24.4	23.6	22.7	21.8	20.9	19.9	15.4	8.9
10	*****	26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	19.9	18.9	14.6	8.4
11	*****	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.9	18.0	13.9	8.1
12	*****	24.1	23.8	23.1	22.5	21.8	21.1	20.4	19.7	18.9	18.1	17.2	13.4	7.7
13	*****	23.2	22.8	22.2	21.6	21.0	20.3	19.6	18.9	18.1	17.2	16.6	12.8	7.4
14	*****	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.8	16.0	15.4	12.4	7.1
15	*****	21.3	20.7	20.1	19.5	18.9	18.2	17.6	16.9	16.2	15.4	14.6	11.9	6.9
16	*****	20.6	20.0	19.5	18.9	18.3	17.7	17.0	16.4	15.8	15.0	14.2	11.6	6.7
17	*****	20.0	19.4	18.9	18.3	17.7	17.1	16.5	15.9	15.3	14.5	13.7	11.2	6.5
18	*****	19.4	18.9	18.4	17.8	17.2	16.7	16.1	15.5	14.9	14.3	13.7	10.9	6.3
19	*****	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	14.4	13.8	13.2	10.6	6.1
20	*****	18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	14.0	13.4	12.8	10.3	6.0
21	*****	18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.7	13.1	12.5	10.1	5.8
22	*****	17.6	17.1	16.6	16.1	15.6	15.1	14.5	13.9	13.3	12.7	12.1	9.9	5.7
23	*****	17.2	16.7	16.2	15.8	15.3	14.7	14.2	13.6	13.0	12.4	11.8	9.6	5.6
24	*****	16.8	16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.8	12.2	11.6	9.4	5.5
25	*****	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.5	11.9	11.3	9.3	5.3
30	*****	15.0	14.6	14.2	13.8	13.4	12.9	12.4	11.9	11.4	10.9	10.4	8.4	4.9
35	*****	13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.8	10.3	9.9	9.4	7.8	4.5
40	*****	12.7	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.6	9.2	8.7	7.3	4.2
45	*****	11.9	11.6	11.3	10.9	10.5	10.2	9.8	9.4	9.0	8.6	8.2	6.9	4.0
50	*****	11.3	11.0	10.7	10.3	10.0	9.6	9.3	8.9	8.5	8.1	7.7	6.5	3.8
55	*****	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.4	8.1	7.7	7.3	6.2	3.6
60	*****	10.3	10.1	9.8	9.4	9.1	8.8	8.4	8.1	7.7	7.3	6.9	6.0	3.4
65	*****	9.9	9.7	9.4	9.1	8.8	8.4	8.1	7.7	7.3	6.9	6.5	5.7	3.3
70	*****	9.3	9.0	8.7	8.4	8.1	7.7	7.4	7.1	6.7	6.3	5.9	5.5	3.2
75	*****	9.0	8.7	8.4	8.1	7.7	7.4	7.1	6.7	6.3	5.9	5.5	5.3	3.1
80	*****	8.7	8.4	8.1	7.7	7.4	7.1	6.7	6.3	5.9	5.5	5.1	5.2	3.0
85	*****	8.4	8.1	7.7	7.4	7.1	6.7	6.3	5.9	5.5	5.1	4.7	5.0	2.9
90	*****	8.2	8.0	7.7	7.4	7.1	6.7	6.3	5.9	5.5	5.1	4.7	4.9	2.8
95	*****	8.0	7.8	7.5	7.3	7.0	6.7	6.3	5.9	5.5	5.1	4.7	4.7	2.7
100	*****	7.8	7.6	7.3	7.1	6.8	6.5	6.1	5.7	5.3	4.9	4.6	4.6	2.7
125	*****	6.8	6.5	6.3	6.1	5.8	5.5	5.1	4.7	4.3	3.9	3.5	4.1	2.4
150	*****	6.0	5.8	5.6	5.3	5.0	4.7	4.3	3.9	3.5	3.1	2.7	3.8	2.2
200	*****	5.0	4.8	4.6	4.2	3.8	3.4	3.0	2.6	2.2	1.8	1.4	3.3	1.9
250	*****	4.1	3.8	3.5	3.1	2.7	2.3	1.9	1.5	1.1	0.7	0.3	2.9	1.7
300	*****	3.4	3.1	2.8	2.4	2.0	1.6	1.2	0.8	0.4	0.0	0.0	2.7	1.5
350	*****	2.5	2.2	1.9	1.5	1.1	0.7	0.3	0.0	0.0	0.0	0.0	2.5	1.4
400	*****	2.3	2.0	1.7	1.3	0.9	0.5	0.1	0.0	0.0	0.0	0.0	2.3	1.3
450	*****	2.2	1.9	1.6	1.2	0.8	0.4	0.0	0.0	0.0	0.0	0.0	2.2	1.3
500	*****	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	1.2	1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

3. Disorder CV Tables

Canadian Community Health Survey - 2002

CANADA

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
11	34.9	37.1	34.9	37.6	36.6	37.3	33.5	35.9	37.7
12	33.4	35.5	33.4	36.0	35.0	35.7	32.1	34.4	36.1
13	32.1	34.1	32.1	34.6	33.7	34.3	30.8	33.0	34.7
14	30.9	32.9	30.9	33.3	32.4	33.0	29.7	31.8	33.5
15	29.9	31.8	29.9	32.2	31.3	31.9	28.7	30.8	32.3
16	28.9	30.8	28.9	31.2	30.3	30.9	27.8	29.8	31.3
17	28.0	29.8	28.0	30.2	29.4	30.0	27.0	28.9	30.4
18	27.3	29.0	27.3	29.4	28.6	29.1	26.2	28.1	29.5
19	26.5	28.2	26.5	28.6	27.8	28.3	25.5	27.3	28.7
20	25.9	27.5	25.9	27.9	27.1	27.6	24.9	26.6	28.0
21	25.2	26.8	25.2	27.2	26.5	27.0	24.3	26.0	27.3
22	24.7	26.2	24.7	26.6	25.9	26.3	23.7	25.4	26.7
23	24.1	25.6	24.1	26.0	25.3	25.8	23.2	24.8	26.1
24	23.6	25.1	23.6	25.4	24.8	25.2	22.7	24.3	25.5
25	23.1	24.6	23.1	24.9	24.3	24.7	22.2	23.8	25.0
30	21.1	22.5	21.1	22.7	22.1	22.6	20.3	21.7	22.8
35	19.5	20.8	19.5	21.1	20.5	20.9	18.8	20.1	21.2
40	18.3	19.4	18.3	19.7	19.2	19.5	17.6	18.8	19.8
45	17.2	18.3	17.2	18.6	18.1	18.4	16.6	17.7	18.7
50	16.3	17.4	16.3	17.6	17.1	17.5	15.7	16.8	17.7
55	15.6	16.6	15.6	16.8	16.3	16.6	15.0	16.0	16.9
60	14.9	15.9	14.9	16.1	15.7	15.9	14.3	15.4	16.1
65	14.3	15.2	14.3	15.4	15.0	15.3	13.8	14.8	15.5
70	13.8	14.7	13.8	14.9	14.5	14.8	13.3	14.2	14.9
75	13.3	14.2	13.3	14.4	14.0	14.2	12.8	13.7	14.4
80	12.9	13.7	12.9	13.9	13.5	13.8	12.4	13.3	14.0
85	12.5	13.3	12.5	13.5	13.1	13.4	12.0	12.9	13.6
90	12.2	12.9	12.2	13.1	12.8	13.0	11.7	12.5	13.2
95	11.8	12.6	11.8	12.8	12.4	12.7	11.4	12.2	12.8
100	11.5	12.3	11.5	12.4	12.1	12.3	11.1	11.9	12.5
125	10.3	11.0	10.3	11.1	10.8	11.0	9.9	10.6	11.2
150	9.4	10.0	9.4	10.1	9.9	10.1	9.1	9.7	10.2
200	8.1	8.7	8.1	8.8	8.5	8.7	7.8	8.4	8.8
250	7.3	7.7	7.3	7.8	7.6	7.8	7.0	7.5	7.9
300	6.6	7.1	6.6	7.2	7.0	7.1	6.4	6.8	7.2
350	6.1	6.5	6.1	6.6	6.4	6.6	5.9	6.3	6.6
400	5.7	6.1	5.7	6.2	6.0	6.1	5.5	5.9	6.2
450	5.4	5.7	5.4	5.8	5.7	5.8	5.2	5.6	5.8
500	5.1	5.4	5.1	5.5	5.4	5.5	4.9	5.3	5.5
750	4.2	4.4	4.2	4.5	4.4	4.4	4.0	4.3	4.5
1000	3.6	3.8	3.6	3.9	3.8	3.8	***	3.7	3.9
1500	***	3.1	***	3.1	***	3.1	***	3.0	3.1
2000	***	2.6	***	2.7	***	2.7	***	2.6	2.7
3000	***	2.1	***	2.1	***	***	***	***	2.1
4000	***	***	***	***	***	***	***	***	1.8
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	48.8	31.8	46.5	31.5	50.7	33.5	57.9	33.1	25.6
1.0	34.4	22.5	32.8	22.2	35.8	23.6	40.9	23.4	18.1
2.0	24.2	15.8	23.1	15.6	25.2	16.6	28.8	16.4	12.7
5.0	15.1	9.8	14.4	9.7	15.7	10.4	17.9	10.2	7.9
10.0	10.4	6.8	9.9	6.7	10.8	7.1	12.3	7.0	5.4
15.0	8.2	5.4	7.9	5.3	8.6	5.7	9.8	5.6	4.3
20.0	6.9	4.5	6.6	4.5	7.2	4.8	8.2	4.7	3.6
25.0	6.0	3.9	5.7	3.9	6.2	4.1	7.1	4.1	3.1
30.0	5.3	3.4	5.0	3.4	5.5	3.6	6.3	3.6	2.8
35.0	4.7	3.1	4.5	3.0	4.9	3.2	5.6	3.2	2.5
40.0	4.2	2.8	4.0	2.7	4.4	2.9	5.0	2.9	2.2
50.0	3.5	2.3	3.3	2.2	3.6	2.4	4.1	2.3	1.8
60.0	2.8	1.8	2.7	1.8	2.9	1.9	3.4	1.9	1.5
70.0	2.3	1.5	2.2	1.5	2.4	1.6	2.7	1.5	1.2
80.0	1.7	1.1	1.6	1.1	1.8	1.2	2.1	1.2	0.9
90.0	1.2	0.8	1.1	0.7	1.2	0.8	1.4	0.8	0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Newfoundland and Labrador

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
2	39.6	39.2	39.2	39.2	54.4	50.0	59.2	51.0	45.2
3	32.3	32.0	32.0	32.0	44.4	40.8	48.3	41.6	36.8
4	27.9	27.7	27.7	27.7	38.4	35.3	41.8	36.0	31.9
5	24.9	24.7	24.7	24.7	34.3	31.5	37.3	32.1	28.5
6	22.7	22.5	22.5	22.5	31.3	28.8	34.0	29.3	26.0
7	21.0	20.8	20.8	20.8	28.9	26.6	31.5	27.1	24.0
8	19.7	19.5	19.5	19.5	27.0	24.8	29.4	25.3	22.4
9	18.5	18.3	18.3	18.3	25.5	23.4	27.7	23.8	21.1
10	17.5	17.4	17.4	17.4	24.1	22.2	26.2	22.6	20.0
11	16.7	16.5	16.5	16.5	23.0	21.1	25.0	21.5	19.1
12	16.0	15.8	15.8	15.8	22.0	20.2	23.9	20.6	18.2
13	15.3	15.2	15.2	15.2	21.1	19.4	22.9	19.7	17.5
14	14.8	14.6	14.6	14.6	20.3	18.6	22.1	19.0	16.8
15	14.2	14.1	14.1	14.1	19.6	18.0	***	18.3	16.3
16	13.8	13.6	13.6	13.6	18.9	17.4	***	17.7	15.7
17	***	13.2	***	13.2	18.4	16.9	***	17.2	15.2
18	***	12.8	***	12.8	17.8	16.4	***	16.7	14.8
19	***	12.5	***	12.5	17.3	15.9	***	16.2	14.4
20	***	12.1	***	12.1	***	15.5	***	15.8	14.0
21	***	11.8	***	11.8	***	15.1	***	15.4	13.6
22	***	11.6	***	11.6	***	14.7	***	15.0	13.3
23	***	11.3	***	11.3	***	14.4	***	14.7	13.0
24	***	11.0	***	11.0	***	14.1	***	14.3	12.7
25	***	10.8	***	10.8	***	13.8	***	14.0	12.4
30	***	9.8	***	9.8	***	12.5	***	12.7	11.3
35	***	9.0	***	9.0	***	11.5	***	11.7	10.4
40	***	***	***	***	***	10.7	***	***	9.7
45	***	***	***	***	***	10.0	***	***	9.0
50	***	***	***	***	***	***	***	***	8.5
55	***	***	***	***	***	***	***	***	8.1
60	***	***	***	***	***	***	***	***	7.7
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	208.6	142.1	202.5	139.6	229.4	137.5	257.0	157.5	108.7
1.0	147.2	100.2	142.8	98.5	161.8	97.0	181.2	111.1	76.7
2.0	103.5	70.5	100.5	69.3	113.8	68.2	127.5	78.1	54.0
5.0	64.5	43.9	62.6	43.1	70.9	42.5	79.4	48.7	33.6
10.0	44.4	30.2	43.1	29.7	48.8	29.2	54.6	33.5	23.1
15.0	35.2	24.0	34.2	23.6	38.7	23.2	43.4	26.6	18.4
20.0	29.6	20.1	28.7	19.8	32.5	19.5	36.4	22.3	15.4
25.0	25.6	17.4	24.9	17.1	28.2	16.9	31.6	19.3	13.4
30.0	22.6	15.4	21.9	15.1	24.8	14.9	27.8	17.1	11.8
35.0	20.2	13.7	19.6	13.5	22.2	13.3	24.8	15.2	10.5
40.0	18.1	12.3	17.6	12.1	19.9	11.9	22.3	13.7	9.4
50.0	14.8	10.1	14.4	9.9	16.3	9.7	18.2	11.2	7.7
60.0	12.1	8.2	11.7	8.1	13.3	8.0	14.9	9.1	6.3
70.0	9.7	6.6	9.4	6.5	10.6	6.4	11.9	7.3	5.0
80.0	7.4	5.0	7.2	4.9	8.1	4.9	9.1	5.6	3.9
90.0	4.9	3.4	4.8	3.3	5.4	3.2	6.1	3.7	2.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Prince-Edward-Island

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
1	31.1	34.6	32.1	36.8	28.8	38.8	40.8	36.2	37.8
2	21.9	24.4	22.6	25.9	20.3	27.3	28.7	25.5	26.6
3	***	19.8	***	21.0	16.5	22.2	23.3	20.7	21.6
4	***	17.1	***	18.1	***	19.1	***	17.8	18.6
5	***	15.2	***	16.1	***	17.0	***	15.9	16.6
6	***	13.8	***	14.7	***	15.5	***	14.4	15.1
7	***	12.7	***	13.5	***	14.3	***	13.3	13.9
8	***	11.8	***	12.6	***	13.3	***	12.4	12.9
9	***	11.1	***	11.8	***	12.5	***	***	12.1
10	***	***	***	***	***	***	***	***	11.5
11	***	***	***	***	***	***	***	***	10.9
12	***	***	***	***	***	***	***	***	10.4
13	***	***	***	***	***	***	***	***	9.9
14	***	***	***	***	***	***	***	***	9.5
15	***	***	***	***	***	***	***	***	9.1

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	267.7	173.1	258.4	179.8	285.3	174.6	263.9	180.5	137.5
1.0	188.8	122.1	182.2	126.8	201.2	123.2	186.1	127.3	97.0
2.0	132.8	85.9	128.2	89.2	141.6	86.7	131.0	89.6	68.2
5.0	82.7	53.5	79.8	55.5	88.2	54.0	81.5	55.8	42.5
10.0	56.9	36.8	54.9	38.2	60.7	37.1	56.1	38.4	29.2
15.0	45.2	29.2	43.6	30.3	48.1	29.5	44.5	30.5	23.2
20.0	37.9	24.5	36.6	25.5	40.5	24.8	37.4	25.6	19.5
25.0	32.9	21.3	31.7	22.1	35.0	21.4	32.4	22.2	16.9
30.0	29.0	18.7	28.0	19.5	30.9	18.9	28.6	19.5	14.9
35.0	25.9	16.7	25.0	17.4	27.6	16.9	25.5	17.4	13.3
40.0	23.2	15.0	22.4	15.6	24.8	15.2	22.9	15.7	11.9
50.0	19.0	12.3	18.3	12.7	20.2	12.4	18.7	12.8	9.7
60.0	15.5	10.0	15.0	10.4	16.5	10.1	15.3	10.4	8.0
70.0	12.4	8.0	12.0	8.3	13.2	8.1	12.2	8.4	6.4
80.0	9.5	6.1	9.2	6.4	10.1	6.2	9.4	6.4	4.9
90.0	6.3	4.1	6.1	4.2	6.7	4.1	6.2	4.3	3.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Nova Scotia

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
3	37.3	46.2	37.3	45.7	47.3	44.3	54.5	44.1	45.5
4	32.3	40.0	32.3	39.6	40.9	38.4	47.1	38.2	39.4
5	28.8	35.8	28.8	35.4	36.6	34.3	42.1	34.1	35.2
6	26.3	32.6	26.3	32.3	33.4	31.3	38.4	31.1	32.1
7	24.3	30.2	24.3	29.9	30.9	28.9	35.6	28.8	29.7
8	22.7	28.2	22.7	27.9	28.9	27.1	33.2	26.9	27.8
9	21.4	26.6	21.4	26.3	27.2	25.5	31.3	25.4	26.2
10	20.3	25.2	20.3	24.9	25.8	24.2	29.7	24.1	24.8
11	19.4	24.0	19.4	23.8	24.6	23.0	28.3	22.9	23.7
12	18.5	23.0	18.5	22.7	23.5	22.0	27.1	21.9	22.6
13	17.8	22.1	17.8	21.8	22.6	21.2	26.0	21.1	21.7
14	17.1	21.2	17.1	21.0	21.7	20.4	25.0	20.3	20.9
15	16.5	20.5	16.5	20.3	21.0	19.7	24.2	19.6	20.2
16	16.0	19.8	16.0	19.6	20.3	19.0	23.4	18.9	19.5
17	15.5	19.2	15.5	19.0	19.7	18.5	22.7	18.4	19.0
18	15.1	18.7	15.1	18.5	19.1	17.9	22.0	17.8	18.4
19	14.6	18.2	14.6	18.0	18.6	17.4	21.4	17.3	17.9
20	14.3	17.7	14.3	17.5	18.1	17.0	20.9	16.9	17.4
21	13.9	17.3	13.9	17.1	17.7	16.6	20.3	16.5	17.0
22	13.6	16.9	13.6	16.7	17.2	16.2	19.9	16.1	16.6
23	13.3	16.5	13.3	16.3	16.9	15.8	19.4	15.7	16.2
24	13.0	16.1	13.0	15.9	16.5	15.5	19.0	15.4	15.9
25	12.7	15.8	12.7	15.6	16.1	15.1	18.6	15.1	15.5
30	11.6	14.4	11.6	14.2	14.7	13.8	***	13.7	14.1
35	***	13.2	10.7	13.1	13.5	12.7	***	12.6	13.0
40	***	12.3	***	12.2	12.6	11.8	***	11.8	12.2
45	***	11.6	***	11.5	11.9	11.1	***	11.1	11.4
50	***	11.0	***	10.8	***	10.5	***	10.5	10.8
55	***	10.4	***	10.3	***	10.0	***	9.9	10.3
60	***	9.9	***	9.8	***	9.5	***	9.5	9.8
65	***	9.5	***	9.4	***	9.1	***	9.1	9.4
70	***	9.1	***	9.0	***	8.8	***	8.7	9.0
75	***	8.8	***	8.7	***	8.4	***	8.4	8.7
80	***	8.5	***	8.4	***	8.1	***	8.1	8.4
85	***	8.2	***	8.1	***	7.9	***	***	8.1
90	***	***	***	7.9	***	7.6	***	***	7.8
95	***	***	***	7.6	***	7.4	***	***	7.6
100	***	***	***	***	***	7.2	***	***	7.4
125	***	***	***	***	***	***	***	***	6.5

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	156.6	113.8	151.3	108.0	163.0	100.6	221.2	113.0	83.0
1.0	110.5	80.2	106.7	76.2	115.0	71.0	156.0	79.7	58.5
2.0	77.7	56.5	75.1	53.6	80.9	49.9	109.7	56.0	41.2
5.0	48.4	35.2	46.8	33.4	50.4	31.1	68.3	34.9	25.6
10.0	33.3	24.2	32.2	23.0	34.7	21.4	47.0	24.0	17.7
15.0	26.4	19.2	25.5	18.2	27.5	17.0	37.3	19.1	14.0
20.0	22.2	16.1	21.5	15.3	23.1	14.3	31.4	16.0	11.8
25.0	19.2	14.0	18.6	13.3	20.0	12.4	27.2	13.9	10.2
30.0	17.0	12.3	16.4	11.7	17.7	10.9	23.9	12.2	9.0
35.0	15.1	11.0	14.6	10.4	15.7	9.7	21.4	10.9	8.0
40.0	13.6	9.9	13.1	9.4	14.2	8.7	19.2	9.8	7.2
50.0	11.1	8.1	10.7	7.7	11.6	7.1	15.7	8.0	5.9
60.0	9.1	6.6	8.8	6.3	9.4	5.8	12.8	6.5	4.8
70.0	7.3	5.3	7.0	5.0	7.6	4.7	10.3	5.2	3.9
80.0	5.6	4.0	5.4	3.8	5.8	3.6	7.8	4.0	2.9
90.0	3.7	2.7	3.6	2.6	3.9	2.4	5.2	2.7	2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

New Brunswick

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
2	40.9	45.4	40.4	44.6	50.4	47.7	47.5	46.7	46.5
3	33.3	37.0	33.0	36.4	41.1	38.9	38.7	38.1	38.0
4	28.8	32.0	28.5	31.5	35.6	33.7	33.5	33.0	32.9
5	25.8	28.6	25.5	28.1	31.8	30.1	30.0	29.5	29.4
6	23.5	26.1	23.3	25.7	29.0	27.4	27.3	26.9	26.8
7	21.8	24.2	21.5	23.7	26.8	25.4	25.3	24.9	24.8
8	20.3	22.6	20.1	22.2	25.1	23.7	23.6	23.3	23.2
9	19.2	21.3	18.9	20.9	23.6	22.3	22.3	21.9	21.8
10	18.2	20.2	18.0	19.8	22.4	21.2	21.1	20.8	20.7
11	17.3	19.2	17.1	18.9	21.3	20.2	20.1	19.8	19.7
12	16.5	18.4	16.4	18.1	20.4	19.3	19.2	18.9	18.8
13	15.9	17.6	15.7	17.3	19.6	18.5	18.5	18.2	18.1
14	15.3	17.0	15.1	16.7	18.9	17.8	17.8	17.5	17.4
15	14.8	16.4	14.6	16.1	18.2	17.2	17.2	16.9	16.8
16	14.3	15.9	14.1	15.6	17.6	16.7	***	16.3	16.3
17	13.8	15.4	13.7	15.1	17.1	16.2	***	15.8	15.8
18	13.4	14.9	13.3	14.7	16.6	15.7	***	15.4	15.3
19	13.1	14.5	12.9	14.3	16.1	15.3	***	15.0	14.9
20	12.7	14.1	12.6	13.9	15.7	14.9	***	14.6	14.5
21	12.4	13.8	12.3	13.5	15.3	14.5	***	14.2	14.1
22	***	13.5	12.0	13.2	14.9	14.1	***	13.9	13.8
23	***	13.2	11.7	12.9	14.6	13.8	***	13.5	13.5
24	***	12.9	***	12.6	14.3	13.5	***	13.2	13.2
25	***	12.6	***	12.4	14.0	13.2	***	13.0	12.9
30	***	11.4	***	11.2	12.7	12.0	***	11.8	11.7
35	***	10.6	***	10.4	***	11.1	***	10.9	10.8
40	***	9.8	***	9.7	***	10.3	***	10.1	10.1
45	***	9.2	***	9.1	***	9.7	***	9.5	9.5
50	***	8.7	***	8.6	***	9.2	***	9.0	8.9
55	***	8.3	***	8.1	***	8.7	***	8.5	8.5
60	***	7.9	***	7.7	***	8.3	***	***	8.1
65	***	7.5	***	7.4	***	7.9	***	***	7.7
70	***	7.2	***	7.1	***	7.6	***	***	7.4
75	***	***	***	6.8	***	***	***	***	7.1
80	***	***	***	***	***	***	***	***	6.9
85	***	***	***	***	***	***	***	***	6.6
90	***	***	***	***	***	***	***	***	6.4
95	***	***	***	***	***	***	***	***	6.2
100	***	***	***	***	***	***	***	***	6.0

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	205.0	113.4	195.7	107.1	179.5	116.6	252.0	128.5	87.8
1.0	144.6	80.0	138.0	75.6	126.6	82.3	177.7	90.7	61.9
2.0	101.7	56.3	97.1	53.2	89.1	57.9	125.0	63.8	43.6
5.0	63.3	35.0	60.5	33.1	55.5	36.0	77.9	39.7	27.1
10.0	43.6	24.1	41.6	22.8	38.2	24.8	53.6	27.3	18.7
15.0	34.6	19.1	33.0	18.1	30.3	19.7	42.5	21.7	14.8
20.0	29.1	16.1	27.7	15.2	25.4	16.5	35.7	18.2	12.5
25.0	25.2	13.9	24.0	13.2	22.0	14.3	30.9	15.8	10.8
30.0	22.2	12.3	21.2	11.6	19.4	12.6	27.3	13.9	9.5
35.0	19.8	11.0	18.9	10.3	17.3	11.3	24.3	12.4	8.5
40.0	17.8	9.8	17.0	9.3	15.6	10.1	21.9	11.2	7.6
50.0	14.5	8.0	13.9	7.6	12.7	8.3	17.9	9.1	6.2
60.0	11.9	6.6	11.3	6.2	10.4	6.7	14.6	7.4	5.1
70.0	9.5	5.3	9.1	5.0	8.3	5.4	11.7	6.0	4.1
80.0	7.3	4.0	6.9	3.8	6.4	4.1	8.9	4.6	3.1
90.0	4.8	2.7	4.6	2.5	4.2	2.8	6.0	3.0	2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Quebec

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
15	34.0	38.2	34.1	39.0	38.8	42.2	36.2	36.4	40.4
16	32.9	37.0	33.0	37.8	37.6	40.8	35.1	35.3	39.1
17	31.9	35.9	32.0	36.6	36.5	39.6	34.0	34.2	38.0
18	31.0	34.9	31.1	35.6	35.4	38.5	33.0	33.2	36.9
19	30.2	34.0	30.3	34.7	34.5	37.5	32.2	32.3	35.9
20	29.4	33.1	29.5	33.8	33.6	36.5	31.3	31.5	35.0
21	28.7	32.3	28.8	33.0	32.8	35.6	30.6	30.8	34.2
22	28.0	31.6	28.1	32.2	32.0	34.8	29.9	30.1	33.4
23	27.4	30.9	27.5	31.5	31.3	34.0	29.2	29.4	32.6
24	26.8	30.2	26.9	30.8	30.7	33.3	28.6	28.8	31.9
25	26.3	29.6	26.4	30.2	30.0	32.6	28.0	28.2	31.3
30	24.0	27.0	24.1	27.6	27.4	29.8	25.6	25.7	28.6
35	22.2	25.0	22.3	25.5	25.4	27.6	23.7	23.8	26.4
40	20.7	23.4	20.8	23.8	23.7	25.8	22.1	22.3	24.7
45	19.6	22.0	19.6	22.5	22.4	24.3	20.9	21.0	23.3
50	18.5	20.9	18.6	21.3	21.2	23.0	19.8	19.9	22.1
55	17.7	19.9	17.7	20.3	20.2	21.9	18.8	19.0	21.0
60	16.9	19.0	17.0	19.4	19.3	21.0	18.0	18.1	20.1
65	16.2	18.3	16.3	18.7	18.6	20.2	17.3	17.4	19.3
70	15.6	17.6	15.7	18.0	17.9	19.4	16.7	16.8	18.6
75	15.1	17.0	15.2	17.4	17.3	18.8	16.1	16.2	18.0
80	14.6	16.5	14.7	16.8	16.7	18.2	15.6	15.7	17.4
85	14.2	16.0	14.2	16.3	16.2	17.6	15.1	15.2	16.9
90	13.8	15.5	13.8	15.8	15.7	17.1	14.7	14.8	16.4
95	13.4	15.1	13.4	15.4	15.3	16.6	14.3	14.4	16.0
100	13.1	14.7	13.1	15.0	14.9	16.2	13.9	14.0	15.5
125	11.7	13.1	11.7	13.4	13.3	14.5	12.4	12.5	13.9
150	10.6	12.0	10.7	12.2	12.1	13.2	11.3	11.4	12.6
200	9.2	10.3	9.2	10.5	10.5	11.4	***	9.8	10.9
250	8.2	9.2	8.2	9.4	***	10.1	***	8.7	9.7
300	***	8.3	7.4	8.5	***	9.2	***	7.9	8.8
350	***	7.7	***	7.8	***	8.5	***	7.3	8.1
400	***	7.2	***	7.3	***	7.9	***	6.8	7.6
450	***	6.7	***	6.9	***	7.4	***	6.4	7.1
500	***	6.3	***	6.5	***	7.0	***	6.0	6.7
750	***	5.1	***	5.2	***	***	***	***	5.4
1000	***	***	***	***	***	***	***	***	4.5

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	115.6	75.3	110.2	73.9	132.3	89.6	161.4	83.3	64.0
1.0	81.6	53.1	77.7	52.1	93.3	63.2	113.8	58.8	45.1
2.0	57.4	37.3	54.7	36.7	65.6	44.4	80.1	41.4	31.8
5.0	35.7	23.3	34.0	22.8	40.9	27.7	49.9	25.8	19.8
10.0	24.6	16.0	23.4	15.7	28.1	19.0	34.3	17.7	13.6
15.0	19.5	12.7	18.6	12.5	22.3	15.1	27.2	14.1	10.8
20.0	16.4	10.7	15.6	10.5	18.8	12.7	22.9	11.8	9.1
25.0	14.2	9.2	13.5	9.1	16.2	11.0	19.8	10.2	7.9
30.0	12.5	8.1	11.9	8.0	14.3	9.7	17.5	9.0	6.9
35.0	11.2	7.3	10.6	7.1	12.8	8.7	15.6	8.1	6.2
40.0	10.0	6.5	9.6	6.4	11.5	7.8	14.0	7.2	5.6
50.0	8.2	5.3	7.8	5.2	9.4	6.3	11.4	5.9	4.5
60.0	6.7	4.4	6.4	4.3	7.7	5.2	9.3	4.8	3.7
70.0	5.4	3.5	5.1	3.4	6.1	4.2	7.5	3.9	3.0
80.0	4.1	2.7	3.9	2.6	4.7	3.2	5.7	3.0	2.3
90.0	2.7	1.8	2.6	1.7	3.1	2.1	3.8	2.0	1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Ontario

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
10	37.9	36.3	37.3	36.2	38.1	35.4	34.0	36.4	36.1
11	36.1	34.6	35.5	34.5	36.3	33.7	32.4	34.7	34.4
12	34.6	33.1	34.0	33.0	34.7	32.3	31.0	33.2	32.9
13	33.2	31.8	32.7	31.7	33.4	31.0	29.8	31.9	31.6
14	32.0	30.7	31.5	30.6	32.2	29.9	28.7	30.7	30.5
15	30.9	29.6	30.4	29.5	31.1	28.9	27.8	29.7	29.5
16	29.9	28.7	29.5	28.6	30.1	28.0	26.9	28.8	28.5
17	29.0	27.8	28.6	27.7	29.2	27.1	26.1	27.9	27.7
18	28.2	27.0	27.8	27.0	28.4	26.4	25.3	27.1	26.9
19	27.5	26.3	27.0	26.2	27.6	25.6	24.7	26.4	26.2
20	26.8	25.6	26.4	25.6	26.9	25.0	24.0	25.7	25.5
21	26.1	25.0	25.7	25.0	26.2	24.4	23.4	25.1	24.9
22	25.5	24.5	25.1	24.4	25.6	23.8	22.9	24.5	24.3
23	25.0	23.9	24.6	23.8	25.1	23.3	22.4	24.0	23.8
24	24.4	23.4	24.0	23.3	24.6	22.8	21.9	23.5	23.3
25	23.9	22.9	23.6	22.9	24.1	22.4	21.5	23.0	22.8
30	21.8	20.9	21.5	20.9	22.0	20.4	19.6	21.0	20.8
35	20.2	19.4	19.9	19.3	20.3	18.9	18.2	19.4	19.3
40	18.9	18.1	18.6	18.1	19.0	17.7	17.0	18.2	18.0
45	17.8	17.1	17.5	17.0	17.9	16.6	16.0	17.1	17.0
50	16.9	16.2	16.6	16.2	17.0	15.8	15.2	16.2	16.1
55	16.1	15.4	15.9	15.4	16.2	15.0	14.5	15.5	15.4
60	15.4	14.8	15.2	14.7	15.5	14.4	13.8	14.8	14.7
65	14.8	14.2	14.6	14.2	14.9	13.8	13.3	14.2	14.1
70	14.3	13.7	14.0	13.6	14.3	13.3	12.8	13.7	13.6
75	13.8	13.2	13.6	13.2	13.9	12.9	12.4	13.2	13.1
80	13.3	12.8	13.1	12.7	13.4	12.5	12.0	12.8	12.7
85	12.9	12.4	12.7	12.4	13.0	12.1	11.6	12.4	12.3
90	12.6	12.0	12.4	12.0	12.6	11.7	11.3	12.1	12.0
95	12.2	11.7	12.0	11.7	12.3	11.4	11.0	11.8	11.7
100	11.9	11.4	11.7	11.4	12.0	11.1	10.7	11.5	11.4
125	10.6	10.2	10.5	10.2	10.7	9.9	9.6	10.2	10.1
150	9.7	9.3	9.6	9.3	9.8	9.1	8.7	9.3	9.2
200	8.4	8.0	8.3	8.0	8.4	7.8	7.5	8.1	8.0
250	7.5	7.2	7.4	7.1	7.5	7.0	***	7.2	7.1
300	6.8	6.5	6.7	6.5	6.8	6.4	***	6.5	6.5
350	6.3	6.0	6.2	6.0	6.3	5.9	***	6.0	6.0
400	5.9	5.6	5.8	5.6	5.9	5.5	***	5.6	5.6
450	5.5	5.3	5.4	5.3	5.5	5.2	***	5.3	5.3
500	***	5.0	***	5.0	***	4.9	***	5.0	5.0
750	***	4.0	***	4.0	***	3.9	***	4.0	4.0
1000	***	3.4	***	3.4	***	3.4	***	3.4	3.4
1500	***	***	***	***	***	***	***	***	2.7

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	82.8	52.7	78.3	50.9	83.2	52.8	101.5	54.6	40.3
1.0	58.4	37.2	55.2	35.9	58.7	37.3	71.6	38.5	28.4
2.0	41.1	26.2	38.8	25.3	41.3	26.2	50.4	27.1	20.0
5.0	25.6	16.3	24.2	15.7	25.7	16.3	31.4	16.9	12.5
10.0	17.6	11.2	16.6	10.8	17.7	11.2	21.6	11.6	8.6
15.0	14.0	8.9	13.2	8.6	14.0	8.9	17.1	9.2	6.8
20.0	11.7	7.5	11.1	7.2	11.8	7.5	14.4	7.7	5.7
25.0	10.2	6.5	9.6	6.2	10.2	6.5	12.5	6.7	4.9
30.0	9.0	5.7	8.5	5.5	9.0	5.7	11.0	5.9	4.4
35.0	8.0	5.1	7.6	4.9	8.0	5.1	9.8	5.3	3.9
40.0	7.2	4.6	6.8	4.4	7.2	4.6	8.8	4.7	3.5
50.0	5.9	3.7	5.5	3.6	5.9	3.7	7.2	3.9	2.9
60.0	4.8	3.1	4.5	2.9	4.8	3.1	5.9	3.2	2.3
70.0	3.8	2.4	3.6	2.4	3.9	2.5	4.7	2.5	1.9
80.0	2.9	1.9	2.8	1.8	2.9	1.9	3.6	1.9	1.4
90.0	2.0	1.2	1.8	1.2	2.0	1.2	2.4	1.3	1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Manitoba

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
5	40.1	36.5	39.6	36.3	38.6	41.8	33.8	36.9	39.9
6	36.5	33.3	36.1	33.1	35.2	38.2	30.8	33.7	36.4
7	33.8	30.8	33.4	30.7	32.6	35.3	28.5	31.2	33.6
8	31.6	28.8	31.2	28.7	30.4	33.0	26.7	29.2	31.5
9	29.8	27.2	29.4	27.0	28.7	31.1	25.1	27.5	29.6
10	28.2	25.8	27.9	25.6	27.2	29.5	23.8	26.0	28.1
11	26.9	24.5	26.6	24.4	25.9	28.1	22.7	24.8	26.8
12	25.7	23.5	25.4	23.3	24.8	26.9	21.7	23.8	25.6
13	24.7	22.5	24.4	22.4	23.8	25.8	20.9	22.8	24.6
14	23.8	21.7	23.5	21.6	22.9	24.9	20.1	22.0	23.7
15	23.0	21.0	22.7	20.8	22.1	24.0	19.4	21.2	22.9
16	22.2	20.3	22.0	20.2	21.4	23.2	18.8	20.5	22.1
17	21.6	19.7	21.3	19.6	20.8	22.5	18.2	19.9	21.5
18	20.9	19.1	20.7	19.0	20.2	21.9	17.7	19.3	20.8
19	20.4	18.6	20.1	18.5	19.6	21.3	17.2	18.8	20.3
20	19.8	18.1	19.6	18.0	19.1	20.7	16.7	18.3	19.8
21	19.4	17.7	19.1	17.6	18.6	20.2	16.3	17.9	19.3
22	18.9	17.2	18.7	17.1	18.2	19.7	15.9	17.4	18.8
23	18.5	16.9	18.3	16.8	17.8	19.3	15.6	17.0	18.4
24	18.1	16.5	17.9	16.4	17.4	18.9	15.2	16.7	18.0
25	17.7	16.1	17.5	16.1	17.1	18.5	14.9	16.3	17.6
30	16.1	14.7	15.9	14.6	15.5	16.8	13.6	14.9	16.0
35	14.9	13.6	14.7	13.5	14.3	15.5	***	13.7	14.8
40	13.9	12.6	13.7	12.6	***	14.5	***	12.8	13.8
45	***	11.9	***	11.8	***	13.6	***	12.0	13.0
50	***	11.2	***	11.2	***	12.9	***	11.4	12.3
55	***	10.7	***	10.6	***	12.2	***	10.8	11.7
60	***	10.2	***	10.1	***	11.7	***	10.3	11.1
65	***	9.8	***	9.7	***	11.2	***	9.9	10.7
70	***	9.4	***	9.3	***	10.8	***	9.5	10.2
75	***	9.0	***	9.0	***	10.4	***	9.1	9.9
80	***	8.7	***	8.7	***	10.0	***	8.8	9.5
85	***	8.4	***	8.4	***	9.7	***	8.5	9.2
90	***	***	***	8.1	***	9.4	***	8.3	8.9
95	***	***	***	***	***	9.1	***	***	8.7
100	***	***	***	***	***	8.8	***	***	8.4
125	***	***	***	***	***	***	***	***	7.4
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	199.5	124.7	191.2	120.4	193.6	116.5	186.1	125.1	94.3
1.0	140.7	88.0	134.9	84.9	136.6	82.1	131.3	88.3	66.5
2.0	99.0	61.9	94.9	59.8	96.1	57.8	92.4	62.1	46.8
5.0	61.6	38.5	59.1	37.2	59.8	36.0	57.5	38.7	29.1
10.0	42.4	26.5	40.7	25.6	41.2	24.8	39.6	26.6	20.1
15.0	33.7	21.0	32.3	20.3	32.7	19.7	31.4	21.1	15.9
20.0	28.3	17.7	27.1	17.1	27.5	16.5	26.4	17.7	13.4
25.0	24.5	15.3	23.5	14.8	23.8	14.3	22.9	15.4	11.6
30.0	21.6	13.5	20.7	13.0	21.0	12.6	20.2	13.6	10.2
35.0	19.3	12.0	18.5	11.6	18.7	11.2	18.0	12.1	9.1
40.0	17.3	10.8	16.6	10.5	16.8	10.1	16.2	10.9	8.2
50.0	14.1	8.8	13.6	8.5	13.7	8.3	13.2	8.9	6.7
60.0	11.5	7.2	11.1	7.0	11.2	6.7	10.8	7.2	5.5
70.0	9.3	5.8	8.9	5.6	9.0	5.4	8.6	5.8	4.4
80.0	7.1	4.4	6.8	4.3	6.9	4.1	6.6	4.4	3.3
90.0	4.7	2.9	4.5	2.8	4.6	2.8	4.4	3.0	2.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Saskatchewan

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
4	34.6	35.3	35.6	37.2	38.4	38.3	39.4	39.3	38.7
5	31.0	31.5	31.8	33.3	34.3	34.2	35.2	35.1	34.6
6	28.2	28.8	29.0	30.3	31.3	31.2	32.1	32.0	31.5
7	26.1	26.6	26.8	28.1	29.0	28.9	29.7	29.6	29.2
8	24.4	24.9	25.1	26.2	27.1	27.0	27.8	27.7	27.3
9	23.0	23.5	23.6	24.7	25.5	25.5	26.2	26.1	25.7
10	21.8	22.2	22.4	23.4	24.2	24.1	24.8	24.7	24.4
11	20.8	21.2	21.3	22.3	23.1	23.0	23.6	23.6	23.2
12	19.9	20.3	20.4	21.4	22.1	22.0	22.6	22.5	22.2
13	19.1	19.5	19.6	20.5	21.2	21.1	21.7	21.6	21.3
14	18.4	18.7	18.9	19.8	20.4	20.3	20.9	20.8	20.5
15	17.8	18.1	18.2	19.1	19.7	19.6	20.2	20.1	19.8
16	17.2	17.5	17.6	18.5	19.1	19.0	19.5	19.5	19.2
17	16.7	17.0	17.1	17.9	18.5	18.4	18.9	18.9	18.6
18	16.2	16.5	16.6	17.4	17.9	17.9	18.4	18.3	18.1
19	15.7	16.0	16.2	16.9	17.5	17.4	17.9	17.8	17.6
20	15.3	15.6	15.7	16.5	17.0	16.9	17.4	17.4	17.1
21	14.9	15.2	15.3	16.1	16.6	16.5	17.0	16.9	16.7
22	14.6	14.9	15.0	15.7	16.2	16.1	16.6	16.5	16.3
23	14.3	14.5	14.6	15.3	15.8	15.8	16.2	16.2	15.9
24	14.0	14.2	14.3	15.0	15.5	15.4	15.9	15.8	15.6
25	13.7	13.9	14.0	14.7	15.2	15.1	15.5	15.5	15.2
30	12.4	12.7	12.8	13.3	13.8	13.7	14.1	14.1	13.9
35	***	11.7	***	12.3	12.7	12.7	***	13.0	12.8
40	***	10.9	***	11.5	***	11.8	***	12.1	11.9
45	***	10.2	***	10.8	***	11.1	***	11.4	11.2
50	***	9.7	***	10.2	***	10.5	***	10.8	10.6
55	***	9.2	***	9.7	***	10.0	***	10.2	10.1
60	***	8.8	***	9.2	***	9.5	***	9.8	9.6
65	***	8.4	***	8.8	***	9.1	***	9.3	9.2
70	***	8.1	***	8.5	***	8.7	***	9.0	8.8
75	***	***	***	8.2	***	8.4	***	8.6	8.5
80	***	***	***	7.9	***	8.1	***	8.3	8.2
85	***	***	***	***	***	***	***	8.0	7.9
90	***	***	***	***	***	***	***	***	7.7
95	***	***	***	***	***	***	***	***	7.4
100	***	***	***	***	***	***	***	***	7.2
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	189.4	121.2	178.1	114.1	178.7	116.1	187.1	111.8	91.5
1.0	133.6	85.5	125.6	80.5	126.0	81.9	132.0	78.8	64.5
2.0	94.0	60.1	88.4	56.6	88.7	57.6	92.8	55.5	45.4
5.0	58.5	37.4	55.0	35.3	55.2	35.9	57.8	34.5	28.3
10.0	40.3	25.8	37.9	24.3	38.0	24.7	39.8	23.8	19.5
15.0	32.0	20.5	30.1	19.3	30.2	19.6	31.6	18.9	15.4
20.0	26.8	17.2	25.3	16.2	25.3	16.5	26.5	15.8	13.0
25.0	23.3	14.9	21.9	14.0	21.9	14.3	23.0	13.7	11.2
30.0	20.5	13.1	19.3	12.4	19.3	12.6	20.3	12.1	9.9
35.0	18.3	11.7	17.2	11.0	17.3	11.2	18.1	10.8	8.8
40.0	16.4	10.5	15.5	9.9	15.5	10.1	16.2	9.7	7.9
50.0	13.4	8.6	12.6	8.1	12.7	8.2	13.3	7.9	6.5
60.0	11.0	7.0	10.3	6.6	10.3	6.7	10.8	6.5	5.3
70.0	8.8	5.6	8.3	5.3	8.3	5.4	8.7	5.2	4.2
80.0	6.7	4.3	6.3	4.0	6.3	4.1	6.6	4.0	3.2
90.0	4.5	2.9	4.2	2.7	4.2	2.7	4.4	2.6	2.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Alberta

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
8	40.1	38.9	39.8	38.3	38.1	37.8	33.4	37.7	37.6
9	37.8	36.7	37.5	36.1	35.9	35.7	31.4	35.5	35.4
10	35.9	34.8	35.5	34.3	34.0	33.8	29.8	33.7	33.6
11	34.2	33.2	33.9	32.7	32.4	32.2	28.4	32.1	32.0
12	32.7	31.8	32.4	31.3	31.1	30.9	27.2	30.8	30.7
13	31.4	30.5	31.2	30.0	29.8	29.6	26.1	29.5	29.4
14	30.3	29.4	30.0	28.9	28.7	28.6	25.2	28.5	28.4
15	29.2	28.4	29.0	27.9	27.8	27.6	24.3	27.5	27.4
16	28.3	27.5	28.1	27.0	26.9	26.7	23.5	26.6	26.5
17	27.5	26.7	27.2	26.2	26.1	25.9	22.8	25.8	25.7
18	26.7	25.9	26.4	25.5	25.3	25.2	22.2	25.1	25.0
19	26.0	25.2	25.7	24.8	24.6	24.5	21.6	24.4	24.3
20	25.3	24.6	25.1	24.2	24.0	23.9	21.0	23.8	23.7
21	24.7	24.0	24.5	23.6	23.4	23.3	20.5	23.2	23.1
22	24.1	23.4	23.9	23.0	22.9	22.7	20.1	22.7	22.6
23	23.6	22.9	23.4	22.5	22.4	22.2	19.6	22.2	22.1
24	23.1	22.4	22.9	22.0	21.9	21.8	19.2	21.7	21.6
25	22.6	21.9	22.4	21.6	21.5	21.3	18.8	21.3	21.2
30	20.6	20.0	20.4	19.7	19.6	19.4	17.1	19.4	19.3
35	19.1	18.5	18.9	18.2	18.1	18.0	15.9	17.9	17.9
40	17.8	17.3	17.7	17.0	16.9	16.8	14.8	16.7	16.7
45	16.8	16.3	16.6	16.0	15.9	15.8	14.0	15.8	15.7
50	15.9	15.4	15.8	15.2	15.1	15.0	13.2	14.9	14.9
55	15.1	14.7	15.0	14.5	14.4	14.3	12.6	14.2	14.2
60	14.5	14.1	14.4	13.8	13.8	13.7	12.0	13.6	13.6
65	13.9	13.5	13.8	13.3	13.2	13.1	11.6	13.1	13.0
70	13.4	13.0	13.3	12.8	12.7	12.6	11.1	12.6	12.5
75	12.9	12.5	12.8	12.3	12.3	12.2	10.7	12.1	12.1
80	12.5	12.1	12.4	11.9	11.9	11.8	10.4	11.7	11.7
85	12.1	11.7	12.0	11.6	11.5	11.4	10.1	11.4	11.3
90	11.8	11.4	11.6	11.2	11.2	11.1	9.8	11.0	11.0
95	11.4	11.1	11.3	10.9	10.8	10.8	9.5	10.7	10.7
100	11.1	10.8	11.0	10.6	10.6	10.5	***	10.5	10.4
125	9.9	9.6	9.8	9.5	***	9.3	***	9.3	9.3
150	***	8.7	***	8.6	***	8.5	***	8.4	8.4
200	***	7.5	***	7.4	***	7.3	***	7.2	7.2
250	***	6.6	***	6.5	***	6.4	***	6.4	6.4
300	***	***	***	5.9	***	***	***	***	5.8
350	***	***	***	***	***	***	***	***	5.3
400	***	***	***	***	***	***	***	***	4.9

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	131.7	89.4	126.1	83.5	141.1	99.6	142.4	89.6	72.1
1.0	92.9	63.0	88.9	58.9	99.5	70.3	100.5	63.2	50.8
2.0	65.3	44.4	62.6	41.5	70.0	49.4	70.7	44.5	35.8
5.0	40.7	27.6	39.0	25.8	43.6	30.8	44.0	27.7	22.3
10.0	28.0	19.0	26.8	17.8	30.0	21.2	30.3	19.1	15.3
15.0	22.2	15.1	21.3	14.1	23.8	16.8	24.0	15.1	12.2
20.0	18.7	12.7	17.9	11.8	20.0	14.1	20.2	12.7	10.2
25.0	16.2	11.0	15.5	10.3	17.3	12.2	17.5	11.0	8.9
30.0	14.3	9.7	13.7	9.0	15.3	10.8	15.4	9.7	7.8
35.0	12.7	8.6	12.2	8.1	13.6	9.6	13.8	8.7	7.0
40.0	11.4	7.8	10.9	7.3	12.2	8.6	12.4	7.8	6.3
50.0	9.3	6.3	8.9	5.9	10.0	7.1	10.1	6.4	5.1
60.0	7.6	5.2	7.3	4.8	8.2	5.8	8.2	5.2	4.2
70.0	6.1	4.1	5.9	3.9	6.5	4.6	6.6	4.2	3.3
80.0	4.7	3.2	4.5	3.0	5.0	3.5	5.0	3.2	2.6
90.0	3.1	2.1	3.0	2.0	3.3	2.4	3.4	2.1	1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

British Columbia

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
9	33.4	36.1	34.8	37.5	38.9	42.1	40.8	40.1	40.3
10	31.7	34.3	33.0	35.6	36.9	39.9	38.7	38.0	38.3
11	30.2	32.7	31.5	34.0	35.2	38.0	36.9	36.3	36.5
12	28.9	31.3	30.1	32.5	33.7	36.4	35.3	34.7	34.9
13	27.8	30.0	28.9	31.2	32.4	35.0	33.9	33.4	33.5
14	26.8	29.0	27.9	30.1	31.2	33.7	32.7	32.1	32.3
15	25.9	28.0	26.9	29.1	30.1	32.6	31.6	31.0	31.2
16	25.0	27.1	26.1	28.1	29.2	31.5	30.6	30.0	30.2
17	24.3	26.3	25.3	27.3	28.3	30.6	29.7	29.1	29.3
18	23.6	25.5	24.6	26.5	27.5	29.7	28.8	28.3	28.5
19	23.0	24.8	23.9	25.8	26.7	28.9	28.0	27.6	27.7
20	22.4	24.2	23.3	25.1	26.1	28.2	27.3	26.9	27.0
21	21.8	23.6	22.7	24.5	25.4	27.5	26.7	26.2	26.4
22	21.3	23.1	22.2	24.0	24.8	26.9	26.1	25.6	25.8
23	20.9	22.6	21.7	23.4	24.3	26.3	25.5	25.0	25.2
24	20.4	22.1	21.3	22.9	23.8	25.7	24.9	24.5	24.6
25	20.0	21.6	20.8	22.5	23.3	25.2	24.4	24.0	24.1
30	18.2	19.7	19.0	20.5	21.2	23.0	22.3	21.9	22.0
35	16.9	18.3	17.6	19.0	19.7	21.2	20.6	20.3	20.4
40	15.8	17.1	16.4	17.7	18.4	19.9	19.3	18.9	19.0
45	14.9	16.1	15.5	16.7	17.3	18.7	18.2	17.8	17.9
50	14.1	15.2	14.7	15.8	16.4	17.7	17.2	16.9	17.0
55	13.4	14.5	14.0	15.1	15.6	16.9	16.4	16.1	16.2
60	12.8	13.9	13.4	14.4	15.0	16.2	15.7	15.4	15.5
65	12.3	13.3	12.8	13.9	14.4	15.5	15.1	14.8	14.9
70	11.9	12.8	12.4	13.3	13.8	14.9	14.5	14.2	14.3
75	11.5	12.4	11.9	12.9	13.3	14.4	14.0	13.8	13.8
80	11.1	12.0	11.5	12.5	12.9	14.0	13.5	13.3	13.4
85	10.7	11.6	11.2	12.1	12.5	13.5	13.1	12.9	13.0
90	10.4	11.3	10.9	11.7	12.2	13.1	12.7	12.5	12.6
95	10.2	11.0	10.6	11.4	11.8	12.8	12.4	12.2	12.3
100	9.9	10.7	10.3	11.1	11.5	12.4	12.1	11.9	11.9
125	8.8	9.5	9.2	9.9	10.3	11.1	10.8	10.6	10.6
150	8.0	8.7	8.3	9.0	9.3	10.1	***	9.6	9.7
200	***	7.4	***	7.7	***	8.7	***	8.3	8.3
250	***	6.6	***	6.9	***	7.7	***	7.3	7.4
300	***	6.0	***	6.2	***	7.0	***	6.6	6.7
350	***	5.5	***	5.7	***	6.4	***	6.1	6.1
400	***	5.1	***	5.3	***	5.9	***	***	5.7
450	***	4.8	***	4.9	***	***	***	***	5.3
500	***	***	***	4.7	***	***	***	***	5.0

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	122.0	75.4	115.3	73.7	126.0	85.5	143.7	82.6	62.5
1.0	86.0	53.2	81.3	51.9	88.9	60.3	101.4	58.3	44.1
2.0	60.5	37.4	57.2	36.5	62.5	42.4	71.3	41.0	31.0
5.0	37.7	23.3	35.6	22.8	38.9	26.4	44.4	25.5	19.3
10.0	25.9	16.0	24.5	15.7	26.8	18.2	30.6	17.6	13.3
15.0	20.6	12.7	19.5	12.4	21.3	14.4	24.3	13.9	10.6
20.0	17.3	10.7	16.3	10.4	17.9	12.1	20.4	11.7	8.9
25.0	15.0	9.3	14.2	9.0	15.5	10.5	17.6	10.1	7.7
30.0	13.2	8.2	12.5	8.0	13.6	9.3	15.6	8.9	6.8
35.0	11.8	7.3	11.1	7.1	12.2	8.3	13.9	8.0	6.0
40.0	10.6	6.5	10.0	6.4	10.9	7.4	12.5	7.2	5.4
50.0	8.6	5.3	8.2	5.2	8.9	6.1	10.2	5.9	4.4
60.0	7.1	4.4	6.7	4.3	7.3	4.9	8.3	4.8	3.6
70.0	5.7	3.5	5.4	3.4	5.8	4.0	6.7	3.8	2.9
80.0	4.3	2.7	4.1	2.6	4.5	3.0	5.1	2.9	2.2
90.0	2.9	1.8	2.7	1.7	3.0	2.0	3.4	2.0	1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 15-24

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
10	38.4	36.2	37.4	37.0	35.6	39.3	34.4	37.6	37.6
11	36.6	34.5	35.6	35.3	33.9	37.4	32.8	35.8	35.8
12	35.1	33.0	34.1	33.7	32.5	35.8	31.4	34.3	34.3
13	33.7	31.7	32.8	32.4	31.2	34.4	30.2	32.9	32.9
14	32.5	30.6	31.6	31.2	30.1	33.2	29.1	31.7	31.7
15	31.4	29.5	30.5	30.2	29.0	32.0	28.1	30.7	30.7
16	30.4	28.6	29.5	29.2	28.1	31.0	27.2	29.7	29.7
17	29.4	27.7	28.6	28.3	27.3	30.1	26.4	28.8	28.8
18	28.6	26.9	27.8	27.5	26.5	29.2	25.6	28.0	28.0
19	27.8	26.2	27.1	26.8	25.8	28.5	25.0	27.2	27.2
20	27.1	25.6	26.4	26.1	25.1	27.7	24.3	26.5	26.5
21	26.5	24.9	25.8	25.5	24.5	27.1	23.7	25.9	25.9
22	25.9	24.4	25.2	24.9	24.0	26.4	23.2	25.3	25.3
23	25.3	23.8	24.6	24.3	23.4	25.9	22.7	24.7	24.7
24	24.8	23.3	24.1	23.8	22.9	25.3	22.2	24.2	24.2
25	24.3	22.8	23.6	23.3	22.5	24.8	21.7	23.7	23.7
30	22.1	20.8	21.5	21.3	20.5	22.6	19.8	21.6	21.6
35	20.5	19.3	19.9	19.7	19.0	20.9	18.3	20.0	20.0
40	19.1	18.0	18.6	18.4	17.7	19.6	17.2	18.7	18.7
45	18.0	17.0	17.5	17.4	16.7	18.4	16.2	17.6	17.6
50	17.1	16.1	16.6	16.5	15.8	17.5	15.3	16.7	16.7
55	16.3	15.3	15.8	15.7	15.1	16.7	14.6	15.9	15.9
60	15.6	14.7	15.2	15.0	14.4	15.9	14.0	15.2	15.2
65	15.0	14.1	14.6	14.4	13.9	15.3	13.4	14.6	14.6
70	14.4	13.6	14.0	13.9	13.3	14.7	12.9	14.1	14.1
75	13.9	13.1	13.5	13.4	12.9	14.2	12.5	13.6	13.6
80	13.5	12.7	13.1	13.0	12.5	13.8	12.1	13.2	13.2
85	13.1	12.3	12.7	12.6	12.1	13.3	11.7	12.8	12.8
90	12.7	11.9	12.3	12.2	11.7	13.0	11.4	12.4	12.4
95	12.3	11.6	12.0	11.9	11.4	12.6	11.1	12.1	12.1
100	12.0	11.3	11.7	11.6	11.1	12.3	10.8	11.7	11.7
125	10.7	10.1	10.4	10.3	9.9	11.0	9.6	10.5	10.5
150	9.8	9.2	9.5	9.4	9.0	10.0	8.7	9.5	9.5
200	8.4	7.9	8.2	8.1	7.8	8.6	7.5	8.2	8.2
250	7.5	7.0	7.3	7.2	6.9	7.6	6.7	7.3	7.3
300	***	6.4	***	6.5	***	6.9	6.1	6.6	6.6
350	***	5.9	***	6.0	***	6.4	5.6	6.1	6.1
400	***	5.4	***	5.6	***	5.9	***	5.7	5.7
450	***	***	***	5.2	***	5.5	***	5.3	5.3
500	***	***	***	***	***	***	***	5.0	5.0

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	108.5	81.6	101.1	75.2	93.8	76.3	86.6	61.3	59.7
1.0	76.5	57.6	71.3	53.0	66.1	53.8	61.1	43.2	42.1
2.0	53.8	40.5	50.2	37.3	46.5	37.9	43.0	30.4	29.6
5.0	33.5	25.2	31.2	23.2	29.0	23.6	26.8	18.9	18.5
10.0	23.1	17.4	21.5	16.0	19.9	16.2	18.4	13.0	12.7
15.0	18.3	13.8	17.1	12.7	15.8	12.9	14.6	10.3	10.1
20.0	15.4	11.6	14.3	10.7	13.3	10.8	12.3	8.7	8.5
25.0	13.3	10.0	12.4	9.2	11.5	9.4	10.6	7.5	7.3
30.0	11.8	8.8	10.9	8.1	10.2	8.3	9.4	6.6	6.5
35.0	10.5	7.9	9.8	7.3	9.1	7.4	8.4	5.9	5.8
40.0	9.4	7.1	8.8	6.5	8.1	6.6	7.5	5.3	5.2
50.0	7.7	5.8	7.2	5.3	6.6	5.4	6.1	4.3	4.2
60.0	6.3	4.7	5.9	4.4	5.4	4.4	5.0	3.5	3.5
70.0	5.0	3.8	4.7	3.5	4.4	3.5	4.0	2.8	2.8
80.0	3.8	2.9	3.6	2.7	3.3	2.7	3.1	2.2	2.1
90.0	2.6	1.9	2.4	1.8	2.2	1.8	2.0	1.4	1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 25-44

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
8	37.7	44.1	37.9	44.3	42.8	41.5	34.2	39.8	43.1
9	35.5	41.6	35.7	41.8	40.4	39.1	32.2	37.5	40.6
10	33.7	39.5	33.9	39.6	38.3	37.1	30.6	35.6	38.5
11	32.1	37.6	32.3	37.8	36.5	35.4	29.1	33.9	36.7
12	30.7	36.0	30.9	36.2	35.0	33.9	27.9	32.5	35.1
13	29.5	34.6	29.7	34.8	33.6	32.6	26.8	31.2	33.8
14	28.5	33.3	28.6	33.5	32.4	31.4	25.8	30.1	32.5
15	27.5	32.2	27.7	32.4	31.3	30.3	24.9	29.1	31.4
16	26.6	31.2	26.8	31.3	30.3	29.3	24.2	28.1	30.4
17	25.8	30.2	26.0	30.4	29.4	28.5	23.4	27.3	29.5
18	25.1	29.4	25.3	29.5	28.5	27.7	22.8	26.5	28.7
19	24.4	28.6	24.6	28.7	27.8	26.9	22.2	25.8	27.9
20	23.8	27.9	24.0	28.0	27.1	26.2	21.6	25.2	27.2
21	23.2	27.2	23.4	27.3	26.4	25.6	21.1	24.6	26.6
22	22.7	26.6	22.8	26.7	25.8	25.0	20.6	24.0	25.9
23	22.2	26.0	22.3	26.1	25.2	24.5	20.1	23.5	25.4
24	21.7	25.4	21.9	25.6	24.7	24.0	19.7	23.0	24.8
25	21.3	24.9	21.4	25.1	24.2	23.5	19.3	22.5	24.3
30	19.4	22.8	19.5	22.9	22.1	21.4	17.6	20.5	22.2
35	18.0	21.1	18.1	21.2	20.5	19.8	16.3	19.0	20.6
40	16.8	19.7	16.9	19.8	19.1	18.5	15.3	17.8	19.2
45	15.8	18.6	15.9	18.7	18.0	17.5	14.4	16.8	18.1
50	15.0	17.6	15.1	17.7	17.1	16.6	13.6	15.9	17.2
55	14.3	16.8	14.4	16.9	16.3	15.8	13.0	15.1	16.4
60	13.7	16.1	13.8	16.1	15.6	15.1	12.4	14.5	15.7
65	13.2	15.4	13.3	15.5	15.0	14.5	12.0	13.9	15.1
70	12.7	14.9	12.8	14.9	14.4	14.0	11.5	13.4	14.5
75	12.3	14.4	12.3	14.4	13.9	13.5	11.1	13.0	14.0
80	11.9	13.9	11.9	14.0	13.5	13.1	10.8	12.5	13.6
85	11.5	13.5	11.6	13.5	13.1	12.7	10.4	12.2	13.2
90	11.2	13.1	11.3	13.2	12.7	12.3	10.1	11.8	12.8
95	10.9	12.7	10.9	12.8	12.4	12.0	9.9	11.5	12.4
100	10.6	12.4	10.7	12.5	12.1	11.7	9.6	11.2	12.1
125	9.5	11.1	9.5	11.1	10.8	10.4	8.6	10.0	10.8
150	8.6	10.1	8.7	10.2	9.8	9.5	7.8	9.1	9.9
200	7.5	8.7	7.5	8.8	8.5	8.2	6.8	7.9	8.5
250	6.6	7.8	6.7	7.8	7.6	7.3	6.0	7.0	7.6
300	6.1	7.1	6.1	7.1	6.9	6.7	5.5	6.4	6.9
350	5.6	6.5	5.6	6.6	6.4	6.2	***	5.9	6.4
400	5.2	6.1	5.2	6.1	5.9	5.7	***	5.5	6.0
450	4.9	5.7	4.9	5.8	5.6	5.4	***	5.2	5.6
500	4.6	5.4	4.7	5.5	5.3	5.1	***	4.9	5.3
750	***	4.4	***	4.4	***	4.1	***	3.9	4.3
1000	***	3.7	***	3.8	***	3.5	***	3.4	3.6
1500	***	***	***	***	***	***	***	***	2.9
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	72.0	51.0	68.4	50.3	77.3	49.9	83.3	50.3	40.1
1.0	50.8	36.0	48.3	35.5	54.5	35.2	58.7	35.5	28.3
2.0	35.7	25.3	33.9	25.0	38.4	24.8	41.3	25.0	19.9
5.0	22.3	15.8	21.1	15.5	23.9	15.4	25.7	15.6	12.4
10.0	15.3	10.8	14.5	10.7	16.4	10.6	17.7	10.7	8.5
15.0	12.2	8.6	11.5	8.5	13.0	8.4	14.1	8.5	6.8
20.0	10.2	7.2	9.7	7.1	11.0	7.1	11.8	7.1	5.7
25.0	8.8	6.3	8.4	6.2	9.5	6.1	10.2	6.2	4.9
30.0	7.8	5.5	7.4	5.4	8.4	5.4	9.0	5.5	4.3
35.0	7.0	4.9	6.6	4.9	7.5	4.8	8.0	4.9	3.9
40.0	6.3	4.4	5.9	4.4	6.7	4.3	7.2	4.4	3.5
50.0	5.1	3.6	4.8	3.6	5.5	3.5	5.9	3.6	2.8
60.0	4.2	3.0	4.0	2.9	4.5	2.9	4.8	2.9	2.3
70.0	3.3	2.4	3.2	2.3	3.6	2.3	3.9	2.3	1.9
80.0	2.6	1.8	2.4	1.8	2.7	1.8	3.0	1.8	1.4
90.0	1.7	1.2	1.6	1.2	1.8	1.2	2.0	1.2	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 45-64

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
13	34.0	35.1	34.1	34.9	35.7	37.9	38.7	34.5	36.5
14	32.8	33.9	32.9	33.6	34.4	36.5	37.3	33.3	35.2
15	31.7	32.7	31.8	32.5	33.2	35.3	36.0	32.1	34.0
16	30.7	31.7	30.8	31.5	32.2	34.2	34.9	31.1	32.9
17	29.8	30.7	29.8	30.5	31.2	33.1	33.8	30.2	31.9
18	28.9	29.9	29.0	29.7	30.3	32.2	32.9	29.3	31.0
19	28.2	29.1	28.2	28.9	29.5	31.3	32.0	28.5	30.2
20	27.4	28.3	27.5	28.1	28.8	30.5	31.2	27.8	29.4
21	26.8	27.6	26.8	27.5	28.1	29.8	30.4	27.1	28.7
22	26.2	27.0	26.2	26.8	27.4	29.1	29.7	26.5	28.1
23	25.6	26.4	25.6	26.2	26.8	28.5	29.1	25.9	27.4
24	25.0	25.8	25.1	25.7	26.2	27.9	28.5	25.4	26.9
25	24.5	25.3	24.6	25.2	25.7	27.3	27.9	24.9	26.3
30	22.4	23.1	22.4	23.0	23.5	24.9	25.4	22.7	24.0
35	20.7	21.4	20.8	21.2	21.7	23.1	23.5	21.0	22.2
40	19.4	20.0	19.4	19.9	20.3	21.6	22.0	19.6	20.8
45	18.3	18.9	18.3	18.7	19.1	20.3	20.7	18.5	19.6
50	17.3	17.9	17.4	17.8	18.2	19.3	19.7	17.6	18.6
55	16.5	17.0	16.5	16.9	17.3	18.4	18.8	16.7	17.7
60	15.8	16.3	15.8	16.2	16.6	17.6	18.0	16.0	16.9
65	15.2	15.7	15.2	15.6	15.9	16.9	17.2	15.4	16.3
70	14.6	15.1	14.7	15.0	15.3	16.3	16.6	14.8	15.7
75	14.1	14.6	14.1	14.5	14.8	15.7	16.0	14.3	15.1
80	13.7	14.1	13.7	14.0	14.3	15.2	***	13.9	14.7
85	13.3	13.7	13.3	13.6	13.9	14.8	***	13.4	14.2
90	12.9	13.3	12.9	13.2	13.5	14.3	***	13.1	13.8
95	12.5	12.9	12.6	12.8	13.1	13.9	***	12.7	13.4
100	12.2	12.6	12.2	12.5	12.8	13.6	***	12.4	13.1
125	10.9	11.3	10.9	11.2	11.4	12.1	***	11.1	11.7
150	9.9	10.3	10.0	10.2	10.4	11.1	***	10.1	10.7
200	8.6	8.8	8.6	8.8	9.0	9.5	***	8.7	9.2
250	7.6	7.9	7.7	7.8	8.0	8.5	***	7.7	8.2
300	7.0	7.2	7.0	7.1	7.3	7.7	***	7.0	7.5
350	***	6.6	6.4	6.6	***	7.1	***	6.5	6.9
400	***	6.2	***	6.1	***	6.7	***	6.1	6.4
450	***	5.8	***	5.8	***	6.3	***	5.7	6.0
500	***	5.5	***	5.4	***	5.9	***	5.4	5.7
750	***	4.4	***	4.4	***	4.7	***	***	4.6
1000	***	3.7	***	3.7	***	***	***	***	3.9
1500	***	***	***	***	***	***	***	***	3.0

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	96.8	55.0	94.4	53.5	101.1	62.1	212.5	70.4	45.5
1.0	68.3	38.8	66.6	37.7	71.3	43.8	149.8	49.7	32.1
2.0	48.0	27.3	46.8	26.5	50.2	30.8	105.4	34.9	22.6
5.0	29.9	17.0	29.2	16.5	31.2	19.2	65.6	21.8	14.1
10.0	20.6	11.7	20.1	11.4	21.5	13.2	45.2	15.0	9.7
15.0	16.3	9.3	15.9	9.0	17.1	10.5	35.9	11.9	7.7
20.0	13.7	7.8	13.4	7.6	14.3	8.8	30.1	10.0	6.4
25.0	11.9	6.8	11.6	6.6	12.4	7.6	26.1	8.6	5.6
30.0	10.5	6.0	10.2	5.8	10.9	6.7	23.0	7.6	4.9
35.0	9.4	5.3	9.1	5.2	9.8	6.0	20.5	6.8	4.4
40.0	8.4	4.8	8.2	4.6	8.8	5.4	18.4	6.1	3.9
50.0	6.9	3.9	6.7	3.8	7.2	4.4	15.1	5.0	3.2
60.0	5.6	3.2	5.5	3.1	5.9	3.6	12.3	4.1	2.6
70.0	4.5	2.6	4.4	2.5	4.7	2.9	9.9	3.3	2.1
80.0	3.4	2.0	3.3	1.9	3.6	2.2	7.5	2.5	1.6
90.0	2.3	1.3	2.2	1.3	2.4	1.5	5.0	1.7	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

CANADA - Age Group 65+

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
9	37.6	35.1	37.6	35.0	37.0	34.6	***	34.1	34.5
10	35.7	33.3	35.7	33.2	35.1	32.8	***	32.4	32.7
11	34.0	31.8	34.0	31.7	33.4	31.3	***	30.9	31.2
12	32.6	30.4	32.6	30.3	32.0	29.9	***	29.5	29.9
13	31.3	29.2	31.3	29.1	30.7	28.8	***	28.4	28.7
14	30.1	28.1	30.1	28.1	29.6	27.7	***	27.3	27.6
15	29.1	27.2	29.1	27.1	28.6	26.8	***	26.4	26.7
16	28.2	26.3	28.2	26.3	27.7	25.9	***	25.6	25.9
17	27.3	25.5	27.3	25.5	26.9	25.1	***	24.8	25.1
18	26.6	24.8	26.6	24.7	26.1	24.4	***	24.1	24.4
19	25.9	24.1	25.9	24.1	25.4	23.8	***	23.4	23.7
20	25.2	23.5	25.2	23.5	24.8	23.2	***	22.9	23.1
21	24.6	23.0	24.6	22.9	24.2	22.6	***	22.3	22.6
22	24.0	22.4	24.0	22.4	23.6	22.1	***	21.8	22.0
23	23.5	21.9	23.5	21.9	23.1	21.6	***	21.3	21.5
24	23.0	21.5	23.0	21.4	22.6	21.1	***	20.9	21.1
25	22.5	21.0	22.5	21.0	22.1	20.7	***	20.4	20.7
30	20.5	19.2	20.5	19.1	20.2	18.9	***	18.6	18.8
35	19.0	17.7	19.0	17.7	18.7	17.5	***	17.2	17.4
40	17.8	16.6	17.8	16.6	17.5	16.3	***	16.1	16.3
45	16.7	15.6	16.7	15.6	16.5	15.4	***	15.2	15.4
50	15.9	14.8	15.9	14.8	15.6	14.6	***	14.4	14.6
55	15.1	14.1	15.1	14.1	14.9	13.9	***	13.7	13.9
60	14.5	13.5	14.5	13.5	***	13.3	***	13.1	13.3
65	13.9	13.0	13.9	12.9	***	12.8	***	12.6	12.7
70	13.4	12.5	13.4	12.5	***	12.3	***	12.1	12.3
75	***	12.1	***	12.0	***	11.9	***	11.7	11.8
80	***	11.7	***	11.6	***	11.5	***	11.3	11.5
85	***	11.3	***	11.3	***	11.1	***	11.0	11.1
90	***	11.0	***	11.0	***	10.8	***	10.7	10.8
95	***	10.7	***	10.7	***	10.5	***	10.4	10.5
100	***	10.4	***	10.4	***	10.2	***	10.1	10.2
125	***	9.3	***	9.3	***	9.1	***	***	9.1
150	***	8.4	***	8.4	***	8.3	***	***	8.3
200	***	7.3	***	7.2	***	***	***	***	7.1
250	***	***	***	***	***	***	***	***	6.3
300	***	***	***	***	***	***	***	***	5.7
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	171.1	91.9	170.1	90.9	197.6	111.5	---	131.0	74.1
1.0	120.7	64.8	120.0	64.1	139.4	78.6	---	92.4	52.3
2.0	84.9	45.6	84.4	45.1	98.1	55.3	---	65.0	36.8
5.0	52.9	28.4	52.6	28.1	61.1	34.4	---	40.5	22.9
10.0	36.4	19.5	36.2	19.3	42.0	23.7	---	27.9	15.8
15.0	28.9	15.5	28.7	15.3	33.3	18.8	---	22.1	12.5
20.0	24.3	13.0	24.1	12.9	28.0	15.8	---	18.6	10.5
25.0	21.0	11.3	20.9	11.2	24.3	13.7	---	16.1	9.1
30.0	18.5	10.0	18.4	9.8	21.4	12.1	---	14.2	8.0
35.0	16.5	8.9	16.4	8.8	19.1	10.8	---	12.7	7.2
40.0	14.9	8.0	14.8	7.9	17.2	9.7	---	11.4	6.4
50.0	12.1	6.5	12.1	6.4	14.0	7.9	---	9.3	5.3
60.0	9.9	5.3	9.8	5.3	11.4	6.5	---	7.6	4.3
70.0	7.9	4.3	7.9	4.2	9.2	5.2	---	6.1	3.4
80.0	6.1	3.3	6.0	3.2	7.0	4.0	---	4.6	2.6
90.0	4.0	2.2	4.0	2.1	4.7	2.6	---	3.1	1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

South West Ontario

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
7	36.5	36.0	35.2	35.2	35.2	41.3	36.4	36.7	39.5
8	34.2	33.7	32.9	32.9	32.9	38.6	34.0	34.3	36.9
9	32.2	31.7	31.0	31.0	31.0	36.4	32.1	32.3	34.8
10	30.5	30.1	29.4	29.4	29.4	34.5	30.4	30.6	33.0
11	29.1	28.7	28.0	28.0	28.0	32.9	29.0	29.2	31.5
12	27.8	27.4	26.8	26.8	26.8	31.5	27.7	27.9	30.1
13	26.7	26.3	25.7	25.7	25.7	30.2	26.6	26.8	28.9
14	25.8	25.4	24.8	24.8	24.8	29.1	25.7	25.9	27.9
15	24.9	24.5	23.9	23.9	23.9	28.1	24.8	25.0	26.9
16	24.1	23.7	23.2	23.2	23.2	27.2	24.0	24.2	26.0
17	23.3	23.0	22.5	22.5	22.5	26.4	23.3	23.4	25.2
18	22.7	22.3	21.8	21.8	21.8	25.7	22.6	22.8	24.5
19	22.1	21.7	21.2	21.2	21.2	25.0	22.0	22.1	23.9
20	21.5	21.2	20.7	20.7	20.7	24.3	21.4	21.6	23.2
21	21.0	20.7	20.2	20.2	20.2	23.7	20.9	21.0	22.7
22	20.5	20.2	19.7	19.7	19.7	23.2	20.4	20.6	22.1
23	20.0	19.7	19.3	19.3	19.3	22.6	19.9	20.1	21.6
24	19.6	19.3	18.9	18.9	18.9	22.2	19.5	19.7	21.2
25	19.2	18.9	18.5	18.5	18.5	21.7	19.1	19.3	20.7
30	17.5	17.2	16.8	16.8	16.8	19.8	***	17.5	18.9
35	16.2	15.9	15.5	15.5	15.5	18.3	***	16.2	17.5
40	15.1	14.9	14.5	14.5	14.5	17.1	***	15.1	16.3
45	14.2	14.0	13.7	13.7	13.7	16.0	***	14.2	15.3
50	13.4	13.2	12.9	12.9	12.9	15.2	***	13.5	14.5
55	***	12.6	12.3	12.3	***	14.5	***	12.8	13.8
60	***	12.0	***	11.7	***	13.8	***	12.3	13.2
65	***	11.5	***	11.3	***	13.2	***	11.7	12.7
70	***	11.1	***	10.8	***	12.7	***	11.3	12.2
75	***	10.7	***	10.4	***	12.3	***	10.9	11.7
80	***	10.3	***	10.1	***	11.9	***	10.5	11.3
85	***	10.0	***	9.8	***	11.5	***	10.2	11.0
90	***	9.7	***	9.5	***	11.1	***	9.9	10.6
95	***	9.4	***	9.2	***	10.8	***	9.6	10.3
100	***	9.2	***	8.9	***	10.5	***	9.3	10.0
125	***	8.1	***	7.9	***	9.3	***	***	8.9
150	***	***	***	***	***	***	***	***	8.0
200	***	***	***	***	***	***	***	***	6.8

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	203.7	120.2	187.9	112.9	200.2	124.2	263.9	127.9	93.2
1.0	143.7	84.8	132.5	79.7	141.2	87.6	186.1	90.2	65.8
2.0	101.1	59.7	93.2	56.0	99.3	61.6	131.0	63.5	46.3
5.0	62.9	37.2	58.1	34.9	61.9	38.4	81.5	39.5	28.8
10.0	43.3	25.6	40.0	24.0	42.6	26.4	56.1	27.2	19.8
15.0	34.4	20.3	31.7	19.1	33.8	21.0	44.5	21.6	15.7
20.0	28.9	17.0	26.6	16.0	28.4	17.6	37.4	18.1	13.2
25.0	25.0	14.8	23.1	13.9	24.6	15.3	32.4	15.7	11.4
30.0	22.1	13.0	20.3	12.2	21.7	13.4	28.6	13.8	10.1
35.0	19.7	11.6	18.2	10.9	19.3	12.0	25.5	12.4	9.0
40.0	17.7	10.4	16.3	9.8	17.4	10.8	22.9	11.1	8.1
50.0	14.4	8.5	13.3	8.0	14.2	8.8	18.7	9.1	6.6
60.0	11.8	7.0	10.9	6.5	11.6	7.2	15.3	7.4	5.4
70.0	9.5	5.6	8.7	5.2	9.3	5.8	12.2	5.9	4.3
80.0	7.2	4.3	6.7	4.0	7.1	4.4	9.4	4.5	3.3
90.0	4.8	2.8	4.4	2.7	4.7	2.9	6.2	3.0	2.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Central South Ontario

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
6	34.0	37.4	36.3	39.0	38.3	41.7	38.4	36.9	42.5
7	31.5	34.6	33.6	36.1	35.4	38.6	35.6	34.2	39.3
8	29.4	32.4	31.4	33.8	33.1	36.1	33.2	32.0	36.7
9	27.7	30.5	29.6	31.8	31.2	34.0	31.3	30.1	34.6
10	26.3	28.9	28.1	30.2	29.6	32.2	29.7	28.5	32.8
11	25.1	27.6	26.7	28.7	28.2	30.7	28.3	27.2	31.3
12	24.0	26.4	25.6	27.5	27.0	29.4	27.1	26.0	29.9
13	23.0	25.3	24.6	26.4	25.9	28.2	26.0	25.0	28.7
14	22.2	24.4	23.7	25.4	25.0	27.2	25.0	24.1	27.7
15	21.4	23.6	22.8	24.6	24.1	26.2	24.2	23.2	26.7
16	20.7	22.8	22.1	23.8	23.3	25.4	23.4	22.5	25.9
17	20.1	22.1	21.4	23.0	22.6	24.6	22.7	21.8	25.1
18	19.5	21.5	20.8	22.4	22.0	23.9	22.0	21.2	24.4
19	19.0	20.9	20.3	21.8	21.4	23.3	21.4	20.6	23.7
20	18.5	20.4	19.7	21.2	20.8	22.7	20.9	20.1	23.1
21	18.0	19.9	19.2	20.7	20.3	22.1	20.4	19.6	22.5
22	17.6	19.4	18.8	20.2	19.8	21.6	19.9	19.1	22.0
23	17.2	18.9	18.4	19.8	19.4	21.1	19.4	18.7	21.5
24	16.9	18.5	18.0	19.3	19.0	20.6	19.0	18.3	21.0
25	16.5	18.2	17.6	18.9	18.6	20.2	18.6	17.9	20.6
30	15.0	16.5	16.0	17.2	16.9	18.4	17.0	16.3	18.7
35	13.9	15.3	14.8	15.9	15.6	17.0	***	15.1	17.3
40	12.9	14.2	13.8	14.8	14.6	15.9	***	14.0	16.1
45	***	13.4	13.0	14.0	13.7	14.9	***	13.2	15.2
50	***	12.7	***	13.2	***	14.1	***	12.5	14.4
55	***	12.0	***	12.5	***	13.4	***	11.9	13.7
60	***	11.5	***	12.0	***	12.8	***	11.3	13.0
65	***	11.0	***	11.5	***	12.3	***	10.9	12.5
70	***	10.6	***	11.0	***	11.8	***	10.4	12.0
75	***	10.2	***	10.6	***	11.3	***	10.1	11.6
80	***	9.8	***	10.3	***	11.0	***	9.7	11.2
85	***	9.5	***	9.9	***	10.6	***	9.4	10.8
90	***	9.2	***	9.6	***	10.3	***	9.1	10.5
95	***	9.0	***	9.3	***	10.0	***	8.8	10.2
100	***	8.7	***	9.1	***	9.7	***	8.6	9.9
125	***	***	***	***	***	***	***	***	8.7
150	***	***	***	***	***	***	***	***	7.8
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	198.9	130.1	190.5	125.6	184.6	129.5	218.4	127.3	103.6
1.0	140.3	91.8	134.3	88.6	130.2	91.4	154.0	89.8	73.1
2.0	98.7	64.6	94.5	62.3	91.6	64.3	108.4	63.2	51.4
5.0	61.5	40.2	58.9	38.8	57.0	40.0	67.5	39.3	32.0
10.0	42.3	27.7	40.5	26.7	39.3	27.5	46.4	27.1	22.0
15.0	33.6	22.0	32.1	21.2	31.2	21.9	36.8	21.5	17.5
20.0	28.2	18.4	27.0	17.8	26.2	18.4	31.0	18.1	14.7
25.0	24.4	16.0	23.4	15.4	22.7	15.9	26.8	15.6	12.7
30.0	21.5	14.1	20.6	13.6	20.0	14.0	23.6	13.8	11.2
35.0	19.2	12.6	18.4	12.1	17.8	12.5	21.1	12.3	10.0
40.0	17.3	11.3	16.5	10.9	16.0	11.2	19.0	11.1	9.0
50.0	14.1	9.2	13.5	8.9	13.1	9.2	15.5	9.0	7.3
60.0	11.5	7.5	11.0	7.3	10.7	7.5	12.6	7.4	6.0
70.0	9.2	6.0	8.8	5.8	8.6	6.0	10.1	5.9	4.8
80.0	7.1	4.6	6.8	4.5	6.5	4.6	7.7	4.5	3.7
90.0	4.7	3.1	4.5	3.0	4.4	3.1	5.2	3.0	2.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Central West Ontario

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
11	57.6	50.0	55.6	49.2	50.0	42.9	33.5	44.4	42.9
12	55.2	47.8	53.2	47.1	47.8	41.1	32.1	42.5	41.1
13	53.0	46.0	51.1	45.2	46.0	39.4	30.8	40.8	39.4
14	51.0	44.3	49.2	43.6	44.3	38.0	29.7	39.3	38.0
15	49.3	42.8	47.5	42.1	42.8	36.7	28.7	38.0	36.7
16	47.7	41.4	46.0	40.7	41.4	35.5	27.8	36.8	35.5
17	46.3	40.1	44.6	39.5	40.1	34.4	26.9	35.7	34.4
18	45.0	39.0	43.4	38.4	39.0	33.5	26.2	34.6	33.5
19	43.8	37.9	42.2	37.4	37.9	32.6	25.5	33.7	32.6
20	42.6	37.0	41.1	36.4	37.0	31.7	24.8	32.8	31.7
21	41.6	36.1	40.1	35.5	36.1	31.0	24.2	32.0	31.0
22	40.6	35.2	39.2	34.7	35.2	30.2	23.6	31.3	30.2
23	39.7	34.5	38.3	33.9	34.5	29.6	23.1	30.6	29.6
24	38.9	33.7	37.5	33.2	33.7	28.9	22.6	29.9	28.9
25	38.1	33.0	36.7	32.5	33.0	28.3	22.2	29.3	28.3
30	34.7	30.1	33.5	29.6	30.1	25.8	20.2	26.7	25.8
35	32.1	27.8	30.9	27.4	27.8	23.9	18.7	24.7	23.9
40	30.0	26.0	28.9	25.6	26.0	22.3	17.4	23.1	22.3
45	28.2	24.5	27.2	24.1	24.5	21.0	***	21.7	21.0
50	26.7	23.2	25.8	22.8	23.2	19.9	***	20.6	19.9
55	25.4	22.1	24.5	21.7	22.1	18.9	***	19.6	18.9
60	24.3	21.1	23.5	20.8	21.1	18.1	***	18.7	18.1
65	23.3	20.2	22.5	19.9	20.2	17.4	***	18.0	17.4
70	22.5	19.5	21.7	19.2	19.5	16.7	***	17.3	16.7
75	21.7	18.8	20.9	18.5	18.8	16.1	***	16.7	16.1
80	20.9	18.2	20.2	17.9	18.2	15.6	***	16.1	15.6
85	20.3	17.6	19.6	17.3	17.6	15.1	***	15.6	15.1
90	19.7	17.1	19.0	16.8	17.1	14.6	***	15.2	14.6
95	19.1	16.6	18.4	16.3	16.6	14.2	***	14.7	14.2
100	18.6	16.1	18.0	15.9	16.1	13.9	***	14.3	13.9
125	***	14.3	***	14.1	***	12.3	***	12.7	12.3
150	***	13.0	***	12.8	***	11.1	***	11.5	11.1
200	***	11.1	***	10.9	***	***	***	9.8	9.5
250	***	***	***	***	***	***	***	***	8.4
300	***	***	***	***	***	***	***	***	7.5
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	236.2	157.3	228.2	154.9	208.3	147.5	249.2	148.8	112.1
1.0	166.6	111.0	160.9	109.2	146.9	104.1	175.7	104.9	79.1
2.0	117.2	78.1	113.2	76.9	103.3	73.2	123.6	73.8	55.6
5.0	73.0	48.6	70.5	47.9	64.4	45.6	77.0	46.0	34.6
10.0	50.2	33.5	48.5	32.9	44.3	31.4	53.0	31.6	23.8
15.0	39.9	26.5	38.5	26.1	35.1	24.9	42.0	25.1	18.9
20.0	33.5	22.3	32.3	22.0	29.5	20.9	35.3	21.1	15.9
25.0	29.0	19.3	28.0	19.0	25.6	18.1	30.6	18.3	13.8
30.0	25.6	17.0	24.7	16.8	22.6	16.0	27.0	16.1	12.1
35.0	22.8	15.2	22.0	15.0	20.1	14.3	24.1	14.4	10.8
40.0	20.5	13.7	19.8	13.4	18.1	12.8	21.6	12.9	9.7
50.0	16.7	11.2	16.2	11.0	14.8	10.5	17.7	10.5	7.9
60.0	13.7	9.1	13.2	9.0	12.1	8.5	14.4	8.6	6.5
70.0	11.0	7.3	10.6	7.2	9.7	6.8	11.6	6.9	5.2
80.0	8.4	5.6	8.1	5.5	7.4	5.2	8.8	5.3	4.0
90.0	5.6	3.7	5.4	3.7	4.9	3.5	5.9	3.5	2.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Central East Ontario

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
9	34.4	38.8	34.0	39.3	46.5	41.0	41.9	41.8	41.5
10	32.6	36.8	32.2	37.3	44.1	38.9	39.8	39.7	39.3
11	31.1	35.1	30.7	35.5	42.1	37.1	37.9	37.8	37.5
12	29.8	33.6	29.4	34.0	40.3	35.5	36.3	36.2	35.9
13	28.6	32.3	28.3	32.7	38.7	34.1	34.8	34.7	34.5
14	27.5	31.1	27.2	31.5	37.2	32.8	33.6	33.5	33.2
15	26.6	30.0	26.3	30.4	36.0	31.7	32.4	32.3	32.1
16	25.7	29.1	25.4	29.4	34.8	30.7	31.4	31.3	31.0
17	25.0	28.2	24.7	28.5	33.8	29.8	30.4	30.3	30.1
18	24.3	27.4	24.0	27.7	32.8	28.9	29.6	29.5	29.2
19	23.6	26.6	23.3	27.0	31.9	28.2	28.8	28.7	28.5
20	23.0	26.0	22.7	26.3	31.1	27.4	28.0	28.0	27.7
21	22.4	25.3	22.2	25.6	30.3	26.8	27.3	27.3	27.1
22	21.9	24.7	21.7	25.0	29.6	26.1	26.7	26.6	26.4
23	21.4	24.2	21.2	24.5	29.0	25.6	26.1	26.0	25.8
24	21.0	23.7	20.7	24.0	28.4	25.0	25.6	25.5	25.3
25	20.5	23.2	20.3	23.5	27.8	24.5	25.0	25.0	24.8
30	18.7	21.1	18.5	21.4	25.3	22.3	22.8	22.8	22.6
35	17.3	19.5	17.1	19.8	23.4	20.6	21.1	21.0	20.9
40	16.2	18.2	16.0	18.5	21.9	19.3	19.7	19.6	19.5
45	15.2	17.2	15.0	17.4	20.6	18.1	18.5	18.5	18.3
50	14.4	16.3	14.2	16.5	19.5	17.2	***	17.5	17.4
55	13.7	15.5	13.6	15.7	18.6	16.4	***	16.7	16.5
60	***	14.8	13.0	15.0	17.7	15.6	***	15.9	15.8
65	***	14.2	***	14.4	17.0	15.0	***	15.3	15.2
70	***	13.7	***	13.8	16.4	14.4	***	14.7	14.6
75	***	13.2	***	13.3	15.8	13.9	***	14.2	14.1
80	***	12.7	***	12.9	15.3	13.5	***	13.7	13.6
85	***	12.3	***	12.5	***	13.0	***	13.3	13.2
90	***	12.0	***	12.1	***	12.6	***	12.9	12.8
95	***	11.6	***	11.8	***	12.3	***	12.5	12.4
100	***	11.3	***	11.5	***	12.0	***	12.2	12.1
125	***	10.0	***	10.2	***	10.6	***	10.8	10.7
150	***	9.1	***	9.2	***	9.6	***	9.8	9.7
200	***	***	***	***	***	***	***	***	8.3
250	***	***	***	***	***	***	***	***	7.3

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	200.6	147.2	191.6	141.7	237.9	148.5	255.0	147.1	115.8
1.0	141.5	103.8	135.2	99.9	167.8	104.7	179.8	103.8	81.7
2.0	99.6	73.0	95.1	70.3	118.0	73.7	126.5	73.0	57.5
5.0	62.0	45.5	59.2	43.8	73.5	45.9	78.8	45.5	35.8
10.0	42.7	31.3	40.8	30.1	50.6	31.6	54.2	31.3	24.6
15.0	33.9	24.8	32.3	23.9	40.1	25.1	43.0	24.8	19.5
20.0	28.4	20.9	27.2	20.1	33.7	21.0	36.1	20.9	16.4
25.0	24.6	18.1	23.5	17.4	29.2	18.2	31.3	18.1	14.2
30.0	21.7	15.9	20.8	15.3	25.8	16.1	27.6	15.9	12.5
35.0	19.4	14.2	18.5	13.7	23.0	14.3	24.6	14.2	11.2
40.0	17.4	12.8	16.6	12.3	20.7	12.9	22.1	12.8	10.1
50.0	14.2	10.4	13.6	10.0	16.9	10.5	18.1	10.4	8.2
60.0	11.6	8.5	11.1	8.2	13.8	8.6	14.8	8.5	6.7
70.0	9.3	6.8	8.9	6.6	11.0	6.9	11.8	6.8	5.4
80.0	7.1	5.2	6.8	5.0	8.4	5.3	9.0	5.2	4.1
90.0	4.7	3.5	4.5	3.3	5.6	3.5	6.0	3.5	2.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

Toronto

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
8	37.1	40.4	36.7	39.7	39.5	38.7	34.3	36.4	40.7
9	35.0	38.1	34.6	37.4	37.2	36.5	32.3	34.3	38.4
10	33.1	36.1	32.8	35.5	35.3	34.6	30.7	32.5	36.4
11	31.6	34.5	31.3	33.8	33.7	33.0	29.2	31.0	34.7
12	30.2	33.0	30.0	32.4	32.2	31.6	28.0	29.7	33.2
13	29.1	31.7	28.8	31.1	31.0	30.3	26.9	28.5	31.9
14	28.0	30.5	27.7	29.9	29.8	29.2	25.9	27.5	30.8
15	27.0	29.5	26.8	28.9	28.8	28.2	25.0	26.5	29.7
16	26.2	28.5	25.9	28.0	27.9	27.3	24.2	25.7	28.8
17	25.4	27.7	25.2	27.2	27.0	26.5	23.5	24.9	27.9
18	24.7	26.9	24.4	26.4	26.3	25.7	22.8	24.2	27.1
19	24.0	26.2	23.8	25.7	25.6	25.1	22.2	23.6	26.4
20	23.4	25.5	23.2	25.0	24.9	24.4	21.6	23.0	25.7
21	22.8	24.9	22.6	24.4	24.3	23.8	21.1	22.4	25.1
22	22.3	24.3	22.1	23.8	23.7	23.3	20.6	21.9	24.5
23	21.8	23.8	21.6	23.3	23.2	22.8	20.2	21.4	23.9
24	21.3	23.3	21.1	22.8	22.7	22.3	19.7	20.9	23.4
25	20.9	22.8	20.7	22.3	22.3	21.8	19.3	20.5	23.0
30	19.0	20.8	18.9	20.4	20.3	19.9	***	18.7	20.9
35	17.6	19.2	17.5	18.8	18.8	18.4	***	17.3	19.4
40	16.5	17.9	16.3	17.6	17.5	17.2	***	16.2	18.1
45	15.5	16.9	15.4	16.6	16.5	16.2	***	15.2	17.0
50	14.7	16.0	14.6	15.7	15.6	15.3	***	14.4	16.1
55	14.0	15.2	13.9	15.0	14.9	14.6	***	13.7	15.4
60	13.4	14.6	13.3	14.3	14.2	14.0	***	13.1	14.7
65	12.8	14.0	12.7	13.7	13.7	13.4	***	12.6	14.1
70	12.4	13.5	12.2	13.2	13.2	12.9	***	12.1	13.6
75	11.9	13.0	11.8	12.7	12.7	12.4	***	11.7	13.1
80	11.5	12.6	11.4	12.3	12.3	12.0	***	11.3	12.7
85	11.2	12.2	11.1	11.9	11.9	11.7	***	11.0	12.3
90	***	11.8	10.7	11.6	***	11.3	***	10.6	11.9
95	***	11.5	***	11.3	***	11.0	***	10.3	11.6
100	***	11.2	***	11.0	***	10.7	***	10.1	11.3
125	***	9.9	***	9.8	***	9.5	***	9.0	10.0
150	***	9.0	***	8.8	***	8.6	***	8.1	9.1
200	***	***	***	***	***	***	***	***	7.8
250	***	***	***	***	***	***	***	***	6.9

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	172.2	123.2	162.3	118.1	171.8	120.8	328.5	117.7	93.9
1.0	121.4	86.9	114.5	83.3	121.2	85.2	231.7	83.0	66.2
2.0	85.4	61.1	80.5	58.6	85.3	59.9	163.0	58.4	46.6
5.0	53.2	38.1	50.2	36.5	53.1	37.3	101.5	36.4	29.0
10.0	36.6	26.2	34.5	25.1	36.5	25.7	69.9	25.0	20.0
15.0	29.1	20.8	27.4	19.9	29.0	20.4	55.4	19.9	15.8
20.0	24.4	17.5	23.0	16.8	24.4	17.1	46.6	16.7	13.3
25.0	21.1	15.1	19.9	14.5	21.1	14.8	40.3	14.5	11.5
30.0	18.6	13.3	17.6	12.8	18.6	13.1	35.6	12.7	10.2
35.0	16.6	11.9	15.7	11.4	16.6	11.7	31.7	11.4	9.1
40.0	14.9	10.7	14.1	10.3	14.9	10.5	28.5	10.2	8.1
50.0	12.2	8.7	11.5	8.4	12.2	8.6	23.3	8.3	6.7
60.0	10.0	7.1	9.4	6.8	9.9	7.0	19.0	6.8	5.4
70.0	8.0	5.7	7.5	5.5	8.0	5.6	15.2	5.5	4.4
80.0	6.1	4.4	5.8	4.2	6.1	4.3	11.6	4.2	3.3
90.0	4.1	2.9	3.8	2.8	4.1	2.9	7.8	2.8	2.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

East Ontario

TOTAL ('000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
11	33.8	33.3	33.9	34.2	36.8	36.0	33.4	36.7	35.0
12	32.3	31.9	32.4	32.7	35.2	34.5	32.0	35.1	33.5
13	31.1	30.6	31.1	31.4	33.8	33.1	30.7	33.7	32.2
14	29.9	29.5	30.0	30.3	32.5	31.9	29.6	32.5	31.0
15	28.9	28.5	29.0	29.2	31.4	30.8	28.6	31.4	29.9
16	28.0	27.6	28.0	28.3	30.4	29.8	27.6	30.3	29.0
17	27.1	26.7	27.2	27.4	29.5	28.9	26.8	29.4	28.1
18	26.3	26.0	26.4	26.6	28.7	28.1	26.0	28.6	27.3
19	25.6	25.3	25.7	25.9	27.9	27.3	25.3	27.8	26.6
20	25.0	24.6	25.0	25.3	27.2	26.6	24.7	27.1	25.9
21	24.4	24.0	24.4	24.6	26.5	26.0	24.1	26.4	25.3
22	23.8	23.4	23.9	24.1	25.9	25.4	23.5	25.8	24.7
23	23.3	22.9	23.3	23.5	25.3	24.8	23.0	25.2	24.1
24	22.8	22.4	22.8	23.0	24.8	24.3	22.5	24.7	23.6
25	22.3	22.0	22.4	22.5	24.3	23.8	22.0	24.2	23.1
30	20.3	20.0	20.4	20.5	22.1	21.7	20.1	22.0	21.1
35	18.8	18.5	18.8	19.0	20.4	20.0	***	20.4	19.5
40	17.5	17.3	17.6	17.7	19.1	18.7	***	19.0	18.2
45	16.5	16.2	16.5	16.7	17.9	17.6	***	17.9	17.1
50	15.6	15.4	15.7	15.8	17.0	16.6	***	16.9	16.2
55	14.8	14.6	14.9	15.0	16.2	15.8	***	16.1	15.4
60	14.2	14.0	14.2	14.4	15.4	15.1	***	15.4	14.7
65	13.6	13.4	13.6	13.8	***	14.5	***	14.8	14.1
70	***	12.9	13.1	13.2	***	14.0	***	14.2	13.6
75	***	12.4	***	12.8	***	13.5	***	13.7	13.1
80	***	12.0	***	12.3	***	13.0	***	13.2	12.6
85	***	11.6	***	11.9	***	12.6	***	12.8	12.2
90	***	11.3	***	11.6	***	12.2	***	12.4	11.9
95	***	11.0	***	11.2	***	11.9	***	12.1	11.5
100	***	10.7	***	10.9	***	11.5	***	11.7	11.2
125	***	9.4	***	9.7	***	10.2	***	10.4	9.9
150	***	8.5	***	8.7	***	9.2	***	***	9.0
200	***	***	***	***	***	***	***	***	7.6
250	***	***	***	***	***	***	***	***	6.6

PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	190.2	118.2	181.6	113.2	209.1	140.1	268.5	140.4	103.2
1.0	134.2	83.3	128.1	79.9	147.5	98.8	189.4	99.0	72.8
2.0	94.4	58.6	90.1	56.2	103.8	69.5	133.2	69.7	51.2
5.0	58.8	36.5	56.1	35.0	64.6	43.3	83.0	43.4	31.9
10.0	40.5	25.1	38.6	24.1	44.5	29.8	57.1	29.9	21.9
15.0	32.1	19.9	30.7	19.1	35.3	23.6	45.3	23.7	17.4
20.0	27.0	16.8	25.8	16.1	29.6	19.9	38.1	19.9	14.6
25.0	23.4	14.5	22.3	13.9	25.7	17.2	33.0	17.2	12.7
30.0	20.6	12.8	19.7	12.3	22.6	15.2	29.1	15.2	11.2
35.0	18.4	11.4	17.5	10.9	20.2	13.5	25.9	13.6	10.0
40.0	16.5	10.3	15.8	9.8	18.2	12.2	23.3	12.2	9.0
50.0	13.5	8.4	12.9	8.0	14.8	9.9	19.0	10.0	7.3
60.0	11.0	6.8	10.5	6.6	12.1	8.1	15.5	8.1	6.0
70.0	8.8	5.5	8.4	5.3	9.7	6.5	12.5	6.5	4.8
80.0	6.7	4.2	6.4	4.0	7.4	5.0	9.5	5.0	3.7
90.0	4.5	2.8	4.3	2.7	4.9	3.3	6.3	3.3	2.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2002

Approximate Coefficients of Variation Table

North Ontario

TOTAL (' 000)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
4	49.3	46.4	48.0	45.3	36.1	40.5	47.7	45.5	45.2
5	44.0	41.5	42.9	40.5	32.3	36.2	42.7	40.6	40.4
6	40.2	37.8	39.2	36.9	29.5	33.0	38.9	37.1	36.8
7	37.2	35.0	36.2	34.1	27.3	30.5	36.0	34.3	34.1
8	34.7	32.7	33.9	31.9	25.5	28.5	33.7	32.1	31.8
9	32.7	30.8	31.9	30.1	24.0	26.9	31.7	30.2	30.0
10	31.0	29.2	30.2	28.5	22.7	25.5	30.1	28.6	28.4
11	29.6	27.8	28.8	27.2	21.7	24.3	28.6	27.3	27.1
12	28.3	26.6	27.6	26.0	20.7	23.2	27.4	26.1	25.9
13	27.1	25.6	26.5	24.9	19.9	22.3	26.3	25.1	24.9
14	26.1	24.6	25.5	24.0	19.2	21.5	25.3	24.1	24.0
15	25.2	23.8	24.6	23.2	18.5	20.7	24.5	23.3	23.1
16	24.4	23.0	23.8	22.4	17.9	20.0	23.7	22.5	22.4
17	23.7	22.3	23.1	21.7	17.4	19.4	22.9	21.8	21.7
18	23.0	21.6	22.4	21.1	16.9	18.9	22.3	21.2	21.1
19	22.3	21.0	21.8	20.5	16.4	18.4	21.7	20.6	20.5
20	21.8	20.5	21.2	20.0	16.0	17.9	21.1	20.1	20.0
21	21.2	20.0	20.7	19.5	15.6	17.4	20.6	19.6	19.5
22	20.7	19.5	20.2	19.0	15.2	17.0	20.1	19.1	19.0
23	20.3	19.1	19.7	18.6	14.9	16.6	19.6	18.7	18.6
24	19.8	18.6	19.3	18.2	14.5	16.3	19.2	18.3	18.2
25	19.4	18.3	18.9	17.8	14.2	15.9	***	17.9	17.8
30	17.6	16.6	17.2	16.2	12.9	14.5	***	16.3	16.2
35	16.3	15.3	15.9	14.9	11.9	13.4	***	15.0	14.9
40	15.2	14.3	14.8	13.9	***	12.4	***	14.0	13.9
45	***	13.4	***	13.1	***	11.7	***	13.1	13.0
50	***	12.7	***	12.4	***	11.0	***	12.4	12.3
55	***	12.0	***	11.7	***	10.5	***	11.8	11.7
60	***	11.5	***	11.2	***	10.0	***	11.2	11.2
65	***	11.0	***	10.7	***	9.6	***	10.8	10.7
70	***	10.5	***	10.3	***	9.2	***	10.3	10.3
75	***	10.1	***	9.9	***	8.8	***	9.9	9.9
80	***	9.8	***	9.5	***	***	***	9.6	9.5
85	***	***	***	9.2	***	***	***	9.2	9.2
90	***	***	***	***	***	***	***	***	8.9
95	***	***	***	***	***	***	***	***	8.6
100	***	***	***	***	***	***	***	***	8.4
PERCENTAGE (%)	DEP 12 months	DEP l i f e	MOOD 12 months	MOOD l i f e	ANX 12 months	ANX l i f e	SUBS 12 months	ALL 12 months	ALL l i f e
0.5	197.8	140.2	190.7	133.8	185.6	126.9	256.9	140.1	104.1
1.0	139.5	98.9	134.5	94.4	130.9	89.5	181.2	98.9	73.4
2.0	98.2	69.6	94.6	66.4	92.1	63.0	127.5	69.5	51.6
5.0	61.1	43.3	58.9	41.3	57.3	39.2	79.4	43.3	32.2
10.0	42.1	29.8	40.5	28.5	39.5	27.0	54.6	29.8	22.1
15.0	33.4	23.7	32.2	22.6	31.3	21.4	43.4	23.6	17.6
20.0	28.0	19.9	27.0	19.0	26.3	18.0	36.4	19.9	14.8
25.0	24.3	17.2	23.4	16.4	22.8	15.6	31.5	17.2	12.8
30.0	21.4	15.2	20.6	14.5	20.1	13.7	27.8	15.2	11.3
35.0	19.1	13.5	18.4	12.9	17.9	12.3	24.8	13.5	10.1
40.0	17.2	12.2	16.6	11.6	16.1	11.0	22.3	12.2	9.0
50.0	14.0	9.9	13.5	9.5	13.2	9.0	18.2	9.9	7.4
60.0	11.4	8.1	11.0	7.7	10.7	7.3	14.9	8.1	6.0
70.0	9.2	6.5	8.8	6.2	8.6	5.9	11.9	6.5	4.8
80.0	7.0	5.0	6.8	4.7	6.6	4.5	9.1	5.0	3.7
90.0	4.7	3.3	4.5	3.2	4.4	3.0	6.1	3.3	2.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

