

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
ADMB_RNO	Sequential Record Number	ADM	1
AGPB_01A	Feared - being home alone	AGP	397
AGPB_01B	Feared - being in crowds	AGP	398
AGPB_01C	Feared - travelling away from home	AGP	398
AGPB_01D	Feared - travelling / being alone away from home	AGP	399
AGPB_01E	Feared - using public transportation	AGP	399
AGPB_01F	Feared - driving a car	AGP	400
AGPB_01G	Feared - standing in a line in a public place	AGP	400
AGPB_01H	Feared - being in a store	AGP	401
AGPB_01I	Feared - being in a movie theatre, auditorium, church	AGP	401
AGPB_01J	Feared - being in a restaurant / other public place	AGP	402
AGPB_01K	Feared - being in a wide, open field or street	AGP	402
AGPB_02	Agora fear ever caused by social/performance fear	AGP	403
AGPB_02A	Agora fear always caused by social/performance fear	AGP	403
AGPB_031	Remembered exactly age very first time had agora fear	AGP	404
AGPB_04A	Fear type - being alone or separated from loved ones	AGP	407
AGPB_04B	Fear type - some real danger like being robbed or assaulted	AGP	408
AGPB_04C	Fear type - might get sick to stomach / have diarrhea	AGP	408
AGPB_04D	Fear type - might have a panic attack	AGP	409
AGPB_04E	Fear type - might have heart attack / other emergency	AGP	409
AGPB_04F	Fear type - might become physically ill /without help	AGP	410
AGPB_04G	Fear type - might be difficult, embarrassing to escape	AGP	410
AGPB_04H	Fear type - some other terrible thing might happen	AGP	411
AGPB_061	Life period when first time avoided agora situations	AGP	413
AGPB_08	Particular incident caused very first agora fear	AGP	413
AGPB_08A	Had panic attack as a result of particular incident	AGP	414
AGPB_09A	Symptom - had heart pounding / racing	AGP	414
AGPB_09B	Symptom - was sweating	AGP	415
AGPB_09C	Symptom - was trembling or shaking	AGP	415
AGPB_09D	Symptom - had a dry mouth	AGP	416
AGPB_11A	Symptom - had trouble breathing normally	AGP	416
AGPB_11B	Symptom - felt like was choking	AGP	417
AGPB_11C	Symptom - had chest pain or discomfort	AGP	417
AGPB_11D	Symptom - was nauseous or sick to stomach	AGP	418
AGPB_11E	Symptom - was dizzy or faint	AGP	418
AGPB_11F	Symptom - feared might lose control, go crazy or pass out	AGP	419

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
AGPB_11G	Symptom - was afraid you might die	AGP	419
AGPB_11H	Symptom - had hot flushes or chills	AGP	420
AGPB_11I	Symptom - had numbness or tingling sensations	AGP	420
AGPB_11J	Symptom - felt like was not really there	AGP	421
AGPB_11K	Symptom - felt like things around were not real	AGP	421
AGPB_13	Unable to leave home for entire day because of fear	AGP	422
AGPB_14	Unable to leave home unless accompanied	AGP	424
AGPB_15	Fear / avoidance interefered with work/social/relationships	AGP	424
AGPB_16	Emotionally upset/worried because of fear / avoidance	AGP	425
AGPB_17	Strongly feared or avoided agora situations - 12 mo	AGP	425
AGPB_17A	Reference period of most recent agora fear/avoidance - 12 mo	AGP	426
AGPB_18	Intensity of hypothetical fear	AGP	428
AGPB_19	Frequency - avoided feared agora situations - 12 mo	AGP	428
AGPB_201	Level of interference - ability to attend school - 12 mo	AGP	430
AGPB_202	Level of interference - ability to work at a job - 12 mo	AGP	431
AGPB_20A	Level of interference - home responsibilities - 12 mo	AGP	429
AGPB_20C	Level of interference - close relationships - 12 mo	AGP	432
AGPB_20D	Level of interference - social life -12 mo	AGP	433
AGPB_22	Nbr of days/365 totally unable because of fear - 12 mo	AGP	434
AGPB_24	Consulted MD / other prof. about agora fear	AGP	434
AGPB_35	Received helpful / effective treatment for agora fear	AGP	436
AGPB_37	Received prof. treatment for agora fear - 12 mo	AGP	439
AGPB_38	Hospitalized overnight for agora fear - life	AGP	440
AGPB_3B1	Life period when very first time had agora fear	AGP	407
AGPBDA	Criterion A, Part 1 and 2 - (D)	AGP	441
AGPBDAP	Agoraphobia Algorithm - Life - (D)	AGP	443
AGPBDAPP	Agoraphobia w/o panic Algorithm - Life - (D)	AGP	444
AGPBDB	Criterion B - (D)	AGP	443
AGPBDB1	Criterion B, Part 1 - (D)	AGP	442
AGPBDB2	Criterion B, Part 2 - (D)	AGP	442
AGPBDB3	Criterion B, Part 3 - (D)	AGP	442
AGPBDINT	Agoraphobia Interference - Mean - (D)	AGP	451
AGPBDPA	Criterion A, Part 1 and 2 - (D)	AGP	444
AGPBDPA2	Criterion A, Part 2 - (D)	AGP	443
AGPBDPB	Criterion B - (D)	AGP	444
AGPBDPY	Agoraphobia Algorithm - 12 month - (D)	AGP	450

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
AGPBDPYP	Agoraphobia w/o Panic Algorithm - 12 month - (D)	AGP	451
AGPBFINT	Flag: Agoraphobia Interference	AGP	452
AGPBG03A	Age - exactly first time had agora fear - (G)	AGP	405
AGPBG03B	Age - approximately first time had agora - (G)	AGP	406
AGPBG06	Age - very 1st time started avoiding agora situations - (G)	AGP	412
AGPBG13A	Longest period unable to leave home - (G)	SOP	423
AGPBG17B	Age - last time strongly feared / avoided situations - (G)	AGP	427
AGPBG24A	Age - first time consulted prof. about agora fear - (G)	AGP	435
AGPBG35A	Age - first time got helpful treatment for agora fear - (G)	AGP	437
AGPBG35B	Number of prof. consulted before helpful treatment	AGP	438
AGPBG35C	Total nbr of prof. consulted about agora fear - life - (G)	AGP	439
AGPBG381	Number of relatives with strong agoraphobic fear - (G)	AGP	441
AGPBG38A	Age - first time hospitalized overnight for agora fear - (G)	AGP	440
AGPBGON	Age of agoraphobia onset - (D,G)	AGP	445
AGPBGONP	Age of agoraphobia onset (no panic) - (D,G)	AGP	448
AGPBGPER	Longest episode associated with agoraphobia - (D,G)	AGP	447
AGPBGPRP	Nbr of years persistence of agora. (without panic) - (D,G)	AGP	450
AGPBGRCP	Age at most recent agoraphobic epis (without panic) - (D,G)	AGP	449
AGPBGREC	Age when most recent agoraphobic episode - (D,G)	AGP	446
ALCB_1	Drank alcohol in past 12 months	ALC	457
ALCB_10	Regularly drank more than 12 drinks a week - life	ALC	464
ALCB_2	Frequency - drinking alcohol - 12 mo	ALC	457
ALCB_3	Frequency - having 5 or more drinks - 12 mo	ALC	458
ALCB_4	Regularly drank more than 12 drinks/week - 12 mo	ALC	458
ALCB_5	Drank alcohol in past week	ALC	459
ALCB_5A1	Number of drinks - Sunday	ALC	459
ALCB_5A2	Number of drinks - Monday	ALC	460
ALCB_5A3	Number of drinks - Tuesday	ALC	460
ALCB_5A4	Number of drinks - Wednesday	ALC	461
ALCB_5A5	Number of drinks - Thursday	ALC	461
ALCB_5A6	Number of drinks - Friday	ALC	462
ALCB_5A7	Number of drinks - Saturday	ALC	462
ALCB_5B	Ever had a drink - life	ALC	463
ALCB_7A	Reason reduced drinking - dieting	ALC	464
ALCB_7B	Reason reduced drinking - athletic training	ALC	465
ALCB_7C	Reason reduced drinking - pregnancy	ALC	465

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
ALCB_7D	Reason reduced drinking - getting older	ALC	466
ALCB_7E	Reason reduced drinking - drinking too much	ALC	466
ALCB_7F	Reason reduced drinking - affected work / studies	ALC	467
ALCB_7G	Reason reduced drinking - interfered with family life	ALC	467
ALCB_7H	Reason reduced drinking - affected physical health	ALC	468
ALCB_7I	Reason reduced drinking - affected social relationships	ALC	468
ALCB_7J	Reason reduced drinking - affected financial position	ALC	469
ALCB_7K	Reason reduced drinking - affected happiness	ALC	469
ALCB_7L	Reason reduced drinking - influence of family / friends	ALC	470
ALCB_7M	Reason reduced drinking - other	ALC	470
ALCB_8	Age started drinking alcoholic beverages	ALC	471
ALCB_9	One year period where monthly 5 or + drinks/occasion - life	ALC	463
ALCBDTYP	Type of drinker - (D)	ALC	471
ALCBDWKY	Number of drinks - past week - (D)	ALC	472
ALCBGDLY	Average daily alcohol consumption - (D,G)	ALC	472
ALDB_01	Drunk - at work / school / taking care of child - 12 mo	ALD	473
ALDB_01A	Drunk - at work / school / taking care of child - life	ALD	473
ALDB_01L	Drunk - at work / school / taking care of child - life	ALD	491
ALDB_02	Number of times - drunk at work/school/child care - 12 mo	ALD	474
ALDB_02L	Number of times - drunk at work/school/child care - life	ALD	491
ALDB_03	Being drunk increased chances of getting hurt - 12 mo	ALD	474
ALDB_03A	Being drunk increased chances of getting hurt - life	ALD	475
ALDB_03L	Being drunk increased chances of getting hurt - life	ALD	492
ALDB_04	Emotional or psychological problems due to alcohol - 12 mo	ALD	475
ALDB_04A	Emotional or psychological problems due to alcohol - life	ALD	476
ALDB_04L	Emotional or psychological problems due to alcohol - life	ALD	492
ALDB_05	Strong desire or urge to drink - 12 mo	ALD	476
ALDB_05A	Strong desire or urge to drink - life	ALD	477
ALDB_05L	Strong desire or urge to drink - life	ALD	493
ALDB_06	Spent month or more getting drunk - 12 mo	ALD	477
ALDB_06A	Spent month or more getting drunk - life	ALD	478
ALDB_06L	Spent month or more getting drunk - life	ALD	493
ALDB_07	Drank much more than intended - 12 mo	ALD	478
ALDB_07A	Drank much more than intended - life	ALD	479
ALDB_07L	Drank much more than intended - life	ALD	494
ALDB_08	Number of times - drank much more than intended - 12 mo	ALD	479

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
ALDB_08L	Number of times - drank much more than intended - life	ALD	494
ALDB_09	Had to drink more for the same effect - 12 mo	ALD	480
ALDB_09A	Had to drink more for the same effect - life	ALD	480
ALDB_09L	Had to drink more for the same effect - life	ALD	495
ALDB_10	Had symptom during period of cut down/no alcohol - 12 mo	ALD	481
ALDB_10A	Had symptom during period of cut down/alcohol - life	ALD	481
ALDB_10L	Had symptom during period of cut down/no alcohol - life	ALD	495
ALDB_11	Drank alcohol - even though promised wouldn't - 12 mo	ALD	482
ALDB_11A	Drank alcohol - even though promised wouldn't - life	ALD	482
ALDB_11L	Drank alcohol - even though promised wouldn't - life	ALD	496
ALDB_12	Drank alcohol - little time for anything else - 12 mo	ALD	483
ALDB_12A	Drank alcohol - little time for anything else - life	ALD	483
ALDB_12L	Drank alcohol - little time for anything else - life	ALD	496
ALDB_13	Reduced important activities - because of alcohol - 12 mo	ALD	484
ALDB_13A	Reduced important activities - because of alcohol - life	ALD	484
ALDB_13L	Reduced important activities - because of alcohol - life	ALD	497
ALDB_14	Continued drinking alcohol despite health problems - 12 mo	ALD	485
ALDB_14A	Continued drinking alcohol despite health problems - life	ALD	485
ALDB_14L	Continued drinking alcohol despite health problems - life	ALD	497
ALDB_15A	Level of interference - home responsibilities - 12 mo	ALD	486
ALDB_15C	Level of interference - close relationships - 12 mo	ALD	489
ALDB_15D	Level of interference - social life -12 mo	ALD	490
ALDB_5B1	Level of interference - ability to attend school - 12 mo	ALD	487
ALDB_5B2	Level of interference - ability to work at a job - 12 mo	ALD	488
ALDBDINT	Alcohol interference - mean - 12 months - (D)	ALD	499
ALDBDPP	Alcohol dependence - Predicted Probability - 12 mo - (D)	ALD	498
ALDBDSF	Alcohol dependence - Short Form Score - 12 mo - (D)	ALD	498
ALDBFINT	Flag: Alcohol interference - 12 mo	ALD	499
CCCB_011	Has food allergies	CCC	26
CCCB_021	Has allergies other than food allergies	CCC	26
CCCB_031	Has asthma	CCC	27
CCCB_041	Has fibromyalgia	CCC	27
CCCB_051	Has arthritis or rheumatism	CCC	28
CCCB_061	Has back problems excluding fibromyalgia and arthritis	CCC	28
CCCB_071	Has high blood pressure	CCC	29
CCCB_081	Has migraine headaches	CCC	29

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
CCCB_101	Has diabetes	CCC	31
CCCB_111	Has epilepsy	CCC	31
CCCB_121	Has heart disease	CCC	32
CCCB_131	Has cancer	CCC	32
CCCB_141	Has stomach or intestinal ulcers	CCC	33
CCCB_151	Suffers from the effects of a stroke	CCC	33
CCCB_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	34
CCCB_191	Has cataracts	CCC	34
CCCB_201	Has glaucoma	CCC	35
CCCB_211	Has a thyroid condition	CCC	35
CCCB_251	Has chronic fatigue syndrome	CCC	36
CCCB_261	Suffers from multiple chemical sensitivities	CCC	36
CCCB_291	Has obsessive-compulsive disorder	CCC	37
CCCB_311	Suffers from post-traumatic stress disorder	CCC	37
CCCB_331	Has a learning disability	CCC	38
CCCB_91A	Has chronic bronchitis	CCC	30
CCCB_91B	Has emphysema or chronic obstructive pulmonary disease	CCC	30
CCCBF1	Has a chronic condition	CCC	39
CCCBG281	Has other psychosis - (G)	CCC	37
CCCBG901	Other long-term physical or mental health condition - (G)	CCC	38
CPGB_01A	Frequency - spending money on instant win tickets	CPG	536
CPGB_01B	Frequency - spending money on lottery tickets	CPG	537
CPGB_01C	Frequency - spending money on bingo	CPG	538
CPGB_01D	Frequency - spending money on cards/boards games	CPG	539
CPGB_01E	Frequency - spending money on VLTs/outside casinos	CPG	540
CPGB_01F	Frequency - spending money on VLTs/at casinos	CPG	541
CPGB_01G	Frequency - spending money on other games/at casinos	CPG	542
CPGB_01H	Frequency - spending money on internet/arcade gambling	CPG	543
CPGB_01I	Frequency - spending money on live horse racing	CPG	544
CPGB_01J	Frequency - spending money on sports lotteries	CPG	545
CPGB_01K	Frequency - spending money on speculative investments	CPG	546
CPGB_01L	Frequency - spending money on games of skill	CPG	547
CPGB_01M	Frequency - spending money on other forms of gambling	CPG	548
CPGB_01N	Amount of money spent on gambling activities	CPG	549
CPGB_02	Frequency - spent more than wanted on gambling	CPG	549
CPGB_03	Frequency - gambled more money for same feeling	CPG	550

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
CPGB_04	Frequency - returned to try to win back money lost	CPG	550
CPGB_05	Frequency - borrowed money/sold to get \$ for gambling	CPG	551
CPGB_06	Frequency - felt might have a problem with gambling	CPG	551
CPGB_07	Frequency - gambling caused any health problems	CPG	552
CPGB_08	Frequency - people criticized respondent's betting	CPG	552
CPGB_09	Frequency - gambling caused financial problems	CPG	553
CPGB_10	Frequency - felt guilty about gambling	CPG	553
CPGB_11	Frequency - lied to hide gambling	CPG	554
CPGB_12	Frequency - wanted to stop betting but thought could not	CPG	554
CPGB_13	Frequency - bet more than could afford to lose	CPG	555
CPGB_14	Frequency - tried to quit/cut down; but unable	CPG	555
CPGB_15	Frequency - gambled to forget problems/feel better	CPG	556
CPGB_16	Frequency - gambling caused problem with family/friends	CPG	556
CPGB_17	Other family member with gambling problems	CPG	557
CPGB_18	Used alcohol or drugs while gambling	CPG	557
CPGBDACT	Number of different types of gambling activities - (D)	CPG	559
CPGBDSEV	Problem gambling severity index - (D)	CPG	558
CPGBDTYP	Type of gambler - (D)	CPG	559
CPGBFGAM	Flag: Gambling Activity - Gambler vs. Non-gambler	CPG	558
DEPB_01	Period when discouraged about how things were going - life	DEP	113
DEPB_01A	Period when lost interest in most things - life	DEP	113
DEPB_01B	Period when lost interest in most things - life	DEP	114
DEPB_02	Period when lost interest in most things - life	DEP	114
DEPB_09	2-week period when lost interest in most things - life	DEP	115
DEPB_12	2-week period when lost interest in most things - life	DEP	115
DEPB_16	Daily duration - being sad/discouraged/uninterested - life	DEP	116
DEPB_17	Intensity of emotional distress during periods - life	DEP	116
DEPB_18	Frequency - distress so severe, nothing cheer up - life	DEP	117
DEPB_19	Frequency - distress severe/could not carry daily - life	DEP	117
DEPB_21	Had depressive-like symptoms during episodes - life	DEP	118
DEPB_22	Experienced one particular worst episode - life	DEP	118
DEPB_24A	Symptom - felt sad, empty or depressed	DEP	123
DEPB_24B	Symptom - felt so sad that nothing could cheer up	DEP	123
DEPB_24C	Symptom - felt discouraged about how things were going	DEP	124
DEPB_24D	Symptom - felt hopeless about future	DEP	124
DEPB_24E	Symptom - lost interest in almost all things	DEP	125

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_24F	Symptom - felt like nothing was fun	DEP	125
DEPB_261	Symptom - weight gain due to physical growth/pregnancy	DEP	127
DEPB_263	Symptom - weight loss result of diet/physical illness	DEP	128
DEPB_265	Symptom - could not cope with everyday responsibilities	DEP	139
DEPB_266	Symptom - wanted to be alone rather than with friends	DEP	139
DEPB_267	Symptom - felt less talkative than usual	DEP	140
DEPB_268	Symptom - was often in tears	DEP	140
DEPB_26A	Symptom - had much smaller appetite than usual	DEP	126
DEPB_26B	Symptom - had much larger appetite than usual	DEP	126
DEPB_26C	Symptom - gained weight without trying to	DEP	127
DEPB_26E	Symptom - lost weight without trying to	DEP	128
DEPB_26G	Symptom - had more trouble falling/staying asleep	DEP	129
DEPB_26H	Symptom - slept more than usual	DEP	129
DEPB_26I	Symptom - slept less than usual/still not tired	DEP	130
DEPB_26J	Symptom - felt tired/low in energy	DEP	130
DEPB_26K	Symptom - had more energy than usual	DEP	131
DEPB_26L	Symptom - talked/moved more slowly than normal	DEP	131
DEPB_26M	Symptom - others noticed respondent talked/moved slowly	DEP	132
DEPB_26N	Symptom - restless/jittery/couldn't sit still	DEP	132
DEPB_26O	Symptom - others noticed respondent was restless	DEP	133
DEPB_26P	Symptom - thoughts came more slowly than usual	DEP	133
DEPB_26Q	Symptom - thoughts jumped/raced through head	DEP	134
DEPB_26R	Symptom - had more trouble concentrating	DEP	134
DEPB_26S	Symptom - unable to make up mind	DEP	135
DEPB_26T	Symptom - lost self-confidence	DEP	135
DEPB_26U	Symptom - felt was not as good as other people	DEP	136
DEPB_26V	Symptom - felt totally worthless	DEP	136
DEPB_26W	Symptom - felt guilty nearly every day	DEP	137
DEPB_26X	Symptom - felt irritable/grouchy or in a bad mood	DEP	137
DEPB_26Y	Symptom - felt nervous/anxious most days	DEP	138
DEPB_26Z	Symptom - had attacks of intense fear or panic	DEP	138
DEPB_28	Depressive feelings interfere with work/social/relationships	DEP	143
DEPB_281	Depressive feelings interfere with work/social/relationships	DEP	144
DEPB_28A	Frequency - feelings = unable carry out daily activities	DEP	145
DEPB_29A	Depressive episodes due to physical causes	DEP	145
DEPB_29B	Physical causes always cause depressive episodes	DEP	146

CCHS Cycle 1.2: Alphabetic Index

Page 9

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_30	Episodes ever occur just after someone close died	DEP	146
DEPB_30A	Episodes always occurred after someone close died	DEP	147
DEPB_37	Remembered exactly age of very first depressive episode	DEP	149
DEPB_371	Life period when very first depressive episode occurred	DEP	152
DEPB_372	Episode triggered by stressful/unexpected event	DEP	152
DEPB_38	Had 2-week or longer depressive episode - 12 mo	DEP	154
DEPB_38B	Number of days out of 365 in depressive episode	DEP	161
DEPB_58	Ever had period lasting full year when episode most days	DEP	166
DEPB_64A	Frequency - felt cheerful - 12 mo	DEP	170
DEPB_64B	Frequency - felt slowed down - 12 mo	DEP	170
DEPB_64C	Frequency - enjoyed good book,radio,TV - 12 mo	DEP	171
DEPB_65A	Frequency - enjoyed things had enjoyed - 12 mo	DEP	171
DEPB_65B	Frequency - laughed / saw bright side of things - 12 mo	DEP	172
DEPB_65C	Frequency - took interest in physical appearance - 12 mo	DEP	172
DEPB_65D	Frequency - looked forward to enjoying things - 12 mo	DEP	173
DEPB_661	Level of interference - ability to attend school - 12 mo	DEP	175
DEPB_662	Level of interference - ability to work at a job - 12 mo	DEP	176
DEPB_66A	Level of interference - home responsibilities - 12 mo	DEP	174
DEPB_66C	Level of interference - close relationships - 12 mo	DEP	177
DEPB_66D	Level of interference - social life - 12 mo	DEP	178
DEPB_68	Nbr of days/365 totally unable because of feelings	DEP	179
DEPB_6A	Symptom - thought a lot about own death/death in general	DEP	141
DEPB_6B	Symptom - thought it would be better if dead	DEP	141
DEPB_72	Consulted MD/other prof. about feelings	DEP	179
DEPB_73	Received helpful/effective treatment for feelings	DEP	182
DEPB_86	Received prof. treatment for feelings - 12 mo	DEP	185
DEPB_87	Hospitalized overnight for feelings - life	DEP	186
DEPB_8A	Reference period of depressive episode - 12 mo	DEP	154
DEPB_8A2	Month - when single past 12 months episode started	DEP	156
DEPB_8A3	Year - when single past 12 months episode started	DEP	157
DEPB_8A6	Single past 12 months episode ended / on-going	DEP	159
DEPB_8A9	First past 12 months episode ended / on-going	DEP	161
DEPB_A	Suicide - ideation during worst / bad episode	DEP	142
DEPBD664	Interference Level (cut-off at 4) - (D)	DEP	194
DEPBD667	Criterion E, Part 3A1 - High interference - (D)	DEP	197
DEPBDA	Criterion A, Part 1 and 2 - (D)	DEP	193

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPBDA1	Criterion A, Part 1 - (D)	DEP	189
DEPBDA2	Criterion A, Part 2 - (D)	DEP	193
DEPBDA21	Criterion A, Part 2 - Symptom 1 - (D)	DEP	190
DEPBDA22	Criterion A, Part 2 - Symptom 2 - (D)	DEP	190
DEPBDA23	Criterion A, Part 2 - Symptom 3 - (D)	DEP	190
DEPBDA24	Criterion A, Part 2 - Symptom 4 - (D)	DEP	191
DEPBDA25	Criterion A, Part 2 - Symptom 5 - (D)	DEP	191
DEPBDA26	Criterion A, Part 2 - Symptom 6 - (D)	DEP	191
DEPBDA27	Criterion A, Part 2 - Symptom 7 - (D)	DEP	192
DEPBDA28	Criterion A, Part 2 - Symptom 8 - (D)	DEP	192
DEPBDA29	Criterion A, Part 2 - Symptom 9 - (D)	DEP	192
DEPBDC	Criterion C, Part 1 and 2 - (D)	DEP	194
DEPBDC1	Criterion C, Part 1 - (D)	DEP	193
DEPBDC2	Criterion C, Part 2 - (D)	DEP	194
DEPBDDPS	Major Depressive Episode Algorithm - Life - (D)	DEP	200
DEPBDDY	Major Depressive Episode Algorithm - 12 month (D)	DEP	205
DEPBDE	Criterion E, Part 1, 2 and 3 - (D)	DEP	199
DEPBDE1	Criterion E, Part 1 - (D)	DEP	195
DEPBDE2	Criterion E, Part 2 - (D)	DEP	197
DEPBDE21	Criterion E, Part 2.1 - (D)	DEP	195
DEPBDE22	Criterion E, Part 2.2 - (D)	DEP	195
DEPBDE23	Criterion E, Part 2.3 - (D)	DEP	196
DEPBDE24	Criterion E, Part 2.4 - (D)	DEP	196
DEPBDE25	Criterion E, Part 2.5 - (D)	DEP	196
DEPBDE26	Criterion E, Part 2.6 - (D)	DEP	197
DEPBDE3	Criterion E, Part 3 - (D)	DEP	199
DEPBDE3A	Criterion E, Part 3A - (D)	DEP	198
DEPBDE3B	Criterion E, Part 3B - (D)	DEP	198
DEPBDE3C	Criterion E, Part 3C - (D)	DEP	198
DEPBDE3E	Criterion E, Part 3E - (D)	DEP	199
DEPBDINT	Depression Interference - Mean - (D)	DEP	207
DEPBDYA	Criterion A - 12 month - (D)	DEP	204
DEPBDYB	Criterion B - 12 month - (D)	DEP	204
DEPBDYC	Criterion C - 12 month - (D)	DEP	205
DEPBFINT	Flag: Depression interference	DEP	208
DEPBFSLA	Flag: Suicide - attempt - life	DEP	206

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPBFSLT	Flag: Suicide - thought - life	DEP	205
DEPBFSYA	Flag: Suicide - attempt - 12 mo	DEP	207
DEPBFSYT	Flag: Suicide - thought - 12 mo	DEP	206
DEPBG22A	Age - when worst episode started - (G)	DEP	119
DEPBG22B	Length of worst episode - (G)	DEP	120
DEPBG23A	Age - when last bad episode occurred - (G)	DEP	121
DEPBG23B	Length of last bad episode - (G)	DEP	122
DEPBG31	Number of episodes lasting 2 weeks or longer - life - (G)	DEP	148
DEPBG37A	Age - exactly very first depressive episode - (G)	DEP	150
DEPBG37B	Age - approximately very first depressive episode - (G)	DEP	151
DEPBG38C	Age - last time had depressive episode - (G)	DEP	162
DEPBG39A	Length of longest episode - (G)	DEP	163
DEPBG531	Nbr of 2-week episodes brought on by stressful experience	DEP	164
DEPBG54	Number of years had at least one depressive episode - (G)	DEP	165
DEPBG56	Longest nber yrs in a row had at least 1 episode/year - (G)	DEP	166
DEPBG59	Number of years had episode most days - life - (G)	DEP	167
DEPBG59A	Age - 1st time had full year when episode most days - (G)	DEP	168
DEPBG61	Longest number of years in a row in episode most days - (G)	DEP	169
DEPBG721	Age - 1st time consulted prof. about feelings - (G)	DEP	180
DEPBG72A	Age - 1st time consulted prof. about feelings - (G)	DEP	181
DEPBG73A	Age - first time got helpful treatment for feelings - (G)	DEP	183
DEPBG73B	Number of prof. consulted before helpful treatment - (G)	DEP	184
DEPBG74	Total nbr of prof. consulted about feelings - life - (G)	DEP	185
DEPBG7CA	Length of first episode - (G)	DEP	153
DEPBG871	Age - first time hospitalized overnight for feelings - (G)	DEP	187
DEPBG87A	Age - 1st time hospitalized overnight for feelings - (G)	DEP	188
DEPBG88	Nbr of close relatives ever had depressive episode - (G)	DEP	189
DEPBG8A1	Number of different episodes - 12 mo	DEP	155
DEPBG8AA	Length of single 12-month episode - (G)	DEP	158
DEPBG8BA	Length of first of several 12 mo episode - (G)	DEP	160
DEPBGON	Age at major depression onset - (D,G)	DEP	201
DEPBGPER	Longest episode associated with depression - (G)	DEP	203
DEPBGREC	Age at most recent major depression - (D,G)	DEP	202
DEPBISYA	Imputation flag for DEPBFSYA	DEP	207
DEPBISYT	Imputation flag for DEPBFSYT	DEP	206
DHHB_SEX	Sex	DHH	3

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
DHHBDECF	Household type - (D)	DHH	898
DHHBG611	Number of persons 6 to 11 years old in household - (D,G)	DHH	897
DHHBGAGE	Age - (G)	DHH	3
DHHGBBED	Dwelling - number of bedrooms - (G)	DHH	899
DHHBGL12	Nber of persons less than 12 years old in household - (D,G)	DHH	896
DHHBGLE5	Number of persons 5 years old or less in household - (D,G)	DHH	897
DHHBGLVG	Living arrangement of selected respondent - (D,G)	DHH	899
DHHBGMS	Marital status - (G)	DHH	4
DISB_10A	Frequency - distress: felt tired out - past month	DIS	95
DISB_10B	Frequency - distress: felt nervous - past month	DIS	96
DISB_10C	Freq./-distress: so nervous nothing calms down - past month	DIS	96
DISB_10D	Frequency - distress: felt hopeless - past month	DIS	97
DISB_10E	Frequency - distress: felt restless / fidgety - past month	DIS	97
DISB_10F	Frequency - distress: could not sit still - past month	DIS	98
DISB_10G	Frequency - distress: felt sad / depressed - past month	DIS	98
DISB_10H	Frequency - distress: depressed/nothing cheers - past month	DIS	99
DISB_10I	Frequency - distress: felt everything effort - past month	DIS	99
DISB_10J	Frequency - distress: felt worthless - past month	DIS	100
DISB_10K	Frequency - distress: occurrence of feelings - past month	DIS	100
DISB_10L	Degree of higher occurrence of feelings - past month	DIS	101
DISB_10M	Degree of lower occurrence of feelings - past month	DIS	101
DISB_10N	Interference - feelings in life / activities - past month	DIS	102
DISBDCHR	Chronicity of distress/impairment scale - past month - (D)	DIS	103
DISBDDSX	Distress scale - K10 - past month - (D)	DIS	102
DISBDK6	Distress scale - K6 - past month - (D)	DIS	103
EDUBDH04	Highest level of education - household, 4 levels - (D)	EDU	895
EDUBDH10	Highest level of education - household, 10 levels - (D)	EDU	896
EDUBDR04	Highest level of education - respondent, 4 levels - (D)	EDU	894
EDUBDR10	Highest level of education - respondent, 10 levels - (D)	EDU	895
ETAB_01A	Had a strong fear of being too fat/overweight - life	ETA	560
ETAB_01B	Had a strong fear of being too fat/overweight - 12 mo	ETA	560
ETAB_02	Frequency - terrified of being overweight	ETA	561
ETAB_03	Frequency - avoided eating when hungry	ETA	561
ETAB_04	Frequency - preoccupied with food	ETA	562
ETAB_05	Frequency - went on eating binges	ETA	562
ETAB_06	Frequency - cut food into small pieces	ETA	563

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
ETAB_07	Frequency - was aware of calorie content	ETA	563
ETAB_08	Frequency - avoided food with high carbohydrate content	ETA	564
ETAB_09	Frequency - eating more would be appreciated by others	ETA	564
ETAB_10	Frequency - vomited after eating	ETA	565
ETAB_11	Frequency - felt guilty after eating	ETA	565
ETAB_12	Frequency - preoccupied with desire to be thinner	ETA	566
ETAB_13	Frequency - thought of burning up calories when exercising	ETA	567
ETAB_14	Frequency - respondent too thin according to others	ETA	568
ETAB_15	Frequency - preoccupied with having fat on body	ETA	569
ETAB_16	Frequency - took longer to eat meals	ETA	570
ETAB_17	Frequency - avoided foods with sugar	ETA	571
ETAB_18	Frequency - ate diet foods	ETA	572
ETAB_19	Frequency - felt food controlled life	ETA	573
ETAB_20	Frequency - displayed self-control around food	ETA	574
ETAB_21	Frequency - others pressured to eat	ETA	575
ETAB_22	Frequency - gave too much time/thought to food	ETA	576
ETAB_23	Frequency - felt uncomfortable after eating sweets	ETA	577
ETAB_24	Frequency - engaged in dieting behaviour	ETA	578
ETAB_25	Frequency - liked stomach to be empty	ETA	579
ETAB_26	Frequency - had impulse to vomit after meals	ETA	580
ETAB_27	Frequency - enjoyed trying new rich food	ETA	581
ETABDIND	Eating Attitude Test Index Score - (D)	ETA	581
ETABFIND	Flag: Eating Attitude Test Index	ETA	582
GENB_01	Self-perceived health	GEN	4
GENB_02	Self-perceived health compared to one year ago	GEN	5
GENB_03	Number of hours spent sleeping per night	GEN	6
GENB_04	Frequency - trouble sleeping	GEN	7
GENB_05	Frequency - find sleep refreshing	GEN	7
GENB_06	Frequency - find it difficult to stay awake	GEN	8
GENB_07	Self-perceived stress	GEN	8
GENB_08	Worked at job or business in the past 12-months	GEN	9
GENB_09	Self-perceived work stress	GEN	9
GENB_10	Sense of belonging to local community	GEN	10
GENBDHDI	Health description index - (D)	GEN	10
GEOB_PRV	Province	GEO	1
GEOBGHR4	Health region - (G)	GEO	2

CCHS Cycle 1.2: Alphabetic Index

Page 14

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
HWTB_1	Currently pregnant	HWT	39
HWTB_4	Respondent's opinion of own weight	HWT	40
HWTBGBMI	Body Mass Index - (D,G)	HWT	42
HWTBGHT	Height - (G)	HWT	41
HWTBGSW	Standard weight - (D,G)	HWT	42
HWTBGWTK	Weight - kilograms - (D,G)	HWT	42
IDGB_01	Used - marijuana, cannabis, hashish - life	IDG	500
IDGB_02	Used - marijuana, cannabis, hashish - 12 mo	IDG	500
IDGB_03	Frequency - marijuana, cannabis, hashish - 12 mo	IDG	501
IDGB_04	Used - cocaine, crack - life	IDG	501
IDGB_05	Used - cocaine, crack - 12 mo	IDG	502
IDGB_06	Frequency - cocaine, crack - 12 mo	IDG	502
IDGB_07	Used - speed (amphetamines) - life	IDG	503
IDGB_08	Used - speed (amphetamines) - 12 mo	IDG	503
IDGB_09	Frequency - speed (amphetamines) - 12 mo	IDG	504
IDGB_10	Used - ecstasy (MDMA) - life	IDG	504
IDGB_11	Used - ecstasy (MDMA) - 12 mo	IDG	505
IDGB_12	Frequency - ecstasy (MDMA) - 12 mo	IDG	505
IDGB_13	Used - hallucinogens, PCP, LSD - life	IDG	506
IDGB_14	Used - hallucinogens, PCP, LSD - 12 mo	IDG	506
IDGB_15	Frequency - hallucinogens, PCP, LSD - 12 mo	IDG	507
IDGB_16	Sniffed - glue, gasoline, other solvents - life	IDG	507
IDGB_17	Sniffed - glue, gasoline, other solvents - 12 mo	IDG	508
IDGB_18	Frequency - glue, gasoline, other solvents - 12 mo	IDG	508
IDGB_19	Used - heroin - life	IDG	509
IDGB_20	Used - heroin - 12 mo	IDG	509
IDGB_21	Frequency - heroin - 12 mo	IDG	510
IDGB_22	Used - steroids - life	IDG	510
IDGB_23	Used - steroids - 12 mo	IDG	511
IDGB_24	Frequency - steroids - 12 mo	IDG	511
IDGB_25A	Needed more drugs than usual to get high - 12 mo	IDG	512
IDGB_25B	Had symptom during period of cut down/no drugs - 12 mo	IDG	513
IDGB_25C	Used drugs to prevent having symptoms - 12 mo	IDG	514
IDGB_25D	Used drugs - even though promised wouldn't - 12 mo	IDG	515
IDGB_25E	Used drugs more frequently than intended - 12 mo	IDG	516
IDGB_25F	Used drugs - little time for anything else - 12 mo	IDG	517

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
IDGB_25G	Reduced important activities - because of drugs - 12 mo	IDG	518
IDGB_25H	Continued taking drugs despite health problems - 12 mo	IDG	519
IDGB_26A	Level of interference - home responsibilities - 12 mo	IDG	521
IDGB_26C	Level of interference - close relationships - 12 mo	IDG	524
IDGB_26D	Level of interference - social life -12 mo	IDG	525
IDGB_5A1	Needed more drugs than usual to get high - life	IDG	513
IDGB_5AA	Took drugs at least once monthly for a year - life	IDG	512
IDGB_5AL	Needed more drugs than usual to get high - life	IDG	526
IDGB_5B1	Had symptom during period of cut down/no drugs - life	IDG	514
IDGB_5BL	Had symptom during period of cut down/no drugs - life	IDG	526
IDGB_5C1	Used drugs to prevent having symptoms - life	IDG	515
IDGB_5CL	Used drugs to prevent having symptoms - life	IDG	527
IDGB_5D1	Used drugs - even though promised wouldn't - life	IDG	516
IDGB_5DL	Used drugs even though promised wouldn't - life	IDG	527
IDGB_5E1	Used drugs more frequently than intended - life	IDG	517
IDGB_5EL	Used drugs more frequently than intended - life	IDG	528
IDGB_5F1	Used drugs - little time for anything else - life	IDG	518
IDGB_5FL	Used drugs - little time for anything else - life	IDG	528
IDGB_5G1	Reduced important activities - because of drugs - life	IDG	519
IDGB_5GL	Reduced important activities - because of drugs - life	IDG	529
IDGB_5H1	Continued taking drugs despite health problems - life	IDG	520
IDGB_5HL	Continued taking drugs despite health problems - life	IDG	529
IDGB_6B1	Level of interference - ability to attend school - 12 mo	IDG	522
IDGB_6B2	Level of interference - ability to work at a job - 12 mo	IDG	523
IDGBDINT	Illicit drug interference - mean - 12 mo - (D)	IDG	535
IDGBFINT	Flag: Illicit drug interference - 12 mo	IDG	536
IDGBFLA	Illicit drug use - including one time cannabis - life	IDG	533
IDGBFLAC	Illicit drug use - excluding one time cannabis - life	IDG	533
IDGBFLAM	Amphetamine (speed) drug use - life	IDG	531
IDGBFLCA	Cannabis drug use - including one time only - life	IDG	530
IDGBFLCM	Cannabis drug use - excluding one time only - life	IDG	530
IDGBFLCO	Cocaine / crack drug use - life	IDG	531
IDGBFLEX	MDMA (ecstasy) drug use - life	IDG	531
IDGBFLGL	Glue, gasoline or other solvent use - life	IDG	532
IDGBFLHA	Hallucinogens, PCP or LSD drug use - life	IDG	532
IDGBFLHE	Heroin drug use - life	IDG	532

CCHS Cycle 1.2: Alphabetic Index

Page 16

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
IDGBFLST	Steroid use - life	IDG	533
IDGBFYA	Illicit drug use - including one time cannabis - 12 mo	IDG	534
IDGBFYAC	Illicit drug use - excluding one time cannabis - 12 mo	IDG	534
IDGBFYCM	Cannabis drug use - excluding one time only - 12 mo	IDG	530
IDGBFYDP	Criteria - Drug dependance - 12 mo	IDG	535
INCBDIA2	Income adequacy - 2 groups - (D)	INC	919
INCBDIA4	Income adequacy - 4 groups - (D)	INC	920
INCBDIA5	Income adequacy - 5 groups - (D)	INC	920
INCBG2	Total household income - main source - (G)	INC	919
INCBGHH	Total household income from all sources - (D,G)	INC	921
INCBGPER	Total personal income from all sources - (D,G)	INC	921
LBFB_31A	Occupation - main job or business	LBF	903
LBFB DHPW	Total usual hours worked per week - (D)	LBF	905
LBFBDMJS	Multiple job status - (D)	LBF	905
LBFB DPFT	Usual hours worked - full-time / part-time flag - (F)	LBF	906
LBFB DWSL	Working status last week - 6 groups - (D)	LBF	904
LBFB DWSS	Working status last week - 4 groups - (D)	LBF	903
LBFBG31	Self-employment status - main job or business - (G)	LBF	902
LBFBGJST	Job status over past year - (D,G)	LBF	906
LBFBGRNW	Main reason for not working last week - (D,G)	LBF	904
MEDB_11A	Took medication to help sleep - 12 mo	MED	782
MEDB_11B	Took diet pills - 12 mo	MED	782
MEDB_11C	Took medication to reduce anxiety - 12 mo	MED	783
MEDB_11D	Took mood stabilizers - 12 mo	MED	783
MEDB_11E	Took anti-depressants - 12 mo	MED	784
MEDB_11F	Took med. to treat psychotic behaviours - 12 mo	MED	784
MEDB_11G	Took stimulants - 12 mo	MED	785
MEDB_2	Last 2 days - number of medications taken	MED	840
MEDB_3AA	Prescription from a medical doctor or dentist - drug 1	MED	842
MEDB_3BA	Prescription from medical doctor or dentist - drug 2	MED	844
MEDB_3CA	Prescription from medical doctor or dentist - drug 3	MED	846
MEDB_3DA	Prescription from medical doctor or dentist - drug 4	MED	848
MEDB_3EA	Prescription from medical doctor or dentist - drug 5	MED	850
MEDB_3FA	Prescription from medical doctor or dentist - drug 6	MED	852
MEDB_3GA	Prescription from medical doctor or dentist - drug 7	MED	854
MEDB_3HA	Prescription from medical doctor or dentist - drug 8	MED	856

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_3IA	Prescription from medical doctor or dentist - drug 9	MED	858
MEDB_3JA	Prescription from medical doctor or dentist - drug 10	MED	859
MEDB_3KA	Prescription from medical doctor or dentist - drug 11	MED	861
MEDB_3LA	Prescription from medical doctor or dentist - drug 12	MED	862
MEDB_4	Insurance that covers all/part of cost of prescription	MED	862
MEDB_5	Used other health products for mental health - 12 mo	MED	863
MEDB_6A	Health product used - St. John's Wort	MED	863
MEDB_6B	Health product used - valerian	MED	864
MEDB_6C	Health product used - chamomile	MED	864
MEDB_6D	Health product used - ginseng	MED	865
MEDB_6E	Health product used - kava kava	MED	865
MEDB_6F	Health product used - lavender	MED	866
MEDB_6G	Health product used - chasteberry	MED	866
MEDB_6H	Health product used - black cohosh	MED	867
MEDB_6I	Health product used - ginkgo biloba	MED	867
MEDB_6J	Health product used - NeuRocover-DA	MED	868
MEDB_6K	Health product used - vitamins	MED	868
MEDB_6L	Health product used - other	MED	869
MEDB_7	Health product recommended by a professional	MED	869
MEDB_8A	Health product recommended by a psychiatrist	MED	870
MEDB_8B	Health product recommended by a family doctor/GP	MED	870
MEDB_8C	Health product recommended by an other medical doctor	MED	871
MEDB_8D	Health product recommended by a psychologist	MED	871
MEDB_8E	Health product recommended by a chiropractor	MED	872
MEDB_8F	Health product recommended by a nurse	MED	872
MEDB_8G	Health product recommended by a social worker	MED	873
MEDB_8H	Health product recommended by a homeopath/naturopath	MED	873
MEDB_8I	Health product recommended by an herbalist	MED	874
MEDB_8J	Health product recommended by a relaxation therapist	MED	874
MEDB_8K	Health product recommended by a biofeedback teacher	MED	875
MEDB_8L	Health product recommended by other	MED	875
MEDB_A1	Sleep medication under professional supervision	MED	785
MEDB_A2A	Sleep medication prescribed by a psychiatrist	MED	786
MEDB_A2B	Sleep medication prescribed by family doctor / GP	MED	786
MEDB_A2C	Sleep medication prescribed by other medical doctor	MED	787
MEDB_A2D	Sleep medication prescribed by other professional	MED	787

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_A3	Days forgot to take/took less sleep medication	MED	788
MEDB_A4A	Reason no/less med - Forgot	MED	788
MEDB_A4B	Reason no/less med - Felt better	MED	789
MEDB_A4C	Reason no/less med - Medicine was not helping	MED	789
MEDB_A4D	Reason no/less med - Thought problem would get better	MED	790
MEDB_A4E	Reason no/less med - Couldn't afford to pay	MED	790
MEDB_A4F	Reason no/less med - Too embarrassed to take medicine	MED	791
MEDB_A4G	Reason no/less med - Wanted to solve problem without med.	MED	791
MEDB_A4H	Reason no/less med - Side-effects	MED	792
MEDB_A4I	Reason no/less med - Afraid of becoming dependent	MED	792
MEDB_A4J	Reason no/less med - Other reason	MED	793
MEDB_B1	Diet pills under professional supervision	MED	793
MEDB_B2A	Diet pills prescribed by a psychiatrist	MED	794
MEDB_B2B	Diet pills prescribed by family doctor / GP	MED	794
MEDB_B2C	Diet pills prescribed by other medical doctor	MED	795
MEDB_B2D	Diet pills prescribed by other professional	MED	795
MEDB_B3	Days forgot to take/took less diet pills	MED	796
MEDB_B4A	Reason no/less med - Forgot	MED	796
MEDB_B4B	Reason no/less med - Felt better	MED	797
MEDB_B4C	Reason no/less med - Medicine was not helping	MED	797
MEDB_B4D	Reason no/less med - Thought problem would get better	MED	798
MEDB_B4E	Reason no/less med - Couldn't afford to pay	MED	798
MEDB_B4F	Reason no/less med - Too embarrassed to take medicine	MED	798
MEDB_B4G	Reason no/less med - Wanted to solve problem without med.	MED	799
MEDB_B4H	Reason no/less med - Side-effects	MED	799
MEDB_B4I	Reason no/less med - Afraid of becoming dependent	MED	800
MEDB_B4J	Reason no/less med - Other reason	MED	800
MEDB_C1	Med. against anxiety under professional supervision	MED	801
MEDB_C2A	Med. against anxiety prescribed by a psychiatrist	MED	801
MEDB_C2B	Med. against anxiety prescribed by family doctor / GP	MED	802
MEDB_C2C	Med. against anxiety prescribed by other medical doctor	MED	802
MEDB_C2D	Med. against anxiety prescribed by other professional	MED	803
MEDB_C3	Days forgot to take/took less med. against anxiety	MED	803
MEDB_C4A	Reason no/less med - Forgot	MED	804
MEDB_C4B	Reason no/less med - Felt better	MED	804
MEDB_C4C	Reason no/less med - Medicine was not helping	MED	805

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_C4D	Reason no/less med - Thought problem would get better	MED	805
MEDB_C4E	Reason no/less med - Couldn't afford to pay	MED	806
MEDB_C4F	Reason no/less med - Too embarrassed to take medicine	MED	806
MEDB_C4G	Reason no/less med - Wanted to solve problem without med.	MED	807
MEDB_C4H	Reason no/less med - Side-effects	MED	807
MEDB_C4I	Reason no/less med - Afraid of becoming dependent	MED	808
MEDB_C4J	Reason no/less med - Other reason	MED	808
MEDB_D1	Mood stabilizers under professional supervision	MED	809
MEDB_D2A	Mood stabilizers prescribed by a psychiatrist	MED	809
MEDB_D2B	Mood stabilizers prescribed by family doctor / GP	MED	810
MEDB_D2C	Mood stabilizers prescribed by other medical doctor	MED	810
MEDB_D2D	Mood stabilizers prescribed by other professional	MED	811
MEDB_D3	Days forgot to take/took less mood stabilizers	MED	811
MEDB_D4A	Reason no/less med - Forgot	MED	812
MEDB_D4B	Reason no/less med - Felt better	MED	812
MEDB_D4C	Reason no/less med - Medicine was not helping	MED	813
MEDB_D4D	Reason no/less med - Thought problem would get better	MED	813
MEDB_D4E	Reason no/less med - Couldn't afford to pay	MED	814
MEDB_D4F	Reason no/less med - Too embarrassed to take medicine	MED	814
MEDB_D4G	Reason no/less med - Wanted to solve problem without med.	MED	815
MEDB_D4H	Reason no/less med - Side-effects	MED	815
MEDB_D4I	Reason no/less med - Afraid of becoming dependent	MED	816
MEDB_D4J	Reason no/less med - Other reason	MED	816
MEDB_E1	Antidepressants under professional supervision	MED	817
MEDB_E2A	Antidepressants prescribed by a psychiatrist	MED	817
MEDB_E2B	Antidepressants prescribed by family doctor / GP	MED	818
MEDB_E2C	Antidepressants prescribed by other medical doctor	MED	818
MEDB_E2D	Antidepressants prescribed by other professional	MED	819
MEDB_E3	Days forgot to take/took less antidepressants	MED	819
MEDB_E4A	Reason no/less med - Forgot	MED	820
MEDB_E4B	Reason no/less med - Felt better	MED	820
MEDB_E4C	Reason no/less med - Medicine was not helping	MED	821
MEDB_E4D	Reason no/less med - Thought problem would get better	MED	821
MEDB_E4E	Reason no/less med - Couldn't afford to pay	MED	822
MEDB_E4F	Reason no/less med - Too embarrassed to take medicine	MED	822
MEDB_E4G	Reason no/less med - Wanted to solve problem without med.	MED	823

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_E4H	Reason no/less med - Side-effects	MED	823
MEDB_E4I	Reason no/less med - Afraid of becoming dependent	MED	824
MEDB_E4J	Reason no/less med - Other reason	MED	824
MEDB_F1	Antipsychotic drugs under professional supervision	MED	825
MEDB_F2A	Antipsychotic drugs prescribed by a psychiatrist	MED	825
MEDB_F2B	Antipsychotic drugs prescribed by family doctor / GP	MED	826
MEDB_F2C	Antipsychotic drugs prescribed by other medical doctor	MED	826
MEDB_F2D	Antipsychotic drugs prescribed by other professional	MED	827
MEDB_F3	Days forgot to take/took less antipsychotic drugs	MED	827
MEDB_F4A	Reason no/less med - Forgot	MED	828
MEDB_F4B	Reason no/less med - Felt better	MED	828
MEDB_F4C	Reason no/less med - Medicine was not helping	MED	829
MEDB_F4D	Reason no/less med - Thought problem would get better	MED	829
MEDB_F4E	Reason no/less med - Couldn't afford to pay	MED	830
MEDB_F4F	Reason no/less med - Too embarrassed to take medicine	MED	830
MEDB_F4G	Reason no/less med - Wanted to solve problem without med.	MED	831
MEDB_F4H	Reason no/less med - Side-effects	MED	831
MEDB_F4I	Reason no/less med - Afraid of becoming dependent	MED	832
MEDB_F4J	Reason no/less med - Other reason	MED	832
MEDB_G1	Stimulants under professional supervision	MED	833
MEDB_G2A	Stimulants prescribed by a psychiatrist	MED	833
MEDB_G2B	Stimulants prescribed by family doctor / GP	MED	834
MEDB_G2C	Stimulants prescribed by other medical doctor	MED	834
MEDB_G2D	Stimulants prescribed by other professional	MED	835
MEDB_G3	Days forgot to take/took less stimulants	MED	835
MEDB_G4A	Reason no/less med - Forgot	MED	836
MEDB_G4B	Reason no/less med - Felt better	MED	836
MEDB_G4C	Reason no/less med - Medicine was not helping	MED	837
MEDB_G4D	Reason no/less med - Thought problem would get better	MED	837
MEDB_G4E	Reason no/less med - Couldn't afford to pay	MED	838
MEDB_G4F	Reason no/less med - Too embarrassed to take medicine	MED	838
MEDB_G4G	Reason no/less med - Wanted to solve problem without med.	MED	838
MEDB_G4H	Reason no/less med - Side-effects	MED	839
MEDB_G4I	Reason no/less med - Afraid of becoming dependent	MED	839
MEDB_G4J	Reason no/less med - Other reason	MED	840
MEDBG03A	Drug code - drug 1 - (G)	MED	841

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDBG03B	Drug code - drug 2 - (G)	MED	843
MEDBG03C	Drug code - drug 3 - (G)	MED	845
MEDBG03D	Drug code - drug 4 - (G)	MED	847
MEDBG03E	Drug code - drug 5 - (G)	MED	849
MEDBG03F	Drug code - drug 6 - (G)	MED	851
MEDBG03G	Drug code - drug 7 - (G)	MED	853
MEDBG03H	Drug code - drug 8 - (G)	MED	855
MEDBG03I	Drug code - drug 9 - (G)	MED	857
MEDBG03J	Drug code - drug 10 - (G)	MED	858
MEDBG03K	Drug code - drug 11 - (G)	MED	860
MEDBG03L	Drug code - drug 12 - (G)	MED	861
MHPBFINT	Flag: Reported interference	DSM	455
MHPBFL	Selected disorders dependence - life	DSM	452
MHPBFLA	Selected anxiety disorders - life	DSM	453
MHPBFLM	Selected mood disorders - life	DSM	453
MHPBFY	Selected disorders/substance dependence - 12 mo	DSM	453
MHPBFYA	Selected anxiety disorder - 12 mo	DSM	454
MHPBFYM	Selected mood disorders - 12 mo	DSM	454
MHPBFYSA	Selected substance dependence - 12 mo	DSM	454
MHPBGAON	Age of onset - Selected disorders - (D,G)	DSM	456
MIAB_01	Cognitive/behavior changes during excited periods	MIA	208
MIAB_03	Excited episode with largest number of changes	MIA	209
MIAB_04	Symptom - irritable/grouchy during excited episode	MIA	214
MIAB_05	Cognitive/behavioural changes during irritable period	MIA	214
MIAB_06	Irritable episode with largest number of changes	MIA	215
MIAB_07A	Symptom - became restless or fidgety	MIA	220
MIAB_07B	Symptom - became overly friendly / outgoing with people	MIA	220
MIAB_07C	Symptom - behaved in a way that is inappropriate	MIA	221
MIAB_07D	Symptom - was more interested in sex than usual	MIA	221
MIAB_07E	Symptom - tried to do things that were impossible to do	MIA	222
MIAB_07F	Symptom - talked a lot more than usual	MIA	222
MIAB_07G	Symptom - constantly kept changing plans / activities	MIA	223
MIAB_07H	Symptom - was easily distracted	MIA	223
MIAB_07I	Symptom - had thoughts jumping from one thing to another	MIA	224
MIAB_07J	Symptom - slept far less than usual and was not tired	MIA	224
MIAB_07K	Symptom - was involved in foolish investments for making \$	MIA	225

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIAB_07L	Symptom - spent much more money than usual	MIA	225
MIAB_07M	Symptom - did risky things for pleasure	MIA	226
MIAB_07N	Symptom - had a greatly exaggerated self-confidence	MIA	226
MIAB_07O	Symptom - believed was someone else	MIA	227
MIAB_09	Manic episode interfered with work/social life/relationships	MIA	229
MIAB_09A	Frequency - feelings = unable carry out daily activities	MIA	229
MIAB_09B	People worry about the way respondent was acting	MIA	230
MIAB_10A	Manic episode due to physical causes	MIA	230
MIAB_10B	Physical causes always cause manic episodes	MIA	231
MIAB_18	Remembered exactly age of very first manic episode	MIA	231
MIAB_181	Life period when very first manic episode occurred	MIA	233
MIAB_18C	Episode triggered by stressful/unexpected event	MIA	234
MIAB_19	Had manic episode - 12 mo	MIA	236
MIAB_191	Had a single manic episode - 12 mo	MIA	236
MIAB_19A	Reference period of manic episode - 12 mo	MIA	237
MIAB_202	One week or > episode due to stressful/unexpected experience	MIA	243
MIAB_212	Less than one week episode due to stressful/unexpected exp.	MIA	246
MIAB_24	Single life episode brought by stress./unexpected experience	MIA	249
MIAB_271	Level of interference - ability to attend school - 12 mo	MIA	251
MIAB_272	Level of interference - ability to work at a job - 12 mo	MIA	252
MIAB_27A	Level of interference - home responsibilities - 12 mo	MIA	250
MIAB_27C	Level of interference - close relationships - 12 mo	MIA	253
MIAB_27D	Level of interference - social life - 12 mo	MIA	254
MIAB_29	Nbr of days/365 totally unable because of mania - 12 mo	MIA	255
MIAB_33	Consulted MD/other prof. about manic episode	MIA	255
MIAB_45	Received helpful/effective treatment for manic episode	MIA	257
MIAB_47	Received professional treatment for manic episode - 12 mo	MIA	260
MIAB_48	Hospitalized overnight for manic episode - life	MIA	261
MIABD277	Criterion D, Part 1A - Interference - (D)	MIA	266
MIABDA	Criterion A, Part 1 and 2 - (D)	MIA	263
MIABDA1	Criterion A, Part 1 - (D)	MIA	262
MIABDA2	Criterion A, Part 2 - (D)	MIA	263
MIABDB	Criterion B (Combined symptoms 1 to 7) - (D)	MIA	266
MIABDB1	Criterion B - Symptom 1 - (D)	MIA	263
MIABDB2	Criterion B - Symptom 2 - (D)	MIA	264
MIABDB3	Criterion B - Symptom 3 - (D)	MIA	264

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIABDB4	Criterion B - Symptom 4 - (D)	MIA	264
MIABDB5	Criterion B - Symptom 5 - (D)	MIA	265
MIABDB6	Criterion B - Symptom 6 - (D)	MIA	265
MIABDB7	Criterion B - Symptom 7 - (D)	MIA	265
MIABDBI	Criterion B - irritable focus (D)	MIA	266
MIABDD	Criterion D - (D)	MIA	268
MIABDD1	Criterion D, Part 1 - (D)	MIA	267
MIABDD2	Criterion D, Part 2 - (D)	MIA	267
MIABDD3	Criterion D, Part 3 - (D)	MIA	267
MIABDEPS	Manic Episode Algorithm - Life - (D)	MIA	268
MIABDEY	Manic Episode Algorithm - 12 Month - (D)	MIA	273
MIABDINT	Mania Interference - Mean - (D)	MIA	273
MIABDYA	Criterion A - 12 month - (D)	MIA	272
MIABDYB	Criterion B - 12 month - (D)	MIA	272
MIABDYC	Criterion C - Interference - (D)	MIA	272
MIABFINT	Flag: Mania Interference	MIA	274
MIABG03A	Age when excited episode with largest nbr of changes - (G)	MIA	210
MIABG03C	Age - when most recent excited episode occurred	MIA	212
MIABG06A	Age when irritable epi. with largest number of changes - (G)	MIA	216
MIABG06C	Age - when most recent irritable episode occurred - (G)	MIA	218
MIABG08	Number of episodes felt excited / irritable - life - (G)	MIA	228
MIABG18A	Age - exactly very first manic episode - (G)	MIA	232
MIABG18B	Age - approximately first time manic episode - (G)	MIA	233
MIABG18D	Length of very first manic episode - (G)	MIA	235
MIABG19B	Number of manic episodes - 12 mo - (G)	MIA	238
MIABG19C	Number of weeks had manic episode - 12 mo - (G)	MIA	239
MIABG19D	Age - last time had manic episode - (G)	MIA	240
MIABG20	Number of episodes lasting full week or longer - life - (G)	MIA	241
MIABG201	Nbr of epis. lasting week + brought by stressful exp. - (G)	MIA	242
MIABG21	Nbr of epis. lasting < week brought by stressful exp. - (G)	MIA	244
MIABG211	Nbr of episodes/less than a week/stressful experiences - (G)	MIA	245
MIABG22	Length of the longest manic episode - life - (G)	MIA	247
MIABG23	Number of different years in life/had manic episode - (G)	MIA	248
MIABG33A	Age - first time consulted prof. about manic episode - (G)	MIA	256
MIABG3B	Duration of excited episode - (G)	MIA	211
MIABG3D	Length of most recent excited episode - (G)	MIA	213

CCHS Cycle 1.2: Alphabetic Index

Page 24

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIABG45A	Age - first time got helpful treatment for manic epis. - (G)	MIA	258
MIABG45B	Number of prof. consulted before helpful treatment - (G)	MIA	259
MIABG45C	Total nbr of prof. consulted about manic episode-life - (G)	MIA	260
MIABG481	Number of close relatives ever had manic episode - (G)	MIA	262
MIABG48A	Age - first time hospitalized overnight for manic epis - (G)	MIA	261
MIABG6B	Length irritable epis. with largest number of changes - (G)	MIA	217
MIABG6D	Length of most recent irritable episode - (G)	MIA	219
MIABGON	Age of manic episode - onset - (D,G)	MIA	269
MIABGPER	Longest period associated with mania - (G, D)	MIA	271
MIABGREC	Age at most recent manic episode - (D,G)	MIA	270
PACB_1A	Activity / last 3 months - walking for exercise	PAC	43
PACB_1B	Activity / last 3 months - gardening / yard work	PAC	43
PACB_1C	Activity / last 3 months - swimming	PAC	44
PACB_1D	Activity / last 3 months - bicycling	PAC	44
PACB_1E	Activity / last 3 months - popular or social dance	PAC	45
PACB_1F	Activity / last 3 months - home exercises	PAC	45
PACB_1G	Activity / last 3 months - ice hockey	PAC	46
PACB_1H	Activity / last 3 months - ice skating	PAC	46
PACB_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	47
PACB_1J	Activity / last 3 months - jogging or running	PAC	47
PACB_1K	Activity / last 3 months - golfing	PAC	48
PACB_1L	Activity / last 3 months - exercise class or aerobics	PAC	48
PACB_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	49
PACB_1N	Activity / last 3 months - bowling	PAC	49
PACB_1O	Activity / last 3 months - baseball or softball	PAC	50
PACB_1P	Activity / last 3 months - tennis	PAC	50
PACB_1Q	Activity / last 3 months - weight-training	PAC	51
PACB_1R	Activity / last 3 months - fishing	PAC	51
PACB_1S	Activity / last 3 months - volleyball	PAC	52
PACB_1T	Activity / last 3 months - basketball	PAC	52
PACB_1U	Activity / last 3 months - other (#1)	PAC	53
PACB_1V	Activity / last 3 months - no activity	PAC	53
PACB_1W	Activity / last 3 months - other (#2)	PAC	54
PACB_1X	Activity / last 3 months - other (#3)	PAC	54
PACB_2A	Number of times participated - walking for exercise	PAC	55
PACB_2B	Number of times participated - gardening	PAC	56

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
PACB_2C	Number of times participated - swimming	PAC	57
PACB_2D	Number of times participated - bicycling	PAC	58
PACB_2E	Number of times participated - popular / social dance	PAC	59
PACB_2F	Number of times participated - home exercises	PAC	60
PACB_2G	Number of times participated - ice hockey	PAC	61
PACB_2H	Number of times participated - ice skating	PAC	62
PACB_2I	Number of times participated - in-line skating	PAC	63
PACB_2J	Number of times participated - jogging / running	PAC	64
PACB_2K	Number of times participated - golfing	PAC	65
PACB_2L	Number of times participated - exercise class / aerobics	PAC	66
PACB_2M	Number of times participated - downhill ski / snowboarding	PAC	67
PACB_2N	Number of times participated - bowling	PAC	68
PACB_2O	Number of times participated - baseball / softball	PAC	69
PACB_2P	Number of times participated - tennis	PAC	70
PACB_2Q	Number of times participated - weight-training	PAC	71
PACB_2R	Number of times participated - fishing	PAC	72
PACB_2S	Number of times participated - volleyball	PAC	73
PACB_2T	Number of times participated - basketball	PAC	74
PACB_2U	Number of times participated - other activity (#1)	PAC	75
PACB_2W	Number of times participated - other activity (#2)	PAC	76
PACB_2X	Number of times participated - other activity (#3)	PAC	77
PACB_3A	Time spent - walking for exercise	PAC	55
PACB_3B	Time spent - gardening	PAC	56
PACB_3C	Time spent - swimming	PAC	57
PACB_3D	Time spent - bicycling	PAC	58
PACB_3E	Time spent - popular / social dance	PAC	59
PACB_3F	Time spent - home exercises	PAC	60
PACB_3G	Time spent - ice hockey	PAC	61
PACB_3H	Time spent - ice skating	PAC	62
PACB_3I	Time spent - in-line skating	PAC	63
PACB_3J	Time spent - jogging / running	PAC	64
PACB_3K	Time spent - golfing	PAC	65
PACB_3L	Time spent - exercise class / aerobics	PAC	66
PACB_3M	Time spent - downhill skiing or snowboarding	PAC	67
PACB_3N	Time spent - bowling	PAC	68
PACB_3O	Time spent - baseball / softball	PAC	69

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
PACB_3P	Time spent - tennis	PAC	70
PACB_3Q	Time spent - weight-training	PAC	71
PACB_3R	Time spent - fishing	PAC	72
PACB_3S	Time spent - volleyball	PAC	73
PACB_3T	Time spent - basketball	PAC	74
PACB_3U	Time spent - other activity (#1)	PAC	75
PACB_3W	Time spent - other activity (#2)	PAC	76
PACB_3X	Time spent - other activity (#3)	PAC	77
PACB_4A	Number of hours walking - to work or to school	PAC	78
PACB_4B	Number of hours biking - to work or to school	PAC	78
PACB_6	Level of physical activity for usual day	PAC	79
PACBDEE	Energy expenditure - (D)	PAC	79
PACBDFM	Monthly frequency - physical activity lasting >15 min. - (D)	PAC	80
PACBDFR	Frequency of all physical activity - (D)	PAC	81
PACBDPAI	Physical activity index - (D)	PAC	82
PACBFD	Participant in daily physical activity - > 15 min.	PAC	81
PACBFLEI	Participant in leisure physical activity	PAC	80
PADB_01A	Symptom - had heart pounding / racing	PAD	274
PADB_01B	Symptom - was short of breath	PAD	275
PADB_01C	Symptom - was nauseous / sick to stomach	PAD	275
PADB_01D	Symptom - felt dizzy / faint	PAD	276
PADB_01E	Symptom - was sweating	PAD	276
PADB_01F	Symptom - was trembling / shaking	PAD	277
PADB_01G	Symptom - had a dry mouth	PAD	277
PADB_01H	Symptom - felt like was choking	PAD	278
PADB_01I	Symptom - had chest pain / discomfort	PAD	278
PADB_01J	Symptom - was afraid might lose control / go crazy	PAD	279
PADB_01K	Symptom - felt like was not really there	PAD	279
PADB_01L	Symptom - felt things were not real	PAD	280
PADB_01M	Symptom - was afraid might pass out	PAD	280
PADB_01N	Symptom - was afraid might die	PAD	281
PADB_01O	Symptom - had hot flushes / chills	PAD	281
PADB_01P	Symptom - felt numbness / tingling sensations	PAD	282
PADB_03	Problems began suddenly and peaked <= 10 mins	PAD	282
PADB_06	Past 12 Months occurrence of single panic attack	PAD	283
PADB_07	Remembered exactly age when single attack occurred	PAD	284

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADB_071	Life period when single attack occurred	PAD	287
PADB_08	Type of situations under which attack occurred	PAD	287
PADB_09	Remembered exactly age very first panic attack	PAD	288
PADB_091	Life period when very first attack occurred	PAD	291
PADB_10	Had panic attack - 12 mo	PAD	291
PADB_10A	Reference period of panic attack - 12 mo	PAD	292
PADB_10B	Number of weeks had at least one attack - 12 mo	PAD	292
PADB_13A	1 Month or longer - worried might have another attack	PAD	296
PADB_13B	1 Month or longer - worried something terrible might happen	PAD	297
PADB_13C	1 Month or longer - changed everyday activities	PAD	297
PADB_13D	1 Month or longer - avoided situation for fear of attack	PAD	298
PADB_16	Had 1 month of worry / change in activity - 12 mo	PAD	300
PADB_16A	Reference period of 1 month disturbance - 12 mo	PAD	300
PADB_16B	Number of months of worry/change in activity - 12 mo	PAD	301
PADB_16C	Frequency - worried about having another attack - 12 mo	PAD	301
PADB_16D	Severity of worry of having another attack - 12 mo	PAD	302
PADB_17	Had unexpected attack - life	PAD	304
PADB_21A	Life period when first unexpected attack occurred	PAD	308
PADB_22	Unexpected attack interfere with work/social/relationships	PAD	308
PADB_24	Unexpected attack occurred while sleeping - life	PAD	309
PADB_25A	Panic attack due to physical causes	PAD	310
PADB_25B	Physical causes always caused panic attacks	PAD	310
PADB_37B	Number of weeks had at least one attack - 12 mo	PAD	312
PADB_38	Reference period of most recent attack - 12 mo	PAD	313
PADB_40	Amount of emotional distress during attack - 12 mo	PAD	313
PADB_41	Upset by physical sensation reminding of attack - 12 mo	PAD	314
PADB_41A	Degree of discomfort due to physical sensations - 12 mo	PAD	314
PADB_42	Frequency - avoided situations causing sensations - 12 mo	PAD	315
PADB_43	Avoidance interfered with work/social/relationships	PAD	315
PADB_441	Level of int. - ability to attend school - 12 mo	PAD	317
PADB_442	Level of int. - ability to work at a job - 12 mo	PAD	318
PADB_44A	Level of interference - home respons. - 12 mo	PAD	316
PADB_44C	Level of int. - close relationships - 12 mo	PAD	319
PADB_44D	Level of interference - social life - 12 mo	PAD	320
PADB_46	Nbr of days/365 totally unable due to attacks	PAD	321
PADB_50	Consulted MD/other prof. about attacks	PAD	321

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADB_62	Received helpful/effective treatment for attacks	PAD	323
PADB_64	Received prof. treatment for attacks - 12 mo	PAD	326
PADB_65	Hospitalized overnight for attacks - life	PAD	327
PADBDA	Panic Attack - Criterion A - (D)	PAD	329
PADBDA1	Panic Attack Algorithm - Life - (D)	PAD	335
PADBDA2	Panic Attack Algorithm - 12 month - (D)	PAD	341
PADBDB	Panic Attack - Criterion B - (D)	PAD	334
PADBDB01	Criterion B - Symptom 1 - (D)	PAD	330
PADBDB02	Criterion B - Symptom 2 - (D)	PAD	330
PADBDB03	Criterion B - Symptom 3 - (D)	PAD	330
PADBDB04	Criterion B - Symptom 4 - (D)	PAD	331
PADBDB05	Criterion B - Symptom 5 - (D)	PAD	331
PADBDB06	Criterion B - Symptom 6 - (D)	PAD	331
PADBDB07	Criterion B - Symptom 7 - (D)	PAD	332
PADBDB08	Criterion B - Symptom 8 - (D)	PAD	332
PADBDB09	Criterion B - Symptom 9 - (D)	PAD	332
PADBDB10	Criterion B - Symptom 10 - (D)	PAD	333
PADBDB11	Criterion B - Symptom 11 - (D)	PAD	333
PADBDB12	Criterion B - Symptom 12 - (D)	PAD	333
PADBDB13	Criterion B - Symptom 13 - (D)	PAD	334
PADBDB14	Criterion B - Symptom 14 - (D)	PAD	334
PADBDC	Panic Attack - Criterion C - (D)	PAD	335
PADBDDA	Panic Disorder - Criterion A Part 1 and 2(D)	PAD	337
PADBDDA1	Panic Disorder - Criterion A Part 1 - (D)	PAD	335
PADBDDA2	Panic Disorder - Criterion A Part 2 - (D)	PAD	337
PADBDDAA	Panic Disorder - Criterion A Part 2 - Symptom 1(D)	PAD	336
PADBDDAB	Panic Disorder - Criterion A Part 2 - Symptom 2(D)	PAD	336
PADBDDAC	Panic Disorder - Criterion A Part 2 - Symptom 3(D)	PAD	336
PADBDDY	Panic Disorder Algorithm - 12 Month - (D)	PAD	343
PADBDDINT	Panic Disorder Interference - Mean - (D)	PAD	343
PADBDDPDS	Panic Disorder Algorithm - Life - (D)	PAD	337
PADBDDYA	Panic Disorder - Criterion A - 12 month - (D)	PAD	342
PADBDDYB	Panic Disorder - Criterion B - 12 month - (D)	PAD	342
PADBDDYC	Panic Disorder - Criterion C - 12 month - (D)	PAD	342
PADBDFINT	Flag: Panic Disorder Interference	PAD	344
PADBG04	Number of sudden attacks - life - (G)	PAD	283

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADBG07A	Age - exactly when single attack occurred - (G)	PAD	285
PADBG07B	Age - approximately when single attack occurred - (G)	PAD	286
PADBG09A	Age - exactly when very first panic attack occurred - (G)	PAD	289
PADBG09B	Age - approximately when very first attack occurred - (G)	PAD	290
PADBG10C	Total number of attacks - 12 mo - (G)	PAD	293
PADBG10D	Age - last time had panic attack - (G)	PAD	294
PADBG11	Greatest number of attacks in any single year - life - (G)	PAD	295
PADBG12	Nber of different years had at least one attack - life - (G)	PAD	296
PADBG15	Age - first time had 1 month being worried / avoided - (G)	PAD	299
PADBG16E	Age - approx. last time 1 mth worry of having attack - (G)	PAD	303
PADBG17A	Number of unexpected attacks - life - (G)	PAD	304
PADBG18	Number of "not in real danger" attacks - life - (G)	PAD	305
PADBG19	Number of "real danger" attacks - life - (G)	PAD	306
PADBG21	Age - first time had an unexpected attack - (G)	PAD	307
PADBG24A	Number of unexpected attacks occurring while asleep - life	PAD	309
PADBG36	Number of unexpected attacks - 12 mo - (G)	PAD	311
PADBG37A	Age - last time had unexpected attack - (G)	PAD	312
PADBG50A	Age - first time consulted prof. about attacks - (G)	PAD	322
PADBG62A	Age - first time got helpful treatment for attacks - (G)	PAD	324
PADBG62B	Number of prof. consulted before helpful treatment - (G)	PAD	325
PADBG62C	Total nbr of prof. consulted about attacks - life - (G)	PAD	326
PADBG651	Number of relatives with attacks - (G)	PAD	329
PADBG65A	Age - first time hospitalized overnight for attacks - (G)	PAD	328
PADBGON	Age of panic disorder onset - (D,G)	PAD	339
PADBGONA	Age of first panic attack - (D,G)	PAD	338
PADBGPER	Nbr of years of persistence of panic disorder - (D,G)	PAD	341
PADBGREC	Age when most recent panic attack - (D,G)	PAD	340
PWBB_01	Frequency - felt self-confident - past month	PWB	82
PWBB_02	Frequency - satisfied with accomplishments - past month	PWB	83
PWBB_03	Frequency - took on lots of projects - past month	PWB	83
PWBB_04	Frequency - felt emotionally balanced - past month	PWB	84
PWBB_05	Frequency - felt loved and appreciated - past month	PWB	84
PWBB_06	Frequency - had goals and ambitions - past month	PWB	85
PWBB_07	Frequency - felt like having fun - past month	PWB	85
PWBB_08	Frequency - felt useful - past month	PWB	86
PWBB_09	Frequency - smiled easily - past month	PWB	86

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
PWBB_10	Frequency - was true to self - past month	PWB	87
PWBB_11	Frequency - did good job listening to friends - past month	PWB	87
PWBB_12	Frequency - was curious and interested - past month	PWB	88
PWBB_13	Frequency - was able to clearly sort things out - past month	PWB	88
PWBB_14	Frequency - found life exciting - past month	PWB	89
PWBB_15	Frequency - life was well-balanced - past month	PWB	89
PWBB_16	Frequency - was calm and level-headed - past month	PWB	90
PWBB_17	Frequency - easily found answers - past month	PWB	90
PWBB_18	Frequency - got along well with others - past month	PWB	91
PWBB_19	Frequency - lived at normal pace - past month	PWB	91
PWBB_20	Frequency - impression of enjoying life - past month	PWB	92
PWBB_21	Frequency - had good sense of humour - past month	PWB	92
PWBB_22	Frequency - was at peace with self - past month	PWB	93
PWBB_23	Frequency - felt healthy/in good shape - past month	PWB	93
PWBB_24	Frequency - face situations positively - past month	PWB	94
PWBB_25	Frequency - had good morale - past month	PWB	94
PWBBDPWB	Psychological well-being scale - past month - (D)	PWB	95
RACB_1	Has difficulty with activities	RAC	582
RACB_2A	Reduction in kind or amount activities - at home	RAC	583
RACB_2B1	Reduction in kind or amount activities - at school	RAC	583
RACB_2B2	Reduction in kind or amount activities - at work	RAC	584
RACB_2C	Reduction in kind or amount activities - other activities	RAC	584
RACB_5A1	Embarrassment due to condition/health problem - life	RAC	585
RACB_5A2	Embarrassment due to condition/health problem - 12 mo	RAC	586
RACB_5B1	Discrimination due to condition/health problem - life	RAC	586
RACB_5B2	Discrimination due to condition/health problem - 12 mo	RAC	587
RACB_6A	Needs help - preparing meals	RAC	587
RACB_6B1	Needs help - getting to appointments / running errands	RAC	588
RACB_6C	Needs help - doing housework	RAC	588
RACB_6D	Needs help - heavy household chores	RAC	589
RACB_6E	Needs help - personal care	RAC	589
RACB_6F	Needs help - moving about inside the house	RAC	590
RACB_6G	Needs help - looking after personal finances	RAC	590
RACB_7A	Difficulty - making new friends	RAC	591
RACB_7B	Difficulty - dealing with unknown people	RAC	591
RACB_7C	Difficulty - starting / maintaining a conversation	RAC	592

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
RACB_8A	Cause of difficulties - physical health	RAC	592
RACB_8B	Cause of difficulties - emotional or mental health	RAC	593
RACB_8C	Cause of difficulties - use of alcohol or drugs	RAC	593
RACB_8D	Cause of difficulties - other reason	RAC	594
RACBDIMP	Impact of health problems - (D)	RAC	594
RACBDPAL	Participation and Activity Limitation - (D)	RAC	595
RACBF6R	Flag: Help needed for series of tasks	RAC	595
RACBF7	Flag: Difficulty with social situations	RAC	596
RACBG5	Cause of health problem - (G)	RAC	585
SCRB_01	Satisfaction with life in general	SCR	11
SCRB_081	Self-perceived physical health	SCR	11
SCRB_082	Self-perceived mental health	SCR	12
SCRB_20	Screeener: had fear or panic attack - life	SCR	12
SCRB_20A	Screeener: had attack when suddenly very uncomfortable - life	SCR	13
SCRB_21	Screeener: felt sad/empty/depressed for several days - life	SCR	13
SCRB_22	Screeener: was very discouraged several days or longer - life	SCR	14
SCRB_23	Screeener: lost interest in things for several days - life	SCR	14
SCRB_24	Screeener: had mania-like period lasting several days - life	SCR	15
SCRB_25	Screeener: very irritable/grumpy/ for several days - life	SCR	15
SCRB_25A	Screeener: so irritable started arguments/shouted/... - life	SCR	16
SCRB_26	Screeener: worried about things more than most people - life	SCR	16
SCRB_26A	Screeener: more nervous/anxious than most people - life	SCR	17
SCRB_26B	Screeener: 6 months when anxious/worried most days - life	SCR	17
SCRB_29	Screeener: felt very afraid or really shy with people - life	SCR	18
SCRB_291	Screeener: very upset/nervous in social situation - life	SCR	19
SCRB_292	Screeener: stayed away from social situations - life	SCR	19
SCRB_293	Screeener: social fear stronger than should have been - life	SCR	20
SCRB_29A	Screeener: very afraid/uncomfortable before group - life	SCR	18
SCRB_30	Screeener: very uncomfortable/afraid in crowds/etc. - life	SCR	20
SCRB_301	Screeener: became very upset/nervous in crowds/etc. - life	SCR	21
SCRB_302	Screeener: stayed away from situations whenever could - life	SCR	21
SCRB_303	Screeener: fear stronger than should have been - life	SCR	22
SCRBDMEN	Self-rated mental health - (D)	SCR	23
SCRBDPHY	Self-rated physical health - (D)	SCR	23
SCRBDSAT	Life satisfaction - (D)	SCR	22
SCRBFAGP	Flag: Respondent screened in agoraphobia module	SCR	25

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SCRBFDEP	Flag: Respondent screened in depression module	SCR	24
SCRBFGAD	Flag: Respondent screened in GAD module	SCR	25
SCRBFMIA	Flag: Respondent screened in the mania module	SCR	24
SCRBFPAD	Flag: Respondent screened in the panic module	SCR	24
SCRBFSOP	Flag: Respondent screened in social phobia module	SCR	25
SDCB_8	Currently attending a school, college or university	SDC	891
SDCB_9	Full-time student or part-time student	SDC	892
SDCBFIMM	Immigrant status	SDC	893
SDCBGCBG	Country of birth - (G)	SDC	892
SDCBGLNG	Languages in which respondent can converse - (D,G)	SDC	894
SDCBGRES	Length of time in Canada since immigration - (D,G)	SDC	893
SERB_02	Hospitalized for mental health/alcohol/drug - life	SER	612
SERB_05A	Reference period for single lifetime hospitalization	SER	613
SERB_08	Hospitalized for mental health/alcohol/drug - 12 mo	SER	616
SERB_10A	Ever saw / talked to prof. - psychiatrist	SER	618
SERB_10B	Ever saw / talked to prof. - family doctor or GP	SER	619
SERB_10C	Ever saw / talked to prof. - other medical doctor	SER	619
SERB_10D	Ever saw / talked to prof. - psychologist	SER	620
SERB_10E	Ever saw / talked to prof. - nurse	SER	620
SERB_10F	Ever saw / talked to prof. - social worker/counsellor/etc	SER	621
SERB_10G	Ever saw / talked to prof. - religious / spiritual advisor	SER	621
SERB_10H	Ever saw / talked to prof. - other professional	SER	622
SERB_10I	Ever saw / talked to prof. - none	SER	622
SERB_12	Had session of counselling / therapy of 15 minutes or longer	SER	623
SERB_21	Last time consulted psychiatrist	SER	626
SERB_24A	Contact psychiatrist - hospitalized as an overnight patient	SER	628
SERB_24B	Contact psychiatrist - health professional's office	SER	629
SERB_24C	Contact psychiatrist - hospital emergency room	SER	629
SERB_24L	Contact psychiatrist - at home	SER	631
SERB_24M	Contact psychiatrist - telephone consultation only	SER	631
SERB_24N	Contact psychiatrist - church or other religious place	SER	632
SERB_25	Psychiatrist - satisfaction with treatments/services	SER	633
SERB_26	Psychiatrist - perceived level of help received from prof.	SER	633
SERB_27	Psychiatrist - stopped seeing this professional	SER	634
SERB_28A	Reason stopped - felt better	SER	634
SERB_28B	Reason stopped - completed the recommended treatment	SER	635

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_28C	Reason stopped - thought it was not helping	SER	635
SERB_28D	Reason stopped - problem would get better without help	SER	636
SERB_28E	Reason stopped - couldn't afford to pay	SER	636
SERB_28F	Reason stopped - too embarrassed to see professional	SER	637
SERB_28G	Reason stopped - wanted to solve the problem without help	SER	637
SERB_28H	Reason stopped - problems like transportation, childcare	SER	638
SERB_28I	Reason stopped - service / program no longer available	SER	638
SERB_28J	Reason stopped - not comfortable with prof. approach	SER	639
SERB_28K	Reason stopped - other reason	SER	639
SERB_29	Psychiatrist - recommended other professional	SER	640
SERB_31	Last time consulted family doctor	SER	642
SERB_34A	Contact family doctor - hospitalized as overnight patient	SER	644
SERB_34B	Contact family doctor - health professional's office	SER	645
SERB_34C	Contact family doctor - hospital emergency room	SER	645
SERB_34L	Contact family doctor - at home	SER	647
SERB_34M	Contact family doctor - telephone consultation only	SER	647
SERB_34N	Contact family doctor - church or other religious place	SER	648
SERB_35	Family doctor - satisfaction with treatments/services	SER	649
SERB_36	Family doctor - perceived level of help received from prof.	SER	649
SERB_37	Family doctor - stopped seeing prof.	SER	650
SERB_38A	Reason stopped - felt better	SER	650
SERB_38B	Reason stopped - completed the recommended treatment	SER	651
SERB_38C	Reason stopped - thought it was not helping	SER	651
SERB_38D	Reason stopped - problem would get better without help	SER	652
SERB_38E	Reason stopped - couldn't afford to pay	SER	652
SERB_38F	Reason stopped - too embarrassed to see professional	SER	653
SERB_38G	Reason stopped - wanted to solve the problem without help	SER	653
SERB_38H	Reason stopped - problems like transportation, childcare	SER	654
SERB_38I	Reason stopped - service / program no longer available	SER	654
SERB_38J	Reason stopped - not comfortable with prof. approach	SER	655
SERB_38K	Reason stopped - other reason	SER	655
SERB_39	Family doctor - recommended another professional	SER	656
SERB_40A	Other doctor - cardiologist	SER	656
SERB_40B	Other doctor - gynaecologist	SER	657
SERB_40C	Other doctor - urologist	SER	657
SERB_40D	Other doctor - allergist	SER	658

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_40E	Other doctor - other	SER	658
SERB_41	Other doctor consulted most often - 12 mo	SER	659
SERB_44A	Contact other doctor - hospitalized as overnight patient	SER	661
SERB_44B	Contact other doctor - health professional's office	SER	662
SERB_44C	Contact other doctor - hospital emergency room	SER	662
SERB_44L	Contact other doctor - at home	SER	664
SERB_44M	Contact other doctor - telephone consultation only	SER	664
SERB_44N	Contact other doctor - church or other religious place	SER	665
SERB_45	Other doctor - satisfaction with treatments/services	SER	666
SERB_46	Other doctor - perceived level of help received from prof.	SER	666
SERB_47	Other doctor - stopped seeing prof.	SER	667
SERB_48A	Reason stopped - felt better	SER	667
SERB_48B	Reason stopped - completed the recommended treatment	SER	668
SERB_48C	Reason stopped - thought it was not helping	SER	668
SERB_48D	Reason stopped - problem would get better without help	SER	669
SERB_48E	Reason stopped - couldn't afford to pay	SER	669
SERB_48F	Reason stopped - too embarrassed to see professional	SER	670
SERB_48G	Reason stopped - wanted to solve the problem without help	SER	670
SERB_48H	Reason stopped - problems like transportation, childcare	SER	671
SERB_48I	Reason stopped - service / program no longer available	SER	671
SERB_48J	Reason stopped - not comfortable with prof. approach	SER	672
SERB_48K	Reason stopped - other reason	SER	672
SERB_49	Other doctor - recommended other professional	SER	673
SERB_51	Last time consulted psychologist	SER	675
SERB_54A	Contact psychologist - hospitalized as an overnight patient	SER	677
SERB_54B	Contact psychologist - health professional's office	SER	678
SERB_54C	Contact psychologist - hospital emergency room	SER	678
SERB_54L	Contact psychologist - at home	SER	680
SERB_54M	Contact psychologist - telephone consultation only	SER	680
SERB_54N	Contact psychologist - church or other religious place	SER	681
SERB_55	Psychologist - satisfaction with treatments/services - 12 mo	SER	682
SERB_56	Psychologist - perceived level of help received from prof.	SER	682
SERB_57	Psychologist - stopped seeing this professional	SER	683
SERB_58A	Reason stopped - felt better	SER	683
SERB_58B	Reason stopped - completed the recommended treatment	SER	684
SERB_58C	Reason stopped - thought it was not helping	SER	684

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_58D	Reason stopped - problem would get better without help	SER	685
SERB_58E	Reason stopped - couldn't afford to pay	SER	685
SERB_58F	Reason stopped - too embarrassed to see professional	SER	686
SERB_58G	Reason stopped - wanted to solve the problem without help	SER	686
SERB_58H	Reason stopped - problems like transportation, childcare	SER	687
SERB_58I	Reason stopped - service / program no longer available	SER	687
SERB_58J	Reason stopped - not comfortable with prof. approach	SER	688
SERB_58K	Reason stopped - other reason	SER	688
SERB_59	Insurance covers all/part of cost with psychologist	SER	689
SERB_59A	Psychologist - recommended other professional	SER	689
SERB_61	Last time consulted nurse	SER	691
SERB_64A	Contact nurse - hospitalized as an overnight patient	SER	693
SERB_64B	Contact nurse - health professional's office	SER	694
SERB_64C	Contact nurse - hospital emergency room	SER	694
SERB_64L	Contact nurse - at home	SER	696
SERB_64M	Contact nurse - telephone consultation only	SER	696
SERB_64N	Contact nurse - church or other religious place	SER	697
SERB_65	Nurse - satisfaction with treatments/services - 12 mo	SER	698
SERB_66	Nurse - perceived level of help received from prof.	SER	698
SERB_67	Nurse - stopped seeing this professional	SER	699
SERB_68A	Reason stopped - felt better	SER	699
SERB_68B	Reason stopped - completed the recommended treatment	SER	700
SERB_68C	Reason stopped - thought it was not helping	SER	700
SERB_68D	Reason stopped - problem would get better without help	SER	701
SERB_68E	Reason stopped - couldn't afford to pay	SER	701
SERB_68F	Reason stopped - too embarrassed to see professional	SER	702
SERB_68G	Reason stopped - wanted to solve the problem without help	SER	702
SERB_68H	Reason stopped - problems like transportation, childcare	SER	703
SERB_68I	Reason stopped - service / program no longer available	SER	703
SERB_68J	Reason stopped - not comfortable with prof. approach	SER	704
SERB_68K	Reason stopped - other reason	SER	704
SERB_69	Insurance covers all/part of cost with nurse	SER	705
SERB_69A	Nurse - recommended other professional	SER	705
SERB_71	Last time consulted social worker	SER	707
SERB_74A	Contact social worker - hospitalized as an overnight patient	SER	709
SERB_74B	Contact social worker - health professional's office	SER	710

CCHS Cycle 1.2: Alphabetic Index

Page 36

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_74C	Contact social worker - hospital emergency room	SER	710
SERB_74L	Contact social worker - at home	SER	712
SERB_74M	Contact social worker - telephone consultation only	SER	712
SERB_74N	Contact social worker - church or other religious place	SER	713
SERB_75	Social worker - satisfaction with treatments/services	SER	714
SERB_76	Social worker - perceived level of help received from prof.	SER	714
SERB_77	Social worker - stopped seeing this professional	SER	715
SERB_78A	Reason stopped - felt better	SER	715
SERB_78B	Reason stopped - completed the recommended treatment	SER	716
SERB_78C	Reason stopped - thought it was not helping	SER	716
SERB_78D	Reason stopped - problem would get better without help	SER	717
SERB_78E	Reason stopped - couldn't afford to pay	SER	717
SERB_78F	Reason stopped - too embarrassed to see professional	SER	718
SERB_78G	Reason stopped - wanted to solve the problem without help	SER	718
SERB_78H	Reason stopped - problems like transportation, childcare	SER	719
SERB_78I	Reason stopped - service / program no longer available	SER	719
SERB_78J	Reason stopped - not comfortable with prof. approach	SER	720
SERB_78K	Reason stopped - other reason	SER	720
SERB_79	Insurance covers all/part of cost with social worker	SER	721
SERB_79A	Social worker - recommended other professional	SER	721
SERB_81	Last time consulted religious advisor	SER	723
SERB_84A	Contact religious advisor - hosp as an overnight patient	SER	725
SERB_84B	Contact religious advisor - health professional's office	SER	726
SERB_84C	Contact religious advisor - hospital emergency room	SER	726
SERB_84L	Contact religious advisor - at home	SER	728
SERB_84M	Contact religious advisor - telephone consultation only	SER	728
SERB_84N	Contact religious advisor - church or other religious place	SER	729
SERB_85	Religious advisor - satisfaction with treatments/services	SER	730
SERB_86	Religious adv - perceived level of help received from prof.	SER	730
SERB_87	Religious advisor - stopped seeing this professional	SER	731
SERB_88A	Reason stopped - felt better	SER	731
SERB_88B	Reason stopped - completed the recommended treatment	SER	732
SERB_88C	Reason stopped - thought it was not helping	SER	732
SERB_88D	Reason stopped - problem would get better without help	SER	733
SERB_88E	Reason stopped - couldn't afford to pay	SER	733
SERB_88F	Reason stopped - too embarrassed to see professional	SER	734

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_88G	Reason stopped - wanted to solve the problem without help	SER	734
SERB_88H	Reason stopped - problems like transportation, childcare	SER	735
SERB_88I	Reason stopped - service / program no longer available	SER	735
SERB_88J	Reason stopped - not comfortable with prof. approach	SER	736
SERB_88K	Reason stopped - other reason	SER	736
SERB_89	Religious advisor - recommend other professional	SER	737
SERB_90A	Other professional - acupuncturist	SER	737
SERB_90B	Other professional - biofeedback teacher	SER	738
SERB_90C	Other professional - chiropractor	SER	738
SERB_90D	Other professional - energy healing specialist	SER	739
SERB_90E	Other professional - exercise or movement therapist	SER	739
SERB_90F	Other professional - herbalist	SER	740
SERB_90G	Other professional - homeopath or naturopath	SER	740
SERB_90H	Other professional - hypnotist	SER	741
SERB_90I	Other professional - guided imagery specialist	SER	741
SERB_90J	Other professional - massage therapist	SER	742
SERB_90K	Other professional - relaxation, yoga or meditation	SER	742
SERB_90L	Other professional - dietician	SER	743
SERB_90M	Other professional - other	SER	743
SERB_91	Other professional consulted most often - 12 mo	SER	744
SERB_94A	Contact other prof. - hospitalized as an overnight patient	SER	746
SERB_94B	Contact other prof. - health professional's office	SER	747
SERB_94C	Contact other prof. - hospital emergency room	SER	747
SERB_94L	Contact other prof. - at home	SER	749
SERB_94M	Contact other prof. - telephone consultation only	SER	749
SERB_94N	Contact other prof. - church or other religious place	SER	750
SERB_95	Other prof. - satisfaction with treatments/services - 12 mo	SER	751
SERB_96	Other prof. - perceived level of help received from prof.	SER	751
SERB_97	Other prof. - stopped seeing this professional	SER	752
SERB_98A	Reason stopped - felt better	SER	752
SERB_98B	Reason stopped - completed the recommended treatment	SER	753
SERB_98C	Reason stopped - thought it was not helping	SER	753
SERB_98D	Reason stopped - problem would get better without help	SER	754
SERB_98E	Reason stopped - couldn't afford to pay	SER	754
SERB_98F	Reason stopped - too embarrassed to see professional	SER	755
SERB_98G	Reason stopped - wanted to solve the problem without help	SER	755

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_98H	Reason stopped - problems like transportation, childcare	SER	756
SERB_98I	Reason stopped - service / program no longer available	SER	756
SERB_98J	Reason stopped - not comfortable with prof. approach	SER	757
SERB_98K	Reason stopped - other reason	SER	757
SERB_98L	Reason stopped - none	SER	758
SERB_99	Insurance covers all/part of cost with other prof.	SER	758
SERB_99A	Other professional - recommended other professional	SER	759
SERB_A0A	Used an internet support group / chat room - life	SER	759
SERB_A0B	Last time used internet support group / chat room	SER	760
SERB_A1A	Self-help group for help with emotions - life	SER	761
SERB_A1C	Last time went to self-help group	SER	763
SERB_A2A	Used telephone helpline for mental health - life	SER	764
SERB_A2C	Last time used telephone helpline	SER	765
SERB_A3	Needed help for emotions but didn't receive it	SER	766
SERB_A4A	Help needed - info on mental illness / treatments	SER	766
SERB_A4B	Help needed - info on availability of services	SER	767
SERB_A4C	Help needed - medication	SER	767
SERB_A4D	Help needed - therapy or counselling	SER	768
SERB_A4E	Help needed - for financial problems	SER	768
SERB_A4F	Help needed - for housing problems	SER	769
SERB_A4G	Help needed - for personal relationships	SER	769
SERB_A4H	Help needed - for employment status / work situation	SER	770
SERB_A4I	Help needed - other	SER	770
SERB_A5A	Reason no help - preferred to manage him/herself	SER	771
SERB_A5B	Reason no help - didn't think anything more could help	SER	771
SERB_A5C	Reason no help - didn't know how or where to get help	SER	772
SERB_A5D	Reason no help - afraid to ask help / what others think	SER	772
SERB_A5E	Reason no help - couldn't afford to pay	SER	773
SERB_A5F	Reason no help - prob like transp, childcare, scheduling	SER	773
SERB_A5G	Reason no help - professional unavailable in area	SER	774
SERB_A5H	Reason no help - professional unavailable at time	SER	774
SERB_A5I	Reason no help - waiting time too long	SER	775
SERB_A5J	Reason no help - didn't get around to it / didn't bother	SER	775
SERB_A5K	Reason no help - language problems	SER	776
SERB_A5L	Reason no help - personal/family responsibilities	SER	776
SERB_A5M	Reason no help - other	SER	777

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERBDRCT	Number of resources used for mental health - life - (D)	SER	780
SERBDYCT	Number of resources used for mental health - 12 mo	SER	780
SERBFACP	Flag: Acceptability barriers - mental health	SER	781
SERBFACS	Flag: Accessibility barriers - mental health	SER	781
SERBFAVA	Flag: Availability barriers - mental health	SER	781
SERBFHYR	Flag: Hospitalization for mental health - 12 mo	SER	779
SERBFLAP	Flag: Professional consultations for mental health - life	SER	779
SERBFLHO	Flag: Hospitalization for mental health - life	SER	778
SERBFLRU	Flag: Resources used for mental health - life	SER	779
SERBFYRU	Number of resources used for mental health - 12 mo	SER	780
SERBG03	Nbr of times hosp. for mental health/alcohol/drug - life	SER	612
SERBG05B	Age - for single hospit. dating more than a year ago - (G)	SER	614
SERBG06	Age - at time of first admission for mental health - (G)	SER	615
SERBG08A	Age - last time hospitalized - (G)	SER	617
SERBG09	Total time spent hospital due to mental hlth - 12 mo - (G)	SER	618
SERBG13	Age - first time had session of counselling / therapy - (G)	SER	624
SERBG20	Age - first time consulted psychiatrist - (G)	SER	625
SERBG22	Age - last time consulted psychiatrist - (G)	SER	627
SERBG23	Number of times consulted psychiatrist - 12 mo - (G)	SER	628
SERBG24F	Contact psychiatrist - outpatient clinic - (G)	SER	630
SERBG24I	Contact psychiatrist - other clinic - (G)	SER	630
SERBG24O	Contact psychiatrist - work, school, other - (G)	SER	632
SERBG30	Age - first time consulted family doctor - (G)	SER	641
SERBG32	Age - last time consulted family doctor - (G)	SER	643
SERBG33	Number of times consulted family doctor - 12 mo - (G)	SER	644
SERBG34F	Contact family doctor - outpatient clinic - (G)	SER	646
SERBG34I	Contact family doctor - other clinic - (G)	SER	646
SERBG34O	Contact family doctor - work, school, other - (G)	SER	648
SERBG42	Age - last time consulted other medical doctor - (G)	SER	660
SERBG43	Number of times consulted other doctor - 12 mo - (G)	SER	661
SERBG44F	Contact other doctor - outpatient clinic - (G)	SER	663
SERBG44I	Contact other med. doctor - other clinic - (G)	SER	663
SERBG44O	Contact other doctor - work, school, other - (G)	SER	665
SERBG50	Age - first time consulted psychologist - (G)	SER	674
SERBG52	Age - last time consulted psychologist - (G)	SER	676
SERBG53	Number of times consulted psychologist - 12 mo - (G)	SER	677

CCHS Cycle 1.2: Alphabetic Index

Page 40

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERBG54F	Contact psychologist - outpatient clinic - (G)	SER	679
SERBG54I	Contact psychologist - other clinic - (G)	SER	679
SERBG54O	Contact psychologist - work, school, other - (G)	SER	681
SERBG60	Age - first time consulted nurse - (G)	SER	690
SERBG62	Age - last time consulted nurse - (G)	SER	692
SERBG63	Number of times consulted nurse - 12 mo - (G)	SER	693
SERBG64F	Contact nurse - outpatient clinic - (G)	SER	695
SERBG64I	Contact nurse - other clinic - (G)	SER	695
SERBG64O	Contact nurse - work, school, other - (G)	SER	697
SERBG70	Age - first time consulted social worker - (G)	SER	706
SERBG72	Age - last time consulted social worker - (G)	SER	708
SERBG73	Number of times consulted social worker - 12 mo - (G)	SER	709
SERBG74F	Contact social worker - outpatient clinic - (G)	SER	711
SERBG74I	Contact social worker - other clinic - (G)	SER	711
SERBG74O	Contact social worker - work, school, other - (G)	SER	713
SERBG80	Age - first time consulted religious advisor - (G)	SER	722
SERBG82	Age - last time consulted religious advisor - (G)	SER	724
SERBG83	Number of times consulted religious advisor - 12 mo - (G)	SER	725
SERBG84F	Contact religious advisor - outpatient clinic - (G)	SER	727
SERBG84I	Contact religious advisor - other clinic - (G)	SER	727
SERBG84O	Contact religious advisor - work, school, other - (G)	SER	729
SERBG92	Age - last time consulted other professional - (G)	SER	745
SERBG93	Number of times consulted other professional - 12 mo - (G)	SER	746
SERBG94F	Contact other prof. - outpatient clinic - (G)	SER	748
SERBG94I	Contact other prof. - other clinic - (G)	SER	748
SERBG94O	Contact other prof. - work, school, other - (G)	SER	750
SERBGA0C	Nbr times internet support group / chat room - 12 mo - (G)	SER	760
SERBGA1B	Age - first time went to self-help group - (G)	SER	762
SERBGA1D	Nbr times went to meeting of self-help group - 12 mo - (G)	SER	763
SERBGA2B	Age - first time used telephone helpline - (G)	SER	764
SERBGA2D	Number of times used telephone helpline - 12 mo - (G)	SER	765
SERBGA7	Amount spent on mental hlth services/products - 12 mo - (G)	SER	777
SERBGHDY	Length of time hospitalized for ment.hlth. - life - (D,G)	SER	778
SOPB_01A	Uneasy - meeting new people	SOP	344
SOPB_01B	Uneasy - talking to people in authority	SOP	345
SOPB_01C	Uneasy - speaking up in a meeting / class	SOP	345

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SOPB_01D	Uneasy - going to parties / other social gatherings	SOP	346
SOPB_01E	Uneasy - performing / giving a talk	SOP	346
SOPB_01F	Uneasy - taking exam / interviewing for job	SOP	347
SOPB_01G	Uneasy - working while someone watches you	SOP	347
SOPB_01H	Uneasy - entering room when others already present	SOP	348
SOPB_01I	Uneasy - talking with people who don't know well	SOP	348
SOPB_01J	Uneasy - expressing disagreement to people don't know well	SOP	349
SOPB_01K	Uneasy - writing, eating, drinking while someone watches	SOP	349
SOPB_01L	Uneasy - using public bathroom	SOP	350
SOPB_01M	Uneasy - going on a date	SOP	350
SOPB_01N	Uneasy - other social situation where centre of attention	SOP	351
SOPB_031	Remembered exactly age of very first social fear	SOP	351
SOPB_032	Remembered exactly age of very first social fear	SOP	352
SOPB_08A	Symptom - was blushing or shaking	SOP	357
SOPB_08B	Symptom - feared losing bowel / bladder control	SOP	358
SOPB_08C	Symptom - feared might vomit	SOP	358
SOPB_09A	Symptom - had heart pounding / racing	SOP	359
SOPB_09B	Symptom - was sweating	SOP	359
SOPB_09C	Symptom - was trembling	SOP	360
SOPB_09D	Symptom - felt sick to stomach	SOP	360
SOPB_09E	Symptom - had dry mouth	SOP	361
SOPB_09F	Symptom - had hot flushes or chills	SOP	361
SOPB_09G	Symptom - felt numbness / tingling sensations	SOP	362
SOPB_09H	Symptom - had trouble breathing normally	SOP	362
SOPB_09I	Symptom - felt like was choking	SOP	363
SOPB_09J	Symptom - had pain / discomfort in chest	SOP	363
SOPB_09K	Symptom - felt dizzy / faint	SOP	364
SOPB_09L	Symptom - was afraid might die	SOP	364
SOPB_09M	Symptom - feared might lose control, go crazy or pass out	SOP	365
SOPB_09N	Symptom - felt like "not really there"	SOP	365
SOPB_09O	Symptom - felt things were not real	SOP	366
SOPB_10	Symptom - was afraid might have a panic attack	SOP	366
SOPB_10A	Symptom - had a panic attack in this situation	SOP	367
SOPB_11	Symptom - was afraid might be trapped / unable to escape	SOP	367
SOPB_12	Symptom - was afraid might do something embarrassing	SOP	368
SOPB_12A	Symptom - was afraid might embarrass other people	SOP	368

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SOPB_13	Symptom - was afraid people might think negatively	SOP	369
SOPB_14	Symptom - was afraid to be focus of attention	SOP	369
SOPB_14A	Reason associated with social fear	SOP	370
SOPB_15	Fear related to embarrassment about physical/mental problem	SOP	370
SOPB_16	Social fear interfered with work/social/relationships	SOP	371
SOPB_17	Felt upset / worried / disappointed because of social fear	SOP	371
SOPB_18	Last time feared / avoided social situation	SOP	372
SOPB_19	Severity of fear if had to face situation today	SOP	374
SOPB_211	Level of interference - ability to attend school - 12 mo	SOP	376
SOPB_212	Level of interference - ability to work at a job - 12 mo	SOP	377
SOPB_21A	Level of interference - home responsibilities - 12 mo	SOP	375
SOPB_21C	Level of interference - close relationships - 12 mo	SOP	378
SOPB_21D	Level of interference - social life - 12 mo	SOP	379
SOPB_23	Nbr of days/365 totally unable because of fear - 12 mo	SOP	380
SOPB_25	Consulted MD / other prof. about social fear	SOP	380
SOPB_36	Received helpful / effective treatment for social fear	SOP	382
SOPB_38	Received prof. treatment for social fear - 12 mo	SOP	385
SOPB_39	Hospitalized overnight for social fear - life	SOP	386
SOPB_3B1	Life period when first time had social fear	SOP	355
SOPB_6A1	Life period when started avoiding social situation	SOP	357
SOPBD09	Criterion D, Part 2B - (D)	SOP	389
SOPBD215	Criterion E, Part 1A - (D)	SOP	390
SOPBDA	Criterion A, Part 1 and 2 - (D)	SOP	388
SOPBDA1	Criterion A, Part 1 - (D)	SOP	387
SOPBDA2	Criterion A, Part 2 - (D)	SOP	388
SOPBDB	Criterion B - (D)	SOP	388
SOPBDC	Criterion C - (D)	SOP	389
SOPBDD	Criterion D, Part 1 and 2 - (D)	SOP	390
SOPBDD1	Criterion D, Part 1 - (D)	SOP	389
SOPBDD2	Criterion D, Part 2 - (D)	SOP	390
SOPBDE	Criterion E, Part 1 and 2 - (D)	SOP	391
SOPBDF	Criterion F, Part 1 and 2 - (D)	SOP	392
SOPBDF1	Criterion F, Part 1 - (D)	SOP	391
SOPBDF2	Criterion F, Part 2 - (D)	SOP	391
SOPBDINT	Social Phobia Interference - Mean - (D)	SOP	396
SOPBDPY	Social Phobia Algorithm - 12 month - (D)	SOP	396

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SOPBDSP	Social Phobia Algorithm - Life - (D)	SOP	392
SOPBDYA	Criterion A - 12 month - (D)	SOP	395
SOPBDYB	Criterion B - 12 month - (D)	SOP	395
SOPBDYC	Criterion C - Interference - (D)	SOP	395
SOPBFINT	Flag: Social Phobia Interference	SOP	397
SOPBG03A	Age - exactly first time had social fear - (G)	SOP	353
SOPBG03B	Age - approximately first time had social fear - (G)	SOP	354
SOPBG06A	Age - when first started avoiding social situation - (G)	SOP	356
SOPBG18A	Age - last time feared / avoided social situation - (G)	SOP	373
SOPBG25A	Age - first time consulted prof. about social fear - (G)	SOP	381
SOPBG36A	Age - first time got helpful treatment for social fear - (G)	SOP	383
SOPBG36B	Number of prof. consulted before helpful treatment - (G)	SOP	384
SOPBG36C	Total nbr of prof. consulted about social fear - life - (G)	SOP	385
SOPBG391	Number of relatives with strong social fear - (G)	SOP	387
SOPBG39A	Age - 1st time hospitalized overnight for social fear - (G)	SOP	386
SOPBGON	Age at social phobia onset - (D,G)	SOP	393
SOPBGREC	Age at most recent social phobia episode - (D,G)	SOP	394
SPVB_1	Spiritual values - playing important role in life	SPV	900
SPVB_2	Spiritual values - helping to find meaning to life	SPV	900
SPVB_3	Spiritual values - strength for everyday difficulties	SPV	901
SPVB_4	Spiritual values - understanding difficulties of life	SPV	901
SPVB_6	Frequency - Attends religious services or meetings	SPV	902
SSMB_01	Number of close friends and relatives	SSM	876
SSMB_02	Has someone to give help if confined to bed	SSM	876
SSMB_03	Has someone to listen	SSM	877
SSMB_04	Has someone to give advice about a crisis	SSM	877
SSMB_05	Has someone to take to doctor	SSM	878
SSMB_06	Has someone who shows love and affection	SSM	878
SSMB_07	Has someone to have a good time with	SSM	879
SSMB_08	Has someone who gives information to understand a situation	SSM	879
SSMB_09	Has someone to confide in	SSM	880
SSMB_10	Has someone who gives hugs	SSM	880
SSMB_11	Has someone to get together with for relaxation	SSM	881
SSMB_12	Has someone to prepare meals	SSM	881
SSMB_13	Has someone to give advice	SSM	882
SSMB_14	Has someone to do things to get mind off things	SSM	882

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
SSMB_15	Has someone to help with daily chores if sick	SSM	883
SSMB_16	Has someone to share most private worries and fears with	SSM	883
SSMB_17	Has someone to turn to for suggestions for personal problems	SSM	884
SSMB_18	Has someone to do something enjoyable with	SSM	884
SSMB_19	Has someone who understands problems	SSM	885
SSMB_20	Has someone who loves and makes feel wanted	SSM	885
SSMB_21A	Received tangible social support - 12 mo	SSM	886
SSMB_21B	Frequency of tangible social support - 12 mo	SSM	886
SSMB_22A	Received affective support - 12 mo	SSM	887
SSMB_22B	Frequency of affective support - 12 mo	SSM	887
SSMB_23A	Received positive social interactive support - 12 mo	SSM	888
SSMB_23B	Frequency of positive social interactive support - 12 mo	SSM	888
SSMB_24A	Received emotional/informational support - 12 mo	SSM	889
SSMB_24B	Frequency of emtional/informational support - 12 mo	SSM	889
SSMBDAFF	Affection - MOS subscale - (D)	SSM	890
SSMBDEMO	Emotional or informational support - MOS subscale - (D)	SSM	891
SSMBDSOC	Positive social interaction - MOS subscale - (D)	SSM	890
SSMBDTNG	Tangible social support - MOS subscale - (D)	SSM	890
STRB_1	Self-perceived ability to handle unexpected problem	STR	104
STRB_2	Self-perceived ability to handle day-to-day demands	STR	104
STRB_3	Most important source of feelings of stress	STR	105
STRB_61	Frequency - coping - problem solving	STR	106
STRB_610	Frequency - coping - blaming oneself	STR	112
STRB_611	Frequency - coping - wishing situation would go away	STR	112
STRB_62	Frequency - coping - talking to others	STR	106
STRB_63	Frequency - coping - avoiding being with people	STR	107
STRB_64	Frequency - coping - sleeping more than usual	STR	107
STRB_65A	Frequency - coping - eating more or less than usual	STR	108
STRB_65B	Frequency - coping - smoking more cigarettes than usual	STR	108
STRB_65C	Frequency - coping - drinking alcohol	STR	109
STRB_65D	Frequency - coping - using drugs or medication	STR	109
STRB_66	Frequency - coping - jogging or other exercise	STR	110
STRB_67	Frequency - coping - praying or seeking spiritual help	STR	110
STRB_68	Frequency - coping - doing something enjoyable	STR	111
STRB_69	Frequency - coping - looking on the bright side of things	STR	111
TWDB_1	Stayed in bed - because of illness or injury	TWD	596

Public Use Microdata File

SEPTEMBER 2004

Variable Name	Description	Section	Page
TWDB_2	Stayed in bed - number of days	TWD	597
TWDB_2A	Single day when stayed in bed is due to mental health	TWD	598
TWDB_2B	Number of days when stayed in bed is due to mental health	TWD	598
TWDB_3	Reduced activities - because of illness or injury	TWD	599
TWDB_4	Reduced activities - number of days	TWD	600
TWDB_4A	Single day when reduced activities is due to mental health	TWD	601
TWDB_4B	Nber of days when reduced activities is due to mental health	TWD	602
TWDB_5A	Took extra effort - because of illness or injury	TWD	603
TWDB_6	Number of days requiring extra effort	TWD	604
TWDB_6A	Single day when extra effort is due to mental health	TWD	605
TWDB_6B	Number of days when extra effort is due to mental health	TWD	606
TWDBDDDY	Total number of disability days in past 14 days - (D)	TWD	607
TWDBDMH	Total number of disability days due to mental health - (D)	TWD	611
TWDBDMQ2	Number of days spent in bed due to mental health - (D)	TWD	608
TWDBDMQ4	Nber of days reduced activities due to mental health - (D)	TWD	609
TWDBDMQ6	Nber of days requiring extra effort due mental health - (D)	TWD	610
WSTB_401	Work stress - must learn new things	WST	907
WSTB_402	Work stress - high level of skill	WST	907
WSTB_403	Work stress - freedom to decide	WST	908
WSTB_404	Work stress - repetitive tasks	WST	908
WSTB_405	Work stress - job hectic	WST	909
WSTB_406	Work stress - free from conflicting demands	WST	909
WSTB_407	Work stress - good job security	WST	910
WSTB_408	Work stress - required a lot of physical effort	WST	910
WSTB_409	Work stress - had own job input	WST	911
WSTB_410	Work stress - hostility or conflict with others	WST	911
WSTB_411	Work stress - supervisor helpful	WST	912
WSTB_412	Work stress - co-workers helpful	WST	912
WSTB_413	Work stress - job satisfaction	WST	913
WSTBDAUT	Work stress - decision latitude / authority - (D)	WST	915
WSTBDJIN	Work stress - job insecurity - (D)	WST	916
WSTBDPHY	Work stress - physical exertion - (D)	WST	917
WSTBDPSY	Work stress - psychological demands - (D)	WST	916
WSTBDSKI	Work stress - decision latitude / discretion - (D)	WST	914
WSTBDSOC	Work stress - social support - (D)	WST	918
WTSB_M	Sampling weight - master weight	WTS	922