CCHS Cycle 1.2: Topical Index Public Use Microdata File

	Variable Name	Description	Page
ADM:	Administration		
	ADMB_RNO	Sequential Record Number	1
AGP :	Agoraphobia		
	AGPB_01A	Feared - being home alone	397
	AGPB_01B	Feared - being in crowds	398
	AGPB_01C	Feared - travelling away from home	398
	AGPB_01D	Feared - travelling / being alone away from home	399
	AGPB_01E	Feared - using public transportation	399
	AGPB_01F	Feared - driving a car	400
	AGPB_01G	Feared - standing in a line in a public place	400
	AGPB_01H	Feared - being in a store	401
	AGPB_01I	Feared - being in a movie theatre, auditorium, church	401
	AGPB_01J	Feared - being in a restaurant / other public place	402
	AGPB_01K	Feared - being in a wide, open field or street	402
	AGPB_02	Agora fear ever caused by social/performance fear	403
	AGPB_02A	Agora fear always caused by social/performance fear	403
	AGPB_031	Remembered exactly age very first time had agora fear	404
	AGPB_04A	Fear type - being alone or separated from loved ones	407
	AGPB_04B	Fear type - some real danger like being robbed or assaulted	408
	AGPB_04C	Fear type - might get sick to stomach / have diarrhea	408
	AGPB_04D	Fear type - might have a panic attack	409
	AGPB_04E	Fear type - might have heart attack / other emergency	409
	AGPB_04F	Fear type - might become physically ill /without help	410
	AGPB_04G	Fear type - might be difficult, embarrassing to escape	410
	AGPB_04H	Fear type - some other terrible thing might happen	411
	AGPB_061	Life period when first time avoided agora situations	413
	AGPB_08	Particular incident caused very first agora fear	413
	AGPB_08A	Had panic attack as a result of particular incident	414
	AGPB_09A	Symptom - had heart pounding / racing	414
	AGPB_09B	Symptom - was sweating	415
	AGPB_09C	Symptom - was trembling or shaking	415
	AGPB_09D	Symptom - had a dry mouth	416
	AGPB_11A	Symptom - had trouble breathing normally	416
	AGPB_11B	Symptom - felt like was choking	417
	AGPB_11C	Symptom - had chest pain or discomfort	417

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
AGPB_11D	Symptom - was nauseous or sick to stomach	418
AGPB_11E	Symptom - was dizzy or faint	418
AGPB_11F	Symptom - feared might lose control, go crazy or pass out	419
AGPB_11G	Symptom - was afraid you might die	419
AGPB_11H	Symptom - had hot flushes or chills	420
AGPB_11I	Symptom - had numbness or tingling sensations	420
AGPB_11J	Symptom - felt like was not really there	421
AGPB_11K	Symptom - felt like things around were not real	421
AGPB_13	Unable to leave home for entire day because of fear	422
AGPB_14	Unable to leave home unless accompanied	424
AGPB_15	Fear / avoidance interefered with work/social/relationships	424
AGPB_16	Emotionally upset/worried because of fear / avoidance	425
AGPB_17	Strongly feared or avoided agora situations - 12 mo	425
AGPB_17A	Reference period of most recent agora fear/avoidance - 12 mo	426
AGPB_18	Intensity of hypothetical fear	428
AGPB_19	Frequency - avoided feared agora situations - 12 mo	428
AGPB_201	Level of interference - ability to attend school - 12 mo	430
AGPB_202	Level of interference - ability to work at a job - 12 mo	431
AGPB_20A	Level of interference - home responsibilities - 12 mo	429
AGPB_20C	Level of interference - close relationships - 12 mo	432
AGPB_20D	Level of interference - social life -12 mo	433
AGPB_22	Nbr of days/365 totally unable because of fear - 12 mo	434
AGPB_24	Consulted MD / other prof. about agora fear	434
AGPB_35	Received helpful / effective treatment for agora fear	436
AGPB_37	Received prof. treatment for agora fear - 12 mo	439
AGPB_38	Hospitalized overnight for agora fear - life	440
AGPB_3B1	Life period when very first time had agora fear	407
AGPBDA	Criterion A, Part 1 and 2 - (D)	441
AGPBDAP	Agoraphobia Algorithm - Life - (D)	443
AGPBDAPP	Agoraphobia w/o panic Algorithm - Life - (D)	444
AGPBDB	Criterion B - (D)	443
AGPBDB1	Criterion B, Part 1 - (D)	442
AGPBDB2	Criterion B, Part 2 - (D)	442
AGPBDB3	Criterion B, Part 3 - (D)	442
AGPBDINT	Agoraphobia Interference - Mean - (D)	451
AGPBDPA	Criterion A, Part 1 and 2 - (D)	444

CCHS Cycle 1.2: Topical Index Public Use Microdata File

	Variable Name	Description	Page
	AGPBDPA2	Criterion A, Part 2 - (D)	443
	AGPBDPB	Criterion B - (D)	444
	AGPBDPY	Agoraphobia Algorithm - 12 month - (D)	450
	AGPBDPYP	Agoraphobia w/o Panic Algorithm - 12 month - (D)	451
	AGPBFINT	Flag: Agoraphobia Interference	452
	AGPBG03A	Age - exactly first time had agora fear - (G)	405
	AGPBG03B	Age - approximately first time had agora - (G)	406
	AGPBG06	Age - very 1st time started avoiding agora situations - (G)	412
	AGPBG17B	Age - last time strongly feared / avoided situations - (G)	427
	AGPBG24A	Age - first time consulted prof. about agora fear - (G)	435
	AGPBG35A	Age - first time got helpful treatment for agora fear - (G)	437
	AGPBG35B	Number of prof. consulted before helpful treatment	438
	AGPBG35C	Total nbr of prof. consulted about agora fear - life - (G)	439
	AGPBG381	Number of relatives with strong agoraphobic fear - (G)	441
	AGPBG38A	Age - first time hospitalized overnight for agora fear - (G)	440
	AGPBGON	Age of agoraphobia onset - (D,G)	445
	AGPBGONP	Age of agoraphobia onset (no panic) - (D,G)	448
	AGPBGPER	Longest episode associated with agoraphobia - (D,G)	447
	AGPBGPRP	Nbr of years persistence of agora. (without panic) - (D,G)	450
	AGPBGRCP	Age at most recent agoraphobic epis (without panic) - (D,G)	449
	AGPBGREC	Age when most recent agoraphobic episode - (D,G)	446
ALC :	Alcohol Use		
	ALCB_1	Drank alcohol in past 12 months	457
	ALCB_10	Regularly drank more than 12 drinks a week - life	464
	ALCB_2	Frequency - drinking alcohol - 12 mo	457
	ALCB_3	Frequency - having 5 or more drinks - 12 mo	458
	ALCB_4	Regularly drank more than 12 drinks/week - 12 mo	458
	ALCB_5	Drank alcohol in past week	459
	ALCB_5A1	Number of drinks - Sunday	459
	ALCB_5A2	Number of drinks - Monday	460
	ALCB_5A3	Number of drinks - Tuesday	460
	ALCB_5A4	Number of drinks - Wednesday	461
	ALCB_5A5	Number of drinks - Thursday	461
	ALCB_5A6	Number of drinks - Friday	462
	ALCB_5A7	Number of drinks - Saturday	462
	ALCB_5B	Ever had a drink - life	463

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
ALCB_7A	Reason reduced drinking - dieting	464
ALCB_7B	Reason reduced drinking - athletic training	465
ALCB_7C	Reason reduced drinking - pregnancy	465
ALCB_7D	Reason reduced drinking - getting older	466
ALCB_7E	Reason reduced drinking - drinking too much	466
ALCB_7F	Reason reduced drinking - affected work / studies	467
ALCB_7G	Reason reduced drinking - interfered with family life	467
ALCB_7H	Reason reduced drinking - affected physical health	468
ALCB_7I	Reason reduced drinking - affected social relationships	468
ALCB_7J	Reason reduced drinking - affected financial position	469
ALCB_7K	Reason reduced drinking - affected happiness	469
ALCB_7L	Reason reduced drinking - influence of family / friends	470
ALCB_7M	Reason reduced drinking - other	470
ALCB_8	Age started drinking alcoholic beverages	471
ALCB_9	One year period where monthly 5 or + drinks/occasion - life	463
ALCBDTYP	Type of drinker - (D)	471
ALCBDWKY	Number of drinks - past week - (D)	472
ALCBGDLY	Average daily alcohol consumption - (D,G)	472
ALD: Alcohol Dependence	e	
ALDB_01	Drunk - at work / school / taking care of child - 12 mo	473
ALDB_01A	Drunk - at work / school / taking care of child - life	473
ALDB_01L	Drunk - at work / school / taking care of child - life	491
ALDB_02	Number of times - drunk at work/school/child care - 12 mo	474
ALDB_02L	Number of times - drunk at work/school/child care - life	491
ALDB_03	Being drunk increased chances of getting hurt - 12 mo	474
ALDB_03A	Being drunk increased chances of getting hurt - life	475
ALDB_03L	Being drunk increased chances of getting hurt - life	492
ALDB_04	Emotional or psychological problems due to alcohol - 12 mo	475
ALDB_04A	Emotional or psychological problems due to alcohol - life	476
ALDB_04L	Emotional or psychological problems due to alcohol - life	492
ALDB_05	Strong desire or urge to drink - 12 mo	476
ALDB_05A	Strong desire or urge to drink - life	477
ALDB_05L	Strong desire or urge to drink - life	493
ALDB_06	Spent month or more getting drunk - 12 mo	477
ALDB_06A	Spent month or more getting drunk - life	478
ALDB_06L	Spent month or more getting drunk - life	493

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
ALDB_07	Drank much more than intended - 12 mo	478
ALDB_07A	Drank much more than intended - life	479
ALDB_07L	Drank much more than intended - life	494
ALDB_08	Number of times - drank much more than intended - 12 mo	479
ALDB_08L	Number of times - drank much more than intended - life	494
ALDB_09	Had to drink more for the same effect - 12 mo	480
ALDB_09A	Had to drink more for the same effect - life	480
ALDB_09L	Had to drink more for the same effect - life	495
ALDB_10	Had symptom during period of cut down/no alcohol - 12 mo	481
ALDB_10A	Had symptom during period of cut down/alcohol - life	481
ALDB_10L	Had symptom during period of cut down/no alcohol - life	495
ALDB_11	Drank alcohol - even though promised wouldn't - 12 mo	482
ALDB_11A	Drank alcohol - even though promised wouldn't - life	482
ALDB_11L	Drank alcohol - even though promised wouldn't - life	496
ALDB_12	Drank alcohol - little time for anything else - 12 mo	483
ALDB_12A	Drank alcohol - little time for anything else - life	483
ALDB_12L	Drank alcohol - little time for anything else - life	496
ALDB_13	Reduced important activities - because of alcohol - 12 mo	484
ALDB_13A	Reduced important activities - because of alcohol - life	484
ALDB_13L	Reduced important activities - because of alcohol - life	497
ALDB_14	Continued drinking alcohol despite health problems - 12 mo	485
ALDB_14A	Continued drinking alcohol despite health problems - life	485
ALDB_14L	Continued drinking alcohol despite health problems - life	497
ALDB_15A	Level of interference - home responsibilities - 12 mo	486
ALDB_15C	Level of interference - close relationships - 12 mo	489
ALDB_15D	Level of interference - social life -12 mo	490
ALDB_5B1	Level of interference - ability to attend school - 12 mo	487
ALDB_5B2	Level of interference - ability to work at a job - 12 mo	488
ALDBDINT	Alcohol interference - mean - 12 months - (D)	499
ALDBDPP	Alcohol dependence - Predicted Probability - 12 mo - (D)	498
ALDBDSF	Alcohol dependence - Short Form Score - 12 mo - (D)	498
ALDBFINT	Flag: Alcohol interference - 12 mo	499
CCC: Chronic Conditions		
CCCB_011	Has food allergies	26
CCCB_021	Has allergies other than food allergies	26
CCCB_031	Has asthma	27

CCHS Cycle 1.2: Topical Index Public Use Microdata File

	Variable Name	Description	Page
	CCCB_041	Has fibromyalgia	27
	CCCB_051	Has arthritis or rheumatism	28
	CCCB_061	Has back problems excluding fibromyalgia and arthritis	28
	CCCB_071	Has high blood pressure	29
	CCCB_081	Has migraine headaches	29
	CCCB_101	Has diabetes	31
	CCCB_111	Has epilepsy	31
	CCCB_121	Has heart disease	32
	CCCB_131	Has cancer	32
	CCCB_141	Has stomach or intestinal ulcers	33
	CCCB_151	Suffers from the effects of a stroke	33
	CCCB_171	Has a bowel disorder / Crohn's Disease or colitis	34
	CCCB_191	Has cataracts	34
	CCCB_201	Has glaucoma	35
	CCCB_211	Has a thyroid condition	35
	CCCB_251	Has chronic fatigue syndrome	36
	CCCB_261	Suffers from multiple chemical sensitivities	36
	CCCB_291	Has obsessive-compulsive disorder	37
	CCCB_311	Suffers from post-traumatic stress disorder	37
	CCCB_331	Has a learning disability	38
	CCCB_91A	Has chronic bronchitis	30
	CCCB_91B	Has emphysema or chronic obstructive pulmonary disease	30
	CCCBF1	Has a chronic condition	39
	CCCBG281	Has other psychosis - (G)	37
	CCCBG901	Other long-term physical or mental health condition - (G)	38
CPG:	Problem Gambling		
	CPGB_01A	Frequency - spending money on instant win tickets	536
	CPGB_01B	Frequency - spending money on lottery tickets	537
	CPGB_01C	Frequency - spending money on bingo	538
	CPGB_01D	Frequency - spending money on cards/boards games	539
	CPGB_01E	Frequency - spending money on VLTs/outside casinos	540
	CPGB_01F	Frequency - spending money on VLTs/at casinos	541
	CPGB_01G	Frequency - spending money on other games/at casinos	542
	CPGB_01H	Frequency - spending money on internet/arcade gambling	543
	CPGB_01I	Frequency - spending money on live horse racing	544
	CPGB 01J	Frequency - spending money on sports lotteries	545

CCHS Cycle 1.2: Topical Index Public Use Microdata File

	Variable Name	Description	Page
	CPGB_01K	Frequency - spending money on speculative investments	546
	CPGB_01L	Frequency - spending money on games of skill	547
	CPGB_01M	Frequency - spending money on other forms of gambling	548
	CPGB_01N	Amount of money spent on gambling activities	549
	CPGB_02	Frequency - spent more than wanted on gambling	549
	CPGB_03	Frequency - gambled more money for same feeling	550
	CPGB_04	Frequency - returned to try to win back money lost	550
	CPGB_05	Frequency - borrowed money/sold to get \$ for gambling	551
	CPGB_06	Frequency - felt might have a problem with gambling	551
	CPGB_07	Frequency - gambling caused any health problems	552
	CPGB_08	Frequency - people criticized respondent's betting	552
	CPGB_09	Frequency - gambling caused financial problems	553
	CPGB_10	Frequency - felt guilty about gambling	553
	CPGB_11	Frequency - lied to hide gambling	554
	CPGB_12	Frequency - wanted to stop betting but thought could not	554
	CPGB_13	Frequency - bet more than could afford to lose	555
	CPGB_14	Frequency - tried to quit/cut down; but unable	555
	CPGB_15	Frequency - gambled to forget problems/feel better	556
	CPGB_16	Frequency - gambling caused problem with family/friends	556
	CPGB_17	Other family member with gambling problems	557
	CPGB_18	Used alcohol or drugs while gambling	557
	CPGBDACT	Number of different types of gambling activities - (D)	559
	CPGBDSEV	Problem gambling severity index - (D)	558
	CPGBDTYP	Type of gambler - (D)	559
	CPGBFGAM	Flag: Gambling Activity - Gambler vs. Non-gambler	558
DEP :	Depression		
	DEPB_01	Period when discouraged about how things were going - life	113
	DEPB_01A	Period when lost interest in most things - life	113
	DEPB_01B	Period when lost interest in most things - life	114
	DEPB_02	Period when lost interest in most things - life	114
	DEPB_09	2-week period when lost interest in most things - life	115
	DEPB_12	2-week period when lost interest in most things - life	115
	DEPB_16	Daily duration - being sad/discouraged/uninterested - life	116
	DEPB_17	Intensity of emotional distress during periods - life	116
	DEPB_18	Frequency - distress so severe, nothing cheer up - life	117
	DEPB_19	Frequency - distress severe/could not carry daily - life	117

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
DEPB_21	Had depressive-like symptoms during episodes - life	118
DEPB_22	Experienced one particular worst episode - life	118
DEPB_24A	Symptom - felt sad, empty or depressed	123
DEPB_24B	Symptom - felt so sad that nothing could cheer up	123
DEPB_24C	Symptom - felt discouraged about how things were going	124
DEPB_24D	Symptom - felt hopeless about future	124
DEPB_24E	Symptom - lost interest in almost all things	125
DEPB_24F	Symptom - felt like nothing was fun	125
DEPB_261	Symptom - weight gain due to physical growth/pregnancy	127
DEPB_263	Symptom - weight loss result of diet/physical illness	128
DEPB_265	Symptom - could not cope with everyday responsabilities	139
DEPB_266	Symptom - wanted to be alone rather than with friends	139
DEPB_267	Symptom - felt less talkative than usual	140
DEPB_268	Symptom - was often in tears	140
DEPB_26A	Symptom - had much smaller appetite than usual	126
DEPB_26B	Symptom - had much larger appetite than usual	126
DEPB_26C	Symptom - gained weight without trying to	127
DEPB_26E	Symptom - lost weight without trying to	128
DEPB_26G	Symptom - had more trouble falling/staying asleep	129
DEPB_26H	Symptom - slept more than usual	129
DEPB_26I	Symptom - slept less than usual/still not tired	130
DEPB_26J	Symptom - felt tired/low in energy	130
DEPB_26K	Symptom - had more energy than usual	131
DEPB_26L	Symptom - talked/moved more slowly than normal	131
DEPB_26M	Symptom - others noticed respondent talked/moved slowly	132
DEPB_26N	Symptom - restless/jittery/couldn't sit still	132
DEPB_26O	Symptom - others noticed respondent was restless	133
DEPB_26P	Symptom - thoughts came more slowly than usual	133
DEPB_26Q	Symptom - thoughts jumped/raced through head	134
DEPB_26R	Symptom - had more trouble concentrating	134
DEPB_26S	Symptom - unable to make up mind	135
DEPB_26T	Symptom - lost self-confidence	135
DEPB_26U	Symptom - felt was not as good as other people	136
DEPB_26V	Symptom - felt totally worthless	136
DEPB_26W	Symptom - felt guilty nearly every day	137
DEPB_26X	Symptom - felt irritable/grouchy or in a bad mood	137

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
DEPB_26Y	Symptom - felt nervous/anxious most days	138
DEPB_26Z	Symptom - had attacks of intense fear or panic	138
DEPB_28	Depressive feelings interfere with work/social/relationships	143
DEPB_281	Depressive feelings interfere with work/social/relationships	144
DEPB_28A	Frequency - feelings = unable carry out daily activities	145
DEPB_29A	Depressive episodes due to physical causes	145
DEPB_29B	Physical causes always cause depressive episodes	146
DEPB_30	Episodes ever occur just after someone close died	146
DEPB_30A	Episodes always occurred after someone close died	147
DEPB_37	Remembered exactly age of very first depressive episode	149
DEPB_371	Life period when very first depressive episode occurred	152
DEPB_372	Episode triggered by stressful/unexpected event	152
DEPB_38	Had 2-week or longer depressive episode - 12 mo	154
DEPB_38B	Number of days out of 365 in depressive episode	161
DEPB_58	Ever had period lasting full year when episode most days	166
DEPB_64A	Frequency - felt cheerful - 12 mo	170
DEPB_64B	Frequency - felt slowed down - 12 mo	170
DEPB_64C	Frequency - enjoyed good book,radio,TV - 12 mo	171
DEPB_65A	Frequency - enjoyed things had enjoyed - 12 mo	171
DEPB_65B	Frequency - laughed / saw bright side of things - 12 mo	172
DEPB_65C	Frequency - took interest in physical appearance - 12 mo	172
DEPB_65D	Frequency - looked forward to enjoying things - 12 mo	173
DEPB_661	Level of interference - ability to attend school - 12 mo	175
DEPB_662	Level of interference - ability to work at a job - 12 mo	176
DEPB_66A	Level of interference - home responsibilities - 12 mo	174
DEPB_66C	Level of interference - close relationships - 12 mo	177
DEPB_66D	Level of interference - social life - 12 mo	178
DEPB_68	Nbr of days/365 totally unable because of feelings	179
DEPB_6A	Symptom - thought a lot about own death/death in general	141
DEPB_6B	Symptom - thought it would be better if dead	141
DEPB_72	Consulted MD/other prof. about feelings	179
DEPB_73	Received helpful/effective treatment for feelings	182
DEPB_86	Received prof. treatment for feelings - 12 mo	185
DEPB_87	Hospitalized overnight for feelings - life	186
DEPB_8A	Reference period of depressive episode - 12 mo	154
DEPB_8A2	Month - when single past 12 months episode started	156

Variable Name	Description	Page
DEPB_8A3	Year - when single past 12 months episode started	157
DEPB_8A6	Single past 12 months episode ended / on-going	159
DEPB_8A9	First past 12 months episode ended / on-going	161
DEPB_A	Suicide - ideation during worst / bad episode	142
DEPBD664	Interference Level (cut-off at 4) - (D)	194
DEPBD667	Criterion E, Part 3A1 - High interference - (D)	197
DEPBDA	Criterion A, Part 1 and 2 - (D)	193
DEPBDA1	Criterion A, Part 1 - (D)	189
DEPBDA2	Criterion A, Part 2 - (D)	193
DEPBDA21	Criterion A, Part 2 - Symptom 1 - (D)	190
DEPBDA22	Criterion A, Part 2 - Symptom 2 - (D)	190
DEPBDA23	Criterion A, Part 2 - Symptom 3 - (D)	190
DEPBDA24	Criterion A, Part 2 - Symptom 4 - (D)	191
DEPBDA25	Criterion A, Part 2 - Symptom 5 - (D)	191
DEPBDA26	Criterion A, Part 2 - Symptom 6 - (D)	191
DEPBDA27	Criterion A, Part 2 - Symptom 7 - (D)	192
DEPBDA28	Criterion A, Part 2 - Symptom 8 - (D)	192
DEPBDA29	Criterion A, Part 2 - Symptom 9 - (D)	192
DEPBDC	Criterion C, Part 1 and 2 - (D)	194
DEPBDC1	Criterion C, Part 1 - (D)	193
DEPBDC2	Criterion C, Part 2 - (D)	194
DEPBDDPS	Major Depressive Episode Algorithm - Life - (D)	200
DEPBDDY	Major Depressive Episode Algorithm - 12 month (D)	205
DEPBDE	Criterion E, Part 1, 2 and 3 - (D)	199
DEPBDE1	Criterion E, Part 1 - (D)	195
DEPBDE2	Criterion E, Part 2 - (D)	197
DEPBDE21	Criterion E, Part 2.1 - (D)	195
DEPBDE22	Criterion E, Part 2.2 - (D)	195
DEPBDE23	Criterion E, Part 2.3 - (D)	196
DEPBDE24	Criterion E, Part 2.4 - (D)	196
DEPBDE25	Criterion E, Part 2.5 - (D)	196
DEPBDE26	Criterion E, Part 2.6 - (D)	197
DEPBDE3	Criterion E, Part 3 - (D)	199
DEPBDE3A	Criterion E, Part 3A - (D)	198
DEPBDE3B	Criterion E, Part 3B - (D)	198
DEPBDE3C	Criterion E, Part 3C - (D)	198

Variable Name	Description	Page
DEPBDE3E	Criterion E, Part 3E - (D)	199
DEPBDINT	Depression Interference - Mean - (D)	207
DEPBDYA	Criterion A - 12 month - (D)	204
DEPBDYB	Criterion B - 12 month - (D)	204
DEPBDYC	Criterion C - 12 month - (D)	205
DEPBFINT	Flag: Depression interference	208
DEPBFSLA	Flag: Suicide - attempt - life	206
DEPBFSLT	Flag: Suicide - thought - life	205
DEPBFSYA	Flag: Suicide - attempt - 12 mo	207
DEPBFSYT	Flag: Suicide - thought - 12 mo	206
DEPBG22A	Age - when worst episode started - (G)	119
DEPBG22B	Length of worst episode - (G)	120
DEPBG23A	Age - when last bad episode occurred - (G)	121
DEPBG23B	Length of last bad episode - (G)	122
DEPBG31	Number of episodes lasting 2 weeks or longer - life - (G)	148
DEPBG37A	Age - exactly very first depressive episode - (G)	150
DEPBG37B	Age - approximately very first depressive episode - (G)	151
DEPBG38C	Age - last time had depressive episode - (G)	162
DEPBG39A	Length of longest episode - (G)	163
DEPBG531	Nbr of 2-week episodes brought on by stressful experience	164
DEPBG54	Number of years had at least one depressive episode - (G)	165
DEPBG56	Longest nber yrs in a row had at least 1 episode/year - (G)	166
DEPBG59	Number of years had episode most days - life - (G)	167
DEPBG59A	Age - 1st time had full year when episode most days - (G)	168
DEPBG61	Longest number of years in a row in episode most days - (G)	169
DEPBG721	Age - 1st time consulted prof. about feelings - (G)	180
DEPBG72A	Age - 1st time consulted prof. about feelings - (G)	181
DEPBG73A	Age - first time got helpful treatment for feelings - (G)	183
DEPBG73B	Number of prof. consulted before helpful treatment - (G)	184
DEPBG74	Total nbr of prof. consulted about feelings - life - (G)	185
DEPBG7CA	Length of first episode - (G)	153
DEPBG871	Age - first time hospitalized overnight for feelings - (G)	187
DEPBG87A	Age - 1st time hospitalized overnight for feelings - (G)	188
DEPBG88	Nbr of close relatives ever had depressive episode - (G)	189
DEPBG8A1	Number of different episodes - 12 mo	155
DEPBG8AA	Length of single 12-month episode - (G)	158

SEPTEMBER 2004

Variable Name	Description	Page
DEPBG8BA	Length of first of several 12 mo episode - (G)	160
DEPBGON	Age at major depression onset - (D,G)	201
DEPBGPER	Longest episode associated with depression - (G)	203
DEPBGREC	Age at most recent major depression - (D,G)	202
DEPBISYA	Imputation flag for DEPBFSYA	207
DEPBISYT	Imputation flag for DEPBFSYT	206
Demographic and Househol	d Variables	
DHHB_SEX	Sex	3
DHHBDECF	Household type - (D)	898
DHHBG611	Number of persons 6 to 11 years old in household - (D,G)	897
DHHBGAGE	Age - (G)	3
DHHBGBED	Dwelling - number of bedrooms - (G)	899
DHHBGL12	Nber of persons less than 12 years old in household - (D,G)	896
DHHBGLE5	Number of persons 5 years old or less in household - (D,G)	897
DHHBGLVG	Living arrangement of selected respondent - (D,G)	899
DHHBGMS	Marital status - (G)	4
Distress		
DISB_10A	Frequency - distress: felt tired out - past month	95
DISB_10B	Frequency - distress: felt nervous - past month	96
DISB_10C	Freq./-distress: so nervous nothing calms down - past month	96
DISB_10D	Frequency - distress: felt hopeless - past month	97
DISB_10E	Frequency - distress: felt restless / fidgety - past month	97
DISB_10F	Frequency - distress: could not sit still - past month	98
DISB_10G	Frequency - distress: felt sad / depressed - past month	98
DISB_10H	Frequency - distress: depressed/nothing cheers - past month	99
DISB_10I	Frequency - distress: felt everything effort - past month	99
DISB_10J	Frequency - distress: felt worthless - past month	100
DISB_10K	Frequency - distress: occurrence of feelings - past month	100
DISB_10L	Degree of higher occurrence of feelings - past month	101
DISB_10M	Degree of lower occurrence of feelings - past month	101
DISB_10N	Interference - feelings in life / activities - past month	102
DISBDCHR	Chronicity of distress/impairment scale - past month - (D)	103
DISBDDSX	Distress scale - K10 - past month - (D)	102
DISBDK6	Distress scale - K6 - past month - (D)	103
	DEPBG8BA DEPBGON DEPBGPER DEPBGREC DEPBISYA DEPBISYT Demographic and Househol DHHB_SEX DHHBDECF DHHBG611 DHHBGAGE DHHBGL12 DHHBGL12 DHHBGL5 DHHBGL5 DHHBGL5 DHHBGL5 DHHBGL5 DHHBGL5 DHBGMS Distress DISB_10A DISB_10B DISB_10C DIS	DEPBG8BA Length of first of several 12 mo episode - (G) DEPBGON Age at major depression onset - (D.G) DEPBGPER Longest episode associated with depression - (G) DEPBGREC Age at most recent major depression - (D.G) DEPBISYA Imputation flag for DEPBFSYA DEPBISYT Imputation flag for DEPBFSYA DEPBISYT Demographic and Household Variables DHHB_SEX Sex DHHB_SEX Sex DHHBG611 Number of persons 6 to 11 years old in household - (D.G) DHHBGAGE Age - (G) DHHBGBED Dwelling - number of bedrooms - (G) DHHBGL12 Nber of persons less than 12 years old in household - (D.G) DHHBGL5 Number of persons 5 years old or less in household - (D.G) DHHBGL6 DHHBGL7 DHHBGMS Marital status - (G) Distress DISB_10A Frequency - distress: felt tired out - past month DISB_10B Frequency - distress: felt revrous - past month DISB_10B DISB_10B Frequency - distress: felt restless / fidgety - past month DISB_10B Frequency - distress: felt restless / fidgety - past month DISB_10G Frequency - distress: felt restless / fidgety - past month DISB_10G Frequency - distress: felt restless / fidgety - past month DISB_10G Frequency - distress: scould not sit still - past month DISB_10G Frequency - distress: felt restless / fidgety - past month DISB_10G Frequency - distress: felt restless / fidgety - past month DISB_10G Frequency - distress: felt restless / fidgety - past month DISB_10G Frequency - distress: felt restless / fidgety - past month DISB_10H Frequency - distress: felt everything effort - past month DISB_10H Frequency - distress: felt everything effort - past month DISB_10L Frequency - distress: felt worthless - past month DISB_10L Degree of higher occurrence of feelings - past month DISB_10N Interference - feelings in life / activities - past month DISB_10N Interference - feelings in life / activities - past month DISB_10N Distress cale - K10 - past month - (D)

DSM: DSM-IV Disorder General

CCHS Cycle 1.2: Topical Index Public Use Microdata File

	Variable Name	Description	Page
	MHPBFINT	Flag: Reported interference	455
	MHPBFL	Selected disorders dependence - life	452
	MHPBFLA	Selected anxiety disorders - life	453
	MHPBFLM	Selected mood disorders - life	453
	MHPBFY	Selected disorders/substance dependence - 12 mo	453
	MHPBFYA	Selected anxiety disorder - 12 mo	454
	MHPBFYM	Selected mood disorders - 12 mo	454
	MHPBFYSA	Selected substance dependence - 12 mo	454
	MHPBGAON	Age of onset - Selected disorders - (D,G)	456
EDU:	Education		
	EDUBDH04	Highest level of education - household, 4 levels - (D)	895
	EDUBDH10	Highest level of education – household, 10 levels - (D)	896
	EDUBDR04	Highest level of education - respondent, 4 levels - (D)	894
	EDUBDR10	Highest level of education - respondent, 10 levels - (D)	895
ETA:	Eating Troubles		
	ETAB_01A	Had a strong fear of being too fat/overweight - life	560
	ETAB_01B	Had a strong fear of being too fat/overweight - 12 mo	560
	ETAB_02	Frequency - terrified of being overweight	561
	ETAB_03	Frequency - avoided eating when hungry	561
	ETAB_04	Frequency - preoccupied with food	562
	ETAB_05	Frequency - went on eating binges	562
	ETAB_06	Frequency - cut food into small pieces	563
	ETAB_07	Frequency - was aware of calorie content	563
	ETAB_08	Frequency - avoided food with high carbohydrate content	564
	ETAB_09	Frequency - eating more would be appreciated by others	564
	ETAB_10	Frequency - vomited after eating	565
	ETAB_11	Frequency - felt guilty after eating	565
	ETAB_12	Frequency - preoccupied with desire to be thinner	566
	ETAB_13	Frequency - thought of burning up calories when exercising	567
	ETAB_14	Frequency - respondent too thin according to others	568
	ETAB_15	Frequency - preoccupied with having fat on body	569
	ETAB_16	Frequency - took longer to eat meals	570
	ETAB_17	Frequency - avoided foods with sugar	571
	ETAB_18	Frequency - ate diet foods	572
	ETAB_19	Frequency - felt food controlled life	573

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
ETAB_20	Frequency - displayed self-control around food	574
ETAB_21	Frequency - others pressured to eat	575
ETAB_22	Frequency - gave too much time/thought to food	576
ETAB_23	Frequency - felt uncomfortable after eating sweets	577
ETAB_24	Frequency - engaged in dieting behaviour	578
ETAB_25	Frequency - liked stomach to be empty	579
ETAB_26	Frequency - had impulse to vomit after meals	580
ETAB_27	Frequency - enjoyed trying new rich food	581
ETABDIND	Eating Attitude Test Index Score - (D)	581
ETABFIND	Flag: Eating Attitude Test Index	582
GEN: General Health		
GENB_01	Self-perceived health	4
GENB_02	Self-perceived health compared to one year ago	5
GENB_03	Number of hours spent sleeping per night	6
GENB_04	Frequency - trouble sleeping	7
GENB_05	Frequency - find sleep refreshing	7
GENB_06	Frequency - find it difficult to stay awake	8
GENB_07	Self-perceived stress	8
GENB_08	Worked at job or business in the past 12-months	9
GENB_09	Self-perceived work stress	9
GENB_10	Sense of belonging to local community	10
GENBDHDI	Health description index - (D)	10
GEO: Geographic Identifie	rs	
GEOB_PRV	Province	1
GEOBGHR4	Health region - (G)	2
HWT: Height and Weight		
HWTB_1	Currently pregnant	39
HWTB_4	Respondent's opinion of own weight	40
HWTBGBMI	Body Mass Index - (D,G)	42
HWTBGHT	Height - (G)	41
HWTBGSW	Standard weight - (D,G)	42
HWTBGWTK	Weight - kilograms - (D,G)	42
IDG: Illicit Drugs		
IDGB_01	Used - marijuana, cannabis, hashish - life	500

Variable Name	Description	Page
IDGB_02	Used - marijuana, cannabis, hashish - 12 mo	500
IDGB_03	Frequency - marijuana, cannabis, hashish - 12 mo	501
IDGB_04	Used - cocaine, crack - life	501
IDGB_05	Used - cocaine, crack - 12 mo	502
IDGB_06	Frequency - cocaine, crack - 12 mo	502
IDGB_07	Used - speed (amphetamines) - life	503
IDGB_08	Used - speed (amphetamines) - 12 mo	503
IDGB_09	Frequency - speed (amphetamines) - 12 mo	504
IDGB_10	Used - ecstasy (MDMA) - life	504
IDGB_11	Used - ecstasy (MDMA) - 12 mo	505
IDGB_12	Frequency - ecstacy (MDMA) - 12 mo	505
IDGB_13	Used - hallucinogens, PCP, LSD - life	506
IDGB_14	Used - hallucinogens, PCP, LSD - 12 mo	506
IDGB_15	Frequency - hallucinogens, PCP, LSD - 12 mo	507
IDGB_16	Sniffed - glue, gasoline, other solvents - life	507
IDGB_17	Sniffed - glue, gasoline, other solvents - 12 mo	508
IDGB_18	Frequency - glue, gasoline, other solvents - 12 mo	508
IDGB_19	Used - heroin - life	509
IDGB_20	Used - heroin - 12 mo	509
IDGB_21	Frequency - heroin - 12 mo	510
IDGB_22	Used - steroids - life	510
IDGB_23	Used - steroids - 12 mo	511
IDGB_24	Frequency - steroids - 12 mo	511
IDGB_25A	Needed more drugs than usual to get high - 12 mo	512
IDGB_25B	Had symptom during period of cut down/no drugs - 12 mo	513
IDGB_25C	Used drugs to prevent having symptoms - 12 mo	514
IDGB_25D	Used drugs - even though promised wouldn't - 12 mo	515
IDGB_25E	Used drugs more frequently than intented - 12 mo	516
IDGB_25F	Used drugs - little time for anything else - 12 mo	517
IDGB_25G	Reduced important activities - because of drugs - 12 mo	518
IDGB_25H	Continued taking drugs despite health problems - 12 mo	519
IDGB_26A	Level of interference - home responsibilities - 12 mo	521
IDGB_26C	Level of interference - close relationships - 12 mo	524
IDGB_26D	Level of interference - social life -12 mo	525
IDGB_5A1	Needed more drugs than usual to get high - life	513
IDGB_5AA	Took drugs at least once monthly for a year - life	512

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
IDGB_5AL	Needed more drugs than usual to get high - life	526
IDGB_5B1	Had symptom during period of cut down/no drugs - life	514
IDGB_5BL	Had symptom during period of cut down/no drugs - life	526
IDGB_5C1	Used drugs to prevent having symptoms - life	515
IDGB_5CL	Used drugs to prevent having symptoms - life	527
IDGB_5D1	Used drugs - even though promised wouldn't - life	516
IDGB_5DL	Used drugs even though promised wouldn't - life	527
IDGB_5E1	Used drugs more frequently than intented - life	517
IDGB_5EL	Used drugs more frequently than intented - life	528
IDGB_5F1	Used drugs - little time for anything else - life	518
IDGB_5FL	Used drugs - little time for anything else - life	528
IDGB_5G1	Reduced important activities - because of drugs - life	519
IDGB_5GL	Reduced important activities - because of drugs - life	529
IDGB_5H1	Continued taking drugs despite health problems - life	520
IDGB_5HL	Continued taking drugs despite health problems - life	529
IDGB_6B1	Level of interference - ability to attend school - 12 mo	522
IDGB_6B2	Level of interference - ability to work at a job - 12 mo	523
IDGBDINT	Illicit drug interference - mean - 12 mo - (D)	535
IDGBFINT	Flag: Illicit drug interference - 12 mo	536
IDGBFLA	Illicit drug use - including one time cannabis - life	533
IDGBFLAC	Illicit drug use - excluding one time cannabis - life	533
IDGBFLAM	Amphetamine (speed) drug use - life	531
IDGBFLCA	Cannabis drug use - including one time only - life	530
IDGBFLCM	Cannabis drug use - excluding one time only - life	530
IDGBFLCO	Cocaine / crack drug use - life	531
IDGBFLEX	MDMA (ecstasy) drug use - life	531
IDGBFLGL	Glue, gasoline or other solvent use - life	532
IDGBFLHA	Hallucinogens, PCP or LSD drug use - life	532
IDGBFLHE	Heroin drug use - life	532
IDGBFLST	Steroid use - life	533
IDGBFYA	Illicit drug use - including one time cannabis - 12 mo	534
IDGBFYAC	Illicit drug use - excluding one time cannabis - 12 mo	534
IDGBFYCM	Cannabis drug use - excluding one time only - 12 mo	530
IDGBFYDP	Criteria - Drug dependance - 12 mo	535
INC : Income		
INCBDIA2	Income adequacy - 2 groups - (D)	919

CCHS Cycle 1.2: Topical Index Public Use Microdata File

	Variable Name	Description	Page
	INCBDIA4	Income adequacy - 4 groups - (D)	920
	INCBDIA5	Income adequacy - 5 groups - (D)	920
	INCBG2	Total household income - main source - (G)	919
	INCBGHH	Total household income from all sources - (D,G)	921
	INCBGPER	Total personal income from all sources - (D,G)	921
LBF :	Labour Force		
	LBFB_31A	Occupation - main job or business	903
	LBFBDHPW	Total usual hours worked per week - (D)	905
	LBFBDMJS	Multiple job status - (D)	905
	LBFBDPFT	Usual hours worked - full-time / part-time flag - (F)	906
	LBFBDWSL	Working status last week - 6 groups - (D)	904
	LBFBDWSS	Working status last week - 4 groups - (D)	903
	LBFBG31	Self-employment status - main job or business - (G)	902
	LBFBGJST	Job status over past year - (D,G)	906
	LBFBGRNW	Main reason for not working last week - (D,G)	904
MED :	Medication Use		
	MEDB_11A	Took medication to help sleep - 12 mo	782
	MEDB_11B	Took diet pills - 12 mo	782
	MEDB_11C	Took medication to reduce anxiety - 12 mo	783
	MEDB_11D	Took mood stabilizers - 12 mo	783
	MEDB_11E	Took anti-depressants - 12 mo	784
	MEDB_11F	Took med. to treat psychotic behaviours - 12 mo	784
	MEDB_11G	Took stimulants - 12 mo	785
	MEDB_2	Last 2 days - number of medications taken	840
	MEDB_3AA	Prescription from a medical doctor or dentist - drug 1	842
	MEDB_3BA	Prescription from medical doctor or dentist - drug 2	844
	MEDB_3CA	Prescription from medical doctor or dentist - drug 3	846
	MEDB_3DA	Prescription from medical doctor or dentist - drug 4	848
	MEDB_3EA	Prescription from medical doctor or dentist - drug 5	850
	MEDB_3FA	Prescription from medical doctor or dentist - drug 6	852
	MEDB_3GA	Prescription from medical doctor or dentist - drug 7	854
	MEDB_3HA	Prescription from medical doctor or dentist - drug 8	856
	MEDB_3IA	Prescription from medical doctor or dentist - drug 9	858
	MEDB_3JA	Prescription from medical doctor or dentist - drug 10	859
	MEDB_3KA	Prescription from medical doctor or dentist - drug 11	861

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
MEDB_3LA	Prescription from medical doctor or dentist - drug 12	862
MEDB_4	Insurance that covers all/part of cost of prescription	862
MEDB_5	Used other health products for mental health - 12 mo	863
MEDB_6A	Health product used - St. John's Wort	863
MEDB_6B	Health product used - valerian	864
MEDB_6C	Health product used - chamomile	864
MEDB_6D	Health product used - ginseng	865
MEDB_6E	Health product used - kava kava	865
MEDB_6F	Health product used - lavender	866
MEDB_6G	Health product used - chasteberry	866
MEDB_6H	Health product used - black cohosh	867
MEDB_6I	Health product used - ginkgo biloba	867
MEDB_6J	Health product used - NeuRocover-DA	868
MEDB_6K	Health product used - vitamins	868
MEDB_6L	Health product used - other	869
MEDB_7	Health product recommended by a professional	869
MEDB_8A	Health product recommended by a psychiatrist	870
MEDB_8B	Health product recommended by a family doctor/GP	870
MEDB_8C	Health product recommended by an other medical doctor	871
MEDB_8D	Health product recommended by a psychologist	871
MEDB_8E	Health product recommended by a chiropractor	872
MEDB_8F	Health product recommended by a nurse	872
MEDB_8G	Health product recommended by a social worker	873
MEDB_8H	Health product recommended by a homeopath/naturopath	873
MEDB_8I	Health product recommended by an herbalist	874
MEDB_8J	Health product recommended by a relaxation therapist	874
MEDB_8K	Health product recommended by a biofeedback teacher	875
MEDB_8L	Health product recommended by other	875
MEDB_A1	Sleep medication under professional supervision	785
MEDB_A2A	Sleep medication prescribed by a psychiatrist	786
MEDB_A2B	Sleep medication prescribed by family doctor / GP	786
MEDB_A2C	Sleep medication prescribed by other medical doctor	787
MEDB_A2D	Sleep medication prescribed by other professional	787
MEDB_A3	Days forgot to take/took less sleep medication	788
MEDB_A4A	Reason no/less med - Forgot	788
MEDB_A4B	Reason no/less med - Felt better	789

CCHS Cycle 1.2: Topical Index Public Use Microdata File

Variable Name	Description	Page
MEDB_A4C	Reason no/less med - Medicine was not helping	789
MEDB_A4D	Reason no/less med - Thought problem would get better	790
MEDB_A4E	Reason no/less med - Couldn't afford to pay	790
MEDB_A4F	Reason no/less med - Too embarrassed to take medicine	791
MEDB_A4G	Reason no/less med - Wanted to solve problem without med.	791
MEDB_A4H	Reason no/less med - Side-effects	792
MEDB_A4I	Reason no/less med - Afraid of becoming dependent	792
MEDB_A4J	Reason no/less med - Other reason	793
MEDB_B1	Diet pills under professional supervision	793
MEDB_B2A	Diet pills prescribed by a psychiatrist	794
MEDB_B2B	Diet pills prescribed by family doctor / GP	794
MEDB_B2C	Diet pills prescribed by other medical doctor	795
MEDB_B2D	Diet pills prescribed by other professional	795
MEDB_B3	Days forgot to take/took less diet pills	796
MEDB_B4A	Reason no/less med - Forgot	796
MEDB_B4B	Reason no/less med - Felt better	797
MEDB_B4C	Reason no/less med - Medicine was not helping	797
MEDB_B4D	Reason no/less med - Thought problem would get better	798
MEDB_B4E	Reason no/less med - Couldn't afford to pay	798
MEDB_B4F	Reason no/less med - Too embarrassed to take medicine	798
MEDB_B4G	Reason no/less med - Wanted to solve problem without med.	799
MEDB_B4H	Reason no/less med - Side-effects	799
MEDB_B4I	Reason no/less med - Afraid of becoming dependent	800
MEDB_B4J	Reason no/less med - Other reason	800
MEDB_C1	Med. against anxiety under professional supervision	801
MEDB_C2A	Med. against anxiety prescribed by a psychiatrist	801
MEDB_C2B	Med. against anxiety prescribed by family doctor / GP	802
MEDB_C2C	Med. against anxiety prescribed by other medical doctor	802
MEDB_C2D	Med. against anxiety prescribed by other professional	803
MEDB_C3	Days forgot to take/took less med. against anxiety	803
MEDB_C4A	Reason no/less med - Forgot	804
MEDB_C4B	Reason no/less med - Felt better	804
MEDB_C4C	Reason no/less med - Medicine was not helping	805
MEDB_C4D	Reason no/less med - Thought problem would get better	805
MEDB_C4E	Reason no/less med - Couldn't afford to pay	806
MEDB_C4F	Reason no/less med - Too embarrassed to take medicine	806

Variable Name	Description	Page
MEDB_C4G	Reason no/less med - Wanted to solve problem without med.	807
MEDB_C4H	Reason no/less med - Side-effects	807
MEDB_C4I	Reason no/less med - Afraid of becoming dependent	808
MEDB_C4J	Reason no/less med - Other reason	808
MEDB_D1	Mood stabilizers under professional supervision	809
MEDB_D2A	Mood stabilizers prescribed by a psychiatrist	809
MEDB_D2B	Mood stabilizers prescribed by family doctor / GP	810
MEDB_D2C	Mood stabilizers prescribed by other medical doctor	810
MEDB_D2D	Mood stabilizers prescribed by other professional	811
MEDB_D3	Days forgot to take/took less mood stabilizers	811
MEDB_D4A	Reason no/less med - Forgot	812
MEDB_D4B	Reason no/less med - Felt better	812
MEDB_D4C	Reason no/less med - Medicine was not helping	813
MEDB_D4D	Reason no/less med - Thought problem would get better	813
MEDB_D4E	Reason no/less med - Couldn't afford to pay	814
MEDB_D4F	Reason no/less med - Too embarrassed to take medicine	814
MEDB_D4G	Reason no/less med - Wanted to solve problem without med.	815
MEDB_D4H	Reason no/less med - Side-effects	815
MEDB_D4I	Reason no/less med - Afraid of becoming dependent	816
MEDB_D4J	Reason no/less med - Other reason	816
MEDB_E1	Antidepressants under professional supervision	817
MEDB_E2A	Antidepressants prescribed by a psychiatrist	817
MEDB_E2B	Antidepressants prescribed by family doctor / GP	818
MEDB_E2C	Antidepressants prescribed by other medical doctor	818
MEDB_E2D	Antidepressants prescribed by other professional	819
MEDB_E3	Days forgot to take/took less antidepressants	819
MEDB_E4A	Reason no/less med - Forgot	820
MEDB_E4B	Reason no/less med - Felt better	820
MEDB_E4C	Reason no/less med - Medicine was not helping	821
MEDB_E4D	Reason no/less med - Thought problem would get better	821
MEDB_E4E	Reason no/less med - Couldn't afford to pay	822
MEDB_E4F	Reason no/less med - Too embarrassed to take medicine	822
MEDB_E4G	Reason no/less med - Wanted to solve problem without med.	823
MEDB_E4H	Reason no/less med - Side-effects	823
MEDB_E4I	Reason no/less med - Afraid of becoming dependent	824
MEDB_E4J	Reason no/less med - Other reason	824

Variable Name	Description	Page
MEDB_F1	Antipsychotic drugs under professional supervision	825
MEDB_F2A	Antipsychotic drugs prescribed by a psychiatrist	825
MEDB_F2B	Antipsychotic drugs prescribed by family doctor / GP	826
MEDB_F2C	Antipsychotic drugs prescribed by other medical doctor	826
MEDB_F2D	Antipsychotic drugs prescribed by other professional	827
MEDB_F3	Days forgot to take/took less antipsychotic drugs	827
MEDB_F4A	Reason no/less med - Forgot	828
MEDB_F4B	Reason no/less med - Felt better	828
MEDB_F4C	Reason no/less med - Medicine was not helping	829
MEDB_F4D	Reason no/less med - Thought problem would get better	829
MEDB_F4E	Reason no/less med - Couldn't afford to pay	830
MEDB_F4F	Reason no/less med - Too embarrassed to take medicine	830
MEDB_F4G	Reason no/less med - Wanted to solve problem without med.	831
MEDB_F4H	Reason no/less med - Side-effects	831
MEDB_F4I	Reason no/less med - Afraid of becoming dependent	832
MEDB_F4J	Reason no/less med - Other reason	832
MEDB_G1	Stimulants under professional supervision	833
MEDB_G2A	Stimulants prescribed by a psychiatrist	833
MEDB_G2B	Stimulants prescribed by family doctor / GP	834
MEDB_G2C	Stimulants prescribed by other medical doctor	834
MEDB_G2D	Stimulants prescribed by other professional	835
MEDB_G3	Days forgot to take/took less stimulants	835
MEDB_G4A	Reason no/less med - Forgot	836
MEDB_G4B	Reason no/less med - Felt better	836
MEDB_G4C	Reason no/less med - Medicine was not helping	837
MEDB_G4D	Reason no/less med - Thought problem would get better	837
MEDB_G4E	Reason no/less med - Couldn't afford to pay	838
MEDB_G4F	Reason no/less med - Too embarrassed to take medicine	838
MEDB_G4G	Reason no/less med - Wanted to solve problem without med.	838
MEDB_G4H	Reason no/less med - Side-effects	839
MEDB_G4I	Reason no/less med - Afraid of becoming dependent	839
MEDB_G4J	Reason no/less med - Other reason	840
MEDBG03A	Drug code - drug 1 - (G)	841
MEDBG03B	Drug code - drug 2 - (G)	843
MEDBG03C	Drug code - drug 3 - (G)	845
MEDBG03D	Drug code - drug 4 - (G)	847

	Variable Name	Description	Page
	MEDBG03E	Drug code - drug 5 - (G)	849
	MEDBG03F	Drug code - drug 6 - (G)	851
	MEDBG03G	Drug code - drug 7 - (G)	853
	MEDBG03H	Drug code - drug 8 - (G)	855
	MEDBG03I	Drug code - drug 9 - (G)	857
	MEDBG03J	Drug code - drug 10 - (G)	858
	MEDBG03K	Drug code - drug 11 - (G)	860
	MEDBG03L	Drug code - drug 12 - (G)	861
MIA :	Mania		
	MIAB_01	Cognitive/behavior changes during excited periods	208
	MIAB_03	Excited episode with largest number of changes	209
	MIAB_04	Symptom - irritable/grouchy during excited episode	214
	MIAB_05	Cognitive/behavioural changes during irritable period	214
	MIAB_06	Irritable episode with largest number of changes	215
	MIAB_07A	Symptom - became restless or fidgety	220
	MIAB_07B	Symptom - became overly friendly / outgoing with people	220
	MIAB_07C	Symptom - behaved in a way that is inappropriate	221
	MIAB_07D	Symptom - was more interested in sex than usual	221
	MIAB_07E	Symptom - tried to do things that were impossible to do	222
	MIAB_07F	Symptom - talked a lot more than usual	222
	MIAB_07G	Symptom - constantly kept changing plans / activities	223
	MIAB_07H	Symptom - was easily distracted	223
	MIAB_07I	Symptom - had thoughts jumping from one thing to another	224
	MIAB_07J	Symptom - slept far less than usual and was not tired	224
	MIAB_07K	Symptom - was involved in foolish investments for making \$	225
	MIAB_07L	Symptom - spent much more money than usual	225
	MIAB_07M	Symptom - did risky things for pleasure	226
	MIAB_07N	Symptom - had a greatly exaggerated self-confidence	226
	MIAB_07O	Symptom - believed was someone else	227
	MIAB_09	Manic episode interfered with work/social life/relationships	229
	MIAB_09A	Frequency - feelings = unable carry out daily activities	229
	MIAB_09B	People worry about the way respondent was acting	230
	MIAB_10A	Manic episode due to physical causes	230
	MIAB_10B	Physical causes always cause manic episodes	231
	MIAB_18	Remembered exactly age of very first manic episode	231
	MIAB_181	Life period when very first manic episode occurred	233

Description	Page
Episode triggered by stressful/unexpected event	234
Had manic episode - 12 mo	236
Had a single manic episode - 12 mo	236
Reference period of manic episode - 12 mo	237
One week or > episode due to stressful/unexpected experience	243
Less than one week episode due to stressful/unexpected exp.	246
Single life episode brought by stress./unexpected experience	249
Level of interference - ability to attend school - 12 mo	251
Level of interference - ability to work at a job - 12 mo	252
Level of interference - home responsibilities - 12 mo	250
Level of interference - close relationships - 12 mo	253
Level of interference - social life - 12 mo	254
Nbr of days/365 totally unable because of mania - 12 mo	255
Consulted MD/other prof. about manic episode	255
Received helpful/effective treatment for manic episode	257
Received professional treatment for manic episode - 12 mo	260
Hospitalized overnight for manic episode - life	261
Criterion D, Part 1A - Interference - (D)	266
Criterion A, Part 1 and 2 - (D)	263
Criterion A, Part 1 - (D)	262
Criterion A, Part 2 - (D)	263
Criterion B (Combined symptoms 1 to 7) - (D)	266
Criterion B - Symptom 1 - (D)	263
Criterion B - Symptom 2 - (D)	264
Criterion B - Symptom 3 - (D)	264
Criterion B - Symptom 4 - (D)	264
Criterion B - Symptom 5 - (D)	265
Criterion B - Symptom 6 - (D)	265
Criterion B - Symptom 7 - (D)	265
Criterion B - irritable focus (D)	266
Criterion D - (D)	268
Criterion D, Part 1 - (D)	267
Criterion D, Part 2 - (D)	267
Criterion D, Part 3 - (D)	267
Manic Episode Algorithm - Life - (D)	268
Manic Episode Algorithm - 12 Month - (D)	273
	Episode triggered by stressful/unexpected event Had manic episode - 12 mo Had a single manic episode - 12 mo Reference period of manic episode - 12 mo One week or > episode due to stressful/unexpected experience Less than one week episode due to stressful/unexpected exp. Single life episode brought by stress./unexpected experience Level of interference - ability to attend school - 12 mo Level of interference - ability to work at a job - 12 mo Level of interference - home responsibilities - 12 mo Level of interference - close relationships - 12 mo Level of interference - social life - 12 mo Nbr of days/365 totally unable because of mania - 12 mo Consulted MD/other prof. about manic episode Received helpful/effective treatment for manic episode - 12 mo Hospitalized overnight for manic episode - life Criterion D, Part 1A - Interference - (D) Criterion A, Part 1 and 2 - (D) Criterion A, Part 1 - (D) Criterion B - Symptom 1 - (D) Criterion B - Symptom 2 - (D) Criterion B - Symptom 3 - (D) Criterion B - Symptom 5 - (D) Criterion B - Symptom 6 - (D) Criterion B - Symptom 7 - (D) Criterion B - Symptom 7 - (D) Criterion B - Symptom 7 - (D) Criterion D, Part 1 - (D) Criterion D, Part 3 - (D) Criterion D, Part 3 - (D) Manic Episode Algorithm - Life - (D)

SEPTEMBER 2004

Variable Name	Description	Page
MIABDINT	Mania Interference - Mean - (D)	273
MIABDYA	Criterion A - 12 month - (D)	272
MIABDYB	Criterion B - 12 month - (D)	272
MIABDYC	Criterion C - Interference - (D)	272
MIABFINT	Flag: Mania Interference	274
MIABG03A	Age when excited episode with largest nbr of changes - (G)	210
MIABG03C	Age - when most recent excited episode occurred	212
MIABG06A	Age when irritable epi. with largest number of changes - (G)	216
MIABG06C	Age - when most recent irritable episode occurred - (G)	218
MIABG08	Number of episodes felt excited / irritable - life - (G)	228
MIABG18A	Age - exactly very first manic episode - (G)	232
MIABG18B	Age - approximately first time manic episode - (G)	233
MIABG18D	Length of very first manic episode - (G)	235
MIABG19B	Number of manic episodes - 12 mo - (G)	238
MIABG19C	Number of weeks had manic episode - 12 mo - (G)	239
MIABG19D	Age - last time had manic episode - (G)	240
MIABG20	Number of episodes lasting full week or longer - life - (G)	241
MIABG201	Nbr of epis. lasting week + brought by stressful exp (G)	242
MIABG21	Nbr of epis. lasting < week brought by stressful exp (G)	244
MIABG211	Nbr of episodes/less than a week/stressful experiences - (G)	245
MIABG22	Length of the longest manic episode - life - (G)	247
MIABG23	Number of different years in life/had manic episode - (G)	248
MIABG33A	Age - first time consulted prof. about manic episode - (G)	256
MIABG3B	Duration of excited episode - (G)	211
MIABG3D	Length of most recent excited episode - (G)	213
MIABG45A	Age - first time got helpful treatment for manic epis (G)	258
MIABG45B	Number of prof. consulted before helpful treatment - (G)	259
MIABG45C	Total nbr of prof. consulted about manic episode-life - (G)	260
MIABG481	Number of close relatives ever had manic episode - (G)	262
MIABG48A	Age - first time hospitalized overnight for manic epis - (G)	261
MIABG6B	Length irritable epis. with largest number of changes - (G)	217
MIABG6D	Length of most recent irritable episode - (G)	219
MIABGON	Age of manic episode - onset - (D,G)	269
MIABGPER	Longest period associated with mania - (G, D)	271
MIABGREC	Age at most recent manic episode - (D,G)	270

PAC: Physical Activities

Variable Name	Description	Page
PACB_1A	Activity / last 3 months - walking for exercise	43
PACB_1B	Activity / last 3 months - gardening / yard work	43
PACB_1C	Activity / last 3 months - swimming	44
PACB_1D	Activity / last 3 months - bicycling	44
PACB_1E	Activity / last 3 months - popular or social dance	45
PACB_1F	Activity / last 3 months - home exercises	45
PACB_1G	Activity / last 3 months - ice hockey	46
PACB_1H	Activity / last 3 months - ice skating	46
PACB_1I	Activity / last 3 months - in-line skating or rollerblading	47
PACB_1J	Activity / last 3 months - jogging or running	47
PACB_1K	Activity / last 3 months - golfing	48
PACB_1L	Activity / last 3 months - exercise class or aerobics	48
PACB_1M	Activity / last 3 months - downhill skiing or snowboarding	49
PACB_1N	Activity / last 3 months - bowling	49
PACB_1O	Activity / last 3 months - baseball or softball	50
PACB_1P	Activity / last 3 months - tennis	50
PACB_1Q	Activity / last 3 months - weight-training	51
PACB_1R	Activity / last 3 months - fishing	51
PACB_1S	Activity / last 3 months - volleyball	52
PACB_1T	Activity / last 3 months - basketball	52
PACB_1U	Activity / last 3 months - other (#1)	53
PACB_1V	Activity / last 3 months - no activity	53
PACB_1W	Activity / last 3 months - other (#2)	54
PACB_1X	Activity / last 3 months - other (#3)	54
PACB_2A	Number of times participated - walking for exercise	55
PACB_2B	Number of times participated - gardening	56
PACB_2C	Number of times participated - swimming	57
PACB_2D	Number of times participated - bicycling	58
PACB_2E	Number of times participated - popular / social dance	59
PACB_2F	Number of times participated - home exercises	60
PACB_2G	Number of times participated - ice hockey	61
PACB_2H	Number of times participated - ice skating	62
PACB_2I	Number of times participated - in-line skating	63
PACB_2J	Number of times participated - jogging / running	64
PACB_2K	Number of times participated - golfing	65
PACB_2L	Number of times participated - exercise class / aerobics	66

Variable Name	Description	Page
PACB_2M	Number of times participated - downhill ski / snowboarding	67
PACB_2N	Number of times participated - bowling	68
PACB_2O	Number of times participated - baseball / softball	69
PACB_2P	Number of times participated - tennis	70
PACB_2Q	Number of times participated - weight-training	71
PACB_2R	Number of times participated - fishing	72
PACB_2S	Number of times participated - volleyball	73
PACB_2T	Number of times participated - basketball	74
PACB_2U	Number of times participated - other activity (#1)	75
PACB_2W	Number of times participated - other activity (#2)	76
PACB_2X	Number of times participated - other activity (#3)	77
PACB_3A	Time spent - walking for exercise	55
PACB_3B	Time spent - gardening	56
PACB_3C	Time spent - swimming	57
PACB_3D	Time spent - bicycling	58
PACB_3E	Time spent - popular / social dance	59
PACB_3F	Time spent - home exercises	60
PACB_3G	Time spent - ice hockey	61
PACB_3H	Time spent - ice skating	62
PACB_3I	Time spent - in-line skating	63
PACB_3J	Time spent - jogging / running	64
PACB_3K	Time spent - golfing	65
PACB_3L	Time spent - exercise class / aerobics	66
PACB_3M	Time spent - downhill skiing or snowboarding	67
PACB_3N	Time spent - bowling	68
PACB_3O	Time spent - baseball / softball	69
PACB_3P	Time spent - tennis	70
PACB_3Q	Time spent - weight-training	71
PACB_3R	Time spent - fishing	72
PACB_3S	Time spent - volleyball	73
PACB_3T	Time spent - basketball	74
PACB_3U	Time spent - other activity (#1)	75
PACB_3W	Time spent - other activity (#2)	76
PACB_3X	Time spent - other activity (#3)	77
PACB_4A	Number of hours walking - to work or to school	78
PACB_4B	Number of hours biking - to work or to school	78

	Variable Name	Description	Page
	PACB_6	Level of physical activity for usual day	79
	PACBDEE	Energy expenditure - (D)	79
	PACBDFM	Monthly frequency - physical activity lasting >15 min (D)	80
	PACBDFR	Frequency of all physical activity - (D)	81
	PACBDPAI	Physical activity index - (D)	82
	PACBFD	Participant in daily physical activity - > 15 min.	81
	PACBFLEI	Participant in leisure physical activity	80
PAD:	Panic Disorder		
	PADB_01A	Symptom - had heart pounding / racing	274
	PADB_01B	Symptom - was short of breath	275
	PADB_01C	Symptom - was nauseous / sick to stomach	275
	PADB_01D	Symptom - felt dizzy / faint	276
	PADB_01E	Symptom - was sweating	276
	PADB_01F	Symptom - was trembling / shaking	277
	PADB_01G	Symptom - had a dry mouth	277
	PADB_01H	Symptom - felt like was choking	278
	PADB_01I	Symptom - had chest pain / discomfort	278
	PADB_01J	Symptom - was afraid might lose control / go crazy	279
	PADB_01K	Symptom - felt like was not really there	279
	PADB_01L	Symptom - felt things were not real	280
	PADB_01M	Symptom - was afraid might pass out	280
	PADB_01N	Symptom - was afraid might die	281
	PADB_01O	Symptom - had hot flushes / chills	281
	PADB_01P	Symptom - felt numbness / tingling sensations	282
	PADB_03	Problems began suddenly and peaked <= 10 mins	282
	PADB_06	Past 12 Months occurrence of single panic attack	283
	PADB_07	Remembered exactly age when single attack occurred	284
	PADB_071	Life period when single attack occurred	287
	PADB_08	Type of situations under which attack occurred	287
	PADB_09	Remembered exactly age very first panic attack	288
	PADB_091	Life period when very first attack occurred	291
	PADB_10	Had panic attack - 12 mo	291
	PADB_10A	Reference period of panic attack - 12 mo	292
	PADB_10B	Number of weeks had at least one attack - 12 mo	292
	PADB_13A	1 Month or longer - worried might have another attack	296
	PADB_13B	1 Month or longer - worried something terrible might happen	297

PADB_13C 1 Month or longer - changed everyday activities 297 PADB_13D 1 Month or longer - avoided situation for fear of attack 298 PADB_16 Had 1 month of worry / change in activity - 12 mo 300 PADB_16A Reference period of 1 month disturbance - 12 mo 300 PADB_16B Number of months of worry/change in activity - 12 mo 301 PADB_16C Frequency - worried about having another attack - 12 mo 301 PADB_16D Severity of worry of having another attack - 12 mo 302 PADB_17 Had unexpected attack - life 304 PADB_21A Life period when first unexpected attack occurred 308 PADB_22 Unexpected attack interfere with work/social/relationships 308 PADB_24 Unexpected attack curred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_38 Reference period of most recent attack - 12 mo 312 PADB_39 Number of weeks had at least one attack - 12 mo 313 PADB_40 Amount of emotional distress during	Variable Name	Description	Page
PADB_16 Had 1 month of worry / change in activity - 12 mo 300 PADB_16A Reference period of 1 month disturbance - 12 mo 300 PADB_16B Number of months of worry/change in activity - 12 mo 301 PADB_16C Frequency - worried about having another attack - 12 mo 301 PADB_16D Severity of worry of having another attack - 12 mo 302 PADB_17 Had unexpected attack - life 304 PADB_21A Life period when first unexpected attack occurred 308 PADB_22 Unexpected attack interfere with work/social/relationships 308 PADB_23 Unexpected attack occurred while sleeping - life 309 PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_38 Reference period of most recent attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41 Degree of discomfort due to physical	PADB_13C	1 Month or longer - changed everyday activities	297
PADB_16A Reference period of 1 month disturbance - 12 mo 300 PADB_16B Number of months of worry/change in activity - 12 mo 301 PADB_16C Frequency - worried about having another attack - 12 mo 301 PADB_16D Severity of worry of having another attack - 12 mo 302 PADB_17 Had unexpected attack - IIfe 304 PADB_21A Life period when first unexpected attack occurred 308 PADB_21A Life period when first unexpected attack occurred while sleeping - life 309 PADB_22 Unexpected attack occurred while sleeping - life 309 PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_42 Frequency - avoided	PADB_13D	1 Month or longer - avoided situation for fear of attack	298
PADB_16B Number of months of worry/change in activity - 12 mo 301 PADB_16C Frequency - worried about having another attack - 12 mo 301 PADB_16D Severity of worry of having another attack - 12 mo 302 PADB_17 Had unexpected attack - life 304 PADB_21A Life period when first unexpected attack occurred 308 PADB_22 Unexpected attack interfere with work/social/relationships 308 PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 313 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 315 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of int close relationships - 12 mo 316 PADB_440 Level of int close relationships - 12 mo 319 PADB_441 Level of int close relationships - 12 mo 319 PADB_442 Received helpful/effective treatment for attacks 321 PADB_450 Consulted MD/other prof. about attacks 321 PADB_46 Received prof. treatment for attacks - 12 mo 326 PADB_66 Hospitalized overnight for attacks - 16 mo 327 PADB_66 Hospitalized overnight for attacks - 16 mo 329	PADB_16	Had 1 month of worry / change in activity - 12 mo	300
PADB_16C Frequency - worried about having another attack - 12 mo 302 PADB_16D Severity of worry of having another attack - 12 mo 302 PADB_17 Had unexpected attack - life 304 PADB_21A Life period when first unexpected attack occurred 308 PADB_22 Unexpected attack interfere with work/social/relationships 308 PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 314 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 316 PADB_44A Level of int ability to work at a job - 12 mo 318 PADB_44A Level of int ability to work at a job - 12 mo 316 PADB_44D Level of int ability to work at a job - 12 mo 316 PADB_44C Level of int close relationships - 12 mo 316 PADB_44B Level of interference - home respons 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44B Received MD/other prof. about attacks 321 PADB_64 Nbr of days/365 totally unable due to attacks 321 PADB_65 Received helpful/effective treatment for attacks 323 PADB_66 Received helpful/effective treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - 12 mo 329	PADB_16A	Reference period of 1 month disturbance - 12 mo	300
PADB_16D Severity of worry of having another attack - 12 mo 302 PADB_17 Had unexpected attack - life 304 PADB_21A Life period when first unexpected attack occurred 308 PADB_22 Unexpected attack interfere with work/social/relationships 308 PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of interference - home respons, - 12 mo 316 PADB_44A Level of interference - home respons, - 12 mo 316 PADB_44C Level of int close relationships - 12 mo 316 PADB_44B Received prof. treatment for attacks 321 PADB_60 Received helpful/effective treatment for attacks 323 PADB_61 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADB_65 PadBC Pad	PADB_16B	Number of months of worry/change in activity - 12 mo	301
PADB_17 Had unexpected attack - life 304 PADB_21A Life period when first unexpected attack occurred 308 PADB_22 Unexpected attack interfere with work/social/relationships 308 PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 315 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of int close relat	PADB_16C	Frequency - worried about having another attack - 12 mo	301
PADB_21A Life period when first unexpected attack occurred PADB_22 Unexpected attack interfere with work/social/relationships 308 PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 314 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 315 PADB_42 Frequency - avoided situations causing sensations - 12 mo 316 PADB_43 Avoidance interfered with work/social/relationships 317 PADB_441 Level of int ability to attend school - 12 mo 318 PADB_442 Level of int ability to work at a job - 12 mo 319 PADB_444 Level of int close relationships - 12 mo 319 PADB_440 Level of interference - home respons 12 mo 319 PADB_440 Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - 12 mo 327 PADBDA	PADB_16D	Severity of worry of having another attack - 12 mo	302
PADB_22 Unexpected attack interfere with work/social/relationships PADB_24 Unexpected attack occurred while sleeping - life 309 PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of int close relationships - 12 mo 319 PADB_44C Level of int close relationships - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - 12 mo 329	PADB_17	Had unexpected attack - life	304
PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 314 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 315 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of interference - home respons 12 mo 316 PADB_44A Level of interference - social life - 12 mo 320 PADB_44B Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 323 PADB_64 Received helpful/effective treatment for attacks 323 PADB_65 Hospitalized overnight for attacks - 12 mo 326 PADB_65 Panic Attack - Criterion A - (D) 329	PADB_21A	Life period when first unexpected attack occurred	308
PADB_25A Panic attack due to physical causes 310 PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 315 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of interference - home respons 12 mo 316 PADB_44A Level of interference - home respons 12 mo 319 PADB_44B Level of interference - social life - 12 mo 320 PADB_44B Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks - 12 mo 326 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - 12 mo 326 PADB_65 Panic Attack - Criterion A - (D) 329	PADB_22	Unexpected attack interfere with work/social/relationships	308
PADB_25B Physical causes always caused panic attacks 310 PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of int close relationships - 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_24	Unexpected attack occurred while sleeping - life	309
PADB_37B Number of weeks had at least one attack - 12 mo 312 PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of interference - home respons 12 mo 316 PADB_444 Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks - 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - 12 mo 329	PADB_25A	Panic attack due to physical causes	310
PADB_38 Reference period of most recent attack - 12 mo 313 PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of interference - home respons 12 mo 316 PADB_44A Level of interference - home respons 12 mo 316 PADB_44C Level of int close relationships - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_25B	Physical causes always caused panic attacks	310
PADB_40 Amount of emotional distress during attack - 12 mo 313 PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of int ability to work at a job - 12 mo 316 PADB_44A Level of int close relationships - 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_37B	Number of weeks had at least one attack - 12 mo	312
PADB_41 Upset by physical sensation reminding of attack - 12 mo 314 PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_444 Level of interference - home respons 12 mo 316 PADB_444 Level of int close relationships - 12 mo 319 PADB_44C Level of interference - social life - 12 mo 320 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_38	Reference period of most recent attack - 12 mo	313
PADB_41A Degree of discomfort due to physical sensations - 12 mo 314 PADB_42 Frequency - avoided situations causing sensations - 12 mo 315 PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of interference - home respons 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_40	Amount of emotional distress during attack - 12 mo	313
PADB_42 Frequency - avoided situations causing sensations - 12 mo PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of interference - home respons 12 mo 319 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D)	PADB_41	Upset by physical sensation reminding of attack - 12 mo	314
PADB_43 Avoidance interfered with work/social/relationships 315 PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of interference - home respons 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_41A	Degree of discomfort due to physical sensations - 12 mo	314
PADB_441 Level of int ability to attend school - 12 mo 317 PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of interference - home respons 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_42	Frequency - avoided situations causing sensations - 12 mo	315
PADB_442 Level of int ability to work at a job - 12 mo 318 PADB_44A Level of interference - home respons 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_43	Avoidance interfered with work/social/relationships	315
PADB_44A Level of interference - home respons 12 mo 316 PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_441	Level of int ability to attend school - 12 mo	317
PADB_44C Level of int close relationships - 12 mo 319 PADB_44D Level of interference - social life - 12 mo 320 PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_442	Level of int ability to work at a job - 12 mo	318
PADB_44D Level of interference - social life - 12 mo PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_44A	Level of interference - home respons 12 mo	316
PADB_46 Nbr of days/365 totally unable due to attacks 321 PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_44C	Level of int close relationships - 12 mo	319
PADB_50 Consulted MD/other prof. about attacks 321 PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_44D	Level of interference - social life - 12 mo	320
PADB_62 Received helpful/effective treatment for attacks 323 PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_46	Nbr of days/365 totally unable due to attacks	321
PADB_64 Received prof. treatment for attacks - 12 mo 326 PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_50	Consulted MD/other prof. about attacks	321
PADB_65 Hospitalized overnight for attacks - life 327 PADBDA Panic Attack - Criterion A - (D) 329	PADB_62	Received helpful/effective treatment for attacks	323
PADBDA Panic Attack - Criterion A - (D) 329	PADB_64	Received prof. treatment for attacks - 12 mo	326
· ,	PADB_65	Hospitalized overnight for attacks - life	327
PADBDATT Panic Attack Algorithm - Life - (D) 335	PADBDA	Panic Attack - Criterion A - (D)	329
	PADBDATT	Panic Attack Algorithm - Life - (D)	335
PADBDATY Panic Attack Algorithm - 12 month - (D) 341	PADBDATY	Panic Attack Algorithm - 12 month - (D)	341
PADBDB Panic Attack - Criterion B - (D) 334	PADBDB	Panic Attack - Criterion B - (D)	334
PADBDB01 Criterion B - Symptom 1 - (D) 330	PADBDB01	Criterion B - Symptom 1 - (D)	330
PADBDB02 Criterion B - Symptom 2 - (D) 330	PADBDB02	Criterion B - Symptom 2 - (D)	330

Variable Name	Description	Page
PADBDB03	Criterion B - Symptom 3 - (D)	330
PADBDB04	Criterion B - Symptom 4 - (D)	331
PADBDB05	Criterion B - Symptom 5 - (D)	331
PADBDB06	Criterion B - Symptom 6 - (D)	331
PADBDB07	Criterion B - Symptom 7 - (D)	332
PADBDB08	Criterion B - Symptom 8 - (D)	332
PADBDB09	Criterion B - Symptom 9 - (D)	332
PADBDB10	Criterion B - Symptom 10 - (D)	333
PADBDB11	Criterion B - Symptom 11 - (D)	333
PADBDB12	Criterion B - Symptom 12 - (D)	333
PADBDB13	Criterion B - Symptom 13 - (D)	334
PADBDB14	Criterion B - Symptom 14 - (D)	334
PADBDC	Panic Attack - Criterion C - (D)	335
PADBDDA	Panic Disorder - Criterion A Part 1 and 2(D)	337
PADBDDA1	Panic Disorder - Criterion A Part 1 - (D)	335
PADBDDA2	Panic Disorder - Criterion A Part 2 - (D)	337
PADBDDAA	Panic Disorder - Criterion A Part 2 - Symptom 1(D)	336
PADBDDAB	Panic Disorder - Criterion A Part 2 - Symptom 2(D)	336
PADBDDAC	Panic Disorder - Criterion A Part 2 - Symptom 3(D)	336
PADBDDY	Panic Disorder Algorithm - 12 Month - (D)	343
PADBDINT	Panic Disorder Interference - Mean - (D)	343
PADBDPDS	Panic Disorder Algorithm - Life - (D)	337
PADBDYA	Panic Disorder - Criterion A - 12 month - (D)	342
PADBDYB	Panic Disorder - Criterion B - 12 month - (D)	342
PADBDYC	Panic Disorder - Criterion C - 12 month - (D)	342
PADBFINT	Flag: Panic Disorder Interference	344
PADBG04	Number of sudden attacks - life - (G)	283
PADBG07A	Age - exactly when single attack occurred - (G)	285
PADBG07B	Age - approximately when single attack occurred - (G)	286
PADBG09A	Age - exactly when very first panic attack occurred - (G)	289
PADBG09B	Age - approximately when very first attack occurred - (G)	290
PADBG10C	Total number of attacks - 12 mo - (G)	293
PADBG10D	Age - last time had panic attack - (G)	294
PADBG11	Greatest number of attacks in any single year - life - (G)	295
PADBG12	Nber of different years had at least one attack - life - (G)	296
PADBG15	Age - first time had 1 month being worried / avoided - (G)	299

Variable Name	Description	Page
PADBG16E	Age - approx. last time 1 mth worry of having attack - (G)	303
PADBG17A	Number of unexpected attacks - life - (G)	304
PADBG18	Number of "not in real danger" attacks - life - (G)	305
PADBG19	Number of "real danger" attacks - life - (G)	306
PADBG21	Age - first time had an unexpected attack - (G)	307
PADBG24A	Number of unexpected attacks occurring while asleep - life	309
PADBG36	Number of unexpected attacks - 12 mo - (G)	311
PADBG37A	Age - last time had unexpected attack - (G)	312
PADBG50A	Age - first time consulted prof. about attacks - (G)	322
PADBG62A	Age - first time got helpful treatment for attacks - (G)	324
PADBG62B	Number of prof. consulted before helpful treatment - (G)	325
PADBG62C	Total nbr of prof. consulted about attacks - life - (G)	326
PADBG651	Number of relatives with attacks - (G)	329
PADBG65A	Age - first time hospitalized overnight for attacks - (G)	328
PADBGON	Age of panic disorder onset - (D,G)	339
PADBGONA	Age of first panic attack - (D,G)	338
PADBGPER	Nbr of years of persistence of panic disorder - (D,G)	341
PADBGREC	Age when most recent panic attack - (D,G)	340
PWB: Psychological Well-Bei	ng Scale	
PWBB_01	Frequency - felt self-confident - past month	82
PWBB_02	Frequency - satisfied with accomplishments - past month	83
PWBB_03	Frequency - took on lots of projects - past month	83
PWBB_04	Frequency - felt emotionally balanced - past month	84
PWBB_05	Frequency - felt loved and appreciated - past month	84
PWBB_06	Frequency - had goals and ambitions - past month	85
PWBB_07	Frequency - felt like having fun - past month	85
PWBB_08	Frequency - felt useful - past month	86
PWBB_09	Frequency - smiled easily - past month	86
PWBB_10	Frequency - was true to self - past month	87
PWBB_11	Frequency - did good job listening to friends - past month	87
PWBB_12	Frequency - was curious and interested - past month	88
PWBB_13	Frequency - was able to clearly sort things out - past month	88
PWBB_14	Frequency - found life exciting - past month	89
PWBB_15	Frequency - life was well-balanced - past month	89
PWBB_16	Frequency - was calm and level-headed - past month	90
PWBB_17	Frequency - easily found answers - past month	90

	Variable Name	Description	Page
	PWBB_18	Frequency - got along well with others - past month	91
	PWBB_19	Frequency - lived at normal pace - past month	91
	PWBB_20	Frequency - impression of enjoying life - past month	92
	PWBB_21	Frequency - had good sense of humour - past month	92
	PWBB_22	Frequency - was at peace with self - past month	93
	PWBB_23	Frequency - felt healthy/in good shape - past month	93
	PWBB_24	Frequency - face situations positively - past month	94
	PWBB_25	Frequency - had good morale - past month	94
	PWBBDPWB	Psychological well-being scale - past month - (D)	95
RAC:	Restriction of Activities		
	RACB_1	Has difficulty with activities	582
	RACB_2A	Reduction in kind or amount activities - at home	583
	RACB_2B1	Reduction in kind or amount activities - at school	583
	RACB_2B2	Reduction in kind or amount activities - at work	584
	RACB_2C	Reduction in kind or amount activities - other activities	584
	RACB_5A1	Embarrassment due to condition/health problem - life	585
	RACB_5A2	Embarrassment due to condition/health problem - 12 mo	586
	RACB_5B1	Discrimination due to condition/health problem - life	586
	RACB_5B2	Discrimination due to condition/health problem - 12 mo	587
	RACB_6A	Needs help - preparing meals	587
	RACB_6B1	Needs help - getting to appointments / running errands	588
	RACB_6C	Needs help - doing housework	588
	RACB_6D	Needs help - heavy household chores	589
	RACB_6E	Needs help - personal care	589
	RACB_6F	Needs help - moving about inside the house	590
	RACB_6G	Needs help - looking after personal finances	590
	RACB_7A	Difficulty - making new friends	591
	RACB_7B	Difficulty - dealing with unknown people	591
	RACB_7C	Difficulty - starting / maintaining a conversation	592
	RACB_8A	Cause of difficulties - physical health	592
	RACB_8B	Cause of difficulties - emotional or mental health	593
	RACB_8C	Cause of difficulties - use of alcohol or drugs	593
	RACB_8D	Cause of difficulties - other reason	594
	RACBDIMP	Impact of health problems - (D)	594
	RACBDPAL	Participation and Activity Limitation - (D)	595
	RACBF6R	Flag: Help needed for series of tasks	595

Variable Nar	me Description	Page
RACBF7	Flag: Difficulty with social situations	596
RACBG5	Cause of health problem - (G)	585
SCR : Screener Mental	I Disorders	
SCRB_01	Satisfaction with life in general	11
SCRB_081	Self-perceived physical health	11
SCRB_082	Self-perceived mental health	12
SCRB_20	Screener: had fear or panic attack - life	12
SCRB_20A	Screener: had attack when suddenly very uncomfortable - life	13
SCRB_21	Screener: felt sad/empty/depressed for several days - life	13
SCRB_22	Screener: was very discouraged several days or longer - life	14
SCRB_23	Screener: lost interest in things for several days - life	14
SCRB_24	Screener: had mania-like period lasting several days - life	15
SCRB_25	Screener: very irritable/grumpy/ for several days - life	15
SCRB_25A	Screener: so irritable started arguments/shouted/ life	16
SCRB_26	Screener: worried about things more than most people - life	16
SCRB_26A	Screener: more nervous/anxious than most people - life	17
SCRB_26B	Screener: 6 months when anxious/worried most days - life	17
SCRB_29	Screener: felt very afraid or really shy with people - life	18
SCRB_291	Screener: very upset/nervous in social situation - life	19
SCRB_292	Screener: stayed away from social situations - life	19
SCRB_293	Screener: social fear stronger than should have been - life	20
SCRB_29A	Screener: very afraid/uncomfortable before group - life	18
SCRB_30	Screener: very uncomfortable/afraid in crowds/etc life	20
SCRB_301	Screener: became very upset/nervous in crowds/etc life	21
SCRB_302	Screener: stayed away from situations whenever could - life	21
SCRB_303	Screener: fear stronger than should have been - life	22
SCRBDMEN	Self-rated mental health - (D)	23
SCRBDPHY	Self-rated physical health - (D)	23
SCRBDSAT	Life satisfaction - (D)	22
SCRBFAGP	Flag: Respondent screened in agoraphobia module	25
SCRBFDEP	Flag: Respondent screened in depression module	24
SCRBFGAD	Flag: Respondent screened in GAD module	25
SCRBFMIA	Flag: Respondent screened in the mania module	24
SCRBFPAD	Flag: Respondent screened in the panic module	24
SCRBFSOP	Flag: Respondent screened in social phobia module	25

	Variable Name	Description	Page
SDC :	Socio-Demographics Chara	cteristics	
	SDCB_8	Currently attending a school, college or university	891
	SDCB_9	Full-time student or part-time student	892
	SDCBFIMM	Immigrant status	893
	SDCBGCBG	Country of birth - (G)	892
	SDCBGLNG	Languages in which respondent can converse - (D,G)	894
	SDCBGRES	Length of time in Canada since immigration - (D,G)	893
SER:	Mental Health Services Utili	sation	
	SERB_02	Hospitalized for mental health/alcohol/drug - life	612
	SERB_05A	Reference period for single lifetime hospitalization	613
	SERB_08	Hospitalized for mental health/alcohol/drug - 12 mo	616
	SERB_10A	Ever saw / talked to prof psychiatrist	618
	SERB_10B	Ever saw / talked to prof family doctor or GP	619
	SERB_10C	Ever saw / talked to prof other medical doctor	619
	SERB_10D	Ever saw / talked to prof psychologist	620
	SERB_10E	Ever saw / talked to prof nurse	620
	SERB_10F	Ever saw / talked to prof social worker/counsellor/etc	621
	SERB_10G	Ever saw / talked to prof religious / spiritual advisor	621
	SERB_10H	Ever saw / talked to prof other professional	622
	SERB_10I	Ever saw / talked to prof none	622
	SERB_12	Had session of counselling / therapy of 15 minutes or longer	623
	SERB_21	Last time consulted psychiatrist	626
	SERB_24A	Contact psychiatrist - hospitalized as an overnight patient	628
	SERB_24B	Contact psychiatrist - health professional's office	629
	SERB_24C	Contact psychiatrist - hospital emergency room	629
	SERB_24L	Contact psychiatrist - at home	631
	SERB_24M	Contact psychiatrist - telephone consultation only	631
	SERB_24N	Contact psychiatrist - church or other religious place	632
	SERB_25	Psychiatrist - satisfaction with treatments/services	633
	SERB_26	Psychiatrist - perceived level of help received from prof.	633
	SERB_27	Psychiatrist - stopped seeing this professional	634
	SERB_28A	Reason stopped - felt better	634
	SERB_28B	Reason stopped - completed the recommended treatment	635
	SERB_28C	Reason stopped - thought it was not helping	635
	SERB_28D	Reason stopped - problem would get better without help	636

Variable Name	Description	Page
SERB_28E	Reason stopped - couldn't afford to pay	636
SERB_28F	Reason stopped - too embarrassed to see professional	637
SERB_28G	Reason stopped - wanted to solve the problem without help	637
SERB_28H	Reason stopped - problems like transportation, childcare	638
SERB_28I	Reason stopped - service / program no longer available	638
SERB_28J	Reason stopped - not comfortable with prof. approach	639
SERB_28K	Reason stopped - other reason	639
SERB_29	Psychiatrist - recommended other professional	640
SERB_31	Last time consulted family doctor	642
SERB_34A	Contact family doctor - hospitalized as overnight patient	644
SERB_34B	Contact family doctor - health professional's office	645
SERB_34C	Contact family doctor - hospital emergency room	645
SERB_34L	Contact family doctor - at home	647
SERB_34M	Contact family doctor - telephone consultation only	647
SERB_34N	Contact family doctor - church or other religious place	648
SERB_35	Family doctor - satisfaction with treatments/services	649
SERB_36	Family doctor - perceived level of help received from prof.	649
SERB_37	Family doctor - stopped seeing prof.	650
SERB_38A	Reason stopped - felt better	650
SERB_38B	Reason stopped - completed the recommended treatment	651
SERB_38C	Reason stopped - thought it was not helping	651
SERB_38D	Reason stopped - problem would get better without help	652
SERB_38E	Reason stopped - couldn't afford to pay	652
SERB_38F	Reason stopped - too embarrassed to see professional	653
SERB_38G	Reason stopped - wanted to solve the problem without help	653
SERB_38H	Reason stopped - problems like transportation, childcare	654
SERB_38I	Reason stopped - service / program no longer available	654
SERB_38J	Reason stopped - not comfortable with prof. approach	655
SERB_38K	Reason stopped - other reason	655
SERB_39	Family doctor - recommended another professional	656
SERB_40A	Other doctor - cardiologist	656
SERB_40B	Other doctor - gynaecologist	657
SERB_40C	Other doctor - urologist	657
SERB_40D	Other doctor - allergist	658
SERB_40E	Other doctor - other	658
SERB_41	Other doctor consulted most often - 12 mo	659

Variable Name	Description	Page
SERB_44A	Contact other doctor - hospitalized as overnight patient	661
SERB_44B	Contact other doctor - health professional's office	662
SERB_44C	Contact other doctor - hospital emergency room	662
SERB_44L	Contact other doctor - at home	664
SERB_44M	Contact other doctor - telephone consultation only	664
SERB_44N	Contact other doctor - church or other religious place	665
SERB_45	Other doctor - satisfaction with treatments/services	666
SERB_46	Other doctor - perceived level of help received from prof.	666
SERB_47	Other doctor - stopped seeing prof.	667
SERB_48A	Reason stopped - felt better	667
SERB_48B	Reason stopped - completed the recommended treatment	668
SERB_48C	Reason stopped - thought it was not helping	668
SERB_48D	Reason stopped - problem would get better without help	669
SERB_48E	Reason stopped - couldn't afford to pay	669
SERB_48F	Reason stopped - too embarrassed to see professional	670
SERB_48G	Reason stopped - wanted to solve the problem without help	670
SERB_48H	Reason stopped - problems like transportation, childcare	671
SERB_48I	Reason stopped - service / program no longer available	671
SERB_48J	Reason stopped - not comfortable with prof. approach	672
SERB_48K	Reason stopped - other reason	672
SERB_49	Other doctor - recommended other professional	673
SERB_51	Last time consulted psychologist	675
SERB_54A	Contact psychologist - hospitalized as an overnight patient	677
SERB_54B	Contact psychologist - health professional's office	678
SERB_54C	Contact psychologist - hospital emergency room	678
SERB_54L	Contact psychologist - at home	680
SERB_54M	Contact psychologist - telephone consultation only	680
SERB_54N	Contact psychologist - church or other religious place	681
SERB_55	Psychologist - satisfaction with treatments/services - 12 mo	682
SERB_56	Psychologist - perceived level of help received from prof.	682
SERB_57	Psychologist - stopped seeing this professional	683
SERB_58A	Reason stopped - felt better	683
SERB_58B	Reason stopped - completed the recommended treatment	684
SERB_58C	Reason stopped - thought it was not helping	684
SERB_58D	Reason stopped - problem would get better without help	685
SERB_58E	Reason stopped - couldn't afford to pay	685

Variable Name	Description	Page
SERB_58F	Reason stopped - too embarrassed to see professional	686
SERB_58G	Reason stopped - wanted to solve the problem without help	686
SERB_58H	Reason stopped - problems like transportation, childcare	687
SERB_58I	Reason stopped - service / program no longer available	687
SERB_58J	Reason stopped - not comfortable with prof. approach	688
SERB_58K	Reason stopped - other reason	688
SERB_59	Insurance covers all/part of cost with psychologist	689
SERB_59A	Psychologist - recommended other professional	689
SERB_61	Last time consulted nurse	691
SERB_64A	Contact nurse - hospitalized as an overnight patient	693
SERB_64B	Contact nurse - health professional's office	694
SERB_64C	Contact nurse - hospital emergency room	694
SERB_64L	Contact nurse - at home	696
SERB_64M	Contact nurse - telephone consultation only	696
SERB_64N	Contact nurse - church or other religious place	697
SERB_65	Nurse - satisfaction with treatments/services - 12 mo	698
SERB_66	Nurse - perceived level of help received from prof.	698
SERB_67	Nurse - stopped seeing this professional	699
SERB_68A	Reason stopped - felt better	699
SERB_68B	Reason stopped - completed the recommended treatment	700
SERB_68C	Reason stopped - thought it was not helping	700
SERB_68D	Reason stopped - problem would get better without help	701
SERB_68E	Reason stopped - couldn't afford to pay	701
SERB_68F	Reason stopped - too embarrassed to see professional	702
SERB_68G	Reason stopped - wanted to solve the problem without help	702
SERB_68H	Reason stopped - problems like transportation, childcare	703
SERB_68I	Reason stopped - service / program no longer available	703
SERB_68J	Reason stopped - not comfortable with prof. approach	704
SERB_68K	Reason stopped - other reason	704
SERB_69	Insurance covers all/part of cost with nurse	705
SERB_69A	Nurse - recommended other professional	705
SERB_71	Last time consulted social worker	707
SERB_74A	Contact social worker - hospitalized as an overnight patient	709
SERB_74B	Contact social worker - health professional's office	710
SERB_74C	Contact social worker - hospital emergency room	710
SERB_74L	Contact social worker - at home	712

Description	Page
Contact social worker - telephone consultation only	712
Contact social worker - church or other religious place	713
Social worker - satisfaction with treatments/services	714
Social worker - perceived level of help received from prof.	714
Social worker - stopped seeing this professional	715
Reason stopped - felt better	715
Reason stopped - completed the recommended treatment	716
Reason stopped - thought it was not helping	716
Reason stopped - problem would get better without help	717
Reason stopped - couldn't afford to pay	717
Reason stopped - too embarrassed to see professional	718
Reason stopped - wanted to solve the problem without help	718
Reason stopped - problems like transportation, childcare	719
Reason stopped - service / program no longer available	719
Reason stopped - not comfortable with prof. approach	720
Reason stopped - other reason	720
Insurance covers all/part of cost with social worker	721
Social worker - recommended other professional	721
Last time consulted religious advisor	723
Contact religious advisor - hosp as an overnight patient	725
Contact religious advisor - health professional's office	726
Contact religious advisor - hospital emergency room	726
Contact religious advisor - at home	728
Contact religious advisor - telephone consultation only	728
Contact religious advisor - church or other religious place	729
Religious advisor - satisfaction with treatments/services	730
Religious adv - perceived level of help received from prof.	730
Religious advisor - stopped seeing this professional	731
Reason stopped - felt better	731
Reason stopped - completed the recommended treatment	732
Reason stopped - thought it was not helping	732
Reason stopped - problem would get better without help	733
Reason stopped - couldn't afford to pay	733
Reason stopped - too embarrassed to see professional	734
Reason stopped - wanted to solve the problem without help	734
Reason stopped - problems like transportation, childcare	735
	Contact social worker - telephone consultation only Contact social worker - church or other religious place Social worker - satisfaction with treatments/services Social worker - perceived level of help received from prof. Social worker - stopped seeing this professional Reason stopped - felt better Reason stopped - completed the recommended treatment Reason stopped - thought it was not helping Reason stopped - problem would get better without help Reason stopped - too embarrassed to see professional Reason stopped - wanted to solve the problem without help Reason stopped - wanted to solve the problem without help Reason stopped - problems like transportation, childcare Reason stopped - service / program no longer available Reason stopped - other reason Insurance covers all/part of cost with social worker Social worker - recommended other professional Last time consulted religious advisor Contact religious advisor - hosp as an overnight patient Contact religious advisor - hosp as an overnight patient Contact religious advisor - hospital emergency room Contact religious advisor - at home Contact religious advisor - church or other religious place Religious advisor - satisfaction with treatments/services Religious advisor - stopped seeing this professional Reason stopped - felt better Reason stopped - completed the recommended treatment Reason stopped - thought it was not helping Reason stopped - thought it was not helping Reason stopped - too embarrassed to see professional Reason stopped - too embarrassed to see professional

Variable Name	Description	Page
SERB_88I	Reason stopped - service / program no longer available	735
SERB_88J	Reason stopped - not comfortable with prof. approach	736
SERB_88K	Reason stopped - other reason	736
SERB_89	Religious advisor - recommend other professional	737
SERB_90A	Other professional - acupuncturist	737
SERB_90B	Other professional - biofeedback teacher	738
SERB_90C	Other professional - chiropractor	738
SERB_90D	Other professional - energy healing specialist	739
SERB_90E	Other professional - exercise or movement therapist	739
SERB_90F	Other professional - herbalist	740
SERB_90G	Other professional - homeopath or naturopath	740
SERB_90H	Other professional - hypnotist	741
SERB_90I	Other professional - guided imagery specialist	741
SERB_90J	Other professional - massage therapist	742
SERB_90K	Other professional - relaxation, yoga or meditation	742
SERB_90L	Other professional - dietician	743
SERB_90M	Other professional - other	743
SERB_91	Other professional consulted most often - 12 mo	744
SERB_94A	Contact other prof hospitalized as an overnight patient	746
SERB_94B	Contact other prof health professional's office	747
SERB_94C	Contact other prof hospital emergency room	747
SERB_94L	Contact other prof at home	749
SERB_94M	Contact other prof telephone consultation only	749
SERB_94N	Contact other prof church or other religious place	750
SERB_95	Other prof satisfaction with treatments/services - 12 mo	751
SERB_96	Other prof perceived level of help received from prof.	751
SERB_97	Other prof stopped seeing this professional	752
SERB_98A	Reason stopped - felt better	752
SERB_98B	Reason stopped - completed the recommended treatment	753
SERB_98C	Reason stopped - thought it was not helping	753
SERB_98D	Reason stopped - problem would get better without help	754
SERB_98E	Reason stopped - couldn't afford to pay	754
SERB_98F	Reason stopped - too embarrassed to see professional	755
SERB_98G	Reason stopped - wanted to solve the problem without help	755
SERB_98H	Reason stopped - problems like transportation, childcare	756
SERB_98I	Reason stopped - service / program no longer available	756

Variable Name	Description	Page
SERB_98J	Reason stopped - not comfortable with prof. approach	757
SERB_98K	Reason stopped - other reason	757
SERB_98L	Reason stopped - none	758
SERB_99	Insurance covers all/part of cost with other prof.	758
SERB_99A	Other professionnal - recommended other professional	759
SERB_A0A	Used an internet support group / chat room - life	759
SERB_A0B	Last time used internet support group / chat room	760
SERB_A1A	Self-help group for help with emotions - life	761
SERB_A1C	Last time went to self-help group	763
SERB_A2A	Used telephone helpline for mental health - life	764
SERB_A2C	Last time used telephone helpline	765
SERB_A3	Needed help for emotions but didn't receive it	766
SERB_A4A	Help needed - info on mental illness / treatments	766
SERB_A4B	Help needed - info on availability of services	767
SERB_A4C	Help needed - medication	767
SERB_A4D	Help needed - therapy or counselling	768
SERB_A4E	Help needed - for financial problems	768
SERB_A4F	Help needed - for housing problems	769
SERB_A4G	Help needed - for personal relationships	769
SERB_A4H	Help needed - for employment status / work situation	770
SERB_A4I	Help needed - other	770
SERB_A5A	Reason no help - preferred to manage him/herself	771
SERB_A5B	Reason no help - didn't think anything more could help	771
SERB_A5C	Reason no help - didn't know how or where to get help	772
SERB_A5D	Reason no help - afraid to ask help / what others think	772
SERB_A5E	Reason no help - couldn't afford to pay	773
SERB_A5F	Reason no help - prob like transp, childcare, scheduling	773
SERB_A5G	Reason no help - professional unavailable in area	774
SERB_A5H	Reason no help - professional unavailable at time	774
SERB_A5I	Reason no help - waiting time too long	775
SERB_A5J	Reason no help - didn't get around to it / didn't bother	775
SERB_A5K	Reason no help - language problems	776
SERB_A5L	Reason no help - personal/family responsabilities	776
SERB_A5M	Reason no help - other	777
SERBDRCT	Number of resources used for mental health - life - (D)	780
SERBDYCT	Number of resources used for mental health - 12 mo	780

Variable Name	Description	Page
SERBFACP	Flag: Acceptability barriers - mental health	781
SERBFACS	Flag: Accessibility barriers - mental health	781
SERBFAVA	Flag: Availability barriers - mental health	781
SERBFHYR	Flag: Hospitalization for mental health - 12 mo	779
SERBFLAP	Flag: Professional consultations for mental health - life	779
SERBFLHO	Flag: Hospitalization for mental health - life	778
SERBFLRU	Flag: Resources used for mental health - life	779
SERBFYRU	Number of resources used for mental health - 12 mo	780
SERBG03	Nbr of times hosp. for mental health/alcohol/drug - life	612
SERBG05B	Age - for single hospit. dating more than a year ago - (G)	614
SERBG06	Age - at time of first admission for mental health - (G)	615
SERBG08A	Age - last time hospitalized - (G)	617
SERBG09	Total time spent hospital due to mental hlth - 12 mo - (G)	618
SERBG13	Age - first time had session of counselling / therapy - (G)	624
SERBG20	Age - first time consulted psychiatrist - (G)	625
SERBG22	Age - last time consulted psychiatrist - (G)	627
SERBG23	Number of times consulted psychiatrist - 12 mo - (G)	628
SERBG24F	Contact psychiatrist - outpatient clinic - (G)	630
SERBG24I	Contact psychiatrist - other clinic - (G)	630
SERBG24O	Contact psychiatrist - work, school, other - (G)	632
SERBG30	Age - first time consulted family doctor - (G)	641
SERBG32	Age - last time consulted family doctor - (G)	643
SERBG33	Number of times consulted family doctor - 12 mo - (G)	644
SERBG34F	Contact family doctor - outpatient clinic - (G)	646
SERBG34I	Contact family doctor - other clinic - (G)	646
SERBG34O	Contact family doctor - work, school, other - (G)	648
SERBG42	Age - last time consulted other medical doctor - (G)	660
SERBG43	Number of times consulted other doctor - 12 mo - (G)	661
SERBG44F	Contact other doctor - outpatient clinic - (G)	663
SERBG44I	Contact other med. doctor - other clinic - (G)	663
SERBG44O	Contact other doctor - work, school, other - (G)	665
SERBG50	Age - first time consulted psychologist - (G)	674
SERBG52	Age - last time consulted psychologist - (G)	676
SERBG53	Number of times consulted psychologist - 12 mo - (G)	677
SERBG54F	Contact psychologist - outpatient clinic - (G)	679
SERBG54I	Contact psychologist - other clinic - (G)	679

Variable Name	Description	Page
SERBG54O	Contact psychologist - work, school, other - (G)	681
SERBG60	Age - first time consulted nurse - (G)	690
SERBG62	Age - last time consulted nurse - (G)	692
SERBG63	Number of times consulted nurse - 12 mo - (G)	693
SERBG64F	Contact nurse - outpatient clinic - (G)	695
SERBG64I	Contact nurse - other clinic - (G)	695
SERBG64O	Contact nurse - work, school, other - (G)	697
SERBG70	Age - first time consulted social worker - (G)	706
SERBG72	Age - last time consulted social worker - (G)	708
SERBG73	Number of times consulted social worker - 12 mo - (G)	709
SERBG74F	Contact social worker - outpatient clinic - (G)	711
SERBG74I	Contact social worker - other clinic - (G)	711
SERBG740	Contact social worker - work, school, other - (G)	713
SERBG80	Age - first time consulted religious advisor - (G)	722
SERBG82	Age - last time consulted religious advisor - (G)	724
SERBG83	Number of times consulted religious advisor - 12 mo - (G)	725
SERBG84F	Contact religious advisor - outpatient clinic - (G)	727
SERBG84I	Contact religious advisor - other clinic - (G)	727
SERBG840	Contact religious advisor - work, school, other - (G)	729
SERBG92	Age - last time consulted other professional - (G)	745
SERBG93	Number of times consulted other professional - 12 mo - (G)	746
SERBG94F	Contact other prof outpatient clinic - (G)	748
SERBG94I	Contact other prof other clinic - (G)	748
SERBG94O	Contact other prof work, school, other - (G)	750
SERBGA0C	Nbr times internet support group / chat room - 12 mo - (G)	760
SERBGA1B	Age - first time went to self-help group - (G)	762
SERBGA1D	Nbr times went to meeting of self-help group - 12 mo - (G)	763
SERBGA2B	Age - first time used telephone helpline - (G)	764
SERBGA2D	Number of times used telephone helpline - 12 mo - (G)	765
SERBGA7	Amount spent on mental hith services/products - 12 mo - (G)	777
SERBGHDY	Length of time hospitalized for ment.hlth life - (D,G)	778
SOP : Social Phobia		
AGPBG13A	Longest period unable to leave home - (G)	423
SOPB_01A	Uneasy - meeting new people	344
SOPB_01B	Uneasy - talking to people in authority	345
SOPB_01C	Uneasy - speaking up in a meeting / class	345

Variable Name	Description	Page
SOPB_01D	Uneasy - going to parties / other social gatherings	346
SOPB_01E	Uneasy - performing / giving a talk	346
SOPB_01F	Uneasy - taking exam / interviewing for job	347
SOPB_01G	Uneasy - working while someone watches you	347
SOPB_01H	Uneasy - entering room when others already present	348
SOPB_01I	Uneasy - talking with people who don't know well	348
SOPB_01J	Uneasy - expressing disagreement to people don't know well	349
SOPB_01K	Uneasy - writing, eating, drinking while someone watches	349
SOPB_01L	Uneasy - using public bathroom	350
SOPB_01M	Uneasy - going on a date	350
SOPB_01N	Uneasy - other social situation where centre of attention	351
SOPB_031	Remembered exactly age of very first social fear	351
SOPB_032	Remembered exactly age of very first social fear	352
SOPB_08A	Symptom - was blushing or shaking	357
SOPB_08B	Symptom - feared losing bowel / bladder control	358
SOPB_08C	Symptom - feared might vomit	358
SOPB_09A	Symptom - had heart pounding / racing	359
SOPB_09B	Symptom - was sweating	359
SOPB_09C	Symptom - was trembling	360
SOPB_09D	Symptom - felt sick to stomach	360
SOPB_09E	Symptom - had dry mouth	361
SOPB_09F	Symptom - had hot flushes or chills	361
SOPB_09G	Symptom - felt numbness / tingling sensations	362
SOPB_09H	Symptom - had trouble breathing normally	362
SOPB_09I	Symptom - felt like was choking	363
SOPB_09J	Symptom - had pain / discomfort in chest	363
SOPB_09K	Symptom - felt dizzy / faint	364
SOPB_09L	Symptom - was afraid might die	364
SOPB_09M	Symptom - feared might lose control, go crazy or pass out	365
SOPB_09N	Symptom - felt like "not really there"	365
SOPB_09O	Symptom - felt things were not real	366
SOPB_10	Symptom - was afraid might have a panic attack	366
SOPB_10A	Symptom - had a panic attack in this situation	367
SOPB_11	Symptom - was afraid might be trapped / unable to escape	367
SOPB_12	Symptom - was afraid might do something embarrassing	368
SOPB_12A	Symptom - was afraid might embarrass other people	368

Variable Name	Description	Page
SOPB_13	Symptom - was afraid people might think negatively	369
SOPB_14	Symptom - was afraid to be focus of attention	369
SOPB_14A	Reason associated with social fear	370
SOPB_15	Fear related to embarrassment about physical/mental problem	370
SOPB_16	Social fear interfered with work/social/relationships	371
SOPB_17	Felt upset / worried / disappointed because of social fear	371
SOPB_18	Last time feared / avoided social situation	372
SOPB_19	Severity of fear if had to face situation today	374
SOPB_211	Level of interference - ability to attend school - 12 mo	376
SOPB_212	Level of interference - ability to work at a job - 12 mo	377
SOPB_21A	Level of interference - home responsibilities - 12 mo	375
SOPB_21C	Level of interference - close relationships - 12 mo	378
SOPB_21D	Level of interference - social life - 12 mo	379
SOPB_23	Nbr of days/365 totally unable because of fear - 12 mo	380
SOPB_25	Consulted MD / other prof. about social fear	380
SOPB_36	Received helpful / effective treatment for social fear	382
SOPB_38	Received prof. treatment for social fear - 12 mo	385
SOPB_39	Hospitalized overnight for social fear - life	386
SOPB_3B1	Life period when first time had social fear	355
SOPB_6A1	Life period when started avoiding social situation	357
SOPBD09	Criterion D, Part 2B - (D)	389
SOPBD215	Criterion E, Part 1A - (D)	390
SOPBDA	Criterion A, Part 1 and 2 - (D)	388
SOPBDA1	Criterion A, Part 1 - (D)	387
SOPBDA2	Criterion A, Part 2 - (D)	388
SOPBDB	Criterion B - (D)	388
SOPBDC	Criterion C - (D)	389
SOPBDD	Criterion D, Part 1 and 2 - (D)	390
SOPBDD1	Criterion D, Part 1 - (D)	389
SOPBDD2	Criterion D, Part 2 - (D)	390
SOPBDE	Criterion E, Part 1 and 2 - (D)	391
SOPBDF	Criterion F, Part 1 and 2 - (D)	392
SOPBDF1	Criterion F, Part 1 - (D)	391
SOPBDF2	Criterion F, Part 2 - (D)	391
SOPBDINT	Social Phobia Interference - Mean - (D)	396
SOPBDPY	Social Phobia Algorithm - 12 month - (D)	396

	Variable Name	Description	Page
	SOPBDSP	Social Phobia Algorithm - Life - (D)	392
	SOPBDYA	Criterion A - 12 month - (D)	395
	SOPBDYB	Criterion B - 12 month - (D)	395
	SOPBDYC	Criterion C - Interference - (D)	395
	SOPBFINT	Flag: Social Phobia Interference	397
	SOPBG03A	Age - exactly first time had social fear - (G)	353
	SOPBG03B	Age - approximately first time had social fear - (G)	354
	SOPBG06A	Age - when first started avoiding social situation - (G)	356
	SOPBG18A	Age - last time feared / avoided social situation - (G)	373
	SOPBG25A	Age - first time consulted prof. about social fear - (G)	381
	SOPBG36A	Age - first time got helpful treatment for social fear - (G)	383
	SOPBG36B	Number of prof. consulted before helpful treatment - (G)	384
	SOPBG36C	Total nbr of prof. consulted about social fear - life - (G)	385
	SOPBG391	Number of relatives with strong social fear - (G)	387
	SOPBG39A	Age - 1st time hospitalized overnight for social fear - (G)	386
	SOPBGON	Age at social phobia onset - (D,G)	393
	SOPBGREC	Age at most recent social phobia episode - (D,G)	394
SPV :	Spiritual Values		
	SPVB_1	Spiritual values - playing important role in life	900
	SPVB_2	Spiritual values - helping to find meaning to life	900
	SPVB_3	Spiritual values - strength for everyday difficulties	901
	SPVB_4	Spiritual values - understanding difficulties of life	901
	SPVB_6	Frequency - Attends religious services or meetings	902
SSM :	Social Support		
	SSMB_01	Number of close friends and relatives	876
	SSMB_02	Has someone to give help if confined to bed	876
	SSMB_03	Has someone to listen	877
	SSMB_04	Has someone to give advice about a crisis	877
	SSMB_05	Has someone to take to doctor	878
	SSMB_06	Has someone who shows love and affection	878
	SSMB_07	Has someone to have a good time with	879
	SSMB_08	Has someone who gives information to understand a situation	879
	SSMB_09	Has someone to confide in	880
	SSMB_10	Has someone who gives hugs	880
	SSMB_11	Has someone to get together with for relaxation	881

Var	riable Name	Description	Page
SSM	/IB_12	Has someone to prepare meals	881
SSM	/IB_13	Has someone to give advice	882
SSM	/IB_14	Has someone to do things to get mind off things	882
SSM	/IB_15	Has someone to help with daily chores if sick	883
SSM	/IB_16	Has someone to share most private worries and fears with	883
SSM	/IB_17	Has someone to turn to for suggestions for personal problems	884
SSM	/IB_18	Has someone to do something enjoyable with	884
SSM	/IB_19	Has someone who understands problems	885
SSM	MB_20	Has someone who loves and makes feel wanted	885
SSM	/IB_21A	Received tangible social support - 12 mo	886
SSM	//B_21B	Frequency of tangible social support - 12 mo	886
SSM	/IB_22A	Received affective support - 12 mo	887
SSM	//B_22B	Frequency of affective support - 12 mo	887
SSM	/IB_23A	Received positive social interactive support - 12 mo	888
SSM	//B_23B	Frequency of positive social interactive support - 12 mo	888
SSM	/IB_24A	Received emotional/informational support - 12 mo	889
SSM	//B_24B	Frequency of emtional/informational support - 12 mo	889
SSM	MBDAFF	Affection - MOS subscale - (D)	890
SSM	MBDEMO	Emotional or informational support - MOS subscale - (D)	891
SSM	MBDSOC	Positive social interaction - MOS subscale - (D)	890
SSM	MBDTNG	Tangible social support - MOS subscale - (D)	890
STR : Stre	ess		
STR	RB_1	Self-perceived ability to handle unexpected problem	104
STR	RB_2	Self-perceived ability to handle day-to-day demands	104
STR	RB_3	Most important source of feelings of stress	105
STR	RB_61	Frequency - coping - problem solving	106
STR	RB_610	Frequency - coping - blaming oneself	112
STR	RB_611	Frequency - coping - wishing situation would go away	112
STR	RB_62	Frequency - coping - talking to others	106
STR	RB_63	Frequency - coping - avoiding being with people	107
STR	RB_64	Frequency - coping - sleeping more than usual	107
STR	RB_65A	Frequency - coping - eating more or less than usual	108
STR	RB_65B	Frequency - coping - smoking more cigarettes than usual	108
STR	RB_65C	Frequency - coping - drinking alcohol	109
STR	RB_65D	Frequency - coping - using drugs or medication	109
STR	RB_66	Frequency - coping - jogging or other exercise	110

CCHS Cycle 1.2: Topical Index Public Use Microdata File

	Variable Name	Description	Page
	STRB_67	Frequency - coping - praying or seeking spiritual help	110
	STRB_68	Frequency - coping - doing something enjoyable	111
	STRB_69	Frequency - coping - looking on the bright side of things	111
TWD :	Two-Week Disability		
	TWDB_1	Stayed in bed - because of illness or injury	596
	TWDB_2	Stayed in bed - number of days	597
	TWDB_2A	Single day when stayed in bed is due to mental health	598
	TWDB_2B	Number of days when stayed in bed is due to mental health	598
	TWDB_3	Reduced activities - because of illness or injury	599
	TWDB_4	Reduced activities - number of days	600
	TWDB_4A	Single day when reduced activities is due to mental health	601
	TWDB_4B	Nber of days when reduced activities is due to mental health	602
	TWDB_5A	Took extra effort - because of illness or injury	603
	TWDB_6	Number of days requiring extra effort	604
	TWDB_6A	Single day when extra effort is due to mental health	605
	TWDB_6B	Number of days when extra effort is due to mental health	606
	TWDBDDDY	Total number of disability days in past 14 days - (D)	607
	TWDBDMH	Total number of disability days due to mental health - (D)	611
	TWDBDMQ2	Number of days spent in bed due to mental health - (D)	608
	TWDBDMQ4	Nber of days reduced activities due to mental health - (D)	609
	TWDBDMQ6	Nber of days requiring extra effort due mental health - (D)	610
WST :	Work Stress		
	WSTB_401	Work stress - must learn new things	907
	WSTB_402	Work stress - high level of skill	907
	WSTB_403	Work stress - freedom to decide	908
	WSTB_404	Work stress - repetitive tasks	908
	WSTB_405	Work stress - job hectic	909
	WSTB_406	Work stress - free from conflicting demands	909
	WSTB_407	Work stress - good job security	910
	WSTB_408	Work stress - required a lot of physical effort	910
	WSTB_409	Work stress - had own job input	911
	WSTB_410	Work stress - hostility or conflict with others	911
	WSTB_411	Work stress - supervisor helpful	912
	WSTB_412	Work stress - co-workers helpful	912
	WSTB_413	Work stress - job satisfaction	913

SEPTEMBER 2004

Variable Name	Description	Page
WSTBDAUT	Work stress - decision latitude / authority - (D)	915
WSTBDJIN	Work stress - job insecurity - (D)	916
WSTBDPHY	Work stress - physical exertion - (D)	917
WSTBDPSY	Work stress - psychological demands - (D)	916
WSTBDSKI	Work stress - decision latitude / discretion - (D)	914
WSTBDSOC	Work stress - social support - (D)	918
WTS: Weights		
WTSB_M	Sampling weight - master weight	922

Page 47