

CCHS Cycle 1.2 : Record Layout

Page 1

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
ADMB_RNO	6	0001 - 0006	Sequential Record Number
GEOB_PRV	2	0007 - 0008	Province
GEOBGHR4	4	0009 - 0012	Health region - (G)
DHHBGAGE	2	0013 - 0014	Age - (G)
DHHB_SEX	1	0015 - 0015	Sex
DHHBGMS	1	0016 - 0016	Marital status - (G)
GENB_01	1	0017 - 0017	Self-perceived health
GENB_02	1	0018 - 0018	Self-perceived health compared to one year ago
GENB_03	2	0019 - 0020	Number of hours spent sleeping per night
GENB_04	1	0021 - 0021	Frequency - trouble sleeping
GENB_05	1	0022 - 0022	Frequency - find sleep refreshing
GENB_06	1	0023 - 0023	Frequency - find it difficult to stay awake
GENB_07	1	0024 - 0024	Self-perceived stress
GENB_08	1	0025 - 0025	Worked at job or business in the past 12-months
GENB_09	1	0026 - 0026	Self-perceived work stress
GENB_10	1	0027 - 0027	Sense of belonging to local community
GENBDHDI	1	0028 - 0028	Health description index - (D)
SCRB_01	1	0029 - 0029	Satisfaction with life in general
SCRB_081	1	0030 - 0030	Self-perceived physical health
SCRB_082	1	0031 - 0031	Self-perceived mental health
SCRB_20	1	0032 - 0032	Screeners: had fear or panic attack - life
SCRB_20A	1	0033 - 0033	Screeners: had attack when suddenly very uncomfortable - life
SCRB_21	1	0034 - 0034	Screeners: felt sad/empty/depressed for several days - life
SCRB_22	1	0035 - 0035	Screeners: was very discouraged several days or longer - life
SCRB_23	1	0036 - 0036	Screeners: lost interest in things for several days - life
SCRB_24	1	0037 - 0037	Screeners: had mania-like period lasting several days - life
SCRB_25	1	0038 - 0038	Screeners: very irritable/grumpy/ for several days - life
SCRB_25A	1	0039 - 0039	Screeners: so irritable started arguments/shouted/... - life
SCRB_26	1	0040 - 0040	Screeners: worried about things more than most people - life
SCRB_26A	1	0041 - 0041	Screeners: more nervous/anxious than most people - life
SCRB_26B	1	0042 - 0042	Screeners: 6 months when anxious/worried most days - life
SCRB_29	1	0043 - 0043	Screeners: felt very afraid or really shy with people - life
SCRB_29A	1	0044 - 0044	Screeners: very afraid/uncomfortable before group - life
SCRB_291	1	0045 - 0045	Screeners: very upset/nervous in social situation - life
SCRB_292	1	0046 - 0046	Screeners: stayed away from social situations - life
SCRB_293	1	0047 - 0047	Screeners: social fear stronger than should have been - life

CCHS Cycle 1.2 : Record Layout

Page 2

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SCRB_30	1	0048 - 0048	Screeners: very uncomfortable/afraid in crowds/etc. - life
SCRB_301	1	0049 - 0049	Screeners: became very upset/nervous in crowds/etc. - life
SCRB_302	1	0050 - 0050	Screeners: stayed away from situations whenever could - life
SCRB_303	1	0051 - 0051	Screeners: fear stronger than should have been - life
SCRBDSAT	1	0052 - 0052	Life satisfaction - (D)
SCRBDPHY	1	0053 - 0053	Self-rated physical health - (D)
SCRBDMEN	1	0054 - 0054	Self-rated mental health - (D)
SCRBFDEP	1	0055 - 0055	Flag: Respondent screened in depression module
SCRBFMIA	1	0056 - 0056	Flag: Respondent screened in the mania module
SCRBFPAD	1	0057 - 0057	Flag: Respondent screened in the panic module
SCRBF SOP	1	0058 - 0058	Flag: Respondent screened in social phobia module
SCRBFAGP	1	0059 - 0059	Flag: Respondent screened in agoraphobia module
SCRBF GAD	1	0060 - 0060	Flag: Respondent screened in GAD module
CCCB_011	1	0061 - 0061	Has food allergies
CCCB_021	1	0062 - 0062	Has allergies other than food allergies
CCCB_031	1	0063 - 0063	Has asthma
CCCB_041	1	0064 - 0064	Has fibromyalgia
CCCB_051	1	0065 - 0065	Has arthritis or rheumatism
CCCB_061	1	0066 - 0066	Has back problems excluding fibromyalgia and arthritis
CCCB_071	1	0067 - 0067	Has high blood pressure
CCCB_081	1	0068 - 0068	Has migraine headaches
CCCB_91A	1	0069 - 0069	Has chronic bronchitis
CCCB_91B	1	0070 - 0070	Has emphysema or chronic obstructive pulmonary disease
CCCB_101	1	0071 - 0071	Has diabetes
CCCB_111	1	0072 - 0072	Has epilepsy
CCCB_121	1	0073 - 0073	Has heart disease
CCCB_131	1	0074 - 0074	Has cancer
CCCB_141	1	0075 - 0075	Has stomach or intestinal ulcers
CCCB_151	1	0076 - 0076	Suffers from the effects of a stroke
CCCB_171	1	0077 - 0077	Has a bowel disorder / Crohn's Disease or colitis
CCCB_191	1	0078 - 0078	Has cataracts
CCCB_201	1	0079 - 0079	Has glaucoma
CCCB_211	1	0080 - 0080	Has a thyroid condition
CCCB_251	1	0081 - 0081	Has chronic fatigue syndrome
CCCB_261	1	0082 - 0082	Suffers from multiple chemical sensitivities
CCCBG281	1	0083 - 0083	Has other psychosis - (G)

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
CCCB_291	1	0084 - 0084	Has obsessive-compulsive disorder
CCCB_311	1	0085 - 0085	Suffers from post-traumatic stress disorder
CCCB_331	1	0086 - 0086	Has a learning disability
CCCBG901	1	0087 - 0087	Other long-term physical or mental health condition - (G)
CCCBF1	1	0088 - 0088	Has a chronic condition
HWTB_1	1	0089 - 0089	Currently pregnant
HWTB_4	1	0090 - 0090	Respondent's opinion of own weight
HWTBGHT	2	0091 - 0092	Height - (G)
HWTBGWTK	6.2	0093 - 0098	Weight - kilograms - (D,G)
HWTBGBMI	5.1	0099 - 0103	Body Mass Index - (D,G)
HWTBGSW	1	0104 - 0104	Standard weight - (D,G)
PACB_1A	1	0105 - 0105	Activity / last 3 months - walking for exercise
PACB_1B	1	0106 - 0106	Activity / last 3 months - gardening / yard work
PACB_1C	1	0107 - 0107	Activity / last 3 months - swimming
PACB_1D	1	0108 - 0108	Activity / last 3 months - bicycling
PACB_1E	1	0109 - 0109	Activity / last 3 months - popular or social dance
PACB_1F	1	0110 - 0110	Activity / last 3 months - home exercises
PACB_1G	1	0111 - 0111	Activity / last 3 months - ice hockey
PACB_1H	1	0112 - 0112	Activity / last 3 months - ice skating
PACB_1I	1	0113 - 0113	Activity / last 3 months - in-line skating or rollerblading
PACB_1J	1	0114 - 0114	Activity / last 3 months - jogging or running
PACB_1K	1	0115 - 0115	Activity / last 3 months - golfing
PACB_1L	1	0116 - 0116	Activity / last 3 months - exercise class or aerobics
PACB_1M	1	0117 - 0117	Activity / last 3 months - downhill skiing or snowboarding
PACB_1N	1	0118 - 0118	Activity / last 3 months - bowling
PACB_1O	1	0119 - 0119	Activity / last 3 months - baseball or softball
PACB_1P	1	0120 - 0120	Activity / last 3 months - tennis
PACB_1Q	1	0121 - 0121	Activity / last 3 months - weight-training
PACB_1R	1	0122 - 0122	Activity / last 3 months - fishing
PACB_1S	1	0123 - 0123	Activity / last 3 months - volleyball
PACB_1T	1	0124 - 0124	Activity / last 3 months - basketball
PACB_1U	1	0125 - 0125	Activity / last 3 months - other (#1)
PACB_1V	1	0126 - 0126	Activity / last 3 months - no activity
PACB_1W	1	0127 - 0127	Activity / last 3 months - other (#2)
PACB_1X	1	0128 - 0128	Activity / last 3 months - other (#3)
PACB_2A	3	0129 - 0131	Number of times participated - walking for exercise

CCHS Cycle 1.2 : Record Layout

Page 4

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
PACB_3A	1	0132 - 0132	Time spent - walking for exercise
PACB_2B	3	0133 - 0135	Number of times participated - gardening
PACB_3B	1	0136 - 0136	Time spent - gardening
PACB_2C	3	0137 - 0139	Number of times participated - swimming
PACB_3C	1	0140 - 0140	Time spent - swimming
PACB_2D	3	0141 - 0143	Number of times participated - bicycling
PACB_3D	1	0144 - 0144	Time spent - bicycling
PACB_2E	3	0145 - 0147	Number of times participated - popular / social dance
PACB_3E	1	0148 - 0148	Time spent - popular / social dance
PACB_2F	3	0149 - 0151	Number of times participated - home exercises
PACB_3F	1	0152 - 0152	Time spent - home exercises
PACB_2G	3	0153 - 0155	Number of times participated - ice hockey
PACB_3G	1	0156 - 0156	Time spent - ice hockey
PACB_2H	3	0157 - 0159	Number of times participated - ice skating
PACB_3H	1	0160 - 0160	Time spent - ice skating
PACB_2I	3	0161 - 0163	Number of times participated - in-line skating
PACB_3I	1	0164 - 0164	Time spent - in-line skating
PACB_2J	3	0165 - 0167	Number of times participated - jogging / running
PACB_3J	1	0168 - 0168	Time spent - jogging / running
PACB_2K	3	0169 - 0171	Number of times participated - golfing
PACB_3K	1	0172 - 0172	Time spent - golfing
PACB_2L	3	0173 - 0175	Number of times participated - exercise class / aerobics
PACB_3L	1	0176 - 0176	Time spent - exercise class / aerobics
PACB_2M	3	0177 - 0179	Number of times participated - downhill ski / snowboarding
PACB_3M	1	0180 - 0180	Time spent - downhill skiing or snowboarding
PACB_2N	3	0181 - 0183	Number of times participated - bowling
PACB_3N	1	0184 - 0184	Time spent - bowling
PACB_2O	3	0185 - 0187	Number of times participated - baseball / softball
PACB_3O	1	0188 - 0188	Time spent - baseball / softball
PACB_2P	3	0189 - 0191	Number of times participated - tennis
PACB_3P	1	0192 - 0192	Time spent - tennis
PACB_2Q	3	0193 - 0195	Number of times participated - weight-training
PACB_3Q	1	0196 - 0196	Time spent - weight-training
PACB_2R	3	0197 - 0199	Number of times participated - fishing
PACB_3R	1	0200 - 0200	Time spent - fishing
PACB_2S	3	0201 - 0203	Number of times participated - volleyball

CCHS Cycle 1.2 : Record Layout

Page 5

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
PACB_3S	1	0204 - 0204	Time spent - volleyball
PACB_2T	3	0205 - 0207	Number of times participated - basketball
PACB_3T	1	0208 - 0208	Time spent - basketball
PACB_2U	3	0209 - 0211	Number of times participated - other activity (#1)
PACB_3U	1	0212 - 0212	Time spent - other activity (#1)
PACB_2W	3	0213 - 0215	Number of times participated - other activity (#2)
PACB_3W	1	0216 - 0216	Time spent - other activity (#2)
PACB_2X	3	0217 - 0219	Number of times participated - other activity (#3)
PACB_3X	1	0220 - 0220	Time spent - other activity (#3)
PACB_4A	2	0221 - 0222	Number of hours walking - to work or to school
PACB_4B	2	0223 - 0224	Number of hours biking - to work or to school
PACB_6	1	0225 - 0225	Level of physical activity for usual day
PACBDEE	4.1	0226 - 0229	Energy expenditure - (D)
PACBFLEI	1	0230 - 0230	Participant in leisure physical activity
PACBDFM	3	0231 - 0233	Monthly frequency - physical activity lasting >15 min. - (D)
PACBDFR	1	0234 - 0234	Frequency of all physical activity - (D)
PACBFD	1	0235 - 0235	Participant in daily physical activity - > 15 min.
PACBDPAI	1	0236 - 0236	Physical activity index - (D)
PWBB_01	1	0237 - 0237	Frequency - felt self-confident - past month
PWBB_02	1	0238 - 0238	Frequency - satisfied with accomplishments - past month
PWBB_03	1	0239 - 0239	Frequency - took on lots of projects - past month
PWBB_04	1	0240 - 0240	Frequency - felt emotionally balanced - past month
PWBB_05	1	0241 - 0241	Frequency - felt loved and appreciated - past month
PWBB_06	1	0242 - 0242	Frequency - had goals and ambitions - past month
PWBB_07	1	0243 - 0243	Frequency - felt like having fun - past month
PWBB_08	1	0244 - 0244	Frequency - felt useful - past month
PWBB_09	1	0245 - 0245	Frequency - smiled easily - past month
PWBB_10	1	0246 - 0246	Frequency - was true to self - past month
PWBB_11	1	0247 - 0247	Frequency - did good job listening to friends - past month
PWBB_12	1	0248 - 0248	Frequency - was curious and interested - past month
PWBB_13	1	0249 - 0249	Frequency - was able to clearly sort things out - past month
PWBB_14	1	0250 - 0250	Frequency - found life exciting - past month
PWBB_15	1	0251 - 0251	Frequency - life was well-balanced - past month
PWBB_16	1	0252 - 0252	Frequency - was calm and level-headed - past month
PWBB_17	1	0253 - 0253	Frequency - easily found answers - past month
PWBB_18	1	0254 - 0254	Frequency - got along well with others - past month

CCHS Cycle 1.2 : Record Layout

Page 6

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
PWBB_19	1	0255 - 0255	Frequency - lived at normal pace - past month
PWBB_20	1	0256 - 0256	Frequency - impression of enjoying life - past month
PWBB_21	1	0257 - 0257	Frequency - had good sense of humour - past month
PWBB_22	1	0258 - 0258	Frequency - was at peace with self - past month
PWBB_23	1	0259 - 0259	Frequency - felt healthy/in good shape - past month
PWBB_24	1	0260 - 0260	Frequency - face situations positively - past month
PWBB_25	1	0261 - 0261	Frequency - had good morale - past month
PWBBDPW	3	0262 - 0264	Psychological well-being scale - past month - (D)
DISB_10A	1	0265 - 0265	Frequency - distress: felt tired out - past month
DISB_10B	1	0266 - 0266	Frequency - distress: felt nervous - past month
DISB_10C	1	0267 - 0267	Freq./-distress: so nervous nothing calms down - past month
DISB_10D	1	0268 - 0268	Frequency - distress: felt hopeless - past month
DISB_10E	1	0269 - 0269	Frequency - distress: felt restless / fidgety - past month
DISB_10F	1	0270 - 0270	Frequency - distress: could not sit still - past month
DISB_10G	1	0271 - 0271	Frequency - distress: felt sad / depressed - past month
DISB_10H	1	0272 - 0272	Frequency - distress: depressed/nothing cheers - past month
DISB_10I	1	0273 - 0273	Frequency - distress: felt everything effort - past month
DISB_10J	1	0274 - 0274	Frequency - distress: felt worthless - past month
DISB_10K	1	0275 - 0275	Frequency - distress: occurrence of feelings - past month
DISB_10L	1	0276 - 0276	Degree of higher occurrence of feelings - past month
DISB_10M	1	0277 - 0277	Degree of lower occurrence of feelings - past month
DISB_10N	1	0278 - 0278	Interference - feelings in life / activities - past month
DISBDDSX	2	0279 - 0280	Distress scale - K10 - past month - (D)
DISBDK6	2	0281 - 0282	Distress scale - K6 - past month - (D)
DISBDCHR	2	0283 - 0284	Chronicity of distress/impairment scale - past month - (D)
STRB_1	1	0285 - 0285	Self-perceived ability to handle unexpected problem
STRB_2	1	0286 - 0286	Self-perceived ability to handle day-to-day demands
STRB_3	2	0287 - 0288	Most important source of feelings of stress
STRB_61	1	0289 - 0289	Frequency - coping - problem solving
STRB_62	1	0290 - 0290	Frequency - coping - talking to others
STRB_63	1	0291 - 0291	Frequency - coping - avoiding being with people
STRB_64	1	0292 - 0292	Frequency - coping - sleeping more than usual
STRB_65A	1	0293 - 0293	Frequency - coping - eating more or less than usual
STRB_65B	1	0294 - 0294	Frequency - coping - smoking more cigarettes than usual
STRB_65C	1	0295 - 0295	Frequency - coping - drinking alcohol
STRB_65D	1	0296 - 0296	Frequency - coping - using drugs or medication

CCHS Cycle 1.2 : Record Layout

Page 7

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
STRB_66	1	0297 - 0297	Frequency - coping - jogging or other exercise
STRB_67	1	0298 - 0298	Frequency - coping - praying or seeking spiritual help
STRB_68	1	0299 - 0299	Frequency - coping - doing something enjoyable
STRB_69	1	0300 - 0300	Frequency - coping - looking on the bright side of things
STRB_610	1	0301 - 0301	Frequency - coping - blaming oneself
STRB_611	1	0302 - 0302	Frequency - coping - wishing situation would go away
DEPB_01	1	0303 - 0303	Period when discouraged about how things were going - life
DEPB_01A	1	0304 - 0304	Period when lost interest in most things - life
DEPB_01B	1	0305 - 0305	Period when lost interest in most things - life
DEPB_02	1	0306 - 0306	Period when lost interest in most things - life
DEPB_09	1	0307 - 0307	2-week period when lost interest in most things - life
DEPB_12	1	0308 - 0308	2-week period when lost interest in most things - life
DEPB_16	1	0309 - 0309	Daily duration - being sad/discouraged/uninterested - life
DEPB_17	1	0310 - 0310	Intensity of emotional distress during periods - life
DEPB_18	1	0311 - 0311	Frequency - distress so severe, nothing cheer up - life
DEPB_19	1	0312 - 0312	Frequency - distress severe/could not carry daily - life
DEPB_21	1	0313 - 0313	Had depressive-like symptoms during episodes - life
DEPB_22	1	0314 - 0314	Experienced one particular worst episode - life
DEPBG22A	2	0315 - 0316	Age - when worst episode started - (G)
DEPBG22B	2	0317 - 0318	Length of worst episode - (G)
DEPBG23A	2	0319 - 0320	Age - when last bad episode occurred - (G)
DEPBG23B	2	0321 - 0322	Length of last bad episode - (G)
DEPB_24A	1	0323 - 0323	Symptom - felt sad, empty or depressed
DEPB_24B	1	0324 - 0324	Symptom - felt so sad that nothing could cheer up
DEPB_24C	1	0325 - 0325	Symptom - felt discouraged about how things were going
DEPB_24D	1	0326 - 0326	Symptom - felt hopeless about future
DEPB_24E	1	0327 - 0327	Symptom - lost interest in almost all things
DEPB_24F	1	0328 - 0328	Symptom - felt like nothing was fun
DEPB_26A	1	0329 - 0329	Symptom - had much smaller appetite than usual
DEPB_26B	1	0330 - 0330	Symptom - had much larger appetite than usual
DEPB_26C	1	0331 - 0331	Symptom - gained weight without trying to
DEPB_261	1	0332 - 0332	Symptom - weight gain due to physical growth/pregnancy
DEPB_26E	1	0333 - 0333	Symptom - lost weight without trying to
DEPB_263	1	0334 - 0334	Symptom - weight loss result of diet/physical illness
DEPB_26G	1	0335 - 0335	Symptom - had more trouble falling/staying asleep
DEPB_26H	1	0336 - 0336	Symptom - slept more than usual

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_26I	1	0337 - 0337	Symptom - slept less than usual/still not tired
DEPB_26J	1	0338 - 0338	Symptom - felt tired/low in energy
DEPB_26K	1	0339 - 0339	Symptom - had more energy than usual
DEPB_26L	1	0340 - 0340	Symptom - talked/moved more slowly than normal
DEPB_26M	1	0341 - 0341	Symptom - others noticed respondent talked/moved slowly
DEPB_26N	1	0342 - 0342	Symptom - restless/jittery/couldn't sit still
DEPB_26O	1	0343 - 0343	Symptom - others noticed respondent was restless
DEPB_26P	1	0344 - 0344	Symptom - thoughts came more slowly than usual
DEPB_26Q	1	0345 - 0345	Symptom - thoughts jumped/raced through head
DEPB_26R	1	0346 - 0346	Symptom - had more trouble concentrating
DEPB_26S	1	0347 - 0347	Symptom - unable to make up mind
DEPB_26T	1	0348 - 0348	Symptom - lost self-confidence
DEPB_26U	1	0349 - 0349	Symptom - felt was not as good as other people
DEPB_26V	1	0350 - 0350	Symptom - felt totally worthless
DEPB_26W	1	0351 - 0351	Symptom - felt guilty nearly every day
DEPB_26X	1	0352 - 0352	Symptom - felt irritable/grouchy or in a bad mood
DEPB_26Y	1	0353 - 0353	Symptom - felt nervous/anxious most days
DEPB_26Z	1	0354 - 0354	Symptom - had attacks of intense fear or panic
DEPB_265	1	0355 - 0355	Symptom - could not cope with everyday responsibilities
DEPB_266	1	0356 - 0356	Symptom - wanted to be alone rather than with friends
DEPB_267	1	0357 - 0357	Symptom - felt less talkative than usual
DEPB_268	1	0358 - 0358	Symptom - was often in tears
DEPB_6A	1	0359 - 0359	Symptom - thought a lot about own death/death in general
DEPB_6B	1	0360 - 0360	Symptom - thought it would be better if dead
DEPB_A	1	0361 - 0361	Suicide - ideation during worst / bad episode
DEPB_28	1	0362 - 0362	Depressive feelings interfere with work/social/relationships
DEPB_281	1	0363 - 0363	Depressive feelings interfere with work/social/relationships
DEPB_28A	1	0364 - 0364	Frequency - feelings = unable carry out daily activities
DEPB_29A	1	0365 - 0365	Depressive episodes due to physical causes
DEPB_29B	1	0366 - 0366	Physical causes always cause depressive episodes
DEPB_30	1	0367 - 0367	Episodes ever occur just after someone close died
DEPB_30A	1	0368 - 0368	Episodes always occurred after someone close died
DEPB31	2	0369 - 0370	Number of episodes lasting 2 weeks or longer - life - (G)
DEPB_37	1	0371 - 0371	Remembered exactly age of very first depressive episode
DEPB37A	2	0372 - 0373	Age - exactly very first depressive episode - (G)
DEPB37B	2	0374 - 0375	Age - approximately very first depressive episode - (G)

CCHS Cycle 1.2 : Record Layout

Page 9

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_371	1	0376 - 0376	Life period when very first depressive episode occurred
DEPB_372	1	0377 - 0377	Episode triggered by stressful/unexpected event
DEPBG7CA	2	0378 - 0379	Length of first episode - (G)
DEPB_38	1	0380 - 0380	Had 2-week or longer depressive episode - 12 mo
DEPB_8A	1	0381 - 0381	Reference period of depressive episode - 12 mo
DEPBG8A1	2	0382 - 0383	Number of different episodes - 12 mo
DEPB_8A2	2	0384 - 0385	Month - when single past 12 months episode started
DEPB_8A3	4	0386 - 0389	Year - when single past 12 months episode started
DEPBG8AA	2	0390 - 0391	Length of single 12-month episode - (G)
DEPB_8A6	1	0392 - 0392	Single past 12 months episode ended / on-going
DEPBG8BA	2	0393 - 0394	Length of first of several 12 mo episode - (G)
DEPB_8A9	1	0395 - 0395	First past 12 months episode ended / on-going
DEPB_38B	3	0396 - 0398	Number of days out of 365 in depressive episode
DEPBG38C	2	0399 - 0400	Age - last time had depressive episode - (G)
DEPBG39A	2	0401 - 0402	Length of longest episode - (G)
DEPBG531	2	0403 - 0404	Nbr of 2-week episodes brought on by stressful experience
DEPBG54	2	0405 - 0406	Number of years had at least one depressive episode - (G)
DEPBG56	2	0407 - 0408	Longest nber yrs in a row had at least 1 episode/year - (G)
DEPB_58	1	0409 - 0409	Ever had period lasting full year when episode most days
DEPBG59	2	0410 - 0411	Number of years had episode most days - life - (G)
DEPBG59A	2	0412 - 0413	Age - 1st time had full year when episode most days - (G)
DEPBG61	2	0414 - 0415	Longest number of years in a row in episode most days - (G)
DEPB_64A	1	0416 - 0416	Frequency - felt cheerful - 12 mo
DEPB_64B	1	0417 - 0417	Frequency - felt slowed down - 12 mo
DEPB_64C	1	0418 - 0418	Frequency - enjoyed good book,radio,TV - 12 mo
DEPB_65A	1	0419 - 0419	Frequency - enjoyed things had enjoyed - 12 mo
DEPB_65B	1	0420 - 0420	Frequency - laughed / saw bright side of things - 12 mo
DEPB_65C	1	0421 - 0421	Frequency - took interest in physical appearance - 12 mo
DEPB_65D	1	0422 - 0422	Frequency - looked forward to enjoying things - 12 mo
DEPB_66A	2	0423 - 0424	Level of interference - home responsibilities - 12 mo
DEPB_661	2	0425 - 0426	Level of interference - ability to attend school - 12 mo
DEPB_662	2	0427 - 0428	Level of interference - ability to work at a job - 12 mo
DEPB_66C	2	0429 - 0430	Level of interference - close relationships - 12 mo
DEPB_66D	2	0431 - 0432	Level of interference - social life - 12 mo
DEPB_68	3	0433 - 0435	Nbr of days/365 totally unable because of feelings
DEPB_72	1	0436 - 0436	Consulted MD/other prof. about feelings

CCHS Cycle 1.2 : Record Layout

Page 10

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPBG721	2	0437 - 0438	Age - 1st time consulted prof. about feelings - (G)
DEPBG72A	2	0439 - 0440	Age - 1st time consulted prof. about feelings - (G)
DEPB_73	1	0441 - 0441	Received helpful/effective treatment for feelings
DEPBG73A	2	0442 - 0443	Age - first time got helpful treatment for feelings - (G)
DEPBG73B	2	0444 - 0445	Number of prof. consulted before helpful treatment - (G)
DEPBG74	2	0446 - 0447	Total nbr of prof. consulted about feelings - life - (G)
DEPB_86	1	0448 - 0448	Received prof. treatment for feelings - 12 mo
DEPB_87	1	0449 - 0449	Hospitalized overnight for feelings - life
DEPBG871	2	0450 - 0451	Age - first time hospitalized overnight for feelings - (G)
DEPBG87A	2	0452 - 0453	Age - 1st time hospitalized overnight for feelings - (G)
DEPBG88	2	0454 - 0455	Nbr of close relatives ever had depressive episode - (G)
DEPBDA1	1	0456 - 0456	Criterion A, Part 1 - (D)
DEPBDA21	1	0457 - 0457	Criterion A, Part 2 - Symptom 1 - (D)
DEPBDA22	1	0458 - 0458	Criterion A, Part 2 - Symptom 2 - (D)
DEPBDA23	1	0459 - 0459	Criterion A, Part 2 - Symptom 3 - (D)
DEPBDA24	1	0460 - 0460	Criterion A, Part 2 - Symptom 4 - (D)
DEPBDA25	1	0461 - 0461	Criterion A, Part 2 - Symptom 5 - (D)
DEPBDA26	1	0462 - 0462	Criterion A, Part 2 - Symptom 6 - (D)
DEPBDA27	1	0463 - 0463	Criterion A, Part 2 - Symptom 7 - (D)
DEPBDA28	1	0464 - 0464	Criterion A, Part 2 - Symptom 8 - (D)
DEPBDA29	1	0465 - 0465	Criterion A, Part 2 - Symptom 9 - (D)
DEPBDA2	1	0466 - 0466	Criterion A, Part 2 - (D)
DEPBDA	1	0467 - 0467	Criterion A, Part 1 and 2 - (D)
DEPBDC1	1	0468 - 0468	Criterion C, Part 1 - (D)
DEPBD664	1	0469 - 0469	Interference Level (cut-off at 4) - (D)
DEPBDC2	1	0470 - 0470	Criterion C, Part 2 - (D)
DEPBDC	1	0471 - 0471	Criterion C, Part 1 and 2 - (D)
DEPBDE1	1	0472 - 0472	Criterion E, Part 1 - (D)
DEPBDE21	1	0473 - 0473	Criterion E, Part 2.1 - (D)
DEPBDE22	1	0474 - 0474	Criterion E, Part 2.2 - (D)
DEPBDE23	1	0475 - 0475	Criterion E, Part 2.3 - (D)
DEPBDE24	1	0476 - 0476	Criterion E, Part 2.4 - (D)
DEPBDE25	1	0477 - 0477	Criterion E, Part 2.5 - (D)
DEPBDE26	1	0478 - 0478	Criterion E, Part 2.6 - (D)
DEPBDE2	1	0479 - 0479	Criterion E, Part 2 - (D)
DEPBD667	1	0480 - 0480	Criterion E, Part 3A1 - High interference - (D)

CCHS Cycle 1.2 : Record Layout

Page 11

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPBDE3A	1	0481 - 0481	Criterion E, Part 3A - (D)
DEPBDE3B	1	0482 - 0482	Criterion E, Part 3B - (D)
DEPBDE3C	1	0483 - 0483	Criterion E, Part 3C - (D)
DEPBDE3E	1	0484 - 0484	Criterion E, Part 3E - (D)
DEPBDE3	1	0485 - 0485	Criterion E, Part 3 - (D)
DEPBDE	1	0486 - 0486	Criterion E, Part 1, 2 and 3 - (D)
DEPBDDPS	1	0487 - 0487	Major Depressive Episode Algorithm - Life - (D)
DEPBGON	2	0488 - 0489	Age at major depression onset - (D,G)
DEPBGREC	2	0490 - 0491	Age at most recent major depression - (D,G)
DEPBGP	2	0492 - 0493	Longest episode associated with depression - (G)
DEPBDYA	1	0494 - 0494	Criterion A - 12 month - (D)
DEPBDYB	1	0495 - 0495	Criterion B - 12 month - (D)
DEPBDYC	1	0496 - 0496	Criterion C - 12 month - (D)
DEPBDDY	1	0497 - 0497	Major Depressive Episode Algorithm - 12 month (D)
DEPBFSLT	1	0498 - 0498	Flag: Suicide - thought - life
DEPBFSYT	1	0499 - 0499	Flag: Suicide - thought - 12 mo
DEPBISYT	1	0500 - 0500	Imputation flag for DEPBFSYT
DEPBFSLA	1	0501 - 0501	Flag: Suicide - attempt - life
DEPBFSYA	1	0502 - 0502	Flag: Suicide - attempt - 12 mo
DEPBISYA	1	0503 - 0503	Imputation flag for DEPBFSYA
DEPBDINT	4.1	0504 - 0507	Depression Interference - Mean - (D)
DEPBFINT	1	0508 - 0508	Flag: Depression interference
MIAB_01	1	0509 - 0509	Cognitive/behavior changes during excited periods
MIAB_03	1	0510 - 0510	Excited episode with largest number of changes
MIABG03A	2	0511 - 0512	Age when excited episode with largest nbr of changes - (G)
MIABG3B	2	0513 - 0514	Duration of excited episode - (G)
MIABG03C	2	0515 - 0516	Age - when most recent excited episode occurred
MIABG3D	2	0517 - 0518	Length of most recent excited episode - (G)
MIAB_04	1	0519 - 0519	Symptom - irritable/grouchy during excited episode
MIAB_05	1	0520 - 0520	Cognitive/behavioural changes during irritable period
MIAB_06	1	0521 - 0521	Irritable episode with largest number of changes
MIABG06A	2	0522 - 0523	Age when irritable epi. with largest number of changes - (G)
MIABG6B	2	0524 - 0525	Length irritable epis. with largest number of changes - (G)
MIABG06C	2	0526 - 0527	Age - when most recent irritable episode occurred - (G)
MIABG6D	2	0528 - 0529	Length of most recent irritable episode - (G)
MIAB_07A	1	0530 - 0530	Symptom - became restless or fidgety

CCHS Cycle 1.2 : Record Layout

Page 12

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MIAB_07B	1	0531 - 0531	Symptom - became overly friendly / outgoing with people
MIAB_07C	1	0532 - 0532	Symptom - behaved in a way that is inappropriate
MIAB_07D	1	0533 - 0533	Symptom - was more interested in sex than usual
MIAB_07E	1	0534 - 0534	Symptom - tried to do things that were impossible to do
MIAB_07F	1	0535 - 0535	Symptom - talked a lot more than usual
MIAB_07G	1	0536 - 0536	Symptom - constantly kept changing plans / activities
MIAB_07H	1	0537 - 0537	Symptom - was easily distracted
MIAB_07I	1	0538 - 0538	Symptom - had thoughts jumping from one thing to another
MIAB_07J	1	0539 - 0539	Symptom - slept far less than usual and was not tired
MIAB_07K	1	0540 - 0540	Symptom - was involved in foolish investments for making \$
MIAB_07L	1	0541 - 0541	Symptom - spent much more money than usual
MIAB_07M	1	0542 - 0542	Symptom - did risky things for pleasure
MIAB_07N	1	0543 - 0543	Symptom - had a greatly exaggerated self-confidence
MIAB_07O	1	0544 - 0544	Symptom - believed was someone else
MIABG08	2	0545 - 0546	Number of episodes felt excited / irritable - life - (G)
MIAB_09	1	0547 - 0547	Manic episode interfered with work/social life/relationships
MIAB_09A	1	0548 - 0548	Frequency - feelings = unable carry out daily activities
MIAB_09B	1	0549 - 0549	People worry about the way respondent was acting
MIAB_10A	1	0550 - 0550	Manic episode due to physical causes
MIAB_10B	1	0551 - 0551	Physical causes always cause manic episodes
MIAB_18	1	0552 - 0552	Remembered exactly age of very first manic episode
MIABG18A	2	0553 - 0554	Age - exactly very first manic episode - (G)
MIABG18B	2	0555 - 0556	Age - approximately first time manic episode - (G)
MIAB_181	1	0557 - 0557	Life period when very first manic episode occurred
MIAB_18C	1	0558 - 0558	Episode triggered by stressful/unexpected event
MIABG18D	2	0559 - 0560	Length of very first manic episode - (G)
MIAB_19	1	0561 - 0561	Had manic episode - 12 mo
MIAB_191	1	0562 - 0562	Had a single manic episode - 12 mo
MIAB_19A	1	0563 - 0563	Reference period of manic episode - 12 mo
MIABG19B	2	0564 - 0565	Number of manic episodes - 12 mo - (G)
MIABG19C	2	0566 - 0567	Number of weeks had manic episode - 12 mo - (G)
MIABG19D	2	0568 - 0569	Age - last time had manic episode - (G)
MIABG20	2	0570 - 0571	Number of episodes lasting full week or longer - life - (G)
MIABG201	2	0572 - 0573	Nbr of epis. lasting week + brought by stressful exp. - (G)
MIAB_202	1	0574 - 0574	One week or > episode due to stressful/unexpected experience
MIABG21	2	0575 - 0576	Nbr of epis. lasting < week brought by stressful exp. - (G)

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MIABG211	2	0577 - 0578	Nbr of episodes/less than a week/stressful experiences - (G)
MIAB_212	1	0579 - 0579	Less than one week episode due to stressful/unexpected exp.
MIABG22	2	0580 - 0581	Length of the longest manic episode - life - (G)
MIABG23	2	0582 - 0583	Number of different years in life/had manic episode - (G)
MIAB_24	1	0584 - 0584	Single life episode brought by stress./unexpected experience
MIAB_27A	2	0585 - 0586	Level of interference - home responsibilities - 12 mo
MIAB_271	2	0587 - 0588	Level of interference - ability to attend school - 12 mo
MIAB_272	2	0589 - 0590	Level of interference - ability to work at a job - 12 mo
MIAB_27C	2	0591 - 0592	Level of interference - close relationships - 12 mo
MIAB_27D	2	0593 - 0594	Level of interference - social life - 12 mo
MIAB_29	3	0595 - 0597	Nbr of days/365 totally unable because of mania - 12 mo
MIAB_33	1	0598 - 0598	Consulted MD/other prof. about manic episode
MIABG33A	2	0599 - 0600	Age - first time consulted prof. about manic episode - (G)
MIAB_45	1	0601 - 0601	Received helpful/effective treatment for manic episode
MIABG45A	2	0602 - 0603	Age - first time got helpful treatment for manic epis. - (G)
MIABG45B	2	0604 - 0605	Number of prof. consulted before helpful treatment - (G)
MIABG45C	2	0606 - 0607	Total nbr of prof. consulted about manic episode-life - (G)
MIAB_47	1	0608 - 0608	Received professional treatment for manic episode - 12 mo
MIAB_48	1	0609 - 0609	Hospitalized overnight for manic episode - life
MIABG48A	2	0610 - 0611	Age - first time hospitalized overnight for manic epis - (G)
MIABG481	2	0612 - 0613	Number of close relatives ever had manic episode - (G)
MIABDA1	1	0614 - 0614	Criterion A, Part 1 - (D)
MIABDA2	1	0615 - 0615	Criterion A, Part 2 - (D)
MIABDA	1	0616 - 0616	Criterion A, Part 1 and 2 - (D)
MIABDB1	1	0617 - 0617	Criterion B - Symptom 1 - (D)
MIABDB2	1	0618 - 0618	Criterion B - Symptom 2 - (D)
MIABDB3	1	0619 - 0619	Criterion B - Symptom 3 - (D)
MIABDB4	1	0620 - 0620	Criterion B - Symptom 4 - (D)
MIABDB5	1	0621 - 0621	Criterion B - Symptom 5 - (D)
MIABDB6	1	0622 - 0622	Criterion B - Symptom 6 - (D)
MIABDB7	1	0623 - 0623	Criterion B - Symptom 7 - (D)
MIABDBI	1	0624 - 0624	Criterion B - irritable focus (D)
MIABDB	1	0625 - 0625	Criterion B (Combined symptoms 1 to 7) - (D)
MIABD277	1	0626 - 0626	Criterion D, Part 1A - Interference - (D)
MIABDD1	1	0627 - 0627	Criterion D, Part 1 - (D)
MIABDD2	1	0628 - 0628	Criterion D, Part 2 - (D)

CCHS Cycle 1.2 : Record Layout

Page 14

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MIABDD3	1	0629 - 0629	Criterion D, Part 3 - (D)
MIABDD	1	0630 - 0630	Criterion D - (D)
MIABDEPS	1	0631 - 0631	Manic Episode Algorithm - Life - (D)
MIABGON	2	0632 - 0633	Age of manic episode - onset - (D,G)
MIABGREC	2	0634 - 0635	Age at most recent manic episode - (D,G)
MIABGPER	2	0636 - 0637	Longest period associated with mania - (G, D)
MIABDYA	1	0638 - 0638	Criterion A - 12 month - (D)
MIABDYB	1	0639 - 0639	Criterion B - 12 month - (D)
MIABDYC	1	0640 - 0640	Criterion C - Interference - (D)
MIABDEY	1	0641 - 0641	Manic Episode Algorithm - 12 Month - (D)
MIABDINT	4.1	0642 - 0645	Mania Interference - Mean - (D)
MIABFINT	1	0646 - 0646	Flag: Mania Interference
PADB_01A	1	0647 - 0647	Symptom - had heart pounding / racing
PADB_01B	1	0648 - 0648	Symptom - was short of breath
PADB_01C	1	0649 - 0649	Symptom - was nauseous / sick to stomach
PADB_01D	1	0650 - 0650	Symptom - felt dizzy / faint
PADB_01E	1	0651 - 0651	Symptom - was sweating
PADB_01F	1	0652 - 0652	Symptom - was trembling / shaking
PADB_01G	1	0653 - 0653	Symptom - had a dry mouth
PADB_01H	1	0654 - 0654	Symptom - felt like was choking
PADB_01I	1	0655 - 0655	Symptom - had chest pain / discomfort
PADB_01J	1	0656 - 0656	Symptom - was afraid might lose control / go crazy
PADB_01K	1	0657 - 0657	Symptom - felt like was not really there
PADB_01L	1	0658 - 0658	Symptom - felt things were not real
PADB_01M	1	0659 - 0659	Symptom - was afraid might pass out
PADB_01N	1	0660 - 0660	Symptom - was afraid might die
PADB_01O	1	0661 - 0661	Symptom - had hot flushes / chills
PADB_01P	1	0662 - 0662	Symptom - felt numbness / tingling sensations
PADB_03	1	0663 - 0663	Problems began suddenly and peaked <= 10 mins
PADBG04	2	0664 - 0665	Number of sudden attacks - life - (G)
PADB_06	2	0666 - 0667	Past 12 Months occurrence of single panic attack
PADB_07	1	0668 - 0668	Remembered exactly age when single attack occurred
PADBG07A	2	0669 - 0670	Age - exactly when single attack occurred - (G)
PADBG07B	2	0671 - 0672	Age - approximately when single attack occurred - (G)
PADB_071	2	0673 - 0674	Life period when single attack occurred
PADB_08	2	0675 - 0676	Type of situations under which attack occurred

CCHS Cycle 1.2 : Record Layout

Page 15

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
PADB_09	1	0677 - 0677	Remembered exactly age very first panic attack
PADBG09A	2	0678 - 0679	Age - exactly when very first panic attack occurred - (G)
PADBG09B	2	0680 - 0681	Age - approximately when very first attack occurred - (G)
PADB_091	2	0682 - 0683	Life period when very first attack occurred
PADB_10	1	0684 - 0684	Had panic attack - 12 mo
PADB_10A	2	0685 - 0686	Reference period of panic attack - 12 mo
PADB_10B	2	0687 - 0688	Number of weeks had at least one attack - 12 mo
PADBG10C	2	0689 - 0690	Total number of attacks - 12 mo - (G)
PADBG10D	2	0691 - 0692	Age - last time had panic attack - (G)
PADBG11	2	0693 - 0694	Greatest number of attacks in any single year - life - (G)
PADBG12	2	0695 - 0696	Nber of different years had at least one attack - life - (G)
PADB_13A	1	0697 - 0697	1 Month or longer - worried might have another attack
PADB_13B	1	0698 - 0698	1 Month or longer - worried something terrible might happen
PADB_13C	1	0699 - 0699	1 Month or longer - changed everyday activities
PADB_13D	1	0700 - 0700	1 Month or longer - avoided situation for fear of attack
PADBG15	2	0701 - 0702	Age - first time had 1 month being worried / avoided - (G)
PADB_16	1	0703 - 0703	Had 1 month of worry / change in activity - 12 mo
PADB_16A	2	0704 - 0705	Reference period of 1 month disturbance - 12 mo
PADB_16B	2	0706 - 0707	Number of months of worry/change in activity - 12 mo
PADB_16C	2	0708 - 0709	Frequency - worried about having another attack - 12 mo
PADB_16D	2	0710 - 0711	Severity of worry of having another attack - 12 mo
PADBG16E	2	0712 - 0713	Age - approx. last time 1 mth worry of having attack - (G)
PADB_17	1	0714 - 0714	Had unexpected attack - life
PADBG17A	2	0715 - 0716	Number of unexpected attacks - life - (G)
PADBG18	2	0717 - 0718	Number of "not in real danger" attacks - life - (G)
PADBG19	2	0719 - 0720	Number of "real danger" attacks - life - (G)
PADBG21	2	0721 - 0722	Age - first time had an unexpected attack - (G)
PADB_21A	2	0723 - 0724	Life period when first unexpected attack occurred
PADB_22	2	0725 - 0726	Unexpected attack interfere with work/social/relationships
PADB_24	1	0727 - 0727	Unexpected attack occurred while sleeping - life
PADBG24A	2	0728 - 0729	Number of unexpected attacks occurring while asleep - life
PADB_25A	1	0730 - 0730	Panic attack due to physical causes
PADB_25B	1	0731 - 0731	Physical causes always caused panic attacks
PADBG36	2	0732 - 0733	Number of unexpected attacks - 12 mo - (G)
PADBG37A	2	0734 - 0735	Age - last time had unexpected attack - (G)
PADB_37B	2	0736 - 0737	Number of weeks had at least one attack - 12 mo

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
PADB_38	2	0738 - 0739	Reference period of most recent attack - 12 mo
PADB_40	2	0740 - 0741	Amount of emotional distress during attack - 12 mo
PADB_41	1	0742 - 0742	Upset by physical sensation reminding of attack - 12 mo
PADB_41A	2	0743 - 0744	Degree of discomfort due to physical sensations - 12 mo
PADB_42	2	0745 - 0746	Frequency - avoided situations causing sensations - 12 mo
PADB_43	2	0747 - 0748	Avoidance interfered with work/social/relationships
PADB_44A	2	0749 - 0750	Level of interference - home respons. - 12 mo
PADB_441	2	0751 - 0752	Level of int. - ability to attend school - 12 mo
PADB_442	2	0753 - 0754	Level of int. - ability to work at a job - 12 mo
PADB_44C	2	0755 - 0756	Level of int. - close relationships - 12 mo
PADB_44D	2	0757 - 0758	Level of interference - social life - 12 mo
PADB_46	3	0759 - 0761	Nbr of days/365 totally unable due to attacks
PADB_50	1	0762 - 0762	Consulted MD/other prof. about attacks
PADBG50A	2	0763 - 0764	Age - first time consulted prof. about attacks - (G)
PADB_62	1	0765 - 0765	Received helpful/effective treatment for attacks
PADBG62A	2	0766 - 0767	Age - first time got helpful treatment for attacks - (G)
PADBG62B	2	0768 - 0769	Number of prof. consulted before helpful treatment - (G)
PADBG62C	2	0770 - 0771	Total nbr of prof. consulted about attacks - life - (G)
PADB_64	1	0772 - 0772	Received prof. treatment for attacks - 12 mo
PADB_65	1	0773 - 0773	Hospitalized overnight for attacks - life
PADBG65A	2	0774 - 0775	Age - first time hospitalized overnight for attacks - (G)
PADBG651	2	0776 - 0777	Number of relatives with attacks - (G)
PADBDA	1	0778 - 0778	Panic Attack - Criterion A - (D)
PADBDB01	1	0779 - 0779	Criterion B - Symptom 1 - (D)
PADBDB02	1	0780 - 0780	Criterion B - Symptom 2 - (D)
PADBDB03	1	0781 - 0781	Criterion B - Symptom 3 - (D)
PADBDB04	1	0782 - 0782	Criterion B - Symptom 4 - (D)
PADBDB05	1	0783 - 0783	Criterion B - Symptom 5 - (D)
PADBDB06	1	0784 - 0784	Criterion B - Symptom 6 - (D)
PADBDB07	1	0785 - 0785	Criterion B - Symptom 7 - (D)
PADBDB08	1	0786 - 0786	Criterion B - Symptom 8 - (D)
PADBDB09	1	0787 - 0787	Criterion B - Symptom 9 - (D)
PADBDB10	1	0788 - 0788	Criterion B - Symptom 10 - (D)
PADBDB11	1	0789 - 0789	Criterion B - Symptom 11 - (D)
PADBDB12	1	0790 - 0790	Criterion B - Symptom 12 - (D)
PADBDB13	1	0791 - 0791	Criterion B - Symptom 13 - (D)

CCHS Cycle 1.2 : Record Layout

Page 17

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
PADBDB14	1	0792 - 0792	Criterion B - Symptom 14 - (D)
PADBDB	1	0793 - 0793	Panic Attack - Criterion B - (D)
PADBDC	1	0794 - 0794	Panic Attack - Criterion C - (D)
PADBDA1	1	0795 - 0795	Panic Attack Algorithm - Life - (D)
PADBDDA1	1	0796 - 0796	Panic Disorder - Criterion A Part 1 - (D)
PADBDDAA	1	0797 - 0797	Panic Disorder - Criterion A Part 2 - Symptom 1(D)
PADBDDAB	1	0798 - 0798	Panic Disorder - Criterion A Part 2 - Symptom 2(D)
PADBDDAC	1	0799 - 0799	Panic Disorder - Criterion A Part 2 - Symptom 3(D)
PADBDDA2	1	0800 - 0800	Panic Disorder - Criterion A Part 2 - (D)
PADBDDA	1	0801 - 0801	Panic Disorder - Criterion A Part 1 and 2(D)
PADBPDPS	1	0802 - 0802	Panic Disorder Algorithm - Life - (D)
PADBGONA	2	0803 - 0804	Age of first panic attack - (D,G)
PADBGON	2	0805 - 0806	Age of panic disorder onset - (D,G)
PADBGREC	2	0807 - 0808	Age when most recent panic attack - (D,G)
PADBGPER	2	0809 - 0810	Nbr of years of persistence of panic disorder - (D,G)
PADBDATY	1	0811 - 0811	Panic Attack Algorithm - 12 month - (D)
PADBDYA	1	0812 - 0812	Panic Disorder - Criterion A - 12 month - (D)
PADBDYB	1	0813 - 0813	Panic Disorder - Criterion B - 12 month - (D)
PADBDYC	1	0814 - 0814	Panic Disorder - Criterion C - 12 month - (D)
PADBDYY	1	0815 - 0815	Panic Disorder Algorithm - 12 Month - (D)
PADBDINT	4.1	0816 - 0819	Panic Disorder Interference - Mean - (D)
PADBFINT	1	0820 - 0820	Flag: Panic Disorder Interference
SOPB_01A	1	0821 - 0821	Uneasy - meeting new people
SOPB_01B	1	0822 - 0822	Uneasy - talking to people in authority
SOPB_01C	1	0823 - 0823	Uneasy - speaking up in a meeting / class
SOPB_01D	1	0824 - 0824	Uneasy - going to parties / other social gatherings
SOPB_01E	1	0825 - 0825	Uneasy - performing / giving a talk
SOPB_01F	1	0826 - 0826	Uneasy - taking exam / interviewing for job
SOPB_01G	1	0827 - 0827	Uneasy - working while someone watches you
SOPB_01H	1	0828 - 0828	Uneasy - entering room when others already present
SOPB_01I	1	0829 - 0829	Uneasy - talking with people who don't know well
SOPB_01J	1	0830 - 0830	Uneasy - expressing disagreement to people don't know well
SOPB_01K	1	0831 - 0831	Uneasy - writing, eating, drinking while someone watches
SOPB_01L	1	0832 - 0832	Uneasy - using public bathroom
SOPB_01M	1	0833 - 0833	Uneasy - going on a date
SOPB_01N	1	0834 - 0834	Uneasy - other social situation where centre of attention

CCHS Cycle 1.2 : Record Layout

Page 18

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SOPB_031	1	0835 - 0835	Remembered exactly age of very first social fear
SOPB_032	1	0836 - 0836	Remembered exactly age of very first social fear
SOPBG03A	2	0837 - 0838	Age - exactly first time had social fear - (G)
SOPBG03B	2	0839 - 0840	Age - approximately first time had social fear - (G)
SOPB_3B1	1	0841 - 0841	Life period when first time had social fear
SOPBG06A	2	0842 - 0843	Age - when first started avoiding social situation - (G)
SOPB_6A1	1	0844 - 0844	Life period when started avoiding social situation
SOPB_08A	1	0845 - 0845	Symptom - was blushing or shaking
SOPB_08B	1	0846 - 0846	Symptom - feared losing bowel / bladder control
SOPB_08C	1	0847 - 0847	Symptom - feared might vomit
SOPB_09A	1	0848 - 0848	Symptom - had heart pounding / racing
SOPB_09B	1	0849 - 0849	Symptom - was sweating
SOPB_09C	1	0850 - 0850	Symptom - was trembling
SOPB_09D	1	0851 - 0851	Symptom - felt sick to stomach
SOPB_09E	1	0852 - 0852	Symptom - had dry mouth
SOPB_09F	1	0853 - 0853	Symptom - had hot flushes or chills
SOPB_09G	1	0854 - 0854	Symptom - felt numbness / tingling sensations
SOPB_09H	1	0855 - 0855	Symptom - had trouble breathing normally
SOPB_09I	1	0856 - 0856	Symptom - felt like was choking
SOPB_09J	1	0857 - 0857	Symptom - had pain / discomfort in chest
SOPB_09K	1	0858 - 0858	Symptom - felt dizzy / faint
SOPB_09L	1	0859 - 0859	Symptom - was afraid might die
SOPB_09M	1	0860 - 0860	Symptom - feared might lose control, go crazy or pass out
SOPB_09N	1	0861 - 0861	Symptom - felt like "not really there"
SOPB_09O	1	0862 - 0862	Symptom - felt things were not real
SOPB_10	1	0863 - 0863	Symptom - was afraid might have a panic attack
SOPB_10A	1	0864 - 0864	Symptom - had a panic attack in this situation
SOPB_11	1	0865 - 0865	Symptom - was afraid might be trapped / unable to escape
SOPB_12	1	0866 - 0866	Symptom - was afraid might do something embarrassing
SOPB_12A	1	0867 - 0867	Symptom - was afraid might embarrass other people
SOPB_13	1	0868 - 0868	Symptom - was afraid people might think negatively
SOPB_14	1	0869 - 0869	Symptom - was afraid to be focus of attention
SOPB_14A	1	0870 - 0870	Reason associated with social fear
SOPB_15	1	0871 - 0871	Fear related to embarrassment about physical/mental problem
SOPB_16	1	0872 - 0872	Social fear interfered with work/social/relationships
SOPB_17	1	0873 - 0873	Felt upset / worried / disappointed because of social fear

CCHS Cycle 1.2 : Record Layout

Page 19

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SOPB_18	1	0874 - 0874	Last time feared / avoided social situation
SOPBG18A	2	0875 - 0876	Age - last time feared / avoided social situation - (G)
SOPB_19	1	0877 - 0877	Severity of fear if had to face situation today
SOPB_21A	2	0878 - 0879	Level of interference - home responsibilities - 12 mo
SOPB_211	2	0880 - 0881	Level of interference - ability to attend school - 12 mo
SOPB_212	2	0882 - 0883	Level of interference - ability to work at a job - 12 mo
SOPB_21C	2	0884 - 0885	Level of interference - close relationships - 12 mo
SOPB_21D	2	0886 - 0887	Level of interference - social life - 12 mo
SOPB_23	3	0888 - 0890	Nbr of days/365 totally unable because of fear - 12 mo
SOPB_25	1	0891 - 0891	Consulted MD / other prof. about social fear
SOPBG25A	2	0892 - 0893	Age - first time consulted prof. about social fear - (G)
SOPB_36	1	0894 - 0894	Received helpful / effective treatment for social fear
SOPBG36A	2	0895 - 0896	Age - first time got helpful treatment for social fear - (G)
SOPBG36B	2	0897 - 0898	Number of prof. consulted before helpful treatment - (G)
SOPBG36C	2	0899 - 0900	Total nbr of prof. consulted about social fear - life - (G)
SOPB_38	1	0901 - 0901	Received prof. treatment for social fear - 12 mo
SOPB_39	1	0902 - 0902	Hospitalized overnight for social fear - life
SOPBG39A	2	0903 - 0904	Age - 1st time hospitalized overnight for social fear - (G)
SOPBG391	2	0905 - 0906	Number of relatives with strong social fear - (G)
SOPBDA1	1	0907 - 0907	Criterion A, Part 1 - (D)
SOPBDA2	1	0908 - 0908	Criterion A, Part 2 - (D)
SOPBDA	1	0909 - 0909	Criterion A, Part 1 and 2 - (D)
SOPBDB	1	0910 - 0910	Criterion B - (D)
SOPBDC	1	0911 - 0911	Criterion C - (D)
SOPBDD1	1	0912 - 0912	Criterion D, Part 1 - (D)
SOPBD09	1	0913 - 0913	Criterion D, Part 2B - (D)
SOPBDD2	1	0914 - 0914	Criterion D, Part 2 - (D)
SOPBDD	1	0915 - 0915	Criterion D, Part 1 and 2 - (D)
SOPBD215	1	0916 - 0916	Criterion E, Part 1A - (D)
SOPBDE	1	0917 - 0917	Criterion E, Part 1 and 2 - (D)
SOPBDF1	1	0918 - 0918	Criterion F, Part 1 - (D)
SOPBDF2	1	0919 - 0919	Criterion F, Part 2 - (D)
SOPBDF	1	0920 - 0920	Criterion F, Part 1 and 2 - (D)
SOPBDSP	1	0921 - 0921	Social Phobia Algorithm - Life - (D)
SOPBGON	2	0922 - 0923	Age at social phobia onset - (D,G)
SOPBGREC	2	0924 - 0925	Age at most recent social phobia episode - (D,G)

CCHS Cycle 1.2 : Record Layout

Page 20

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SOPBDYA	1	0926 - 0926	Criterion A - 12 month - (D)
SOPBDYB	1	0927 - 0927	Criterion B - 12 month - (D)
SOPBDYC	1	0928 - 0928	Criterion C - Interference - (D)
SOPBDPY	1	0929 - 0929	Social Phobia Algorithm - 12 month - (D)
SOPBDINT	4.1	0930 - 0933	Social Phobia Interference - Mean - (D)
SOPBFINT	1	0934 - 0934	Flag: Social Phobia Interference
AGPB_01A	1	0935 - 0935	Feared - being home alone
AGPB_01B	1	0936 - 0936	Feared - being in crowds
AGPB_01C	1	0937 - 0937	Feared - travelling away from home
AGPB_01D	1	0938 - 0938	Feared - travelling / being alone away from home
AGPB_01E	1	0939 - 0939	Feared - using public transportation
AGPB_01F	1	0940 - 0940	Feared - driving a car
AGPB_01G	1	0941 - 0941	Feared - standing in a line in a public place
AGPB_01H	1	0942 - 0942	Feared - being in a store
AGPB_01I	1	0943 - 0943	Feared - being in a movie theatre, auditorium, church
AGPB_01J	1	0944 - 0944	Feared - being in a restaurant / other public place
AGPB_01K	1	0945 - 0945	Feared - being in a wide, open field or street
AGPB_02	1	0946 - 0946	Agora fear ever caused by social/performance fear
AGPB_02A	1	0947 - 0947	Agora fear always caused by social/performance fear
AGPB_031	1	0948 - 0948	Remembered exactly age very first time had agora fear
AGPBG03A	2	0949 - 0950	Age - exactly first time had agora fear - (G)
AGPBG03B	2	0951 - 0952	Age - approximately first time had agora - (G)
AGPB_3B1	1	0953 - 0953	Life period when very first time had agora fear
AGPB_04A	1	0954 - 0954	Fear type - being alone or separated from loved ones
AGPB_04B	1	0955 - 0955	Fear type - some real danger like being robbed or assaulted
AGPB_04C	1	0956 - 0956	Fear type - might get sick to stomach / have diarrhea
AGPB_04D	1	0957 - 0957	Fear type - might have a panic attack
AGPB_04E	1	0958 - 0958	Fear type - might have heart attack / other emergency
AGPB_04F	1	0959 - 0959	Fear type - might become physically ill /without help
AGPB_04G	1	0960 - 0960	Fear type - might be difficult, embarrassing to escape
AGPB_04H	1	0961 - 0961	Fear type - some other terrible thing might happen
AGPBG06	2	0962 - 0963	Age - very 1st time started avoiding agora situations - (G)
AGPB_061	1	0964 - 0964	Life period when first time avoided agora situations
AGPB_08	1	0965 - 0965	Particular incident caused very first agora fear
AGPB_08A	1	0966 - 0966	Had panic attack as a result of particular incident
AGPB_09A	1	0967 - 0967	Symptom - had heart pounding / racing

CCHS Cycle 1.2 : Record Layout

Page 21

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
AGPB_09B	1	0968 - 0968	Symptom - was sweating
AGPB_09C	1	0969 - 0969	Symptom - was trembling or shaking
AGPB_09D	1	0970 - 0970	Symptom - had a dry mouth
AGPB_11A	1	0971 - 0971	Symptom - had trouble breathing normally
AGPB_11B	1	0972 - 0972	Symptom - felt like was choking
AGPB_11C	1	0973 - 0973	Symptom - had chest pain or discomfort
AGPB_11D	1	0974 - 0974	Symptom - was nauseous or sick to stomach
AGPB_11E	1	0975 - 0975	Symptom - was dizzy or faint
AGPB_11F	1	0976 - 0976	Symptom - feared might lose control, go crazy or pass out
AGPB_11G	1	0977 - 0977	Symptom - was afraid you might die
AGPB_11H	1	0978 - 0978	Symptom - had hot flushes or chills
AGPB_11I	1	0979 - 0979	Symptom - had numbness or tingling sensations
AGPB_11J	1	0980 - 0980	Symptom - felt like was not really there
AGPB_11K	1	0981 - 0981	Symptom - felt like things around were not real
AGPB_13	1	0982 - 0982	Unable to leave home for entire day because of fear
AGPBG13A	2	0983 - 0984	Longest period unable to leave home - (G)
AGPB_14	1	0985 - 0985	Unable to leave home unless accompanied
AGPB_15	1	0986 - 0986	Fear / avoidance interfered with work/social/relationships
AGPB_16	1	0987 - 0987	Emotionally upset/worried because of fear / avoidance
AGPB_17	1	0988 - 0988	Strongly feared or avoided agora situations - 12 mo
AGPB_17A	1	0989 - 0989	Reference period of most recent agora fear/avoidance - 12 mo
AGPBG17B	2	0990 - 0991	Age - last time strongly feared / avoided situations - (G)
AGPB_18	1	0992 - 0992	Intensity of hypothetical fear
AGPB_19	1	0993 - 0993	Frequency - avoided feared agora situations - 12 mo
AGPB_20A	2	0994 - 0995	Level of interference - home responsibilities - 12 mo
AGPB_201	2	0996 - 0997	Level of interference - ability to attend school - 12 mo
AGPB_202	2	0998 - 0999	Level of interference - ability to work at a job - 12 mo
AGPB_20C	2	1000 - 1001	Level of interference - close relationships - 12 mo
AGPB_20D	2	1002 - 1003	Level of interference - social life -12 mo
AGPB_22	3	1004 - 1006	Nbr of days/365 totally unable because of fear - 12 mo
AGPB_24	1	1007 - 1007	Consulted MD / other prof. about agora fear
AGPBG24A	2	1008 - 1009	Age - first time consulted prof. about agora fear - (G)
AGPB_35	1	1010 - 1010	Received helpful / effective treatment for agora fear
AGPBG35A	2	1011 - 1012	Age - first time got helpful treatment for agora fear - (G)
AGPBG35B	2	1013 - 1014	Number of prof. consulted before helpful treatment
AGPBG35C	2	1015 - 1016	Total nbr of prof. consulted about agora fear - life - (G)

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
AGPB_37	1	1017 - 1017	Received prof. treatment for agora fear - 12 mo
AGPB_38	1	1018 - 1018	Hospitalized overnight for agora fear - life
AGPBG38A	2	1019 - 1020	Age - first time hospitalized overnight for agora fear - (G)
AGPBG381	2	1021 - 1022	Number of relatives with strong agoraphobic fear - (G)
AGPBDA	1	1023 - 1023	Criterion A, Part 1 and 2 - (D)
AGPBDB1	1	1024 - 1024	Criterion B, Part 1 - (D)
AGPBDB2	1	1025 - 1025	Criterion B, Part 2 - (D)
AGPBDB3	1	1026 - 1026	Criterion B, Part 3 - (D)
AGPBDB	1	1027 - 1027	Criterion B - (D)
AGPBDAP	1	1028 - 1028	Agoraphobia Algorithm - Life - (D)
AGPBDPA2	1	1029 - 1029	Criterion A, Part 2 - (D)
AGPBDPA	1	1030 - 1030	Criterion A, Part 1 and 2 - (D)
AGPBDPB	1	1031 - 1031	Criterion B - (D)
AGPBDAPP	1	1032 - 1032	Agoraphobia w/o panic Algorithm - Life - (D)
AGPBGON	2	1033 - 1034	Age of agoraphobia onset - (D,G)
AGPBGREC	2	1035 - 1036	Age when most recent agoraphobic episode - (D,G)
AGPBGPER	2	1037 - 1038	Longest episode associated with agoraphobia - (D,G)
AGPBGONP	2	1039 - 1040	Age of agoraphobia onset (no panic) - (D,G)
AGPBGRCP	2	1041 - 1042	Age at most recent agoraphobic epis (without panic) - (D,G)
AGPBGPRP	2	1043 - 1044	Nbr of years persistence of agora. (without panic) - (D,G)
AGPBDPY	1	1045 - 1045	Agoraphobia Algorithm - 12 month - (D)
AGPBDPYP	1	1046 - 1046	Agoraphobia w/o Panic Algorithm - 12 month - (D)
AGPBDINT	4.1	1047 - 1050	Agoraphobia Interference - Mean - (D)
AGPBFINT	1	1051 - 1051	Flag: Agoraphobia Interference
MHPBFL	1	1052 - 1052	Selected disorders dependence - life
MHPBFLM	1	1053 - 1053	Selected mood disorders - life
MHPBFLA	1	1054 - 1054	Selected anxiety disorders - life
MHPBFY	1	1055 - 1055	Selected disorders/substance dependence - 12 mo
MHPBFYM	1	1056 - 1056	Selected mood disorders - 12 mo
MHPBFYA	1	1057 - 1057	Selected anxiety disorder - 12 mo
MHPBFYSA	1	1058 - 1058	Selected substance dependence - 12 mo
MHPBFINT	1	1059 - 1059	Flag: Reported interference
MHPBGAON	2	1060 - 1061	Age of onset - Selected disorders - (D,G)
ALCB_1	1	1062 - 1062	Drank alcohol in past 12 months
ALCB_2	2	1063 - 1064	Frequency - drinking alcohol - 12 mo
ALCB_3	2	1065 - 1066	Frequency - having 5 or more drinks - 12 mo

CCHS Cycle 1.2 : Record Layout

Page 23

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
ALCB_4	1	1067 - 1067	Regularly drank more than 12 drinks/week - 12 mo
ALCB_5	1	1068 - 1068	Drank alcohol in past week
ALCB_5A1	3	1069 - 1071	Number of drinks - Sunday
ALCB_5A2	3	1072 - 1074	Number of drinks - Monday
ALCB_5A3	3	1075 - 1077	Number of drinks - Tuesday
ALCB_5A4	3	1078 - 1080	Number of drinks - Wednesday
ALCB_5A5	3	1081 - 1083	Number of drinks - Thursday
ALCB_5A6	3	1084 - 1086	Number of drinks - Friday
ALCB_5A7	3	1087 - 1089	Number of drinks - Saturday
ALCB_5B	1	1090 - 1090	Ever had a drink - life
ALCB_9	1	1091 - 1091	One year period where monthly 5 or + drinks/occasion - life
ALCB_10	1	1092 - 1092	Regularly drank more than 12 drinks a week - life
ALCB_7A	1	1093 - 1093	Reason reduced drinking - dieting
ALCB_7B	1	1094 - 1094	Reason reduced drinking - athletic training
ALCB_7C	1	1095 - 1095	Reason reduced drinking - pregnancy
ALCB_7D	1	1096 - 1096	Reason reduced drinking - getting older
ALCB_7E	1	1097 - 1097	Reason reduced drinking - drinking too much
ALCB_7F	1	1098 - 1098	Reason reduced drinking - affected work / studies
ALCB_7G	1	1099 - 1099	Reason reduced drinking - interfered with family life
ALCB_7H	1	1100 - 1100	Reason reduced drinking - affected physical health
ALCB_7I	1	1101 - 1101	Reason reduced drinking - affected social relationships
ALCB_7J	1	1102 - 1102	Reason reduced drinking - affected financial position
ALCB_7K	1	1103 - 1103	Reason reduced drinking - affected happiness
ALCB_7L	1	1104 - 1104	Reason reduced drinking - influence of family / friends
ALCB_7M	1	1105 - 1105	Reason reduced drinking - other
ALCB_8	3	1106 - 1108	Age started drinking alcoholic beverages
ALCBDTYP	1	1109 - 1109	Type of drinker - (D)
ALCBDWKY	3	1110 - 1112	Number of drinks - past week - (D)
ALCBGDLY	2	1113 - 1114	Average daily alcohol consumption - (D,G)
ALDB_01	1	1115 - 1115	Drunk - at work / school / taking care of child - 12 mo
ALDB_01A	1	1116 - 1116	Drunk - at work / school / taking care of child - life
ALDB_02	1	1117 - 1117	Number of times - drunk at work/school/child care - 12 mo
ALDB_03	1	1118 - 1118	Being drunk increased chances of getting hurt - 12 mo
ALDB_03A	1	1119 - 1119	Being drunk increased chances of getting hurt - life
ALDB_04	1	1120 - 1120	Emotional or psychological problems due to alcohol - 12 mo
ALDB_04A	1	1121 - 1121	Emotional or psychological problems due to alcohol - life

CCHS Cycle 1.2 : Record Layout

Page 24

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
ALDB_05	1	1122 - 1122	Strong desire or urge to drink - 12 mo
ALDB_05A	1	1123 - 1123	Strong desire or urge to drink - life
ALDB_06	1	1124 - 1124	Spent month or more getting drunk - 12 mo
ALDB_06A	1	1125 - 1125	Spent month or more getting drunk - life
ALDB_07	1	1126 - 1126	Drank much more than intended - 12 mo
ALDB_07A	1	1127 - 1127	Drank much more than intended - life
ALDB_08	1	1128 - 1128	Number of times - drank much more than intended - 12 mo
ALDB_09	1	1129 - 1129	Had to drink more for the same effect - 12 mo
ALDB_09A	1	1130 - 1130	Had to drink more for the same effect - life
ALDB_10	1	1131 - 1131	Had symptom during period of cut down/no alcohol - 12 mo
ALDB_10A	1	1132 - 1132	Had symptom during period of cut down/alcohol - life
ALDB_11	1	1133 - 1133	Drank alcohol - even though promised wouldn't - 12 mo
ALDB_11A	1	1134 - 1134	Drank alcohol - even though promised wouldn't - life
ALDB_12	1	1135 - 1135	Drank alcohol - little time for anything else - 12 mo
ALDB_12A	1	1136 - 1136	Drank alcohol - little time for anything else - life
ALDB_13	1	1137 - 1137	Reduced important activities - because of alcohol - 12 mo
ALDB_13A	1	1138 - 1138	Reduced important activities - because of alcohol - life
ALDB_14	1	1139 - 1139	Continued drinking alcohol despite health problems - 12 mo
ALDB_14A	1	1140 - 1140	Continued drinking alcohol despite health problems - life
ALDB_15A	2	1141 - 1142	Level of interference - home responsibilities - 12 mo
ALDB_5B1	2	1143 - 1144	Level of interference - ability to attend school - 12 mo
ALDB_5B2	2	1145 - 1146	Level of interference - ability to work at a job - 12 mo
ALDB_15C	2	1147 - 1148	Level of interference - close relationships - 12 mo
ALDB_15D	2	1149 - 1150	Level of interference - social life - 12 mo
ALDB_01L	1	1151 - 1151	Drunk - at work / school / taking care of child - life
ALDB_02L	1	1152 - 1152	Number of times - drunk at work/school/child care - life
ALDB_03L	1	1153 - 1153	Being drunk increased chances of getting hurt - life
ALDB_04L	1	1154 - 1154	Emotional or psychological problems due to alcohol - life
ALDB_05L	1	1155 - 1155	Strong desire or urge to drink - life
ALDB_06L	1	1156 - 1156	Spent month or more getting drunk - life
ALDB_07L	1	1157 - 1157	Drank much more than intended - life
ALDB_08L	1	1158 - 1158	Number of times - drank much more than intended - life
ALDB_09L	1	1159 - 1159	Had to drink more for the same effect - life
ALDB_10L	1	1160 - 1160	Had symptom during period of cut down/no alcohol - life
ALDB_11L	1	1161 - 1161	Drank alcohol - even though promised wouldn't - life
ALDB_12L	1	1162 - 1162	Drank alcohol - little time for anything else - life

CCHS Cycle 1.2 : Record Layout

Page 25

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
ALDB_13L	1	1163 - 1163	Reduced important activities - because of alcohol - life
ALDB_14L	1	1164 - 1164	Continued drinking alcohol despite health problems - life
ALDBDSF	2	1165 - 1166	Alcohol dependence - Short Form Score - 12 mo - (D)
ALDBDPP	4.2	1167 - 1170	Alcohol dependence - Predicted Probability - 12 mo - (D)
ALDBDINT	4.1	1171 - 1174	Alcohol interference - mean - 12 months - (D)
ALDBFINT	1	1175 - 1175	Flag: Alcohol interference - 12 mo
IDGB_01	1	1176 - 1176	Used - marijuana, cannabis, hashish - life
IDGB_02	1	1177 - 1177	Used - marijuana, cannabis, hashish - 12 mo
IDGB_03	1	1178 - 1178	Frequency - marijuana, cannabis, hashish - 12 mo
IDGB_04	1	1179 - 1179	Used - cocaine, crack - life
IDGB_05	1	1180 - 1180	Used - cocaine, crack - 12 mo
IDGB_06	1	1181 - 1181	Frequency - cocaine, crack - 12 mo
IDGB_07	1	1182 - 1182	Used - speed (amphetamines) - life
IDGB_08	1	1183 - 1183	Used - speed (amphetamines) - 12 mo
IDGB_09	1	1184 - 1184	Frequency - speed (amphetamines) - 12 mo
IDGB_10	1	1185 - 1185	Used - ecstasy (MDMA) - life
IDGB_11	1	1186 - 1186	Used - ecstasy (MDMA) - 12 mo
IDGB_12	1	1187 - 1187	Frequency - ecstasy (MDMA) - 12 mo
IDGB_13	1	1188 - 1188	Used - hallucinogens, PCP, LSD - life
IDGB_14	1	1189 - 1189	Used - hallucinogens, PCP, LSD - 12 mo
IDGB_15	1	1190 - 1190	Frequency - hallucinogens, PCP, LSD - 12 mo
IDGB_16	1	1191 - 1191	Sniffed - glue, gasoline, other solvents - life
IDGB_17	1	1192 - 1192	Sniffed - glue, gasoline, other solvents - 12 mo
IDGB_18	1	1193 - 1193	Frequency - glue, gasoline, other solvents - 12 mo
IDGB_19	1	1194 - 1194	Used - heroin - life
IDGB_20	1	1195 - 1195	Used - heroin - 12 mo
IDGB_21	1	1196 - 1196	Frequency - heroin - 12 mo
IDGB_22	1	1197 - 1197	Used - steroids - life
IDGB_23	1	1198 - 1198	Used - steroids - 12 mo
IDGB_24	1	1199 - 1199	Frequency - steroids - 12 mo
IDGB_5AA	1	1200 - 1200	Took drugs at least once monthly for a year - life
IDGB_25A	1	1201 - 1201	Needed more drugs than usual to get high - 12 mo
IDGB_5A1	1	1202 - 1202	Needed more drugs than usual to get high - life
IDGB_25B	1	1203 - 1203	Had symptom during period of cut down/no drugs - 12 mo
IDGB_5B1	1	1204 - 1204	Had symptom during period of cut down/no drugs - life
IDGB_25C	1	1205 - 1205	Used drugs to prevent having symptoms - 12 mo

CCHS Cycle 1.2 : Record Layout

Page 26

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
IDGB_5C1	1	1206 - 1206	Used drugs to prevent having symptoms - life
IDGB_25D	1	1207 - 1207	Used drugs - even though promised wouldn't - 12 mo
IDGB_5D1	1	1208 - 1208	Used drugs - even though promised wouldn't - life
IDGB_25E	1	1209 - 1209	Used drugs more frequently than intended - 12 mo
IDGB_5E1	1	1210 - 1210	Used drugs more frequently than intended - life
IDGB_25F	1	1211 - 1211	Used drugs - little time for anything else - 12 mo
IDGB_5F1	1	1212 - 1212	Used drugs - little time for anything else - life
IDGB_25G	1	1213 - 1213	Reduced important activities - because of drugs - 12 mo
IDGB_5G1	1	1214 - 1214	Reduced important activities - because of drugs - life
IDGB_25H	1	1215 - 1215	Continued taking drugs despite health problems - 12 mo
IDGB_5H1	1	1216 - 1216	Continued taking drugs despite health problems - life
IDGB_26A	2	1217 - 1218	Level of interference - home responsibilities - 12 mo
IDGB_6B1	2	1219 - 1220	Level of interference - ability to attend school - 12 mo
IDGB_6B2	2	1221 - 1222	Level of interference - ability to work at a job - 12 mo
IDGB_26C	2	1223 - 1224	Level of interference - close relationships - 12 mo
IDGB_26D	2	1225 - 1226	Level of interference - social life - 12 mo
IDGB_5AL	1	1227 - 1227	Needed more drugs than usual to get high - life
IDGB_5BL	1	1228 - 1228	Had symptom during period of cut down/no drugs - life
IDGB_5CL	1	1229 - 1229	Used drugs to prevent having symptoms - life
IDGB_5DL	1	1230 - 1230	Used drugs even though promised wouldn't - life
IDGB_5EL	1	1231 - 1231	Used drugs more frequently than intended - life
IDGB_5FL	1	1232 - 1232	Used drugs - little time for anything else - life
IDGB_5GL	1	1233 - 1233	Reduced important activities - because of drugs - life
IDGB_5HL	1	1234 - 1234	Continued taking drugs despite health problems - life
IDGBFLCA	1	1235 - 1235	Cannabis drug use - including one time only - life
IDGBFLCM	1	1236 - 1236	Cannabis drug use - excluding one time only - life
IDGBFYCM	1	1237 - 1237	Cannabis drug use - excluding one time only - 12 mo
IDGBFLCO	1	1238 - 1238	Cocaine / crack drug use - life
IDGBFLAM	1	1239 - 1239	Amphetamine (speed) drug use - life
IDGBFLEX	1	1240 - 1240	MDMA (ecstasy) drug use - life
IDGBFLHA	1	1241 - 1241	Hallucinogens, PCP or LSD drug use - life
IDGBFLGL	1	1242 - 1242	Glue, gasoline or other solvent use - life
IDGBFLHE	1	1243 - 1243	Heroin drug use - life
IDGBFLST	1	1244 - 1244	Steroid use - life
IDGBFLA	1	1245 - 1245	Illicit drug use - including one time cannabis - life
IDGBFLAC	1	1246 - 1246	Illicit drug use - excluding one time cannabis - life

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
IDGBFYA	1	1247 - 1247	Illicit drug use - including one time cannabis - 12 mo
IDGBFYAC	1	1248 - 1248	Illicit drug use - excluding one time cannabis - 12 mo
IDGBFYDP	1	1249 - 1249	Criteria - Drug dependance - 12 mo
IDGBDINT	4.1	1250 - 1253	Illicit drug interference - mean - 12 mo - (D)
IDGBFINT	1	1254 - 1254	Flag: Illicit drug interference - 12 mo
CPGB_01A	2	1255 - 1256	Frequency - spending money on instant win tickets
CPGB_01B	2	1257 - 1258	Frequency - spending money on lottery tickets
CPGB_01C	2	1259 - 1260	Frequency - spending money on bingo
CPGB_01D	2	1261 - 1262	Frequency - spending money on cards/boards games
CPGB_01E	2	1263 - 1264	Frequency - spending money on VLTs/outside casinos
CPGB_01F	2	1265 - 1266	Frequency - spending money on VLTs/at casinos
CPGB_01G	2	1267 - 1268	Frequency - spending money on other games/at casinos
CPGB_01H	2	1269 - 1270	Frequency - spending money on internet/arcade gambling
CPGB_01I	2	1271 - 1272	Frequency - spending money on live horse racing
CPGB_01J	2	1273 - 1274	Frequency - spending money on sports lotteries
CPGB_01K	2	1275 - 1276	Frequency - spending money on speculative investments
CPGB_01L	2	1277 - 1278	Frequency - spending money on games of skill
CPGB_01M	2	1279 - 1280	Frequency - spending money on other forms of gambling
CPGB_01N	2	1281 - 1282	Amount of money spent on gambling activities
CPGB_02	1	1283 - 1283	Frequency - spent more than wanted on gambling
CPGB_03	1	1284 - 1284	Frequency - gambled more money for same feeling
CPGB_04	1	1285 - 1285	Frequency - returned to try to win back money lost
CPGB_05	1	1286 - 1286	Frequency - borrowed money/sold to get \$ for gambling
CPGB_06	1	1287 - 1287	Frequency - felt might have a problem with gambling
CPGB_07	1	1288 - 1288	Frequency - gambling caused any health problems
CPGB_08	1	1289 - 1289	Frequency - people criticized respondent's betting
CPGB_09	1	1290 - 1290	Frequency - gambling caused financial problems
CPGB_10	1	1291 - 1291	Frequency - felt guilty about gambling
CPGB_11	1	1292 - 1292	Frequency - lied to hide gambling
CPGB_12	1	1293 - 1293	Frequency - wanted to stop betting but thought could not
CPGB_13	1	1294 - 1294	Frequency - bet more than could afford to lose
CPGB_14	1	1295 - 1295	Frequency - tried to quit/cut down; but unable
CPGB_15	1	1296 - 1296	Frequency - gambled to forget problems/feel better
CPGB_16	1	1297 - 1297	Frequency - gambling caused problem with family/friends
CPGB_17	1	1298 - 1298	Other family member with gambling problems
CPGB_18	1	1299 - 1299	Used alcohol or drugs while gambling

CCHS Cycle 1.2 : Record Layout

Page 28

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
CPGBFGAM	1	1300 - 1300	Flag: Gambling Activity - Gambler vs. Non-gambler
CPGBDSEV	2	1301 - 1302	Problem gambling severity index - (D)
CPGBDTYP	2	1303 - 1304	Type of gambler - (D)
CPGBDACT	2	1305 - 1306	Number of different types of gambling activities - (D)
ETAB_01A	1	1307 - 1307	Had a strong fear of being too fat/overweight - life
ETAB_01B	1	1308 - 1308	Had a strong fear of being too fat/overweight - 12 mo
ETAB_02	2	1309 - 1310	Frequency - terrified of being overweight
ETAB_03	2	1311 - 1312	Frequency - avoided eating when hungry
ETAB_04	2	1313 - 1314	Frequency - preoccupied with food
ETAB_05	2	1315 - 1316	Frequency - went on eating binges
ETAB_06	2	1317 - 1318	Frequency - cut food into small pieces
ETAB_07	2	1319 - 1320	Frequency - was aware of calorie content
ETAB_08	2	1321 - 1322	Frequency - avoided food with high carbohydrate content
ETAB_09	2	1323 - 1324	Frequency - eating more would be appreciated by others
ETAB_10	2	1325 - 1326	Frequency - vomited after eating
ETAB_11	2	1327 - 1328	Frequency - felt guilty after eating
ETAB_12	2	1329 - 1330	Frequency - preoccupied with desire to be thinner
ETAB_13	2	1331 - 1332	Frequency - thought of burning up calories when exercising
ETAB_14	2	1333 - 1334	Frequency - respondent too thin according to others
ETAB_15	2	1335 - 1336	Frequency - preoccupied with having fat on body
ETAB_16	2	1337 - 1338	Frequency - took longer to eat meals
ETAB_17	2	1339 - 1340	Frequency - avoided foods with sugar
ETAB_18	2	1341 - 1342	Frequency - ate diet foods
ETAB_19	2	1343 - 1344	Frequency - felt food controlled life
ETAB_20	2	1345 - 1346	Frequency - displayed self-control around food
ETAB_21	2	1347 - 1348	Frequency - others pressured to eat
ETAB_22	2	1349 - 1350	Frequency - gave too much time/thought to food
ETAB_23	2	1351 - 1352	Frequency - felt uncomfortable after eating sweets
ETAB_24	2	1353 - 1354	Frequency - engaged in dieting behaviour
ETAB_25	2	1355 - 1356	Frequency - liked stomach to be empty
ETAB_26	2	1357 - 1358	Frequency - had impulse to vomit after meals
ETAB_27	2	1359 - 1360	Frequency - enjoyed trying new rich food
ETABDIND	2	1361 - 1362	Eating Attitude Test Index Score - (D)
ETABFIND	1	1363 - 1363	Flag: Eating Attitude Test Index
RACB_1	2	1364 - 1365	Has difficulty with activities
RACB_2A	2	1366 - 1367	Reduction in kind or amount activities - at home

CCHS Cycle 1.2 : Record Layout

Page 29

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
RACB_2B1	2	1368 - 1369	Reduction in kind or amount activities - at school
RACB_2B2	2	1370 - 1371	Reduction in kind or amount activities - at work
RACB_2C	2	1372 - 1373	Reduction in kind or amount activities - other activities
RACBG5	1	1374 - 1374	Cause of health problem - (G)
RACB_5A1	1	1375 - 1375	Embarrassment due to condition/health problem - life
RACB_5A2	2	1376 - 1377	Embarrassment due to condition/health problem - 12 mo
RACB_5B1	1	1378 - 1378	Discrimination due to condition/health problem - life
RACB_5B2	2	1379 - 1380	Discrimination due to condition/health problem - 12 mo
RACB_6A	1	1381 - 1381	Needs help - preparing meals
RACB_6B1	1	1382 - 1382	Needs help - getting to appointments / running errands
RACB_6C	1	1383 - 1383	Needs help - doing housework
RACB_6D	1	1384 - 1384	Needs help - heavy household chores
RACB_6E	1	1385 - 1385	Needs help - personal care
RACB_6F	1	1386 - 1386	Needs help - moving about inside the house
RACB_6G	1	1387 - 1387	Needs help - looking after personal finances
RACB_7A	1	1388 - 1388	Difficulty - making new friends
RACB_7B	1	1389 - 1389	Difficulty - dealing with unknown people
RACB_7C	1	1390 - 1390	Difficulty - starting / maintaining a conversation
RACB_8A	1	1391 - 1391	Cause of difficulties - physical health
RACB_8B	1	1392 - 1392	Cause of difficulties - emotional or mental health
RACB_8C	1	1393 - 1393	Cause of difficulties - use of alcohol or drugs
RACB_8D	1	1394 - 1394	Cause of difficulties - other reason
RACBDIMP	1	1395 - 1395	Impact of health problems - (D)
RACBDPAL	1	1396 - 1396	Participation and Activity Limitation - (D)
RACBF6R	1	1397 - 1397	Flag: Help needed for series of tasks
RACBF7	1	1398 - 1398	Flag: Difficulty with social situations
TWDB_1	1	1399 - 1399	Stayed in bed - because of illness or injury
TWDB_2	2	1400 - 1401	Stayed in bed - number of days
TWDB_2A	1	1402 - 1402	Single day when stayed in bed is due to mental health
TWDB_2B	2	1403 - 1404	Number of days when stayed in bed is due to mental health
TWDB_3	1	1405 - 1405	Reduced activities - because of illness or injury
TWDB_4	2	1406 - 1407	Reduced activities - number of days
TWDB_4A	1	1408 - 1408	Single day when reduced activities is due to mental health
TWDB_4B	2	1409 - 1410	Nber of days when reduced activities is due to mental health
TWDB_5A	1	1411 - 1411	Took extra effort - because of illness or injury
TWDB_6	2	1412 - 1413	Number of days requiring extra effort

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
TWDB_6A	1	1414 - 1414	Single day when extra effort is due to mental health
TWDB_6B	2	1415 - 1416	Number of days when extra effort is due to mental health
TWDBDDDY	2	1417 - 1418	Total number of disability days in past 14 days - (D)
TWDBDMQ2	2	1419 - 1420	Number of days spent in bed due to mental health - (D)
TWDBDMQ4	2	1421 - 1422	Nber of days reduced activities due to mental health - (D)
TWDBDMQ6	2	1423 - 1424	Nber of days requiring extra effort due mental health - (D)
TWDBDMH	2	1425 - 1426	Total number of disability days due to mental health - (D)
SERB_02	1	1427 - 1427	Hospitalized for mental health/alcohol/drug - life
SERBG03	2	1428 - 1429	Nbr of times hosp. for mental health/alcohol/drug - life
SERB_05A	1	1430 - 1430	Reference period for single lifetime hospitalization
SERBG05B	2	1431 - 1432	Age - for single hospit. dating more than a year ago - (G)
SERBG06	2	1433 - 1434	Age - at time of first admission for mental health - (G)
SERB_08	1	1435 - 1435	Hospitalized for mental health/alcohol/drug - 12 mo
SERBG08A	2	1436 - 1437	Age - last time hospitalized - (G)
SERBG09	2	1438 - 1439	Total time spent hospital due to mental hlth - 12 mo - (G)
SERB_10A	1	1440 - 1440	Ever saw / talked to prof. - psychiatrist
SERB_10B	1	1441 - 1441	Ever saw / talked to prof. - family doctor or GP
SERB_10C	1	1442 - 1442	Ever saw / talked to prof. - other medical doctor
SERB_10D	1	1443 - 1443	Ever saw / talked to prof. - psychologist
SERB_10E	1	1444 - 1444	Ever saw / talked to prof. - nurse
SERB_10F	1	1445 - 1445	Ever saw / talked to prof. - social worker/counsellor/etc
SERB_10G	1	1446 - 1446	Ever saw / talked to prof. - religious / spiritual advisor
SERB_10H	1	1447 - 1447	Ever saw / talked to prof. - other professional
SERB_10I	1	1448 - 1448	Ever saw / talked to prof. - none
SERB_12	1	1449 - 1449	Had session of counselling / therapy of 15 minutes or longer
SERBG13	2	1450 - 1451	Age - first time had session of counselling / therapy - (G)
SERBG20	2	1452 - 1453	Age - first time consulted psychiatrist - (G)
SERB_21	1	1454 - 1454	Last time consulted psychiatrist
SERBG22	2	1455 - 1456	Age - last time consulted psychiatrist - (G)
SERBG23	1	1457 - 1457	Number of times consulted psychiatrist - 12 mo - (G)
SERB_24A	1	1458 - 1458	Contact psychiatrist - hospitalized as an overnight patient
SERB_24B	1	1459 - 1459	Contact psychiatrist - health professional's office
SERB_24C	1	1460 - 1460	Contact psychiatrist - hospital emergency room
SERBG24F	1	1461 - 1461	Contact psychiatrist - outpatient clinic - (G)
SERBG24I	1	1462 - 1462	Contact psychiatrist - other clinic - (G)
SERB_24L	1	1463 - 1463	Contact psychiatrist - at home

CCHS Cycle 1.2 : Record Layout

Page 31

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_24M	1	1464 - 1464	Contact psychiatrist - telephone consultation only
SERB_24N	1	1465 - 1465	Contact psychiatrist - church or other religious place
SERBG24O	1	1466 - 1466	Contact psychiatrist - work, school, other - (G)
SERB_25	1	1467 - 1467	Psychiatrist - satisfaction with treatments/services
SERB_26	1	1468 - 1468	Psychiatrist - perceived level of help received from prof.
SERB_27	1	1469 - 1469	Psychiatrist - stopped seeing this professional
SERB_28A	1	1470 - 1470	Reason stopped - felt better
SERB_28B	1	1471 - 1471	Reason stopped - completed the recommended treatment
SERB_28C	1	1472 - 1472	Reason stopped - thought it was not helping
SERB_28D	1	1473 - 1473	Reason stopped - problem would get better without help
SERB_28E	1	1474 - 1474	Reason stopped - couldn't afford to pay
SERB_28F	1	1475 - 1475	Reason stopped - too embarrassed to see professional
SERB_28G	1	1476 - 1476	Reason stopped - wanted to solve the problem without help
SERB_28H	1	1477 - 1477	Reason stopped - problems like transportation, childcare
SERB_28I	1	1478 - 1478	Reason stopped - service / program no longer available
SERB_28J	1	1479 - 1479	Reason stopped - not comfortable with prof. approach
SERB_28K	1	1480 - 1480	Reason stopped - other reason
SERB_29	1	1481 - 1481	Psychiatrist - recommended other professional
SERBG30	2	1482 - 1483	Age - first time consulted family doctor - (G)
SERB_31	1	1484 - 1484	Last time consulted family doctor
SERBG32	2	1485 - 1486	Age - last time consulted family doctor - (G)
SERBG33	1	1487 - 1487	Number of times consulted family doctor - 12 mo - (G)
SERB_34A	1	1488 - 1488	Contact family doctor - hospitalized as overnight patient
SERB_34B	1	1489 - 1489	Contact family doctor - health professional's office
SERB_34C	1	1490 - 1490	Contact family doctor - hospital emergency room
SERBG34F	1	1491 - 1491	Contact family doctor - outpatient clinic - (G)
SERBG34I	1	1492 - 1492	Contact family doctor - other clinic - (G)
SERB_34L	1	1493 - 1493	Contact family doctor - at home
SERB_34M	1	1494 - 1494	Contact family doctor - telephone consultation only
SERB_34N	1	1495 - 1495	Contact family doctor - church or other religious place
SERBG34O	1	1496 - 1496	Contact family doctor - work, school, other - (G)
SERB_35	1	1497 - 1497	Family doctor - satisfaction with treatments/services
SERB_36	1	1498 - 1498	Family doctor - perceived level of help received from prof.
SERB_37	1	1499 - 1499	Family doctor - stopped seeing prof.
SERB_38A	1	1500 - 1500	Reason stopped - felt better
SERB_38B	1	1501 - 1501	Reason stopped - completed the recommended treatment

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_38C	1	1502 - 1502	Reason stopped - thought it was not helping
SERB_38D	1	1503 - 1503	Reason stopped - problem would get better without help
SERB_38E	1	1504 - 1504	Reason stopped - couldn't afford to pay
SERB_38F	1	1505 - 1505	Reason stopped - too embarrassed to see professional
SERB_38G	1	1506 - 1506	Reason stopped - wanted to solve the problem without help
SERB_38H	1	1507 - 1507	Reason stopped - problems like transportation, childcare
SERB_38I	1	1508 - 1508	Reason stopped - service / program no longer available
SERB_38J	1	1509 - 1509	Reason stopped - not comfortable with prof. approach
SERB_38K	1	1510 - 1510	Reason stopped - other reason
SERB_39	1	1511 - 1511	Family doctor - recommended another professional
SERB_40A	1	1512 - 1512	Other doctor - cardiologist
SERB_40B	1	1513 - 1513	Other doctor - gynaecologist
SERB_40C	1	1514 - 1514	Other doctor - urologist
SERB_40D	1	1515 - 1515	Other doctor - allergist
SERB_40E	1	1516 - 1516	Other doctor - other
SERB_41	2	1517 - 1518	Other doctor consulted most often - 12 mo
SERBG42	2	1519 - 1520	Age - last time consulted other medical doctor - (G)
SERBG43	1	1521 - 1521	Number of times consulted other doctor - 12 mo - (G)
SERB_44A	1	1522 - 1522	Contact other doctor - hospitalized as overnight patient
SERB_44B	1	1523 - 1523	Contact other doctor - health professional's office
SERB_44C	1	1524 - 1524	Contact other doctor - hospital emergency room
SERBG44F	1	1525 - 1525	Contact other doctor - outpatient clinic - (G)
SERBG44I	1	1526 - 1526	Contact other med. doctor - other clinic - (G)
SERB_44L	1	1527 - 1527	Contact other doctor - at home
SERB_44M	1	1528 - 1528	Contact other doctor - telephone consultation only
SERB_44N	1	1529 - 1529	Contact other doctor - church or other religious place
SERBG44O	1	1530 - 1530	Contact other doctor - work, school, other - (G)
SERB_45	1	1531 - 1531	Other doctor - satisfaction with treatments/services
SERB_46	1	1532 - 1532	Other doctor - perceived level of help received from prof.
SERB_47	1	1533 - 1533	Other doctor - stopped seeing prof.
SERB_48A	1	1534 - 1534	Reason stopped - felt better
SERB_48B	1	1535 - 1535	Reason stopped - completed the recommended treatment
SERB_48C	1	1536 - 1536	Reason stopped - thought it was not helping
SERB_48D	1	1537 - 1537	Reason stopped - problem would get better without help
SERB_48E	1	1538 - 1538	Reason stopped - couldn't afford to pay
SERB_48F	1	1539 - 1539	Reason stopped - too embarrassed to see professional

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_48G	1	1540 - 1540	Reason stopped - wanted to solve the problem without help
SERB_48H	1	1541 - 1541	Reason stopped - problems like transportation, childcare
SERB_48I	1	1542 - 1542	Reason stopped - service / program no longer available
SERB_48J	1	1543 - 1543	Reason stopped - not comfortable with prof. approach
SERB_48K	1	1544 - 1544	Reason stopped - other reason
SERB_49	1	1545 - 1545	Other doctor - recommended other professional
SERBG50	2	1546 - 1547	Age - first time consulted psychologist - (G)
SERB_51	1	1548 - 1548	Last time consulted psychologist
SERBG52	2	1549 - 1550	Age - last time consulted psychologist - (G)
SERBG53	1	1551 - 1551	Number of times consulted psychologist - 12 mo - (G)
SERB_54A	1	1552 - 1552	Contact psychologist - hospitalized as an overnight patient
SERB_54B	1	1553 - 1553	Contact psychologist - health professional's office
SERB_54C	1	1554 - 1554	Contact psychologist - hospital emergency room
SERBG54F	1	1555 - 1555	Contact psychologist - outpatient clinic - (G)
SERBG54I	1	1556 - 1556	Contact psychologist - other clinic - (G)
SERB_54L	1	1557 - 1557	Contact psychologist - at home
SERB_54M	1	1558 - 1558	Contact psychologist - telephone consultation only
SERB_54N	1	1559 - 1559	Contact psychologist - church or other religious place
SERBG54O	1	1560 - 1560	Contact psychologist - work, school, other - (G)
SERB_55	1	1561 - 1561	Psychologist - satisfaction with treatments/services - 12 mo
SERB_56	1	1562 - 1562	Psychologist - perceived level of help received from prof.
SERB_57	1	1563 - 1563	Psychologist - stopped seeing this professional
SERB_58A	1	1564 - 1564	Reason stopped - felt better
SERB_58B	1	1565 - 1565	Reason stopped - completed the recommended treatment
SERB_58C	1	1566 - 1566	Reason stopped - thought it was not helping
SERB_58D	1	1567 - 1567	Reason stopped - problem would get better without help
SERB_58E	1	1568 - 1568	Reason stopped - couldn't afford to pay
SERB_58F	1	1569 - 1569	Reason stopped - too embarrassed to see professional
SERB_58G	1	1570 - 1570	Reason stopped - wanted to solve the problem without help
SERB_58H	1	1571 - 1571	Reason stopped - problems like transportation, childcare
SERB_58I	1	1572 - 1572	Reason stopped - service / program no longer available
SERB_58J	1	1573 - 1573	Reason stopped - not comfortable with prof. approach
SERB_58K	1	1574 - 1574	Reason stopped - other reason
SERB_59	1	1575 - 1575	Insurance covers all/part of cost with psychologist
SERB_59A	1	1576 - 1576	Psychologist - recommended other professional
SERBG60	2	1577 - 1578	Age - first time consulted nurse - (G)

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_61	1	1579 - 1579	Last time consulted nurse
SERBG62	2	1580 - 1581	Age - last time consulted nurse - (G)
SERBG63	1	1582 - 1582	Number of times consulted nurse - 12 mo - (G)
SERB_64A	1	1583 - 1583	Contact nurse - hospitalized as an overnight patient
SERB_64B	1	1584 - 1584	Contact nurse - health professional's office
SERB_64C	1	1585 - 1585	Contact nurse - hospital emergency room
SERBG64F	1	1586 - 1586	Contact nurse - outpatient clinic - (G)
SERBG64I	1	1587 - 1587	Contact nurse - other clinic - (G)
SERB_64L	1	1588 - 1588	Contact nurse - at home
SERB_64M	1	1589 - 1589	Contact nurse - telephone consultation only
SERB_64N	1	1590 - 1590	Contact nurse - church or other religious place
SERBG64O	1	1591 - 1591	Contact nurse - work, school, other - (G)
SERB_65	1	1592 - 1592	Nurse - satisfaction with treatments/services - 12 mo
SERB_66	1	1593 - 1593	Nurse - perceived level of help received from prof.
SERB_67	1	1594 - 1594	Nurse - stopped seeing this professional
SERB_68A	1	1595 - 1595	Reason stopped - felt better
SERB_68B	1	1596 - 1596	Reason stopped - completed the recommended treatment
SERB_68C	1	1597 - 1597	Reason stopped - thought it was not helping
SERB_68D	1	1598 - 1598	Reason stopped - problem would get better without help
SERB_68E	1	1599 - 1599	Reason stopped - couldn't afford to pay
SERB_68F	1	1600 - 1600	Reason stopped - too embarrassed to see professional
SERB_68G	1	1601 - 1601	Reason stopped - wanted to solve the problem without help
SERB_68H	1	1602 - 1602	Reason stopped - problems like transportation, childcare
SERB_68I	1	1603 - 1603	Reason stopped - service / program no longer available
SERB_68J	1	1604 - 1604	Reason stopped - not comfortable with prof. approach
SERB_68K	1	1605 - 1605	Reason stopped - other reason
SERB_69	1	1606 - 1606	Insurance covers all/part of cost with nurse
SERB_69A	1	1607 - 1607	Nurse - recommended other professional
SERBG70	2	1608 - 1609	Age - first time consulted social worker - (G)
SERB_71	1	1610 - 1610	Last time consulted social worker
SERBG72	2	1611 - 1612	Age - last time consulted social worker - (G)
SERBG73	1	1613 - 1613	Number of times consulted social worker - 12 mo - (G)
SERB_74A	1	1614 - 1614	Contact social worker - hospitalized as an overnight patient
SERB_74B	1	1615 - 1615	Contact social worker - health professional's office
SERB_74C	1	1616 - 1616	Contact social worker - hospital emergency room
SERBG74F	1	1617 - 1617	Contact social worker - outpatient clinic - (G)

CCHS Cycle 1.2 : Record Layout

Page 35

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERBG74I	1	1618 - 1618	Contact social worker - other clinic - (G)
SERB_74L	1	1619 - 1619	Contact social worker - at home
SERB_74M	1	1620 - 1620	Contact social worker - telephone consultation only
SERB_74N	1	1621 - 1621	Contact social worker - church or other religious place
SERBG74O	1	1622 - 1622	Contact social worker - work, school, other - (G)
SERB_75	1	1623 - 1623	Social worker - satisfaction with treatments/services
SERB_76	1	1624 - 1624	Social worker - perceived level of help received from prof.
SERB_77	1	1625 - 1625	Social worker - stopped seeing this professional
SERB_78A	1	1626 - 1626	Reason stopped - felt better
SERB_78B	1	1627 - 1627	Reason stopped - completed the recommended treatment
SERB_78C	1	1628 - 1628	Reason stopped - thought it was not helping
SERB_78D	1	1629 - 1629	Reason stopped - problem would get better without help
SERB_78E	1	1630 - 1630	Reason stopped - couldn't afford to pay
SERB_78F	1	1631 - 1631	Reason stopped - too embarrassed to see professional
SERB_78G	1	1632 - 1632	Reason stopped - wanted to solve the problem without help
SERB_78H	1	1633 - 1633	Reason stopped - problems like transportation, childcare
SERB_78I	1	1634 - 1634	Reason stopped - service / program no longer available
SERB_78J	1	1635 - 1635	Reason stopped - not comfortable with prof. approach
SERB_78K	1	1636 - 1636	Reason stopped - other reason
SERB_79	1	1637 - 1637	Insurance covers all/part of cost with social worker
SERB_79A	1	1638 - 1638	Social worker - recommended other professional
SERBG80	2	1639 - 1640	Age - first time consulted religious advisor - (G)
SERB_81	1	1641 - 1641	Last time consulted religious advisor
SERBG82	2	1642 - 1643	Age - last time consulted religious advisor - (G)
SERBG83	1	1644 - 1644	Number of times consulted religious advisor - 12 mo - (G)
SERB_84A	1	1645 - 1645	Contact religious advisor - hosp as an overnight patient
SERB_84B	1	1646 - 1646	Contact religious advisor - health professional's office
SERB_84C	1	1647 - 1647	Contact religious advisor - hospital emergency room
SERBG84F	1	1648 - 1648	Contact religious advisor - outpatient clinic - (G)
SERBG84I	1	1649 - 1649	Contact religious advisor - other clinic - (G)
SERB_84L	1	1650 - 1650	Contact religious advisor - at home
SERB_84M	1	1651 - 1651	Contact religious advisor - telephone consultation only
SERB_84N	1	1652 - 1652	Contact religious advisor - church or other religious place
SERBG84O	1	1653 - 1653	Contact religious advisor - work, school, other - (G)
SERB_85	1	1654 - 1654	Religious advisor - satisfaction with treatments/services
SERB_86	1	1655 - 1655	Religious adv - perceived level of help received from prof.

CCHS Cycle 1.2 : Record Layout

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_87	1	1656 - 1656	Religious advisor - stopped seeing this professional
SERB_88A	1	1657 - 1657	Reason stopped - felt better
SERB_88B	1	1658 - 1658	Reason stopped - completed the recommended treatment
SERB_88C	1	1659 - 1659	Reason stopped - thought it was not helping
SERB_88D	1	1660 - 1660	Reason stopped - problem would get better without help
SERB_88E	1	1661 - 1661	Reason stopped - couldn't afford to pay
SERB_88F	1	1662 - 1662	Reason stopped - too embarrassed to see professional
SERB_88G	1	1663 - 1663	Reason stopped - wanted to solve the problem without help
SERB_88H	1	1664 - 1664	Reason stopped - problems like transportation, childcare
SERB_88I	1	1665 - 1665	Reason stopped - service / program no longer available
SERB_88J	1	1666 - 1666	Reason stopped - not comfortable with prof. approach
SERB_88K	1	1667 - 1667	Reason stopped - other reason
SERB_89	1	1668 - 1668	Religious advisor - recommend other professional
SERB_90A	1	1669 - 1669	Other professional - acupuncturist
SERB_90B	1	1670 - 1670	Other professional - biofeedback teacher
SERB_90C	1	1671 - 1671	Other professional - chiropractor
SERB_90D	1	1672 - 1672	Other professional - energy healing specialist
SERB_90E	1	1673 - 1673	Other professional - exercise or movement therapist
SERB_90F	1	1674 - 1674	Other professional - herbalist
SERB_90G	1	1675 - 1675	Other professional - homeopath or naturopath
SERB_90H	1	1676 - 1676	Other professional - hypnotist
SERB_90I	1	1677 - 1677	Other professional - guided imagery specialist
SERB_90J	1	1678 - 1678	Other professional - massage therapist
SERB_90K	1	1679 - 1679	Other professional - relaxation, yoga or meditation
SERB_90L	1	1680 - 1680	Other professional - dietician
SERB_90M	1	1681 - 1681	Other professional - other
SERB_91	2	1682 - 1683	Other professional consulted most often - 12 mo
SERBG92	2	1684 - 1685	Age - last time consulted other professional - (G)
SERBG93	1	1686 - 1686	Number of times consulted other professional - 12 mo - (G)
SERB_94A	1	1687 - 1687	Contact other prof. - hospitalized as an overnight patient
SERB_94B	1	1688 - 1688	Contact other prof. - health professional's office
SERB_94C	1	1689 - 1689	Contact other prof. - hospital emergency room
SERBG94F	1	1690 - 1690	Contact other prof. - outpatient clinic - (G)
SERBG94I	1	1691 - 1691	Contact other prof. - other clinic - (G)
SERB_94L	1	1692 - 1692	Contact other prof. - at home
SERB_94M	1	1693 - 1693	Contact other prof. - telephone consultation only

CCHS Cycle 1.2 : Record Layout

Page 37

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_94N	1	1694 - 1694	Contact other prof. - church or other religious place
SERBG94O	1	1695 - 1695	Contact other prof. - work, school, other - (G)
SERB_95	1	1696 - 1696	Other prof. - satisfaction with treatments/services - 12 mo
SERB_96	1	1697 - 1697	Other prof. - perceived level of help received from prof.
SERB_97	1	1698 - 1698	Other prof. - stopped seeing this professional
SERB_98A	1	1699 - 1699	Reason stopped - felt better
SERB_98B	1	1700 - 1700	Reason stopped - completed the recommended treatment
SERB_98C	1	1701 - 1701	Reason stopped - thought it was not helping
SERB_98D	1	1702 - 1702	Reason stopped - problem would get better without help
SERB_98E	1	1703 - 1703	Reason stopped - couldn't afford to pay
SERB_98F	1	1704 - 1704	Reason stopped - too embarrassed to see professional
SERB_98G	1	1705 - 1705	Reason stopped - wanted to solve the problem without help
SERB_98H	1	1706 - 1706	Reason stopped - problems like transportation, childcare
SERB_98I	1	1707 - 1707	Reason stopped - service / program no longer available
SERB_98J	1	1708 - 1708	Reason stopped - not comfortable with prof. approach
SERB_98K	1	1709 - 1709	Reason stopped - other reason
SERB_98L	1	1710 - 1710	Reason stopped - none
SERB_99	1	1711 - 1711	Insurance covers all/part of cost with other prof.
SERB_99A	1	1712 - 1712	Other professional - recommended other professional
SERB_A0A	1	1713 - 1713	Used an internet support group / chat room - life
SERB_A0B	1	1714 - 1714	Last time used internet support group / chat room
SERBGA0C	2	1715 - 1716	Nbr times internet support group / chat room - 12 mo - (G)
SERB_A1A	1	1717 - 1717	Self-help group for help with emotions - life
SERBGA1B	2	1718 - 1719	Age - first time went to self-help group - (G)
SERB_A1C	1	1720 - 1720	Last time went to self-help group
SERBGA1D	2	1721 - 1722	Nbr times went to meeting of self-help group - 12 mo - (G)
SERB_A2A	1	1723 - 1723	Used telephone helpline for mental health - life
SERBGA2B	2	1724 - 1725	Age - first time used telephone helpline - (G)
SERB_A2C	1	1726 - 1726	Last time used telephone helpline
SERBGA2D	2	1727 - 1728	Number of times used telephone helpline - 12 mo - (G)
SERB_A3	1	1729 - 1729	Needed help for emotions but didn't receive it
SERB_A4A	1	1730 - 1730	Help needed - info on mental illness / treatments
SERB_A4B	1	1731 - 1731	Help needed - info on availability of services
SERB_A4C	1	1732 - 1732	Help needed - medication
SERB_A4D	1	1733 - 1733	Help needed - therapy or counselling
SERB_A4E	1	1734 - 1734	Help needed - for financial problems

CCHS Cycle 1.2 : Record Layout

Page 38

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_A4F	1	1735 - 1735	Help needed - for housing problems
SERB_A4G	1	1736 - 1736	Help needed - for personal relationships
SERB_A4H	1	1737 - 1737	Help needed - for employment status / work situation
SERB_A4I	1	1738 - 1738	Help needed - other
SERB_A5A	1	1739 - 1739	Reason no help - preferred to manage him/herself
SERB_A5B	1	1740 - 1740	Reason no help - didn't think anything more could help
SERB_A5C	1	1741 - 1741	Reason no help - didn't know how or where to get help
SERB_A5D	1	1742 - 1742	Reason no help - afraid to ask help / what others think
SERB_A5E	1	1743 - 1743	Reason no help - couldn't afford to pay
SERB_A5F	1	1744 - 1744	Reason no help - prob like transp, childcare, scheduling
SERB_A5G	1	1745 - 1745	Reason no help - professional unavailable in area
SERB_A5H	1	1746 - 1746	Reason no help - professional unavailable at time
SERB_A5I	1	1747 - 1747	Reason no help - waiting time too long
SERB_A5J	1	1748 - 1748	Reason no help - didn't get around to it / didn't bother
SERB_A5K	1	1749 - 1749	Reason no help - language problems
SERB_A5L	1	1750 - 1750	Reason no help - personal/family responsibilities
SERB_A5M	1	1751 - 1751	Reason no help - other
SERBGA7	1	1752 - 1752	Amount spent on mental hlth services/products - 12 mo - (G)
SERBFLHO	1	1753 - 1753	Flag: Hospitalization for mental health - life
SERBGHDY	2	1754 - 1755	Length of time hospitalized for ment.hlth. - life - (D,G)
SERBFHYR	1	1756 - 1756	Flag: Hospitalization for mental health - 12 mo
SERBFLAP	1	1757 - 1757	Flag: Professional consultations for mental health - life
SERBFLRU	1	1758 - 1758	Flag: Resources used for mental health - life
SERBDRCT	2	1759 - 1760	Number of resources used for mental health - life - (D)
SERBFYRU	1	1761 - 1761	Number of resources used for mental health - 12 mo
SERBDYCT	2	1762 - 1763	Number of resources used for mental health - 12 mo
SERBFACS	1	1764 - 1764	Flag: Accessibility barriers - mental health
SERBFACP	1	1765 - 1765	Flag: Acceptability barriers - mental health
SERBFAVA	1	1766 - 1766	Flag: Availability barriers - mental health
MEDB_11A	1	1767 - 1767	Took medication to help sleep - 12 mo
MEDB_11B	1	1768 - 1768	Took diet pills - 12 mo
MEDB_11C	1	1769 - 1769	Took medication to reduce anxiety - 12 mo
MEDB_11D	1	1770 - 1770	Took mood stabilizers - 12 mo
MEDB_11E	1	1771 - 1771	Took anti-depressants - 12 mo
MEDB_11F	1	1772 - 1772	Took med. to treat psychotic behaviours - 12 mo
MEDB_11G	1	1773 - 1773	Took stimulants - 12 mo

CCHS Cycle 1.2 : Record Layout

Page 39

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_A1	1	1774 - 1774	Sleep medication under professional supervision
MEDB_A2A	1	1775 - 1775	Sleep medication prescribed by a psychiatrist
MEDB_A2B	1	1776 - 1776	Sleep medication prescribed by family doctor / GP
MEDB_A2C	1	1777 - 1777	Sleep medication prescribed by other medical doctor
MEDB_A2D	1	1778 - 1778	Sleep medication prescribed by other professional
MEDB_A3	1	1779 - 1779	Days forgot to take/took less sleep medication
MEDB_A4A	1	1780 - 1780	Reason no/less med - Forgot
MEDB_A4B	1	1781 - 1781	Reason no/less med - Felt better
MEDB_A4C	1	1782 - 1782	Reason no/less med - Medicine was not helping
MEDB_A4D	1	1783 - 1783	Reason no/less med - Thought problem would get better
MEDB_A4E	1	1784 - 1784	Reason no/less med - Couldn't afford to pay
MEDB_A4F	1	1785 - 1785	Reason no/less med - Too embarrassed to take medicine
MEDB_A4G	1	1786 - 1786	Reason no/less med - Wanted to solve problem without med.
MEDB_A4H	1	1787 - 1787	Reason no/less med - Side-effects
MEDB_A4I	1	1788 - 1788	Reason no/less med - Afraid of becoming dependent
MEDB_A4J	1	1789 - 1789	Reason no/less med - Other reason
MEDB_B1	1	1790 - 1790	Diet pills under professional supervision
MEDB_B2A	1	1791 - 1791	Diet pills prescribed by a psychiatrist
MEDB_B2B	1	1792 - 1792	Diet pills prescribed by family doctor / GP
MEDB_B2C	1	1793 - 1793	Diet pills prescribed by other medical doctor
MEDB_B2D	1	1794 - 1794	Diet pills prescribed by other professional
MEDB_B3	1	1795 - 1795	Days forgot to take/took less diet pills
MEDB_B4A	1	1796 - 1796	Reason no/less med - Forgot
MEDB_B4B	1	1797 - 1797	Reason no/less med - Felt better
MEDB_B4C	1	1798 - 1798	Reason no/less med - Medicine was not helping
MEDB_B4D	1	1799 - 1799	Reason no/less med - Thought problem would get better
MEDB_B4E	1	1800 - 1800	Reason no/less med - Couldn't afford to pay
MEDB_B4F	1	1801 - 1801	Reason no/less med - Too embarrassed to take medicine
MEDB_B4G	1	1802 - 1802	Reason no/less med - Wanted to solve problem without med.
MEDB_B4H	1	1803 - 1803	Reason no/less med - Side-effects
MEDB_B4I	1	1804 - 1804	Reason no/less med - Afraid of becoming dependent
MEDB_B4J	1	1805 - 1805	Reason no/less med - Other reason
MEDB_C1	1	1806 - 1806	Med. against anxiety under professional supervision
MEDB_C2A	1	1807 - 1807	Med. against anxiety prescribed by a psychiatrist
MEDB_C2B	1	1808 - 1808	Med. against anxiety prescribed by family doctor / GP
MEDB_C2C	1	1809 - 1809	Med. against anxiety prescribed by other medical doctor

CCHS Cycle 1.2 : Record Layout

Page 40

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_C2D	1	1810 - 1810	Med. against anxiety prescribed by other professional
MEDB_C3	1	1811 - 1811	Days forgot to take/took less med. against anxiety
MEDB_C4A	1	1812 - 1812	Reason no/less med - Forgot
MEDB_C4B	1	1813 - 1813	Reason no/less med - Felt better
MEDB_C4C	1	1814 - 1814	Reason no/less med - Medicine was not helping
MEDB_C4D	1	1815 - 1815	Reason no/less med - Thought problem would get better
MEDB_C4E	1	1816 - 1816	Reason no/less med - Couldn't afford to pay
MEDB_C4F	1	1817 - 1817	Reason no/less med - Too embarrassed to take medicine
MEDB_C4G	1	1818 - 1818	Reason no/less med - Wanted to solve problem without med.
MEDB_C4H	1	1819 - 1819	Reason no/less med - Side-effects
MEDB_C4I	1	1820 - 1820	Reason no/less med - Afraid of becoming dependent
MEDB_C4J	1	1821 - 1821	Reason no/less med - Other reason
MEDB_D1	1	1822 - 1822	Mood stabilizers under professional supervision
MEDB_D2A	1	1823 - 1823	Mood stabilizers prescribed by a psychiatrist
MEDB_D2B	1	1824 - 1824	Mood stabilizers prescribed by family doctor / GP
MEDB_D2C	1	1825 - 1825	Mood stabilizers prescribed by other medical doctor
MEDB_D2D	1	1826 - 1826	Mood stabilizers prescribed by other professional
MEDB_D3	1	1827 - 1827	Days forgot to take/took less mood stabilizers
MEDB_D4A	1	1828 - 1828	Reason no/less med - Forgot
MEDB_D4B	1	1829 - 1829	Reason no/less med - Felt better
MEDB_D4C	1	1830 - 1830	Reason no/less med - Medicine was not helping
MEDB_D4D	1	1831 - 1831	Reason no/less med - Thought problem would get better
MEDB_D4E	1	1832 - 1832	Reason no/less med - Couldn't afford to pay
MEDB_D4F	1	1833 - 1833	Reason no/less med - Too embarrassed to take medicine
MEDB_D4G	1	1834 - 1834	Reason no/less med - Wanted to solve problem without med.
MEDB_D4H	1	1835 - 1835	Reason no/less med - Side-effects
MEDB_D4I	1	1836 - 1836	Reason no/less med - Afraid of becoming dependent
MEDB_D4J	1	1837 - 1837	Reason no/less med - Other reason
MEDB_E1	1	1838 - 1838	Antidepressants under professional supervision
MEDB_E2A	1	1839 - 1839	Antidepressants prescribed by a psychiatrist
MEDB_E2B	1	1840 - 1840	Antidepressants prescribed by family doctor / GP
MEDB_E2C	1	1841 - 1841	Antidepressants prescribed by other medical doctor
MEDB_E2D	1	1842 - 1842	Antidepressants prescribed by other professional
MEDB_E3	1	1843 - 1843	Days forgot to take/took less antidepressants
MEDB_E4A	1	1844 - 1844	Reason no/less med - Forgot
MEDB_E4B	1	1845 - 1845	Reason no/less med - Felt better

CCHS Cycle 1.2 : Record Layout

Page 41

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_E4C	1	1846 - 1846	Reason no/less med - Medicine was not helping
MEDB_E4D	1	1847 - 1847	Reason no/less med - Thought problem would get better
MEDB_E4E	1	1848 - 1848	Reason no/less med - Couldn't afford to pay
MEDB_E4F	1	1849 - 1849	Reason no/less med - Too embarrassed to take medicine
MEDB_E4G	1	1850 - 1850	Reason no/less med - Wanted to solve problem without med.
MEDB_E4H	1	1851 - 1851	Reason no/less med - Side-effects
MEDB_E4I	1	1852 - 1852	Reason no/less med - Afraid of becoming dependent
MEDB_E4J	1	1853 - 1853	Reason no/less med - Other reason
MEDB_F1	1	1854 - 1854	Antipsychotic drugs under professional supervision
MEDB_F2A	1	1855 - 1855	Antipsychotic drugs prescribed by a psychiatrist
MEDB_F2B	1	1856 - 1856	Antipsychotic drugs prescribed by family doctor / GP
MEDB_F2C	1	1857 - 1857	Antipsychotic drugs prescribed by other medical doctor
MEDB_F2D	1	1858 - 1858	Antipsychotic drugs prescribed by other professional
MEDB_F3	1	1859 - 1859	Days forgot to take/took less antipsychotic drugs
MEDB_F4A	1	1860 - 1860	Reason no/less med - Forgot
MEDB_F4B	1	1861 - 1861	Reason no/less med - Felt better
MEDB_F4C	1	1862 - 1862	Reason no/less med - Medicine was not helping
MEDB_F4D	1	1863 - 1863	Reason no/less med - Thought problem would get better
MEDB_F4E	1	1864 - 1864	Reason no/less med - Couldn't afford to pay
MEDB_F4F	1	1865 - 1865	Reason no/less med - Too embarrassed to take medicine
MEDB_F4G	1	1866 - 1866	Reason no/less med - Wanted to solve problem without med.
MEDB_F4H	1	1867 - 1867	Reason no/less med - Side-effects
MEDB_F4I	1	1868 - 1868	Reason no/less med - Afraid of becoming dependent
MEDB_F4J	1	1869 - 1869	Reason no/less med - Other reason
MEDB_G1	1	1870 - 1870	Stimulants under professional supervision
MEDB_G2A	1	1871 - 1871	Stimulants prescribed by a psychiatrist
MEDB_G2B	1	1872 - 1872	Stimulants prescribed by family doctor / GP
MEDB_G2C	1	1873 - 1873	Stimulants prescribed by other medical doctor
MEDB_G2D	1	1874 - 1874	Stimulants prescribed by other professional
MEDB_G3	1	1875 - 1875	Days forgot to take/took less stimulants
MEDB_G4A	1	1876 - 1876	Reason no/less med - Forgot
MEDB_G4B	1	1877 - 1877	Reason no/less med - Felt better
MEDB_G4C	1	1878 - 1878	Reason no/less med - Medicine was not helping
MEDB_G4D	1	1879 - 1879	Reason no/less med - Thought problem would get better
MEDB_G4E	1	1880 - 1880	Reason no/less med - Couldn't afford to pay
MEDB_G4F	1	1881 - 1881	Reason no/less med - Too embarrassed to take medicine

CCHS Cycle 1.2 : Record Layout

Page 42

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_G4G	1	1882 - 1882	Reason no/less med - Wanted to solve problem without med.
MEDB_G4H	1	1883 - 1883	Reason no/less med - Side-effects
MEDB_G4I	1	1884 - 1884	Reason no/less med - Afraid of becoming dependent
MEDB_G4J	1	1885 - 1885	Reason no/less med - Other reason
MEDB_2	3	1886 - 1888	Last 2 days - number of medications taken
MEDBG03A	2	1889 - 1890	Drug code - drug 1 - (G)
MEDB_3AA	1	1891 - 1891	Prescription from a medical doctor or dentist - drug 1
MEDBG03B	2	1892 - 1893	Drug code - drug 2 - (G)
MEDB_3BA	1	1894 - 1894	Prescription from medical doctor or dentist - drug 2
MEDBG03C	2	1895 - 1896	Drug code - drug 3 - (G)
MEDB_3CA	1	1897 - 1897	Prescription from medical doctor or dentist - drug 3
MEDBG03D	2	1898 - 1899	Drug code - drug 4 - (G)
MEDB_3DA	1	1900 - 1900	Prescription from medical doctor or dentist - drug 4
MEDBG03E	2	1901 - 1902	Drug code - drug 5 - (G)
MEDB_3EA	1	1903 - 1903	Prescription from medical doctor or dentist - drug 5
MEDBG03F	2	1904 - 1905	Drug code - drug 6 - (G)
MEDB_3FA	1	1906 - 1906	Prescription from medical doctor or dentist - drug 6
MEDBG03G	2	1907 - 1908	Drug code - drug 7 - (G)
MEDB_3GA	1	1909 - 1909	Prescription from medical doctor or dentist - drug 7
MEDBG03H	2	1910 - 1911	Drug code - drug 8 - (G)
MEDB_3HA	1	1912 - 1912	Prescription from medical doctor or dentist - drug 8
MEDBG03I	2	1913 - 1914	Drug code - drug 9 - (G)
MEDB_3IA	1	1915 - 1915	Prescription from medical doctor or dentist - drug 9
MEDBG03J	2	1916 - 1917	Drug code - drug 10 - (G)
MEDB_3JA	1	1918 - 1918	Prescription from medical doctor or dentist - drug 10
MEDBG03K	2	1919 - 1920	Drug code - drug 11 - (G)
MEDB_3KA	1	1921 - 1921	Prescription from medical doctor or dentist - drug 11
MEDBG03L	2	1922 - 1923	Drug code - drug 12 - (G)
MEDB_3LA	1	1924 - 1924	Prescription from medical doctor or dentist - drug 12
MEDB_4	1	1925 - 1925	Insurance that covers all/part of cost of prescription
MEDB_5	1	1926 - 1926	Used other health products for mental health - 12 mo
MEDB_6A	1	1927 - 1927	Health product used - St. John's Wort
MEDB_6B	1	1928 - 1928	Health product used - valerian
MEDB_6C	1	1929 - 1929	Health product used - chamomile
MEDB_6D	1	1930 - 1930	Health product used - ginseng
MEDB_6E	1	1931 - 1931	Health product used - kava kava

CCHS Cycle 1.2 : Record Layout

Page 43

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_6F	1	1932 - 1932	Health product used - lavender
MEDB_6G	1	1933 - 1933	Health product used - chasteberry
MEDB_6H	1	1934 - 1934	Health product used - black cohosh
MEDB_6I	1	1935 - 1935	Health product used - ginkgo biloba
MEDB_6J	1	1936 - 1936	Health product used - NeuRocover-DA
MEDB_6K	1	1937 - 1937	Health product used - vitamins
MEDB_6L	1	1938 - 1938	Health product used - other
MEDB_7	1	1939 - 1939	Health product recommended by a professional
MEDB_8A	1	1940 - 1940	Health product recommended by a psychiatrist
MEDB_8B	1	1941 - 1941	Health product recommended by a family doctor/GP
MEDB_8C	1	1942 - 1942	Health product recommended by an other medical doctor
MEDB_8D	1	1943 - 1943	Health product recommended by a psychologist
MEDB_8E	1	1944 - 1944	Health product recommended by a chiropractor
MEDB_8F	1	1945 - 1945	Health product recommended by a nurse
MEDB_8G	1	1946 - 1946	Health product recommended by a social worker
MEDB_8H	1	1947 - 1947	Health product recommended by a homeopath/naturopath
MEDB_8I	1	1948 - 1948	Health product recommended by an herbalist
MEDB_8J	1	1949 - 1949	Health product recommended by a relaxation therapist
MEDB_8K	1	1950 - 1950	Health product recommended by a biofeedback teacher
MEDB_8L	1	1951 - 1951	Health product recommended by other
SSMB_01	3	1952 - 1954	Number of close friends and relatives
SSMB_02	1	1955 - 1955	Has someone to give help if confined to bed
SSMB_03	1	1956 - 1956	Has someone to listen
SSMB_04	1	1957 - 1957	Has someone to give advice about a crisis
SSMB_05	1	1958 - 1958	Has someone to take to doctor
SSMB_06	1	1959 - 1959	Has someone who shows love and affection
SSMB_07	1	1960 - 1960	Has someone to have a good time with
SSMB_08	1	1961 - 1961	Has someone who gives information to understand a situation
SSMB_09	1	1962 - 1962	Has someone to confide in
SSMB_10	1	1963 - 1963	Has someone who gives hugs
SSMB_11	1	1964 - 1964	Has someone to get together with for relaxation
SSMB_12	1	1965 - 1965	Has someone to prepare meals
SSMB_13	1	1966 - 1966	Has someone to give advice
SSMB_14	1	1967 - 1967	Has someone to do things to get mind off things
SSMB_15	1	1968 - 1968	Has someone to help with daily chores if sick
SSMB_16	1	1969 - 1969	Has someone to share most private worries and fears with

CCHS Cycle 1.2 : Record Layout

Page 44

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SSMB_17	1	1970 - 1970	Has someone to turn to for suggestions for personal problems
SSMB_18	1	1971 - 1971	Has someone to do something enjoyable with
SSMB_19	1	1972 - 1972	Has someone who understands problems
SSMB_20	1	1973 - 1973	Has someone who loves and makes feel wanted
SSMB_21A	1	1974 - 1974	Received tangible social support - 12 mo
SSMB_21B	1	1975 - 1975	Frequency of tangible social support - 12 mo
SSMB_22A	1	1976 - 1976	Received affective support - 12 mo
SSMB_22B	1	1977 - 1977	Frequency of affective support - 12 mo
SSMB_23A	1	1978 - 1978	Received positive social interactive support - 12 mo
SSMB_23B	1	1979 - 1979	Frequency of positive social interactive support - 12 mo
SSMB_24A	1	1980 - 1980	Received emotional/informational support - 12 mo
SSMB_24B	1	1981 - 1981	Frequency of emtional/informational support - 12 mo
SSMBDTNG	2	1982 - 1983	Tangible social support - MOS subscale - (D)
SSMBDAFF	2	1984 - 1985	Affection - MOS subscale - (D)
SSMBDSOC	2	1986 - 1987	Positive social interaction - MOS subscale - (D)
SSMBDEMO	2	1988 - 1989	Emotional or informational support - MOS subscale - (D)
SDCB_8	1	1990 - 1990	Currently attending a school, college or university
SDCB_9	1	1991 - 1991	Full-time student or part-time student
SDCBGCBG	1	1992 - 1992	Country of birth - (G)
SDCBFIMM	1	1993 - 1993	Immigrant status
SDCBGRES	1	1994 - 1994	Length of time in Canada since immigration - (D,G)
SDCBGLNG	1	1995 - 1995	Languages in which respondent can converse - (D,G)
EDUBDR04	1	1996 - 1996	Highest level of education - respondent, 4 levels - (D)
EDUBDR10	2	1997 - 1998	Highest level of education - respondent, 10 levels - (D)
EDUBDH04	1	1999 - 1999	Highest level of education - household, 4 levels - (D)
EDUBDH10	2	2000 - 2001	Highest level of education – household, 10 levels - (D)
DHHBGL12	1	2002 - 2002	Nber of persons less than 12 years old in household - (D,G)
DHHBGLE5	1	2003 - 2003	Number of persons 5 years old or less in household - (D,G)
DHHBG611	1	2004 - 2004	Number of persons 6 to 11 years old in household - (D,G)
DHHBDECF	2	2005 - 2006	Household type - (D)
DHHBGLVG	2	2007 - 2008	Living arrangement of selected respondent - (D,G)
DHHBGBED	1	2009 - 2009	Dwelling - number of bedrooms - (G)
SPVB_1	1	2010 - 2010	Spiritual values - playing important role in life
SPVB_2	1	2011 - 2011	Spiritual values - helping to find meaning to life
SPVB_3	1	2012 - 2012	Spiritual values - strength for everyday difficulties
SPVB_4	1	2013 - 2013	Spiritual values - understanding difficulties of life

CCHS Cycle 1.2 : Record Layout

Page 45

Public Use Microdata File

SEPTEMBER 2004

Variable	Length	Position	Concept
SPVB_6	1	2014 - 2014	Frequency - Attends religious services or meetings
LBFBG31	1	2015 - 2015	Self-employment status - main job or business - (G)
LBFB_31A	2	2016 - 2017	Occupation - main job or business
LBFBDWSS	1	2018 - 2018	Working status last week - 4 groups - (D)
LBFBDWSL	2	2019 - 2020	Working status last week - 6 groups - (D)
LBFBGRNW	2	2021 - 2022	Main reason for not working last week - (D,G)
LBFBDMJS	1	2023 - 2023	Multiple job status - (D)
LBFBDHPW	3	2024 - 2026	Total usual hours worked per week - (D)
LBFBDPFT	1	2027 - 2027	Usual hours worked - full-time / part-time flag - (F)
LBFBGJST	1	2028 - 2028	Job status over past year - (D,G)
WSTB_401	1	2029 - 2029	Work stress - must learn new things
WSTB_402	1	2030 - 2030	Work stress - high level of skill
WSTB_403	1	2031 - 2031	Work stress - freedom to decide
WSTB_404	1	2032 - 2032	Work stress - repetitive tasks
WSTB_405	1	2033 - 2033	Work stress - job hectic
WSTB_406	1	2034 - 2034	Work stress - free from conflicting demands
WSTB_407	1	2035 - 2035	Work stress - good job security
WSTB_408	1	2036 - 2036	Work stress - required a lot of physical effort
WSTB_409	1	2037 - 2037	Work stress - had own job input
WSTB_410	1	2038 - 2038	Work stress - hostility or conflict with others
WSTB_411	1	2039 - 2039	Work stress - supervisor helpful
WSTB_412	1	2040 - 2040	Work stress - co-workers helpful
WSTB_413	1	2041 - 2041	Work stress - job satisfaction
WSTBDSKI	2	2042 - 2043	Work stress - decision latitude / discretion - (D)
WSTBDAUT	2	2044 - 2045	Work stress - decision latitude / authority - (D)
WSTBDPSY	2	2046 - 2047	Work stress - psychological demands - (D)
WSTBDJIN	1	2048 - 2048	Work stress - job insecurity - (D)
WSTBDPHY	1	2049 - 2049	Work stress - physical exertion - (D)
WSTBDSOC	2	2050 - 2051	Work stress - social support - (D)
INCBG2	1	2052 - 2052	Total household income - main source - (G)
INCBDIA2	1	2053 - 2053	Income adequacy - 2 groups - (D)
INCBDIA4	1	2054 - 2054	Income adequacy - 4 groups - (D)
INCBDIA5	1	2055 - 2055	Income adequacy - 5 groups - (D)
INCBGHH	2	2056 - 2057	Total household income from all sources - (D,G)
INCBGPER	2	2058 - 2059	Total personal income from all sources - (D,G)
WTSB_M	8.2	2060 - 2067	Sampling weight - master weight