

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
<b>ADM : Administration</b>		
ADMB_DAT	Date of interview	6
ADMB_ENT	Identifier of person providing household information	6
ADMB_LHH	Language of preference - household interview	9
ADMB_N10	Respondent alone during interview	8
ADMB_N12	Language of interview	9
ADMB_RNO	Sequential Record Number	1127
ADMB_STA	Response status after processing	6
ADMBDN09	Interview by telephone or in person	8
PERSONID	Person identifier of person selected	1
SAMPLEID	Household identifier	1
<b>AGP : Agoraphobia</b>		
AGPB_01A	Feared - being home alone	480
AGPB_01B	Feared - being in crowds	480
AGPB_01C	Feared - travelling away from home	481
AGPB_01D	Feared - travelling / being alone away from home	481
AGPB_01E	Feared - using public transportation	482
AGPB_01F	Feared - driving a car	482
AGPB_01G	Feared - standing in a line in a public place	483
AGPB_01H	Feared - being in a store	483
AGPB_01I	Feared - being in a movie theatre, auditorium, church	484
AGPB_01J	Feared - being in a restaurant / other public place	484
AGPB_01K	Feared - being in a wide, open field or street	485
AGPB_02	Agora fear ever caused by social/performance fear	485
AGPB_02A	Agora fear always caused by social/performance fear	486
AGPB_031	Remembered exactly age very first time had agora fear	486
AGPB_03A	Age - exactly first time had agora fear	487
AGPB_03B	Age - approximately first time had agora	487
AGPB_04A	Fear type - being alone or separated from loved ones	488
AGPB_04B	Fear type - some real danger like being robbed or assaulted	489
AGPB_04C	Fear type - might get sick to stomach / have diarrhea	489
AGPB_04D	Fear type - might have a panic attack	490
AGPB_04E	Fear type - might have heart attack / other emergency	490
AGPB_04F	Fear type - might become physically ill /without help	491
AGPB_04G	Fear type - might be difficult, embarrassing to escape	491

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 2

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
AGPB_04H	Fear type - some other terrible thing might happen	492
AGPB_06	Age - very first time started avoiding agora situations	492
AGPB_061	Life period when first time avoided agora situations	493
AGPB_08	Particular incident caused very first agora fear	493
AGPB_08A	Had panic attack as a result of particular incident	494
AGPB_09A	Symptom - had heart pounding / racing	494
AGPB_09B	Symptom - was sweating	495
AGPB_09C	Symptom - was trembling or shaking	495
AGPB_09D	Symptom - had a dry mouth	496
AGPB_11A	Symptom - had trouble breathing normally	496
AGPB_11B	Symptom - felt like was choking	497
AGPB_11C	Symptom - had chest pain or discomfort	497
AGPB_11D	Symptom - was nauseous or sick to stomach	498
AGPB_11E	Symptom - was dizzy or faint	498
AGPB_11F	Symptom - feared might lose control, go crazy or pass out	499
AGPB_11G	Symptom - was afraid you might die	499
AGPB_11H	Symptom - had hot flushes or chills	500
AGPB_11I	Symptom - had numbness or tingling sensations	500
AGPB_11J	Symptom - felt like was not really there	501
AGPB_11K	Symptom - felt like things around were not real	501
AGPB_13	Unable to leave home for entire day because of fear	502
AGPB_13A	Length of longest period unable to leave home	502
AGPB_13B	Longest period unable to leave home - number of days	503
AGPB_13C	Longest period unable to leave home - number of weeks	503
AGPB_13D	Longest period unable to leave home - number of months	504
AGPB_13E	Longest period unable to leave home - number of years	504
AGPB_14	Unable to leave home unless accompanied	505
AGPB_15	Fear / avoidance interefered with work/social/relationships	506
AGPB_16	Emotionally upset/worried because of fear / avoidance	507
AGPB_17	Strongly feared or avoided agora situations - 12 mo	507
AGPB_17A	Reference period of most recent agora fear/avoidance - 12 mo	508
AGPB_17B	Age - last time strongly feared / avoided situations	508
AGPB_18	Intensity of hypothetical fear	509
AGPB_19	Frequency - avoided feared agora situations - 12 mo	510
AGPB_201	Level of interference - ability to attend school - 12 mo	512
AGPB_202	Level of interference - ability to work at a job - 12 mo	513

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
AGPB_20A	Level of interference - home responsibilities - 12 mo	511
AGPB_20C	Level of interference - close relationships - 12 mo	514
AGPB_20D	Level of interference - social life -12 mo	515
AGPB_22	Nbr of days/365 totally unable because of fear - 12 mo	516
AGPB_24	Consulted MD / other prof. about agora fear	516
AGPB_24A	Age - first time consulted prof. about agora fear	517
AGPB_35	Received helpful / effective treatment for agora fear	517
AGPB_35A	Age - first time got helpful treatment for agora fear	518
AGPB_35B	Number of prof. consulted before helpful treatment	518
AGPB_35C	Total nbr of prof. consulted about agora fear - life	519
AGPB_37	Received prof. treatment for agora fear - 12 mo	519
AGPB_38	Hospitalized overnight for agora fear - life	520
AGPB_381	Number of relatives with strong agoraphobic fear	521
AGPB_38A	Age - first time hospitalized overnight for agora fear	520
AGPB_3B1	Life period when very first time had agora fear	488
AGPBD13Y	Longest period unable to leave home (in years) - (D)	521
AGPBDA	Criterion A, Part 1 and 2 - (D)	522
AGPBDAP	Agoraphobia Algorithm - Life - (D)	525
AGPBDAPP	Agoraphobia w/o panic Algorithm - Life - (D)	527
AGPBDB	Criterion B - (D)	524
AGPBDB1	Criterion B, Part 1 - (D)	522
AGPBDB2	Criterion B, Part 2 - (D)	523
AGPBDB3	Criterion B, Part 3 - (D)	523
AGPBDINT	Agoraphobia Interference - Mean - (D)	531
AGPBDON	Age of agoraphobia onset - (D)	527
AGPBDONP	Age of agoraphobia onset (no panic) - (D)	529
AGPBDPA	Criterion A, Part 1 and 2 - (D)	526
AGPBDPA2	Criterion A, Part 2 - (D)	525
AGPBDPB	Criterion B - (D)	526
AGPBDPER	Nbr of years of persistence of agoraphobia - (D)	528
AGPBDPRP	Nbr of years persistence of agora. (without panic) - (D)	530
AGPBDPY	Agoraphobia Algorithm - 12 month - (D)	530
AGPBDPYP	Agoraphobia w/o Panic Algorithm - 12 month - (D)	531
AGPBDRCP	Age at most recent agoraphobic episode (without panic) - (D)	529
AGPBDREC	Age when most recent agoraphobic episode - (D)	528
AGPBFINT	Flag: Agoraphobia Interference	532

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
AGPBG03A	Age - exactly first time had agora fear - (G)	1234
AGPBG03B	Age - approximately first time had agora - (G)	1235
AGPBG06	Age - very 1st time started avoiding agora situations - (G)	1236
AGPBG17B	Age - last time strongly feared / avoided situations - (G)	1238
AGPBG24A	Age - first time consulted prof. about agora fear - (G)	1239
AGPBG35A	Age - first time got helpful treatment for agora fear - (G)	1240
AGPBG35B	Number of prof. consulted before helpful treatment	1241
AGPBG35C	Total nbr of prof. consulted about agora fear - life - (G)	1242
AGPBG381	Number of relatives with strong agoraphobic fear - (G)	1244
AGPBG38A	Age - first time hospitalized overnight for agora fear - (G)	1243
AGPBGON	Age of agoraphobia onset - (D,G)	1245
AGPBGONP	Age of agoraphobia onset (no panic) - (D,G)	1248
AGPBGPER	Longest episode associated with agoraphobia - (D,G)	1247
AGPBGPRP	Nbr of years persistence of agora. (without panic) - (D,G)	1250
AGPBGRCP	Age at most recent agoraphobic epis (without panic) - (D,G)	1249
AGPBGREC	Age when most recent agoraphobic episode - (D,G)	1246
<b>ALC : Alcohol Use</b>		
ALCB_1	Drank alcohol in past 12 months	537
ALCB_10	Regularly drank more than 12 drinks a week - life	544
ALCB_2	Frequency - drinking alcohol - 12 mo	537
ALCB_3	Frequency - having 5 or more drinks - 12 mo	538
ALCB_4	Regularly drank more than 12 drinks/week - 12 mo	538
ALCB_5	Drank alcohol in past week	539
ALCB_5A1	Number of drinks - Sunday	539
ALCB_5A2	Number of drinks - Monday	540
ALCB_5A3	Number of drinks - Tuesday	540
ALCB_5A4	Number of drinks - Wednesday	541
ALCB_5A5	Number of drinks - Thursday	541
ALCB_5A6	Number of drinks - Friday	542
ALCB_5A7	Number of drinks - Saturday	542
ALCB_5B	Ever had a drink - life	543
ALCB_7A	Reason reduced drinking - dieting	544
ALCB_7B	Reason reduced drinking - athletic training	545
ALCB_7C	Reason reduced drinking - pregnancy	545
ALCB_7D	Reason reduced drinking - getting older	546
ALCB_7E	Reason reduced drinking - drinking too much	546

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
ALCB_7F	Reason reduced drinking - affected work / studies	547
ALCB_7G	Reason reduced drinking - interfered with family life	547
ALCB_7H	Reason reduced drinking - affected physical health	548
ALCB_7I	Reason reduced drinking - affected social relationships	548
ALCB_7J	Reason reduced drinking - affected financial position	549
ALCB_7K	Reason reduced drinking - affected happiness	549
ALCB_7L	Reason reduced drinking - influence of family / friends	550
ALCB_7M	Reason reduced drinking - other	550
ALCB_8	Age started drinking alcoholic beverages	551
ALCB_9	One year period where monthly 5 or + drinks/occasion - life	543
ALCBDDLY	Average daily alcohol consumption - (D)	552
ALCBDTYP	Type of drinker - (D)	551
ALCBDWKY	Number of drinks - past week - (D)	552
ALCBGDLY	Average daily alcohol consumption - (D,G)	1252
<b>ALD : Alcohol Dependence</b>		
ALDB_01	Drunk - at work / school / taking care of child - 12 mo	553
ALDB_01A	Drunk - at work / school / taking care of child - life	553
ALDB_01L	Drunk - at work / school / taking care of child - life	571
ALDB_02	Number of times - drunk at work/school/child care - 12 mo	554
ALDB_02L	Number of times - drunk at work/school/child care - life	571
ALDB_03	Being drunk increased chances of getting hurt - 12 mo	554
ALDB_03A	Being drunk increased chances of getting hurt - life	555
ALDB_03L	Being drunk increased chances of getting hurt - life	572
ALDB_04	Emotional or psychological problems due to alcohol - 12 mo	555
ALDB_04A	Emotional or psychological problems due to alcohol - life	556
ALDB_04L	Emotional or psychological problems due to alcohol - life	572
ALDB_05	Strong desire or urge to drink - 12 mo	556
ALDB_05A	Strong desire or urge to drink - life	557
ALDB_05L	Strong desire or urge to drink - life	573
ALDB_06	Spent month or more getting drunk - 12 mo	557
ALDB_06A	Spent month or more getting drunk - life	558
ALDB_06L	Spent month or more getting drunk - life	573
ALDB_07	Drank much more than intended - 12 mo	558
ALDB_07A	Drank much more than intended - life	559
ALDB_07L	Drank much more than intended - life	574
ALDB_08	Number of times - drank much more than intended - 12 mo	559

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
ALDB_08L	Number of times - drank much more than intended - life	574
ALDB_09	Had to drink more for the same effect - 12 mo	560
ALDB_09A	Had to drink more for the same effect - life	560
ALDB_09L	Had to drink more for the same effect - life	575
ALDB_10	Had symptom during period of cut down/no alcohol - 12 mo	561
ALDB_10A	Had symptom during period of cut down/alcohol - life	561
ALDB_10L	Had symptom during period of cut down/no alcohol - life	575
ALDB_11	Drank alcohol - even though promised wouldn't - 12 mo	562
ALDB_11A	Drank alcohol - even though promised wouldn't - life	562
ALDB_11L	Drank alcohol - even though promised wouldn't - life	576
ALDB_12	Drank alcohol - little time for anything else - 12 mo	563
ALDB_12A	Drank alcohol - little time for anything else - life	563
ALDB_12L	Drank alcohol - little time for anything else - life	576
ALDB_13	Reduced important activities - because of alcohol - 12 mo	564
ALDB_13A	Reduced important activities - because of alcohol - life	564
ALDB_13L	Reduced important activities - because of alcohol - life	577
ALDB_14	Continued drinking alcohol despite health problems - 12 mo	565
ALDB_14A	Continued drinking alcohol despite health problems - life	565
ALDB_14L	Continued drinking alcohol despite health problems - life	577
ALDB_15A	Level of interference - home responsibilities - 12 mo	566
ALDB_15C	Level of interference - close relationships - 12 mo	569
ALDB_15D	Level of interference - social life - 12 mo	570
ALDB_5B1	Level of interference - ability to attend school - 12 mo	567
ALDB_5B2	Level of interference - ability to work at a job - 12 mo	568
ALDBDINT	Alcohol interference - mean - 12 months - (D)	579
ALDBDPP	Alcohol dependence - Predicted Probability - 12 mo - (D)	578
ALDBDSF	Alcohol dependence - Short Form Score - 12 mo - (D)	578
ALDBFINT	Flag: Alcohol interference - 12 mo	580
<b>CCC : Chronic Conditions</b>		
CCCB_011	Has food allergies	35
CCCB_021	Has allergies other than food allergies	35
CCCB_031	Has asthma	36
CCCB_041	Has fibromyalgia	36
CCCB_051	Has arthritis or rheumatism	37
CCCB_061	Has back problems excluding fibromyalgia and arthritis	37
CCCB_071	Has high blood pressure	38

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
CCCB_081	Has migraine headaches	38
CCCB_101	Has diabetes	40
CCCB_111	Has epilepsy	40
CCCB_121	Has heart disease	41
CCCB_131	Has cancer	41
CCCB_141	Has stomach or intestinal ulcers	42
CCCB_151	Suffers from the effects of a stroke	42
CCCB_171	Has a bowel disorder / Crohn's Disease or colitis	43
CCCB_181	Has Alzheimer's disease or other dementia	43
CCCB_191	Has cataracts	44
CCCB_201	Has glaucoma	44
CCCB_211	Has a thyroid condition	45
CCCB_251	Has chronic fatigue syndrome	45
CCCB_261	Suffers from multiple chemical sensitivities	46
CCCB_271	Has schizophrenia	46
CCCB_281	Has other psychosis	47
CCCB_291	Has obsessive-compulsive disorder	47
CCCB_301	Has dysthymia	48
CCCB_311	Suffers from post-traumatic stress disorder	48
CCCB_321	Has autism or any other developmental disorder	49
CCCB_331	Has a learning disability	49
CCCB_33A	Attention Deficit Disorder, no hyperactivity	50
CCCB_33B	Attention Deficit Hyperactivity Disorder	50
CCCB_33C	Suffers from Dyslexia	51
CCCB_33D	Other learning disabilities	51
CCCB_341	Eating disorder such as anorexia or bulimia	52
CCCB_901	Other long-term physical or mental health condition	52
CCCB_91A	Has chronic bronchitis	39
CCCB_91B	Has emphysema or chronic obstructive pulmonary disease	39
CCCBF1	Has a chronic condition	53
CCCBG281	Has other psychosis - (G)	1129
CCCBG901	Other long-term physical or mental health condition - (G)	1130
<b>CPG : Problem Gambling</b>		
CPGB_01A	Frequency - spending money on instant win tickets	618
CPGB_01B	Frequency - spending money on lottery tickets	619
CPGB_01C	Frequency - spending money on bingo	620

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
CPGB_01D	Frequency - spending money on cards/boards games	621
CPGB_01E	Frequency - spending money on VLTs/outside casinos	622
CPGB_01F	Frequency - spending money on VLTs/at casinos	623
CPGB_01G	Frequency - spending money on other games/at casinos	624
CPGB_01H	Frequency - spending money on internet/arcade gambling	625
CPGB_01I	Frequency - spending money on live horse racing	626
CPGB_01J	Frequency - spending money on sports lotteries	627
CPGB_01K	Frequency - spending money on speculative investments	628
CPGB_01L	Frequency - spending money on games of skill	629
CPGB_01M	Frequency - spending money on other forms of gambling	630
CPGB_01N	Amount of money spent on gambling activities	631
CPGB_02	Frequency - spent more than wanted on gambling	632
CPGB_03	Frequency - gambled more money for same feeling	632
CPGB_04	Frequency - returned to try to win back money lost	633
CPGB_05	Frequency - borrowed money/sold to get \$ for gambling	633
CPGB_06	Frequency - felt might have a problem with gambling	634
CPGB_07	Frequency - gambling caused any health problems	634
CPGB_08	Frequency - people criticized respondent's betting	635
CPGB_09	Frequency - gambling caused financial problems	635
CPGB_10	Frequency - felt guilty about gambling	636
CPGB_11	Frequency - lied to hide gambling	636
CPGB_12	Frequency - wanted to stop betting but thought could not	637
CPGB_13	Frequency - bet more than could afford to lose	637
CPGB_14	Frequency - tried to quit/cut down; but unable	638
CPGB_15	Frequency - gambled to forget problems/feel better	638
CPGB_16	Frequency - gambling caused problem with family/friends	639
CPGB_17	Other family member with gambling problems	639
CPGB_18	Used alcohol or drugs while gambling	640
CPGB_19A	Level of interference - home responsibilities - 12 mo	641
CPGB_19C	Level of interference - close relationships - 12 mo	644
CPGB_19D	Level of interference - social life -12 mo	645
CPGB_9B1	Level of interference - ability to attend school - 12 mo	642
CPGB_9B2	Level of interference - ability to work at a job - 12 mo	643
CPGBDACT	Number of different types of gambling activities - (D)	647
CPGBDSEV	Problem gambling severity index - (D)	646
CPGBDTYP	Type of gambler - (D)	647

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
CPGBFGAM	Flag: Gambling Activity - Gambler vs. Non-gambler	646
<b>DEP : Depression</b>		
DEPB_01	Period when discouraged about how things were going - life	135
DEPB_01A	Period when lost interest in most things - life	135
DEPB_01B	Period when lost interest in most things - life	136
DEPB_02	Period when lost interest in most things - life	136
DEPB_09	2-week period when lost interest in most things - life	137
DEPB_12	2-week period when lost interest in most things - life	137
DEPB_16	Daily duration - being sad/discouraged/uninterested - life	138
DEPB_17	Intensity of emotional distress during periods - life	139
DEPB_18	Frequency - distress so severe, nothing cheer up - life	139
DEPB_19	Frequency - distress severe/could not carry daily - life	140
DEPB_21	Had depressive-like symptoms during episodes - life	140
DEPB_22	Experienced one particular worst episode - life	141
DEPB_22A	Age - when worst episode started	141
DEPB_22B	Worst episode - duration	142
DEPB_22C	Worst episode - number of days	142
DEPB_22D	Worst episode - number of weeks	143
DEPB_22E	Worst episode - number of months	143
DEPB_22F	Worst episode - number of years	144
DEPB_23A	Age - when last bad episode occurred	144
DEPB_23B	Last bad episode - duration	145
DEPB_23C	Last bad episode - number of days	145
DEPB_23D	Last bad episode - number of weeks	146
DEPB_23E	Last bad episode - number of months	146
DEPB_23F	Last bad episode - number of years	147
DEPB_24A	Symptom - felt sad, empty or depressed	147
DEPB_24B	Symptom - felt so sad that nothing could cheer up	148
DEPB_24C	Symptom - felt discouraged about how things were going	148
DEPB_24D	Symptom - felt hopeless about future	149
DEPB_24E	Symptom - lost interest in almost all things	149
DEPB_24F	Symptom - felt like nothing was fun	150
DEPB_261	Symptom - weight gain due to physical growth/pregnancy	152
DEPB_262	Pounds or kilograms	153
DEPB_263	Symptom - weight loss result of diet/physical illness	154
DEPB_264	Pounds or kilograms	155

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 10

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
DEPB_265	Symptom - could not cope with everyday responsibilities	165
DEPB_266	Symptom - wanted to be alone rather than with friends	166
DEPB_267	Symptom - felt less talkative than usual	166
DEPB_268	Symptom - was often in tears	167
DEPB_26A	Symptom - had much smaller appetite than usual	150
DEPB_26B	Symptom - had much larger appetite than usual	151
DEPB_26C	Symptom - gained weight without trying to	151
DEPB_26D	Amount of weight gained	152
DEPB_26E	Symptom - lost weight without trying to	153
DEPB_26F	Amount of weight lost	154
DEPB_26G	Symptom - had more trouble falling/staying asleep	155
DEPB_26H	Symptom - slept more than usual	156
DEPB_26I	Symptom - slept less than usual/still not tired	156
DEPB_26J	Symptom - felt tired/low in energy	157
DEPB_26K	Symptom - had more energy than usual	157
DEPB_26L	Symptom - talked/moved more slowly than normal	158
DEPB_26M	Symptom - others noticed respondent talked/moved slowly	158
DEPB_26N	Symptom - restless/jittery/couldn't sit still	159
DEPB_26O	Symptom - others noticed respondent was restless	159
DEPB_26P	Symptom - thoughts came more slowly than usual	160
DEPB_26Q	Symptom - thoughts jumped/raced through head	160
DEPB_26R	Symptom - had more trouble concentrating	161
DEPB_26S	Symptom - unable to make up mind	161
DEPB_26T	Symptom - lost self-confidence	162
DEPB_26U	Symptom - felt was not as good as other people	162
DEPB_26V	Symptom - felt totally worthless	163
DEPB_26W	Symptom - felt guilty nearly every day	163
DEPB_26X	Symptom - felt irritable/grouchy or in a bad mood	164
DEPB_26Y	Symptom - felt nervous/anxious most days	164
DEPB_26Z	Symptom - had attacks of intense fear or panic	165
DEPB_28	Depressive feelings interfere with work/social/relationships	201
DEPB_281	Depressive feelings interfere with work/social/relationships	202
DEPB_28A	Frequency - feelings = unable carry out daily activities	203
DEPB_29A	Depressive episodes due to physical causes	204
DEPB_29B	Physical causes always cause depressive episodes	204
DEPB_30	Episodes ever occur just after someone close died	214

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
DEPB_30A	Episodes always occurred after someone close died	215
DEPB_31	Number of episodes lasting 2 weeks or longer - life	215
DEPB_37	Remembered exactly age of very first depressive episode	216
DEPB_371	Life period when very first depressive episode occurred	217
DEPB_372	Episode triggered by stressful/unexpected event	218
DEPB_37A	Age - exactly very first depressive episode	216
DEPB_37B	Age - approximately very first depressive episode	217
DEPB_38	Had 2-week or longer depressive episode - 12 mo	221
DEPB_38B	Number of days out of 365 in depressive episode	230
DEPB_38C	Age - last time had depressive episode	231
DEPB_39A	Length of longest depressive episode ever had	231
DEPB_39B	Longest depressive episode ever had - number of days	232
DEPB_39C	Longest depressive episode ever had - number of weeks	232
DEPB_39D	Longest depressive episode ever had - number of months	233
DEPB_39E	Longest depressive episode ever had - number of years	233
DEPB_531	Nbr of 2-week episodes brought on by stressful experience	234
DEPB_54	Number of years had at least one depressive episode	234
DEPB_56	Longest number of yrs in a row had at least 1 episode/year	235
DEPB_58	Ever had period lasting full year when episode most days	235
DEPB_59	Number of years had episode most days - life	236
DEPB_59A	Age - 1st time had full year when episode most days	236
DEPB_61	Longest number of years in a row in episode most days	237
DEPB_64A	Frequency - felt cheerful - 12 mo	237
DEPB_64B	Frequency - felt slowed down - 12 mo	238
DEPB_64C	Frequency - enjoyed good book,radio,TV - 12 mo	238
DEPB_65A	Frequency - enjoyed things had enjoyed - 12 mo	239
DEPB_65B	Frequency - laughed / saw bright side of things - 12 mo	239
DEPB_65C	Frequency - took interest in physical appearance - 12 mo	240
DEPB_65D	Frequency - looked forward to enjoying things - 12 mo	240
DEPB_661	Level of interference - ability to attend school - 12 mo	242
DEPB_662	Level of interference - ability to work at a job - 12 mo	243
DEPB_66A	Level of interference - home responsibilities - 12 mo	241
DEPB_66C	Level of interference - close relationships - 12 mo	244
DEPB_66D	Level of interference - social life - 12 mo	245
DEPB_68	Nbr of days/365 totally unable because of feelings	246
DEPB_6A	Symptom - thought a lot about own death/death in general	167

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
DEPB_6B	Symptom - thought it would be better if dead	168
DEPB_72	Consulted MD/other prof. about feelings	246
DEPB_721	Age - first time consulted prof. about feelings	247
DEPB_72A	Age - first time consulted prof. about feelings	247
DEPB_73	Received helpful/effective treatment for feelings	248
DEPB_73A	Age - first time got helpful treatment for feelings	248
DEPB_73B	Number of prof. consulted before helpful treatment	249
DEPB_74	Total nbr of prof. consulted about feelings - life	249
DEPB_7CA	Length of very first depressive episode	219
DEPB_7CB	Very first depressive episode - number of days	219
DEPB_7CC	Very first depressive episode - number of weeks	220
DEPB_7CD	Very first depressive episode - number of months	220
DEPB_7CE	Very first depressive episode - number of years	221
DEPB_86	Received prof. treatment for feelings - 12 mo	250
DEPB_87	Hospitalized overnight for feelings - life	250
DEPB_871	Age - first time hospitalized overnight for feelings	251
DEPB_87A	Age - first time hospitalized overnight for feelings	251
DEPB_88	Nbr of close relatives ever had depressive episode	252
DEPB_8A	Reference period of depressive episode - 12 mo	222
DEPB_8A1	Number of different episodes - 12 mo	222
DEPB_8A2	Month - when single past 12 months episode started	223
DEPB_8A3	Year - when single past 12 months episode started	224
DEPB_8A6	Single past 12 months episode ended / on-going	227
DEPB_8A9	First past 12 months episode ended / on-going	230
DEPB_8AA	Length of single episode - 12 mo	224
DEPB_8AB	Single past 12 months episode - number of days	225
DEPB_8AC	Single past 12 months episode - number of weeks	225
DEPB_8AD	Single past 12 months episode - number of months	226
DEPB_8AE	Single past 12 months episode - number of years	226
DEPB_8BA	Length of first past 12 months episode	227
DEPB_8BB	First past 12 months episode - number of days	228
DEPB_8BC	First past 12 months episode - number of weeks	228
DEPB_8BD	First past 12 months episode - number of months	229
DEPB_8BE	First past 12 months episode - number of years	229
DEPB_9CA	Physical exclusion - exhaustion	205
DEPB_9CB	Physical exclusion - hyperventilation	205

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
DEPB_9CC	Physical exclusion - hypochondria	206
DEPB_9CD	Physical exclusion - menstrual cycle	206
DEPB_9CE	Physical exclusion - pregnancy/postpartum	207
DEPB_9CF	Physical exclusion - thyroid disease	207
DEPB_9CG	Physical exclusion - cancer	208
DEPB_9CH	Physical exclusion - overweight	208
DEPB_9CI	Physical exclusion - medication (excluding illicit drugs)	209
DEPB_9CJ	Physical exclusion - illicit drugs	209
DEPB_9CK	Physical exclusion - alcohol	210
DEPB_9CL	Physical exclusion - chemical / serotonin imbalance	210
DEPB_9CM	Physical exclusion - chronic pain	211
DEPB_9CN	Physical exclusion - caffeine	211
DEPB_9CO	Physical exclusion - no specific diagnosis	212
DEPB_9CP	Physical exclusion - other	212
DEPB_9CQ	Physical exclusion - accident	213
DEPB_9CR	Physical exclusion - emotional/social/economic reason	213
DEPB_9CS	Physical exclusion - Other - Physical causes, etc.	214
DEPB_A	Suicide - ideation during worst / bad episode	168
DEPB_A1	Suicide - ideation - life	169
DEPB_A1A	Suicide - ideation - 12 mo	169
DEPB_A1B	Suicide - ideation - 12 mo	173
DEPB_A2	Suicide - age when last ideation occurred	170
DEPB_A7	Suicide - ideation - consulted - professional	177
DEPB_AAA	Suicide - ideation - consulted - psychiatrist	177
DEPB_AAB	Suicide - ideation - consulted - family doctor or g.p.	178
DEPB_AAC	Suicide - ideation - consulted - psychologist	178
DEPB_AAD	Suicide - ideation - consulted - nurse	179
DEPB_AAE	Suicide - ideation - consulted - social worker/counsellor	179
DEPB_AAF	Suicide - ideation - consulted - relig/spiritual advisor	180
DEPB_AAG	Suicide - ideation - consulted - teacher/counsellor	180
DEPB_AAH	Suicide - ideation - consulted - other professional	181
DEPB_ABA	Suicide - ideation - hospitalized as overnight patient	181
DEPB_ABB	Suicide - ideation - health professional's office	182
DEPB_ABC	Suicide - ideation - hospital emergency room	182
DEPB_ABD	Suicide - ideation - psychiatric outpatient clinic	183
DEPB_ABE	Suicide - ideation - drug or alcohol outpatient clinic	183

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
DEPB_ABF	Suicide - ideation - other hospital outpatient clinic	184
DEPB_ABG	Suicide - ideation - Walk-in clinic	184
DEPB_ABH	Suicide - ideation - Appointment clinic	185
DEPB_ABI	Suicide - ideation - community health centre/CLSC	185
DEPB_ABJ	Suicide - ideation - at work	186
DEPB_ABK	Suicide - ideation - at school	186
DEPB_ABL	Suicide - ideation - at home	187
DEPB_ABM	Suicide - ideation - telephone consultation only	187
DEPB_ABN	Suicide - ideation - church/other religious assembly place	188
DEPB_ABO	Suicide - ideation - other contact place	188
DEPB_B	Suicide - plan during worst/bad episode or 12 mo	170
DEPB_B1C	Suicide - plan - 12 mo	174
DEPB_C	Suicide - attempt during worst/bad episode	171
DEPB_C1	Suicide - attempt - life	172
DEPB_C1A	Suicide - attempt - 12 mo	173
DEPB_C1D	Suicide - age when last attempt occurred	174
DEPB_C2	Suicide - age when attempt occurred	175
DEPB_C3	Suicide - attempt resulted in injury or poisoning	175
DEPB_C4	Suicide - medical attention following most recent attempt	176
DEPB_C5	Suicide - hospitalized overnight following recent attempt	176
DEPB_CA	Suicide - more recent attempt since worst/bad episode	171
DEPB_CB	Suicide - attempt - life	172
DEPB_D8	Suicide - consulted - professional	189
DEPB_DAA	Suicide - consulted - psychiatrist	189
DEPB_DAB	Suicide - consulted - family doctor or g.p.	190
DEPB_DAC	Suicide - consulted - psychologist	190
DEPB_DAD	Suicide - consulted - nurse	191
DEPB_DAE	Suicide - consulted - social worker/counsellor	191
DEPB_DAF	Suicide - consulted - religious/spiritual advisor	192
DEPB_DAG	Suicide - consulted - teacher or counsellor	192
DEPB_DAH	Suicide - consulted - other professional	193
DEPB_DBA	Suicide - hospitalized as overnight patient	193
DEPB_DBB	Suicide - health professional's office	194
DEPB_DBC	Suicide - hospital emergency room	194
DEPB_DBD	Suicide - psychiatric outpatient clinic	195
DEPB_DBE	Suicide - drug or alcohol outpatient clinic	195

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
DEPB_DBF	Suicide - other hospital outpatient clinic	196
DEPB_DBG	Suicide - walk-in clinic	196
DEPB_DBH	Suicide - appointment clinic	197
DEPB_DBI	Suicide - community health centre/CLSC	197
DEPB_DBJ	Suicide - at work	198
DEPB_DBK	Suicide - at school	198
DEPB_DBL	Suicide - at home	199
DEPB_DBM	Suicide - telephone consultation only	199
DEPB_DBN	Suicide - church/other religious place	200
DEPB_DBO	Suicide - other contact place	200
DEPBD22Y	Length of time in years - worst episode - (D)	252
DEPBD23Y	Length of time in years - last episode - (D)	253
DEPBD39Y	Length of time in years - longest episode - (D)	255
DEPBD664	Interference Level (cut-off at 4) - (D)	262
DEPBD667	Criterion E, Part 3A1 - High interference - (D)	267
DEPBD7CY	Length of time in years - first episode - (D)	253
DEPBD8AY	Length of time in years - single 12 mo episode - (D)	254
DEPBD8BY	Length of time in years - first of several 12 mo episode-(D)	254
DEPBDA	Criterion A, Part 1 and 2 - (D)	261
DEPBDA1	Criterion A, Part 1 - (D)	255
DEPBDA2	Criterion A, Part 2 - (D)	260
DEPBDA21	Criterion A, Part 2 - Symptom 1 - (D)	256
DEPBDA22	Criterion A, Part 2 - Symptom 2 - (D)	256
DEPBDA23	Criterion A, Part 2 - Symptom 3 - (D)	257
DEPBDA24	Criterion A, Part 2 - Symptom 4 - (D)	257
DEPBDA25	Criterion A, Part 2 - Symptom 5 - (D)	258
DEPBDA26	Criterion A, Part 2 - Symptom 6 - (D)	258
DEPBDA27	Criterion A, Part 2 - Symptom 7 - (D)	259
DEPBDA28	Criterion A, Part 2 - Symptom 8 - (D)	259
DEPBDA29	Criterion A, Part 2 - Symptom 9 - (D)	260
DEPBDC	Criterion C, Part 1 and 2 - (D)	263
DEPBDC1	Criterion C, Part 1 - (D)	261
DEPBDC2	Criterion C, Part 2 - (D)	262
DEPBDDPS	Major Depressive Episode Algorithm - Life - (D)	271
DEPBDDY	Major Depressive Episode Algorithm - 12 month (D)	274
DEPBDE	Criterion E, Part 1, 2 and 3 - (D)	270

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
DEPBDE1	Criterion E, Part 1 - (D)	263
DEPBDE2	Criterion E, Part 2 - (D)	267
DEPBDE21	Criterion E, Part 2.1 - (D)	264
DEPBDE22	Criterion E, Part 2.2 - (D)	264
DEPBDE23	Criterion E, Part 2.3 - (D)	265
DEPBDE24	Criterion E, Part 2.4 - (D)	265
DEPBDE25	Criterion E, Part 2.5 - (D)	266
DEPBDE26	Criterion E, Part 2.6 - (D)	266
DEPBDE3	Criterion E, Part 3 - (D)	270
DEPBDE3A	Criterion E, Part 3A - (D)	268
DEPBDE3B	Criterion E, Part 3B - (D)	268
DEPBDE3C	Criterion E, Part 3C - (D)	269
DEPBDE3E	Criterion E, Part 3E - (D)	269
DEPBDINT	Depression Interference - Mean - (D)	277
DEPBDON	Age at major depression onset - (D)	271
DEPBDPER	Nbr of years of major depression persistence - (D)	272
DEPBDREC	Age at most recent major depressive episode - (D)	272
DEPBDYA	Criterion A - 12 month - (D)	273
DEPBDYB	Criterion B - 12 month - (D)	273
DEPBDYC	Criterion C - 12 month - (D)	274
DEPBFINT	Flag: Depression interference	277
DEPBFSLA	Flag: Suicide - attempt - life	276
DEPBFSLT	Flag: Suicide - thought - life	275
DEPBFSYA	Flag: Suicide - attempt - 12 mo	276
DEPBFSYT	Flag: Suicide - thought - 12 mo	275
DEPBG22A	Age - when worst episode started - (G)	1134
DEPBG22B	Length of worst episode - (G)	1135
DEPBG23A	Age - when last bad episode occurred - (G)	1136
DEPBG23B	Length of last bad episode - (G)	1137
DEPBG31	Number of episodes lasting 2 weeks or longer - life - (G)	1138
DEPBG37A	Age - exactly very first depressive episode - (G)	1139
DEPBG37B	Age - approximately very first depressive episode - (G)	1140
DEPBG38C	Age - last time had depressive episode - (G)	1145
DEPBG39A	Length of longest episode - (G)	1146
DEPBG531	Nbr of 2-week episodes brought on by stressful experience	1147
DEPBG54	Number of years had at least one depressive episode - (G)	1148

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
DEPBG56	Longest nber yrs in a row had at least 1 episode/year - (G)	1149
DEPBG59	Number of years had episode most days - life - (G)	1150
DEPBG59A	Age - 1st time had full year when episode most days - (G)	1151
DEPBG61	Longest number of years in a row in episode most days - (G)	1152
DEPBG721	Age - 1st time consulted prof. about feelings - (G)	1153
DEPBG72A	Age - 1st time consulted prof. about feelings - (G)	1154
DEPBG73A	Age - first time got helpful treatment for feelings - (G)	1155
DEPBG73B	Number of prof. consulted before helpful treatment - (G)	1156
DEPBG74	Total nbr of prof. consulted about feelings - life - (G)	1157
DEPBG7CA	Length of first episode - (G)	1141
DEPBG871	Age - first time hospitalized overnight for feelings - (G)	1158
DEPBG87A	Age - 1st time hospitalized overnight for feelings - (G)	1159
DEPBG88	Nbr of close relatives ever had depressive episode - (G)	1160
DEPBG8A1	Number of different episodes - 12 mo	1142
DEPBG8AA	Length of single 12-month episode - (G)	1143
DEPBG8BA	Length of first of several 12 mo episode - (G)	1144
DEPBGON	Age at major depression onset - (D,G)	1161
DEPBGP	Longest episode associated with depression - ( G)	1163
DEPBGREC	Age at most recent major depression - (D,G)	1162
DEPBISYA	Imputation flag for DEPBFSYA	276
DEPBISYT	Imputation flag for DEPBFSYT	275

**DHH : Demographic and Household Variables**

DHHB_AGE	Age	10
DHHB_BED	Dwelling - number of bedrooms	1062
DHHB_DOB	Day of birth	11
DHHB_MOB	Month of birth	11
DHHB_MS	Marital status	12
DHHB_OWN	Dwelling - owned by a member of household	1061
DHHB_SEX	Sex	12
DHHB_YOB	Year of birth	10
DHHBD611	Number of persons 6 to 11 years old in household - (D)	1058
DHHBDDWE	Type of dwelling - (D)	1061
DHHBDECF	Household type - (D)	1059
DHHBDHSZ	Household size - (D)	1057
DHHBDL12	Number of persons less than 12 years old in household - (D)	1057
DHHBDLE5	Number of persons 5 years old or less in household - (D)	1057

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
DHHBDLVG	Living arrangement of selected respondent - (D)	1060
DHHBG611	Number of persons 6 to 11 years old in household - (D,G)	1308
DHHBGAGE	Age - (G)	1128
DHHBGBED	Dwelling - number of bedrooms - (G)	1309
DHHBGL12	Nber of persons less than 12 years old in household - (D,G)	1308
DHHBGLE5	Number of persons 5 years old or less in household - (D,G)	1308
DHHBGLVG	Living arrangement of selected respondent - (D,G)	1309
DHHBGMS	Marital status - (G)	1129
<b>DIS : Distress</b>		
DISB_10A	Frequency - distress: felt tired out - past month	117
DISB_10B	Frequency - distress: felt nervous - past month	117
DISB_10C	Freq./-distress: so nervous nothing calms down - past month	118
DISB_10D	Frequency - distress: felt hopeless - past month	118
DISB_10E	Frequency - distress: felt restless / fidgety - past month	119
DISB_10F	Frequency - distress: could not sit still - past month	119
DISB_10G	Frequency - distress: felt sad / depressed - past month	120
DISB_10H	Frequency - distress: depressed/nothing cheers - past month	120
DISB_10I	Frequency - distress: felt everything effort - past month	121
DISB_10J	Frequency - distress: felt worthless - past month	121
DISB_10K	Frequency - distress: occurrence of feelings - past month	122
DISB_10L	Degree of higher occurrence of feelings - past month	122
DISB_10M	Degree of lower occurrence of feelings - past month	123
DISB_10N	Interference - feelings in life / activities - past month	123
DISBDCHR	Chronicity of distress/impairment scale - past month - (D)	125
DISBDDSX	Distress scale - K10 - past month - (D)	124
DISBDK6	Distress scale - K6 - past month - (D)	124
<b>EDU : Education</b>		
EDUB_1	Highest grade of elementary or high school ever completed	1053
EDUB_2	Graduated from high school (secondary school)	1053
EDUB_3	Received any other education	1054
EDUB_4	Highest degree, certificate or diploma obtained	1054
EDUBDH04	Highest level of education - household, 4 levels - (D)	1056
EDUBDH10	Highest level of education - household, 10 levels - (D)	1056
EDUBDR04	Highest level of education - respondent, 4 levels - (D)	1055
EDUBDR10	Highest level of education - respondent, 10 levels - (D)	1055

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 19

---

Variable Name	Description	Page
<b>ETA : Eating Troubles</b>		
ETAB_01A	Had a strong fear of being too fat/overweight - life	648
ETAB_01B	Had a strong fear of being too fat/overweight - 12 mo	648
ETAB_02	Frequency - terrified of being overweight	649
ETAB_03	Frequency - avoided eating when hungry	650
ETAB_04	Frequency - preoccupied with food	650
ETAB_05	Frequency - went on eating binges	651
ETAB_06	Frequency - cut food into small pieces	652
ETAB_07	Frequency - was aware of calorie content	653
ETAB_08	Frequency - avoided food with high carbohydrate content	654
ETAB_09	Frequency - eating more would be appreciated by others	655
ETAB_10	Frequency - vomited after eating	656
ETAB_11	Frequency - felt guilty after eating	657
ETAB_12	Frequency - preoccupied with desire to be thinner	658
ETAB_13	Frequency - thought of burning up calories when exercising	659
ETAB_14	Frequency - respondent too thin according to others	660
ETAB_15	Frequency - preoccupied with having fat on body	661
ETAB_16	Frequency - took longer to eat meals	662
ETAB_17	Frequency - avoided foods with sugar	663
ETAB_18	Frequency - ate diet foods	664
ETAB_19	Frequency - felt food controlled life	665
ETAB_20	Frequency - displayed self-control around food	666
ETAB_21	Frequency - others pressured to eat	667
ETAB_22	Frequency - gave too much time/thought to food	668
ETAB_23	Frequency - felt uncomfortable after eating sweets	669
ETAB_24	Frequency - engaged in dieting behaviour	670
ETAB_25	Frequency - liked stomach to be empty	671
ETAB_26	Frequency - had impulse to vomit after meals	672
ETAB_27	Frequency - enjoyed trying new rich food	673
ETABDIND	Eating Attitude Test Index Score - (D)	673
ETABFIND	Flag: Eating Attitude Test Index	674
<b>GEN : General Health</b>		
GENB_01	Self-perceived health	13
GENB_02	Self-perceived health compared to one year ago	13
GENB_03	Number of hours spent sleeping per night	14

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
GENB_04	Frequency - trouble sleeping	15
GENB_05	Frequency - find sleep refreshing	15
GENB_06	Frequency - find it difficult to stay awake	16
GENB_07	Self-perceived stress	16
GENB_08	Worked at job or business in the past 12-months	17
GENB_09	Self-perceived work stress	17
GENB_10	Sense of belonging to local community	18
GENBDHDI	Health description index - (D)	18
<b>GEO : Geographic Identifiers</b>		
GEOB_HR4	Health region	2
GEOB_PC	Postal code	3
GEOB_PRV	Province	1
GEOBDCD	Census Division - (D)	3
GEOBDCMA	Census Metropolitan Area - (D)	4
GEOBDCSD	Census Sub-Division - (D)	3
GEOBDEA	Enumeration Area - (D)	3
GEOBDFED	Federal Electoral District - (D)	3
GEOBDUR2	Rural and Urban Area - 2 Levels - (D)	5
GEOBDUR5	Rural and Urban Area - 5 Levels - (D)	5
GEOBGHR4	Health region - (G)	1127
<b>HWT : Height and Weight</b>		
HWTB_1	Currently pregnant	53
HWTB_2	Height	54
HWTB_2A	Height - exact height from 1'0" to 1'11"	54
HWTB_2B	Height - exact height from 2'0" to 2'11"	55
HWTB_2C	Height - exact height from 3'0" to 3'11"	55
HWTB_2D	Height - exact height from 4'0" to 4'11"	56
HWTB_2E	Height - exact height from 5'0" to 5'11"	57
HWTB_2F	Height - exact height from 6'0" to 6'11"	58
HWTB_3	Weight	59
HWTB_4	Respondent's opinion of own weight	60
HWTB_N4	Weight in pounds or kilograms	59
HWTBDBMI	Body Mass Index - (D)	63
HWTBDHTI	Height - inches - (D)	62
HWTBDHTM	Height - meters - (D)	61

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
HWTBDSW	Standard weight - (D)	64
HWTBDWTK	Weight - kilograms - (D)	63
HWTBDWTP	Weight - pounds - (D)	63
HWTBGBMI	Body Mass Index - (D,G)	1132
HWTBGHT	Height - (G)	1131
HWTBGSW	Standard weight - (D,G)	1133
HWTBGWTK	Weight - kilograms - (D,G)	1132
<b>IDG : Illicit Drugs</b>		
IDGB_01	Used - marijuana, cannabis, hashish - life	580
IDGB_02	Used - marijuana, cannabis, hashish - 12 mo	581
IDGB_03	Frequency - marijuana, cannabis, hashish - 12 mo	581
IDGB_04	Used - cocaine, crack - life	582
IDGB_05	Used - cocaine, crack - 12 mo	582
IDGB_06	Frequency - cocaine, crack - 12 mo	583
IDGB_07	Used - speed (amphetamines) - life	583
IDGB_08	Used - speed (amphetamines) - 12 mo	584
IDGB_09	Frequency - speed (amphetamines) - 12 mo	584
IDGB_10	Used - ecstasy (MDMA) - life	585
IDGB_11	Used - ecstasy (MDMA) - 12 mo	585
IDGB_12	Frequency - ecstasy (MDMA) - 12 mo	586
IDGB_13	Used - hallucinogens, PCP, LSD - life	586
IDGB_14	Used - hallucinogens, PCP, LSD - 12 mo	587
IDGB_15	Frequency - hallucinogens, PCP, LSD - 12 mo	587
IDGB_16	Sniffed - glue, gasoline, other solvents - life	588
IDGB_17	Sniffed - glue, gasoline, other solvents - 12 mo	588
IDGB_18	Frequency - glue, gasoline, other solvents - 12 mo	589
IDGB_19	Used - heroin - life	589
IDGB_20	Used - heroin - 12 mo	590
IDGB_21	Frequency - heroin - 12 mo	590
IDGB_22	Used - steroids - life	591
IDGB_23	Used - steroids - 12 mo	591
IDGB_24	Frequency - steroids - 12 mo	592
IDGB_25A	Needed more drugs than usual to get high - 12 mo	593
IDGB_25B	Had symptom during period of cut down/no drugs - 12 mo	594
IDGB_25C	Used drugs to prevent having symptoms - 12 mo	595
IDGB_25D	Used drugs - even though promised wouldn't - 12 mo	596

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
IDGB_25E	Used drugs more frequently than intended - 12 mo	597
IDGB_25F	Used drugs - little time for anything else - 12 mo	598
IDGB_25G	Reduced important activities - because of drugs - 12 mo	599
IDGB_25H	Continued taking drugs despite health problems - 12 mo	600
IDGB_26A	Level of interference - home responsibilities - 12 mo	601
IDGB_26C	Level of interference - close relationships - 12 mo	604
IDGB_26D	Level of interference - social life -12 mo	605
IDGB_5A1	Needed more drugs than usual to get high - life	593
IDGB_5AA	Took drugs at least once monthly for a year - life	592
IDGB_5AL	Needed more drugs than usual to get high - life	606
IDGB_5B1	Had symptom during period of cut down/no drugs - life	594
IDGB_5BL	Had symptom during period of cut down/no drugs - life	606
IDGB_5C1	Used drugs to prevent having symptoms - life	595
IDGB_5CL	Used drugs to prevent having symptoms - life	607
IDGB_5D1	Used drugs - even though promised wouldn't - life	596
IDGB_5DL	Used drugs even though promised wouldn't - life	607
IDGB_5E1	Used drugs more frequently than intended - life	597
IDGB_5EL	Used drugs more frequently than intended - life	608
IDGB_5F1	Used drugs - little time for anything else - life	598
IDGB_5FL	Used drugs - little time for anything else - life	608
IDGB_5G1	Reduced important activities - because of drugs - life	599
IDGB_5GL	Reduced important activities - because of drugs - life	609
IDGB_5H1	Continued taking drugs despite health problems - life	600
IDGB_5HL	Continued taking drugs despite health problems - life	609
IDGB_6B1	Level of interference - ability to attend school - 12 mo	602
IDGB_6B2	Level of interference - ability to work at a job - 12 mo	603
IDGBDINT	Illicit drug interference - mean - 12 mo - (D)	617
IDGBFINT	Flag: Illicit drug interference - 12 mo	618
IDGBFLA	Illicit drug use - including one time cannabis - life	615
IDGBFLAC	Illicit drug use - excluding one time cannabis - life	615
IDGBFLAM	Amphetamine (speed) drug use - life	612
IDGBFLCA	Cannabis drug use - including one time only - life	610
IDGBFLCM	Cannabis drug use - excluding one time only - life	610
IDGBFLCO	Cocaine / crack drug use - life	611
IDGBFLEX	MDMA (ecstasy) drug use - life	612
IDGBFLGL	Glue, gasoline or other solvent use - life	613

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
IDGBFLHA	Hallucinogens, PCP or LSD drug use - life	613
IDGBFLHE	Heroin drug use - life	614
IDGBFLST	Steroid use - life	614
IDGBFYA	Illicit drug use - including one time cannabis - 12 mo	616
IDGBFYAC	Illicit drug use - excluding one time cannabis - 12 mo	616
IDGBFYCM	Cannabis drug use - excluding one time only - 12 mo	611
IDGBFYDP	Criteria - Drug dependance - 12 mo	617
<b>INC : Income</b>		
INCB_1A	Source of household income - wages and salaries	1107
INCB_1B	Source of household income - self-employment	1107
INCB_1C	Source of household income - dividends and interest	1108
INCB_1D	Source of household income - employment insurance	1108
INCB_1E	Source of household income - worker's compensation	1109
INCB_1F	Source of hh income - benefits from Can. / Que. Pension Plan	1109
INCB_1G	Source of hh income - pensions, superannuation and annuities	1110
INCB_1H	Source of household income - Old Age Security / G.I.S.	1110
INCB_1I	Source of household income - child tax benefit	1111
INCB_1J	Source of household income - social assistance / welfare	1111
INCB_1K	Source of household income - child support	1112
INCB_1L	Source of household income - alimony	1112
INCB_1M	Source of household income - other	1113
INCB_1N	Source of household income - none	1113
INCB_2	Total household income - main source	1114
INCB_3	Total household income - best estimate	1115
INCB_3A	Total household income - < \$20,000 or >= \$20,000	1115
INCB_3B	Total household income - < \$10,000 or >= \$10,000	1116
INCB_3C	Total household income - < \$5,000 or >= \$5,000	1116
INCB_3D	Total household income - < \$15,000 or >= \$15,000	1117
INCB_3E	Total household income - < \$40,000 or >= \$40,000	1117
INCB_3F	Total household income - < \$30,000 or >= \$30,000	1118
INCB_3G	Total household income - < \$50,000 to >= \$80,000	1118
INCB_4	Total personal income - best estimate	1119
INCB_4A	Total personal income - < \$20,000 or >= \$20,000	1119
INCB_4B	Total personal income - < \$10,000 or >= \$10,000	1120
INCB_4C	Total personal income - < \$5,000 or >= \$5,000	1120
INCB_4D	Total personal income - < \$15,000 or >= \$15,000	1121

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
INCB_4E	Total personal income - < \$40,000 or >= \$40,000	1121
INCB_4F	Total personal income - < \$30,000 or >= \$30,000	1122
INCB_4G	Total personal income < \$50,000 to >= \$80,000	1122
INCBDHH	Total household income from all sources - (D)	1125
INCBDIA2	Income adequacy - 2 groups - (D)	1123
INCBDIA4	Income adequacy - 4 groups - (D)	1123
INCBDIA5	Income adequacy - 5 groups - (D)	1124
INCBDPER	Total personal income from all sources - (D)	1126
INCBG2	Total household income - main source - (G)	1311
INCBGHH	Total household income from all sources - (D,G)	1312
INCBGPER	Total personal income from all sources - (D,G)	1312
<b>LBF : Labour Force</b>		
LFBF_01	Worked at job or business last week	1067
LFBF_02	Absent from job or business last week	1068
LFBF_03	Had more than one job or business - last week	1068
LFBF_11	Looked for work in past 4 weeks	1069
LFBF_13	Not currently working - reason	1070
LFBF_13A	Reason - physical, emotional, alcohol/drugs	1071
LFBF_21	Worked at job or business in past 12 months	1071
LFBF_22	Looked for work in past 12-months	1072
LFBF_23	More than one job or business at same time - past 12-months	1072
LFBF_31	Self-employment status - main job or business	1073
LFBF_31A	Occupation - main job or business	1074
LFBF_41	Absent from job or business last week - reason	1075
LFBF_41A	Reason - physical, emotional, alcohol/drugs	1076
LFBF_42	Usual number of hours worked - main job or business	1076
LFBF_44	Usual work schedule - main job or business	1077
LFBF_45	Usual work schedule - reason	1078
LFBF_46	Work on weekends - main job or business	1078
LFBF_51	More than one job or business - number of weeks	1079
LFBF_52	More than one job or business - reason	1080
LFBF_53	Usual number of hours worked - other job or business	1081
LFBF_54	Work on weekends - other job or business	1081
LFBF_61	Weeks worked - past 12 months	1082
LFBF_71	Weeks looked for work - past 12 months	1082
LFBF_72	Not working or looking for work - number of weeks (confirm)	1083

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
LBFB_73	Did not look for work - main reason	1084
LBFB_73A	Reason - physical, emotional, alcohol/drugs	1085
LBFB DHPW	Total usual hours worked per week - (D)	1088
LBFB DJST	Job status over past year - (D)	1089
LBFB DMJS	Multiple job status - (D)	1088
LBFB DPFT	Usual hours worked - full-time / part-time flag - (F)	1089
LBFB DRNW	Main reason for not working last week - (D)	1087
LBFB DSTU	Student working status - (D)	1090
LBFB DWSL	Working status last week - 6 groups - (D)	1086
LBFB DWSS	Working status last week - 4 groups - (D)	1085
LBFB G31	Self-employment status - main job or business - (G)	1310
LBFB GJST	Job status over past year - (D,G)	1311
LBFB GRNW	Main reason for not working last week - (D,G)	1310
<b>MED : Medication Use</b>		
MEDB_11A	Took medication to help sleep - 12 mo	892
MEDB_11B	Took diet pills - 12 mo	892
MEDB_11C	Took medication to reduce anxiety - 12 mo	893
MEDB_11D	Took mood stabilizers - 12 mo	893
MEDB_11E	Took anti-depressants - 12 mo	894
MEDB_11F	Took med. to treat psychotic behaviours - 12 mo	894
MEDB_11G	Took stimulants - 12 mo	895
MEDB_2	Last 2 days - number of medications taken	951
MEDB_3AA	Prescription from a medical doctor or dentist - drug 1	953
MEDB_3BA	Prescription from medical doctor or dentist - drug 2	954
MEDB_3CA	Prescription from medical doctor or dentist - drug 3	956
MEDB_3DA	Prescription from medical doctor or dentist - drug 4	957
MEDB_3EA	Prescription from medical doctor or dentist - drug 5	959
MEDB_3FA	Prescription from medical doctor or dentist - drug 6	960
MEDB_3GA	Prescription from medical doctor or dentist - drug 7	962
MEDB_3HA	Prescription from medical doctor or dentist - drug 8	963
MEDB_3IA	Prescription from medical doctor or dentist - drug 9	965
MEDB_3JA	Prescription from medical doctor or dentist - drug 10	966
MEDB_3KA	Prescription from medical doctor or dentist - drug 11	968
MEDB_3LA	Prescription from medical doctor or dentist - drug 12	969
MEDB_4	Insurance that covers all/part of cost of prescription	970
MEDB_5	Used other health products for mental health - 12 mo	970

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
MEDB_6A	Health product used - St. John's Wort	971
MEDB_6B	Health product used - valerian	971
MEDB_6C	Health product used - chamomile	972
MEDB_6D	Health product used - ginseng	972
MEDB_6E	Health product used - kava kava	973
MEDB_6F	Health product used - lavender	973
MEDB_6G	Health product used - chasteberry	974
MEDB_6H	Health product used - black cohosh	974
MEDB_6I	Health product used - ginkgo biloba	975
MEDB_6J	Health product used - NeuRocover-DA	975
MEDB_6K	Health product used - vitamins	976
MEDB_6L	Health product used - other	976
MEDB_7	Health product recommended by a professional	977
MEDB_8A	Health product recommended by a psychiatrist	977
MEDB_8B	Health product recommended by a family doctor/GP	978
MEDB_8C	Health product recommended by an other medical doctor	978
MEDB_8D	Health product recommended by a psychologist	979
MEDB_8E	Health product recommended by a chiropractor	979
MEDB_8F	Health product recommended by a nurse	980
MEDB_8G	Health product recommended by a social worker	980
MEDB_8H	Health product recommended by a homeopath/naturopath	981
MEDB_8I	Health product recommended by an herbalist	981
MEDB_8J	Health product recommended by a relaxation therapist	982
MEDB_8K	Health product recommended by a biofeedback teacher	982
MEDB_8L	Health product recommended by other	983
MEDB_A1	Sleep medication under professional supervision	895
MEDB_A2A	Sleep medication prescribed by a psychiatrist	896
MEDB_A2B	Sleep medication prescribed by family doctor / GP	896
MEDB_A2C	Sleep medication prescribed by other medical doctor	897
MEDB_A2D	Sleep medication prescribed by other professional	897
MEDB_A3	Days forgot to take/took less sleep medication	898
MEDB_A4A	Reason no/less med - Forgot	898
MEDB_A4B	Reason no/less med - Felt better	899
MEDB_A4C	Reason no/less med - Medicine was not helping	899
MEDB_A4D	Reason no/less med - Thought problem would get better	900
MEDB_A4E	Reason no/less med - Couldn't afford to pay	900

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 27

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
MEDB_A4F	Reason no/less med - Too embarrassed to take medicine	901
MEDB_A4G	Reason no/less med - Wanted to solve problem without med.	901
MEDB_A4H	Reason no/less med - Side-effects	902
MEDB_A4I	Reason no/less med - Afraid of becoming dependent	902
MEDB_A4J	Reason no/less med - Other reason	903
MEDB_B1	Diet pills under professional supervision	903
MEDB_B2A	Diet pills prescribed by a psychiatrist	904
MEDB_B2B	Diet pills prescribed by family doctor / GP	904
MEDB_B2C	Diet pills prescribed by other medical doctor	905
MEDB_B2D	Diet pills prescribed by other professional	905
MEDB_B3	Days forgot to take/took less diet pills	906
MEDB_B4A	Reason no/less med - Forgot	906
MEDB_B4B	Reason no/less med - Felt better	907
MEDB_B4C	Reason no/less med - Medicine was not helping	907
MEDB_B4D	Reason no/less med - Thought problem would get better	908
MEDB_B4E	Reason no/less med - Couldn't afford to pay	908
MEDB_B4F	Reason no/less med - Too embarrassed to take medicine	909
MEDB_B4G	Reason no/less med - Wanted to solve problem without med.	909
MEDB_B4H	Reason no/less med - Side-effects	910
MEDB_B4I	Reason no/less med - Afraid of becoming dependent	910
MEDB_B4J	Reason no/less med - Other reason	911
MEDB_C1	Med. against anxiety under professional supervision	911
MEDB_C2A	Med. against anxiety prescribed by a psychiatrist	912
MEDB_C2B	Med. against anxiety prescribed by family doctor / GP	912
MEDB_C2C	Med. against anxiety prescribed by other medical doctor	913
MEDB_C2D	Med. against anxiety prescribed by other professional	913
MEDB_C3	Days forgot to take/took less med. against anxiety	914
MEDB_C4A	Reason no/less med - Forgot	914
MEDB_C4B	Reason no/less med - Felt better	915
MEDB_C4C	Reason no/less med - Medicine was not helping	915
MEDB_C4D	Reason no/less med - Thought problem would get better	916
MEDB_C4E	Reason no/less med - Couldn't afford to pay	916
MEDB_C4F	Reason no/less med - Too embarrassed to take medicine	917
MEDB_C4G	Reason no/less med - Wanted to solve problem without med.	917
MEDB_C4H	Reason no/less med - Side-effects	918
MEDB_C4I	Reason no/less med - Afraid of becoming dependent	918

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
MEDB_C4J	Reason no/less med - Other reason	919
MEDB_D1	Mood stabilizers under professional supervision	919
MEDB_D2A	Mood stabilizers prescribed by a psychiatrist	920
MEDB_D2B	Mood stabilizers prescribed by family doctor / GP	920
MEDB_D2C	Mood stabilizers prescribed by other medical doctor	921
MEDB_D2D	Mood stabilizers prescribed by other professional	921
MEDB_D3	Days forgot to take/took less mood stabilizers	922
MEDB_D4A	Reason no/less med - Forgot	922
MEDB_D4B	Reason no/less med - Felt better	923
MEDB_D4C	Reason no/less med - Medicine was not helping	923
MEDB_D4D	Reason no/less med - Thought problem would get better	924
MEDB_D4E	Reason no/less med - Couldn't afford to pay	924
MEDB_D4F	Reason no/less med - Too embarrassed to take medicine	925
MEDB_D4G	Reason no/less med - Wanted to solve problem without med.	925
MEDB_D4H	Reason no/less med - Side-effects	926
MEDB_D4I	Reason no/less med - Afraid of becoming dependent	926
MEDB_D4J	Reason no/less med - Other reason	927
MEDB_E1	Antidepressants under professional supervision	927
MEDB_E2A	Antidepressants prescribed by a psychiatrist	928
MEDB_E2B	Antidepressants prescribed by family doctor / GP	928
MEDB_E2C	Antidepressants prescribed by other medical doctor	929
MEDB_E2D	Antidepressants prescribed by other professional	929
MEDB_E3	Days forgot to take/took less antidepressants	930
MEDB_E4A	Reason no/less med - Forgot	930
MEDB_E4B	Reason no/less med - Felt better	931
MEDB_E4C	Reason no/less med - Medicine was not helping	931
MEDB_E4D	Reason no/less med - Thought problem would get better	932
MEDB_E4E	Reason no/less med - Couldn't afford to pay	932
MEDB_E4F	Reason no/less med - Too embarrassed to take medicine	933
MEDB_E4G	Reason no/less med - Wanted to solve problem without med.	933
MEDB_E4H	Reason no/less med - Side-effects	934
MEDB_E4I	Reason no/less med - Afraid of becoming dependent	934
MEDB_E4J	Reason no/less med - Other reason	935
MEDB_F1	Antipsychotic drugs under professional supervision	935
MEDB_F2A	Antipsychotic drugs prescribed by a psychiatrist	936
MEDB_F2B	Antipsychotic drugs prescribed by family doctor / GP	936

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
MEDB_F2C	Antipsychotic drugs prescribed by other medical doctor	937
MEDB_F2D	Antipsychotic drugs prescribed by other professional	937
MEDB_F3	Days forgot to take/took less antipsychotic drugs	938
MEDB_F4A	Reason no/less med - Forgot	938
MEDB_F4B	Reason no/less med - Felt better	939
MEDB_F4C	Reason no/less med - Medicine was not helping	939
MEDB_F4D	Reason no/less med - Thought problem would get better	940
MEDB_F4E	Reason no/less med - Couldn't afford to pay	940
MEDB_F4F	Reason no/less med - Too embarrassed to take medicine	941
MEDB_F4G	Reason no/less med - Wanted to solve problem without med.	941
MEDB_F4H	Reason no/less med - Side-effects	942
MEDB_F4I	Reason no/less med - Afraid of becoming dependent	942
MEDB_F4J	Reason no/less med - Other reason	943
MEDB_G1	Stimulants under professional supervision	943
MEDB_G2A	Stimulants prescribed by a psychiatrist	944
MEDB_G2B	Stimulants prescribed by family doctor / GP	944
MEDB_G2C	Stimulants prescribed by other medical doctor	945
MEDB_G2D	Stimulants prescribed by other professional	945
MEDB_G3	Days forgot to take/took less stimulants	946
MEDB_G4A	Reason no/less med - Forgot	946
MEDB_G4B	Reason no/less med - Felt better	947
MEDB_G4C	Reason no/less med - Medicine was not helping	947
MEDB_G4D	Reason no/less med - Thought problem would get better	948
MEDB_G4E	Reason no/less med - Couldn't afford to pay	948
MEDB_G4F	Reason no/less med - Too embarrassed to take medicine	949
MEDB_G4G	Reason no/less med - Wanted to solve problem without med.	949
MEDB_G4H	Reason no/less med - Side-effects	950
MEDB_G4I	Reason no/less med - Afraid of becoming dependent	950
MEDB_G4J	Reason no/less med - Other reason	951
MEDBC03A	Drug code - drug 1	952
MEDBC03B	Drug code - drug 2	954
MEDBC03C	Drug code - drug 3	955
MEDBC03D	Drug code - drug 4	957
MEDBC03E	Drug code - drug 5	958
MEDBC03F	Drug code - drug 6	960
MEDBC03G	Drug code - drug 7	961

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
MEDBC03H	Drug code - drug 8	963
MEDBC03I	Drug code - drug 9	964
MEDBC03J	Drug code - drug 10	966
MEDBC03K	Drug code - drug 11	967
MEDBC03L	Drug code - drug 12	969
MEDBF03A	Flag: drug 1	952
MEDBF03B	Flag: drug 2	953
MEDBF03C	Flag: drug 3	955
MEDBF03D	Flag: drug 4	956
MEDBF03E	Flag: drug 5	958
MEDBF03F	Flag: drug 6	959
MEDBF03G	Flag: drug 7	961
MEDBF03H	Flag: drug 8	962
MEDBF03I	Flag: drug 9	964
MEDBF03J	Flag: drug 10	965
MEDBF03K	Flag: drug 11	967
MEDBF03L	Flag: drug 12	968
MEDBG03A	Drug code - drug 1 - (G)	1295
MEDBG03B	Drug code - drug 2 - (G)	1296
MEDBG03C	Drug code - drug 3 - (G)	1297
MEDBG03D	Drug code - drug 4 - (G)	1298
MEDBG03E	Drug code - drug 5 - (G)	1299
MEDBG03F	Drug code - drug 6 - (G)	1300
MEDBG03G	Drug code - drug 7 - (G)	1301
MEDBG03H	Drug code - drug 8 - (G)	1302
MEDBG03I	Drug code - drug 9 - (G)	1303
MEDBG03J	Drug code - drug 10 - (G)	1304
MEDBG03K	Drug code - drug 11 - (G)	1305
MEDBG03L	Drug code - drug 12 - (G)	1306
<b>MHP : Mental health profile</b>		
MHPBDAON	Age of onset - Selected disorders - (D)	536
MHPBFINT	Flag: Reported interference	536
MHPBFL	Selected disorders dependence - life	532
MHPBFLA	Selected anxiety disorders - life	533
MHPBFLM	Selected mood disorders - life	533
MHPBFY	Selected disorders/substance dependence - 12 mo	534

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
MHPBFYA	Selected anxiety disorder - 12 mo	535
MHPBFYM	Selected mood disorders - 12 mo	534
MHPBFYSA	Selected substance dependence - 12 mo	535
MHPBGAON	Age of onset - Selected disorders - (D,G)	1251
<b>MIA : Mania</b>		
MIAB_01	Cognitive/behavior changes during excited periods	278
MIAB_03	Excited episode with largest number of changes	278
MIAB_03A	Age when excited episode with largest number of changes	279
MIAB_03B	Length of excited episode with largest number of changes	279
MIAB_03C	Age - when most recent excited episode occurred	282
MIAB_03D	Length of most recent excited episode	283
MIAB_04	Symptom - irritable/grouchy during excited episode	286
MIAB_05	Cognitive/behavioural changes during irritable period	286
MIAB_06	Irritable episode with largest number of changes	287
MIAB_06A	Age when irritable episode with largest number of changes	287
MIAB_06B	Length of irritable episode with largest number of changes	288
MIAB_06C	Age - when most recent irritable episode occurred	291
MIAB_06D	Length of most recent irritable episode	291
MIAB_07A	Symptom - became restless or fidgety	294
MIAB_07B	Symptom - became overly friendly / outgoing with people	295
MIAB_07C	Symptom - behaved in a way that is inappropriate	295
MIAB_07D	Symptom - was more interested in sex than usual	296
MIAB_07E	Symptom - tried to do things that were impossible to do	296
MIAB_07F	Symptom - talked a lot more than usual	297
MIAB_07G	Symptom - constantly kept changing plans / activities	297
MIAB_07H	Symptom - was easily distracted	298
MIAB_07I	Symptom - had thoughts jumping from one thing to another	298
MIAB_07J	Symptom - slept far less than usual and was not tired	299
MIAB_07K	Symptom - was involved in foolish investments for making \$	299
MIAB_07L	Symptom - spent much more money than usual	300
MIAB_07M	Symptom - did risky things for pleasure	300
MIAB_07N	Symptom - had a greatly exaggerated self-confidence	301
MIAB_07O	Symptom - believed was someone else	301
MIAB_08	Number of episodes felt excited / irritable - life	302
MIAB_09	Manic episode interfered with work/social life/relationships	302
MIAB_09A	Frequency - feelings = unable carry out daily activities	303

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
MIAB_09B	People worry about the way respondent was acting	303
MIAB_10A	Manic episode due to physical causes	304
MIAB_10B	Physical causes always cause manic episodes	304
MIAB_18	Remembered exactly age of very first manic episode	313
MIAB_181	Life period when very first manic episode occurred	315
MIAB_18A	Age - exactly very first manic episode	314
MIAB_18B	Age - approximately first time manic episode	314
MIAB_18C	Episode triggered by stressful/unexpected event	315
MIAB_18D	Length of very first manic episode	316
MIAB_19	Had manic episode - 12 mo	319
MIAB_191	Had a single manic episode - 12 mo	319
MIAB_19A	Reference period of manic episode - 12 mo	320
MIAB_19B	Number of manic episodes - 12 mo	320
MIAB_19C	Number of weeks had manic episode - 12 mo	321
MIAB_19D	Age - last time had manic episode	321
MIAB_1CA	Physical exclusion - exhaustion	305
MIAB_1CB	Physical exclusion - hyperventilation	305
MIAB_1CC	Physical exclusion - hypochondria	306
MIAB_1CD	Physical exclusion - menstrual cycle	306
MIAB_1CE	Physical exclusion - pregnancy / postpartum	307
MIAB_1CF	Physical exclusion - thyroid disease	307
MIAB_1CG	Physical exclusion - cancer	308
MIAB_1CH	Physical exclusion - overweight	308
MIAB_1CI	Physical exclusion - medication (excluding illicit drugs)	309
MIAB_1CJ	Physical exclusion - illicit drugs	309
MIAB_1CK	Physical exclusion - alcohol	310
MIAB_1CL	Physical exclusion - chemical / serotonin imbalance	310
MIAB_1CM	Physical exclusion - chronic pain	311
MIAB_1CN	Physical exclusion - caffeine	311
MIAB_1CO	Physical exclusion - no specific diagnosis	312
MIAB_1CP	Physical exclusion - other	312
MIAB_1CQ	Physical exclusion - Other - Physical causes, etc.	313
MIAB_1D1	Very first manic episode - number of hours	316
MIAB_1D2	Very first manic episode - number of days	317
MIAB_1D3	Very first manic episode - number of weeks	317
MIAB_1D4	Very first manic episode - number of months	318

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
MIAB_1D5	Very first manic episode - number of years	318
MIAB_20	Number of episodes lasting full week or longer - life	322
MIAB_201	Nbr of episodes lasting week + brought by stressful exp.	322
MIAB_202	One week or > episode due to stressful/unexpected experience	323
MIAB_21	Nbr of episodes lasting < week brought by stressful exp.	323
MIAB_211	Nbr of episodes/less than a week/stressful experiences	324
MIAB_212	Less than one week episode due to stressful/unexpected exp.	324
MIAB_22	Length of the longest manic episode - life	325
MIAB_221	Longest manic episode - number of hours	325
MIAB_222	Longest manic episode - number of days	326
MIAB_223	Longest manic episode - number of weeks	326
MIAB_224	Longest manic episode - number of months	327
MIAB_225	Longest manic episode - number of years	327
MIAB_23	Number of different years in life/had manic episode	328
MIAB_24	Single life episode brought by stress./unexpected experience	328
MIAB_271	Level of interference - ability to attend school - 12 mo	330
MIAB_272	Level of interference - ability to work at a job - 12 mo	331
MIAB_27A	Level of interference - home responsibilities - 12 mo	329
MIAB_27C	Level of interference - close relationships - 12 mo	332
MIAB_27D	Level of interference - social life - 12 mo	333
MIAB_29	Nbr of days/365 totally unable because of mania - 12 mo	334
MIAB_33	Consulted MD/other prof. about manic episode	334
MIAB_33A	Age - first time consulted prof. about manic episode	335
MIAB_3B1	Excited episode with largest changes - number of hours	280
MIAB_3B2	Excited episode with largest changes - number of days	280
MIAB_3B3	Excited episode with largest changes - number of weeks	281
MIAB_3B4	Excited episode with largest changes - number of months	281
MIAB_3B5	Excited episode with largest changes - number of years	282
MIAB_3D1	Most recent excited episode - number of hours	283
MIAB_3D2	Most recent excited episode - number of days	284
MIAB_3D3	Most recent excited episode - number of weeks	284
MIAB_3D4	Most recent excited episode - number of months	285
MIAB_3D5	Most recent excited episode - number of years	285
MIAB_45	Received helpful/effective treatment for manic episode	335
MIAB_45A	Age - first time got helpful treatment for manic episode	336
MIAB_45B	Number of prof. consulted before helpful treatment	336

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
MIAB_45C	Total nbr of prof. consulted about manic episode - life	337
MIAB_47	Received professional treatment for manic episode - 12 mo	337
MIAB_48	Hospitalized overnight for manic episode - life	338
MIAB_481	Number of close relatives ever had manic episode	339
MIAB_48A	Age - first time hospitalized overnight for manic episode	338
MIAB_6B1	Irritable episode with largest changes - number of hours	288
MIAB_6B2	Irritable episode with largest changes - number of days	289
MIAB_6B3	Irritable episode with largest changes - number of weeks	289
MIAB_6B4	Irritable episode with largest changes - number of months	290
MIAB_6B5	Irritable episode with largest changes - number of years	290
MIAB_6D1	Most recent irritable episode - number of hours	292
MIAB_6D2	Most recent irritable episode - number of days	292
MIAB_6D3	Most recent irritable episode - number of weeks	293
MIAB_6D4	Most recent irritable episode - number of months	293
MIAB_6D5	Most recent irritable episode - number of years	294
MIABD18Y	Duration in years - first episode - (D)	341
MIABD22Y	Duration in years - longest episode - (D)	342
MIABD277	Criterion D, Part 1A - Interference - (D)	348
MIABD3BY	Duration in years - excited - (D)	339
MIABD3DY	Duration in years - excited - (D)	340
MIABD6BY	Duration in years - irritable - (D)	340
MIABD6DY	Duration in years - irritable - (D)	341
MIABDA	Criterion A, Part 1 and 2 - (D)	343
MIABDA1	Criterion A, Part 1 - (D)	342
MIABDA2	Criterion A, Part 2 - (D)	343
MIABDB	Criterion B (Combined symptoms 1 to 7) - (D)	348
MIABDB1	Criterion B - Symptom 1 - (D)	344
MIABDB2	Criterion B - Symptom 2 - (D)	344
MIABDB3	Criterion B - Symptom 3 - (D)	345
MIABDB4	Criterion B - Symptom 4 - (D)	345
MIABDB5	Criterion B - Symptom 5 - (D)	346
MIABDB6	Criterion B - Symptom 6 - (D)	346
MIABDB7	Criterion B - Symptom 7 - (D)	347
MIABDBI	Criterion B - irritable focus (D)	347
MIABDD	Criterion D - (D)	350
MIABDD1	Criterion D, Part 1 - (D)	349

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
MIABDD2	Criterion D, Part 2 - (D)	349
MIABDD3	Criterion D, Part 3 - (D)	350
MIABDEPS	Manic Episode Algorithm - Life - (D)	351
MIABDEY	Manic Episode Algorithm - 12 Month - (D)	354
MIABDINT	Mania Interference - Mean - (D)	355
MIABDON	Age of first manic episode - onset - (D)	351
MIABDPER	Nbr of yrs of persistence of manic disorder - (D)	352
MIABDREC	Age at most recent manic episode - (D)	352
MIABDYA	Criterion A - 12 month - (D)	353
MIABDYB	Criterion B - 12 month - (D)	353
MIABDYC	Criterion C - Interference - (D)	354
MIABFINT	Flag: Mania Interference	355
MIABG03A	Age when excited episode with largest nbr of changes - (G)	1164
MIABG03C	Age - when most recent excited episode occurred	1166
MIABG06A	Age when irritable epi. with largest number of changes - (G)	1168
MIABG06C	Age - when most recent irritable episode occurred - (G)	1170
MIABG08	Number of episodes felt excited / irritable - life - (G)	1172
MIABG18A	Age - exactly very first manic episode - (G)	1173
MIABG18B	Age - approximately first time manic episode - (G)	1174
MIABG18D	Length of very first manic episode - (G)	1175
MIABG19B	Number of manic episodes - 12 mo - (G)	1176
MIABG19C	Number of weeks had manic episode - 12 mo - (G)	1177
MIABG19D	Age - last time had manic episode - (G)	1178
MIABG20	Number of episodes lasting full week or longer - life - (G)	1179
MIABG201	Nbr of epis. lasting week + brought by stressful exp. - (G)	1180
MIABG21	Nbr of epis. lasting < week brought by stressful exp. - (G)	1181
MIABG211	Nbr of episodes/less than a week/stressful experiences - (G)	1182
MIABG22	Length of the longest manic episode - life - (G)	1183
MIABG23	Number of different years in life/had manic episode - (G)	1184
MIABG33A	Age - first time consulted prof. about manic episode - (G)	1185
MIABG3B	Duration of excited episode - (G)	1165
MIABG3D	Length of most recent excited episode - (G)	1167
MIABG45A	Age - first time got helpful treatment for manic epis. - (G)	1186
MIABG45B	Number of prof. consulted before helpful treatment - (G)	1187
MIABG45C	Total nbr of prof. consulted about manic episode-life - (G)	1188
MIABG481	Number of close relatives ever had manic episode - (G)	1190

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
MIABG48A	Age - first time hospitalized overnight for manic epis - (G)	1189
MIABG6B	Length irritable epis. with largest number of changes - (G)	1169
MIABG6D	Length of most recent irritable episode - (G)	1171
MIABGON	Age of manic episode - onset - (D,G)	1191
MIABGPER	Longest period associated with mania - (G, D)	1193
MIABGREC	Age at most recent manic episode - (D,G)	1192
<b>PAC : Physical Activities</b>		
PACB_1A	Activity / last 3 months - walking for exercise	64
PACB_1B	Activity / last 3 months - gardening / yard work	65
PACB_1C	Activity / last 3 months - swimming	65
PACB_1D	Activity / last 3 months - bicycling	66
PACB_1E	Activity / last 3 months - popular or social dance	66
PACB_1F	Activity / last 3 months - home exercises	67
PACB_1G	Activity / last 3 months - ice hockey	67
PACB_1H	Activity / last 3 months - ice skating	68
PACB_1I	Activity / last 3 months - in-line skating or rollerblading	68
PACB_1J	Activity / last 3 months - jogging or running	69
PACB_1K	Activity / last 3 months - golfing	69
PACB_1L	Activity / last 3 months - exercise class or aerobics	70
PACB_1M	Activity / last 3 months - downhill skiing or snowboarding	70
PACB_1N	Activity / last 3 months - bowling	71
PACB_1O	Activity / last 3 months - baseball or softball	71
PACB_1P	Activity / last 3 months - tennis	72
PACB_1Q	Activity / last 3 months - weight-training	72
PACB_1R	Activity / last 3 months - fishing	73
PACB_1S	Activity / last 3 months - volleyball	73
PACB_1T	Activity / last 3 months - basketball	74
PACB_1U	Activity / last 3 months - other (#1)	74
PACB_1V	Activity / last 3 months - no activity	75
PACB_1W	Activity / last 3 months - other (#2)	75
PACB_1X	Activity / last 3 months - other (#3)	76
PACB_2A	Number of times participated - walking for exercise	76
PACB_2B	Number of times participated - gardening	77
PACB_2C	Number of times participated - swimming	78
PACB_2D	Number of times participated - bicycling	79
PACB_2E	Number of times participated - popular / social dance	80

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 37

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
PACB_2F	Number of times participated - home exercises	81
PACB_2G	Number of times participated - ice hockey	82
PACB_2H	Number of times participated - ice skating	83
PACB_2I	Number of times participated - in-line skating	84
PACB_2J	Number of times participated - jogging / running	85
PACB_2K	Number of times participated - golfing	86
PACB_2L	Number of times participated - exercise class / aerobics	87
PACB_2M	Number of times participated - downhill ski / snowboarding	88
PACB_2N	Number of times participated - bowling	89
PACB_2O	Number of times participated - baseball / softball	90
PACB_2P	Number of times participated - tennis	91
PACB_2Q	Number of times participated - weight-training	92
PACB_2R	Number of times participated - fishing	93
PACB_2S	Number of times participated - volleyball	94
PACB_2T	Number of times participated - basketball	95
PACB_2U	Number of times participated - other activity (#1)	96
PACB_2W	Number of times participated - other activity (#2)	97
PACB_2X	Number of times participated - other activity (#3)	98
PACB_3A	Time spent - walking for exercise	77
PACB_3B	Time spent - gardening	78
PACB_3C	Time spent - swimming	79
PACB_3D	Time spent - bicycling	80
PACB_3E	Time spent - popular / social dance	81
PACB_3F	Time spent - home exercises	82
PACB_3G	Time spent - ice hockey	83
PACB_3H	Time spent - ice skating	84
PACB_3I	Time spent - in-line skating	85
PACB_3J	Time spent - jogging / running	86
PACB_3K	Time spent - golfing	87
PACB_3L	Time spent - exercise class / aerobics	88
PACB_3M	Time spent - downhill skiing or snowboarding	89
PACB_3N	Time spent - bowling	90
PACB_3O	Time spent - baseball / softball	91
PACB_3P	Time spent - tennis	92
PACB_3Q	Time spent - weight-training	93
PACB_3R	Time spent - fishing	94

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
PACB_3S	Time spent - volleyball	95
PACB_3T	Time spent - basketball	96
PACB_3U	Time spent - other activity (#1)	97
PACB_3W	Time spent - other activity (#2)	98
PACB_3X	Time spent - other activity (#3)	99
PACB_4A	Number of hours walking - to work or to school	99
PACB_4B	Number of hours biking - to work or to school	100
PACB_6	Level of physical activity for usual day	100
PACBDEE	Energy expenditure - (D)	101
PACBDFM	Monthly frequency - physical activity lasting >15 min. - (D)	102
PACBDFR	Frequency of all physical activity - (D)	102
PACBDPAI	Physical activity index - (D)	103
PACBFD	Participant in daily physical activity - > 15 min.	103
PACBFLEI	Participant in leisure physical activity	101
<b>PAD : Panic Disorder</b>		
PADB_01A	Symptom - had heart pounding / racing	356
PADB_01B	Symptom - was short of breath	356
PADB_01C	Symptom - was nauseous / sick to stomach	357
PADB_01D	Symptom - felt dizzy / faint	357
PADB_01E	Symptom - was sweating	358
PADB_01F	Symptom - was trembling / shaking	358
PADB_01G	Symptom - had a dry mouth	359
PADB_01H	Symptom - felt like was choking	359
PADB_01I	Symptom - had chest pain / discomfort	360
PADB_01J	Symptom - was afraid might lose control / go crazy	360
PADB_01K	Symptom - felt like was not really there	361
PADB_01L	Symptom - felt things were not real	361
PADB_01M	Symptom - was afraid might pass out	362
PADB_01N	Symptom - was afraid might die	362
PADB_01O	Symptom - had hot flushes / chills	363
PADB_01P	Symptom - felt numbness / tingling sensations	363
PADB_03	Problems began suddenly and peaked <= 10 mins	364
PADB_04	Number of sudden attacks - life	364
PADB_06	Past 12 Months occurrence of single panic attack	365
PADB_07	Remembered exactly age when single attack occurred	365
PADB_071	Life period when single attack occurred	367

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
PADB_07A	Age - exactly when single attack occurred	366
PADB_07B	Age - approximately when single attack occurred	366
PADB_08	Type of situations under which attack occurred	367
PADB_09	Remembered exactly age very first panic attack	368
PADB_091	Life period when very first attack occurred	369
PADB_09A	Age - exactly when very first panic attack occurred	368
PADB_09B	Age - approximately when very first attack occurred	369
PADB_10	Had panic attack - 12 mo	370
PADB_10A	Reference period of panic attack - 12 mo	370
PADB_10B	Number of weeks had at least one attack - 12 mo	371
PADB_10C	Total number of attacks - 12 mo	371
PADB_10D	Age - last time had panic attack	372
PADB_11	Greatest number of attacks in any single year - life	372
PADB_12	Number of different years had at least one attack - life	373
PADB_13A	1 Month or longer - worried might have another attack	373
PADB_13B	1 Month or longer - worried something terrible might happen	374
PADB_13C	1 Month or longer - changed everyday activities	374
PADB_13D	1 Month or longer - avoided situation for fear of attack	375
PADB_15	Age - first time had 1 month being worried / avoided	375
PADB_16	Had 1 month of worry / change in activity - 12 mo	376
PADB_16A	Reference period of 1 month disturbance - 12 mo	376
PADB_16B	Number of months of worry/change in activity - 12 mo	377
PADB_16C	Frequency - worried about having another attack - 12 mo	377
PADB_16D	Severity of worry of having another attack - 12 mo	378
PADB_16E	Age - approx. last time 1 month of worry of having attack	378
PADB_17	Had unexpected attack - life	379
PADB_17A	Number of unexpected attacks - life	379
PADB_18	Number of "not in real danger" attacks - life	380
PADB_19	Number of "real danger" attacks - life	380
PADB_21	Age - first time had an unexpected attack	381
PADB_21A	Life period when first unexpected attack occurred	381
PADB_22	Unexpected attack interfere with work/social/relationships	382
PADB_24	Unexpected attack occurred while sleeping - life	382
PADB_24A	Nmbr. unexpected attacks occr.while asleep - life	383
PADB_25A	Panic attack due to physical causes	383
PADB_25B	Physical causes always caused panic attacks	384

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
PADB_2CA	Physical exclusion - exhaustion	384
PADB_2CB	Physical exclusion - hyperventilation	385
PADB_2CC	Physical exclusion - hypochondria	385
PADB_2CD	Physical exclusion - menstrual cycle	386
PADB_2CE	Physical exclusion - pregnancy / postpartum	386
PADB_2CF	Physical exclusion - thyroid disease	387
PADB_2CG	Physical exclusion - cancer	387
PADB_2CH	Physical exclusion - overweight	388
PADB_2CI	Physical exclusion - medication (excluding illicit drugs)	388
PADB_2CJ	Physical exclusion - illicit drugs	389
PADB_2CK	Physical exclusion - alcohol	389
PADB_2CL	Physical exclusion - chemical / serotonin imbalance	390
PADB_2CM	Physical exclusion - chronic pain	390
PADB_2CN	Physical exclusion - caffeine	391
PADB_2CO	Physical exclusion - no specific diagnosis	391
PADB_2CP	Physical exclusion - other	392
PADB_2CQ	Physical exclusion - other - physical causes	392
PADB_36	Number of unexpected attacks - 12 mo	393
PADB_37A	Age - last time had unexpected attack	393
PADB_37B	Number of weeks had at least one attack - 12 mo	394
PADB_38	Reference period of most recent attack - 12 mo	394
PADB_40	Amount of emotional distress during attack - 12 mo	395
PADB_41	Upset by physical sensation reminding of attack - 12 mo	395
PADB_41A	Degree of discomfort due to physical sensations - 12 mo	396
PADB_42	Frequency - avoided situations causing sensations - 12 mo	396
PADB_43	Avoidance interfered with work/social/relationships	397
PADB_441	Level of int. - ability to attend school - 12 mo	399
PADB_442	Level of int. - ability to work at a job - 12 mo	400
PADB_44A	Level of interference - home respons. - 12 mo	398
PADB_44C	Level of int. - close relationships - 12 mo	401
PADB_44D	Level of interference - social life - 12 mo	402
PADB_46	Nbr of days/365 totally unable due to attacks	403
PADB_50	Consulted MD/other prof. about attacks	403
PADB_50A	Age - first time consulted prof. about attacks	404
PADB_62	Received helpful/effective treatment for attacks	404
PADB_62A	Age - first time got helpful treatment for attacks	405

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
PADB_62B	Number of prof. consulted before helpful treatment	405
PADB_62C	Total nbr of prof. consulted about attacks - life	406
PADB_64	Received prof. treatment for attacks - 12 mo	406
PADB_65	Hospitalized overnight for attacks - life	407
PADB_651	Number of relatives with attacks	408
PADB_65A	Age - first time hospitalized overnight for attacks	407
PADBDA	Panic Attack - Criterion A - (D)	408
PADBDA1	Panic Attack Algorithm - Life - (D)	417
PADBDA2	Panic Attack Algorithm - 12 month - (D)	423
PADBDB	Panic Attack - Criterion B - (D)	416
PADBDB01	Criterion B - Symptom 1 - (D)	409
PADBDB02	Criterion B - Symptom 2 - (D)	409
PADBDB03	Criterion B - Symptom 3 - (D)	410
PADBDB04	Criterion B - Symptom 4 - (D)	410
PADBDB05	Criterion B - Symptom 5 - (D)	411
PADBDB06	Criterion B - Symptom 6 - (D)	411
PADBDB07	Criterion B - Symptom 7 - (D)	412
PADBDB08	Criterion B - Symptom 8 - (D)	412
PADBDB09	Criterion B - Symptom 9 - (D)	413
PADBDB10	Criterion B - Symptom 10 - (D)	413
PADBDB11	Criterion B - Symptom 11 - (D)	414
PADBDB12	Criterion B - Symptom 12 - (D)	414
PADBDB13	Criterion B - Symptom 13 - (D)	415
PADBDB14	Criterion B - Symptom 14 - (D)	415
PADBDC	Panic Attack - Criterion C - (D)	416
PADBDDA	Panic Disorder - Criterion A Part 1 and 2(D)	420
PADBDDA1	Panic Disorder - Criterion A Part 1 - (D)	417
PADBDDA2	Panic Disorder - Criterion A Part 2 - (D)	419
PADBDDAA	Panic Disorder - Criterion A Part 2 - Symptom 1(D)	418
PADBDDAB	Panic Disorder - Criterion A Part 2 - Symptom 2(D)	418
PADBDDAC	Panic Disorder - Criterion A Part 2 - Symptom 3(D)	419
PADBDDY	Panic Disorder Algorithm - 12 Month - (D)	425
PABDINT	Panic Disorder Interference - Mean - (D)	425
PABDON	Age of panic disorder onset - (D)	421
PABDONA	Age of first panic attack	421
PABDPDS	Panic Disorder Algorithm - Life - (D)	420

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
PADBDPER	Nbr of years of persistence of panic disorder - (D)	422
PADBDREC	Age when most recent panic attack - (D)	422
PADBDYA	Panic Disorder - Criterion A - 12 month - (D)	423
PADBDYB	Panic Disorder - Criterion B - 12 month - (D)	424
PADBDYC	Panic Disorder - Criterion C - 12 month - (D)	424
PADBFINT	Flag: Panic Disorder Interference	426
PADBG04	Number of sudden attacks - life - (G)	1194
PADBG07A	Age - exactly when single attack occurred - (G)	1195
PADBG07B	Age - approximately when single attack occurred - (G)	1196
PADBG09A	Age - exactly when very first panic attack occurred - (G)	1197
PADBG09B	Age - approximately when very first attack occurred - (G)	1198
PADBG10C	Total number of attacks - 12 mo - (G)	1199
PADBG10D	Age - last time had panic attack - (G)	1200
PADBG11	Greatest number of attacks in any single year - life - (G)	1201
PADBG12	Nber of different years had at least one attack - life - (G)	1202
PADBG15	Age - first time had 1 month being worried / avoided - (G)	1203
PADBG16E	Age - approx. last time 1 mth worry of having attack - (G)	1204
PADBG17A	Number of unexpected attacks - life - (G)	1205
PADBG18	Number of "not in real danger" attacks - life - (G)	1206
PADBG19	Number of "real danger" attacks - life - (G)	1207
PADBG21	Age - first time had an unexpected attack - (G)	1208
PADBG24A	Number of unexpected attacks occurring while asleep - life	1209
PADBG36	Number of unexpected attacks - 12 mo - (G)	1210
PADBG37A	Age - last time had unexpected attack - (G)	1211
PADBG50A	Age - first time consulted prof. about attacks - (G)	1212
PADBG62A	Age - first time got helpful treatment for attacks - (G)	1213
PADBG62B	Number of prof. consulted before helpful treatment - (G)	1214
PADBG62C	Total nbr of prof. consulted about attacks - life - (G)	1215
PADBG651	Number of relatives with attacks - (G)	1217
PADBG65A	Age - first time hospitalized overnight for attacks - (G)	1216
PADBGON	Age of panic disorder onset - (D,G)	1219
PADBGONA	Age of first panic attack - (D,G)	1218
PADBGPER	Nbr of years of persistence of panic disorder - (D,G)	1221
PADBGREC	Age when most recent panic attack - (D,G)	1220

**PWB : Psychological Well-Being Scale**

PWBB_01	Frequency - felt self-confident - past month	104
---------	--	-----

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
PWBB_02	Frequency - satisfied with accomplishments - past month	104
PWBB_03	Frequency - took on lots of projects - past month	105
PWBB_04	Frequency - felt emotionally balanced - past month	105
PWBB_05	Frequency - felt loved and appreciated - past month	106
PWBB_06	Frequency - had goals and ambitions - past month	106
PWBB_07	Frequency - felt like having fun - past month	107
PWBB_08	Frequency - felt useful - past month	107
PWBB_09	Frequency - smiled easily - past month	108
PWBB_10	Frequency - was true to self - past month	108
PWBB_11	Frequency - did good job listening to friends - past month	109
PWBB_12	Frequency - was curious and interested - past month	109
PWBB_13	Frequency - was able to clearly sort things out - past month	110
PWBB_14	Frequency - found life exciting - past month	110
PWBB_15	Frequency - life was well-balanced - past month	111
PWBB_16	Frequency - was calm and level-headed - past month	111
PWBB_17	Frequency - easily found answers - past month	112
PWBB_18	Frequency - got along well with others - past month	112
PWBB_19	Frequency - lived at normal pace - past month	113
PWBB_20	Frequency - impression of enjoying life - past month	113
PWBB_21	Frequency - had good sense of humour - past month	114
PWBB_22	Frequency - was at peace with self - past month	114
PWBB_23	Frequency - felt healthy/in good shape - past month	115
PWBB_24	Frequency - face situations positively - past month	115
PWBB_25	Frequency - had good morale - past month	116
PWBBDPW	Psychological well-being scale - past month - (D)	116
<b>RAC : Restriction of Activities</b>		
RACB_1	Has difficulty with activities	674
RACB_2A	Reduction in kind or amount activities - at home	675
RACB_2B1	Reduction in kind or amount activities - at school	675
RACB_2B2	Reduction in kind or amount activities - at work	676
RACB_2C	Reduction in kind or amount activities - other activities	676
RACB_5	Cause of health problem	677
RACB_5A1	Embarrassment due to condition/health problem - life	678
RACB_5A2	Embarrassment due to condition/health problem - 12 mo	678
RACB_5B1	Discrimination due to condition/health problem - life	679
RACB_5B2	Discrimination due to condition/health problem - 12 mo	679

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
RACB_6A	Needs help - preparing meals	680
RACB_6B1	Needs help - getting to appointments / running errands	680
RACB_6C	Needs help - doing housework	681
RACB_6D	Needs help - heavy household chores	681
RACB_6E	Needs help - personal care	682
RACB_6F	Needs help - moving about inside the house	682
RACB_6G	Needs help - looking after personal finances	683
RACB_7A	Difficulty - making new friends	683
RACB_7B	Difficulty - dealing with unknown people	684
RACB_7C	Difficulty - starting / maintaining a conversation	684
RACB_8A	Cause of difficulties - physical health	685
RACB_8B	Cause of difficulties - emotional or mental health	685
RACB_8C	Cause of difficulties - use of alcohol or drugs	686
RACB_8D	Cause of difficulties - other reason	686
RACBDIMP	Impact of health problems - (D)	687
RACBDPAL	Participation and Activity Limitation - (D)	687
RACBF6R	Flag: Help needed for series of tasks	688
RACBF7	Flag: Difficulty with social situations	688
RACBG5	Cause of health problem - (G)	1253
<b>SAM : Sample Identifiers</b>		
SAMB_ACP	Actual collection period	5
SAMB_OCP	Original collection period	6
SAMBDLNK	Permission to link data - (D)	7
SAMBDSHR	Permission to share data - (D)	7
<b>SCR : Screener Mental Disorders</b>		
SCRB_01	Satisfaction with life in general	19
SCRB_081	Self-perceived physical health	19
SCRB_082	Self-perceived mental health	20
SCRB_20	Screener: had fear or panic attack - life	20
SCRB_20A	Screener: had attack when suddenly very uncomfortable - life	21
SCRB_21	Screener: felt sad/empty/depressed for several days - life	21
SCRB_22	Screener: was very discouraged several days or longer - life	22
SCRB_23	Screener: lost interest in things for several days - life	22
SCRB_24	Screener: had mania-like period lasting several days - life	23
SCRB_25	Screener: very irritable/grumpy/ for several days - life	23

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SCRB_25A	Screeener: so irritable started arguments/shouted/... - life	24
SCRB_26	Screeener: worried about things more than most people - life	24
SCRB_26A	Screeener: more nervous/anxious than most people - life	25
SCRB_26B	Screeener: 6 months when anxious/worried most days - life	25
SCRB_29	Screeener: felt very afraid or really shy with people - life	26
SCRB_291	Screeener: very upset/nervous in social situation - life	27
SCRB_292	Screeener: stayed away from social situations - life	27
SCRB_293	Screeener: social fear stronger than should have been - life	28
SCRB_29A	Screeener: very afraid/uncomfortable before group - life	26
SCRB_30	Screeener: very uncomfortable/afraid in crowds/etc. - life	28
SCRB_301	Screeener: became very upset/nervous in crowds/etc. - life	29
SCRB_302	Screeener: stayed away from situations whenever could - life	29
SCRB_303	Screeener: fear stronger than should have been - life	30
SCRBDMEN	Self-rated mental health - (D)	31
SCRBDPHY	Self-rated physical health - (D)	31
SCRBDSAT	Life satisfaction - (D)	30
SCRBFAGP	Flag: Respondent screened in agoraphobia module	34
SCRBFDEP	Flag: Respondent screened in depression module	32
SCRBFGAD	Flag: Respondent screened in GAD module	34
SCRBFMIA	Flag: Respondent screened in the mania module	32
SCRBFPAD	Flag: Respondent screened in the panic module	33
SCRBF SOP	Flag: Respondent screened in social phobia module	33

**SDC : Socio-Demographics Characteristics**

SDCB_1	Country of birth	1007
SDCB_2	Canadian citizen by birth	1008
SDCB_3	Year of immigration to Canada	1008
SDCB_4A	Ethnic origin - Canadian	1009
SDCB_4B	Ethnic origin - French	1009
SDCB_4C	Ethnic origin - English	1010
SDCB_4D	Ethnic origin - German	1010
SDCB_4E	Ethnic origin - Scottish	1011
SDCB_4F	Ethnic origin - Irish	1011
SDCB_4G	Ethnic origin - Italian	1012
SDCB_4H	Ethnic origin - Ukrainian	1012
SDCB_4I	Ethnic origin - Dutch (Netherlands)	1013
SDCB_4J	Ethnic origin - Chinese	1013

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 46

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SDCB_4K	Ethnic origin - Jewish	1014
SDCB_4L	Ethnic origin - Polish	1014
SDCB_4M	Ethnic origin - Portuguese	1015
SDCB_4N	Ethnic origin - South Asian	1015
SDCB_4O	Ethnic origin - Norwegian	1016
SDCB_4P	Ethnic origin - Welsh	1016
SDCB_4Q	Ethnic origin - Swedish	1017
SDCB_4R	Ethnic origin - Aboriginal	1017
SDCB_4S	Ethnic origin - other	1018
SDCB_5A	Can converse - English	1018
SDCB_5B	Can converse - French	1019
SDCB_5C	Can converse - Arabic	1019
SDCB_5D	Can converse - Chinese	1020
SDCB_5E	Can converse - Cree	1020
SDCB_5F	Can converse - German	1021
SDCB_5G	Can converse - Greek	1021
SDCB_5H	Can converse - Hungarian	1022
SDCB_5I	Can converse - Italian	1022
SDCB_5J	Can converse - Korean	1023
SDCB_5K	Can converse - Persian (Farsi)	1023
SDCB_5L	Can converse - Polish	1024
SDCB_5M	Can converse - Portuguese	1024
SDCB_5N	Can converse - Punjabi	1025
SDCB_5O	Can converse - Spanish	1025
SDCB_5P	Can converse - Tagalog (Pilipino)	1026
SDCB_5Q	Can converse - Ukrainian	1026
SDCB_5R	Can converse - Vietnamese	1027
SDCB_5S	Can converse - other language	1029
SDCB_5T	Can converse - Dutch	1027
SDCB_5U	Can converse - Hindi	1028
SDCB_5V	Can converse - Russian	1028
SDCB_5W	Can converse - Tamil	1029
SDCB_6A	First language learned and still understood - English	1030
SDCB_6B	First language learned and still understood - French	1030
SDCB_6C	First language learned and still understood - Arabic	1031
SDCB_6D	First language learned and still understood - Chinese	1031

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SDCB_6E	First language learned and still understood - Cree	1032
SDCB_6F	First language learned and still understood - German	1032
SDCB_6G	First language learned and still understood - Greek	1033
SDCB_6H	First language learned and still understood - Hungarian	1033
SDCB_6I	First language learned and still understood - Italian	1034
SDCB_6J	First language learned and still understood - Korean	1034
SDCB_6K	First language learned / still understood - Persian (Farsi)	1035
SDCB_6L	First language learned and still understood - Polish	1035
SDCB_6M	First language learned and still understood - Portuguese	1036
SDCB_6N	First language learned and still understood - Punjabi	1036
SDCB_6O	First language learned and still understood - Spanish	1037
SDCB_6P	First lang. learned / still understood - Tagalog (Pilipino)	1037
SDCB_6Q	First language learned and still understood - Ukrainian	1038
SDCB_6R	First language learned and still understood - Vietnamese	1038
SDCB_6S	First language learned and still understood - other	1041
SDCB_6T	First language learned and still understood - Dutch	1039
SDCB_6U	First language learned and still understood - Hindi	1039
SDCB_6V	First language learned and still understood - Russian	1040
SDCB_6W	First language learned and still understood - Tamil	1040
SDCB_7A	Cultural / racial origin - White	1041
SDCB_7B	Cultural / racial origin - Chinese	1042
SDCB_7C	Cultural / racial origin - South Asian	1042
SDCB_7D	Cultural / racial origin - Black	1043
SDCB_7E	Cultural / racial origin - Filipino	1043
SDCB_7F	Cultural / racial origin - Latin American	1044
SDCB_7G	Cultural / racial origin - South East Asian	1044
SDCB_7H	Cultural / racial origin - Arab	1045
SDCB_7I	Cultural / racial origin - West Asian	1045
SDCB_7J	Cultural / racial origin - Japanese	1046
SDCB_7K	Cultural / racial origin - Korean	1046
SDCB_7L	Cultural / racial origin - Aboriginal	1047
SDCB_7M	Cultural / racial origin - Other	1047
SDCB_8	Currently attending a school, college or university	1048
SDCB_9	Full-time student or part-time student	1048
SDCBCCB	Country of birth - (C)	1048
SDCBDAIM	Age at time of immigration - (D)	1049

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SDCBDLNG	Languages in which respondent can converse - (D)	1051
SDCBDRAC	Cultural / racial origin - (D)	1052
SDCBDRES	Length of time in Canada since immigration - (D)	1050
SDCBFIMM	Immigrant status	1050
SDCBGCB	Country of birth - (G)	1049
SDCBGCBG	Country of birth - (G)	1306
SDCBGLNG	Languages in which respondent can converse - (D,G)	1307
SDCBGRES	Length of time in Canada since immigration - (D,G)	1307
<b>SER : Mental Health Services Utilisation</b>		
SERB_02	Hospitalized for mental health/alcohol/drug - life	706
SERB_03	Nbr of times hosp. for mental health/alcohol/drug - life	706
SERB_05A	Reference period for single lifetime hospitalization	707
SERB_05B	Age - for single hospitalization dating more than a year ago	707
SERB_05C	Lifetime unique hospitalization - time period	708
SERB_05D	Lifetime unique hospitalization - Number of nights	708
SERB_05E	Lifetime unique hospitalization - Number of weeks	709
SERB_05F	Lifetime unique hospitalization - Number of months	709
SERB_05G	Lifetime unique hospitalization - Number of years	710
SERB_06	Age - at time of first admission for mental health	710
SERB_07	Total time spent in hospital due to mental health	711
SERB_07A	Total lifetime hospitalization - Number of days	711
SERB_07B	Total lifetime hospitalization - Number of weeks	712
SERB_07C	Total lifetime hospitalization - Number of months	712
SERB_07D	Total lifetime hospitalization - Number of years	713
SERB_08	Hospitalized for mental health/alcohol/drug - 12 mo	713
SERB_08A	Age - last time hospitalized	714
SERB_09	Total time spent in hospital due to mental health - 12 mo	714
SERB_09A	Total past 12 months hospitalization - Number of days	715
SERB_09B	Total past 12 months hospitalization - Number of weeks	715
SERB_09C	Total past 12 months hospitalization - Number of months	716
SERB_10A	Ever saw / talked to prof. - psychiatrist	716
SERB_10B	Ever saw / talked to prof. - family doctor or GP	717
SERB_10C	Ever saw / talked to prof. - other medical doctor	717
SERB_10D	Ever saw / talked to prof. - psychologist	718
SERB_10E	Ever saw / talked to prof. - nurse	718
SERB_10F	Ever saw / talked to prof. - social worker/counsellor/etc	719

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERB_10G	Ever saw / talked to prof. - religious / spiritual advisor	719
SERB_10H	Ever saw / talked to prof. - other professional	720
SERB_10I	Ever saw / talked to prof. - none	720
SERB_12	Had session of counselling / therapy of 15 minutes or longer	721
SERB_13	Age - first time had session of counselling / therapy	721
SERB_20	Age - first time consulted psychiatrist	722
SERB_21	Last time consulted psychiatrist	722
SERB_22	Age - last time consulted psychiatrist	723
SERB_23	Number of times consulted psychiatrist - 12 mo	723
SERB_24A	Contact psychiatrist - hospitalized as an overnight patient	724
SERB_24B	Contact psychiatrist - health professional's office	724
SERB_24C	Contact psychiatrist - hospital emergency room	725
SERB_24D	Contact psychiatrist - psychiatric outpatient clinic	725
SERB_24E	Contact psychiatrist - drug or alcohol outpatient clinic	726
SERB_24F	Contact psychiatrist - other hospital outpatient clinic	726
SERB_24G	Contact psychiatrist - walk-in clinic	727
SERB_24H	Contact psychiatrist - appointment clinic	727
SERB_24I	Contact psychiatrist - community health centre / CLSC	728
SERB_24J	Contact psychiatrist - at work	728
SERB_24K	Contact psychiatrist - at school	729
SERB_24L	Contact psychiatrist - at home	729
SERB_24M	Contact psychiatrist - telephone consultation only	730
SERB_24N	Contact psychiatrist - church or other religious place	730
SERB_24O	Contact psychiatrist - other	731
SERB_25	Psychiatrist - satisfaction with treatments/services	731
SERB_26	Psychiatrist - perceived level of help received from prof.	732
SERB_27	Psychiatrist - stopped seeing this professional	732
SERB_28A	Reason stopped - felt better	733
SERB_28B	Reason stopped - completed the recommended treatment	733
SERB_28C	Reason stopped - thought it was not helping	734
SERB_28D	Reason stopped - problem would get better without help	734
SERB_28E	Reason stopped - couldn't afford to pay	735
SERB_28F	Reason stopped - too embarrassed to see professional	735
SERB_28G	Reason stopped - wanted to solve the problem without help	736
SERB_28H	Reason stopped - problems like transportation, childcare	736
SERB_28I	Reason stopped - service / program no longer available	737

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 50

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SERB_28J	Reason stopped - not comfortable with prof. approach	737
SERB_28K	Reason stopped - other reason	738
SERB_29	Psychiatrist - recommended other professional	738
SERB_30	Age - first time consulted family doctor	739
SERB_31	Last time consulted family doctor	739
SERB_32	Age - last time consulted family doctor	740
SERB_33	Number of times consulted family doctor - 12 mo	740
SERB_34A	Contact family doctor - hospitalized as overnight patient	741
SERB_34B	Contact family doctor - health professional's office	741
SERB_34C	Contact family doctor - hospital emergency room	742
SERB_34D	Contact family doctor - psychiatric outpatient clinic	742
SERB_34E	Contact family doctor - drug or alcohol outpatient clinic	743
SERB_34F	Contact family doctor - other hospital outpatient clinic	743
SERB_34G	Contact family doctor - walk-in clinic	744
SERB_34H	Contact family doctor - appointment clinic	744
SERB_34I	Contact family doctor - community health centre / CLSC	745
SERB_34J	Contact family doctor - at work	745
SERB_34K	Contact family doctor - at school	746
SERB_34L	Contact family doctor - at home	746
SERB_34M	Contact family doctor - telephone consultation only	747
SERB_34N	Contact family doctor - church or other religious place	747
SERB_34O	Contact family doctor - other	748
SERB_35	Family doctor - satisfaction with treatments/services	748
SERB_36	Family doctor - perceived level of help received from prof.	749
SERB_37	Family doctor - stopped seeing prof.	749
SERB_38A	Reason stopped - felt better	750
SERB_38B	Reason stopped - completed the recommended treatment	750
SERB_38C	Reason stopped - thought it was not helping	751
SERB_38D	Reason stopped - problem would get better without help	751
SERB_38E	Reason stopped - couldn't afford to pay	752
SERB_38F	Reason stopped - too embarrassed to see professional	752
SERB_38G	Reason stopped - wanted to solve the problem without help	753
SERB_38H	Reason stopped - problems like transportation, childcare	753
SERB_38I	Reason stopped - service / program no longer available	754
SERB_38J	Reason stopped - not comfortable with prof. approach	754
SERB_38K	Reason stopped - other reason	755

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERB_39	Family doctor - recommended another professional	755
SERB_40A	Other doctor - cardiologist	756
SERB_40B	Other doctor - gynaecologist	756
SERB_40C	Other doctor - urologist	757
SERB_40D	Other doctor - allergist	757
SERB_40E	Other doctor - other	758
SERB_41	Other doctor consulted most often - 12 mo	758
SERB_42	Age - last time consulted other medical doctor	759
SERB_43	Number of times consulted other doctor - 12 mo	759
SERB_44A	Contact other doctor - hospitalized as overnight patient	760
SERB_44B	Contact other doctor - health professional's office	760
SERB_44C	Contact other doctor - hospital emergency room	761
SERB_44D	Contact other doctor - psychiatric outpatient clinic	761
SERB_44E	Contact other doctor - drug or alcohol outpatient clinic	762
SERB_44F	Contact other doctor - other hospital outpatient clinic	762
SERB_44G	Contact other doctor - walk-in clinic	763
SERB_44H	Contact other doctor - appointment clinic	763
SERB_44I	Contact other doctor - community health centre / CLSC	764
SERB_44J	Contact other doctor - at work	764
SERB_44K	Contact other doctor - at school	765
SERB_44L	Contact other doctor - at home	765
SERB_44M	Contact other doctor - telephone consultation only	766
SERB_44N	Contact other doctor - church or other religious place	766
SERB_44O	Contact other doctor - other	767
SERB_45	Other doctor - satisfaction with treatments/services	767
SERB_46	Other doctor - perceived level of help received from prof.	768
SERB_47	Other doctor - stopped seeing prof.	768
SERB_48A	Reason stopped - felt better	769
SERB_48B	Reason stopped - completed the recommended treatment	769
SERB_48C	Reason stopped - thought it was not helping	770
SERB_48D	Reason stopped - problem would get better without help	770
SERB_48E	Reason stopped - couldn't afford to pay	771
SERB_48F	Reason stopped - too embarrassed to see professional	771
SERB_48G	Reason stopped - wanted to solve the problem without help	772
SERB_48H	Reason stopped - problems like transportation, childcare	772
SERB_48I	Reason stopped - service / program no longer available	773

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SERB_48J	Reason stopped - not comfortable with prof. approach	773
SERB_48K	Reason stopped - other reason	774
SERB_49	Other doctor - recommended other professional	774
SERB_50	Age - first time consulted psychologist	775
SERB_51	Last time consulted psychologist	775
SERB_52	Age - last time consulted psychologist	776
SERB_53	Number of times consulted psychologist - 12 mo	776
SERB_54A	Contact psychologist - hospitalized as an overnight patient	777
SERB_54B	Contact psychologist - health professional's office	777
SERB_54C	Contact psychologist - hospital emergency room	778
SERB_54D	Contact psychologist - psychiatric outpatient clinic	778
SERB_54E	Contact psychologist - drug or alcohol outpatient clinic	779
SERB_54F	Contact psychologist - other hospital outpatient clinic	779
SERB_54G	Contact psychologist - walk-in clinic	780
SERB_54H	Contact psychologist - appointment clinic	780
SERB_54I	Contact psychologist - community health centre / CLSC	781
SERB_54J	Contact psychologist - at work	781
SERB_54K	Contact psychologist - at school	782
SERB_54L	Contact psychologist - at home	782
SERB_54M	Contact psychologist - telephone consultation only	783
SERB_54N	Contact psychologist - church or other religious place	783
SERB_54O	Contact psychologist - other	784
SERB_55	Psychologist - satisfaction with treatments/services - 12 mo	784
SERB_56	Psychologist - perceived level of help received from prof.	785
SERB_57	Psychologist - stopped seeing this professional	785
SERB_58A	Reason stopped - felt better	786
SERB_58B	Reason stopped - completed the recommended treatment	786
SERB_58C	Reason stopped - thought it was not helping	787
SERB_58D	Reason stopped - problem would get better without help	787
SERB_58E	Reason stopped - couldn't afford to pay	788
SERB_58F	Reason stopped - too embarrassed to see professional	788
SERB_58G	Reason stopped - wanted to solve the problem without help	789
SERB_58H	Reason stopped - problems like transportation, childcare	789
SERB_58I	Reason stopped - service / program no longer available	790
SERB_58J	Reason stopped - not comfortable with prof. approach	790
SERB_58K	Reason stopped - other reason	791

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SERB_59	Insurance covers all/part of cost with psychologist	791
SERB_59A	Psychologist - recommended other professional	792
SERB_60	Age - first time consulted nurse	792
SERB_61	Last time consulted nurse	793
SERB_62	Age - last time consulted nurse	793
SERB_63	Number of times consulted nurse - 12 mo	794
SERB_64A	Contact nurse - hospitalized as an overnight patient	794
SERB_64B	Contact nurse - health professional's office	795
SERB_64C	Contact nurse - hospital emergency room	795
SERB_64D	Contact nurse - psychiatric outpatient clinic	796
SERB_64E	Contact nurse - drug or alcohol outpatient clinic	796
SERB_64F	Contact nurse - other hospital outpatient clinic	797
SERB_64G	Contact nurse - walk-in clinic	797
SERB_64H	Contact nurse - appointment clinic	798
SERB_64I	Contact nurse - community health centre / CLSC	798
SERB_64J	Contact nurse - at work	799
SERB_64K	Contact nurse - at school	799
SERB_64L	Contact nurse - at home	800
SERB_64M	Contact nurse - telephone consultation only	800
SERB_64N	Contact nurse - church or other religious place	801
SERB_64O	Contact nurse - other	801
SERB_65	Nurse - satisfaction with treatments/services - 12 mo	802
SERB_66	Nurse - perceived level of help received from prof.	802
SERB_67	Nurse - stopped seeing this professional	803
SERB_68A	Reason stopped - felt better	803
SERB_68B	Reason stopped - completed the recommended treatment	804
SERB_68C	Reason stopped - thought it was not helping	804
SERB_68D	Reason stopped - problem would get better without help	805
SERB_68E	Reason stopped - couldn't afford to pay	805
SERB_68F	Reason stopped - too embarrassed to see professional	806
SERB_68G	Reason stopped - wanted to solve the problem without help	806
SERB_68H	Reason stopped - problems like transportation, childcare	807
SERB_68I	Reason stopped - service / program no longer available	807
SERB_68J	Reason stopped - not comfortable with prof. approach	808
SERB_68K	Reason stopped - other reason	808
SERB_69	Insurance covers all/part of cost with nurse	809

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERB_69A	Nurse - recommended other professional	809
SERB_70	Age - first time consulted social worker	810
SERB_71	Last time consulted social worker	810
SERB_72	Age - last time consulted social worker	811
SERB_73	Number of times consulted social worker - 12 mo	811
SERB_74A	Contact social worker - hospitalized as an overnight patient	812
SERB_74B	Contact social worker - health professional's office	812
SERB_74C	Contact social worker - hospital emergency room	813
SERB_74D	Contact social worker - psychiatric outpatient clinic	813
SERB_74E	Contact social worker - drug or alcohol outpatient clinic	814
SERB_74F	Contact social worker - other hospital outpatient clinic	814
SERB_74G	Contact social worker - walk-in clinic	815
SERB_74H	Contact social worker - appointment clinic	815
SERB_74I	Contact social worker - community health centre / CLSC	816
SERB_74J	Contact social worker - at work	816
SERB_74K	Contact social worker - at school	817
SERB_74L	Contact social worker - at home	817
SERB_74M	Contact social worker - telephone consultation only	818
SERB_74N	Contact social worker - church or other religious place	818
SERB_74O	Contact social worker - other	819
SERB_75	Social worker - satisfaction with treatments/services	819
SERB_76	Social worker - perceived level of help received from prof.	820
SERB_77	Social worker - stopped seeing this professional	820
SERB_78A	Reason stopped - felt better	821
SERB_78B	Reason stopped - completed the recommended treatment	821
SERB_78C	Reason stopped - thought it was not helping	822
SERB_78D	Reason stopped - problem would get better without help	822
SERB_78E	Reason stopped - couldn't afford to pay	823
SERB_78F	Reason stopped - too embarrassed to see professional	823
SERB_78G	Reason stopped - wanted to solve the problem without help	824
SERB_78H	Reason stopped - problems like transportation, childcare	824
SERB_78I	Reason stopped - service / program no longer available	825
SERB_78J	Reason stopped - not comfortable with prof. approach	825
SERB_78K	Reason stopped - other reason	826
SERB_79	Insurance covers all/part of cost with social worker	826
SERB_79A	Social worker - recommended other professional	827

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERB_80	Age - first time consulted religious advisor	827
SERB_81	Last time consulted religious advisor	828
SERB_82	Age - last time consulted religious advisor	828
SERB_83	Number of times consulted religious advisor - 12 mo	829
SERB_84A	Contact religious advisor - hosp as an overnight patient	829
SERB_84B	Contact religious advisor - health professional's office	830
SERB_84C	Contact religious advisor - hospital emergency room	830
SERB_84D	Contact religious advisor - psychiatric outpatient clinic	831
SERB_84E	Contact relig advisor - drug or alcohol outpatient clinic	831
SERB_84F	Contact religious advisor - other hospital outpatient clinic	832
SERB_84G	Contact religious advisor - walk-in clinic	832
SERB_84H	Contact religious advisor - appointment clinic	833
SERB_84I	Contact religious advisor - community health centre / CLSC	833
SERB_84J	Contact religious advisor - at work	834
SERB_84K	Contact religious advisor - at school	834
SERB_84L	Contact religious advisor - at home	835
SERB_84M	Contact religious advisor - telephone consultation only	835
SERB_84N	Contact religious advisor - church or other religious place	836
SERB_84O	Contact religious advisor - other	836
SERB_85	Religious advisor - satisfaction with treatments/services	837
SERB_86	Religious adv - perceived level of help received from prof.	837
SERB_87	Religious advisor - stopped seeing this professional	838
SERB_88A	Reason stopped - felt better	838
SERB_88B	Reason stopped - completed the recommended treatment	839
SERB_88C	Reason stopped - thought it was not helping	839
SERB_88D	Reason stopped - problem would get better without help	840
SERB_88E	Reason stopped - couldn't afford to pay	840
SERB_88F	Reason stopped - too embarrassed to see professional	841
SERB_88G	Reason stopped - wanted to solve the problem without help	841
SERB_88H	Reason stopped - problems like transportation, childcare	842
SERB_88I	Reason stopped - service / program no longer available	842
SERB_88J	Reason stopped - not comfortable with prof. approach	843
SERB_88K	Reason stopped - other reason	843
SERB_89	Religious advisor - recommend other professional	844
SERB_90A	Other professional - acupuncturist	844
SERB_90B	Other professional - biofeedback teacher	845

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 56

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SERB_90C	Other professional - chiropractor	845
SERB_90D	Other professional - energy healing specialist	846
SERB_90E	Other professional - exercise or movement therapist	846
SERB_90F	Other professional - herbalist	847
SERB_90G	Other professional - homeopath or naturopath	847
SERB_90H	Other professional - hypnotist	848
SERB_90I	Other professional - guided imagery specialist	848
SERB_90J	Other professional - massage therapist	849
SERB_90K	Other professional - relaxation, yoga or meditation	849
SERB_90L	Other professional - dietician	850
SERB_90M	Other professional - other	850
SERB_91	Other professional consulted most often - 12 mo	851
SERB_92	Age - last time consulted other professional	852
SERB_93	Number of times consulted other professional - 12 mo	852
SERB_94A	Contact other prof. - hospitalized as an overnight patient	853
SERB_94B	Contact other prof. - health professional's office	853
SERB_94C	Contact other prof. - hospital emergency room	854
SERB_94D	Contact other prof. - psychiatric outpatient clinic	854
SERB_94E	Contact other prof. - drug or alcohol outpatient clinic	855
SERB_94F	Contact other prof. - other hospital outpatient clinic	855
SERB_94G	Contact other prof. - walk-in clinic	856
SERB_94H	Contact other prof. - appointment clinic	856
SERB_94I	Contact other prof. - community health centre / CLSC	857
SERB_94J	Contact other prof. - at work	857
SERB_94K	Contact other prof. - at school	858
SERB_94L	Contact other prof. - at home	858
SERB_94M	Contact other prof. - telephone consultation only	859
SERB_94N	Contact other prof. - church or other religious place	859
SERB_94O	Contact other prof. - other	860
SERB_95	Other prof. - satisfaction with treatments/services - 12 mo	860
SERB_96	Other prof. - perceived level of help received from prof.	861
SERB_97	Other prof. - stopped seeing this professional	861
SERB_98A	Reason stopped - felt better	862
SERB_98B	Reason stopped - completed the recommended treatment	862
SERB_98C	Reason stopped - thought it was not helping	863
SERB_98D	Reason stopped - problem would get better without help	863

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERB_98E	Reason stopped - couldn't afford to pay	864
SERB_98F	Reason stopped - too embarrassed to see professional	864
SERB_98G	Reason stopped - wanted to solve the problem without help	865
SERB_98H	Reason stopped - problems like transportation, childcare	865
SERB_98I	Reason stopped - service / program no longer available	866
SERB_98J	Reason stopped - not comfortable with prof. approach	866
SERB_98K	Reason stopped - other reason	867
SERB_98L	Reason stopped - none	867
SERB_99	Insurance covers all/part of cost with other prof.	868
SERB_99A	Other professional - recommended other professional	868
SERB_A0A	Used an internet support group / chat room - life	869
SERB_A0B	Last time used internet support group / chat room	869
SERB_A0C	Nbr of times internet support group / chat room - 12 mo	870
SERB_A1A	Self-help group for help with emotions - life	870
SERB_A1B	Age - first time went to self-help group	871
SERB_A1C	Last time went to self-help group	871
SERB_A1D	Nbr of times went to meeting of self-help group - 12 mo	872
SERB_A2A	Used telephone helpline for mental health - life	872
SERB_A2B	Age - first time used telephone helpline	873
SERB_A2C	Last time used telephone helpline	873
SERB_A2D	Number of times used telephone helpline - 12 mo	874
SERB_A3	Needed help for emotions but didn't receive it	874
SERB_A4A	Help needed - info on mental illness / treatments	875
SERB_A4B	Help needed - info on availability of services	875
SERB_A4C	Help needed - medication	876
SERB_A4D	Help needed - therapy or counselling	876
SERB_A4E	Help needed - for financial problems	877
SERB_A4F	Help needed - for housing problems	877
SERB_A4G	Help needed - for personal relationships	878
SERB_A4H	Help needed - for employment status / work situation	878
SERB_A4I	Help needed - other	879
SERB_A5A	Reason no help - preferred to manage him/herself	879
SERB_A5B	Reason no help - didn't think anything more could help	880
SERB_A5C	Reason no help - didn't know how or where to get help	880
SERB_A5D	Reason no help - afraid to ask help / what others think	881
SERB_A5E	Reason no help - couldn't afford to pay	881

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERB_A5F	Reason no help - prob like transp, childcare, scheduling	882
SERB_A5G	Reason no help - professional unavailable in area	882
SERB_A5H	Reason no help - professional unavailable at time	883
SERB_A5I	Reason no help - waiting time too long	883
SERB_A5J	Reason no help - didn't get around to it / didn't bother	884
SERB_A5K	Reason no help - language problems	884
SERB_A5L	Reason no help - personal/family responsibilities	885
SERB_A5M	Reason no help - other	885
SERB_A7	Amount spent on mental health services/products - 12 mo	886
SERBDHDY	Total nbr of days hospitalized for mental hlth. - life (D)	887
SERBDRCT	Number of resources used for mental health - life - (D)	889
SERBDYCT	Number of resources used for mental health - 12 mo	890
SERBFACP	Flag: Acceptability barriers - mental health	891
SERBFACS	Flag: Accessibility barriers - mental health	890
SERBFAVA	Flag: Availability barriers - mental health	891
SERBFHYR	Flag: Hospitalization for mental health - 12 mo	887
SERBFLAP	Flag: Professional consultations for mental health - life	888
SERBFLHO	Flag: Hospitalization for mental health - life	886
SERBFLRU	Flag: Resources used for mental health - life	888
SERBFYRU	Number of resources used for mental health - 12 mo	889
SERBG03	Nbr of times hosp. for mental health/alcohol/drug - life	1253
SERBG05B	Age - for single hospit. dating more than a year ago - (G)	1254
SERBG06	Age - at time of first admission for mental health - (G)	1255
SERBG08A	Age - last time hospitalized - (G)	1256
SERBG09	Total time spent hospital due to mental hlth - 12 mo - (G)	1257
SERBG13	Age - first time had session of counselling / therapy - (G)	1258
SERBG20	Age - first time consulted psychiatrist - (G)	1259
SERBG22	Age - last time consulted psychiatrist - (G)	1260
SERBG23	Number of times consulted psychiatrist - 12 mo - (G)	1261
SERBG24F	Contact psychiatrist - outpatient clinic - (G)	1261
SERBG24I	Contact psychiatrist - other clinic - (G)	1262
SERBG24O	Contact psychiatrist - work, school, other - (G)	1262
SERBG30	Age - first time consulted family doctor - (G)	1263
SERBG32	Age - last time consulted family doctor - (G)	1264
SERBG33	Number of times consulted family doctor - 12 mo - (G)	1265
SERBG34F	Contact family doctor - outpatient clinic - (G)	1265

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERBG34I	Contact family doctor - other clinic - (G)	1266
SERBG34O	Contact family doctor - work, school, other - (G)	1266
SERBG42	Age - last time consulted other medical doctor - (G)	1267
SERBG43	Number of times consulted other doctor - 12 mo - (G)	1268
SERBG44F	Contact other doctor - outpatient clinic - (G)	1268
SERBG44I	Contact other med. doctor - other clinic - (G)	1269
SERBG44O	Contact other doctor - work, school, other - (G)	1269
SERBG50	Age - first time consulted psychologist - (G)	1270
SERBG52	Age - last time consulted psychologist - (G)	1271
SERBG53	Number of times consulted psychologist - 12 mo - (G)	1272
SERBG54F	Contact psychologist - outpatient clinic - (G)	1272
SERBG54I	Contact psychologist - other clinic - (G)	1273
SERBG54O	Contact psychologist - work, school, other - (G)	1273
SERBG60	Age - first time consulted nurse - (G)	1274
SERBG62	Age - last time consulted nurse - (G)	1275
SERBG63	Number of times consulted nurse - 12 mo - (G)	1276
SERBG64F	Contact nurse - outpatient clinic - (G)	1276
SERBG64I	Contact nurse - other clinic - (G)	1277
SERBG64O	Contact nurse - work, school, other - (G)	1277
SERBG70	Age - first time consulted social worker - (G)	1278
SERBG72	Age - last time consulted social worker - (G)	1279
SERBG73	Number of times consulted social worker - 12 mo - (G)	1280
SERBG74F	Contact social worker - outpatient clinic - (G)	1280
SERBG74I	Contact social worker - other clinic - (G)	1281
SERBG74O	Contact social worker - work, school, other - (G)	1281
SERBG80	Age - first time consulted religious advisor - (G)	1282
SERBG82	Age - last time consulted religious advisor - (G)	1283
SERBG83	Number of times consulted religious advisor - 12 mo - (G)	1284
SERBG84F	Contact religious advisor - outpatient clinic - (G)	1284
SERBG84I	Contact religious advisor - other clinic - (G)	1285
SERBG84O	Contact religious advisor - work, school, other - (G)	1285
SERBG92	Age - last time consulted other professional - (G)	1286
SERBG93	Number of times consulted other professional - 12 mo - (G)	1287
SERBG94F	Contact other prof. - outpatient clinic - (G)	1287
SERBG94I	Contact other prof. - other clinic - (G)	1288
SERBG94O	Contact other prof. - work, school, other - (G)	1288

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SERBGA0C	Nbr times internet support group / chat room - 12 mo - (G)	1289
SERBGA1B	Age - first time went to self-help group - (G)	1290
SERBGA1D	Nbr times went to meeting of self-help group - 12 mo - (G)	1291
SERBGA2B	Age - first time used telephone helpline - (G)	1292
SERBGA2D	Number of times used telephone helpline - 12 mo - (G)	1293
SERBGA7	Amount spent on mental hlth services/products - 12 mo - (G)	1293
SERBGHDY	Length of time hospitalized for ment.hlth. - life - (D,G)	1294
<b>SOP : Social Phobia</b>		
AGPBG13A	Longest period unable to leave home - (G)	1237
SOPB_01A	Uneasy - meeting new people	426
SOPB_01B	Uneasy - talking to people in authority	427
SOPB_01C	Uneasy - speaking up in a meeting / class	427
SOPB_01D	Uneasy - going to parties / other social gatherings	428
SOPB_01E	Uneasy - performing / giving a talk	428
SOPB_01F	Uneasy - taking exam / interviewing for job	429
SOPB_01G	Uneasy - working while someone watches you	429
SOPB_01H	Uneasy - entering room when others already present	430
SOPB_01I	Uneasy - talking with people who don't know well	430
SOPB_01J	Uneasy - expressing disagreement to people don't know well	431
SOPB_01K	Uneasy - writing, eating, drinking while someone watches	431
SOPB_01L	Uneasy - using public bathroom	432
SOPB_01M	Uneasy - going on a date	432
SOPB_01N	Uneasy - other social situation where centre of attention	433
SOPB_031	Remembered exactly age of very first social fear	433
SOPB_032	Remembered exactly age of very first social fear	434
SOPB_03A	Age - exactly first time had social fear	434
SOPB_03B	Age - approximately first time had social fear	435
SOPB_06A	Age - when first started avoiding social situation	436
SOPB_08A	Symptom - was blushing or shaking	437
SOPB_08B	Symptom - feared losing bowel / bladder control	437
SOPB_08C	Symptom - feared might vomit	438
SOPB_09A	Symptom - had heart pounding / racing	438
SOPB_09B	Symptom - was sweating	439
SOPB_09C	Symptom - was trembling	439
SOPB_09D	Symptom - felt sick to stomach	440
SOPB_09E	Symptom - had dry mouth	440

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 61

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
SOPB_09F	Symptom - had hot flushes or chills	441
SOPB_09G	Symptom - felt numbness / tingling sensations	441
SOPB_09H	Symptom - had trouble breathing normally	442
SOPB_09I	Symptom - felt like was choking	442
SOPB_09J	Symptom - had pain / discomfort in chest	443
SOPB_09K	Symptom - felt dizzy / faint	443
SOPB_09L	Symptom - was afraid might die	444
SOPB_09M	Symptom - feared might lose control, go crazy or pass out	444
SOPB_09N	Symptom - felt like "not really there"	445
SOPB_09O	Symptom - felt things were not real	445
SOPB_10	Symptom - was afraid might have a panic attack	446
SOPB_10A	Symptom - had a panic attack in this situation	446
SOPB_11	Symptom - was afraid might be trapped / unable to escape	447
SOPB_12	Symptom - was afraid might do something embarrassing	447
SOPB_12A	Symptom - was afraid might embarrass other people	448
SOPB_13	Symptom - was afraid people might think negatively	448
SOPB_14	Symptom - was afraid to be focus of attention	449
SOPB_14A	Reason associated with social fear	449
SOPB_15	Fear related to embarrassment about physical/mental problem	450
SOPB_15A	Problem - emotional or mental health condition	450
SOPB_15B	Problem - alcohol or drug	451
SOPB_15C	Problem - speech, vision or hearing	451
SOPB_15D	Problem - movement or coordination	452
SOPB_15E	Problem - facial/body disfigurement, weight/body image	452
SOPB_15F	Problem - bad odour/sweating	453
SOPB_15G	Problem - other physical health problem	453
SOPB_15H	Problem - pregnancy	454
SOPB_16	Social fear interfered with work/social/relationships	454
SOPB_17	Felt upset / worried / disappointed because of social fear	455
SOPB_18	Last time feared / avoided social situation	455
SOPB_18A	Age - last time feared / avoided social situation	456
SOPB_19	Severity of fear if had to face situation today	456
SOPB_20	Frequency - avoided feared social situation - 12 mo	457
SOPB_211	Level of interference - ability to attend school - 12 mo	459
SOPB_212	Level of interference - ability to work at a job - 12 mo	460
SOPB_21A	Level of interference - home responsibilities - 12 mo	458

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SOPB_21C	Level of interference - close relationships - 12 mo	461
SOPB_21D	Level of interference - social life - 12 mo	462
SOPB_23	Nbr of days/365 totally unable because of fear - 12 mo	463
SOPB_25	Consulted MD / other prof. about social fear	463
SOPB_25A	Age - first time consulted prof. about social fear	464
SOPB_36	Received helpful / effective treatment for social fear	464
SOPB_36A	Age - first time got helpful treatment for social fear	465
SOPB_36B	Number of prof. consulted before helpful treatment	465
SOPB_36C	Total nbr of prof. consulted about social fear - life	466
SOPB_38	Received prof. treatment for social fear - 12 mo	466
SOPB_39	Hospitalized overnight for social fear - life	467
SOPB_391	Number of relatives with strong social fear	468
SOPB_39A	Age - first time hospitalized overnight for social fear	467
SOPB_3B1	Life period when first time had social fear	435
SOPB_6A1	Life period when started avoiding social situation	436
SOPBD09	Criterion D, Part 2B - (D)	471
SOPBD215	Criterion E, Part 1A - (D)	473
SOPBDA	Criterion A, Part 1 and 2 - (D)	469
SOPBDA1	Criterion A, Part 1 - (D)	468
SOPBDA2	Criterion A, Part 2 - (D)	469
SOPBDB	Criterion B - (D)	470
SOPBDC	Criterion C - (D)	470
SOPBDD	Criterion D, Part 1 and 2 - (D)	472
SOPBDD1	Criterion D, Part 1 - (D)	471
SOPBDD2	Criterion D, Part 2 - (D)	472
SOPBDE	Criterion E, Part 1 and 2 - (D)	473
SOPBDF	Criterion F, Part 1 and 2 - (D)	475
SOPBDF1	Criterion F, Part 1 - (D)	474
SOPBDF2	Criterion F, Part 2 - (D)	474
SOPBDINT	Social Phobia Interference - Mean - (D)	479
SOPBDON	Age at social phobia onset - (D)	476
SOPBDPY	Social Phobia Algorithm - 12 month - (D)	478
SOPBDREC	Age at most recent social phobia episode - (D)	476
SOPBDSP	Social Phobia Algorithm - Life - (D)	475
SOPBDYA	Criterion A - 12 month - (D)	477
SOPBDYB	Criterion B - 12 month - (D)	477

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SOPBDYC	Criterion C - Interference - (D)	478
SOPBFINT	Flag: Social Phobia Interference	479
SOPBG03A	Age - exactly first time had social fear - (G)	1222
SOPBG03B	Age - approximately first time had social fear - (G)	1223
SOPBG06A	Age - when first started avoiding social situation - (G)	1224
SOPBG18A	Age - last time feared / avoided social situation - (G)	1225
SOPBG25A	Age - first time consulted prof. about social fear - (G)	1226
SOPBG36A	Age - first time got helpful treatment for social fear - (G)	1227
SOPBG36B	Number of prof. consulted before helpful treatment - (G)	1228
SOPBG36C	Total nbr of prof. consulted about social fear - life - (G)	1229
SOPBG391	Number of relatives with strong social fear - (G)	1231
SOPBG39A	Age - 1st time hospitalized overnight for social fear - (G)	1230
SOPBGON	Age at social phobia onset - (D,G)	1232
SOPBGREC	Age at most recent social phobia episode - (D,G)	1233
<b>SPV : Spiritual Values</b>		
SPVB_1	Spiritual values - playing important role in life	1062
SPVB_2	Spiritual values - helping to find meaning to life	1063
SPVB_3	Spiritual values - strength for everyday difficulties	1063
SPVB_4	Spiritual values - understanding difficulties of life	1064
SPVB_5	Respondent's religion	1065
SPVB_6	Frequency - Attends religious services or meetings	1066
SPVB_7	Self-perception - being religious	1067
<b>SSM : Social Support</b>		
SSMB_01	Number of close friends and relatives	983
SSMB_02	Has someone to give help if confined to bed	984
SSMB_03	Has someone to listen	985
SSMB_04	Has someone to give advice about a crisis	986
SSMB_05	Has someone to take to doctor	987
SSMB_06	Has someone who shows love and affection	988
SSMB_07	Has someone to have a good time with	989
SSMB_08	Has someone who gives information to understand a situation	990
SSMB_09	Has someone to confide in	991
SSMB_10	Has someone who gives hugs	991
SSMB_11	Has someone to get together with for relaxation	992
SSMB_12	Has someone to prepare meals	993

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
SSMB_13	Has someone to give advice	994
SSMB_14	Has someone to do things to get mind off things	995
SSMB_15	Has someone to help with daily chores if sick	996
SSMB_16	Has someone to share most private worries and fears with	997
SSMB_17	Has someone to turn to for suggestions for personal problems	998
SSMB_18	Has someone to do something enjoyable with	999
SSMB_19	Has someone who understands problems	1000
SSMB_20	Has someone who loves and makes feel wanted	1001
SSMB_21A	Received tangible social support - 12 mo	1001
SSMB_21B	Frequency of tangible social support - 12 mo	1002
SSMB_22A	Received affective support - 12 mo	1002
SSMB_22B	Frequency of affective support - 12 mo	1003
SSMB_23A	Received positive social interactive support - 12 mo	1003
SSMB_23B	Frequency of positive social interactive support - 12 mo	1004
SSMB_24A	Received emotional/informational support - 12 mo	1004
SSMB_24B	Frequency of emtional/informational support - 12 mo	1005
SSMBDAFF	Affection - MOS subscale - (D)	1006
SSMBDEMO	Emotional or informational support - MOS subscale - (D)	1006
SSMBDSOC	Positive social interaction - MOS subscale - (D)	1006
SSMBDTNG	Tangible social support - MOS subscale - (D)	1005
<b>STR : Stress</b>		
STRB_1	Self-perceived ability to handle unexpected problem	125
STRB_2	Self-perceived ability to handle day-to-day demands	126
STRB_3	Most important source of feelings of stress	127
STRB_61	Frequency - coping - problem solving	128
STRB_610	Frequency - coping - blaming oneself	134
STRB_611	Frequency - coping - wishing situation would go away	134
STRB_62	Frequency - coping - talking to others	128
STRB_63	Frequency - coping - avoiding being with people	129
STRB_64	Frequency - coping - sleeping more than usual	129
STRB_65A	Frequency - coping - eating more or less than usual	130
STRB_65B	Frequency - coping - smoking more cigarettes than usual	130
STRB_65C	Frequency - coping - drinking alcohol	131
STRB_65D	Frequency - coping - using drugs or medication	131
STRB_66	Frequency - coping - jogging or other exercise	132
STRB_67	Frequency - coping - praying or seeking spiritual help	132

CCHS Cycle 1.2: Topical Index  
 Master File (Integrated) - Rounded  
 SEPTEMBER 2004

Variable Name	Description	Page
STRB_68	Frequency - coping - doing something enjoyable	133
STRB_69	Frequency - coping - looking on the bright side of things	133
<b>TWD : Two-Week Disability</b>		
TWDB_1	Stayed in bed - because of illness or injury	689
TWDB_2	Stayed in bed - number of days	690
TWDB_2A	Single day when stayed in bed is due to mental health	691
TWDB_2B	Number of days when stayed in bed is due to mental health	692
TWDB_3	Reduced activities - because of illness or injury	693
TWDB_4	Reduced activities - number of days	694
TWDB_4A	Single day when reduced activities is due to mental health	695
TWDB_4B	Nber of days when reduced activities is due to mental health	696
TWDB_5A	Took extra effort - because of illness or injury	697
TWDB_6	Number of days requiring extra effort	698
TWDB_6A	Single day when extra effort is due to mental health	699
TWDB_6B	Number of days when extra effort is due to mental health	700
TWDBDDDY	Total number of disability days in past 14 days - (D)	701
TWDBDMH	Total number of disability days due to mental health - (D)	705
TWDBDMQ2	Number of days spent in bed due to mental health - (D)	702
TWDBDMQ4	Nber of days reduced activities due to mental health - (D)	703
TWDBDMQ6	Nber of days requiring extra effort due mental health - (D)	704
<b>WST : Work Stress</b>		
WSTB_401	Work stress - must learn new things	1090
WSTB_402	Work stress - high level of skill	1091
WSTB_403	Work stress - freedom to decide	1092
WSTB_404	Work stress - repetitive tasks	1093
WSTB_405	Work stress - job hectic	1094
WSTB_406	Work stress - free from conflicting demands	1095
WSTB_407	Work stress - good job security	1096
WSTB_408	Work stress - required a lot of physical effort	1097
WSTB_409	Work stress - had own job input	1098
WSTB_410	Work stress - hostility or conflict with others	1099
WSTB_411	Work stress - supervisor helpful	1100
WSTB_412	Work stress - co-workers helpful	1101
WSTB_413	Work stress - job satisfaction	1101
WSTBDAUT	Work stress - decision latitude / authority - (D)	1103

---

CCHS Cycle 1.2: Topical Index  
Master File (Integrated) - Rounded  
SEPTEMBER 2004

Page 66

---

<b>Variable Name</b>	<b>Description</b>	<b>Page</b>
WSTBDJIN	Work stress - job insecurity - (D)	1105
WSTBDPHY	Work stress - physical exertion - (D)	1105
WSTBDPSY	Work stress - psychological demands - (D)	1104
WSTBDSKI	Work stress - decision latitude / discretion - (D)	1102
WSTBDSOC	Work stress - social support - (D)	1106
<b>WTS : Weights</b>		
WTSB_M	Sampling weight - master weight	1126
WTSB_S	Sampling weight - share weight	1126