
CCHS Cycle 1.2: Alphabetic Index

Page 1

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
ADMB_DAT	Date of interview	ADM	6
ADMB_ENT	Identifier of person providing household information	ADM	6
ADMB_LHH	Language of preference - household interview	ADM	9
ADMB_N10	Respondent alone during interview	ADM	8
ADMB_N12	Language of interview	ADM	9
ADMB_RNO	Sequential Record Number	ADM	1127
ADMB_STA	Response status after processing	ADM	6
ADMBDN09	Interview by telephone or in person	ADM	8
AGPB_01A	Feared - being home alone	AGP	480
AGPB_01B	Feared - being in crowds	AGP	480
AGPB_01C	Feared - travelling away from home	AGP	481
AGPB_01D	Feared - travelling / being alone away from home	AGP	481
AGPB_01E	Feared - using public transportation	AGP	482
AGPB_01F	Feared - driving a car	AGP	482
AGPB_01G	Feared - standing in a line in a public place	AGP	483
AGPB_01H	Feared - being in a store	AGP	483
AGPB_01I	Feared - being in a movie theatre, auditorium, church	AGP	484
AGPB_01J	Feared - being in a restaurant / other public place	AGP	484
AGPB_01K	Feared - being in a wide, open field or street	AGP	485
AGPB_02	Agora fear ever caused by social/performance fear	AGP	485
AGPB_02A	Agora fear always caused by social/performance fear	AGP	486
AGPB_031	Remembered exactly age very first time had agora fear	AGP	486
AGPB_03A	Age - exactly first time had agora fear	AGP	487
AGPB_03B	Age - approximately first time had agora	AGP	487
AGPB_04A	Fear type - being alone or separated from loved ones	AGP	488
AGPB_04B	Fear type - some real danger like being robbed or assaulted	AGP	489
AGPB_04C	Fear type - might get sick to stomach / have diarrhea	AGP	489
AGPB_04D	Fear type - might have a panic attack	AGP	490
AGPB_04E	Fear type - might have heart attack / other emergency	AGP	490
AGPB_04F	Fear type - might become physically ill /without help	AGP	491
AGPB_04G	Fear type - might be difficult, embarrassing to escape	AGP	491
AGPB_04H	Fear type - some other terrible thing might happen	AGP	492
AGPB_06	Age - very first time started avoiding agora situations	AGP	492
AGPB_061	Life period when first time avoided agora situations	AGP	493
AGPB_08	Particular incident caused very first agora fear	AGP	493
AGPB_08A	Had panic attack as a result of particular incident	AGP	494

CCHS Cycle 1.2: Alphabetic Index

Page 2

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
AGPB_09A	Symptom - had heart pounding / racing	AGP	494
AGPB_09B	Symptom - was sweating	AGP	495
AGPB_09C	Symptom - was trembling or shaking	AGP	495
AGPB_09D	Symptom - had a dry mouth	AGP	496
AGPB_11A	Symptom - had trouble breathing normally	AGP	496
AGPB_11B	Symptom - felt like was choking	AGP	497
AGPB_11C	Symptom - had chest pain or discomfort	AGP	497
AGPB_11D	Symptom - was nauseous or sick to stomach	AGP	498
AGPB_11E	Symptom - was dizzy or faint	AGP	498
AGPB_11F	Symptom - feared might lose control, go crazy or pass out	AGP	499
AGPB_11G	Symptom - was afraid you might die	AGP	499
AGPB_11H	Symptom - had hot flushes or chills	AGP	500
AGPB_11I	Symptom - had numbness or tingling sensations	AGP	500
AGPB_11J	Symptom - felt like was not really there	AGP	501
AGPB_11K	Symptom - felt like things around were not real	AGP	501
AGPB_13	Unable to leave home for entire day because of fear	AGP	502
AGPB_13A	Length of longest period unable to leave home	AGP	502
AGPB_13B	Longest period unable to leave home - number of days	AGP	503
AGPB_13C	Longest period unable to leave home - number of weeks	AGP	503
AGPB_13D	Longest period unable to leave home - number of months	AGP	504
AGPB_13E	Longest period unable to leave home - number of years	AGP	504
AGPB_14	Unable to leave home unless accompanied	AGP	505
AGPB_15	Fear / avoidance interfered with work/social/relationships	AGP	506
AGPB_16	Emotionally upset/worried because of fear / avoidance	AGP	507
AGPB_17	Strongly feared or avoided agora situations - 12 mo	AGP	507
AGPB_17A	Reference period of most recent agora fear/avoidance - 12 mo	AGP	508
AGPB_17B	Age - last time strongly feared / avoided situations	AGP	508
AGPB_18	Intensity of hypothetical fear	AGP	509
AGPB_19	Frequency - avoided feared agora situations - 12 mo	AGP	510
AGPB_201	Level of interference - ability to attend school - 12 mo	AGP	512
AGPB_202	Level of interference - ability to work at a job - 12 mo	AGP	513
AGPB_20A	Level of interference - home responsibilities - 12 mo	AGP	511
AGPB_20C	Level of interference - close relationships - 12 mo	AGP	514
AGPB_20D	Level of interference - social life - 12 mo	AGP	515
AGPB_22	Nbr of days/365 totally unable because of fear - 12 mo	AGP	516
AGPB_24	Consulted MD / other prof. about agora fear	AGP	516

CCHS Cycle 1.2: Alphabetic Index

Page 3

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
AGPB_24A	Age - first time consulted prof. about agora fear	AGP	517
AGPB_35	Received helpful / effective treatment for agora fear	AGP	517
AGPB_35A	Age - first time got helpful treatment for agora fear	AGP	518
AGPB_35B	Number of prof. consulted before helpful treatment	AGP	518
AGPB_35C	Total nbr of prof. consulted about agora fear - life	AGP	519
AGPB_37	Received prof. treatment for agora fear - 12 mo	AGP	519
AGPB_38	Hospitalized overnight for agora fear - life	AGP	520
AGPB_381	Number of relatives with strong agoraphobic fear	AGP	521
AGPB_38A	Age - first time hospitalized overnight for agora fear	AGP	520
AGPB_3B1	Life period when very first time had agora fear	AGP	488
AGPBD13Y	Longest period unable to leave home (in years) - (D)	AGP	521
AGPBDA	Criterion A, Part 1 and 2 - (D)	AGP	522
AGPBDAP	Agoraphobia Algorithm - Life - (D)	AGP	525
AGPBDAPP	Agoraphobia w/o panic Algorithm - Life - (D)	AGP	527
AGPBDB	Criterion B - (D)	AGP	524
AGPBDB1	Criterion B, Part 1 - (D)	AGP	522
AGPBDB2	Criterion B, Part 2 - (D)	AGP	523
AGPBDB3	Criterion B, Part 3 - (D)	AGP	523
AGPBDINT	Agoraphobia Interference - Mean - (D)	AGP	531
AGPBDON	Age of agoraphobia onset - (D)	AGP	527
AGPBDONP	Age of agoraphobia onset (no panic) - (D)	AGP	529
AGPBDPA	Criterion A, Part 1 and 2 - (D)	AGP	526
AGPBDPA2	Criterion A, Part 2 - (D)	AGP	525
AGPBDPB	Criterion B - (D)	AGP	526
AGPBDPER	Nbr of years of persistence of agoraphobia - (D)	AGP	528
AGPBDPRP	Nbr of years persistence of agora. (without panic) - (D)	AGP	530
AGPBDPY	Agoraphobia Algorithm - 12 month - (D)	AGP	530
AGPBDPYP	Agoraphobia w/o Panic Algorithm - 12 month - (D)	AGP	531
AGPBDRCP	Age at most recent agoraphobic episode (without panic) - (D)	AGP	529
AGPBDREC	Age when most recent agoraphobic episode - (D)	AGP	528
AGPBFINT	Flag: Agoraphobia Interference	AGP	532
AGPBG03A	Age - exactly first time had agora fear - (G)	AGP	1234
AGPBG03B	Age - approximately first time had agora - (G)	AGP	1235
AGPBG06	Age - very 1st time started avoiding agora situations - (G)	AGP	1236
AGPBG13A	Longest period unable to leave home - (G)	SOP	1237
AGPBG17B	Age - last time strongly feared / avoided situations - (G)	AGP	1238

CCHS Cycle 1.2: Alphabetic Index

Page 4

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
AGPBG24A	Age - first time consulted prof. about agora fear - (G)	AGP	1239
AGPBG35A	Age - first time got helpful treatment for agora fear - (G)	AGP	1240
AGPBG35B	Number of prof. consulted before helpful treatment	AGP	1241
AGPBG35C	Total nbr of prof. consulted about agora fear - life - (G)	AGP	1242
AGPBG381	Number of relatives with strong agoraphobic fear - (G)	AGP	1244
AGPBG38A	Age - first time hospitalized overnight for agora fear - (G)	AGP	1243
AGPBGON	Age of agoraphobia onset - (D,G)	AGP	1245
AGPBGONP	Age of agoraphobia onset (no panic) - (D,G)	AGP	1248
AGPBGPER	Longest episode associated with agoraphobia - (D,G)	AGP	1247
AGPBGPRP	Nbr of years persistence of agora. (without panic) - (D,G)	AGP	1250
AGPBGRCP	Age at most recent agoraphobic epis (without panic) - (D,G)	AGP	1249
AGPBGREC	Age when most recent agoraphobic episode - (D,G)	AGP	1246
ALCB_1	Drank alcohol in past 12 months	ALC	537
ALCB_10	Regularly drank more than 12 drinks a week - life	ALC	544
ALCB_2	Frequency - drinking alcohol - 12 mo	ALC	537
ALCB_3	Frequency - having 5 or more drinks - 12 mo	ALC	538
ALCB_4	Regularly drank more than 12 drinks/week - 12 mo	ALC	538
ALCB_5	Drank alcohol in past week	ALC	539
ALCB_5A1	Number of drinks - Sunday	ALC	539
ALCB_5A2	Number of drinks - Monday	ALC	540
ALCB_5A3	Number of drinks - Tuesday	ALC	540
ALCB_5A4	Number of drinks - Wednesday	ALC	541
ALCB_5A5	Number of drinks - Thursday	ALC	541
ALCB_5A6	Number of drinks - Friday	ALC	542
ALCB_5A7	Number of drinks - Saturday	ALC	542
ALCB_5B	Ever had a drink - life	ALC	543
ALCB_7A	Reason reduced drinking - dieting	ALC	544
ALCB_7B	Reason reduced drinking - athletic training	ALC	545
ALCB_7C	Reason reduced drinking - pregnancy	ALC	545
ALCB_7D	Reason reduced drinking - getting older	ALC	546
ALCB_7E	Reason reduced drinking - drinking too much	ALC	546
ALCB_7F	Reason reduced drinking - affected work / studies	ALC	547
ALCB_7G	Reason reduced drinking - interfered with family life	ALC	547
ALCB_7H	Reason reduced drinking - affected physical health	ALC	548
ALCB_7I	Reason reduced drinking - affected social relationships	ALC	548
ALCB_7J	Reason reduced drinking - affected financial position	ALC	549

CCHS Cycle 1.2: Alphabetic Index

Page 5

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
ALCB_7K	Reason reduced drinking - affected happiness	ALC	549
ALCB_7L	Reason reduced drinking - influence of family / friends	ALC	550
ALCB_7M	Reason reduced drinking - other	ALC	550
ALCB_8	Age started drinking alcoholic beverages	ALC	551
ALCB_9	One year period where monthly 5 or + drinks/occasion - life	ALC	543
ALCBDDL	Average daily alcohol consumption - (D)	ALC	552
ALCBDTYP	Type of drinker - (D)	ALC	551
ALCBDWKY	Number of drinks - past week - (D)	ALC	552
ALCBGDL	Average daily alcohol consumption - (D,G)	ALC	1252
ALDB_01	Drunk - at work / school / taking care of child - 12 mo	ALD	553
ALDB_01A	Drunk - at work / school / taking care of child - life	ALD	553
ALDB_01L	Drunk - at work / school / taking care of child - life	ALD	571
ALDB_02	Number of times - drunk at work/school/child care - 12 mo	ALD	554
ALDB_02L	Number of times - drunk at work/school/child care - life	ALD	571
ALDB_03	Being drunk increased chances of getting hurt - 12 mo	ALD	554
ALDB_03A	Being drunk increased chances of getting hurt - life	ALD	555
ALDB_03L	Being drunk increased chances of getting hurt - life	ALD	572
ALDB_04	Emotional or psychological problems due to alcohol - 12 mo	ALD	555
ALDB_04A	Emotional or psychological problems due to alcohol - life	ALD	556
ALDB_04L	Emotional or psychological problems due to alcohol - life	ALD	572
ALDB_05	Strong desire or urge to drink - 12 mo	ALD	556
ALDB_05A	Strong desire or urge to drink - life	ALD	557
ALDB_05L	Strong desire or urge to drink - life	ALD	573
ALDB_06	Spent month or more getting drunk - 12 mo	ALD	557
ALDB_06A	Spent month or more getting drunk - life	ALD	558
ALDB_06L	Spent month or more getting drunk - life	ALD	573
ALDB_07	Drank much more than intended - 12 mo	ALD	558
ALDB_07A	Drank much more than intended - life	ALD	559
ALDB_07L	Drank much more than intended - life	ALD	574
ALDB_08	Number of times - drank much more than intended - 12 mo	ALD	559
ALDB_08L	Number of times - drank much more than intended - life	ALD	574
ALDB_09	Had to drink more for the same effect - 12 mo	ALD	560
ALDB_09A	Had to drink more for the same effect - life	ALD	560
ALDB_09L	Had to drink more for the same effect - life	ALD	575
ALDB_10	Had symptom during period of cut down/no alcohol - 12 mo	ALD	561
ALDB_10A	Had symptom during period of cut down/alcohol - life	ALD	561

CCHS Cycle 1.2: Alphabetic Index

Page 6

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
ALDB_10L	Had symptom during period of cut down/no alcohol - life	ALD	575
ALDB_11	Drank alcohol - even though promised wouldn't - 12 mo	ALD	562
ALDB_11A	Drank alcohol - even though promised wouldn't - life	ALD	562
ALDB_11L	Drank alcohol - even though promised wouldn't - life	ALD	576
ALDB_12	Drank alcohol - little time for anything else - 12 mo	ALD	563
ALDB_12A	Drank alcohol - little time for anything else - life	ALD	563
ALDB_12L	Drank alcohol - little time for anything else - life	ALD	576
ALDB_13	Reduced important activities - because of alcohol - 12 mo	ALD	564
ALDB_13A	Reduced important activities - because of alcohol - life	ALD	564
ALDB_13L	Reduced important activities - because of alcohol - life	ALD	577
ALDB_14	Continued drinking alcohol despite health problems - 12 mo	ALD	565
ALDB_14A	Continued drinking alcohol despite health problems - life	ALD	565
ALDB_14L	Continued drinking alcohol despite health problems - life	ALD	577
ALDB_15A	Level of interference - home responsibilities - 12 mo	ALD	566
ALDB_15C	Level of interference - close relationships - 12 mo	ALD	569
ALDB_15D	Level of interference - social life - 12 mo	ALD	570
ALDB_5B1	Level of interference - ability to attend school - 12 mo	ALD	567
ALDB_5B2	Level of interference - ability to work at a job - 12 mo	ALD	568
ALDBDINT	Alcohol interference - mean - 12 months - (D)	ALD	579
ALDBDPP	Alcohol dependence - Predicted Probability - 12 mo - (D)	ALD	578
ALDBDSF	Alcohol dependence - Short Form Score - 12 mo - (D)	ALD	578
ALDBFINT	Flag: Alcohol interference - 12 mo	ALD	580
CCCB_011	Has food allergies	CCC	35
CCCB_021	Has allergies other than food allergies	CCC	35
CCCB_031	Has asthma	CCC	36
CCCB_041	Has fibromyalgia	CCC	36
CCCB_051	Has arthritis or rheumatism	CCC	37
CCCB_061	Has back problems excluding fibromyalgia and arthritis	CCC	37
CCCB_071	Has high blood pressure	CCC	38
CCCB_081	Has migraine headaches	CCC	38
CCCB_101	Has diabetes	CCC	40
CCCB_111	Has epilepsy	CCC	40
CCCB_121	Has heart disease	CCC	41
CCCB_131	Has cancer	CCC	41
CCCB_141	Has stomach or intestinal ulcers	CCC	42
CCCB_151	Suffers from the effects of a stroke	CCC	42

CCHS Cycle 1.2: Alphabetic Index

Page 7

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
CCCB_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	43
CCCB_181	Has Alzheimer's disease or other dementia	CCC	43
CCCB_191	Has cataracts	CCC	44
CCCB_201	Has glaucoma	CCC	44
CCCB_211	Has a thyroid condition	CCC	45
CCCB_251	Has chronic fatigue syndrome	CCC	45
CCCB_261	Suffers from multiple chemical sensitivities	CCC	46
CCCB_271	Has schizophrenia	CCC	46
CCCB_281	Has other psychosis	CCC	47
CCCB_291	Has obsessive-compulsive disorder	CCC	47
CCCB_301	Has dysthymia	CCC	48
CCCB_311	Suffers from post-traumatic stress disorder	CCC	48
CCCB_321	Has autism or any other developmental disorder	CCC	49
CCCB_331	Has a learning disability	CCC	49
CCCB_33A	Attention Deficit Disorder, no hyperactivity	CCC	50
CCCB_33B	Attention Deficit Hyperactivity Disorder	CCC	50
CCCB_33C	Suffers from Dyslexia	CCC	51
CCCB_33D	Other learning disabilities	CCC	51
CCCB_341	Eating disorder such as anorexia or bulimia	CCC	52
CCCB_901	Other long-term physical or mental health condition	CCC	52
CCCB_91A	Has chronic bronchitis	CCC	39
CCCB_91B	Has emphysema or chronic obstructive pulmonary disease	CCC	39
CCCBF1	Has a chronic condition	CCC	53
CCCBG281	Has other psychosis - (G)	CCC	1129
CCCBG901	Other long-term physical or mental health condition - (G)	CCC	1130
CPGB_01A	Frequency - spending money on instant win tickets	CPG	618
CPGB_01B	Frequency - spending money on lottery tickets	CPG	619
CPGB_01C	Frequency - spending money on bingo	CPG	620
CPGB_01D	Frequency - spending money on cards/boards games	CPG	621
CPGB_01E	Frequency - spending money on VLTs/outside casinos	CPG	622
CPGB_01F	Frequency - spending money on VLTs/at casinos	CPG	623
CPGB_01G	Frequency - spending money on other games/at casinos	CPG	624
CPGB_01H	Frequency - spending money on internet/arcade gambling	CPG	625
CPGB_01I	Frequency - spending money on live horse racing	CPG	626
CPGB_01J	Frequency - spending money on sports lotteries	CPG	627
CPGB_01K	Frequency - spending money on speculative investments	CPG	628

CCHS Cycle 1.2: Alphabetic Index

Page 8

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
CPGB_01L	Frequency - spending money on games of skill	CPG	629
CPGB_01M	Frequency - spending money on other forms of gambling	CPG	630
CPGB_01N	Amount of money spent on gambling activities	CPG	631
CPGB_02	Frequency - spent more than wanted on gambling	CPG	632
CPGB_03	Frequency - gambled more money for same feeling	CPG	632
CPGB_04	Frequency - returned to try to win back money lost	CPG	633
CPGB_05	Frequency - borrowed money/sold to get \$ for gambling	CPG	633
CPGB_06	Frequency - felt might have a problem with gambling	CPG	634
CPGB_07	Frequency - gambling caused any health problems	CPG	634
CPGB_08	Frequency - people criticized respondent's betting	CPG	635
CPGB_09	Frequency - gambling caused financial problems	CPG	635
CPGB_10	Frequency - felt guilty about gambling	CPG	636
CPGB_11	Frequency - lied to hide gambling	CPG	636
CPGB_12	Frequency - wanted to stop betting but thought could not	CPG	637
CPGB_13	Frequency - bet more than could afford to lose	CPG	637
CPGB_14	Frequency - tried to quit/cut down; but unable	CPG	638
CPGB_15	Frequency - gambled to forget problems/feel better	CPG	638
CPGB_16	Frequency - gambling caused problem with family/friends	CPG	639
CPGB_17	Other family member with gambling problems	CPG	639
CPGB_18	Used alcohol or drugs while gambling	CPG	640
CPGB_19A	Level of interference - home responsibilities - 12 mo	CPG	641
CPGB_19C	Level of interference - close relationships - 12 mo	CPG	644
CPGB_19D	Level of interference - social life -12 mo	CPG	645
CPGB_9B1	Level of interference - ability to attend school - 12 mo	CPG	642
CPGB_9B2	Level of interference - ability to work at a job - 12 mo	CPG	643
CPGBDACT	Number of different types of gambling activities - (D)	CPG	647
CPGBDSEV	Problem gambling severity index - (D)	CPG	646
CPGBDTYP	Type of gambler - (D)	CPG	647
CPGBFGAM	Flag: Gambling Activity - Gambler vs. Non-gambler	CPG	646
DEPB_01	Period when discouraged about how things were going - life	DEP	135
DEPB_01A	Period when lost interest in most things - life	DEP	135
DEPB_01B	Period when lost interest in most things - life	DEP	136
DEPB_02	Period when lost interest in most things - life	DEP	136
DEPB_09	2-week period when lost interest in most things - life	DEP	137
DEPB_12	2-week period when lost interest in most things - life	DEP	137
DEPB_16	Daily duration - being sad/discouraged/uninterested - life	DEP	138

CCHS Cycle 1.2: Alphabetic Index

Page 9

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_17	Intensity of emotional distress during periods - life	DEP	139
DEPB_18	Frequency - distress so severe, nothing cheer up - life	DEP	139
DEPB_19	Frequency - distress severe/could not carry daily - life	DEP	140
DEPB_21	Had depressive-like symptoms during episodes - life	DEP	140
DEPB_22	Experienced one particular worst episode - life	DEP	141
DEPB_22A	Age - when worst episode started	DEP	141
DEPB_22B	Worst episode - duration	DEP	142
DEPB_22C	Worst episode - number of days	DEP	142
DEPB_22D	Worst episode - number of weeks	DEP	143
DEPB_22E	Worst episode - number of months	DEP	143
DEPB_22F	Worst episode - number of years	DEP	144
DEPB_23A	Age - when last bad episode occurred	DEP	144
DEPB_23B	Last bad episode - duration	DEP	145
DEPB_23C	Last bad episode - number of days	DEP	145
DEPB_23D	Last bad episode - number of weeks	DEP	146
DEPB_23E	Last bad episode - number of months	DEP	146
DEPB_23F	Last bad episode - number of years	DEP	147
DEPB_24A	Symptom - felt sad, empty or depressed	DEP	147
DEPB_24B	Symptom - felt so sad that nothing could cheer up	DEP	148
DEPB_24C	Symptom - felt discouraged about how things were going	DEP	148
DEPB_24D	Symptom - felt hopeless about future	DEP	149
DEPB_24E	Symptom - lost interest in almost all things	DEP	149
DEPB_24F	Symptom - felt like nothing was fun	DEP	150
DEPB_261	Symptom - weight gain due to physical growth/pregnancy	DEP	152
DEPB_262	Pounds or kilograms	DEP	153
DEPB_263	Symptom - weight loss result of diet/physical illness	DEP	154
DEPB_264	Pounds or kilograms	DEP	155
DEPB_265	Symptom - could not cope with everyday responsibilities	DEP	165
DEPB_266	Symptom - wanted to be alone rather than with friends	DEP	166
DEPB_267	Symptom - felt less talkative than usual	DEP	166
DEPB_268	Symptom - was often in tears	DEP	167
DEPB_26A	Symptom - had much smaller appetite than usual	DEP	150
DEPB_26B	Symptom - had much larger appetite than usual	DEP	151
DEPB_26C	Symptom - gained weight without trying to	DEP	151
DEPB_26D	Amount of weight gained	DEP	152
DEPB_26E	Symptom - lost weight without trying to	DEP	153

CCHS Cycle 1.2: Alphabetic Index

Page 10

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_26F	Amount of weight lost	DEP	154
DEPB_26G	Symptom - had more trouble falling/staying asleep	DEP	155
DEPB_26H	Symptom - slept more than usual	DEP	156
DEPB_26I	Symptom - slept less than usual/still not tired	DEP	156
DEPB_26J	Symptom - felt tired/low in energy	DEP	157
DEPB_26K	Symptom - had more energy than usual	DEP	157
DEPB_26L	Symptom - talked/moved more slowly than normal	DEP	158
DEPB_26M	Symptom - others noticed respondent talked/moved slowly	DEP	158
DEPB_26N	Symptom - restless/jittery/couldn't sit still	DEP	159
DEPB_26O	Symptom - others noticed respondent was restless	DEP	159
DEPB_26P	Symptom - thoughts came more slowly than usual	DEP	160
DEPB_26Q	Symptom - thoughts jumped/raced through head	DEP	160
DEPB_26R	Symptom - had more trouble concentrating	DEP	161
DEPB_26S	Symptom - unable to make up mind	DEP	161
DEPB_26T	Symptom - lost self-confidence	DEP	162
DEPB_26U	Symptom - felt was not as good as other people	DEP	162
DEPB_26V	Symptom - felt totally worthless	DEP	163
DEPB_26W	Symptom - felt guilty nearly every day	DEP	163
DEPB_26X	Symptom - felt irritable/grouchy or in a bad mood	DEP	164
DEPB_26Y	Symptom - felt nervous/anxious most days	DEP	164
DEPB_26Z	Symptom - had attacks of intense fear or panic	DEP	165
DEPB_28	Depressive feelings interfere with work/social/relationships	DEP	201
DEPB_281	Depressive feelings interfere with work/social/relationships	DEP	202
DEPB_28A	Frequency - feelings = unable carry out daily activities	DEP	203
DEPB_29A	Depressive episodes due to physical causes	DEP	204
DEPB_29B	Physical causes always cause depressive episodes	DEP	204
DEPB_30	Episodes ever occur just after someone close died	DEP	214
DEPB_30A	Episodes always occurred after someone close died	DEP	215
DEPB_31	Number of episodes lasting 2 weeks or longer - life	DEP	215
DEPB_37	Remembered exactly age of very first depressive episode	DEP	216
DEPB_371	Life period when very first depressive episode occurred	DEP	217
DEPB_372	Episode triggered by stressful/unexpected event	DEP	218
DEPB_37A	Age - exactly very first depressive episode	DEP	216
DEPB_37B	Age - approximately very first depressive episode	DEP	217
DEPB_38	Had 2-week or longer depressive episode - 12 mo	DEP	221
DEPB_38B	Number of days out of 365 in depressive episode	DEP	230

CCHS Cycle 1.2: Alphabetic Index

Page 11

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_38C	Age - last time had depressive episode	DEP	231
DEPB_39A	Length of longest depressive episode ever had	DEP	231
DEPB_39B	Longest depressive episode ever had - number of days	DEP	232
DEPB_39C	Longest depressive episode ever had - number of weeks	DEP	232
DEPB_39D	Longest depressive episode ever had - number of months	DEP	233
DEPB_39E	Longest depressive episode ever had - number of years	DEP	233
DEPB_531	Nbr of 2-week episodes brought on by stressful experience	DEP	234
DEPB_54	Number of years had at least one depressive episode	DEP	234
DEPB_56	Longest number of yrs in a row had at least 1 episode/year	DEP	235
DEPB_58	Ever had period lasting full year when episode most days	DEP	235
DEPB_59	Number of years had episode most days - life	DEP	236
DEPB_59A	Age - 1st time had full year when episode most days	DEP	236
DEPB_61	Longest number of years in a row in episode most days	DEP	237
DEPB_64A	Frequency - felt cheerful - 12 mo	DEP	237
DEPB_64B	Frequency - felt slowed down - 12 mo	DEP	238
DEPB_64C	Frequency - enjoyed good book,radio,TV - 12 mo	DEP	238
DEPB_65A	Frequency - enjoyed things had enjoyed - 12 mo	DEP	239
DEPB_65B	Frequency - laughed / saw bright side of things - 12 mo	DEP	239
DEPB_65C	Frequency - took interest in physical appearance - 12 mo	DEP	240
DEPB_65D	Frequency - looked forward to enjoying things - 12 mo	DEP	240
DEPB_661	Level of interference - ability to attend school - 12 mo	DEP	242
DEPB_662	Level of interference - ability to work at a job - 12 mo	DEP	243
DEPB_66A	Level of interference - home responsibilities - 12 mo	DEP	241
DEPB_66C	Level of interference - close relationships - 12 mo	DEP	244
DEPB_66D	Level of interference - social life - 12 mo	DEP	245
DEPB_68	Nbr of days/365 totally unable because of feelings	DEP	246
DEPB_6A	Symptom - thought a lot about own death/death in general	DEP	167
DEPB_6B	Symptom - thought it would be better if dead	DEP	168
DEPB_72	Consulted MD/other prof. about feelings	DEP	246
DEPB_721	Age - first time consulted prof. about feelings	DEP	247
DEPB_72A	Age - first time consulted prof. about feelings	DEP	247
DEPB_73	Received helpful/effective treatment for feelings	DEP	248
DEPB_73A	Age - first time got helpful treatment for feelings	DEP	248
DEPB_73B	Number of prof. consulted before helpful treatment	DEP	249
DEPB_74	Total nbr of prof. consulted about feelings - life	DEP	249
DEPB_7CA	Length of very first depressive episode	DEP	219

CCHS Cycle 1.2: Alphabetic Index

Page 12

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_7CB	Very first depressive episode - number of days	DEP	219
DEPB_7CC	Very first depressive episode - number of weeks	DEP	220
DEPB_7CD	Very first depressive episode - number of months	DEP	220
DEPB_7CE	Very first depressive episode - number of years	DEP	221
DEPB_86	Received prof. treatment for feelings - 12 mo	DEP	250
DEPB_87	Hospitalized overnight for feelings - life	DEP	250
DEPB_871	Age - first time hospitalized overnight for feelings	DEP	251
DEPB_87A	Age - first time hospitalized overnight for feelings	DEP	251
DEPB_88	Nbr of close relatives ever had depressive episode	DEP	252
DEPB_8A	Reference period of depressive episode - 12 mo	DEP	222
DEPB_8A1	Number of different episodes - 12 mo	DEP	222
DEPB_8A2	Month - when single past 12 months episode started	DEP	223
DEPB_8A3	Year - when single past 12 months episode started	DEP	224
DEPB_8A6	Single past 12 months episode ended / on-going	DEP	227
DEPB_8A9	First past 12 months episode ended / on-going	DEP	230
DEPB_8AA	Length of single episode - 12 mo	DEP	224
DEPB_8AB	Single past 12 months episode - number of days	DEP	225
DEPB_8AC	Single past 12 months episode - number of weeks	DEP	225
DEPB_8AD	Single past 12 months episode - number of months	DEP	226
DEPB_8AE	Single past 12 months episode - number of years	DEP	226
DEPB_8BA	Length of first past 12 months episode	DEP	227
DEPB_8BB	First past 12 months episode - number of days	DEP	228
DEPB_8BC	First past 12 months episode - number of weeks	DEP	228
DEPB_8BD	First past 12 months episode - number of months	DEP	229
DEPB_8BE	First past 12 months episode - number of years	DEP	229
DEPB_9CA	Physical exclusion - exhaustion	DEP	205
DEPB_9CB	Physical exclusion - hyperventilation	DEP	205
DEPB_9CC	Physical exclusion - hypochondria	DEP	206
DEPB_9CD	Physical exclusion - menstrual cycle	DEP	206
DEPB_9CE	Physical exclusion - pregnancy/postpartum	DEP	207
DEPB_9CF	Physical exclusion - thyroid disease	DEP	207
DEPB_9CG	Physical exclusion - cancer	DEP	208
DEPB_9CH	Physical exclusion - overweight	DEP	208
DEPB_9CI	Physical exclusion - medication (excluding illicit drugs)	DEP	209
DEPB_9CJ	Physical exclusion - illicit drugs	DEP	209
DEPB_9CK	Physical exclusion - alcohol	DEP	210

CCHS Cycle 1.2: Alphabetic Index

Page 13

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_9CL	Physical exclusion - chemical / serotonin imbalance	DEP	210
DEPB_9CM	Physical exclusion - chronic pain	DEP	211
DEPB_9CN	Physical exclusion - caffeine	DEP	211
DEPB_9CO	Physical exclusion - no specific diagnosis	DEP	212
DEPB_9CP	Physical exclusion - other	DEP	212
DEPB_9CQ	Physical exclusion - accident	DEP	213
DEPB_9CR	Physical exclusion - emotional/social/economic reason	DEP	213
DEPB_9CS	Physical exclusion - Other - Physical causes, etc.	DEP	214
DEPB_A	Suicide - ideation during worst / bad episode	DEP	168
DEPB_A1	Suicide - ideation - life	DEP	169
DEPB_A1A	Suicide - ideation - 12 mo	DEP	169
DEPB_A1B	Suicide - ideation - 12 mo	DEP	173
DEPB_A2	Suicide - age when last ideation occurred	DEP	170
DEPB_A7	Suicide - ideation - consulted - professional	DEP	177
DEPB_AAA	Suicide - ideation - consulted - psychiatrist	DEP	177
DEPB_AAB	Suicide - ideation - consulted - family doctor or g.p.	DEP	178
DEPB_AAC	Suicide - ideation - consulted - psychologist	DEP	178
DEPB_AAD	Suicide - ideation - consulted - nurse	DEP	179
DEPB_AAE	Suicide - ideation - consulted - social worker/counsellor	DEP	179
DEPB_AAF	Suicide - ideation - consulted - relig/spiritual advisor	DEP	180
DEPB_AAG	Suicide - ideation - consulted - teacher/counsellor	DEP	180
DEPB_AAH	Suicide - ideation - consulted - other professional	DEP	181
DEPB_ABA	Suicide - ideation - hospitalized as overnight patient	DEP	181
DEPB_ABB	Suicide - ideation - health professional's office	DEP	182
DEPB_ABC	Suicide - ideation - hospital emergency room	DEP	182
DEPB_ABD	Suicide - ideation - psychiatric outpatient clinic	DEP	183
DEPB_ABE	Suicide - ideation - drug or alcohol outpatient clinic	DEP	183
DEPB_ABF	Suicide - ideation - other hospital outpatient clinic	DEP	184
DEPB_ABG	Suicide - ideation - Walk-in clinic	DEP	184
DEPB_ABH	Suicide - ideation - Appointment clinic	DEP	185
DEPB_ABI	Suicide - ideation - community health centre/CLSC	DEP	185
DEPB_ABJ	Suicide - ideation - at work	DEP	186
DEPB_ABK	Suicide - ideation - at school	DEP	186
DEPB_ABL	Suicide - ideation - at home	DEP	187
DEPB_ABM	Suicide - ideation - telephone consultation only	DEP	187
DEPB_ABN	Suicide - ideation - church/other religious assembly place	DEP	188

CCHS Cycle 1.2: Alphabetic Index

Page 14

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_ABO	Suicide - ideation - other contact place	DEP	188
DEPB_B	Suicide - plan during worst/bad episode or 12 mo	DEP	170
DEPB_B1C	Suicide - plan - 12 mo	DEP	174
DEPB_C	Suicide - attempt during worst/bad episode	DEP	171
DEPB_C1	Suicide - attempt - life	DEP	172
DEPB_C1A	Suicide - attempt - 12 mo	DEP	173
DEPB_C1D	Suicide - age when last attempt occurred	DEP	174
DEPB_C2	Suicide - age when attempt occurred	DEP	175
DEPB_C3	Suicide - attempt resulted in injury or poisoning	DEP	175
DEPB_C4	Suicide - medical attention following most recent attempt	DEP	176
DEPB_C5	Suicide - hospitalized overnight following recent attempt	DEP	176
DEPB_CA	Suicide - more recent attempt since worst/bad episode	DEP	171
DEPB_CB	Suicide - attempt - life	DEP	172
DEPB_D8	Suicide - consulted - professional	DEP	189
DEPB_DAA	Suicide - consulted - psychiatrist	DEP	189
DEPB_DAB	Suicide - consulted - family doctor or g.p.	DEP	190
DEPB_DAC	Suicide - consulted - psychologist	DEP	190
DEPB_DAD	Suicide - consulted - nurse	DEP	191
DEPB_DAE	Suicide - consulted - social worker/counsellor	DEP	191
DEPB_DAF	Suicide - consulted - religious/spiritual advisor	DEP	192
DEPB_DAG	Suicide - consulted - teacher or counsellor	DEP	192
DEPB_DAH	Suicide - consulted - other professional	DEP	193
DEPB_DBA	Suicide - hospitalized as overnight patient	DEP	193
DEPB_DBB	Suicide - health professional's office	DEP	194
DEPB_DBC	Suicide - hospital emergency room	DEP	194
DEPB_DBD	Suicide - psychiatric outpatient clinic	DEP	195
DEPB_DBE	Suicide - drug or alcohol outpatient clinic	DEP	195
DEPB_DBF	Suicide - other hospital outpatient clinic	DEP	196
DEPBDBG	Suicide - walk-in clinic	DEP	196
DEPB_DBH	Suicide - appointment clinic	DEP	197
DEPB_DBI	Suicide - community health centre/CLSC	DEP	197
DEPB_DBJ	Suicide - at work	DEP	198
DEPB_DBK	Suicide - at school	DEP	198
DEPB_DBL	Suicide - at home	DEP	199
DEPB_DBM	Suicide - telephone consultation only	DEP	199
DEPB_DBN	Suicide - church/other religious place	DEP	200

CCHS Cycle 1.2: Alphabetic Index

Page 15

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPB_DBO	Suicide - other contact place	DEP	200
DEPBD22Y	Length of time in years - worst episode - (D)	DEP	252
DEPBD23Y	Length of time in years - last episode - (D)	DEP	253
DEPBD39Y	Length of time in years - longest episode - (D)	DEP	255
DEPBD664	Interference Level (cut-off at 4) - (D)	DEP	262
DEPBD667	Criterion E, Part 3A1 - High interference - (D)	DEP	267
DEPBD7CY	Length of time in years - first episode - (D)	DEP	253
DEPBD8AY	Length of time in years - single 12 mo episode - (D)	DEP	254
DEPBD8BY	Length of time in years - first of several 12 mo episode-(D)	DEP	254
DEPBDA	Criterion A, Part 1 and 2 - (D)	DEP	261
DEPBDA1	Criterion A, Part 1 - (D)	DEP	255
DEPBDA2	Criterion A, Part 2 - (D)	DEP	260
DEPBDA21	Criterion A, Part 2 - Symptom 1 - (D)	DEP	256
DEPBDA22	Criterion A, Part 2 - Symptom 2 - (D)	DEP	256
DEPBDA23	Criterion A, Part 2 - Symptom 3 - (D)	DEP	257
DEPBDA24	Criterion A, Part 2 - Symptom 4 - (D)	DEP	257
DEPBDA25	Criterion A, Part 2 - Symptom 5 - (D)	DEP	258
DEPBDA26	Criterion A, Part 2 - Symptom 6 - (D)	DEP	258
DEPBDA27	Criterion A, Part 2 - Symptom 7 - (D)	DEP	259
DEPBDA28	Criterion A, Part 2 - Symptom 8 - (D)	DEP	259
DEPBDA29	Criterion A, Part 2 - Symptom 9 - (D)	DEP	260
DEPBDC	Criterion C, Part 1 and 2 - (D)	DEP	263
DEPBDC1	Criterion C, Part 1 - (D)	DEP	261
DEPBDC2	Criterion C, Part 2 - (D)	DEP	262
DEPBDDPS	Major Depressive Episode Algorithm - Life - (D)	DEP	271
DEPBDDY	Major Depressive Episode Algorithm - 12 month (D)	DEP	274
DEPBDE	Criterion E, Part 1, 2 and 3 - (D)	DEP	270
DEPBDE1	Criterion E, Part 1 - (D)	DEP	263
DEPBDE2	Criterion E, Part 2 - (D)	DEP	267
DEPBDE21	Criterion E, Part 2.1 - (D)	DEP	264
DEPBDE22	Criterion E, Part 2.2 - (D)	DEP	264
DEPBDE23	Criterion E, Part 2.3 - (D)	DEP	265
DEPBDE24	Criterion E, Part 2.4 - (D)	DEP	265
DEPBDE25	Criterion E, Part 2.5 - (D)	DEP	266
DEPBDE26	Criterion E, Part 2.6 - (D)	DEP	266
DEPBDE3	Criterion E, Part 3 - (D)	DEP	270

CCHS Cycle 1.2: Alphabetic Index

Page 16

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPBDE3A	Criterion E, Part 3A - (D)	DEP	268
DEPBDE3B	Criterion E, Part 3B - (D)	DEP	268
DEPBDE3C	Criterion E, Part 3C - (D)	DEP	269
DEPBDE3E	Criterion E, Part 3E - (D)	DEP	269
DEPBDINT	Depression Interference - Mean - (D)	DEP	277
DEPBDON	Age at major depression onset - (D)	DEP	271
DEPBDPER	Nbr of years of major depression persistence - (D)	DEP	272
DEPBDREC	Age at most recent major depressive episode - (D)	DEP	272
DEPBDYA	Criterion A - 12 month - (D)	DEP	273
DEPBDYB	Criterion B - 12 month - (D)	DEP	273
DEPBDYC	Criterion C - 12 month - (D)	DEP	274
DEPBFINT	Flag: Depression interference	DEP	277
DEPBFSLA	Flag: Suicide - attempt - life	DEP	276
DEPBFSLT	Flag: Suicide - thought - life	DEP	275
DEPBFSYA	Flag: Suicide - attempt - 12 mo	DEP	276
DEPBFSYT	Flag: Suicide - thought - 12 mo	DEP	275
DEPBG22A	Age - when worst episode started - (G)	DEP	1134
DEPBG22B	Length of worst episode - (G)	DEP	1135
DEPBG23A	Age - when last bad episode occurred - (G)	DEP	1136
DEPBG23B	Length of last bad episode - (G)	DEP	1137
DEPBG31	Number of episodes lasting 2 weeks or longer - life - (G)	DEP	1138
DEPBG37A	Age - exactly very first depressive episode - (G)	DEP	1139
DEPBG37B	Age - approximately very first depressive episode - (G)	DEP	1140
DEPBG38C	Age - last time had depressive episode - (G)	DEP	1145
DEPBG39A	Length of longest episode - (G)	DEP	1146
DEPBG531	Nbr of 2-week episodes brought on by stressful experience	DEP	1147
DEPBG54	Number of years had at least one depressive episode - (G)	DEP	1148
DEPBG56	Longest nber yrs in a row had at least 1 episode/year - (G)	DEP	1149
DEPBG59	Number of years had episode most days - life - (G)	DEP	1150
DEPBG59A	Age - 1st time had full year when episode most days - (G)	DEP	1151
DEPBG61	Longest number of years in a row in episode most days - (G)	DEP	1152
DEPBG721	Age - 1st time consulted prof. about feelings - (G)	DEP	1153
DEPBG72A	Age - 1st time consulted prof. about feelings - (G)	DEP	1154
DEPBG73A	Age - first time got helpful treatment for feelings - (G)	DEP	1155
DEPBG73B	Number of prof. consulted before helpful treatment - (G)	DEP	1156
DEPBG74	Total nbr of prof. consulted about feelings - life - (G)	DEP	1157

CCHS Cycle 1.2: Alphabetic Index

Page 17

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DEPBG7CA	Length of first episode - (G)	DEP	1141
DEPBG871	Age - first time hospitalized overnight for feelings - (G)	DEP	1158
DEPBG87A	Age - 1st time hospitalized overnight for feelings - (G)	DEP	1159
DEPBG88	Nbr of close relatives ever had depressive episode - (G)	DEP	1160
DEPBG8A1	Number of different episodes - 12 mo	DEP	1142
DEPBG8AA	Length of single 12-month episode - (G)	DEP	1143
DEPBG8BA	Length of first of several 12 mo episode - (G)	DEP	1144
DEPBGON	Age at major depression onset - (D,G)	DEP	1161
DEPBGPER	Longest episode associated with depression - (G)	DEP	1163
DEPBGREC	Age at most recent major depression - (D,G)	DEP	1162
DEPBISYA	Imputation flag for DEPBFSYA	DEP	276
DEPBISYT	Imputation flag for DEPBFSYT	DEP	275
DHHB_AGE	Age	DHH	10
DHHB_BED	Dwelling - number of bedrooms	DHH	1062
DHHB_DOB	Day of birth	DHH	11
DHHB_MOB	Month of birth	DHH	11
DHHB_MS	Marital status	DHH	12
DHHB_OWEN	Dwelling - owned by a member of household	DHH	1061
DHHB_SEX	Sex	DHH	12
DHHB_YOB	Year of birth	DHH	10
DHHBD611	Number of persons 6 to 11 years old in household - (D)	DHH	1058
DHHBDDWE	Type of dwelling - (D)	DHH	1061
DHHBDECF	Household type - (D)	DHH	1059
DHHBDHSZ	Household size - (D)	DHH	1057
DHHBDL12	Number of persons less than 12 years old in household - (D)	DHH	1057
DHHBDLE5	Number of persons 5 years old or less in household - (D)	DHH	1057
DHHBDLVG	Living arrangement of selected respondent - (D)	DHH	1060
DHHBG611	Number of persons 6 to 11 years old in household - (D,G)	DHH	1308
DHHBGAGE	Age - (G)	DHH	1128
DHHBGBED	Dwelling - number of bedrooms - (G)	DHH	1309
DHHBGL12	Nber of persons less than 12 years old in household - (D,G)	DHH	1308
DHHBGLE5	Number of persons 5 years old or less in household - (D,G)	DHH	1308
DHHBGLVG	Living arrangement of selected respondent - (D,G)	DHH	1309
DHHBGMS	Marital status - (G)	DHH	1129
DISB_10A	Frequency - distress: felt tired out - past month	DIS	117
DISB_10B	Frequency - distress: felt nervous - past month	DIS	117

CCHS Cycle 1.2: Alphabetic Index

Page 18

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
DISB_10C	Freq./-distress: so nervous nothing calms down - past month	DIS	118
DISB_10D	Frequency - distress: felt hopeless - past month	DIS	118
DISB_10E	Frequency - distress: felt restless / fidgety - past month	DIS	119
DISB_10F	Frequency - distress: could not sit still - past month	DIS	119
DISB_10G	Frequency - distress: felt sad / depressed - past month	DIS	120
DISB_10H	Frequency - distress: depressed/nothing cheers - past month	DIS	120
DISB_10I	Frequency - distress: felt everything effort - past month	DIS	121
DISB_10J	Frequency - distress: felt worthless - past month	DIS	121
DISB_10K	Frequency - distress: occurrence of feelings - past month	DIS	122
DISB_10L	Degree of higher occurrence of feelings - past month	DIS	122
DISB_10M	Degree of lower occurrence of feelings - past month	DIS	123
DISB_10N	Interference - feelings in life / activities - past month	DIS	123
DISBDCHR	Chronicity of distress/impairment scale - past month - (D)	DIS	125
DISBDDSX	Distress scale - K10 - past month - (D)	DIS	124
DISBDK6	Distress scale - K6 - past month - (D)	DIS	124
EDUB_1	Highest grade of elementary or high school ever completed	EDU	1053
EDUB_2	Graduated from high school (secondary school)	EDU	1053
EDUB_3	Received any other education	EDU	1054
EDUB_4	Highest degree, certificate or diploma obtained	EDU	1054
EDUBDH04	Highest level of education - household, 4 levels - (D)	EDU	1056
EDUBDH10	Highest level of education – household, 10 levels - (D)	EDU	1056
EDUBDR04	Highest level of education - respondent, 4 levels - (D)	EDU	1055
EDUBDR10	Highest level of education - respondent, 10 levels - (D)	EDU	1055
ETAB_01A	Had a strong fear of being too fat/overweight - life	ETA	648
ETAB_01B	Had a strong fear of being too fat/overweight - 12 mo	ETA	648
ETAB_02	Frequency - terrified of being overweight	ETA	649
ETAB_03	Frequency - avoided eating when hungry	ETA	650
ETAB_04	Frequency - preoccupied with food	ETA	650
ETAB_05	Frequency - went on eating binges	ETA	651
ETAB_06	Frequency - cut food into small pieces	ETA	652
ETAB_07	Frequency - was aware of calorie content	ETA	653
ETAB_08	Frequency - avoided food with high carbohydrate content	ETA	654
ETAB_09	Frequency - eating more would be appreciated by others	ETA	655
ETAB_10	Frequency - vomited after eating	ETA	656
ETAB_11	Frequency - felt guilty after eating	ETA	657
ETAB_12	Frequency - preoccupied with desire to be thinner	ETA	658

CCHS Cycle 1.2: Alphabetic Index

Page 19

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
ETAB_13	Frequency - thought of burning up calories when exercising	ETA	659
ETAB_14	Frequency - respondent too thin according to others	ETA	660
ETAB_15	Frequency - preoccupied with having fat on body	ETA	661
ETAB_16	Frequency - took longer to eat meals	ETA	662
ETAB_17	Frequency - avoided foods with sugar	ETA	663
ETAB_18	Frequency - ate diet foods	ETA	664
ETAB_19	Frequency - felt food controlled life	ETA	665
ETAB_20	Frequency - displayed self-control around food	ETA	666
ETAB_21	Frequency - others pressured to eat	ETA	667
ETAB_22	Frequency - gave too much time/thought to food	ETA	668
ETAB_23	Frequency - felt uncomfortable after eating sweets	ETA	669
ETAB_24	Frequency - engaged in dieting behaviour	ETA	670
ETAB_25	Frequency - liked stomach to be empty	ETA	671
ETAB_26	Frequency - had impulse to vomit after meals	ETA	672
ETAB_27	Frequency - enjoyed trying new rich food	ETA	673
ETABDIND	Eating Attitude Test Index Score - (D)	ETA	673
ETABFIND	Flag: Eating Attitude Test Index	ETA	674
GENB_01	Self-perceived health	GEN	13
GENB_02	Self-perceived health compared to one year ago	GEN	13
GENB_03	Number of hours spent sleeping per night	GEN	14
GENB_04	Frequency - trouble sleeping	GEN	15
GENB_05	Frequency - find sleep refreshing	GEN	15
GENB_06	Frequency - find it difficult to stay awake	GEN	16
GENB_07	Self-perceived stress	GEN	16
GENB_08	Worked at job or business in the past 12-months	GEN	17
GENB_09	Self-perceived work stress	GEN	17
GENB_10	Sense of belonging to local community	GEN	18
GENBDHDI	Health description index - (D)	GEN	18
GEOB_HR4	Health region	GEO	2
GEOB_PC	Postal code	GEO	3
GEOB_PRV	Province	GEO	1
GEOBDCD	Census Division - (D)	GEO	3
GEOBDCMA	Census Metropolitan Area - (D)	GEO	4
GEOBDCSD	Census Sub-Division - (D)	GEO	3
GEOBDEA	Enumeration Area - (D)	GEO	3
GEOBDFED	Federal Electoral District - (D)	GEO	3

CCHS Cycle 1.2: Alphabetic Index

Page 20

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
GEOBDUR2	Rural and Urban Area - 2 Levels - (D)	GEO	5
GEOBDUR5	Rural and Urban Area - 5 Levels - (D)	GEO	5
GEOBGHR4	Health region - (G)	GEO	1127
HWTB_1	Currently pregnant	HWT	53
HWTB_2	Height	HWT	54
HWTB_2A	Height - exact height from 1'0" to 1'11"	HWT	54
HWTB_2B	Height - exact height from 2'0" to 2'11"	HWT	55
HWTB_2C	Height - exact height from 3'0" to 3'11"	HWT	55
HWTB_2D	Height - exact height from 4'0" to 4'11"	HWT	56
HWTB_2E	Height - exact height from 5'0" to 5'11"	HWT	57
HWTB_2F	Height - exact height from 6'0" to 6'11"	HWT	58
HWTB_3	Weight	HWT	59
HWTB_4	Respondent's opinion of own weight	HWT	60
HWTB_N4	Weight in pounds or kilograms	HWT	59
HWTBDBMI	Body Mass Index - (D)	HWT	63
HWTBDHTI	Height - inches - (D)	HWT	62
HWTBDHTM	Height - meters - (D)	HWT	61
HWTBDSW	Standard weight - (D)	HWT	64
HWTBDWTK	Weight - kilograms - (D)	HWT	63
HWTBDWTP	Weight - pounds - (D)	HWT	63
HWTBGBMI	Body Mass Index - (D,G)	HWT	1132
HWTBGHT	Height - (G)	HWT	1131
HWTBGSW	Standard weight - (D,G)	HWT	1133
HWTBGWTK	Weight - kilograms - (D,G)	HWT	1132
IDGB_01	Used - marijuana, cannabis, hashish - life	IDG	580
IDGB_02	Used - marijuana, cannabis, hashish - 12 mo	IDG	581
IDGB_03	Frequency - marijuana, cannabis, hashish - 12 mo	IDG	581
IDGB_04	Used - cocaine, crack - life	IDG	582
IDGB_05	Used - cocaine, crack - 12 mo	IDG	582
IDGB_06	Frequency - cocaine, crack - 12 mo	IDG	583
IDGB_07	Used - speed (amphetamines) - life	IDG	583
IDGB_08	Used - speed (amphetamines) - 12 mo	IDG	584
IDGB_09	Frequency - speed (amphetamines) - 12 mo	IDG	584
IDGB_10	Used - ecstasy (MDMA) - life	IDG	585
IDGB_11	Used - ecstasy (MDMA) - 12 mo	IDG	585
IDGB_12	Frequency - ecstasy (MDMA) - 12 mo	IDG	586

CCHS Cycle 1.2: Alphabetic Index

Page 21

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
IDGB_13	Used - hallucinogens, PCP, LSD - life	IDG	586
IDGB_14	Used - hallucinogens, PCP, LSD - 12 mo	IDG	587
IDGB_15	Frequency - hallucinogens, PCP, LSD - 12 mo	IDG	587
IDGB_16	Sniffed - glue, gasoline, other solvents - life	IDG	588
IDGB_17	Sniffed - glue, gasoline, other solvents - 12 mo	IDG	588
IDGB_18	Frequency - glue, gasoline, other solvents - 12 mo	IDG	589
IDGB_19	Used - heroin - life	IDG	589
IDGB_20	Used - heroin - 12 mo	IDG	590
IDGB_21	Frequency - heroin - 12 mo	IDG	590
IDGB_22	Used - steroids - life	IDG	591
IDGB_23	Used - steroids - 12 mo	IDG	591
IDGB_24	Frequency - steroids - 12 mo	IDG	592
IDGB_25A	Needed more drugs than usual to get high - 12 mo	IDG	593
IDGB_25B	Had symptom during period of cut down/no drugs - 12 mo	IDG	594
IDGB_25C	Used drugs to prevent having symptoms - 12 mo	IDG	595
IDGB_25D	Used drugs - even though promised wouldn't - 12 mo	IDG	596
IDGB_25E	Used drugs more frequently than intended - 12 mo	IDG	597
IDGB_25F	Used drugs - little time for anything else - 12 mo	IDG	598
IDGB_25G	Reduced important activities - because of drugs - 12 mo	IDG	599
IDGB_25H	Continued taking drugs despite health problems - 12 mo	IDG	600
IDGB_26A	Level of interference - home responsibilities - 12 mo	IDG	601
IDGB_26C	Level of interference - close relationships - 12 mo	IDG	604
IDGB_26D	Level of interference - social life - 12 mo	IDG	605
IDGB_5A1	Needed more drugs than usual to get high - life	IDG	593
IDGB_5AA	Took drugs at least once monthly for a year - life	IDG	592
IDGB_5AL	Needed more drugs than usual to get high - life	IDG	606
IDGB_5B1	Had symptom during period of cut down/no drugs - life	IDG	594
IDGB_5BL	Had symptom during period of cut down/no drugs - life	IDG	606
IDGB_5C1	Used drugs to prevent having symptoms - life	IDG	595
IDGB_5CL	Used drugs to prevent having symptoms - life	IDG	607
IDGB_5D1	Used drugs - even though promised wouldn't - life	IDG	596
IDGB_5DL	Used drugs even though promised wouldn't - life	IDG	607
IDGB_5E1	Used drugs more frequently than intended - life	IDG	597
IDGB_5EL	Used drugs more frequently than intended - life	IDG	608
IDGB_5F1	Used drugs - little time for anything else - life	IDG	598
IDGB_5FL	Used drugs - little time for anything else - life	IDG	608

CCHS Cycle 1.2: Alphabetic Index

Page 22

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
IDGB_5G1	Reduced important activities - because of drugs - life	IDG	599
IDGB_5GL	Reduced important activities - because of drugs - life	IDG	609
IDGB_5H1	Continued taking drugs despite health problems - life	IDG	600
IDGB_5HL	Continued taking drugs despite health problems - life	IDG	609
IDGB_6B1	Level of interference - ability to attend school - 12 mo	IDG	602
IDGB_6B2	Level of interference - ability to work at a job - 12 mo	IDG	603
IDGBDINT	Illicit drug interference - mean - 12 mo - (D)	IDG	617
IDGBFINT	Flag: Illicit drug interference - 12 mo	IDG	618
IDGBFLA	Illicit drug use - including one time cannabis - life	IDG	615
IDGBFLAC	Illicit drug use - excluding one time cannabis - life	IDG	615
IDGBFLAM	Amphetamine (speed) drug use - life	IDG	612
IDGBFLCA	Cannabis drug use - including one time only - life	IDG	610
IDGBFLCM	Cannabis drug use - excluding one time only - life	IDG	610
IDGBFLCO	Cocaine / crack drug use - life	IDG	611
IDGBFLEX	MDMA (ecstasy) drug use - life	IDG	612
IDGBFLGL	Glue, gasoline or other solvent use - life	IDG	613
IDGBFLHA	Hallucinogens, PCP or LSD drug use - life	IDG	613
IDGBFLHE	Heroin drug use - life	IDG	614
IDGBFLST	Steroid use - life	IDG	614
IDGBFYA	Illicit drug use - including one time cannabis - 12 mo	IDG	616
IDGBFYAC	Illicit drug use - excluding one time cannabis - 12 mo	IDG	616
IDGBFYCM	Cannabis drug use - excluding one time only - 12 mo	IDG	611
IDGBFYDP	Criteria - Drug dependance - 12 mo	IDG	617
INCB_1A	Source of household income - wages and salaries	INC	1107
INCB_1B	Source of household income - self-employment	INC	1107
INCB_1C	Source of household income - dividends and interest	INC	1108
INCB_1D	Source of household income - employment insurance	INC	1108
INCB_1E	Source of household income - worker's compensation	INC	1109
INCB_1F	Source of hh income - benefits from Can. / Que. Pension Plan	INC	1109
INCB_1G	Source of hh income - pensions, superannuation and annuities	INC	1110
INCB_1H	Source of household income - Old Age Security / G.I.S.	INC	1110
INCB_1I	Source of household income - child tax benefit	INC	1111
INCB_1J	Source of household income - social assistance / welfare	INC	1111
INCB_1K	Source of household income - child support	INC	1112
INCB_1L	Source of household income - alimony	INC	1112
INCB_1M	Source of household income - other	INC	1113

CCHS Cycle 1.2: Alphabetic Index

Page 23

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
INCB_1N	Source of household income - none	INC	1113
INCB_2	Total household income - main source	INC	1114
INCB_3	Total household income - best estimate	INC	1115
INCB_3A	Total household income - < \$20,000 or >= \$20,000	INC	1115
INCB_3B	Total household income - < \$10,000 or >= \$10,000	INC	1116
INCB_3C	Total household income - < \$5,000 or >= \$5,000	INC	1116
INCB_3D	Total household income - < \$15,000 or >= \$15,000	INC	1117
INCB_3E	Total household income - < \$40,000 or >= \$40,000	INC	1117
INCB_3F	Total household income - < \$30,000 or >= \$30,000	INC	1118
INCB_3G	Total household income - < \$50,000 to >= \$80,000	INC	1118
INCB_4	Total personal income - best estimate	INC	1119
INCB_4A	Total personal income - < \$20,000 or >= \$20,000	INC	1119
INCB_4B	Total personal income - < \$10,000 or >= \$10,000	INC	1120
INCB_4C	Total personal income - < \$5,000 or >= \$5,000	INC	1120
INCB_4D	Total personal income - < \$15,000 or >= \$15,000	INC	1121
INCB_4E	Total personal income - < \$40,000 or >= \$40,000	INC	1121
INCB_4F	Total personal income - < \$30,000 or >= \$30,000	INC	1122
INCB_4G	Total personal income < \$50,000 to >= \$80,000	INC	1122
INCBDDH	Total household income from all sources - (D)	INC	1125
INCBDA2	Income adequacy - 2 groups - (D)	INC	1123
INCBDA4	Income adequacy - 4 groups - (D)	INC	1123
INCBDA5	Income adequacy - 5 groups - (D)	INC	1124
INCBDPER	Total personal income from all sources - (D)	INC	1126
INCBG2	Total household income - main source - (G)	INC	1311
INCBGHH	Total household income from all sources - (D,G)	INC	1312
INCBGPER	Total personal income from all sources - (D,G)	INC	1312
LBFB_01	Worked at job or business last week	LBF	1067
LBFB_02	Absent from job or business last week	LBF	1068
LBFB_03	Had more than one job or business - last week	LBF	1068
LBFB_11	Looked for work in past 4 weeks	LBF	1069
LBFB_13	Not currently working - reason	LBF	1070
LBFB_13A	Reason - physical, emotional, alcohol/drugs	LBF	1071
LBFB_21	Worked at job or business in past 12 months	LBF	1071
LBFB_22	Looked for work in past 12-months	LBF	1072
LBFB_23	More than one job or business at same time - past 12-months	LBF	1072
LBFB_31	Self-employment status - main job or business	LBF	1073

CCHS Cycle 1.2: Alphabetic Index

Page 24

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
LBFB_31A	Occupation - main job or business	LBF	1074
LBFB_41	Absent from job or business last week - reason	LBF	1075
LBFB_41A	Reason - physical, emotional, alcohol/drugs	LBF	1076
LBFB_42	Usual number of hours worked - main job or business	LBF	1076
LBFB_44	Usual work schedule - main job or business	LBF	1077
LBFB_45	Usual work schedule - reason	LBF	1078
LBFB_46	Work on weekends - main job or business	LBF	1078
LBFB_51	More than one job or business - number of weeks	LBF	1079
LBFB_52	More than one job or business - reason	LBF	1080
LBFB_53	Usual number of hours worked - other job or business	LBF	1081
LBFB_54	Work on weekends - other job or business	LBF	1081
LBFB_61	Weeks worked - past 12 months	LBF	1082
LBFB_71	Weeks looked for work - past 12 months	LBF	1082
LBFB_72	Not working or looking for work - number of weeks (confirm)	LBF	1083
LBFB_73	Did not look for work - main reason	LBF	1084
LBFB_73A	Reason - physical, emotional, alcohol/drugs	LBF	1085
LBFB DHPW	Total usual hours worked per week - (D)	LBF	1088
LBFB DJST	Job status over past year - (D)	LBF	1089
LBFB DMJS	Multiple job status - (D)	LBF	1088
LBFB DPFT	Usual hours worked - full-time / part-time flag - (F)	LBF	1089
LBFB DRNW	Main reason for not working last week - (D)	LBF	1087
LBFB DSTU	Student working status - (D)	LBF	1090
LBFB DWSL	Working status last week - 6 groups - (D)	LBF	1086
LBFB DWSS	Working status last week - 4 groups - (D)	LBF	1085
LBFB G31	Self-employment status - main job or business - (G)	LBF	1310
LBFB GJST	Job status over past year - (D,G)	LBF	1311
LBFB GRNW	Main reason for not working last week - (D,G)	LBF	1310
MEDB_11A	Took medication to help sleep - 12 mo	MED	892
MEDB_11B	Took diet pills - 12 mo	MED	892
MEDB_11C	Took medication to reduce anxiety - 12 mo	MED	893
MEDB_11D	Took mood stabilizers - 12 mo	MED	893
MEDB_11E	Took anti-depressants - 12 mo	MED	894
MEDB_11F	Took med. to treat psychotic behaviours - 12 mo	MED	894
MEDB_11G	Took stimulants - 12 mo	MED	895
MEDB_2	Last 2 days - number of medications taken	MED	951
MEDB_3AA	Prescription from a medical doctor or dentist - drug 1	MED	953

CCHS Cycle 1.2: Alphabetic Index

Page 25

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_3BA	Prescription from medical doctor or dentist - drug 2	MED	954
MEDB_3CA	Prescription from medical doctor or dentist - drug 3	MED	956
MEDB_3DA	Prescription from medical doctor or dentist - drug 4	MED	957
MEDB_3EA	Prescription from medical doctor or dentist - drug 5	MED	959
MEDB_3FA	Prescription from medical doctor or dentist - drug 6	MED	960
MEDB_3GA	Prescription from medical doctor or dentist - drug 7	MED	962
MEDB_3HA	Prescription from medical doctor or dentist - drug 8	MED	963
MEDB_3IA	Prescription from medical doctor or dentist - drug 9	MED	965
MEDB_3JA	Prescription from medical doctor or dentist - drug 10	MED	966
MEDB_3KA	Prescription from medical doctor or dentist - drug 11	MED	968
MEDB_3LA	Prescription from medical doctor or dentist - drug 12	MED	969
MEDB_4	Insurance that covers all/part of cost of prescription	MED	970
MEDB_5	Used other health products for mental health - 12 mo	MED	970
MEDB_6A	Health product used - St. John's Wort	MED	971
MEDB_6B	Health product used - valerian	MED	971
MEDB_6C	Health product used - chamomile	MED	972
MEDB_6D	Health product used - ginseng	MED	972
MEDB_6E	Health product used - kava kava	MED	973
MEDB_6F	Health product used - lavender	MED	973
MEDB_6G	Health product used - chasteberry	MED	974
MEDB_6H	Health product used - black cohosh	MED	974
MEDB_6I	Health product used - ginkgo biloba	MED	975
MEDB_6J	Health product used - NeuRocover-DA	MED	975
MEDB_6K	Health product used - vitamins	MED	976
MEDB_6L	Health product used - other	MED	976
MEDB_7	Health product recommended by a professional	MED	977
MEDB_8A	Health product recommended by a psychiatrist	MED	977
MEDB_8B	Health product recommended by a family doctor/GP	MED	978
MEDB_8C	Health product recommended by an other medical doctor	MED	978
MEDB_8D	Health product recommended by a psychologist	MED	979
MEDB_8E	Health product recommended by a chiropractor	MED	979
MEDB_8F	Health product recommended by a nurse	MED	980
MEDB_8G	Health product recommended by a social worker	MED	980
MEDB_8H	Health product recommended by a homeopath/naturopath	MED	981
MEDB_8I	Health product recommended by an herbalist	MED	981
MEDB_8J	Health product recommended by a relaxation therapist	MED	982

CCHS Cycle 1.2: Alphabetic Index

Page 26

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_8K	Health product recommended by a biofeedback teacher	MED	982
MEDB_8L	Health product recommended by other	MED	983
MEDB_A1	Sleep medication under professional supervision	MED	895
MEDB_A2A	Sleep medication prescribed by a psychiatrist	MED	896
MEDB_A2B	Sleep medication prescribed by family doctor / GP	MED	896
MEDB_A2C	Sleep medication prescribed by other medical doctor	MED	897
MEDB_A2D	Sleep medication prescribed by other professional	MED	897
MEDB_A3	Days forgot to take/took less sleep medication	MED	898
MEDB_A4A	Reason no/less med - Forgot	MED	898
MEDB_A4B	Reason no/less med - Felt better	MED	899
MEDB_A4C	Reason no/less med - Medicine was not helping	MED	899
MEDB_A4D	Reason no/less med - Thought problem would get better	MED	900
MEDB_A4E	Reason no/less med - Couldn't afford to pay	MED	900
MEDB_A4F	Reason no/less med - Too embarrassed to take medicine	MED	901
MEDB_A4G	Reason no/less med - Wanted to solve problem without med.	MED	901
MEDB_A4H	Reason no/less med - Side-effects	MED	902
MEDB_A4I	Reason no/less med - Afraid of becoming dependent	MED	902
MEDB_A4J	Reason no/less med - Other reason	MED	903
MEDB_B1	Diet pills under professional supervision	MED	903
MEDB_B2A	Diet pills prescribed by a psychiatrist	MED	904
MEDB_B2B	Diet pills prescribed by family doctor / GP	MED	904
MEDB_B2C	Diet pills prescribed by other medical doctor	MED	905
MEDB_B2D	Diet pills prescribed by other professional	MED	905
MEDB_B3	Days forgot to take/took less diet pills	MED	906
MEDB_B4A	Reason no/less med - Forgot	MED	906
MEDB_B4B	Reason no/less med - Felt better	MED	907
MEDB_B4C	Reason no/less med - Medicine was not helping	MED	907
MEDB_B4D	Reason no/less med - Thought problem would get better	MED	908
MEDB_B4E	Reason no/less med - Couldn't afford to pay	MED	908
MEDB_B4F	Reason no/less med - Too embarrassed to take medicine	MED	909
MEDB_B4G	Reason no/less med - Wanted to solve problem without med.	MED	909
MEDB_B4H	Reason no/less med - Side-effects	MED	910
MEDB_B4I	Reason no/less med - Afraid of becoming dependent	MED	910
MEDB_B4J	Reason no/less med - Other reason	MED	911
MEDB_C1	Med. against anxiety under professional supervision	MED	911
MEDB_C2A	Med. against anxiety prescribed by a psychiatrist	MED	912

CCHS Cycle 1.2: Alphabetic Index

Page 27

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_C2B	Med. against anxiety prescribed by family doctor / GP	MED	912
MEDB_C2C	Med. against anxiety prescribed by other medical doctor	MED	913
MEDB_C2D	Med. against anxiety prescribed by other professional	MED	913
MEDB_C3	Days forgot to take/took less med. against anxiety	MED	914
MEDB_C4A	Reason no/less med - Forgot	MED	914
MEDB_C4B	Reason no/less med - Felt better	MED	915
MEDB_C4C	Reason no/less med - Medicine was not helping	MED	915
MEDB_C4D	Reason no/less med - Thought problem would get better	MED	916
MEDB_C4E	Reason no/less med - Couldn't afford to pay	MED	916
MEDB_C4F	Reason no/less med - Too embarrassed to take medicine	MED	917
MEDB_C4G	Reason no/less med - Wanted to solve problem without med.	MED	917
MEDB_C4H	Reason no/less med - Side-effects	MED	918
MEDB_C4I	Reason no/less med - Afraid of becoming dependent	MED	918
MEDB_C4J	Reason no/less med - Other reason	MED	919
MEDB_D1	Mood stabilizers under professional supervision	MED	919
MEDB_D2A	Mood stabilizers prescribed by a psychiatrist	MED	920
MEDB_D2B	Mood stabilizers prescribed by family doctor / GP	MED	920
MEDB_D2C	Mood stabilizers prescribed by other medical doctor	MED	921
MEDB_D2D	Mood stabilizers prescribed by other professional	MED	921
MEDB_D3	Days forgot to take/took less mood stabilizers	MED	922
MEDB_D4A	Reason no/less med - Forgot	MED	922
MEDB_D4B	Reason no/less med - Felt better	MED	923
MEDB_D4C	Reason no/less med - Medicine was not helping	MED	923
MEDB_D4D	Reason no/less med - Thought problem would get better	MED	924
MEDB_D4E	Reason no/less med - Couldn't afford to pay	MED	924
MEDB_D4F	Reason no/less med - Too embarrassed to take medicine	MED	925
MEDB_D4G	Reason no/less med - Wanted to solve problem without med.	MED	925
MEDB_D4H	Reason no/less med - Side-effects	MED	926
MEDB_D4I	Reason no/less med - Afraid of becoming dependent	MED	926
MEDB_D4J	Reason no/less med - Other reason	MED	927
MEDB_E1	Antidepressants under professional supervision	MED	927
MEDB_E2A	Antidepressants prescribed by a psychiatrist	MED	928
MEDB_E2B	Antidepressants prescribed by family doctor / GP	MED	928
MEDB_E2C	Antidepressants prescribed by other medical doctor	MED	929
MEDB_E2D	Antidepressants prescribed by other professional	MED	929
MEDB_E3	Days forgot to take/took less antidepressants	MED	930

CCHS Cycle 1.2: Alphabetic Index

Page 28

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_E4A	Reason no/less med - Forgot	MED	930
MEDB_E4B	Reason no/less med - Felt better	MED	931
MEDB_E4C	Reason no/less med - Medicine was not helping	MED	931
MEDB_E4D	Reason no/less med - Thought problem would get better	MED	932
MEDB_E4E	Reason no/less med - Couldn't afford to pay	MED	932
MEDB_E4F	Reason no/less med - Too embarrassed to take medicine	MED	933
MEDB_E4G	Reason no/less med - Wanted to solve problem without med.	MED	933
MEDB_E4H	Reason no/less med - Side-effects	MED	934
MEDB_E4I	Reason no/less med - Afraid of becoming dependent	MED	934
MEDB_E4J	Reason no/less med - Other reason	MED	935
MEDB_F1	Antipsychotic drugs under professional supervision	MED	935
MEDB_F2A	Antipsychotic drugs prescribed by a psychiatrist	MED	936
MEDB_F2B	Antipsychotic drugs prescribed by family doctor / GP	MED	936
MEDB_F2C	Antipsychotic drugs prescribed by other medical doctor	MED	937
MEDB_F2D	Antipsychotic drugs prescribed by other professional	MED	937
MEDB_F3	Days forgot to take/took less antipsychotic drugs	MED	938
MEDB_F4A	Reason no/less med - Forgot	MED	938
MEDB_F4B	Reason no/less med - Felt better	MED	939
MEDB_F4C	Reason no/less med - Medicine was not helping	MED	939
MEDB_F4D	Reason no/less med - Thought problem would get better	MED	940
MEDB_F4E	Reason no/less med - Couldn't afford to pay	MED	940
MEDB_F4F	Reason no/less med - Too embarrassed to take medicine	MED	941
MEDB_F4G	Reason no/less med - Wanted to solve problem without med.	MED	941
MEDB_F4H	Reason no/less med - Side-effects	MED	942
MEDB_F4I	Reason no/less med - Afraid of becoming dependent	MED	942
MEDB_F4J	Reason no/less med - Other reason	MED	943
MEDB_G1	Stimulants under professional supervision	MED	943
MEDB_G2A	Stimulants prescribed by a psychiatrist	MED	944
MEDB_G2B	Stimulants prescribed by family doctor / GP	MED	944
MEDB_G2C	Stimulants prescribed by other medical doctor	MED	945
MEDB_G2D	Stimulants prescribed by other professional	MED	945
MEDB_G3	Days forgot to take/took less stimulants	MED	946
MEDB_G4A	Reason no/less med - Forgot	MED	946
MEDB_G4B	Reason no/less med - Felt better	MED	947
MEDB_G4C	Reason no/less med - Medicine was not helping	MED	947
MEDB_G4D	Reason no/less med - Thought problem would get better	MED	948

CCHS Cycle 1.2: Alphabetic Index

Page 29

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDB_G4E	Reason no/less med - Couldn't afford to pay	MED	948
MEDB_G4F	Reason no/less med - Too embarrassed to take medicine	MED	949
MEDB_G4G	Reason no/less med - Wanted to solve problem without med.	MED	949
MEDB_G4H	Reason no/less med - Side-effects	MED	950
MEDB_G4I	Reason no/less med - Afraid of becoming dependent	MED	950
MEDB_G4J	Reason no/less med - Other reason	MED	951
MEDBC03A	Drug code - drug 1	MED	952
MEDBC03B	Drug code - drug 2	MED	954
MEDBC03C	Drug code - drug 3	MED	955
MEDBC03D	Drug code - drug 4	MED	957
MEDBC03E	Drug code - drug 5	MED	958
MEDBC03F	Drug code - drug 6	MED	960
MEDBC03G	Drug code - drug 7	MED	961
MEDBC03H	Drug code - drug 8	MED	963
MEDBC03I	Drug code - drug 9	MED	964
MEDBC03J	Drug code - drug 10	MED	966
MEDBC03K	Drug code - drug 11	MED	967
MEDBC03L	Drug code - drug 12	MED	969
MEDBF03A	Flag: drug 1	MED	952
MEDBF03B	Flag: drug 2	MED	953
MEDBF03C	Flag: drug 3	MED	955
MEDBF03D	Flag: drug 4	MED	956
MEDBF03E	Flag: drug 5	MED	958
MEDBF03F	Flag: drug 6	MED	959
MEDBF03G	Flag: drug 7	MED	961
MEDBF03H	Flag: drug 8	MED	962
MEDBF03I	Flag: drug 9	MED	964
MEDBF03J	Flag: drug 10	MED	965
MEDBF03K	Flag: drug 11	MED	967
MEDBF03L	Flag: drug 12	MED	968
MEDBG03A	Drug code - drug 1 - (G)	MED	1295
MEDBG03B	Drug code - drug 2 - (G)	MED	1296
MEDBG03C	Drug code - drug 3 - (G)	MED	1297
MEDBG03D	Drug code - drug 4 - (G)	MED	1298
MEDBG03E	Drug code - drug 5 - (G)	MED	1299
MEDBG03F	Drug code - drug 6 - (G)	MED	1300

CCHS Cycle 1.2: Alphabetic Index

Page 30

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MEDBG03G	Drug code - drug 7 - (G)	MED	1301
MEDBG03H	Drug code - drug 8 - (G)	MED	1302
MEDBG03I	Drug code - drug 9 - (G)	MED	1303
MEDBG03J	Drug code - drug 10 - (G)	MED	1304
MEDBG03K	Drug code - drug 11 - (G)	MED	1305
MEDBG03L	Drug code - drug 12 - (G)	MED	1306
MHPBDAON	Age of onset - Selected disorders - (D)	MHP	536
MHPBFINT	Flag: Reported interference	MHP	536
MHPBFL	Selected disorders dependence - life	MHP	532
MHPBFLA	Selected anxiety disorders - life	MHP	533
MHPBFLM	Selected mood disorders - life	MHP	533
MHPBFY	Selected disorders/substance dependence - 12 mo	MHP	534
MHPBFYA	Selected anxiety disorder - 12 mo	MHP	535
MHPBFYM	Selected mood disorders - 12 mo	MHP	534
MHPBFYSA	Selected substance dependence - 12 mo	MHP	535
MHPBGAON	Age of onset - Selected disorders - (D,G)	MHP	1251
MIAB_01	Cognitive/behavior changes during excited periods	MIA	278
MIAB_03	Excited episode with largest number of changes	MIA	278
MIAB_03A	Age when excited episode with largest number of changes	MIA	279
MIAB_03B	Length of excited episode with largest number of changes	MIA	279
MIAB_03C	Age - when most recent excited episode occurred	MIA	282
MIAB_03D	Length of most recent excited episode	MIA	283
MIAB_04	Symptom - irritable/grouchy during excited episode	MIA	286
MIAB_05	Cognitive/behavioural changes during irritable period	MIA	286
MIAB_06	Irritable episode with largest number of changes	MIA	287
MIAB_06A	Age when irritable episode with largest number of changes	MIA	287
MIAB_06B	Length of irritable episode with largest number of changes	MIA	288
MIAB_06C	Age - when most recent irritable episode occurred	MIA	291
MIAB_06D	Length of most recent irritable episode	MIA	291
MIAB_07A	Symptom - became restless or fidgety	MIA	294
MIAB_07B	Symptom - became overly friendly / outgoing with people	MIA	295
MIAB_07C	Symptom - behaved in a way that is inappropriate	MIA	295
MIAB_07D	Symptom - was more interested in sex than usual	MIA	296
MIAB_07E	Symptom - tried to do things that were impossible to do	MIA	296
MIAB_07F	Symptom - talked a lot more than usual	MIA	297
MIAB_07G	Symptom - constantly kept changing plans / activities	MIA	297

CCHS Cycle 1.2: Alphabetic Index

Page 31

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIAB_07H	Symptom - was easily distracted	MIA	298
MIAB_07I	Symptom - had thoughts jumping from one thing to another	MIA	298
MIAB_07J	Symptom - slept far less than usual and was not tired	MIA	299
MIAB_07K	Symptom - was involved in foolish investments for making \$	MIA	299
MIAB_07L	Symptom - spent much more money than usual	MIA	300
MIAB_07M	Symptom - did risky things for pleasure	MIA	300
MIAB_07N	Symptom - had a greatly exaggerated self-confidence	MIA	301
MIAB_07O	Symptom - believed was someone else	MIA	301
MIAB_08	Number of episodes felt excited / irritable - life	MIA	302
MIAB_09	Manic episode interfered with work/social life/relationships	MIA	302
MIAB_09A	Frequency - feelings = unable carry out daily activities	MIA	303
MIAB_09B	People worry about the way respondent was acting	MIA	303
MIAB_10A	Manic episode due to physical causes	MIA	304
MIAB_10B	Physical causes always cause manic episodes	MIA	304
MIAB_18	Remembered exactly age of very first manic episode	MIA	313
MIAB_181	Life period when very first manic episode occurred	MIA	315
MIAB_18A	Age - exactly very first manic episode	MIA	314
MIAB_18B	Age - approximately first time manic episode	MIA	314
MIAB_18C	Episode triggered by stressful/unexpected event	MIA	315
MIAB_18D	Length of very first manic episode	MIA	316
MIAB_19	Had manic episode - 12 mo	MIA	319
MIAB_191	Had a single manic episode - 12 mo	MIA	319
MIAB_19A	Reference period of manic episode - 12 mo	MIA	320
MIAB_19B	Number of manic episodes - 12 mo	MIA	320
MIAB_19C	Number of weeks had manic episode - 12 mo	MIA	321
MIAB_19D	Age - last time had manic episode	MIA	321
MIAB_1CA	Physical exclusion - exhaustion	MIA	305
MIAB_1CB	Physical exclusion - hyperventilation	MIA	305
MIAB_1CC	Physical exclusion - hypochondria	MIA	306
MIAB_1CD	Physical exclusion - menstrual cycle	MIA	306
MIAB_1CE	Physical exclusion - pregnancy / postpartum	MIA	307
MIAB_1CF	Physical exclusion - thyroid disease	MIA	307
MIAB_1CG	Physical exclusion - cancer	MIA	308
MIAB_1CH	Physical exclusion - overweight	MIA	308
MIAB_1CI	Physical exclusion - medication (excluding illicit drugs)	MIA	309
MIAB_1CJ	Physical exclusion - illicit drugs	MIA	309

CCHS Cycle 1.2: Alphabetic Index

Page 32

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIAB_1CK	Physical exclusion - alcohol	MIA	310
MIAB_1CL	Physical exclusion - chemical / serotonin imbalance	MIA	310
MIAB_1CM	Physical exclusion - chronic pain	MIA	311
MIAB_1CN	Physical exclusion - caffeine	MIA	311
MIAB_1CO	Physical exclusion - no specific diagnosis	MIA	312
MIAB_1CP	Physical exclusion - other	MIA	312
MIAB_1CQ	Physical exclusion - Other - Physical causes, etc.	MIA	313
MIAB_1D1	Very first manic episode - number of hours	MIA	316
MIAB_1D2	Very first manic episode - number of days	MIA	317
MIAB_1D3	Very first manic episode - number of weeks	MIA	317
MIAB_1D4	Very first manic episode - number of months	MIA	318
MIAB_1D5	Very first manic episode - number of years	MIA	318
MIAB_20	Number of episodes lasting full week or longer - life	MIA	322
MIAB_201	Nbr of episodes lasting week + brought by stressful exp.	MIA	322
MIAB_202	One week or > episode due to stressful/unexpected experience	MIA	323
MIAB_21	Nbr of episodes lasting < week brought by stressful exp.	MIA	323
MIAB_211	Nbr of episodes/less than a week/stressful experiences	MIA	324
MIAB_212	Less than one week episode due to stressful/unexpected exp.	MIA	324
MIAB_22	Length of the longest manic episode - life	MIA	325
MIAB_221	Longest manic episode - number of hours	MIA	325
MIAB_222	Longest manic episode - number of days	MIA	326
MIAB_223	Longest manic episode - number of weeks	MIA	326
MIAB_224	Longest manic episode - number of months	MIA	327
MIAB_225	Longest manic episode - number of years	MIA	327
MIAB_23	Number of different years in life/had manic episode	MIA	328
MIAB_24	Single life episode brought by stress./unexpected experience	MIA	328
MIAB_271	Level of interference - ability to attend school - 12 mo	MIA	330
MIAB_272	Level of interference - ability to work at a job - 12 mo	MIA	331
MIAB_27A	Level of interference - home responsibilities - 12 mo	MIA	329
MIAB_27C	Level of interference - close relationships - 12 mo	MIA	332
MIAB_27D	Level of interference - social life - 12 mo	MIA	333
MIAB_29	Nbr of days/365 totally unable because of mania - 12 mo	MIA	334
MIAB_33	Consulted MD/other prof. about manic episode	MIA	334
MIAB_33A	Age - first time consulted prof. about manic episode	MIA	335
MIAB_3B1	Excited episode with largest changes - number of hours	MIA	280
MIAB_3B2	Excited episode with largest changes - number of days	MIA	280

CCHS Cycle 1.2: Alphabetic Index

Page 33

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIAB_3B3	Excited episode with largest changes - number of weeks	MIA	281
MIAB_3B4	Excited episode with largest changes - number of months	MIA	281
MIAB_3B5	Excited episode with largest changes - number of years	MIA	282
MIAB_3D1	Most recent excited episode - number of hours	MIA	283
MIAB_3D2	Most recent excited episode - number of days	MIA	284
MIAB_3D3	Most recent excited episode - number of weeks	MIA	284
MIAB_3D4	Most recent excited episode - number of months	MIA	285
MIAB_3D5	Most recent excited episode - number of years	MIA	285
MIAB_45	Received helpful/effective treatment for manic episode	MIA	335
MIAB_45A	Age - first time got helpful treatment for manic episode	MIA	336
MIAB_45B	Number of prof. consulted before helpful treatment	MIA	336
MIAB_45C	Total nbr of prof. consulted about manic episode - life	MIA	337
MIAB_47	Received professional treatment for manic episode - 12 mo	MIA	337
MIAB_48	Hospitalized overnight for manic episode - life	MIA	338
MIAB_481	Number of close relatives ever had manic episode	MIA	339
MIAB_48A	Age - first time hospitalized overnight for manic episode	MIA	338
MIAB_6B1	Irritable episode with largest changes - number of hours	MIA	288
MIAB_6B2	Irritable episode with largest changes - number of days	MIA	289
MIAB_6B3	Irritable episode with largest changes - number of weeks	MIA	289
MIAB_6B4	Irritable episode with largest changes - number of months	MIA	290
MIAB_6B5	Irritable episode with largest changes - number of years	MIA	290
MIAB_6D1	Most recent irritable episode - number of hours	MIA	292
MIAB_6D2	Most recent irritable episode - number of days	MIA	292
MIAB_6D3	Most recent irritable episode - number of weeks	MIA	293
MIAB_6D4	Most recent irritable episode - number of months	MIA	293
MIAB_6D5	Most recent irritable episode - number of years	MIA	294
MIABD18Y	Duration in years - first episode - (D)	MIA	341
MIABD22Y	Duration in years - longest episode - (D)	MIA	342
MIABD277	Criterion D, Part 1A - Interference - (D)	MIA	348
MIABD3BY	Duration in years - excited - (D)	MIA	339
MIABD3DY	Duration in years - excited - (D)	MIA	340
MIABD6BY	Duration in years - irritable - (D)	MIA	340
MIABD6DY	Duration in years - irritable - (D)	MIA	341
MIABDA	Criterion A, Part 1 and 2 - (D)	MIA	343
MIABDA1	Criterion A, Part 1 - (D)	MIA	342
MIABDA2	Criterion A, Part 2 - (D)	MIA	343

CCHS Cycle 1.2: Alphabetic Index

Page 34

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIABDB	Criterion B (Combined symptoms 1 to 7) - (D)	MIA	348
MIABDB1	Criterion B - Symptom 1 - (D)	MIA	344
MIABDB2	Criterion B - Symptom 2 - (D)	MIA	344
MIABDB3	Criterion B - Symptom 3 - (D)	MIA	345
MIABDB4	Criterion B - Symptom 4 - (D)	MIA	345
MIABDB5	Criterion B - Symptom 5 - (D)	MIA	346
MIABDB6	Criterion B - Symptom 6 - (D)	MIA	346
MIABDB7	Criterion B - Symptom 7 - (D)	MIA	347
MIABDBI	Criterion B - irritable focus (D)	MIA	347
MIABDD	Criterion D - (D)	MIA	350
MIABDD1	Criterion D, Part 1 - (D)	MIA	349
MIABDD2	Criterion D, Part 2 - (D)	MIA	349
MIABDD3	Criterion D, Part 3 - (D)	MIA	350
MIABDEPS	Manic Episode Algorithm - Life - (D)	MIA	351
MIABDEY	Manic Episode Algorithm - 12 Month - (D)	MIA	354
MIABDINT	Mania Interference - Mean - (D)	MIA	355
MIABDON	Age of first manic episode - onset - (D)	MIA	351
MIABDPER	Nbr of yrs of persistence of manic disorder - (D)	MIA	352
MIABDREC	Age at most recent manic episode - (D)	MIA	352
MIABDYA	Criterion A - 12 month - (D)	MIA	353
MIABDYB	Criterion B - 12 month - (D)	MIA	353
MIABDYC	Criterion C - Interference - (D)	MIA	354
MIABFINT	Flag: Mania Interference	MIA	355
MIABG03A	Age when excited episode with largest nbr of changes - (G)	MIA	1164
MIABG03C	Age - when most recent excited episode occurred	MIA	1166
MIABG06A	Age when irritable epi. with largest number of changes - (G)	MIA	1168
MIABG06C	Age - when most recent irritable episode occurred - (G)	MIA	1170
MIABG08	Number of episodes felt excited / irritable - life - (G)	MIA	1172
MIABG18A	Age - exactly very first manic episode - (G)	MIA	1173
MIABG18B	Age - approximately first time manic episode - (G)	MIA	1174
MIABG18D	Length of very first manic episode - (G)	MIA	1175
MIABG19B	Number of manic episodes - 12 mo - (G)	MIA	1176
MIABG19C	Number of weeks had manic episode - 12 mo - (G)	MIA	1177
MIABG19D	Age - last time had manic episode - (G)	MIA	1178
MIABG20	Number of episodes lasting full week or longer - life - (G)	MIA	1179
MIABG201	Nbr of epis. lasting week + brought by stressful exp. - (G)	MIA	1180

CCHS Cycle 1.2: Alphabetic Index

Page 35

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
MIABG21	Nbr of epis. lasting < week brought by stressful exp. - (G)	MIA	1181
MIABG211	Nbr of episodes/less than a week/stressful experiences - (G)	MIA	1182
MIABG22	Length of the longest manic episode - life - (G)	MIA	1183
MIABG23	Number of different years in life/had manic episode - (G)	MIA	1184
MIABG33A	Age - first time consulted prof. about manic episode - (G)	MIA	1185
MIABG3B	Duration of excited episode - (G)	MIA	1165
MIABG3D	Length of most recent excited episode - (G)	MIA	1167
MIABG45A	Age - first time got helpful treatment for manic epis. - (G)	MIA	1186
MIABG45B	Number of prof. consulted before helpful treatment - (G)	MIA	1187
MIABG45C	Total nbr of prof. consulted about manic episode-life - (G)	MIA	1188
MIABG481	Number of close relatives ever had manic episode - (G)	MIA	1190
MIABG48A	Age - first time hospitalized overnight for manic epis - (G)	MIA	1189
MIABG6B	Length irritable epis. with largest number of changes - (G)	MIA	1169
MIABG6D	Length of most recent irritable episode - (G)	MIA	1171
MIABGON	Age of manic episode - onset - (D,G)	MIA	1191
MIABGPER	Longest period associated with mania - (G, D)	MIA	1193
MIABGREC	Age at most recent manic episode - (D,G)	MIA	1192
PACB_1A	Activity / last 3 months - walking for exercise	PAC	64
PACB_1B	Activity / last 3 months - gardening / yard work	PAC	65
PACB_1C	Activity / last 3 months - swimming	PAC	65
PACB_1D	Activity / last 3 months - bicycling	PAC	66
PACB_1E	Activity / last 3 months - popular or social dance	PAC	66
PACB_1F	Activity / last 3 months - home exercises	PAC	67
PACB_1G	Activity / last 3 months - ice hockey	PAC	67
PACB_1H	Activity / last 3 months - ice skating	PAC	68
PACB_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	68
PACB_1J	Activity / last 3 months - jogging or running	PAC	69
PACB_1K	Activity / last 3 months - golfing	PAC	69
PACB_1L	Activity / last 3 months - exercise class or aerobics	PAC	70
PACB_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	70
PACB_1N	Activity / last 3 months - bowling	PAC	71
PACB_1O	Activity / last 3 months - baseball or softball	PAC	71
PACB_1P	Activity / last 3 months - tennis	PAC	72
PACB_1Q	Activity / last 3 months - weight-training	PAC	72
PACB_1R	Activity / last 3 months - fishing	PAC	73
PACB_1S	Activity / last 3 months - volleyball	PAC	73

CCHS Cycle 1.2: Alphabetic Index

Page 36

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
PACB_1T	Activity / last 3 months - basketball	PAC	74
PACB_1U	Activity / last 3 months - other (#1)	PAC	74
PACB_1V	Activity / last 3 months - no activity	PAC	75
PACB_1W	Activity / last 3 months - other (#2)	PAC	75
PACB_1X	Activity / last 3 months - other (#3)	PAC	76
PACB_2A	Number of times participated - walking for exercise	PAC	76
PACB_2B	Number of times participated - gardening	PAC	77
PACB_2C	Number of times participated - swimming	PAC	78
PACB_2D	Number of times participated - bicycling	PAC	79
PACB_2E	Number of times participated - popular / social dance	PAC	80
PACB_2F	Number of times participated - home exercises	PAC	81
PACB_2G	Number of times participated - ice hockey	PAC	82
PACB_2H	Number of times participated - ice skating	PAC	83
PACB_2I	Number of times participated - in-line skating	PAC	84
PACB_2J	Number of times participated - jogging / running	PAC	85
PACB_2K	Number of times participated - golfing	PAC	86
PACB_2L	Number of times participated - exercise class / aerobics	PAC	87
PACB_2M	Number of times participated - downhill ski / snowboarding	PAC	88
PACB_2N	Number of times participated - bowling	PAC	89
PACB_2O	Number of times participated - baseball / softball	PAC	90
PACB_2P	Number of times participated - tennis	PAC	91
PACB_2Q	Number of times participated - weight-training	PAC	92
PACB_2R	Number of times participated - fishing	PAC	93
PACB_2S	Number of times participated - volleyball	PAC	94
PACB_2T	Number of times participated - basketball	PAC	95
PACB_2U	Number of times participated - other activity (#1)	PAC	96
PACB_2W	Number of times participated - other activity (#2)	PAC	97
PACB_2X	Number of times participated - other activity (#3)	PAC	98
PACB_3A	Time spent - walking for exercise	PAC	77
PACB_3B	Time spent - gardening	PAC	78
PACB_3C	Time spent - swimming	PAC	79
PACB_3D	Time spent - bicycling	PAC	80
PACB_3E	Time spent - popular / social dance	PAC	81
PACB_3F	Time spent - home exercises	PAC	82
PACB_3G	Time spent - ice hockey	PAC	83
PACB_3H	Time spent - ice skating	PAC	84

CCHS Cycle 1.2: Alphabetic Index

Page 37

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
PACB_3I	Time spent - in-line skating	PAC	85
PACB_3J	Time spent - jogging / running	PAC	86
PACB_3K	Time spent - golfing	PAC	87
PACB_3L	Time spent - exercise class / aerobics	PAC	88
PACB_3M	Time spent - downhill skiing or snowboarding	PAC	89
PACB_3N	Time spent - bowling	PAC	90
PACB_3O	Time spent - baseball / softball	PAC	91
PACB_3P	Time spent - tennis	PAC	92
PACB_3Q	Time spent - weight-training	PAC	93
PACB_3R	Time spent - fishing	PAC	94
PACB_3S	Time spent - volleyball	PAC	95
PACB_3T	Time spent - basketball	PAC	96
PACB_3U	Time spent - other activity (#1)	PAC	97
PACB_3W	Time spent - other activity (#2)	PAC	98
PACB_3X	Time spent - other activity (#3)	PAC	99
PACB_4A	Number of hours walking - to work or to school	PAC	99
PACB_4B	Number of hours biking - to work or to school	PAC	100
PACB_6	Level of physical activity for usual day	PAC	100
PACBDEE	Energy expenditure - (D)	PAC	101
PACBDFM	Monthly frequency - physical activity lasting >15 min. - (D)	PAC	102
PACBDFR	Frequency of all physical activity - (D)	PAC	102
PACBDPAI	Physical activity index - (D)	PAC	103
PACBFD	Participant in daily physical activity - > 15 min.	PAC	103
PACBFLEI	Participant in leisure physical activity	PAC	101
PADB_01A	Symptom - had heart pounding / racing	PAD	356
PADB_01B	Symptom - was short of breath	PAD	356
PADB_01C	Symptom - was nauseous / sick to stomach	PAD	357
PADB_01D	Symptom - felt dizzy / faint	PAD	357
PADB_01E	Symptom - was sweating	PAD	358
PADB_01F	Symptom - was trembling / shaking	PAD	358
PADB_01G	Symptom - had a dry mouth	PAD	359
PADB_01H	Symptom - felt like was choking	PAD	359
PADB_01I	Symptom - had chest pain / discomfort	PAD	360
PADB_01J	Symptom - was afraid might lose control / go crazy	PAD	360
PADB_01K	Symptom - felt like was not really there	PAD	361
PADB_01L	Symptom - felt things were not real	PAD	361

CCHS Cycle 1.2: Alphabetic Index

Page 38

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADB_01M	Symptom - was afraid might pass out	PAD	362
PADB_01N	Symptom - was afraid might die	PAD	362
PADB_01O	Symptom - had hot flushes / chills	PAD	363
PADB_01P	Symptom - felt numbness / tingling sensations	PAD	363
PADB_03	Problems began suddenly and peaked <= 10 mins	PAD	364
PADB_04	Number of sudden attacks - life	PAD	364
PADB_06	Past 12 Months occurrence of single panic attack	PAD	365
PADB_07	Remembered exactly age when single attack occurred	PAD	365
PADB_071	Life period when single attack occurred	PAD	367
PADB_07A	Age - exactly when single attack occurred	PAD	366
PADB_07B	Age - approximately when single attack occurred	PAD	366
PADB_08	Type of situations under which attack occurred	PAD	367
PADB_09	Remembered exactly age very first panic attack	PAD	368
PADB_091	Life period when very first attack occurred	PAD	369
PADB_09A	Age - exactly when very first panic attack occurred	PAD	368
PADB_09B	Age - approximately when very first attack occurred	PAD	369
PADB_10	Had panic attack - 12 mo	PAD	370
PADB_10A	Reference period of panic attack - 12 mo	PAD	370
PADB_10B	Number of weeks had at least one attack - 12 mo	PAD	371
PADB_10C	Total number of attacks - 12 mo	PAD	371
PADB_10D	Age - last time had panic attack	PAD	372
PADB_11	Greatest number of attacks in any single year - life	PAD	372
PADB_12	Number of different years had at least one attack - life	PAD	373
PADB_13A	1 Month or longer - worried might have another attack	PAD	373
PADB_13B	1 Month or longer - worried something terrible might happen	PAD	374
PADB_13C	1 Month or longer - changed everyday activities	PAD	374
PADB_13D	1 Month or longer - avoided situation for fear of attack	PAD	375
PADB_15	Age - first time had 1 month being worried / avoided	PAD	375
PADB_16	Had 1 month of worry / change in activity - 12 mo	PAD	376
PADB_16A	Reference period of 1 month disturbance - 12 mo	PAD	376
PADB_16B	Number of months of worry/change in activity - 12 mo	PAD	377
PADB_16C	Frequency - worried about having another attack - 12 mo	PAD	377
PADB_16D	Severity of worry of having another attack - 12 mo	PAD	378
PADB_16E	Age - approx. last time 1 month of worry of having attack	PAD	378
PADB_17	Had unexpected attack - life	PAD	379
PADB_17A	Number of unexpected attacks - life	PAD	379

CCHS Cycle 1.2: Alphabetic Index

Page 39

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADB_18	Number of "not in real danger" attacks - life	PAD	380
PADB_19	Number of "real danger" attacks - life	PAD	380
PADB_21	Age - first time had an unexpected attack	PAD	381
PADB_21A	Life period when first unexpected attack occurred	PAD	381
PADB_22	Unexpected attack interfere with work/social/relationships	PAD	382
PADB_24	Unexpected attack occurred while sleeping - life	PAD	382
PADB_24A	Nmbr. unexpected attacks occr.while asleep - life	PAD	383
PADB_25A	Panic attack due to physical causes	PAD	383
PADB_25B	Physical causes always caused panic attacks	PAD	384
PADB_2CA	Physical exclusion - exhaustion	PAD	384
PADB_2CB	Physical exclusion - hyperventilation	PAD	385
PADB_2CC	Physical exclusion - hypochondria	PAD	385
PADB_2CD	Physical exclusion - menstrual cycle	PAD	386
PADB_2CE	Physical exclusion - pregnancy / postpartum	PAD	386
PADB_2CF	Physical exclusion - thyroid disease	PAD	387
PADB_2CG	Physical exclusion - cancer	PAD	387
PADB_2CH	Physical exclusion - overweight	PAD	388
PADB_2CI	Physical exclusion - medication (excluding illicit drugs)	PAD	388
PADB_2CJ	Physical exclusion - illicit drugs	PAD	389
PADB_2CK	Physical exclusion - alcohol	PAD	389
PADB_2CL	Physical exclusion - chemical / serotonin imbalance	PAD	390
PADB_2CM	Physical exclusion - chronic pain	PAD	390
PADB_2CN	Physical exclusion - caffeine	PAD	391
PADB_2CO	Physical exclusion - no specific diagnosis	PAD	391
PADB_2CP	Physical exclusion - other	PAD	392
PADB_2CQ	Physical exclusion - other - pñysical causes	PAD	392
PADB_36	Number of unexpected attacks - 12 mo	PAD	393
PADB_37A	Age - last time had unexpected attack	PAD	393
PADB_37B	Number of weeks had at least one attack - 12 mo	PAD	394
PADB_38	Reference period of most recent attack - 12 mo	PAD	394
PADB_40	Amount of emotional distress during attack - 12 mo	PAD	395
PADB_41	Upset by physical sensation reminding of attack - 12 mo	PAD	395
PADB_41A	Degree of discomfort due to physical sensations - 12 mo	PAD	396
PADB_42	Frequency - avoided situations causing sensations - 12 mo	PAD	396
PADB_43	Avoidance interfered with work/social/relationships	PAD	397
PADB_441	Level of int. - ability to attend school - 12 mo	PAD	399

CCHS Cycle 1.2: Alphabetic Index

Page 40

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADB_442	Level of int. - ability to work at a job - 12 mo	PAD	400
PADB_44A	Level of interference - home respons. - 12 mo	PAD	398
PADB_44C	Level of int. - close relationships - 12 mo	PAD	401
PADB_44D	Level of interference - social life - 12 mo	PAD	402
PADB_46	Nbr of days/365 totally unable due to attacks	PAD	403
PADB_50	Consulted MD/other prof. about attacks	PAD	403
PADB_50A	Age - first time consulted prof. about attacks	PAD	404
PADB_62	Received helpful/effective treatment for attacks	PAD	404
PADB_62A	Age - first time got helpful treatment for attacks	PAD	405
PADB_62B	Number of prof. consulted before helpful treatment	PAD	405
PADB_62C	Total nbr of prof. consulted about attacks - life	PAD	406
PADB_64	Received prof. treatment for attacks - 12 mo	PAD	406
PADB_65	Hospitalized overnight for attacks - life	PAD	407
PADB_651	Number of relatives with attacks	PAD	408
PADB_65A	Age - first time hospitalized overnight for attacks	PAD	407
PADBDA	Panic Attack - Criterion A - (D)	PAD	408
PADBDA1	Panic Attack Algorithm - Life - (D)	PAD	417
PADBDA1	Panic Attack Algorithm - 12 month - (D)	PAD	423
PADBDB	Panic Attack - Criterion B - (D)	PAD	416
PADBDB01	Criterion B - Symptom 1 - (D)	PAD	409
PADBDB02	Criterion B - Symptom 2 - (D)	PAD	409
PADBDB03	Criterion B - Symptom 3 - (D)	PAD	410
PADBDB04	Criterion B - Symptom 4 - (D)	PAD	410
PADBDB05	Criterion B - Symptom 5 - (D)	PAD	411
PADBDB06	Criterion B - Symptom 6 - (D)	PAD	411
PADBDB07	Criterion B - Symptom 7 - (D)	PAD	412
PADBDB08	Criterion B - Symptom 8 - (D)	PAD	412
PADBDB09	Criterion B - Symptom 9 - (D)	PAD	413
PADBDB10	Criterion B - Symptom 10 - (D)	PAD	413
PADBDB11	Criterion B - Symptom 11 - (D)	PAD	414
PADBDB12	Criterion B - Symptom 12 - (D)	PAD	414
PADBDB13	Criterion B - Symptom 13 - (D)	PAD	415
PADBDB14	Criterion B - Symptom 14 - (D)	PAD	415
PADBDC	Panic Attack - Criterion C - (D)	PAD	416
PADBDDA	Panic Disorder - Criterion A Part 1 and 2(D)	PAD	420
PADBDDA1	Panic Disorder - Criterion A Part 1 - (D)	PAD	417

CCHS Cycle 1.2: Alphabetic Index

Page 41

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADBDDA2	Panic Disorder - Criterion A Part 2 - (D)	PAD	419
PADBDDAA	Panic Disorder - Criterion A Part 2 - Symptom 1(D)	PAD	418
PADBDDAB	Panic Disorder - Criterion A Part 2 - Symptom 2(D)	PAD	418
PADBDDAC	Panic Disorder - Criterion A Part 2 - Symptom 3(D)	PAD	419
PADBDDY	Panic Disorder Algorithm - 12 Month - (D)	PAD	425
PABDINT	Panic Disorder Interference - Mean - (D)	PAD	425
PABDON	Age of panic disorder onset - (D)	PAD	421
PABDONA	Age of first panic attack	PAD	421
PABDPDS	Panic Disorder Algorithm - Life - (D)	PAD	420
PABDPER	Nbr of years of persistence of panic disorder - (D)	PAD	422
PABDREC	Age when most recent panic attack - (D)	PAD	422
PABDYA	Panic Disorder - Criterion A - 12 month - (D)	PAD	423
PABDYB	Panic Disorder - Criterion B - 12 month - (D)	PAD	424
PABDYC	Panic Disorder - Criterion C - 12 month - (D)	PAD	424
PABFINT	Flag: Panic Disorder Interference	PAD	426
PABG04	Number of sudden attacks - life - (G)	PAD	1194
PABG07A	Age - exactly when single attack occurred - (G)	PAD	1195
PABG07B	Age - approximately when single attack occurred - (G)	PAD	1196
PABG09A	Age - exactly when very first panic attack occurred - (G)	PAD	1197
PABG09B	Age - approximately when very first attack occurred - (G)	PAD	1198
PABG10C	Total number of attacks - 12 mo - (G)	PAD	1199
PABG10D	Age - last time had panic attack - (G)	PAD	1200
PABG11	Greatest number of attacks in any single year - life - (G)	PAD	1201
PABG12	Nber of different years had at least one attack - life - (G)	PAD	1202
PABG15	Age - first time had 1 month being worried / avoided - (G)	PAD	1203
PABG16E	Age - approx. last time 1 mth worry of having attack - (G)	PAD	1204
PABG17A	Number of unexpected attacks - life - (G)	PAD	1205
PABG18	Number of "not in real danger" attacks - life - (G)	PAD	1206
PABG19	Number of "real danger" attacks - life - (G)	PAD	1207
PABG21	Age - first time had an unexpected attack - (G)	PAD	1208
PABG24A	Number of unexpected attacks occurring while asleep - life	PAD	1209
PABG36	Number of unexpected attacks - 12 mo - (G)	PAD	1210
PABG37A	Age - last time had unexpected attack - (G)	PAD	1211
PABG50A	Age - first time consulted prof. about attacks - (G)	PAD	1212
PABG62A	Age - first time got helpful treatment for attacks - (G)	PAD	1213
PABG62B	Number of prof. consulted before helpful treatment - (G)	PAD	1214

CCHS Cycle 1.2: Alphabetic Index

Page 42

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
PADBG62C	Total nbr of prof. consulted about attacks - life - (G)	PAD	1215
PADBG651	Number of relatives with attacks - (G)	PAD	1217
PADBG65A	Age - first time hospitalized overnight for attacks - (G)	PAD	1216
PADBGON	Age of panic disorder onset - (D,G)	PAD	1219
PADBGONA	Age of first panic attack - (D,G)	PAD	1218
PADBGPER	Nbr of years of persistence of panic disorder - (D,G)	PAD	1221
PADBGREC	Age when most recent panic attack - (D,G)	PAD	1220
PERSONID	Person identifier of person selected	ADM	1
PWBB_01	Frequency - felt self-confident - past month	PWB	104
PWBB_02	Frequency - satisfied with accomplishments - past month	PWB	104
PWBB_03	Frequency - took on lots of projects - past month	PWB	105
PWBB_04	Frequency - felt emotionally balanced - past month	PWB	105
PWBB_05	Frequency - felt loved and appreciated - past month	PWB	106
PWBB_06	Frequency - had goals and ambitions - past month	PWB	106
PWBB_07	Frequency - felt like having fun - past month	PWB	107
PWBB_08	Frequency - felt useful - past month	PWB	107
PWBB_09	Frequency - smiled easily - past month	PWB	108
PWBB_10	Frequency - was true to self - past month	PWB	108
PWBB_11	Frequency - did good job listening to friends - past month	PWB	109
PWBB_12	Frequency - was curious and interested - past month	PWB	109
PWBB_13	Frequency - was able to clearly sort things out - past month	PWB	110
PWBB_14	Frequency - found life exciting - past month	PWB	110
PWBB_15	Frequency - life was well-balanced - past month	PWB	111
PWBB_16	Frequency - was calm and level-headed - past month	PWB	111
PWBB_17	Frequency - easily found answers - past month	PWB	112
PWBB_18	Frequency - got along well with others - past month	PWB	112
PWBB_19	Frequency - lived at normal pace - past month	PWB	113
PWBB_20	Frequency - impression of enjoying life - past month	PWB	113
PWBB_21	Frequency - had good sense of humour - past month	PWB	114
PWBB_22	Frequency - was at peace with self - past month	PWB	114
PWBB_23	Frequency - felt healthy/in good shape - past month	PWB	115
PWBB_24	Frequency - face situations positively - past month	PWB	115
PWBB_25	Frequency - had good morale - past month	PWB	116
PWBBDPWB	Psychological well-being scale - past month - (D)	PWB	116
RACB_1	Has difficulty with activities	RAC	674
RACB_2A	Reduction in kind or amount activities - at home	RAC	675

CCHS Cycle 1.2: Alphabetic Index

Page 43

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
RACB_2B1	Reduction in kind or amount activities - at school	RAC	675
RACB_2B2	Reduction in kind or amount activities - at work	RAC	676
RACB_2C	Reduction in kind or amount activities - other activities	RAC	676
RACB_5	Cause of health problem	RAC	677
RACB_5A1	Embarrassment due to condition/health problem - life	RAC	678
RACB_5A2	Embarrassment due to condition/health problem - 12 mo	RAC	678
RACB_5B1	Discrimination due to condition/health problem - life	RAC	679
RACB_5B2	Discrimination due to condition/health problem - 12 mo	RAC	679
RACB_6A	Needs help - preparing meals	RAC	680
RACB_6B1	Needs help - getting to appointments / running errands	RAC	680
RACB_6C	Needs help - doing housework	RAC	681
RACB_6D	Needs help - heavy household chores	RAC	681
RACB_6E	Needs help - personal care	RAC	682
RACB_6F	Needs help - moving about inside the house	RAC	682
RACB_6G	Needs help - looking after personal finances	RAC	683
RACB_7A	Difficulty - making new friends	RAC	683
RACB_7B	Difficulty - dealing with unknown people	RAC	684
RACB_7C	Difficulty - starting / maintaining a conversation	RAC	684
RACB_8A	Cause of difficulties - physical health	RAC	685
RACB_8B	Cause of difficulties - emotional or mental health	RAC	685
RACB_8C	Cause of difficulties - use of alcohol or drugs	RAC	686
RACB_8D	Cause of difficulties - other reason	RAC	686
RACBDIMP	Impact of health problems - (D)	RAC	687
RACBDPAL	Participation and Activity Limitation - (D)	RAC	687
RACBF6R	Flag: Help needed for series of tasks	RAC	688
RACBF7	Flag: Difficulty with social situations	RAC	688
RACBG5	Cause of health problem - (G)	RAC	1253
SAMB_ACP	Actual collection period	SAM	5
SAMB_OCP	Original collection period	SAM	6
SAMBDLNK	Permission to link data - (D)	SAM	7
SAMBDSHR	Permission to share data - (D)	SAM	7
SAMPLEID	Household identifier	ADM	1
SCRB_01	Satisfaction with life in general	SCR	19
SCRB_081	Self-perceived physical health	SCR	19
SCRB_082	Self-perceived mental health	SCR	20
SCRB_20	Screeners: had fear or panic attack - life	SCR	20

CCHS Cycle 1.2: Alphabetic Index

Page 44

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SCRB_20A	Screeners: had attack when suddenly very uncomfortable - life	SCR	21
SCRB_21	Screeners: felt sad/empty/depressed for several days - life	SCR	21
SCRB_22	Screeners: was very discouraged several days or longer - life	SCR	22
SCRB_23	Screeners: lost interest in things for several days - life	SCR	22
SCRB_24	Screeners: had mania-like period lasting several days - life	SCR	23
SCRB_25	Screeners: very irritable/grumpy/ for several days - life	SCR	23
SCRB_25A	Screeners: so irritable started arguments/shouted/... - life	SCR	24
SCRB_26	Screeners: worried about things more than most people - life	SCR	24
SCRB_26A	Screeners: more nervous/anxious than most people - life	SCR	25
SCRB_26B	Screeners: 6 months when anxious/worried most days - life	SCR	25
SCRB_29	Screeners: felt very afraid or really shy with people - life	SCR	26
SCRB_291	Screeners: very upset/nervous in social situation - life	SCR	27
SCRB_292	Screeners: stayed away from social situations - life	SCR	27
SCRB_293	Screeners: social fear stronger than should have been - life	SCR	28
SCRB_29A	Screeners: very afraid/uncomfortable before group - life	SCR	26
SCRB_30	Screeners: very uncomfortable/afraid in crowds/etc. - life	SCR	28
SCRB_301	Screeners: became very upset/nervous in crowds/etc. - life	SCR	29
SCRB_302	Screeners: stayed away from situations whenever could - life	SCR	29
SCRB_303	Screeners: fear stronger than should have been - life	SCR	30
SCRBDMEN	Self-rated mental health - (D)	SCR	31
SCRBDPHY	Self-rated physical health - (D)	SCR	31
SCRBDSAT	Life satisfaction - (D)	SCR	30
SCRBFAGP	Flag: Respondent screened in agoraphobia module	SCR	34
SCRBFDEP	Flag: Respondent screened in depression module	SCR	32
SCRBFGAD	Flag: Respondent screened in GAD module	SCR	34
SCRBFMIA	Flag: Respondent screened in the mania module	SCR	32
SCRBFPAD	Flag: Respondent screened in the panic module	SCR	33
SCRBF SOP	Flag: Respondent screened in social phobia module	SCR	33
SDCB_1	Country of birth	SDC	1007
SDCB_2	Canadian citizen by birth	SDC	1008
SDCB_3	Year of immigration to Canada	SDC	1008
SDCB_4A	Ethnic origin - Canadian	SDC	1009
SDCB_4B	Ethnic origin - French	SDC	1009
SDCB_4C	Ethnic origin - English	SDC	1010
SDCB_4D	Ethnic origin - German	SDC	1010
SDCB_4E	Ethnic origin - Scottish	SDC	1011

CCHS Cycle 1.2: Alphabetic Index

Page 45

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SDCB_4F	Ethnic origin - Irish	SDC	1011
SDCB_4G	Ethnic origin - Italian	SDC	1012
SDCB_4H	Ethnic origin - Ukrainian	SDC	1012
SDCB_4I	Ethnic origin - Dutch (Netherlands)	SDC	1013
SDCB_4J	Ethnic origin - Chinese	SDC	1013
SDCB_4K	Ethnic origin - Jewish	SDC	1014
SDCB_4L	Ethnic origin - Polish	SDC	1014
SDCB_4M	Ethnic origin - Portuguese	SDC	1015
SDCB_4N	Ethnic origin - South Asian	SDC	1015
SDCB_4O	Ethnic origin - Norwegian	SDC	1016
SDCB_4P	Ethnic origin - Welsh	SDC	1016
SDCB_4Q	Ethnic origin - Swedish	SDC	1017
SDCB_4R	Ethnic origin - Aboriginal	SDC	1017
SDCB_4S	Ethnic origin - other	SDC	1018
SDCB_5A	Can converse - English	SDC	1018
SDCB_5B	Can converse - French	SDC	1019
SDCB_5C	Can converse - Arabic	SDC	1019
SDCB_5D	Can converse - Chinese	SDC	1020
SDCB_5E	Can converse - Cree	SDC	1020
SDCB_5F	Can converse - German	SDC	1021
SDCB_5G	Can converse - Greek	SDC	1021
SDCB_5H	Can converse - Hungarian	SDC	1022
SDCB_5I	Can converse - Italian	SDC	1022
SDCB_5J	Can converse - Korean	SDC	1023
SDCB_5K	Can converse - Persian (Farsi)	SDC	1023
SDCB_5L	Can converse - Polish	SDC	1024
SDCB_5M	Can converse - Portuguese	SDC	1024
SDCB_5N	Can converse - Punjabi	SDC	1025
SDCB_5O	Can converse - Spanish	SDC	1025
SDCB_5P	Can converse - Tagalog (Pilipino)	SDC	1026
SDCB_5Q	Can converse - Ukrainian	SDC	1026
SDCB_5R	Can converse - Vietnamese	SDC	1027
SDCB_5S	Can converse - other language	SDC	1029
SDCB_5T	Can converse - Dutch	SDC	1027
SDCB_5U	Can converse - Hindi	SDC	1028
SDCB_5V	Can converse - Russian	SDC	1028

CCHS Cycle 1.2: Alphabetic Index

Page 46

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SDCB_5W	Can converse - Tamil	SDC	1029
SDCB_6A	First language learned and still understood - English	SDC	1030
SDCB_6B	First language learned and still understood - French	SDC	1030
SDCB_6C	First language learned and still understood - Arabic	SDC	1031
SDCB_6D	First language learned and still understood - Chinese	SDC	1031
SDCB_6E	First language learned and still understood - Cree	SDC	1032
SDCB_6F	First language learned and still understood - German	SDC	1032
SDCB_6G	First language learned and still understood - Greek	SDC	1033
SDCB_6H	First language learned and still understood - Hungarian	SDC	1033
SDCB_6I	First language learned and still understood - Italian	SDC	1034
SDCB_6J	First language learned and still understood - Korean	SDC	1034
SDCB_6K	First language learned / still understood - Persian (Farsi)	SDC	1035
SDCB_6L	First language learned and still understood - Polish	SDC	1035
SDCB_6M	First language learned and still understood - Portuguese	SDC	1036
SDCB_6N	First language learned and still understood - Punjabi	SDC	1036
SDCB_6O	First language learned and still understood - Spanish	SDC	1037
SDCB_6P	First lang. learned / still understood - Tagalog (Pilipino)	SDC	1037
SDCB_6Q	First language learned and still understood - Ukrainian	SDC	1038
SDCB_6R	First language learned and still understood - Vietnamese	SDC	1038
SDCB_6S	First language learned and still understood - other	SDC	1041
SDCB_6T	First language learned and still understood - Dutch	SDC	1039
SDCB_6U	First language learned and still understood - Hindi	SDC	1039
SDCB_6V	First language learned and still understood - Russian	SDC	1040
SDCB_6W	First language learned and still understood - Tamil	SDC	1040
SDCB_7A	Cultural / racial origin - White	SDC	1041
SDCB_7B	Cultural / racial origin - Chinese	SDC	1042
SDCB_7C	Cultural / racial origin - South Asian	SDC	1042
SDCB_7D	Cultural / racial origin - Black	SDC	1043
SDCB_7E	Cultural / racial origin - Filipino	SDC	1043
SDCB_7F	Cultural / racial origin - Latin American	SDC	1044
SDCB_7G	Cultural / racial origin - South East Asian	SDC	1044
SDCB_7H	Cultural / racial origin - Arab	SDC	1045
SDCB_7I	Cultural / racial origin - West Asian	SDC	1045
SDCB_7J	Cultural / racial origin - Japanese	SDC	1046
SDCB_7K	Cultural / racial origin - Korean	SDC	1046
SDCB_7L	Cultural / racial origin - Aboriginal	SDC	1047

CCHS Cycle 1.2: Alphabetic Index

Page 47

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SDCB_7M	Cultural / racial origin - Other	SDC	1047
SDCB_8	Currently attending a school, college or university	SDC	1048
SDCB_9	Full-time student or part-time student	SDC	1048
SDCBCCB	Country of birth - (C)	SDC	1048
SDCBDAIM	Age at time of immigration - (D)	SDC	1049
SDCBDLNG	Languages in which respondent can converse - (D)	SDC	1051
SDCBDRAC	Cultural / racial origin - (D)	SDC	1052
SDCBDRES	Length of time in Canada since immigration - (D)	SDC	1050
SDCBFIMM	Immigrant status	SDC	1050
SDCBGCB	Country of birth - (G)	SDC	1049
SDCBGCBG	Country of birth - (G)	SDC	1306
SDCBGLNG	Languages in which respondent can converse - (D,G)	SDC	1307
SDCBGRES	Length of time in Canada since immigration - (D,G)	SDC	1307
SERB_02	Hospitalized for mental health/alcohol/drug - life	SER	706
SERB_03	Nbr of times hosp. for mental health/alcohol/drug - life	SER	706
SERB_05A	Reference period for single lifetime hospitalization	SER	707
SERB_05B	Age - for single hospitalization dating more than a year ago	SER	707
SERB_05C	Lifetime unique hospitalization - time period	SER	708
SERB_05D	Lifetime unique hospitalization - Number of nights	SER	708
SERB_05E	Lifetime unique hospitalization - Number of weeks	SER	709
SERB_05F	Lifetime unique hospitalization - Number of months	SER	709
SERB_05G	Lifetime unique hospitalization - Number of years	SER	710
SERB_06	Age - at time of first admission for mental health	SER	710
SERB_07	Total time spent in hospital due to mental health	SER	711
SERB_07A	Total lifetime hospitalization - Number of days	SER	711
SERB_07B	Total lifetime hospitalization - Number of weeks	SER	712
SERB_07C	Total lifetime hospitalization - Number of months	SER	712
SERB_07D	Total lifetime hospitalization - Number of years	SER	713
SERB_08	Hospitalized for mental health/alcohol/drug - 12 mo	SER	713
SERB_08A	Age - last time hospitalized	SER	714
SERB_09	Total time spent in hospital due to mental health - 12 mo	SER	714
SERB_09A	Total past 12 months hospitalization - Number of days	SER	715
SERB_09B	Total past 12 months hospitalization - Number of weeks	SER	715
SERB_09C	Total past 12 months hospitalization - Number of months	SER	716
SERB_10A	Ever saw / talked to prof. - psychiatrist	SER	716
SERB_10B	Ever saw / talked to prof. - family doctor or GP	SER	717

CCHS Cycle 1.2: Alphabetic Index

Page 48

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_10C	Ever saw / talked to prof. - other medical doctor	SER	717
SERB_10D	Ever saw / talked to prof. - psychologist	SER	718
SERB_10E	Ever saw / talked to prof. - nurse	SER	718
SERB_10F	Ever saw / talked to prof. - social worker/counsellor/etc	SER	719
SERB_10G	Ever saw / talked to prof. - religious / spiritual advisor	SER	719
SERB_10H	Ever saw / talked to prof. - other professional	SER	720
SERB_10I	Ever saw / talked to prof. - none	SER	720
SERB_12	Had session of counselling / therapy of 15 minutes or longer	SER	721
SERB_13	Age - first time had session of counselling / therapy	SER	721
SERB_20	Age - first time consulted psychiatrist	SER	722
SERB_21	Last time consulted psychiatrist	SER	722
SERB_22	Age - last time consulted psychiatrist	SER	723
SERB_23	Number of times consulted psychiatrist - 12 mo	SER	723
SERB_24A	Contact psychiatrist - hospitalized as an overnight patient	SER	724
SERB_24B	Contact psychiatrist - health professional's office	SER	724
SERB_24C	Contact psychiatrist - hospital emergency room	SER	725
SERB_24D	Contact psychiatrist - psychiatric outpatient clinic	SER	725
SERB_24E	Contact psychiatrist - drug or alcohol outpatient clinic	SER	726
SERB_24F	Contact psychiatrist - other hospital outpatient clinic	SER	726
SERB_24G	Contact psychiatrist - walk-in clinic	SER	727
SERB_24H	Contact psychiatrist - appointment clinic	SER	727
SERB_24I	Contact psychiatrist - community health centre / CLSC	SER	728
SERB_24J	Contact psychiatrist - at work	SER	728
SERB_24K	Contact psychiatrist - at school	SER	729
SERB_24L	Contact psychiatrist - at home	SER	729
SERB_24M	Contact psychiatrist - telephone consultation only	SER	730
SERB_24N	Contact psychiatrist - church or other religious place	SER	730
SERB_24O	Contact psychiatrist - other	SER	731
SERB_25	Psychiatrist - satisfaction with treatments/services	SER	731
SERB_26	Psychiatrist - perceived level of help received from prof.	SER	732
SERB_27	Psychiatrist - stopped seeing this professional	SER	732
SERB_28A	Reason stopped - felt better	SER	733
SERB_28B	Reason stopped - completed the recommended treatment	SER	733
SERB_28C	Reason stopped - thought it was not helping	SER	734
SERB_28D	Reason stopped - problem would get better without help	SER	734
SERB_28E	Reason stopped - couldn't afford to pay	SER	735

CCHS Cycle 1.2: Alphabetic Index

Page 49

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_28F	Reason stopped - too embarrassed to see professional	SER	735
SERB_28G	Reason stopped - wanted to solve the problem without help	SER	736
SERB_28H	Reason stopped - problems like transportation, childcare	SER	736
SERB_28I	Reason stopped - service / program no longer available	SER	737
SERB_28J	Reason stopped - not comfortable with prof. approach	SER	737
SERB_28K	Reason stopped - other reason	SER	738
SERB_29	Psychiatrist - recommended other professional	SER	738
SERB_30	Age - first time consulted family doctor	SER	739
SERB_31	Last time consulted family doctor	SER	739
SERB_32	Age - last time consulted family doctor	SER	740
SERB_33	Number of times consulted family doctor - 12 mo	SER	740
SERB_34A	Contact family doctor - hospitalized as overnight patient	SER	741
SERB_34B	Contact family doctor - health professional's office	SER	741
SERB_34C	Contact family doctor - hospital emergency room	SER	742
SERB_34D	Contact family doctor - psychiatric outpatient clinic	SER	742
SERB_34E	Contact family doctor - drug or alcohol outpatient clinic	SER	743
SERB_34F	Contact family doctor - other hospital outpatient clinic	SER	743
SERB_34G	Contact family doctor - walk-in clinic	SER	744
SERB_34H	Contact family doctor - appointment clinic	SER	744
SERB_34I	Contact family doctor - community health centre / CLSC	SER	745
SERB_34J	Contact family doctor - at work	SER	745
SERB_34K	Contact family doctor - at school	SER	746
SERB_34L	Contact family doctor - at home	SER	746
SERB_34M	Contact family doctor - telephone consultation only	SER	747
SERB_34N	Contact family doctor - church or other religious place	SER	747
SERB_34O	Contact family doctor - other	SER	748
SERB_35	Family doctor - satisfaction with treatments/services	SER	748
SERB_36	Family doctor - perceived level of help received from prof.	SER	749
SERB_37	Family doctor - stopped seeing prof.	SER	749
SERB_38A	Reason stopped - felt better	SER	750
SERB_38B	Reason stopped - completed the recommended treatment	SER	750
SERB_38C	Reason stopped - thought it was not helping	SER	751
SERB_38D	Reason stopped - problem would get better without help	SER	751
SERB_38E	Reason stopped - couldn't afford to pay	SER	752
SERB_38F	Reason stopped - too embarrassed to see professional	SER	752
SERB_38G	Reason stopped - wanted to solve the problem without help	SER	753

CCHS Cycle 1.2: Alphabetic Index

Page 50

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_38H	Reason stopped - problems like transportation, childcare	SER	753
SERB_38I	Reason stopped - service / program no longer available	SER	754
SERB_38J	Reason stopped - not comfortable with prof. approach	SER	754
SERB_38K	Reason stopped - other reason	SER	755
SERB_39	Family doctor - recommended another professional	SER	755
SERB_40A	Other doctor - cardiologist	SER	756
SERB_40B	Other doctor - gynaecologist	SER	756
SERB_40C	Other doctor - urologist	SER	757
SERB_40D	Other doctor - allergist	SER	757
SERB_40E	Other doctor - other	SER	758
SERB_41	Other doctor consulted most often - 12 mo	SER	758
SERB_42	Age - last time consulted other medical doctor	SER	759
SERB_43	Number of times consulted other doctor - 12 mo	SER	759
SERB_44A	Contact other doctor - hospitalized as overnight patient	SER	760
SERB_44B	Contact other doctor - health professional's office	SER	760
SERB_44C	Contact other doctor - hospital emergency room	SER	761
SERB_44D	Contact other doctor - psychiatric outpatient clinic	SER	761
SERB_44E	Contact other doctor - drug or alcohol outpatient clinic	SER	762
SERB_44F	Contact other doctor - other hospital outpatient clinic	SER	762
SERB_44G	Contact other doctor - walk-in clinic	SER	763
SERB_44H	Contact other doctor - appointment clinic	SER	763
SERB_44I	Contact other doctor - community health centre / CLSC	SER	764
SERB_44J	Contact other doctor - at work	SER	764
SERB_44K	Contact other doctor - at school	SER	765
SERB_44L	Contact other doctor - at home	SER	765
SERB_44M	Contact other doctor - telephone consultation only	SER	766
SERB_44N	Contact other doctor - church or other religious place	SER	766
SERB_44O	Contact other doctor - other	SER	767
SERB_45	Other doctor - satisfaction with treatments/services	SER	767
SERB_46	Other doctor - perceived level of help received from prof.	SER	768
SERB_47	Other doctor - stopped seeing prof.	SER	768
SERB_48A	Reason stopped - felt better	SER	769
SERB_48B	Reason stopped - completed the recommended treatment	SER	769
SERB_48C	Reason stopped - thought it was not helping	SER	770
SERB_48D	Reason stopped - problem would get better without help	SER	770
SERB_48E	Reason stopped - couldn't afford to pay	SER	771

CCHS Cycle 1.2: Alphabetic Index

Page 51

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_48F	Reason stopped - too embarrassed to see professional	SER	771
SERB_48G	Reason stopped - wanted to solve the problem without help	SER	772
SERB_48H	Reason stopped - problems like transportation, childcare	SER	772
SERB_48I	Reason stopped - service / program no longer available	SER	773
SERB_48J	Reason stopped - not comfortable with prof. approach	SER	773
SERB_48K	Reason stopped - other reason	SER	774
SERB_49	Other doctor - recommended other professional	SER	774
SERB_50	Age - first time consulted psychologist	SER	775
SERB_51	Last time consulted psychologist	SER	775
SERB_52	Age - last time consulted psychologist	SER	776
SERB_53	Number of times consulted psychologist - 12 mo	SER	776
SERB_54A	Contact psychologist - hospitalized as an overnight patient	SER	777
SERB_54B	Contact psychologist - health professional's office	SER	777
SERB_54C	Contact psychologist - hospital emergency room	SER	778
SERB_54D	Contact psychologist - psychiatric outpatient clinic	SER	778
SERB_54E	Contact psychologist - drug or alcohol outpatient clinic	SER	779
SERB_54F	Contact psychologist - other hospital outpatient clinic	SER	779
SERB_54G	Contact psychologist - walk-in clinic	SER	780
SERB_54H	Contact psychologist - appointment clinic	SER	780
SERB_54I	Contact psychologist - community health centre / CLSC	SER	781
SERB_54J	Contact psychologist - at work	SER	781
SERB_54K	Contact psychologist - at school	SER	782
SERB_54L	Contact psychologist - at home	SER	782
SERB_54M	Contact psychologist - telephone consultation only	SER	783
SERB_54N	Contact psychologist - church or other religious place	SER	783
SERB_54O	Contact psychologist - other	SER	784
SERB_55	Psychologist - satisfaction with treatments/services - 12 mo	SER	784
SERB_56	Psychologist - perceived level of help received from prof.	SER	785
SERB_57	Psychologist - stopped seeing this professional	SER	785
SERB_58A	Reason stopped - felt better	SER	786
SERB_58B	Reason stopped - completed the recommended treatment	SER	786
SERB_58C	Reason stopped - thought it was not helping	SER	787
SERB_58D	Reason stopped - problem would get better without help	SER	787
SERB_58E	Reason stopped - couldn't afford to pay	SER	788
SERB_58F	Reason stopped - too embarrassed to see professional	SER	788
SERB_58G	Reason stopped - wanted to solve the problem without help	SER	789

CCHS Cycle 1.2: Alphabetic Index

Page 52

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_58H	Reason stopped - problems like transportation, childcare	SER	789
SERB_58I	Reason stopped - service / program no longer available	SER	790
SERB_58J	Reason stopped - not comfortable with prof. approach	SER	790
SERB_58K	Reason stopped - other reason	SER	791
SERB_59	Insurance covers all/part of cost with psychologist	SER	791
SERB_59A	Psychologist - recommended other professional	SER	792
SERB_60	Age - first time consulted nurse	SER	792
SERB_61	Last time consulted nurse	SER	793
SERB_62	Age - last time consulted nurse	SER	793
SERB_63	Number of times consulted nurse - 12 mo	SER	794
SERB_64A	Contact nurse - hospitalized as an overnight patient	SER	794
SERB_64B	Contact nurse - health professional's office	SER	795
SERB_64C	Contact nurse - hospital emergency room	SER	795
SERB_64D	Contact nurse - psychiatric outpatient clinic	SER	796
SERB_64E	Contact nurse - drug or alcohol outpatient clinic	SER	796
SERB_64F	Contact nurse - other hospital outpatient clinic	SER	797
SERB_64G	Contact nurse - walk-in clinic	SER	797
SERB_64H	Contact nurse - appointment clinic	SER	798
SERB_64I	Contact nurse - community health centre / CLSC	SER	798
SERB_64J	Contact nurse - at work	SER	799
SERB_64K	Contact nurse - at school	SER	799
SERB_64L	Contact nurse - at home	SER	800
SERB_64M	Contact nurse - telephone consultation only	SER	800
SERB_64N	Contact nurse - church or other religious place	SER	801
SERB_64O	Contact nurse - other	SER	801
SERB_65	Nurse - satisfaction with treatments/services - 12 mo	SER	802
SERB_66	Nurse - perceived level of help received from prof.	SER	802
SERB_67	Nurse - stopped seeing this professional	SER	803
SERB_68A	Reason stopped - felt better	SER	803
SERB_68B	Reason stopped - completed the recommended treatment	SER	804
SERB_68C	Reason stopped - thought it was not helping	SER	804
SERB_68D	Reason stopped - problem would get better without help	SER	805
SERB_68E	Reason stopped - couldn't afford to pay	SER	805
SERB_68F	Reason stopped - too embarrassed to see professional	SER	806
SERB_68G	Reason stopped - wanted to solve the problem without help	SER	806
SERB_68H	Reason stopped - problems like transportation, childcare	SER	807

CCHS Cycle 1.2: Alphabetic Index

Page 53

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_68I	Reason stopped - service / program no longer available	SER	807
SERB_68J	Reason stopped - not comfortable with prof. approach	SER	808
SERB_68K	Reason stopped - other reason	SER	808
SERB_69	Insurance covers all/part of cost with nurse	SER	809
SERB_69A	Nurse - recommended other professional	SER	809
SERB_70	Age - first time consulted social worker	SER	810
SERB_71	Last time consulted social worker	SER	810
SERB_72	Age - last time consulted social worker	SER	811
SERB_73	Number of times consulted social worker - 12 mo	SER	811
SERB_74A	Contact social worker - hospitalized as an overnight patient	SER	812
SERB_74B	Contact social worker - health professional's office	SER	812
SERB_74C	Contact social worker - hospital emergency room	SER	813
SERB_74D	Contact social worker - psychiatric outpatient clinic	SER	813
SERB_74E	Contact social worker - drug or alcohol outpatient clinic	SER	814
SERB_74F	Contact social worker - other hospital outpatient clinic	SER	814
SERB_74G	Contact social worker - walk-in clinic	SER	815
SERB_74H	Contact social worker - appointment clinic	SER	815
SERB_74I	Contact social worker - community health centre / CLSC	SER	816
SERB_74J	Contact social worker - at work	SER	816
SERB_74K	Contact social worker - at school	SER	817
SERB_74L	Contact social worker - at home	SER	817
SERB_74M	Contact social worker - telephone consultation only	SER	818
SERB_74N	Contact social worker - church or other religious place	SER	818
SERB_74O	Contact social worker - other	SER	819
SERB_75	Social worker - satisfaction with treatments/services	SER	819
SERB_76	Social worker - perceived level of help received from prof.	SER	820
SERB_77	Social worker - stopped seeing this professional	SER	820
SERB_78A	Reason stopped - felt better	SER	821
SERB_78B	Reason stopped - completed the recommended treatment	SER	821
SERB_78C	Reason stopped - thought it was not helping	SER	822
SERB_78D	Reason stopped - problem would get better without help	SER	822
SERB_78E	Reason stopped - couldn't afford to pay	SER	823
SERB_78F	Reason stopped - too embarrassed to see professional	SER	823
SERB_78G	Reason stopped - wanted to solve the problem without help	SER	824
SERB_78H	Reason stopped - problems like transportation, childcare	SER	824
SERB_78I	Reason stopped - service / program no longer available	SER	825

CCHS Cycle 1.2: Alphabetic Index

Page 54

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_78J	Reason stopped - not comfortable with prof. approach	SER	825
SERB_78K	Reason stopped - other reason	SER	826
SERB_79	Insurance covers all/part of cost with social worker	SER	826
SERB_79A	Social worker - recommended other professional	SER	827
SERB_80	Age - first time consulted religious advisor	SER	827
SERB_81	Last time consulted religious advisor	SER	828
SERB_82	Age - last time consulted religious advisor	SER	828
SERB_83	Number of times consulted religious advisor - 12 mo	SER	829
SERB_84A	Contact religious advisor - hosp as an overnight patient	SER	829
SERB_84B	Contact religious advisor - health professional's office	SER	830
SERB_84C	Contact religious advisor - hospital emergency room	SER	830
SERB_84D	Contact religious advisor - psychiatric outpatient clinic	SER	831
SERB_84E	Contact relig advisor - drug or alcohol outpatient clinic	SER	831
SERB_84F	Contact religious advisor - other hospital outpatient clinic	SER	832
SERB_84G	Contact religious advisor - walk-in clinic	SER	832
SERB_84H	Contact religious advisor - appointment clinic	SER	833
SERB_84I	Contact religious advisor - community health centre / CLSC	SER	833
SERB_84J	Contact religious advisor - at work	SER	834
SERB_84K	Contact religious advisor - at school	SER	834
SERB_84L	Contact religious advisor - at home	SER	835
SERB_84M	Contact religious advisor - telephone consultation only	SER	835
SERB_84N	Contact religious advisor - church or other religious place	SER	836
SERB_84O	Contact religious advisor - other	SER	836
SERB_85	Religious advisor - satisfaction with treatments/services	SER	837
SERB_86	Religious adv - perceived level of help received from prof.	SER	837
SERB_87	Religious advisor - stopped seeing this professional	SER	838
SERB_88A	Reason stopped - felt better	SER	838
SERB_88B	Reason stopped - completed the recommended treatment	SER	839
SERB_88C	Reason stopped - thought it was not helping	SER	839
SERB_88D	Reason stopped - problem would get better without help	SER	840
SERB_88E	Reason stopped - couldn't afford to pay	SER	840
SERB_88F	Reason stopped - too embarrassed to see professional	SER	841
SERB_88G	Reason stopped - wanted to solve the problem without help	SER	841
SERB_88H	Reason stopped - problems like transportation, childcare	SER	842
SERB_88I	Reason stopped - service / program no longer available	SER	842
SERB_88J	Reason stopped - not comfortable with prof. approach	SER	843

CCHS Cycle 1.2: Alphabetic Index

Page 55

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_88K	Reason stopped - other reason	SER	843
SERB_89	Religious advisor - recommend other professional	SER	844
SERB_90A	Other professional - acupuncturist	SER	844
SERB_90B	Other professional - biofeedback teacher	SER	845
SERB_90C	Other professional - chiropractor	SER	845
SERB_90D	Other professional - energy healing specialist	SER	846
SERB_90E	Other professional - exercise or movement therapist	SER	846
SERB_90F	Other professional - herbalist	SER	847
SERB_90G	Other professional - homeopath or naturopath	SER	847
SERB_90H	Other professional - hypnotist	SER	848
SERB_90I	Other professional - guided imagery specialist	SER	848
SERB_90J	Other professional - massage therapist	SER	849
SERB_90K	Other professional - relaxation, yoga or meditation	SER	849
SERB_90L	Other professional - dietician	SER	850
SERB_90M	Other professional - other	SER	850
SERB_91	Other professional consulted most often - 12 mo	SER	851
SERB_92	Age - last time consulted other professional	SER	852
SERB_93	Number of times consulted other professional - 12 mo	SER	852
SERB_94A	Contact other prof. - hospitalized as an overnight patient	SER	853
SERB_94B	Contact other prof. - health professional's office	SER	853
SERB_94C	Contact other prof. - hospital emergency room	SER	854
SERB_94D	Contact other prof. - psychiatric outpatient clinic	SER	854
SERB_94E	Contact other prof. - drug or alcohol outpatient clinic	SER	855
SERB_94F	Contact other prof. - other hospital outpatient clinic	SER	855
SERB_94G	Contact other prof. - walk-in clinic	SER	856
SERB_94H	Contact other prof. - appointment clinic	SER	856
SERB_94I	Contact other prof. - community health centre / CLSC	SER	857
SERB_94J	Contact other prof. - at work	SER	857
SERB_94K	Contact other prof. - at school	SER	858
SERB_94L	Contact other prof. - at home	SER	858
SERB_94M	Contact other prof. - telephone consultation only	SER	859
SERB_94N	Contact other prof. - church or other religious place	SER	859
SERB_94O	Contact other prof. - other	SER	860
SERB_95	Other prof. - satisfaction with treatments/services - 12 mo	SER	860
SERB_96	Other prof. - perceived level of help received from prof.	SER	861
SERB_97	Other prof. - stopped seeing this professional	SER	861

CCHS Cycle 1.2: Alphabetic Index

Page 56

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_98A	Reason stopped - felt better	SER	862
SERB_98B	Reason stopped - completed the recommended treatment	SER	862
SERB_98C	Reason stopped - thought it was not helping	SER	863
SERB_98D	Reason stopped - problem would get better without help	SER	863
SERB_98E	Reason stopped - couldn't afford to pay	SER	864
SERB_98F	Reason stopped - too embarrassed to see professional	SER	864
SERB_98G	Reason stopped - wanted to solve the problem without help	SER	865
SERB_98H	Reason stopped - problems like transportation, childcare	SER	865
SERB_98I	Reason stopped - service / program no longer available	SER	866
SERB_98J	Reason stopped - not comfortable with prof. approach	SER	866
SERB_98K	Reason stopped - other reason	SER	867
SERB_98L	Reason stopped - none	SER	867
SERB_99	Insurance covers all/part of cost with other prof.	SER	868
SERB_99A	Other professional - recommended other professional	SER	868
SERB_A0A	Used an internet support group / chat room - life	SER	869
SERB_A0B	Last time used internet support group / chat room	SER	869
SERB_A0C	Nbr of times internet support group / chat room - 12 mo	SER	870
SERB_A1A	Self-help group for help with emotions - life	SER	870
SERB_A1B	Age - first time went to self-help group	SER	871
SERB_A1C	Last time went to self-help group	SER	871
SERB_A1D	Nbr of times went to meeting of self-help group - 12 mo	SER	872
SERB_A2A	Used telephone helpline for mental health - life	SER	872
SERB_A2B	Age - first time used telephone helpline	SER	873
SERB_A2C	Last time used telephone helpline	SER	873
SERB_A2D	Number of times used telephone helpline - 12 mo	SER	874
SERB_A3	Needed help for emotions but didn't receive it	SER	874
SERB_A4A	Help needed - info on mental illness / treatments	SER	875
SERB_A4B	Help needed - info on availability of services	SER	875
SERB_A4C	Help needed - medication	SER	876
SERB_A4D	Help needed - therapy or counselling	SER	876
SERB_A4E	Help needed - for financial problems	SER	877
SERB_A4F	Help needed - for housing problems	SER	877
SERB_A4G	Help needed - for personal relationships	SER	878
SERB_A4H	Help needed - for employment status / work situation	SER	878
SERB_A4I	Help needed - other	SER	879
SERB_A5A	Reason no help - preferred to manage him/herself	SER	879

CCHS Cycle 1.2: Alphabetic Index

Page 57

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERB_A5B	Reason no help - didn't think anything more could help	SER	880
SERB_A5C	Reason no help - didn't know how or where to get help	SER	880
SERB_A5D	Reason no help - afraid to ask help / what others think	SER	881
SERB_A5E	Reason no help - couldn't afford to pay	SER	881
SERB_A5F	Reason no help - prob like transp, childcare, scheduling	SER	882
SERB_A5G	Reason no help - professional unavailable in area	SER	882
SERB_A5H	Reason no help - professional unavailable at time	SER	883
SERB_A5I	Reason no help - waiting time too long	SER	883
SERB_A5J	Reason no help - didn't get around to it / didn't bother	SER	884
SERB_A5K	Reason no help - language problems	SER	884
SERB_A5L	Reason no help - personal/family responsibilities	SER	885
SERB_A5M	Reason no help - other	SER	885
SERB_A7	Amount spent on mental health services/products - 12 mo	SER	886
SERBDHDY	Total nbr of days hospitalized for mental hlth. - life (D)	SER	887
SERBDRCT	Number of resources used for mental health - life - (D)	SER	889
SERBDYCT	Number of resources used for mental health - 12 mo	SER	890
SERBFACP	Flag: Acceptability barriers - mental health	SER	891
SERBFACS	Flag: Accessibility barriers - mental health	SER	890
SERBFAVA	Flag: Availability barriers - mental health	SER	891
SERBFHYR	Flag: Hospitalization for mental health - 12 mo	SER	887
SERBFLAP	Flag: Professional consultations for mental health - life	SER	888
SERBFLHO	Flag: Hospitalization for mental health - life	SER	886
SERBFLRU	Flag: Resources used for mental health - life	SER	888
SERBFYRU	Number of resources used for mental health - 12 mo	SER	889
SERBG03	Nbr of times hosp. for mental health/alcohol/drug - life	SER	1253
SERBG05B	Age - for single hospit. dating more than a year ago - (G)	SER	1254
SERBG06	Age - at time of first admission for mental health - (G)	SER	1255
SERBG08A	Age - last time hospitalized - (G)	SER	1256
SERBG09	Total time spent hospital due to mental hlth - 12 mo - (G)	SER	1257
SERBG13	Age - first time had session of counselling / therapy - (G)	SER	1258
SERBG20	Age - first time consulted psychiatrist - (G)	SER	1259
SERBG22	Age - last time consulted psychiatrist - (G)	SER	1260
SERBG23	Number of times consulted psychiatrist - 12 mo - (G)	SER	1261
SERBG24F	Contact psychiatrist - outpatient clinic - (G)	SER	1261
SERBG24I	Contact psychiatrist - other clinic - (G)	SER	1262
SERBG24O	Contact psychiatrist - work, school, other - (G)	SER	1262

CCHS Cycle 1.2: Alphabetic Index

Page 58

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERBG30	Age - first time consulted family doctor - (G)	SER	1263
SERBG32	Age - last time consulted family doctor - (G)	SER	1264
SERBG33	Number of times consulted family doctor - 12 mo - (G)	SER	1265
SERBG34F	Contact family doctor - outpatient clinic - (G)	SER	1265
SERBG34I	Contact family doctor - other clinic - (G)	SER	1266
SERBG34O	Contact family doctor - work, school, other - (G)	SER	1266
SERBG42	Age - last time consulted other medical doctor - (G)	SER	1267
SERBG43	Number of times consulted other doctor - 12 mo - (G)	SER	1268
SERBG44F	Contact other doctor - outpatient clinic - (G)	SER	1268
SERBG44I	Contact other med. doctor - other clinic - (G)	SER	1269
SERBG44O	Contact other doctor - work, school, other - (G)	SER	1269
SERBG50	Age - first time consulted psychologist - (G)	SER	1270
SERBG52	Age - last time consulted psychologist - (G)	SER	1271
SERBG53	Number of times consulted psychologist - 12 mo - (G)	SER	1272
SERBG54F	Contact psychologist - outpatient clinic - (G)	SER	1272
SERBG54I	Contact psychologist - other clinic - (G)	SER	1273
SERBG54O	Contact psychologist - work, school, other - (G)	SER	1273
SERBG60	Age - first time consulted nurse - (G)	SER	1274
SERBG62	Age - last time consulted nurse - (G)	SER	1275
SERBG63	Number of times consulted nurse - 12 mo - (G)	SER	1276
SERBG64F	Contact nurse - outpatient clinic - (G)	SER	1276
SERBG64I	Contact nurse - other clinic - (G)	SER	1277
SERBG64O	Contact nurse - work, school, other - (G)	SER	1277
SERBG70	Age - first time consulted social worker - (G)	SER	1278
SERBG72	Age - last time consulted social worker - (G)	SER	1279
SERBG73	Number of times consulted social worker - 12 mo - (G)	SER	1280
SERBG74F	Contact social worker - outpatient clinic - (G)	SER	1280
SERBG74I	Contact social worker - other clinic - (G)	SER	1281
SERBG74O	Contact social worker - work, school, other - (G)	SER	1281
SERBG80	Age - first time consulted religious advisor - (G)	SER	1282
SERBG82	Age - last time consulted religious advisor - (G)	SER	1283
SERBG83	Number of times consulted religious advisor - 12 mo - (G)	SER	1284
SERBG84F	Contact religious advisor - outpatient clinic - (G)	SER	1284
SERBG84I	Contact religious advisor - other clinic - (G)	SER	1285
SERBG84O	Contact religious advisor - work, school, other - (G)	SER	1285
SERBG92	Age - last time consulted other professional - (G)	SER	1286

CCHS Cycle 1.2: Alphabetic Index

Page 59

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SERBG93	Number of times consulted other professional - 12 mo - (G)	SER	1287
SERBG94F	Contact other prof. - outpatient clinic - (G)	SER	1287
SERBG94I	Contact other prof. - other clinic - (G)	SER	1288
SERBG94O	Contact other prof. - work, school, other - (G)	SER	1288
SERBGA0C	Nbr times internet support group / chat room - 12 mo - (G)	SER	1289
SERBGA1B	Age - first time went to self-help group - (G)	SER	1290
SERBGA1D	Nbr times went to meeting of self-help group - 12 mo - (G)	SER	1291
SERBGA2B	Age - first time used telephone helpline - (G)	SER	1292
SERBGA2D	Number of times used telephone helpline - 12 mo - (G)	SER	1293
SERBGA7	Amount spent on mental hlth services/products - 12 mo - (G)	SER	1293
SERBGHDY	Length of time hospitalized for ment.hlth. - life - (D,G)	SER	1294
SOPB_01A	Uneasy - meeting new people	SOP	426
SOPB_01B	Uneasy - talking to people in authority	SOP	427
SOPB_01C	Uneasy - speaking up in a meeting / class	SOP	427
SOPB_01D	Uneasy - going to parties / other social gatherings	SOP	428
SOPB_01E	Uneasy - performing / giving a talk	SOP	428
SOPB_01F	Uneasy - taking exam / interviewing for job	SOP	429
SOPB_01G	Uneasy - working while someone watches you	SOP	429
SOPB_01H	Uneasy - entering room when others already present	SOP	430
SOPB_01I	Uneasy - talking with people who don't know well	SOP	430
SOPB_01J	Uneasy - expressing disagreement to people don't know well	SOP	431
SOPB_01K	Uneasy - writing, eating, drinking while someone watches	SOP	431
SOPB_01L	Uneasy - using public bathroom	SOP	432
SOPB_01M	Uneasy - going on a date	SOP	432
SOPB_01N	Uneasy - other social situation where centre of attention	SOP	433
SOPB_031	Remembered exactly age of very first social fear	SOP	433
SOPB_032	Remembered exactly age of very first social fear	SOP	434
SOPB_03A	Age - exactly first time had social fear	SOP	434
SOPB_03B	Age - approximately first time had social fear	SOP	435
SOPB_06A	Age - when first started avoiding social situation	SOP	436
SOPB_08A	Symptom - was blushing or shaking	SOP	437
SOPB_08B	Symptom - feared losing bowel / bladder control	SOP	437
SOPB_08C	Symptom - feared might vomit	SOP	438
SOPB_09A	Symptom - had heart pounding / racing	SOP	438
SOPB_09B	Symptom - was sweating	SOP	439
SOPB_09C	Symptom - was trembling	SOP	439

CCHS Cycle 1.2: Alphabetic Index

Page 60

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SOPB_09D	Symptom - felt sick to stomach	SOP	440
SOPB_09E	Symptom - had dry mouth	SOP	440
SOPB_09F	Symptom - had hot flushes or chills	SOP	441
SOPB_09G	Symptom - felt numbness / tingling sensations	SOP	441
SOPB_09H	Symptom - had trouble breathing normally	SOP	442
SOPB_09I	Symptom - felt like was choking	SOP	442
SOPB_09J	Symptom - had pain / discomfort in chest	SOP	443
SOPB_09K	Symptom - felt dizzy / faint	SOP	443
SOPB_09L	Symptom - was afraid might die	SOP	444
SOPB_09M	Symptom - feared might lose control, go crazy or pass out	SOP	444
SOPB_09N	Symptom - felt like "not really there"	SOP	445
SOPB_09O	Symptom - felt things were not real	SOP	445
SOPB_10	Symptom - was afraid might have a panic attack	SOP	446
SOPB_10A	Symptom - had a panic attack in this situation	SOP	446
SOPB_11	Symptom - was afraid might be trapped / unable to escape	SOP	447
SOPB_12	Symptom - was afraid might do something embarrassing	SOP	447
SOPB_12A	Symptom - was afraid might embarrass other people	SOP	448
SOPB_13	Symptom - was afraid people might think negatively	SOP	448
SOPB_14	Symptom - was afraid to be focus of attention	SOP	449
SOPB_14A	Reason associated with social fear	SOP	449
SOPB_15	Fear related to embarrassment about physical/mental problem	SOP	450
SOPB_15A	Problem - emotional or mental health condition	SOP	450
SOPB_15B	Problem - alcohol or drug	SOP	451
SOPB_15C	Problem - speech, vision or hearing	SOP	451
SOPB_15D	Problem - movement or coordination	SOP	452
SOPB_15E	Problem - facial/body disfigurement, weight/body image	SOP	452
SOPB_15F	Problem - bad odour/sweating	SOP	453
SOPB_15G	Problem - other physical health problem	SOP	453
SOPB_15H	Problem - pregnancy	SOP	454
SOPB_16	Social fear interfered with work/social/relationships	SOP	454
SOPB_17	Felt upset / worried / disappointed because of social fear	SOP	455
SOPB_18	Last time feared / avoided social situation	SOP	455
SOPB_18A	Age - last time feared / avoided social situation	SOP	456
SOPB_19	Severity of fear if had to face situation today	SOP	456
SOPB_20	Frequency - avoided feared social situation - 12 mo	SOP	457
SOPB_211	Level of interference - ability to attend school - 12 mo	SOP	459

CCHS Cycle 1.2: Alphabetic Index

Page 61

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SOPB_212	Level of interference - ability to work at a job - 12 mo	SOP	460
SOPB_21A	Level of interference - home responsibilities - 12 mo	SOP	458
SOPB_21C	Level of interference - close relationships - 12 mo	SOP	461
SOPB_21D	Level of interference - social life - 12 mo	SOP	462
SOPB_23	Nbr of days/365 totally unable because of fear - 12 mo	SOP	463
SOPB_25	Consulted MD / other prof. about social fear	SOP	463
SOPB_25A	Age - first time consulted prof. about social fear	SOP	464
SOPB_36	Received helpful / effective treatment for social fear	SOP	464
SOPB_36A	Age - first time got helpful treatment for social fear	SOP	465
SOPB_36B	Number of prof. consulted before helpful treatment	SOP	465
SOPB_36C	Total nbr of prof. consulted about social fear - life	SOP	466
SOPB_38	Received prof. treatment for social fear - 12 mo	SOP	466
SOPB_39	Hospitalized overnight for social fear - life	SOP	467
SOPB_391	Number of relatives with strong social fear	SOP	468
SOPB_39A	Age - first time hospitalized overnight for social fear	SOP	467
SOPB_3B1	Life period when first time had social fear	SOP	435
SOPB_6A1	Life period when started avoiding social situation	SOP	436
SOPBD09	Criterion D, Part 2B - (D)	SOP	471
SOPBD215	Criterion E, Part 1A - (D)	SOP	473
SOPBDA	Criterion A, Part 1 and 2 - (D)	SOP	469
SOPBDA1	Criterion A, Part 1 - (D)	SOP	468
SOPBDA2	Criterion A, Part 2 - (D)	SOP	469
SOPBDB	Criterion B - (D)	SOP	470
SOPBDC	Criterion C - (D)	SOP	470
SOPBDD	Criterion D, Part 1 and 2 - (D)	SOP	472
SOPBDD1	Criterion D, Part 1 - (D)	SOP	471
SOPBDD2	Criterion D, Part 2 - (D)	SOP	472
SOPBDE	Criterion E, Part 1 and 2 - (D)	SOP	473
SOPBDF	Criterion F, Part 1 and 2 - (D)	SOP	475
SOPBDF1	Criterion F, Part 1 - (D)	SOP	474
SOPBDF2	Criterion F, Part 2 - (D)	SOP	474
SOPBDINT	Social Phobia Interference - Mean - (D)	SOP	479
SOPBDON	Age at social phobia onset - (D)	SOP	476
SOPBDPY	Social Phobia Algorithm - 12 month - (D)	SOP	478
SOPBDREC	Age at most recent social phobia episode - (D)	SOP	476
SOPBDSP	Social Phobia Algorithm - Life - (D)	SOP	475

CCHS Cycle 1.2: Alphabetic Index

Page 62

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SOPBDYA	Criterion A - 12 month - (D)	SOP	477
SOPBDYB	Criterion B - 12 month - (D)	SOP	477
SOPBDYC	Criterion C - Interference - (D)	SOP	478
SOPBFINT	Flag: Social Phobia Interference	SOP	479
SOPBG03A	Age - exactly first time had social fear - (G)	SOP	1222
SOPBG03B	Age - approximately first time had social fear - (G)	SOP	1223
SOPBG06A	Age - when first started avoiding social situation - (G)	SOP	1224
SOPBG18A	Age - last time feared / avoided social situation - (G)	SOP	1225
SOPBG25A	Age - first time consulted prof. about social fear - (G)	SOP	1226
SOPBG36A	Age - first time got helpful treatment for social fear - (G)	SOP	1227
SOPBG36B	Number of prof. consulted before helpful treatment - (G)	SOP	1228
SOPBG36C	Total nbr of prof. consulted about social fear - life - (G)	SOP	1229
SOPBG391	Number of relatives with strong social fear - (G)	SOP	1231
SOPBG39A	Age - 1st time hospitalized overnight for social fear - (G)	SOP	1230
SOPBGON	Age at social phobia onset - (D,G)	SOP	1232
SOPBGREC	Age at most recent social phobia episode - (D,G)	SOP	1233
SPVB_1	Spiritual values - playing important role in life	SPV	1062
SPVB_2	Spiritual values - helping to find meaning to life	SPV	1063
SPVB_3	Spiritual values - strength for everyday difficulties	SPV	1063
SPVB_4	Spiritual values - understanding difficulties of life	SPV	1064
SPVB_5	Respondent's religion	SPV	1065
SPVB_6	Frequency - Attends religious services or meetings	SPV	1066
SPVB_7	Self-perception - being religious	SPV	1067
SSMB_01	Number of close friends and relatives	SSM	983
SSMB_02	Has someone to give help if confined to bed	SSM	984
SSMB_03	Has someone to listen	SSM	985
SSMB_04	Has someone to give advice about a crisis	SSM	986
SSMB_05	Has someone to take to doctor	SSM	987
SSMB_06	Has someone who shows love and affection	SSM	988
SSMB_07	Has someone to have a good time with	SSM	989
SSMB_08	Has someone who gives information to understand a situation	SSM	990
SSMB_09	Has someone to confide in	SSM	991
SSMB_10	Has someone who gives hugs	SSM	991
SSMB_11	Has someone to get together with for relaxation	SSM	992
SSMB_12	Has someone to prepare meals	SSM	993
SSMB_13	Has someone to give advice	SSM	994

CCHS Cycle 1.2: Alphabetic Index

Page 63

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
SSMB_14	Has someone to do things to get mind off things	SSM	995
SSMB_15	Has someone to help with daily chores if sick	SSM	996
SSMB_16	Has someone to share most private worries and fears with	SSM	997
SSMB_17	Has someone to turn to for suggestions for personal problems	SSM	998
SSMB_18	Has someone to do something enjoyable with	SSM	999
SSMB_19	Has someone who understands problems	SSM	1000
SSMB_20	Has someone who loves and makes feel wanted	SSM	1001
SSMB_21A	Received tangible social support - 12 mo	SSM	1001
SSMB_21B	Frequency of tangible social support - 12 mo	SSM	1002
SSMB_22A	Received affective support - 12 mo	SSM	1002
SSMB_22B	Frequency of affective support - 12 mo	SSM	1003
SSMB_23A	Received positive social interactive support - 12 mo	SSM	1003
SSMB_23B	Frequency of positive social interactive support - 12 mo	SSM	1004
SSMB_24A	Received emotional/informational support - 12 mo	SSM	1004
SSMB_24B	Frequency of emtional/informational support - 12 mo	SSM	1005
SSMBDAFF	Affection - MOS subscale - (D)	SSM	1006
SSMBDEMO	Emotional or informational support - MOS subscale - (D)	SSM	1006
SSMBDSOC	Positive social interaction - MOS subscale - (D)	SSM	1006
SSMBDTNG	Tangible social support - MOS subscale - (D)	SSM	1005
STRB_1	Self-perceived ability to handle unexpected problem	STR	125
STRB_2	Self-perceived ability to handle day-to-day demands	STR	126
STRB_3	Most important source of feelings of stress	STR	127
STRB_61	Frequency - coping - problem solving	STR	128
STRB_610	Frequency - coping - blaming oneself	STR	134
STRB_611	Frequency - coping - wishing situation would go away	STR	134
STRB_62	Frequency - coping - talking to others	STR	128
STRB_63	Frequency - coping - avoiding being with people	STR	129
STRB_64	Frequency - coping - sleeping more than usual	STR	129
STRB_65A	Frequency - coping - eating more or less than usual	STR	130
STRB_65B	Frequency - coping - smoking more cigarettes than usual	STR	130
STRB_65C	Frequency - coping - drinking alcohol	STR	131
STRB_65D	Frequency - coping - using drugs or medication	STR	131
STRB_66	Frequency - coping - jogging or other exercise	STR	132
STRB_67	Frequency - coping - praying or seeking spiritual help	STR	132
STRB_68	Frequency - coping - doing something enjoyable	STR	133
STRB_69	Frequency - coping - looking on the bright side of things	STR	133

CCHS Cycle 1.2: Alphabetic Index

Page 64

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable Name	Description	Section	Page
TWDB_1	Stayed in bed - because of illness or injury	TWD	689
TWDB_2	Stayed in bed - number of days	TWD	690
TWDB_2A	Single day when stayed in bed is due to mental health	TWD	691
TWDB_2B	Number of days when stayed in bed is due to mental health	TWD	692
TWDB_3	Reduced activities - because of illness or injury	TWD	693
TWDB_4	Reduced activities - number of days	TWD	694
TWDB_4A	Single day when reduced activities is due to mental health	TWD	695
TWDB_4B	Nber of days when reduced activities is due to mental health	TWD	696
TWDB_5A	Took extra effort - because of illness or injury	TWD	697
TWDB_6	Number of days requiring extra effort	TWD	698
TWDB_6A	Single day when extra effort is due to mental health	TWD	699
TWDB_6B	Number of days when extra effort is due to mental health	TWD	700
TWDBDDDY	Total number of disability days in past 14 days - (D)	TWD	701
TWDBDMH	Total number of disability days due to mental health - (D)	TWD	705
TWDBDMQ2	Number of days spent in bed due to mental health - (D)	TWD	702
TWDBDMQ4	Nber of days reduced activities due to mental health - (D)	TWD	703
TWDBDMQ6	Nber of days requiring extra effort due mental health - (D)	TWD	704
WSTB_401	Work stress - must learn new things	WST	1090
WSTB_402	Work stress - high level of skill	WST	1091
WSTB_403	Work stress - freedom to decide	WST	1092
WSTB_404	Work stress - repetitive tasks	WST	1093
WSTB_405	Work stress - job hectic	WST	1094
WSTB_406	Work stress - free from conflicting demands	WST	1095
WSTB_407	Work stress - good job security	WST	1096
WSTB_408	Work stress - required a lot of physical effort	WST	1097
WSTB_409	Work stress - had own job input	WST	1098
WSTB_410	Work stress - hostility or conflict with others	WST	1099
WSTB_411	Work stress - supervisor helpful	WST	1100
WSTB_412	Work stress - co-workers helpful	WST	1101
WSTB_413	Work stress - job satisfaction	WST	1101
WSTBDAUT	Work stress - decision latitude / authority - (D)	WST	1103
WSTBDJIN	Work stress - job insecurity - (D)	WST	1105
WSTBDPHY	Work stress - physical exertion - (D)	WST	1105
WSTBDPSY	Work stress - psychological demands - (D)	WST	1104
WSTBDSKI	Work stress - decision latitude / discretion - (D)	WST	1102
WSTBDSOC	Work stress - social support - (D)	WST	1106

CCHS Cycle 1.2: Alphabetic Index

Page 65

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Name	Description	Section	Page
WTSB_M		Sampling weight - master weight	WTS	1126
WTSB_S		Sampling weight - share weight	WTS	1126
