

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 1

SEPTEMBER 2004

Variable	Length	Position	Concept
SAMPLEID	15	0001 - 0015	Household identifier
PERSONID	2	0016 - 0017	Person identifier of person selected
GEOB_PRV	2	0018 - 0019	Province
GEOB_HR4	4	0020 - 0023	Health region
GEOB_PC	6	0024 - 0029	Postal code
GEOBDEA	8	0030 - 0037	Enumeration Area - (D)
GEOBDFED	5	0038 - 0042	Federal Electoral District - (D)
GEOBDCSD	7	0043 - 0049	Census Sub-Division - (D)
GEOBDCD	4	0050 - 0053	Census Division - (D)
GEOBDCMA	3	0054 - 0056	Census Metropolitan Area - (D)
GEOBDUR2	1	0057 - 0057	Rural and Urban Area - 2 Levels - (D)
GEOBDUR5	1	0058 - 0058	Rural and Urban Area - 5 Levels - (D)
SAMB_ACP	6	0059 - 0064	Actual collection period
SAMB_OCP	6	0065 - 0070	Original collection period
ADMB_ENT	2	0071 - 0072	Identifier of person providing household information
ADMB_DAT	8	0073 - 0080	Date of interview
ADMB_STA	2	0081 - 0082	Response status after processing
SAMBD SHR	1	0083 - 0083	Permission to share data - (D)
SAMBDLNK	1	0084 - 0084	Permission to link data - (D)
ADMBDN09	1	0085 - 0085	Interview by telephone or in person
ADMB_N10	1	0086 - 0086	Respondent alone during interview
ADMB_LHH	1	0087 - 0087	Language of preference - household interview
ADMB_N12	2	0088 - 0089	Language of interview
DHHB_AGE	3	0090 - 0092	Age
DHHB_YOB	4	0093 - 0096	Year of birth
DHHB_MOB	2	0097 - 0098	Month of birth
DHHB_DOB	2	0099 - 0100	Day of birth
DHHB_SEX	1	0101 - 0101	Sex
DHHB_MS	2	0102 - 0103	Marital status
GENB_01	1	0104 - 0104	Self-perceived health
GENB_02	1	0105 - 0105	Self-perceived health compared to one year ago
GENB_03	2	0106 - 0107	Number of hours spent sleeping per night
GENB_04	1	0108 - 0108	Frequency - trouble sleeping
GENB_05	1	0109 - 0109	Frequency - find sleep refreshing
GENB_06	1	0110 - 0110	Frequency - find it difficult to stay awake
GENB_07	1	0111 - 0111	Self-perceived stress

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Length	Position	Concept
GENB_08	1	0112 - 0112	Worked at job or business in the past 12-months
GENB_09	1	0113 - 0113	Self-perceived work stress
GENB_10	1	0114 - 0114	Sense of belonging to local community
GENBDHDI	1	0115 - 0115	Health description index - (D)
SCRB_01	1	0116 - 0116	Satisfaction with life in general
SCRB_081	1	0117 - 0117	Self-perceived physical health
SCRB_082	1	0118 - 0118	Self-perceived mental health
SCRB_20	1	0119 - 0119	Screeener: had fear or panic attack - life
SCRB_20A	1	0120 - 0120	Screeener: had attack when suddenly very uncomfortable - life
SCRB_21	1	0121 - 0121	Screeener: felt sad/empty/depressed for several days - life
SCRB_22	1	0122 - 0122	Screeener: was very discouraged several days or longer - life
SCRB_23	1	0123 - 0123	Screeener: lost interest in things for several days - life
SCRB_24	1	0124 - 0124	Screeener: had mania-like period lasting several days - life
SCRB_25	1	0125 - 0125	Screeener: very irritable/grumpy/ for several days - life
SCRB_25A	1	0126 - 0126	Screeener: so irritable started arguments/shouted/... - life
SCRB_26	1	0127 - 0127	Screeener: worried about things more than most people - life
SCRB_26A	1	0128 - 0128	Screeener: more nervous/anxious than most people - life
SCRB_26B	1	0129 - 0129	Screeener: 6 months when anxious/worried most days - life
SCRB_29	1	0130 - 0130	Screeener: felt very afraid or really shy with people - life
SCRB_29A	1	0131 - 0131	Screeener: very afraid/uncomfortable before group - life
SCRB_291	1	0132 - 0132	Screeener: very upset/nervous in social situation - life
SCRB_292	1	0133 - 0133	Screeener: stayed away from social situations - life
SCRB_293	1	0134 - 0134	Screeener: social fear stronger than should have been - life
SCRB_30	1	0135 - 0135	Screeener: very uncomfortable/afraid in crowds/etc. - life
SCRB_301	1	0136 - 0136	Screeener: became very upset/nervous in crowds/etc. - life
SCRB_302	1	0137 - 0137	Screeener: stayed away from situations whenever could - life
SCRB_303	1	0138 - 0138	Screeener: fear stronger than should have been - life
SCRBDSAT	1	0139 - 0139	Life satisfaction - (D)
SCRBDPHY	1	0140 - 0140	Self-rated physical health - (D)
SCRBDMEN	1	0141 - 0141	Self-rated mental health - (D)
SCRBFDEP	1	0142 - 0142	Flag: Respondent screened in depression module
SCRBFMIA	1	0143 - 0143	Flag: Respondent screened in the mania module
SCRBFPAD	1	0144 - 0144	Flag: Respondent screened in the panic module
SCRBF SOP	1	0145 - 0145	Flag: Respondent screened in social phobia module
SCRBFAGP	1	0146 - 0146	Flag: Respondent screened in agoraphobia module
SCRBFGAD	1	0147 - 0147	Flag: Respondent screened in GAD module

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 3

SEPTEMBER 2004

Variable	Length	Position	Concept
CCCB_011	1	0148 - 0148	Has food allergies
CCCB_021	1	0149 - 0149	Has allergies other than food allergies
CCCB_031	1	0150 - 0150	Has asthma
CCCB_041	1	0151 - 0151	Has fibromyalgia
CCCB_051	1	0152 - 0152	Has arthritis or rheumatism
CCCB_061	1	0153 - 0153	Has back problems excluding fibromyalgia and arthritis
CCCB_071	1	0154 - 0154	Has high blood pressure
CCCB_081	1	0155 - 0155	Has migraine headaches
CCCB_91A	1	0156 - 0156	Has chronic bronchitis
CCCB_91B	1	0157 - 0157	Has emphysema or chronic obstructive pulmonary disease
CCCB_101	1	0158 - 0158	Has diabetes
CCCB_111	1	0159 - 0159	Has epilepsy
CCCB_121	1	0160 - 0160	Has heart disease
CCCB_131	1	0161 - 0161	Has cancer
CCCB_141	1	0162 - 0162	Has stomach or intestinal ulcers
CCCB_151	1	0163 - 0163	Suffers from the effects of a stroke
CCCB_171	1	0164 - 0164	Has a bowel disorder / Crohn's Disease or colitis
CCCB_181	1	0165 - 0165	Has Alzheimer's disease or other dementia
CCCB_191	1	0166 - 0166	Has cataracts
CCCB_201	1	0167 - 0167	Has glaucoma
CCCB_211	1	0168 - 0168	Has a thyroid condition
CCCB_251	1	0169 - 0169	Has chronic fatigue syndrome
CCCB_261	1	0170 - 0170	Suffers from multiple chemical sensitivities
CCCB_271	1	0171 - 0171	Has schizophrenia
CCCB_281	1	0172 - 0172	Has other psychosis
CCCB_291	1	0173 - 0173	Has obsessive-compulsive disorder
CCCB_301	1	0174 - 0174	Has dysthymia
CCCB_311	1	0175 - 0175	Suffers from post-traumatic stress disorder
CCCB_321	1	0176 - 0176	Has autism or any other developmental disorder
CCCB_331	1	0177 - 0177	Has a learning disability
CCCB_33A	1	0178 - 0178	Attention Deficit Disorder, no hyperactivity
CCCB_33B	1	0179 - 0179	Attention Deficit Hyperactivity Disorder
CCCB_33C	1	0180 - 0180	Suffers from Dyslexia
CCCB_33D	1	0181 - 0181	Other learning disabilities
CCCB_341	1	0182 - 0182	Eating disorder such as anorexia or bulimia
CCCB_901	1	0183 - 0183	Other long-term physical or mental health condition

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 4

SEPTEMBER 2004

Variable	Length	Position	Concept
CCCBF1	1	0184 - 0184	Has a chronic condition
HWTB_1	1	0185 - 0185	Currently pregnant
HWTB_2	2	0186 - 0187	Height
HWTB_2A	2	0188 - 0189	Height - exact height from 1'0" to 1'11"
HWTB_2B	2	0190 - 0191	Height - exact height from 2'0" to 2'11"
HWTB_2C	2	0192 - 0193	Height - exact height from 3'0" to 3'11"
HWTB_2D	2	0194 - 0195	Height - exact height from 4'0" to 4'11"
HWTB_2E	2	0196 - 0197	Height - exact height from 5'0" to 5'11"
HWTB_2F	2	0198 - 0199	Height - exact height from 6'0" to 6'11"
HWTB_3	3	0200 - 0202	Weight
HWTB_N4	1	0203 - 0203	Weight in pounds or kilograms
HWTB_4	1	0204 - 0204	Respondent's opinion of own weight
HWTBDHTM	5.3	0205 - 0209	Height - meters - (D)
HWTBDHTI	2	0210 - 0211	Height - inches - (D)
HWTBDWTK	6.2	0212 - 0217	Weight - kilograms - (D)
HWTBDWTP	3	0218 - 0220	Weight - pounds - (D)
HWTBDBMI	5.1	0221 - 0225	Body Mass Index - (D)
HWTBDSW	1	0226 - 0226	Standard weight - (D)
PACB_1A	1	0227 - 0227	Activity / last 3 months - walking for exercise
PACB_1B	1	0228 - 0228	Activity / last 3 months - gardening / yard work
PACB_1C	1	0229 - 0229	Activity / last 3 months - swimming
PACB_1D	1	0230 - 0230	Activity / last 3 months - bicycling
PACB_1E	1	0231 - 0231	Activity / last 3 months - popular or social dance
PACB_1F	1	0232 - 0232	Activity / last 3 months - home exercises
PACB_1G	1	0233 - 0233	Activity / last 3 months - ice hockey
PACB_1H	1	0234 - 0234	Activity / last 3 months - ice skating
PACB_1I	1	0235 - 0235	Activity / last 3 months - in-line skating or rollerblading
PACB_1J	1	0236 - 0236	Activity / last 3 months - jogging or running
PACB_1K	1	0237 - 0237	Activity / last 3 months - golfing
PACB_1L	1	0238 - 0238	Activity / last 3 months - exercise class or aerobics
PACB_1M	1	0239 - 0239	Activity / last 3 months - downhill skiing or snowboarding
PACB_1N	1	0240 - 0240	Activity / last 3 months - bowling
PACB_1O	1	0241 - 0241	Activity / last 3 months - baseball or softball
PACB_1P	1	0242 - 0242	Activity / last 3 months - tennis
PACB_1Q	1	0243 - 0243	Activity / last 3 months - weight-training
PACB_1R	1	0244 - 0244	Activity / last 3 months - fishing

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Length	Position	Concept
PACB_1S	1	0245 - 0245	Activity / last 3 months - volleyball
PACB_1T	1	0246 - 0246	Activity / last 3 months - basketball
PACB_1U	1	0247 - 0247	Activity / last 3 months - other (#1)
PACB_1V	1	0248 - 0248	Activity / last 3 months - no activity
PACB_1W	1	0249 - 0249	Activity / last 3 months - other (#2)
PACB_1X	1	0250 - 0250	Activity / last 3 months - other (#3)
PACB_2A	3	0251 - 0253	Number of times participated - walking for exercise
PACB_3A	1	0254 - 0254	Time spent - walking for exercise
PACB_2B	3	0255 - 0257	Number of times participated - gardening
PACB_3B	1	0258 - 0258	Time spent - gardening
PACB_2C	3	0259 - 0261	Number of times participated - swimming
PACB_3C	1	0262 - 0262	Time spent - swimming
PACB_2D	3	0263 - 0265	Number of times participated - bicycling
PACB_3D	1	0266 - 0266	Time spent - bicycling
PACB_2E	3	0267 - 0269	Number of times participated - popular / social dance
PACB_3E	1	0270 - 0270	Time spent - popular / social dance
PACB_2F	3	0271 - 0273	Number of times participated - home exercises
PACB_3F	1	0274 - 0274	Time spent - home exercises
PACB_2G	3	0275 - 0277	Number of times participated - ice hockey
PACB_3G	1	0278 - 0278	Time spent - ice hockey
PACB_2H	3	0279 - 0281	Number of times participated - ice skating
PACB_3H	1	0282 - 0282	Time spent - ice skating
PACB_2I	3	0283 - 0285	Number of times participated - in-line skating
PACB_3I	1	0286 - 0286	Time spent - in-line skating
PACB_2J	3	0287 - 0289	Number of times participated - jogging / running
PACB_3J	1	0290 - 0290	Time spent - jogging / running
PACB_2K	3	0291 - 0293	Number of times participated - golfing
PACB_3K	1	0294 - 0294	Time spent - golfing
PACB_2L	3	0295 - 0297	Number of times participated - exercise class / aerobics
PACB_3L	1	0298 - 0298	Time spent - exercise class / aerobics
PACB_2M	3	0299 - 0301	Number of times participated - downhill ski / snowboarding
PACB_3M	1	0302 - 0302	Time spent - downhill skiing or snowboarding
PACB_2N	3	0303 - 0305	Number of times participated - bowling
PACB_3N	1	0306 - 0306	Time spent - bowling
PACB_2O	3	0307 - 0309	Number of times participated - baseball / softball
PACB_3O	1	0310 - 0310	Time spent - baseball / softball

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Length	Position	Concept
PACB_2P	3	0311 - 0313	Number of times participated - tennis
PACB_3P	1	0314 - 0314	Time spent - tennis
PACB_2Q	3	0315 - 0317	Number of times participated - weight-training
PACB_3Q	1	0318 - 0318	Time spent - weight-training
PACB_2R	3	0319 - 0321	Number of times participated - fishing
PACB_3R	1	0322 - 0322	Time spent - fishing
PACB_2S	3	0323 - 0325	Number of times participated - volleyball
PACB_3S	1	0326 - 0326	Time spent - volleyball
PACB_2T	3	0327 - 0329	Number of times participated - basketball
PACB_3T	1	0330 - 0330	Time spent - basketball
PACB_2U	3	0331 - 0333	Number of times participated - other activity (#1)
PACB_3U	1	0334 - 0334	Time spent - other activity (#1)
PACB_2W	3	0335 - 0337	Number of times participated - other activity (#2)
PACB_3W	1	0338 - 0338	Time spent - other activity (#2)
PACB_2X	3	0339 - 0341	Number of times participated - other activity (#3)
PACB_3X	1	0342 - 0342	Time spent - other activity (#3)
PACB_4A	2	0343 - 0344	Number of hours walking - to work or to school
PACB_4B	2	0345 - 0346	Number of hours biking - to work or to school
PACB_6	1	0347 - 0347	Level of physical activity for usual day
PACBDEE	4.1	0348 - 0351	Energy expenditure - (D)
PACBFLEI	1	0352 - 0352	Participant in leisure physical activity
PACBDFM	3	0353 - 0355	Monthly frequency - physical activity lasting >15 min. - (D)
PACBDFR	1	0356 - 0356	Frequency of all physical activity - (D)
PACBFD	1	0357 - 0357	Participant in daily physical activity - > 15 min.
PACBDPAI	1	0358 - 0358	Physical activity index - (D)
PWBB_01	1	0359 - 0359	Frequency - felt self-confident - past month
PWBB_02	1	0360 - 0360	Frequency - satisfied with accomplishments - past month
PWBB_03	1	0361 - 0361	Frequency - took on lots of projects - past month
PWBB_04	1	0362 - 0362	Frequency - felt emotionally balanced - past month
PWBB_05	1	0363 - 0363	Frequency - felt loved and appreciated - past month
PWBB_06	1	0364 - 0364	Frequency - had goals and ambitions - past month
PWBB_07	1	0365 - 0365	Frequency - felt like having fun - past month
PWBB_08	1	0366 - 0366	Frequency - felt useful - past month
PWBB_09	1	0367 - 0367	Frequency - smiled easily - past month
PWBB_10	1	0368 - 0368	Frequency - was true to self - past month
PWBB_11	1	0369 - 0369	Frequency - did good job listening to friends - past month

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 7

SEPTEMBER 2004

Variable	Length	Position	Concept
PWBB_12	1	0370 - 0370	Frequency - was curious and interested - past month
PWBB_13	1	0371 - 0371	Frequency - was able to clearly sort things out - past month
PWBB_14	1	0372 - 0372	Frequency - found life exciting - past month
PWBB_15	1	0373 - 0373	Frequency - life was well-balanced - past month
PWBB_16	1	0374 - 0374	Frequency - was calm and level-headed - past month
PWBB_17	1	0375 - 0375	Frequency - easily found answers - past month
PWBB_18	1	0376 - 0376	Frequency - got along well with others - past month
PWBB_19	1	0377 - 0377	Frequency - lived at normal pace - past month
PWBB_20	1	0378 - 0378	Frequency - impression of enjoying life - past month
PWBB_21	1	0379 - 0379	Frequency - had good sense of humour - past month
PWBB_22	1	0380 - 0380	Frequency - was at peace with self - past month
PWBB_23	1	0381 - 0381	Frequency - felt healthy/in good shape - past month
PWBB_24	1	0382 - 0382	Frequency - face situations positively - past month
PWBB_25	1	0383 - 0383	Frequency - had good morale - past month
PWBBDPW	3	0384 - 0386	Psychological well-being scale - past month - (D)
DISB_10A	1	0387 - 0387	Frequency - distress: felt tired out - past month
DISB_10B	1	0388 - 0388	Frequency - distress: felt nervous - past month
DISB_10C	1	0389 - 0389	Freq./-distress: so nervous nothing calms down - past month
DISB_10D	1	0390 - 0390	Frequency - distress: felt hopeless - past month
DISB_10E	1	0391 - 0391	Frequency - distress: felt restless / fidgety - past month
DISB_10F	1	0392 - 0392	Frequency - distress: could not sit still - past month
DISB_10G	1	0393 - 0393	Frequency - distress: felt sad / depressed - past month
DISB_10H	1	0394 - 0394	Frequency - distress: depressed/nothing cheers - past month
DISB_10I	1	0395 - 0395	Frequency - distress: felt everything effort - past month
DISB_10J	1	0396 - 0396	Frequency - distress: felt worthless - past month
DISB_10K	1	0397 - 0397	Frequency - distress: occurrence of feelings - past month
DISB_10L	1	0398 - 0398	Degree of higher occurrence of feelings - past month
DISB_10M	1	0399 - 0399	Degree of lower occurrence of feelings - past month
DISB_10N	1	0400 - 0400	Interference - feelings in life / activities - past month
DISBDDSX	2	0401 - 0402	Distress scale - K10 - past month - (D)
DISBDK6	2	0403 - 0404	Distress scale - K6 - past month - (D)
DISBDCHR	2	0405 - 0406	Chronicity of distress/impairment scale - past month - (D)
STRB_1	1	0407 - 0407	Self-perceived ability to handle unexpected problem
STRB_2	1	0408 - 0408	Self-perceived ability to handle day-to-day demands
STRB_3	2	0409 - 0410	Most important source of feelings of stress
STRB_61	1	0411 - 0411	Frequency - coping - problem solving

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 8

SEPTEMBER 2004

Variable	Length	Position	Concept
STRB_62	1	0412 - 0412	Frequency - coping - talking to others
STRB_63	1	0413 - 0413	Frequency - coping - avoiding being with people
STRB_64	1	0414 - 0414	Frequency - coping - sleeping more than usual
STRB_65A	1	0415 - 0415	Frequency - coping - eating more or less than usual
STRB_65B	1	0416 - 0416	Frequency - coping - smoking more cigarettes than usual
STRB_65C	1	0417 - 0417	Frequency - coping - drinking alcohol
STRB_65D	1	0418 - 0418	Frequency - coping - using drugs or medication
STRB_66	1	0419 - 0419	Frequency - coping - jogging or other exercise
STRB_67	1	0420 - 0420	Frequency - coping - praying or seeking spiritual help
STRB_68	1	0421 - 0421	Frequency - coping - doing something enjoyable
STRB_69	1	0422 - 0422	Frequency - coping - looking on the bright side of things
STRB_610	1	0423 - 0423	Frequency - coping - blaming oneself
STRB_611	1	0424 - 0424	Frequency - coping - wishing situation would go away
DEPB_01	1	0425 - 0425	Period when discouraged about how things were going - life
DEPB_01A	1	0426 - 0426	Period when lost interest in most things - life
DEPB_01B	1	0427 - 0427	Period when lost interest in most things - life
DEPB_02	1	0428 - 0428	Period when lost interest in most things - life
DEPB_09	1	0429 - 0429	2-week period when lost interest in most things - life
DEPB_12	1	0430 - 0430	2-week period when lost interest in most things - life
DEPB_16	1	0431 - 0431	Daily duration - being sad/discouraged/uninterested - life
DEPB_17	1	0432 - 0432	Intensity of emotional distress during periods - life
DEPB_18	1	0433 - 0433	Frequency - distress so severe, nothing cheer up - life
DEPB_19	1	0434 - 0434	Frequency - distress severe/could not carry daily - life
DEPB_21	1	0435 - 0435	Had depressive-like symptoms during episodes - life
DEPB_22	1	0436 - 0436	Experienced one particular worst episode - life
DEPB_22A	3	0437 - 0439	Age - when worst episode started
DEPB_22B	1	0440 - 0440	Worst episode - duration
DEPB_22C	3	0441 - 0443	Worst episode - number of days
DEPB_22D	3	0444 - 0446	Worst episode - number of weeks
DEPB_22E	2	0447 - 0448	Worst episode - number of months
DEPB_22F	3	0449 - 0451	Worst episode - number of years
DEPB_23A	3	0452 - 0454	Age - when last bad episode occurred
DEPB_23B	1	0455 - 0455	Last bad episode - duration
DEPB_23C	3	0456 - 0458	Last bad episode - number of days
DEPB_23D	3	0459 - 0461	Last bad episode - number of weeks
DEPB_23E	2	0462 - 0463	Last bad episode - number of months

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 9

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_23F	3	0464 - 0466	Last bad episode - number of years
DEPB_24A	1	0467 - 0467	Symptom - felt sad, empty or depressed
DEPB_24B	1	0468 - 0468	Symptom - felt so sad that nothing could cheer up
DEPB_24C	1	0469 - 0469	Symptom - felt discouraged about how things were going
DEPB_24D	1	0470 - 0470	Symptom - felt hopeless about future
DEPB_24E	1	0471 - 0471	Symptom - lost interest in almost all things
DEPB_24F	1	0472 - 0472	Symptom - felt like nothing was fun
DEPB_26A	1	0473 - 0473	Symptom - had much smaller appetite than usual
DEPB_26B	1	0474 - 0474	Symptom - had much larger appetite than usual
DEPB_26C	1	0475 - 0475	Symptom - gained weight without trying to
DEPB_261	1	0476 - 0476	Symptom - weight gain due to physical growth/pregnancy
DEPB_26D	3	0477 - 0479	Amount of weight gained
DEPB_262	1	0480 - 0480	Pounds or kilograms
DEPB_26E	1	0481 - 0481	Symptom - lost weight without trying to
DEPB_263	1	0482 - 0482	Symptom - weight loss result of diet/physical illness
DEPB_26F	3	0483 - 0485	Amount of weight lost
DEPB_264	1	0486 - 0486	Pounds or kilograms
DEPB_26G	1	0487 - 0487	Symptom - had more trouble falling/staying asleep
DEPB_26H	1	0488 - 0488	Symptom - slept more than usual
DEPB_26I	1	0489 - 0489	Symptom - slept less than usual/still not tired
DEPB_26J	1	0490 - 0490	Symptom - felt tired/low in energy
DEPB_26K	1	0491 - 0491	Symptom - had more energy than usual
DEPB_26L	1	0492 - 0492	Symptom - talked/moved more slowly than normal
DEPB_26M	1	0493 - 0493	Symptom - others noticed respondent talked/moved slowly
DEPB_26N	1	0494 - 0494	Symptom - restless/jittery/couldn't sit still
DEPB_26O	1	0495 - 0495	Symptom - others noticed respondent was restless
DEPB_26P	1	0496 - 0496	Symptom - thoughts came more slowly than usual
DEPB_26Q	1	0497 - 0497	Symptom - thoughts jumped/raced through head
DEPB_26R	1	0498 - 0498	Symptom - had more trouble concentrating
DEPB_26S	1	0499 - 0499	Symptom - unable to make up mind
DEPB_26T	1	0500 - 0500	Symptom - lost self-confidence
DEPB_26U	1	0501 - 0501	Symptom - felt was not as good as other people
DEPB_26V	1	0502 - 0502	Symptom - felt totally worthless
DEPB_26W	1	0503 - 0503	Symptom - felt guilty nearly every day
DEPB_26X	1	0504 - 0504	Symptom - felt irritable/grouchy or in a bad mood
DEPB_26Y	1	0505 - 0505	Symptom - felt nervous/anxious most days

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 10

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_26Z	1	0506 - 0506	Symptom - had attacks of intense fear or panic
DEPB_265	1	0507 - 0507	Symptom - could not cope with everyday responsibilities
DEPB_266	1	0508 - 0508	Symptom - wanted to be alone rather than with friends
DEPB_267	1	0509 - 0509	Symptom - felt less talkative than usual
DEPB_268	1	0510 - 0510	Symptom - was often in tears
DEPB_6A	1	0511 - 0511	Symptom - thought a lot about own death/death in general
DEPB_6B	1	0512 - 0512	Symptom - thought it would be better if dead
DEPB_A	1	0513 - 0513	Suicide - ideation during worst / bad episode
DEPB_A1	1	0514 - 0514	Suicide - ideation - life
DEPB_A1A	1	0515 - 0515	Suicide - ideation - 12 mo
DEPB_A2	3	0516 - 0518	Suicide - age when last ideation occurred
DEPB_B	1	0519 - 0519	Suicide - plan during worst/bad episode or 12 mo
DEPB_C	1	0520 - 0520	Suicide - attempt during worst/bad episode
DEPB_CA	1	0521 - 0521	Suicide - more recent attempt since worst/bad episode
DEPB_CB	1	0522 - 0522	Suicide - attempt - life
DEPB_C1	1	0523 - 0523	Suicide - attempt - life
DEPB_C1A	1	0524 - 0524	Suicide - attempt - 12 mo
DEPB_A1B	1	0525 - 0525	Suicide - ideation - 12 mo
DEPB_B1C	1	0526 - 0526	Suicide - plan - 12 mo
DEPB_C1D	3	0527 - 0529	Suicide - age when last attempt occurred
DEPB_C2	3	0530 - 0532	Suicide - age when attempt occurred
DEPB_C3	1	0533 - 0533	Suicide - attempt resulted in injury or poisoning
DEPB_C4	1	0534 - 0534	Suicide - medical attention following most recent attempt
DEPB_C5	1	0535 - 0535	Suicide - hospitalized overnight following recent attempt
DEPB_A7	1	0536 - 0536	Suicide - ideation - consulted - professional
DEPB_AAA	1	0537 - 0537	Suicide - ideation - consulted - psychiatrist
DEPB_AAB	1	0538 - 0538	Suicide - ideation - consulted - family doctor or g.p.
DEPB_AAC	1	0539 - 0539	Suicide - ideation - consulted - psychologist
DEPB_AAD	1	0540 - 0540	Suicide - ideation - consulted - nurse
DEPB_AAE	1	0541 - 0541	Suicide - ideation - consulted - social worker/counsellor
DEPB_AAF	1	0542 - 0542	Suicide - ideation - consulted - relig/spiritual advisor
DEPB_AAG	1	0543 - 0543	Suicide - ideation - consulted - teacher/counsellor
DEPB_AAH	1	0544 - 0544	Suicide - ideation - consulted - other professional
DEPB_ABA	1	0545 - 0545	Suicide - ideation - hospitalized as overnight patient
DEPB_ABB	1	0546 - 0546	Suicide - ideation - health professional's office
DEPB_ABC	1	0547 - 0547	Suicide - ideation - hospital emergency room

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 11

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_ABD	1	0548 - 0548	Suicide - ideation - psychiatric outpatient clinic
DEPB_ABE	1	0549 - 0549	Suicide - ideation - drug or alcohol outpatient clinic
DEPB_ABF	1	0550 - 0550	Suicide - ideation - other hospital outpatient clinic
DEPB_ABG	1	0551 - 0551	Suicide - ideation - Walk-in clinic
DEPB_ABH	1	0552 - 0552	Suicide - ideation - Appointment clinic
DEPB_ABI	1	0553 - 0553	Suicide - ideation - community health centre/CLSC
DEPB_ABJ	1	0554 - 0554	Suicide - ideation - at work
DEPB_ABK	1	0555 - 0555	Suicide - ideation - at school
DEPB_ABL	1	0556 - 0556	Suicide - ideation - at home
DEPB_ABM	1	0557 - 0557	Suicide - ideation - telephone consultation only
DEPB_ABN	1	0558 - 0558	Suicide - ideation - church/other religious assembly place
DEPB_ABO	1	0559 - 0559	Suicide - ideation - other contact place
DEPB_D8	1	0560 - 0560	Suicide - consulted - professional
DEPB_DAA	1	0561 - 0561	Suicide - consulted - psychiatrist
DEPB_DAB	1	0562 - 0562	Suicide - consulted - family doctor or g.p.
DEPB_DAC	1	0563 - 0563	Suicide - consulted - psychologist
DEPB_DAD	1	0564 - 0564	Suicide - consulted - nurse
DEPB_DAE	1	0565 - 0565	Suicide - consulted - social worker/counsellor
DEPB_DAF	1	0566 - 0566	Suicide - consulted - religious/spiritual advisor
DEPB_DAG	1	0567 - 0567	Suicide - consulted - teacher or counsellor
DEPB_DAH	1	0568 - 0568	Suicide - consulted - other professional
DEPB_DBA	1	0569 - 0569	Suicide - hospitalized as overnight patient
DEPB_DBB	1	0570 - 0570	Suicide - health professional's office
DEPB_DBC	1	0571 - 0571	Suicide - hospital emergency room
DEPB_DBD	1	0572 - 0572	Suicide - psychiatric outpatient clinic
DEPB_DBE	1	0573 - 0573	Suicide - drug or alcohol outpatient clinic
DEPB_DBF	1	0574 - 0574	Suicide - other hospital outpatient clinic
DEPBDBG	1	0575 - 0575	Suicide - walk-in clinic
DEPB_DBH	1	0576 - 0576	Suicide - appointment clinic
DEPB_DBI	1	0577 - 0577	Suicide - community health centre/CLSC
DEPB_DBJ	1	0578 - 0578	Suicide - at work
DEPB_DBK	1	0579 - 0579	Suicide - at school
DEPB_DBL	1	0580 - 0580	Suicide - at home
DEPB_DBM	1	0581 - 0581	Suicide - telephone consultation only
DEPB_DBN	1	0582 - 0582	Suicide - church/other religious place
DEPB_DBO	1	0583 - 0583	Suicide - other contact place

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 12

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_28	1	0584 - 0584	Depressive feelings interfere with work/social/relationships
DEPB_281	1	0585 - 0585	Depressive feelings interfere with work/social/relationships
DEPB_28A	1	0586 - 0586	Frequency - feelings = unable carry out daily activities
DEPB_29A	1	0587 - 0587	Depressive episodes due to physical causes
DEPB_29B	1	0588 - 0588	Physical causes always cause depressive episodes
DEPB_9CA	1	0589 - 0589	Physical exclusion - exhaustion
DEPB_9CB	1	0590 - 0590	Physical exclusion - hyperventilation
DEPB_9CC	1	0591 - 0591	Physical exclusion - hypochondria
DEPB_9CD	1	0592 - 0592	Physical exclusion - menstrual cycle
DEPB_9CE	1	0593 - 0593	Physical exclusion - pregnancy/postpartum
DEPB_9CF	1	0594 - 0594	Physical exclusion - thyroid disease
DEPB_9CG	1	0595 - 0595	Physical exclusion - cancer
DEPB_9CH	1	0596 - 0596	Physical exclusion - overweight
DEPB_9CI	1	0597 - 0597	Physical exclusion - medication (excluding illicit drugs)
DEPB_9CJ	1	0598 - 0598	Physical exclusion - illicit drugs
DEPB_9CK	1	0599 - 0599	Physical exclusion - alcohol
DEPB_9CL	1	0600 - 0600	Physical exclusion - chemical / serotonin imbalance
DEPB_9CM	1	0601 - 0601	Physical exclusion - chronic pain
DEPB_9CN	1	0602 - 0602	Physical exclusion - caffeine
DEPB_9CO	1	0603 - 0603	Physical exclusion - no specific diagnosis
DEPB_9CP	1	0604 - 0604	Physical exclusion - other
DEPB_9CQ	1	0605 - 0605	Physical exclusion - accident
DEPB_9CR	1	0606 - 0606	Physical exclusion - emotional/social/economic reason
DEPB_9CS	1	0607 - 0607	Physical exclusion - Other - Physical causes, etc.
DEPB_30	1	0608 - 0608	Episodes ever occur just after someone close died
DEPB_30A	1	0609 - 0609	Episodes always occurred after someone close died
DEPB_31	3	0610 - 0612	Number of episodes lasting 2 weeks or longer - life
DEPB_37	1	0613 - 0613	Remembered exactly age of very first depressive episode
DEPB_37A	3	0614 - 0616	Age - exactly very first depressive episode
DEPB_37B	3	0617 - 0619	Age - approximately very first depressive episode
DEPB_371	1	0620 - 0620	Life period when very first depressive episode occurred
DEPB_372	1	0621 - 0621	Episode triggered by stressful/unexpected event
DEPB_7CA	1	0622 - 0622	Length of very first depressive episode
DEPB_7CB	3	0623 - 0625	Very first depressive episode - number of days
DEPB_7CC	3	0626 - 0628	Very first depressive episode - number of weeks
DEPB_7CD	2	0629 - 0630	Very first depressive episode - number of months

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 13

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_7CE	3	0631 - 0633	Very first depressive episode - number of years
DEPB_38	1	0634 - 0634	Had 2-week or longer depressive episode - 12 mo
DEPB_8A	1	0635 - 0635	Reference period of depressive episode - 12 mo
DEPB_8A1	2	0636 - 0637	Number of different episodes - 12 mo
DEPB_8A2	2	0638 - 0639	Month - when single past 12 months episode started
DEPB_8A3	4	0640 - 0643	Year - when single past 12 months episode started
DEPB_8AA	1	0644 - 0644	Length of single episode - 12 mo
DEPB_8AB	3	0645 - 0647	Single past 12 months episode - number of days
DEPB_8AC	3	0648 - 0650	Single past 12 months episode - number of weeks
DEPB_8AD	2	0651 - 0652	Single past 12 months episode - number of months
DEPB_8AE	3	0653 - 0655	Single past 12 months episode - number of years
DEPB_8A6	1	0656 - 0656	Single past 12 months episode ended / on-going
DEPB_8BA	1	0657 - 0657	Length of first past 12 months episode
DEPB_8BB	3	0658 - 0660	First past 12 months episode - number of days
DEPB_8BC	3	0661 - 0663	First past 12 months episode - number of weeks
DEPB_8BD	2	0664 - 0665	First past 12 months episode - number of months
DEPB_8BE	3	0666 - 0668	First past 12 months episode - number of years
DEPB_8A9	1	0669 - 0669	First past 12 months episode ended / on-going
DEPB_38B	3	0670 - 0672	Number of days out of 365 in depressive episode
DEPB_38C	3	0673 - 0675	Age - last time had depressive episode
DEPB_39A	1	0676 - 0676	Length of longest depressive episode ever had
DEPB_39B	3	0677 - 0679	Longest depressive episode ever had - number of days
DEPB_39C	3	0680 - 0682	Longest depressive episode ever had - number of weeks
DEPB_39D	2	0683 - 0684	Longest depressive episode ever had - number of months
DEPB_39E	3	0685 - 0687	Longest depressive episode ever had - number of years
DEPB_531	3	0688 - 0690	Nbr of 2-week episodes brought on by stressful experience
DEPB_54	3	0691 - 0693	Number of years had at least one depressive episode
DEPB_56	3	0694 - 0696	Longest number of yrs in a row had at least 1 episode/year
DEPB_58	1	0697 - 0697	Ever had period lasting full year when episode most days
DEPB_59	3	0698 - 0700	Number of years had episode most days - life
DEPB_59A	3	0701 - 0703	Age - 1st time had full year when episode most days
DEPB_61	3	0704 - 0706	Longest number of years in a row in episode most days
DEPB_64A	1	0707 - 0707	Frequency - felt cheerful - 12 mo
DEPB_64B	1	0708 - 0708	Frequency - felt slowed down - 12 mo
DEPB_64C	1	0709 - 0709	Frequency - enjoyed good book,radio,TV - 12 mo
DEPB_65A	1	0710 - 0710	Frequency - enjoyed things had enjoyed - 12 mo

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 14

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPB_65B	1	0711 - 0711	Frequency - laughed / saw bright side of things - 12 mo
DEPB_65C	1	0712 - 0712	Frequency - took interest in physical appearance - 12 mo
DEPB_65D	1	0713 - 0713	Frequency - looked forward to enjoying things - 12 mo
DEPB_66A	2	0714 - 0715	Level of interference - home responsibilities - 12 mo
DEPB_661	2	0716 - 0717	Level of interference - ability to attend school - 12 mo
DEPB_662	2	0718 - 0719	Level of interference - ability to work at a job - 12 mo
DEPB_66C	2	0720 - 0721	Level of interference - close relationships - 12 mo
DEPB_66D	2	0722 - 0723	Level of interference - social life - 12 mo
DEPB_68	3	0724 - 0726	Nbr of days/365 totally unable because of feelings
DEPB_72	1	0727 - 0727	Consulted MD/other prof. about feelings
DEPB_721	3	0728 - 0730	Age - first time consulted prof. about feelings
DEPB_72A	3	0731 - 0733	Age - first time consulted prof. about feelings
DEPB_73	1	0734 - 0734	Received helpful/effective treatment for feelings
DEPB_73A	3	0735 - 0737	Age - first time got helpful treatment for feelings
DEPB_73B	2	0738 - 0739	Number of prof. consulted before helpful treatment
DEPB_74	2	0740 - 0741	Total nbr of prof. consulted about feelings - life
DEPB_86	1	0742 - 0742	Received prof. treatment for feelings - 12 mo
DEPB_87	1	0743 - 0743	Hospitalized overnight for feelings - life
DEPB_871	3	0744 - 0746	Age - first time hospitalized overnight for feelings
DEPB_87A	3	0747 - 0749	Age - first time hospitalized overnight for feelings
DEPB_88	2	0750 - 0751	Nbr of close relatives ever had depressive episode
DEPBD22Y	6.2	0752 - 0757	Length of time in years - worst episode - (D)
DEPBD23Y	6.2	0758 - 0763	Length of time in years - last episode - (D)
DEPBD7CY	6.2	0764 - 0769	Length of time in years - first episode - (D)
DEPBD8AY	6.2	0770 - 0775	Length of time in years - single 12 mo episode - (D)
DEPBD8BY	6.2	0776 - 0781	Length of time in years - first of several 12 mo episode-(D)
DEPBD39Y	6.2	0782 - 0787	Length of time in years - longest episode - (D)
DEPBDA1	1	0788 - 0788	Criterion A, Part 1 - (D)
DEPBDA21	1	0789 - 0789	Criterion A, Part 2 - Symptom 1 - (D)
DEPBDA22	1	0790 - 0790	Criterion A, Part 2 - Symptom 2 - (D)
DEPBDA23	1	0791 - 0791	Criterion A, Part 2 - Symptom 3 - (D)
DEPBDA24	1	0792 - 0792	Criterion A, Part 2 - Symptom 4 - (D)
DEPBDA25	1	0793 - 0793	Criterion A, Part 2 - Symptom 5 - (D)
DEPBDA26	1	0794 - 0794	Criterion A, Part 2 - Symptom 6 - (D)
DEPBDA27	1	0795 - 0795	Criterion A, Part 2 - Symptom 7 - (D)
DEPBDA28	1	0796 - 0796	Criterion A, Part 2 - Symptom 8 - (D)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 15

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPBDA29	1	0797 - 0797	Criterion A, Part 2 - Symptom 9 - (D)
DEPBDA2	1	0798 - 0798	Criterion A, Part 2 - (D)
DEPBDA	1	0799 - 0799	Criterion A, Part 1 and 2 - (D)
DEPBDC1	1	0800 - 0800	Criterion C, Part 1 - (D)
DEPBD664	1	0801 - 0801	Interference Level (cut-off at 4) - (D)
DEPBDC2	1	0802 - 0802	Criterion C, Part 2 - (D)
DEPBDC	1	0803 - 0803	Criterion C, Part 1 and 2 - (D)
FILLR001	1	0804 - 0804	Alphanumeric field
DEPBDE1	1	0805 - 0805	Criterion E, Part 1 - (D)
DEPBDE21	1	0806 - 0806	Criterion E, Part 2.1 - (D)
DEPBDE22	1	0807 - 0807	Criterion E, Part 2.2 - (D)
DEPBDE23	1	0808 - 0808	Criterion E, Part 2.3 - (D)
DEPBDE24	1	0809 - 0809	Criterion E, Part 2.4 - (D)
DEPBDE25	1	0810 - 0810	Criterion E, Part 2.5 - (D)
DEPBDE26	1	0811 - 0811	Criterion E, Part 2.6 - (D)
DEPBDE2	1	0812 - 0812	Criterion E, Part 2 - (D)
DEPBD667	1	0813 - 0813	Criterion E, Part 3A1 - High interference - (D)
DEPBDE3A	1	0814 - 0814	Criterion E, Part 3A - (D)
DEPBDE3B	1	0815 - 0815	Criterion E, Part 3B - (D)
DEPBDE3C	1	0816 - 0816	Criterion E, Part 3C - (D)
DEPBDE3E	1	0817 - 0817	Criterion E, Part 3E - (D)
DEPBDE3	1	0818 - 0818	Criterion E, Part 3 - (D)
DEPBDE	1	0819 - 0819	Criterion E, Part 1, 2 and 3 - (D)
DEPBDDPS	1	0820 - 0820	Major Depressive Episode Algorithm - Life - (D)
DEPBDON	3	0821 - 0823	Age at major depression onset - (D)
DEPBDRFC	3	0824 - 0826	Age at most recent major depressive episode - (D)
DEPBDPER	6.2	0827 - 0832	Nbr of years of major depression persistence - (D)
DEPBDYA	1	0833 - 0833	Criterion A - 12 month - (D)
DEPBDYB	1	0834 - 0834	Criterion B - 12 month - (D)
DEPBDYC	1	0835 - 0835	Criterion C - 12 month - (D)
DEPBDDY	1	0836 - 0836	Major Depressive Episode Algorithm - 12 month (D)
DEPBFSLT	1	0837 - 0837	Flag: Suicide - thought - life
DEPBISYT	1	0838 - 0838	Imputation flag for DEPBFSYT
DEPBFSYT	1	0839 - 0839	Flag: Suicide - thought - 12 mo
DEPBFSLA	1	0840 - 0840	Flag: Suicide - attempt - life
DEPBISYA	1	0841 - 0841	Imputation flag for DEPBFSYA

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 16

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPBFSYA	1	0842 - 0842	Flag: Suicide - attempt - 12 mo
DEPBDINT	4.1	0843 - 0846	Depression Interference - Mean - (D)
DEPBFINT	1	0847 - 0847	Flag: Depression interference
MIAB_01	1	0848 - 0848	Cognitive/behavior changes during excited periods
MIAB_03	1	0849 - 0849	Excited episode with largest number of changes
MIAB_03A	3	0850 - 0852	Age when excited episode with largest number of changes
MIAB_03B	1	0853 - 0853	Length of excited episode with largest number of changes
MIAB_3B1	2	0854 - 0855	Excited episode with largest changes - number of hours
MIAB_3B2	3	0856 - 0858	Excited episode with largest changes - number of days
MIAB_3B3	3	0859 - 0861	Excited episode with largest changes - number of weeks
MIAB_3B4	2	0862 - 0863	Excited episode with largest changes - number of months
MIAB_3B5	3	0864 - 0866	Excited episode with largest changes - number of years
MIAB_03C	3	0867 - 0869	Age - when most recent excited episode occurred
MIAB_03D	1	0870 - 0870	Length of most recent excited episode
MIAB_3D1	2	0871 - 0872	Most recent excited episode - number of hours
MIAB_3D2	3	0873 - 0875	Most recent excited episode - number of days
MIAB_3D3	3	0876 - 0878	Most recent excited episode - number of weeks
MIAB_3D4	2	0879 - 0880	Most recent excited episode - number of months
MIAB_3D5	3	0881 - 0883	Most recent excited episode - number of years
MIAB_04	1	0884 - 0884	Symptom - irritable/grouchy during excited episode
MIAB_05	1	0885 - 0885	Cognitive/behavioural changes during irritable period
MIAB_06	1	0886 - 0886	Irritable episode with largest number of changes
MIAB_06A	3	0887 - 0889	Age when irritable episode with largest number of changes
MIAB_06B	1	0890 - 0890	Length of irritable episode with largest number of changes
MIAB_6B1	2	0891 - 0892	Irritable episode with largest changes - number of hours
MIAB_6B2	3	0893 - 0895	Irritable episode with largest changes - number of days
MIAB_6B3	3	0896 - 0898	Irritable episode with largest changes - number of weeks
MIAB_6B4	2	0899 - 0900	Irritable episode with largest changes - number of months
MIAB_6B5	3	0901 - 0903	Irritable episode with largest changes - number of years
MIAB_06C	3	0904 - 0906	Age - when most recent irritable episode occurred
MIAB_06D	1	0907 - 0907	Length of most recent irritable episode
MIAB_6D1	2	0908 - 0909	Most recent irritable episode - number of hours
MIAB_6D2	3	0910 - 0912	Most recent irritable episode - number of days
MIAB_6D3	3	0913 - 0915	Most recent irritable episode - number of weeks
MIAB_6D4	2	0916 - 0917	Most recent irritable episode - number of months
MIAB_6D5	3	0918 - 0920	Most recent irritable episode - number of years

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 17

SEPTEMBER 2004

Variable	Length	Position	Concept
MIAB_07A	1	0921 - 0921	Symptom - became restless or fidgety
MIAB_07B	1	0922 - 0922	Symptom - became overly friendly / outgoing with people
MIAB_07C	1	0923 - 0923	Symptom - behaved in a way that is inappropriate
MIAB_07D	1	0924 - 0924	Symptom - was more interested in sex than usual
MIAB_07E	1	0925 - 0925	Symptom - tried to do things that were impossible to do
MIAB_07F	1	0926 - 0926	Symptom - talked a lot more than usual
MIAB_07G	1	0927 - 0927	Symptom - constantly kept changing plans / activities
MIAB_07H	1	0928 - 0928	Symptom - was easily distracted
MIAB_07I	1	0929 - 0929	Symptom - had thoughts jumping from one thing to another
MIAB_07J	1	0930 - 0930	Symptom - slept far less than usual and was not tired
MIAB_07K	1	0931 - 0931	Symptom - was involved in foolish investments for making \$
MIAB_07L	1	0932 - 0932	Symptom - spent much more money than usual
MIAB_07M	1	0933 - 0933	Symptom - did risky things for pleasure
MIAB_07N	1	0934 - 0934	Symptom - had a greatly exaggerated self-confidence
MIAB_07O	1	0935 - 0935	Symptom - believed was someone else
MIAB_08	3	0936 - 0938	Number of episodes felt excited / irritable - life
MIAB_09	1	0939 - 0939	Manic episode interfered with work/social life/relationships
MIAB_09A	1	0940 - 0940	Frequency - feelings = unable carry out daily activities
MIAB_09B	1	0941 - 0941	People worry about the way respondent was acting
MIAB_10A	1	0942 - 0942	Manic episode due to physical causes
MIAB_10B	1	0943 - 0943	Physical causes always cause manic episodes
MIAB_1CA	1	0944 - 0944	Physical exclusion - exhaustion
MIAB_1CB	1	0945 - 0945	Physical exclusion - hyperventilation
MIAB_1CC	1	0946 - 0946	Physical exclusion - hypochondria
MIAB_1CD	1	0947 - 0947	Physical exclusion - menstrual cycle
MIAB_1CE	1	0948 - 0948	Physical exclusion - pregnancy / postpartum
MIAB_1CF	1	0949 - 0949	Physical exclusion - thyroid disease
MIAB_1CG	1	0950 - 0950	Physical exclusion - cancer
MIAB_1CH	1	0951 - 0951	Physical exclusion - overweight
MIAB_1CI	1	0952 - 0952	Physical exclusion - medication (excluding illicit drugs)
MIAB_1CJ	1	0953 - 0953	Physical exclusion - illicit drugs
MIAB_1CK	1	0954 - 0954	Physical exclusion - alcohol
MIAB_1CL	1	0955 - 0955	Physical exclusion - chemical / serotonin imbalance
MIAB_1CM	1	0956 - 0956	Physical exclusion - chronic pain
MIAB_1CN	1	0957 - 0957	Physical exclusion - caffeine
MIAB_1CO	1	0958 - 0958	Physical exclusion - no specific diagnosis

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 18

SEPTEMBER 2004

Variable	Length	Position	Concept
MIAB_1CP	1	0959 - 0959	Physical exclusion - other
MIAB_1CQ	1	0960 - 0960	Physical exclusion - Other - Physical causes, etc.
MIAB_18	1	0961 - 0961	Remembered exactly age of very first manic episode
MIAB_18A	3	0962 - 0964	Age - exactly very first manic episode
MIAB_18B	3	0965 - 0967	Age - approximately first time manic episode
MIAB_181	1	0968 - 0968	Life period when very first manic episode occurred
MIAB_18C	1	0969 - 0969	Episode triggered by stressful/unexpected event
MIAB_18D	1	0970 - 0970	Length of very first manic episode
MIAB_1D1	2	0971 - 0972	Very first manic episode - number of hours
MIAB_1D2	3	0973 - 0975	Very first manic episode - number of days
MIAB_1D3	3	0976 - 0978	Very first manic episode - number of weeks
MIAB_1D4	2	0979 - 0980	Very first manic episode - number of months
MIAB_1D5	3	0981 - 0983	Very first manic episode - number of years
MIAB_19	1	0984 - 0984	Had manic episode - 12 mo
MIAB_191	1	0985 - 0985	Had a single manic episode - 12 mo
MIAB_19A	1	0986 - 0986	Reference period of manic episode - 12 mo
MIAB_19B	2	0987 - 0988	Number of manic episodes - 12 mo
MIAB_19C	2	0989 - 0990	Number of weeks had manic episode - 12 mo
MIAB_19D	3	0991 - 0993	Age - last time had manic episode
MIAB_20	4	0994 - 0997	Number of episodes lasting full week or longer - life
MIAB_201	4	0998 - 1001	Nbr of episodes lasting week + brought by stressful exp.
MIAB_202	1	1002 - 1002	One week or > episode due to stressful/unexpected experience
MIAB_21	5	1003 - 1007	Nbr of episodes lasting < week brought by stressful exp.
MIAB_211	5	1008 - 1012	Nbr of episodes/less than a week/stressful experiences
MIAB_212	1	1013 - 1013	Less than one week episode due to stressful/unexpected exp.
MIAB_22	1	1014 - 1014	Length of the longest manic episode - life
MIAB_221	2	1015 - 1016	Longest manic episode - number of hours
MIAB_222	3	1017 - 1019	Longest manic episode - number of days
MIAB_223	3	1020 - 1022	Longest manic episode - number of weeks
MIAB_224	2	1023 - 1024	Longest manic episode - number of months
MIAB_225	3	1025 - 1027	Longest manic episode - number of years
MIAB_23	3	1028 - 1030	Number of different years in life/had manic episode
MIAB_24	1	1031 - 1031	Single life episode brought by stress./unexpected experience
MIAB_27A	2	1032 - 1033	Level of interference - home responsibilities - 12 mo
MIAB_271	2	1034 - 1035	Level of interference - ability to attend school - 12 mo
MIAB_272	2	1036 - 1037	Level of interference - ability to work at a job - 12 mo

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 19

SEPTEMBER 2004

Variable	Length	Position	Concept
MIAB_27C	2	1038 - 1039	Level of interference - close relationships - 12 mo
MIAB_27D	2	1040 - 1041	Level of interference - social life - 12 mo
MIAB_29	3	1042 - 1044	Nbr of days/365 totally unable because of mania - 12 mo
MIAB_33	1	1045 - 1045	Consulted MD/other prof. about manic episode
MIAB_33A	3	1046 - 1048	Age - first time consulted prof. about manic episode
MIAB_45	1	1049 - 1049	Received helpful/effective treatment for manic episode
MIAB_45A	3	1050 - 1052	Age - first time got helpful treatment for manic episode
MIAB_45B	2	1053 - 1054	Number of prof. consulted before helpful treatment
MIAB_45C	2	1055 - 1056	Total nbr of prof. consulted about manic episode - life
MIAB_47	1	1057 - 1057	Received professional treatment for manic episode - 12 mo
MIAB_48	1	1058 - 1058	Hospitalized overnight for manic episode - life
MIAB_48A	3	1059 - 1061	Age - first time hospitalized overnight for manic episode
MIAB_481	2	1062 - 1063	Number of close relatives ever had manic episode
MIABD3BY	6.2	1064 - 1069	Duration in years - excited - (D)
MIABD3DY	6.2	1070 - 1075	Duration in years - excited - (D)
MIABD6BY	6.2	1076 - 1081	Duration in years - irritable - (D)
MIABD6DY	6.2	1082 - 1087	Duration in years - irritable - (D)
MIABD18Y	6.2	1088 - 1093	Duration in years - first episode - (D)
MIABD22Y	6.2	1094 - 1099	Duration in years - longest episode - (D)
MIABDA1	1	1100 - 1100	Criterion A, Part 1 - (D)
MIABDA2	1	1101 - 1101	Criterion A, Part 2 - (D)
MIABDA	1	1102 - 1102	Criterion A, Part 1 and 2 - (D)
MIABDB1	1	1103 - 1103	Criterion B - Symptom 1 - (D)
MIABDB2	1	1104 - 1104	Criterion B - Symptom 2 - (D)
MIABDB3	1	1105 - 1105	Criterion B - Symptom 3 - (D)
MIABDB4	1	1106 - 1106	Criterion B - Symptom 4 - (D)
MIABDB5	1	1107 - 1107	Criterion B - Symptom 5 - (D)
MIABDB6	1	1108 - 1108	Criterion B - Symptom 6 - (D)
MIABDB7	1	1109 - 1109	Criterion B - Symptom 7 - (D)
MIABDBI	1	1110 - 1110	Criterion B - irritable focus (D)
MIABDB	1	1111 - 1111	Criterion B (Combined symptoms 1 to 7) - (D)
MIABD277	1	1112 - 1112	Criterion D, Part 1A - Interference - (D)
MIABDD1	1	1113 - 1113	Criterion D, Part 1 - (D)
MIABDD2	1	1114 - 1114	Criterion D, Part 2 - (D)
MIABDD3	1	1115 - 1115	Criterion D, Part 3 - (D)
MIABDD	1	1116 - 1116	Criterion D - (D)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 20

SEPTEMBER 2004

Variable	Length	Position	Concept
FILLR001	1	1117 - 1117	Alphanumeric field
MIABDEPS	1	1118 - 1118	Manic Episode Algorithm - Life - (D)
MIABDON	3	1119 - 1121	Age of first manic episode - onset - (D)
MIABDREC	3	1122 - 1124	Age at most recent manic episode - (D)
MIABDPER	6.2	1125 - 1130	Nbr of yrs of persistence of manic disorder - (D)
MIABDYA	1	1131 - 1131	Criterion A - 12 month - (D)
MIABDYB	1	1132 - 1132	Criterion B - 12 month - (D)
MIABDYC	1	1133 - 1133	Criterion C - Interference - (D)
MIABDEY	1	1134 - 1134	Manic Episode Algorithm - 12 Month - (D)
MIABDINT	4.1	1135 - 1138	Mania Interference - Mean - (D)
MIABFINT	1	1139 - 1139	Flag: Mania Interference
PADB_01A	1	1140 - 1140	Symptom - had heart pounding / racing
PADB_01B	1	1141 - 1141	Symptom - was short of breath
PADB_01C	1	1142 - 1142	Symptom - was nauseous / sick to stomach
PADB_01D	1	1143 - 1143	Symptom - felt dizzy / faint
PADB_01E	1	1144 - 1144	Symptom - was sweating
PADB_01F	1	1145 - 1145	Symptom - was trembling / shaking
PADB_01G	1	1146 - 1146	Symptom - had a dry mouth
PADB_01H	1	1147 - 1147	Symptom - felt like was choking
PADB_01I	1	1148 - 1148	Symptom - had chest pain / discomfort
PADB_01J	1	1149 - 1149	Symptom - was afraid might lose control / go crazy
PADB_01K	1	1150 - 1150	Symptom - felt like was not really there
PADB_01L	1	1151 - 1151	Symptom - felt things were not real
PADB_01M	1	1152 - 1152	Symptom - was afraid might pass out
PADB_01N	1	1153 - 1153	Symptom - was afraid might die
PADB_01O	1	1154 - 1154	Symptom - had hot flushes / chills
PADB_01P	1	1155 - 1155	Symptom - felt numbness / tingling sensations
PADB_03	1	1156 - 1156	Problems began suddenly and peaked <= 10 mins
PADB_04	3	1157 - 1159	Number of sudden attacks - life
PADB_06	2	1160 - 1161	Past 12 Months occurrence of single panic attack
PADB_07	1	1162 - 1162	Remembered exactly age when single attack occurred
PADB_07A	3	1163 - 1165	Age - exactly when single attack occurred
PADB_07B	3	1166 - 1168	Age - approximately when single attack occurred
PADB_071	2	1169 - 1170	Life period when single attack occurred
PADB_08	2	1171 - 1172	Type of situations under which attack occurred
PADB_09	1	1173 - 1173	Remembered exactly age very first panic attack

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 21

SEPTEMBER 2004

Variable	Length	Position	Concept
PADB_09A	3	1174 - 1176	Age - exactly when very first panic attack occurred
PADB_09B	3	1177 - 1179	Age - approximately when very first attack occurred
PADB_091	2	1180 - 1181	Life period when very first attack occurred
PADB_10	1	1182 - 1182	Had panic attack - 12 mo
PADB_10A	2	1183 - 1184	Reference period of panic attack - 12 mo
PADB_10B	2	1185 - 1186	Number of weeks had at least one attack - 12 mo
PADB_10C	3	1187 - 1189	Total number of attacks - 12 mo
PADB_10D	3	1190 - 1192	Age - last time had panic attack
PADB_11	3	1193 - 1195	Greatest number of attacks in any single year - life
PADB_12	3	1196 - 1198	Number of different years had at least one attack - life
PADB_13A	1	1199 - 1199	1 Month or longer - worried might have another attack
PADB_13B	1	1200 - 1200	1 Month or longer - worried something terrible might happen
PADB_13C	1	1201 - 1201	1 Month or longer - changed everyday activities
PADB_13D	1	1202 - 1202	1 Month or longer - avoided situation for fear of attack
PADB_15	3	1203 - 1205	Age - first time had 1 month being worried / avoided
PADB_16	1	1206 - 1206	Had 1 month of worry / change in activity - 12 mo
PADB_16A	2	1207 - 1208	Reference period of 1 month disturbance - 12 mo
PADB_16B	2	1209 - 1210	Number of months of worry/change in activity - 12 mo
PADB_16C	2	1211 - 1212	Frequency - worried about having another attack - 12 mo
PADB_16D	2	1213 - 1214	Severity of worry of having another attack - 12 mo
PADB_16E	3	1215 - 1217	Age - approx. last time 1 month of worry of having attack
PADB_17	1	1218 - 1218	Had unexpected attack - life
PADB_17A	3	1219 - 1221	Number of unexpected attacks - life
PADB_18	3	1222 - 1224	Number of "not in real danger" attacks - life
PADB_19	3	1225 - 1227	Number of "real danger" attacks - life
PADB_21	3	1228 - 1230	Age - first time had an unexpected attack
PADB_21A	2	1231 - 1232	Life period when first unexpected attack occurred
PADB_22	2	1233 - 1234	Unexpected attack interfere with work/social/relationships
PADB_24	1	1235 - 1235	Unexpected attack occurred while sleeping - life
PADB_24A	3	1236 - 1238	Nmbr. unexpected attacks occr.while asleep - life
PADB_25A	1	1239 - 1239	Panic attack due to physical causes
PADB_25B	1	1240 - 1240	Physical causes always caused panic attacks
PADB_2CA	1	1241 - 1241	Physical exclusion - exhaustion
PADB_2CB	1	1242 - 1242	Physical exclusion - hyperventilation
PADB_2CC	1	1243 - 1243	Physical exclusion - hypochondria
PADB_2CD	1	1244 - 1244	Physical exclusion - menstrual cycle

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 22

SEPTEMBER 2004

Variable	Length	Position	Concept
PADB_2CE	1	1245 - 1245	Physical exclusion - pregnancy / postpartum
PADB_2CF	1	1246 - 1246	Physical exclusion - thyroid disease
PADB_2CG	1	1247 - 1247	Physical exclusion - cancer
PADB_2CH	1	1248 - 1248	Physical exclusion - overweight
PADB_2CI	1	1249 - 1249	Physical exclusion - medication (excluding illicit drugs)
PADB_2CJ	1	1250 - 1250	Physical exclusion - illicit drugs
PADB_2CK	1	1251 - 1251	Physical exclusion - alcohol
PADB_2CL	1	1252 - 1252	Physical exclusion - chemical / serotonin imbalance
PADB_2CM	1	1253 - 1253	Physical exclusion - chronic pain
PADB_2CN	1	1254 - 1254	Physical exclusion - caffeine
PADB_2CO	1	1255 - 1255	Physical exclusion - no specific diagnosis
PADB_2CP	1	1256 - 1256	Physical exclusion - other
PADB_2CQ	1	1257 - 1257	Physical exclusion - other - physical causes
PADB_36	3	1258 - 1260	Number of unexpected attacks - 12 mo
PADB_37A	3	1261 - 1263	Age - last time had unexpected attack
PADB_37B	2	1264 - 1265	Number of weeks had at least one attack - 12 mo
PADB_38	2	1266 - 1267	Reference period of most recent attack - 12 mo
PADB_40	2	1268 - 1269	Amount of emotional distress during attack - 12 mo
PADB_41	1	1270 - 1270	Upset by physical sensation reminding of attack - 12 mo
PADB_41A	2	1271 - 1272	Degree of discomfort due to physical sensations - 12 mo
PADB_42	2	1273 - 1274	Frequency - avoided situations causing sensations - 12 mo
PADB_43	2	1275 - 1276	Avoidance interfered with work/social/relationships
PADB_44A	2	1277 - 1278	Level of interference - home respons. - 12 mo
PADB_441	2	1279 - 1280	Level of int. - ability to attend school - 12 mo
PADB_442	2	1281 - 1282	Level of int. - ability to work at a job - 12 mo
PADB_44C	2	1283 - 1284	Level of int. - close relationships - 12 mo
PADB_44D	2	1285 - 1286	Level of interference - social life - 12 mo
PADB_46	3	1287 - 1289	Nbr of days/365 totally unable due to attacks
PADB_50	1	1290 - 1290	Consulted MD/other prof. about attacks
PADB_50A	3	1291 - 1293	Age - first time consulted prof. about attacks
PADB_62	1	1294 - 1294	Received helpful/effective treatment for attacks
PADB_62A	3	1295 - 1297	Age - first time got helpful treatment for attacks
PADB_62B	2	1298 - 1299	Number of prof. consulted before helpful treatment
PADB_62C	2	1300 - 1301	Total nbr of prof. consulted about attacks - life
PADB_64	1	1302 - 1302	Received prof. treatment for attacks - 12 mo
PADB_65	1	1303 - 1303	Hospitalized overnight for attacks - life

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 23

SEPTEMBER 2004

Variable	Length	Position	Concept
PADB_65A	3	1304 - 1306	Age - first time hospitalized overnight for attacks
PADB_651	2	1307 - 1308	Number of relatives with attacks
PADBDA	1	1309 - 1309	Panic Attack - Criterion A - (D)
PADBDB01	1	1310 - 1310	Criterion B - Symptom 1 - (D)
PADBDB02	1	1311 - 1311	Criterion B - Symptom 2 - (D)
PADBDB03	1	1312 - 1312	Criterion B - Symptom 3 - (D)
PADBDB04	1	1313 - 1313	Criterion B - Symptom 4 - (D)
PADBDB05	1	1314 - 1314	Criterion B - Symptom 5 - (D)
PADBDB06	1	1315 - 1315	Criterion B - Symptom 6 - (D)
PADBDB07	1	1316 - 1316	Criterion B - Symptom 7 - (D)
PADBDB08	1	1317 - 1317	Criterion B - Symptom 8 - (D)
PADBDB09	1	1318 - 1318	Criterion B - Symptom 9 - (D)
PADBDB10	1	1319 - 1319	Criterion B - Symptom 10 - (D)
PADBDB11	1	1320 - 1320	Criterion B - Symptom 11 - (D)
PADBDB12	1	1321 - 1321	Criterion B - Symptom 12 - (D)
PADBDB13	1	1322 - 1322	Criterion B - Symptom 13 - (D)
PADBDB14	1	1323 - 1323	Criterion B - Symptom 14 - (D)
PADBDB	1	1324 - 1324	Panic Attack - Criterion B - (D)
PADBDC	1	1325 - 1325	Panic Attack - Criterion C - (D)
PADBDA1	1	1326 - 1326	Panic Attack Algorithm - Life - (D)
PADBDDA1	1	1327 - 1327	Panic Disorder - Criterion A Part 1 - (D)
PADBDDAA	1	1328 - 1328	Panic Disorder - Criterion A Part 2 - Symptom 1(D)
PADBDDAB	1	1329 - 1329	Panic Disorder - Criterion A Part 2 - Symptom 2(D)
PADBDDAC	1	1330 - 1330	Panic Disorder - Criterion A Part 2 - Symptom 3(D)
PADBDDA2	1	1331 - 1331	Panic Disorder - Criterion A Part 2 - (D)
PADBDDA	1	1332 - 1332	Panic Disorder - Criterion A Part 1 and 2(D)
FILLR001	1	1333 - 1333	Alphanumeric field
PADBDPDS	1	1334 - 1334	Panic Disorder Algorithm - Life - (D)
PABBDONA	3	1335 - 1337	Age of first panic attack
PABBDON	3	1338 - 1340	Age of panic disorder onset - (D)
PABBDREC	3	1341 - 1343	Age when most recent panic attack - (D)
PABBDPER	3	1344 - 1346	Nbr of years of persistence of panic disorder - (D)
PABBDATY	1	1347 - 1347	Panic Attack Algorithm - 12 month - (D)
PABBDYA	1	1348 - 1348	Panic Disorder - Criterion A - 12 month - (D)
PABBDYB	1	1349 - 1349	Panic Disorder - Criterion B - 12 month - (D)
PABBDYC	1	1350 - 1350	Panic Disorder - Criterion C - 12 month - (D)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 24

SEPTEMBER 2004

Variable	Length	Position	Concept
PADBDY	1	1351 - 1351	Panic Disorder Algorithm - 12 Month - (D)
PADBDINT	4.1	1352 - 1355	Panic Disorder Interference - Mean - (D)
PADBFINT	1	1356 - 1356	Flag: Panic Disorder Interference
SOPB_01A	1	1357 - 1357	Uneasy - meeting new people
SOPB_01B	1	1358 - 1358	Uneasy - talking to people in authority
SOPB_01C	1	1359 - 1359	Uneasy - speaking up in a meeting / class
SOPB_01D	1	1360 - 1360	Uneasy - going to parties / other social gatherings
SOPB_01E	1	1361 - 1361	Uneasy - performing / giving a talk
SOPB_01F	1	1362 - 1362	Uneasy - taking exam / interviewing for job
SOPB_01G	1	1363 - 1363	Uneasy - working while someone watches you
SOPB_01H	1	1364 - 1364	Uneasy - entering room when others already present
SOPB_01I	1	1365 - 1365	Uneasy - talking with people who don't know well
SOPB_01J	1	1366 - 1366	Uneasy - expressing disagreement to people don't know well
SOPB_01K	1	1367 - 1367	Uneasy - writing, eating, drinking while someone watches
SOPB_01L	1	1368 - 1368	Uneasy - using public bathroom
SOPB_01M	1	1369 - 1369	Uneasy - going on a date
SOPB_01N	1	1370 - 1370	Uneasy - other social situation where centre of attention
SOPB_031	1	1371 - 1371	Remembered exactly age of very first social fear
SOPB_032	1	1372 - 1372	Remembered exactly age of very first social fear
SOPB_03A	3	1373 - 1375	Age - exactly first time had social fear
SOPB_03B	3	1376 - 1378	Age - approximately first time had social fear
SOPB_3B1	1	1379 - 1379	Life period when first time had social fear
SOPB_06A	3	1380 - 1382	Age - when first started avoiding social situation
SOPB_6A1	1	1383 - 1383	Life period when started avoiding social situation
SOPB_08A	1	1384 - 1384	Symptom - was blushing or shaking
SOPB_08B	1	1385 - 1385	Symptom - feared losing bowel / bladder control
SOPB_08C	1	1386 - 1386	Symptom - feared might vomit
SOPB_09A	1	1387 - 1387	Symptom - had heart pounding / racing
SOPB_09B	1	1388 - 1388	Symptom - was sweating
SOPB_09C	1	1389 - 1389	Symptom - was trembling
SOPB_09D	1	1390 - 1390	Symptom - felt sick to stomach
SOPB_09E	1	1391 - 1391	Symptom - had dry mouth
SOPB_09F	1	1392 - 1392	Symptom - had hot flushes or chills
SOPB_09G	1	1393 - 1393	Symptom - felt numbness / tingling sensations
SOPB_09H	1	1394 - 1394	Symptom - had trouble breathing normally
SOPB_09I	1	1395 - 1395	Symptom - felt like was choking

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 25

SEPTEMBER 2004

Variable	Length	Position	Concept
SOPB_09J	1	1396 - 1396	Symptom - had pain / discomfort in chest
SOPB_09K	1	1397 - 1397	Symptom - felt dizzy / faint
SOPB_09L	1	1398 - 1398	Symptom - was afraid might die
SOPB_09M	1	1399 - 1399	Symptom - feared might lose control, go crazy or pass out
SOPB_09N	1	1400 - 1400	Symptom - felt like "not really there"
SOPB_09O	1	1401 - 1401	Symptom - felt things were not real
SOPB_10	1	1402 - 1402	Symptom - was afraid might have a panic attack
SOPB_10A	1	1403 - 1403	Symptom - had a panic attack in this situation
SOPB_11	1	1404 - 1404	Symptom - was afraid might be trapped / unable to escape
SOPB_12	1	1405 - 1405	Symptom - was afraid might do something embarrassing
SOPB_12A	1	1406 - 1406	Symptom - was afraid might embarrass other people
SOPB_13	1	1407 - 1407	Symptom - was afraid people might think negatively
SOPB_14	1	1408 - 1408	Symptom - was afraid to be focus of attention
SOPB_14A	1	1409 - 1409	Reason associated with social fear
SOPB_15	1	1410 - 1410	Fear related to embarrassment about physical/mental problem
SOPB_15A	1	1411 - 1411	Problem - emotional or mental health condition
SOPB_15B	1	1412 - 1412	Problem - alcohol or drug
SOPB_15C	1	1413 - 1413	Problem - speech, vision or hearing
SOPB_15D	1	1414 - 1414	Problem - movement or coordination
SOPB_15E	1	1415 - 1415	Problem - facial/body disfigurement, weight/body image
SOPB_15F	1	1416 - 1416	Problem - bad odour/sweating
SOPB_15G	1	1417 - 1417	Problem - other physical health problem
SOPB_15H	1	1418 - 1418	Problem - pregnancy
SOPB_16	1	1419 - 1419	Social fear interfered with work/social/relationships
SOPB_17	1	1420 - 1420	Felt upset / worried / disappointed because of social fear
SOPB_18	1	1421 - 1421	Last time feared / avoided social situation
SOPB_18A	3	1422 - 1424	Age - last time feared / avoided social situation
SOPB_19	1	1425 - 1425	Severity of fear if had to face situation today
SOPB_20	1	1426 - 1426	Frequency - avoided feared social situation - 12 mo
SOPB_21A	2	1427 - 1428	Level of interference - home responsibilities - 12 mo
SOPB_211	2	1429 - 1430	Level of interference - ability to attend school - 12 mo
SOPB_212	2	1431 - 1432	Level of interference - ability to work at a job - 12 mo
SOPB_21C	2	1433 - 1434	Level of interference - close relationships - 12 mo
SOPB_21D	2	1435 - 1436	Level of interference - social life - 12 mo
SOPB_23	3	1437 - 1439	Nbr of days/365 totally unable because of fear - 12 mo
SOPB_25	1	1440 - 1440	Consulted MD / other prof. about social fear

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 26

SEPTEMBER 2004

Variable	Length	Position	Concept
SOPB_25A	3	1441 - 1443	Age - first time consulted prof. about social fear
SOPB_36	1	1444 - 1444	Received helpful / effective treatment for social fear
SOPB_36A	3	1445 - 1447	Age - first time got helpful treatment for social fear
SOPB_36B	2	1448 - 1449	Number of prof. consulted before helpful treatment
SOPB_36C	2	1450 - 1451	Total nbr of prof. consulted about social fear - life
SOPB_38	1	1452 - 1452	Received prof. treatment for social fear - 12 mo
SOPB_39	1	1453 - 1453	Hospitalized overnight for social fear - life
SOPB_39A	3	1454 - 1456	Age - first time hospitalized overnight for social fear
SOPB_391	2	1457 - 1458	Number of relatives with strong social fear
SOPBDA1	1	1459 - 1459	Criterion A, Part 1 - (D)
SOPBDA2	1	1460 - 1460	Criterion A, Part 2 - (D)
SOPBDA	1	1461 - 1461	Criterion A, Part 1 and 2 - (D)
SOPBDB	1	1462 - 1462	Criterion B - (D)
SOPBDC	1	1463 - 1463	Criterion C - (D)
SOPBDD1	1	1464 - 1464	Criterion D, Part 1 - (D)
SOPBD09	1	1465 - 1465	Criterion D, Part 2B - (D)
SOPBDD2	1	1466 - 1466	Criterion D, Part 2 - (D)
SOPBDD	1	1467 - 1467	Criterion D, Part 1 and 2 - (D)
SOPBD215	1	1468 - 1468	Criterion E, Part 1A - (D)
SOPBDE	1	1469 - 1469	Criterion E, Part 1 and 2 - (D)
SOPBDF1	1	1470 - 1470	Criterion F, Part 1 - (D)
SOPBDF2	1	1471 - 1471	Criterion F, Part 2 - (D)
SOPBDF	1	1472 - 1472	Criterion F, Part 1 and 2 - (D)
FILLR001	1	1473 - 1473	Alphanumeric field
SOPBDSP	1	1474 - 1474	Social Phobia Algorithm - Life - (D)
SOPBDON	3	1475 - 1477	Age at social phobia onset - (D)
SOPBDREC	3	1478 - 1480	Age at most recent social phobia episode - (D)
SOPBDYA	1	1481 - 1481	Criterion A - 12 month - (D)
SOPBDYB	1	1482 - 1482	Criterion B - 12 month - (D)
SOPBDYC	1	1483 - 1483	Criterion C - Interference - (D)
SOPBDPY	1	1484 - 1484	Social Phobia Algorithm - 12 month - (D)
SOPBDINT	4.1	1485 - 1488	Social Phobia Interference - Mean - (D)
SOPBFINT	1	1489 - 1489	Flag: Social Phobia Interference
AGPB_01A	1	1490 - 1490	Feared - being home alone
AGPB_01B	1	1491 - 1491	Feared - being in crowds
AGPB_01C	1	1492 - 1492	Feared - travelling away from home

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 27

SEPTEMBER 2004

Variable	Length	Position	Concept
AGPB_01D	1	1493 - 1493	Feared - travelling / being alone away from home
AGPB_01E	1	1494 - 1494	Feared - using public transportation
AGPB_01F	1	1495 - 1495	Feared - driving a car
AGPB_01G	1	1496 - 1496	Feared - standing in a line in a public place
AGPB_01H	1	1497 - 1497	Feared - being in a store
AGPB_01I	1	1498 - 1498	Feared - being in a movie theatre, auditorium, church
AGPB_01J	1	1499 - 1499	Feared - being in a restaurant / other public place
AGPB_01K	1	1500 - 1500	Feared - being in a wide, open field or street
AGPB_02	1	1501 - 1501	Agora fear ever caused by social/performance fear
AGPB_02A	1	1502 - 1502	Agora fear always caused by social/performance fear
AGPB_031	1	1503 - 1503	Remembered exactly age very first time had agora fear
AGPB_03A	3	1504 - 1506	Age - exactly first time had agora fear
AGPB_03B	3	1507 - 1509	Age - approximately first time had agora
AGPB_3B1	1	1510 - 1510	Life period when very first time had agora fear
AGPB_04A	1	1511 - 1511	Fear type - being alone or separated from loved ones
AGPB_04B	1	1512 - 1512	Fear type - some real danger like being robbed or assaulted
AGPB_04C	1	1513 - 1513	Fear type - might get sick to stomach / have diarrhea
AGPB_04D	1	1514 - 1514	Fear type - might have a panic attack
AGPB_04E	1	1515 - 1515	Fear type - might have heart attack / other emergency
AGPB_04F	1	1516 - 1516	Fear type - might become physically ill /without help
AGPB_04G	1	1517 - 1517	Fear type - might be difficult, embarrassing to escape
AGPB_04H	1	1518 - 1518	Fear type - some other terrible thing might happen
AGPB_06	3	1519 - 1521	Age - very first time started avoiding agora situations
AGPB_061	1	1522 - 1522	Life period when first time avoided agora situations
AGPB_08	1	1523 - 1523	Particular incident caused very first agora fear
AGPB_08A	1	1524 - 1524	Had panic attack as a result of particular incident
AGPB_09A	1	1525 - 1525	Symptom - had heart pounding / racing
AGPB_09B	1	1526 - 1526	Symptom - was sweating
AGPB_09C	1	1527 - 1527	Symptom - was trembling or shaking
AGPB_09D	1	1528 - 1528	Symptom - had a dry mouth
AGPB_11A	1	1529 - 1529	Symptom - had trouble breathing normally
AGPB_11B	1	1530 - 1530	Symptom - felt like was choking
AGPB_11C	1	1531 - 1531	Symptom - had chest pain or discomfort
AGPB_11D	1	1532 - 1532	Symptom - was nauseous or sick to stomach
AGPB_11E	1	1533 - 1533	Symptom - was dizzy or faint
AGPB_11F	1	1534 - 1534	Symptom - feared might lose control, go crazy or pass out

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 28

SEPTEMBER 2004

Variable	Length	Position	Concept
AGPB_11G	1	1535 - 1535	Symptom - was afraid you might die
AGPB_11H	1	1536 - 1536	Symptom - had hot flushes or chills
AGPB_11I	1	1537 - 1537	Symptom - had numbness or tingling sensations
AGPB_11J	1	1538 - 1538	Symptom - felt like was not really there
AGPB_11K	1	1539 - 1539	Symptom - felt like things around were not real
AGPB_13	1	1540 - 1540	Unable to leave home for entire day because of fear
AGPB_13A	1	1541 - 1541	Length of longest period unable to leave home
AGPB_13B	3	1542 - 1544	Longest period unable to leave home - number of days
AGPB_13C	3	1545 - 1547	Longest period unable to leave home - number of weeks
AGPB_13D	2	1548 - 1549	Longest period unable to leave home - number of months
AGPB_13E	3	1550 - 1552	Longest period unable to leave home - number of years
AGPB_14	1	1553 - 1553	Unable to leave home unless accompanied
AGPB_15	1	1554 - 1554	Fear / avoidance interefered with work/social/relationships
AGPB_16	1	1555 - 1555	Emotionally upset/worried because of fear / avoidance
AGPB_17	1	1556 - 1556	Strongly feared or avoided agora situations - 12 mo
AGPB_17A	1	1557 - 1557	Reference period of most recent agora fear/avoidance - 12 mo
AGPB_17B	3	1558 - 1560	Age - last time strongly feared / avoided situations
AGPB_18	1	1561 - 1561	Intensity of hypothetical fear
AGPB_19	1	1562 - 1562	Frequency - avoided feared agora situations - 12 mo
AGPB_20A	2	1563 - 1564	Level of interference - home responsibilities - 12 mo
AGPB_201	2	1565 - 1566	Level of interference - ability to attend school - 12 mo
AGPB_202	2	1567 - 1568	Level of interference - ability to work at a job - 12 mo
AGPB_20C	2	1569 - 1570	Level of interference - close relationships - 12 mo
AGPB_20D	2	1571 - 1572	Level of interference - social life -12 mo
AGPB_22	3	1573 - 1575	Nbr of days/365 totally unable because of fear - 12 mo
AGPB_24	1	1576 - 1576	Consulted MD / other prof. about agora fear
AGPB_24A	3	1577 - 1579	Age - first time consulted prof. about agora fear
AGPB_35	1	1580 - 1580	Received helpful / effective treatment for agora fear
AGPB_35A	3	1581 - 1583	Age - first time got helpful treatment for agora fear
AGPB_35B	2	1584 - 1585	Number of prof. consulted before helpful treatment
AGPB_35C	2	1586 - 1587	Total nbr of prof. consulted about agora fear - life
AGPB_37	1	1588 - 1588	Received prof. treatment for agora fear - 12 mo
AGPB_38	1	1589 - 1589	Hospitalized overnight for agora fear - life
AGPB_38A	3	1590 - 1592	Age - first time hospitalized overnight for agora fear
AGPB_381	2	1593 - 1594	Number of relatives with strong agoraphobic fear
AGPBD13Y	6.2	1595 - 1600	Longest period unable to leave home (in years) - (D)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 29

SEPTEMBER 2004

Variable	Length	Position	Concept
AGPBDA	1	1601 - 1601	Criterion A, Part 1 and 2 - (D)
AGPBDB1	1	1602 - 1602	Criterion B, Part 1 - (D)
AGPBDB2	1	1603 - 1603	Criterion B, Part 2 - (D)
AGPBDB3	1	1604 - 1604	Criterion B, Part 3 - (D)
AGPBDB	1	1605 - 1605	Criterion B - (D)
FILLR001	1	1606 - 1606	Alphanumeric field
FILLR001	1	1607 - 1607	Alphanumeric field
AGPBDAP	1	1608 - 1608	Agoraphobia Algorithm - Life - (D)
AGPBDPA2	1	1609 - 1609	Criterion A, Part 2 - (D)
AGPBDPA	1	1610 - 1610	Criterion A, Part 1 and 2 - (D)
AGPBDPB	1	1611 - 1611	Criterion B - (D)
AGPBDAPP	1	1612 - 1612	Agoraphobia w/o panic Algorithm - Life - (D)
AGPBDON	3	1613 - 1615	Age of agoraphobia onset - (D)
AGPBDREC	3	1616 - 1618	Age when most recent agoraphobic episode - (D)
AGPBDPER	6.2	1619 - 1624	Nbr of years of persistence of agoraphobia - (D)
AGPBDONP	3	1625 - 1627	Age of agoraphobia onset (no panic) - (D)
AGPBDRCP	3	1628 - 1630	Age at most recent agoraphobic episode (without panic) - (D)
AGPBDPRP	6.2	1631 - 1636	Nbr of years persistence of agora. (without panic) - (D)
AGPBDPY	1	1637 - 1637	Agoraphobia Algorithm - 12 month - (D)
AGPBDPYP	1	1638 - 1638	Agoraphobia w/o Panic Algorithm - 12 month - (D)
AGPBDINT	4.1	1639 - 1642	Agoraphobia Interference - Mean - (D)
AGPBFINT	1	1643 - 1643	Flag: Agoraphobia Interference
MHPBFL	1	1644 - 1644	Selected disorders dependence - life
MHPBFLM	1	1645 - 1645	Selected mood disorders - life
MHPBFLA	1	1646 - 1646	Selected anxiety disorders - life
FILLR001	1	1647 - 1647	Alphanumeric field
MHPBFY	1	1648 - 1648	Selected disorders/substance dependence - 12 mo
MHPBFYM	1	1649 - 1649	Selected mood disorders - 12 mo
MHPBFYA	1	1650 - 1650	Selected anxiety disorder - 12 mo
MHPBFYSA	1	1651 - 1651	Selected substance dependence - 12 mo
MHPBFINT	1	1652 - 1652	Flag: Reported interference
MHPBDAON	3	1653 - 1655	Age of onset - Selected disorders - (D)
ALCB_1	1	1656 - 1656	Drank alcohol in past 12 months
ALCB_2	2	1657 - 1658	Frequency - drinking alcohol - 12 mo
ALCB_3	2	1659 - 1660	Frequency - having 5 or more drinks - 12 mo
ALCB_4	1	1661 - 1661	Regularly drank more than 12 drinks/week - 12 mo

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 30

SEPTEMBER 2004

Variable	Length	Position	Concept
ALCB_5	1	1662 - 1662	Drank alcohol in past week
ALCB_5A1	3	1663 - 1665	Number of drinks - Sunday
ALCB_5A2	3	1666 - 1668	Number of drinks - Monday
ALCB_5A3	3	1669 - 1671	Number of drinks - Tuesday
ALCB_5A4	3	1672 - 1674	Number of drinks - Wednesday
ALCB_5A5	3	1675 - 1677	Number of drinks - Thursday
ALCB_5A6	3	1678 - 1680	Number of drinks - Friday
ALCB_5A7	3	1681 - 1683	Number of drinks - Saturday
ALCB_5B	1	1684 - 1684	Ever had a drink - life
ALCB_9	1	1685 - 1685	One year period where monthly 5 or + drinks/occasion - life
ALCB_10	1	1686 - 1686	Regularly drank more than 12 drinks a week - life
ALCB_7A	1	1687 - 1687	Reason reduced drinking - dieting
ALCB_7B	1	1688 - 1688	Reason reduced drinking - athletic training
ALCB_7C	1	1689 - 1689	Reason reduced drinking - pregnancy
ALCB_7D	1	1690 - 1690	Reason reduced drinking - getting older
ALCB_7E	1	1691 - 1691	Reason reduced drinking - drinking too much
ALCB_7F	1	1692 - 1692	Reason reduced drinking - affected work / studies
ALCB_7G	1	1693 - 1693	Reason reduced drinking - interfered with family life
ALCB_7H	1	1694 - 1694	Reason reduced drinking - affected physical health
ALCB_7I	1	1695 - 1695	Reason reduced drinking - affected social relationships
ALCB_7J	1	1696 - 1696	Reason reduced drinking - affected financial position
ALCB_7K	1	1697 - 1697	Reason reduced drinking - affected happiness
ALCB_7L	1	1698 - 1698	Reason reduced drinking - influence of family / friends
ALCB_7M	1	1699 - 1699	Reason reduced drinking - other
ALCB_8	3	1700 - 1702	Age started drinking alcoholic beverages
ALCBDTYP	1	1703 - 1703	Type of drinker - (D)
ALCBDWKY	3	1704 - 1706	Number of drinks - past week - (D)
ALCBDDLY	3	1707 - 1709	Average daily alcohol consumption - (D)
ALDB_01	1	1710 - 1710	Drunk - at work / school / taking care of child - 12 mo
ALDB_01A	1	1711 - 1711	Drunk - at work / school / taking care of child - life
ALDB_02	1	1712 - 1712	Number of times - drunk at work/school/child care - 12 mo
ALDB_03	1	1713 - 1713	Being drunk increased chances of getting hurt - 12 mo
ALDB_03A	1	1714 - 1714	Being drunk increased chances of getting hurt - life
ALDB_04	1	1715 - 1715	Emotional or psychological problems due to alcohol - 12 mo
ALDB_04A	1	1716 - 1716	Emotional or psychological problems due to alcohol - life
ALDB_05	1	1717 - 1717	Strong desire or urge to drink - 12 mo

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 31

SEPTEMBER 2004

Variable	Length	Position	Concept
ALDB_05A	1	1718 - 1718	Strong desire or urge to drink - life
ALDB_06	1	1719 - 1719	Spent month or more getting drunk - 12 mo
ALDB_06A	1	1720 - 1720	Spent month or more getting drunk - life
ALDB_07	1	1721 - 1721	Drank much more than intended - 12 mo
ALDB_07A	1	1722 - 1722	Drank much more than intended - life
ALDB_08	1	1723 - 1723	Number of times - drank much more than intended - 12 mo
ALDB_09	1	1724 - 1724	Had to drink more for the same effect - 12 mo
ALDB_09A	1	1725 - 1725	Had to drink more for the same effect - life
ALDB_10	1	1726 - 1726	Had symptom during period of cut down/no alcohol - 12 mo
ALDB_10A	1	1727 - 1727	Had symptom during period of cut down/alcohol - life
ALDB_11	1	1728 - 1728	Drank alcohol - even though promised wouldn't - 12 mo
ALDB_11A	1	1729 - 1729	Drank alcohol - even though promised wouldn't - life
ALDB_12	1	1730 - 1730	Drank alcohol - little time for anything else - 12 mo
ALDB_12A	1	1731 - 1731	Drank alcohol - little time for anything else - life
ALDB_13	1	1732 - 1732	Reduced important activities - because of alcohol - 12 mo
ALDB_13A	1	1733 - 1733	Reduced important activities - because of alcohol - life
ALDB_14	1	1734 - 1734	Continued drinking alcohol despite health problems - 12 mo
ALDB_14A	1	1735 - 1735	Continued drinking alcohol despite health problems - life
ALDB_15A	2	1736 - 1737	Level of interference - home responsibilities - 12 mo
ALDB_5B1	2	1738 - 1739	Level of interference - ability to attend school - 12 mo
ALDB_5B2	2	1740 - 1741	Level of interference - ability to work at a job - 12 mo
ALDB_15C	2	1742 - 1743	Level of interference - close relationships - 12 mo
ALDB_15D	2	1744 - 1745	Level of interference - social life -12 mo
ALDB_01L	1	1746 - 1746	Drunk - at work / school / taking care of child - life
ALDB_02L	1	1747 - 1747	Number of times - drunk at work/school/child care - life
ALDB_03L	1	1748 - 1748	Being drunk increased chances of getting hurt - life
ALDB_04L	1	1749 - 1749	Emotional or psychological problems due to alcohol - life
ALDB_05L	1	1750 - 1750	Strong desire or urge to drink - life
ALDB_06L	1	1751 - 1751	Spent month or more getting drunk - life
ALDB_07L	1	1752 - 1752	Drank much more than intended - life
ALDB_08L	1	1753 - 1753	Number of times - drank much more than intended - life
ALDB_09L	1	1754 - 1754	Had to drink more for the same effect - life
ALDB_10L	1	1755 - 1755	Had symptom during period of cut down/no alcohol - life
ALDB_11L	1	1756 - 1756	Drank alcohol - even though promised wouldn't - life
ALDB_12L	1	1757 - 1757	Drank alcohol - little time for anything else - life
ALDB_13L	1	1758 - 1758	Reduced important activities - because of alcohol - life

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 32

SEPTEMBER 2004

Variable	Length	Position	Concept
ALDB_14L	1	1759 - 1759	Continued drinking alcohol despite health problems - life
ALDBDSF	2	1760 - 1761	Alcohol dependence - Short Form Score - 12 mo - (D)
ALDBDPP	4.2	1762 - 1765	Alcohol dependence - Predicted Probability - 12 mo - (D)
FILLR002	2	1766 - 1767	Alphanumeric field
FILLR004	4	1768 - 1771	Alphanumeric field
ALDBDINT	4.1	1772 - 1775	Alcohol interference - mean - 12 months - (D)
ALDBFINT	1	1776 - 1776	Flag: Alcohol interference - 12 mo
IDGB_01	1	1777 - 1777	Used - marijuana, cannabis, hashish - life
IDGB_02	1	1778 - 1778	Used - marijuana, cannabis, hashish - 12 mo
IDGB_03	1	1779 - 1779	Frequency - marijuana, cannabis, hashish - 12 mo
IDGB_04	1	1780 - 1780	Used - cocaine, crack - life
IDGB_05	1	1781 - 1781	Used - cocaine, crack - 12 mo
IDGB_06	1	1782 - 1782	Frequency - cocaine, crack - 12 mo
IDGB_07	1	1783 - 1783	Used - speed (amphetamines) - life
IDGB_08	1	1784 - 1784	Used - speed (amphetamines) - 12 mo
IDGB_09	1	1785 - 1785	Frequency - speed (amphetamines) - 12 mo
IDGB_10	1	1786 - 1786	Used - ecstasy (MDMA) - life
IDGB_11	1	1787 - 1787	Used - ecstasy (MDMA) - 12 mo
IDGB_12	1	1788 - 1788	Frequency - ecstasy (MDMA) - 12 mo
IDGB_13	1	1789 - 1789	Used - hallucinogens, PCP, LSD - life
IDGB_14	1	1790 - 1790	Used - hallucinogens, PCP, LSD - 12 mo
IDGB_15	1	1791 - 1791	Frequency - hallucinogens, PCP, LSD - 12 mo
IDGB_16	1	1792 - 1792	Sniffed - glue, gasoline, other solvents - life
IDGB_17	1	1793 - 1793	Sniffed - glue, gasoline, other solvents - 12 mo
IDGB_18	1	1794 - 1794	Frequency - glue, gasoline, other solvents - 12 mo
IDGB_19	1	1795 - 1795	Used - heroin - life
IDGB_20	1	1796 - 1796	Used - heroin - 12 mo
IDGB_21	1	1797 - 1797	Frequency - heroin - 12 mo
IDGB_22	1	1798 - 1798	Used - steroids - life
IDGB_23	1	1799 - 1799	Used - steroids - 12 mo
IDGB_24	1	1800 - 1800	Frequency - steroids - 12 mo
IDGB_5AA	1	1801 - 1801	Took drugs at least once monthly for a year - life
IDGB_25A	1	1802 - 1802	Needed more drugs than usual to get high - 12 mo
IDGB_5A1	1	1803 - 1803	Needed more drugs than usual to get high - life
IDGB_25B	1	1804 - 1804	Had symptom during period of cut down/no drugs - 12 mo
IDGB_5B1	1	1805 - 1805	Had symptom during period of cut down/no drugs - life

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 33

SEPTEMBER 2004

Variable	Length	Position	Concept
IDGB_25C	1	1806 - 1806	Used drugs to prevent having symptoms - 12 mo
IDGB_5C1	1	1807 - 1807	Used drugs to prevent having symptoms - life
IDGB_25D	1	1808 - 1808	Used drugs - even though promised wouldn't - 12 mo
IDGB_5D1	1	1809 - 1809	Used drugs - even though promised wouldn't - life
IDGB_25E	1	1810 - 1810	Used drugs more frequently than intended - 12 mo
IDGB_5E1	1	1811 - 1811	Used drugs more frequently than intended - life
IDGB_25F	1	1812 - 1812	Used drugs - little time for anything else - 12 mo
IDGB_5F1	1	1813 - 1813	Used drugs - little time for anything else - life
IDGB_25G	1	1814 - 1814	Reduced important activities - because of drugs - 12 mo
IDGB_5G1	1	1815 - 1815	Reduced important activities - because of drugs - life
IDGB_25H	1	1816 - 1816	Continued taking drugs despite health problems - 12 mo
IDGB_5H1	1	1817 - 1817	Continued taking drugs despite health problems - life
IDGB_26A	2	1818 - 1819	Level of interference - home responsibilities - 12 mo
IDGB_6B1	2	1820 - 1821	Level of interference - ability to attend school - 12 mo
IDGB_6B2	2	1822 - 1823	Level of interference - ability to work at a job - 12 mo
IDGB_26C	2	1824 - 1825	Level of interference - close relationships - 12 mo
IDGB_26D	2	1826 - 1827	Level of interference - social life - 12 mo
IDGB_5AL	1	1828 - 1828	Needed more drugs than usual to get high - life
IDGB_5BL	1	1829 - 1829	Had symptom during period of cut down/no drugs - life
IDGB_5CL	1	1830 - 1830	Used drugs to prevent having symptoms - life
IDGB_5DL	1	1831 - 1831	Used drugs even though promised wouldn't - life
IDGB_5EL	1	1832 - 1832	Used drugs more frequently than intended - life
IDGB_5FL	1	1833 - 1833	Used drugs - little time for anything else - life
IDGB_5GL	1	1834 - 1834	Reduced important activities - because of drugs - life
IDGB_5HL	1	1835 - 1835	Continued taking drugs despite health problems - life
IDGBFLCA	1	1836 - 1836	Cannabis drug use - including one time only - life
IDGBFLCM	1	1837 - 1837	Cannabis drug use - excluding one time only - life
IDGBFYCM	1	1838 - 1838	Cannabis drug use - excluding one time only - 12 mo
IDGBFLCO	1	1839 - 1839	Cocaine / crack drug use - life
IDGBFLAM	1	1840 - 1840	Amphetamine (speed) drug use - life
IDGBFLEX	1	1841 - 1841	MDMA (ecstasy) drug use - life
IDGBFLHA	1	1842 - 1842	Hallucinogens, PCP or LSD drug use - life
IDGBFLGL	1	1843 - 1843	Glue, gasoline or other solvent use - life
IDGBFLHE	1	1844 - 1844	Heroin drug use - life
IDGBFLST	1	1845 - 1845	Steroid use - life
IDGBFLA	1	1846 - 1846	Illicit drug use - including one time cannabis - life

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Length	Position	Concept
IDGBFLAC	1	1847 - 1847	Illicit drug use - excluding one time cannabis - life
IDGBFYA	1	1848 - 1848	Illicit drug use - including one time cannabis - 12 mo
IDGBFYAC	1	1849 - 1849	Illicit drug use - excluding one time cannabis - 12 mo
IDGBFYDP	1	1850 - 1850	Criteria - Drug dependance - 12 mo
FILLR001	1	1851 - 1851	Alphanumeric field
IDGBDINT	4.1	1852 - 1855	Illicit drug interference - mean - 12 mo - (D)
IDGBFINT	1	1856 - 1856	Flag: Illicit drug interference - 12 mo
CPGB_01A	2	1857 - 1858	Frequency - spending money on instant win tickets
CPGB_01B	2	1859 - 1860	Frequency - spending money on lottery tickets
CPGB_01C	2	1861 - 1862	Frequency - spending money on bingo
CPGB_01D	2	1863 - 1864	Frequency - spending money on cards/boards games
CPGB_01E	2	1865 - 1866	Frequency - spending money on VLTs/outside casinos
CPGB_01F	2	1867 - 1868	Frequency - spending money on VLTs/at casinos
CPGB_01G	2	1869 - 1870	Frequency - spending money on other games/at casinos
CPGB_01H	2	1871 - 1872	Frequency - spending money on internet/arcade gambling
CPGB_01I	2	1873 - 1874	Frequency - spending money on live horse racing
CPGB_01J	2	1875 - 1876	Frequency - spending money on sports lotteries
CPGB_01K	2	1877 - 1878	Frequency - spending money on speculative investments
CPGB_01L	2	1879 - 1880	Frequency - spending money on games of skill
CPGB_01M	2	1881 - 1882	Frequency - spending money on other forms of gambling
CPGB_01N	2	1883 - 1884	Amount of money spent on gambling activities
CPGB_02	1	1885 - 1885	Frequency - spent more than wanted on gambling
CPGB_03	1	1886 - 1886	Frequency - gambled more money for same feeling
CPGB_04	1	1887 - 1887	Frequency - returned to try to win back money lost
CPGB_05	1	1888 - 1888	Frequency - borrowed money/sold to get \$ for gambling
CPGB_06	1	1889 - 1889	Frequency - felt might have a problem with gambling
CPGB_07	1	1890 - 1890	Frequency - gambling caused any health problems
CPGB_08	1	1891 - 1891	Frequency - people criticized respondent's betting
CPGB_09	1	1892 - 1892	Frequency - gambling caused financial problems
CPGB_10	1	1893 - 1893	Frequency - felt guilty about gambling
CPGB_11	1	1894 - 1894	Frequency - lied to hide gambling
CPGB_12	1	1895 - 1895	Frequency - wanted to stop betting but thought could not
CPGB_13	1	1896 - 1896	Frequency - bet more than could afford to lose
CPGB_14	1	1897 - 1897	Frequency - tried to quit/cut down; but unable
CPGB_15	1	1898 - 1898	Frequency - gambled to forget problems/feel better
CPGB_16	1	1899 - 1899	Frequency - gambling caused problem with family/friends

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Length	Position	Concept
CPGB_17	1	1900 - 1900	Other family member with gambling problems
CPGB_18	1	1901 - 1901	Used alcohol or drugs while gambling
CPGB_19A	2	1902 - 1903	Level of interference - home responsibilities - 12 mo
CPGB_9B1	2	1904 - 1905	Level of interference - ability to attend school - 12 mo
CPGB_9B2	2	1906 - 1907	Level of interference - ability to work at a job - 12 mo
CPGB_19C	2	1908 - 1909	Level of interference - close relationships - 12 mo
CPGB_19D	2	1910 - 1911	Level of interference - social life -12 mo
CPGBFGAM	1	1912 - 1912	Flag: Gambling Activity - Gambler vs. Non-gambler
CPGBDSEV	2	1913 - 1914	Problem gambling severity index - (D)
CPGBDTYP	2	1915 - 1916	Type of gambler - (D)
CPGBDACT	2	1917 - 1918	Number of different types of gambling activities - (D)
ETAB_01A	1	1919 - 1919	Had a strong fear of being too fat/overweight - life
ETAB_01B	1	1920 - 1920	Had a strong fear of being too fat/overweight - 12 mo
ETAB_02	2	1921 - 1922	Frequency - terrified of being overweight
ETAB_03	2	1923 - 1924	Frequency - avoided eating when hungry
ETAB_04	2	1925 - 1926	Frequency - preoccupied with food
ETAB_05	2	1927 - 1928	Frequency - went on eating binges
ETAB_06	2	1929 - 1930	Frequency - cut food into small pieces
ETAB_07	2	1931 - 1932	Frequency - was aware of calorie content
ETAB_08	2	1933 - 1934	Frequency - avoided food with high carbohydrate content
ETAB_09	2	1935 - 1936	Frequency - eating more would be appreciated by others
ETAB_10	2	1937 - 1938	Frequency - vomited after eating
ETAB_11	2	1939 - 1940	Frequency - felt guilty after eating
ETAB_12	2	1941 - 1942	Frequency - preoccupied with desire to be thinner
ETAB_13	2	1943 - 1944	Frequency - thought of burning up calories when exercising
ETAB_14	2	1945 - 1946	Frequency - respondent too thin according to others
ETAB_15	2	1947 - 1948	Frequency - preoccupied with having fat on body
ETAB_16	2	1949 - 1950	Frequency - took longer to eat meals
ETAB_17	2	1951 - 1952	Frequency - avoided foods with sugar
ETAB_18	2	1953 - 1954	Frequency - ate diet foods
ETAB_19	2	1955 - 1956	Frequency - felt food controlled life
ETAB_20	2	1957 - 1958	Frequency - displayed self-control around food
ETAB_21	2	1959 - 1960	Frequency - others pressured to eat
ETAB_22	2	1961 - 1962	Frequency - gave too much time/thought to food
ETAB_23	2	1963 - 1964	Frequency - felt uncomfortable after eating sweets
ETAB_24	2	1965 - 1966	Frequency - engaged in dieting behaviour

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 36

SEPTEMBER 2004

Variable	Length	Position	Concept
ETAB_25	2	1967 - 1968	Frequency - liked stomach to be empty
ETAB_26	2	1969 - 1970	Frequency - had impulse to vomit after meals
ETAB_27	2	1971 - 1972	Frequency - enjoyed trying new rich food
ETABDIND	2	1973 - 1974	Eating Attitude Test Index Score - (D)
ETABFIND	1	1975 - 1975	Flag: Eating Attitude Test Index
RACB_1	2	1976 - 1977	Has difficulty with activities
RACB_2A	2	1978 - 1979	Reduction in kind or amount activities - at home
RACB_2B1	2	1980 - 1981	Reduction in kind or amount activities - at school
RACB_2B2	2	1982 - 1983	Reduction in kind or amount activities - at work
RACB_2C	2	1984 - 1985	Reduction in kind or amount activities - other activities
RACB_5	2	1986 - 1987	Cause of health problem
RACB_5A1	1	1988 - 1988	Embarrassment due to condition/health problem - life
RACB_5A2	2	1989 - 1990	Embarrassment due to condition/health problem - 12 mo
RACB_5B1	1	1991 - 1991	Discrimination due to condition/health problem - life
RACB_5B2	2	1992 - 1993	Discrimination due to condition/health problem - 12 mo
RACB_6A	1	1994 - 1994	Needs help - preparing meals
RACB_6B1	1	1995 - 1995	Needs help - getting to appointments / running errands
RACB_6C	1	1996 - 1996	Needs help - doing housework
RACB_6D	1	1997 - 1997	Needs help - heavy household chores
RACB_6E	1	1998 - 1998	Needs help - personal care
RACB_6F	1	1999 - 1999	Needs help - moving about inside the house
RACB_6G	1	2000 - 2000	Needs help - looking after personal finances
RACB_7A	1	2001 - 2001	Difficulty - making new friends
RACB_7B	1	2002 - 2002	Difficulty - dealing with unknown people
RACB_7C	1	2003 - 2003	Difficulty - starting / maintaining a conversation
RACB_8A	1	2004 - 2004	Cause of difficulties - physical health
RACB_8B	1	2005 - 2005	Cause of difficulties - emotional or mental health
RACB_8C	1	2006 - 2006	Cause of difficulties - use of alcohol or drugs
RACB_8D	1	2007 - 2007	Cause of difficulties - other reason
RACBDIMP	1	2008 - 2008	Impact of health problems - (D)
RACBDPAL	1	2009 - 2009	Participation and Activity Limitation - (D)
RACBF6R	1	2010 - 2010	Flag: Help needed for series of tasks
RACBF7	1	2011 - 2011	Flag: Difficulty with social situations
TWDB_1	1	2012 - 2012	Stayed in bed - because of illness or injury
TWDB_2	2	2013 - 2014	Stayed in bed - number of days
TWDB_2A	1	2015 - 2015	Single day when stayed in bed is due to mental health

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 37

SEPTEMBER 2004

Variable	Length	Position	Concept
TWDB_2B	2	2016 - 2017	Number of days when stayed in bed is due to mental health
TWDB_3	1	2018 - 2018	Reduced activities - because of illness or injury
TWDB_4	2	2019 - 2020	Reduced activities - number of days
TWDB_4A	1	2021 - 2021	Single day when reduced activities is due to mental health
TWDB_4B	2	2022 - 2023	Nber of days when reduced activities is due to mental health
TWDB_5A	1	2024 - 2024	Took extra effort - because of illness or injury
TWDB_6	2	2025 - 2026	Number of days requiring extra effort
TWDB_6A	1	2027 - 2027	Single day when extra effort is due to mental health
TWDB_6B	2	2028 - 2029	Number of days when extra effort is due to mental health
TWDBDDDY	2	2030 - 2031	Total number of disability days in past 14 days - (D)
TWDBDMQ2	2	2032 - 2033	Number of days spent in bed due to mental health - (D)
TWDBDMQ4	2	2034 - 2035	Nber of days reduced activities due to mental health - (D)
TWDBDMQ6	2	2036 - 2037	Nber of days requiring extra effort due mental health - (D)
TWDBDMH	2	2038 - 2039	Total number of disability days due to mental health - (D)
SERB_02	1	2040 - 2040	Hospitalized for mental health/alcohol/drug - life
SERB_03	3	2041 - 2043	Nbr of times hosp. for mental health/alcohol/drug - life
SERB_05A	1	2044 - 2044	Reference period for single lifetime hospitalization
SERB_05B	3	2045 - 2047	Age - for single hospitalization dating more than a year ago
SERB_05C	1	2048 - 2048	Lifetime unique hospitalization - time period
SERB_05D	3	2049 - 2051	Lifetime unique hospitalization - Number of nights
SERB_05E	3	2052 - 2054	Lifetime unique hospitalization - Number of weeks
SERB_05F	2	2055 - 2056	Lifetime unique hospitalization - Number of months
SERB_05G	3	2057 - 2059	Lifetime unique hospitalization - Number of years
SERB_06	3	2060 - 2062	Age - at time of first admission for mental health
SERB_07	1	2063 - 2063	Total time spent in hospital due to mental health
SERB_07A	3	2064 - 2066	Total lifetime hospitalization - Number of days
SERB_07B	3	2067 - 2069	Total lifetime hospitalization - Number of weeks
SERB_07C	2	2070 - 2071	Total lifetime hospitalization - Number of months
SERB_07D	3	2072 - 2074	Total lifetime hospitalization - Number of years
SERB_08	1	2075 - 2075	Hospitalized for mental health/alcohol/drug - 12 mo
SERB_08A	3	2076 - 2078	Age - last time hospitalized
SERB_09	1	2079 - 2079	Total time spent in hospital due to mental health - 12 mo
SERB_09A	3	2080 - 2082	Total past 12 months hospitalization - Number of days
SERB_09B	2	2083 - 2084	Total past 12 months hospitalization - Number of weeks
SERB_09C	2	2085 - 2086	Total past 12 months hospitalization - Number of months
SERB_10A	1	2087 - 2087	Ever saw / talked to prof. - psychiatrist

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 38

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_10B	1	2088 - 2088	Ever saw / talked to prof. - family doctor or GP
SERB_10C	1	2089 - 2089	Ever saw / talked to prof. - other medical doctor
SERB_10D	1	2090 - 2090	Ever saw / talked to prof. - psychologist
SERB_10E	1	2091 - 2091	Ever saw / talked to prof. - nurse
SERB_10F	1	2092 - 2092	Ever saw / talked to prof. - social worker/counsellor/etc
SERB_10G	1	2093 - 2093	Ever saw / talked to prof. - religious / spiritual advisor
SERB_10H	1	2094 - 2094	Ever saw / talked to prof. - other professional
SERB_10I	1	2095 - 2095	Ever saw / talked to prof. - none
SERB_12	1	2096 - 2096	Had session of counselling / therapy of 15 minutes or longer
SERB_13	3	2097 - 2099	Age - first time had session of counselling / therapy
SERB_20	3	2100 - 2102	Age - first time consulted psychiatrist
SERB_21	1	2103 - 2103	Last time consulted psychiatrist
SERB_22	3	2104 - 2106	Age - last time consulted psychiatrist
SERB_23	3	2107 - 2109	Number of times consulted psychiatrist - 12 mo
SERB_24A	1	2110 - 2110	Contact psychiatrist - hospitalized as an overnight patient
SERB_24B	1	2111 - 2111	Contact psychiatrist - health professional's office
SERB_24C	1	2112 - 2112	Contact psychiatrist - hospital emergency room
SERB_24D	1	2113 - 2113	Contact psychiatrist - psychiatric outpatient clinic
SERB_24E	1	2114 - 2114	Contact psychiatrist - drug or alcohol outpatient clinic
SERB_24F	1	2115 - 2115	Contact psychiatrist - other hospital outpatient clinic
SERB_24G	1	2116 - 2116	Contact psychiatrist - walk-in clinic
SERB_24H	1	2117 - 2117	Contact psychiatrist - appointment clinic
SERB_24I	1	2118 - 2118	Contact psychiatrist - community health centre / CLSC
SERB_24J	1	2119 - 2119	Contact psychiatrist - at work
SERB_24K	1	2120 - 2120	Contact psychiatrist - at school
SERB_24L	1	2121 - 2121	Contact psychiatrist - at home
SERB_24M	1	2122 - 2122	Contact psychiatrist - telephone consultation only
SERB_24N	1	2123 - 2123	Contact psychiatrist - church or other religious place
SERB_24O	1	2124 - 2124	Contact psychiatrist - other
SERB_25	1	2125 - 2125	Psychiatrist - satisfaction with treatments/services
SERB_26	1	2126 - 2126	Psychiatrist - perceived level of help received from prof.
SERB_27	1	2127 - 2127	Psychiatrist - stopped seeing this professional
SERB_28A	1	2128 - 2128	Reason stopped - felt better
SERB_28B	1	2129 - 2129	Reason stopped - completed the recommended treatment
SERB_28C	1	2130 - 2130	Reason stopped - thought it was not helping
SERB_28D	1	2131 - 2131	Reason stopped - problem would get better without help

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 39

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_28E	1	2132 - 2132	Reason stopped - couldn't afford to pay
SERB_28F	1	2133 - 2133	Reason stopped - too embarrassed to see professional
SERB_28G	1	2134 - 2134	Reason stopped - wanted to solve the problem without help
SERB_28H	1	2135 - 2135	Reason stopped - problems like transportation, childcare
SERB_28I	1	2136 - 2136	Reason stopped - service / program no longer available
SERB_28J	1	2137 - 2137	Reason stopped - not comfortable with prof. approach
SERB_28K	1	2138 - 2138	Reason stopped - other reason
SERB_29	1	2139 - 2139	Psychiatrist - recommended other professional
SERB_30	3	2140 - 2142	Age - first time consulted family doctor
SERB_31	1	2143 - 2143	Last time consulted family doctor
SERB_32	3	2144 - 2146	Age - last time consulted family doctor
SERB_33	3	2147 - 2149	Number of times consulted family doctor - 12 mo
SERB_34A	1	2150 - 2150	Contact family doctor - hospitalized as overnight patient
SERB_34B	1	2151 - 2151	Contact family doctor - health professional's office
SERB_34C	1	2152 - 2152	Contact family doctor - hospital emergency room
SERB_34D	1	2153 - 2153	Contact family doctor - psychiatric outpatient clinic
SERB_34E	1	2154 - 2154	Contact family doctor - drug or alcohol outpatient clinic
SERB_34F	1	2155 - 2155	Contact family doctor - other hospital outpatient clinic
SERB_34G	1	2156 - 2156	Contact family doctor - walk-in clinic
SERB_34H	1	2157 - 2157	Contact family doctor - appointment clinic
SERB_34I	1	2158 - 2158	Contact family doctor - community health centre / CLSC
SERB_34J	1	2159 - 2159	Contact family doctor - at work
SERB_34K	1	2160 - 2160	Contact family doctor - at school
SERB_34L	1	2161 - 2161	Contact family doctor - at home
SERB_34M	1	2162 - 2162	Contact family doctor - telephone consultation only
SERB_34N	1	2163 - 2163	Contact family doctor - church or other religious place
SERB_34O	1	2164 - 2164	Contact family doctor - other
SERB_35	1	2165 - 2165	Family doctor - satisfaction with treatments/services
SERB_36	1	2166 - 2166	Family doctor - perceived level of help received from prof.
SERB_37	1	2167 - 2167	Family doctor - stopped seeing prof.
SERB_38A	1	2168 - 2168	Reason stopped - felt better
SERB_38B	1	2169 - 2169	Reason stopped - completed the recommended treatment
SERB_38C	1	2170 - 2170	Reason stopped - thought it was not helping
SERB_38D	1	2171 - 2171	Reason stopped - problem would get better without help
SERB_38E	1	2172 - 2172	Reason stopped - couldn't afford to pay
SERB_38F	1	2173 - 2173	Reason stopped - too embarrassed to see professional

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 40

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_38G	1	2174 - 2174	Reason stopped - wanted to solve the problem without help
SERB_38H	1	2175 - 2175	Reason stopped - problems like transportation, childcare
SERB_38I	1	2176 - 2176	Reason stopped - service / program no longer available
SERB_38J	1	2177 - 2177	Reason stopped - not comfortable with prof. approach
SERB_38K	1	2178 - 2178	Reason stopped - other reason
SERB_39	1	2179 - 2179	Family doctor - recommended another professional
SERB_40A	1	2180 - 2180	Other doctor - cardiologist
SERB_40B	1	2181 - 2181	Other doctor - gynaecologist
SERB_40C	1	2182 - 2182	Other doctor - urologist
SERB_40D	1	2183 - 2183	Other doctor - allergist
SERB_40E	1	2184 - 2184	Other doctor - other
SERB_41	2	2185 - 2186	Other doctor consulted most often - 12 mo
SERB_42	3	2187 - 2189	Age - last time consulted other medical doctor
SERB_43	3	2190 - 2192	Number of times consulted other doctor - 12 mo
SERB_44A	1	2193 - 2193	Contact other doctor - hospitalized as overnight patient
SERB_44B	1	2194 - 2194	Contact other doctor - health professional's office
SERB_44C	1	2195 - 2195	Contact other doctor - hospital emergency room
SERB_44D	1	2196 - 2196	Contact other doctor - psychiatric outpatient clinic
SERB_44E	1	2197 - 2197	Contact other doctor - drug or alcohol outpatient clinic
SERB_44F	1	2198 - 2198	Contact other doctor - other hospital outpatient clinic
SERB_44G	1	2199 - 2199	Contact other doctor - walk-in clinic
SERB_44H	1	2200 - 2200	Contact other doctor - appointment clinic
SERB_44I	1	2201 - 2201	Contact other doctor - community health centre / CLSC
SERB_44J	1	2202 - 2202	Contact other doctor - at work
SERB_44K	1	2203 - 2203	Contact other doctor - at school
SERB_44L	1	2204 - 2204	Contact other doctor - at home
SERB_44M	1	2205 - 2205	Contact other doctor - telephone consultation only
SERB_44N	1	2206 - 2206	Contact other doctor - church or other religious place
SERB_44O	1	2207 - 2207	Contact other doctor - other
SERB_45	1	2208 - 2208	Other doctor - satisfaction with treatments/services
SERB_46	1	2209 - 2209	Other doctor - perceived level of help received from prof.
SERB_47	1	2210 - 2210	Other doctor - stopped seeing prof.
SERB_48A	1	2211 - 2211	Reason stopped - felt better
SERB_48B	1	2212 - 2212	Reason stopped - completed the recommended treatment
SERB_48C	1	2213 - 2213	Reason stopped - thought it was not helping
SERB_48D	1	2214 - 2214	Reason stopped - problem would get better without help

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 41

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_48E	1	2215 - 2215	Reason stopped - couldn't afford to pay
SERB_48F	1	2216 - 2216	Reason stopped - too embarrassed to see professional
SERB_48G	1	2217 - 2217	Reason stopped - wanted to solve the problem without help
SERB_48H	1	2218 - 2218	Reason stopped - problems like transportation, childcare
SERB_48I	1	2219 - 2219	Reason stopped - service / program no longer available
SERB_48J	1	2220 - 2220	Reason stopped - not comfortable with prof. approach
SERB_48K	1	2221 - 2221	Reason stopped - other reason
SERB_49	1	2222 - 2222	Other doctor - recommended other professional
SERB_50	3	2223 - 2225	Age - first time consulted psychologist
SERB_51	1	2226 - 2226	Last time consulted psychologist
SERB_52	3	2227 - 2229	Age - last time consulted psychologist
SERB_53	3	2230 - 2232	Number of times consulted psychologist - 12 mo
SERB_54A	1	2233 - 2233	Contact psychologist - hospitalized as an overnight patient
SERB_54B	1	2234 - 2234	Contact psychologist - health professional's office
SERB_54C	1	2235 - 2235	Contact psychologist - hospital emergency room
SERB_54D	1	2236 - 2236	Contact psychologist - psychiatric outpatient clinic
SERB_54E	1	2237 - 2237	Contact psychologist - drug or alcohol outpatient clinic
SERB_54F	1	2238 - 2238	Contact psychologist - other hospital outpatient clinic
SERB_54G	1	2239 - 2239	Contact psychologist - walk-in clinic
SERB_54H	1	2240 - 2240	Contact psychologist - appointment clinic
SERB_54I	1	2241 - 2241	Contact psychologist - community health centre / CLSC
SERB_54J	1	2242 - 2242	Contact psychologist - at work
SERB_54K	1	2243 - 2243	Contact psychologist - at school
SERB_54L	1	2244 - 2244	Contact psychologist - at home
SERB_54M	1	2245 - 2245	Contact psychologist - telephone consultation only
SERB_54N	1	2246 - 2246	Contact psychologist - church or other religious place
SERB_54O	1	2247 - 2247	Contact psychologist - other
SERB_55	1	2248 - 2248	Psychologist - satisfaction with treatments/services - 12 mo
SERB_56	1	2249 - 2249	Psychologist - perceived level of help received from prof.
SERB_57	1	2250 - 2250	Psychologist - stopped seeing this professional
SERB_58A	1	2251 - 2251	Reason stopped - felt better
SERB_58B	1	2252 - 2252	Reason stopped - completed the recommended treatment
SERB_58C	1	2253 - 2253	Reason stopped - thought it was not helping
SERB_58D	1	2254 - 2254	Reason stopped - problem would get better without help
SERB_58E	1	2255 - 2255	Reason stopped - couldn't afford to pay
SERB_58F	1	2256 - 2256	Reason stopped - too embarrassed to see professional

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 42

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_58G	1	2257 - 2257	Reason stopped - wanted to solve the problem without help
SERB_58H	1	2258 - 2258	Reason stopped - problems like transportation, childcare
SERB_58I	1	2259 - 2259	Reason stopped - service / program no longer available
SERB_58J	1	2260 - 2260	Reason stopped - not comfortable with prof. approach
SERB_58K	1	2261 - 2261	Reason stopped - other reason
SERB_59	1	2262 - 2262	Insurance covers all/part of cost with psychologist
SERB_59A	1	2263 - 2263	Psychologist - recommended other professional
SERB_60	3	2264 - 2266	Age - first time consulted nurse
SERB_61	1	2267 - 2267	Last time consulted nurse
SERB_62	3	2268 - 2270	Age - last time consulted nurse
SERB_63	3	2271 - 2273	Number of times consulted nurse - 12 mo
SERB_64A	1	2274 - 2274	Contact nurse - hospitalized as an overnight patient
SERB_64B	1	2275 - 2275	Contact nurse - health professional's office
SERB_64C	1	2276 - 2276	Contact nurse - hospital emergency room
SERB_64D	1	2277 - 2277	Contact nurse - psychiatric outpatient clinic
SERB_64E	1	2278 - 2278	Contact nurse - drug or alcohol outpatient clinic
SERB_64F	1	2279 - 2279	Contact nurse - other hospital outpatient clinic
SERB_64G	1	2280 - 2280	Contact nurse - walk-in clinic
SERB_64H	1	2281 - 2281	Contact nurse - appointment clinic
SERB_64I	1	2282 - 2282	Contact nurse - community health centre / CLSC
SERB_64J	1	2283 - 2283	Contact nurse - at work
SERB_64K	1	2284 - 2284	Contact nurse - at school
SERB_64L	1	2285 - 2285	Contact nurse - at home
SERB_64M	1	2286 - 2286	Contact nurse - telephone consultation only
SERB_64N	1	2287 - 2287	Contact nurse - church or other religious place
SERB_64O	1	2288 - 2288	Contact nurse - other
SERB_65	1	2289 - 2289	Nurse - satisfaction with treatments/services - 12 mo
SERB_66	1	2290 - 2290	Nurse - perceived level of help received from prof.
SERB_67	1	2291 - 2291	Nurse - stopped seeing this professional
SERB_68A	1	2292 - 2292	Reason stopped - felt better
SERB_68B	1	2293 - 2293	Reason stopped - completed the recommended treatment
SERB_68C	1	2294 - 2294	Reason stopped - thought it was not helping
SERB_68D	1	2295 - 2295	Reason stopped - problem would get better without help
SERB_68E	1	2296 - 2296	Reason stopped - couldn't afford to pay
SERB_68F	1	2297 - 2297	Reason stopped - too embarrassed to see professional
SERB_68G	1	2298 - 2298	Reason stopped - wanted to solve the problem without help

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 43

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_68H	1	2299 - 2299	Reason stopped - problems like transportation, childcare
SERB_68I	1	2300 - 2300	Reason stopped - service / program no longer available
SERB_68J	1	2301 - 2301	Reason stopped - not comfortable with prof. approach
SERB_68K	1	2302 - 2302	Reason stopped - other reason
SERB_69	1	2303 - 2303	Insurance covers all/part of cost with nurse
SERB_69A	1	2304 - 2304	Nurse - recommended other professional
SERB_70	3	2305 - 2307	Age - first time consulted social worker
SERB_71	1	2308 - 2308	Last time consulted social worker
SERB_72	3	2309 - 2311	Age - last time consulted social worker
SERB_73	3	2312 - 2314	Number of times consulted social worker - 12 mo
SERB_74A	1	2315 - 2315	Contact social worker - hospitalized as an overnight patient
SERB_74B	1	2316 - 2316	Contact social worker - health professional's office
SERB_74C	1	2317 - 2317	Contact social worker - hospital emergency room
SERB_74D	1	2318 - 2318	Contact social worker - psychiatric outpatient clinic
SERB_74E	1	2319 - 2319	Contact social worker - drug or alcohol outpatient clinic
SERB_74F	1	2320 - 2320	Contact social worker - other hospital outpatient clinic
SERB_74G	1	2321 - 2321	Contact social worker - walk-in clinic
SERB_74H	1	2322 - 2322	Contact social worker - appointment clinic
SERB_74I	1	2323 - 2323	Contact social worker - community health centre / CLSC
SERB_74J	1	2324 - 2324	Contact social worker - at work
SERB_74K	1	2325 - 2325	Contact social worker - at school
SERB_74L	1	2326 - 2326	Contact social worker - at home
SERB_74M	1	2327 - 2327	Contact social worker - telephone consultation only
SERB_74N	1	2328 - 2328	Contact social worker - church or other religious place
SERB_74O	1	2329 - 2329	Contact social worker - other
SERB_75	1	2330 - 2330	Social worker - satisfaction with treatments/services
SERB_76	1	2331 - 2331	Social worker - perceived level of help received from prof.
SERB_77	1	2332 - 2332	Social worker - stopped seeing this professional
SERB_78A	1	2333 - 2333	Reason stopped - felt better
SERB_78B	1	2334 - 2334	Reason stopped - completed the recommended treatment
SERB_78C	1	2335 - 2335	Reason stopped - thought it was not helping
SERB_78D	1	2336 - 2336	Reason stopped - problem would get better without help
SERB_78E	1	2337 - 2337	Reason stopped - couldn't afford to pay
SERB_78F	1	2338 - 2338	Reason stopped - too embarrassed to see professional
SERB_78G	1	2339 - 2339	Reason stopped - wanted to solve the problem without help
SERB_78H	1	2340 - 2340	Reason stopped - problems like transportation, childcare

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 44

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_78I	1	2341 - 2341	Reason stopped - service / program no longer available
SERB_78J	1	2342 - 2342	Reason stopped - not comfortable with prof. approach
SERB_78K	1	2343 - 2343	Reason stopped - other reason
SERB_79	1	2344 - 2344	Insurance covers all/part of cost with social worker
SERB_79A	1	2345 - 2345	Social worker - recommended other professional
SERB_80	3	2346 - 2348	Age - first time consulted religious advisor
SERB_81	1	2349 - 2349	Last time consulted religious advisor
SERB_82	3	2350 - 2352	Age - last time consulted religious advisor
SERB_83	3	2353 - 2355	Number of times consulted religious advisor - 12 mo
SERB_84A	1	2356 - 2356	Contact religious advisor - hosp as an overnight patient
SERB_84B	1	2357 - 2357	Contact religious advisor - health professional's office
SERB_84C	1	2358 - 2358	Contact religious advisor - hospital emergency room
SERB_84D	1	2359 - 2359	Contact religious advisor - psychiatric outpatient clinic
SERB_84E	1	2360 - 2360	Contact relig advisor - drug or alcohol outpatient clinic
SERB_84F	1	2361 - 2361	Contact religious advisor - other hospital outpatient clinic
SERB_84G	1	2362 - 2362	Contact religious advisor - walk-in clinic
SERB_84H	1	2363 - 2363	Contact religious advisor - appointment clinic
SERB_84I	1	2364 - 2364	Contact religious advisor - community health centre / CLSC
SERB_84J	1	2365 - 2365	Contact religious advisor - at work
SERB_84K	1	2366 - 2366	Contact religious advisor - at school
SERB_84L	1	2367 - 2367	Contact religious advisor - at home
SERB_84M	1	2368 - 2368	Contact religious advisor - telephone consultation only
SERB_84N	1	2369 - 2369	Contact religious advisor - church or other religious place
SERB_84O	1	2370 - 2370	Contact religious advisor - other
SERB_85	1	2371 - 2371	Religious advisor - satisfaction with treatments/services
SERB_86	1	2372 - 2372	Religious adv - perceived level of help received from prof.
SERB_87	1	2373 - 2373	Religious advisor - stopped seeing this professional
SERB_88A	1	2374 - 2374	Reason stopped - felt better
SERB_88B	1	2375 - 2375	Reason stopped - completed the recommended treatment
SERB_88C	1	2376 - 2376	Reason stopped - thought it was not helping
SERB_88D	1	2377 - 2377	Reason stopped - problem would get better without help
SERB_88E	1	2378 - 2378	Reason stopped - couldn't afford to pay
SERB_88F	1	2379 - 2379	Reason stopped - too embarrassed to see professional
SERB_88G	1	2380 - 2380	Reason stopped - wanted to solve the problem without help
SERB_88H	1	2381 - 2381	Reason stopped - problems like transportation, childcare
SERB_88I	1	2382 - 2382	Reason stopped - service / program no longer available

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 45

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_88J	1	2383 - 2383	Reason stopped - not comfortable with prof. approach
SERB_88K	1	2384 - 2384	Reason stopped - other reason
SERB_89	1	2385 - 2385	Religious advisor - recommend other professional
SERB_90A	1	2386 - 2386	Other professional - acupuncturist
SERB_90B	1	2387 - 2387	Other professional - biofeedback teacher
SERB_90C	1	2388 - 2388	Other professional - chiropractor
SERB_90D	1	2389 - 2389	Other professional - energy healing specialist
SERB_90E	1	2390 - 2390	Other professional - exercise or movement therapist
SERB_90F	1	2391 - 2391	Other professional - herbalist
SERB_90G	1	2392 - 2392	Other professional - homeopath or naturopath
SERB_90H	1	2393 - 2393	Other professional - hypnotist
SERB_90I	1	2394 - 2394	Other professional - guided imagery specialist
SERB_90J	1	2395 - 2395	Other professional - massage therapist
SERB_90K	1	2396 - 2396	Other professional - relaxation, yoga or meditation
SERB_90L	1	2397 - 2397	Other professional - dietician
SERB_90M	1	2398 - 2398	Other professional - other
SERB_91	2	2399 - 2400	Other professional consulted most often - 12 mo
SERB_92	3	2401 - 2403	Age - last time consulted other professional
SERB_93	3	2404 - 2406	Number of times consulted other professional - 12 mo
SERB_94A	1	2407 - 2407	Contact other prof. - hospitalized as an overnight patient
SERB_94B	1	2408 - 2408	Contact other prof. - health professional's office
SERB_94C	1	2409 - 2409	Contact other prof. - hospital emergency room
SERB_94D	1	2410 - 2410	Contact other prof. - psychiatric outpatient clinic
SERB_94E	1	2411 - 2411	Contact other prof. - drug or alcohol outpatient clinic
SERB_94F	1	2412 - 2412	Contact other prof. - other hospital outpatient clinic
SERB_94G	1	2413 - 2413	Contact other prof. - walk-in clinic
SERB_94H	1	2414 - 2414	Contact other prof. - appointment clinic
SERB_94I	1	2415 - 2415	Contact other prof. - community health centre / CLSC
SERB_94J	1	2416 - 2416	Contact other prof. - at work
SERB_94K	1	2417 - 2417	Contact other prof. - at school
SERB_94L	1	2418 - 2418	Contact other prof. - at home
SERB_94M	1	2419 - 2419	Contact other prof. - telephone consultation only
SERB_94N	1	2420 - 2420	Contact other prof. - church or other religious place
SERB_94O	1	2421 - 2421	Contact other prof. - other
SERB_95	1	2422 - 2422	Other prof. - satisfaction with treatments/services - 12 mo
SERB_96	1	2423 - 2423	Other prof. - perceived level of help received from prof.

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 46

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_97	1	2424 - 2424	Other prof. - stopped seeing this professional
SERB_98A	1	2425 - 2425	Reason stopped - felt better
SERB_98B	1	2426 - 2426	Reason stopped - completed the recommended treatment
SERB_98C	1	2427 - 2427	Reason stopped - thought it was not helping
SERB_98D	1	2428 - 2428	Reason stopped - problem would get better without help
SERB_98E	1	2429 - 2429	Reason stopped - couldn't afford to pay
SERB_98F	1	2430 - 2430	Reason stopped - too embarrassed to see professional
SERB_98G	1	2431 - 2431	Reason stopped - wanted to solve the problem without help
SERB_98H	1	2432 - 2432	Reason stopped - problems like transportation, childcare
SERB_98I	1	2433 - 2433	Reason stopped - service / program no longer available
SERB_98J	1	2434 - 2434	Reason stopped - not comfortable with prof. approach
SERB_98K	1	2435 - 2435	Reason stopped - other reason
SERB_98L	1	2436 - 2436	Reason stopped - none
SERB_99	1	2437 - 2437	Insurance covers all/part of cost with other prof.
SERB_99A	1	2438 - 2438	Other professional - recommended other professional
SERB_A0A	1	2439 - 2439	Used an internet support group / chat room - life
SERB_A0B	1	2440 - 2440	Last time used internet support group / chat room
SERB_A0C	3	2441 - 2443	Nbr of times internet support group / chat room - 12 mo
SERB_A1A	1	2444 - 2444	Self-help group for help with emotions - life
SERB_A1B	3	2445 - 2447	Age - first time went to self-help group
SERB_A1C	1	2448 - 2448	Last time went to self-help group
SERB_A1D	3	2449 - 2451	Nbr of times went to meeting of self-help group - 12 mo
SERB_A2A	1	2452 - 2452	Used telephone helpline for mental health - life
SERB_A2B	3	2453 - 2455	Age - first time used telephone helpline
SERB_A2C	1	2456 - 2456	Last time used telephone helpline
SERB_A2D	3	2457 - 2459	Number of times used telephone helpline - 12 mo
SERB_A3	1	2460 - 2460	Needed help for emotions but didn't receive it
SERB_A4A	1	2461 - 2461	Help needed - info on mental illness / treatments
SERB_A4B	1	2462 - 2462	Help needed - info on availability of services
SERB_A4C	1	2463 - 2463	Help needed - medication
SERB_A4D	1	2464 - 2464	Help needed - therapy or counselling
SERB_A4E	1	2465 - 2465	Help needed - for financial problems
SERB_A4F	1	2466 - 2466	Help needed - for housing problems
SERB_A4G	1	2467 - 2467	Help needed - for personal relationships
SERB_A4H	1	2468 - 2468	Help needed - for employment status / work situation
SERB_A4I	1	2469 - 2469	Help needed - other

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 47

SEPTEMBER 2004

Variable	Length	Position	Concept
SERB_A5A	1	2470 - 2470	Reason no help - preferred to manage him/herself
SERB_A5B	1	2471 - 2471	Reason no help - didn't think anything more could help
SERB_A5C	1	2472 - 2472	Reason no help - didn't know how or where to get help
SERB_A5D	1	2473 - 2473	Reason no help - afraid to ask help / what others think
SERB_A5E	1	2474 - 2474	Reason no help - couldn't afford to pay
SERB_A5F	1	2475 - 2475	Reason no help - prob like transp, childcare, scheduling
SERB_A5G	1	2476 - 2476	Reason no help - professional unavailable in area
SERB_A5H	1	2477 - 2477	Reason no help - professional unavailable at time
SERB_A5I	1	2478 - 2478	Reason no help - waiting time too long
SERB_A5J	1	2479 - 2479	Reason no help - didn't get around to it / didn't bother
SERB_A5K	1	2480 - 2480	Reason no help - language problems
SERB_A5L	1	2481 - 2481	Reason no help - personal/family responsibilities
SERB_A5M	1	2482 - 2482	Reason no help - other
SERB_A7	5	2483 - 2487	Amount spent on mental health services/products - 12 mo
SERBFLHO	1	2488 - 2488	Flag: Hospitalization for mental health - life
SERBDHDY	5	2489 - 2493	Total nbr of days hospitalized for mental hlth. - life (D)
SERBFHYR	1	2494 - 2494	Flag: Hospitalization for mental health - 12 mo
SERBFLAP	1	2495 - 2495	Flag: Professional consultations for mental health - life
SERBFLRU	1	2496 - 2496	Flag: Resources used for mental health - life
SERBDRCT	2	2497 - 2498	Number of resources used for mental health - life - (D)
SERBFYRU	1	2499 - 2499	Number of resources used for mental health - 12 mo
SERBDYCT	2	2500 - 2501	Number of resources used for mental health - 12 mo
SERBFACS	1	2502 - 2502	Flag: Accessibility barriers - mental health
SERBFACP	1	2503 - 2503	Flag: Acceptability barriers - mental health
SERBFAVA	1	2504 - 2504	Flag: Availability barriers - mental health
MEDB_11A	1	2505 - 2505	Took medication to help sleep - 12 mo
MEDB_11B	1	2506 - 2506	Took diet pills - 12 mo
MEDB_11C	1	2507 - 2507	Took medication to reduce anxiety - 12 mo
MEDB_11D	1	2508 - 2508	Took mood stabilizers - 12 mo
MEDB_11E	1	2509 - 2509	Took anti-depressants - 12 mo
MEDB_11F	1	2510 - 2510	Took med. to treat psychotic behaviours - 12 mo
MEDB_11G	1	2511 - 2511	Took stimulants - 12 mo
MEDB_A1	1	2512 - 2512	Sleep medication under professional supervision
MEDB_A2A	1	2513 - 2513	Sleep medication prescribed by a psychiatrist
MEDB_A2B	1	2514 - 2514	Sleep medication prescribed by family doctor / GP
MEDB_A2C	1	2515 - 2515	Sleep medication prescribed by other medical doctor

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 48

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_A2D	1	2516 - 2516	Sleep medication prescribed by other professional
MEDB_A3	1	2517 - 2517	Days forgot to take/took less sleep medication
MEDB_A4A	1	2518 - 2518	Reason no/less med - Forgot
MEDB_A4B	1	2519 - 2519	Reason no/less med - Felt better
MEDB_A4C	1	2520 - 2520	Reason no/less med - Medicine was not helping
MEDB_A4D	1	2521 - 2521	Reason no/less med - Thought problem would get better
MEDB_A4E	1	2522 - 2522	Reason no/less med - Couldn't afford to pay
MEDB_A4F	1	2523 - 2523	Reason no/less med - Too embarrassed to take medicine
MEDB_A4G	1	2524 - 2524	Reason no/less med - Wanted to solve problem without med.
MEDB_A4H	1	2525 - 2525	Reason no/less med - Side-effects
MEDB_A4I	1	2526 - 2526	Reason no/less med - Afraid of becoming dependent
MEDB_A4J	1	2527 - 2527	Reason no/less med - Other reason
MEDB_B1	1	2528 - 2528	Diet pills under professional supervision
MEDB_B2A	1	2529 - 2529	Diet pills prescribed by a psychiatrist
MEDB_B2B	1	2530 - 2530	Diet pills prescribed by family doctor / GP
MEDB_B2C	1	2531 - 2531	Diet pills prescribed by other medical doctor
MEDB_B2D	1	2532 - 2532	Diet pills prescribed by other professional
MEDB_B3	1	2533 - 2533	Days forgot to take/took less diet pills
MEDB_B4A	1	2534 - 2534	Reason no/less med - Forgot
MEDB_B4B	1	2535 - 2535	Reason no/less med - Felt better
MEDB_B4C	1	2536 - 2536	Reason no/less med - Medicine was not helping
MEDB_B4D	1	2537 - 2537	Reason no/less med - Thought problem would get better
MEDB_B4E	1	2538 - 2538	Reason no/less med - Couldn't afford to pay
MEDB_B4F	1	2539 - 2539	Reason no/less med - Too embarrassed to take medicine
MEDB_B4G	1	2540 - 2540	Reason no/less med - Wanted to solve problem without med.
MEDB_B4H	1	2541 - 2541	Reason no/less med - Side-effects
MEDB_B4I	1	2542 - 2542	Reason no/less med - Afraid of becoming dependent
MEDB_B4J	1	2543 - 2543	Reason no/less med - Other reason
MEDB_C1	1	2544 - 2544	Med. against anxiety under professional supervision
MEDB_C2A	1	2545 - 2545	Med. against anxiety prescribed by a psychiatrist
MEDB_C2B	1	2546 - 2546	Med. against anxiety prescribed by family doctor / GP
MEDB_C2C	1	2547 - 2547	Med. against anxiety prescribed by other medical doctor
MEDB_C2D	1	2548 - 2548	Med. against anxiety prescribed by other professional
MEDB_C3	1	2549 - 2549	Days forgot to take/took less med. against anxiety
MEDB_C4A	1	2550 - 2550	Reason no/less med - Forgot
MEDB_C4B	1	2551 - 2551	Reason no/less med - Felt better

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_C4C	1	2552 - 2552	Reason no/less med - Medicine was not helping
MEDB_C4D	1	2553 - 2553	Reason no/less med - Thought problem would get better
MEDB_C4E	1	2554 - 2554	Reason no/less med - Couldn't afford to pay
MEDB_C4F	1	2555 - 2555	Reason no/less med - Too embarrassed to take medicine
MEDB_C4G	1	2556 - 2556	Reason no/less med - Wanted to solve problem without med.
MEDB_C4H	1	2557 - 2557	Reason no/less med - Side-effects
MEDB_C4I	1	2558 - 2558	Reason no/less med - Afraid of becoming dependent
MEDB_C4J	1	2559 - 2559	Reason no/less med - Other reason
MEDB_D1	1	2560 - 2560	Mood stabilizers under professional supervision
MEDB_D2A	1	2561 - 2561	Mood stabilizers prescribed by a psychiatrist
MEDB_D2B	1	2562 - 2562	Mood stabilizers prescribed by family doctor / GP
MEDB_D2C	1	2563 - 2563	Mood stabilizers prescribed by other medical doctor
MEDB_D2D	1	2564 - 2564	Mood stabilizers prescribed by other professional
MEDB_D3	1	2565 - 2565	Days forgot to take/took less mood stabilizers
MEDB_D4A	1	2566 - 2566	Reason no/less med - Forgot
MEDB_D4B	1	2567 - 2567	Reason no/less med - Felt better
MEDB_D4C	1	2568 - 2568	Reason no/less med - Medicine was not helping
MEDB_D4D	1	2569 - 2569	Reason no/less med - Thought problem would get better
MEDB_D4E	1	2570 - 2570	Reason no/less med - Couldn't afford to pay
MEDB_D4F	1	2571 - 2571	Reason no/less med - Too embarrassed to take medicine
MEDB_D4G	1	2572 - 2572	Reason no/less med - Wanted to solve problem without med.
MEDB_D4H	1	2573 - 2573	Reason no/less med - Side-effects
MEDB_D4I	1	2574 - 2574	Reason no/less med - Afraid of becoming dependent
MEDB_D4J	1	2575 - 2575	Reason no/less med - Other reason
MEDB_E1	1	2576 - 2576	Antidepressants under professional supervision
MEDB_E2A	1	2577 - 2577	Antidepressants prescribed by a psychiatrist
MEDB_E2B	1	2578 - 2578	Antidepressants prescribed by family doctor / GP
MEDB_E2C	1	2579 - 2579	Antidepressants prescribed by other medical doctor
MEDB_E2D	1	2580 - 2580	Antidepressants prescribed by other professional
MEDB_E3	1	2581 - 2581	Days forgot to take/took less antidepressants
MEDB_E4A	1	2582 - 2582	Reason no/less med - Forgot
MEDB_E4B	1	2583 - 2583	Reason no/less med - Felt better
MEDB_E4C	1	2584 - 2584	Reason no/less med - Medicine was not helping
MEDB_E4D	1	2585 - 2585	Reason no/less med - Thought problem would get better
MEDB_E4E	1	2586 - 2586	Reason no/less med - Couldn't afford to pay
MEDB_E4F	1	2587 - 2587	Reason no/less med - Too embarrassed to take medicine

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 50

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_E4G	1	2588 - 2588	Reason no/less med - Wanted to solve problem without med.
MEDB_E4H	1	2589 - 2589	Reason no/less med - Side-effects
MEDB_E4I	1	2590 - 2590	Reason no/less med - Afraid of becoming dependent
MEDB_E4J	1	2591 - 2591	Reason no/less med - Other reason
MEDB_F1	1	2592 - 2592	Antipsychotic drugs under professional supervision
MEDB_F2A	1	2593 - 2593	Antipsychotic drugs prescribed by a psychiatrist
MEDB_F2B	1	2594 - 2594	Antipsychotic drugs prescribed by family doctor / GP
MEDB_F2C	1	2595 - 2595	Antipsychotic drugs prescribed by other medical doctor
MEDB_F2D	1	2596 - 2596	Antipsychotic drugs prescribed by other professional
MEDB_F3	1	2597 - 2597	Days forgot to take/took less antipsychotic drugs
MEDB_F4A	1	2598 - 2598	Reason no/less med - Forgot
MEDB_F4B	1	2599 - 2599	Reason no/less med - Felt better
MEDB_F4C	1	2600 - 2600	Reason no/less med - Medicine was not helping
MEDB_F4D	1	2601 - 2601	Reason no/less med - Thought problem would get better
MEDB_F4E	1	2602 - 2602	Reason no/less med - Couldn't afford to pay
MEDB_F4F	1	2603 - 2603	Reason no/less med - Too embarrassed to take medicine
MEDB_F4G	1	2604 - 2604	Reason no/less med - Wanted to solve problem without med.
MEDB_F4H	1	2605 - 2605	Reason no/less med - Side-effects
MEDB_F4I	1	2606 - 2606	Reason no/less med - Afraid of becoming dependent
MEDB_F4J	1	2607 - 2607	Reason no/less med - Other reason
MEDB_G1	1	2608 - 2608	Stimulants under professional supervision
MEDB_G2A	1	2609 - 2609	Stimulants prescribed by a psychiatrist
MEDB_G2B	1	2610 - 2610	Stimulants prescribed by family doctor / GP
MEDB_G2C	1	2611 - 2611	Stimulants prescribed by other medical doctor
MEDB_G2D	1	2612 - 2612	Stimulants prescribed by other professional
MEDB_G3	1	2613 - 2613	Days forgot to take/took less stimulants
MEDB_G4A	1	2614 - 2614	Reason no/less med - Forgot
MEDB_G4B	1	2615 - 2615	Reason no/less med - Felt better
MEDB_G4C	1	2616 - 2616	Reason no/less med - Medicine was not helping
MEDB_G4D	1	2617 - 2617	Reason no/less med - Thought problem would get better
MEDB_G4E	1	2618 - 2618	Reason no/less med - Couldn't afford to pay
MEDB_G4F	1	2619 - 2619	Reason no/less med - Too embarrassed to take medicine
MEDB_G4G	1	2620 - 2620	Reason no/less med - Wanted to solve problem without med.
MEDB_G4H	1	2621 - 2621	Reason no/less med - Side-effects
MEDB_G4I	1	2622 - 2622	Reason no/less med - Afraid of becoming dependent
MEDB_G4J	1	2623 - 2623	Reason no/less med - Other reason

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 51

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_2	3	2624 - 2626	Last 2 days - number of medications taken
MEDBF03A	1	2627 - 2627	Flag: drug 1
MEDBC03A	7	2628 - 2634	Drug code - drug 1
MEDB_3AA	1	2635 - 2635	Prescription from a medical doctor or dentist - drug 1
MEDBF03B	1	2636 - 2636	Flag: drug 2
MEDBC03B	7	2637 - 2643	Drug code - drug 2
MEDB_3BA	1	2644 - 2644	Prescription from medical doctor or dentist - drug 2
MEDBF03C	1	2645 - 2645	Flag: drug 3
MEDBC03C	7	2646 - 2652	Drug code - drug 3
MEDB_3CA	1	2653 - 2653	Prescription from medical doctor or dentist - drug 3
MEDBF03D	1	2654 - 2654	Flag: drug 4
MEDBC03D	7	2655 - 2661	Drug code - drug 4
MEDB_3DA	1	2662 - 2662	Prescription from medical doctor or dentist - drug 4
MEDBF03E	1	2663 - 2663	Flag: drug 5
MEDBC03E	7	2664 - 2670	Drug code - drug 5
MEDB_3EA	1	2671 - 2671	Prescription from medical doctor or dentist - drug 5
MEDBF03F	1	2672 - 2672	Flag: drug 6
MEDBC03F	7	2673 - 2679	Drug code - drug 6
MEDB_3FA	1	2680 - 2680	Prescription from medical doctor or dentist - drug 6
MEDBF03G	1	2681 - 2681	Flag: drug 7
MEDBC03G	7	2682 - 2688	Drug code - drug 7
MEDB_3GA	1	2689 - 2689	Prescription from medical doctor or dentist - drug 7
MEDBF03H	1	2690 - 2690	Flag: drug 8
MEDBC03H	7	2691 - 2697	Drug code - drug 8
MEDB_3HA	1	2698 - 2698	Prescription from medical doctor or dentist - drug 8
MEDBF03I	1	2699 - 2699	Flag: drug 9
MEDBC03I	7	2700 - 2706	Drug code - drug 9
MEDB_3IA	1	2707 - 2707	Prescription from medical doctor or dentist - drug 9
MEDBF03J	1	2708 - 2708	Flag: drug 10
MEDBC03J	7	2709 - 2715	Drug code - drug 10
MEDB_3JA	1	2716 - 2716	Prescription from medical doctor or dentist - drug 10
MEDBF03K	1	2717 - 2717	Flag: drug 11
MEDBC03K	7	2718 - 2724	Drug code - drug 11
MEDB_3KA	1	2725 - 2725	Prescription from medical doctor or dentist - drug 11
MEDBF03L	1	2726 - 2726	Flag: drug 12
MEDBC03L	7	2727 - 2733	Drug code - drug 12

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 52

SEPTEMBER 2004

Variable	Length	Position	Concept
MEDB_3LA	1	2734 - 2734	Prescription from medical doctor or dentist - drug 12
MEDB_4	1	2735 - 2735	Insurance that covers all/part of cost of prescription
MEDB_5	1	2736 - 2736	Used other health products for mental health - 12 mo
MEDB_6A	1	2737 - 2737	Health product used - St. John's Wort
MEDB_6B	1	2738 - 2738	Health product used - valerian
MEDB_6C	1	2739 - 2739	Health product used - chamomile
MEDB_6D	1	2740 - 2740	Health product used - ginseng
MEDB_6E	1	2741 - 2741	Health product used - kava kava
MEDB_6F	1	2742 - 2742	Health product used - lavender
MEDB_6G	1	2743 - 2743	Health product used - chasteberry
MEDB_6H	1	2744 - 2744	Health product used - black cohosh
MEDB_6I	1	2745 - 2745	Health product used - ginkgo biloba
MEDB_6J	1	2746 - 2746	Health product used - NeuRocover-DA
MEDB_6K	1	2747 - 2747	Health product used - vitamins
MEDB_6L	1	2748 - 2748	Health product used - other
MEDB_7	1	2749 - 2749	Health product recommended by a professional
MEDB_8A	1	2750 - 2750	Health product recommended by a psychiatrist
MEDB_8B	1	2751 - 2751	Health product recommended by a family doctor/GP
MEDB_8C	1	2752 - 2752	Health product recommended by an other medical doctor
MEDB_8D	1	2753 - 2753	Health product recommended by a psychologist
MEDB_8E	1	2754 - 2754	Health product recommended by a chiropractor
MEDB_8F	1	2755 - 2755	Health product recommended by a nurse
MEDB_8G	1	2756 - 2756	Health product recommended by a social worker
MEDB_8H	1	2757 - 2757	Health product recommended by a homeopath/naturopath
MEDB_8I	1	2758 - 2758	Health product recommended by an herbalist
MEDB_8J	1	2759 - 2759	Health product recommended by a relaxation therapist
MEDB_8K	1	2760 - 2760	Health product recommended by a biofeedback teacher
MEDB_8L	1	2761 - 2761	Health product recommended by other
SSMB_01	3	2762 - 2764	Number of close friends and relatives
SSMB_02	1	2765 - 2765	Has someone to give help if confined to bed
SSMB_03	1	2766 - 2766	Has someone to listen
SSMB_04	1	2767 - 2767	Has someone to give advice about a crisis
SSMB_05	1	2768 - 2768	Has someone to take to doctor
SSMB_06	1	2769 - 2769	Has someone who shows love and affection
SSMB_07	1	2770 - 2770	Has someone to have a good time with
SSMB_08	1	2771 - 2771	Has someone who gives information to understand a situation

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

SEPTEMBER 2004

Variable	Length	Position	Concept
SSMB_09	1	2772 - 2772	Has someone to confide in
SSMB_10	1	2773 - 2773	Has someone who gives hugs
SSMB_11	1	2774 - 2774	Has someone to get together with for relaxation
SSMB_12	1	2775 - 2775	Has someone to prepare meals
SSMB_13	1	2776 - 2776	Has someone to give advice
SSMB_14	1	2777 - 2777	Has someone to do things to get mind off things
SSMB_15	1	2778 - 2778	Has someone to help with daily chores if sick
SSMB_16	1	2779 - 2779	Has someone to share most private worries and fears with
SSMB_17	1	2780 - 2780	Has someone to turn to for suggestions for personal problems
SSMB_18	1	2781 - 2781	Has someone to do something enjoyable with
SSMB_19	1	2782 - 2782	Has someone who understands problems
SSMB_20	1	2783 - 2783	Has someone who loves and makes feel wanted
SSMB_21A	1	2784 - 2784	Received tangible social support - 12 mo
SSMB_21B	1	2785 - 2785	Frequency of tangible social support - 12 mo
SSMB_22A	1	2786 - 2786	Received affective support - 12 mo
SSMB_22B	1	2787 - 2787	Frequency of affective support - 12 mo
SSMB_23A	1	2788 - 2788	Received positive social interactive support - 12 mo
SSMB_23B	1	2789 - 2789	Frequency of positive social interactive support - 12 mo
SSMB_24A	1	2790 - 2790	Received emotional/informational support - 12 mo
SSMB_24B	1	2791 - 2791	Frequency of emtional/informational support - 12 mo
SSMBDTNG	2	2792 - 2793	Tangible social support - MOS subscale - (D)
SSMBDAFF	2	2794 - 2795	Affection - MOS subscale - (D)
SSMBDSOC	2	2796 - 2797	Positive social interaction - MOS subscale - (D)
SSMBDEMO	2	2798 - 2799	Emotional or informational support - MOS subscale - (D)
SDCB_1	2	2800 - 2801	Country of birth
SDCB_2	1	2802 - 2802	Canadian citizen by birth
SDCB_3	4	2803 - 2806	Year of immigration to Canada
SDCB_4A	1	2807 - 2807	Ethnic origin - Canadian
SDCB_4B	1	2808 - 2808	Ethnic origin - French
SDCB_4C	1	2809 - 2809	Ethnic origin - English
SDCB_4D	1	2810 - 2810	Ethnic origin - German
SDCB_4E	1	2811 - 2811	Ethnic origin - Scottish
SDCB_4F	1	2812 - 2812	Ethnic origin - Irish
SDCB_4G	1	2813 - 2813	Ethnic origin - Italian
SDCB_4H	1	2814 - 2814	Ethnic origin - Ukrainian
SDCB_4I	1	2815 - 2815	Ethnic origin - Dutch (Netherlands)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 54

SEPTEMBER 2004

Variable	Length	Position	Concept
SDCB_4J	1	2816 - 2816	Ethnic origin - Chinese
SDCB_4K	1	2817 - 2817	Ethnic origin - Jewish
SDCB_4L	1	2818 - 2818	Ethnic origin - Polish
SDCB_4M	1	2819 - 2819	Ethnic origin - Portuguese
SDCB_4N	1	2820 - 2820	Ethnic origin - South Asian
SDCB_4O	1	2821 - 2821	Ethnic origin - Norwegian
SDCB_4P	1	2822 - 2822	Ethnic origin - Welsh
SDCB_4Q	1	2823 - 2823	Ethnic origin - Swedish
SDCB_4R	1	2824 - 2824	Ethnic origin - Aboriginal
SDCB_4S	1	2825 - 2825	Ethnic origin - other
SDCB_5A	1	2826 - 2826	Can converse - English
SDCB_5B	1	2827 - 2827	Can converse - French
SDCB_5C	1	2828 - 2828	Can converse - Arabic
SDCB_5D	1	2829 - 2829	Can converse - Chinese
SDCB_5E	1	2830 - 2830	Can converse - Cree
SDCB_5F	1	2831 - 2831	Can converse - German
SDCB_5G	1	2832 - 2832	Can converse - Greek
SDCB_5H	1	2833 - 2833	Can converse - Hungarian
SDCB_5I	1	2834 - 2834	Can converse - Italian
SDCB_5J	1	2835 - 2835	Can converse - Korean
SDCB_5K	1	2836 - 2836	Can converse - Persian (Farsi)
SDCB_5L	1	2837 - 2837	Can converse - Polish
SDCB_5M	1	2838 - 2838	Can converse - Portuguese
SDCB_5N	1	2839 - 2839	Can converse - Punjabi
SDCB_5O	1	2840 - 2840	Can converse - Spanish
SDCB_5P	1	2841 - 2841	Can converse - Tagalog (Pilipino)
SDCB_5Q	1	2842 - 2842	Can converse - Ukrainian
SDCB_5R	1	2843 - 2843	Can converse - Vietnamese
SDCB_5T	1	2844 - 2844	Can converse - Dutch
SDCB_5U	1	2845 - 2845	Can converse - Hindi
SDCB_5V	1	2846 - 2846	Can converse - Russian
SDCB_5W	1	2847 - 2847	Can converse - Tamil
SDCB_5S	1	2848 - 2848	Can converse - other language
SDCB_6A	1	2849 - 2849	First language learned and still understood - English
SDCB_6B	1	2850 - 2850	First language learned and still understood - French
SDCB_6C	1	2851 - 2851	First language learned and still understood - Arabic

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 55

SEPTEMBER 2004

Variable	Length	Position	Concept
SDCB_6D	1	2852 - 2852	First language learned and still understood - Chinese
SDCB_6E	1	2853 - 2853	First language learned and still understood - Cree
SDCB_6F	1	2854 - 2854	First language learned and still understood - German
SDCB_6G	1	2855 - 2855	First language learned and still understood - Greek
SDCB_6H	1	2856 - 2856	First language learned and still understood - Hungarian
SDCB_6I	1	2857 - 2857	First language learned and still understood - Italian
SDCB_6J	1	2858 - 2858	First language learned and still understood - Korean
SDCB_6K	1	2859 - 2859	First language learned / still understood - Persian (Farsi)
SDCB_6L	1	2860 - 2860	First language learned and still understood - Polish
SDCB_6M	1	2861 - 2861	First language learned and still understood - Portuguese
SDCB_6N	1	2862 - 2862	First language learned and still understood - Punjabi
SDCB_6O	1	2863 - 2863	First language learned and still understood - Spanish
SDCB_6P	1	2864 - 2864	First lang. learned / still understood - Tagalog (Pilipino)
SDCB_6Q	1	2865 - 2865	First language learned and still understood - Ukrainian
SDCB_6R	1	2866 - 2866	First language learned and still understood - Vietnamese
SDCB_6T	1	2867 - 2867	First language learned and still understood - Dutch
SDCB_6U	1	2868 - 2868	First language learned and still understood - Hindi
SDCB_6V	1	2869 - 2869	First language learned and still understood - Russian
SDCB_6W	1	2870 - 2870	First language learned and still understood - Tamil
SDCB_6S	1	2871 - 2871	First language learned and still understood - other
SDCB_7A	1	2872 - 2872	Cultural / racial origin - White
SDCB_7B	1	2873 - 2873	Cultural / racial origin - Chinese
SDCB_7C	1	2874 - 2874	Cultural / racial origin - South Asian
SDCB_7D	1	2875 - 2875	Cultural / racial origin - Black
SDCB_7E	1	2876 - 2876	Cultural / racial origin - Filipino
SDCB_7F	1	2877 - 2877	Cultural / racial origin - Latin American
SDCB_7G	1	2878 - 2878	Cultural / racial origin - South East Asian
SDCB_7H	1	2879 - 2879	Cultural / racial origin - Arab
SDCB_7I	1	2880 - 2880	Cultural / racial origin - West Asian
SDCB_7J	1	2881 - 2881	Cultural / racial origin - Japanese
SDCB_7K	1	2882 - 2882	Cultural / racial origin - Korean
SDCB_7L	1	2883 - 2883	Cultural / racial origin - Aboriginal
SDCB_7M	1	2884 - 2884	Cultural / racial origin - Other
SDCB_8	1	2885 - 2885	Currently attending a school, college or university
SDCB_9	1	2886 - 2886	Full-time student or part-time student
SDCBCCB	3	2887 - 2889	Country of birth - (C)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 56

SEPTEMBER 2004

Variable	Length	Position	Concept
SDCBGCB	2	2890 - 2891	Country of birth - (G)
SDCBDAIM	3	2892 - 2894	Age at time of immigration - (D)
SDCBFIMM	1	2895 - 2895	Immigrant status
SDCBDRES	3	2896 - 2898	Length of time in Canada since immigration - (D)
SDCBDLNG	2	2899 - 2900	Languages in which respondent can converse - (D)
SDCBDRAC	2	2901 - 2902	Cultural / racial origin - (D)
EDUB_1	1	2903 - 2903	Highest grade of elementary or high school ever completed
EDUB_2	1	2904 - 2904	Graduated from high school (secondary school)
EDUB_3	1	2905 - 2905	Received any other education
EDUB_4	2	2906 - 2907	Highest degree, certificate or diploma obtained
EDUBDR04	1	2908 - 2908	Highest level of education - respondent, 4 levels - (D)
EDUBDR10	2	2909 - 2910	Highest level of education - respondent, 10 levels - (D)
EDUBDH04	1	2911 - 2911	Highest level of education - household, 4 levels - (D)
EDUBDH10	2	2912 - 2913	Highest level of education - household, 10 levels - (D)
DHHBDHSZ	2	2914 - 2915	Household size - (D)
DHHBDL12	2	2916 - 2917	Number of persons less than 12 years old in household - (D)
DHHBDLE5	2	2918 - 2919	Number of persons 5 years old or less in household - (D)
DHHBD611	2	2920 - 2921	Number of persons 6 to 11 years old in household - (D)
DHHBDECF	2	2922 - 2923	Household type - (D)
DHHBDLVG	2	2924 - 2925	Living arrangement of selected respondent - (D)
DHHBDDWE	2	2926 - 2927	Type of dwelling - (D)
DHHB_OWN	1	2928 - 2928	Dwelling - owned by a member of household
DHHB_BED	2	2929 - 2930	Dwelling - number of bedrooms
SPVB_1	1	2931 - 2931	Spiritual values - playing important role in life
SPVB_2	1	2932 - 2932	Spiritual values - helping to find meaning to life
SPVB_3	1	2933 - 2933	Spiritual values - strength for everyday difficulties
SPVB_4	1	2934 - 2934	Spiritual values - understanding difficulties of life
SPVB_5	2	2935 - 2936	Respondent's religion
SPVB_6	1	2937 - 2937	Frequency - Attends religious services or meetings
SPVB_7	1	2938 - 2938	Self-perception - being religious
LFBF_01	1	2939 - 2939	Worked at job or business last week
LFBF_02	1	2940 - 2940	Absent from job or business last week
LFBF_03	1	2941 - 2941	Had more than one job or business - last week
LFBF_11	1	2942 - 2942	Looked for work in past 4 weeks
LFBF_13	2	2943 - 2944	Not currently working - reason
LFBF_13A	1	2945 - 2945	Reason - physical, emotional, alcohol/drugs

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 57

SEPTEMBER 2004

Variable	Length	Position	Concept
LBFB_21	1	2946 - 2946	Worked at job or business in past 12 months
LBFB_22	1	2947 - 2947	Looked for work in past 12-months
LBFB_23	1	2948 - 2948	More than one job or business at same time - past 12-months
LBFB_31	1	2949 - 2949	Self-employment status - main job or business
LBFB_31A	2	2950 - 2951	Occupation - main job or business
LBFB_41	2	2952 - 2953	Absent from job or business last week - reason
LBFB_41A	1	2954 - 2954	Reason - physical, emotional, alcohol/drugs
LBFB_42	3	2955 - 2957	Usual number of hours worked - main job or business
LBFB_44	2	2958 - 2959	Usual work schedule - main job or business
LBFB_45	2	2960 - 2961	Usual work schedule - reason
LBFB_46	1	2962 - 2962	Work on weekends - main job or business
LBFB_51	2	2963 - 2964	More than one job or business - number of weeks
LBFB_52	2	2965 - 2966	More than one job or business - reason
LBFB_53	3	2967 - 2969	Usual number of hours worked - other job or business
LBFB_54	1	2970 - 2970	Work on weekends - other job or business
LBFB_61	2	2971 - 2972	Weeks worked - past 12 months
LBFB_71	2	2973 - 2974	Weeks looked for work - past 12 months
LBFB_72	1	2975 - 2975	Not working or looking for work - number of weeks (confirm)
LBFB_73	2	2976 - 2977	Did not look for work - main reason
LBFB_73A	1	2978 - 2978	Reason - physical, emotional, alcohol/drugs
LBFBDWSS	1	2979 - 2979	Working status last week - 4 groups - (D)
LBFBDWSL	2	2980 - 2981	Working status last week - 6 groups - (D)
LBFBDRNW	2	2982 - 2983	Main reason for not working last week - (D)
LBFBDMJS	1	2984 - 2984	Multiple job status - (D)
LBFBDHPW	3	2985 - 2987	Total usual hours worked per week - (D)
LBFBDPFT	1	2988 - 2988	Usual hours worked - full-time / part-time flag - (F)
LBFBDJST	2	2989 - 2990	Job status over past year - (D)
LBFB DSTU	1	2991 - 2991	Student working status - (D)
WSTB_401	1	2992 - 2992	Work stress - must learn new things
WSTB_402	1	2993 - 2993	Work stress - high level of skill
WSTB_403	1	2994 - 2994	Work stress - freedom to decide
WSTB_404	1	2995 - 2995	Work stress - repetitive tasks
WSTB_405	1	2996 - 2996	Work stress - job hectic
WSTB_406	1	2997 - 2997	Work stress - free from conflicting demands
WSTB_407	1	2998 - 2998	Work stress - good job security
WSTB_408	1	2999 - 2999	Work stress - required a lot of physical effort

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 58

SEPTEMBER 2004

Variable	Length	Position	Concept
WSTB_409	1	3000 - 3000	Work stress - had own job input
WSTB_410	1	3001 - 3001	Work stress - hostility or conflict with others
WSTB_411	1	3002 - 3002	Work stress - supervisor helpful
WSTB_412	1	3003 - 3003	Work stress - co-workers helpful
WSTB_413	1	3004 - 3004	Work stress - job satisfaction
WSTBDSKI	2	3005 - 3006	Work stress - decision latitude / discretion - (D)
WSTBDAUT	2	3007 - 3008	Work stress - decision latitude / authority - (D)
WSTBDPSY	2	3009 - 3010	Work stress - psychological demands - (D)
WSTBDJIN	1	3011 - 3011	Work stress - job insecurity - (D)
WSTBDPHY	1	3012 - 3012	Work stress - physical exertion - (D)
WSTBDSOC	2	3013 - 3014	Work stress - social support - (D)
INCB_1A	1	3015 - 3015	Source of household income - wages and salaries
INCB_1B	1	3016 - 3016	Source of household income - self-employment
INCB_1C	1	3017 - 3017	Source of household income - dividends and interest
INCB_1D	1	3018 - 3018	Source of household income - employment insurance
INCB_1E	1	3019 - 3019	Source of household income - worker's compensation
INCB_1F	1	3020 - 3020	Source of hh income - benefits from Can. / Que. Pension Plan
INCB_1G	1	3021 - 3021	Source of hh income - pensions, superannuation and annuities
INCB_1H	1	3022 - 3022	Source of household income - Old Age Security / G.I.S.
INCB_1I	1	3023 - 3023	Source of household income - child tax benefit
INCB_1J	1	3024 - 3024	Source of household income - social assistance / welfare
INCB_1K	1	3025 - 3025	Source of household income - child support
INCB_1L	1	3026 - 3026	Source of household income - alimony
INCB_1M	1	3027 - 3027	Source of household income - other
INCB_1N	1	3028 - 3028	Source of household income - none
INCB_2	2	3029 - 3030	Total household income - main source
INCB_3	6	3031 - 3036	Total household income - best estimate
INCB_3A	1	3037 - 3037	Total household income - < \$20,000 or >= \$20,000
INCB_3B	1	3038 - 3038	Total household income - < \$10,000 or >= \$10,000
INCB_3C	1	3039 - 3039	Total household income - < \$5,000 or >= \$5,000
INCB_3D	1	3040 - 3040	Total household income - < \$15,000 or >= \$15,000
INCB_3E	1	3041 - 3041	Total household income - < \$40,000 or >= \$40,000
INCB_3F	1	3042 - 3042	Total household income - < \$30,000 or >= \$30,000
INCB_3G	1	3043 - 3043	Total household income - < \$50,000 to >= \$80,000
INCB_4	6	3044 - 3049	Total personal income - best estimate
INCB_4A	1	3050 - 3050	Total personal income - < \$20,000 or >= \$20,000

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 59

SEPTEMBER 2004

Variable	Length	Position	Concept
INCB_4B	1	3051 - 3051	Total personal income - < \$10,000 or >= \$10,000
INCB_4C	1	3052 - 3052	Total personal income - < \$5,000 or >= \$5,000
INCB_4D	1	3053 - 3053	Total personal income - < \$15,000 or >= \$15,000
INCB_4E	1	3054 - 3054	Total personal income - < \$40,000 or >= \$40,000
INCB_4F	1	3055 - 3055	Total personal income - < \$30,000 or >= \$30,000
INCB_4G	1	3056 - 3056	Total personal income < \$50,000 to >= \$80,000
INCB DIA2	1	3057 - 3057	Income adequacy - 2 groups - (D)
INCB DIA4	1	3058 - 3058	Income adequacy - 4 groups - (D)
INCB DIA5	1	3059 - 3059	Income adequacy - 5 groups - (D)
INCB DHH	2	3060 - 3061	Total household income from all sources - (D)
INCB DPER	2	3062 - 3063	Total personal income from all sources - (D)
WTSB_S	8.2	3064 - 3071	Sampling weight - share weight
WTSB_M	8.2	3072 - 3079	Sampling weight - master weight
ADMB_RNO	6	3080 - 3085	Sequential Record Number
GEOBGHR4	4	3086 - 3089	Health region - (G)
DHHBGAGE	2	3090 - 3091	Age - (G)
DHHBGMS	1	3092 - 3092	Marital status - (G)
CCCBG281	1	3093 - 3093	Has other psychosis - (G)
CCCBG901	1	3094 - 3094	Other long-term physical or mental health condition - (G)
HWTBGHT	2	3095 - 3096	Height - (G)
HWTBGWTK	6.2	3097 - 3102	Weight - kilograms - (D,G)
HWTBGBMI	5.1	3103 - 3107	Body Mass Index - (D,G)
HWTBGSW	1	3108 - 3108	Standard weight - (D,G)
DEPB G22A	2	3109 - 3110	Age - when worst episode started - (G)
DEPB G22B	2	3111 - 3112	Length of worst episode - (G)
DEPB G23A	2	3113 - 3114	Age - when last bad episode occurred - (G)
DEPB G23B	2	3115 - 3116	Length of last bad episode - (G)
DEPB G31	2	3117 - 3118	Number of episodes lasting 2 weeks or longer - life - (G)
DEPB G37A	2	3119 - 3120	Age - exactly very first depressive episode - (G)
DEPB G37B	2	3121 - 3122	Age - approximately very first depressive episode - (G)
DEPB G7CA	2	3123 - 3124	Length of first episode - (G)
DEPB G8A1	2	3125 - 3126	Number of different episodes - 12 mo
DEPB G8AA	2	3127 - 3128	Length of single 12-month episode - (G)
DEPB G8BA	2	3129 - 3130	Length of first of several 12 mo episode - (G)
DEPB G38C	2	3131 - 3132	Age - last time had depressive episode - (G)
DEPB G39A	2	3133 - 3134	Length of longest episode - (G)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 60

SEPTEMBER 2004

Variable	Length	Position	Concept
DEPBG531	2	3135 - 3136	Nbr of 2-week episodes brought on by stressful experience
DEPBG54	2	3137 - 3138	Number of years had at least one depressive episode - (G)
DEPBG56	2	3139 - 3140	Longest nber yrs in a row had at least 1 episode/year - (G)
DEPBG59	2	3141 - 3142	Number of years had episode most days - life - (G)
DEPBG59A	2	3143 - 3144	Age - 1st time had full year when episode most days - (G)
DEPBG61	2	3145 - 3146	Longest number of years in a row in episode most days - (G)
DEPBG721	2	3147 - 3148	Age - 1st time consulted prof. about feelings - (G)
DEPBG72A	2	3149 - 3150	Age - 1st time consulted prof. about feelings - (G)
DEPBG73A	2	3151 - 3152	Age - first time got helpful treatment for feelings - (G)
DEPBG73B	2	3153 - 3154	Number of prof. consulted before helpful treatment - (G)
DEPBG74	2	3155 - 3156	Total nbr of prof. consulted about feelings - life - (G)
DEPBG871	2	3157 - 3158	Age - first time hospitalized overnight for feelings - (G)
DEPBG87A	2	3159 - 3160	Age - 1st time hospitalized overnight for feelings - (G)
DEPBG88	2	3161 - 3162	Nbr of close relatives ever had depressive episode - (G)
DEPBGON	2	3163 - 3164	Age at major depression onset - (D,G)
DEPBGREC	2	3165 - 3166	Age at most recent major depression - (D,G)
DEPBGPER	2	3167 - 3168	Longest episode associated with depression - (G)
MIABG03A	2	3169 - 3170	Age when excited episode with largest nbr of changes - (G)
MIABG3B	2	3171 - 3172	Duration of excited episode - (G)
MIABG03C	2	3173 - 3174	Age - when most recent excited episode occurred
MIABG3D	2	3175 - 3176	Length of most recent excited episode - (G)
MIABG06A	2	3177 - 3178	Age when irritable epi. with largest number of changes - (G)
MIABG6B	2	3179 - 3180	Length irritable epis. with largest number of changes - (G)
MIABG06C	2	3181 - 3182	Age - when most recent irritable episode occurred - (G)
MIABG6D	2	3183 - 3184	Length of most recent irritable episode - (G)
MIABG08	2	3185 - 3186	Number of episodes felt excited / irritable - life - (G)
MIABG18A	2	3187 - 3188	Age - exactly very first manic episode - (G)
MIABG18B	2	3189 - 3190	Age - approximately first time manic episode - (G)
MIABG18D	2	3191 - 3192	Length of very first manic episode - (G)
MIABG19B	2	3193 - 3194	Number of manic episodes - 12 mo - (G)
MIABG19C	2	3195 - 3196	Number of weeks had manic episode - 12 mo - (G)
MIABG19D	2	3197 - 3198	Age - last time had manic episode - (G)
MIABG20	2	3199 - 3200	Number of episodes lasting full week or longer - life - (G)
MIABG201	2	3201 - 3202	Nbr of epis. lasting week + brought by stressful exp. - (G)
MIABG21	2	3203 - 3204	Nbr of epis. lasting < week brought by stressful exp. - (G)
MIABG211	2	3205 - 3206	Nbr of episodes/less than a week/stressful experiences - (G)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 61

SEPTEMBER 2004

Variable	Length	Position	Concept
MIABG22	2	3207 - 3208	Length of the longest manic episode - life - (G)
MIABG23	2	3209 - 3210	Number of different years in life/had manic episode - (G)
MIABG33A	2	3211 - 3212	Age - first time consulted prof. about manic episode - (G)
MIABG45A	2	3213 - 3214	Age - first time got helpful treatment for manic epis. - (G)
MIABG45B	2	3215 - 3216	Number of prof. consulted before helpful treatment - (G)
MIABG45C	2	3217 - 3218	Total nbr of prof. consulted about manic episode-life - (G)
MIABG48A	2	3219 - 3220	Age - first time hospitalized overnight for manic epis - (G)
MIABG481	2	3221 - 3222	Number of close relatives ever had manic episode - (G)
MIABGON	2	3223 - 3224	Age of manic episode - onset - (D,G)
MIABGREC	2	3225 - 3226	Age at most recent manic episode - (D,G)
MIABGPER	2	3227 - 3228	Longest period associated with mania - (G, D)
PADBG04	2	3229 - 3230	Number of sudden attacks - life - (G)
PADBG07A	2	3231 - 3232	Age - exactly when single attack occurred - (G)
PADBG07B	2	3233 - 3234	Age - approximately when single attack occurred - (G)
PADBG09A	2	3235 - 3236	Age - exactly when very first panic attack occurred - (G)
PADBG09B	2	3237 - 3238	Age - approximately when very first attack occurred - (G)
PADBG10C	2	3239 - 3240	Total number of attacks - 12 mo - (G)
PADBG10D	2	3241 - 3242	Age - last time had panic attack - (G)
PADBG11	2	3243 - 3244	Greatest number of attacks in any single year - life - (G)
PADBG12	2	3245 - 3246	Nber of different years had at least one attack - life - (G)
PADBG15	2	3247 - 3248	Age - first time had 1 month being worried / avoided - (G)
PADBG16E	2	3249 - 3250	Age - approx. last time 1 mth worry of having attack - (G)
PADBG17A	2	3251 - 3252	Number of unexpected attacks - life - (G)
PADBG18	2	3253 - 3254	Number of "not in real danger" attacks - life - (G)
PADBG19	2	3255 - 3256	Number of "real danger" attacks - life - (G)
PADBG21	2	3257 - 3258	Age - first time had an unexpected attack - (G)
PADBG24A	2	3259 - 3260	Number of unexpected attacks occurring while asleep - life
PADBG36	2	3261 - 3262	Number of unexpected attacks - 12 mo - (G)
PADBG37A	2	3263 - 3264	Age - last time had unexpected attack - (G)
PADBG50A	2	3265 - 3266	Age - first time consulted prof. about attacks - (G)
PADBG62A	2	3267 - 3268	Age - first time got helpful treatment for attacks - (G)
PADBG62B	2	3269 - 3270	Number of prof. consulted before helpful treatment - (G)
PADBG62C	2	3271 - 3272	Total nbr of prof. consulted about attacks - life - (G)
PADBG65A	2	3273 - 3274	Age - first time hospitalized overnight for attacks - (G)
PADBG651	2	3275 - 3276	Number of relatives with attacks - (G)
PADBGONA	2	3277 - 3278	Age of first panic attack - (D,G)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 62

SEPTEMBER 2004

Variable	Length	Position	Concept
PADBGON	2	3279 - 3280	Age of panic disorder onset - (D,G)
PADBGREC	2	3281 - 3282	Age when most recent panic attack - (D,G)
PADBGPER	2	3283 - 3284	Nbr of years of persistence of panic disorder - (D,G)
SOPBG03A	2	3285 - 3286	Age - exactly first time had social fear - (G)
SOPBG03B	2	3287 - 3288	Age - approximately first time had social fear - (G)
SOPBG06A	2	3289 - 3290	Age - when first started avoiding social situation - (G)
SOPBG18A	2	3291 - 3292	Age - last time feared / avoided social situation - (G)
SOPBG25A	2	3293 - 3294	Age - first time consulted prof. about social fear - (G)
SOPBG36A	2	3295 - 3296	Age - first time got helpful treatment for social fear - (G)
SOPBG36B	2	3297 - 3298	Number of prof. consulted before helpful treatment - (G)
SOPBG36C	2	3299 - 3300	Total nbr of prof. consulted about social fear - life - (G)
SOPBG39A	2	3301 - 3302	Age - 1st time hospitalized overnight for social fear - (G)
SOPBG39I	2	3303 - 3304	Number of relatives with strong social fear - (G)
SOPBGON	2	3305 - 3306	Age at social phobia onset - (D,G)
SOPBGREC	2	3307 - 3308	Age at most recent social phobia episode - (D,G)
AGPBG03A	2	3309 - 3310	Age - exactly first time had agora fear - (G)
AGPBG03B	2	3311 - 3312	Age - approximately first time had agora - (G)
AGPBG06	2	3313 - 3314	Age - very 1st time started avoiding agora situations - (G)
AGPBG13A	2	3315 - 3316	Longest period unable to leave home - (G)
AGPBG17B	2	3317 - 3318	Age - last time strongly feared / avoided situations - (G)
AGPBG24A	2	3319 - 3320	Age - first time consulted prof. about agora fear - (G)
AGPBG35A	2	3321 - 3322	Age - first time got helpful treatment for agora fear - (G)
AGPBG35B	2	3323 - 3324	Number of prof. consulted before helpful treatment
AGPBG35C	2	3325 - 3326	Total nbr of prof. consulted about agora fear - life - (G)
AGPBG38A	2	3327 - 3328	Age - first time hospitalized overnight for agora fear - (G)
AGPBG38I	2	3329 - 3330	Number of relatives with strong agoraphobic fear - (G)
AGPBGON	2	3331 - 3332	Age of agoraphobia onset - (D,G)
AGPBGREC	2	3333 - 3334	Age when most recent agoraphobic episode - (D,G)
AGPBGPER	2	3335 - 3336	Longest episode associated with agoraphobia - (D,G)
AGPBGONP	2	3337 - 3338	Age of agoraphobia onset (no panic) - (D,G)
AGPBGRCP	2	3339 - 3340	Age at most recent agoraphobic epis (without panic) - (D,G)
AGPBGPRP	2	3341 - 3342	Nbr of years persistence of agora. (without panic) - (D,G)
MHPBGAON	2	3343 - 3344	Age of onset - Selected disorders - (D,G)
ALCBGDLY	2	3345 - 3346	Average daily alcohol consumption - (D,G)
RACBG5	1	3347 - 3347	Cause of health problem - (G)
SERBG03	2	3348 - 3349	Nbr of times hosp. for mental health/alcohol/drug - life

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 63

SEPTEMBER 2004

Variable	Length	Position	Concept
SERBG05B	2	3350 - 3351	Age - for single hospit. dating more than a year ago - (G)
SERBG06	2	3352 - 3353	Age - at time of first admission for mental health - (G)
SERBG08A	2	3354 - 3355	Age - last time hospitalized - (G)
SERBG09	2	3356 - 3357	Total time spent hospital due to mental hlth - 12 mo - (G)
SERBG13	2	3358 - 3359	Age - first time had session of counselling / therapy - (G)
SERBG20	2	3360 - 3361	Age - first time consulted psychiatrist - (G)
SERBG22	2	3362 - 3363	Age - last time consulted psychiatrist - (G)
SERBG23	1	3364 - 3364	Number of times consulted psychiatrist - 12 mo - (G)
SERBG24F	1	3365 - 3365	Contact psychiatrist - outpatient clinic - (G)
SERBG24I	1	3366 - 3366	Contact psychiatrist - other clinic - (G)
SERBG24O	1	3367 - 3367	Contact psychiatrist - work, school, other - (G)
SERBG30	2	3368 - 3369	Age - first time consulted family doctor - (G)
SERBG32	2	3370 - 3371	Age - last time consulted family doctor - (G)
SERBG33	1	3372 - 3372	Number of times consulted family doctor - 12 mo - (G)
SERBG34F	1	3373 - 3373	Contact family doctor - outpatient clinic - (G)
SERBG34I	1	3374 - 3374	Contact family doctor - other clinic - (G)
SERBG34O	1	3375 - 3375	Contact family doctor - work, school, other - (G)
SERBG42	2	3376 - 3377	Age - last time consulted other medical doctor - (G)
SERBG43	1	3378 - 3378	Number of times consulted other doctor - 12 mo - (G)
SERBG44F	1	3379 - 3379	Contact other doctor - outpatient clinic - (G)
SERBG44I	1	3380 - 3380	Contact other med. doctor - other clinic - (G)
SERBG44O	1	3381 - 3381	Contact other doctor - work, school, other - (G)
SERBG50	2	3382 - 3383	Age - first time consulted psychologist - (G)
SERBG52	2	3384 - 3385	Age - last time consulted psychologist - (G)
SERBG53	1	3386 - 3386	Number of times consulted psychologist - 12 mo - (G)
SERBG54F	1	3387 - 3387	Contact psychologist - outpatient clinic - (G)
SERBG54I	1	3388 - 3388	Contact psychologist - other clinic - (G)
SERBG54O	1	3389 - 3389	Contact psychologist - work, school, other - (G)
SERBG60	2	3390 - 3391	Age - first time consulted nurse - (G)
SERBG62	2	3392 - 3393	Age - last time consulted nurse - (G)
SERBG63	1	3394 - 3394	Number of times consulted nurse - 12 mo - (G)
SERBG64F	1	3395 - 3395	Contact nurse - outpatient clinic - (G)
SERBG64I	1	3396 - 3396	Contact nurse - other clinic - (G)
SERBG64O	1	3397 - 3397	Contact nurse - work, school, other - (G)
SERBG70	2	3398 - 3399	Age - first time consulted social worker - (G)
SERBG72	2	3400 - 3401	Age - last time consulted social worker - (G)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 64

SEPTEMBER 2004

Variable	Length	Position	Concept
SERBG73	1	3402 - 3402	Number of times consulted social worker - 12 mo - (G)
SERBG74F	1	3403 - 3403	Contact social worker - outpatient clinic - (G)
SERBG74I	1	3404 - 3404	Contact social worker - other clinic - (G)
SERBG74O	1	3405 - 3405	Contact social worker - work, school, other - (G)
SERBG80	2	3406 - 3407	Age - first time consulted religious advisor - (G)
SERBG82	2	3408 - 3409	Age - last time consulted religious advisor - (G)
SERBG83	1	3410 - 3410	Number of times consulted religious advisor - 12 mo - (G)
SERBG84F	1	3411 - 3411	Contact religious advisor - outpatient clinic - (G)
SERBG84I	1	3412 - 3412	Contact religious advisor - other clinic - (G)
SERBG84O	1	3413 - 3413	Contact religious advisor - work, school, other - (G)
SERBG92	2	3414 - 3415	Age - last time consulted other professional - (G)
SERBG93	1	3416 - 3416	Number of times consulted other professional - 12 mo - (G)
SERBG94F	1	3417 - 3417	Contact other prof. - outpatient clinic - (G)
SERBG94I	1	3418 - 3418	Contact other prof. - other clinic - (G)
SERBG94O	1	3419 - 3419	Contact other prof. - work, school, other - (G)
SERBGA0C	2	3420 - 3421	Nbr times internet support group / chat room - 12 mo - (G)
SERBGA1B	2	3422 - 3423	Age - first time went to self-help group - (G)
SERBGA1D	2	3424 - 3425	Nbr times went to meeting of self-help group - 12 mo - (G)
SERBGA2B	2	3426 - 3427	Age - first time used telephone helpline - (G)
SERBGA2D	2	3428 - 3429	Number of times used telephone helpline - 12 mo - (G)
SERBGA7	1	3430 - 3430	Amount spent on mental hlth services/products - 12 mo - (G)
SERBGHDY	2	3431 - 3432	Length of time hospitalized for ment.hlth. - life - (D,G)
MEDBG03A	2	3433 - 3434	Drug code - drug 1 - (G)
MEDBG03B	2	3435 - 3436	Drug code - drug 2 - (G)
MEDBG03C	2	3437 - 3438	Drug code - drug 3 - (G)
MEDBG03D	2	3439 - 3440	Drug code - drug 4 - (G)
MEDBG03E	2	3441 - 3442	Drug code - drug 5 - (G)
MEDBG03F	2	3443 - 3444	Drug code - drug 6 - (G)
MEDBG03G	2	3445 - 3446	Drug code - drug 7 - (G)
MEDBG03H	2	3447 - 3448	Drug code - drug 8 - (G)
MEDBG03I	2	3449 - 3450	Drug code - drug 9 - (G)
MEDBG03J	2	3451 - 3452	Drug code - drug 10 - (G)
MEDBG03K	2	3453 - 3454	Drug code - drug 11 - (G)
MEDBG03L	2	3455 - 3456	Drug code - drug 12 - (G)
SDCBGCBG	1	3457 - 3457	Country of birth - (G)
SDCBGRES	1	3458 - 3458	Length of time in Canada since immigration - (D,G)

CCHS Cycle 1.2: Record Layout

Master File (Integrated) - Rounded

Page 65

SEPTEMBER 2004

Variable	Length	Position	Concept
SDCBGLNG	1	3459 - 3459	Languages in which respondent can converse - (D,G)
DHHBGL12	1	3460 - 3460	Nber of persons less than 12 years old in household - (D,G)
DHHBGLE5	1	3461 - 3461	Number of persons 5 years old or less in household - (D,G)
DHHBG611	1	3462 - 3462	Number of persons 6 to 11 years old in household - (D,G)
DHHBGLVG	2	3463 - 3464	Living arrangement of selected respondent - (D,G)
DHHBGBED	1	3465 - 3465	Dwelling - number of bedrooms - (G)
LBFBG31	1	3466 - 3466	Self-employment status - main job or business - (G)
LBFBGRNW	2	3467 - 3468	Main reason for not working last week - (D,G)
LBFBGJST	1	3469 - 3469	Job status over past year - (D,G)
INCBG2	1	3470 - 3470	Total household income - main source - (G)
INCBGHH	2	3471 - 3472	Total household income from all sources - (D,G)
INCBGPER	2	3473 - 3474	Total personal income from all sources - (D,G)