

Appendix E

Microdata File

Approximate Sampling Variability Tables

Table of Contents

INPUT DATA FOR SAMPLING VARIABILITY TABLES	1
<i>Provinces, Territories and Canada</i>	<i>1</i>
<i>Canada by Age Groups.....</i>	<i>2</i>
<i>Health Regions</i>	<i>2</i>
<i>CLSC Regions (Quebec).....</i>	<i>7</i>
APPROXIMATE SAMPLING VARIABILITY TABLES	9
<i>Canada</i>	<i>9</i>
<i>Canada by Age Groups.....</i>	<i>10</i>
CANADA - Age group 12-19.....	10
CANADA - Age group 20-29.....	11
CANADA - Age group 30-44.....	12
CANADA - Age group 45-64.....	13
CANADA - Age group 65+.....	14
<i>Provinces and Territories</i>	<i>15</i>
NEWFOUNDLAND AND LABRADOR.....	15
PRINCE EDWARD ISLAND.....	16
NOVA SCOTIA.....	17
NEW BRUNSWICK.....	18
QUEBEC.....	19
ONTARIO.....	20
MANITOBA.....	21
SASKATCHEWAN.....	22
ALBERTA.....	23
BRITISH COLUMBIA.....	24
TERRITORIES.....	25
<i>Health Regions</i>	<i>26</i>
Health and Community Services St John's Region (10901).....	26
Health and Community Services Eastern Region (10902).....	27
Health and Community Services Central Region (10903).....	28
Hlth & Com. Serv. Western Region / Grenfell Reg. Hlth Serv. Board / Health Labrador Corp. (10904).....	29
West Prince / Summerside / Kings (11901).....	30
Queens (11903).....	31
Zone 1 - Nova-Scotia (12901).....	32
Zone 2 - Nova-Scotia (12902).....	33
Zone 3 - Nova-Scotia (12903).....	34
Zone 4 - Nova-Scotia (12904).....	35
Zone 5 - Nova-Scotia (12905).....	36
Zone 6 - Nova-Scotia (12906).....	37
Region 1 - New-Brunswick (13901).....	38
Region 2 - New-Brunswick (13902).....	39
Region 3 - New-Brunswick (13903).....	40
Region 4 / Region 5 - New-Brunswick (13904).....	41
Region 6 / Region 7 - New-Brunswick (13906).....	42
Région du Bas-Saint-Laurent (24901).....	43
Région du Saguenay - Lac-Saint-Jean (24902).....	44
Région de Québec (24903).....	45
Région de la Mauricie-Bois-Francis (24904).....	46
Région de l'Estrie (24905).....	47
Région de Montréal-Centre (24906).....	48
Région de l'Outaouais (24907).....	49
Région de l'Abitibi-Témiscaminque (24908).....	50
Région de la Côte-Nord (24909).....	51
Région de la Gaspésie-Îles-de-la-Madeleine (24911).....	52
Région de la Chaudière-Appalaches (24912).....	53
Région de Laval (24913).....	54

Région de Lanaudière (24914)	55
Région des Laurentides (24915)	56
Région de la Montérégie (24916)	57
District of Algoma (35926)	58
Brant County (35927)	59
Durham (35930)	60
Elgin-St Thomas (35931)	61
Grey Bruce (35933)	62
Haldimand-Norfolk (35934)	63
Haliburton-Kawartha-Pine Ridge (35935)	64
Halton (35936)	65
City of Hamilton (35937)	66
Hastings and Prince Edward (35938)	67
Huron / Perth (35939)	68
Chatham - Kent (35940)	69
Kingston-Frontenac-Lennox-Addington (35941)	70
Lambton (35942)	71
Leeds-Grenville-Lanark (35943)	72
Middlesex-London (35944)	73
Muskoka-Parry Sound (35945)	74
Niagara (35946)	75
North Bay / Timiskaming (35947)	76
Northwestern (35949)	77
City of Ottawa (35951)	78
Oxford County (35952)	79
Peel (35953)	80
Peterborough County-City (35955)	81
Porcupine (35956)	82
Renfrew County and District (35957)	83
Eastern Ontario (35958)	84
Simcoe County District (35960)	85
Sudbury and District (35961)	86
Thunder Bay (35962)	87
Waterloo (35965)	88
Wellington-Dufferin-Guelph (35966)	89
Windsor-Essex County (35968)	90
York (35970)	91
City of Toronto (35995)	92
Winnipeg (46910)	93
Brandon / Assiniboine (46915)	94
North Eastman / South Eastman (46920)	95
Interlake (46930)	96
Central (46940)	97
Parkland / Norman / Burntwood / Churchill (46960)	98
Sun Country / Five Hills / Cypress (47901)	99
Regina (47904)	100
Sunrise / Kelsey Trail (47905)	101
Saskatoon (47906)	102
Heartland / Prairie North (47907)	103
Prince Albert Parkland / Mamawetan Churchill River RHA/Keewatin (47909)	104
Chinook Regional Health Authority (48920)	105
Palliser Regional Health Authority (48921)	106
Calgary (48922)	107
David Thompson Regional Health Authority (48923)	108
East Central Health (48924)	109
Capital Health (48925)	110
Aspen Regional Health Authority (48926)	111
Peace Country / Northern Lights (48927)	112
East Kootenay (59911)	113
Kootenay-Boundary (59912)	114
Okanagan (59913)	115
Thompson Cariboo (59914)	116

Fraser East (59921).....	117
Fraser North (59922).....	118
Fraser South (59923).....	119
Richmond (59931).....	120
Vancouver (59932).....	121
North Shore / Coast Garibaldi (59933).....	122
South Vancouver Island (59941).....	123
Central Vancouver Island (59942).....	124
North Vancouver Island (59943).....	125
Northwest / Northeast (59951).....	126
Northern Interior (59952).....	127
Yukon / Northwest Territories / Nunavut (60901).....	128
<i>CLSC Regions (Quebec)</i>	129
Outaouais - CLSC Hull/Grande-Rivière/Gatineau/Buckingham/Masson-Angers (249071).....	129
Outaouais - CLSC Pontiac/Domaine des Forestiers/Vallée-de-la-Lièvre/Collines-de-l'Outaouais (249072).....	130
Région des Laurentides - CLSC Jean-Olivier Chénier/Thérèse-de-Blainville (249151).....	131
Région des Laurentides - CLSC Hautes-Laurentides/Pays-d'en-Haut/Trois-Vallées (249153).....	132
Région des Laurentides - CLSC Arthur-Buies/Argenteuil (249154).....	133
TABLE OF RELEASE CUT-OFFS FOR TOTALS	134
<i>Provinces, Territories and Canada</i>	134
<i>Canada by Age Groups</i>	135
<i>Health Regions</i>	135
<i>CLSC regions (Quebec)</i>	141

Input Data for Sampling Variability Tables
Provinces, Territories and Canada

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
PROVINCE			
Newfoundland and Labrador	2.11	4,054	460,130
Prince Edward Island	1.81	2,062	119,410
Nova Scotia	2.25	4,956	797,601
New Brunswick	1.88	4,929	638,566
Quebec	2.97	27,599	6,347,861
Ontario	2.44	42,777	10,278,740
Manitoba	3.16	7,632	915,110
Saskatchewan	2.14	7,587	799,911
Alberta	2.83	13,871	2,604,212
British Columbia	2.00	16,058	3,521,971
Territories	2.18	2,547	71,917
CANADA	2.77	134,072	26,555,427

Canada by Age Groups

	DESIGN EFFECT	SAMPLE SIZE	POPULATION
AGE GROUP			
12-19	2.51	18,524	3,312,332
20-29	2.65	15,359	4,231,525
30-44	2.56	31,150	7,371,284
45-64	2.71	40,473	7,856,511
65+	2.59	28,566	3,783,775

Health Regions

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
Health Region			
Health and Community Services St John's Region (10901)	1.80	828	165,135
Health and Community Services Eastern Region (10902)	1.68	844	99,438
Health and Community Services Central Region (10903)	1.63	759	88,974
Hlth & Com. Serv. Western Region / Grenfell Reg. Hlth Serv. Board / Health Labrador Corp. (10904)	2.10	1,623	106,582
West Prince / Summerside / Kings (11901)	1.71	1,279	60,106
Queens (11903)	1.70	783	59,304

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
Zone 1 - Nova-Scotia (12901)	1.77	757	108,573
Zone 2 - Nova-Scotia (12902)	1.73	632	69,362
Zone 3 - Nova-Scotia (12903)	1.79	693	90,632
Zone 4 - Nova-Scotia (12904)	1.70	704	81,123
Zone 5 - Nova-Scotia (12905)	2.17	846	109,925
Zone 6 - Nova-Scotia (12906)	2.23	1,324	337,986
Region 1 - New-Brunswick (13901)	1.62	851	164,469
Region 2 - New-Brunswick (13902)	1.58	860	150,073
Region 3 - New-Brunswick (13903)	1.74	880	140,322
Region 4 / Region 5 - New-Brunswick (13904)	2.09	1,137	70,634
Region 6 / Region 7 - New-Brunswick (13906)	1.85	1,201	113,068
Région du Bas-Saint-Laurent (24901)	1.89	1,198	174,662
Région du Saguenay - Lac-Saint-Jean (24902)	2.27	1,374	238,690
Région de Québec (24903)	1.88	3,478	570,241
Région de la Mauricie-Bois-Francs (24904)	2.15	1,548	412,731
Région de l'Estrie (24905)	2.14	1,148	252,004
Région de Montréal-Centre (24906)	1.75	2,768	1,613,508
Région de l'Outaouais (24907)	2.68	3,262	281,682
Région de l'Abitibi-Témiscaminque (24908)	2.00	1,068	121,959
Région de la Côte-Nord (24909)	2.71	1,090	76,754
Région de la Gaspésie-Îles-de-la-Madeleine (24911)	1.91	1,017	83,572

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
Région de la Chaudière-Appalaches (24912)	2.34	1,372	335,475
Région de Laval (24913)	1.77	1,257	306,441
Région de Lanaudière (24914)	1.77	1,350	342,184
Région des Laurentides (24915)	2.20	3,182	411,330
Région de la Montérégie (24916)	2.74	2,487	1,126,629
District of Algoma (35926)	1.69	862	101,129
Brant County (35927)	1.70	854	104,601
Durham (35930)	1.78	1,715	454,889
Elgin-St Thomas (35931)	2.62	704	71,437
Grey Bruce (35933)	1.78	917	136,895
Haldimand-Norfolk (35934)	1.89	774	92,802
Haliburton-Kawartha-Pine Ridge (35935)	1.81	830	147,097
Halton (35936)	1.68	1,408	348,065
City of Hamilton (35937)	1.62	1,663	437,165
Hastings and Prince Edward (35938)	1.69	935	134,485
Huron / Perth (35939)	2.09	1,277	116,200
Chatham - Kent (35940)	1.85	775	92,384
Kingston-Frontenac-Lennox-Addington (35941)	1.86	996	156,393
Lambton (35942)	1.95	873	110,752
Leeds-Grenville-Lanark (35943)	1.71	918	142,504
Middlesex-London (35944)	1.66	1,597	360,300
Muskoka-Parry Sound (35945)	2.20	777	72,834

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
Niagara (35946)	1.86	1,602	367,629
North Bay / Timiskaming (35947)	2.09	1,315	110,445
Northwestern (35949)	2.35	663	53,374
City of Ottawa (35951)	1.80	2,047	693,622
Oxford County (35952)	1.72	773	86,758
Peel (35953)	1.71	2,290	932,276
Peterborough County-City (35955)	1.89	854	112,971
Porcupine (35956)	1.80	828	73,459
Renfrew County and District (35957)	1.74	761	80,783
Eastern Ontario (35958)	1.61	1,008	164,919
Simcoe County District (35960)	1.73	1,448	341,289
Sudbury and District (35961)	1.83	1,062	165,227
Thunder Bay (35962)	1.82	967	132,122
Waterloo (35965)	1.84	1,593	393,400
Wellington-Dufferin-Guelph (35966)	1.80	1,123	211,398
Windsor-Essex County (35968)	1.80	1,406	335,838
York (35970)	1.80	1,793	715,639
City of Toronto (35995)	1.83	3,369	2,227,660
Winnipeg (46910)	2.12	2,243	548,911
Brandon / Assiniboine (46915)	1.87	1,394	94,781
North Eastman / South Eastman (46920)	1.72	984	74,393
Interlake (46930)	1.93	699	59,714

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
Central (46940)	1.61	802	77,718
Parkland / Norman / Burntwood / Churchill (46960)	1.87	1,510	59,592
Sun Country / Five Hills / Cypress (47901)	1.62	1,766	128,077
Regina (47904)	1.72	1,174	200,832
Sunrise / Kelsey Trail (47905)	1.92	1,166	81,080
Saskatoon (47906)	1.75	1,301	236,846
Heartland / Prairie North (47907)	2.03	1,111	83,958
Prince Albert Parkland / Mamawetan Churchill River RHA/Keewatin (47909)	2.38	1,069	69,118
Chinook Regional Health Authority (48920)	1.86	892	123,374
Palliser Regional Health Authority (48921)	1.85	728	82,667
Calgary (48922)	2.03	2,947	944,707
David Thompson Regional Health Authority (48923)	1.95	1,979	243,611
East Central Health (48924)	1.68	812	91,665
Capital Health (48925)	2.40	2,817	828,699
Aspen Regional Health Authority (48926)	2.29	1,701	134,403
Peace Country / Northern Lights (48927)	2.21	1,995	155,084
East Kootenay (59911)	2.07	627	68,707
Kootenay-Boundary (59912)	2.10	627	70,143
Okanagan (59913)	1.74	1,205	264,878
Thompson Cariboo (59914)	1.71	988	178,653

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
Fraser East (59921)	1.88	1,018	208,731
Fraser North (59922)	1.68	1,513	483,534
Fraser South (59923)	1.82	1,530	527,524
Richmond (59931)	1.74	829	152,786
Vancouver (59932)	1.78	1,519	512,805
North Shore / Coast Garibaldi (59933)	1.80	1,022	228,543
South Vancouver Island (59941)	1.72	1,230	292,240
Central Vancouver Island (59942)	2.25	870	206,451
North Vancouver Island (59943)	2.49	855	94,885
Norhtwest / Northeast (59951)	2.22	1,399	108,725
Northern Interior (59952)	2.02	826	123,367
Yukon / Northwest Territories / Nunavut (60901)	2.18	2,547	71,917

CLSC Regi ons (Quebec)

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
CLSC REGION			
Outaouais - CLSC Hull/Grande-Rivière/Gatineau/Buckingham/Masson-Angers (249071)	2.35	1,618	202,086
Outaouais - CLSC Pontiac/Domaine des	2.13	1,644	79,595

	DESIGN EFFECT	SAMPLE SIZE	POPULATION (aged 12 and older)
Forestiers/Vallée-de-la-Lièvre/Collines-de-l'Outaouais (249072)			
Région des Laurentides - CLSC Jean-Olivier Chénier/Thérèse-de-Blainville (249151)	1.69	976	193,301
Région des Laurentides - CLSC Hautes-Laurentides/Pays-d'en-Haut/Trois-Vallées (249153)	1.66	1,285	94,618
Région des Laurentides - CLSC Arthur-Buies/Argenteuil (249154)	2.63	921	123,411

Canadian Community Health Survey - 2003
Approximate Sampling Variability Tables
Canada

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	74.0	73.7	73.3	72.2	70.3	68.3	66.3	64.1	62.0	59.7	57.4	52.4	40.6	23.4
2	52.3	52.1	51.8	51.0	49.7	48.3	46.8	45.4	43.8	42.2	40.6	37.0	28.7	16.6
3	42.7	42.6	42.3	41.7	40.6	39.4	38.3	37.0	35.8	34.5	33.1	30.2	23.4	13.5
4	37.0	36.8	36.7	36.1	35.1	34.1	33.1	32.1	31.0	29.9	28.7	26.2	20.3	11.7
5	33.1	33.0	32.8	32.3	31.4	30.5	29.6	28.7	27.7	26.7	25.7	23.4	18.1	10.5
6	30.2	30.1	29.9	29.5	28.7	27.9	27.0	26.2	25.3	24.4	23.4	21.4	16.6	9.6
7	28.0	27.9	27.7	27.3	26.6	25.8	25.0	24.2	23.4	22.6	21.7	19.8	15.3	8.9
8	26.2	26.1	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	18.5	14.3	8.3
9	24.7	24.6	24.4	24.1	23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8
10	23.4	23.3	23.2	22.8	22.2	21.6	21.0	20.3	19.6	18.9	18.1	16.6	12.8	7.4
11	22.3	22.2	22.1	21.8	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1
12	21.4	21.3	21.2	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.6	15.1	11.7	6.8
13	20.5	20.4	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
14	19.8	19.7	19.6	19.3	18.8	18.3	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3
15	19.1	19.0	18.9	18.6	18.1	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.0
16	18.5	18.4	18.3	18.0	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
17	18.0	17.9	17.8	17.5	17.0	16.6	16.1	15.6	15.0	14.5	13.9	12.7	9.8	5.7
18	17.4	17.4	17.3	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
19	17.0	16.9	16.8	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
20	16.6	16.5	16.4	16.1	15.7	15.3	14.8	14.3	13.9	13.4	12.8	11.7	9.1	5.2
21	16.2	16.1	16.0	15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1
22	15.8	15.7	15.6	15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
23	15.4	15.4	15.3	15.1	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
24	15.1	15.0	15.0	14.7	14.3	13.9	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
25	14.8	14.7	14.7	14.4	14.1	13.7	13.3	12.8	12.4	11.9	11.5	10.5	8.1	4.7
30	*****	13.5	13.4	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
35	*****	12.5	12.4	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0
40	*****	11.7	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
45	*****	11.0	10.9	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.6	7.8	6.0	3.5
50	*****	10.4	10.4	10.2	9.9	9.7	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
55	*****	9.9	9.9	9.7	9.5	9.2	8.9	8.6	8.4	8.1	7.7	7.1	5.5	3.2
60	*****	9.5	9.5	9.3	9.1	8.8	8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0
65	*****	9.1	9.1	9.0	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
70	*****	8.8	8.8	8.6	8.4	8.2	7.9	7.7	7.4	7.1	6.9	6.3	4.8	2.8
75	*****	8.5	8.5	8.3	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.0	4.7	2.7
80	*****	8.2	8.2	8.1	7.9	7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
85	*****	8.0	8.0	7.8	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
90	*****	7.8	7.7	7.6	7.4	7.2	7.0	6.8	6.5	6.3	6.0	5.5	4.3	2.5
95	*****	7.6	7.5	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
100	*****	7.4	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
125	*****	6.6	6.6	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
150	*****	6.0	6.0	5.9	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.3	3.3	1.9
200	*****	5.2	5.2	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7
250	*****	4.7	4.6	4.6	4.4	4.3	4.2	4.1	3.9	3.8	3.6	3.3	2.6	1.5
300	*****	4.2	4.2	4.1	3.9	3.8	3.7	3.6	3.4	3.3	3.0	2.3	1.4	1.4
350	*****	3.9	3.9	3.8	3.7	3.5	3.4	3.3	3.2	3.1	2.8	2.2	1.3	1.3
400	*****	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2	1.2
450	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.5	1.9	1.1	1.1
500	*****	3.3	3.2	3.1	3.1	3.0	2.9	2.8	2.7	2.6	2.3	1.8	1.0	1.0
750	*****	2.6	2.6	2.5	2.4	2.3	2.3	2.2	2.1	1.9	1.9	1.5	0.9	0.9
1000	*****	2.3	2.2	2.2	2.1	2.0	2.0	1.9	1.8	1.7	1.7	1.3	0.7	0.7
1500	*****	1.8	1.8	1.7	1.7	1.6	1.5	1.5	1.4	1.4	1.0	0.7	0.4	0.6
2000	*****	1.6	1.5	1.5	1.4	1.4	1.3	1.3	1.2	1.2	0.9	0.5	0.3	0.5
3000	*****	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	0.9	0.8	0.6	0.4	0.4
4000	*****	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8	0.7	0.7	0.5	0.3	0.4
5000	*****	0.9	0.9	0.9	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.4	0.2	0.3
6000	*****	0.8	0.8	0.8	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.3	0.2	0.3
7000	*****	0.7	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.2	0.3
8000	*****	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.3	0.3	0.2	0.1	0.3
9000	*****	0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.3	0.3	0.2	0.1	0.3
10000	*****	0.6	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.3
12500	*****	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.3
15000	*****	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3
17500	*****	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3
20000	*****	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Canada by Age Groups

CANADA - Age group 12-19

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	67.0	66.7	66.3	65.3	63.6	61.8	59.9	58.0	56.1	54.0	51.9	47.4	36.7	21.2
2	47.3	47.1	46.9	46.2	44.9	43.7	42.4	41.0	39.6	38.2	36.7	33.5	25.9	15.0
3	38.7	38.5	38.3	37.7	36.7	35.7	34.6	33.5	32.4	31.2	30.0	27.4	21.2	12.2
4	*****	33.3	33.2	32.6	31.8	30.9	30.0	29.0	28.0	27.0	25.9	23.7	18.3	10.6
5	*****	29.8	29.7	29.2	28.4	27.6	26.8	25.9	25.1	24.2	23.2	21.2	16.4	9.5
6	*****	27.2	27.1	26.7	25.9	25.2	24.5	23.7	22.9	22.1	21.2	19.3	15.0	8.6
7	*****	25.2	25.1	24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	17.9	13.9	8.0
8	*****	23.6	23.4	23.1	22.5	21.8	21.2	20.5	19.8	19.1	18.3	16.7	13.0	7.5
9	*****	22.2	22.1	21.8	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1
10	*****	21.1	21.0	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
11	*****	20.1	20.0	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
12	*****	19.2	19.1	18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1
13	*****	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
14	*****	17.8	17.7	17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
15	*****	17.2	17.1	16.9	16.4	15.9	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5
16	*****	16.7	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
17	*****	16.2	16.1	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
18	*****	15.7	15.6	15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
19	*****	15.3	15.2	15.0	14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4	4.9
20	*****	14.9	14.8	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
21	*****	14.5	14.5	14.2	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
22	*****	14.2	14.1	13.9	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
23	*****	13.9	13.8	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
24	*****	13.6	13.5	13.3	13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
25	*****	13.3	13.3	13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
30	*****	12.2	12.1	11.9	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.6	6.7	3.9
35	*****	11.2	11.0	10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	3.6
40	*****	10.5	10.3	10.0	9.8	9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.3	3.3
45	*****	9.9	9.7	9.5	9.2	8.9	8.6	8.4	8.1	7.7	7.1	5.5	3.2	3.2
50	*****	9.4	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0	3.0
55	*****	8.9	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9	2.9
60	*****	8.6	8.4	8.2	8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7	2.7
65	*****	8.2	8.1	7.9	7.7	7.4	7.2	7.0	6.7	6.4	5.9	4.6	2.6	2.6
70	*****	7.8	7.6	7.4	7.2	6.9	6.7	6.5	6.2	6.0	5.7	4.4	2.5	2.5
75	*****	7.5	7.3	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.5	4.2	2.4	2.4
80	*****	7.3	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.5	5.3	4.1	2.4	2.4
85	*****	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.1	4.0	2.3	2.3	2.3
90	*****	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2	2.2	2.2
95	*****	6.7	6.5	6.3	6.1	6.0	5.8	5.5	5.3	4.9	3.8	2.2	2.2	2.2
100	*****	6.5	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1	2.1	2.1
125	*****	5.8	5.7	5.5	5.4	5.2	5.0	4.8	4.6	4.2	3.3	1.9	1.9	1.9
150	*****	5.3	5.2	5.0	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7	1.7	1.7
200	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.3	2.6	1.5	1.5	1.5	1.5
250	*****	4.0	3.9	3.8	3.7	3.5	3.4	3.3	3.0	2.3	1.3	1.3	1.3	1.3
300	*****	3.7	3.6	3.5	3.3	3.2	3.1	3.0	2.7	2.1	1.2	1.2	1.2	1.2
350	*****	3.3	3.2	3.1	3.0	2.9	2.8	2.5	2.0	1.1	1.1	1.1	1.1	1.1
400	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.2	1.7	1.0	1.0	1.0
450	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.2	2.1	1.6	0.9	0.9	0.9	0.9
500	*****	2.7	2.6	2.5	2.4	2.3	2.1	1.6	1.5	1.2	0.7	0.7	0.7	0.7
750	*****	2.1	2.0	2.0	1.9	1.7	1.3	0.8	0.8	0.8	0.5	0.5	0.5	0.5
1000	*****	1.7	1.6	1.5	1.2	0.7	0.7	0.7	0.7	0.7	0.5	0.5	0.5	0.5
1500	*****	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2
2000	*****	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

CANADA - Age group 20-29

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	85.4	85.0	84.6	83.3	81.1	78.8	76.4	74.0	71.5	68.9	66.2	60.4	46.8	27.0
2	60.4	60.1	59.8	58.9	57.3	55.7	54.0	52.3	50.6	48.7	46.8	42.7	33.1	19.1
3	49.3	49.1	48.8	48.1	46.8	45.5	44.1	42.7	41.3	39.8	38.2	34.9	27.0	15.6
4	42.7	42.5	42.3	41.6	40.5	39.4	38.2	37.0	35.7	34.4	33.1	30.2	23.4	13.5
5	*****	38.0	37.8	37.2	36.3	35.2	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1
6	*****	34.7	34.5	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
7	*****	32.1	32.0	31.5	30.6	29.8	28.9	28.0	27.0	26.0	25.0	22.8	17.7	10.2
8	*****	30.1	29.9	29.4	28.7	27.9	27.0	26.2	25.3	24.4	23.4	21.4	16.5	9.6
9	*****	28.3	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
10	*****	26.9	26.7	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5
11	*****	25.6	25.5	25.1	24.4	23.8	23.0	22.3	21.6	20.8	20.0	18.2	14.1	8.1
12	*****	24.5	24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
13	*****	23.6	23.5	23.1	22.5	21.8	21.2	20.5	19.8	19.1	18.4	16.8	13.0	7.5
14	*****	22.7	22.6	22.3	21.7	21.1	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2
15	*****	22.0	21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
16	*****	21.3	21.1	20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.8
17	*****	20.6	20.5	20.2	19.7	19.1	18.5	17.9	17.3	16.7	16.1	14.7	11.4	6.6
18	*****	20.0	19.9	19.6	19.1	18.6	18.0	17.4	16.9	16.2	15.6	14.2	11.0	6.4
19	*****	19.5	19.4	19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2
20	*****	19.0	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0
21	*****	18.6	18.5	18.2	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
22	*****	18.1	18.0	17.8	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
23	*****	17.7	17.6	17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
24	*****	17.4	17.3	17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
25	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
30	*****	15.5	15.4	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9
35	*****	14.4	14.3	14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
40	*****	13.4	13.4	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
45	*****	12.6	12.6	12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
50	*****	12.0	11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8	3.8
55	*****	11.4	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	3.6
60	*****	10.9	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5	3.5
65	*****	10.5	10.3	10.1	9.8	9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.4	3.4
70	*****	10.1	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	3.2
75	*****	9.8	9.6	9.4	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1	3.1
80	*****	9.5	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.8	5.2	3.0	3.0
85	*****	9.0	8.8	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.6	5.1	2.9	2.9
90	*****	8.8	8.5	8.3	8.1	7.8	7.6	7.3	7.0	6.7	6.4	4.9	2.8	2.8
95	*****	8.5	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.5	6.2	4.8	2.8	2.8
100	*****	8.3	8.1	7.9	7.6	7.4	7.1	6.9	6.6	6.3	6.0	4.7	2.7	2.7
125	*****	7.4	7.3	7.0	6.8	6.6	6.4	6.2	5.9	5.6	5.4	4.2	2.4	2.4
150	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	3.8	2.2	2.2
200	*****	5.9	5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.5	4.3	3.3	1.9	1.9
250	*****	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.9	3.8	3.0	1.7	1.7
300	*****	4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.7	3.5	3.4	2.7	1.6	1.6
350	*****	4.3	4.2	4.1	4.0	3.8	3.7	3.5	3.4	3.2	3.1	2.5	1.4	1.4
400	*****	4.1	3.9	3.8	3.7	3.6	3.4	3.3	3.2	3.0	2.9	2.3	1.4	1.4
450	*****	3.7	3.6	3.5	3.4	3.2	3.1	3.0	2.8	2.7	2.5	2.1	1.3	1.3
500	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.8	2.7	2.5	2.4	2.1	1.2	1.2
750	*****	2.8	2.7	2.6	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.4	1.0	1.0
1000	*****	2.3	2.3	2.2	2.1	2.0	1.8	1.7	1.6	1.5	1.4	1.1	0.9	0.9
1500	*****	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.6	0.7	0.7
2000	*****	1.4	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.6	0.6
3000	*****	1.0	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.5	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

CANADA - Age group 30-44

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	77.8	77.4	77.1	75.9	73.8	71.8	69.6	67.4	65.1	62.8	60.3	55.0	42.6	24.6
2	55.0	54.8	54.5	53.6	52.2	50.7	49.2	47.7	46.0	44.4	42.6	38.9	30.1	17.4
3	44.9	44.7	44.5	43.8	42.6	41.4	40.2	38.9	37.6	36.2	34.8	31.8	24.6	14.2
4	38.9	38.7	38.5	37.9	36.9	35.9	34.8	33.7	32.6	31.4	30.1	27.5	21.3	12.3
5	34.8	34.6	34.5	33.9	33.0	32.1	31.1	30.1	29.1	28.1	27.0	24.6	19.1	11.0
6	31.8	31.6	31.5	31.0	30.1	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.0
7	29.4	29.3	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
8	*****	27.4	27.2	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7
9	*****	25.8	25.7	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2
10	*****	24.5	24.4	24.0	23.3	22.7	22.0	21.3	20.6	19.8	19.1	17.4	13.5	7.8
11	*****	23.3	23.2	22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4
12	*****	22.4	22.2	21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
13	*****	21.5	21.4	21.0	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
14	*****	20.7	20.6	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
15	*****	20.0	19.9	19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
16	*****	19.4	19.3	19.0	18.5	17.9	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
17	*****	18.8	18.7	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
18	*****	18.3	18.2	17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
19	*****	17.8	17.7	17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
20	*****	17.3	17.2	17.0	16.5	16.0	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
21	*****	16.9	16.8	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
22	*****	16.5	16.4	16.2	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
23	*****	16.1	16.1	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
24	*****	15.8	15.7	15.5	15.1	14.6	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
25	*****	15.5	15.4	15.2	14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9
30	*****	14.1	14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.0	7.8	4.5
35	*****	13.1	13.0	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
40	*****	12.2	12.2	12.0	11.7	11.3	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
45	*****	11.5	11.5	11.3	11.0	10.7	10.4	10.0	9.7	9.4	9.0	8.2	6.4	3.7
50	*****	11.0	10.9	10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
55	*****	10.4	10.4	10.2	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
60	*****	10.0	9.9	9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
65	*****	9.6	9.6	9.4	9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
70	*****	9.3	9.2	9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
75	*****	8.9	8.8	8.5	8.3	8.0	7.8	7.5	7.2	7.0	6.7	6.2	4.8	2.8
80	*****	8.6	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.4	5.9	4.5	2.6
85	*****	8.4	8.2	8.0	7.8	7.6	7.3	7.1	6.8	6.5	6.2	5.7	4.4	2.5
90	*****	8.1	8.0	7.8	7.6	7.3	7.1	6.9	6.6	6.4	6.2	5.7	4.4	2.5
95	*****	7.9	7.8	7.6	7.4	7.1	6.9	6.7	6.4	6.2	6.0	5.5	4.3	2.5
100	*****	7.7	7.6	7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
125	*****	6.9	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.2
150	*****	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.0	3.0	2.0
200	*****	5.4	5.2	5.1	4.9	4.8	4.6	4.4	4.3	4.1	3.9	3.4	2.6	1.7
250	*****	4.8	4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.6	3.5	3.0	2.3	1.6
300	*****	4.4	4.3	4.1	4.0	3.9	3.8	3.6	3.5	3.4	3.2	2.7	2.0	1.4
350	*****	4.1	3.9	3.8	3.7	3.6	3.5	3.4	3.2	3.1	3.0	2.5	1.9	1.3
400	*****	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.8	2.7	2.2	1.6	1.2
450	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.5	2.0	1.5	1.1
500	*****	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	1.9	1.4	1.0
750	*****	2.6	2.5	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.4	1.0	0.7
1000	*****	2.3	2.2	2.1	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.1	0.8	0.6
1500	*****	1.7	1.7	1.6	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.7	0.5	0.4
2000	*****	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.4	0.3	0.2
3000	*****	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1
4000	*****	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5000	*****	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6000	*****	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

CANADA - Age group 45-64

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	72.5	72.2	71.8	70.7	68.8	66.9	64.9	62.8	60.7	58.5	56.2	51.3	39.7	22.9
2	51.3	51.0	50.8	50.0	48.7	47.3	45.9	44.4	42.9	41.3	39.7	36.3	28.1	16.2
3	41.9	41.7	41.5	40.8	39.7	38.6	37.5	36.3	35.0	33.8	32.4	29.6	22.9	13.2
4	36.2	36.1	35.9	35.3	34.4	33.4	32.4	31.4	30.3	29.2	28.1	25.6	19.9	11.5
5	32.4	32.3	32.1	31.6	30.8	29.9	29.0	28.1	27.1	26.2	25.1	22.9	17.8	10.3
6	29.6	29.5	29.3	28.9	28.1	27.3	26.5	25.6	24.8	23.9	22.9	20.9	16.2	9.4
7	27.4	27.3	27.1	26.7	26.0	25.3	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
8	*****	25.5	25.4	25.0	24.3	23.6	22.9	22.2	21.5	20.7	19.9	18.1	14.0	8.1
9	*****	24.1	23.9	23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
10	*****	22.8	22.7	22.4	21.8	21.1	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.3
11	*****	21.8	21.6	21.3	20.7	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9
12	*****	20.8	20.7	20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
13	*****	20.0	19.9	19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
14	*****	19.3	19.2	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
15	*****	18.6	18.5	18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.2	10.3	5.9
16	*****	18.0	18.0	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
17	*****	17.5	17.4	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
18	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
19	*****	16.6	16.5	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
20	*****	16.1	16.1	15.8	15.4	15.0	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1
21	*****	15.7	15.7	15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0
22	*****	15.4	15.3	15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
23	*****	15.0	15.0	14.7	14.3	13.9	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
24	*****	14.7	14.7	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
25	*****	14.4	14.4	14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
30	*****	13.2	13.1	12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
35	*****	12.2	12.1	11.9	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9
40	*****	11.4	11.4	11.2	10.9	10.6	10.3	9.9	9.6	9.2	8.9	8.1	6.3	3.6
45	*****	10.8	10.7	10.5	10.3	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
50	*****	10.2	10.2	10.0	9.7	9.5	9.2	8.9	8.6	8.3	7.9	7.3	5.6	3.2
55	*****	9.7	9.7	9.5	9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
60	*****	9.3	9.3	9.1	8.9	8.6	8.4	8.1	7.8	7.5	7.3	6.6	5.1	3.0
65	*****	9.0	8.9	8.8	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.4	4.9	2.8
70	*****	8.6	8.6	8.4	8.2	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.7	2.7
75	*****	8.3	8.3	8.2	7.9	7.7	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.6
80	*****	8.0	8.0	7.9	7.7	7.5	7.3	7.0	6.8	6.5	6.3	5.7	4.4	2.6
85	*****	7.8	7.7	7.7	7.5	7.3	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
90	*****	7.6	7.5	7.3	7.0	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4	2.4
95	*****	7.4	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.8	5.3	4.1	2.4	2.4
100	*****	7.2	7.1	6.9	6.7	6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3	2.3
125	*****	6.4	6.3	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1	2.1
150	*****	5.9	5.8	5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9	1.9
200	*****	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.8	3.6	2.8	1.6	1.6
250	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.6	3.5	3.2	2.5	1.5	1.5
300	*****	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.0	2.3	1.3	1.3
350	*****	3.8	3.7	3.6	3.5	3.4	3.2	3.1	3.0	2.9	2.7	2.1	1.2	1.2
400	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.0	1.1	1.1
450	*****	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	1.9	1.1	1.1
500	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	1.8	1.0	1.0
750	*****	2.5	2.4	2.4	2.3	2.2	2.1	2.1	2.0	1.9	1.8	1.4	0.8	0.8
1000	*****	2.1	2.1	2.0	1.9	1.8	1.8	1.7	1.6	1.5	1.4	1.1	0.7	0.7
1500	*****	1.7	1.6	1.6	1.5	1.4	1.3	1.3	1.2	1.1	1.0	0.8	0.5	0.5
2000	*****	1.4	1.3	1.3	1.2	1.1	1.0	0.9	0.9	0.8	0.7	0.6	0.4	0.4
3000	*****	1.0	0.9	0.9	0.8	0.7	0.6	0.6	0.5	0.4	0.4	0.3	0.2	0.2
4000	*****	0.6	0.6	0.6	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.1
5000	*****	0.6	0.6	0.6	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.1
6000	*****	0.6	0.6	0.6	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.1
7000	*****	0.6	0.6	0.6	0.5	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

CANADA - Age group 65+

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	58.5	58.3	58.0	57.1	55.6	54.0	52.4	50.7	49.0	47.2	45.4	41.4	32.1	18.5
2	41.4	41.2	41.0	40.4	39.3	38.2	37.0	35.9	34.7	33.4	32.1	29.3	22.7	13.1
3	33.8	33.6	33.5	33.0	32.1	31.2	30.2	29.3	28.3	27.3	26.2	23.9	18.5	10.7
4	*****	29.1	29.0	28.5	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.0	9.3
5	*****	26.1	25.9	25.5	24.8	24.1	23.4	22.7	21.9	21.1	20.3	18.5	14.3	8.3
6	*****	23.8	23.7	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
7	*****	22.0	21.9	21.6	21.0	20.4	19.8	19.2	18.5	17.8	17.1	15.7	12.1	7.0
8	*****	20.6	20.5	20.2	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
9	*****	19.4	19.3	19.0	18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2
10	*****	18.4	18.3	18.1	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
11	*****	17.6	17.5	17.2	16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
12	*****	16.8	16.7	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3
13	*****	16.2	16.1	15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
14	*****	15.6	15.5	15.3	14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0
15	*****	15.0	15.0	14.7	14.3	13.9	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
16	*****	14.6	14.5	14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6
17	*****	14.1	14.1	13.8	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.0	7.8	4.5
18	*****	13.7	13.7	13.5	13.1	12.7	12.3	12.0	11.6	11.1	10.7	9.8	7.6	4.4
19	*****	13.4	13.3	13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2
20	*****	13.0	13.0	12.8	12.4	12.1	11.7	11.3	11.0	10.6	10.1	9.3	7.2	4.1
21	*****	12.7	12.7	12.5	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
22	*****	12.4	12.4	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
23	*****	12.2	12.1	11.9	11.6	11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9
24	*****	11.9	11.8	11.7	11.3	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.5	3.8
25	*****	11.7	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
30	*****	10.6	10.6	10.4	10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4
35	*****	9.9	9.8	9.6	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
40	*****		9.2	9.0	8.8	8.5	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
45	*****		8.6	8.5	8.3	8.0	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
50	*****		8.2	8.1	7.9	7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
55	*****		7.8	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5
60	*****		7.5	7.4	7.2	7.0	6.8	6.5	6.3	6.1	5.9	5.3	4.1	2.4
65	*****		7.2	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.1	4.0	2.3
70	*****		6.9	6.8	6.6	6.5	6.3	6.1	5.9	5.6	5.4	5.0	3.8	2.2
75	*****		6.7	6.6	6.4	6.2	6.0	5.9	5.7	5.5	5.2	4.8	3.7	2.1
80	*****			6.4	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.6	3.6	2.1
85	*****			6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
90	*****			6.0	5.9	5.7	5.5	5.3	5.2	5.0	4.8	4.4	3.4	2.0
95	*****			5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.7	4.2	3.3	1.9
100	*****			5.7	5.6	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.9
125	*****			5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7
150	*****			4.7	4.5	4.4	4.3	4.1	4.0	3.9	3.7	3.4	2.6	1.5
200	*****				3.9	3.8	3.7	3.6	3.5	3.3	3.2	2.9	2.3	1.3
250	*****				3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
300	*****				3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.4	1.9	1.1
350	*****				3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.2	1.7	1.0
400	*****					2.7	2.6	2.5	2.5	2.4	2.3	2.1	1.6	0.9
450	*****					2.5	2.5	2.4	2.3	2.2	2.1	2.0	1.5	0.9
500	*****					2.4	2.3	2.3	2.2	2.1	2.0	1.9	1.4	0.8
750	*****						1.9	1.9	1.8	1.7	1.7	1.5	1.2	0.7
1000	*****							1.5	1.5	1.4	1.3	1.0	0.6	
1500	*****								1.2	1.1		0.8	0.5	
2000	*****											0.7	0.4	
3000	*****												0.3	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Provinces and Territories

NEWFOUNDLAND AND LABRADOR

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.7	48.4	47.7	46.4	45.1	43.8	42.4	40.9	39.5	37.9	34.6	26.8	15.5
2	*****	34.4	34.3	33.7	32.8	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	10.9
3	*****	28.1	28.0	27.5	26.8	26.0	25.3	24.5	23.6	22.8	21.9	20.0	15.5	8.9
4	*****	24.3	24.2	23.8	23.2	22.6	21.9	21.2	20.5	19.7	19.0	17.3	13.4	7.7
5	*****	21.7	21.3	20.8	20.2	19.6	19.0	18.3	17.6	17.0	16.1	15.5	12.0	6.9
6	*****	19.8	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3	
7	*****	18.3	18.0	17.5	17.1	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8	
8	*****	17.1	16.9	16.4	16.0	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5	
9	*****	16.1	15.9	15.5	15.0	14.6	14.1	13.6	13.2	12.6	11.5	8.9	5.2	
10	*****	15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9		
11	*****	14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7		
12	*****	13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5		
13	*****	13.2	12.9	12.5	12.1	11.8	11.4	10.9	10.5	9.6	7.4	4.3		
14	*****	12.7	12.4	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1		
15	*****	12.3	12.0	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9	
16	*****	11.9	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9		
17	*****	11.6	11.3	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8		
18	*****	11.2	10.9	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6		
19	*****	10.9	10.7	10.4	10.0	9.7	9.4	9.1	8.7	7.9	6.1	3.6		
20	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5		
21	*****	10.4	10.1	9.8	9.6	9.2	8.9	8.6	8.3	7.6	5.8	3.4		
22	*****	10.2	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3		
23	*****	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2		
24	*****	9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2			
25	*****	9.3	9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1			
30	*****	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8			
35	*****	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6			
40	*****	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4			
45	*****	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3			
50	*****	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2				
55	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0			
60	*****	5.8	5.7	5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9			
65	*****	5.6	5.4	5.3	5.1	4.9	4.7	4.5	4.1	3.2	1.8			
70	*****	5.2	5.1	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7			
75	*****	5.1	4.9	4.7	4.6	4.4	4.2	4.0	3.6	2.8	1.6			
80	*****	4.9	4.7	4.6	4.4	4.2	4.0	3.9	3.6	2.8	1.6			
85	*****	4.7	4.6	4.4	4.3	4.1	3.8	2.9	1.7					
90	*****	4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6					
95	*****	4.3	4.2	4.0	3.9	3.6	2.8	1.6						
100	*****	4.2	4.1	3.9	3.8	3.5	2.7	1.5						
125	*****	3.7	3.5	3.4	3.1	2.4	1.4							
150	*****	3.2	3.1	2.8	2.2	1.3								
200	*****	2.4	1.9	1.1										
250	*****	1.7	1.0											
300	*****	1.5	0.9											
350	*****	0.8												
400	*****	0.8												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

PRINCE EDWARD ISLAND

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	32.2	32.1	31.6	30.7	29.8	29.0	28.0	27.1	26.1	25.1	22.9	17.7	10.2
2	*****		22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2
3	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
4	*****			15.8	15.4	14.9	14.5	14.0	13.5	13.1	12.5	11.4	8.9	5.1
5	*****			14.1	13.7	13.3	13.0	12.5	12.1	11.7	11.2	10.2	7.9	4.6
6	*****				12.5	12.2	11.8	11.4	11.1	10.7	10.2	9.3	7.2	4.2
7	*****				11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9
8	*****				10.9	10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
9	*****				10.2	9.9	9.7	9.3	9.0	8.7	8.4	7.6	5.9	3.4
10	*****				9.7	9.4	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2
11	*****				9.3	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.3	3.1
12	*****					8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
13	*****					8.3	8.0	7.8	7.5	7.2	7.0	6.3	4.9	2.8
14	*****					8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
15	*****					7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
16	*****					7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
17	*****					7.2	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
18	*****						6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
19	*****						6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.3
20	*****						6.5	6.3	6.1	5.8	5.6	5.1	4.0	2.3
21	*****						6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2
22	*****						6.2	6.0	5.8	5.6	5.3	4.9	3.8	2.2
23	*****						6.0	5.8	5.6	5.4	5.2	4.8	3.7	2.1
24	*****							5.7	5.5	5.3	5.1	4.7	3.6	2.1
25	*****							5.6	5.4	5.2	5.0	4.6	3.5	2.0
30	*****								4.9	4.8	4.6	4.2	3.2	1.9
35	*****								4.6	4.4	4.2	3.9	3.0	1.7
40	*****									4.1	4.0	3.6	2.8	1.6
45	*****										3.7	3.4	2.6	1.5
50	*****											3.2	2.5	1.4
55	*****												3.1	1.4
60	*****													2.3
65	*****													2.2
70	*****													2.1
75	*****													2.0
80	*****													2.0
85	*****													1.1
90	*****													1.1
95	*****													1.1
100	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

NOVA SCOTIA

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.9	59.6	58.7	57.1	55.5	53.8	52.1	50.3	48.5	46.6	42.6	33.0	19.0
2	*****	42.3	42.1	41.5	40.4	39.2	38.1	36.8	35.6	34.3	33.0	30.1	23.3	13.5
3	*****	34.6	34.4	33.9	33.0	32.0	31.1	30.1	29.1	28.0	26.9	24.6	19.0	11.0
4	*****	29.9	29.8	29.3	28.5	27.7	26.9	26.1	25.2	24.3	23.3	21.3	16.5	9.5
5	*****	26.8	26.6	26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.8	19.0	14.7	8.5
6	*****	24.4	24.3	23.9	23.3	22.6	22.0	21.3	20.6	19.8	19.0	17.4	13.5	7.8
7	*****	22.6	22.5	22.2	21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2
8	*****	21.1	20.7	20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.0	11.7	6.7	
9	*****	19.9	19.6	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3	
10	*****	18.8	18.5	18.1	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
11	*****	18.0	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7	
12	*****	17.2	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.5	
13	*****	16.5	16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3	
14	*****	15.9	15.7	15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1	
15	*****	15.4	15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
16	*****	14.7	14.3	13.9	13.5	13.0	12.6	12.1	11.7	11.0	10.6	8.2	4.8	
17	*****	14.2	13.8	13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6		
18	*****	13.8	13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5		
19	*****	13.5	13.1	12.7	12.3	12.0	11.6	11.1	10.7	9.8	7.6	4.4		
20	*****	13.1	12.8	12.4	12.0	11.7	11.3	10.8	10.4	9.5	7.4	4.3		
21	*****	12.8	12.5	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.2		
22	*****	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1		
23	*****	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0		
24	*****	12.0	11.7	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9		
25	*****	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8		
30	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5		
35	*****	9.9	9.6	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2		
40	*****	9.0	8.8	8.5	8.2	8.0	7.7	7.4	7.1	6.7	5.2	3.0		
45	*****	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.6	6.3	4.9	2.8		
50	*****	8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.3	6.0	4.7	2.7		
55	*****	7.7	7.5	7.3	7.0	6.8	6.5	6.3	6.0	5.7	4.4	2.6		
60	*****	7.4	7.2	6.9	6.7	6.5	6.3	6.0	5.8	5.5	4.3	2.5		
65	*****	7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.5	5.3	4.1	2.4		
70	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.1	3.9	2.3		
75	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	3.8	2.2		
80	*****	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	3.7	2.1		
85	*****	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.7	4.5	3.6	2.1		
90	*****	5.8	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.3	3.5	2.0		
95	*****	5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	3.4	2.0		
100	*****	5.5	5.4	5.2	5.0	4.9	4.7	4.5	4.3	4.1	3.3	1.9		
125	*****	4.8	4.7	4.5	4.3	4.2	4.0	3.8	3.6	3.5	2.9	1.7		
150	*****	4.4	4.3	4.1	4.0	3.8	3.6	3.5	3.3	3.2	2.7	1.6		
200	*****	3.6	3.4	3.3	3.0	2.9	2.7	2.6	2.5	2.4	2.3	1.3		
250	*****	3.1	2.9	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.2		
300	*****	2.7	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.1		
350	*****	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.0		
400	*****	1.6	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.9		
450	*****	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.8		
500	*****	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.7		

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

NEW BRUNSWICK

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	49.1	48.9	48.1	46.8	45.5	44.1	42.7	41.3	39.8	38.2	34.9	27.0	15.6
2	*****	34.7	34.5	34.0	33.1	32.2	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
3	*****	28.4	28.2	27.8	27.0	26.3	25.5	24.7	23.8	23.0	22.1	20.1	15.6	9.0
4	*****	24.6	24.4	24.1	23.4	22.8	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
5	*****	22.0	21.8	21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
6	*****	20.0	19.9	19.6	19.1	18.6	18.0	17.4	16.9	16.2	15.6	14.2	11.0	6.4
7	*****		18.5	18.2	17.7	17.2	16.7	16.2	15.6	15.0	14.4	13.2	10.2	5.9
8	*****		17.3	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
9	*****		16.3	16.0	15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2
10	*****		15.4	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9
11	*****		14.7	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.2	4.7
12	*****		14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
13	*****			13.3	13.0	12.6	12.2	11.9	11.5	11.0	10.6	9.7	7.5	4.3
14	*****			12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
15	*****			12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
16	*****			12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.6	8.7	6.8	3.9
17	*****			11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
18	*****			11.3	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
19	*****			11.0	10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
20	*****			10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5
21	*****			10.5	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
22	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3
23	*****			10.0	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
24	*****			9.8	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
25	*****			9.6	9.4	9.1	8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1
30	*****			8.8	8.5	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.8
35	*****				7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
40	*****				7.4	7.2	7.0	6.8	6.5	6.3	6.0	5.5	4.3	2.5
45	*****				7.0	6.8	6.6	6.4	6.2	5.9	5.7	5.2	4.0	2.3
50	*****				6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
55	*****				6.3	6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1
60	*****				6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
65	*****					5.6	5.5	5.3	5.1	4.9	4.7	4.3	3.4	1.9
70	*****					5.4	5.3	5.1	4.9	4.8	4.6	4.2	3.2	1.9
75	*****					5.3	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8
80	*****					5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7
85	*****					4.9	4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7
90	*****					4.8	4.7	4.5	4.4	4.2	4.0	3.7	2.8	1.6
95	*****					4.7	4.5	4.4	4.2	4.1	3.9	3.6	2.8	1.6
100	*****						4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6
125	*****						3.9	3.8	3.7	3.6	3.4	3.1	2.4	1.4
150	*****							3.5	3.4	3.2	3.1	2.8	2.2	1.3
200	*****								2.8	2.7	2.5	2.1	1.6	1.1
250	*****									2.4	2.2	1.9	1.4	1.0
300	*****										2.0	1.6	1.2	0.9
350	*****											1.4	1.0	0.8
400	*****												1.0	0.8
450	*****													0.7
500	*****													0.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

QUEBEC

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	82.6	82.2	81.8	80.6	78.4	76.2	73.9	71.6	69.2	66.6	64.0	58.4	45.3	26.1
2	58.4	58.1	57.9	57.0	55.4	53.9	52.3	50.6	48.9	47.1	45.3	41.3	32.0	18.5
3	47.7	47.5	47.2	46.5	45.3	44.0	42.7	41.3	39.9	38.5	37.0	33.7	26.1	15.1
4	41.3	41.1	40.9	40.3	39.2	38.1	37.0	35.8	34.6	33.3	32.0	29.2	22.6	13.1
5	36.9	36.8	36.6	36.0	35.1	34.1	33.1	32.0	30.9	29.8	28.6	26.1	20.2	11.7
6	33.7	33.6	33.4	32.9	32.0	31.1	30.2	29.2	28.2	27.2	26.1	23.9	18.5	10.7
7	*****	31.1	30.9	30.4	29.6	28.8	27.9	27.1	26.1	25.2	24.2	22.1	17.1	9.9
8	*****	29.1	28.9	28.5	27.7	26.9	26.1	25.3	24.4	23.6	22.6	20.7	16.0	9.2
9	*****	27.4	27.3	26.9	26.1	25.4	24.6	23.9	23.1	22.2	21.3	19.5	15.1	8.7
10	*****	26.0	25.9	25.5	24.8	24.1	23.4	22.6	21.9	21.1	20.2	18.5	14.3	8.3
11	*****	24.8	24.7	24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
12	*****	23.7	23.6	23.3	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5
13	*****	22.8	22.7	22.3	21.7	21.1	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.2
14	*****	22.0	21.9	21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0
15	*****	21.2	21.1	20.8	20.2	19.7	19.1	18.5	17.9	17.2	16.5	15.1	11.7	6.7
16	*****	20.6	20.5	20.1	19.6	19.0	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
17	*****	19.9	19.8	19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3
18	*****	19.4	19.3	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
19	*****	18.9	18.8	18.5	18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0
20	*****	18.4	18.3	18.0	17.5	17.0	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8
21	*****	17.9	17.9	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.8	9.9	5.7
22	*****	17.5	17.4	17.2	16.7	16.2	15.8	15.3	14.7	14.2	13.6	12.5	9.7	5.6
23	*****	17.1	17.1	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
24	*****	16.8	16.7	16.4	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
25	*****	16.4	16.4	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
30	*****	15.0	14.9	14.7	14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
35	*****	13.9	13.8	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
40	*****	13.0	12.9	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1
45	*****	12.3	12.2	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
50	*****	11.6	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
55	*****	11.1	11.0	10.9	10.6	10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5
60	*****	10.6	10.6	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
65	*****	*****	10.1	10.0	9.7	9.5	9.2	8.9	8.6	8.3	7.9	7.2	5.6	3.2
70	*****	*****	9.8	9.6	9.4	9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1
75	*****	*****	9.4	9.3	9.1	8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0
80	*****	*****	9.1	9.0	8.8	8.5	8.3	8.0	7.7	7.5	7.2	6.5	5.1	2.9
85	*****	*****	8.9	8.7	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8
90	*****	*****	8.6	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
95	*****	*****	8.4	8.3	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
100	*****	*****	8.2	8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
125	*****	*****	7.3	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3
150	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.8	3.7	2.1
200	*****	*****	*****	5.7	5.5	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8
250	*****	*****	*****	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.0	3.7	2.9	1.7
300	*****	*****	*****	4.7	4.5	4.4	4.3	4.1	4.0	3.8	3.7	3.4	2.6	1.5
350	*****	*****	*****	4.2	4.1	4.0	3.8	3.7	3.6	3.4	3.1	2.4	1.4	1.4
400	*****	*****	*****	3.9	3.8	3.7	3.6	3.5	3.3	3.2	2.9	2.3	1.3	1.3
450	*****	*****	*****	3.7	3.6	3.5	3.4	3.3	3.1	3.0	2.8	2.1	1.2	1.2
500	*****	*****	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2	1.2
750	*****	*****	*****	*****	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.7	1.0	1.0
1000	*****	*****	*****	*****	*****	2.3	2.3	2.2	2.1	2.0	1.8	1.4	0.8	0.8
1500	*****	*****	*****	*****	*****	*****	1.8	1.8	1.7	1.7	1.5	1.2	0.7	0.7
2000	*****	*****	*****	*****	*****	*****	*****	1.5	1.5	1.4	1.3	1.0	0.6	0.6
3000	*****	*****	*****	*****	*****	*****	*****	*****	1.1	1.1	0.8	0.5	0.5	0.5
4000	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.7	0.7	0.4	0.4	0.4
5000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.4	0.4	0.4	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

ONTARIO

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	76.5	76.2	75.8	74.6	72.6	70.6	68.5	66.3	64.1	61.7	59.3	54.1	41.9	24.2
2	54.1	53.9	53.6	52.8	51.4	49.9	48.4	46.9	45.3	43.7	41.9	38.3	29.7	17.1
3	44.2	44.0	43.8	43.1	41.9	40.8	39.5	38.3	37.0	35.6	34.2	31.3	24.2	14.0
4	38.3	38.1	37.9	37.3	36.3	35.3	34.2	33.2	32.0	30.9	29.7	27.1	21.0	12.1
5	34.2	34.1	33.9	33.4	32.5	31.6	30.6	29.7	28.6	27.6	26.5	24.2	18.8	10.8
6	31.2	31.1	30.9	30.5	29.7	28.8	28.0	27.1	26.2	25.2	24.2	22.1	17.1	9.9
7	28.9	28.8	28.6	28.2	27.5	26.7	25.9	25.1	24.2	23.3	22.4	20.5	15.9	9.2
8	27.1	26.9	26.8	26.4	25.7	25.0	24.2	23.4	22.6	21.8	21.0	19.1	14.8	8.6
9	25.5	25.4	25.3	24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.0	14.0	8.1
10	24.2	24.1	24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
11	*****	23.0	22.9	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
12	*****	22.0	21.9	21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0
13	*****	21.1	21.0	20.7	20.1	19.6	19.0	18.4	17.8	17.1	16.4	15.0	11.6	6.7
14	*****	20.4	20.3	19.9	19.4	18.9	18.3	17.7	17.1	16.5	15.9	14.5	11.2	6.5
15	*****	19.7	19.6	19.3	18.8	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.3
16	*****	19.0	19.0	18.7	18.2	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1
17	*****	18.5	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
18	*****	18.0	17.9	17.6	17.1	16.6	16.1	15.6	15.1	14.6	14.0	12.8	9.9	5.7
19	*****	17.5	17.4	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
20	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
21	*****	16.6	16.5	16.3	15.9	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.2	5.3
22	*****	16.2	16.2	15.9	15.5	15.1	14.6	14.1	13.7	13.2	12.6	11.5	8.9	5.2
23	*****	15.9	15.8	15.6	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0
24	*****	15.6	15.5	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9
25	*****	15.2	15.2	14.9	14.5	14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8
30	*****	13.9	13.8	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
35	*****	12.9	12.8	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
40	*****	12.0	12.0	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
45	*****	11.4	11.3	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.3	3.6
50	*****	10.8	10.7	10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4
55	*****	10.3	10.2	10.1	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.7	3.3
60	*****	9.8	9.8	9.6	9.4	9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1
65	*****	9.4	9.4	9.3	9.0	8.8	8.5	8.2	7.9	7.7	7.4	6.7	5.2	3.0
70	*****	9.1	9.1	8.9	8.7	8.4	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
75	*****	8.8	8.8	8.6	8.4	8.2	7.9	7.7	7.4	7.1	6.8	6.3	4.8	2.8
80	*****	8.5	8.5	8.3	8.1	7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
85	*****	8.3	8.2	8.1	7.9	7.7	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
90	*****	8.0	8.0	7.9	7.7	7.4	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
95	*****	7.8	7.8	7.7	7.5	7.2	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
100	*****	7.6	7.6	7.5	7.3	7.1	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
125	*****	6.8	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	4.3	3.8	2.2
150	*****	6.2	6.1	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.4	3.4	3.0	2.0
200	*****	5.4	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.2	3.8	3.0	2.4	1.7
250	*****	4.7	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.4	2.7	2.1	1.5	1.1
300	*****	4.3	4.2	4.1	4.0	3.8	3.7	3.6	3.4	3.1	2.4	1.4	1.1	0.8
350	*****	4.0	3.9	3.8	3.7	3.5	3.4	3.3	3.2	2.9	2.2	1.3	1.0	0.7
400	*****	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.7	2.1	1.2	0.9	0.6
450	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1	0.8	0.5
500	*****	3.3	3.2	3.2	3.1	3.0	2.9	2.8	2.7	2.4	1.9	1.1	0.8	0.5
750	*****	2.7	2.6	2.5	2.4	2.3	2.2	2.0	1.9	1.7	1.3	0.8	0.5	0.3
1000	*****	2.3	2.2	2.2	2.1	2.0	1.9	1.7	1.6	1.5	1.1	0.6	0.4	0.3
1500	*****	1.8	1.8	1.7	1.7	1.6	1.5	1.4	1.3	1.2	0.9	0.5	0.3	0.2
2000	*****	1.5	1.5	1.4	1.4	1.4	1.3	1.2	1.1	1.0	0.8	0.4	0.3	0.2
3000	*****	1.2	1.1	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1
4000	*****	0.9	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1
5000	*****	0.8	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1
6000	*****	0.5	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7000	*****	0.5	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8000	*****	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9000	*****	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

MANITOBA

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	61.2	60.9	60.0	58.4	56.8	55.1	53.3	51.5	49.6	47.7	43.5	33.7	19.5
2	*****	43.3	43.1	42.4	41.3	40.1	38.9	37.7	36.4	35.1	33.7	30.8	23.8	13.8
3	*****	35.4	35.2	34.6	33.7	32.8	31.8	30.8	29.7	28.7	27.5	25.1	19.5	11.2
4	*****	30.6	30.5	30.0	29.2	28.4	27.5	26.7	25.8	24.8	23.8	21.8	16.9	9.7
5	*****	27.4	27.3	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7
6	*****	25.0	24.9	24.5	23.8	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	7.9
7	*****	23.1	23.0	22.7	22.1	21.4	20.8	20.1	19.5	18.8	18.0	16.5	12.7	7.4
8	*****	21.7	21.5	21.2	20.6	20.1	19.5	18.8	18.2	17.5	16.9	15.4	11.9	6.9
9	*****	20.4	20.3	20.0	19.5	18.9	18.4	17.8	17.2	16.5	15.9	14.5	11.2	6.5
10	*****	19.3	19.0	18.5	17.9	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
11	*****	18.4	18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9	
12	*****	17.6	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6	
13	*****	16.9	16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4	
14	*****	16.3	16.0	15.6	15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2	
15	*****	15.7	15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0	
16	*****	15.2	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9	
17	*****	14.8	14.6	14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7	
18	*****	14.4	14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6	
19	*****	13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.4	9.5	7.4	4.5	
20	*****	13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	10.2	9.3	7.2	4.2	
21	*****	13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.9	9.1	7.0	4.1	
22	*****	12.8	12.5	12.1	11.7	11.4	11.0	10.6	10.2	9.7	8.9	6.9	4.0	
23	*****	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.4	8.7	6.7	3.9	
24	*****	12.2	11.9	11.6	11.2	10.9	10.5	10.1	9.7	9.2	8.5	6.5	3.8	
25	*****	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	9.0	8.3	6.3	3.6	
30	*****	11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.4	7.7	5.7	3.3	
35	*****	10.1	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.1	3.1	
40	*****	9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.5	7.2	6.5	4.5	2.9	
45	*****	8.9	8.7	8.5	8.2	7.9	7.7	7.4	7.1	6.8	6.1	4.1	2.8	
50	*****	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.4	6.1	5.4	3.4	2.6	
55	*****	7.9	7.7	7.4	7.2	6.9	6.7	6.4	6.1	5.8	5.1	3.1	2.5	
60	*****	7.5	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.7	5.0	3.0	2.4	
65	*****	7.2	7.0	6.8	6.6	6.4	6.2	5.9	5.7	5.4	4.7	2.7	2.3	
70	*****	7.0	6.8	6.6	6.4	6.2	5.9	5.7	5.4	5.1	4.4	2.4	2.2	
75	*****	6.7	6.6	6.4	6.2	5.9	5.7	5.4	5.1	4.8	4.1	2.1	2.1	
80	*****	6.5	6.3	6.2	6.0	5.8	5.5	5.3	5.0	4.7	4.0	2.0	2.1	
85	*****	6.3	6.2	6.0	5.8	5.6	5.4	5.2	4.9	4.6	3.9	1.9	2.0	
90	*****	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.7	4.4	3.7	1.7	2.0	
95	*****	5.8	5.6	5.5	5.3	5.1	4.9	4.7	4.4	4.1	3.4	1.4	1.9	
100	*****	5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	3.5	1.5	1.7	
125	*****	5.1	4.9	4.8	4.6	4.4	4.3	4.1	3.9	3.7	3.0	1.0	1.7	
150	*****	4.5	4.4	4.2	4.1	3.9	3.6	3.4	3.2	3.0	2.3	0.3	1.6	
200	*****	3.8	3.6	3.5	3.4	3.1	2.9	2.7	2.5	2.3	1.6	0.6	1.4	
250	*****	3.3	3.1	3.0	2.8	2.6	2.4	2.2	2.0	1.8	1.1	0.1	1.2	
300	*****	2.9	2.8	2.5	2.3	2.1	1.9	1.7	1.5	1.3	0.6	0.6	1.1	
350	*****	2.5	2.3	2.1	1.9	1.7	1.5	1.3	1.1	0.9	0.2	0.2	1.0	
400	*****	2.2	2.1	1.9	1.7	1.5	1.3	1.1	0.9	0.7	0.0	0.0	1.0	
450	*****	2.1	1.9	1.7	1.5	1.3	1.1	0.9	0.7	0.5	0.0	0.0	0.9	
500	*****	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.9	
750	*****	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

SASKATCHEWAN

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	47.3	47.0	46.3	45.1	43.8	42.5	41.1	39.7	38.3	36.8	33.6	26.0	15.0
2	*****	33.4	33.2	32.7	31.9	31.0	30.0	29.1	28.1	27.1	26.0	23.7	18.4	10.6
3	*****	27.3	27.1	26.7	26.0	25.3	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7
4	*****	23.6	23.5	23.1	22.5	21.9	21.2	20.6	19.9	19.1	18.4	16.8	13.0	7.5
5	*****	21.1	21.0	20.7	20.2	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6	6.7
6	*****	19.3	19.2	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
7	*****	17.9	17.8	17.5	17.0	16.6	16.1	15.5	15.0	14.5	13.9	12.7	9.8	5.7
8	*****	16.6	16.4	15.9	15.5	15.0	14.5	14.1	13.5	13.0	11.9	9.2	5.3	
9	*****	15.7	15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0	
10	*****	14.9	14.6	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7	
11	*****	14.2	14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
12	*****	13.6	13.4	13.0	12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	
13	*****	13.0	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
14	*****	12.6	12.4	12.0	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0	
15	*****	12.1	12.0	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9	
16	*****	11.6	11.3	10.9	10.6	10.3	9.9	9.6	9.2	8.8	8.4	6.5	3.8	
17	*****	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6		
18	*****	10.9	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.9	6.1	3.5	
19	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4		
20	*****	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4		
21	*****	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3		
22	*****	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2		
23	*****	9.7	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1		
24	*****	9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1		
25	*****	9.3	9.0	8.8	8.5	8.2	7.9	7.7	7.4	6.7	5.2	3.0		
30	*****	8.5	8.2	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.7	2.7		
35	*****	7.8	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5		
40	*****	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.0	3.9	2.2	
45	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.7	2.1	
50	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.5	3.5	2.0		
55	*****	6.1	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.3	3.4	1.9		
60	*****	5.8	5.7	5.5	5.3	5.1	4.9	4.7	4.6	4.2	3.2	1.9		
65	*****	5.6	5.4	5.3	5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8		
70	*****	5.4	5.2	5.1	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7		
75	*****	5.2	5.1	4.9	4.7	4.6	4.4	4.3	4.1	3.8	2.9	1.7		
80	*****	4.9	4.7	4.6	4.4	4.3	4.1	3.8	3.5	3.2	2.7	1.5		
85	*****	4.7	4.6	4.5	4.3	4.2	4.0	3.6	3.4	3.1	2.6	1.5		
90	*****	4.6	4.5	4.3	4.2	4.1	3.9	3.8	3.4	3.2	2.7	1.5		
95	*****	4.5	4.4	4.2	4.1	4.0	3.8	3.7	3.4	3.2	2.7	1.5		
100	*****	4.4	4.2	4.1	4.0	3.8	3.7	3.4	3.2	2.7	1.5			
125	*****	3.8	3.7	3.6	3.4	3.3	3.0	2.7	2.1	1.2				
150	*****	3.5	3.4	3.2	3.1	3.0	2.7	2.1	1.2					
200	*****	2.8	2.7	2.6	2.4	1.8	1.1							
250	*****	2.4	2.3	2.1	1.6	0.9								
300	*****	2.1	1.9	1.5	0.9									
350	*****	1.8	1.4	0.8										
400	*****	1.3	0.8											
450	*****	1.2	0.7											
500	*****	1.2	0.7											

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

ALBERTA

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	72.9	72.5	72.2	71.0	69.2	67.2	65.2	63.1	61.0	58.8	56.5	51.5	39.9	23.1
2	51.5	51.3	51.0	50.2	48.9	47.5	46.1	44.6	43.1	41.6	39.9	36.4	28.2	16.3
3	*****	41.9	41.7	41.0	39.9	38.8	37.6	36.4	35.2	33.9	32.6	29.8	23.1	13.3
4	*****	36.3	36.1	35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5
5	*****	32.4	32.3	31.8	30.9	30.1	29.2	28.2	27.3	26.3	25.3	23.1	17.9	10.3
6	*****	29.6	29.5	29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.1	21.0	16.3	9.4
7	*****	27.4	27.3	26.9	26.1	25.4	24.6	23.9	23.1	22.2	21.3	19.5	15.1	8.7
8	*****	25.6	25.5	25.1	24.4	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.1
9	*****	24.2	24.1	23.7	23.1	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
10	*****	22.9	22.8	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
11	*****	21.9	21.8	21.4	20.8	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	6.9
12	*****	20.9	20.8	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
13	*****	20.1	20.0	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
14	*****	19.4	19.3	19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
15	*****	18.7	18.6	18.3	17.9	17.4	16.8	16.3	15.7	15.2	14.6	13.3	10.3	6.0
16	*****	18.1	18.0	17.8	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
17	*****	17.6	17.5	17.2	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
18	*****	17.1	17.0	16.7	16.3	15.8	15.4	14.9	14.4	13.9	13.3	12.1	9.4	5.4
19	*****	16.6	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
20	*****	16.2	16.1	15.9	15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2
21	*****	15.8	15.7	15.5	15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
22	*****	15.5	15.4	15.1	14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9
23	*****	15.1	15.0	14.8	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.7	8.3	4.8
24	*****	14.8	14.7	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
25	*****	14.5	14.4	14.2	13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6
30	*****	*****	13.2	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
35	*****	*****	12.2	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
40	*****	*****	11.4	11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
45	*****	*****	10.8	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
50	*****	*****	10.2	10.0	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
55	*****	*****	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
60	*****	*****	*****	9.2	8.9	8.7	8.4	8.1	7.9	7.6	7.3	6.7	5.2	3.0
65	*****	*****	*****	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
70	*****	*****	*****	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
75	*****	*****	*****	8.2	8.0	7.8	7.5	7.3	7.0	6.8	6.5	6.0	4.6	2.7
80	*****	*****	*****	7.9	7.7	7.5	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6
85	*****	*****	*****	7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5
90	*****	*****	*****	7.5	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4
95	*****	*****	*****	7.3	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
100	*****	*****	*****	7.1	6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.2	4.0	2.3
125	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.5	5.3	5.1	4.6	3.6	2.1
150	*****	*****	*****	5.6	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	3.3	1.9
200	*****	*****	*****	4.9	4.8	4.6	4.5	4.3	4.2	4.0	3.6	3.6	2.8	1.6
250	*****	*****	*****	4.4	4.3	4.1	4.0	3.9	3.7	3.6	3.3	2.5	1.5	1.5
300	*****	*****	*****	*****	3.9	3.8	3.6	3.5	3.4	3.3	3.0	2.3	1.3	1.3
350	*****	*****	*****	*****	3.6	3.5	3.4	3.3	3.1	3.0	2.8	2.1	1.2	1.2
400	*****	*****	*****	*****	*****	3.3	3.2	3.0	2.9	2.8	2.6	2.0	1.2	1.2
450	*****	*****	*****	*****	*****	3.1	3.0	2.9	2.8	2.7	2.4	1.9	1.1	1.1
500	*****	*****	*****	*****	*****	2.9	2.8	2.7	2.6	2.5	2.3	1.8	1.0	1.0
750	*****	*****	*****	*****	*****	*****	2.2	2.1	2.1	1.9	1.5	0.8	0.8	0.8
1000	*****	*****	*****	*****	*****	*****	*****	1.8	1.6	1.3	0.7	0.6	0.6	0.6
1500	*****	*****	*****	*****	*****	*****	*****	*****	1.0	0.6	0.6	0.6	0.6	0.6
2000	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.5	0.5	0.5	0.5	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

BRITISH COLUMBIA

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	66.2	65.9	65.6	64.6	62.8	61.1	59.2	57.4	55.4	53.4	51.3	46.8	36.3	20.9
2	46.8	46.6	46.4	45.6	44.4	43.2	41.9	40.6	39.2	37.8	36.3	33.1	25.7	14.8
3	38.2	38.0	37.9	37.3	36.3	35.3	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1
4	*****	32.9	32.8	32.3	31.4	30.5	29.6	28.7	27.7	26.7	25.7	23.4	18.1	10.5
5	*****	29.5	29.3	28.9	28.1	27.3	26.5	25.7	24.8	23.9	22.9	20.9	16.2	9.4
6	*****	26.9	26.8	26.4	25.7	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.6
7	*****	24.9	24.8	24.4	23.7	23.1	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9
8	*****	23.3	23.2	22.8	22.2	21.6	20.9	20.3	19.6	18.9	18.1	16.6	12.8	7.4
9	*****	22.0	21.9	21.5	20.9	20.4	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0
10	*****	20.8	20.7	20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
11	*****	19.9	19.8	19.5	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
12	*****	19.0	18.9	18.6	18.1	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.0
13	*****	18.3	18.2	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8
14	*****	17.6	17.5	17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
15	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
16	*****	16.5	16.4	16.1	15.7	15.3	14.8	14.3	13.9	13.3	12.8	11.7	9.1	5.2
17	*****	16.0	15.9	15.7	15.2	14.8	14.4	13.9	13.4	13.0	12.4	11.4	8.8	5.1
18	*****	15.5	15.5	15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.6	4.9
19	*****	15.1	15.0	14.8	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.7	8.3	4.8
20	*****	14.7	14.7	14.4	14.0	13.7	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
21	*****	14.4	14.3	14.1	13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
22	*****	14.0	14.0	13.8	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
23	*****	13.7	13.7	13.5	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
24	*****	13.5	13.4	13.2	12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
25	*****	13.2	13.1	12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
30	*****	12.0	12.0	11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.6	6.6	3.8
35	*****	11.1	11.1	10.9	10.6	10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
40	*****	10.4	10.2	9.9	9.7	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3	3.1
45	*****	9.8	9.6	9.4	9.1	8.8	8.6	8.3	8.0	7.6	7.0	5.4	3.1	3.0
50	*****	9.3	9.1	8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0	2.8
55	*****	8.8	8.7	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8	2.7
60	*****	8.5	8.3	8.1	7.9	7.6	7.4	7.2	6.9	6.6	6.0	4.7	2.7	2.6
65	*****	8.1	8.0	7.8	7.6	7.3	7.1	6.9	6.6	6.4	5.8	4.5	2.6	2.5
70	*****	7.8	7.7	7.5	7.3	7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5	2.4
75	*****	7.5	7.3	7.1	6.8	6.6	6.4	6.2	6.0	5.9	5.4	4.2	2.4	2.3
80	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.7	5.2	4.1	2.3	2.3
85	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3	2.3	2.2
90	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2	2.1	2.1
95	*****	6.6	6.4	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.1	2.1	2.1
100	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1	2.1	2.1
125	*****	5.8	5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9	1.9	1.9
150	*****	5.3	5.1	5.0	4.8	4.7	4.5	4.4	4.2	3.8	3.0	1.7	1.7	1.7
200	*****	4.4	4.3	4.2	4.1	3.9	3.8	3.6	3.3	2.6	1.5	1.5	1.5	1.5
250	*****	4.0	3.9	3.7	3.6	3.5	3.4	3.2	3.0	2.3	1.3	1.3	1.3	1.3
300	*****	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.7	2.1	1.2	1.2	1.2	1.2
350	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.7	2.5	1.9	1.1	1.1	1.1	1.1
400	*****	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	1.8	1.0	1.0	1.0
450	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.6	0.9	0.9	0.9	0.9
500	*****	2.7	2.6	2.6	2.6	2.5	2.4	2.3	2.1	1.6	0.9	0.9	0.9	0.9
750	*****	2.1	2.0	1.9	1.9	1.7	1.3	0.8	0.8	0.8	0.5	0.5	0.5	0.5
1000	*****	1.8	1.7	1.6	1.5	1.1	0.7	0.7	0.7	0.7	0.5	0.5	0.5	0.5
1500	*****	1.2	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9
2000	*****	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
3000	*****	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

TERRITORIES

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		24.6	24.2	23.5	22.9	22.2	21.5	20.8	20.0	19.2	17.5	13.6	7.8
2	*****			17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
3	*****			14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
4	*****				11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
5	*****				10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
6	*****				9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
7	*****				8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
8	*****					8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
9	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
10	*****					7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5
11	*****						6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
12	*****						6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
13	*****						6.2	6.0	5.8	5.5	5.3	4.9	3.8	2.2
14	*****						5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
15	*****							5.5	5.4	5.2	5.0	4.5	3.5	2.0
16	*****							5.4	5.2	5.0	4.8	4.4	3.4	2.0
17	*****							5.2	5.0	4.9	4.7	4.3	3.3	1.9
18	*****								4.9	4.7	4.5	4.1	3.2	1.8
19	*****								4.8	4.6	4.4	4.0	3.1	1.8
20	*****								4.6	4.5	4.3	3.9	3.0	1.8
21	*****								4.5	4.4	4.2	3.8	3.0	1.7
22	*****									4.3	4.1	3.7	2.9	1.7
23	*****									4.2	4.0	3.7	2.8	1.6
24	*****									4.1	3.9	3.6	2.8	1.6
25	*****									4.0	3.8	3.5	2.7	1.6
30	*****											3.2	2.5	1.4
35	*****											3.0	2.3	1.3
40	*****												2.1	1.2
45	*****												2.0	1.2
50	*****												1.9	1.1
55	*****													1.1
60	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Health Regions

Health and Community Services St John's Region (10901)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	59.6	59.3	58.4	56.8	55.2	53.6	51.9	50.1	48.3	46.4	42.4	32.8	18.9
2	*****	41.9	41.3	40.2	39.1	37.9	36.7	35.4	34.2	32.8	30.0	23.2	13.4	
3	*****	34.2	33.7	32.8	31.9	30.9	30.0	28.9	27.9	26.8	24.5	18.9	10.9	
4	*****	29.2	28.4	27.6	26.8	25.9	25.1	24.2	23.2	21.2	16.4	9.5		
5	*****	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.8	18.9	14.7	8.5		
6	*****	23.8	23.2	22.6	21.9	21.2	20.5	19.7	18.9	17.3	13.4	7.7		
7	*****	22.1	21.5	20.9	20.3	19.6	18.9	18.3	17.5	16.0	12.4	7.2		
8	*****	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7		
9	*****	18.9	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3			
10	*****	18.0	17.5	16.9	16.4	15.9	15.3	14.7	13.4	10.4	6.0			
11	*****	17.1	16.7	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7			
12	*****	16.4	15.9	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5			
13	*****	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3			
14	*****	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1			
15	*****	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9			
16	*****	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7			
17	*****	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6				
18	*****	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5				
19	*****	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3				
20	*****	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2				
21	*****	12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1				
22	*****	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0				
23	*****	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0				
24	*****	11.3	10.9	10.6	10.2	9.9	9.5	8.6	6.7	3.9				
25	*****	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8					
30	*****	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5					
35	*****	8.8	8.5	8.2	7.8	7.2	5.5	3.2						
40	*****	8.2	7.9	7.6	7.3	6.7	5.2	3.0						
45	*****	7.5	7.2	6.9	6.3	4.9	2.8							
50	*****	6.8	6.6	6.0	4.6	2.7								
55	*****	6.5	6.3	5.7	4.4	2.6								
60	*****	6.0	5.5	4.2	2.4									
65	*****	5.8	5.3	4.1	2.4									
70	*****	5.1	3.9	2.3										
75	*****	4.9	3.8	2.2										
80	*****	4.7	3.7	2.1										
85	*****	3.6	2.1											
90	*****	3.5	2.0											
95	*****	3.4	1.9											
100	*****	3.3	1.9											
125	*****	1.7												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Health and Community Services Eastern Region (10902)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	44.0	43.4	42.2	41.0	39.8	38.5	37.2	35.9	34.5	31.5	24.4	14.1	
2	*****		30.7	29.8	29.0	28.1	27.2	26.3	25.4	24.4	22.2	17.2	9.9	
3	*****		25.0	24.4	23.7	23.0	22.2	21.5	20.7	19.9	18.2	14.1	8.1	
4	*****		21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0	
5	*****			18.9	18.3	17.8	17.2	16.6	16.0	15.4	14.1	10.9	6.3	
6	*****			17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7	
7	*****			16.0	15.5	15.0	14.6	14.1	13.6	13.0	11.9	9.2	5.3	
8	*****			14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0	
9	*****			14.1	13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7	
10	*****				13.0	12.6	12.2	11.8	11.3	10.9	9.9	7.7	4.4	
11	*****				12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2	
12	*****				11.8	11.5	11.1	10.7	10.4	9.9	9.1	7.0	4.1	
13	*****				11.4	11.0	10.7	10.3	9.9	9.6	8.7	6.8	3.9	
14	*****				11.0	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8	
15	*****					10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6	
16	*****					9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5	
17	*****					9.7	9.3	9.0	8.7	8.4	7.6	5.9	3.4	
18	*****					9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3	
19	*****					9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	
20	*****						8.6	8.3	8.0	7.7	7.0	5.4	3.1	
21	*****						8.4	8.1	7.8	7.5	6.9	5.3	3.1	
22	*****						8.2	7.9	7.6	7.3	6.7	5.2	3.0	
23	*****						8.0	7.8	7.5	7.2	6.6	5.1	2.9	
24	*****						7.9	7.6	7.3	7.0	6.4	5.0	2.9	
25	*****							7.4	7.2	6.9	6.3	4.9	2.8	
30	*****								6.5	6.3	5.7	4.4	2.6	
35	*****									5.8	5.3	4.1	2.4	
40	*****										5.0	3.9	2.2	
45	*****											4.7	3.6	2.1
50	*****												3.4	2.0
55	*****													3.3
60	*****													3.1
65	*****													3.0
70	*****													1.7
75	*****													1.6
80	*****													1.6
85	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Health and Community Services Central Region (10903)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.2	33.9	30.9	23.9	13.8	
2	*****		30.1	29.3	28.5	27.6	26.8	25.9	24.9	23.9	21.9	16.9	9.8	
3	*****		24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	17.8	13.8	8.0	
4	*****		21.3	20.7	20.2	19.5	18.9	18.3	17.6	16.9	15.5	12.0	6.9	
5	*****			18.5	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2	
6	*****			16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6	
7	*****			15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2	
8	*****			14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9	
9	*****				13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6	
10	*****				12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4	
11	*****				12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
12	*****				11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0	
13	*****				11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8	
14	*****					10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7	
15	*****					10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	
16	*****						9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
17	*****						9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.4
18	*****							8.9	8.6	8.3	8.0	7.3	5.6	3.3
19	*****							8.7	8.4	8.1	7.8	7.1	5.5	3.2
20	*****							8.5	8.2	7.9	7.6	6.9	5.4	3.1
21	*****							8.3	8.0	7.7	7.4	6.7	5.2	3.0
22	*****							8.1	7.8	7.5	7.2	6.6	5.1	2.9
23	*****								7.6	7.3	7.1	6.4	5.0	2.9
24	*****								7.5	7.2	6.9	6.3	4.9	2.8
25	*****								7.3	7.0	6.8	6.2	4.8	2.8
30	*****									6.4	6.2	5.6	4.4	2.5
35	*****										5.7	5.2	4.0	2.3
40	*****											4.9	3.8	2.2
45	*****												3.6	2.1
50	*****												3.4	2.0
55	*****												3.2	1.9
60	*****												3.1	1.8
65	*****													1.7
70	*****													1.7
75	*****													1.6
80	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Health & Com. Serv. Western Region / Grenfell Reg. Health Serv. Board / Health Labrador Corp. (10904)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	36.9	36.8	36.2	35.2	34.2	33.2	32.2	31.1	29.9	28.8	26.3	20.3	11.7
2	*****	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3	
3	*****		20.9	20.3	19.8	19.2	18.6	17.9	17.3	16.6	15.2	11.7	6.8	
4	*****		18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9	
5	*****		16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3	
6	*****			14.4	14.0	13.6	13.1	12.7	12.2	11.7	10.7	8.3	4.8	
7	*****				13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4
8	*****					12.5	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2
9	*****						11.7	11.4	11.1	10.7	10.4	10.0	9.6	8.8
10	*****							11.1	10.8	10.5	10.2	9.8	9.5	9.1
11	*****								10.3	10.0	9.7	9.4	9.0	8.7
12	*****									9.9	9.6	9.3	9.0	8.6
13	*****										9.5	9.2	8.9	8.6
14	*****											9.2	8.9	8.6
15	*****												8.8	8.6
16	*****													8.8
17	*****													8.3
18	*****													8.3
19	*****													8.0
20	*****													8.0
21	*****													7.8
22	*****													7.8
23	*****													7.8
24	*****													7.6
25	*****													7.6
30	*****													7.4
35	*****													7.4
40	*****													7.2
45	*****													7.2
50	*****													7.0
55	*****													7.0
60	*****													6.9
65	*****													6.9
70	*****													6.9
75	*****													6.8
80	*****													6.8
85	*****													6.8
90	*****													6.7
95	*****													6.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
West Prince / Summerside / Kings (11901)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	28.1	27.6	26.9	26.1	25.4	24.6	23.7	22.9	22.0	20.0	15.5	9.0	
2	*****	19.5	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3		
3	*****	16.0	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2		
4	*****		13.4	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5		
5	*****		12.0	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0		
6	*****		11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7		
7	*****			9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4		
8	*****			9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2		
9	*****			8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0		
10	*****				8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8		
11	*****					7.6	7.4	7.2	6.9	6.6	6.0	4.7	2.7	
12	*****						7.3	7.1	6.8	6.6	6.0	4.5	2.6	
13	*****							6.8	6.6	6.3	6.1	5.6	4.3	2.5
14	*****							6.6	6.3	6.1	5.9	5.4	4.1	2.4
15	*****							6.3	6.1	5.9	5.7	5.2	4.0	2.3
16	*****								5.9	5.7	5.5	5.0	3.9	2.2
17	*****								5.8	5.5	5.3	4.9	3.8	2.2
18	*****								5.6	5.4	5.2	4.7	3.7	2.1
19	*****									5.2	5.0	4.6	3.6	2.1
20	*****									5.1	4.9	4.5	3.5	2.0
21	*****										5.0	4.4	3.4	2.0
22	*****										4.7	4.3	3.3	1.9
23	*****										4.6	4.2	3.2	1.9
24	*****										4.5	4.1	3.2	1.8
25	*****											4.0	3.1	1.8
30	*****											3.7	2.8	1.6
35	*****												2.6	1.5
40	*****												2.5	1.4
45	*****													1.3
50	*****													1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Queens (11903)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		35.5	35.0	34.0	33.1	32.1	31.1	30.0	28.9	27.8	25.4	19.7	11.3
2	*****			24.7	24.1	23.4	22.7	22.0	21.2	20.5	19.7	17.9	13.9	8.0
3	*****				19.7	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.6
4	*****				17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7
5	*****				15.2	14.8	14.4	13.9	13.4	12.9	12.4	11.3	8.8	5.1
6	*****					13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6
7	*****					12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
8	*****						11.7	11.3	11.0	10.6	10.2	9.8	6.9	4.0
9	*****						10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8
10	*****							10.1	9.8	9.5	9.1	8.8	6.2	3.6
11	*****							9.7	9.4	9.1	8.7	8.4	5.9	3.4
12	*****								9.0	8.7	8.4	8.0	5.7	3.3
13	*****								8.6	8.3	8.0	7.7	5.5	3.1
14	*****								8.3	8.0	7.7	7.4	5.3	3.0
15	*****									7.8	7.5	7.2	5.1	2.9
16	*****									7.5	7.2	6.9	4.9	2.8
17	*****									7.3	7.0	6.7	4.8	2.8
18	*****										6.8	6.6	4.6	2.7
19	*****										6.6	6.4	4.5	2.6
20	*****										6.5	6.2	4.4	2.5
21	*****											6.1	4.3	2.5
22	*****											5.9	4.2	2.4
23	*****											5.8	4.1	2.4
24	*****											5.2	4.0	2.3
25	*****											5.1	3.9	2.3
30	*****												3.6	2.1
35	*****												3.3	1.9
40	*****												3.1	1.8
45	*****													1.7
50	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Zone 1 - Nova-Scotia (12901)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	50.1	49.9	49.1	47.8	46.5	45.1	43.6	42.2	40.6	39.0	35.6	27.6	15.9
2	*****		35.3	34.7	33.8	32.8	31.9	30.9	29.8	28.7	27.6	25.2	19.5	11.3
3	*****			28.4	27.6	26.8	26.0	25.2	24.3	23.5	22.5	20.6	15.9	9.2
4	*****			24.6	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
5	*****			22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.3	7.1
6	*****				19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5
7	*****				18.1	17.6	17.0	16.5	15.9	15.4	14.8	13.5	10.4	6.0
8	*****				16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
9	*****				15.9	15.5	15.0	14.5	14.1	13.5	13.0	11.9	9.2	5.3
10	*****				15.1	14.7	14.3	13.8	13.3	12.8	12.3	11.3	8.7	5.0
11	*****					14.0	13.6	13.2	12.7	12.2	11.8	10.7	8.3	4.8
12	*****					13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
13	*****					12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
14	*****					12.4	12.0	11.7	11.3	10.9	10.4	9.5	7.4	4.3
15	*****					12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
16	*****					11.6	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0
17	*****						10.9	10.6	10.2	9.9	9.5	8.6	6.7	3.9
18	*****						10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8
19	*****						10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
20	*****						10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
21	*****						9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
22	*****							9.3	9.0	8.7	8.3	7.6	5.9	3.4
23	*****							9.1	8.8	8.5	8.1	7.4	5.8	3.3
24	*****							8.9	8.6	8.3	8.0	7.3	5.6	3.3
25	*****							8.7	8.4	8.1	7.8	7.1	5.5	3.2
30	*****								7.7	7.4	7.1	6.5	5.0	2.9
35	*****									6.9	6.6	6.0	4.7	2.7
40	*****										6.2	5.6	4.4	2.5
45	*****											5.3	4.1	2.4
50	*****												5.0	2.3
55	*****													3.7
60	*****													3.6
65	*****													3.4
70	*****													3.3
75	*****													3.2
80	*****													1.8
85	*****													1.7
90	*****													1.7
95	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Zone 2 - Nova-Scotia (12902)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		43.1	42.5	41.3	40.2	39.0	37.7	36.5	35.1	33.8	30.8	23.9	13.8
2	*****			30.0	29.2	28.4	27.6	26.7	25.8	24.8	23.9	21.8	16.9	9.7
3	*****			24.5	23.9	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	8.0
4	*****				20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
5	*****				18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
6	*****				16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
7	*****					15.2	14.7	14.3	13.8	13.3	12.8	11.6	9.0	5.2
8	*****					14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
9	*****					13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
10	*****					12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
11	*****						11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
12	*****						11.3	10.9	10.5	10.1	9.7	8.9	6.9	4.0
13	*****						10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
14	*****							10.1	9.7	9.4	9.0	8.2	6.4	3.7
15	*****								9.7	9.4	9.1	8.7	8.0	3.6
16	*****								9.4	9.1	8.8	8.4	7.7	3.4
17	*****								9.2	8.8	8.5	8.2	7.5	3.3
18	*****									8.6	8.3	8.0	7.3	3.2
19	*****									8.4	8.1	7.7	7.1	3.2
20	*****									8.2	7.9	7.5	6.9	3.1
21	*****										7.7	7.4	6.7	3.0
22	*****										7.5	7.2	6.6	2.9
23	*****										7.3	7.0	6.4	2.9
24	*****										7.2	6.9	6.3	2.8
25	*****										6.8	6.2	4.8	2.8
30	*****											5.6	4.4	2.5
35	*****												4.0	2.3
40	*****													3.8
45	*****													3.6
50	*****													1.9
55	*****													1.9
60	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Zone 3 - Nova-Scotia (12903)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	47.9	47.2	45.9	44.6	43.3	41.9	40.5	39.0	37.5	34.2	26.5	15.3	
2	*****		33.3	32.5	31.5	30.6	29.6	28.6	27.6	26.5	24.2	18.7	10.8	
3	*****		27.2	26.5	25.8	25.0	24.2	23.4	22.5	21.6	19.8	15.3	8.8	
4	*****		23.6	23.0	22.3	21.6	21.0	20.2	19.5	18.7	17.1	13.3	7.7	
5	*****			20.5	19.9	19.4	18.7	18.1	17.4	16.8	15.3	11.9	6.8	
6	*****			18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2	
7	*****			17.3	16.9	16.4	15.8	15.3	14.7	14.2	12.9	10.0	5.8	
8	*****			16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4	
9	*****			15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1	
10	*****				14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8	
11	*****				13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6	
12	*****				12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4	
13	*****				12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2	
14	*****					11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1	
15	*****					11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
16	*****					10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8	
17	*****					10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7	
18	*****					10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6	
19	*****						9.6	9.3	8.9	8.6	7.8	6.1	3.5	
20	*****						9.4	9.1	8.7	8.4	7.7	5.9	3.4	
21	*****						9.1	8.8	8.5	8.2	7.5	5.8	3.3	
22	*****						8.9	8.6	8.3	8.0	7.3	5.7	3.3	
23	*****							8.4	8.1	7.8	7.1	5.5	3.2	
24	*****							8.3	8.0	7.7	7.0	5.4	3.1	
25	*****							8.1	7.8	7.5	6.8	5.3	3.1	
30	*****								7.1	6.8	6.2	4.8	2.8	
35	*****									6.3	5.8	4.5	2.6	
40	*****										5.4	4.2	2.4	
45	*****											5.1	4.0	2.3
50	*****												3.7	2.2
55	*****													3.6
60	*****													3.4
65	*****													
70	*****													
75	*****													
80	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Zone 4 - Nova-Scotia (12904)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	43.8	43.1	42.0	40.8	39.6	38.3	37.0	35.7	34.3	31.3	24.2	14.0	
2	*****		30.5	29.7	28.9	28.0	27.1	26.2	25.2	24.2	22.1	17.1	9.9	
3	*****		24.9	24.2	23.6	22.9	22.1	21.4	20.6	19.8	18.1	14.0	8.1	
4	*****		21.6	21.0	20.4	19.8	19.2	18.5	17.8	17.1	15.6	12.1	7.0	
5	*****			18.8	18.2	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3	
6	*****			17.1	16.7	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7	
7	*****			15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3	
8	*****			14.8	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	4.9	
9	*****				13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7	
10	*****				12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4	
11	*****				12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	
12	*****					11.8	11.4	11.1	10.7	10.3	9.9	7.0	4.0	
13	*****						11.0	10.6	10.3	9.9	9.5	8.7	3.9	
14	*****						10.6	10.2	9.9	9.5	9.2	8.4	3.7	
15	*****						10.2	9.9	9.6	9.2	8.9	8.1	3.6	
16	*****							9.9	9.6	9.3	8.9	8.6	3.5	
17	*****								9.3	9.0	8.7	8.3	3.4	
18	*****								9.0	8.7	8.4	8.1	3.3	
19	*****								8.8	8.5	8.2	7.9	3.2	
20	*****								8.6	8.3	8.0	7.7	3.1	
21	*****									8.1	7.8	7.5	3.1	
22	*****									7.9	7.6	7.3	3.0	
23	*****									7.7	7.4	7.1	2.9	
24	*****									7.6	7.3	7.0	2.9	
25	*****										7.1	6.9	2.8	
30	*****											6.3	2.6	
35	*****												5.3	2.4
40	*****													4.9
45	*****													4.9
50	*****													3.8
55	*****													3.6
60	*****													3.4
65	*****													3.3
70	*****													3.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Zone 5 - Nova-Scotia (12905)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	52.8	52.6	51.8	50.4	49.0	47.5	46.0	44.4	42.8	41.1	37.5	29.1	16.8
2	*****	37.2	36.6	35.6	34.6	33.6	32.5	31.4	30.3	29.1	26.5	20.6	11.9	
3	*****		29.9	29.1	28.3	27.4	26.5	25.6	24.7	23.7	21.7	16.8	9.7	
4	*****		25.9	25.2	24.5	23.7	23.0	22.2	21.4	20.6	18.8	14.5	8.4	
5	*****		23.1	22.5	21.9	21.2	20.6	19.9	19.1	18.4	16.8	13.0	7.5	
6	*****			20.6	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.9	
7	*****			19.0	18.5	18.0	17.4	16.8	16.2	15.5	14.2	11.0	6.3	
8	*****			17.8	17.3	16.8	16.3	15.7	15.1	14.5	13.3	10.3	5.9	
9	*****			16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
10	*****			15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3	
11	*****				14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1	
12	*****				14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8	
13	*****				13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7	
14	*****				13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
15	*****				12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	
16	*****				12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
17	*****					11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1	
18	*****					11.2	10.8	10.5	10.1	9.7	8.8	6.9	4.0	
19	*****					10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.9	
20	*****					10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8	
21	*****					10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7	
22	*****						9.8	9.5	9.1	8.8	8.0	6.2	3.6	
23	*****						9.6	9.3	8.9	8.6	7.8	6.1	3.5	
24	*****						9.4	9.1	8.7	8.4	7.7	5.9	3.4	
25	*****						9.2	8.9	8.6	8.2	7.5	5.8	3.4	
30	*****							8.1	7.8	7.5	6.9	5.3	3.1	
35	*****								7.2	7.0	6.3	4.9	2.8	
40	*****									6.5	5.9	4.6	2.7	
45	*****										5.6	4.3	2.5	
50	*****										5.3	4.1	2.4	
55	*****											3.9	2.3	
60	*****											3.8	2.2	
65	*****											3.6	2.1	
70	*****											3.5	2.0	
75	*****											3.4	1.9	
80	*****												1.9	
85	*****												1.8	
90	*****												1.8	
95	*****												1.7	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Zone 6 - Nova-Scotia (12906)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	75.1	74.7	73.5	71.6	69.6	67.5	65.3	63.1	60.8	58.4	53.4	41.3	23.9
2	*****	53.1	52.8	52.0	50.6	49.2	47.7	46.2	44.6	43.0	41.3	37.7	29.2	16.9
3	*****	43.3	43.1	42.5	41.3	40.2	39.0	37.7	36.4	35.1	33.7	30.8	23.9	13.8
4	*****		37.3	36.8	35.8	34.8	33.7	32.7	31.6	30.4	29.2	26.7	20.7	11.9
5	*****		33.4	32.9	32.0	31.1	30.2	29.2	28.2	27.2	26.1	23.9	18.5	10.7
6	*****		30.5	30.0	29.2	28.4	27.6	26.7	25.8	24.8	23.9	21.8	16.9	9.7
7	*****			27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
8	*****			26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
9	*****			24.5	23.9	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	8.0
10	*****			23.3	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5
11	*****			22.2	21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2
12	*****			21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
13	*****			20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
14	*****			19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.0	6.4
15	*****			19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
16	*****			18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
17	*****				17.4	16.9	16.4	15.8	15.3	14.8	14.2	12.9	10.0	5.8
18	*****				16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
19	*****				16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.2	9.5	5.5
20	*****				16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
21	*****				15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.6	9.0	5.2
22	*****				15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
23	*****				14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
24	*****				14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
25	*****				14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
30	*****				13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
35	*****					11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
40	*****						11.0	10.7	10.3	10.0	9.6	9.2	8.4	3.8
45	*****						10.4	10.1	9.7	9.4	9.1	8.7	8.0	3.6
50	*****						9.8	9.5	9.2	8.9	8.6	8.3	7.5	3.4
55	*****							9.1	8.8	8.5	8.2	7.9	7.2	3.2
60	*****							8.7	8.4	8.1	7.9	7.5	6.9	3.1
65	*****							8.4	8.1	7.8	7.5	7.2	6.6	3.0
70	*****								7.8	7.5	7.3	7.0	6.4	2.9
75	*****								7.5	7.3	7.0	6.7	6.2	2.8
80	*****								7.3	7.1	6.8	6.5	6.0	2.7
85	*****									6.8	6.6	6.3	5.8	2.6
90	*****									6.7	6.4	6.2	5.6	2.5
95	*****									6.5	6.2	6.0	5.5	2.4
100	*****									6.3	6.1	5.8	5.3	2.4
125	*****										5.2	4.8	3.7	2.1
150	*****											4.4	3.4	1.9
200	*****												2.9	1.7
250	*****													1.5
300	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Region 1 - New-Brunswick (13901)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																							
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%										
1	*****	55.7	55.4	54.5	53.1	51.6	50.0	48.5	46.8	45.1	43.3	39.6	30.6	17.7										
2	*****		39.2	38.6	37.5	36.5	35.4	34.3	33.1	31.9	30.6	28.0	21.7	12.5										
3	*****		32.0	31.5	30.6	29.8	28.9	28.0	27.0	26.0	25.0	22.8	17.7	10.2										
4	*****			27.3	26.5	25.8	25.0	24.2	23.4	22.6	21.7	19.8	15.3	8.8										
5	*****			24.4	23.7	23.1	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9										
6	*****			22.3	21.7	21.1	20.4	19.8	19.1	18.4	17.7	16.2	12.5	7.2										
7	*****			20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7										
8	*****			19.3	18.8	18.2	17.7	17.1	16.6	15.9	15.3	14.0	10.8	6.3										
9	*****				17.7	17.2	16.7	16.2	15.6	15.0	14.4	13.2	10.2	5.9										
10	*****				16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6										
11	*****				16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3										
12	*****				15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1										
13	*****				14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9										
14	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7										
15	*****				13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6										
16	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4										
17	*****					12.5	12.1	11.8	11.4	10.9	10.5	9.6	7.4	4.3										
18	*****					12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2										
19	*****					11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1										
20	*****					11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.9	4.0										
21	*****					11.3	10.9	10.6	10.2	9.8	9.5	8.6	6.7	3.9										
22	*****					11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8										
23	*****					10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7										
24	*****					10.5	10.2	9.9	9.6	9.2	8.8	8.1	6.3	3.6										
25	*****						10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5										
30	*****							9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2									
35	*****								8.2	7.9	7.6	7.3	6.7	5.2	3.0									
40	*****									7.7	7.4	7.1	6.9	6.3	4.8	2.8								
45	*****										7.0	6.7	6.5	5.9	4.6	2.6								
50	*****											6.4	6.1	5.6	4.3	2.5								
55	*****												6.1	5.8	5.3	4.1	2.4							
60	*****													5.6	5.1	4.0	2.3							
65	*****														5.4	4.9	3.8	2.2						
70	*****															4.7	3.7	2.1						
75	*****																4.6	3.5	2.0					
80	*****																	4.4	3.4	2.0				
85	*****																		3.3	1.9				
90	*****																			3.2	1.9			
95	*****																				3.1	1.8		
100	*****																					3.1	1.8	
125	*****																							1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Region 2 - New-Brunswick (13902)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	52.2	52.0	51.2	49.8	48.4	47.0	45.5	43.9	42.3	40.7	37.1	28.8	16.6
2	*****	36.8	36.2	35.2	34.2	33.2	32.2	31.1	29.9	28.8	26.3	20.3	11.7	
3	*****	30.0	29.5	28.8	27.9	27.1	26.3	25.4	24.4	23.5	21.4	16.6	9.6	
4	*****		25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3	
5	*****		22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4	
6	*****		20.9	20.3	19.8	19.2	18.6	17.9	17.3	16.6	15.2	11.7	6.8	
7	*****		19.3	18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3	
8	*****			17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9	
9	*****			16.6	16.1	15.7	15.2	14.6	14.1	13.6	12.4	9.6	5.5	
10	*****			15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3	
11	*****			15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0	
12	*****			14.4	14.0	13.6	13.1	12.7	12.2	11.7	10.7	8.3	4.8	
13	*****			13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6	
14	*****			13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4	
15	*****			12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3	
16	*****				12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
17	*****				11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0	
18	*****				11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
19	*****				11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8	
20	*****				10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7	
21	*****				10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6	
22	*****				10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5	
23	*****					9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5	
24	*****					9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4	
25	*****					9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3	
30	*****					8.6	8.3	8.0	7.7	7.4	6.8	5.3	3.0	
35	*****						7.7	7.4	7.2	6.9	6.3	4.9	2.8	
40	*****							6.9	6.7	6.4	5.9	4.5	2.6	
45	*****							6.5	6.3	6.1	5.5	4.3	2.5	
50	*****								6.0	5.8	5.3	4.1	2.3	
55	*****									5.5	5.0	3.9	2.2	
60	*****									5.3	4.8	3.7	2.1	
65	*****										4.6	3.6	2.1	
70	*****										4.4	3.4	2.0	
75	*****										4.3	3.3	1.9	
80	*****											3.2	1.9	
85	*****											3.1	1.8	
90	*****											3.0	1.8	
95	*****											3.0	1.7	
100	*****											2.9	1.7	
125	*****												1.5	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Region 3 - New-Brunswick (13903)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	52.4	52.1	51.3	50.0	48.6	47.1	45.6	44.1	42.5	40.8	37.2	28.9	16.7
2	*****	36.9	36.3	35.3	34.3	33.3	32.3	31.2	30.0	28.9	26.3	20.4	11.8	
3	*****		29.6	28.9	28.0	27.2	26.3	25.4	24.5	23.6	21.5	16.7	9.6	
4	*****		25.7	25.0	24.3	23.6	22.8	22.0	21.2	20.4	18.6	14.4	8.3	
5	*****		23.0	22.3	21.7	21.1	20.4	19.7	19.0	18.2	16.7	12.9	7.4	
6	*****		21.0	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8	
7	*****		19.4	18.9	18.4	17.8	17.2	16.7	16.1	15.4	14.1	10.9	6.3	
8	*****			17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9	
9	*****			16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6	
10	*****				15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
11	*****				15.1	14.6	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
12	*****					14.4	14.0	13.6	13.2	12.7	12.3	11.8	8.3	4.8
13	*****					13.9	13.5	13.1	12.7	12.2	11.8	11.3	8.0	4.6
14	*****					13.4	13.0	12.6	12.2	11.8	11.3	10.9	7.7	4.5
15	*****						12.5	12.2	11.8	11.4	11.0	10.5	9.6	4.3
16	*****						12.1	11.8	11.4	11.0	10.6	10.2	9.3	4.2
17	*****						11.8	11.4	11.1	10.7	10.3	9.9	9.0	4.0
18	*****						11.4	11.1	10.8	10.4	10.0	9.6	8.8	3.9
19	*****						11.1	10.8	10.5	10.1	9.7	9.4	8.5	3.8
20	*****						10.9	10.5	10.2	9.9	9.5	9.1	8.3	3.7
21	*****						10.6	10.3	10.0	9.6	9.3	8.9	8.1	3.6
22	*****							10.0	9.7	9.4	9.1	8.7	7.9	3.6
23	*****							9.8	9.5	9.2	8.9	8.5	7.8	3.5
24	*****							9.6	9.3	9.0	8.7	8.3	7.6	3.4
25	*****							9.4	9.1	8.8	8.5	8.2	7.4	3.3
30	*****								8.3	8.0	7.8	7.4	6.8	3.0
35	*****								7.7	7.4	7.2	6.9	6.3	2.8
40	*****									7.0	6.7	6.5	5.9	2.6
45	*****									6.3	6.1	5.6	4.3	2.5
50	*****										5.8	5.3	4.1	2.4
55	*****										5.5	5.0	3.9	2.2
60	*****											4.8	3.7	2.2
65	*****												4.6	2.1
70	*****												4.5	2.0
75	*****													3.3
80	*****													3.2
85	*****													3.1
90	*****													3.0
95	*****													3.0
100	*****													1.7
125	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
 Region 4 / Region 5 - New-Brunswick (13904)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.1	27.9	25.5	19.7	11.4
2	*****			24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
3	*****			20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
4	*****				17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
5	*****				15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
6	*****				14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
7	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3
8	*****					11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
9	*****					11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
10	*****					10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
11	*****						9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
12	*****						9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
13	*****						8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2
14	*****						8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0
15	*****							8.1	7.8	7.5	7.2	6.6	5.1	2.9
16	*****							7.8	7.5	7.3	7.0	6.4	4.9	2.8
17	*****							7.6	7.3	7.0	6.8	6.2	4.8	2.8
18	*****								7.1	6.8	6.6	6.0	4.7	2.7
19	*****								6.9	6.7	6.4	5.8	4.5	2.6
20	*****								6.7	6.5	6.2	5.7	4.4	2.5
21	*****								6.6	6.3	6.1	5.6	4.3	2.5
22	*****									6.2	6.0	5.4	4.2	2.4
23	*****									6.1	5.8	5.3	4.1	2.4
24	*****									5.9	5.7	5.2	4.0	2.3
25	*****										5.6	5.1	3.9	2.3
30	*****											4.7	3.6	2.1
35	*****												4.3	1.9
40	*****													3.1
45	*****													2.9
50	*****													1.6
55	*****													1.5
60	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
 Region 6 / Region 7 - New-Brunswick (13906)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	41.5	41.3	40.7	39.6	38.5	37.3	36.1	34.9	33.6	32.3	29.5	22.9	13.2
2	*****	29.2	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.3	
3	*****		23.5	22.9	22.2	21.6	20.9	20.2	19.4	18.7	17.0	13.2	7.6	
4	*****		20.3	19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6	
5	*****		18.2	17.7	17.2	16.7	16.2	15.6	15.0	14.5	13.2	10.2	5.9	
6	*****			16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.0	9.3	5.4	
7	*****			15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0	
8	*****			14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.4	8.1	4.7	
9	*****			13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	
10	*****			12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2	
11	*****			11.9	11.6	11.3	10.9	10.5	10.1	9.7	8.9	6.9	4.0	
12	*****			11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8		
13	*****			10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7		
14	*****			10.3	10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5		
15	*****			9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.9	3.4	
16	*****			9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3		
17	*****				9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2		
18	*****				8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1		
19	*****				8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0		
20	*****				8.3	8.1	7.8	7.5	7.2	6.6	5.1	3.0		
21	*****				8.1	7.9	7.6	7.3	7.1	6.4	5.0	2.9		
22	*****				8.0	7.7	7.4	7.2	6.9	6.3	4.9	2.8		
23	*****					7.5	7.3	7.0	6.7	6.2	4.8	2.8		
24	*****					7.4	7.1	6.9	6.6	6.0	4.7	2.7		
25	*****					7.2	7.0	6.7	6.5	5.9	4.6	2.6		
30	*****						6.4	6.1	5.9	5.4	4.2	2.4		
35	*****							5.7	5.5	5.0	3.9	2.2		
40	*****								5.1	4.7	3.6	2.1		
45	*****									4.8	4.4	3.4	2.0	
50	*****										4.2	3.2	1.9	
55	*****											4.0	3.1	1.8
60	*****												3.0	1.7
65	*****													2.8
70	*****													2.7
75	*****													2.6
80	*****													2.6
85	*****													2.6
90	*****													2.6
95	*****													2.6
100	*****													2.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région du Bas-Saint-Laurent (24901)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																		
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%					
1	*****	52.2	52.0	51.2	49.8	48.4	47.0	45.5	43.9	42.3	40.7	37.1	28.8	16.6					
2	*****	36.7	36.2	35.2	34.2	33.2	32.1	31.1	29.9	28.8	26.2	20.3	11.7						
3	*****	30.0	29.5	28.8	27.9	27.1	26.2	25.4	24.4	23.5	21.4	16.6	9.6						
4	*****		25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3						
5	*****		22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4						
6	*****		20.9	20.3	19.8	19.2	18.6	17.9	17.3	16.6	15.2	11.7	6.8						
7	*****		19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3						
8	*****		18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9						
9	*****		16.6	16.1	15.7	15.2	14.6	14.1	13.6	12.4	9.6	5.5							
10	*****			15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2						
11	*****			15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0						
12	*****			14.4	14.0	13.6	13.1	12.7	12.2	11.7	10.7	8.3	4.8						
13	*****			13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6						
14	*****			13.3	12.9	12.5	12.1	11.7	11.3	10.9	9.9	7.7	4.4						
15	*****			12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3						
16	*****			12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1						
17	*****			12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0						
18	*****				11.4	11.1	10.7	10.4	10.0	9.6	8.7	6.8	3.9						
19	*****				11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8						
20	*****				10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7						
21	*****				10.6	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6						
22	*****				10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5						
23	*****				10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5						
24	*****				9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4						
25	*****				9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3						
30	*****					8.6	8.3	8.0	7.7	7.4	6.8	5.2	3.0						
35	*****						7.7	7.4	7.2	6.9	6.3	4.9	2.8						
40	*****							7.2	6.9	6.7	6.4	5.9	4.5	2.6					
45	*****								6.5	6.3	6.1	5.5	4.3	2.5					
50	*****								6.2	6.0	5.8	5.2	4.1	2.3					
55	*****									5.7	5.5	5.0	3.9	2.2					
60	*****									5.5	5.2	4.8	3.7	2.1					
65	*****										5.0	4.6	3.6	2.1					
70	*****											4.4	3.4	2.0					
75	*****												4.3	3.3	1.9				
80	*****													4.1	3.2	1.9			
85	*****														4.0	3.1	1.8		
90	*****															3.0	1.7		
95	*****																2.9	1.7	
100	*****																	2.9	1.7
125	*****																		1.5
150	*****																		1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Région du Saguenay - Lac-Saint-Jean (24902)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	62.5	62.2	61.2	59.6	57.9	56.2	54.4	52.5	50.6	48.6	44.4	34.4	19.9
2	*****	44.2	44.0	43.3	42.1	40.9	39.7	38.5	37.2	35.8	34.4	31.4	24.3	14.0
3	*****	*****	35.9	35.3	34.4	33.4	32.4	31.4	30.3	29.2	28.1	25.6	19.9	11.5
4	*****	*****	31.1	30.6	29.8	28.9	28.1	27.2	26.3	25.3	24.3	22.2	17.2	9.9
5	*****	*****	*****	27.4	26.6	25.9	25.1	24.3	23.5	22.6	21.8	19.9	15.4	8.9
6	*****	*****	*****	25.0	24.3	23.6	22.9	22.2	21.4	20.7	19.9	18.1	14.0	8.1
7	*****	*****	*****	23.1	22.5	21.9	21.2	20.6	19.9	19.1	18.4	16.8	13.0	7.5
8	*****	*****	*****	21.6	21.1	20.5	19.9	19.2	18.6	17.9	17.2	15.7	12.2	7.0
9	*****	*****	*****	20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
10	*****	*****	*****	19.4	18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
11	*****	*****	*****	18.5	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
12	*****	*****	*****	*****	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
13	*****	*****	*****	*****	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
14	*****	*****	*****	*****	15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3
15	*****	*****	*****	*****	15.4	14.9	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1
16	*****	*****	*****	*****	14.9	14.5	14.0	13.6	13.1	12.7	12.2	11.1	8.6	5.0
17	*****	*****	*****	*****	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
18	*****	*****	*****	*****	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
19	*****	*****	*****	*****	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
20	*****	*****	*****	*****	13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4
21	*****	*****	*****	*****	13.0	12.6	12.3	11.9	11.5	11.0	10.6	9.7	7.5	4.3
22	*****	*****	*****	*****	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
23	*****	*****	*****	*****	12.4	12.1	11.7	11.3	11.0	10.6	10.1	9.3	7.2	4.1
24	*****	*****	*****	*****	*****	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
25	*****	*****	*****	*****	*****	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
30	*****	*****	*****	*****	*****	10.6	10.3	9.9	9.6	9.2	8.9	8.1	6.3	3.6
35	*****	*****	*****	*****	*****	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4
40	*****	*****	*****	*****	*****	*****	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
45	*****	*****	*****	*****	*****	*****	8.4	8.1	7.8	7.5	7.3	6.6	5.1	3.0
50	*****	*****	*****	*****	*****	*****	7.7	7.4	7.2	6.9	6.6	6.0	4.6	2.7
55	*****	*****	*****	*****	*****	*****	7.3	7.1	6.8	6.6	6.3	5.7	4.4	2.6
60	*****	*****	*****	*****	*****	*****	6.8	6.5	6.3	6.0	5.8	5.3	4.1	2.4
65	*****	*****	*****	*****	*****	*****	6.5	6.3	6.0	5.8	5.5	5.0	3.8	2.2
70	*****	*****	*****	*****	*****	*****	6.3	6.1	5.8	5.6	5.3	4.8	3.7	2.2
75	*****	*****	*****	*****	*****	*****	*****	5.8	5.6	5.4	5.1	4.7	3.6	2.1
80	*****	*****	*****	*****	*****	*****	*****	5.7	5.4	5.1	4.8	4.4	3.4	2.0
85	*****	*****	*****	*****	*****	*****	*****	*****	5.3	5.0	4.7	4.3	3.4	2.0
90	*****	*****	*****	*****	*****	*****	*****	*****	5.1	4.8	4.5	4.1	3.2	1.9
95	*****	*****	*****	*****	*****	*****	*****	*****	5.0	4.6	4.3	3.9	3.0	1.8
100	*****	*****	*****	*****	*****	*****	*****	*****	4.4	4.1	3.8	3.4	2.6	1.6
125	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.8
150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de Québec (24903)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	55.2	55.0	54.1	52.7	51.2	49.7	48.1	46.5	44.8	43.0	39.3	30.4	17.6
2	*****	39.1	38.9	38.3	37.2	36.2	35.1	34.0	32.8	31.7	30.4	27.8	21.5	12.4
3	*****	31.9	31.7	31.2	30.4	29.6	28.7	27.8	26.8	25.8	24.8	22.7	17.6	10.1
4	*****	27.6	27.5	27.1	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
5	*****	24.7	24.6	24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.2	17.6	13.6	7.9
6	*****	*****	22.4	22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.6	16.0	12.4	7.2
7	*****	*****	20.8	20.5	19.9	19.3	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6
8	*****	*****	19.4	19.1	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2
9	*****	*****	18.3	18.0	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
10	*****	*****	17.4	17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
11	*****	*****	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
12	*****	*****	*****	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
13	*****	*****	*****	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
14	*****	*****	*****	14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
15	*****	*****	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
16	*****	*****	*****	13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4
17	*****	*****	*****	13.1	12.8	12.4	12.0	11.7	11.3	10.9	10.4	9.5	7.4	4.3
18	*****	*****	*****	12.8	12.4	12.1	11.7	11.3	10.9	10.6	10.1	9.3	7.2	4.1
19	*****	*****	*****	12.4	12.1	11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
20	*****	*****	*****	12.1	11.8	11.4	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
21	*****	*****	*****	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
22	*****	*****	*****	11.5	11.2	10.9	10.6	10.3	9.9	9.5	9.2	8.4	6.5	3.7
23	*****	*****	*****	11.3	11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7
24	*****	*****	*****	11.0	10.8	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
25	*****	*****	*****	10.8	10.5	10.2	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5
30	*****	*****	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	2.2
35	*****	*****	*****	8.9	8.7	8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0	2.0
40	*****	*****	*****	8.3	8.1	7.9	7.6	7.3	7.1	6.8	6.2	4.8	2.8	1.8
45	*****	*****	*****	7.9	7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6	1.6
50	*****	*****	*****	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5	1.5
55	*****	*****	*****	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4	1.4
60	*****	*****	*****	6.6	6.4	6.2	6.0	6.0	5.8	5.6	5.1	3.9	2.3	1.3
65	*****	*****	*****	6.3	6.2	6.0	5.8	5.8	5.6	5.3	4.9	3.8	2.2	1.2
70	*****	*****	*****	6.1	5.9	5.7	5.6	5.6	5.3	5.1	4.7	3.6	2.1	1.1
75	*****	*****	*****	5.9	5.7	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0	1.0
80	*****	*****	*****	5.7	5.6	5.4	5.2	5.0	4.8	4.6	4.0	3.1	1.8	0.9
85	*****	*****	*****	5.6	5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.9	0.8
90	*****	*****	*****	*****	5.2	5.1	4.9	4.7	4.5	4.4	4.0	3.1	1.8	0.7
95	*****	*****	*****	*****	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.8	0.6
100	*****	*****	*****	*****	5.0	4.8	4.6	4.5	4.3	4.2	3.8	2.9	1.7	0.5
125	*****	*****	*****	*****	4.3	4.2	4.0	3.8	3.5	3.2	2.5	1.4	0.8	0.4
150	*****	*****	*****	*****	*****	3.8	3.7	3.5	3.2	3.0	2.8	2.2	1.2	0.3
200	*****	*****	*****	*****	*****	*****	3.0	2.8	2.5	2.2	1.9	1.1	0.6	0.2
250	*****	*****	*****	*****	*****	*****	*****	2.5	2.2	1.9	1.6	0.9	0.5	0.1
300	*****	*****	*****	*****	*****	*****	*****	*****	1.8	1.6	1.3	0.8	0.4	0.1
350	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6	1.3	0.8	0.4	0.1
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4	0.8	0.4	0.1
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.2	0.7	0.1
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.0	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de la Mauricie-Bois-Francs (24904)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	75.3	75.0	73.8	71.8	69.8	67.7	65.6	63.3	61.0	58.6	53.5	41.5	23.9
2	*****	53.3	53.0	52.2	50.8	49.4	47.9	46.4	44.8	43.2	41.5	37.9	29.3	16.9
3	*****	43.5	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.2	33.9	30.9	23.9	13.8
4	*****	37.7	37.5	36.9	35.9	34.9	33.9	32.8	31.7	30.5	29.3	26.8	20.7	12.0
5	*****	*****	33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	23.9	18.5	10.7
6	*****	*****	30.6	30.1	29.3	28.5	27.6	26.8	25.9	24.9	23.9	21.9	16.9	9.8
7	*****	*****	28.3	27.9	27.1	26.4	25.6	24.8	23.9	23.1	22.2	20.2	15.7	9.0
8	*****	*****	26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
9	*****	*****	24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	17.8	13.8	8.0	7.6
10	*****	*****	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6	7.2
11	*****	*****	22.3	21.7	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2	6.9
12	*****	*****	21.3	20.7	20.2	19.5	18.9	18.3	17.6	16.9	15.5	12.0	6.9	6.6
13	*****	*****	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6	6.4
14	*****	*****	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4	6.2
15	*****	*****	19.1	18.5	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
16	*****	*****	18.4	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0	5.8
17	*****	*****	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8	5.6
18	*****	*****	17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6	5.5
19	*****	*****	16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.5	5.4
20	*****	*****	16.5	16.1	15.6	15.1	14.7	14.2	13.6	13.1	12.0	9.3	5.4	5.2
21	*****	*****	*****	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2	5.1
22	*****	*****	*****	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1	5.0
23	*****	*****	*****	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0	4.9
24	*****	*****	*****	14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9	4.8
25	*****	*****	*****	14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8	4.4
30	*****	*****	*****	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4	4.0
35	*****	*****	*****	12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0	3.8
40	*****	*****	*****	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8	3.6
45	*****	*****	*****	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	3.4	3.2
50	*****	*****	*****	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4	3.1	3.0
55	*****	*****	*****	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2	3.1	3.0
60	*****	*****	*****	9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1	3.0	2.9
65	*****	*****	*****	8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0	2.9	2.8	2.7
70	*****	*****	*****	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9	2.8	2.7	2.6
75	*****	*****	*****	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8	2.7	2.6	2.5
80	*****	*****	*****	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7	2.6	2.5	2.4
85	*****	*****	*****	7.1	6.9	6.6	6.4	5.8	4.5	2.6	2.5	2.4	2.3	2.2
90	*****	*****	*****	6.9	6.7	6.4	6.2	5.6	4.4	2.5	2.4	2.3	2.2	2.1
95	*****	*****	*****	6.7	6.5	6.3	6.0	5.5	4.3	2.5	2.4	2.3	2.2	2.1
100	*****	*****	*****	6.6	6.3	6.1	5.9	5.4	4.1	2.4	2.3	2.2	2.1	2.0
125	*****	*****	*****	5.5	5.2	4.8	3.7	2.1	2.0	1.7	1.5	1.4	1.3	1.2
150	*****	*****	*****	4.8	4.4	3.4	2.0	1.7	1.5	1.4	1.3	1.2	1.1	1.0
200	*****	*****	*****	3.8	2.9	1.7	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8
250	*****	*****	*****	2.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6
300	*****	*****	*****	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4
350	*****	*****	*****	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de l'Estrie (24905)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	68.2	67.9	66.8	65.0	63.2	61.3	59.4	57.3	55.3	53.1	48.5	37.5	21.7
2	*****	48.2	48.0	47.2	46.0	44.7	43.3	42.0	40.5	39.1	37.5	34.3	26.5	15.3
3	*****		39.2	38.6	37.5	36.5	35.4	34.3	33.1	31.9	30.7	28.0	21.7	12.5
4	*****		33.9	33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.5	24.2	18.8	10.8
5	*****		30.3	29.9	29.1	28.3	27.4	26.5	25.6	24.7	23.7	21.7	16.8	9.7
6	*****			27.3	26.5	25.8	25.0	24.2	23.4	22.6	21.7	19.8	15.3	8.8
7	*****			25.2	24.6	23.9	23.2	22.4	21.7	20.9	20.1	18.3	14.2	8.2
8	*****			23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
9	*****			22.3	21.7	21.1	20.4	19.8	19.1	18.4	17.7	16.2	12.5	7.2
10	*****			21.1	20.6	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.9
11	*****			20.1	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
12	*****			19.3	18.8	18.2	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3
13	*****				18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.4	10.4	6.0
14	*****				17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
15	*****				16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
16	*****				16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
17	*****				15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
18	*****				15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
19	*****				14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
20	*****				14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
21	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
22	*****				13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
23	*****				13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
24	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
25	*****				13.0	12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
30	*****				11.5	11.2	10.8	10.5	10.1	9.7	9.3	8.2	6.3	4.0
35	*****				10.7	10.4	10.0	9.7	9.3	9.0	8.6	7.5	5.6	3.7
40	*****						9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4
45	*****						9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
50	*****						8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
55	*****						8.0	7.7	7.5	7.2	6.9	6.3	4.8	2.9
60	*****						7.7	7.4	7.1	6.9	6.6	6.0	4.5	2.8
65	*****							7.1	6.9	6.6	6.3	5.8	4.3	2.7
70	*****							6.9	6.6	6.3	6.0	5.4	4.0	2.6
75	*****							6.6	6.4	6.1	5.8	5.2	3.8	2.5
80	*****							6.2	5.9	5.6	5.3	4.7	3.3	2.4
85	*****							6.0	5.7	5.4	5.1	4.5	3.1	2.4
90	*****								5.6	5.3	5.0	4.4	3.0	2.3
95	*****								5.4	5.0	4.7	4.1	2.7	2.2
100	*****								5.3	4.8	4.5	3.9	2.5	2.2
125	*****									4.3	4.0	3.4	2.0	1.9
150	*****										3.1	2.5	1.1	1.8
200	*****											1.5	0.5	1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de Montréal -Centre (24906)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	100.9	100.5	100.0	98.4	95.8	93.1	90.3	87.5	84.5	81.4	78.2	71.4	55.3	31.9
2	*****	71.1	70.7	69.6	67.8	65.8	63.9	61.8	59.8	57.6	55.3	50.5	39.1	22.6
3	*****	58.0	57.7	56.8	55.3	53.8	52.2	50.5	48.8	47.0	45.2	41.2	31.9	18.4
4	*****	50.2	50.0	49.2	47.9	46.6	45.2	43.7	42.3	40.7	39.1	35.7	27.7	16.0
5	*****	44.9	44.7	44.0	42.9	41.6	40.4	39.1	37.8	36.4	35.0	31.9	24.7	14.3
6	*****	41.0	40.8	40.2	39.1	38.0	36.9	35.7	34.5	33.2	31.9	29.2	22.6	13.0
7	*****	38.0	37.8	37.2	36.2	35.2	34.1	33.1	31.9	30.8	29.6	27.0	20.9	12.1
8	*****	35.5	35.4	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.7	25.3	19.6	11.3
9	*****	33.5	33.3	32.8	31.9	31.0	30.1	29.2	28.2	27.1	26.1	23.8	18.4	10.6
10	*****	31.8	31.6	31.1	30.3	29.4	28.6	27.7	26.7	25.8	24.7	22.6	17.5	10.1
11	*****	30.3	30.1	29.7	28.9	28.1	27.2	26.4	25.5	24.6	23.6	21.5	16.7	9.6
12	*****	29.0	28.9	28.4	27.7	26.9	26.1	25.3	24.4	23.5	22.6	20.6	16.0	9.2
13	*****	27.9	27.7	27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	19.8	15.3	8.9
14	*****	26.9	26.7	26.3	25.6	24.9	24.1	23.4	22.6	21.8	20.9	19.1	14.8	8.5
15	*****	25.9	25.8	25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	18.4	14.3	8.2
16	*****	25.1	25.0	24.6	24.0	23.3	22.6	21.9	21.1	20.4	19.6	17.9	13.8	8.0
17	*****	*****	24.2	23.9	23.2	22.6	21.9	21.2	20.5	19.7	19.0	17.3	13.4	7.7
18	*****	*****	23.6	23.2	22.6	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
19	*****	*****	22.9	22.6	22.0	21.4	20.7	20.1	19.4	18.7	17.9	16.4	12.7	7.3
20	*****	*****	22.4	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1
21	*****	*****	21.8	21.5	20.9	20.3	19.7	19.1	18.4	17.8	17.1	15.6	12.1	7.0
22	*****	*****	21.3	21.0	20.4	19.9	19.3	18.6	18.0	17.4	16.7	15.2	11.8	6.8
23	*****	*****	20.8	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7
24	*****	*****	20.4	20.1	19.6	19.0	18.4	17.9	17.2	16.6	16.0	14.6	11.3	6.5
25	*****	*****	20.0	19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4
30	*****	*****	18.3	18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.0	10.1	5.8
35	*****	*****	*****	16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
40	*****	*****	*****	15.6	15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.1
45	*****	*****	*****	14.7	14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
50	*****	*****	*****	13.9	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
55	*****	*****	*****	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3
60	*****	*****	*****	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1
65	*****	*****	*****	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0
70	*****	*****	*****	11.8	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
75	*****	*****	*****	11.4	11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.2	6.4	3.7
80	*****	*****	*****	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
85	*****	*****	*****	10.4	10.1	9.8	9.5	9.2	8.8	8.5	8.1	7.4	5.7	3.5
90	*****	*****	*****	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.8	7.1	5.5	3.4
95	*****	*****	*****	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.6	7.0	5.4	3.3
100	*****	*****	*****	9.6	9.3	9.0	8.7	8.5	8.1	7.8	7.4	6.8	5.2	3.2
125	*****	*****	*****	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.6	6.0	4.5	2.9
150	*****	*****	*****	7.8	7.6	7.4	7.1	6.9	6.6	6.4	6.1	5.5	4.0	2.6
200	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.5	5.2	4.9	4.4	3.2	2.3
250	*****	*****	*****	5.7	5.5	5.3	5.1	4.9	4.7	4.5	4.2	3.7	2.7	2.0
300	*****	*****	*****	5.2	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.4	2.5	1.8
350	*****	*****	*****	4.7	4.5	4.4	4.2	4.1	3.9	3.7	3.5	3.0	2.2	1.7
400	*****	*****	*****	4.4	4.2	4.1	3.9	3.7	3.5	3.3	3.1	2.6	1.9	1.6
450	*****	*****	*****	4.0	3.8	3.7	3.5	3.3	3.1	2.9	2.7	2.2	1.6	1.5
500	*****	*****	*****	3.6	3.5	3.4	3.2	3.0	2.8	2.6	2.4	1.9	1.4	1.4
750	*****	*****	*****	2.6	2.5	2.4	2.2	2.1	2.0	1.9	1.7	1.3	1.0	1.2
1000	*****	*****	*****	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.8	0.6	1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de l'Outaouais (24907)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																																								
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%																											
1	*****	47.9	47.6	46.9	45.6	44.4	43.0	41.7	40.2	38.8	37.3	34.0	26.3	15.2																											
2	*****	33.8	33.7	33.2	32.3	31.4	30.4	29.5	28.5	27.4	26.3	24.1	18.6	10.8																											
3	*****		27.5	27.1	26.3	25.6	24.8	24.1	23.2	22.4	21.5	19.6	15.2	8.8																											
4	*****		23.8	23.4	22.8	22.2	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6																											
5	*****		21.3	21.0	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8																											
6	*****			19.1	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2																											
7	*****				17.7	17.2	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.7																										
8	*****					16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4																									
9	*****						15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1																								
10	*****							14.8	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8																							
11	*****								14.1	13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6																						
12	*****									13.5	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4																					
13	*****										13.0	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2																				
14	*****											12.5	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1																			
15	*****												11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9																			
16	*****													11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8																		
17	*****														11.1	10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7																	
18	*****															10.8	10.5	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6																
19	*****																10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5															
20	*****																	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4														
21	*****																		10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3													
22	*****																			9.7	9.5	9.2	8.9	8.6	8.3	7.9	7.3	5.6	3.2												
23	*****																				9.5	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2											
24	*****																					9.3	9.1	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1										
25	*****																						9.1	8.9	8.6	8.3	8.0	7.8	7.5	6.8	5.3	3.0									
30	*****																							8.1	7.9	7.6	7.3	7.1	6.8	6.2	4.8	2.8									
35	*****																								7.5	7.3	7.0	6.8	6.6	6.3	5.7	4.5	2.6								
40	*****																										7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4						
45	*****																											6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3						
50	*****																												6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2					
55	*****																													5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1				
60	*****																														5.4	5.2	5.0	4.8	4.4	4.4	3.4	2.0			
65	*****																															5.2	5.0	4.8	4.6	4.2	3.3	1.9			
70	*****																																5.0	4.8	4.6	4.5	4.1	3.1	1.8		
75	*****																																	4.6	4.5	4.3	3.9	3.0	1.8		
80	*****																																		4.5	4.3	4.2	3.8	2.9	1.7	
85	*****																																			4.2	4.0	3.7	2.9	1.7	
90	*****																																				4.1	3.9	3.6	2.8	1.6
95	*****																																				4.0	3.8	3.5	2.7	1.6
100	*****																																					3.7	3.4	2.6	1.5
125	*****																																						3.0	2.4	1.4
150	*****																																							2.2	1.2
200	*****																																								1.1
250	*****																																								1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Région de l'Abitibi-Témiscamingue (24908)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	47.6	47.3	46.6	45.3	44.1	42.7	41.4	40.0	38.5	37.0	33.8	26.2	15.1
2	*****		33.5	32.9	32.1	31.2	30.2	29.3	28.3	27.2	26.2	23.9	18.5	10.7
3	*****			26.9	26.2	25.4	24.7	23.9	23.1	22.2	21.4	19.5	15.1	8.7
4	*****				23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	7.6
5	*****					20.8	20.3	19.7	19.1	18.5	17.9	17.2	16.6	6.8
6	*****						19.0	18.5	18.0	17.5	16.9	16.3	15.7	6.2
7	*****							17.1	16.7	16.2	15.6	15.1	14.6	5.7
8	*****								16.0	15.6	15.1	14.6	14.1	5.3
9	*****									15.1	14.7	14.2	13.8	5.0
10	*****										14.3	13.9	13.5	4.8
11	*****											13.7	13.3	4.6
12	*****												13.1	4.4
13	*****													4.2
14	*****													4.0
15	*****													3.9
16	*****													3.8
17	*****													3.7
18	*****													3.6
19	*****													3.5
20	*****													3.4
21	*****													3.3
22	*****													3.2
23	*****													3.2
24	*****													3.1
25	*****													3.0
30	*****													2.8
35	*****													2.6
40	*****													2.4
45	*****													2.3
50	*****													2.1
55	*****													2.0
60	*****													2.0
65	*****													1.9
70	*****													1.8
75	*****													1.7
80	*****													1.7
85	*****													1.6
90	*****													1.6
95	*****													1.6
100	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de la Côte-Nord (24909)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%																	
1	*****	43.2	42.6	41.4	40.3	39.1	37.8	36.5	35.2	33.8	30.9	23.9	13.8																		
2	*****		30.1	29.3	28.5	27.6	26.8	25.8	24.9	23.9	21.8	16.9	9.8																		
3	*****		24.6	23.9	23.3	22.6	21.8	21.1	20.3	19.5	17.8	13.8	8.0																		
4	*****			20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9																		
5	*****				18.5	18.0	17.5	16.9	16.3	15.8	15.1	13.8	10.7	6.2																	
6	*****					16.9	16.4	16.0	15.4	14.9	14.4	13.8	12.6	9.8	5.6																
7	*****						15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2															
8	*****							14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9															
9	*****								13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6														
10	*****									12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4													
11	*****										12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2												
12	*****											11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0												
13	*****												10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8											
14	*****													10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7										
15	*****														10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6									
16	*****															9.5	9.1	8.8	8.5	7.7	6.0	3.5									
17	*****																9.2	8.9	8.5	8.2	7.5	5.8	3.4								
18	*****																	8.9	8.6	8.3	8.0	7.3	5.6	3.3							
19	*****																		8.7	8.4	8.1	7.8	7.1	5.5	3.2						
20	*****																			8.2	7.9	7.6	6.9	5.4	3.1						
21	*****																				8.0	7.7	7.4	6.7	5.2	3.0					
22	*****																					7.8	7.5	7.2	6.6	5.1	2.9				
23	*****																						7.6	7.3	7.1	6.4	5.0	2.9			
24	*****																							7.2	6.9	6.3	4.9	2.8			
25	*****																								7.0	6.8	6.2	4.8	2.8		
30	*****																									6.2	5.6	4.4	2.5		
35	*****																										5.2	4.0	2.3		
40	*****																												3.8	2.2	
45	*****																													3.6	2.1
50	*****																													3.4	2.0
55	*****																														1.9
60	*****																														1.8
65	*****																														1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de la Gaspésie-Îles-de-la-Madeleine (24911)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		39.2	38.6	37.6	36.5	35.4	34.3	33.1	31.9	30.7	28.0	21.7	12.5
2	*****			27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	19.8	15.3	8.9
3	*****			22.3	21.7	21.1	20.5	19.8	19.1	18.4	17.7	16.2	12.5	7.2
4	*****			19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.3	14.0	10.8	6.3
5	*****				16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6
6	*****				15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1
7	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
8	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
9	*****					12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
10	*****					11.6	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0
11	*****					11.0	10.7	10.3	10.0	9.6	9.3	8.4	6.5	3.8
12	*****					10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
13	*****							9.8	9.5	9.2	8.9	8.5	7.8	3.5
14	*****							9.5	9.2	8.9	8.5	8.2	7.5	3.3
15	*****							9.1	8.9	8.6	8.2	7.9	7.2	3.2
16	*****							8.9	8.6	8.3	8.0	7.7	7.0	3.1
17	*****								8.3	8.0	7.7	7.4	6.8	3.0
18	*****								8.1	7.8	7.5	7.2	6.6	3.0
19	*****								7.9	7.6	7.3	7.0	6.4	2.9
20	*****								7.7	7.4	7.1	6.9	6.3	2.8
21	*****									7.2	7.0	6.7	6.1	2.7
22	*****									7.1	6.8	6.5	6.0	2.7
23	*****									6.9	6.7	6.4	5.8	2.6
24	*****									6.8	6.5	6.3	5.7	2.6
25	*****									6.6	6.4	6.1	5.6	2.5
30	*****										5.6	5.1	4.0	2.3
35	*****											4.7	3.7	2.1
40	*****												4.4	2.0
45	*****													3.2
50	*****													3.1
55	*****													2.9
60	*****													1.6
65	*****													1.6
70	*****													1.5
75	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Région de la Chaudière-Appalaches (24912)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	75.3	74.9	73.7	71.8	69.7	67.7	65.5	63.3	61.0	58.6	53.5	41.4	23.9
2	*****	53.2	52.9	52.1	50.7	49.3	47.8	46.3	44.8	43.1	41.4	37.8	29.3	16.9
3	*****	43.5	43.2	42.6	41.4	40.3	39.1	37.8	36.5	35.2	33.8	30.9	23.9	13.8
4	*****		37.4	36.9	35.9	34.9	33.8	32.8	31.6	30.5	29.3	26.7	20.7	12.0
5	*****		33.5	33.0	32.1	31.2	30.3	29.3	28.3	27.3	26.2	23.9	18.5	10.7
6	*****		30.6	30.1	29.3	28.5	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8
7	*****			27.9	27.1	26.4	25.6	24.8	23.9	23.0	22.1	20.2	15.7	9.0
8	*****			26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.6	8.5
9	*****			24.6	23.9	23.2	22.6	21.8	21.1	20.3	19.5	17.8	13.8	8.0
10	*****			23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6
11	*****			22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2
12	*****			21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
13	*****			20.4	19.9	19.3	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6
14	*****			19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
15	*****			19.0	18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2
16	*****			18.4	17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.4	6.0
17	*****				17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
18	*****				16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
19	*****				16.5	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5
20	*****				16.0	15.6	15.1	14.6	14.2	13.6	13.1	12.0	9.3	5.3
21	*****				15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2
22	*****				15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
23	*****				15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0
24	*****				14.6	14.2	13.8	13.4	12.9	12.4	12.0	10.9	8.5	4.9
25	*****				14.4	13.9	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8
30	*****				13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
35	*****					11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
40	*****						11.0	10.7	10.4	10.0	9.6	9.3	8.5	3.8
45	*****						10.4	10.1	9.8	9.4	9.1	8.7	8.0	3.6
50	*****						9.9	9.6	9.3	9.0	8.6	8.3	7.6	3.4
55	*****							9.1	8.8	8.5	8.2	7.9	7.2	3.2
60	*****							8.7	8.5	8.2	7.9	7.6	6.9	3.1
65	*****							8.4	8.1	7.8	7.6	7.3	6.6	3.0
70	*****								7.8	7.6	7.3	7.0	6.4	2.9
75	*****								7.6	7.3	7.0	6.8	6.2	2.8
80	*****								7.3	7.1	6.8	6.6	6.0	2.7
85	*****									6.9	6.6	6.4	5.8	2.6
90	*****									6.7	6.4	6.2	5.6	2.5
95	*****									6.5	6.3	6.0	5.5	2.5
100	*****									6.3	6.1	5.9	5.3	2.4
125	*****										5.2	4.8	3.7	2.1
150	*****											4.4	3.4	2.0
200	*****												2.9	1.7
250	*****													1.5
300	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de Laval (24913)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	65.4	65.0	64.0	62.3	60.6	58.8	56.9	55.0	53.0	50.9	46.4	36.0	20.8
2	*****	46.2	46.0	45.3	44.1	42.8	41.5	40.2	38.9	37.4	36.0	32.8	25.4	14.7
3	*****	37.7	37.5	37.0	36.0	35.0	33.9	32.8	31.7	30.6	29.4	26.8	20.8	12.0
4	*****		32.5	32.0	31.2	30.3	29.4	28.4	27.5	26.5	25.4	23.2	18.0	10.4
5	*****		29.1	28.6	27.9	27.1	26.3	25.4	24.6	23.7	22.8	20.8	16.1	9.3
6	*****		26.5	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.8	19.0	14.7	8.5
7	*****			24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.2	17.6	13.6	7.9
8	*****			22.6	22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
9	*****			21.3	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9
10	*****			20.2	19.7	19.2	18.6	18.0	17.4	16.7	16.1	14.7	11.4	6.6
11	*****			19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.3	14.0	10.8	6.3
12	*****			18.5	18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0
13	*****			17.8	17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8
14	*****			17.1	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
15	*****			16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4
16	*****				15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
17	*****				15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.3	8.7	5.0
18	*****				14.7	14.3	13.8	13.4	13.0	12.5	12.0	10.9	8.5	4.9
19	*****				14.3	13.9	13.5	13.1	12.6	12.1	11.7	10.7	8.3	4.8
20	*****				13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
21	*****				13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5
22	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
23	*****				13.0	12.6	12.3	11.9	11.5	11.0	10.6	9.7	7.5	4.3
24	*****				12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
25	*****				12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
30	*****				11.4	11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
35	*****					10.2	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5
40	*****						9.6	9.3	9.0	8.7	8.4	8.0	7.3	3.3
45	*****						9.0	8.8	8.5	8.2	7.9	7.6	6.9	3.1
50	*****							8.3	8.0	7.8	7.5	7.2	6.6	2.9
55	*****							7.9	7.7	7.4	7.1	6.9	6.3	2.8
60	*****							7.6	7.3	7.1	6.8	6.6	6.0	2.7
65	*****								7.1	6.8	6.6	6.3	5.8	2.6
70	*****								6.8	6.6	6.3	6.1	5.6	2.5
75	*****								6.6	6.3	6.1	5.9	5.4	2.4
80	*****								6.1	5.9	5.7	5.2	4.0	2.3
85	*****								6.0	5.7	5.5	5.0	3.9	2.3
90	*****								5.8	5.6	5.4	4.9	3.8	2.2
95	*****									5.4	5.2	4.8	3.7	2.1
100	*****									5.3	5.1	4.6	3.6	2.1
125	*****											4.2	3.2	1.9
150	*****												3.8	1.7
200	*****													2.5
250	*****													1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de Lanaudière (24914)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****	66.6	66.3	65.3	63.5	61.8	59.9	58.0	56.0	54.0	51.9	47.4	36.7	21.2		
2	*****	47.1	46.9	46.2	44.9	43.7	42.4	41.0	39.6	38.2	36.7	33.5	25.9	15.0		
3	*****	38.5	38.3	37.7	36.7	35.7	34.6	33.5	32.4	31.2	30.0	27.3	21.2	12.2		
4	*****		33.2	32.6	31.8	30.9	30.0	29.0	28.0	27.0	25.9	23.7	18.3	10.6		
5	*****		29.7	29.2	28.4	27.6	26.8	25.9	25.1	24.2	23.2	21.2	16.4	9.5		
6	*****		27.1	26.7	25.9	25.2	24.5	23.7	22.9	22.0	21.2	19.3	15.0	8.6		
7	*****			24.7	24.0	23.3	22.6	21.9	21.2	20.4	19.6	17.9	13.9	8.0		
8	*****			23.1	22.5	21.8	21.2	20.5	19.8	19.1	18.3	16.7	13.0	7.5		
9	*****			21.8	21.2	20.6	20.0	19.3	18.7	18.0	17.3	15.8	12.2	7.1		
10	*****			20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7		
11	*****			19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4		
12	*****			18.8	18.3	17.8	17.3	16.7	16.2	15.6	15.0	13.7	10.6	6.1		
13	*****			18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9		
14	*****			17.4	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7		
15	*****			16.9	16.4	15.9	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5		
16	*****			16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3		
17	*****			15.8	15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1		
18	*****				15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0		
19	*****				14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4	4.9		
20	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7		
21	*****				13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6		
22	*****					13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5	
23	*****					13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4	
24	*****					13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3	
25	*****					12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2	
30	*****					11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.6	6.7	3.9	
35	*****						10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
40	*****							9.8	9.5	9.2	8.9	8.5	8.2	7.5	5.8	3.3
45	*****							9.2	8.9	8.6	8.4	8.1	7.7	7.1	5.5	3.2
50	*****							8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
55	*****								8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9
60	*****								7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
65	*****								7.4	7.2	7.0	6.7	6.4	5.9	4.6	2.6
70	*****									6.9	6.7	6.5	6.2	5.7	4.4	2.5
75	*****									6.7	6.5	6.2	6.0	5.5	4.2	2.4
80	*****									6.5	6.3	6.0	5.8	5.3	4.1	2.4
85	*****									6.3	6.1	5.9	5.6	5.1	4.0	2.3
90	*****										5.9	5.7	5.5	5.0	3.9	2.2
95	*****										5.7	5.5	5.3	4.9	3.8	2.2
100	*****										5.6	5.4	5.2	4.7	3.7	2.1
125	*****											4.6	4.2	3.3	1.9	
150	*****												3.9	3.0	1.7	
200	*****													2.6	1.5	
250	*****														1.3	
300	*****															1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région des Laurentides (24915)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	53.1	52.8	52.0	50.6	49.2	47.7	46.2	44.6	43.0	41.3	37.7	29.2	16.9
2	*****	37.5	37.3	36.8	35.8	34.8	33.7	32.7	31.5	30.4	29.2	26.7	20.7	11.9
3	*****	30.6	30.5	30.0	29.2	28.4	27.5	26.7	25.8	24.8	23.8	21.8	16.9	9.7
4	*****	26.5	26.4	26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.7	18.9	14.6	8.4
5	*****		23.6	23.2	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5
6	*****		21.6	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
7	*****		20.0	19.6	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.0	6.4
8	*****		18.7	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0
9	*****			17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
10	*****			16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
11	*****			15.7	15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1
12	*****			15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
13	*****			14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
14	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
15	*****			13.4	13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
16	*****			13.0	12.6	12.3	11.9	11.5	11.2	10.7	10.3	9.4	7.3	4.2
17	*****			12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
18	*****			12.3	11.9	11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
19	*****			11.9	11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9
20	*****			11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
21	*****				11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
22	*****				10.8	10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6
23	*****				10.5	10.3	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5
24	*****				10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
25	*****				10.1	9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
30	*****				9.2	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
35	*****				8.6	8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.9
40	*****				8.0	7.8	7.5	7.3	7.1	6.8	6.5	6.0	4.6	2.7
45	*****				7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.6	4.4	2.5
50	*****				7.0	6.7	6.5	6.3	6.1	5.8	5.6	5.3	4.1	2.4
55	*****				6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.1	3.9	2.3
60	*****				6.3	6.2	6.0	5.8	5.6	5.4	5.2	4.9	3.8	2.2
65	*****					5.9	5.7	5.5	5.3	5.1	4.9	4.7	3.6	2.1
70	*****					5.7	5.5	5.3	5.1	4.9	4.7	4.5	3.5	2.0
75	*****					5.5	5.3	5.2	5.0	4.8	4.6	4.4	3.4	1.9
80	*****					5.3	5.2	5.0	4.8	4.6	4.4	4.2	3.3	1.9
85	*****						5.0	4.8	4.7	4.5	4.4	4.1	3.2	1.8
90	*****						4.9	4.7	4.5	4.4	4.3	4.0	3.1	1.8
95	*****						4.7	4.6	4.4	4.2	4.1	3.9	3.0	1.7
100	*****						4.6	4.5	4.3	4.1	4.0	3.8	2.9	1.7
125	*****							3.8	3.7	3.4	3.3	3.1	2.4	1.5
150	*****								3.4	3.3	3.1	2.9	2.4	1.4
200	*****									2.7	2.6	2.4	2.1	1.2
250	*****										1.8	1.7	1.4	1.1
300	*****											1.8	1.4	1.0
350	*****												1.8	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région de la Montérégie (24916)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	111.4	110.9	110.3	108.6	105.7	102.7	99.6	96.5	93.2	89.8	86.3	78.8	61.0	35.2
2	*****	78.4	78.0	76.8	74.7	72.6	70.5	68.2	65.9	63.5	61.0	55.7	43.1	24.9
3	*****	64.0	63.7	62.7	61.0	59.3	57.5	55.7	53.8	51.9	49.8	45.5	35.2	20.3
4	*****	55.4	55.1	54.3	52.8	51.4	49.8	48.2	46.6	44.9	43.1	39.4	30.5	17.6
5	*****	49.6	49.3	48.6	47.3	45.9	44.6	43.1	41.7	40.2	38.6	35.2	27.3	15.8
6	*****	45.3	45.0	44.3	43.1	41.9	40.7	39.4	38.1	36.7	35.2	32.2	24.9	14.4
7	*****	41.9	41.7	41.0	39.9	38.8	37.7	36.5	35.2	33.9	32.6	29.8	23.1	13.3
8	*****	39.2	39.0	38.4	37.4	36.3	35.2	34.1	33.0	31.8	30.5	27.9	21.6	12.5
9	*****	37.0	36.8	36.2	35.2	34.2	33.2	32.2	31.1	29.9	28.8	26.3	20.3	11.7
10	*****	35.1	34.9	34.3	33.4	32.5	31.5	30.5	29.5	28.4	27.3	24.9	19.3	11.1
11	*****	33.4	33.3	32.7	31.9	31.0	30.0	29.1	28.1	27.1	26.0	23.8	18.4	10.6
12	*****	*****	31.8	31.3	30.5	29.7	28.8	27.9	26.9	25.9	24.9	22.7	17.6	10.2
13	*****	*****	30.6	30.1	29.3	28.5	27.6	26.8	25.9	24.9	23.9	21.8	16.9	9.8
14	*****	*****	29.5	29.0	28.2	27.5	26.6	25.8	24.9	24.0	23.1	21.1	16.3	9.4
15	*****	*****	28.5	28.0	27.3	26.5	25.7	24.9	24.1	23.2	22.3	20.3	15.8	9.1
16	*****	*****	27.6	27.1	26.4	25.7	24.9	24.1	23.3	22.5	21.6	19.7	15.3	8.8
17	*****	*****	26.7	26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5
18	*****	*****	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
19	*****	*****	25.3	24.9	24.2	23.6	22.9	22.1	21.4	20.6	19.8	18.1	14.0	8.1
20	*****	*****	24.7	24.3	23.6	23.0	22.3	21.6	20.8	20.1	19.3	17.6	13.6	7.9
21	*****	*****	24.1	23.7	23.1	22.4	21.7	21.1	20.3	19.6	18.8	17.2	13.3	7.7
22	*****	*****	23.5	23.2	22.5	21.9	21.2	20.6	19.9	19.2	18.4	16.8	13.0	7.5
23	*****	*****	*****	22.6	22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
24	*****	*****	*****	22.2	21.6	21.0	20.3	19.7	19.0	18.3	17.6	16.1	12.5	7.2
25	*****	*****	*****	21.7	21.1	20.5	19.9	19.3	18.6	18.0	17.3	15.8	12.2	7.0
30	*****	*****	*****	19.8	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.1	6.4
35	*****	*****	*****	18.4	17.9	17.4	16.8	16.3	15.8	15.2	14.6	13.3	10.3	6.0
40	*****	*****	*****	17.2	16.7	16.2	15.8	15.3	14.7	14.2	13.6	12.5	9.6	5.6
45	*****	*****	*****	16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3
50	*****	*****	*****	15.4	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
55	*****	*****	*****	14.6	14.3	13.9	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.8
60	*****	*****	*****	*****	13.6	13.3	12.9	12.5	12.0	11.6	11.1	10.2	7.9	4.5
65	*****	*****	*****	*****	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
70	*****	*****	*****	*****	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
75	*****	*****	*****	*****	12.2	11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1
80	*****	*****	*****	*****	11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
85	*****	*****	*****	*****	11.5	11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8
90	*****	*****	*****	*****	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
95	*****	*****	*****	*****	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
100	*****	*****	*****	*****	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
125	*****	*****	*****	*****	*****	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.2
150	*****	*****	*****	*****	*****	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
200	*****	*****	*****	*****	*****	7.0	6.8	6.6	6.4	6.1	5.6	4.3	2.5	2.5
250	*****	*****	*****	*****	*****	6.1	5.9	5.7	5.5	5.0	3.9	2.2	2.2	2.2
300	*****	*****	*****	*****	*****	*****	5.4	5.2	5.0	4.5	3.5	2.0	2.0	2.0
350	*****	*****	*****	*****	*****	*****	*****	4.8	4.6	4.2	3.3	1.9	1.9	1.9
400	*****	*****	*****	*****	*****	*****	*****	4.3	3.9	3.1	1.8	1.8	1.8	1.8
450	*****	*****	*****	*****	*****	*****	*****	4.1	3.7	2.9	1.7	1.7	1.7	1.7
500	*****	*****	*****	*****	*****	*****	*****	*****	3.5	2.7	1.6	1.6	1.6	1.6
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.2	1.3	1.3	1.3	1.3
1000	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.1	1.1	1.1	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

District of Algoma (35926)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	44.3	44.1	43.4	42.2	41.1	39.8	38.6	37.3	35.9	34.5	31.5	24.4	14.1
2	*****		31.2	30.7	29.9	29.0	28.2	27.3	26.3	25.4	24.4	22.3	17.2	10.0
3	*****			25.1	24.4	23.7	23.0	22.3	21.5	20.7	19.9	18.2	14.1	8.1
4	*****			21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0
5	*****			19.4	18.9	18.4	17.8	17.2	16.7	16.1	15.4	14.1	10.9	6.3
6	*****				17.2	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.7
7	*****				16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3
8	*****				14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0
9	*****				14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
10	*****				13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
11	*****					12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2
12	*****					11.9	11.5	11.1	10.8	10.4	10.0	9.1	7.0	4.1
13	*****					11.4	11.0	10.7	10.3	10.0	9.6	8.7	6.8	3.9
14	*****					11.0	10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8
15	*****					10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6
16	*****						10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
17	*****						9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
18	*****						9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
19	*****						9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
20	*****						8.9	8.6	8.3	8.0	7.7	7.0	5.5	3.1
21	*****							8.4	8.1	7.8	7.5	6.9	5.3	3.1
22	*****							8.2	7.9	7.7	7.4	6.7	5.2	3.0
23	*****							8.0	7.8	7.5	7.2	6.6	5.1	2.9
24	*****							7.9	7.6	7.3	7.0	6.4	5.0	2.9
25	*****							7.7	7.5	7.2	6.9	6.3	4.9	2.8
30	*****								6.8	6.6	6.3	5.7	4.5	2.6
35	*****									6.1	5.8	5.3	4.1	2.4
40	*****										5.5	5.0	3.9	2.2
45	*****											4.7	3.6	2.1
50	*****											4.5	3.4	2.0
55	*****												3.3	1.9
60	*****												3.1	1.8
65	*****												3.0	1.7
70	*****												2.9	1.7
75	*****													1.6
80	*****													1.6
85	*****													1.5
90	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Brant County (35927)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	45.4	45.2	44.5	43.3	42.1	40.8	39.5	38.2	36.8	35.3	32.3	25.0	14.4
2	*****		31.9	31.4	30.6	29.7	28.9	27.9	27.0	26.0	25.0	22.8	17.7	10.2
3	*****			25.7	25.0	24.3	23.6	22.8	22.0	21.2	20.4	18.6	14.4	8.3
4	*****			22.2	21.6	21.0	20.4	19.8	19.1	18.4	17.7	16.1	12.5	7.2
5	*****			19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5
6	*****				17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
7	*****				16.4	15.9	15.4	14.9	14.4	13.9	13.4	12.2	9.4	5.5
8	*****				15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
9	*****			14.4	14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8
10	*****				13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
11	*****					12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
12	*****					12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
13	*****					11.7	11.3	11.0	10.6	10.2	9.8	8.9	6.9	4.0
14	*****					11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9
15	*****					10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
16	*****						10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
17	*****						9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
18	*****						9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
19	*****						9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
20	*****						9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
21	*****							8.6	8.3	8.0	7.7	7.0	5.5	3.1
22	*****							8.4	8.1	7.8	7.5	6.9	5.3	3.1
23	*****							8.2	8.0	7.7	7.4	6.7	5.2	3.0
24	*****							8.1	7.8	7.5	7.2	6.6	5.1	2.9
25	*****							7.9	7.6	7.4	7.1	6.5	5.0	2.9
30	*****								7.0	6.7	6.5	5.9	4.6	2.6
35	*****									6.2	6.0	5.5	4.2	2.4
40	*****										5.6	5.1	4.0	2.3
45	*****											4.8	3.7	2.2
50	*****											4.6	3.5	2.0
55	*****												3.4	1.9
60	*****												3.2	1.9
65	*****												3.1	1.8
70	*****												3.0	1.7
75	*****													1.7
80	*****													1.6
85	*****													1.6
90	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Durham (35930)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	68.4	68.0	67.0	65.2	63.3	61.5	59.5	57.5	55.4	53.2	48.6	37.6	21.7
2	*****	48.3	48.1	47.4	46.1	44.8	43.5	42.1	40.7	39.2	37.6	34.4	26.6	15.4
3	*****	39.5	39.3	38.7	37.6	36.6	35.5	34.4	33.2	32.0	30.7	28.1	21.7	12.5
4	*****	34.2	34.0	33.5	32.6	31.7	30.7	29.8	28.7	27.7	26.6	24.3	18.8	10.9
5	*****	30.4	30.0	29.2	28.3	27.5	26.6	25.7	24.8	23.8	23.8	21.7	16.8	9.7
6	*****	27.8	27.3	26.6	25.9	25.1	24.3	23.5	22.6	21.7	21.7	19.8	15.4	8.9
7	*****	25.7	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.4	14.2	8.2	8.2
8	*****	24.0	23.7	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7	7.7
9	*****	22.7	22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.7	16.2	12.5	7.2	7.2
10	*****	21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9	6.9	6.9
11	*****	20.2	19.7	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.6	6.6	6.6
12	*****	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.4	14.0	10.9	6.3	6.3	6.3
13	*****	18.6	18.1	17.6	17.0	16.5	15.9	15.4	14.8	13.5	10.4	6.0	6.0	6.0
14	*****	17.9	17.4	16.9	16.4	15.9	15.4	14.8	14.2	13.0	10.1	5.8	5.8	5.8
15	*****	17.3	16.8	16.4	15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6	5.6	5.6
16	*****	16.7	16.3	15.8	15.4	14.9	14.4	13.8	13.3	12.1	9.4	5.4	5.4	5.4
17	*****	16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3	5.3	5.3
18	*****	15.8	15.4	14.9	14.5	14.0	13.6	13.1	12.5	11.5	8.9	5.1	5.1	5.1
19	*****	15.4	15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.1	8.6	5.0	5.0	5.0
20	*****	15.0	14.6	14.2	13.7	13.3	12.9	12.4	11.9	10.9	8.4	4.9	4.9	4.9
21	*****	14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7	4.7	4.7
22	*****	14.3	13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6	4.6	4.6
23	*****	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.6	9.7	7.5	4.3	4.3	4.3
24	*****	13.3	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.7	7.7	4.4	4.4	4.4
25	*****	13.0	12.7	12.3	11.9	11.5	11.1	10.6	10.2	9.7	7.5	4.3	4.3	4.3
30	*****	11.9	11.6	11.2	10.9	10.5	10.1	9.7	9.3	8.9	6.9	4.0	4.0	4.0
35	*****	11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.6	8.2	6.4	3.7	3.7	3.7
40	*****	10.3	10.0	9.7	9.4	9.1	8.8	8.4	8.1	7.7	6.0	3.4	3.4	3.4
45	*****	9.7	9.4	9.2	8.9	8.6	8.3	7.9	7.6	7.2	5.6	3.2	3.2	3.2
50	*****	9.0	8.7	8.4	8.1	7.8	7.5	7.2	6.9	6.6	5.3	3.1	3.1	3.1
55	*****	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.6	6.3	5.1	2.9	2.9	2.9
60	*****	8.2	7.9	7.7	7.4	7.1	6.8	6.5	6.2	5.9	4.9	2.8	2.8	2.8
65	*****	7.9	7.6	7.4	7.1	6.8	6.5	6.2	5.9	5.6	4.7	2.7	2.7	2.7
70	*****	7.3	7.1	6.9	6.6	6.4	6.1	5.8	5.5	5.2	4.5	2.6	2.6	2.6
75	*****	7.1	6.9	6.6	6.4	6.1	5.8	5.5	5.2	4.9	4.3	2.5	2.5	2.5
80	*****	6.9	6.7	6.4	6.2	6.0	5.7	5.4	5.1	4.8	4.2	2.4	2.4	2.4
85	*****	6.7	6.5	6.2	6.0	5.8	5.5	5.3	5.0	4.7	4.1	2.4	2.4	2.4
90	*****	6.5	6.3	6.1	5.8	5.6	5.3	5.0	4.7	4.4	4.0	2.3	2.3	2.3
95	*****	6.1	5.9	5.7	5.5	5.2	4.9	4.6	4.3	4.0	3.9	2.2	2.2	2.2
100	*****	6.0	5.7	5.5	5.3	5.0	4.7	4.4	4.1	3.8	3.8	2.2	2.2	2.2
125	*****	5.1	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.4	1.9	1.9	1.9
150	*****	4.5	4.3	4.0	3.8	3.6	3.4	3.2	3.0	2.8	3.1	1.8	1.8	1.8
200	*****	3.4	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.8	2.7	1.5	1.5	1.5
250	*****	2.4	2.3	2.1	2.0	1.8	1.7	1.5	1.4	1.2	2.4	1.4	1.4	1.4
300	*****	2.2	2.1	2.0	1.8	1.7	1.5	1.4	1.2	1.1	2.2	1.3	1.3	1.3
350	*****	2.2	2.1	2.0	1.8	1.7	1.5	1.4	1.2	1.1	2.2	1.3	1.3	1.3
400	*****	2.2	2.1	2.0	1.8	1.7	1.5	1.4	1.2	1.1	2.2	1.3	1.3	1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Elgin-St Thomas (35931)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																																	
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%																				
1	*****	51.0	50.3	48.9	47.5	46.1	44.7	43.1	41.6	39.9	36.5	28.2	16.3																					
2	*****		35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5																					
3	*****		29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.1	21.0	16.3	9.4																					
4	*****			24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2																					
5	*****				21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3																				
6	*****					20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7																			
7	*****						18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2																		
8	*****							16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8																		
9	*****								15.8	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4																	
10	*****									15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2																
11	*****										13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9																
12	*****											13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7															
13	*****												12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5														
14	*****													12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4													
15	*****														11.5	11.1	10.7	10.3	9.4	7.3	4.2													
16	*****															11.2	10.8	10.4	10.0	9.1	7.1	4.1												
17	*****																10.8	10.5	10.1	9.7	8.8	6.8	4.0											
18	*****																	10.2	9.8	9.4	8.6	6.7	3.8											
19	*****																		9.9	9.5	9.2	8.4	6.5	3.7										
20	*****																			9.6	9.3	8.9	8.2	6.3	3.6									
21	*****																				9.4	9.1	8.7	8.0	6.2	3.6								
22	*****																					8.9	8.5	7.8	6.0	3.5								
23	*****																						8.7	8.3	7.6	5.9	3.4							
24	*****																							8.5	8.2	7.4	5.8	3.3						
25	*****																								8.3	8.0	7.3	5.6	3.3					
30	*****																										6.7	5.2	3.0					
35	*****																											6.2	4.8	2.8				
40	*****																													4.5	2.6			
45	*****																														4.2	2.4		
50	*****																															4.0	2.3	
55	*****																																2.2	
60	*****																																	2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Grey Bruce (35933)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	51.3	51.0	50.2	48.9	47.5	46.1	44.6	43.1	41.6	39.9	36.5	28.2	16.3
2	*****	36.1	35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5	
3	*****		29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.1	21.0	16.3	9.4	
4	*****		25.1	24.5	23.8	23.1	22.3	21.6	20.8	20.0	18.2	14.1	8.2	
5	*****		22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3	
6	*****		20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7	
7	*****			18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
8	*****			17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8	
9	*****			16.3	15.8	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4	
10	*****			15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2	
11	*****			14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
12	*****			14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7	
13	*****			13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
14	*****				12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4	
15	*****				12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
16	*****				11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1	
17	*****				11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
18	*****				11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8	
19	*****				10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
20	*****				10.6	10.3	10.0	9.6	9.3	8.9	8.2	6.3	3.6	
21	*****					10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6	
22	*****					9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
23	*****					9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	
24	*****					9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3	
25	*****					9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3	
30	*****						8.2	7.9	7.6	7.3	6.7	5.2	3.0	
35	*****							7.3	7.0	6.7	6.2	4.8	2.8	
40	*****								6.8	6.6	6.3	5.8	4.5	2.6
45	*****								6.2	6.0	5.4	4.2	2.4	
50	*****									5.6	5.2	4.0	2.3	
55	*****										4.9	3.8	2.2	
60	*****										4.7	3.6	2.1	
65	*****											4.5	3.5	2.0
70	*****												3.4	1.9
75	*****												3.3	1.9
80	*****												3.2	1.8
85	*****												3.1	1.8
90	*****												3.0	1.7
95	*****												2.9	1.7
100	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Halifax-Norfolk (35934)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****	47.1	46.4	45.2	43.9	42.6	41.2	39.8	38.4	36.9	33.7	26.1	15.1			
2	*****		32.8	31.9	31.0	30.1	29.2	28.2	27.1	26.1	23.8	18.4	10.6			
3	*****		26.8	26.1	25.3	24.6	23.8	23.0	22.2	21.3	19.4	15.1	8.7			
4	*****		23.2	22.6	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5			
5	*****			20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.1	11.7	6.7			
6	*****			18.4	17.9	17.4	16.8	16.3	15.7	15.1	13.7	10.6	6.1			
7	*****			17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7			
8	*****			16.0	15.5	15.1	14.6	14.1	13.6	13.0	11.9	9.2	5.3			
9	*****			15.1	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0			
10	*****				13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8			
11	*****				13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.9	4.5			
12	*****				12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3			
13	*****				12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2			
14	*****					11.4	11.0	10.6	10.3	9.9	9.0	7.0	4.0			
15	*****					11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9			
16	*****					10.6	10.3	10.0	9.6	9.2	8.4	6.5	3.8			
17	*****					10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.7			
18	*****					10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5			
19	*****						9.5	9.1	8.8	8.5	7.7	6.0	3.5			
20	*****						9.2	8.9	8.6	8.2	7.5	5.8	3.4			
21	*****						9.0	8.7	8.4	8.0	7.3	5.7	3.3			
22	*****						8.8	8.5	8.2	7.9	7.2	5.6	3.2			
23	*****						8.6	8.3	8.0	7.7	7.0	5.4	3.1			
24	*****							8.1	7.8	7.5	6.9	5.3	3.1			
25	*****							8.0	7.7	7.4	6.7	5.2	3.0			
30	*****								7.0	6.7	6.1	4.8	2.7			
35	*****									6.2	5.7	4.4	2.5			
40	*****										5.3	4.1	2.4			
45	*****											5.0	3.9	2.2		
50	*****												3.7	2.1		
55	*****													3.5	2.0	
60	*****														3.4	1.9
65	*****															1.9
70	*****															1.8
75	*****															1.7
80	*****															1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Haliburton-Kawartha-Pine Ridge (35935)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	56.4	56.1	55.2	53.7	52.2	50.7	49.0	47.4	45.7	43.9	40.0	31.0	17.9
2	*****	39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7	10.3
3	*****		31.9	31.0	30.1	29.2	28.3	27.4	26.4	25.3	23.1	17.9	10.3	9.0
4	*****		27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0	8.0
5	*****		24.7	24.0	23.4	22.7	21.9	21.2	20.4	19.6	17.9	13.9	8.0	7.3
6	*****		22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3	6.8
7	*****		20.9	20.3	19.7	19.1	18.5	17.9	17.3	16.6	15.1	11.7	6.8	6.3
8	*****			19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3	6.0
9	*****			17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0	5.7
10	*****			17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7	5.4
11	*****			16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4	5.2
12	*****			15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2	5.0
13	*****			14.9	14.5	14.0	13.6	13.1	12.7	12.2	11.1	8.6	5.0	4.8
14	*****			14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8	4.6
15	*****				13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	4.5
16	*****				13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5	4.3
17	*****				12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	4.2
18	*****				12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	4.1
19	*****				12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1	4.0
20	*****				11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0	3.9
21	*****				11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9	3.8
22	*****				11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8	3.7
23	*****					10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7	3.7
24	*****					10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7	3.6
25	*****					10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	3.3
30	*****						9.0	8.7	8.3	8.0	7.3	5.7	3.3	3.0
35	*****						8.3	8.0	7.7	7.4	6.8	5.2	3.0	2.8
40	*****							7.5	7.2	6.9	6.3	4.9	2.8	2.7
45	*****							6.8	6.5	6.0	4.6	2.7	2.7	2.5
50	*****								6.5	6.2	5.7	4.4	2.5	2.4
55	*****									5.9	5.4	4.2	2.4	2.3
60	*****										5.2	4.0	2.3	2.2
65	*****											5.0	3.8	2.2
70	*****											4.8	3.7	2.1
75	*****												3.6	2.1
80	*****													3.5
85	*****													3.4
90	*****													3.3
95	*****													3.2
100	*****													3.1
125	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Halton (35936)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	64.1	63.8	62.8	61.1	59.4	57.6	55.8	53.9	52.0	49.9	45.6	35.3	20.4
2	*****	45.3	45.1	44.4	43.2	42.0	40.8	39.5	38.1	36.7	35.3	32.2	25.0	14.4
3	*****	37.0	36.8	36.3	35.3	34.3	33.3	32.2	31.1	30.0	28.8	26.3	20.4	11.8
4	*****		31.9	31.4	30.6	29.7	28.8	27.9	27.0	26.0	25.0	22.8	17.6	10.2
5	*****		28.5	28.1	27.3	26.6	25.8	25.0	24.1	23.2	22.3	20.4	15.8	9.1
6	*****		26.0	25.6	25.0	24.3	23.5	22.8	22.0	21.2	20.4	18.6	14.4	8.3
7	*****			23.7	23.1	22.5	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7
8	*****			22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.6	16.1	12.5	7.2
9	*****			20.9	20.4	19.8	19.2	18.6	18.0	17.3	16.6	15.2	11.8	6.8
10	*****			19.9	19.3	18.8	18.2	17.6	17.1	16.4	15.8	14.4	11.2	6.4
11	*****			18.9	18.4	17.9	17.4	16.8	16.3	15.7	15.1	13.7	10.6	6.1
12	*****			18.1	17.6	17.2	16.6	16.1	15.6	15.0	14.4	13.2	10.2	5.9
13	*****			17.4	17.0	16.5	16.0	15.5	15.0	14.4	13.8	12.6	9.8	5.7
14	*****			16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
15	*****			16.2	15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
16	*****			15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
17	*****			15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9
18	*****				14.4	14.0	13.6	13.2	12.7	12.2	11.8	10.7	8.3	4.8
19	*****				14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7
20	*****				13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
21	*****				13.3	13.0	12.6	12.2	11.8	11.3	10.9	9.9	7.7	4.4
22	*****				13.0	12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
23	*****				12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2
24	*****				12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
25	*****				12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
30	*****				11.2	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
35	*****					10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
40	*****						9.4	9.1	8.8	8.5	8.2	7.9	6.2	3.2
45	*****						8.9	8.6	8.3	8.0	7.7	7.4	6.8	3.0
50	*****						8.4	8.2	7.9	7.6	7.3	7.1	6.4	2.9
55	*****							7.8	7.5	7.3	7.0	6.7	6.1	2.7
60	*****							7.4	7.2	7.0	6.7	6.4	5.9	2.6
65	*****							7.1	6.9	6.7	6.4	6.2	5.7	2.5
70	*****								6.7	6.4	6.2	6.0	5.4	2.4
75	*****								6.4	6.2	6.0	5.8	5.3	2.4
80	*****								6.2	6.0	5.8	5.6	5.1	2.3
85	*****								6.1	5.8	5.6	5.4	4.9	2.2
90	*****									5.7	5.5	5.3	4.8	2.1
95	*****									5.5	5.3	5.1	4.7	2.1
100	*****									5.4	5.2	5.0	4.6	2.0
125	*****										4.5	4.1	3.2	1.8
150	*****											3.7	2.9	1.7
200	*****												2.5	1.4
250	*****													1.3
300	*****													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

City of Hamilton (35937)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	64.9	64.6	63.6	61.9	60.2	58.4	56.5	54.6	52.6	50.5	46.1	35.7	20.6
2	*****	45.9	45.7	45.0	43.8	42.5	41.3	40.0	38.6	37.2	35.7	32.6	25.3	14.6
3	*****	37.5	37.3	36.7	35.7	34.7	33.7	32.6	31.5	30.4	29.2	26.6	20.6	11.9
4	*****	32.5	32.3	31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9	10.3
5	*****		28.9	28.4	27.7	26.9	26.1	25.3	24.4	23.5	22.6	20.6	16.0	9.2
6	*****		26.4	26.0	25.3	24.6	23.8	23.1	22.3	21.5	20.6	18.8	14.6	8.4
7	*****		24.4	24.0	23.4	22.7	22.1	21.4	20.6	19.9	19.1	17.4	13.5	7.8
8	*****		22.8	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
9	*****		21.2	20.6	20.1	19.5	18.8	18.2	17.5	16.8	16.3	15.4	11.9	6.9
10	*****			20.1	19.6	19.0	18.5	17.9	17.3	16.6	16.0	14.6	11.3	6.5
11	*****			19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2
12	*****			18.4	17.9	17.4	16.8	16.3	15.8	15.2	14.6	13.3	10.3	6.0
13	*****			17.6	17.2	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
14	*****			17.0	16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
15	*****			16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
16	*****			15.9	15.5	15.0	14.6	14.1	13.6	13.2	12.6	11.5	8.9	5.2
17	*****			15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0
18	*****			15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
19	*****			14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
20	*****			14.2	13.8	13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6
21	*****			13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
22	*****				13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4
23	*****				12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3
24	*****				12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
25	*****				12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1
30	*****				11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
35	*****				10.5	10.2	9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5
40	*****					9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	3.3
45	*****						9.0	8.7	8.4	8.1	7.8	7.5	6.9	3.1
50	*****						8.5	8.3	8.0	7.7	7.4	7.1	6.5	2.9
55	*****						8.1	7.9	7.6	7.4	7.1	6.8	6.2	2.8
60	*****						7.8	7.5	7.3	7.0	6.8	6.5	6.0	2.7
65	*****						7.5	7.2	7.0	6.8	6.5	6.3	5.7	2.6
70	*****							7.0	6.8	6.5	6.3	6.0	5.5	2.5
75	*****							6.7	6.5	6.3	6.1	5.8	5.3	2.4
80	*****							6.5	6.3	6.1	5.9	5.7	5.2	2.3
85	*****							6.3	6.1	5.9	5.7	5.5	5.0	2.2
90	*****								6.0	5.8	5.5	5.3	4.9	2.2
95	*****								5.8	5.6	5.4	5.2	4.7	2.1
100	*****								5.7	5.5	5.3	5.1	4.6	2.1
125	*****									4.9	4.7	4.5	4.1	1.8
150	*****										4.3	4.1	3.8	1.7
200	*****											3.3	2.5	1.5
250	*****												2.3	1.3
300	*****													2.1
350	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Hastings and Prince Edward (35938)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	49.1	48.8	48.1	46.8	45.5	44.1	42.7	41.2	39.7	38.2	34.9	27.0	15.6
2	*****		34.5	34.0	33.1	32.1	31.2	30.2	29.2	28.1	27.0	24.7	19.1	11.0
3	*****			27.7	27.0	26.2	25.5	24.7	23.8	22.9	22.0	20.1	15.6	9.0
4	*****			24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8
5	*****			21.5	20.9	20.3	19.7	19.1	18.4	17.8	17.1	15.6	12.1	7.0
6	*****			19.6	19.1	18.6	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
7	*****				17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
8	*****				16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.5	5.5
9	*****				15.6	15.2	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
10	*****				14.8	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9
11	*****				14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
12	*****				13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
13	*****				13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
14	*****					12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
15	*****					11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
16	*****					11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.8	3.9
17	*****					11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.5	3.8
18	*****					10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
19	*****					10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
20	*****					10.2	9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5
21	*****						9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4
22	*****						9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3
23	*****						9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3
24	*****						9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
25	*****						8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
30	*****							7.8	7.5	7.3	7.0	6.4	4.9	2.8
35	*****								7.0	6.7	6.5	5.9	4.6	2.6
40	*****									6.5	6.3	6.0	5.4	2.5
45	*****										5.9	5.7	5.2	2.3
50	*****											5.4	4.9	2.2
55	*****												4.7	2.1
60	*****												4.5	2.0
65	*****												4.3	1.9
70	*****													3.2
75	*****													3.1
80	*****													3.0
85	*****													2.9
90	*****													2.8
95	*****													1.6
100	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Huron / Perth (35939)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	43.4	43.2	42.5	41.4	40.2	39.0	37.8	36.5	35.2	33.8	30.8	23.9	13.8
2	*****		30.5	30.1	29.3	28.4	27.6	26.7	25.8	24.9	23.9	21.8	16.9	9.8
3	*****			24.5	23.9	23.2	22.5	21.8	21.1	20.3	19.5	17.8	13.8	8.0
4	*****			21.3	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9
5	*****			19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
6	*****				16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6
7	*****					15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	5.2
8	*****					14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	4.9
9	*****					13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	4.6
10	*****					13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.8	4.4
11	*****					12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	4.2
12	*****						11.6	11.3	10.9	10.5	10.1	9.8	8.9	4.0
13	*****						11.2	10.8	10.5	10.1	9.8	9.4	8.6	3.8
14	*****						10.7	10.4	10.1	9.8	9.4	9.0	8.2	3.7
15	*****						10.4	10.1	9.8	9.4	9.1	8.7	8.0	3.6
16	*****						10.1	9.8	9.4	9.1	8.8	8.4	7.7	3.4
17	*****						9.8	9.5	9.2	8.8	8.5	8.2	7.5	3.3
18	*****							9.2	8.9	8.6	8.3	8.0	7.3	3.3
19	*****							8.9	8.7	8.4	8.1	7.7	7.1	3.2
20	*****							8.7	8.4	8.2	7.9	7.6	6.9	3.1
21	*****							8.5	8.2	8.0	7.7	7.4	6.7	3.0
22	*****							8.3	8.1	7.8	7.5	7.2	6.6	2.9
23	*****							8.1	7.9	7.6	7.3	7.0	6.4	2.9
24	*****								7.7	7.4	7.2	6.9	6.3	2.8
25	*****								7.6	7.3	7.0	6.8	6.2	2.8
30	*****									6.7	6.4	6.2	5.6	2.5
35	*****										5.9	5.7	5.2	2.3
40	*****											5.6	5.3	2.2
45	*****												5.0	2.1
50	*****												4.4	2.0
55	*****												4.2	1.9
60	*****													3.1
65	*****													3.0
70	*****													2.9
75	*****													2.8
80	*****													2.7
85	*****													1.5
90	*****													1.5
95	*****													1.4
100	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Chatham - Kent (35940)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		46.5	45.8	44.6	43.3	42.0	40.7	39.3	37.9	36.4	33.2	25.7	14.9
2	*****			32.4	31.5	30.6	29.7	28.8	27.8	26.8	25.7	23.5	18.2	10.5
3	*****			26.4	25.7	25.0	24.3	23.5	22.7	21.9	21.0	19.2	14.9	8.6
4	*****			22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4
5	*****				19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.9	11.5	6.6
6	*****				18.2	17.7	17.1	16.6	16.0	15.5	14.9	13.6	10.5	6.1
7	*****				16.8	16.4	15.9	15.4	14.9	14.3	13.7	12.6	9.7	5.6
8	*****				15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3
9	*****				14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0
10	*****					13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
11	*****					13.1	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5
12	*****					12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
13	*****					12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
14	*****						11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0
15	*****						10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
16	*****						10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
17	*****						10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
18	*****						9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
19	*****							9.3	9.0	8.7	8.3	7.6	5.9	3.4
20	*****							9.1	8.8	8.5	8.1	7.4	5.8	3.3
21	*****							8.9	8.6	8.3	7.9	7.2	5.6	3.2
22	*****							8.7	8.4	8.1	7.8	7.1	5.5	3.2
23	*****							8.5	8.2	7.9	7.6	6.9	5.4	3.1
24	*****								8.0	7.7	7.4	6.8	5.3	3.0
25	*****								7.9	7.6	7.3	6.6	5.1	3.0
30	*****									6.9	6.6	6.1	4.7	2.7
35	*****										6.1	5.6	4.3	2.5
40	*****											5.3	4.1	2.3
45	*****												5.0	3.8
50	*****													3.6
55	*****													3.5
60	*****													3.3
65	*****													
70	*****													1.8
75	*****													1.7
80	*****													1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Kingston-Frontenac-Lennox-Addington (35941)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																				
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%							
1	*****	53.8	53.5	52.7	51.3	49.8	48.3	46.8	45.2	43.6	41.9	38.2	29.6	17.1							
2	*****		37.8	37.2	36.3	35.2	34.2	33.1	32.0	30.8	29.6	27.0	20.9	12.1							
3	*****		30.9	30.4	29.6	28.8	27.9	27.0	26.1	25.2	24.2	22.1	17.1	9.9							
4	*****			26.3	25.6	24.9	24.2	23.4	22.6	21.8	20.9	19.1	14.8	8.5							
5	*****			23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6							
6	*****			21.5	20.9	20.3	19.7	19.1	18.5	17.8	17.1	15.6	12.1	7.0							
7	*****			19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5							
8	*****				18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0							
9	*****				17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7							
10	*****				16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4							
11	*****				15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2							
12	*****				14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.5	4.9							
13	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7							
14	*****				13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6							
15	*****				13.2	12.9	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4							
16	*****					12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3							
17	*****					12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1							
18	*****					11.7	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0							
19	*****					11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9							
20	*****					11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8							
21	*****					10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7							
22	*****					10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6							
23	*****					10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6							
24	*****						9.9	9.6	9.2	8.9	8.5	7.8	6.0	3.5							
25	*****						9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4							
30	*****						8.8	8.5	8.3	8.0	7.6	7.0	5.4	3.1							
35	*****							7.9	7.6	7.4	7.1	6.5	5.0	2.9							
40	*****								7.1	6.9	6.6	6.0	4.7	2.7							
45	*****								6.7	6.5	6.2	5.7	4.4	2.5							
50	*****									6.2	5.9	5.4	4.2	2.4							
55	*****										5.6	5.2	4.0	2.3							
60	*****											5.4	4.9	3.8	2.2						
65	*****												4.7	3.7	2.1						
70	*****													4.6	3.5	2.0					
75	*****														4.4	3.4	2.0				
80	*****															3.3	1.9				
85	*****																3.2	1.9			
90	*****																	3.1	1.8		
95	*****																		3.0	1.8	
100	*****																			3.0	1.7
125	*****																				1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Lambton (35942)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	49.5	49.2	48.5	47.2	45.9	44.5	43.1	41.6	40.1	38.5	35.2	27.2	15.7
2	*****	34.8	34.3	34.3	33.4	32.4	31.5	30.5	29.4	28.4	27.2	24.9	19.3	11.1
3	*****		28.0	27.2	26.5	25.7	24.9	24.0	23.2	22.2	20.3	15.7	9.1	
4	*****		24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.3	17.6	13.6	7.9	
5	*****		21.7	21.1	20.5	19.9	19.3	18.6	17.9	17.2	15.7	12.2	7.0	
6	*****			19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4	
7	*****				17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9
8	*****					16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6
9	*****						15.7	15.3	14.8	14.4	13.9	13.4	12.8	11.7
10	*****							14.9	14.5	14.1	13.6	13.2	12.7	12.2
11	*****								14.2	13.8	13.4	13.0	12.5	12.1
12	*****									13.2	12.8	12.4	12.0	11.6
13	*****										12.7	12.3	11.9	11.5
14	*****											12.3	11.9	11.5
15	*****												11.8	11.5
16	*****													11.5
17	*****													11.1
18	*****													10.8
19	*****													10.8
20	*****													10.5
21	*****													10.2
22	*****													9.9
23	*****													9.7
24	*****													9.5
25	*****													9.2
30	*****													9.0
35	*****													8.9
40	*****													8.9
45	*****													8.9
50	*****													8.9
55	*****													8.9
60	*****													8.9
65	*****													8.9
70	*****													8.9
75	*****													8.9
80	*****													8.9
85	*****													8.9
90	*****													8.9
95	*****													8.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Leeds-Grenville-Lanark (35943)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	51.3	51.0	50.2	48.9	47.5	46.1	44.6	43.1	41.5	39.9	36.4	28.2	16.3
2	*****	36.1	35.5	34.6	33.6	32.6	31.6	30.5	29.4	28.2	25.8	20.0	11.5	
3	*****		29.0	28.2	27.4	26.6	25.8	24.9	24.0	23.0	21.0	16.3	9.4	
4	*****		25.1	24.4	23.8	23.0	22.3	21.6	20.8	20.0	18.2	14.1	8.1	
5	*****		22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.8	16.3	12.6	7.3	
6	*****		20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7	
7	*****		19.0	18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2	
8	*****			17.3	16.8	16.3	15.8	15.2	14.7	14.1	12.9	10.0	5.8	
9	*****			16.3	15.8	15.4	14.9	14.4	13.8	13.3	12.1	9.4	5.4	
10	*****			15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2	
11	*****			14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
12	*****			14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7	
13	*****			13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5	
14	*****			13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4	
15	*****				12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
16	*****				11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1	
17	*****				11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
18	*****				11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8	
19	*****				10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
20	*****				10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	
21	*****				10.4	10.1	9.7	9.4	9.1	8.7	7.9	6.2	3.6	
22	*****					9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
23	*****					9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4	
24	*****					9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3	
25	*****					9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3	
30	*****						8.1	7.9	7.6	7.3	6.7	5.2	3.0	
35	*****						7.5	7.3	7.0	6.7	6.2	4.8	2.8	
40	*****							6.8	6.6	6.3	5.8	4.5	2.6	
45	*****							6.2	5.9	5.4	4.2	2.4		
50	*****								5.6	5.2	4.0	2.3		
55	*****								5.4	4.9	3.8	2.2		
60	*****									4.7	3.6	2.1		
65	*****										4.5	3.5	2.0	
70	*****										4.4	3.4	1.9	
75	*****											3.3	1.9	
80	*****												3.2	1.8
85	*****													3.1
90	*****													3.0
95	*****													2.9
100	*****													1.6
125	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Mid Essex-London (35944)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
1	*****	60.9	60.6	59.6	58.1	56.4	54.7	53.0	51.2	49.3	47.4	43.3	33.5	19.4	
2	*****	43.1	42.8	42.2	41.1	39.9	38.7	37.5	36.2	34.9	33.5	30.6	23.7	13.7	
3	*****	35.2	35.0	34.4	33.5	32.6	31.6	30.6	29.6	28.5	27.4	25.0	19.4	11.2	
4	*****		30.3	29.8	29.0	28.2	27.4	26.5	25.6	24.7	23.7	21.6	16.8	9.7	
5	*****		27.1	26.7	26.0	25.2	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7	
6	*****		24.7	24.4	23.7	23.0	22.3	21.6	20.9	20.1	19.4	17.7	13.7	7.9	
7	*****		22.9	22.5	21.9	21.3	20.7	20.0	19.4	18.6	17.9	16.4	12.7	7.3	
8	*****			21.1	20.5	19.9	19.4	18.7	18.1	17.4	16.8	15.3	11.9	6.8	
9	*****			19.9	19.4	18.8	18.2	17.7	17.1	16.4	15.8	14.4	11.2	6.5	
10	*****				18.9	18.4	17.8	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1
11	*****				18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.0	10.1	5.8
12	*****				17.2	16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6
13	*****				16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4
14	*****				15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
15	*****				15.4	15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0
16	*****				14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.9	10.8	8.4	4.8
17	*****				14.5	14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7
18	*****				14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6
19	*****				13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4	4.4
20	*****				13.0	12.6	12.2	11.9	11.4	11.0	10.6	9.7	7.5	4.3	4.3
21	*****				12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	4.2
22	*****				12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1	4.1
23	*****				12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0	4.0
24	*****				11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	4.0
25	*****				11.6	11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9	3.9
30	*****				10.6	10.3	10.0	9.7	9.3	9.0	8.7	7.9	6.1	3.5	3.5
35	*****				9.8	9.5	9.3	9.0	8.7	8.3	8.0	7.3	5.7	3.3	3.3
40	*****					8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1	3.1
45	*****					8.4	8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9	2.9
50	*****					8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7	2.7
55	*****						7.4	7.1	6.9	6.7	6.4	5.8	4.5	2.6	2.6
60	*****						7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5	2.5
65	*****						6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4	2.4
70	*****						6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3	2.3
75	*****							6.1	5.9	5.7	5.5	5.0	3.9	2.2	2.2
80	*****							5.9	5.7	5.5	5.3	4.8	3.7	2.2	2.2
85	*****							5.7	5.6	5.4	5.1	4.7	3.6	2.1	2.1
90	*****							5.6	5.4	5.2	5.0	4.6	3.5	2.0	2.0
95	*****							5.3	5.1	4.9	4.4	4.4	3.4	2.0	2.0
100	*****								5.1	4.9	4.7	4.3	3.4	1.9	1.9
125	*****									4.4	4.2	3.9	3.0	1.7	1.7
150	*****										3.5		2.7	1.6	1.6
200	*****												2.4	1.4	1.4
250	*****												2.1	1.2	1.2
300	*****													1.1	1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Muskoka-Parry Sound (35945)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	45.0	44.3	43.1	41.9	40.6	39.3	38.0	36.6	35.2	32.1	24.9	14.4	
2	*****	31.3	30.5	29.6	28.7	27.8	26.9	25.9	24.9	22.7	17.6	10.2		
3	*****	25.6	24.9	24.2	23.5	22.7	21.9	21.1	20.3	18.5	14.4	8.3		
4	*****	21.5	20.9	20.3	19.7	19.0	18.3	17.6	16.1	12.4	7.2			
5	*****	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4			
6	*****	17.6	17.1	16.6	16.1	15.5	14.9	14.4	13.1	10.2	5.9			
7	*****	16.3	15.8	15.4	14.9	14.4	13.8	13.3	12.1	9.4	5.4			
8	*****	14.8	14.4	13.9	13.4	12.9	12.4	11.4	8.8	5.1				
9	*****	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8				
10	*****	13.2	12.8	12.4	12.0	11.6	11.1	10.2	7.9	4.5				
11	*****	12.2	11.9	11.5	11.0	10.6	9.7	7.5	4.3					
12	*****	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1					
13	*****	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0					
14	*****	10.9	10.5	10.2	9.8	9.4	8.6	6.6	3.8					
15	*****	10.2	9.8	9.5	9.1	8.3	6.4	3.7						
16	*****	9.8	9.5	9.2	8.8	8.0	6.2	3.6						
17	*****	9.5	9.2	8.9	8.5	7.8	6.0	3.5						
18	*****	9.3	9.0	8.6	8.3	7.6	5.9	3.4						
19	*****	8.7	8.4	8.1	7.4	5.7	3.3							
20	*****	8.5	8.2	7.9	7.2	5.6	3.2							
21	*****	8.3	8.0	7.7	7.0	5.4	3.1							
22	*****	7.8	7.5	6.8	5.3	3.1								
23	*****	7.6	7.3	6.7	5.2	3.0								
24	*****	7.5	7.2	6.6	5.1	2.9								
25	*****	7.3	7.0	6.4	5.0	2.9								
30	*****	5.9	4.5	2.6										
35	*****	5.4	4.2	2.4										
40	*****	3.9	2.3											
45	*****	3.7	2.1											
50	*****	3.5	2.0											
55	*****	1.9												
60	*****	1.9												
65	*****	1.8												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Niagara (35946)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	65.0	64.7	63.7	62.0	60.2	58.4	56.6	54.7	52.7	50.6	46.2	35.8	20.7
2	*****	46.0	45.7	45.0	43.8	42.6	41.3	40.0	38.7	37.2	35.8	32.7	25.3	14.6
3	*****	37.5	37.3	36.8	35.8	34.8	33.7	32.7	31.6	30.4	29.2	26.7	20.7	11.9
4	*****	32.3	31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9	10.3	
5	*****	28.9	28.5	27.7	26.9	26.1	25.3	24.4	23.6	22.6	20.7	16.0	9.2	
6	*****	26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4	
7	*****	24.4	24.1	23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8	
8	*****	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3		
9	*****	21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9		
10	*****	20.1	19.6	19.0	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5		
11	*****	19.2	18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	10.8	6.2		
12	*****	18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0		
13	*****	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7		
14	*****	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5		
15	*****	16.4	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3		
16	*****	15.9	15.5	15.1	14.6	14.1	13.7	13.2	12.7	11.5	8.9	5.2		
17	*****	15.4	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0		
18	*****	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9		
19	*****	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7			
20	*****	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6			
21	*****	13.5	13.1	12.8	12.3	11.9	11.5	11.0	10.1	7.8	4.5			
22	*****	13.2	12.8	12.5	12.1	11.7	11.2	10.8	9.8	7.6	4.4			
23	*****	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3			
24	*****	12.7	12.3	11.9	11.5	11.2	10.8	10.3	9.4	7.3	4.2			
25	*****	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1			
30	*****	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8			
35	*****	10.5	10.2	9.9	9.6	9.2	8.9	8.6	7.8	6.0	3.5			
40	*****	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.7	3.3				
45	*****	9.0	8.7	8.4	8.1	7.9	7.5	6.9	5.3	3.1				
50	*****	8.5	8.3	8.0	7.7	7.4	7.2	6.5	5.1	2.9				
55	*****	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8				
60	*****	7.5	7.3	7.1	6.8	6.5	6.0	5.5	4.6	2.7				
65	*****	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6					
70	*****	7.0	6.8	6.5	6.3	6.0	5.5	4.3	2.5					
75	*****	6.5	6.3	6.1	5.8	5.3	4.1	2.4						
80	*****	6.3	6.1	5.9	5.7	5.2	4.0	2.3						
85	*****	6.1	5.9	5.7	5.5	5.0	3.9	2.2						
90	*****	6.0	5.8	5.6	5.3	4.9	3.8	2.2						
95	*****	5.6	5.4	5.2	4.7	3.7	2.1							
100	*****	5.5	5.3	5.1	4.6	3.6	2.1							
125	*****	4.7	4.5	4.1	3.2	1.8								
150	*****	3.8	2.9	1.7										
200	*****	2.5	1.5											
250	*****	2.3	1.3											
300	*****	1.2												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

North Bay / Timiskaming (35947)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																																						
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%																									
1	*****	41.7	41.5	40.8	39.7	38.6	37.5	36.3	35.1	33.8	32.5	29.6	22.9	13.2																									
2	*****	29.3	28.9	28.1	27.3	26.5	25.7	24.8	23.9	22.9	20.9	16.2	9.4																										
3	*****		23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6																										
4	*****		20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6																										
5	*****		18.3	17.8	17.3	16.8	16.2	15.7	15.1	14.5	13.2	10.3	5.9																										
6	*****			16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4																										
7	*****				15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0																									
8	*****					14.1	13.7	13.2	12.8	12.4	11.9	10.5	8.1	4.7																									
9	*****						13.2	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4																							
10	*****							12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2																						
11	*****								12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0																					
12	*****									11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8																					
13	*****										10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7																				
14	*****											10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5																			
15	*****												10.0	9.7	9.4	9.1	8.7	8.4	7.6	5.9	3.4																		
16	*****													9.7	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3																	
17	*****														9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2																	
18	*****															8.8	8.6	8.3	8.0	7.6	7.0	5.4	3.1																
19	*****																8.6	8.3	8.0	7.7	7.4	6.8	5.3	3.0															
20	*****																	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0														
21	*****																		8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9													
22	*****																			8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8												
23	*****																				7.6	7.3	7.0	6.8	6.2	4.8	2.8												
24	*****																					7.4	7.2	6.9	6.6	6.0	4.7	2.7											
25	*****																						7.3	7.0	6.8	6.5	5.9	4.6	2.6										
30	*****																								6.4	6.2	5.9	5.4	4.2	2.4									
35	*****																										5.7	5.5	5.0	3.9	2.2								
40	*****																												5.1	4.7	3.6	2.1							
45	*****																													4.4	3.4	2.0							
50	*****																													4.2	3.2	1.9							
55	*****																														4.0	3.1	1.8						
60	*****																															3.0	1.7						
65	*****																																2.8	1.6					
70	*****																																	2.7	1.6				
75	*****																																		2.6	1.5			
80	*****																																			1.5			
85	*****																																			1.4			
90	*****																																			1.4			
95	*****																																				1.4		

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Northwestern (35949)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		43.1	42.4	41.3	40.1	38.9	37.7	36.4	35.1	33.7	30.8	23.8	13.8
2	*****		30.0	29.2	28.4	27.5	26.6	25.7	24.8	23.8	21.7	16.8	9.7	
3	*****			23.8	23.2	22.5	21.7	21.0	20.2	19.5	17.8	13.8	7.9	
4	*****			20.6	20.1	19.5	18.8	18.2	17.5	16.8	15.4	11.9	6.9	
5	*****			18.5	17.9	17.4	16.8	16.3	15.7	15.1	13.8	10.7	6.2	
6	*****				16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6	
7	*****				15.2	14.7	14.2	13.8	13.3	12.7	11.6	9.0	5.2	
8	*****				14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9	
9	*****					13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6	
10	*****					12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.3	
11	*****						11.4	11.0	10.6	10.2	9.3	7.2	4.1	
12	*****						10.9	10.5	10.1	9.7	8.9	6.9	4.0	
13	*****						10.4	10.1	9.7	9.3	8.5	6.6	3.8	
14	*****							9.7	9.4	9.0	8.2	6.4	3.7	
15	*****							9.4	9.1	8.7	7.9	6.2	3.6	
16	*****							9.1	8.8	8.4	7.7	6.0	3.4	
17	*****								8.5	8.2	7.5	5.8	3.3	
18	*****								8.3	7.9	7.2	5.6	3.2	
19	*****									7.7	7.1	5.5	3.2	
20	*****									7.5	6.9	5.3	3.1	
21	*****									7.4	6.7	5.2	3.0	
22	*****										6.6	5.1	2.9	
23	*****										6.4	5.0	2.9	
24	*****										6.3	4.9	2.8	
25	*****										6.2	4.8	2.8	
30	*****											4.3	2.5	
35	*****												4.0	2.3
40	*****													2.2
45	*****													2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

City of Ottawa (35951)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	77.7	77.3	76.1	74.1	72.0	69.9	67.6	65.3	63.0	60.5	55.2	42.8	24.7
2	*****	54.9	54.7	53.8	52.4	50.9	49.4	47.8	46.2	44.5	42.8	39.0	30.2	17.5
3	*****	44.9	44.6	43.9	42.8	41.6	40.3	39.0	37.7	36.4	34.9	31.9	24.7	14.3
4	*****	38.9	38.7	38.1	37.0	36.0	34.9	33.8	32.7	31.5	30.2	27.6	21.4	12.3
5	*****	34.8	34.6	34.0	33.1	32.2	31.2	30.2	29.2	28.2	27.1	24.7	19.1	11.0
6	*****	31.7	31.6	31.1	30.2	29.4	28.5	27.6	26.7	25.7	24.7	22.5	17.5	10.1
7	*****		29.2	28.8	28.0	27.2	26.4	25.6	24.7	23.8	22.9	20.9	16.2	9.3
8	*****		27.3	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7
9	*****		25.8	25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.2	18.4	14.3	8.2
10	*****		24.4	24.1	23.4	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8
11	*****		23.3	23.0	22.3	21.7	21.1	20.4	19.7	19.0	18.2	16.7	12.9	7.4
12	*****		22.3	22.0	21.4	20.8	20.2	19.5	18.9	18.2	17.5	15.9	12.3	7.1
13	*****		21.4	21.1	20.5	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.8
14	*****			20.3	19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.8	11.4	6.6
15	*****			19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.0	6.4
16	*****			19.0	18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2
17	*****			18.5	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
18	*****			17.9	17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.0	10.1	5.8
19	*****			17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
20	*****			17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
21	*****			16.6	16.2	15.7	15.2	14.8	14.3	13.7	13.2	12.1	9.3	5.4
22	*****			16.2	15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
23	*****			15.9	15.4	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.1
24	*****			15.5	15.1	14.7	14.3	13.8	13.3	12.9	12.3	11.3	8.7	5.0
25	*****			15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.6	4.9
30	*****			13.9	13.5	13.1	12.8	12.3	11.9	11.5	11.0	10.1	7.8	4.5
35	*****				12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
40	*****				11.7	11.4	11.0	10.7	10.3	10.0	9.6	8.7	6.8	3.9
45	*****				11.0	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
50	*****				10.5	10.2	9.9	9.6	9.2	8.9	8.6	7.8	6.0	3.5
55	*****				10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3
60	*****				9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
65	*****				9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1
70	*****					8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	3.0
75	*****					8.3	8.1	7.8	7.5	7.3	7.0	6.4	4.9	2.9
80	*****					8.1	7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8
85	*****					7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
90	*****					7.6	7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
95	*****					7.4	7.2	6.9	6.7	6.5	6.2	5.7	4.4	2.5
100	*****					7.2	7.0	6.8	6.5	6.3	6.0	5.5	4.3	2.5
125	*****						6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2
150	*****							5.5	5.3	5.1	4.9	4.5	3.5	2.0
200	*****								4.6	4.5	4.3	3.9	3.0	1.7
250	*****									3.8	3.5	2.7	1.6	
300	*****										3.2	2.5	1.4	
350	*****											2.3	1.3	
400	*****												2.1	1.2
450	*****													2.0
500	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Oxford County (35952)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
1	*****		43.5	42.8	41.7	40.5	39.3	38.1	36.8	35.4	34.0	31.1	24.1	13.9	
2	*****			30.3	29.5	28.6	27.8	26.9	26.0	25.0	24.1	22.0	17.0	9.8	
3	*****			24.7	24.1	23.4	22.7	22.0	21.2	20.5	19.6	17.9	13.9	8.0	
4	*****			21.4	20.8	20.3	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9	
5	*****				18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2	
6	*****				17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7	
7	*****				15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.7	9.1	5.3	
8	*****				14.7	14.3	13.9	13.5	13.0	12.5	12.0	11.0	8.5	4.9	
9	*****					13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6	
10	*****					12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4	
11	*****					12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
12	*****					11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0	
13	*****					11.2	10.9	10.6	10.2	9.8	9.4	8.6	6.7	3.9	
14	*****						10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7	
15	*****						10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
16	*****							9.8	9.5	9.2	8.9	8.5	7.8	3.5	
17	*****							9.5	9.2	8.9	8.6	8.3	7.5	3.4	
18	*****								9.0	8.7	8.3	8.0	7.3	3.3	
19	*****								8.7	8.4	8.1	7.8	7.1	3.2	
20	*****								8.5	8.2	7.9	7.6	6.9	3.1	
21	*****								8.3	8.0	7.7	7.4	6.8	3.0	
22	*****									7.8	7.6	7.3	6.6	3.0	
23	*****									7.7	7.4	7.1	6.5	2.9	
24	*****									7.5	7.2	6.9	6.3	2.8	
25	*****									7.4	7.1	6.8	6.2	2.8	
30	*****										6.5	6.2	5.7	2.5	
35	*****											5.3	4.1	2.3	
40	*****												4.9	2.2	
45	*****													3.6	2.1
50	*****														2.0
55	*****														1.9
60	*****														1.8
65	*****														1.7
70	*****														1.7
75	*****														1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Peel (35953)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	83.0	82.6	81.3	79.2	76.9	74.6	72.3	69.8	67.3	64.6	59.0	45.7	26.4
2	*****	58.7	58.4	57.5	56.0	54.4	52.8	51.1	49.4	47.6	45.7	41.7	32.3	18.7
3	*****	47.9	47.7	47.0	45.7	44.4	43.1	41.7	40.3	38.8	37.3	34.1	26.4	15.2
4	*****	41.5	41.3	40.7	39.6	38.5	37.3	36.1	34.9	33.6	32.3	29.5	22.8	13.2
5	*****	37.1	36.9	36.4	35.4	34.4	33.4	32.3	31.2	30.1	28.9	26.4	20.4	11.8
6	*****	33.9	33.7	33.2	32.3	31.4	30.5	29.5	28.5	27.5	26.4	24.1	18.7	10.8
7	*****	31.4	31.2	30.7	29.9	29.1	28.2	27.3	26.4	25.4	24.4	22.3	17.3	10.0
8	*****	29.4	29.2	28.8	28.0	27.2	26.4	25.5	24.7	23.8	22.8	20.9	16.2	9.3
9	*****	27.7	27.5	27.1	26.4	25.6	24.9	24.1	23.3	22.4	21.5	19.7	15.2	8.8
10	*****		26.1	25.7	25.0	24.3	23.6	22.8	22.1	21.3	20.4	18.7	14.5	8.3
11	*****		24.9	24.5	23.9	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	8.0
12	*****		23.8	23.5	22.8	22.2	21.5	20.9	20.2	19.4	18.7	17.0	13.2	7.6
13	*****		22.9	22.6	22.0	21.3	20.7	20.0	19.4	18.7	17.9	16.4	12.7	7.3
14	*****		22.1	21.7	21.2	20.6	19.9	19.3	18.7	18.0	17.3	15.8	12.2	7.1
15	*****		21.3	21.0	20.4	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
16	*****		20.6	20.3	19.8	19.2	18.7	18.1	17.5	16.8	16.2	14.7	11.4	6.6
17	*****		20.0	19.7	19.2	18.7	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4
18	*****		19.5	19.2	18.7	18.1	17.6	17.0	16.5	15.9	15.2	13.9	10.8	6.2
19	*****		18.7	18.2	17.6	17.1	16.6	16.0	15.4	14.8	14.2	12.9	10.5	6.1
20	*****		18.2	17.7	17.2	16.7	16.2	15.6	15.0	14.5	13.9	12.6	10.2	5.9
21	*****		17.7	17.3	16.8	16.3	15.8	15.2	14.7	14.1	13.5	12.3	10.0	5.8
22	*****		17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	13.2	12.0	9.7	5.6
23	*****		17.0	16.5	16.0	15.5	15.1	14.6	14.0	13.5	12.9	11.8	9.5	5.5
24	*****		16.6	16.2	15.7	15.2	14.7	14.2	13.7	13.2	12.6	11.5	9.3	5.4
25	*****		16.3	15.8	15.4	14.9	14.5	14.0	13.5	12.9	12.4	11.3	9.1	5.3
30	*****		14.8	14.5	14.0	13.6	13.2	12.7	12.3	11.8	11.3	10.2	8.3	4.8
35	*****		13.7	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.4	9.3	7.7	4.5
40	*****		12.9	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.7	8.6	7.2	4.2
45	*****		12.1	11.8	11.5	11.1	10.8	10.4	10.0	9.6	9.2	8.1	6.8	3.9
50	*****			11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.7	7.6	6.5	3.7
55	*****			10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.3	7.2	6.2	3.6
60	*****			10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.9	6.8	5.9	3.4
65	*****			9.8	9.5	9.3	9.0	8.7	8.3	8.0	7.6	6.5	5.7	3.3
70	*****			9.5	9.2	8.9	8.6	8.3	8.0	7.7	7.3	6.2	5.5	3.2
75	*****			9.1	8.9	8.6	8.3	8.1	7.8	7.5	7.2	6.1	5.3	3.0
80	*****			8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.9	5.8	5.1	2.9
85	*****			8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.7	5.6	5.0	2.9
90	*****			8.3	8.1	7.9	7.6	7.4	7.1	6.8	6.5	5.4	4.8	2.8
95	*****				7.9	7.7	7.4	7.2	6.9	6.6	6.3	5.2	4.7	2.7
100	*****				7.7	7.5	7.2	7.0	6.7	6.5	6.2	5.1	4.6	2.6
125	*****				6.9	6.7	6.5	6.2	6.0	5.8	5.5	4.4	4.1	2.4
150	*****					6.1	5.9	5.7	5.5	5.3	5.0	4.0	3.7	2.2
200	*****						5.1	4.9	4.8	4.6	4.4	3.4	3.2	1.9
250	*****							4.4	4.3	4.1	3.9	2.9	2.9	1.7
300	*****								3.9	3.7	3.5	2.5	2.6	1.5
350	*****									3.5	3.3	2.3	2.4	1.4
400	*****										2.9	1.9	2.3	1.3
450	*****											2.8	2.2	1.2
500	*****												2.0	1.2
750	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Peterborough County-City (35955)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%			
1	*****	49.8	49.5	48.7	47.4	46.1	44.7	43.3	41.8	40.3	38.7	35.4	27.4	15.8			
2	*****		35.0	34.5	33.5	32.6	31.6	30.6	29.6	28.5	27.4	25.0	19.4	11.2			
3	*****			28.1	27.4	26.6	25.8	25.0	24.2	23.3	22.4	20.4	15.8	9.1			
4	*****			24.4	23.7	23.0	22.4	21.7	20.9	20.2	19.4	17.7	13.7	7.9			
5	*****			21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.2	7.1			
6	*****				19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5			
7	*****				17.9	17.4	16.9	16.4	15.8	15.2	14.6	13.4	10.4	6.0			
8	*****				16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6			
9	*****				15.8	15.4	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3			
10	*****				15.0	14.6	14.1	13.7	13.2	12.7	12.2	11.2	8.7	5.0			
11	*****				14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8			
12	*****					13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6			
13	*****					12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4			
14	*****					12.3	12.0	11.6	11.2	10.8	10.4	9.4	7.3	4.2			
15	*****					11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1			
16	*****					11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0			
17	*****						10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8			
18	*****						10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7			
19	*****						10.3	9.9	9.6	9.2	8.9	8.1	6.3	3.6			
20	*****						10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5			
21	*****						9.8	9.4	9.1	8.8	8.5	7.7	6.0	3.5			
22	*****						9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4			
23	*****							9.0	8.7	8.4	8.1	7.4	5.7	3.3			
24	*****							8.8	8.5	8.2	7.9	7.2	5.6	3.2			
25	*****							8.7	8.4	8.1	7.7	7.1	5.5	3.2			
30	*****								7.6	7.4	7.1	6.5	5.0	2.9			
35	*****									6.8	6.5	6.0	4.6	2.7			
40	*****										6.1	5.6	4.3	2.5			
45	*****											5.8	5.3	4.1	2.4		
50	*****												5.0	3.9	2.2		
55	*****													4.8	3.7	2.1	
60	*****														3.5	2.0	
65	*****															3.4	2.0
70	*****															3.3	1.9
75	*****															3.2	1.8
80	*****																1.8
85	*****																1.7
90	*****																1.7
95	*****																1.6
100	*****																1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Porcupine (35956)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		39.6	38.9	37.9	36.8	35.7	34.6	33.4	32.2	31.0	28.3	21.9	12.6
2	*****			27.5	26.8	26.1	25.3	24.5	23.6	22.8	21.9	20.0	15.5	8.9
3	*****			22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
4	*****				19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3
5	*****				17.0	16.5	16.0	15.5	15.0	14.4	13.8	12.6	9.8	5.7
6	*****				15.5	15.0	14.6	14.1	13.6	13.2	12.6	11.5	8.9	5.2
7	*****				14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
8	*****					13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
9	*****					12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
10	*****					11.7	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
11	*****					11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
12	*****					10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.6	3.6
13	*****						9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
14	*****						9.6	9.2	8.9	8.6	8.3	7.6	5.8	3.4
15	*****							8.9	8.6	8.3	8.0	7.3	5.7	3.3
16	*****							8.7	8.4	8.1	7.7	7.1	5.5	3.2
17	*****							8.4	8.1	7.8	7.5	6.9	5.3	3.1
18	*****							8.2	7.9	7.6	7.3	6.7	5.2	3.0
19	*****							7.7	7.4	7.1	6.5	5.0	2.9	2.9
20	*****								7.5	7.2	6.9	6.3	4.9	2.8
21	*****								7.3	7.0	6.8	6.2	4.8	2.8
22	*****								7.1	6.9	6.6	6.0	4.7	2.7
23	*****									6.7	6.5	5.9	4.6	2.6
24	*****									6.6	6.3	5.8	4.5	2.6
25	*****									6.4	6.2	5.7	4.4	2.5
30	*****										5.2	4.0	2.3	2.3
35	*****											4.8	3.7	2.1
40	*****												3.5	2.0
45	*****													3.3
50	*****													3.1
55	*****													1.7
60	*****													1.6
65	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Renfrew County and District (35957)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		42.5	41.9	40.8	39.6	38.4	37.2	36.0	34.6	33.3	30.4	23.5	13.6
2	*****			29.6	28.8	28.0	27.2	26.3	25.4	24.5	23.5	21.5	16.6	9.6
3	*****			24.2	23.5	22.9	22.2	21.5	20.8	20.0	19.2	17.5	13.6	7.8
4	*****			20.9	20.4	19.8	19.2	18.6	18.0	17.3	16.6	15.2	11.8	6.8
5	*****				18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1
6	*****				16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
7	*****				15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
8	*****				14.4	14.0	13.6	13.2	12.7	12.3	11.8	10.7	8.3	4.8
9	*****					13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
10	*****					12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3
11	*****					11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
12	*****					11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
13	*****						10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
14	*****						10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6
15	*****							9.9	9.6	9.3	8.9	8.6	7.8	3.5
16	*****							9.6	9.3	9.0	8.7	8.3	7.6	3.4
17	*****								9.0	8.7	8.4	8.1	7.4	3.3
18	*****								8.8	8.5	8.2	7.8	7.2	3.2
19	*****								8.5	8.2	7.9	7.6	7.0	3.1
20	*****								8.3	8.0	7.7	7.4	6.8	3.0
21	*****									7.8	7.6	7.3	6.6	3.0
22	*****									7.7	7.4	7.1	6.5	2.9
23	*****									7.5	7.2	6.9	6.3	2.8
24	*****									7.3	7.1	6.8	6.2	2.8
25	*****										6.9	6.7	6.1	2.7
30	*****											6.1	5.5	2.5
35	*****												5.1	2.3
40	*****													4.8
45	*****													3.7
50	*****													3.5
55	*****													3.3
60	*****													3.2
65	*****													1.8
70	*****													1.8
	*****													1.7
	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Eastern Ontario (35958)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	51.1	50.8	50.0	48.7	47.3	45.9	44.4	42.9	41.4	39.8	36.3	28.1	16.2
2	*****		35.9	35.4	34.4	33.5	32.5	31.4	30.4	29.3	28.1	25.7	19.9	11.5
3	*****		29.3	28.9	28.1	27.3	26.5	25.7	24.8	23.9	23.0	21.0	16.2	9.4
4	*****			25.0	24.3	23.7	23.0	22.2	21.5	20.7	19.9	18.1	14.1	8.1
5	*****			22.4	21.8	21.2	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.3
6	*****			20.4	19.9	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
7	*****			18.9	18.4	17.9	17.4	16.8	16.2	15.6	15.0	13.7	10.6	6.1
8	*****			17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7
9	*****			16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4	
10	*****				15.4	15.0	14.5	14.1	13.6	13.1	12.6	11.5	8.9	5.1
11	*****				14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
12	*****				14.1	13.7	13.3	12.8	12.4	11.9	11.5	10.5	8.1	4.7
13	*****				13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
14	*****				13.0	12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
15	*****				12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
16	*****				12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
17	*****					11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
18	*****					11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
19	*****					10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.4	3.7
20	*****					10.6	10.3	9.9	9.6	9.3	8.9	8.1	6.3	3.6
21	*****					10.3	10.0	9.7	9.4	9.0	8.7	7.9	6.1	3.5
22	*****					10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5
23	*****					9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
24	*****					9.7	9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
25	*****						9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.2
30	*****						8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
35	*****							7.5	7.3	7.0	6.7	6.1	4.8	2.7
40	*****								7.0	6.8	6.5	6.3	5.7	4.4
45	*****									6.4	6.2	5.9	5.4	4.2
50	*****										5.9	5.6	5.1	4.0
55	*****											5.6	5.4	4.9
60	*****												5.1	4.7
65	*****													4.9
70	*****													4.3
75	*****													4.2
80	*****													4.1
85	*****													3.0
90	*****													3.0
95	*****													2.9
100	*****													2.8
125	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Simcoe County District (35960)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
1	*****	63.5	63.2	62.2	60.6	58.9	57.1	55.3	53.4	51.5	49.5	45.2	35.0	20.2	
2	*****	44.9	44.7	44.0	42.8	41.6	40.4	39.1	37.8	36.4	35.0	31.9	24.7	14.3	
3	*****	36.7	36.5	35.9	35.0	34.0	33.0	31.9	30.8	29.7	28.6	26.1	20.2	11.7	
4	*****		31.6	31.1	30.3	29.4	28.6	27.7	26.7	25.7	24.7	22.6	17.5	10.1	
5	*****		28.3	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0	
6	*****		25.8	25.4	24.7	24.0	23.3	22.6	21.8	21.0	20.2	18.4	14.3	8.2	
7	*****			23.5	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6	
8	*****			22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1	
9	*****			20.7	20.2	19.6	19.0	18.4	17.8	17.2	16.5	15.1	11.7	6.7	
10	*****			19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4	
11	*****			18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1	
12	*****			18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.0	10.1	5.8	
13	*****			17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
14	*****			16.6	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.3	5.4	
15	*****			16.1	15.6	15.2	14.7	14.3	13.8	13.3	12.8	11.7	9.0	5.2	
16	*****			15.6	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0	
17	*****			15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9	
18	*****				14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8	
19	*****				13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6	
20	*****				13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5	
21	*****				13.2	12.8	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4	
22	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.5	9.6	7.5	4.3	
23	*****				12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
24	*****				12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1	
25	*****				12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0	
30	*****				11.1	10.7	10.4	10.1	9.8	9.4	9.0	8.2	6.4	3.7	
35	*****					10.0	9.7	9.3	9.0	8.7	8.4	7.6	5.9	3.4	
40	*****						9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
45	*****						8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
50	*****						8.3	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9
55	*****							7.7	7.5	7.2	6.9	6.7	6.1	4.7	2.7
60	*****							7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6
65	*****							7.1	6.9	6.6	6.4	6.1	5.6	4.3	2.5
70	*****								6.6	6.4	6.2	5.9	5.4	4.2	2.4
75	*****								6.4	6.2	5.9	5.7	5.2	4.0	2.3
80	*****								6.2	6.0	5.8	5.5	5.0	3.9	2.3
85	*****								6.0	5.8	5.6	5.4	4.9	3.8	2.2
90	*****									5.6	5.4	5.2	4.8	3.7	2.1
95	*****									5.5	5.3	5.1	4.6	3.6	2.1
100	*****									5.3	5.1	4.9	4.5	3.5	2.0
125	*****										4.4	4.0	3.1	1.8	
150	*****											3.7	2.9	1.6	
200	*****												2.5	1.4	
250	*****													1.3	
300	*****														1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Sudbury and District (35961)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	53.1	52.8	52.0	50.6	49.2	47.7	46.2	44.6	43.0	41.3	37.7	29.2	16.9
2	*****	37.4	36.8	35.8	34.8	33.7	32.7	31.6	30.4	29.2	26.7	20.7	11.9	
3	*****	30.5	30.0	29.2	28.4	27.6	26.7	25.8	24.8	23.9	21.8	16.9	9.7	
4	*****		26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4	
5	*****		23.3	22.6	22.0	21.3	20.7	20.0	19.2	18.5	16.9	13.1	7.5	
6	*****		21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9	
7	*****		19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.0	6.4	
8	*****		18.4	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0	
9	*****		16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6		
10	*****			16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3	
11	*****			15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1	
12	*****			14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9	
13	*****			14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7	
14	*****			13.5	13.1	12.8	12.4	11.9	11.5	11.0	10.1	7.8	4.5	
15	*****			13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4	
16	*****			12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	
17	*****				11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1	
18	*****				11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0	
19	*****				11.3	10.9	10.6	10.2	9.9	9.5	8.7	6.7	3.9	
20	*****				11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8	
21	*****				10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7	
22	*****				10.5	10.2	9.9	9.5	9.2	8.8	8.0	6.2	3.6	
23	*****				10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5	
24	*****				10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4	
25	*****					9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4	
30	*****					8.7	8.4	8.2	7.9	7.5	6.9	5.3	3.1	
35	*****						7.8	7.5	7.3	7.0	6.4	4.9	2.9	
40	*****						7.3	7.1	6.8	6.5	6.0	4.6	2.7	
45	*****						6.7	6.4	6.2	5.6	4.4	2.5		
50	*****							6.1	5.8	5.3	4.1	2.4		
55	*****							5.8	5.6	5.1	3.9	2.3		
60	*****							5.3	4.9	3.8	2.2			
65	*****							5.1	4.7	3.6	2.1			
70	*****								4.5	3.5	2.0			
75	*****								4.4	3.4	1.9			
80	*****								4.2	3.3	1.9			
85	*****									3.2	1.8			
90	*****										3.1	1.8		
95	*****											3.0	1.7	
100	*****												2.9	1.7
125	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Thunder Bay (35962)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																		
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%					
1	*****	49.6	49.4	48.6	47.3	46.0	44.6	43.2	41.7	40.2	38.6	35.3	27.3	15.8					
2	*****	34.9	34.4	33.5	32.5	31.5	30.5	29.5	28.4	27.3	24.9	19.3	11.2						
3	*****		28.1	27.3	26.5	25.8	24.9	24.1	23.2	22.3	20.4	15.8	9.1						
4	*****		24.3	23.7	23.0	22.3	21.6	20.9	20.1	19.3	17.6	13.7	7.9						
5	*****		21.7	21.2	20.6	19.9	19.3	18.7	18.0	17.3	15.8	12.2	7.1						
6	*****		19.8	19.3	18.8	18.2	17.6	17.0	16.4	15.8	14.4	11.2	6.4						
7	*****			17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0						
8	*****			16.7	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6						
9	*****			15.8	15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3						
10	*****			15.0	14.5	14.1	13.7	13.2	12.7	12.2	11.2	8.6	5.0						
11	*****			14.3	13.9	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.8						
12	*****			13.7	13.3	12.9	12.5	12.0	11.6	11.2	10.2	7.9	4.6						
13	*****			13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4						
14	*****				12.3	11.9	11.5	11.2	10.7	10.3	9.4	7.3	4.2						
15	*****				11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1						
16	*****				11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9						
17	*****				11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8						
18	*****				10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7						
19	*****				10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6						
20	*****					10.0	9.7	9.3	9.0	8.6	7.9	6.1	3.5						
21	*****						9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4					
22	*****						9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4					
23	*****						9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3					
24	*****						9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2					
25	*****						8.9	8.6	8.3	8.0	7.7	7.1	5.5	3.2					
30	*****							7.9	7.6	7.3	7.1	6.4	5.0	2.9					
35	*****								7.1	6.8	6.5	6.0	4.6	2.7					
40	*****									6.4	6.1	5.6	4.3	2.5					
45	*****										6.0	5.8	5.3	4.1	2.4				
50	*****										5.5	5.0	3.9	2.2					
55	*****											4.8	3.7	2.1					
60	*****											4.6	3.5	2.0					
65	*****												4.4	3.4	2.0				
70	*****													3.3	1.9				
75	*****														3.2	1.8			
80	*****															3.1	1.8		
85	*****																3.0	1.7	
90	*****																	2.9	1.7
95	*****																		1.6
100	*****																		1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Waterloo (35965)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	67.1	66.7	65.7	63.9	62.1	60.3	58.4	56.4	54.3	52.2	47.7	36.9	21.3
2	*****	47.4	47.2	46.5	45.2	43.9	42.6	41.3	39.9	38.4	36.9	33.7	26.1	15.1
3	*****	38.7	38.5	37.9	36.9	35.9	34.8	33.7	32.6	31.4	30.1	27.5	21.3	12.3
4	*****		33.4	32.9	32.0	31.1	30.1	29.2	28.2	27.2	26.1	23.8	18.5	10.7
5	*****		29.8	29.4	28.6	27.8	27.0	26.1	25.2	24.3	23.4	21.3	16.5	9.5
6	*****		27.2	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.5	15.1	8.7
7	*****		25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	14.0	8.1
8	*****			23.2	22.6	22.0	21.3	20.6	19.9	19.2	18.5	16.9	13.1	7.5
9	*****			21.9	21.3	20.7	20.1	19.5	18.8	18.1	17.4	15.9	12.3	7.1
10	*****			20.8	20.2	19.7	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7
11	*****			19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4
12	*****			19.0	18.5	17.9	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2
13	*****			18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9
14	*****			17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
15	*****			17.0	16.5	16.0	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
16	*****			16.4	16.0	15.5	15.1	14.6	14.1	13.6	13.1	11.9	9.2	5.3
17	*****			15.9	15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
18	*****			15.5	15.1	14.6	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
19	*****			15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
20	*****				14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8
21	*****				14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
22	*****				13.6	13.3	12.9	12.4	12.0	11.6	11.1	10.2	7.9	4.5
23	*****				13.3	13.0	12.6	12.2	11.8	11.3	10.9	9.9	7.7	4.4
24	*****				13.1	12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4
25	*****				12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3
30	*****				11.7	11.3	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
35	*****				10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
40	*****					9.8	9.5	9.2	8.9	8.6	8.3	7.5	5.8	3.4
45	*****					9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
50	*****					8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0
55	*****					8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
60	*****						7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
65	*****						7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
70	*****						7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
75	*****						7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5
80	*****							6.5	6.3	6.1	5.8	5.3	4.1	2.4
85	*****							6.3	6.1	5.9	5.7	5.2	4.0	2.3
90	*****							6.2	5.9	5.7	5.5	5.0	3.9	2.2
95	*****							6.0	5.8	5.6	5.4	4.9	3.8	2.2
100	*****								5.6	5.4	5.2	4.8	3.7	2.1
125	*****									4.9	4.7	4.3	3.3	1.9
150	*****										4.3	3.9	3.0	1.7
200	*****												2.6	1.5
250	*****												2.3	1.3
300	*****													1.2
350	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Wellington-Dufferin-Guelph (35966)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	57.9	57.6	56.7	55.2	53.7	52.1	50.4	48.7	46.9	45.1	41.2	31.9	18.4
2	*****	41.0	40.7	40.1	39.0	37.9	36.8	35.6	34.4	33.2	31.9	29.1	22.5	13.0
3	*****	*****	33.3	32.8	31.9	31.0	30.1	29.1	28.1	27.1	26.0	23.8	18.4	10.6
4	*****	*****	28.8	28.4	27.6	26.8	26.0	25.2	24.4	23.5	22.5	20.6	15.9	9.2
5	*****	*****	*****	25.4	24.7	24.0	23.3	22.5	21.8	21.0	20.2	18.4	14.3	8.2
6	*****	*****	*****	23.2	22.5	21.9	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
7	*****	*****	*****	21.4	20.9	20.3	19.7	19.1	18.4	17.7	17.0	15.6	12.1	7.0
8	*****	*****	*****	20.1	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.6	11.3	6.5
9	*****	*****	*****	18.9	18.4	17.9	17.4	16.8	16.2	15.6	15.0	13.7	10.6	6.1
10	*****	*****	*****	17.9	17.5	17.0	16.5	15.9	15.4	14.8	14.3	13.0	10.1	5.8
11	*****	*****	*****	*****	16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6
12	*****	*****	*****	*****	15.9	15.5	15.0	14.6	14.1	13.5	13.0	11.9	9.2	5.3
13	*****	*****	*****	*****	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
14	*****	*****	*****	*****	14.8	14.3	13.9	13.5	13.0	12.5	12.1	11.0	8.5	4.9
15	*****	*****	*****	*****	14.3	13.9	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.8
16	*****	*****	*****	*****	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6
17	*****	*****	*****	*****	13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5
18	*****	*****	*****	*****	13.0	12.6	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3
19	*****	*****	*****	*****	12.7	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2
20	*****	*****	*****	*****	12.3	12.0	11.6	11.3	10.9	10.5	10.1	9.2	7.1	4.1
21	*****	*****	*****	*****	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
22	*****	*****	*****	*****	*****	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
23	*****	*****	*****	*****	*****	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.6	3.8
24	*****	*****	*****	*****	*****	11.0	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8
25	*****	*****	*****	*****	*****	10.7	10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7
30	*****	*****	*****	*****	*****	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4
35	*****	*****	*****	*****	*****	*****	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
40	*****	*****	*****	*****	*****	*****	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9
45	*****	*****	*****	*****	*****	*****	*****	7.5	7.3	7.0	6.7	6.1	4.8	2.7
50	*****	*****	*****	*****	*****	*****	*****	7.1	6.9	6.6	6.4	5.8	4.5	2.6
55	*****	*****	*****	*****	*****	*****	*****	*****	6.6	6.3	6.1	5.6	4.3	2.5
60	*****	*****	*****	*****	*****	*****	*****	*****	6.3	6.1	5.8	5.3	4.1	2.4
65	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.8	5.6	5.1	4.0	2.3
70	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.6	5.4	4.9	3.8	2.2
75	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.2	4.8	3.7	2.1
80	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.0	4.6	3.6	2.1
85	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.5	3.5	2.0
90	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.3	3.4	1.9
95	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.2	3.3	1.9
100	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.1	3.2	1.8
125	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.9	1.6
150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Windsor-Essex County (35968)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	65.2	64.9	63.9	62.2	60.5	58.6	56.8	54.9	52.9	50.8	46.4	35.9	20.7
2	*****	46.1	45.9	45.2	44.0	42.7	41.5	40.2	38.8	37.4	35.9	32.8	25.4	14.7
3	*****	37.7	37.5	36.9	35.9	34.9	33.9	32.8	31.7	30.5	29.3	26.8	20.7	12.0
4	*****		32.5	32.0	31.1	30.2	29.3	28.4	27.4	26.4	25.4	23.2	18.0	10.4
5	*****		29.0	28.6	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.1	9.3
6	*****		26.5	26.1	25.4	24.7	23.9	23.2	22.4	21.6	20.7	18.9	14.7	8.5
7	*****			24.2	23.5	22.8	22.2	21.5	20.7	20.0	19.2	17.5	13.6	7.8
8	*****			22.6	22.0	21.4	20.7	20.1	19.4	18.7	18.0	16.4	12.7	7.3
9	*****			21.3	20.7	20.2	19.5	18.9	18.3	17.6	16.9	15.5	12.0	6.9
10	*****			20.2	19.7	19.1	18.5	18.0	17.3	16.7	16.1	14.7	11.4	6.6
11	*****			19.3	18.8	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.3
12	*****			18.4	18.0	17.5	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
13	*****			17.7	17.3	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.8
14	*****			17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
15	*****			16.5	16.1	15.6	15.1	14.7	14.2	13.7	13.2	12.0	9.3	5.4
16	*****			16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
17	*****				15.1	14.7	14.2	13.8	13.3	12.8	12.3	11.2	8.7	5.0
18	*****				14.7	14.2	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
19	*****				14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
20	*****				13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
21	*****				13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
22	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
23	*****				13.0	12.6	12.2	11.8	11.4	11.0	10.6	9.7	7.5	4.3
24	*****				12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
25	*****				12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1
30	*****				11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
35	*****					10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
40	*****						9.6	9.3	9.0	8.7	8.4	8.0	7.3	3.3
45	*****						9.0	8.7	8.5	8.2	7.9	7.6	6.9	3.1
50	*****						8.5	8.3	8.0	7.8	7.5	7.2	6.6	2.9
55	*****							7.9	7.7	7.4	7.1	6.8	6.3	2.8
60	*****							7.6	7.3	7.1	6.8	6.6	6.0	2.7
65	*****							7.3	7.0	6.8	6.6	6.3	5.8	2.6
70	*****								6.8	6.6	6.3	6.1	5.5	2.5
75	*****								6.6	6.3	6.1	5.9	5.4	2.4
80	*****								6.3	6.1	5.9	5.7	5.2	2.3
85	*****									6.0	5.7	5.5	5.0	2.2
90	*****									5.8	5.6	5.4	4.9	2.2
95	*****									5.6	5.4	5.2	4.8	2.1
100	*****									5.5	5.3	5.1	4.6	2.1
125	*****										4.5	4.1	3.2	1.9
150	*****											3.8	2.9	1.7
200	*****												2.5	1.5
250	*****													1.3
300	*****													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

York (35970)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	84.3	83.9	82.6	80.4	78.1	75.8	73.4	70.9	68.3	65.7	59.9	46.4	26.8
2	*****	59.6	59.3	58.4	56.9	55.3	53.6	51.9	50.1	48.3	46.4	42.4	32.8	19.0
3	*****	48.7	48.4	47.7	46.4	45.1	43.8	42.4	40.9	39.5	37.9	34.6	26.8	15.5
4	*****	42.2	42.0	41.3	40.2	39.1	37.9	36.7	35.5	34.2	32.8	30.0	23.2	13.4
5	*****	37.7	37.5	36.9	36.0	34.9	33.9	32.8	31.7	30.6	29.4	26.8	20.8	12.0
6	*****	34.4	34.3	33.7	32.8	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	10.9
7	*****	31.9	31.7	31.2	30.4	29.5	28.7	27.7	26.8	25.8	24.8	22.7	17.5	10.1
8	*****	29.7	29.2	28.4	27.6	26.8	26.0	25.1	24.2	23.2	22.2	21.2	16.4	9.5
9	*****	28.0	27.5	26.8	26.0	25.3	24.5	23.6	22.8	21.9	20.0	15.5	8.9	
10	*****	26.5	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.8	19.0	14.7	8.5	
11	*****	25.3	24.9	24.2	23.6	22.9	22.1	21.4	20.6	19.8	18.1	14.0	8.1	
12	*****	24.2	23.8	23.2	22.6	21.9	21.2	20.5	19.7	19.0	17.3	13.4	7.7	
13	*****	23.3	22.9	22.3	21.7	21.0	20.4	19.7	19.0	18.2	16.6	12.9	7.4	
14	*****	22.4	22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.5	16.0	12.4	7.2	
15	*****	21.3	20.8	20.2	19.6	19.0	18.3	17.6	17.0	16.4	15.5	12.0	6.9	
16	*****	20.7	20.1	19.5	19.0	18.4	17.7	17.1	16.4	15.5	14.5	11.3	6.5	
17	*****	20.0	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.5	11.3	6.5		
18	*****	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3		
19	*****	19.0	18.4	17.9	17.4	16.8	16.3	15.7	15.1	13.7	10.7	6.1		
20	*****	18.5	18.0	17.5	17.0	16.4	15.9	15.3	14.7	13.4	10.4	6.0		
21	*****	18.0	17.5	17.1	16.5	16.0	15.5	14.9	14.3	13.1	10.1	5.8		
22	*****	17.6	17.1	16.7	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7		
23	*****	17.2	16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6		
24	*****	16.9	16.4	16.0	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5		
25	*****	16.5	16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4		
30	*****	15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9		
35	*****	14.0	13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.1	7.8	4.5		
40	*****	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2			
45	*****	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0			
50	*****	11.4	11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8			
55	*****	10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6			
60	*****	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5			
65	*****	10.0	9.7	9.4	9.1	8.8	8.5	8.1	7.4	5.8	3.3			
70	*****	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2			
75	*****	9.0	8.8	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0			
80	*****	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0				
85	*****	8.5	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9				
90	*****	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8				
95	*****	8.0	7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7				
100	*****	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7				
125	*****	6.8	6.6	6.3	6.1	5.9	5.4	4.2	2.4					
150	*****	6.0	5.8	5.6	5.4	4.9	3.8	2.2						
200	*****	5.0	4.8	4.6	4.2	3.3	1.9							
250	*****	4.3	4.2	3.8	2.9	1.7								
300	*****	3.5	2.7	1.5										
350	*****	3.2	2.5	1.4										
400	*****	2.3	1.3											
450	*****	2.2	1.3											
500	*****	2.1	1.2											

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

City of Toronto (35995)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	109.9	109.5	108.9	107.2	104.4	101.4	98.4	95.3	92.0	88.7	85.2	77.8	60.3	34.8
2	77.7	77.4	77.0	75.8	73.8	71.7	69.6	67.4	65.1	62.7	60.3	55.0	42.6	24.6
3	*****	63.2	62.9	61.9	60.3	58.6	56.8	55.0	53.1	51.2	49.2	44.9	34.8	20.1
4	*****	54.7	54.4	53.6	52.2	50.7	49.2	47.6	46.0	44.3	42.6	38.9	30.1	17.4
5	*****	48.9	48.7	47.9	46.7	45.4	44.0	42.6	41.2	39.7	38.1	34.8	26.9	15.6
6	*****	44.7	44.5	43.8	42.6	41.4	40.2	38.9	37.6	36.2	34.8	31.8	24.6	14.2
7	*****	41.4	41.2	40.5	39.4	38.3	37.2	36.0	34.8	33.5	32.2	29.4	22.8	13.1
8	*****	38.7	38.5	37.9	36.9	35.9	34.8	33.7	32.5	31.4	30.1	27.5	21.3	12.3
9	*****	36.5	36.3	35.7	34.8	33.8	32.8	31.8	30.7	29.6	28.4	25.9	20.1	11.6
10	*****	34.6	34.4	33.9	33.0	32.1	31.1	30.1	29.1	28.0	26.9	24.6	19.1	11.0
11	*****	33.0	32.8	32.3	31.5	30.6	29.7	28.7	27.7	26.7	25.7	23.5	18.2	10.5
12	*****	31.6	31.4	31.0	30.1	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.0
13	*****	30.4	30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6
14	*****	29.3	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
15	*****	28.3	28.1	27.7	26.9	26.2	25.4	24.6	23.8	22.9	22.0	20.1	15.6	9.0
16	*****	27.4	27.2	26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.4	15.1	8.7
17	*****	26.5	26.4	26.0	25.3	24.6	23.9	23.1	22.3	21.5	20.7	18.9	14.6	8.4
18	*****	25.8	25.7	25.3	24.6	23.9	23.2	22.5	21.7	20.9	20.1	18.3	14.2	8.2
19	*****	25.1	25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	17.8	13.8	8.0
20	*****	24.5	24.3	24.0	23.3	22.7	22.0	21.3	20.6	19.8	19.1	17.4	13.5	7.8
21	*****	23.9	23.8	23.4	22.8	22.1	21.5	20.8	20.1	19.4	18.6	17.0	13.1	7.6
22	*****	23.3	23.2	22.9	22.2	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.8	7.4
23	*****	*****	22.7	22.4	21.8	21.1	20.5	19.9	19.2	18.5	17.8	16.2	12.6	7.3
24	*****	*****	22.2	21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
25	*****	*****	21.8	21.4	20.9	20.3	19.7	19.1	18.4	17.7	17.0	15.6	12.1	7.0
30	*****	*****	19.9	19.6	19.1	18.5	18.0	17.4	16.8	16.2	15.6	14.2	11.0	6.4
35	*****	*****	18.4	18.1	17.6	17.1	16.6	16.1	15.6	15.0	14.4	13.1	10.2	5.9
40	*****	*****	17.2	17.0	16.5	16.0	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
45	*****	*****	16.0	15.6	15.1	14.7	14.2	13.7	13.2	12.7	12.2	11.6	9.0	5.2
50	*****	*****	*****	15.2	14.8	14.3	13.9	13.5	13.0	12.5	12.1	11.0	8.5	4.9
55	*****	*****	*****	14.5	14.1	13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7
60	*****	*****	*****	13.8	13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5
65	*****	*****	*****	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
70	*****	*****	*****	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
75	*****	*****	*****	12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
80	*****	*****	*****	12.0	11.7	11.3	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9
85	*****	*****	*****	11.6	11.3	11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8
90	*****	*****	*****	11.3	11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.4	3.7
95	*****	*****	*****	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
100	*****	*****	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5
125	*****	*****	*****	*****	9.3	9.1	8.8	8.5	8.2	7.9	7.6	7.0	5.4	3.1
150	*****	*****	*****	*****	8.5	8.3	8.0	7.8	7.5	7.2	7.0	6.4	4.9	2.8
200	*****	*****	*****	*****	7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5
250	*****	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.9	3.8	2.2
300	*****	*****	*****	*****	5.9	5.7	5.5	5.3	5.1	4.9	4.7	4.5	3.5	2.0
350	*****	*****	*****	*****	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.0	1.7
400	*****	*****	*****	*****	4.9	4.7	4.5	4.3	4.1	3.9	3.7	3.5	2.7	1.6
450	*****	*****	*****	*****	4.5	4.3	4.1	3.9	3.7	3.5	3.3	3.1	2.4	1.4
500	*****	*****	*****	*****	4.3	4.1	3.9	3.7	3.5	3.3	3.1	2.9	2.2	1.3
750	*****	*****	*****	*****	3.2	3.1	2.9	2.8	2.6	2.5	2.3	2.1	1.6	0.9
1000	*****	*****	*****	*****	2.5	2.4	2.2	2.1	2.0	1.8	1.7	1.5	1.1	0.7
1500	*****	*****	*****	*****	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.7	0.4
2000	*****	*****	*****	*****	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.7	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Winnipeg (46910)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	71.7	71.3	70.2	68.3	66.4	64.4	62.4	60.3	58.1	55.8	50.9	39.5	22.8
2	*****	50.7	50.4	49.6	48.3	47.0	45.6	44.1	42.6	41.1	39.5	36.0	27.9	16.1
3	*****	41.4	41.2	40.5	39.5	38.3	37.2	36.0	34.8	33.5	32.2	29.4	22.8	13.2
4	*****	35.8	35.7	35.1	34.2	33.2	32.2	31.2	30.1	29.0	27.9	25.5	19.7	11.4
5	*****	32.1	31.9	31.4	30.6	29.7	28.8	27.9	27.0	26.0	25.0	22.8	17.6	10.2
6	*****	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3	
7	*****	27.0	26.5	25.8	25.1	24.4	23.6	22.8	21.9	21.1	19.3	14.9	8.6	
8	*****	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.5	19.7	18.0	13.9	8.1	
9	*****	23.8	23.4	22.8	22.1	21.5	20.8	20.1	19.4	18.6	17.0	13.2	7.6	
10	*****	22.5	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.6	16.1	12.5	7.2	
11	*****	21.2	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.4	11.9	6.9		
12	*****	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6		
13	*****	19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	10.9	6.3		
14	*****	18.8	18.3	17.7	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1		
15	*****	18.1	17.6	17.1	16.6	16.1	15.6	15.0	14.4	13.2	10.2	5.9		
16	*****	17.6	17.1	16.6	16.1	15.6	15.1	14.5	13.9	12.7	9.9	5.7		
17	*****	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5		
18	*****	16.5	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4		
19	*****	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2		
20	*****	15.7	15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1		
21	*****	15.3	14.9	14.5	14.1	13.6	13.2	12.7	12.2	11.1	8.6	5.0		
22	*****	15.0	14.6	14.2	13.7	13.3	12.8	12.4	11.9	10.9	8.4	4.9		
23	*****	14.6	14.2	13.8	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.7		
24	*****	14.3	13.9	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.6		
25	*****	14.0	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.2	7.9	4.6		
30	*****	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2			
35	*****	11.6	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.9			
40	*****	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6			
45	*****	10.2	9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4			
50	*****	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2			
55	*****	9.0	8.7	8.4	8.1	7.8	7.5	7.2	6.9	5.3	3.1			
60	*****	8.6	8.3	8.1	7.8	7.5	7.2	6.9	6.6	5.1	2.9			
65	*****	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8				
70	*****	7.9	7.7	7.5	7.2	6.9	6.7	6.1	4.7	2.7				
75	*****	7.7	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5			
80	*****	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5				
85	*****	7.0	6.8	6.5	6.3	6.1	5.5	4.3	2.5					
90	*****	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4					
95	*****	6.6	6.4	6.2	6.0	5.7	5.2	4.0	2.3					
100	*****	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3					
125	*****	5.6	5.4	5.2	5.0	4.6	3.5	2.0						
150	*****	4.9	4.7	4.6	4.2	3.2	1.9							
200	*****	3.9	3.6	2.8	1.6									
250	*****	3.2	2.5	1.4										
300	*****	2.3	1.3											
350	*****	2.1	1.2											
400	*****	1.1												
450	*****	1.1												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Brandon / Assiniboine (46915)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																				
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%							
1	*****		35.3	34.8	33.8	32.9	31.9	30.9	29.8	28.7	27.6	25.2	19.5	11.3							
2	*****			24.6	23.9	23.2	22.6	21.8	21.1	20.3	19.5	17.8	13.8	8.0							
3	*****			20.1	19.5	19.0	18.4	17.8	17.2	16.6	15.9	14.6	11.3	6.5							
4	*****			17.4	16.9	16.4	15.9	15.4	14.9	14.4	13.8	12.6	9.8	5.6							
5	*****				15.1	14.7	14.3	13.8	13.3	12.9	12.4	11.3	8.7	5.0							
6	*****				13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6							
7	*****				12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3							
8	*****				12.0	11.6	11.3	10.9	10.5	10.2	9.8	8.9	6.9	4.0							
9	*****				11.3	11.0	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8							
10	*****					10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6							
11	*****					9.9	9.6	9.3	9.0	8.7	8.3	7.6	5.9	3.4							
12	*****					9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3							
13	*****					9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1							
14	*****					8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0							
15	*****						8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9							
16	*****						8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8							
17	*****						7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7							
18	*****						7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7							
19	*****							7.1	6.8	6.6	6.3	5.8	4.5	2.6							
20	*****							6.9	6.7	6.4	6.2	5.6	4.4	2.5							
21	*****							6.7	6.5	6.3	6.0	5.5	4.3	2.5							
22	*****							6.6	6.4	6.1	5.9	5.4	4.2	2.4							
23	*****							6.4	6.2	6.0	5.8	5.3	4.1	2.4							
24	*****								6.1	5.9	5.6	5.1	4.0	2.3							
25	*****								6.0	5.7	5.5	5.0	3.9	2.3							
30	*****									5.2	5.0	4.6	3.6	2.1							
35	*****										4.7	4.3	3.3	1.9							
40	*****											4.0	3.1	1.8							
45	*****												3.8	2.9	1.7						
50	*****													2.8	1.6						
55	*****														2.6	1.5					
60	*****															2.5	1.5				
65	*****																2.4	1.4			
70	*****																	1.3			
75	*****																		1.3		
80	*****																			1.3	
85	*****																				1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
 North Eastman / South Eastman (46920)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		35.7	35.1	34.2	33.2	32.3	31.2	30.2	29.1	27.9	25.5	19.8	11.4
2	*****			24.9	24.2	23.5	22.8	22.1	21.3	20.6	19.8	18.0	14.0	8.1
3	*****			20.3	19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
4	*****				17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
5	*****				15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
6	*****				14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
7	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
8	*****					11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
9	*****					11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
10	*****					10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
11	*****					10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
12	*****						9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
13	*****						8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2
14	*****						8.6	8.3	8.1	7.8	7.5	6.8	5.3	3.0
15	*****							8.1	7.8	7.5	7.2	6.6	5.1	2.9
16	*****							7.8	7.5	7.3	7.0	6.4	4.9	2.9
17	*****							7.6	7.3	7.1	6.8	6.2	4.8	2.8
18	*****							7.4	7.1	6.9	6.6	6.0	4.7	2.7
19	*****							6.9	6.7	6.4	6.2	5.8	4.5	2.6
20	*****								6.7	6.5	6.2	5.7	4.4	2.5
21	*****								6.6	6.3	6.1	5.6	4.3	2.5
22	*****								6.4	6.2	6.0	5.4	4.2	2.4
23	*****									6.1	5.8	5.3	4.1	2.4
24	*****									5.9	5.7	5.2	4.0	2.3
25	*****									5.8	5.6	5.1	4.0	2.3
30	*****										5.6	5.1	4.0	2.3
35	*****											4.7	3.6	2.1
40	*****												4.3	1.9
45	*****													3.1
50	*****													2.9
55	*****													2.8
60	*****													1.5
65	*****													1.5
	*****													1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Interlake (46930)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																	
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%				
1	*****		40.2	39.6	38.5	37.4	36.3	35.2	34.0	32.7	31.5	28.7	22.2	12.8				
2	*****		28.0		27.2	26.5	25.7	24.9	24.0	23.1	22.2	20.3	15.7	9.1				
3	*****				22.2	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.8	7.4				
4	*****				19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4				
5	*****				17.2	16.7	16.2	15.7	15.2	14.6	14.1	12.8	9.9	5.7				
6	*****					15.3	14.8	14.4	13.9	13.4	12.8	11.7	9.1	5.2				
7	*****					14.1	13.7	13.3	12.8	12.4	11.9	10.9	8.4	4.9				
8	*****					13.2	12.8	12.4	12.0	11.6	11.1	10.2	7.9	4.5				
9	*****						12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3				
10	*****						11.5	11.1	10.7	10.4	9.9	9.1	7.0	4.1				
11	*****						11.0	10.6	10.2	9.9	9.5	8.7	6.7	3.9				
12	*****							10.2	9.8	9.5	9.1	8.3	6.4	3.7				
13	*****							9.8	9.4	9.1	8.7	8.0	6.2	3.6				
14	*****							9.4	9.1	8.7	8.4	7.7	5.9	3.4				
15	*****								8.8	8.5	8.1	7.4	5.7	3.3				
16	*****								8.5	8.2	7.9	7.2	5.6	3.2				
17	*****								8.2	7.9	7.6	7.0	5.4	3.1				
18	*****									7.7	7.4	6.8	5.2	3.0				
19	*****									7.5	7.2	6.6	5.1	2.9				
20	*****									7.3	7.0	6.4	5.0	2.9				
21	*****										6.9	6.3	4.9	2.8				
22	*****										6.7	6.1	4.7	2.7				
23	*****											6.6	4.6	2.7				
24	*****												5.9	2.6				
25	*****													5.7	2.6			
30	*****														4.1	2.3		
35	*****															3.8	2.2	
40	*****																3.5	2.0
45	*****																	1.9
50	*****																	1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Central (46940)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																												
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%															
1	*****	39.1	38.5	37.5	36.4	35.3	34.2	33.0	31.8	30.6	27.9	21.6	12.5																
2	*****		27.2	26.5	25.8	25.0	24.2	23.4	22.5	21.6	19.7	15.3	8.8																
3	*****		22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.7	16.1	12.5	7.2																
4	*****			18.7	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.2																
5	*****				16.8	16.3	15.8	15.3	14.8	14.2	13.7	12.5	9.7	5.6															
6	*****					15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1														
7	*****						14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7													
8	*****							12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.6	4.4													
9	*****								12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2												
10	*****									11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	3.9											
11	*****										11.0	10.7	10.3	10.0	9.6	9.2	8.4	6.5	3.8										
12	*****											10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6										
13	*****												9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5									
14	*****													9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3								
15	*****														9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2							
16	*****															8.6	8.3	8.0	7.6	7.0	5.4	3.1							
17	*****																8.3	8.0	7.7	7.4	6.8	5.2	3.0						
18	*****																	8.1	7.8	7.5	7.2	6.6	5.1	2.9					
19	*****																		7.8	7.6	7.3	7.0	6.4	5.0	2.9				
20	*****																			7.4	7.1	6.8	6.2	4.8	2.8				
21	*****																				7.2	6.9	6.7	6.1	4.7	2.7			
22	*****																					7.0	6.8	6.5	6.0	4.6	2.7		
23	*****																						6.9	6.6	6.4	5.8	4.5	2.6	
24	*****																							6.5	6.2	5.7	4.4	2.5	
25	*****																								6.4	6.1	5.6	4.3	2.5
30	*****																									5.6	5.1	3.9	2.3
35	*****																										4.7	3.7	2.1
40	*****																											3.4	2.0
45	*****																											3.2	1.9
50	*****																											3.1	1.8
55	*****																												1.7
60	*****																												1.6
65	*****																												1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Parkland / Norman / Burntwood / Churchill (46960)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%																
1	*****	26.9	26.5	25.8	25.0	24.3	23.5	22.7	21.9	21.0	19.2	14.9	8.6																	
2	*****	18.7	18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	12.1	11.1	8.6	5.0																
3	*****		14.9	14.5	14.0	13.6	13.1	12.6	12.1	11.1	10.5	9.6	7.4	4.3																
4	*****		12.9	12.5	12.1	11.8	11.4	11.0	10.5	9.8	9.4	8.6	6.7	3.8																
5	*****		11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	7.8	6.1	3.5																	
6	*****			10.2	9.9	9.6	9.3	8.9	8.6	8.3	8.0	7.3	5.6	3.2																
7	*****				9.5	9.2	8.9	8.6	8.3	8.0	7.4	6.8	5.3	3.0																
8	*****					8.9	8.6	8.3	8.0	7.7	7.4	6.8	5.3	3.0																
9	*****						8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9																
10	*****							7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7															
11	*****								7.3	7.1	6.9	6.6	6.3	5.8	4.5	2.6														
12	*****									6.8	6.6	6.3	6.1	5.5	4.3	2.5														
13	*****										6.5	6.3	6.1	5.8	5.3	4.1	2.4													
14	*****											6.3	6.1	5.9	5.6	5.1	4.0	2.3												
15	*****												5.9	5.7	5.4	5.0	3.8	2.2												
16	*****													5.7	5.5	5.3	4.8	3.7	2.1											
17	*****														5.5	5.3	5.1	4.7	3.6	2.1										
18	*****															5.2	5.0	4.5	3.5	2.0										
19	*****																5.0	4.8	4.4	3.4	2.0									
20	*****																	4.9	4.7	4.3	3.3	1.9								
21	*****																		4.6	4.2	3.2	1.9								
22	*****																			4.5	4.1	3.2	1.8							
23	*****																				4.4	4.0	3.1	1.8						
24	*****																					3.9	3.0	1.8						
25	*****																						3.8	3.0	1.7					
30	*****																								2.7	1.6				
35	*****																									2.5	1.5			
40	*****																										2.4	1.4		
45	*****																												1.3	
50	*****																													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Sun Country / Five Hills / Cypress (47901)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	34.1	33.9	33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.6	24.2	18.8	10.8
2	*****		24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
3	*****			19.3	18.8	18.2	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3
4	*****			16.7	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
5	*****			14.9	14.5	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
6	*****			13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
7	*****				12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
8	*****				11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
9	*****				10.8	10.5	10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
10	*****				10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4
11	*****				9.8	9.5	9.2	9.0	8.6	8.3	8.0	7.3	5.7	3.3
12	*****				9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
13	*****					8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0
14	*****					8.4	8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
15	*****					8.2	7.9	7.7	7.4	7.1	6.9	6.3	4.8	2.8
16	*****					7.9	7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7
17	*****					7.7	7.4	7.2	7.0	6.7	6.4	5.9	4.6	2.6
18	*****					7.4	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
19	*****					7.2	7.0	6.8	6.6	6.3	6.1	5.6	4.3	2.5
20	*****						6.9	6.6	6.4	6.2	5.9	5.4	4.2	2.4
21	*****						6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
22	*****						6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
23	*****						6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
24	*****						6.3	6.1	5.9	5.6	5.4	4.9	3.8	2.2
25	*****						6.1	5.9	5.7	5.5	5.3	4.8	3.8	2.2
30	*****							5.4	5.2	5.0	4.8	4.4	3.4	2.0
35	*****								4.8	4.7	4.5	4.1	3.2	1.8
40	*****									4.4	4.2	3.8	3.0	1.7
45	*****										4.0	3.6	2.8	1.6
50	*****										3.8	3.4	2.7	1.5
55	*****											3.3	2.5	1.5
60	*****											3.1	2.4	1.4
65	*****												2.3	1.3
70	*****												2.2	1.3
75	*****												2.2	1.3
80	*****												2.1	1.2
85	*****												2.0	1.2
90	*****													1.1
95	*****													1.1
100	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Region (47904)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.0	53.7	52.9	51.5	50.0	48.5	47.0	45.4	43.7	42.0	38.4	29.7	17.2
2	*****	38.2	38.0	37.4	36.4	35.4	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1
3	*****		31.0	30.5	29.7	28.9	28.0	27.1	26.2	25.2	24.3	22.1	17.2	9.9
4	*****		26.8	26.4	25.7	25.0	24.3	23.5	22.7	21.9	21.0	19.2	14.9	8.6
5	*****			23.6	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
6	*****			21.6	21.0	20.4	19.8	19.2	18.5	17.9	17.2	15.7	12.1	7.0
7	*****			20.0	19.4	18.9	18.3	17.8	17.2	16.5	15.9	14.5	11.2	6.5
8	*****			18.7	18.2	17.7	17.2	16.6	16.0	15.5	14.9	13.6	10.5	6.1
9	*****			17.6	17.2	16.7	16.2	15.7	15.1	14.6	14.0	12.8	9.9	5.7
10	*****			16.7	16.3	15.8	15.3	14.9	14.4	13.8	13.3	12.1	9.4	5.4
11	*****				15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2
12	*****				14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0
13	*****				14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
14	*****				13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	7.9	4.6
15	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
16	*****				12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
17	*****				12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
18	*****				12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0
19	*****				11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
20	*****				11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
21	*****				10.9	10.6	10.3	9.9	9.5	9.2	8.8	8.0	6.3	3.7
22	*****				10.7	10.3	10.0	9.7	9.3	9.0	8.6	7.8	6.3	3.7
23	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.4	7.6	6.2	3.6
24	*****				10.2	9.9	9.6	9.3	8.9	8.6	8.2	7.4	6.1	3.5
25	*****				10.0	9.7	9.4	9.1	8.7	8.4	8.0	7.2	5.9	3.4
30	*****					9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
35	*****						8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9
40	*****							7.7	7.4	7.2	6.9	6.6	5.1	2.7
45	*****								7.0	6.8	6.5	6.3	5.7	4.4
50	*****								6.6	6.4	6.2	5.9	5.4	4.2
55	*****									6.1	5.9	5.7	5.2	4.0
60	*****										5.9	5.6	5.0	3.8
65	*****											5.4	5.0	3.7
70	*****												5.2	4.0
75	*****													4.6
80	*****													4.4
85	*****													4.2
90	*****													4.0
95	*****													4.0
100	*****													3.9
125	*****													3.8
150	*****													3.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Sunrise / Kelsey Trail (47905)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
1	*****	36.2	35.6	34.7	33.7	32.7	31.6	30.6	29.5	28.3	25.8	20.0	11.6		
2	*****		25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2		
3	*****		20.6	20.0	19.4	18.9	18.3	17.7	17.0	16.3	14.9	11.6	6.7		
4	*****		17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8		
5	*****			15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2		
6	*****			14.2	13.8	13.3	12.9	12.5	12.0	11.6	10.5	8.2	4.7		
7	*****			13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4		
8	*****			12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1		
9	*****				11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.9		
10	*****				10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7		
11	*****				10.2	9.9	9.5	9.2	8.9	8.5	7.8	6.0	3.5		
12	*****					9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3	
13	*****						9.1	8.8	8.5	8.2	7.8	7.2	5.6	3.2	
14	*****						8.7	8.5	8.2	7.9	7.6	6.9	5.3	3.1	
15	*****						8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0	
16	*****						8.2	7.9	7.6	7.4	7.1	6.5	5.0	2.9	
17	*****							7.7	7.4	7.1	6.9	6.3	4.9	2.8	
18	*****							7.5	7.2	6.9	6.7	6.1	4.7	2.7	
19	*****							7.3	7.0	6.8	6.5	5.9	4.6	2.7	
20	*****							7.1	6.8	6.6	6.3	5.8	4.5	2.6	
21	*****								6.7	6.4	6.2	5.6	4.4	2.5	
22	*****								6.5	6.3	6.0	5.5	4.3	2.5	
23	*****								6.4	6.1	5.9	5.4	4.2	2.4	
24	*****								6.2	6.0	5.8	5.3	4.1	2.4	
25	*****									5.9	5.7	5.2	4.0	2.3	
30	*****										5.2	4.7	3.7	2.1	
35	*****											4.4	3.4	2.0	
40	*****												4.1	3.2	1.8
45	*****													3.0	1.7
50	*****													2.8	1.6
55	*****													2.7	1.6
60	*****														1.5
65	*****														1.4
70	*****														1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Saskatoon (47906)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****	56.2	55.9	55.0	53.5	52.0	50.5	48.9	47.2	45.5	43.7	39.9	30.9	17.8		
2	*****	39.7	39.5	38.9	37.9	36.8	35.7	34.6	33.4	32.2	30.9	28.2	21.9	12.6		
3	*****		32.3	31.8	30.9	30.0	29.1	28.2	27.3	26.3	25.2	23.0	17.8	10.3		
4	*****		27.9	27.5	26.8	26.0	25.2	24.4	23.6	22.8	21.9	20.0	15.5	8.9		
5	*****			24.6	23.9	23.3	22.6	21.9	21.1	20.4	19.6	17.8	13.8	8.0		
6	*****			22.5	21.9	21.2	20.6	20.0	19.3	18.6	17.8	16.3	12.6	7.3		
7	*****			20.8	20.2	19.7	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7		
8	*****			19.5	18.9	18.4	17.8	17.3	16.7	16.1	15.5	14.1	10.9	6.3		
9	*****			18.3	17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9		
10	*****			17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6		
11	*****			16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4		
12	*****				15.5	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.2		
13	*****				14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0		
14	*****				14.3	13.9	13.5	13.1	12.6	12.2	11.7	10.7	8.3	4.8		
15	*****				13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6		
16	*****				13.4	13.0	12.6	12.2	11.8	11.4	10.9	10.0	7.7	4.5		
17	*****				13.0	12.6	12.2	11.9	11.5	11.0	10.6	9.7	7.5	4.3		
18	*****				12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2		
19	*****				12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1		
20	*****				12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0		
21	*****				11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9		
22	*****				11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8		
23	*****				11.2	10.9	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7		
24	*****					10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6		
25	*****					10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6		
30	*****						9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3	
35	*****						8.8	8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0	
40	*****							8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8	
45	*****							7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7	
50	*****								6.9	6.7	6.4	6.2	5.6	4.4	2.5	
55	*****								6.6	6.4	6.1	5.9	5.4	4.2	2.4	
60	*****									6.1	5.9	5.6	5.2	4.0	2.3	
65	*****									5.9	5.6	5.4	5.0	3.8	2.2	
70	*****									5.6	5.4	5.2	4.8	3.7	2.1	
75	*****									5.3	5.0	4.6	4.3	3.6	2.1	
80	*****									5.1	4.9	4.5	4.3	3.5	2.0	
85	*****										4.7	4.3	4.3	3.4	1.9	
90	*****										4.6	4.2	4.2	3.3	1.9	
95	*****											4.1	4.1	3.2	1.8	
100	*****												4.0	3.1	1.8	
125	*****													2.8	1.6	
150	*****														2.5	1.5
200	*****															1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Heartland / Prairie North (47907)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	38.8	38.2	37.2	36.1	35.0	33.9	32.8	31.6	30.3	27.7	21.5	12.4	
2	*****		27.0	26.3	25.5	24.8	24.0	23.2	22.3	21.5	19.6	15.2	8.8	
3	*****		22.0	21.5	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.2	
4	*****		19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.8	10.7	6.2	
5	*****			16.6	16.1	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5	
6	*****			15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.8	5.1	
7	*****			14.0	13.6	13.2	12.8	12.4	11.9	11.5	10.5	8.1	4.7	
8	*****			13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4	
9	*****				12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
10	*****				11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
11	*****				10.9	10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7	
12	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
13	*****					9.7	9.4	9.1	8.8	8.4	7.7	5.9	3.4	
14	*****						9.4	9.1	8.8	8.4	8.1	7.4	5.7	3.3
15	*****						9.0	8.8	8.5	8.2	7.8	7.2	5.5	3.2
16	*****							8.8	8.5	8.2	7.9	7.6	6.9	5.4
17	*****								8.2	7.9	7.7	7.4	6.7	5.2
18	*****								8.0	7.7	7.4	7.2	6.5	5.1
19	*****								7.8	7.5	7.2	7.0	6.4	4.9
20	*****								7.6	7.3	7.1	6.8	6.2	4.8
21	*****									7.2	6.9	6.6	6.0	4.7
22	*****									7.0	6.7	6.5	5.9	4.6
23	*****										6.8	6.6	6.3	5.8
24	*****										6.7	6.4	6.2	5.7
25	*****										6.6	6.3	6.1	5.5
30	*****											5.5	5.1	3.9
35	*****												4.7	3.6
40	*****													4.4
45	*****													4.4
50	*****													4.4
55	*****													4.4
60	*****													4.4
65	*****													4.4
70	*****													4.4
75	*****													4.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Prince Albert Parkland / Mamawetan Churchill River RHA/Keewatin (47909)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****		38.8	38.2	37.2	36.2	35.1	34.0	32.8	31.6	30.4	27.7	21.5	12.4		
2	*****			27.0	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8		
3	*****			22.1	21.5	20.9	20.3	19.6	18.9	18.3	17.5	16.0	12.4	7.2		
4	*****				18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.9	10.7	6.2		
5	*****				16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5		
6	*****				15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1		
7	*****					13.7	13.3	12.8	12.4	12.0	11.5	10.5	8.1	4.7		
8	*****						12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4	
9	*****						12.1	11.7	11.3	10.9	10.5	10.1	9.2	7.2	4.1	
10	*****						11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9	
11	*****							10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7	
12	*****							10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
13	*****							9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4	
14	*****								9.1	8.8	8.5	8.1	7.4	5.7	3.3	
15	*****								8.8	8.5	8.2	7.8	7.2	5.5	3.2	
16	*****								8.5	8.2	7.9	7.6	6.9	5.4	3.1	
17	*****								8.2	8.0	7.7	7.4	6.7	5.2	3.0	
18	*****									7.7	7.5	7.2	6.5	5.1	2.9	
19	*****									7.5	7.3	7.0	6.4	4.9	2.8	
20	*****									7.3	7.1	6.8	6.2	4.8	2.8	
21	*****										6.9	6.6	6.1	4.7	2.7	
22	*****										6.7	6.5	5.9	4.6	2.6	
23	*****										6.6	6.3	5.8	4.5	2.6	
24	*****										6.5	6.2	5.7	4.4	2.5	
25	*****										6.1	5.5	4.3	2.5		
30	*****											5.1	3.9	2.3		
35	*****												3.6	2.1		
40	*****													3.4	2.0	
45	*****														3.2	1.8
50	*****															1.8
55	*****															1.7
60	*****															1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
 Chinoook Regional Health Authority (48920)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	50.5	50.2	49.4	48.1	46.8	45.4	43.9	42.4	40.9	39.3	35.9	27.8	16.0
2	*****	35.5	35.0	34.0	33.1	32.1	31.1	30.0	28.9	27.8	25.4	19.6	11.3	
3	*****		28.5	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.0	9.3	
4	*****		24.7	24.1	23.4	22.7	22.0	21.2	20.4	19.6	17.9	13.9	8.0	
5	*****		22.1	21.5	20.9	20.3	19.6	19.0	18.3	17.6	16.0	12.4	7.2	
6	*****		20.2	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5	
7	*****			18.2	17.7	17.1	16.6	16.0	15.5	14.8	13.6	10.5	6.1	
8	*****			17.0	16.5	16.0	15.5	15.0	14.5	13.9	12.7	9.8	5.7	
9	*****			16.0	15.6	15.1	14.6	14.1	13.6	13.1	12.0	9.3	5.3	
10	*****			15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1	
11	*****			14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8	
12	*****			13.9	13.5	13.1	12.7	12.3	11.8	11.3	10.4	8.0	4.6	
13	*****				13.0	12.6	12.2	11.8	11.3	10.9	9.9	7.7	4.4	
14	*****				12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3	
15	*****				12.1	11.7	11.3	11.0	10.6	10.1	9.3	7.2	4.1	
16	*****				11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0	
17	*****				11.3	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9	
18	*****				11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.5	3.8	
19	*****				10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7	3.7	
20	*****					10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6	
21	*****					9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5	
22	*****					9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4	
23	*****					9.5	9.2	8.8	8.5	8.2	7.5	5.8	3.3	
24	*****					9.3	9.0	8.7	8.3	8.0	7.3	5.7	3.3	
25	*****						8.8	8.5	8.2	7.9	7.2	5.6	3.2	
30	*****						8.0	7.7	7.5	7.2	6.5	5.1	2.9	
35	*****							7.2	6.9	6.6	6.1	4.7	2.7	
40	*****								6.5	6.2	5.7	4.4	2.5	
45	*****									5.9	5.3	4.1	2.4	
50	*****										5.1	3.9	2.3	
55	*****											4.8	3.7	2.2
60	*****											4.6	3.6	2.1
65	*****												3.4	2.0
70	*****												3.3	1.9
75	*****												3.2	1.9
80	*****												3.1	1.8
85	*****												3.0	1.7
90	*****													1.7
95	*****													1.6
100	*****													1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
 Palliser Regional Health Authority (48921)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		45.4	44.7	43.5	42.3	41.0	39.7	38.3	37.0	35.5	32.4	25.1	14.5
2	*****			31.6	30.7	29.9	29.0	28.1	27.1	26.1	25.1	22.9	17.8	10.2
3	*****			25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4
4	*****			22.3	21.7	21.1	20.5	19.8	19.2	18.5	17.8	16.2	12.6	7.2
5	*****				19.4	18.9	18.3	17.8	17.1	16.5	15.9	14.5	11.2	6.5
6	*****				17.8	17.3	16.7	16.2	15.7	15.1	14.5	13.2	10.2	5.9
7	*****				16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.2	9.5	5.5
8	*****				15.4	14.9	14.5	14.0	13.6	13.1	12.6	11.5	8.9	5.1
9	*****					14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
10	*****					13.4	13.0	12.6	12.1	11.7	11.2	10.2	7.9	4.6
11	*****					12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
12	*****					12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2
13	*****						11.4	11.0	10.6	10.2	9.8	9.0	7.0	4.0
14	*****						11.0	10.6	10.2	9.9	9.5	8.7	6.7	3.9
15	*****						10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7
16	*****						10.2	9.9	9.6	9.2	8.9	8.1	6.3	3.6
17	*****							9.6	9.3	9.0	8.6	7.9	6.1	3.5
18	*****							9.4	9.0	8.7	8.4	7.6	5.9	3.4
19	*****							9.1	8.8	8.5	8.1	7.4	5.8	3.3
20	*****							8.9	8.6	8.3	7.9	7.2	5.6	3.2
21	*****								8.4	8.1	7.7	7.1	5.5	3.2
22	*****								8.2	7.9	7.6	6.9	5.4	3.1
23	*****								8.0	7.7	7.4	6.8	5.2	3.0
24	*****								7.8	7.5	7.2	6.6	5.1	3.0
25	*****								7.4	7.1	6.8	6.2	4.7	2.9
30	*****									6.5	6.2	5.6	4.1	2.6
35	*****										5.5	4.9	3.4	2.4
40	*****											5.1	3.6	2.3
45	*****												3.7	2.2
50	*****												3.6	2.0
55	*****												3.4	2.0
60	*****													1.9
65	*****													1.8
70	*****													1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Calgary (48922)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	80.3	79.9	78.6	76.5	74.4	72.2	69.9	67.5	65.0	62.5	57.0	44.2	25.5
2	*****	56.8	56.5	55.6	54.1	52.6	51.0	49.4	47.7	46.0	44.2	40.3	31.2	18.0
3	*****	46.3	46.1	45.4	44.2	42.9	41.7	40.3	39.0	37.5	36.1	32.9	25.5	14.7
4	*****	40.1	39.9	39.3	38.3	37.2	36.1	34.9	33.7	32.5	31.2	28.5	22.1	12.8
5	*****	35.9	35.7	35.2	34.2	33.3	32.3	31.2	30.2	29.1	27.9	25.5	19.8	11.4
6	*****	32.8	32.6	32.1	31.2	30.4	29.5	28.5	27.6	26.6	25.5	23.3	18.0	10.4
7	*****	30.3	30.2	29.7	28.9	28.1	27.3	26.4	25.5	24.6	23.6	21.6	16.7	9.6
8	*****	28.4	28.2	27.8	27.1	26.3	25.5	24.7	23.9	23.0	22.1	20.2	15.6	9.0
9	*****	26.8	26.6	26.2	25.5	24.8	24.1	23.3	22.5	21.7	20.8	19.0	14.7	8.5
10	*****	*****	25.3	24.9	24.2	23.5	22.8	22.1	21.3	20.6	19.8	18.0	14.0	8.1
11	*****	*****	24.1	23.7	23.1	22.4	21.8	21.1	20.3	19.6	18.8	17.2	13.3	7.7
12	*****	*****	23.1	22.7	22.1	21.5	20.8	20.2	19.5	18.8	18.0	16.5	12.8	7.4
13	*****	*****	22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.3	7.1
14	*****	*****	21.3	21.0	20.5	19.9	19.3	18.7	18.0	17.4	16.7	15.2	11.8	6.8
15	*****	*****	20.6	20.3	19.8	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
16	*****	*****	20.0	19.7	19.1	18.6	18.0	17.5	16.9	16.3	15.6	14.3	11.0	6.4
17	*****	*****	19.4	19.1	18.6	18.0	17.5	16.9	16.4	15.8	15.2	13.8	10.7	6.2
18	*****	*****	18.8	18.5	18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.4	10.4	6.0
19	*****	*****	18.0	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.7	12.4	9.6	5.9
20	*****	*****	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	13.4	12.1	9.3	5.7
21	*****	*****	17.2	16.7	16.2	15.7	15.2	14.7	14.2	13.6	13.0	11.7	8.9	5.6
22	*****	*****	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.7	11.4	8.6	5.4
23	*****	*****	16.4	16.0	15.5	15.0	14.6	14.1	13.6	13.0	12.4	11.1	8.3	5.3
24	*****	*****	16.0	15.6	15.2	14.7	14.3	13.8	13.3	12.8	12.2	10.9	8.1	5.2
25	*****	*****	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.9	10.6	7.8	5.1
30	*****	*****	14.4	14.0	13.6	13.2	12.8	12.3	11.9	11.4	10.9	9.6	6.9	4.7
35	*****	*****	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	10.1	8.8	6.1	4.3
40	*****	*****	12.4	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.4	8.1	5.4	4.0
45	*****	*****	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.9	7.6	4.9	3.8
50	*****	*****	*****	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.4	7.1	4.4	3.6
55	*****	*****	*****	10.3	10.0	9.7	9.4	9.1	8.8	8.4	8.0	6.7	4.0	3.4
60	*****	*****	*****	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.7	6.4	3.7	3.3
65	*****	*****	*****	9.5	9.2	8.9	8.7	8.4	8.1	7.8	7.4	6.1	3.4	3.2
70	*****	*****	*****	9.1	8.9	8.6	8.4	8.1	7.8	7.5	7.1	5.8	3.1	3.0
75	*****	*****	*****	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.8	5.5	2.8	2.9
80	*****	*****	*****	8.6	8.3	8.1	7.8	7.5	7.3	7.0	6.6	5.3	2.6	2.9
85	*****	*****	*****	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.4	5.1	2.4	2.8
90	*****	*****	*****	8.1	7.8	7.6	7.4	7.1	6.9	6.6	6.2	4.9	2.2	2.7
95	*****	*****	*****	*****	7.6	7.4	7.2	6.9	6.7	6.4	6.0	4.7	2.0	2.6
100	*****	*****	*****	*****	7.4	7.2	7.0	6.7	6.5	6.2	5.8	4.5	1.8	2.6
125	*****	*****	*****	*****	6.7	6.5	6.2	6.0	5.8	5.6	5.1	3.8	1.5	2.3
150	*****	*****	*****	*****	5.9	5.7	5.5	5.3	5.1	4.9	4.4	3.1	1.2	2.1
200	*****	*****	*****	*****	*****	4.9	4.8	4.6	4.4	4.2	3.7	2.4	1.0	1.8
250	*****	*****	*****	*****	*****	*****	4.3	4.1	4.0	3.8	3.3	2.0	0.8	1.6
300	*****	*****	*****	*****	*****	*****	*****	3.8	3.6	3.4	2.9	1.6	0.6	1.5
350	*****	*****	*****	*****	*****	*****	*****	*****	3.3	3.0	2.7	1.4	0.5	1.4
400	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.9	2.6	1.3	0.4	1.3
450	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.7	1.1	0.3	1.2
500	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.0	0.2	1.1
750	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	0.1	0.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

David Thompson Regional Health Authority (48923)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	48.7	48.5	47.8	46.5	45.2	43.8	42.4	41.0	39.5	38.0	34.6	26.8	15.5
2	*****	34.5	34.3	33.8	32.9	31.9	31.0	30.0	29.0	27.9	26.8	24.5	19.0	11.0
3	*****		28.0	27.6	26.8	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	8.9
4	*****		24.3	23.9	23.2	22.6	21.9	21.2	20.5	19.8	19.0	17.3	13.4	7.7
5	*****			21.4	20.8	20.2	19.6	19.0	18.3	17.7	17.0	15.5	12.0	6.9
6	*****			19.5	19.0	18.4	17.9	17.3	16.7	16.1	15.5	14.1	11.0	6.3
7	*****			18.0	17.6	17.1	16.6	16.0	15.5	14.9	14.3	13.1	10.1	5.9
8	*****			16.9	16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.2	9.5	5.5
9	*****			15.9	15.5	15.1	14.6	14.1	13.7	13.2	12.7	11.5	8.9	5.2
10	*****			15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
11	*****			14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.4	10.4	8.1	4.7
12	*****			13.8	13.4	13.0	12.7	12.2	11.8	11.4	11.0	10.0	7.7	4.5
13	*****				12.9	12.5	12.2	11.8	11.4	11.0	10.5	9.6	7.4	4.3
14	*****				12.4	12.1	11.7	11.3	11.0	10.6	10.1	9.3	7.2	4.1
15	*****				12.0	11.7	11.3	11.0	10.6	10.2	9.8	8.9	6.9	4.0
16	*****				11.6	11.3	11.0	10.6	10.2	9.9	9.5	8.7	6.7	3.9
17	*****				11.3	11.0	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8
18	*****				11.0	10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.7
19	*****				10.7	10.4	10.1	9.7	9.4	9.1	8.7	7.9	6.2	3.6
20	*****				10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5
21	*****				10.1	9.9	9.6	9.3	8.9	8.6	8.3	7.6	5.9	3.4
22	*****				9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
23	*****				9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
24	*****				9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2
25	*****					9.0	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1
30	*****					8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
35	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6
40	*****						6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
45	*****						6.5	6.3	6.1	5.9	5.7	5.2	4.0	2.3
50	*****							6.0	5.8	5.6	5.4	4.9	3.8	2.2
55	*****							5.7	5.5	5.3	5.1	4.7	3.6	2.1
60	*****							5.5	5.3	5.1	4.9	4.5	3.5	2.0
65	*****								5.1	4.9	4.7	4.3	3.3	1.9
70	*****								4.9	4.7	4.5	4.1	3.2	1.9
75	*****									4.6	4.4	4.0	3.1	1.8
80	*****									4.4	4.2	3.9	3.0	1.7
85	*****									4.3	4.1	3.8	2.9	1.7
90	*****										4.0	3.7	2.8	1.6
95	*****											3.9	3.6	2.8
100	*****												3.5	2.7
125	*****													2.4
150	*****													2.2
200	*****													1.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

East Central Health (48924)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****		43.1	42.4	41.3	40.2	39.0	37.7	36.4	35.1	33.7	30.8	23.9	13.8		
2	*****			30.0	29.2	28.4	27.5	26.7	25.8	24.8	23.9	21.8	16.9	9.7		
3	*****			24.5	23.9	23.2	22.5	21.8	21.0	20.3	19.5	17.8	13.8	8.0		
4	*****			21.2	20.7	20.1	19.5	18.9	18.2	17.6	16.9	15.4	11.9	6.9		
5	*****				18.5	18.0	17.4	16.9	16.3	15.7	15.1	13.8	10.7	6.2		
6	*****				16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6		
7	*****				15.6	15.2	14.7	14.3	13.8	13.3	12.7	11.6	9.0	5.2		
8	*****				14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9		
9	*****				13.8	13.4	13.0	12.6	12.1	11.7	11.2	10.3	8.0	4.6		
10	*****					12.7	12.3	11.9	11.5	11.1	10.7	9.7	7.5	4.4		
11	*****					12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.2		
12	*****					11.6	11.2	10.9	10.5	10.1	9.7	8.9	6.9	4.0		
13	*****					11.1	10.8	10.5	10.1	9.7	9.4	8.5	6.6	3.8		
14	*****						10.4	10.1	9.7	9.4	9.0	8.2	6.4	3.7		
15	*****						10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6		
16	*****						9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4		
17	*****						9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3		
18	*****						9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.2		
19	*****							8.7	8.4	8.1	7.7	7.1	5.5	3.2		
20	*****							8.4	8.1	7.9	7.5	6.9	5.3	3.1		
21	*****							8.2	8.0	7.7	7.4	6.7	5.2	3.0		
22	*****							8.0	7.8	7.5	7.2	6.6	5.1	2.9		
23	*****								7.6	7.3	7.0	6.4	5.0	2.9		
24	*****								7.4	7.2	6.9	6.3	4.9	2.8		
25	*****								7.3	7.0	6.7	6.2	4.8	2.8		
30	*****									6.4	6.2	5.6	4.4	2.5		
35	*****										5.7	5.2	4.0	2.3		
40	*****											4.9	3.8	2.2		
45	*****												4.6	3.6	2.1	
50	*****													3.4	1.9	
55	*****														3.2	1.9
60	*****														3.1	1.8
65	*****															1.7
70	*****															1.6
75	*****															1.6
80	*****															1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Capital Health (48925)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	83.6	83.2	81.9	79.7	77.5	75.2	72.8	70.3	67.7	65.1	59.4	46.0	26.6
2	*****	59.1	58.8	57.9	56.4	54.8	53.1	51.5	49.7	47.9	46.0	42.0	32.5	18.8
3	*****	48.3	48.0	47.3	46.0	44.7	43.4	42.0	40.6	39.1	37.6	34.3	26.6	15.3
4	*****	41.8	41.6	40.9	39.9	38.7	37.6	36.4	35.2	33.9	32.5	29.7	23.0	13.3
5	*****	37.4	37.2	36.6	35.6	34.6	33.6	32.5	31.4	30.3	29.1	26.6	20.6	11.9
6	*****	34.1	34.0	33.4	32.5	31.6	30.7	29.7	28.7	27.7	26.6	24.3	18.8	10.8
7	*****	31.6	31.4	31.0	30.1	29.3	28.4	27.5	26.6	25.6	24.6	22.5	17.4	10.0
8	*****	29.6	29.4	29.0	28.2	27.4	26.6	25.7	24.9	24.0	23.0	21.0	16.3	9.4
9	*****		27.7	27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	19.8	15.3	8.9
10	*****		26.3	25.9	25.2	24.5	23.8	23.0	22.2	21.4	20.6	18.8	14.6	8.4
11	*****		25.1	24.7	24.0	23.4	22.7	21.9	21.2	20.4	19.6	17.9	13.9	8.0
12	*****		24.0	23.6	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
13	*****		23.1	22.7	22.1	21.5	20.8	20.2	19.5	18.8	18.1	16.5	12.8	7.4
14	*****		22.2	21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1
15	*****		21.5	21.1	20.6	20.0	19.4	18.8	18.2	17.5	16.8	15.3	11.9	6.9
16	*****		20.8	20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.9	11.5	6.6
17	*****			19.9	19.3	18.8	18.2	17.6	17.1	16.4	15.8	14.4	11.2	6.4
18	*****			19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.3	14.0	10.8	6.3
19	*****			18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
20	*****			18.3	17.8	17.3	16.8	16.3	15.7	15.1	14.6	13.3	10.3	5.9
21	*****			17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
22	*****			17.5	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
23	*****			17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
24	*****			16.7	16.3	15.8	15.3	14.9	14.4	13.8	13.3	12.1	9.4	5.4
25	*****			16.4	15.9	15.5	15.0	14.6	14.1	13.5	13.0	11.9	9.2	5.3
30	*****			15.0	14.6	14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.9
35	*****			13.8	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.0	7.8	4.5
40	*****			12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
45	*****				11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0
50	*****				11.3	11.0	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.8
55	*****				10.7	10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
60	*****				10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4
65	*****				9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
70	*****				9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2
75	*****				9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1
80	*****				8.9	8.7	8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0
85	*****					8.4	8.2	7.9	7.6	7.3	7.1	6.4	5.0	2.9
90	*****					8.2	7.9	7.7	7.4	7.1	6.9	6.3	4.9	2.8
95	*****					7.9	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7
100	*****					7.7	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7
125	*****						6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4
150	*****						6.1	5.9	5.7	5.5	5.3	4.9	3.8	2.2
200	*****							5.1	5.0	4.8	4.6	4.2	3.3	1.9
250	*****								4.3	4.1	3.8	2.9	1.7	
300	*****									3.8	3.4	2.7	1.5	
350	*****										3.2	2.5	1.4	
400	*****											3.0	2.3	1.3
450	*****												2.2	1.3
500	*****													2.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Aspen Regional Health Authority (48926)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	42.3	42.1	41.5	40.4	39.2	38.0	36.8	35.6	34.3	32.9	30.1	23.3	13.5
2	*****	29.8	29.3	28.5	27.7	26.9	26.0	25.2	24.3	23.3	21.3	16.5	9.5	
3	*****		23.9	23.3	22.6	22.0	21.3	20.5	19.8	19.0	17.4	13.5	7.8	
4	*****		20.7	20.2	19.6	19.0	18.4	17.8	17.1	16.5	15.0	11.6	6.7	
5	*****		18.5	18.0	17.5	17.0	16.5	15.9	15.3	14.7	13.5	10.4	6.0	
6	*****		16.9	16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.5	
7	*****			15.3	14.8	14.4	13.9	13.5	13.0	12.5	11.4	8.8	5.1	
8	*****			14.3	13.9	13.5	13.0	12.6	12.1	11.6	10.6	8.2	4.8	
9	*****			13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
10	*****			12.8	12.4	12.0	11.6	11.3	10.8	10.4	9.5	7.4	4.3	
11	*****			12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1	
12	*****			11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9	
13	*****			11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.3	6.5	3.7	
14	*****				10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6	
15	*****				10.1	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
16	*****				9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4	
17	*****				9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.7	3.3	
18	*****				9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
19	*****				9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.3	3.1	
20	*****				8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0	
21	*****					8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9	
22	*****					8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9	
23	*****					7.9	7.7	7.4	7.2	6.9	6.3	4.9	2.8	
24	*****					7.8	7.5	7.3	7.0	6.7	6.1	4.8	2.7	
25	*****					7.6	7.4	7.1	6.9	6.6	6.0	4.7	2.7	
30	*****						6.7	6.5	6.3	6.0	5.5	4.3	2.5	
35	*****							6.0	5.8	5.6	5.1	3.9	2.3	
40	*****								5.6	5.4	5.2	4.8	2.1	
45	*****									5.1	4.9	4.5	2.0	
50	*****										4.7	4.3	1.9	
55	*****											4.1	1.8	
60	*****											3.9	1.7	
65	*****											3.7	1.7	
70	*****												2.8	1.6
75	*****												2.7	1.6
80	*****												2.6	1.5
85	*****												2.5	1.5
90	*****												2.5	1.4
95	*****													1.4
100	*****													1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Peace Country / Northern Lights (48927)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	41.2	41.0	40.4	39.3	38.2	37.1	35.9	34.7	33.4	32.1	29.3	22.7	13.1
2	*****	29.0	28.6	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.1	9.3	
3	*****	23.7	23.3	22.7	22.1	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6	
4	*****		20.2	19.7	19.1	18.5	17.9	17.3	16.7	16.1	14.7	11.4	6.6	
5	*****		18.1	17.6	17.1	16.6	16.1	15.5	14.9	14.4	13.1	10.2	5.9	
6	*****		16.5	16.1	15.6	15.1	14.7	14.2	13.6	13.1	12.0	9.3	5.4	
7	*****		15.3	14.9	14.4	14.0	13.6	13.1	12.6	12.1	11.1	8.6	5.0	
8	*****			13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6	
9	*****			13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4	
10	*****			12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1	
11	*****			11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0	
12	*****			11.4	11.0	10.7	10.4	10.0	9.6	9.3	8.5	6.6	3.8	
13	*****			10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	
14	*****			10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5	
15	*****			10.2	9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4	
16	*****				9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3	
17	*****				9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
18	*****				9.0	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1	
19	*****				8.8	8.5	8.2	8.0	7.7	7.4	6.7	5.2	3.0	
20	*****				8.5	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9	
21	*****				8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9	
22	*****				8.1	7.9	7.7	7.4	7.1	6.8	6.2	4.8	2.8	
23	*****				8.0	7.7	7.5	7.2	7.0	6.7	6.1	4.7	2.7	
24	*****					7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7	
25	*****					7.4	7.2	6.9	6.7	6.4	5.9	4.5	2.6	
30	*****					6.8	6.6	6.3	6.1	5.9	5.4	4.1	2.4	
35	*****						6.1	5.9	5.6	5.4	5.0	3.8	2.2	
40	*****							5.5	5.3	5.1	4.6	3.6	2.1	
45	*****							5.2	5.0	4.8	4.4	3.4	2.0	
50	*****								4.7	4.5	4.1	3.2	1.9	
55	*****									4.3	4.0	3.1	1.8	
60	*****									4.1	3.8	2.9	1.7	
65	*****										3.6	2.8	1.6	
70	*****										3.5	2.7	1.6	
75	*****										3.4	2.6	1.5	
80	*****											2.5	1.5	
85	*****											2.5	1.4	
90	*****											2.4	1.4	
95	*****											2.3	1.3	
100	*****											2.3	1.3	
125	*****												1.2	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

East Kootenay (59911)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		47.1	46.4	45.2	43.9	42.6	41.2	39.8	38.4	36.9	33.7	26.1	15.1
2	*****			32.8	31.9	31.0	30.1	29.2	28.2	27.2	26.1	23.8	18.4	10.6
3	*****			26.8	26.1	25.4	24.6	23.8	23.0	22.2	21.3	19.4	15.1	8.7
4	*****				22.6	22.0	21.3	20.6	19.9	19.2	18.4	16.8	13.0	7.5
5	*****					20.2	19.6	19.1	18.4	17.8	17.2	16.5	15.1	11.7
6	*****						18.4	17.9	17.4	16.8	16.3	15.7	15.1	13.7
7	*****							16.6	16.1	15.6	15.1	14.5	13.9	12.7
8	*****								15.5	15.1	14.6	14.1	13.6	13.0
9	*****									14.6	14.2	13.7	13.3	12.8
10	*****										13.9	13.5	13.0	12.6
11	*****											12.8	12.4	12.0
12	*****												12.3	11.9
13	*****													11.8
14	*****													
15	*****													
16	*****													
17	*****													
18	*****													
19	*****													
20	*****													
21	*****													
22	*****													
23	*****													
24	*****													
25	*****													
30	*****													
35	*****													
40	*****													
45	*****													
50	*****													
55	*****													
60	*****													

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Kootenay-Boundary (59912)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		48.0	47.2	46.0	44.7	43.4	42.0	40.6	39.1	37.5	34.3	26.5	15.3
2	*****			33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.5	24.2	18.8	10.8
3	*****			27.3	26.5	25.8	25.0	24.2	23.4	22.6	21.7	19.8	15.3	8.8
4	*****				23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
5	*****				20.6	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.9
6	*****				18.8	18.2	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3
7	*****				17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
8	*****					15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
9	*****					14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.8	5.1
10	*****					14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8
11	*****						13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
12	*****						12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
13	*****						12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.3
14	*****						11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
15	*****							10.8	10.5	10.1	9.7	8.8	6.9	4.0
16	*****							10.5	10.1	9.8	9.4	8.6	6.6	3.8
17	*****							10.2	9.8	9.5	9.1	8.3	6.4	3.7
18	*****								9.6	9.2	8.8	8.1	6.3	3.6
19	*****								9.3	9.0	8.6	7.9	6.1	3.5
20	*****								9.1	8.7	8.4	7.7	5.9	3.4
21	*****								8.8	8.5	8.2	7.5	5.8	3.3
22	*****									8.3	8.0	7.3	5.7	3.3
23	*****									8.1	7.8	7.1	5.5	3.2
24	*****									8.0	7.7	7.0	5.4	3.1
25	*****									7.5	6.9	6.3	4.8	2.8
30	*****										6.3	4.8	2.8	2.8
35	*****											5.8	4.5	2.6
40	*****												4.2	2.4
45	*****													4.0
50	*****													2.2
55	*****													2.1
60	*****													2.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Okanagan (59913)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	61.5	61.2	60.3	58.7	57.0	55.3	53.6	51.7	49.9	47.9	43.7	33.9	19.6
2	*****	43.5	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.3	33.9	30.9	24.0	13.8
3	*****	*****	35.3	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.7	25.2	19.6	11.3
4	*****	*****	30.6	30.1	29.3	28.5	27.7	26.8	25.9	24.9	24.0	21.9	16.9	9.8
5	*****	*****	27.4	27.0	26.2	25.5	24.7	24.0	23.1	22.3	21.4	19.6	15.1	8.7
6	*****	*****	*****	24.6	24.0	23.3	22.6	21.9	21.1	20.4	19.6	17.9	13.8	8.0
7	*****	*****	*****	22.8	22.2	21.6	20.9	20.2	19.6	18.8	18.1	16.5	12.8	7.4
8	*****	*****	*****	21.3	20.7	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9
9	*****	*****	*****	20.1	19.6	19.0	18.4	17.9	17.2	16.6	16.0	14.6	11.3	6.5
10	*****	*****	*****	19.1	18.6	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2
11	*****	*****	*****	18.2	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
12	*****	*****	*****	17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
13	*****	*****	*****	16.7	16.3	15.8	15.3	14.9	14.4	13.8	13.3	12.1	9.4	5.4
14	*****	*****	*****	*****	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2
15	*****	*****	*****	*****	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0
16	*****	*****	*****	*****	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
17	*****	*****	*****	*****	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
18	*****	*****	*****	*****	13.8	13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6
19	*****	*****	*****	*****	13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5
20	*****	*****	*****	*****	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
21	*****	*****	*****	*****	12.8	12.4	12.1	11.7	11.3	10.9	10.5	9.5	7.4	4.3
22	*****	*****	*****	*****	12.5	12.2	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
23	*****	*****	*****	*****	12.2	11.9	11.5	11.2	10.8	10.4	10.0	9.1	7.1	4.1
24	*****	*****	*****	*****	12.0	11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
25	*****	*****	*****	*****	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
30	*****	*****	*****	*****	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6	3.6
35	*****	*****	*****	*****	9.6	9.4	9.1	8.7	8.4	8.1	7.4	5.7	3.3	3.3
40	*****	*****	*****	*****	*****	8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1	3.1
45	*****	*****	*****	*****	*****	8.2	8.0	7.7	7.4	7.1	6.5	5.0	2.9	2.9
50	*****	*****	*****	*****	*****	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8	2.8
55	*****	*****	*****	*****	*****	*****	7.2	7.0	6.7	6.5	5.9	4.6	2.6	2.6
60	*****	*****	*****	*****	*****	*****	6.9	6.7	6.4	6.2	5.6	4.4	2.5	2.5
65	*****	*****	*****	*****	*****	*****	6.6	6.4	6.2	5.9	5.4	4.2	2.4	2.4
70	*****	*****	*****	*****	*****	*****	*****	6.2	6.0	5.7	5.2	4.0	2.3	2.3
75	*****	*****	*****	*****	*****	*****	*****	6.0	5.8	5.5	5.0	3.9	2.3	2.3
80	*****	*****	*****	*****	*****	*****	*****	*****	5.6	5.4	4.9	3.8	2.2	2.2
85	*****	*****	*****	*****	*****	*****	*****	*****	5.4	5.2	4.7	3.7	2.1	2.1
90	*****	*****	*****	*****	*****	*****	*****	*****	5.3	5.0	4.6	3.6	2.1	2.1
95	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.9	4.5	3.5	2.0	2.0
100	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.8	4.4	3.4	2.0	2.0
125	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.9	3.0	1.7	1.7
150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	2.8	1.6	1.6
200	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.4	1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Thompson Cariboo (59914)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																			
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%						
1	*****	55.3	55.0	54.2	52.8	51.3	49.7	48.2	46.5	44.8	43.1	39.3	30.5	17.6						
2	*****	38.9	38.3	37.3	36.3	35.2	34.1	32.9	31.7	30.5	27.8	21.5	12.4							
3	*****	31.8	31.3	30.5	29.6	28.7	27.8	26.9	25.9	24.9	22.7	17.6	10.2							
4	*****		27.1	26.4	25.6	24.9	24.1	23.3	22.4	21.5	19.7	15.2	8.8							
5	*****		24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.3	17.6	13.6	7.9							
6	*****		22.1	21.5	20.9	20.3	19.7	19.0	18.3	17.6	16.1	12.4	7.2							
7	*****		20.5	19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.9	11.5	6.6							
8	*****		19.2	18.7	18.1	17.6	17.0	16.4	15.9	15.2	13.9	10.8	6.2							
9	*****		17.6	17.1	16.6	16.1	15.5	14.9	14.4	13.1	10.2	5.9								
10	*****			16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6							
11	*****			15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3							
12	*****			15.2	14.8	14.4	13.9	13.4	12.9	12.4	11.4	8.8	5.1							
13	*****			14.6	14.2	13.8	13.4	12.9	12.4	11.9	10.9	8.4	4.9							
14	*****			14.1	13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7							
15	*****			13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.2	7.9	4.5							
16	*****			13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4							
17	*****			12.8	12.4	12.1	11.7	11.3	10.9	10.4	9.5	7.4	4.3							
18	*****			12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1								
19	*****			11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0								
20	*****			11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9								
21	*****			11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.6	3.8								
22	*****			10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.7								
23	*****			10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.4	3.7								
24	*****			10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6								
25	*****			10.3	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5								
30	*****				9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2								
35	*****				8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0								
40	*****					7.6	7.4	7.1	6.8	6.2	4.8	2.8								
45	*****						6.9	6.7	6.4	5.9	4.5	2.6								
50	*****							6.6	6.3	6.1	5.6	4.3	2.5							
55	*****								6.0	5.8	5.3	4.1	2.4							
60	*****									5.8	5.6	5.1	3.9	2.3						
65	*****										5.3	4.9	3.8	2.2						
70	*****											5.1	4.7	3.6	2.1					
75	*****												4.5	3.5	2.0					
80	*****													4.4	3.4	2.0				
85	*****														4.3	1.9				
90	*****															3.2	1.9			
95	*****																3.1	1.8		
100	*****																	3.0	1.8	
125	*****																		2.7	1.6
150	*****																			1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Fraser East (59921)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	61.8	61.5	60.5	58.9	57.2	55.5	53.8	51.9	50.1	48.1	43.9	34.0	19.6
2	*****	43.7	43.5	42.8	41.6	40.5	39.3	38.0	36.7	35.4	34.0	31.0	24.0	13.9
3	*****	*****	35.5	34.9	34.0	33.0	32.1	31.0	30.0	28.9	27.8	25.3	19.6	11.3
4	*****	*****	30.7	30.3	29.5	28.6	27.8	26.9	26.0	25.0	24.0	22.0	17.0	9.8
5	*****	*****	*****	27.1	26.3	25.6	24.8	24.0	23.2	22.4	21.5	19.6	15.2	8.8
6	*****	*****	*****	24.7	24.0	23.4	22.7	22.0	21.2	20.4	19.6	17.9	13.9	8.0
7	*****	*****	*****	22.9	22.3	21.6	21.0	20.3	19.6	18.9	18.2	16.6	12.9	7.4
8	*****	*****	*****	21.4	20.8	20.2	19.6	19.0	18.4	17.7	17.0	15.5	12.0	6.9
9	*****	*****	*****	20.2	19.6	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.5
10	*****	*****	*****	19.1	18.6	18.1	17.6	17.0	16.4	15.8	15.2	13.9	10.8	6.2
11	*****	*****	*****	*****	17.8	17.3	16.7	16.2	15.7	15.1	14.5	13.2	10.3	5.9
12	*****	*****	*****	*****	17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7
13	*****	*****	*****	*****	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4
14	*****	*****	*****	*****	15.7	15.3	14.8	14.4	13.9	13.4	12.9	11.7	9.1	5.2
15	*****	*****	*****	*****	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.3	8.8	5.1
16	*****	*****	*****	*****	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9
17	*****	*****	*****	*****	14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.6	8.2	4.8
18	*****	*****	*****	*****	13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6
19	*****	*****	*****	*****	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5
20	*****	*****	*****	*****	13.2	12.8	12.4	12.0	11.6	11.2	10.8	9.8	7.6	4.4
21	*****	*****	*****	*****	*****	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3
22	*****	*****	*****	*****	*****	12.2	11.8	11.5	11.1	10.7	10.3	9.4	7.3	4.2
23	*****	*****	*****	*****	*****	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
24	*****	*****	*****	*****	*****	11.7	11.3	11.0	10.6	10.2	9.8	9.0	6.9	4.0
25	*****	*****	*****	*****	*****	11.4	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9
30	*****	*****	*****	*****	*****	10.5	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6
35	*****	*****	*****	*****	*****	*****	9.4	9.1	8.8	8.5	8.1	7.4	5.7	3.3
40	*****	*****	*****	*****	*****	*****	*****	8.8	8.5	8.2	7.9	7.6	6.9	3.1
45	*****	*****	*****	*****	*****	*****	*****	8.0	7.7	7.5	7.2	6.5	5.1	2.9
50	*****	*****	*****	*****	*****	*****	*****	7.6	7.3	7.1	6.8	6.2	4.8	2.8
55	*****	*****	*****	*****	*****	*****	*****	*****	7.0	6.7	6.5	5.9	4.6	2.6
60	*****	*****	*****	*****	*****	*****	*****	*****	6.7	6.5	6.2	5.7	4.4	2.5
65	*****	*****	*****	*****	*****	*****	*****	*****	*****	6.2	6.0	5.4	4.2	2.4
70	*****	*****	*****	*****	*****	*****	*****	*****	*****	6.0	5.7	5.2	4.1	2.3
75	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.6	5.1	3.9	2.3
80	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	5.4	4.9	3.8	2.2
85	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.8	3.7	2.1
90	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.6	3.6	2.1
95	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.5	3.5	2.0
100	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	4.4	3.4	2.0
125	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	3.0	1.8
150	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Fraser North (59922)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	72.9	72.5	71.4	69.5	67.6	65.5	63.5	61.3	59.1	56.8	51.8	40.1	23.2
2	*****	51.6	51.3	50.5	49.2	47.8	46.3	44.9	43.3	41.8	40.1	36.6	28.4	16.4
3	*****	42.1	41.9	41.2	40.1	39.0	37.8	36.6	35.4	34.1	32.8	29.9	23.2	13.4
4	*****	36.5	36.3	35.7	34.8	33.8	32.8	31.7	30.7	29.5	28.4	25.9	20.1	11.6
5	*****		32.4	31.9	31.1	30.2	29.3	28.4	27.4	26.4	25.4	23.2	17.9	10.4
6	*****		29.6	29.2	28.4	27.6	26.8	25.9	25.0	24.1	23.2	21.2	16.4	9.5
7	*****		27.4	27.0	26.3	25.5	24.8	24.0	23.2	22.3	21.5	19.6	15.2	8.8
8	*****		25.6	25.3	24.6	23.9	23.2	22.4	21.7	20.9	20.1	18.3	14.2	8.2
9	*****		24.2	23.8	23.2	22.5	21.8	21.2	20.4	19.7	18.9	17.3	13.4	7.7
10	*****			22.6	22.0	21.4	20.7	20.1	19.4	18.7	17.9	16.4	12.7	7.3
11	*****			21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0
12	*****			20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7
13	*****			19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4
14	*****			19.1	18.6	18.1	17.5	17.0	16.4	15.8	15.2	13.8	10.7	6.2
15	*****			18.4	17.9	17.4	16.9	16.4	15.8	15.3	14.7	13.4	10.4	6.0
16	*****			17.9	17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8
17	*****			17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6
18	*****			16.8	16.4	15.9	15.4	15.0	14.4	13.9	13.4	12.2	9.5	5.5
19	*****			16.4	15.9	15.5	15.0	14.6	14.1	13.6	13.0	11.9	9.2	5.3
20	*****			16.0	15.5	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2
21	*****			15.6	15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.8	5.1
22	*****			15.2	14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.0	8.6	4.9
23	*****			14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
24	*****			14.6	14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7
25	*****				13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6
30	*****				12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
35	*****				11.7	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
40	*****				11.0	10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7
45	*****				10.4	10.1	9.8	9.5	9.1	8.8	8.5	7.7	6.0	3.5
50	*****					9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
55	*****					9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1
60	*****					8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
65	*****					8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
70	*****					8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
75	*****						7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
80	*****						7.3	7.1	6.9	6.6	6.3	5.8	4.5	2.6
85	*****						7.1	6.9	6.6	6.4	6.2	5.6	4.4	2.5
90	*****						6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
95	*****						6.7	6.5	6.3	6.1	5.8	5.3	4.1	2.4
100	*****							6.3	6.1	5.9	5.7	5.2	4.0	2.3
125	*****								5.5	5.3	5.1	4.6	3.6	2.1
150	*****									4.8	4.6	4.2	3.3	1.9
200	*****											3.7	2.8	1.6
250	*****												2.5	1.5
300	*****												2.3	1.3
350	*****													1.2
400	*****													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Fraser South (59923)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	78.8	78.4	77.2	75.2	73.0	70.9	68.6	66.3	63.9	61.4	56.0	43.4	25.1
2	*****	55.7	55.5	54.6	53.1	51.6	50.1	48.5	46.9	45.2	43.4	39.6	30.7	17.7
3	*****	45.5	45.3	44.6	43.4	42.2	40.9	39.6	38.3	36.9	35.4	32.3	25.1	14.5
4	*****	39.4	39.2	38.6	37.6	36.5	35.4	34.3	33.1	31.9	30.7	28.0	21.7	12.5
5	*****	35.2	35.1	34.5	33.6	32.7	31.7	30.7	29.6	28.6	27.4	25.1	19.4	11.2
6	*****	*****	32.0	31.5	30.7	29.8	28.9	28.0	27.1	26.1	25.1	22.9	17.7	10.2
7	*****	*****	29.6	29.2	28.4	27.6	26.8	25.9	25.1	24.1	23.2	21.2	16.4	9.5
8	*****	*****	27.7	27.3	26.6	25.8	25.1	24.3	23.4	22.6	21.7	19.8	15.3	8.9
9	*****	*****	26.1	25.7	25.1	24.3	23.6	22.9	22.1	21.3	20.5	18.7	14.5	8.4
10	*****	*****	24.8	24.4	23.8	23.1	22.4	21.7	21.0	20.2	19.4	17.7	13.7	7.9
11	*****	*****	23.3	22.7	22.0	21.4	20.7	20.0	19.3	18.5	16.9	13.1	7.6	
12	*****	*****	22.3	21.7	21.1	20.5	19.8	19.1	18.4	17.7	16.2	12.5	7.2	
13	*****	*****	21.4	20.8	20.3	19.7	19.0	18.4	17.7	17.0	15.5	12.0	6.9	
14	*****	*****	20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7	
15	*****	*****	19.9	19.4	18.9	18.3	17.7	17.1	16.5	15.8	14.5	11.2	6.5	
16	*****	*****	19.3	18.8	18.3	17.7	17.2	16.6	16.0	15.3	14.0	10.8	6.3	
17	*****	*****	18.7	18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1	
18	*****	*****	18.2	17.7	17.2	16.7	16.2	15.6	15.1	14.5	13.2	10.2	5.9	
19	*****	*****	17.7	17.2	16.8	16.3	15.7	15.2	14.7	14.1	12.9	10.0	5.7	
20	*****	*****	17.3	16.8	16.3	15.8	15.3	14.8	14.3	13.7	12.5	9.7	5.6	
21	*****	*****	16.8	16.4	15.9	15.5	15.0	14.5	13.9	13.4	12.2	9.5	5.5	
22	*****	*****	16.5	16.0	15.6	15.1	14.6	14.1	13.6	13.1	11.9	9.3	5.3	
23	*****	*****	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2	
24	*****	*****	15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1	
25	*****	*****	15.4	15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0	
30	*****	*****	13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.7	10.2	7.9	4.6	
35	*****	*****	12.7	12.3	12.0	11.6	11.2	10.8	10.4	9.9	9.5	7.3	4.2	
40	*****	*****	11.9	11.5	11.2	10.8	10.5	10.1	9.7	9.3	8.9	6.9	4.0	
45	*****	*****	11.2	10.9	10.6	10.2	9.9	9.5	9.1	8.7	8.4	6.5	3.7	
50	*****	*****	10.6	10.3	10.0	9.7	9.4	9.0	8.7	8.3	7.9	6.1	3.5	
55	*****	*****	9.8	9.6	9.3	9.0	8.6	8.3	7.9	7.6	7.2	5.6	3.2	
60	*****	*****	9.4	9.1	8.9	8.6	8.2	7.9	7.6	7.2	6.9	5.4	3.1	
65	*****	*****	9.1	8.8	8.5	8.2	7.9	7.6	7.2	6.9	6.5	5.0	2.9	
70	*****	*****	8.7	8.5	8.2	7.9	7.6	7.2	6.9	6.5	6.1	4.7	2.7	
75	*****	*****	8.4	8.2	7.9	7.6	7.2	6.9	6.5	6.1	5.7	4.5	2.6	
80	*****	*****	7.9	7.7	7.4	7.1	6.8	6.5	6.1	5.7	5.3	4.1	2.5	
85	*****	*****	7.7	7.4	7.1	6.8	6.5	6.1	5.7	5.3	4.9	3.7	2.3	
90	*****	*****	7.5	7.2	6.9	6.6	6.2	5.8	5.4	5.0	4.6	3.5	2.2	
95	*****	*****	7.3	7.0	6.7	6.4	6.0	5.6	5.2	4.8	4.4	3.3	2.1	
100	*****	*****	7.1	6.8	6.5	6.1	5.7	5.3	4.9	4.5	4.1	3.0	1.9	
125	*****	*****	6.1	5.8	5.5	5.1	4.7	4.3	3.9	3.5	3.1	2.0	1.8	
150	*****	*****	5.4	5.1	4.8	4.4	4.0	3.6	3.2	2.8	2.4	1.3	1.1	
200	*****	*****	4.3	4.0	3.7	3.3	2.9	2.5	2.1	1.7	1.3	0.9	0.7	
250	*****	*****	3.5	3.2	2.9	2.5	2.1	1.7	1.3	0.9	0.7	0.5	0.4	
300	*****	*****	2.5	2.2	1.9	1.6	1.3	0.9	0.7	0.5	0.4	0.3	0.2	
350	*****	*****	2.3	2.0	1.7	1.4	1.1	0.8	0.6	0.4	0.3	0.2	0.1	
400	*****	*****	1.3	1.1	0.9	0.7	0.5	0.4	0.3	0.2	0.1	0.1	0.0	
450	*****	*****	1.2	1.0	0.8	0.6	0.4	0.3	0.2	0.1	0.1	0.0	0.0	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Richmond (59931)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																	
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%				
1	*****	56.3	56.1	55.2	53.7	52.2	50.7	49.0	47.4	45.7	43.9	40.0	31.0	17.9				
2	*****	39.6	39.0	38.0	36.9	35.8	34.7	33.5	32.3	31.0	28.3	21.9	12.7					
3	*****	32.4	31.9	31.0	30.1	29.2	28.3	27.4	26.4	25.3	23.1	17.9	10.3					
4	*****		27.6	26.9	26.1	25.3	24.5	23.7	22.8	21.9	20.0	15.5	9.0					
5	*****		24.7	24.0	23.3	22.7	21.9	21.2	20.4	19.6	17.9	13.9	8.0					
6	*****		22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3					
7	*****		20.9	20.3	19.7	19.1	18.5	17.9	17.3	16.6	15.1	11.7	6.8					
8	*****			19.0	18.5	17.9	17.3	16.8	16.1	15.5	14.2	11.0	6.3					
9	*****			17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0					
10	*****			17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7					
11	*****			16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4					
12	*****			15.5	15.1	14.6	14.2	13.7	13.2	12.7	11.6	9.0	5.2					
13	*****			14.9	14.5	14.0	13.6	13.1	12.7	12.2	11.1	8.6	5.0					
14	*****			14.4	14.0	13.5	13.1	12.7	12.2	11.7	10.7	8.3	4.8					
15	*****			13.9	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6					
16	*****			13.1	12.7	12.3	11.8	11.4	11.0	10.6	9.7	7.8	4.5					
17	*****			12.7	12.3	11.9	11.5	11.1	10.6	10.2	9.4	7.5	4.3					
18	*****			12.3	11.9	11.6	11.2	10.8	10.3	9.9	9.1	7.3	4.2					
19	*****			12.0	11.6	11.3	10.9	10.5	10.1	9.7	9.0	7.1	4.1					
20	*****			11.7	11.3	11.0	10.6	10.2	9.8	9.4	8.7	6.9	4.0					
21	*****			11.4	11.1	10.7	10.3	10.0	9.6	9.2	8.5	6.8	3.9					
22	*****			11.1	10.8	10.5	10.1	9.7	9.4	9.0	8.3	6.6	3.8					
23	*****				10.6	10.2	9.9	9.5	9.1	8.8	8.1	6.5	3.7					
24	*****				10.3	10.0	9.7	9.3	9.0	8.6	8.0	6.3	3.7					
25	*****				10.1	9.8	9.5	9.1	8.8	8.4	7.8	6.2	3.6					
30	*****				9.2	9.0	8.7	8.3	8.0	7.7	7.1	5.7	3.3					
35	*****					8.3	8.0	7.7	7.4	7.1	6.5	5.2	3.0					
40	*****						7.5	7.2	6.9	6.6	6.0	4.9	2.8					
45	*****						7.1	6.8	6.5	6.2	5.6	4.6	2.7					
50	*****							6.5	6.2	5.9	5.3	4.4	2.5					
55	*****								5.9	5.6	5.0	4.2	2.4					
60	*****								5.7	5.4	4.8	4.0	2.3					
65	*****									5.0	4.4	3.8	2.2					
70	*****										4.8	3.7	2.1					
75	*****											4.6	2.1					
80	*****												3.5	2.0				
85	*****													3.4	1.9			
90	*****														3.3	1.9		
95	*****															3.2	1.8	
100	*****																3.1	1.8
125	*****																	1.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Vancouver (59932)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	77.1	76.7	75.6	73.5	71.5	69.3	67.1	64.9	62.5	60.0	54.8	42.5	24.5
2	*****	54.5	54.3	53.4	52.0	50.5	49.0	47.5	45.9	44.2	42.5	38.8	30.0	17.3
3	*****	44.5	44.3	43.6	42.5	41.3	40.0	38.8	37.4	36.1	34.7	31.6	24.5	14.2
4	*****	38.6	38.4	37.8	36.8	35.7	34.7	33.6	32.4	31.2	30.0	27.4	21.2	12.3
5	*****	34.5	34.3	33.8	32.9	32.0	31.0	30.0	29.0	27.9	26.9	24.5	19.0	11.0
6	*****	31.3	30.8	30.0	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.3	10.0	
7	*****	29.0	28.6	27.8	27.0	26.2	25.4	24.5	23.6	22.7	20.7	16.0	9.3	
8	*****	27.1	26.7	26.0	25.3	24.5	23.7	22.9	22.1	21.2	19.4	15.0	8.7	
9	*****	25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.2	8.2	
10	*****	24.3	23.9	23.3	22.6	21.9	21.2	20.5	19.8	19.0	17.3	13.4	7.8	
11	*****	22.8	22.2	21.5	20.9	20.2	19.6	18.8	18.1	16.5	12.8	7.4		
12	*****	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.3	7.1		
13	*****	21.0	20.4	19.8	19.2	18.6	18.0	17.3	16.7	15.2	11.8	6.8		
14	*****	20.2	19.7	19.1	18.5	17.9	17.3	16.7	16.0	14.6	11.3	6.6		
15	*****	19.5	19.0	18.5	17.9	17.3	16.7	16.1	15.5	14.2	11.0	6.3		
16	*****	18.9	18.4	17.9	17.3	16.8	16.2	15.6	15.0	13.7	10.6	6.1		
17	*****	18.3	17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9		
18	*****	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.2	12.9	10.0	5.8		
19	*****	17.3	16.9	16.4	15.9	15.4	14.9	14.3	13.8	12.6	9.7	5.6		
20	*****	16.9	16.4	16.0	15.5	15.0	14.5	14.0	13.4	12.3	9.5	5.5		
21	*****	16.5	16.0	15.6	15.1	14.6	14.2	13.6	13.1	12.0	9.3	5.3		
22	*****	16.1	15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.1	5.2		
23	*****	15.8	15.3	14.9	14.5	14.0	13.5	13.0	12.5	11.4	8.9	5.1		
24	*****	15.4	15.0	14.6	14.2	13.7	13.2	12.8	12.3	11.2	8.7	5.0		
25	*****	15.1	14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9		
30	*****	13.4	13.0	12.7	12.3	11.8	11.4	11.0	10.0	7.8	4.5			
35	*****	12.4	12.1	11.7	11.3	11.0	10.6	10.1	9.3	7.2	4.1			
40	*****	11.6	11.3	11.0	10.6	10.3	9.9	9.5	8.7	6.7	3.9			
45	*****	11.0	10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7			
50	*****	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.8	6.0	3.5			
55	*****	9.6	9.3	9.1	8.7	8.4	8.1	7.4	5.7	3.3				
60	*****	9.2	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2				
65	*****	8.9	8.6	8.3	8.0	7.8	7.4	6.8	5.3	3.0				
70	*****	8.5	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9				
75	*****	8.3	8.0	7.8	7.5	7.2	6.9	6.3	4.9	2.8				
80	*****	7.8	7.5	7.3	7.0	6.7	6.1	4.7	2.7					
85	*****	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7					
90	*****	7.3	7.1	6.8	6.6	6.3	5.8	4.5	2.6					
95	*****	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5					
100	*****	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.5					
125	*****	6.0	5.8	5.6	5.4	4.9	3.8	2.2						
150	*****	5.3	5.1	4.9	4.5	3.5	2.0							
200	*****	4.2	3.9	3.0										
250	*****	3.5	2.7	1.6										
300	*****	2.5	1.4											
350	*****	2.3	1.3											
400	*****	1.2												
450	*****	1.2												

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

North Shore / Coast Garibaldi (59933)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%			
1	*****	63.1	62.8	61.8	60.2	58.5	56.7	54.9	53.1	51.2	49.1	44.9	34.8	20.1			
2	*****	44.6	44.4	43.7	42.6	41.4	40.1	38.9	37.5	36.2	34.8	31.7	24.6	14.2			
3	*****		36.3	35.7	34.8	33.8	32.8	31.7	30.6	29.5	28.4	25.9	20.1	11.6			
4	*****		31.4	30.9	30.1	29.2	28.4	27.5	26.5	25.6	24.6	22.4	17.4	10.0			
5	*****			27.7	26.9	26.2	25.4	24.6	23.7	22.9	22.0	20.1	15.5	9.0			
6	*****			25.2	24.6	23.9	23.2	22.4	21.7	20.9	20.1	18.3	14.2	8.2			
7	*****			23.4	22.7	22.1	21.4	20.8	20.1	19.3	18.6	17.0	13.1	7.6			
8	*****			21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1			
9	*****			20.6	20.1	19.5	18.9	18.3	17.7	17.1	16.4	15.0	11.6	6.7			
10	*****			19.6	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3			
11	*****			18.6	18.1	17.6	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.0			
12	*****				17.4	16.9	16.4	15.9	15.3	14.8	14.2	13.0	10.0	5.8			
13	*****				16.7	16.2	15.7	15.2	14.7	14.2	13.6	12.4	9.6	5.6			
14	*****				16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4			
15	*****				15.5	15.1	14.7	14.2	13.7	13.2	12.7	11.6	9.0	5.2			
16	*****				15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0			
17	*****				14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9			
18	*****				14.2	13.8	13.4	13.0	12.5	12.1	11.6	10.6	8.2	4.7			
19	*****				13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6			
20	*****				13.5	13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5			
21	*****				13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4			
22	*****				12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3			
23	*****					12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2			
24	*****					11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1			
25	*****					11.7	11.3	11.0	10.6	10.2	9.8	9.0	7.0	4.0			
30	*****					10.7	10.4	10.0	9.7	9.3	9.0	8.2	6.3	3.7			
35	*****						9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4			
40	*****							9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2		
45	*****							8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0		
50	*****								7.8	7.5	7.2	7.0	6.3	4.9	2.8		
55	*****								7.4	7.2	6.9	6.6	6.0	4.7	2.7		
60	*****									6.9	6.6	6.3	5.8	4.5	2.6		
65	*****									6.6	6.3	6.1	5.6	4.3	2.5		
70	*****										6.1	5.9	5.4	4.2	2.4		
75	*****										5.9	5.7	5.2	4.0	2.3		
80	*****											5.5	5.0	3.9	2.2		
85	*****												5.3	4.9	3.8	2.2	
90	*****												5.2	4.7	3.7	2.1	
95	*****													4.6	3.6	2.1	
100	*****													4.5	3.5	2.0	
125	*****														3.1	1.8	
150	*****															2.8	1.6
200	*****																1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

South Vancouver Island (59941)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																		
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%					
1	*****	63.6	63.3	62.3	60.6	58.9	57.2	55.4	53.5	51.5	49.5	45.2	35.0	20.2					
2	*****	45.0	44.7	44.1	42.9	41.7	40.4	39.1	37.8	36.4	35.0	32.0	24.8	14.3					
3	*****		36.5	36.0	35.0	34.0	33.0	32.0	30.9	29.8	28.6	26.1	20.2	11.7					
4	*****		31.6	31.2	30.3	29.5	28.6	27.7	26.7	25.8	24.8	22.6	17.5	10.1					
5	*****		28.3	27.9	27.1	26.4	25.6	24.8	23.9	23.0	22.1	20.2	15.7	9.0					
6	*****			25.4	24.8	24.1	23.3	22.6	21.8	21.0	20.2	18.5	14.3	8.3					
7	*****			23.6	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6					
8	*****			22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1					
9	*****			20.8	20.2	19.6	19.1	18.5	17.8	17.2	16.5	15.1	11.7	6.7					
10	*****			19.7	19.2	18.6	18.1	17.5	16.9	16.3	15.7	14.3	11.1	6.4					
11	*****			18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1					
12	*****			18.0	17.5	17.0	16.5	16.0	15.4	14.9	14.3	13.0	10.1	5.8					
13	*****			17.3	16.8	16.3	15.9	15.4	14.8	14.3	13.7	12.5	9.7	5.6					
14	*****			16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4					
15	*****				15.7	15.2	14.8	14.3	13.8	13.3	12.8	11.7	9.0	5.2					
16	*****				15.2	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.8	5.1					
17	*****				14.7	14.3	13.9	13.4	13.0	12.5	12.0	11.0	8.5	4.9					
18	*****				14.3	13.9	13.5	13.0	12.6	12.1	11.7	10.7	8.3	4.8					
19	*****				13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6					
20	*****				13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5					
21	*****				13.2	12.9	12.5	12.1	11.7	11.2	10.8	9.9	7.6	4.4					
22	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3					
23	*****				12.6	12.3	11.9	11.5	11.2	10.7	10.3	9.4	7.3	4.2					
24	*****				12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1					
25	*****				12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0					
30	*****					10.8	10.4	10.1	9.8	9.4	9.0	8.3	6.4	3.7					
35	*****					10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4					
40	*****						9.3	9.0	8.8	8.5	8.1	7.8	7.1	5.5	3.2				
45	*****							8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0				
50	*****							8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9				
55	*****							7.7	7.5	7.2	6.9	6.7	6.1	4.7	2.7				
60	*****								7.1	6.9	6.7	6.4	5.8	4.5	2.6				
65	*****								6.9	6.6	6.4	6.1	5.6	4.3	2.5				
70	*****								6.6	6.4	6.2	5.9	5.4	4.2	2.4				
75	*****									6.2	6.0	5.7	5.2	4.0	2.3				
80	*****									6.0	5.8	5.5	5.1	3.9	2.3				
85	*****										5.8	5.6	5.4	4.9	3.8	2.2			
90	*****											5.4	5.2	4.8	3.7	2.1			
95	*****												5.3	5.1	4.6	3.6	2.1		
100	*****													5.2	5.0	4.5	3.5	2.0	
125	*****															4.0	3.1	1.8	
150	*****																2.9	1.7	
200	*****																	2.5	1.4
250	*****																		1.3

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Central Vancouver Island (59942)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	72.7	72.3	71.2	69.3	67.4	65.4	63.3	61.1	58.9	56.6	51.7	40.0	23.1
2	*****	51.4	51.1	50.4	49.0	47.6	46.2	44.7	43.2	41.7	40.0	36.5	28.3	16.3
3	*****	41.8	41.1	40.0	38.9	37.7	36.5	35.3	34.0	32.7	29.8	23.1	13.3	13.3
4	*****	36.2	35.6	34.7	33.7	32.7	31.6	30.6	29.5	28.3	25.8	20.0	11.6	11.6
5	*****	31.9	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	23.1	17.9	10.3	10.3
6	*****	29.1	28.3	27.5	26.7	25.8	25.0	24.1	23.1	21.1	21.1	16.3	9.4	9.4
7	*****	26.9	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.5	15.1	8.7	8.7	8.7
8	*****	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.1	8.2	8.2	8.2
9	*****	23.7	23.1	22.5	21.8	21.1	20.4	19.6	18.9	17.2	13.3	7.7	7.7	7.7
10	*****	22.5	21.9	21.3	20.7	20.0	19.3	18.6	17.9	16.3	12.7	7.3	7.3	7.3
11	*****	20.9	20.3	19.7	19.1	18.4	17.8	17.1	15.6	12.1	7.0	7.0	7.0	7.0
12	*****	20.0	19.4	18.9	18.3	17.6	17.0	16.3	14.9	11.6	6.7	6.7	6.7	6.7
13	*****	19.2	18.7	18.1	17.6	17.0	16.3	15.7	14.3	11.1	6.4	6.4	6.4	6.4
14	*****	18.5	18.0	17.5	16.9	16.3	15.7	15.1	13.8	10.7	6.2	6.2	6.2	6.2
15	*****	17.9	17.4	16.9	16.3	15.8	15.2	14.6	13.3	10.3	6.0	6.0	6.0	6.0
16	*****	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8	5.8	5.8	5.8
17	*****	16.8	16.3	15.9	15.3	14.8	14.3	13.7	12.5	9.7	5.6	5.6	5.6	5.6
18	*****	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4	5.4	5.4	5.4
19	*****	15.9	15.5	15.0	14.5	14.0	13.5	13.0	11.9	9.2	5.3	5.3	5.3	5.3
20	*****	15.5	15.1	14.6	14.1	13.7	13.2	12.7	11.6	8.9	5.2	5.2	5.2	5.2
21	*****	14.7	14.3	13.8	13.3	12.9	12.4	11.3	8.7	5.0	5.0	5.0	5.0	5.0
22	*****	14.4	13.9	13.5	13.0	12.6	12.1	11.0	8.5	4.9	4.9	4.9	4.9	4.9
23	*****	14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	4.8	4.8	4.8	4.8
24	*****	13.8	13.3	12.9	12.5	12.0	11.6	10.5	8.2	4.7	4.7	4.7	4.7	4.7
25	*****	13.5	13.1	12.7	12.2	11.8	11.3	10.3	8.0	4.6	4.6	4.6	4.6	4.6
30	*****	12.3	11.9	11.6	11.2	10.8	10.3	9.4	7.3	4.2	4.2	4.2	4.2	4.2
35	*****	11.0	10.7	10.3	10.0	9.6	8.7	6.8	3.9	3.9	3.9	3.9	3.9	3.9
40	*****	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.7	3.7	3.7	3.7	3.7	3.7
45	*****	9.4	9.1	8.8	8.4	7.7	6.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4
50	*****	8.9	8.6	8.3	8.0	7.3	5.7	3.3	3.3	3.3	3.3	3.3	3.3	3.3
55	*****	8.2	7.9	7.6	7.0	5.4	3.1	3.1	3.1	3.1	3.1	3.1	3.1	3.1
60	*****	7.9	7.6	7.3	6.7	5.2	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
65	*****	7.3	7.0	6.4	5.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9
70	*****	7.0	6.8	6.2	4.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.8
75	*****	6.5	6.0	4.6	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7	2.7
80	*****	6.3	5.8	4.5	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6	2.6
85	*****	5.6	4.3	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5
90	*****	5.4	4.2	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
95	*****	5.3	4.1	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
100	*****	5.2	4.0	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3	2.3
125	*****	3.6	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1	2.1
150	*****	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9	1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

North Vancouver Island (59943)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		52.0	51.2	49.9	48.5	47.0	45.5	44.0	42.4	40.7	37.2	28.8	16.6
2	*****			36.2	35.3	34.3	33.2	32.2	31.1	30.0	28.8	26.3	20.4	11.8
3	*****			29.6	28.8	28.0	27.1	26.3	25.4	24.5	23.5	21.5	16.6	9.6
4	*****			25.6	24.9	24.2	23.5	22.8	22.0	21.2	20.4	18.6	14.4	8.3
5	*****				22.3	21.7	21.0	20.4	19.7	19.0	18.2	16.6	12.9	7.4
6	*****				20.4	19.8	19.2	18.6	18.0	17.3	16.6	15.2	11.8	6.8
7	*****				18.8	18.3	17.8	17.2	16.6	16.0	15.4	14.0	10.9	6.3
8	*****				17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9
9	*****				16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
10	*****					15.3	14.9	14.4	13.9	13.4	12.9	11.8	9.1	5.3
11	*****					14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0
12	*****					14.0	13.6	13.1	12.7	12.2	11.8	10.7	8.3	4.8
13	*****					13.4	13.0	12.6	12.2	11.8	11.3	10.3	8.0	4.6
14	*****					13.0	12.6	12.2	11.8	11.3	10.9	9.9	7.7	4.4
15	*****						12.1	11.8	11.4	10.9	10.5	9.6	7.4	4.3
16	*****						11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
17	*****						11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
18	*****						11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
19	*****							10.4	10.1	9.7	9.3	8.5	6.6	3.8
20	*****							10.2	9.8	9.5	9.1	8.3	6.4	3.7
21	*****							9.9	9.6	9.2	8.9	8.1	6.3	3.6
22	*****							9.7	9.4	9.0	8.7	7.9	6.1	3.5
23	*****							9.5	9.2	8.8	8.5	7.8	6.0	3.5
24	*****								9.0	8.7	8.3	7.6	5.9	3.4
25	*****								8.8	8.5	8.1	7.4	5.8	3.3
30	*****									7.7	7.4	6.8	5.3	3.0
35	*****										6.9	6.3	4.9	2.8
40	*****											5.9	4.6	2.6
45	*****												5.5	4.3
50	*****													4.1
55	*****													3.9
60	*****													3.7
65	*****													3.6
70	*****													2.1
75	*****													2.0
80	*****													1.9
85	*****													1.8

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Northwest / Northeast (59951)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%																
1	*****	41.3	41.1	40.5	39.4	38.3	37.2	36.0	34.8	33.5	32.2	29.4	22.8	13.1																
2	*****	29.1	28.6	27.9	27.1	26.3	25.4	24.6	23.7	22.8	20.8	16.1	9.3																	
3	*****		23.4	22.8	22.1	21.4	20.8	20.1	19.3	18.6	17.0	13.1	7.6																	
4	*****		20.2	19.7	19.1	18.6	18.0	17.4	16.7	16.1	14.7	11.4	6.6																	
5	*****		18.1	17.6	17.1	16.6	16.1	15.5	15.0	14.4	13.1	10.2	5.9																	
6	*****			16.1	15.6	15.2	14.7	14.2	13.7	13.1	12.0	9.3	5.4																	
7	*****				14.9	14.5	14.0	13.6	13.1	12.7	12.2	11.1	8.6	5.0																
8	*****					13.9	13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6															
9	*****						13.1	12.8	12.4	12.0	11.6	11.2	10.7	9.8	7.6	4.4														
10	*****							12.5	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.2													
11	*****								11.5	11.2	10.8	10.5	10.1	9.7	8.9	6.9	4.0													
12	*****									11.1	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8												
13	*****										10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6											
14	*****											10.2	9.9	9.6	9.3	9.0	8.6	7.8	6.1	3.5										
15	*****												9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4									
16	*****													9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3								
17	*****														9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2								
18	*****															8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1							
19	*****																8.5	8.3	8.0	7.7	7.4	6.7	5.2	3.0						
20	*****																	8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9					
21	*****																		8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9				
22	*****																			7.7	7.4	7.1	6.9	6.3	4.9	2.8				
23	*****																				7.5	7.2	7.0	6.7	6.1	4.7	2.7			
24	*****																					7.3	7.1	6.8	6.6	6.0	4.6	2.7		
25	*****																						7.2	7.0	6.7	6.4	5.9	4.6	2.6	
30	*****																							6.3	6.1	5.9	5.4	4.2	2.4	
35	*****																								5.7	5.4	5.0	3.8	2.2	
40	*****																									5.1	4.6	3.6	2.1	
45	*****																										4.4	3.4	2.0	
50	*****																										4.2	3.2	1.9	
55	*****																											3.1	1.8	
60	*****																											2.9	1.7	
65	*****																											2.8	1.6	
70	*****																											2.7	1.6	
75	*****																											2.6	1.5	
80	*****																												1.5	
85	*****																												1.4	
90	*****																												1.4	
95	*****																												1.3	

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Northern Interior (59952)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	54.7	54.4	53.5	52.1	50.6	49.1	47.6	46.0	44.3	42.5	38.8	30.1	17.4
2	*****	38.4	37.9	36.8	35.8	34.7	33.6	32.5	31.3	30.1	27.5	21.3	12.3	
3	*****		30.9	30.1	29.2	28.4	27.5	26.5	25.6	24.6	22.4	17.4	10.0	
4	*****		26.8	26.1	25.3	24.6	23.8	23.0	22.1	21.3	19.4	15.0	8.7	
5	*****		23.9	23.3	22.6	22.0	21.3	20.6	19.8	19.0	17.4	13.5	7.8	
6	*****		21.9	21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1	
7	*****			19.7	19.1	18.6	18.0	17.4	16.7	16.1	14.7	11.4	6.6	
8	*****			18.4	17.9	17.4	16.8	16.2	15.7	15.0	13.7	10.6	6.1	
9	*****			17.4	16.9	16.4	15.9	15.3	14.8	14.2	12.9	10.0	5.8	
10	*****			16.5	16.0	15.5	15.0	14.5	14.0	13.5	12.3	9.5	5.5	
11	*****			15.7	15.3	14.8	14.3	13.9	13.4	12.8	11.7	9.1	5.2	
12	*****			15.0	14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0	
13	*****				14.0	13.6	13.2	12.7	12.3	11.8	10.8	8.3	4.8	
14	*****				13.5	13.1	12.7	12.3	11.8	11.4	10.4	8.0	4.6	
15	*****				13.1	12.7	12.3	11.9	11.4	11.0	10.0	7.8	4.5	
16	*****				12.7	12.3	11.9	11.5	11.1	10.6	9.7	7.5	4.3	
17	*****				12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
18	*****				11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1	
19	*****				11.3	10.9	10.5	10.2	9.8	9.4	8.9	6.9	4.0	
20	*****				11.0	10.6	10.3	9.9	9.5	9.1	8.7	6.7	3.9	
21	*****				10.7	10.4	10.0	9.7	9.3	8.9	8.5	6.6	3.8	
22	*****				10.5	10.1	9.8	9.4	9.1	8.7	8.3	6.4	3.7	
23	*****				10.2	9.9	9.6	9.2	8.9	8.5	8.1	6.3	3.6	
24	*****				10.0	9.7	9.4	9.0	8.7	8.3	7.9	6.1	3.5	
25	*****					9.5	9.2	8.9	8.5	8.1	7.8	6.0	3.5	
30	*****					8.7	8.4	8.1	7.8	7.4	7.1	5.5	3.2	
35	*****						7.8	7.5	7.2	6.9	6.6	5.1	2.9	
40	*****							7.0	6.7	6.4	6.1	4.8	2.7	
45	*****								6.3	6.0	5.8	4.5	2.6	
50	*****									5.5	5.2	4.1	2.3	
55	*****										5.0	3.9	2.2	
60	*****											3.7	2.2	
65	*****												3.6	2.1
70	*****													3.5
75	*****													3.4
80	*****													3.3
85	*****													1.8
90	*****													1.8
95	*****													1.7
100	*****													1.7

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
Yukon / Northwest Territories / Nunavut (60901)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		24.6	24.2	23.5	22.9	22.2	21.5	20.8	20.0	19.2	17.5	13.6	7.8
2	*****			17.1	16.6	16.2	15.7	15.2	14.7	14.1	13.6	12.4	9.6	5.5
3	*****			14.0	13.6	13.2	12.8	12.4	12.0	11.5	11.1	10.1	7.8	4.5
4	*****				11.8	11.4	11.1	10.7	10.4	10.0	9.6	8.8	6.8	3.9
5	*****				10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
6	*****				9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
7	*****				8.9	8.6	8.4	8.1	7.8	7.6	7.3	6.6	5.1	3.0
8	*****					8.1	7.8	7.6	7.3	7.1	6.8	6.2	4.8	2.8
9	*****					7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6
10	*****					7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5
11	*****						6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
12	*****						6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
13	*****						6.2	6.0	5.8	5.5	5.3	4.9	3.8	2.2
14	*****						5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
15	*****							5.5	5.4	5.2	5.0	4.5	3.5	2.0
16	*****							5.4	5.2	5.0	4.8	4.4	3.4	2.0
17	*****							5.2	5.0	4.9	4.7	4.3	3.3	1.9
18	*****								4.9	4.7	4.5	4.1	3.2	1.8
19	*****								4.8	4.6	4.4	4.0	3.1	1.8
20	*****								4.6	4.5	4.3	3.9	3.0	1.8
21	*****								4.5	4.4	4.2	3.8	3.0	1.7
22	*****									4.3	4.1	3.7	2.9	1.7
23	*****									4.2	4.0	3.7	2.8	1.6
24	*****									4.1	3.9	3.6	2.8	1.6
25	*****									4.0	3.8	3.5	2.7	1.6
30	*****											3.2	2.5	1.4
35	*****											3.0	2.3	1.3
40	*****												2.1	1.2
45	*****												2.0	1.2
50	*****												1.9	1.1
55	*****													1.1
60	*****													1.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003
CLSC Regions (Quebec)

Outaouais - CLSC Hull /Grande-Rivière/Gatineau/Buckingham/Masson-Angers (249071)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE															
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%		
1	*****	53.9	53.6	52.8	51.4	49.9	48.5	46.9	45.3	43.7	42.0	38.3	29.7	17.1		
2	*****	38.1	37.9	37.3	36.3	35.3	34.3	33.2	32.1	30.9	29.7	27.1	21.0	12.1		
3	*****		31.0	30.5	29.7	28.8	28.0	27.1	26.2	25.2	24.2	22.1	17.1	9.9		
4	*****		26.8	26.4	25.7	25.0	24.2	23.5	22.7	21.8	21.0	19.2	14.8	8.6		
5	*****			23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7		
6	*****			21.6	21.0	20.4	19.8	19.2	18.5	17.8	17.1	15.6	12.1	7.0		
7	*****			20.0	19.4	18.9	18.3	17.7	17.1	16.5	15.9	14.5	11.2	6.5		
8	*****			18.7	18.2	17.7	17.1	16.6	16.0	15.4	14.8	13.5	10.5	6.1		
9	*****			17.6	17.1	16.6	16.2	15.6	15.1	14.6	14.0	12.8	9.9	5.7		
10	*****			16.7	16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4		
11	*****				15.5	15.1	14.6	14.1	13.7	13.2	12.7	11.6	8.9	5.2		
12	*****				14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9		
13	*****				14.3	13.9	13.4	13.0	12.6	12.1	11.6	10.6	8.2	4.8		
14	*****				13.7	13.3	13.0	12.5	12.1	11.7	11.2	10.2	7.9	4.6		
15	*****				13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4		
16	*****				12.8	12.5	12.1	11.7	11.3	10.9	10.5	9.6	7.4	4.3		
17	*****				12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2		
18	*****				12.1	11.8	11.4	11.1	10.7	10.3	9.9	9.0	7.0	4.0		
19	*****				11.8	11.5	11.1	10.8	10.4	10.0	9.6	8.8	6.8	3.9		
20	*****				11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8		
21	*****					10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7		
22	*****					10.6	10.3	10.0	9.7	9.3	8.9	8.2	6.3	3.7		
23	*****					10.4	10.1	9.8	9.5	9.1	8.8	8.0	6.2	3.6		
24	*****					10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5		
25	*****					10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4		
30	*****					9.1	8.8	8.6	8.3	8.0	7.7	7.0	5.4	3.1		
35	*****						8.2	7.9	7.7	7.4	7.1	6.5	5.0	2.9		
40	*****						7.7	7.4	7.2	6.9	6.6	6.1	4.7	2.7		
45	*****							7.0	6.8	6.5	6.3	5.7	4.4	2.6		
50	*****							6.6	6.4	6.2	5.9	5.4	4.2	2.4		
55	*****								6.1	5.9	5.7	5.2	4.0	2.3		
60	*****								5.9	5.6	5.4	4.9	3.8	2.2		
65	*****									5.4	5.2	4.8	3.7	2.1		
70	*****									5.2	5.0	4.6	3.5	2.0		
75	*****										4.8	4.4	3.4	2.0		
80	*****										4.7	4.3	3.3	1.9		
85	*****											4.2	3.2	1.9		
90	*****											4.0	3.1	1.8		
95	*****												3.9	3.0	1.8	
100	*****													3.8	3.0	1.7
125	*****														2.7	1.5
150	*****															1.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Outaouais - CLSC Pontiac/Domaine des Forestiers/Val-Écoulé-de-la-Lièvre/Collines-de-l'Outaouais (249072)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****		31.8	31.3	30.5	29.6	28.7	27.8	26.9	25.9	24.9	22.7	17.6	10.2
2	*****			22.1	21.5	20.9	20.3	19.7	19.0	18.3	17.6	16.1	12.4	7.2
3	*****			18.1	17.6	17.1	16.6	16.1	15.5	14.9	14.4	13.1	10.2	5.9
4	*****				15.2	14.8	14.4	13.9	13.4	12.9	12.4	11.4	8.8	5.1
5	*****				13.6	13.2	12.8	12.4	12.0	11.6	11.1	10.2	7.9	4.5
6	*****				12.4	12.1	11.7	11.4	11.0	10.6	10.2	9.3	7.2	4.1
7	*****				11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.6	3.8
8	*****					10.5	10.2	9.8	9.5	9.2	8.8	8.0	6.2	3.6
9	*****					9.9	9.6	9.3	9.0	8.6	8.3	7.6	5.9	3.4
10	*****					9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
11	*****					8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1
12	*****						8.3	8.0	7.8	7.5	7.2	6.6	5.1	2.9
13	*****						8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
14	*****							7.7	7.4	7.2	6.9	6.6	6.1	4.7
15	*****							7.4	7.2	6.9	6.7	6.4	5.9	4.5
16	*****								7.0	6.7	6.5	6.2	5.7	4.4
17	*****								6.7	6.5	6.3	6.0	5.5	4.3
18	*****								6.6	6.3	6.1	5.9	5.4	4.1
19	*****								6.4	6.2	5.9	5.7	5.2	4.0
20	*****									6.0	5.8	5.6	5.1	3.9
21	*****									5.9	5.6	5.4	5.0	3.8
22	*****									5.7	5.5	5.3	4.8	3.7
23	*****									5.6	5.4	5.2	4.7	3.7
24	*****										5.3	5.1	4.6	3.6
25	*****										5.2	5.0	4.5	3.5
30	*****											4.5	4.1	3.2
35	*****												3.8	3.0
40	*****													2.8
45	*****													2.6
50	*****													2.5
55	*****													2.4
60	*****													1.3
65	*****													1.3
70	*****													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région des Laurentides - CLSC Jean-Olivier Chénier/Thérèse-de-Blainville (249151)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	57.6	57.3	56.4	54.9	53.3	51.7	50.1	48.4	46.6	44.8	40.9	31.7	18.3
2	*****		40.5	39.9	38.8	37.7	36.6	35.4	34.2	33.0	31.7	28.9	22.4	12.9
3	*****		33.1	32.6	31.7	30.8	29.9	28.9	27.9	26.9	25.9	23.6	18.3	10.6
4	*****			28.2	27.4	26.7	25.9	25.1	24.2	23.3	22.4	20.5	15.8	9.1
5	*****			25.2	24.5	23.9	23.1	22.4	21.6	20.9	20.0	18.3	14.2	8.2
6	*****			23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9	7.5
7	*****			21.3	20.7	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9
8	*****			19.9	19.4	18.9	18.3	17.7	17.1	16.5	15.8	14.5	11.2	6.5
9	*****			18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
10	*****				17.4	16.9	16.4	15.8	15.3	14.8	14.2	12.9	10.0	5.8
11	*****				16.5	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
12	*****				15.8	15.4	14.9	14.5	14.0	13.5	12.9	11.8	9.1	5.3
13	*****				15.2	14.8	14.4	13.9	13.4	12.9	12.4	11.3	8.8	5.1
14	*****				14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
15	*****				14.2	13.8	13.4	12.9	12.5	12.0	11.6	10.6	8.2	4.7
16	*****				13.7	13.3	12.9	12.5	12.1	11.7	11.2	10.2	7.9	4.6
17	*****				13.3	12.9	12.6	12.2	11.7	11.3	10.9	9.9	7.7	4.4
18	*****				12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
19	*****				12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2
20	*****					11.9	11.6	11.2	10.8	10.4	10.0	9.1	7.1	4.1
21	*****					11.6	11.3	10.9	10.6	10.2	9.8	8.9	6.9	4.0
22	*****					11.4	11.0	10.7	10.3	9.9	9.6	8.7	6.8	3.9
23	*****					11.1	10.8	10.4	10.1	9.7	9.3	8.5	6.6	3.8
24	*****					10.9	10.6	10.2	9.9	9.5	9.1	8.4	6.5	3.7
25	*****					10.7	10.3	10.0	9.7	9.3	9.0	8.2	6.3	3.7
30	*****						9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3
35	*****						8.7	8.5	8.2	7.9	7.6	6.9	5.4	3.1
40	*****							7.9	7.7	7.4	7.1	6.5	5.0	2.9
45	*****							7.5	7.2	7.0	6.7	6.1	4.7	2.7
50	*****								6.8	6.6	6.3	5.8	4.5	2.6
55	*****								6.5	6.3	6.0	5.5	4.3	2.5
60	*****									6.0	5.8	5.3	4.1	2.4
65	*****									5.8	5.6	5.1	3.9	2.3
70	*****										5.4	4.9	3.8	2.2
75	*****										5.2	4.7	3.7	2.1
80	*****											4.6	3.5	2.0
85	*****											4.4	3.4	2.0
90	*****											4.3	3.3	1.9
95	*****											4.2	3.3	1.9
100	*****												3.2	1.8
125	*****												2.8	1.6
150	*****													1.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région des Laurentides - CLSC Hautes-Laurentides/Pays-d'en-Haut/Trois-Valières (249153)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	34.6	34.1	33.2	32.2	31.3	30.3	29.3	28.2	27.1	24.7	19.1	11.1	
2	*****		24.1	23.5	22.8	22.1	21.4	20.7	19.9	19.1	17.5	13.5	7.8	
3	*****		19.7	19.1	18.6	18.1	17.5	16.9	16.3	15.6	14.3	11.1	6.4	
4	*****		17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5	
5	*****			14.8	14.4	14.0	13.5	13.1	12.6	12.1	11.1	8.6	4.9	
6	*****			13.5	13.2	12.8	12.4	11.9	11.5	11.1	10.1	7.8	4.5	
7	*****			12.5	12.2	11.8	11.4	11.1	10.7	10.2	9.3	7.2	4.2	
8	*****			11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9	
9	*****			11.1	10.7	10.4	10.1	9.8	9.4	9.0	8.2	6.4	3.7	
10	*****				10.2	9.9	9.6	9.2	8.9	8.6	7.8	6.1	3.5	
11	*****				9.7	9.4	9.1	8.8	8.5	8.2	7.5	5.8	3.3	
12	*****				9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
13	*****				8.9	8.7	8.4	8.1	7.8	7.5	6.9	5.3	3.1	
14	*****				8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0	
15	*****					8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9	
16	*****					7.8	7.6	7.3	7.0	6.8	6.2	4.8	2.8	
17	*****					7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7	
18	*****					7.4	7.1	6.9	6.6	6.4	5.8	4.5	2.6	
19	*****						6.9	6.7	6.5	6.2	5.7	4.4	2.5	
20	*****						6.8	6.5	6.3	6.1	5.5	4.3	2.5	
21	*****						6.6	6.4	6.2	5.9	5.4	4.2	2.4	
22	*****						6.5	6.2	6.0	5.8	5.3	4.1	2.4	
23	*****						6.3	6.1	5.9	5.6	5.2	4.0	2.3	
24	*****							6.0	5.8	5.5	5.0	3.9	2.3	
25	*****							5.9	5.6	5.4	4.9	3.8	2.2	
30	*****								5.1	4.9	4.5	3.5	2.0	
35	*****									4.6	4.2	3.2	1.9	
40	*****										3.9	3.0	1.7	
45	*****											3.7	2.9	1.6
50	*****												2.7	1.6
55	*****													2.6
60	*****													2.5
65	*****													2.4
70	*****													1.3
75	*****													1.3
80	*****													1.2
85	*****													1.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Community Health Survey - 2003

Région des Laurentides - CLSC Arthur-Buiés/Argenteuil (249154)

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																		
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%					
1	*****	59.1	58.8	57.9	56.3	54.7	53.1	51.4	49.7	47.9	46.0	42.0	32.5	18.8					
2	*****		41.6	40.9	39.8	38.7	37.5	36.4	35.1	33.8	32.5	29.7	23.0	13.3					
3	*****			33.4	32.5	31.6	30.7	29.7	28.7	27.6	26.5	24.2	18.8	10.8					
4	*****			28.9	28.2	27.4	26.5	25.7	24.8	23.9	23.0	21.0	16.3	9.4					
5	*****			25.9	25.2	24.5	23.7	23.0	22.2	21.4	20.6	18.8	14.5	8.4					
6	*****			23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7					
7	*****				21.3	20.7	20.1	19.4	18.8	18.1	17.4	15.9	12.3	7.1					
8	*****				19.9	19.4	18.8	18.2	17.6	16.9	16.3	14.8	11.5	6.6					
9	*****				18.8	18.2	17.7	17.1	16.6	16.0	15.3	14.0	10.8	6.3					
10	*****				17.8	17.3	16.8	16.3	15.7	15.1	14.5	13.3	10.3	5.9					
11	*****				17.0	16.5	16.0	15.5	15.0	14.4	13.9	12.7	9.8	5.7					
12	*****				16.3	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4					
13	*****					15.2	14.7	14.3	13.8	13.3	12.8	11.6	9.0	5.2					
14	*****					14.6	14.2	13.7	13.3	12.8	12.3	11.2	8.7	5.0					
15	*****					14.1	13.7	13.3	12.8	12.4	11.9	10.8	8.4	4.8					
16	*****					13.7	13.3	12.9	12.4	12.0	11.5	10.5	8.1	4.7					
17	*****					13.3	12.9	12.5	12.0	11.6	11.2	10.2	7.9	4.6					
18	*****					12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4					
19	*****					12.2	11.8	11.4	11.0	10.5	9.6	8.9	7.5	4.3					
20	*****					11.9	11.5	11.1	10.7	10.3	9.4	8.9	7.3	4.2					
21	*****					11.6	11.2	10.8	10.4	10.0	9.2	8.9	7.1	4.1					
22	*****					11.3	11.0	10.6	10.2	9.8	9.0	8.9	6.9	4.0					
23	*****					11.1	10.7	10.4	10.0	9.6	8.8	8.8	6.8	3.9					
24	*****					10.8	10.5	10.1	9.8	9.4	8.6	8.6	6.6	3.8					
25	*****						10.3	9.9	9.6	9.2	8.4	8.4	6.5	3.8					
30	*****						9.4	9.1	8.7	8.4	7.7	7.7	5.9	3.4					
35	*****							8.4	8.1	7.8	7.1	7.1	5.5	3.2					
40	*****								7.6	7.3	6.6	6.6	5.1	3.0					
45	*****									6.9	6.3	6.3	4.8	2.8					
50	*****										5.9	5.9	4.6	2.7					
55	*****											5.7	4.4	2.5					
60	*****												4.2	2.4					
65	*****													4.0	2.3				
70	*****														3.9	2.2			
75	*****															3.8	2.2		
80	*****																3.6	2.1	
85	*****																	3.5	2.0
90	*****																		2.0
95	*****																		1.9
100	*****																		1.9

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Table of Release Cut-offs for totals
Provinces, Territories and Canada

PROVINCE OR TERRITORIES	CV	
	$0.0\% \leq CV \leq 16.5\%$	$16.6\% \leq CV \leq 33.3\%$
	ACCEPTABLE	MARGINAL
NEWFOUNDLTO AND LABRADOR	8,500	2,000
PRINCE EDWARD ISLAND	3,500	1,000
NOVA SCOTIA	13,000	3,500
NEW BRUNSWICK	9,000	2,000
QUEBEC	25,000	6,000
ONTARIO	21,500	5,500
MANITOBA	13,500	3,500
SASKATCHEWAN	8,000	2,000
ALBERTA	19,500	5,000
BRITISH COLUMBIA	16,000	4,000
TERRITORIES	2,000	500
CANADA	20,000	5,000

Canada by Age Groups

AGE GROUP	CV	
	$0.0\% \leq CV \leq 16.5\%$	$16.6\% \leq CV \leq 33.3\%$
	ACCEPTABLE	MARGINAL
12-19	16,500	4,000
20-29	26,500	6,500
30-44	22,000	5,500
45-64	19,500	4,500
65+	12,500	3,000

Health Regions

HEALTH REGION	CV	
	$0.0\% \leq CV \leq 16.5\%$	$16.6\% \leq CV \leq 33.3\%$
	ACCEPTABLE	MARGINAL
Health and Community Services St John's Region (10901)	12,000	3,000
Health and Community Services Eastern Region (10902)	7,000	2,000
Health and Community Services Central Region (10903)	6,500	1,500
Hlth & Com. Serv. Western Region / Grenfell Reg. Hlth Serv. Board / Health Labrador Corp. (10904)	5,000	1,000
West Prince / Summerside / Kings (11901)	3,000	500
Queens (11903)	4,500	1,000

HEALTH REGION	CV	
	0.0% ≤ CV ≤ 16.5%	16.6% ≤ CV ≤ 33.3%
	ACCEPTABLE	MARGINAL
Zone 1 - Nova-Scotia (12901)	8,500	2,000
Zone 2 - Nova-Scotia (12902)	6,500	1,500
Zone 3 - Nova-Scotia (12903)	8,000	2,000
Zone 4 - Nova-Scotia (12904)	6,500	1,500
Zone 5 - Nova-Scotia (12905)	9,500	2,500
Zone 6 - Nova-Scotia (12906)	19,500	5,000
Region 1 - New-Brunswick (13901)	10,500	3,000
Region 2 - New-Brunswick (13902)	9,500	2,500
Region 3 - New-Brunswick (13903)	9,500	2,500
Region 4 / Region 5 - New-Brunswick (13904)	4,500	1,000
Region 6 / Region 7 - New-Brunswick (13906)	6,000	1,500
Région du Bas-Saint-Laurent (24901)	9,500	2,500
Région du Saguenay - Lac-Saint-Jean (24902)	13,500	3,500
Région de Québec (24903)	11,000	3,000
Région de la Mauricie-Bois-Francs (24904)	20,000	5,000
Région de l'Estrie (24905)	16,000	4,000
Région de Montréal-Centre (24906)	36,500	9,000
Région de l'Outaouais (24907)	8,500	2,000
Région de l'Abitibi-Témiscaminque (24908)	8,000	2,000
Région de la Côte-Nord (24909)	6,500	1,500
Région de la Gaspésie-Îles-de-la-Madeleine	5,500	1,500

HEALTH REGION	CV	
	0.0% ≤ CV ≤ 16.5%	16.6% ≤ CV ≤ 33.3%
	ACCEPTABLE	MARGINAL
(24911)		
Région de la Chaudière-Appalaches (24912)	20,000	5,000
Région de Laval (24913)	15,000	4,000
Région de Lanaudière (24914)	15,500	4,000
Région des Laurentides (24915)	10,000	2,500
Région de la Montérégie (24916)	44,000	11,000
District of Algoma (35926)	7,000	2,000
Brant County (35927)	7,000	2,000
Durham (35930)	16,500	4,000
Elgin-St Thomas (35931)	8,500	2,500
Grey Bruce (35933)	9,000	2,500
Haldimand-Norfolk (35934)	7,500	2,000
Haliburton-Kawartha-Pine Ridge (35935)	11,000	3,000
Halton (35936)	14,500	3,500
City of Hamilton (35937)	15,000	4,000
Hastings and Prince Edward (35938)	8,500	2,000
Huron / Perth (35939)	6,500	1,500
Chatham - Kent (35940)	7,500	2,000
Kingston-Frontenac-Lennox-Addington (35941)	10,000	2,500
Lambton (35942)	8,500	2,000
Leeds-Grenville-Lanark (35943)	9,000	2,500

HEALTH REGION	CV	
	0.0% ≤ CV ≤ 16.5%	16.6% ≤ CV ≤ 33.3%
	ACCEPTABLE	MARGINAL
Middlesex-London (35944)	13,500	3,500
Muskoka-Parry Sound (35945)	7,000	2,000
Niagara (35946)	15,000	4,000
North Bay / Timiskaming (35947)	6,000	1,500
Northwestern (35949)	6,000	1,500
City of Ottawa (35951)	21,500	5,500
Oxford County (35952)	6,500	1,500
Peel (35953)	25,000	6,000
Peterborough County-City (35955)	8,500	2,000
Porcupine (35956)	5,500	1,500
Renfrew County and District (35957)	6,500	1,500
Eastern Ontario (35958)	9,000	2,500
Simcoe County District (35960)	14,500	3,500
Sudbury and District (35961)	10,000	2,500
Thunder Bay (35962)	8,500	2,000
Waterloo (35965)	16,000	4,000
Wellington-Dufferin-Guelph (35966)	12,000	3,000
Windsor-Essex County (35968)	15,000	4,000
York (35970)	25,500	6,500
City of Toronto (35995)	43,500	11,000
Winnipeg (46910)	18,500	4,500

HEALTH REGION	CV	
	0.0% ≤ CV ≤ 16.5%	16.6% ≤ CV ≤ 33.3%
	ACCEPTABLE	MARGINAL
Brandon / Assiniboine (46915)	4,500	1,000
North Eastman / South Eastman (46920)	4,500	1,000
Interlake (46930)	5,500	1,500
Central (46940)	5,500	1,500
Parkland / Norman / Burntwood / Churchill (46960)	2,500	500
Sun Country / Five Hills / Cypress (47901)	4,000	1,000
Regina (47904)	10,500	2,500
Sunrise / Kelsey Trail (47905)	4,500	1,000
Saskatoon (47906)	11,000	3,000
Heartland / Prairie North (47907)	5,500	1,500
Prince Albert Parkland / Mamawetan Churchill River RHA/Keewatin (47909)	5,000	1,500
Chinook Regional Health Authority (48920)	9,000	2,500
Palliser Regional Health Authority (48921)	7,000	2,000
Calgary (48922)	23,500	6,000
David Thompson Regional Health Authority (48923)	8,500	2,000
East Central Health (48924)	6,500	1,500
Capital Health (48925)	25,000	6,500
Aspen Regional Health Authority (48926)	6,500	1,500
Peace Country / Northern Lights (48927)	6,000	1,500

HEALTH REGION	CV	
	$0.0\% \leq CV \leq 16.5\%$	$16.6\% \leq CV \leq 33.3\%$
	ACCEPTABLE	MARGINAL
East Kootenay (59911)	7,500	2,000
Kootenay-Boundary (59912)	7,500	2,000
Okanagan (59913)	13,500	3,500
Thompson Cariboo (59914)	10,500	2,500
Fraser East (59921)	13,500	3,500
Fraser North (59922)	19,000	5,000
Fraser South (59923)	22,000	5,500
Richmond (59931)	11,000	3,000
Vancouver (59932)	21,000	5,500
North Shore / Coast Garibaldi (59933)	14,000	3,500
South Vancouver Island (59941)	14,500	3,500
Central Vancouver Island (59942)	18,000	4,500
North Vancouver Island (59943)	9,000	2,500
Norhtwest / Northeast (59951)	6,000	1,500
Northern Interior (59952)	10,000	2,500
Yukon / Northwest Territories / Nunavut (60901)	2,000	500

CLSC regions (Quebec)

CLSC Region	CV	
	$0.0\% \leq CV \leq 16.5\%$	$16.6\% \leq CV \leq 33.3\%$
	ACCEPTABLE	MARGINAL
Outaouais - CLSC Hull/Grande-Rivière/Gatineau/Buckingham/Masson-Angers (249071)	10,000	2,500
Outaouais - CLSC Pontiac/Domaine des Forestiers/Vallée-de-la-Lièvre/Collines-de-l'Outaouais (249072)	3,500	1,000
Région des Laurentides - CLSC Jean-Olivier Chénier/Thérèse-de-Blainville (249151)	11,500	3,000
Région des Laurentides - CLSC Hautes-Laurentides/Pays-d'en-Haut/Trois-Vallées (249153)	4,500	1,000
Région des Laurentides - CLSC Arthur-Buies/Argenteuil (249154)	11,500	3,000