# CCHS Cycle 3.1: Record Layout
# Public Use Microdata File
*August 2006*

| Variable | Length | Position | Concept |
|---|---|---|---|
| ADME_RNO | 6 | 0001 - 0006 | Sequential record number |
| GEOEGPRV | 2 | 0007 - 0008 | Province of residence of respondent - (G) |
| GEOEDPMF | 5 | 0009 - 0013 | Health Region (5) - (G) |
| GEOEGSHR | 7 | 0014 - 0020 | Sub-Health Region (Québec only) - (D, G) |
| SAME_TYP | 1 | 0021 - 0021 | Sample type |
| ADME_PRX | 1 | 0022 - 0022 | Health Component completed by proxy |
| ADME_N09 | 1 | 0023 - 0023 | Interview by telephone or in person |
| ADME_N10 | 1 | 0024 - 0024 | Respondent alone during interview |
| ADME_N11 | 1 | 0025 - 0025 | Answers affected by presence of another person |
| DHHEGAGE | 2 | 0026 - 0027 | Age - (G) |
| DHHE_SEX | 1 | 0028 - 0028 | Sex |
| DHHEGMS | 1 | 0029 - 0029 | Marital Status - (G) |
| GENE_01 | 1 | 0030 - 0030 | Self-perceived health |
| GENE_02 | 1 | 0031 - 0031 | Self-perceived health compared to one year ago |
| GENE_02A | 1 | 0032 - 0032 | Satisfaction with life in general |
| GENE_02B | 1 | 0033 - 0033 | Self-perceived mental health |
| GENE_07 | 1 | 0034 - 0034 | Self-perceived stress |
| GENE_08 | 1 | 0035 - 0035 | Worked at job or business |
| GENE_09 | 1 | 0036 - 0036 | Self-perceived work stress |
| GENE_10 | 1 | 0037 - 0037 | Sense of belonging to local community |
| GENEDHDI | 1 | 0038 - 0038 | Self-rated health - (D) |
| GENEDMHI | 1 | 0039 - 0039 | Self-rated mental health - (D) |
| ORGEFOPT | 1 | 0040 - 0040 | Optional module: Voluntary organizations - (F) |
| ORGE_1 | 1 | 0041 - 0041 | Member of a voluntary organization |
| ORGE_2 | 1 | 0042 - 0042 | Frequency - participate in activities |
| CIHEFOPT | 1 | 0043 - 0043 | Optional module: Changes made to improve health - (F) |
| CIHE_1 | 1 | 0044 - 0044 | Did something to improve health |
| CIHE_2 | 2 | 0045 - 0046 | Most important change to improve health |
| CIHE_3 | 1 | 0047 - 0047 | Thinks should do something to improve health |
| CIHE_4 | 2 | 0048 - 0049 | Most important thing to improve health |
| CIHE_5 | 1 | 0050 - 0050 | Barrier to improving health |
| CIHE_6A | 1 | 0051 - 0051 | Barrier to improving health - lack of will power |
| CIHE_6I | 1 | 0052 - 0052 | Barrier to improving health - family responsabilities |
| CIHE_6B | 1 | 0053 - 0053 | Barrier to improving health - work schedule |
| CIHE_6J | 1 | 0054 - 0054 | Barrier to improving health - addiction to drugs / alcohol |
| CIHE_6K | 1 | 0055 - 0055 | Barrier to improving health - physical condition |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CIHE_6G | 1 | 0056 - 0056 | Barrier to improving health - disability / health problem |
| CIHE_6F | 1 | 0057 - 0057 | Barrier to improving health - too stressed |
| CIHE_6E | 1 | 0058 - 0058 | Barrier to improving health - too costly |
| CIHE_6L | 1 | 0059 - 0059 | Barrier to improving health - not available - in area |
| CIHE_6M | 1 | 0060 - 0060 | Barrier to improving health - transportation problems |
| CIHE_6N | 1 | 0061 - 0061 | Barrier to improving health - weather problems |
| CIHE_6H | 1 | 0062 - 0062 | Barrier to improving health - other |
| CIHE_7 | 1 | 0063 - 0063 | Intending to improve health over next year |
| CIHE_8A | 1 | 0064 - 0064 | Health improvement - more exercise |
| CIHE_8B | 1 | 0065 - 0065 | Health improvement - lose weight |
| CIHE_8C | 1 | 0066 - 0066 | Health improvement - improve eating habits |
| CIHE_8J | 1 | 0067 - 0067 | Health improvement - quit smoking |
| CIHE_8K | 1 | 0068 - 0068 | Health improvement - drink less alcohol |
| CIHE_8G | 1 | 0069 - 0069 | Health improvement - reduce stress level |
| CIHE_8L | 1 | 0070 - 0070 | Health improvement - receive medical treatment |
| CIHE_8H | 1 | 0071 - 0071 | Health improvement - take vitamins |
| CIHE_8I | 1 | 0072 - 0072 | Health improvement - other |
| HCSEFOPT | 1 | 0073 - 0073 | Optional module: Health care system satisfaction - (F) |
| HCSE_1 | 1 | 0074 - 0074 | Rating of availability of health care - province |
| HCSE_2 | 1 | 0075 - 0075 | Rating of quality of health care - province |
| HCSE_3 | 1 | 0076 - 0076 | Rating of availability of health care - community |
| HCSE_4 | 1 | 0077 - 0077 | Rating of quality of health care - community |
| HWTE_4 | 1 | 0078 - 0078 | Respondent's opinion of own weight - self-reported |
| HWTEGHTM | 5.3 | 0079 - 0083 | Height (metres) / self-reported - (D, G) |
| HWTEGWTK | 6.2 | 0084 - 0089 | Weight (kilograms) / self-reported - (D, G) |
| HWTEGBMI | 6.2 | 0090 - 0095 | Body Mass Index (BMI) / self-report - (D, G) |
| HWTEGISW | 1 | 0096 - 0096 | BMI class. (18 +) / self-report - Intern. standard - (D, G) |
| HWTEDCOL | 1 | 0097 - 0097 | BMI class. (12 to 17) / self-report - Cole system - (D) |
| CCCE_011 | 1 | 0098 - 0098 | Has food allergies |
| CCCE_021 | 1 | 0099 - 0099 | Has allergies other than food allergies |
| CCCE_031 | 1 | 0100 - 0100 | Has asthma |
| CCCE_035 | 1 | 0101 - 0101 | Asthma - had symptoms or attacks |
| CCCE_036 | 1 | 0102 - 0102 | Asthma - took medication |
| CCCE_041 | 1 | 0103 - 0103 | Has fibromyalgia |
| CCCE_051 | 1 | 0104 - 0104 | Has arthritis or rheumatism |
| CCCE_05A | 1 | 0105 - 0105 | Kind of arthritis / rheumatism |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CCCE_061 | 1 | 0106 - 0106 | Has back problems excluding fibromyalgia and arthritis |
| CCCE_071 | 1 | 0107 - 0107 | Has high blood pressure |
| CCCE_072 | 1 | 0108 - 0108 | Ever diagnosed with high blood pressure |
| CCCE_073 | 1 | 0109 - 0109 | Medication - high blood pressure - past month |
| CCCE_074 | 1 | 0110 - 0110 | Did something to reduce or control high blood pressure |
| CCCE_75A | 1 | 0111 - 0111 | Follow recommendation - changed diet |
| CCCE_75B | 1 | 0112 - 0112 | Follow recommendation - exercised more |
| CCCE_75C | 1 | 0113 - 0113 | Follow recommendation - reduced alcohol intake |
| CCCE_75D | 1 | 0114 - 0114 | Follow recommendation - other |
| CCCE_081 | 1 | 0115 - 0115 | Has migraine headaches |
| CCCE_91A | 1 | 0116 - 0116 | Has chronic bronchitis |
| CCCE_91E | 1 | 0117 - 0117 | Has emphysema |
| CCCE_91F | 1 | 0118 - 0118 | Has chronic obstructive pulmonary disease |
| CCCE_101 | 1 | 0119 - 0119 | Has diabetes |
| CCCEG102 | 2 | 0120 - 0121 | Diabetes - age first diagnosed - (G) |
| CCCE_10A | 1 | 0122 - 0122 | Diabetes diagnosed - when pregnant |
| CCCE_10B | 1 | 0123 - 0123 | Diabetes diagnosed - other than when pregnant |
| CCCE_10C | 2 | 0124 - 0125 | Diabetes diagnosed - when started with insulin |
| CCCE_105 | 1 | 0126 - 0126 | Diabetes - currently takes insulin |
| CCCE_106 | 1 | 0127 - 0127 | Diabetes - takes pills to control blood sugar |
| CCCE_111 | 1 | 0128 - 0128 | Has epilepsy |
| CCCE_121 | 1 | 0129 - 0129 | Has heart disease |
| CCCE_131 | 1 | 0130 - 0130 | Has cancer |
| CCCE_31A | 1 | 0131 - 0131 | Ever had cancer |
| CCCE_141 | 1 | 0132 - 0132 | Has stomach or intestinal ulcers |
| CCCE_151 | 1 | 0133 - 0133 | Suffers from the effects of a stroke |
| CCCE_161 | 1 | 0134 - 0134 | Has urinary incontinence |
| CCCE_171 | 1 | 0135 - 0135 | Has a bowel disorder / Crohn's Disease or colitis |
| CCCE_17A | 1 | 0136 - 0136 | Type of bowel disease |
| CCCE_191 | 1 | 0137 - 0137 | Has cataracts |
| CCCE_201 | 1 | 0138 - 0138 | Has glaucoma |
| CCCE_211 | 1 | 0139 - 0139 | Has a thyroid condition |
| CCCE_251 | 1 | 0140 - 0140 | Has chronic fatigue syndrome |
| CCCE_261 | 1 | 0141 - 0141 | Suffers from multiple chemical sensitivities |
| CCCE_280 | 1 | 0142 - 0142 | Has a mood disorder |
| CCCE_290 | 1 | 0143 - 0143 | Has an anxiety disorder |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| CCCE_331 | 1 | 0144 - 0144 | Has a learning disability |
| CCCEF1 | 1 | 0145 - 0145 | Has a chronic condition - (F) |
| CCCEG901 | 1 | 0146 - 0146 | Other long-term physical or mental health condition - (G) |
| DIAEFOPT | 1 | 0147 - 0147 | Optional module: Diabetes care - (F) |
| DIAE_01 | 1 | 0148 - 0148 | Tested for "A-one-C" haemoglobin |
| DIAE_02 | 3 | 0149 - 0151 | Number of times - tested for haemoglobin "A-one-C" |
| DIAE_03 | 1 | 0152 - 0152 | Feet checked by health professional |
| DIAE_04 | 3 | 0153 - 0155 | Number of times - feet checked by health professional |
| DIAE_05 | 1 | 0156 - 0156 | Urine tested for protein by health professional |
| DIAE_06 | 1 | 0157 - 0157 | Ever had eye exam with pupils dilated |
| DIAE_07 | 1 | 0158 - 0158 | Eye exam with pupils dilated - last time |
| DIAE_08 | 1 | 0159 - 0159 | Checks glucose level / self - reporting unit |
| DIAE_N8B | 3 | 0160 - 0162 | Checks glucose level/self - number of times per day |
| DIAE_N8C | 3 | 0163 - 0165 | Checks glucose level/self - number of times per week |
| DIAE_N8D | 3 | 0166 - 0168 | Checks glucose level/self - number of times per month |
| DIAE_N8E | 3 | 0169 - 0171 | Checks glucose level/self - number of times per year |
| DIAE_09 | 1 | 0172 - 0172 | Checks feet / self - reporting unit |
| DIAE_N9B | 3 | 0173 - 0175 | Checks feet / self - number of times per day |
| DIAE_N9C | 3 | 0176 - 0178 | Checks feet / self - number of times per week |
| DIAE_N9D | 3 | 0179 - 0181 | Checks feet / self - number of times per month |
| DIAE_N9E | 3 | 0182 - 0184 | Checks feet / self - number of times per year |
| DIAE_10 | 1 | 0185 - 0185 | Medication - ASA - past month |
| DIAE_11 | 1 | 0186 - 0186 | Medication - blood cholesterol - past month |
| MEDEFOPT | 1 | 0187 - 0187 | Optional module: Medication use - (F) |
| MEDE_1A | 1 | 0188 - 0188 | Medication - pain relievers - past mo. |
| MEDE_1B | 1 | 0189 - 0189 | Medication - tranquilizers - past mo. |
| MEDE_1C | 1 | 0190 - 0190 | Medication - diet pills - past mo. |
| MEDE_1D | 1 | 0191 - 0191 | Medication - anti-depressants - past mo. |
| MEDE_1E | 1 | 0192 - 0192 | Medication - codeine, Demerol or morphine - past mo. |
| MEDE_1F | 1 | 0193 - 0193 | Medication - allergy medicine - past mo. |
| MEDE_1G | 1 | 0194 - 0194 | Medication - asthma medications - past mo. |
| MEDE_1H | 1 | 0195 - 0195 | Medication - cough or cold remedies - past mo. |
| MEDE_1I | 1 | 0196 - 0196 | Medication - penicillin or other antibiotics - past mo. |
| MEDE_1J | 1 | 0197 - 0197 | Medication - medicine for the heart - past mo. |
| MEDE_1L | 1 | 0198 - 0198 | Medication - diuretics - past mo. |
| MEDE_1M | 1 | 0199 - 0199 | Medication - steroids - past mo. |

| Variable | Length | Position | Concept |
|---|---|---|---|
| MEDE_1P | 1 | 0200 - 0200 | Medication - sleeping pills - past mo. |
| MEDE_1Q | 1 | 0201 - 0201 | Medication - stomach remedies - past mo. |
| MEDE_1R | 1 | 0202 - 0202 | Medication - laxatives - past mo. |
| MEDE_1S | 1 | 0203 - 0203 | Medication - birth control pills - past mo. |
| MEDE_1T | 1 | 0204 - 0204 | Medication - hormones for menopause - past mo. |
| MEDE_1T1 | 1 | 0205 - 0205 | Hormone therapy - type |
| MEDE_1T2 | 4 | 0206 - 0209 | Hormone therapy - year started |
| MEDE_1U | 1 | 0210 - 0210 | Medication - thyroid medication - past mo. |
| MEDE_1V | 1 | 0211 - 0211 | Medication - other - past mo. |
| MEDEF1 | 1 | 0212 - 0212 | Medication use - past month - (F) |
| HCUE_1AA | 1 | 0213 - 0213 | Has regular medical doctor |
| HCUE_1BA | 1 | 0214 - 0214 | Reason has no regular doctor - no one available in area |
| HCUE_1BB | 1 | 0215 - 0215 | Reason has no regular doctor - none taking new patients |
| HCUE_1BC | 1 | 0216 - 0216 | Reason has no regular doctor - not tried to contact one |
| HCUE_1BD | 1 | 0217 - 0217 | Reason has no regular doctor - has left or retired |
| HCUE_1BE | 1 | 0218 - 0218 | Reason has no regular doctor - other |
| HCUE_01 | 1 | 0219 - 0219 | Overnight patient |
| HCUEG01A | 2 | 0220 - 0221 | Number of nights as patient - (G) |
| HCUEG02A | 2 | 0222 - 0223 | Number of consultations - fam. doctor/gen. practitioner -(G) |
| HCUEG02B | 2 | 0224 - 0225 | Number of consultations - eye specialist - (G) |
| HCUEG02C | 2 | 0226 - 0227 | Number of consultations - other medical doctor - (G) |
| HCUEG02D | 2 | 0228 - 0229 | Number of consultations - nurse - (G) |
| HCUEG02E | 2 | 0230 - 0231 | Number of consultations - dentist or orthodontist - (G) |
| HCUEG02F | 2 | 0232 - 0233 | Number of consultations - chiropractor - (G) |
| HCUEG02G | 2 | 0234 - 0235 | Number of consultations - physiotherapist - (G) |
| HCUEG02H | 2 | 0236 - 0237 | Number of consultations - social worker or counsellor - (G) |
| HCUEG02I | 2 | 0238 - 0239 | Number of consultations - psychologist - (G) |
| HCUEG02J | 2 | 0240 - 0241 | No. of consultations - speech/audiology/occ. therapist - (G) |
| HCUEG03A | 2 | 0242 - 0243 | Location of most recent contact - family doctor - (G) |
| HCUEG03C | 2 | 0244 - 0245 | Location of most recent contact - other medical doctor - (G) |
| HCUEG03D | 2 | 0246 - 0247 | Location of most recent contact - nurse - (G) |
| HCUEG3D1 | 1 | 0248 - 0248 | Method of most recent contact - nurse |
| HCUE_04A | 1 | 0249 - 0249 | Attended self-help group |
| HCUE_04 | 1 | 0250 - 0250 | Consulted alternative health care provider |
| HCUE_05A | 1 | 0251 - 0251 | Alternative health care - massage therapist |
| HCUE_05B | 1 | 0252 - 0252 | Alternative health care - acupuncturist |

| Variable | Length | Position | Concept |
|---|---|---|---|
| HCUE_05C | 1 | 0253 - 0253 | Alternative health care - homeopath or naturopath |
| HCUEG05L | 1 | 0254 - 0254 | Alternative health care - other - (G) |
| HCUE_06 | 1 | 0255 - 0255 | Unmet health care needs - self-perceived |
| HCUE_07A | 1 | 0256 - 0256 | Care not received - not available in area |
| HCUE_07B | 1 | 0257 - 0257 | Care not received - not available at time required |
| HCUE_07C | 1 | 0258 - 0258 | Care not received - waiting time too long |
| HCUE_07D | 1 | 0259 - 0259 | Care not received - felt would be inadequate |
| HCUE_07E | 1 | 0260 - 0260 | Care not received - cost |
| HCUE_07F | 1 | 0261 - 0261 | Care not received - too busy |
| HCUE_07G | 1 | 0262 - 0262 | Care not received - didn't get around to it |
| HCUE_07H | 1 | 0263 - 0263 | Care not received - didn't know where to go |
| HCUE_07I | 1 | 0264 - 0264 | Care not received - transportation problems |
| HCUE_07J | 1 | 0265 - 0265 | Care not received - language problems |
| HCUE_07K | 1 | 0266 - 0266 | Care not received - personal or family responsibilities |
| HCUE_07L | 1 | 0267 - 0267 | Care not received - dislikes doctors / afraid |
| HCUE_07M | 1 | 0268 - 0268 | Care not received - decided not to seek care |
| HCUE_07O | 1 | 0269 - 0269 | Care not received - dr didn't think it was necessary |
| HCUE_07P | 1 | 0270 - 0270 | Care not received - unable to leave house / health problem |
| HCUE_07N | 1 | 0271 - 0271 | Care not received - other |
| HCUE_08A | 1 | 0272 - 0272 | Type of care not received - treatment phys. health problem |
| HCUE_08B | 1 | 0273 - 0273 | Type of care not received - treatment emotional problem |
| HCUE_08C | 1 | 0274 - 0274 | Type of care not received - regular check-up |
| HCUE_08D | 1 | 0275 - 0275 | Type of care not received - care of injury |
| HCUE_08E | 1 | 0276 - 0276 | Type of care not received - other |
| HCUE_09A | 1 | 0277 - 0277 | Location tried to get service - doctor's office |
| HCUE_09B | 1 | 0278 - 0278 | Location tried to get service - hospital emergency room |
| HCUE_09C | 1 | 0279 - 0279 | Location tried to get service - hospital overnight patient |
| HCUE_09D | 1 | 0280 - 0280 | Location tried to get service - hosp. outpatient clinic |
| HCUE_09E | 1 | 0281 - 0281 | Location tried to get service - walk-in clinic |
| HCUE_09F | 1 | 0282 - 0282 | Location tried to get service - appointment clinic |
| HCUE_09G | 1 | 0283 - 0283 | Location tried to get service - community health centre/CLSC |
| HCUE_09H | 1 | 0284 - 0284 | Location tried to get service - other |
| HCUEGMDC | 2 | 0285 - 0286 | Number of consultations with medical doctor - (D, G) |
| HCUEFCOP | 1 | 0287 - 0287 | Consultations with health professionals - (F) |
| HMCE_09 | 1 | 0288 - 0288 | Received home care services - cost covered by government |
| HMCE_10A | 1 | 0289 - 0289 | Type of govt. home care rec'd - nursing care |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| HMCE_10B | 1 | 0290 - 0290 | Type of govt. home care rec'd - health services |
| HMCE_10C | 1 | 0291 - 0291 | Type of govt. home care rec'd - personal care |
| HMCE_10D | 1 | 0292 - 0292 | Type of govt. home care rec'd - housework |
| HMCE_10E | 1 | 0293 - 0293 | Type of govt. home care rec'd - meals |
| HMCE_10F | 1 | 0294 - 0294 | Type of govt. home care rec'd - shopping |
| HMCE_10G | 1 | 0295 - 0295 | Type of govt. home care rec'd - respite care |
| HMCE_10H | 1 | 0296 - 0296 | Type of govt. home care rec'd - other |
| HMCE_10I | 1 | 0297 - 0297 | Type of govt. home care rec'd - med. equipment |
| HMCE_11 | 1 | 0298 - 0298 | Received home care services - cost not covered by government |
| HMCEG12A | 1 | 0299 - 0299 | Non govt. home care - provided by private agency - (G) |
| HMCEG12C | 1 | 0300 - 0300 | Non govt. home care - provided by neighbour/family/vol.- (G) |
| HMCE_12F | 1 | 0301 - 0301 | Non govt. home care - provided by other |
| HMCEG3AA | 1 | 0302 - 0302 | Home care provided by private agency - nursing care - (G) |
| HMCEG3AB | 1 | 0303 - 0303 | Home care provided by private agency - health services - (G) |
| HMCEG3AI | 1 | 0304 - 0304 | Home care provided by private agency - med. equip. - (G) |
| HMCEG3AC | 1 | 0305 - 0305 | Home care provided by private agency - personal care - (G) |
| HMCEG3AD | 1 | 0306 - 0306 | Home care provided by private agency - housework - (G) |
| HMCEG3AE | 1 | 0307 - 0307 | Home care provided by private agency - meals - (G) |
| HMCEG3AF | 1 | 0308 - 0308 | Home care provided by private agency - shopping - (G) |
| HMCEG3AG | 1 | 0309 - 0309 | Home care provided by private agency - respite care - (G) |
| HMCEG3AH | 1 | 0310 - 0310 | Home care provided by private agency - other - (G) |
| HMCEG3CA | 1 | 0311 - 0311 | Home care by neighbour/family/vol. - nursing care - (G) |
| HMCEG3CB | 1 | 0312 - 0312 | Home care by neighbour/family/vol. - health services - (G) |
| HMCEG3CI | 1 | 0313 - 0313 | Home care by neighbour/family/vol. - med. equip./sup. - (G) |
| HMCEG3CC | 1 | 0314 - 0314 | Home care by neighbour/family/vol. - personal care - (G) |
| HMCEG3CD | 1 | 0315 - 0315 | Home care by neighbour/family/vol. - housework - (G) |
| HMCEG3CE | 1 | 0316 - 0316 | Home care by neighbour/family/vol. - meals - (G) |
| HMCEG3CF | 1 | 0317 - 0317 | Home care by neighbour/family/vol. - shopping - (G) |
| HMCEG3CG | 1 | 0318 - 0318 | Home care by neighbour/family/vol. - respite - (G) |
| HMCEG3CH | 1 | 0319 - 0319 | Home care by neighbour/family/vol. - other - (G) |
| HMCE_3FA | 1 | 0320 - 0320 | Home care provided by other - nursing care |
| HMCE_3FB | 1 | 0321 - 0321 | Home care provided by other - health services |
| HMCE_3FI | 1 | 0322 - 0322 | Home care provided by other - medical equipment or supplies |
| HMCE_3FC | 1 | 0323 - 0323 | Home care provided by other - personal care |
| HMCE_3FD | 1 | 0324 - 0324 | Home care provided by other - housework |
| HMCE_3FE | 1 | 0325 - 0325 | Home care provided by other - meals |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| HMCE_3FF | 1 | 0326 - 0326 | Home care provided by other - shopping |
| HMCE_3FG | 1 | 0327 - 0327 | Home care provided by other - respite care |
| HMCE_3FH | 1 | 0328 - 0328 | Home care provided by other - other |
| HMCE_14 | 1 | 0329 - 0329 | Self-perceived unmet home care needs |
| HMCE_15A | 1 | 0330 - 0330 | Home care not received - not available / area |
| HMCE_15B | 1 | 0331 - 0331 | Home care not received - not available at time required |
| HMCE_15C | 1 | 0332 - 0332 | Home care not received - waiting time too long |
| HMCE_15D | 1 | 0333 - 0333 | Home care not received - felt would be inadequate |
| HMCE_15E | 1 | 0334 - 0334 | Home care not received - cost |
| HMCE_15F | 1 | 0335 - 0335 | Home care not received - too busy |
| HMCE_15G | 1 | 0336 - 0336 | Home care not received - didn't get around to it |
| HMCE_15H | 1 | 0337 - 0337 | Home care not received - didn't know where to go |
| HMCE_15I | 1 | 0338 - 0338 | Home care not received - language problems |
| HMCE_15J | 1 | 0339 - 0339 | Home care not received - family responsibilities |
| HMCE_15K | 1 | 0340 - 0340 | Home care not received - decided not to seek services |
| HMCE_15L | 1 | 0341 - 0341 | Home care not received - doctor didn't think necessary |
| HMCE_15M | 1 | 0342 - 0342 | Home care not received - other |
| HMCE_15N | 1 | 0343 - 0343 | Home care not received - Did not qualify |
| HMCE_15O | 1 | 0344 - 0344 | Home care not received - Still waiting for homecare |
| HMCE_16A | 1 | 0345 - 0345 | Type of home care needed - nursing care |
| HMCE_16B | 1 | 0346 - 0346 | Type of home care needed - health services |
| HMCE_16C | 1 | 0347 - 0347 | Type of home care needed - personal care |
| HMCE_16D | 1 | 0348 - 0348 | Type of home care needed - housework |
| HMCE_16E | 1 | 0349 - 0349 | Type of home care needed - meals |
| HMCE_16F | 1 | 0350 - 0350 | Type of home care needed - shopping |
| HMCE_16G | 1 | 0351 - 0351 | Type of home care needed - respite care |
| HMCE_16H | 1 | 0352 - 0352 | Type of home care needed - other |
| HMCE_16I | 1 | 0353 - 0353 | Type of home care needed - Medical equipment or supplies |
| HMCE_17A | 1 | 0354 - 0354 | Who contacted for home care - government sponsored program |
| HMCE_17B | 1 | 0355 - 0355 | Who contacted for home care - private agency |
| HMCE_17C | 1 | 0356 - 0356 | Who contacted for home care - family member or friend |
| HMCE_17D | 1 | 0357 - 0357 | Who contacted for home care - volunteer organization |
| HMCE_17E | 1 | 0358 - 0358 | Who contacted for home care - other |
| HMCEFRHC | 1 | 0359 - 0359 | Received home care - (F) |
| RACE_1 | 1 | 0360 - 0360 | Has difficulty with activities |
| RACE_2A | 1 | 0361 - 0361 | Reduction in kind/amount of activities - at home |

| Variable | Length | Position | Concept |
|---|---|---|---|
| RACE_2B1 | 1 | 0362 - 0362 | Reduction in kind/amount of activities - at school |
| RACE_2B2 | 1 | 0363 - 0363 | Reduction in kind/amount of activities - at work |
| RACE_2C | 1 | 0364 - 0364 | Reduction in kind/amount of activities - other activities |
| RACEG5 | 2 | 0365 - 0366 | Cause of health problem - (G) |
| RACE_5B1 | 1 | 0367 - 0367 | Discrimination due to condition/health problem - life |
| RACE_5B2 | 1 | 0368 - 0368 | Discrimination due to condition/health problem |
| RACE_6A | 1 | 0369 - 0369 | Needs help - preparing meals |
| RACE_6B1 | 1 | 0370 - 0370 | Needs help - getting to appointments / running errands |
| RACE_6C | 1 | 0371 - 0371 | Needs help - doing housework |
| RACE_6D | 1 | 0372 - 0372 | Needs help - heavy household chores |
| RACE_6E | 1 | 0373 - 0373 | Needs help - personal care |
| RACE_6F | 1 | 0374 - 0374 | Needs help - moving about inside the house |
| RACE_6G | 1 | 0375 - 0375 | Needs help - looking after personal finances |
| RACE_7A | 1 | 0376 - 0376 | Difficulty - making new friends |
| RACE_7B | 1 | 0377 - 0377 | Difficulty - dealing with unknown people |
| RACE_7C | 1 | 0378 - 0378 | Difficulty - starting / maintaining a conversation |
| RACE_8A | 1 | 0379 - 0379 | Cause of difficulties - physical health |
| RACE_8B | 1 | 0380 - 0380 | Cause of difficulties - emotional or mental health |
| RACE_8C | 1 | 0381 - 0381 | Cause of difficulties - use of alcohol or drugs |
| RACE_8D | 1 | 0382 - 0382 | Cause of difficulties - other |
| RACEDIMP | 1 | 0383 - 0383 | Impact of health problems - (D) |
| RACEDPAL | 1 | 0384 - 0384 | Participation and activity limitation - (D) |
| RACEF6R | 1 | 0385 - 0385 | Help needed for tasks - (F) |
| RACEF7 | 1 | 0386 - 0386 | Difficulty with social situations - (F) |
| TWDE_1 | 1 | 0387 - 0387 | Stayed in bed - because of illness or injury - past 14 days |
| TWDE_3 | 1 | 0388 - 0388 | Reduced activities - because of illness or injury |
| TWDEDDDY | 2 | 0389 - 0390 | Total number of disability days in past 14 days - (D) |
| TWDEDDDM | 2 | 0391 - 0392 | No. disability days - emotional/mental hlth, alc/drugs - (D) |
| TWDEDDDP | 2 | 0393 - 0394 | No. of disability days - physical illness or injury - (D) |
| FLUE_160 | 1 | 0395 - 0395 | Ever had a flu shot |
| FLUE_162 | 1 | 0396 - 0396 | Had flu shot - last time |
| FLUE_66A | 1 | 0397 - 0397 | No flu shot - have not gotten around to it |
| FLUE_66B | 1 | 0398 - 0398 | No flu shot - respondent didn't think it was necessary |
| FLUE_66C | 1 | 0399 - 0399 | No flu shot - doctor didn't think it was necessary |
| FLUE_66D | 1 | 0400 - 0400 | No flu shot - personal or family responsibilities |
| FLUE_66E | 1 | 0401 - 0401 | No flu shot - not available at time required |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| FLUE_66F | 1 | 0402 - 0402 | No flu shot - not available at all in area |
| FLUE_66G | 1 | 0403 - 0403 | No flu shot - waiting time was too long |
| FLUE_66H | 1 | 0404 - 0404 | No flu shot - transportation problems |
| FLUE_66I | 1 | 0405 - 0405 | No flu shot - language problem |
| FLUE_66J | 1 | 0406 - 0406 | No flu shot - cost |
| FLUE_66K | 1 | 0407 - 0407 | No flu shot - did not know where to go |
| FLUE_66L | 1 | 0408 - 0408 | No flu shot - fear |
| FLUE_66M | 1 | 0409 - 0409 | No flu shot - bad reaction to previous shot |
| FLUE_66O | 1 | 0410 - 0410 | No flu shot - unable to leave house / health problem |
| FLUE_66N | 1 | 0411 - 0411 | No flu shot - other |
| BPCEFOPT | 1 | 0412 - 0412 | Optional module: Blood pressure check - (F) |
| BPCE_010 | 1 | 0413 - 0413 | Ever had blood pressure taken |
| BPCE_012 | 1 | 0414 - 0414 | Last time blood pressure was taken |
| BPCE_16A | 1 | 0415 - 0415 | Blood pressure not taken - have not gotten around to it |
| BPCE_16B | 1 | 0416 - 0416 | Blood pressure not taken - respondent didn't think necessary |
| BPCE_16C | 1 | 0417 - 0417 | Blood pressure not taken - doctor didn't think necessary |
| BPCE_16D | 1 | 0418 - 0418 | Blood pressure not taken - personal / fam. responsibilities |
| BPCE_16E | 1 | 0419 - 0419 | Blood pressure not taken - not available when required |
| BPCE_16F | 1 | 0420 - 0420 | Blood pressure not taken - not available in area |
| BPCE_16G | 1 | 0421 - 0421 | Blood pressure not taken - waiting time too long |
| BPCE_16H | 1 | 0422 - 0422 | Blood pressure not taken - transportation problems |
| BPCE_16I | 1 | 0423 - 0423 | Blood pressure not taken - language problem |
| BPCE_16J | 1 | 0424 - 0424 | Blood pressure not taken - cost |
| BPCE_16K | 1 | 0425 - 0425 | Blood pressure not taken - did not know where to go |
| BPCE_16L | 1 | 0426 - 0426 | Blood pressure not taken - fear |
| BPCE_16N | 1 | 0427 - 0427 | Blood pressure not taken - unable to leave house/health prob |
| BPCE_16M | 1 | 0428 - 0428 | Blood pressure not taken - other |
| PAPE_020 | 1 | 0429 - 0429 | Ever had PAP smear test |
| PAPE_022 | 1 | 0430 - 0430 | Last time had PAP smear test |
| PAPE_26A | 1 | 0431 - 0431 | No PAP smear - have not gotten around to it |
| PAPE_26B | 1 | 0432 - 0432 | No PAP smear - respondent didn't think necessary |
| PAPE_26C | 1 | 0433 - 0433 | No PAP smear - doctor didn't think necessary |
| PAPE_26D | 1 | 0434 - 0434 | No PAP smear - personal / family responsibilities |
| PAPE_26E | 1 | 0435 - 0435 | No PAP smear - not available when required |
| PAPE_26F | 1 | 0436 - 0436 | No PAP smear - not available in area |
| PAPE_26G | 1 | 0437 - 0437 | No PAP smear - waiting time too long |

| Variable | Length | Position | Concept |
|---|---|---|---|
| PAPE_26H | 1 | 0438 - 0438 | No PAP smear - transportation problems |
| PAPE_26I | 1 | 0439 - 0439 | No PAP smear - language problem |
| PAPE_26J | 1 | 0440 - 0440 | No PAP smear - cost |
| PAPE_26K | 1 | 0441 - 0441 | No PAP smear - did not know where to go |
| PAPE_26L | 1 | 0442 - 0442 | No PAP smear - fear |
| PAPE_26M | 1 | 0443 - 0443 | No PAP smear - hysterectomy |
| PAPE_26N | 1 | 0444 - 0444 | No PAP smear - hate / dislike having one done |
| PAPE_26P | 1 | 0445 - 0445 | No PAP smear - unable to leave house / health problem |
| PAPE_26O | 1 | 0446 - 0446 | No PAP smear - other |
| MAME_030 | 1 | 0447 - 0447 | Ever had mammogram |
| MAME_31A | 1 | 0448 - 0448 | Had mammogram - family history |
| MAME_31B | 1 | 0449 - 0449 | Had mammogram - regular check-up |
| MAME_31C | 1 | 0450 - 0450 | Had mammogram - age |
| MAME_31D | 1 | 0451 - 0451 | Had mammogram - previously detected lump |
| MAME_31E | 1 | 0452 - 0452 | Had mammogram - follow-up of treatment |
| MAME_31F | 1 | 0453 - 0453 | Had mammogram - on hormone replacement therapy |
| MAME_31G | 1 | 0454 - 0454 | Had mammogram - breast problem |
| MAME_31H | 1 | 0455 - 0455 | Had mammogram - other |
| MAME_032 | 1 | 0456 - 0456 | Last time mammogram was done |
| MAME_36A | 1 | 0457 - 0457 | No mammogram - have not gotten around to it - past 2 yrs |
| MAME_36B | 1 | 0458 - 0458 | No mammogram - resp. did not think necessary - past 2 yrs |
| MAME_36C | 1 | 0459 - 0459 | No mammogram - doctor did not think necessary - past 2 yrs |
| MAME_36D | 1 | 0460 - 0460 | No mammogram - personal/family responsibilities - past 2 yrs |
| MAME_36E | 1 | 0461 - 0461 | No mammogram - not available when required - past 2 yrs |
| MAME_36F | 1 | 0462 - 0462 | No mammogram - not available in the area - past 2 yrs |
| MAME_36G | 1 | 0463 - 0463 | No mammogram - waiting time too long - past 2 yrs |
| MAME_36H | 1 | 0464 - 0464 | No mammogram - transportation problems - past 2 yrs |
| MAME_36I | 1 | 0465 - 0465 | No mammogram - language problem - past 2 yrs |
| MAME_36J | 1 | 0466 - 0466 | No mammogram - cost - past 2 yrs |
| MAME_36K | 1 | 0467 - 0467 | No mammogram - did not know where to go - past 2 yrs |
| MAME_36L | 1 | 0468 - 0468 | No mammogram - fear - past 2 yrs |
| MAME_36M | 1 | 0469 - 0469 | No mammogram - other - past 2 yrs |
| MAME_36N | 1 | 0470 - 0470 | No mammogram - unable to leave house/hlth prob - past 2 yrs |
| MAME_36O | 1 | 0471 - 0471 | No mammogram - Breasts removed / Mastectomy |
| MAME_038 | 1 | 0472 - 0472 | Had a hysterectomy |
| BRXEFOPT | 1 | 0473 - 0473 | Optional module: Breast examinations - (F) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| BRXE_110 | 1 | 0474 - 0474 | Had breasts examined by health professional |
| BRXE_112 | 1 | 0475 - 0475 | Last time breasts exam for lumps |
| BRXE_16A | 1 | 0476 - 0476 | No breast exam - have not gotten around to it |
| BRXE_16B | 1 | 0477 - 0477 | No breast exam - respondent didn't think necessary |
| BRXE_16C | 1 | 0478 - 0478 | No breast exam - doctor didn't think necessary |
| BRXE_16D | 1 | 0479 - 0479 | No breast exam - personal / family responsibilities |
| BRXE_16E | 1 | 0480 - 0480 | No breast exam - not available when required |
| BRXE_16F | 1 | 0481 - 0481 | No breast exam - not available in area |
| BRXE_16G | 1 | 0482 - 0482 | No breast exam - waiting time too long |
| BRXE_16H | 1 | 0483 - 0483 | No breast exam - transportation problems |
| BRXE_16I | 1 | 0484 - 0484 | No breast exam - language problem |
| BRXE_16J | 1 | 0485 - 0485 | No breast exam - cost |
| BRXE_16K | 1 | 0486 - 0486 | No breast exam - did not know where to go |
| BRXE_16L | 1 | 0487 - 0487 | No breast exam - fear |
| BRXE_16N | 1 | 0488 - 0488 | No breast exam - unable to leave house / health problem |
| BRXE_16O | 1 | 0489 - 0489 | No breast exam - breast removed / mastectomy |
| BRXE_16M | 1 | 0490 - 0490 | No breast exam - other |
| BSXEFOPT | 1 | 0491 - 0491 | Optional module: Breast self examinations - (F) |
| BSXE_120 | 1 | 0492 - 0492 | Self-examined breasts for lumps |
| BSXE_121 | 1 | 0493 - 0493 | Frequency - breast self-examination |
| BSXE_22A | 1 | 0494 - 0494 | Breast self-exam learned from - doctor |
| BSXE_22B | 1 | 0495 - 0495 | Breast self-exam learned from - nurse |
| BSXE_22C | 1 | 0496 - 0496 | Breast self-exam learned from - book / magazine / pamphlet |
| BSXE_22D | 1 | 0497 - 0497 | Breast self-exam learned from - TV / video / film |
| BSXE_22H | 1 | 0498 - 0498 | Breast self-exam learned from - family member |
| BSXE_22G | 1 | 0499 - 0499 | Breast self-exam learned from - other |
| EYXEFOPT | 1 | 0500 - 0500 | Optional module: Eye examinations - (F) |
| EYXE_140 | 1 | 0501 - 0501 | Visit eye doctor - 12 m |
| EYXE_142 | 1 | 0502 - 0502 | Last time eye examination |
| EYXE_46A | 1 | 0503 - 0503 | No eye exam - not gotten around to it - past 2 yrs |
| EYXE_46B | 1 | 0504 - 0504 | No eye exam - respondent didn't think necessary |
| EYXE_46C | 1 | 0505 - 0505 | No eye exam - doctor didn't think necessary |
| EYXE_46D | 1 | 0506 - 0506 | No eye exam - personal or family responsibilities |
| EYXE_46E | 1 | 0507 - 0507 | No eye exam - not available when required |
| EYXE_46F | 1 | 0508 - 0508 | No eye exam- not available in area |
| EYXE_46G | 1 | 0509 - 0509 | No eye exam - waiting time too long |

| Variable | Length | Position | Concept |
|---|---|---|---|
| EYXE_46H | 1 | 0510 - 0510 | No eye exam - transportation problems |
| EYXE_46I | 1 | 0511 - 0511 | No eye exam - language problem |
| EYXE_46J | 1 | 0512 - 0512 | No eye exam - cost |
| EYXE_46K | 1 | 0513 - 0513 | No eye exam - did not know where to go |
| EYXE_46L | 1 | 0514 - 0514 | No eye exam - fear |
| EYXE_46N | 1 | 0515 - 0515 | No eye exam - health problem |
| EYXE_46M | 1 | 0516 - 0516 | No eye exam - other reason |
| PSAEFOPT | 1 | 0517 - 0517 | Optional module: Prostate cancer screening - (F) |
| PSAE_170 | 1 | 0518 - 0518 | Ever had a PSA blood test (prostate cancer) |
| PSAE_172 | 1 | 0519 - 0519 | Last time had PSA blood test |
| PSAE_73A | 1 | 0520 - 0520 | Had PSA test - family history of prostate cancer |
| PSAE_73B | 1 | 0521 - 0521 | Had PSA test - regular check-up |
| PSAE_73C | 1 | 0522 - 0522 | Had PSA test - age |
| PSAE_73G | 1 | 0523 - 0523 | Had PSA test - race |
| PSAE_73D | 1 | 0524 - 0524 | Had PSA test - follow-up of problem |
| PSAE_73E | 1 | 0525 - 0525 | Had PSA test - follow-up of prostate cancer treatment |
| PSAE_73F | 1 | 0526 - 0526 | Had PSA test - other |
| PSAE_174 | 1 | 0527 - 0527 | Had a digital rectal exam |
| PSAE_175 | 1 | 0528 - 0528 | Last time had digital rectal exam |
| CCSEFOPT | 1 | 0529 - 0529 | Optional module: Colorectal cancer exams - (F) |
| CCSE_180 | 1 | 0530 - 0530 | Had an FOBT test |
| CCSE_182 | 2 | 0531 - 0532 | Last time FOBT test done |
| CCSE_83A | 1 | 0533 - 0533 | Had FOBT - family history |
| CCSE_83B | 1 | 0534 - 0534 | Had FOBT - regular check-up |
| CCSE_83C | 1 | 0535 - 0535 | Had FOBT - age |
| CCSE_83G | 1 | 0536 - 0536 | Had FOBT - race |
| CCSE_83D | 1 | 0537 - 0537 | Had FOBT - follow-up of problem |
| CCSE_83E | 1 | 0538 - 0538 | Had FOBT - follow-up of treatment |
| CCSE_83F | 1 | 0539 - 0539 | Had FOBT - other |
| CCSE_184 | 1 | 0540 - 0540 | Had colonoscopy or sigmoidoscopy |
| CCSE_185 | 2 | 0541 - 0542 | Last time had colonoscopy or sigmoidoscopy |
| CCSE_86A | 1 | 0543 - 0543 | Had colonoscopy/sigmoidoscopy - family history |
| CCSE_86B | 1 | 0544 - 0544 | Had colonoscopy/sigmoidoscopy - regular check-up |
| CCSE_86C | 1 | 0545 - 0545 | Had colonoscopy/sigmoidoscopy - age |
| CCSE_86D | 1 | 0546 - 0546 | Had colonoscopy/sigmoidoscopy - follow-up of problem |
| CCSE_86E | 1 | 0547 - 0547 | Had colonoscopy/sigmoidoscopy - follow-up of treatment |

| Variable | Length | Position | Concept |
|---|---|---|---|
| CCSE_86F | 1 | 0548 - 0548 | Had colonoscopy/sigmoidoscopy - other |
| CCSE_187 | 1 | 0549 - 0549 | Colonoscopy or sigmoidoscopy followed FOBT test |
| DENEFOPT | 1 | 0550 - 0550 | Optional module: Dental visits - (F) |
| DENE_130 | 1 | 0551 - 0551 | Visited dentist |
| DENE_132 | 2 | 0552 - 0553 | Last time visited dentist |
| DENE_36A | 1 | 0554 - 0554 | No dental visit - have not gotten around to it |
| DENE_36B | 1 | 0555 - 0555 | No dental visit - respondent didn't think necessary |
| DENE_36C | 1 | 0556 - 0556 | No dental visit - dentist didn't think necessary |
| DENE_36D | 1 | 0557 - 0557 | No dental visit - personal / family responsibilities |
| DENE_36E | 1 | 0558 - 0558 | No dental visit - not available when required |
| DENE_36F | 1 | 0559 - 0559 | No dental visit - not available in area |
| DENE_36G | 1 | 0560 - 0560 | No dental visit - waiting time too long |
| DENE_36H | 1 | 0561 - 0561 | No dental visit - transportation problems |
| DENE_36I | 1 | 0562 - 0562 | No dental visit - language problem |
| DENE_36J | 1 | 0563 - 0563 | No dental visit - cost |
| DENE_36K | 1 | 0564 - 0564 | No dental visit - did not know where to go |
| DENE_36L | 1 | 0565 - 0565 | No dental visit - fear |
| DENE_36M | 1 | 0566 - 0566 | No dental visit - wears dentures |
| DENE_36O | 1 | 0567 - 0567 | No dental visit - unable to leave house / health problem |
| DENE_36N | 1 | 0568 - 0568 | No dental visit - other |
| OH2EFOPT | 1 | 0569 - 0569 | Optional module: Oral health 2 - (F) |
| OH2E_10 | 1 | 0570 - 0570 | Frequency usually visits the dentist |
| OH2E_11 | 1 | 0571 - 0571 | Insurance for dental expenses |
| OH2E_11A | 1 | 0572 - 0572 | Type of dental insurance plan - government-sponsored |
| OH2E_11B | 1 | 0573 - 0573 | Type of dental insurance plan - employer-sponsored |
| OH2E_11C | 1 | 0574 - 0574 | Type of dental insurance plan - private |
| OH2E_12 | 1 | 0575 - 0575 | Teeth removed by dentist - 12 mo |
| OH2E_13 | 1 | 0576 - 0576 | Teeth removed - decay or gum disease - 12 mo |
| OH2E_20 | 1 | 0577 - 0577 | Has one or more of own teeth |
| OH2E_21 | 1 | 0578 - 0578 | Wears dentures |
| OH2E_22 | 1 | 0579 - 0579 | Condition of teeth/mouth - difficulty speaking clearly |
| OH2E_23 | 1 | 0580 - 0580 | Condition of teeth/mouth - avoided conversation - 12 mo |
| OH2E_24 | 1 | 0581 - 0581 | Condition of teeth/mouth - avoided laughing/smiling - 12 mo |
| OH2E_25A | 1 | 0582 - 0582 | Had a toothache - past mo. |
| OH2E_25B | 1 | 0583 - 0583 | Teeth sensitive to hot or cold - past mo. |
| OH2E_25C | 1 | 0584 - 0584 | Had pain - jaw joints - past mo. |

| Variable | Length | Position | Concept |
|---|---|---|---|
| OH2E_25D | 1 | 0585 - 0585 | Had pain - mouth or face - past mo. |
| OH2E_25E | 1 | 0586 - 0586 | Had bleeding gums - past mo. |
| OH2E_25F | 1 | 0587 - 0587 | Had dry mouth - past mo. |
| OH2E_25G | 1 | 0588 - 0588 | Had bad breath - past mo. |
| OH2E_30 | 2 | 0589 - 0590 | Frequency of brushing teeth |
| OH2EFLIM | 1 | 0591 - 0591 | Limited socially due to oral health status - 12 mo - (F) |
| OH2EFOFP | 1 | 0592 - 0592 | Oral or facial pain - past mo. - (F) |
| FDCEFOPT | 1 | 0593 - 0593 | Optional module: Food choices - (F) |
| FDCE_1A | 1 | 0594 - 0594 | Chooses or avoids foods - concerned about body weight |
| FDCE_1B | 1 | 0595 - 0595 | Chooses or avoids foods - concerned about heart disease |
| FDCE_1C | 1 | 0596 - 0596 | Chooses or avoids foods - concerned about cancer |
| FDCE_1D | 1 | 0597 - 0597 | Chooses or avoids foods - concerned about osteoporosis |
| FDCE_2A | 1 | 0598 - 0598 | Reason to choose foods - lower fat content |
| FDCE_2B | 1 | 0599 - 0599 | Reason to choose foods - fibre content |
| FDCE_2C | 1 | 0600 - 0600 | Reason to choose foods - calcium content |
| FDCE_3A | 1 | 0601 - 0601 | Reason to avoid foods - fat content |
| FDCE_3B | 1 | 0602 - 0602 | Reason to avoid foods - type of fat |
| FDCE_3C | 1 | 0603 - 0603 | Reason to avoid foods - salt content |
| FDCE_3D | 1 | 0604 - 0604 | Reason to avoid foods - cholesterol content |
| FDCE_3E | 1 | 0605 - 0605 | Reason to avoid foods - calorie content |
| FDCEFCAH | 1 | 0606 - 0606 | Chooses/avoids foods b/c of certain health concerns - (F) |
| FDCEFCHO | 1 | 0607 - 0607 | Chooses foods for content reasons - (F) |
| FDCEFAVD | 1 | 0608 - 0608 | Avoids foods for content reasons - (F) |
| FVCEFOPT | 1 | 0609 - 0609 | Optional module: Fruit and vegetable consumption - (F) |
| FVCEDJUI | 5.1 | 0610 - 0614 | Daily consumption - fruit juice - (D) |
| FVCEDFRU | 5.1 | 0615 - 0619 | Daily consumption - fruit - (D) |
| FVCEDSAL | 5.1 | 0620 - 0624 | Daily consumption - green salad - (D) |
| FVCEDPOT | 5.1 | 0625 - 0629 | Daily consumption - potatoes - (D) |
| FVCEDCAR | 5.1 | 0630 - 0634 | Daily consumption - carrots - (D) |
| FVCEDVEG | 5.1 | 0635 - 0639 | Daily consumption - other vegetables - (D) |
| FVCEDTOT | 5.1 | 0640 - 0644 | Daily consumption - total fruits and vegetables - (D) |
| FVCEGTOT | 1 | 0645 - 0645 | Daily consumption - total fruits and vegetables - (D, G) |
| PACE_1A | 1 | 0646 - 0646 | Activity / last 3 months - walking |
| PACE_1B | 1 | 0647 - 0647 | Activity / last 3 months - gardening or yard work |
| PACE_1C | 1 | 0648 - 0648 | Activity / last 3 months - swimming |
| PACE_1D | 1 | 0649 - 0649 | Activity / last 3 months - bicycling |

| Variable | Length | Position | Concept |
|---|---|---|---|
| PACE_1E | 1 | 0650 - 0650 | Activity / last 3 months - popular or social dance |
| PACE_1F | 1 | 0651 - 0651 | Activity / last 3 months - home exercises |
| PACE_1G | 1 | 0652 - 0652 | Activity / last 3 months - ice hockey |
| PACE_1H | 1 | 0653 - 0653 | Activity / last 3 months - ice skating |
| PACE_1I | 1 | 0654 - 0654 | Activity / last 3 months - in-line skating or rollerblading |
| PACE_1J | 1 | 0655 - 0655 | Activity / last 3 months - jogging or running |
| PACE_1K | 1 | 0656 - 0656 | Activity / last 3 months - golfing |
| PACE_1L | 1 | 0657 - 0657 | Activity / last 3 months - exercise class or aerobics |
| PACE_1M | 1 | 0658 - 0658 | Activity / last 3 months - downhill skiing or snowboarding |
| PACE_1N | 1 | 0659 - 0659 | Activity / last 3 months - bowling |
| PACE_1O | 1 | 0660 - 0660 | Activity / last 3 months - baseball or softball |
| PACE_1P | 1 | 0661 - 0661 | Activity / last 3 months - tennis |
| PACE_1Q | 1 | 0662 - 0662 | Activity / last 3 months - weight-training |
| PACE_1R | 1 | 0663 - 0663 | Activity / last 3 months - fishing |
| PACE_1S | 1 | 0664 - 0664 | Activity / last 3 months - volleyball |
| PACE_1T | 1 | 0665 - 0665 | Activity / last 3 months - basketball |
| PACE_1Z | 1 | 0666 - 0666 | Activity / last 3 months - soccer |
| PACE_1U | 1 | 0667 - 0667 | Activity / last 3 months - other (#1) |
| PACE_1V | 1 | 0668 - 0668 | Activity / last 3 months - no physical activity |
| PACE_1W | 1 | 0669 - 0669 | Activity / last 3 months - other (#2) |
| PACE_1X | 1 | 0670 - 0670 | Activity / last 3 months - other (#3) |
| PACE_2A | 3 | 0671 - 0673 | Number of times / 3 months - walking for exercise |
| PACE_3A | 1 | 0674 - 0674 | Time spent - walking for exercise |
| PACE_2B | 3 | 0675 - 0677 | Number of times / 3 months - gardening/yard work |
| PACE_3B | 1 | 0678 - 0678 | Time spent - gardening or yard work |
| PACE_2C | 3 | 0679 - 0681 | Number of times / 3 months - swimming |
| PACE_3C | 1 | 0682 - 0682 | Time spent - swimming |
| PACE_2D | 3 | 0683 - 0685 | Number of times / 3 months - bicycling |
| PACE_3D | 1 | 0686 - 0686 | Time spent - bicycling |
| PACE_2E | 3 | 0687 - 0689 | Number of times / 3 months - popular or social dance |
| PACE_3E | 1 | 0690 - 0690 | Time spent - popular or social dance |
| PACE_2F | 3 | 0691 - 0693 | Number of times / 3 months - home exercises |
| PACE_3F | 1 | 0694 - 0694 | Time spent - home exercises |
| PACE_2G | 3 | 0695 - 0697 | Number of times / 3 months - ice hockey |
| PACE_3G | 1 | 0698 - 0698 | Time spent - ice hockey |
| PACE_2H | 3 | 0699 - 0701 | Number of times / 3 months - ice skating |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| PACE_3H | 1 | 0702 - 0702 | Time spent - ice skating |
| PACE_2I | 3 | 0703 - 0705 | Number of times / 3 months- in-line skating or rollerblading |
| PACE_3I | 1 | 0706 - 0706 | Time spent - in-line skating or rollerblading |
| PACE_2J | 3 | 0707 - 0709 | Number of times / 3 months - jogging or running |
| PACE_3J | 1 | 0710 - 0710 | Time spent - jogging or running |
| PACE_2K | 3 | 0711 - 0713 | Number of times / 3 months - golfing |
| PACE_3K | 1 | 0714 - 0714 | Time spent - golfing |
| PACE_2L | 3 | 0715 - 0717 | Number of times / 3 months - exercise class or aerobics |
| PACE_3L | 1 | 0718 - 0718 | Time spent - exercise class or aerobics |
| PACE_2M | 3 | 0719 - 0721 | Number of times / 3 months - downhill skiing or snowboarding |
| PACE_3M | 1 | 0722 - 0722 | Time spent - downhill skiing or snowboarding |
| PACE_2N | 3 | 0723 - 0725 | Number of times / 3 months - bowling |
| PACE_3N | 1 | 0726 - 0726 | Time spent - bowling |
| PACE_2O | 3 | 0727 - 0729 | Number of times / 3 months - baseball or softball |
| PACE_3O | 1 | 0730 - 0730 | Time spent - baseball or softball |
| PACE_2P | 3 | 0731 - 0733 | Number of times / 3 months - tennis |
| PACE_3P | 1 | 0734 - 0734 | Time spent - tennis |
| PACE_2Q | 3 | 0735 - 0737 | Number of times / 3 months - weight-training |
| PACE_3Q | 1 | 0738 - 0738 | Time spent - weight-training |
| PACE_2R | 3 | 0739 - 0741 | Number of times / 3 months - fishing |
| PACE_3R | 1 | 0742 - 0742 | Time spent - fishing |
| PACE_2S | 3 | 0743 - 0745 | Number of times / 3 months - volleyball |
| PACE_3S | 1 | 0746 - 0746 | Time spent - volleyball |
| PACE_2T | 3 | 0747 - 0749 | Number of times / 3 months - basketball |
| PACE_3T | 1 | 0750 - 0750 | Time spent - basketball |
| PACE_2Z | 3 | 0751 - 0753 | Number of times / 3 months - soccer |
| PACE_3Z | 1 | 0754 - 0754 | Time spent - soccer |
| PACE_2U | 3 | 0755 - 0757 | Number of times / 3 months - other activity (#1) |
| PACE_3U | 1 | 0758 - 0758 | Time spent - other activity (#1) |
| PACE_2W | 3 | 0759 - 0761 | Number of times / 3 months - other activity (#2) |
| PACE_3W | 1 | 0762 - 0762 | Time spent - other activity (#2) |
| PACE_2X | 3 | 0763 - 0765 | Number of times / 3 months - other activity (#3) |
| PACE_3X | 1 | 0766 - 0766 | Time spent - other activity (#3) |
| PACE_4A | 2 | 0767 - 0768 | Number of hours walking - to work or to school |
| PACE_4B | 2 | 0769 - 0770 | Number of hours biking - to work or to school |
| PACE_6 | 1 | 0771 - 0771 | Level of physical activity for usual day |

| Variable | Length | Position | Concept |
|---|---|---|---|
| PACEDEE | 4.1 | 0772 - 0775 | Daily energy expenditure - (D) |
| PACEFLEI | 1 | 0776 - 0776 | Participant in leisure physical activity - (F) |
| PACEDFM | 3 | 0777 - 0779 | Monthly frequency - physical activity lasting >15 min. - (D) |
| PACEDFR | 1 | 0780 - 0780 | Frequency of all physical activity > 15 min. - (D) |
| PACEFD | 1 | 0781 - 0781 | Participant in daily physical activity > 15 min. - (F) |
| PACEDPAI | 1 | 0782 - 0782 | Physical activity index - (D) |
| SACEFOPT | 1 | 0783 - 0783 | Optional module: Sedentary activities - (F) |
| SACE_1 | 2 | 0784 - 0785 | Number of hours - on a computer - past 3 mo |
| SACE_2 | 2 | 0786 - 0787 | Number of hours - playing video games - past 3 mo |
| SACE_3 | 2 | 0788 - 0789 | Number of hours - watching television or videos - past 3 mo |
| SACE_4 | 2 | 0790 - 0791 | Number of hours - reading - past 3 mo |
| SACEDTOT | 2 | 0792 - 0793 | Total number hours - sedentary activities - past 3 mo - (D) |
| UPEEFOPT | 1 | 0794 - 0794 | Optional module: Use of protective equipment - (F) |
| UPEE_01 | 1 | 0795 - 0795 | Frequency - wears helmet - bicycling |
| UPEE_02A | 1 | 0796 - 0796 | Frequency - wears helmet - in-line skating |
| UPEE_02B | 1 | 0797 - 0797 | Frequency - wears wrist guards - in-line skating |
| UPEE_02C | 1 | 0798 - 0798 | Frequency - wears elbow pads - in-line skating |
| UPEE_03A | 1 | 0799 - 0799 | Downhill skiing or snowboarding - past 3 mo. |
| UPEE_03B | 1 | 0800 - 0800 | Downhill skiing or snowboarding - past 12 mo |
| UPEE_04A | 1 | 0801 - 0801 | Frequency - wears helmet - downhill skiing |
| UPEE_05A | 1 | 0802 - 0802 | Frequency - wears helmet - snowboarding |
| UPEE_05B | 1 | 0803 - 0803 | Frequency - wears wrist guards - snowboarding |
| UPEE_06 | 1 | 0804 - 0804 | Has done skateboarding - past 12 mo |
| UPEE_06A | 1 | 0805 - 0805 | Frequency - wears helmet - skateboarding |
| UPEE_06B | 1 | 0806 - 0806 | Frequency - wears wrist guards/protectors - skateboarding |
| UPEE_06C | 1 | 0807 - 0807 | Frequency - wears elbow pads - skateboarding |
| UPEEFILS | 1 | 0808 - 0808 | Wears all protective equipment - in-line skating - (F) |
| UPEEFSNB | 1 | 0809 - 0809 | Wears all protective equipment - snowboarding - (F) |
| UPEEFSKB | 1 | 0810 - 0810 | Wears all protective equipment - skateboarding - (F) |
| SSBEFOPT | 1 | 0811 - 0811 | Optional module: Sun safety behaviours - (F) |
| SSBE_01 | 1 | 0812 - 0812 | Been surnburnt - past 12 months |
| SSBE_02 | 1 | 0813 - 0813 | Sunburn involved blistering |
| SSBE_03 | 1 | 0814 - 0814 | Sunburns involved pain - lasting more than 1 day |
| SSBE_06 | 2 | 0815 - 0816 | Amount of time in the sun - 11 am to 4 pm |
| SSBE_07 | 1 | 0817 - 0817 | Frequency - seek shade |
| SSBE_08 | 1 | 0818 - 0818 | Frequency - wear hat in the sun |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SSBE_09A | 1 | 0819 - 0819 | Frequency - wear long pants or skirt in the sun |
| SSBE_09B | 1 | 0820 - 0820 | Frequency - use sunscreen on your face |
| SSBE_10 | 1 | 0821 - 0821 | Sun Proctection factor (SPF) usually use - face |
| SSBE_11 | 1 | 0822 - 0822 | Frequency - use sunscreen on your body |
| SSBE_12 | 1 | 0823 - 0823 | Sun Proctection factor (SPF) usually use on body |
| SMKE_01A | 1 | 0824 - 0824 | Smoked 100 or more cigarettes - life |
| SMKE_01B | 1 | 0825 - 0825 | Ever smoked whole cigarette |
| SMKEG01C | 2 | 0826 - 0827 | Age - smoked first whole cigarette - (G) |
| SMKE_202 | 1 | 0828 - 0828 | Type of smoker |
| SMKEG203 | 2 | 0829 - 0830 | Age - started smoking daily (daily smoker) - (G) |
| SMKE_204 | 3 | 0831 - 0833 | Number of cigarettes smoked per day (daily smoker) |
| SMKE_05B | 3 | 0834 - 0836 | Number of cigarettes smoked per day (occasional smoker) |
| SMKE_05C | 2 | 0837 - 0838 | Number of days - smoked 1 cigarette or more (occ. smoker) |
| SMKE_05D | 1 | 0839 - 0839 | Ever smoked cigarettes daily |
| SMKE_06A | 1 | 0840 - 0840 | Stopped smoking - when (was never a daily smoker) |
| SMKEG06C | 1 | 0841 - 0841 | Number of years since stopped smoking - (G) |
| SMKEG207 | 2 | 0842 - 0843 | Age - started smoking daily (former daily smoker) - (G) |
| SMKE_208 | 3 | 0844 - 0846 | Number of cigarettes smoked per day (former daily smoker) |
| SMKE_09A | 1 | 0847 - 0847 | Stopped smoking daily - when stopped (former daily smoker) |
| SMKEG09C | 1 | 0848 - 0848 | Yrs since stopped smoking daily (former daily smoker) - (G) |
| SMKE_10 | 1 | 0849 - 0849 | Quit smoking completely (former daily smoker) |
| SMKE_10A | 1 | 0850 - 0850 | Stopped smoking completely - when (former daily smoker) |
| SMKEG10C | 1 | 0851 - 0851 | Number of years since stopped smoking (daily) - (G) |
| SMKEDSTY | 2 | 0852 - 0853 | Type of smoker - (D) |
| SMKEGSTP | 1 | 0854 - 0854 | Number of years since stopping smoking completely - (D, G) |
| SMKEDYCS | 3 | 0855 - 0857 | Number of years smoked (current daily smokers) - (D) |
| SPCEFOPT | 1 | 0858 - 0858 | Optional module: Smoking - physician counselling - (F) |
| SPCE_10 | 1 | 0859 - 0859 | Visited regular medical doctor |
| SPCE_11 | 1 | 0860 - 0860 | Doctor - knows smokes/smoked |
| SPCE_12 | 1 | 0861 - 0861 | Doctor - advised to quit |
| SPCE_13 | 1 | 0862 - 0862 | Doctor - gave specific help |
| SPCE_14A | 1 | 0863 - 0863 | Type of help - referral to one-on-one program |
| SPCE_14B | 1 | 0864 - 0864 | Type of help - referral to group program |
| SPCE_14C | 1 | 0865 - 0865 | Type of help - recommended nicotine patch or gum |
| SPCE_14D | 1 | 0866 - 0866 | Type of help - recommended Zyban or other medication |
| SPCE_14E | 1 | 0867 - 0867 | Type of help - provided self-help information |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SPCE_14F | 1 | 0868 - 0868 | Type of help - doctor offered counselling |
| SPCE_14G | 1 | 0869 - 0869 | Type of help - other |
| SPCE_20 | 1 | 0870 - 0870 | Visited dentist |
| SPCE_21 | 1 | 0871 - 0871 | Dentist/hygienist - knows smokes/smoked |
| SPCE_22 | 1 | 0872 - 0872 | Dentist/hygienist - advised to quit |
| YSMEG1 | 1 | 0873 - 0873 | Source of cigarettes - (G) |
| YSME_2 | 1 | 0874 - 0874 | Bought cigarettes for self or others |
| YSME_3 | 1 | 0875 - 0875 | Age asked when buying cigarettes in store |
| YSME_4 | 1 | 0876 - 0876 | Someone refused to sell cigarettes |
| YSME_5 | 1 | 0877 - 0877 | Asked a stranger to buy cigarettes |
| ETSE_10 | 1 | 0878 - 0878 | Someone smokes inside home |
| ETSEG11 | 1 | 0879 - 0879 | Number of people who smoke inside home - (G) |
| ETSE_20 | 1 | 0880 - 0880 | Exposed to second-hand smoke in private vehicle |
| ETSE_20B | 1 | 0881 - 0881 | Exposed to second-hand smoke in public places |
| ETSE_5 | 1 | 0882 - 0882 | Restrictions against smoking cigarettes in home |
| ETSE_6A | 1 | 0883 - 0883 | Smoking restrictions - not permitted in home |
| ETSE_6B | 1 | 0884 - 0884 | Smoking restrictions - permitted in certain rooms only |
| ETSE_6C | 1 | 0885 - 0885 | Smoking restrictions - not in presence of young children |
| ETSE_6D | 1 | 0886 - 0886 | Smoking restrictions - other |
| ALCE_1 | 1 | 0887 - 0887 | Drank alcohol in past 12 months |
| ALCE_2 | 2 | 0888 - 0889 | Frequency of drinking alcohol |
| ALCE_3 | 2 | 0890 - 0891 | Frequency of having 5 or more drinks |
| ALCE_5 | 1 | 0892 - 0892 | Drank alcohol in past week |
| ALCE_5A1 | 3 | 0893 - 0895 | Number of drinks - Sunday |
| ALCE_5A2 | 3 | 0896 - 0898 | Number of drinks - Monday |
| ALCE_5A3 | 3 | 0899 - 0901 | Number of drinks - Tuesday |
| ALCE_5A4 | 3 | 0902 - 0904 | Number of drinks - Wednesday |
| ALCE_5A5 | 3 | 0905 - 0907 | Number of drinks - Thursday |
| ALCE_5A6 | 3 | 0908 - 0910 | Number of drinks - Friday |
| ALCE_5A7 | 3 | 0911 - 0913 | Number of drinks - Saturday |
| ALCE_5B | 1 | 0914 - 0914 | Ever had a drink |
| ALCE_6 | 1 | 0915 - 0915 | Regularly drank more than 12 drinks a week |
| ALCE_7A | 1 | 0916 - 0916 | Reason reduced drinking - dieting |
| ALCE_7B | 1 | 0917 - 0917 | Reason reduced drinking - athletic training |
| ALCE_7C | 1 | 0918 - 0918 | Reason reduced drinking - pregnancy |
| ALCE_7D | 1 | 0919 - 0919 | Reason reduced drinking - getting older |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ALCE_7E | 1 | 0920 - 0920 | Reason reduced drinking - drinking too much |
| ALCE_7F | 1 | 0921 - 0921 | Reason reduced drinking - affected work / studies |
| ALCE_7G | 1 | 0922 - 0922 | Reason reduced drinking - interfered with life |
| ALCE_7H | 1 | 0923 - 0923 | Reason reduced drinking - affected physical health |
| ALCE_7I | 1 | 0924 - 0924 | Reason reduced drinking - affected social relationships |
| ALCE_7J | 1 | 0925 - 0925 | Reason reduced drinking - affected financial position |
| ALCE_7K | 1 | 0926 - 0926 | Reason reduced drinking - affected happiness |
| ALCE_7L | 1 | 0927 - 0927 | Reason reduced drinking - influence of family / friends |
| ALCE_7M | 1 | 0928 - 0928 | Reason reduced drinking - other |
| ALCE_7N | 1 | 0929 - 0929 | Reason reduced drinking - life change |
| ALCE_8 | 3 | 0930 - 0932 | Age - started drinking alcoholic beverages |
| ALCEDTYP | 1 | 0933 - 0933 | Type of drinker - (D) |
| ALCEDDLY | 3 | 0934 - 0936 | Average daily alcohol consumption - (D) |
| ALCEDWKY | 3 | 0937 - 0939 | Number of drinks - past week - (D) |
| MEXE_01 | 1 | 0940 - 0940 | Has given birth in the past 5 years |
| MEXE_02 | 1 | 0941 - 0941 | Took folic acid - before last pregnancy |
| MEXE_03 | 1 | 0942 - 0942 | Breastfed or tried to breastfeed last child |
| MEXEG04 | 2 | 0943 - 0944 | Main reason did not breastfeed last child - (G) |
| MEXE_05 | 1 | 0945 - 0945 | Still breastfeeding last child |
| MEXE_06 | 2 | 0946 - 0947 | Duration of breastfeeding last child |
| MEXE_07 | 2 | 0948 - 0949 | Age of last baby -  other foods added |
| MEXE_08 | 2 | 0950 - 0951 | Main reason - other foods added |
| MEXE_09 | 1 | 0952 - 0952 | Gave vitamin D - when breast milk only |
| MEXE_10 | 2 | 0953 - 0954 | Main reason why stopped breastfeeding |
| MEXE_20 | 1 | 0955 - 0955 | Type of smoker - last pregnancy |
| MEXEG21 | 2 | 0956 - 0957 | No. of cigarettes daily - last pregnancy (daily smoker) -(G) |
| MEXEG22 | 2 | 0958 - 0959 | No. of cig. daily - last pregnancy (occasional smoker) - (G) |
| MEXE_23 | 1 | 0960 - 0960 | Smoked while breastfeeding last baby (occasional smoker) |
| MEXEG24 | 2 | 0961 - 0962 | No. of cig. daily - while breastfeeding (daily smoker) - (G) |
| MEXEG25 | 2 | 0963 - 0964 | No. of cig. daily - while breastfeeding (occ. smoker) - (G) |
| MEXE_26 | 1 | 0965 - 0965 | Second-hand smoke - during or after last pregnancy |
| MEXE_30 | 1 | 0966 - 0966 | Drank alcohol - last pregnancy |
| MEXE_31 | 2 | 0967 - 0968 | Frequency of drinking - last pregnancy |
| MEXE_32 | 1 | 0969 - 0969 | Drank alcohol - while breastfeeding last baby |
| MEXE_33 | 2 | 0970 - 0971 | Frequency of drinking - while breastfeeding last baby |
| MEXEDEBF | 2 | 0972 - 0973 | Duration of exclusive breastfeeding - (D) |

| Variable | Length | Position | Concept |
|---|---|---|---|
| MEXEFEB4 | 1 | 0974 - 0974 | Exclusive breastfeeding for at least 4 months - (F) |
| IDGEFOPT | 1 | 0975 - 0975 | Optional module: Illicit drug use - (F) |
| IDGEFLCA | 1 | 0976 - 0976 | Cannabis drug use - including one time only - life - (F) |
| IDGEFLCM | 1 | 0977 - 0977 | Cannabis drug use - excluding one time only - life - (F) |
| IDGEFYCM | 1 | 0978 - 0978 | Cannabis drug use - excluding one time only - 12 mo - (F) |
| IDGEFLA | 1 | 0979 - 0979 | Illicit drug use - including one time cannabis - life - (F) |
| IDGEFLAC | 1 | 0980 - 0980 | Illicit drug use - excluding one time cannabis - life - (F) |
| IDGEFYA | 1 | 0981 - 0981 | Illicit drug use - including one time cannabis - 12 mo - (F) |
| IDGEFYAC | 1 | 0982 - 0982 | Illicit drug use - excluding one time cannabis - 12 mo - (F) |
| IDGEDINT | 4.1 | 0983 - 0986 | Illicit drug interference - mean - 12 mo - (D) |
| IDGEFINT | 1 | 0987 - 0987 | Illicit drug interference - 12 mo - (F) |
| CPGEFOPT | 1 | 0988 - 0988 | Optional module: Problem gambling - (F) |
| CPGEFGAM | 1 | 0989 - 0989 | Gambling activity - gambler vs. non-gambler - (F) |
| CPGEDSEV | 2 | 0990 - 0991 | Problem gambling severity index - (D) |
| CPGEDTYP | 2 | 0992 - 0993 | Type of gambler - (D) |
| CPGEDACT | 2 | 0994 - 0995 | Number of different types of gambling activities - (D) |
| CPGEDINT | 4.1 | 0996 - 0999 | Gambling interference - Mean - (D) |
| CPGEFINT | 1 | 1000 - 1000 | Gambling Interference - (F) |
| SWLEFOPT | 1 | 1001 - 1001 | Optional module: Satisfaction with life - (F) |
| SWLE_02 | 1 | 1002 - 1002 | Satisfaction - job |
| SWLE_03 | 1 | 1003 - 1003 | Satisfaction - leisure activities |
| SWLE_04 | 1 | 1004 - 1004 | Satisfaction - financial situation |
| SWLE_05 | 1 | 1005 - 1005 | Satisfaction - with self |
| SWLE_06 | 1 | 1006 - 1006 | Satisfaction - way body looks |
| SWLE_07 | 1 | 1007 - 1007 | Satisfaction - relationships with other family members |
| SWLE_08 | 1 | 1008 - 1008 | Satisfaction - relationships with friends |
| SWLE_09 | 1 | 1009 - 1009 | Satisfaction - housing |
| SWLE_10 | 1 | 1010 - 1010 | Satisfaction - neighbourhood |
| CSTEFOPT | 1 | 1011 - 1011 | Optional module: Childhood and adult stressors - (F) |
| CSTE_1 | 1 | 1012 - 1012 | Spent 2 weeks or more in the hospital |
| CSTE_2 | 1 | 1013 - 1013 | Parents divorced |
| CSTE_3 | 1 | 1014 - 1014 | Parents unemployed for a long time |
| CSTE_4 | 1 | 1015 - 1015 | Something happened that scared you |
| CSTE_5 | 1 | 1016 - 1016 | Sent away from home for doing something wrong |
| CSTE_6 | 1 | 1017 - 1017 | Family problems due to parents abusing alcohol or drugs |
| CSTE_7 | 1 | 1018 - 1018 | Physically abused by someone close to you |

| Variable | Length | Position | Concept |
|---|---|---|---|
| WSTEFOPT | 1 | 1019 - 1019 | Optional module: Work stress - (F) |
| WSTE_413 | 1 | 1020 - 1020 | Work stress - job satisfaction |
| WSTEDSKI | 2 | 1021 - 1022 | Work stress - decision latitude / discretion - (D) |
| WSTEDAUT | 2 | 1023 - 1024 | Work stress - decision latitude / authority - (D) |
| WSTEDPSY | 2 | 1025 - 1026 | Work stress - psychological demands - (D) |
| WSTEDJIN | 1 | 1027 - 1027 | Work stress - job insecurity - (D) |
| WSTEDPHY | 1 | 1028 - 1028 | Work stress - physical exertion - (D) |
| WSTEDSOC | 2 | 1029 - 1030 | Work stress - social support - (D) |
| WSTEDJST | 4.2 | 1031 - 1034 | Work stress - job strain - (D) |
| SFEEFOPT | 1 | 1035 - 1035 | Optional module: Self-esteem - (F) |
| SFEE_501 | 1 | 1036 - 1036 | Self-esteem - has good qualities |
| SFEE_502 | 1 | 1037 - 1037 | Self-esteem - is person of worth |
| SFEE_503 | 1 | 1038 - 1038 | Self-esteem - is able to do things well |
| SFEE_504 | 1 | 1039 - 1039 | Self-esteem - takes positive attitude towards self |
| SFEE_505 | 1 | 1040 - 1040 | Self-esteem - satisfied with self |
| SFEE_506 | 1 | 1041 - 1041 | Self-esteem - feels is a failure |
| SFEEDE1 | 2 | 1042 - 1043 | Self-esteem scale - (D) |
| SSAEFOPT | 1 | 1044 - 1044 | Optional module: Social support - availability - (F) |
| SSAEDTNG | 2 | 1045 - 1046 | Tangible social support - MOS subscale - (D) |
| SSAEDAFF | 2 | 1047 - 1048 | Affection - MOS subscale - (D) |
| SSAEDSOC | 2 | 1049 - 1050 | Positive social interaction - MOS subscale - (D) |
| SSAEDEMO | 2 | 1051 - 1052 | Emotional or informational support - MOS subscale - (D) |
| CMHEFOPT | 1 | 1053 - 1053 | Opt. module: Contacts with mental health professionals - (F) |
| CMHE_01K | 1 | 1054 - 1054 | Consulted mental health professional |
| CMHEG01L | 2 | 1055 - 1056 | Consulted mental health professional - number of times - (G) |
| CMHE_1MA | 1 | 1057 - 1057 | Consulted mental health professional - family doctor |
| CMHE_1MB | 1 | 1058 - 1058 | Consulted mental health professional - psychiatrist |
| CMHE_1MC | 1 | 1059 - 1059 | Consulted mental health professional - psychologist |
| CMHE_1MD | 1 | 1060 - 1060 | Consulted mental health professional - nurse |
| CMHE_1ME | 1 | 1061 - 1061 | Consulted mental hlth. professional - social worker |
| CMHE_1MF | 1 | 1062 - 1062 | Consulted mental health professional - other |
| DISEFOPT | 1 | 1063 - 1063 | Optional module: Distress - (F) |
| DISE_10A | 1 | 1064 - 1064 | Frequency - distress: felt tired out - past month |
| DISE_10B | 1 | 1065 - 1065 | Frequency - distress: felt nervous - past month |
| DISE_10C | 1 | 1066 - 1066 | Freq./-distress: so nervous nothing calms down - past month |
| DISE_10D | 1 | 1067 - 1067 | Frequency - distress: felt hopeless - past month |

| Variable | Length | Position | Concept |
|---|---|---|---|
| DISE_10E | 1 | 1068 - 1068 | Frequency - distress: felt restless - past month |
| DISE_10F | 1 | 1069 - 1069 | Frequency - distress: could not sit still - past month |
| DISE_10G | 1 | 1070 - 1070 | Frequency - distress: felt sad / depressed - past month |
| DISE_10H | 1 | 1071 - 1071 | Frequency - distress: depressed/nothing cheers - past month |
| DISE_10I | 1 | 1072 - 1072 | Freq. - distress: felt everything was an effort - past month |
| DISE_10J | 1 | 1073 - 1073 | Frequency - distress: felt worthless - past month |
| DISE_10K | 1 | 1074 - 1074 | Frequency of distress feelings - past month |
| DISE_10L | 1 | 1075 - 1075 | Frequency of distress feelings (more often) |
| DISE_10M | 1 | 1076 - 1076 | Frequency of distress feelings (less often) |
| DISE_10N | 1 | 1077 - 1077 | Frequency of dist. feelings interfere with life - past month |
| DISEDK6 | 2 | 1078 - 1079 | Distress scale - K6 - past month - (D) |
| DISEDDSX | 2 | 1080 - 1081 | Distress scale - K10 - past month - (D) |
| DISEDCHR | 2 | 1082 - 1083 | Chronicity of distress/impairment scale - past month - (D) |
| DPSEFOPT | 1 | 1084 - 1084 | Optional module: Depression - (F) |
| DPSEDSF | 2 | 1085 - 1086 | Depression scale - short form score - (D) |
| DPSEDPP | 4.2 | 1087 - 1090 | Depression scale - Predicted probability - (D) |
| DPSEDWK | 2 | 1091 - 1092 | Number of weeks felt depressed - (D) |
| DPSEDMT | 2 | 1093 - 1094 | Specific month last felt depressed - 2 weeks in a row - (D) |
| SUIEFOPT | 1 | 1095 - 1095 | Optional module - Suicidal thoughts and attempts - (F) |
| SUIE_1 | 1 | 1096 - 1096 | Seriously considered suicide - lifetime |
| SUIE_2 | 1 | 1097 - 1097 | Seriously considered suicide - past 12 months |
| REPE_1 | 1 | 1098 - 1098 | Repetitive strain injury |
| REPEG3 | 2 | 1099 - 1100 | Repetitive strain - body part affected - (G) |
| REPE_4A | 1 | 1101 - 1101 | Repetitive strain - sports or physical exercise |
| REPE_4B | 1 | 1102 - 1102 | Repetitive strain - leisure or hobby |
| REPE_4C | 1 | 1103 - 1103 | Repetitive strain - working at a job or business |
| REPE_4G | 1 | 1104 - 1104 | Repetitive strain - travel to or from work |
| REPE_4D | 1 | 1105 - 1105 | Repetitive strain - chores, unpaid work, education |
| REPE_4E | 1 | 1106 - 1106 | Repetitive strain - sleeping, eating, personal care |
| REPE_4F | 1 | 1107 - 1107 | Repetitive strain - other |
| INJE_01 | 1 | 1108 - 1108 | Injured in past 12 months |
| INJEG02 | 1 | 1109 - 1109 | Number of injuries in past 12 months - (G) |
| INJEG05 | 2 | 1110 - 1111 | Most serious injury - type - (G) |
| INJEG06 | 2 | 1112 - 1113 | Most serious injury - body part affected - (G) |
| INJEG08 | 2 | 1114 - 1115 | Most serious injury - place of occurrence - (G) |
| INJEG09 | 2 | 1116 - 1117 | Most serious injury - activity when injured - (G) |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| INJE_10 | 1 | 1118 - 1118 | Most serious injury - result of a fall |
| INJEG11 | 1 | 1119 - 1119 | Most serious injury - how fell - (G) |
| INJE_13 | 1 | 1120 - 1120 | Most serious injury - received treatment within 48 hours |
| INJE_14A | 1 | 1121 - 1121 | Most serious injury - treated in doctor's office |
| INJE_14B | 1 | 1122 - 1122 | Most serious injury - treated in hospital emergency room |
| INJEG14C | 1 | 1123 - 1123 | Most serious injury - treated in clinic - (G) |
| INJEG14G | 1 | 1124 - 1124 | Most serious injury - treated at work/school/home - (G) |
| INJEG14J | 1 | 1125 - 1125 | Most serious injury - treated by telephone/other place - (G) |
| INJE_15 | 1 | 1126 - 1126 | Most serious injury - admitted to hospital |
| INJE_16 | 1 | 1127 - 1127 | Other injuries - treated but did not limit normal activities |
| INJEG17 | 1 | 1128 - 1128 | Other injuries - number - (G) |
| INJEGCAU | 2 | 1129 - 1130 | Cause of injury - (D, G) |
| INJEDSTT | 1 | 1131 - 1131 | Injury Status - (D) |
| HUIEFOPT | 1 | 1132 - 1132 | Optional module: Health utility index - (F) |
| HUIEGVIS | 1 | 1133 - 1133 | Vision trouble - function code - (D, G) |
| HUIEGHER | 1 | 1134 - 1134 | Hearing problems - function code - (D, G) |
| HUIEGSPE | 1 | 1135 - 1135 | Speech trouble - function code - (D, G) |
| HUIEGMOB | 1 | 1136 - 1136 | Mobility trouble - function code - (D, G) |
| HUIEGDEX | 1 | 1137 - 1137 | Dexterity trouble - function code - (D, G) |
| HUIEDEMO | 1 | 1138 - 1138 | Emotional problems - function code - (D) |
| HUIEDCOG | 2 | 1139 - 1140 | Cognition problems - function code - (D) |
| HUIEDPAD | 1 | 1141 - 1141 | Activities prevented by pain - function code - (D) |
| HUIEDHSI | 6.3 | 1142 - 1147 | Health Utility Index (HUI3) - (D) |
| SFREFOPT | 1 | 1148 - 1148 | Optional module: Health status - sf-36 - (F) |
| SFREDPFS | 3 | 1149 - 1151 | Physical functioning scale - (D) |
| SFREDSFS | 3 | 1152 - 1154 | Social functioning scale - (D) |
| SFREDPRF | 3 | 1155 - 1157 | Role functioning (physical) scale - (D) |
| SFREDMRF | 3 | 1158 - 1160 | Role functioning (mental) scale - (D) |
| SFREDGMH | 3 | 1161 - 1163 | General mental health scale - (D) |
| SFREDVTS | 3 | 1164 - 1166 | Vitality scale - (D) |
| SFREDBPS | 3 | 1167 - 1169 | Bodily pain scale - (D) |
| SFREDGHP | 3 | 1170 - 1172 | General health perceptions scale - (D) |
| SFREDPCS | 2 | 1173 - 1174 | Summary measure of physical health - (D) |
| SFREDMCS | 2 | 1175 - 1176 | Summary measure of mental health - (D) |
| SXBE_1 | 1 | 1177 - 1177 | Ever had sexual intercourse |
| SXBE_3 | 1 | 1178 - 1178 | Had sexual intercourse - past 12 months |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SXBE_07 | 1 | 1179 - 1179 | Ever diagnosed with STD |
| SXBE_7A | 1 | 1180 - 1180 | Condom use - last time |
| SXBE_09 | 1 | 1181 - 1181 | Important to avoid getting pregnant |
| SXBE_10 | 2 | 1182 - 1183 | Important to avoid getting partner pregnant |
| SXBE_11 | 1 | 1184 - 1184 | Usually use birth control - past 12 months |
| SXBE_12A | 1 | 1185 - 1185 | Usual birth control method - condom |
| SXBE_12B | 1 | 1186 - 1186 | Usual birth control method - Birth control pill |
| SXBE_12C | 1 | 1187 - 1187 | Usual birth control method - diaphragm |
| SXBE_12D | 1 | 1188 - 1188 | Usual birth control method - spermicide |
| SXBE_12F | 1 | 1189 - 1189 | Usual birth control method - birth control injection |
| SXBE_12E | 1 | 1190 - 1190 | Usual birth control method - other |
| SXBE_13A | 1 | 1191 - 1191 | Birth control method used last time - condom |
| SXBE_13B | 1 | 1192 - 1192 | Birth control method used last time - birth control pill |
| SXBE_13C | 1 | 1193 - 1193 | Birth control method used last time - diaphragm |
| SXBE_13D | 1 | 1194 - 1194 | Birth control method used last time - spermicide |
| SXBE_13E | 1 | 1195 - 1195 | Birth control method used last time - other |
| SXBE_13F | 1 | 1196 - 1196 | Birth cntrl. method used last time - birth control injection |
| SXBE_13G | 1 | 1197 - 1197 | Method used last time - nothing |
| ACCEFOPT | 1 | 1198 - 1198 | Optional module: Access to health care services - (F) |
| ACCE_10 | 1 | 1199 - 1199 | Required visit to medical specialist |
| ACCE_11 | 1 | 1200 - 1200 | Experienced difficulties getting specialist care |
| ACCE_12A | 1 | 1201 - 1201 | Difficulty - getting a referral |
| ACCE_12B | 1 | 1202 - 1202 | Difficulty - getting an appointment |
| ACCE_12C | 1 | 1203 - 1203 | Difficulty - no specialists in area |
| ACCE_12D | 1 | 1204 - 1204 | Difficulty - waited too long for an appointment |
| ACCE_12E | 1 | 1205 - 1205 | Difficulty - waited too long to see doc. |
| ACCE_12F | 1 | 1206 - 1206 | Difficulty - transportation |
| ACCE_12G | 1 | 1207 - 1207 | Difficulty - language |
| ACCE_12H | 1 | 1208 - 1208 | Difficulty - cost |
| ACCE_12I | 1 | 1209 - 1209 | Difficulty - personal or family responsibilities |
| ACCE_12J | 1 | 1210 - 1210 | Difficulty - general deterioration of health |
| ACCE_12K | 1 | 1211 - 1211 | Difficulty - appointment cancelled/deferred |
| ACCE_12L | 1 | 1212 - 1212 | Difficulty - still waiting for visit |
| ACCE_12M | 1 | 1213 - 1213 | Difficulty - unable to leave house / health problem |
| ACCE_12N | 1 | 1214 - 1214 | Difficulty - other |
| ACCE_20 | 1 | 1215 - 1215 | Required non-emergency surgery |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| ACCE_21 | 1 | 1216 - 1216 | Experienced difficulties getting non-emerg. surgery |
| ACCE_22A | 1 | 1217 - 1217 | Difficulty - getting an appointment with a surgeon |
| ACCE_22B | 1 | 1218 - 1218 | Difficulty - getting a diagnosis |
| ACCE_22C | 1 | 1219 - 1219 | Difficulty - waited too long for a diagnostic test |
| ACCE_22D | 1 | 1220 - 1220 | Difficulty - waited too long for a hospital bed |
| ACCE_22E | 1 | 1221 - 1221 | Difficulty - waited too long for surgery |
| ACCE_22F | 1 | 1222 - 1222 | Difficulty - service not available in area |
| ACCE_22G | 1 | 1223 - 1223 | Difficulty - transportation |
| ACCE_22H | 1 | 1224 - 1224 | Difficulty - language |
| ACCE_22I | 1 | 1225 - 1225 | Difficulty - cost |
| ACCE_22J | 1 | 1226 - 1226 | Difficulty - personal or family responsibilities |
| ACCE_22K | 1 | 1227 - 1227 | Difficulty - general deterioration of health |
| ACCE_22L | 1 | 1228 - 1228 | Difficulty - appointment cancelled/deferred |
| ACCE_22M | 1 | 1229 - 1229 | Difficulty - still waiting for surgery |
| ACCE_22N | 1 | 1230 - 1230 | Difficulty - unable to leave house / health problem |
| ACCE_22O | 1 | 1231 - 1231 | Difficulty - other |
| ACCE_30 | 1 | 1232 - 1232 | Required MRI, CT Scan, angiography |
| ACCE_31 | 1 | 1233 - 1233 | Experienced difficulties getting test |
| ACCE_32A | 1 | 1234 - 1234 | Difficulty - getting a referral |
| ACCE_32B | 1 | 1235 - 1235 | Difficulty - getting an appointment |
| ACCE_32C | 1 | 1236 - 1236 | Difficulty - waited too long to get an appointment |
| ACCE_32D | 1 | 1237 - 1237 | Difficulty - waited too long to get test |
| ACCE_32E | 1 | 1238 - 1238 | Difficulty - service not available at time required |
| ACCE_32F | 1 | 1239 - 1239 | Difficulty - service not available in the area |
| ACCE_32G | 1 | 1240 - 1240 | Difficulty - transportation |
| ACCE_32H | 1 | 1241 - 1241 | Difficulty - language |
| ACCE_32I | 1 | 1242 - 1242 | Difficulty - cost |
| ACCE_32J | 1 | 1243 - 1243 | Difficulty - general deterioration of health |
| ACCE_32K | 1 | 1244 - 1244 | Difficulty - did not know where to go |
| ACCE_32L | 1 | 1245 - 1245 | Difficulty - still waiting for test |
| ACCE_32M | 1 | 1246 - 1246 | Difficulty - unable to leave house / health problem |
| ACCE_32N | 1 | 1247 - 1247 | Difficulty - other |
| ACCE_40 | 1 | 1248 - 1248 | Required health information for self or family member |
| ACCE_40A | 1 | 1249 - 1249 | Contact for health information - doctor's office |
| ACCE_40B | 1 | 1250 - 1250 | Contact for health information - community hlth ctr / CLSC |
| ACCE_40C | 1 | 1251 - 1251 | Contact for health information - walk-in clinic |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| ACCE_40D | 1 | 1252 - 1252 | Contact for health information - telephone health line |
| ACCE_40E | 1 | 1253 - 1253 | Contact for health information - emergency room |
| ACCE_40F | 1 | 1254 - 1254 | Contact for health information - other hospital service |
| ACCE_40G | 1 | 1255 - 1255 | Contact for health information - other |
| ACCE_41 | 1 | 1256 - 1256 | Experienced diff. getting health information - self/family |
| ACCE_42 | 1 | 1257 - 1257 | Experienced difficulties during regular hours |
| ACCE_43A | 1 | 1258 - 1258 | Difficulty - contacting a physician or nurse |
| ACCE_43B | 1 | 1259 - 1259 | Difficulty - did not have a phone number |
| ACCE_43C | 1 | 1260 - 1260 | Difficulty - could not get through |
| ACCE_43D | 1 | 1261 - 1261 | Difficulty - waited too long to speak to someone |
| ACCE_43E | 1 | 1262 - 1262 | Difficulty - did not get adequate info or advice |
| ACCE_43F | 1 | 1263 - 1263 | Difficulty - language |
| ACCE_43G | 1 | 1264 - 1264 | Difficulty - did not know where to go/call/uninformed |
| ACCE_43H | 1 | 1265 - 1265 | Difficulty - unable to leave house / health problem |
| ACCE_43I | 1 | 1266 - 1266 | Difficulty - other |
| ACCE_44 | 1 | 1267 - 1267 | Experienced difficulties during evenings/weekends |
| ACCE_45A | 1 | 1268 - 1268 | Difficulty - contacting a physican or nurse |
| ACCE_45B | 1 | 1269 - 1269 | Difficulty - did not have a phone number |
| ACCE_45C | 1 | 1270 - 1270 | Difficulty - could not get through |
| ACCE_45D | 1 | 1271 - 1271 | Difficulty - waited too long to speak to someone |
| ACCE_45E | 1 | 1272 - 1272 | Difficulty - did not get adequate info or advice |
| ACCE_45F | 1 | 1273 - 1273 | Difficulty - language |
| ACCE_45G | 1 | 1274 - 1274 | Difficulty - did not know where to go/call/uninformed |
| ACCE_45H | 1 | 1275 - 1275 | Difficulty - unable to leave house / health problem |
| ACCE_45I | 1 | 1276 - 1276 | Difficulty - other |
| ACCE_46 | 1 | 1277 - 1277 | Experienced difficulties during middle of night |
| ACCE_47A | 1 | 1278 - 1278 | Difficulty - contacting a physican or nurse |
| ACCE_47B | 1 | 1279 - 1279 | Difficulty - did not have a phone number |
| ACCE_47C | 1 | 1280 - 1280 | Difficulty - could not get through |
| ACCE_47D | 1 | 1281 - 1281 | Difficulty - waited too long to speak to someone |
| ACCE_47E | 1 | 1282 - 1282 | Difficulty - did not get adequate info or advice |
| ACCE_47F | 1 | 1283 - 1283 | Difficulty - language |
| ACCE_47G | 1 | 1284 - 1284 | Difficulty - did not know where to go/call/uninformed |
| ACCE_47H | 1 | 1285 - 1285 | Difficulty - unable to leave house / health problem |
| ACCE_47I | 1 | 1286 - 1286 | Difficulty - other |
| ACCE_50A | 1 | 1287 - 1287 | Has a regular family doctor |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| ACCE_50 | 1 | 1288 - 1288 | Required routine care for self/family |
| ACCE_51 | 1 | 1289 - 1289 | Experienced diff. getting routine/on-going care - self/fam. |
| ACCE_52 | 1 | 1290 - 1290 | Experienced difficulties during regular hours |
| ACCE_53A | 1 | 1291 - 1291 | Difficulty - contacting a physican |
| ACCE_53B | 1 | 1292 - 1292 | Difficulty - getting an appointment |
| ACCE_53C | 1 | 1293 - 1293 | Difficulty - do not have a family physician |
| ACCE_53D | 1 | 1294 - 1294 | Difficulty - waited too long to get an appointment |
| ACCE_53E | 1 | 1295 - 1295 | Difficulty - waited too long to see doc. |
| ACCE_53F | 1 | 1296 - 1296 | Difficulty - service not available at time required |
| ACCE_53G | 1 | 1297 - 1297 | Difficulty - service not available in the area |
| ACCE_53H | 1 | 1298 - 1298 | Difficulty - transportation |
| ACCE_53I | 1 | 1299 - 1299 | Difficulty - language |
| ACCE_53J | 1 | 1300 - 1300 | Difficulty - cost |
| ACCE_53K | 1 | 1301 - 1301 | Difficulty - did not know where to go |
| ACCE_53L | 1 | 1302 - 1302 | Difficulty - unable to leave house / health problem |
| ACCE_53M | 1 | 1303 - 1303 | Difficulty - other |
| ACCE_54 | 1 | 1304 - 1304 | Experienced difficulties during evenings/weekends |
| ACCE_55A | 1 | 1305 - 1305 | Difficulty - contacting a physican |
| ACCE_55B | 1 | 1306 - 1306 | Difficulty - getting an appointment |
| ACCE_55C | 1 | 1307 - 1307 | Difficulty - do not have a family physician |
| ACCE_55D | 1 | 1308 - 1308 | Difficulty - waited too long to get an appointment |
| ACCE_55E | 1 | 1309 - 1309 | Difficulty - waited too long to see doc. |
| ACCE_55F | 1 | 1310 - 1310 | Difficulty - service not available at time required |
| ACCE_55G | 1 | 1311 - 1311 | Difficulty - service not available in the area |
| ACCE_55H | 1 | 1312 - 1312 | Difficulty - transportation |
| ACCE_55I | 1 | 1313 - 1313 | Difficulty - language |
| ACCE_55J | 1 | 1314 - 1314 | Difficulty - cost |
| ACCE_55K | 1 | 1315 - 1315 | Difficulty - did not know where to go |
| ACCE_55L | 1 | 1316 - 1316 | Difficulty - unable to leave house / health problem |
| ACCE_55M | 1 | 1317 - 1317 | Difficulty - other |
| ACCE_60 | 1 | 1318 - 1318 | Required immediate care/minor health problem - self/family |
| ACCE_61 | 1 | 1319 - 1319 | Experienced difficulties getting immediate care - self/fam. |
| ACCE_62 | 1 | 1320 - 1320 | Experienced difficulties during regular hours |
| ACCE_63A | 1 | 1321 - 1321 | Difficulty - contacting a physican |
| ACCE_63B | 1 | 1322 - 1322 | Difficulty - getting an appointment |
| ACCE_63C | 1 | 1323 - 1323 | Difficulty - do not have a family physician |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ACCE_63D | 1 | 1324 - 1324 | Difficulty - waited too long to get an appointment |
| ACCE_63E | 1 | 1325 - 1325 | Difficulty - waited too long to see doc. |
| ACCE_63F | 1 | 1326 - 1326 | Difficulty - service not available at time required |
| ACCE_63G | 1 | 1327 - 1327 | Difficulty - service not available in the area |
| ACCE_63H | 1 | 1328 - 1328 | Difficulty - transportation |
| ACCE_63I | 1 | 1329 - 1329 | Difficulty - language |
| ACCE_63J | 1 | 1330 - 1330 | Difficulty - cost |
| ACCE_63K | 1 | 1331 - 1331 | Difficulty - did not know where to go |
| ACCE_63L | 1 | 1332 - 1332 | Difficulty - unable to leave house / health problem |
| ACCE_63M | 1 | 1333 - 1333 | Difficulty - other |
| ACCE_64 | 1 | 1334 - 1334 | Experienced difficulties during evenings/weekends |
| ACCE_65A | 1 | 1335 - 1335 | Difficulty - contacting a physican |
| ACCE_65B | 1 | 1336 - 1336 | Difficulty - getting an appointment |
| ACCE_65C | 1 | 1337 - 1337 | Difficulty - do not have a family physician |
| ACCE_65D | 1 | 1338 - 1338 | Difficulty - waited too long to get an appointment |
| ACCE_65E | 1 | 1339 - 1339 | Difficulty - waited too long to see doc. |
| ACCE_65F | 1 | 1340 - 1340 | Difficulty - service not available at time required |
| ACCE_65G | 1 | 1341 - 1341 | Difficulty - service not available in the area |
| ACCE_65H | 1 | 1342 - 1342 | Difficulty - transportation |
| ACCE_65I | 1 | 1343 - 1343 | Difficulty - language |
| ACCE_65J | 1 | 1344 - 1344 | Difficulty - cost |
| ACCE_65K | 1 | 1345 - 1345 | Difficulty - did not know where to go |
| ACCE_65L | 1 | 1346 - 1346 | Difficulty - unable to leave house / health problem |
| ACCE_65M | 1 | 1347 - 1347 | Difficulty - other |
| ACCE_66 | 1 | 1348 - 1348 | Experienced difficulties during middle of night |
| ACCE_67A | 1 | 1349 - 1349 | Difficulty - contacting a physican |
| ACCE_67B | 1 | 1350 - 1350 | Difficulty - getting an appointment |
| ACCE_67C | 1 | 1351 - 1351 | Difficulty - do not have a family physician |
| ACCE_67D | 1 | 1352 - 1352 | Difficulty - waited too long to get an appointment |
| ACCE_67E | 1 | 1353 - 1353 | Difficulty - waited too long to see doc. |
| ACCE_67F | 1 | 1354 - 1354 | Difficulty - service not available at time required |
| ACCE_67G | 1 | 1355 - 1355 | Difficulty - service not available in the area |
| ACCE_67H | 1 | 1356 - 1356 | Difficulty - transportation |
| ACCE_67I | 1 | 1357 - 1357 | Difficulty - language |
| ACCE_67J | 1 | 1358 - 1358 | Difficulty - cost |
| ACCE_67K | 1 | 1359 - 1359 | Difficulty - did not know where to go |

| Variable | Length | Position | Concept |
|---|---|---|---|
| ACCE_67L | 1 | 1360 - 1360 | Difficulty - unable to leave house / health problem |
| ACCE_67M | 1 | 1361 - 1361 | Difficulty - other |
| WTMEFOPT | 1 | 1362 - 1362 | Optional module: Waiting times - (F) |
| WTME_01 | 1 | 1363 - 1363 | Required visit to medical specialist |
| WTME_02 | 2 | 1364 - 1365 | Saw medical specialist - type of condition |
| WTME_03 | 1 | 1366 - 1366 | Person who referred respondent to medical specialist |
| WTME_04 | 1 | 1367 - 1367 | Already visited the medical specialist |
| WTME_05 | 1 | 1368 - 1368 | Had difficulties seeing the medical specialist |
| WTME_06A | 1 | 1369 - 1369 | Difficulty - getting a referral |
| WTME_06B | 1 | 1370 - 1370 | Difficulty - getting an appointment |
| WTME_06C | 1 | 1371 - 1371 | Difficulty - no specialists in area |
| WTME_06D | 1 | 1372 - 1372 | Difficulty - waited too long for an appointment |
| WTME_06E | 1 | 1373 - 1373 | Difficulty - waited too long to see doctor |
| WTME_06F | 1 | 1374 - 1374 | Difficulty - transportation |
| WTME_06G | 1 | 1375 - 1375 | Difficulty - language |
| WTME_06H | 1 | 1376 - 1376 | Difficulty - cost |
| WTME_06I | 1 | 1377 - 1377 | Difficulty - personal or family responsibilities |
| WTME_06J | 1 | 1378 - 1378 | Difficulty - general deterioration of health |
| WTME_06K | 1 | 1379 - 1379 | Difficulty - appointment cancelled/deferred |
| WTME_06L | 1 | 1380 - 1380 | Difficulty - unable to leave house/health problem |
| WTME_06M | 1 | 1381 - 1381 | Difficulty - other |
| WTME_07A | 3 | 1382 - 1384 | Length of wait to see specialist |
| WTME_07B | 1 | 1385 - 1385 | Length of wait to see specialist - reporting unit |
| WTME_08A | 3 | 1386 - 1388 | Length of time been waiting to see specialist |
| WTME_08B | 1 | 1389 - 1389 | Length of time been waiting to see specialist - report. unit |
| WTME_10 | 1 | 1390 - 1390 | Respondent's opinion of waiting time |
| WTME_11A | 3 | 1391 - 1393 | Acceptable waiting time |
| WTME_11B | 1 | 1394 - 1394 | Acceptable waiting time - reporting unit |
| WTME_12 | 1 | 1395 - 1395 | Visit to specialist cancelled or postponed |
| WTME_13A | 1 | 1396 - 1396 | Visit cancelled/postponed - by respondent |
| WTME_13B | 1 | 1397 - 1397 | Visit cancelled/postponed - by specialist |
| WTME_13C | 1 | 1398 - 1398 | Visit cancelled/postponed - by other |
| WTME_14 | 1 | 1399 - 1399 | Life affected by wait for visit to specialist |
| WTME_15A | 1 | 1400 - 1400 | Life affected by wait - worry |
| WTME_15B | 1 | 1401 - 1401 | Life affected by wait - worry for family |
| WTME_15C | 1 | 1402 - 1402 | Life affected by wait - pain |

| Variable | Length | Position | Concept |
| --- | --- | --- | --- |
| WTME_15D | 1 | 1403 - 1403 | Life affected by wait - prob. with activities/daily living |
| WTME_15E | 1 | 1404 - 1404 | Life affected by wait - loss of work |
| WTME_15F | 1 | 1405 - 1405 | Life affected by wait - loss of income |
| WTME_15G | 1 | 1406 - 1406 | Life affected by wait - increased dependence |
| WTME_15H | 1 | 1407 - 1407 | Life affected by wait - increased use medications |
| WTME_15I | 1 | 1408 - 1408 | Life affected by wait - health deteriorated |
| WTME_15J | 1 | 1409 - 1409 | Life affected by wait - health problem improved |
| WTME_15K | 1 | 1410 - 1410 | Life affected by wait - pers. relationships suffered |
| WTME_15L | 1 | 1411 - 1411 | Life affected by wait - other |
| WTME_16 | 2 | 1412 - 1413 | Type of surgery required |
| WTME_17 | 1 | 1414 - 1414 | Already had the surgery |
| WTME_18 | 1 | 1415 - 1415 | Surgery required overnight hospital stay |
| WTME_19 | 1 | 1416 - 1416 | Experienced difficulties getting this surgery |
| WTME_20A | 1 | 1417 - 1417 | Difficulty - getting an appointment |
| WTME_20B | 1 | 1418 - 1418 | Difficulty - getting a diagnosis |
| WTME_20C | 1 | 1419 - 1419 | Difficulty - waited too long for a diagnostic test |
| WTME_20D | 1 | 1420 - 1420 | Difficulty - waited too long for a hospital bed |
| WTME_20E | 1 | 1421 - 1421 | Difficulty - waited too long for surgery |
| WTME_20F | 1 | 1422 - 1422 | Difficulty - service not available in area |
| WTME_20G | 1 | 1423 - 1423 | Difficulty - transportation |
| WTME_20H | 1 | 1424 - 1424 | Difficulty - language |
| WTME_20I | 1 | 1425 - 1425 | Difficulty - cost |
| WTME_20J | 1 | 1426 - 1426 | Difficulty - personal or family responsibilities |
| WTME_20K | 1 | 1427 - 1427 | Difficulty - general deterioration of health |
| WTME_20L | 1 | 1428 - 1428 | Difficulty - appointment cancelled/deferred |
| WTME_20M | 1 | 1429 - 1429 | Difficulty - unable to leave house/health problem |
| WTME_20N | 1 | 1430 - 1430 | Difficulty - other |
| WTME_21A | 3 | 1431 - 1433 | Length of wait between decision and surgery |
| WTME_21B | 1 | 1434 - 1434 | Length of wait between decision and surgery - reported unit |
| WTME_22 | 1 | 1435 - 1435 | Surgery will require overnight hospital stay |
| WTME_23A | 3 | 1436 - 1438 | Time since decision to have surgery |
| WTME_23B | 1 | 1439 - 1439 | Time since decision to have surgery - reported unit |
| WTME_24 | 1 | 1440 - 1440 | Respondent's opinion of waiting time |
| WTME_25A | 3 | 1441 - 1443 | Acceptable waiting time |
| WTME_25B | 1 | 1444 - 1444 | Acceptable waiting time - reported unit |
| WTME_26 | 1 | 1445 - 1445 | Surgery cancelled or postponed |

| Variable | Length | Position | Concept |
|---|---|---|---|
| WTME_27A | 1 | 1446 - 1446 | Surgery cancelled/postponed - by respondent |
| WTME_27B | 1 | 1447 - 1447 | Surgery cancelled/postponed - by surgeon |
| WTME_27C | 1 | 1448 - 1448 | Surgery cancelled/postponed - by hospital |
| WTME_27D | 1 | 1449 - 1449 | Surgery cancelled/postponed - other |
| WTME_28 | 1 | 1450 - 1450 | Life affected by wait for surgery |
| WTME_29A | 1 | 1451 - 1451 | Life affected by wait - worry |
| WTME_29B | 1 | 1452 - 1452 | Life affected by wait - worry for family |
| WTME_29C | 1 | 1453 - 1453 | Life affected by wait - pain |
| WTME_29D | 1 | 1454 - 1454 | Life affected by wait - prob. with activities/daily living |
| WTME_29E | 1 | 1455 - 1455 | Life affected by wait - loss of work |
| WTME_29F | 1 | 1456 - 1456 | Life affected by wait - loss of income |
| WTME_29G | 1 | 1457 - 1457 | Life affected by wait - increased dependence |
| WTME_29H | 1 | 1458 - 1458 | Life affected by wait - increased used of medication |
| WTME_29I | 1 | 1459 - 1459 | Life affected by wait - health deteriorated |
| WTME_29J | 1 | 1460 - 1460 | Life affected by wait - health problem improved |
| WTME_29K | 1 | 1461 - 1461 | Life affected by wait - personal relationships suffered |
| WTME_29L | 1 | 1462 - 1462 | Life affected by wait - other |
| WTME_30 | 1 | 1463 - 1463 | Type of diagnostic test required |
| WTME_31 | 1 | 1464 - 1464 | Had diagnostic test - type of condition |
| WTME_32 | 1 | 1465 - 1465 | Already had diagnostic test |
| WTME_33 | 1 | 1466 - 1466 | Location of test |
| WTME_34 | 1 | 1467 - 1467 | Location of clinic |
| WTME_35 | 1 | 1468 - 1468 | Patient in hospital at time of test |
| WTME_36 | 1 | 1469 - 1469 | Had difficulties getting the diagnostic test |
| WTME_37A | 1 | 1470 - 1470 | Difficulty - getting a referral |
| WTME_37B | 1 | 1471 - 1471 | Difficulty - getting an appointment |
| WTME_37C | 1 | 1472 - 1472 | Difficulty - waited too long to get an appointment |
| WTME_37D | 1 | 1473 - 1473 | Difficulty - waited long to get test |
| WTME_37E | 1 | 1474 - 1474 | Difficulty - service not available at time required |
| WTME_37F | 1 | 1475 - 1475 | Difficulty - service not available in area |
| WTME_37G | 1 | 1476 - 1476 | Difficulty - transportation |
| WTME_37H | 1 | 1477 - 1477 | Difficulty - language |
| WTME_37I | 1 | 1478 - 1478 | Difficulty - cost |
| WTME_37J | 1 | 1479 - 1479 | Difficulty - general deterioration of health |
| WTME_37K | 1 | 1480 - 1480 | Difficulty - did not know where to get information |
| WTME_37L | 1 | 1481 - 1481 | Difficulty - unable to leave house/health problem |

| Variable | Length | Position | Concept |
|---|---|---|---|
| WTME_37M | 1 | 1482 - 1482 | Difficulty - other |
| WTME_38A | 3 | 1483 - 1485 | Length of wait between decision and test |
| WTME_38B | 1 | 1486 - 1486 | Length of wait between decision and test - reporting unit |
| WTME_39A | 3 | 1487 - 1489 | Length of time been waiting for diagnostic test |
| WTME_39B | 1 | 1490 - 1490 | Length of time been waiting for diagnostic test - unit |
| WTME_40 | 1 | 1491 - 1491 | Respondent's opinion of waiting time |
| WTME_41A | 3 | 1492 - 1494 | Acceptable waiting time |
| WTME_41B | 1 | 1495 - 1495 | Acceptable waiting time - unit |
| WTME_42 | 1 | 1496 - 1496 | Test cancelled or postponed |
| WTME_43 | 1 | 1497 - 1497 | Test cancelled or postponed by |
| WTME_44 | 1 | 1498 - 1498 | Life affected by wait for test |
| WTME_45A | 1 | 1499 - 1499 | Life affected by wait - worry |
| WTME_45B | 1 | 1500 - 1500 | Life affected by wait - worry for family |
| WTME_45C | 1 | 1501 - 1501 | Life affected by wait - pain |
| WTME_45D | 1 | 1502 - 1502 | Life affected by wait - prob. with activities/daily living |
| WTME_45E | 1 | 1503 - 1503 | Life affected by wait - loss of work |
| WTME_45F | 1 | 1504 - 1504 | Life affected by wait - loss of income |
| WTME_45G | 1 | 1505 - 1505 | Life affected by wait - increased dependence |
| WTME_45H | 1 | 1506 - 1506 | Life affected by wait - increased use medications |
| WTME_45I | 1 | 1507 - 1507 | Life affected by wait - health deteriorated |
| WTME_45J | 1 | 1508 - 1508 | Life affected by wait - health problem improved |
| WTME_45K | 1 | 1509 - 1509 | Life affected by wait - personal relationships suffered |
| WTME_45L | 1 | 1510 - 1510 | Life affected by wait - other |
| WTMEDSO | 4 | 1511 - 1514 | Number/days wait/medical specialist - seen specialist - (D) |
| WTMEDSN | 4 | 1515 - 1518 | Number/days wait/medical specialist - not seen spec. - (D) |
| WTMEDSA | 4 | 1519 - 1522 | Number of days acceptable wait - med. specialist - (D) |
| WTMEDCO | 4 | 1523 - 1526 | Number of days wait - non-urgent surgery - surgery done - (D |
| WTMEDCN | 4 | 1527 - 1530 | Number of days wait - non-urgent surgery - not done - (D) |
| WTMEDCA | 4 | 1531 - 1534 | Number of days acceptable wait - non emergency surgery - (D) |
| WTMEDTO | 4 | 1535 - 1538 | Number of days wait - diagnostic test - done - (D) |
| WTMEDTN | 4 | 1539 - 1542 | Number of days wait - diagnostic test - not done - (D) |
| WTMEDTA | 4 | 1543 - 1546 | Number of days acceptable wait - diagnostic test - (D) |
| LBSEDHPW | 3 | 1547 - 1549 | Total usual hours worked - current jobs - (D) |
| LBSEDPFT | 1 | 1550 - 1550 | Current - full-time / part-time status - (D) |
| LBSEDWSS | 1 | 1551 - 1551 | Working status last week - 4 groups - (D) |
| SDCE_8 | 1 | 1552 - 1552 | Current student |

| Variable | Length | Position | Concept |
|---|---|---|---|
| SDCE_9 | 1 | 1553 - 1553 | Full-time student or part-time student |
| SDCEGCBG | 1 | 1554 - 1554 | Country of birth - Canada/other - (G) |
| SDCEFIMM | 1 | 1555 - 1555 | Immigrant  - (F) |
| SDCEGRES | 1 | 1556 - 1556 | Length of time in Canada since immigration - (D, G) |
| SDCEGCGT | 1 | 1557 - 1557 | Cultural or racial origin - (D, G) |
| SDCEGLNG | 1 | 1558 - 1558 | Languages - can converse - (D, G) |
| INSEFOPT | 1 | 1559 - 1559 | Optional module: Insurance coverage - (F) |
| INSE_1 | 1 | 1560 - 1560 | Insurance - prescription medications |
| INSE_1A | 1 | 1561 - 1561 | Type of health insurance plan - government-sponsored |
| INSE_1B | 1 | 1562 - 1562 | Type of health insurance plan - employer-sponsored |
| INSE_1C | 1 | 1563 - 1563 | Type of health insurance plan - private |
| INSE_2 | 1 | 1564 - 1564 | Insurance - dental expenses |
| INSE_2A | 1 | 1565 - 1565 | Type of health insurance plan - government-sponsored |
| INSE_2B | 1 | 1566 - 1566 | Type of health insurance plan - employer-sponsored |
| INSE_2C | 1 | 1567 - 1567 | Type of health insurance plan - private |
| INSE_3 | 1 | 1568 - 1568 | Insurance - eye glasses / contact lenses |
| INSE_3A | 1 | 1569 - 1569 | Type of health insurance plan - government-sponsored |
| INSE_3B | 1 | 1570 - 1570 | Type of health insurance plan - employer-sponsored |
| INSE_3C | 1 | 1571 - 1571 | Type of health insurance plan - private |
| INSE_4 | 1 | 1572 - 1572 | Insurance - hospital charges |
| INSE_4A | 1 | 1573 - 1573 | Type of health insurance plan - government-sponsored |
| INSE_4B | 1 | 1574 - 1574 | Type of health insurance plan - employer-sponsored |
| INSE_4C | 1 | 1575 - 1575 | Type of health insurance plan - private |
| EDUEDH04 | 1 | 1576 - 1576 | Highest level of education – household, 4 levels - (D) |
| EDUEDR04 | 1 | 1577 - 1577 | Highest level of education - respondent, 4 levels - (D) |
| DHHEGHSZ | 1 | 1578 - 1578 | Household size - (D, G) |
| DHHEGL12 | 1 | 1579 - 1579 | Number of persons less than 12 years old in household -(D,G) |
| DHHEGLE5 | 1 | 1580 - 1580 | Number of persons 5 years old or less in household - (D, G) |
| DHHEG611 | 1 | 1581 - 1581 | Number of persons 6 to 11 years old in household - (D, G) |
| DHHEGLVG | 2 | 1582 - 1583 | Living arrangement of selected respondent - (D, G) |
| DHHE_OWN | 1 | 1584 - 1584 | Dwelling - owned by a member of household |
| DHHEGBED | 1 | 1585 - 1585 | Dwelling - number of bedrooms - (G) |
| INCEG2 | 1 | 1586 - 1586 | Total household income - main source - (G) |
| INCEGHH | 1 | 1587 - 1587 | Total household income from all sources - (D, G) |
| INCEGPER | 2 | 1588 - 1589 | Total personal income from all sources - (D, G) |
| INCEDRCA | 2 | 1590 - 1591 | Household income distribution - (D) |

| Variable | Length | Position | Concept |
|----------|--------|----------|---------|
| INCEDRPR | 2 | 1592 - 1593 | Household income distribution - provincial level - (D) |
| INCEDRRS | 2 | 1594 - 1595 | Household income distribution - health region level - (D) |
| FSCEFOPT | 1 | 1596 - 1596 | Optional module: Food security - (F) |
| FSCE_010 | 1 | 1597 - 1597 | Food situation in household - 12 mo |
| FSCE_020 | 1 | 1598 - 1598 | Worried food would run out - 12 mo |
| FSCE_030 | 1 | 1599 - 1599 | Food bought just didn't last and no money to buy more -12 mo |
| FSCE_040 | 1 | 1600 - 1600 | Could not afford to eat balanced meals - 12 mo |
| FSCE_050 | 1 | 1601 - 1601 | Relied on few kinds of low-cost food for children - 12 mo |
| FSCE_060 | 1 | 1602 - 1602 | Could not feed children a balanced meal - 12 mo |
| FSCE_070 | 1 | 1603 - 1603 | Children were not eating enough - 12 mo |
| FSCE_080 | 1 | 1604 - 1604 | Adults skipped or cut size of meals - 12 mo |
| FSCE_081 | 1 | 1605 - 1605 | Adults skipped or cut size of meals - frequency - 12 mo |
| FSCE_090 | 1 | 1606 - 1606 | Ate less than felt should - 12 mo |
| FSCE_100 | 1 | 1607 - 1607 | Was hungry but could not afford to eat - 12 mo |
| FSCE_110 | 1 | 1608 - 1608 | Lost weight no money to buy food- 12 mo |
| FSCE_120 | 1 | 1609 - 1609 | Adults did not eat for whole day - 12 mo |
| FSCE_121 | 1 | 1610 - 1610 | Adults did not eat whole day - frequency - 12 mo |
| FSCE_130 | 1 | 1611 - 1611 | Adults cut size of children's meals - 12 mo |
| FSCE_140 | 1 | 1612 - 1612 | Children skipped meals - 12 mo |
| FSCE_141 | 1 | 1613 - 1613 | Children skipped meals - frequency - 12 mo |
| FSCE_150 | 1 | 1614 - 1614 | Children were hungry - 12 mo |
| FSCE_160 | 1 | 1615 - 1615 | Children did not eat for whole day - 12 mo |
| FSCEDHFS | 1 | 1616 - 1616 | Household food security status - (D) |
| WTSE_M | 8.2 | 1617 - 1624 | Weights - Master |