

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 1

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
ACCZ_10	Required visit to medical specialist	ACC	306
ACCZ_11	Experienced difficulties getting specialist care	ACC	307
ACCZ_12A	Difficulty - getting a referral	ACC	307
ACCZ_12B	Difficulty - getting an appointment	ACC	308
ACCZ_12C	Difficulty - no specialists in area	ACC	308
ACCZ_12D	Difficulty - waited too long for an appointment	ACC	309
ACCZ_12E	Difficulty - waited too long to see doc.	ACC	309
ACCZ_12F	Difficulty - transportation	ACC	310
ACCZ_12G	Difficulty - language	ACC	310
ACCZ_12H	Difficulty - cost	ACC	311
ACCZ_12I	Difficulty - personal or family responsibilities	ACC	311
ACCZ_12J	Difficulty - general deterioration of health	ACC	312
ACCZ_12K	Difficulty - appointment cancelled/deferred	ACC	312
ACCZ_12L	Difficulty - still waiting for visit	ACC	313
ACCZ_12M	Difficulty - unable to leave house / health problem	ACC	313
ACCZ_12N	Difficulty - other	ACC	314
ACCZ_20	Required non-emergency surgery	ACC	314
ACCZ_21	Experienced difficulties getting non-emerg. surgery	ACC	315
ACCZ_22A	Difficulty - getting an appointment with a surgeon	ACC	315
ACCZ_22B	Difficulty - getting a diagnosis	ACC	316
ACCZ_22C	Difficulty - waited too long for a diagnostic test	ACC	316
ACCZ_22D	Difficulty - waited too long for a hospital bed	ACC	317
ACCZ_22E	Difficulty - waited too long for surgery	ACC	317
ACCZ_22F	Difficulty - service not available in area	ACC	318
ACCZ_22G	Difficulty - transportation	ACC	318
ACCZ_22H	Difficulty - language	ACC	319
ACCZ_22I	Difficulty - cost	ACC	319
ACCZ_22J	Difficulty - personal or family responsibilities	ACC	320
ACCZ_22K	Difficulty - general deterioration of health	ACC	320
ACCZ_22L	Difficulty - appointment cancelled/deferred	ACC	321
ACCZ_22M	Difficulty - still waiting for surgery	ACC	321
ACCZ_22N	Difficulty - unable to leave house / health problem	ACC	322
ACCZ_22O	Difficulty - other	ACC	322
ACCZ_30	Required MRI, CT Scan, angiography	ACC	323
ACCZ_31	Experienced difficulties getting test	ACC	323
ACCZ_32A	Difficulty - getting a referral	ACC	324
ACCZ_32B	Difficulty - getting an appointment	ACC	324

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 2

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
ACCZ_32C	Difficulty - waited too long to get an appointment	ACC	325
ACCZ_32D	Difficulty - waited too long to get test	ACC	325
ACCZ_32E	Difficulty - service not available at time required	ACC	326
ACCZ_32F	Difficulty - service not available in the area	ACC	326
ACCZ_32G	Difficulty - transportation	ACC	327
ACCZ_32H	Difficulty - language	ACC	327
ACCZ_32I	Difficulty - cost	ACC	328
ACCZ_32J	Difficulty - general deterioration of health	ACC	328
ACCZ_32K	Difficulty - did not know where to go	ACC	329
ACCZ_32L	Difficulty - still waiting for test	ACC	329
ACCZ_32M	Difficulty - unable to leave house / health problem	ACC	330
ACCZ_32N	Difficulty - other	ACC	330
ACCZ_40	Required health information for self or family member	ACC	331
ACCZ_40A	Contact for health information - doctor's office	ACC	331
ACCZ_40B	Contact for health information - community hlth ctr / CLSC	ACC	332
ACCZ_40C	Contact for health information - walk-in clinic	ACC	332
ACCZ_40D	Contact for health information - telephone health line	ACC	333
ACCZ_40E	Contact for health information - emergency room	ACC	333
ACCZ_40F	Contact for health information - other hospital service	ACC	334
ACCZ_40G	Contact for health information - other	ACC	334
ACCZ_41	Experienced diff. getting health information - self/family	ACC	335
ACCZ_42	Experienced difficulties during regular hours	ACC	335
ACCZ_43A	Difficulty - contacting a physician or nurse	ACC	336
ACCZ_43B	Difficulty - did not have a phone number	ACC	336
ACCZ_43C	Difficulty - could not get through	ACC	337
ACCZ_43D	Difficulty - waited too long to speak to someone	ACC	337
ACCZ_43E	Difficulty - did not get adequate info or advice	ACC	338
ACCZ_43F	Difficulty - language	ACC	338
ACCZ_43G	Difficulty - did not know where to go/call/uninformed	ACC	339
ACCZ_43H	Difficulty - unable to leave house / health problem	ACC	339
ACCZ_43I	Difficulty - other	ACC	340
ACCZ_44	Experienced difficulties during evenings/weekends	ACC	340
ACCZ_45A	Difficulty - contacting a physican or nurse	ACC	341
ACCZ_45B	Difficulty - did not have a phone number	ACC	341
ACCZ_45C	Difficulty - could not get through	ACC	342
ACCZ_45D	Difficulty - waited too long to speak to someone	ACC	342
ACCZ_45E	Difficulty - did not get adequate info or advice	ACC	343

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 3

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
ACCZ_45F	Difficulty - language	ACC	343
ACCZ_45G	Difficulty - did not know where to go/call/uninformed	ACC	344
ACCZ_45H	Difficulty - unable to leave house / health problem	ACC	344
ACCZ_45I	Difficulty - other	ACC	345
ACCZ_46	Experienced difficulties during middle of night	ACC	345
ACCZ_47A	Difficulty - contacting a physican or nurse	ACC	346
ACCZ_47B	Difficulty - did not have a phone number	ACC	346
ACCZ_47C	Difficulty - could not get through	ACC	347
ACCZ_47D	Difficulty - waited too long to speak to someone	ACC	347
ACCZ_47E	Difficulty - did not get adequate info or advice	ACC	348
ACCZ_47F	Difficulty - language	ACC	348
ACCZ_47G	Difficulty - did not know where to go/call/uninformed	ACC	349
ACCZ_47H	Difficulty - unable to leave house / health problem	ACC	349
ACCZ_47I	Difficulty - other	ACC	350
ACCZ_50	Required routine care for self/family	ACC	351
ACCZ_50A	Has a regular family doctor	ACC	350
ACCZ_51	Experienced diff. getting routine/on-going care - self/fam.	ACC	351
ACCZ_52	Experienced difficulties during regular hours	ACC	352
ACCZ_53A	Difficulty - contacting a physican	ACC	352
ACCZ_53B	Difficulty - getting an appointment	ACC	353
ACCZ_53C	Difficulty - do not have a family physician	ACC	353
ACCZ_53D	Difficulty - waited too long to get an appointment	ACC	354
ACCZ_53E	Difficulty - waited too long to see doc.	ACC	354
ACCZ_53F	Difficulty - service not available at time required	ACC	355
ACCZ_53G	Difficulty - service not available in the area	ACC	355
ACCZ_53H	Difficulty - transportation	ACC	356
ACCZ_53I	Difficulty - language	ACC	356
ACCZ_53J	Difficulty - cost	ACC	357
ACCZ_53K	Difficulty - did not know where to go	ACC	357
ACCZ_53L	Difficulty - unable to leave house / health problem	ACC	358
ACCZ_53M	Difficulty - other	ACC	358
ACCZ_54	Experienced difficulties during evenings/weekends	ACC	359
ACCZ_55A	Difficulty - contacting a physican	ACC	359
ACCZ_55B	Difficulty - getting an appointment	ACC	360
ACCZ_55C	Difficulty - do not have a family physician	ACC	360
ACCZ_55D	Difficulty - waited too long to get an appointment	ACC	361
ACCZ_55E	Difficulty - waited too long to see doc.	ACC	361

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 4

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
ACCZ_55F	Difficulty - service not available at time required	ACC	362
ACCZ_55G	Difficulty - service not available in the area	ACC	362
ACCZ_55H	Difficulty - transportation	ACC	363
ACCZ_55I	Difficulty - language	ACC	363
ACCZ_55J	Difficulty - cost	ACC	364
ACCZ_55K	Difficulty - did not know where to go	ACC	364
ACCZ_55L	Difficulty - unable to leave house / health problem	ACC	365
ACCZ_55M	Difficulty - other	ACC	365
ACCZ_60	Required immediate care/minor health problem - self/family	ACC	366
ACCZ_61	Experienced difficulties getting immediate care - self/fam.	ACC	366
ACCZ_62	Experienced difficulties during regular hours	ACC	367
ACCZ_63A	Difficulty - contacting a physican	ACC	367
ACCZ_63B	Difficulty - getting an appointment	ACC	368
ACCZ_63C	Difficulty - do not have a family physician	ACC	368
ACCZ_63D	Difficulty - waited too long to get an appointment	ACC	369
ACCZ_63E	Difficulty - waited too long to see doc.	ACC	369
ACCZ_63F	Difficulty - service not available at time required	ACC	370
ACCZ_63G	Difficulty - service not available in the area	ACC	370
ACCZ_63H	Difficulty - transportation	ACC	371
ACCZ_63I	Difficulty - language	ACC	371
ACCZ_63J	Difficulty - cost	ACC	372
ACCZ_63K	Difficulty - did not know where to go	ACC	372
ACCZ_63L	Difficulty - unable to leave house / health problem	ACC	373
ACCZ_63M	Difficulty - other	ACC	373
ACCZ_64	Experienced difficulties during evenings/weekends	ACC	374
ACCZ_65A	Difficulty - contacting a physican	ACC	374
ACCZ_65B	Difficulty - getting an appointment	ACC	375
ACCZ_65C	Difficulty - do not have a family physician	ACC	375
ACCZ_65D	Difficulty - waited too long to get an appointment	ACC	376
ACCZ_65E	Difficulty - waited too long to see doc.	ACC	376
ACCZ_65F	Difficulty - service not available at time required	ACC	377
ACCZ_65G	Difficulty - service not available in the area	ACC	377
ACCZ_65H	Difficulty - transportation	ACC	378
ACCZ_65I	Difficulty - language	ACC	378
ACCZ_65J	Difficulty - cost	ACC	379
ACCZ_65K	Difficulty - did not know where to go	ACC	379
ACCZ_65L	Difficulty - unable to leave house / health problem	ACC	380

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 5

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
ACCZ_65M	Difficulty - other	ACC	380
ACCZ_66	Experienced difficulties during middle of night	ACC	381
ACCZ_67A	Difficulty - contacting a physican	ACC	381
ACCZ_67B	Difficulty - getting an appointment	ACC	382
ACCZ_67C	Difficulty - do not have a family physician	ACC	382
ACCZ_67D	Difficulty - waited too long to get an appointment	ACC	383
ACCZ_67E	Difficulty - waited too long to see doc.	ACC	383
ACCZ_67F	Difficulty - service not available at time required	ACC	384
ACCZ_67G	Difficulty - service not available in the area	ACC	384
ACCZ_67H	Difficulty - transportation	ACC	385
ACCZ_67I	Difficulty - language	ACC	385
ACCZ_67J	Difficulty - cost	ACC	386
ACCZ_67K	Difficulty - did not know where to go	ACC	386
ACCZ_67L	Difficulty - unable to leave house / health problem	ACC	387
ACCZ_67M	Difficulty - other	ACC	387
ADME_N09	Interview by telephone or in person	ADM	7
ADME_N10	Respondent alone during interview	ADM	7
ADME_N11	Answers affected by presence of another person	ADM	8
ADME_PRX	Health Component completed by proxy	ADM	6
ADME_RNO	Sequential record number	ADM	1
ALCE_1	Drank alcohol in past 12 months	ALC	222
ALCE_2	Frequency of drinking alcohol	ALC	222
ALCE_3	Frequency of having 5 or more drinks	ALC	223
ALCE_5	Drank alcohol in past week	ALC	224
ALCE_5A1	Number of drinks - Sunday	ALC	224
ALCE_5A2	Number of drinks - Monday	ALC	225
ALCE_5A3	Number of drinks - Tuesday	ALC	225
ALCE_5A4	Number of drinks - Wednesday	ALC	226
ALCE_5A5	Number of drinks - Thursday	ALC	226
ALCE_5A6	Number of drinks - Friday	ALC	227
ALCE_5A7	Number of drinks - Saturday	ALC	227
ALCE_5B	Ever had a drink	ALC	228
ALCE_6	Regularly drank more than 12 drinks a week	ALC	228
ALCE_7A	Reason reduced drinking - dieting	ALC	229
ALCE_7B	Reason reduced drinking - athletic training	ALC	229
ALCE_7C	Reason reduced drinking - pregnancy	ALC	230
ALCE_7D	Reason reduced drinking - getting older	ALC	230

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 6

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
ALCE_7E	Reason reduced drinking - drinking too much	ALC	231
ALCE_7F	Reason reduced drinking - affected work / studies	ALC	231
ALCE_7G	Reason reduced drinking - interfered with life	ALC	232
ALCE_7H	Reason reduced drinking - affected physical health	ALC	232
ALCE_7I	Reason reduced drinking - affected social relationships	ALC	233
ALCE_7J	Reason reduced drinking - affected financial position	ALC	233
ALCE_7K	Reason reduced drinking - affected happiness	ALC	234
ALCE_7L	Reason reduced drinking - influence of family / friends	ALC	234
ALCE_7M	Reason reduced drinking - other	ALC	235
ALCE_7N	Reason reduced drinking - life change	ALC	235
ALCE_8	Age - started drinking alcoholic beverages	ALC	236
ALCEDDLY	Average daily alcohol consumption - (D)	ALC	237
ALCEDTYP	Type of drinker - (D)	ALC	236
ALCEDWKY	Number of drinks - past week - (D)	ALC	237
CCCE_011	Has food allergies	CCC	20
CCCE_021	Has allergies other than food allergies	CCC	20
CCCE_031	Has asthma	CCC	21
CCCE_035	Asthma - had symptoms or attacks	CCC	21
CCCE_036	Asthma - took medication	CCC	22
CCCE_041	Has fibromyalgia	CCC	22
CCCE_051	Has arthritis or rheumatism	CCC	23
CCCE_05A	Kind of arthritis / rheumatism	CCC	23
CCCE_061	Has back problems excluding fibromyalgia and arthritis	CCC	24
CCCE_071	Has high blood pressure	CCC	24
CCCE_072	Ever diagnosed with high blood pressure	CCC	25
CCCE_073	Medication - high blood pressure - past month	CCC	25
CCCE_074	Did something to reduce or control high blood pressure	CCC	26
CCCE_081	Has migraine headaches	CCC	28
CCCE_101	Has diabetes	CCC	30
CCCE_105	Diabetes - currently takes insulin	CCC	33
CCCE_106	Diabetes - takes pills to control blood sugar	CCC	34
CCCE_10A	Diabetes diagnosed - when pregnant	CCC	32
CCCE_10B	Diabetes diagnosed - other than when pregnant	CCC	32
CCCE_10C	Diabetes diagnosed - when started with insulin	CCC	33
CCCE_111	Has epilepsy	CCC	34
CCCE_121	Has heart disease	CCC	35
CCCE_131	Has cancer	CCC	35

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 7

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
CCCE_141	Has stomach or intestinal ulcers	CCC	36
CCCE_151	Suffers from the effects of a stroke	CCC	37
CCCE_161	Has urinary incontinence	CCC	37
CCCE_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	38
CCCE_17A	Type of bowel disease	CCC	38
CCCE_191	Has cataracts	CCC	39
CCCE_201	Has glaucoma	CCC	39
CCCE_211	Has a thyroid condition	CCC	40
CCCE_251	Has chronic fatigue syndrome	CCC	40
CCCE_261	Suffers from multiple chemical sensitivities	CCC	41
CCCE_280	Has a mood disorder	CCC	41
CCCE_290	Has an anxiety disorder	CCC	42
CCCE_31A	Ever had cancer	CCC	36
CCCE_331	Has a learning disability	CCC	42
CCCE_75A	Follow recommendation - changed diet	CCC	26
CCCE_75B	Follow recommendation - exercised more	CCC	27
CCCE_75C	Follow recommendation - reduced alcohol intake	CCC	27
CCCE_75D	Follow recommendation - other	CCC	28
CCCE_91A	Has chronic bronchitis	CCC	29
CCCE_91E	Has emphysema	CCC	29
CCCE_91F	Has chronic obstructive pulmonary disease	CCC	30
CCCEF1	Has a chronic condition - (F)	CCC	43
CCCEG102	Diabetes - age first diagnosed - (G)	CCC	31
CCCEG901	Other long-term physical or mental health condition - (G)	CCC	43
DHHE_OWNI	Dwelling - owned by a member of household	DHH	290
DHHE_SEX	Sex	DHH	10
DHHEG611	Number of persons 6 to 11 years old in household - (D, G)	DHH	289
DHHEGAGE	Age - (G)	DHH	9
DHHEGBED	Dwelling - number of bedrooms - (G)	DHH	291
DHHEGHSZ	Household size - (D, G)	DHH	288
DHHEGL12	Number of persons less than 12 years old in household -(D,G)	DHH	288
DHHEGLE5	Number of persons 5 years old or less in household - (D, G)	DHH	289
DHHEGLVG	Living arrangement of selected respondent - (D, G)	DHH	290
DHHEGMS	Marital Status - (G)	DHH	10
EDUEDH04	Highest level of education – household, 4 levels - (D)	EDU	287
EDUEDR04	Highest level of education - respondent, 4 levels - (D)	EDU	287
ETSE_10	Someone smokes inside home	ETS	217

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 8

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
ETSE_20	Exposed to second-hand smoke in private vehicle	ETS	218
ETSE_20B	Exposed to second-hand smoke in public places	ETS	219
ETSE_5	Restrictions against smoking cigarettes in home	ETS	219
ETSE_6A	Smoking restrictions - not permitted in home	ETS	220
ETSE_6B	Smoking restrictions - permitted in certain rooms only	ETS	220
ETSE_6C	Smoking restrictions - not in presence of young children	ETS	221
ETSE_6D	Smoking restrictions - other	ETS	221
ETSEG11	Number of people who smoke inside home - (G)	ETS	218
FLUE_160	Ever had a flu shot	FLU	129
FLUE_162	Had flu shot - last time	FLU	129
FLUE_66A	No flu shot - have not gotten around to it	FLU	130
FLUE_66B	No flu shot - respondent didn't think it was necessary	FLU	130
FLUE_66C	No flu shot - doctor didn't think it was necessary	FLU	131
FLUE_66D	No flu shot - personal or family responsibilities	FLU	131
FLUE_66E	No flu shot - not available at time required	FLU	132
FLUE_66F	No flu shot - not available at all in area	FLU	132
FLUE_66G	No flu shot - waiting time was too long	FLU	133
FLUE_66H	No flu shot - transportation problems	FLU	133
FLUE_66I	No flu shot - language problem	FLU	134
FLUE_66J	No flu shot - cost	FLU	134
FLUE_66K	No flu shot - did not know where to go	FLU	135
FLUE_66L	No flu shot - fear	FLU	135
FLUE_66M	No flu shot - bad reaction to previous shot	FLU	136
FLUE_66N	No flu shot - other	FLU	137
FLUE_66O	No flu shot - unable to leave house / health problem	FLU	136
GENE_01	Self-perceived health	GEN	11
GENE_02	Self-perceived health compared to one year ago	GEN	11
GENE_02A	Satisfaction with life in general	GEN	12
GENE_02B	Self-perceived mental health	GEN	12
GENE_07	Self-perceived stress	GEN	13
GENE_08	Worked at job or business	GEN	13
GENE_09	Self-perceived work stress	GEN	14
GENE_10	Sense of belonging to local community	GEN	15
GENEDHDI	Self-rated health - (D)	GEN	15
GENEDMHI	Self-rated mental health - (D)	GEN	16
GEOEDPMF	Health Region (5) - (G)	GEO	2
GEOEGPRV	Province of residence of respondent - (G)	GEO	1



# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 9

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
GEOEGSHR	Sub-Health Region (Québec only) - (D, G)	GEO	5
HCUE_01	Overnight patient	HCU	47
HCUE_04	Consulted alternative health care provider	HCU	56
HCUE_04A	Attended self-help group	HCU	56
HCUE_05A	Alternative health care - massage therapist	HCU	57
HCUE_05B	Alternative health care - acupuncturist	HCU	57
HCUE_05C	Alternative health care - homeopath or naturopath	HCU	58
HCUE_06	Unmet health care needs - self-perceived	HCU	59
HCUE_07A	Care not received - not available in area	HCU	59
HCUE_07B	Care not received - not available at time required	HCU	60
HCUE_07C	Care not received - waiting time too long	HCU	60
HCUE_07D	Care not received - felt would be inadequate	HCU	61
HCUE_07E	Care not received - cost	HCU	61
HCUE_07F	Care not received - too busy	HCU	62
HCUE_07G	Care not received - didn't get around to it	HCU	62
HCUE_07H	Care not received - didn't know where to go	HCU	63
HCUE_07I	Care not received - transportation problems	HCU	63
HCUE_07J	Care not received - language problems	HCU	64
HCUE_07K	Care not received - personal or family responsibilities	HCU	64
HCUE_07L	Care not received - dislikes doctors / afraid	HCU	65
HCUE_07M	Care not received - decided not to seek care	HCU	65
HCUE_07N	Care not received - other	HCU	67
HCUE_07O	Care not received - dr didn't think it was necessary	HCU	66
HCUE_07P	Care not received - unable to leave house / health problem	HCU	66
HCUE_08A	Type of care not received - treatment phys. health problem	HCU	67
HCUE_08B	Type of care not received - treatment emotional problem	HCU	68
HCUE_08C	Type of care not received - regular check-up	HCU	68
HCUE_08D	Type of care not received - care of injury	HCU	69
HCUE_08E	Type of care not received - other	HCU	69
HCUE_09A	Location tried to get service - doctor's office	HCU	70
HCUE_09B	Location tried to get service - hospital emergency room	HCU	70
HCUE_09C	Location tried to get service - hospital overnight patient	HCU	71
HCUE_09D	Location tried to get service - hosp. outpatient clinic	HCU	71
HCUE_09E	Location tried to get service - walk-in clinic	HCU	72
HCUE_09F	Location tried to get service - appointment clinic	HCU	72
HCUE_09G	Location tried to get service - community health centre/CLSC	HCU	73
HCUE_09H	Location tried to get service - other	HCU	73

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 10

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
HCUE_1AA	Has regular medical doctor	HCU	44
HCUE_1BA	Reason has no regular doctor - no one available in area	HCU	44
HCUE_1BB	Reason has no regular doctor - none taking new patients	HCU	45
HCUE_1BC	Reason has no regular doctor - not tried to contact one	HCU	45
HCUE_1BD	Reason has no regular doctor - has left or retired	HCU	46
HCUE_1BE	Reason has no regular doctor - other	HCU	46
HCUEFCOP	Consultations with health professionals - (F)	HCU	74
HCUEG01A	Number of nights as patient - (G)	HCU	47
HCUEG02A	Number of consultations - fam. doctor/gen. practitioner -(G)	HCU	48
HCUEG02B	Number of consultations - eye specialist - (G)	HCU	48
HCUEG02C	Number of consultations - other medical doctor - (G)	HCU	49
HCUEG02D	Number of consultations - nurse - (G)	HCU	49
HCUEG02E	Number of consultations - dentist or orthodontist - (G)	HCU	50
HCUEG02F	Number of consultations - chiropractor - (G)	HCU	50
HCUEG02G	Number of consultations - physiotherapist - (G)	HCU	51
HCUEG02H	Number of consultations - social worker or counsellor - (G)	HCU	51
HCUEG02I	Number of consultations - psychologist - (G)	HCU	52
HCUEG02J	No. of consultations - speech/audiology/occ. therapist - (G)	HCU	52
HCUEG03A	Location of most recent contact - family doctor - (G)	HCU	53
HCUEG03C	Location of most recent contact - other medical doctor - (G)	HCU	54
HCUEG03D	Location of most recent contact - nurse - (G)	HCU	55
HCUEG05L	Alternative health care - other - (G)	HCU	58
HCUEG3D1	Method of most recent contact - nurse	HCU	55
HCUEGMDC	Number of consultations with medical doctor - (D, G)	HCU	74
HMCE_09	Received home care services - cost covered by government	HMC	75
HMCE_10A	Type of govt. home care rec'd - nursing care	HMC	75
HMCE_10B	Type of govt. home care rec'd - health services	HMC	76
HMCE_10C	Type of govt. home care rec'd - personal care	HMC	76
HMCE_10D	Type of govt. home care rec'd - housework	HMC	77
HMCE_10E	Type of govt. home care rec'd - meals	HMC	77
HMCE_10F	Type of govt. home care rec'd - shopping	HMC	78
HMCE_10G	Type of govt. home care rec'd - respite care	HMC	78
HMCE_10H	Type of govt. home care rec'd - other	HMC	79
HMCE_10I	Type of govt. home care rec'd - med. equipment	HMC	79
HMCE_11	Received home care services - cost not covered by government	HMC	80
HMCE_12F	Non govt. home care - provided by other	HMC	81
HMCE_14	Self-perceived unmet home care needs	HMC	95

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 11

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
HMCE_15A	Home care not received - not available / area	HMC	96
HMCE_15B	Home care not received - not available at time required	HMC	96
HMCE_15C	Home care not received - waiting time too long	HMC	97
HMCE_15D	Home care not received - felt would be inadequate	HMC	97
HMCE_15E	Home care not received - cost	HMC	98
HMCE_15F	Home care not received - too busy	HMC	98
HMCE_15G	Home care not received - didn't get around to it	HMC	99
HMCE_15H	Home care not received - didn't know where to go	HMC	99
HMCE_15I	Home care not received - language problems	HMC	100
HMCE_15J	Home care not received - family responsibilities	HMC	100
HMCE_15K	Home care not received - decided not to seek services	HMC	101
HMCE_15L	Home care not received - doctor didn't think necessary	HMC	101
HMCE_15M	Home care not received - other	HMC	102
HMCE_15N	Home care not received - Did not qualify	HMC	102
HMCE_15O	Home care not received - Still waiting for homecare	HMC	103
HMCE_16A	Type of home care needed - nursing care	HMC	103
HMCE_16B	Type of home care needed - health services	HMC	104
HMCE_16C	Type of home care needed - personal care	HMC	104
HMCE_16D	Type of home care needed - housework	HMC	105
HMCE_16E	Type of home care needed - meals	HMC	105
HMCE_16F	Type of home care needed - shopping	HMC	106
HMCE_16G	Type of home care needed - respite care	HMC	106
HMCE_16H	Type of home care needed - other	HMC	107
HMCE_16I	Type of home care needed - Medical equipment or supplies	HMC	107
HMCE_17A	Who contacted for home care - government sponsored program	HMC	108
HMCE_17B	Who contacted for home care - private agency	HMC	108
HMCE_17C	Who contacted for home care - family member or friend	HMC	109
HMCE_17D	Who contacted for home care - volunteer organization	HMC	109
HMCE_17E	Who contacted for home care - other	HMC	110
HMCE_3FA	Home care provided by other - nursing care	HMC	91
HMCE_3FB	Home care provided by other - health services	HMC	91
HMCE_3FC	Home care provided by other - personal care	HMC	92
HMCE_3FD	Home care provided by other - housework	HMC	93
HMCE_3FE	Home care provided by other - meals	HMC	93
HMCE_3FF	Home care provided by other - shopping	HMC	94
HMCE_3FG	Home care provided by other - respite care	HMC	94
HMCE_3FH	Home care provided by other - other	HMC	95

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 12

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
HMCE_3FI	Home care provided by other - medical equipment or supplies	HMC	92
HMCEFRHC	Received home care - (F)	HMC	110
HMCEG12A	Non govt. home care - provided by private agency - (G)	HMC	80
HMCEG12C	Non govt. home care - provided by neighbour/family/vol.- (G)	HMC	81
HMCEG3AA	Home care provided by private agency - nursing care - (G)	HMC	82
HMCEG3AB	Home care provided by private agency - health services - (G)	HMC	82
HMCEG3AC	Home care provided by private agency - personal care - (G)	HMC	83
HMCEG3AD	Home care provided by private agency - housework - (G)	HMC	84
HMCEG3AE	Home care provided by private agency - meals - (G)	HMC	84
HMCEG3AF	Home care provided by private agency - shopping - (G)	HMC	85
HMCEG3AG	Home care provided by private agency - respite care - (G)	HMC	85
HMCEG3AH	Home care provided by private agency - other - (G)	HMC	86
HMCEG3AI	Home care provided by private agency - med. equip. - (G)	HMC	83
HMCEG3CA	Home care by neighbour/family/vol. - nursing care - (G)	HMC	86
HMCEG3CB	Home care by neighbour/family/vol. - health services - (G)	HMC	87
HMCEG3CC	Home care by neighbour/family/vol. - personal care - (G)	HMC	88
HMCEG3CD	Home care by neighbour/family/vol. - housework - (G)	HMC	88
HMCEG3CE	Home care by neighbour/family/vol. - meals - (G)	HMC	89
HMCEG3CF	Home care by neighbour/family/vol. - shopping - (G)	HMC	89
HMCEG3CG	Home care by neighbour/family/vol. - respite - (G)	HMC	90
HMCEG3CH	Home care by neighbour/family/vol. - other - (G)	HMC	90
HMCEG3CI	Home care by neighbour/family/vol. - med. equip./sup. - (G)	HMC	87
HWTE_4	Respondent's opinion of own weight - self-reported	HWT	16
HWTEDCOL	BMI class. (12 to 17) / self-report - Cole system - (D)	HWT	19
HWTEGBMI	Body Mass Index (BMI) / self-report - (D, G)	HWT	18
HWTEGHTM	Height (metres) / self-reported - (D, G)	HWT	17
HWTEGISW	BMI class. (18 +) / self-report - Intern. standard - (D, G)	HWT	19
HWTEGWTK	Weight (kilograms) / self-reported - (D, G)	HWT	18
INCEDRCA	Household income distribution - (D)	INC	293
INCEDRPR	Household income distribution - provincial level - (D)	INC	294
INCEDRRS	Household income distribution - health region level - (D)	INC	295
INCEG2	Total household income - main source - (G)	INC	291
INCEGHH	Total household income from all sources - (D, G)	INC	292
INCEGPER	Total personal income from all sources - (D, G)	INC	292
INJE_01	Injured in past 12 months	INJ	259
INJE_10	Most serious injury - result of a fall	INJ	264
INJE_13	Most serious injury - received treatment within 48 hours	INJ	265

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 13

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
INJE_14A	Most serious injury - treated in doctor's office	INJ	266
INJE_14B	Most serious injury - treated in hospital emergency room	INJ	266
INJE_15	Most serious injury - admitted to hospital	INJ	268
INJE_16	Other injuries - treated but did not limit normal activities	INJ	269
INJEDSTT	Injury Status - (D)	INJ	270
INJEG02	Number of injuries in past 12 months - (G)	INJ	260
INJEG05	Most serious injury - type - (G)	INJ	261
INJEG06	Most serious injury - body part affected - (G)	INJ	262
INJEG08	Most serious injury - place of occurrence - (G)	INJ	263
INJEG09	Most serious injury - activity when injured - (G)	INJ	264
INJEG11	Most serious injury - how fell - (G)	INJ	265
INJEG14C	Most serious injury - treated in clinic - (G)	INJ	267
INJEG14G	Most serious injury - treated at work/school/home - (G)	INJ	267
INJEG14J	Most serious injury - treated by telephone/other place - (G)	INJ	268
INJEG17	Other injuries - number - (G)	INJ	269
INJEGCAU	Cause of injury - (D, G)	INJ	270
LBSEDPW	Total usual hours worked - current jobs - (D)	LBS	282
LBSEDPFT	Current - full-time / part-time status - (D)	LBS	282
LBSEDWSS	Working status last week - 4 groups - (D)	LBS	283
MAME_030	Ever had mammogram	MAM	146
MAME_032	Last time mammogram was done	MAM	151
MAME_038	Had a hysterectomy	MAM	159
MAME_31A	Had mammogram - family history	MAM	147
MAME_31B	Had mammogram - regular check-up	MAM	147
MAME_31C	Had mammogram - age	MAM	148
MAME_31D	Had mammogram - previously detected lump	MAM	148
MAME_31E	Had mammogram - follow-up of treatment	MAM	149
MAME_31F	Had mammogram - on hormone replacement therapy	MAM	149
MAME_31G	Had mammogram - breast problem	MAM	150
MAME_31H	Had mammogram - other	MAM	150
MAME_36A	No mammogram - have not gotten around to it - past 2 yrs	MAM	151
MAME_36B	No mammogram - resp. did not think necessary - past 2 yrs	MAM	152
MAME_36C	No mammogram - doctor did not think necessary - past 2 yrs	MAM	152
MAME_36D	No mammogram - personal/family responsibilities - past 2 yrs	MAM	153
MAME_36E	No mammogram - not available when required - past 2 yrs	MAM	153
MAME_36F	No mammogram - not available in the area - past 2 yrs	MAM	154
MAME_36G	No mammogram - waiting time too long - past 2 yrs	MAM	154

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 14

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
MAME_36H	No mammogram - transportation problems - past 2 yrs	MAM	155
MAME_36I	No mammogram - language problem - past 2 yrs	MAM	155
MAME_36J	No mammogram - cost - past 2 yrs	MAM	156
MAME_36K	No mammogram - did not know where to go - past 2 yrs	MAM	156
MAME_36L	No mammogram - fear - past 2 yrs	MAM	157
MAME_36M	No mammogram - other - past 2 yrs	MAM	157
MAME_36N	No mammogram - unable to leave house/hlth prob - past 2 yrs	MAM	158
MAME_36O	No mammogram - Breasts removed / Mastectomy	MAM	158
MEXE_01	Has given birth in the past 5 years	MEX	238
MEXE_02	Took folic acid - before last pregnancy	MEX	238
MEXE_03	Breastfed or tried to breastfeed last child	MEX	239
MEXE_05	Still breastfeeding last child	MEX	240
MEXE_07	Age of last baby - other foods added	MEX	241
MEXE_08	Main reason - other foods added	MEX	242
MEXE_09	Gave vitamin D - when breast milk only	MEX	243
MEXE_10	Main reason why stopped breastfeeding	MEX	244
MEXE_20	Type of smoker - last pregnancy	MEX	245
MEXE_23	Smoked while breastfeeding last baby (occasional smoker)	MEX	248
MEXE_26	Second-hand smoke - during or after last pregnancy	MEX	250
MEXE_30	Drank alcohol - last pregnancy	MEX	251
MEXE_31	Frequency of drinking - last pregnancy	MEX	251
MEXE_32	Drank alcohol - while breastfeeding last baby	MEX	252
MEXE_33	Frequency of drinking - while breastfeeding last baby	MEX	252
MEXEDEBF	Duration of exclusive breastfeeding - (D)	MEX	253
MEXEFEB4	Exclusive breastfeeding for at least 4 months - (F)	MEX	254
MEXEG04	Main reason did not breastfeed last child - (G)	MEX	239
MEXEG06	Duration of breastfeeding last child - (G)	MEX	240
MEXEG21	No. of cigarettes daily - last pregnancy (daily smoker) - (G)	MEX	246
MEXEG22	No. of cig. daily - last pregnancy (occasional smoker) - (G)	MEX	247
MEXEG24	No. of cig. daily - while breastfeeding (daily smoker) - (G)	MEX	249
MEXEG25	No. of cig. daily - while breastfeeding (occ. smoker) - (G)	MEX	250
PACE_1A	Activity / last 3 months - walking	PAC	159
PACE_1B	Activity / last 3 months - gardening or yard work	PAC	160
PACE_1C	Activity / last 3 months - swimming	PAC	160
PACE_1D	Activity / last 3 months - bicycling	PAC	161
PACE_1E	Activity / last 3 months - popular or social dance	PAC	161
PACE_1F	Activity / last 3 months - home exercises	PAC	162

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 15

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
PACE_1G	Activity / last 3 months - ice hockey	PAC	162
PACE_1H	Activity / last 3 months - ice skating	PAC	163
PACE_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	163
PACE_1J	Activity / last 3 months - jogging or running	PAC	164
PACE_1K	Activity / last 3 months - golfing	PAC	164
PACE_1L	Activity / last 3 months - exercise class or aerobics	PAC	165
PACE_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	165
PACE_1N	Activity / last 3 months - bowling	PAC	166
PACE_1O	Activity / last 3 months - baseball or softball	PAC	166
PACE_1P	Activity / last 3 months - tennis	PAC	167
PACE_1Q	Activity / last 3 months - weight-training	PAC	167
PACE_1R	Activity / last 3 months - fishing	PAC	168
PACE_1S	Activity / last 3 months - volleyball	PAC	168
PACE_1T	Activity / last 3 months - basketball	PAC	169
PACE_1U	Activity / last 3 months - other (#1)	PAC	170
PACE_1V	Activity / last 3 months - no physical activity	PAC	170
PACE_1W	Activity / last 3 months - other (#2)	PAC	171
PACE_1X	Activity / last 3 months - other (#3)	PAC	171
PACE_1Z	Activity / last 3 months - soccer	PAC	169
PACE_2A	Number of times / 3 months - walking for exercise	PAC	172
PACE_2B	Number of times / 3 months - gardening/yard work	PAC	173
PACE_2C	Number of times / 3 months - swimming	PAC	174
PACE_2D	Number of times / 3 months - bicycling	PAC	175
PACE_2E	Number of times / 3 months - popular or social dance	PAC	176
PACE_2F	Number of times / 3 months - home exercises	PAC	177
PACE_2G	Number of times / 3 months - ice hockey	PAC	178
PACE_2H	Number of times / 3 months - ice skating	PAC	179
PACE_2I	Number of times / 3 months - in-line skating or rollerblading	PAC	180
PACE_2J	Number of times / 3 months - jogging or running	PAC	181
PACE_2K	Number of times / 3 months - golfing	PAC	182
PACE_2L	Number of times / 3 months - exercise class or aerobics	PAC	183
PACE_2M	Number of times / 3 months - downhill skiing or snowboarding	PAC	184
PACE_2N	Number of times / 3 months - bowling	PAC	185
PACE_2O	Number of times / 3 months - baseball or softball	PAC	186
PACE_2P	Number of times / 3 months - tennis	PAC	187
PACE_2Q	Number of times / 3 months - weight-training	PAC	188
PACE_2R	Number of times / 3 months - fishing	PAC	189

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 16

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
PACE_2S	Number of times / 3 months - volleyball	PAC	190
PACE_2T	Number of times / 3 months - basketball	PAC	191
PACE_2U	Number of times / 3 months - other activity (#1)	PAC	193
PACE_2W	Number of times / 3 months - other activity (#2)	PAC	194
PACE_2X	Number of times / 3 months - other activity (#3)	PAC	195
PACE_2Z	Number of times / 3 months - soccer	PAC	192
PACE_3A	Time spent - walking for exercise	PAC	172
PACE_3B	Time spent - gardening or yard work	PAC	173
PACE_3C	Time spent - swimming	PAC	174
PACE_3D	Time spent - bicycling	PAC	175
PACE_3E	Time spent - popular or social dance	PAC	176
PACE_3F	Time spent - home exercises	PAC	177
PACE_3G	Time spent - ice hockey	PAC	178
PACE_3H	Time spent - ice skating	PAC	179
PACE_3I	Time spent - in-line skating or rollerblading	PAC	180
PACE_3J	Time spent - jogging or running	PAC	181
PACE_3K	Time spent - golfing	PAC	182
PACE_3L	Time spent - exercise class or aerobics	PAC	183
PACE_3M	Time spent - downhill skiing or snowboarding	PAC	184
PACE_3N	Time spent - bowling	PAC	185
PACE_3O	Time spent - baseball or softball	PAC	186
PACE_3P	Time spent - tennis	PAC	187
PACE_3Q	Time spent - weight-training	PAC	188
PACE_3R	Time spent - fishing	PAC	189
PACE_3S	Time spent - volleyball	PAC	190
PACE_3T	Time spent - basketball	PAC	191
PACE_3U	Time spent - other activity (#1)	PAC	193
PACE_3W	Time spent - other activity (#2)	PAC	194
PACE_3X	Time spent - other activity (#3)	PAC	195
PACE_3Z	Time spent - soccer	PAC	192
PACE_4A	Number of hours walking - to work or to school	PAC	196
PACE_4B	Number of hours biking - to work or to school	PAC	197
PACE_6	Level of physical activity for usual day	PAC	198
PACEDEE	Daily energy expenditure - (D)	PAC	198
PACEDFM	Monthly frequency - physical activity lasting >15 min. - (D)	PAC	199
PACEDFR	Frequency of all physical activity > 15 min. - (D)	PAC	200
PACEDPAI	Physical activity index - (D)	PAC	201



# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 17

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
PACEFD	Participant in daily physical activity > 15 min. - (F)	PAC	200
PACEFLEI	Participant in leisure physical activity - (F)	PAC	199
PAPE_020	Ever had PAP smear test	PAP	137
PAPE_022	Last time had PAP smear test	PAP	138
PAPE_26A	No PAP smear - have not gotten around to it	PAP	138
PAPE_26B	No PAP smear - respondent didn't think necessary	PAP	139
PAPE_26C	No PAP smear - doctor didn't think necessary	PAP	139
PAPE_26D	No PAP smear - personal / family responsibilities	PAP	140
PAPE_26E	No PAP smear - not available when required	PAP	140
PAPE_26F	No PAP smear - not available in area	PAP	141
PAPE_26G	No PAP smear - waiting time too long	PAP	141
PAPE_26H	No PAP smear - transportation problems	PAP	142
PAPE_26I	No PAP smear - language problem	PAP	142
PAPE_26J	No PAP smear - cost	PAP	143
PAPE_26K	No PAP smear - did not know where to go	PAP	143
PAPE_26L	No PAP smear - fear	PAP	144
PAPE_26M	No PAP smear - hysterectomy	PAP	144
PAPE_26N	No PAP smear - hate / dislike having one done	PAP	145
PAPE_26O	No PAP smear - other	PAP	146
PAPE_26P	No PAP smear - unable to leave house / health problem	PAP	145
PASZ_11	Received health care services	PAS	296
PASZ_12	Rating of quality of care received	PAS	296
PASZ_13	Satisfaction with way care provided	PAS	297
PASZ_21A	Received health care services at hospital	PAS	298
PASZ_21B	Type of patient - most recent visit	PAS	298
PASZ_22	Rating of quality of care received - hospital	PAS	299
PASZ_23	Satisfaction with way care provided - hospital	PAS	300
PASZ_31A	Received physician care	PAS	301
PASZ_31B	Type of physician - most recent care	PAS	301
PASZ_32	Rating of quality of care received - physician	PAS	302
PASZ_33	Satisfaction with way care provided - physician	PAS	303
PASZ_41	Received community-based care	PAS	304
PASZ_42	Rating of quality of care received - community-based	PAS	304
PASZ_43	Satisfaction with way care provided - community-based	PAS	305
PASZ_51	Used telehealth service	PAS	305
PASZ_52	Rating of quality of service - telehealth	PAS	306
RACE_1	Has difficulty with activities	RAC	111

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 18

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
RACE_2A	Reduction in kind/amount of activities - at home	RAC	111
RACE_2B1	Reduction in kind/amount of activities - at school	RAC	112
RACE_2B2	Reduction in kind/amount of activities - at work	RAC	112
RACE_2C	Reduction in kind/amount of activities - other activities	RAC	113
RACE_5B1	Discrimination due to condition/health problem - life	RAC	115
RACE_5B2	Discrimination due to condition/health problem	RAC	115
RACE_6A	Needs help - preparing meals	RAC	116
RACE_6B1	Needs help - getting to appointments / running errands	RAC	116
RACE_6C	Needs help - doing housework	RAC	117
RACE_6D	Needs help - heavy household chores	RAC	117
RACE_6E	Needs help - personal care	RAC	118
RACE_6F	Needs help - moving about inside the house	RAC	118
RACE_6G	Needs help - looking after personal finances	RAC	119
RACE_7A	Difficulty - making new friends	RAC	119
RACE_7B	Difficulty - dealing with unknown people	RAC	120
RACE_7C	Difficulty - starting / maintaining a conversation	RAC	120
RACE_8A	Cause of difficulties - physical health	RAC	121
RACE_8B	Cause of difficulties - emotional or mental health	RAC	121
RACE_8C	Cause of difficulties - use of alcohol or drugs	RAC	122
RACE_8D	Cause of difficulties - other	RAC	122
RACEDIMP	Impact of health problems - (D)	RAC	123
RACEDPAL	Participation and activity limitation - (D)	RAC	123
RACEF6R	Help needed for tasks - (F)	RAC	124
RACEF7	Difficulty with social situations - (F)	RAC	124
RACEG5	Cause of health problem - (G)	RAC	114
REPE_1	Repetitive strain injury	INJ	254
REPE_4A	Repetitive strain - sports or physical exercise	INJ	256
REPE_4B	Repetitive strain - leisure or hobby	INJ	256
REPE_4C	Repetitive strain - working at a job or business	INJ	257
REPE_4D	Repetitive strain - chores, unpaid work, education	INJ	258
REPE_4E	Repetitive strain - sleeping, eating, personal care	INJ	258
REPE_4F	Repetitive strain - other	INJ	259
REPE_4G	Repetitive strain - travel to or from work	INJ	257
REPEG3	Repetitive strain - body part affected - (G)	INJ	255
SAME_TYP	Sample type	SAM	6
SDCE_8	Current student	SDC	283
SDCE_9	Full-time student or part-time student	SDC	284

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 19

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
SDCEFIMM	Immigrant - (F)	SDC	285
SDCEGCBG	Country of birth - Canada/other - (G)	SDC	284
SDCEGCGT	Cultural or racial origin - (D, G)	SDC	286
SDCEGLNG	Languages - can converse - (D, G)	SDC	286
SDCEGRES	Length of time in Canada since immigration - (D, G)	SDC	285
SMKE_01A	Smoked 100 or more cigarettes - life	SMK	201
SMKE_01B	Ever smoked whole cigarette	SMK	202
SMKE_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	206
SMKE_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	207
SMKE_05D	Ever smoked cigarettes daily	SMK	207
SMKE_06A	Stopped smoking - when (was never a daily smoker)	SMK	208
SMKE_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	210
SMKE_10	Quit smoking completely (former daily smoker)	SMK	211
SMKE_10A	Stopped smoking completely - when (former daily smoker)	SMK	212
SMKE_202	Type of smoker	SMK	204
SMKE_204	Number of cigarettes smoked per day (daily smoker)	SMK	206
SMKE_208	Number of cigarettes smoked per day (former daily smoker)	SMK	210
SMKEDSTY	Type of smoker - (D)	SMK	213
SMKEDYCS	Number of years smoked (current daily smokers) - (D)	SMK	214
SMKEG01C	Age - smoked first whole cigarette - (G)	SMK	203
SMKEG06C	Number of years since stopped smoking - (G)	SMK	208
SMKEG09C	Yrs since stopped smoking daily (former daily smoker) - (G)	SMK	211
SMKEG10C	Number of years since stopped smoking (daily) - (G)	SMK	213
SMKEG203	Age - started smoking daily (daily smoker) - (G)	SMK	205
SMKEG207	Age - started smoking daily (former daily smoker) - (G)	SMK	209
SMKEGSTP	Number of years since stopping smoking completely - (D, G)	SMK	214
SXBE_07	Ever diagnosed with STD	SXB	272
SXBE_09	Important to avoid getting pregnant	SXB	273
SXBE_1	Ever had sexual intercourse	SXB	271
SXBE_10	Important to avoid getting partner pregnant	SXB	274
SXBE_11	Usually use birth control - past 12 months	SXB	275
SXBE_12A	Usual birth control method - condom	SXB	275
SXBE_12B	Usual birth control method - Birth control pill	SXB	276
SXBE_12C	Usual birth control method - diaphragm	SXB	276
SXBE_12D	Usual birth control method - spermicide	SXB	277
SXBE_12E	Usual birth control method - other	SXB	278
SXBE_12F	Usual birth control method - birth control injection	SXB	277

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 20

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
SXBE_13A	Birth control method used last time - condom	SXB	278
SXBE_13B	Birth control method used last time - birth control pill	SXB	279
SXBE_13C	Birth control method used last time - diaphragm	SXB	279
SXBE_13D	Birth control method used last time - spermicide	SXB	280
SXBE_13E	Birth control method used last time - other	SXB	280
SXBE_13F	Birth cntrl. method used last time - birth control injection	SXB	281
SXBE_13G	Method used last time - nothing	SXB	281
SXBE_3	Had sexual intercourse - past 12 months	SXB	271
SXBE_7A	Condom use - last time	SXB	272
TWDE_1	Stayed in bed - because of illness or injury - past 14 days	TWD	125
TWDE_3	Reduced activities - because of illness or injury	TWD	125
TWDEDDDM	No. disability days - emotional/mental hlth, alc/drugs - (D)	TWD	127
TWDEDDDP	No. of disability days - physical illness or injury - (D)	TWD	128
TWDEDDDY	Total number of disability days in past 14 days - (D)	TWD	126
WTMZ_01	Required visit to medical specialist	WTM	388
WTMZ_02	Saw medical specialist - type of condition	WTM	389
WTMZ_03	Person who referred respondent to medical specialist	WTM	390
WTMZ_04	Already visited the medical specialist	WTM	390
WTMZ_05	Had difficulties seeing the medical specialist	WTM	391
WTMZ_06A	Difficulty - getting a referral	WTM	391
WTMZ_06B	Difficulty - getting an appointment	WTM	392
WTMZ_06C	Difficulty - no specialists in area	WTM	392
WTMZ_06D	Difficulty - waited too long for an appointment	WTM	393
WTMZ_06E	Difficulty - waited too long to see doctor	WTM	393
WTMZ_06F	Difficulty - transportation	WTM	394
WTMZ_06G	Difficulty - language	WTM	394
WTMZ_06H	Difficulty - cost	WTM	395
WTMZ_06I	Difficulty - personal or family responsibilities	WTM	395
WTMZ_06J	Difficulty - general deterioration of health	WTM	396
WTMZ_06K	Difficulty - appointment cancelled/deferred	WTM	396
WTMZ_06L	Difficulty - unable to leave house/health problem	WTM	397
WTMZ_06M	Difficulty - other	WTM	397
WTMZ_07A	Length of wait to see specialist	WTM	398
WTMZ_07B	Length of wait to see specialist - reporting unit	WTM	398
WTMZ_08A	Length of time been waiting to see specialist	WTM	399
WTMZ_08B	Length of time been waiting to see specialist - report. unit	WTM	399
WTMZ_10	Respondent's opinion of waiting time	WTM	400

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 21

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
WTMZ_11A	Acceptable waiting time	WTM	400
WTMZ_11B	Acceptable waiting time - reporting unit	WTM	401
WTMZ_12	Visit to specialist cancelled or postponed	WTM	401
WTMZ_13A	Visit cancelled/postponed - by respondent	WTM	402
WTMZ_13B	Visit cancelled/postponed - by specialist	WTM	402
WTMZ_13C	Visit cancelled/postponed - by other	WTM	403
WTMZ_14	Life affected by wait for visit to specialist	WTM	403
WTMZ_15A	Life affected by wait - worry	WTM	404
WTMZ_15B	Life affected by wait - worry for family	WTM	404
WTMZ_15C	Life affected by wait - pain	WTM	405
WTMZ_15D	Life affected by wait - prob. with activities/daily living	WTM	405
WTMZ_15E	Life affected by wait - loss of work	WTM	406
WTMZ_15F	Life affected by wait - loss of income	WTM	406
WTMZ_15G	Life affected by wait - increased dependence	WTM	407
WTMZ_15H	Life affected by wait - increased use medications	WTM	407
WTMZ_15I	Life affected by wait - health deteriorated	WTM	408
WTMZ_15J	Life affected by wait - health problem improved	WTM	408
WTMZ_15K	Life affected by wait - pers. relationships suffered	WTM	409
WTMZ_15L	Life affected by wait - other	WTM	409
WTMZ_16	Type of surgery required	WTM	410
WTMZ_17	Already had the surgery	WTM	411
WTMZ_18	Surgery required overnight hospital stay	WTM	411
WTMZ_19	Experienced difficulties getting this surgery	WTM	412
WTMZ_20A	Difficulty - getting an appointment	WTM	412
WTMZ_20B	Difficulty - getting a diagnosis	WTM	413
WTMZ_20C	Difficulty - waited too long for a diagnostic test	WTM	413
WTMZ_20D	Difficulty - waited too long for a hospital bed	WTM	414
WTMZ_20E	Difficulty - waited too long for surgery	WTM	414
WTMZ_20F	Difficulty - service not available in area	WTM	415
WTMZ_20G	Difficulty - transportation	WTM	415
WTMZ_20H	Difficulty - language	WTM	416
WTMZ_20I	Difficulty - cost	WTM	416
WTMZ_20J	Difficulty - personal or family responsibilities	WTM	417
WTMZ_20K	Difficulty - general deterioration of health	WTM	417
WTMZ_20L	Difficulty - appointment cancelled/deferred	WTM	418
WTMZ_20M	Difficulty - unable to leave house/health problem	WTM	418
WTMZ_20N	Difficulty - other	WTM	419

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 22

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
WTMZ_21A	Length of wait between decision and surgery	WTM	419
WTMZ_21B	Length of wait between decision and surgery - reported unit	WTM	420
WTMZ_22	Surgery will require overnight hospital stay	WTM	420
WTMZ_23A	Time since decision to have surgery	WTM	421
WTMZ_23B	Time since decision to have surgery - reported unit	WTM	421
WTMZ_24	Respondent's opinion of waiting time	WTM	422
WTMZ_25A	Acceptable waiting time	WTM	422
WTMZ_25B	Acceptable waiting time - reported unit	WTM	423
WTMZ_26	Surgery cancelled or postponed	WTM	423
WTMZ_27A	Surgery cancelled/postponed - by respondent	WTM	424
WTMZ_27B	Surgery cancelled/postponed - by surgeon	WTM	424
WTMZ_27C	Surgery cancelled/postponed - by hospital	WTM	425
WTMZ_27D	Surgery cancelled/postponed - other	WTM	425
WTMZ_28	Life affected by wait for surgery	WTM	426
WTMZ_29A	Life affected by wait - worry	WTM	426
WTMZ_29B	Life affected by wait - worry for family	WTM	427
WTMZ_29C	Life affected by wait - pain	WTM	427
WTMZ_29D	Life affected by wait - prob. with activities/daily living	WTM	428
WTMZ_29E	Life affected by wait - loss of work	WTM	428
WTMZ_29F	Life affected by wait - loss of income	WTM	429
WTMZ_29G	Life affected by wait - increased dependence	WTM	429
WTMZ_29H	Life affected by wait - increased used of medication	WTM	430
WTMZ_29I	Life affected by wait - health deteriorated	WTM	430
WTMZ_29J	Life affected by wait - health problem improved	WTM	431
WTMZ_29K	Life affected by wait - personal relationships suffered	WTM	431
WTMZ_29L	Life affected by wait - other	WTM	432
WTMZ_30	Type of diagnostic test required	WTM	432
WTMZ_31	Had diagnostic test - type of condition	WTM	433
WTMZ_32	Already had diagnostic test	WTM	433
WTMZ_33	Location of test	WTM	434
WTMZ_34	Location of clinic	WTM	434
WTMZ_35	Patient in hospital at time of test	WTM	435
WTMZ_36	Had difficulties getting the diagnostic test	WTM	435
WTMZ_37A	Difficulty - getting a referral	WTM	436
WTMZ_37B	Difficulty - getting an appointment	WTM	436
WTMZ_37C	Difficulty - waited too long to get an appointment	WTM	437
WTMZ_37D	Difficulty - waited long to get test	WTM	437

# CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 23

## Public Use Microdata File

August 2006

Variable Name	Description	Section	Page
WTMZ_37E	Difficulty - service not available at time required	WTM	438
WTMZ_37F	Difficulty - service not available in area	WTM	438
WTMZ_37G	Difficulty - transportation	WTM	439
WTMZ_37H	Difficulty - language	WTM	439
WTMZ_37I	Difficulty - cost	WTM	440
WTMZ_37J	Difficulty - general deterioration of health	WTM	440
WTMZ_37K	Difficulty - did not know where to get information	WTM	441
WTMZ_37L	Difficulty - unable to leave house/health problem	WTM	441
WTMZ_37M	Difficulty - other	WTM	442
WTMZ_38A	Length of wait between decision and test	WTM	442
WTMZ_38B	Length of wait between decision and test - reporting unit	WTM	443
WTMZ_39A	Length of time been waiting for diagnostic test	WTM	443
WTMZ_39B	Length of time been waiting for diagnostic test - unit	WTM	444
WTMZ_40	Respondent's opinion of waiting time	WTM	444
WTMZ_41A	Acceptable waiting time	WTM	445
WTMZ_41B	Acceptable waiting time - unit	WTM	445
WTMZ_42	Test cancelled or postponed	WTM	446
WTMZ_43	Test cancelled or postponed by	WTM	446
WTMZ_44	Life affected by wait for test	WTM	447
WTMZ_45A	Life affected by wait - worry	WTM	447
WTMZ_45B	Life affected by wait - worry for family	WTM	448
WTMZ_45C	Life affected by wait - pain	WTM	448
WTMZ_45D	Life affected by wait - prob. with activities/daily living	WTM	449
WTMZ_45E	Life affected by wait - loss of work	WTM	449
WTMZ_45F	Life affected by wait - loss of income	WTM	450
WTMZ_45G	Life affected by wait - increased dependence	WTM	450
WTMZ_45H	Life affected by wait - increased use medications	WTM	451
WTMZ_45I	Life affected by wait - health deteriorated	WTM	451
WTMZ_45J	Life affected by wait - health problem improved	WTM	452
WTMZ_45K	Life affected by wait - personal relationships suffered	WTM	452
WTMZ_45L	Life affected by wait - other	WTM	453
WTMZDCA	Number of days acceptable wait - non emergency surgery - (D)	WTM	453
WTMZDCN	Number of days wait - non-urgent surgery - not done - (D)	WTM	454
WTMZDCO	Number of days wait - non-urgent surgery - surgery done - (D)	WTM	454
WTMZDSA	Number of days acceptable wait - med. specialist - (D)	WTM	455
WTMZDSN	Number/days wait/medical specialist - not seen spec. - (D)	WTM	455
WTMZDSO	Number/days wait/medical specialist - seen specialist - (D)	WTM	456

---

## CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 24

### Public Use Microdata File

August 2006

---

Variable Name	Description	Section	Page
WTMZDTA	Number of days acceptable wait - diagnostic test - (D)	WTM	456
WTMZDTN	Number of days wait - diagnostic test - not done - (D)	WTM	457
WTMZDTO	Number of days wait - diagnostic test - done - (D)	WTM	457
WTSE_S3M	Weights - Master	WTS	457
YSME_2	Bought cigarettes for self or others	YSM	215
YSME_3	Age asked when buying cigarettes in store	YSM	216
YSME_4	Someone refused to sell cigarettes	YSM	216
YSME_5	Asked a stranger to buy cigarettes	YSM	217
YSMEG1	Source of cigarettes - (G)	YSM	215