

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 1

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ACCZ_10	Required visit to medical specialist	ACC	413
ACCZ_11	Experienced difficulties getting specialist care	ACC	414
ACCZ_12A	Difficulty - getting a referral	ACC	414
ACCZ_12B	Difficulty - getting an appointment	ACC	415
ACCZ_12C	Difficulty - no specialists in area	ACC	415
ACCZ_12D	Difficulty - waited too long for an appointment	ACC	416
ACCZ_12E	Difficulty - waited too long to see doc.	ACC	416
ACCZ_12F	Difficulty - transportation	ACC	417
ACCZ_12G	Difficulty - language	ACC	417
ACCZ_12H	Difficulty - cost	ACC	418
ACCZ_12I	Difficulty - personal or family responsibilities	ACC	418
ACCZ_12J	Difficulty - general deterioration of health	ACC	419
ACCZ_12K	Difficulty - appointment cancelled/deferred	ACC	419
ACCZ_12L	Difficulty - still waiting for visit	ACC	420
ACCZ_12M	Difficulty - unable to leave house / health problem	ACC	420
ACCZ_12N	Difficulty - other	ACC	421
ACCZ_20	Required non-emergency surgery	ACC	421
ACCZ_21	Experienced difficulties getting non-emerg. surgery	ACC	422
ACCZ_22A	Difficulty - getting an appointment with a surgeon	ACC	422
ACCZ_22B	Difficulty - getting a diagnosis	ACC	422
ACCZ_22C	Difficulty - waited too long for a diagnostic test	ACC	423
ACCZ_22D	Difficulty - waited too long for a hospital bed	ACC	423
ACCZ_22E	Difficulty - waited too long for surgery	ACC	423
ACCZ_22F	Difficulty - service not available in area	ACC	424
ACCZ_22G	Difficulty - transportation	ACC	424
ACCZ_22H	Difficulty - language	ACC	424
ACCZ_22I	Difficulty - cost	ACC	425

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 2

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ACCZ_22J	Difficulty - personal or family responsibilities	ACC	425
ACCZ_22K	Difficulty - general deterioration of health	ACC	425
ACCZ_22L	Difficulty - appointment cancelled/deferred	ACC	426
ACCZ_22M	Difficulty - still waiting for surgery	ACC	426
ACCZ_22N	Difficulty - unable to leave house / health problem	ACC	426
ACCZ_22O	Difficulty - other	ACC	427
ACCZ_30	Required MRI, CT Scan, angiography	ACC	427
ACCZ_31	Experienced difficulties getting test	ACC	427
ACCZ_32A	Difficulty - getting a referral	ACC	428
ACCZ_32B	Difficulty - getting an appointment	ACC	428
ACCZ_32C	Difficulty - waited too long to get an appointment	ACC	428
ACCZ_32D	Difficulty - waited too long to get test	ACC	429
ACCZ_32E	Difficulty - service not available at time required	ACC	429
ACCZ_32F	Difficulty - service not available in the area	ACC	429
ACCZ_32G	Difficulty - transportation	ACC	430
ACCZ_32H	Difficulty - language	ACC	430
ACCZ_32I	Difficulty - cost	ACC	430
ACCZ_32J	Difficulty - general deterioration of health	ACC	431
ACCZ_32K	Difficulty - did not know where to go	ACC	431
ACCZ_32L	Difficulty - still waiting for test	ACC	431
ACCZ_32M	Difficulty - unable to leave house / health problem	ACC	432
ACCZ_32N	Difficulty - other	ACC	432
ACCZ_40	Required health information for self or family member	ACC	432
ACCZ_40A	Contact for health information - doctor's office	ACC	433
ACCZ_40B	Contact for health information - community hlth ctr / CLSC	ACC	433
ACCZ_40C	Contact for health information - walk-in clinic	ACC	434
ACCZ_40D	Contact for health information - telephone health line	ACC	434

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 3

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ACCZ_40E	Contact for health information - emergency room	ACC	435
ACCZ_40F	Contact for health information - other hospital service	ACC	435
ACCZ_40G	Contact for health information - other	ACC	436
ACCZ_41	Experienced diff. getting health information - self/family	ACC	436
ACCZ_42	Experienced difficulties during regular hours	ACC	437
ACCZ_43A	Difficulty - contacting a physician or nurse	ACC	437
ACCZ_43B	Difficulty - did not have a phone number	ACC	438
ACCZ_43C	Difficulty - could not get through	ACC	438
ACCZ_43D	Difficulty - waited too long to speak to someone	ACC	439
ACCZ_43E	Difficulty - did not get adequate info or advice	ACC	439
ACCZ_43F	Difficulty - language	ACC	440
ACCZ_43G	Difficulty - did not know where to go/call/uninformed	ACC	440
ACCZ_43H	Difficulty - unable to leave house / health problem	ACC	441
ACCZ_43I	Difficulty - other	ACC	441
ACCZ_44	Experienced difficulties during evenings/weekends	ACC	442
ACCZ_45A	Difficulty - contacting a physican or nurse	ACC	442
ACCZ_45B	Difficulty - did not have a phone number	ACC	443
ACCZ_45C	Difficulty - could not get through	ACC	443
ACCZ_45D	Difficulty - waited too long to speak to someone	ACC	444
ACCZ_45E	Difficulty - did not get adequate info or advice	ACC	444
ACCZ_45F	Difficulty - language	ACC	445
ACCZ_45G	Difficulty - did not know where to go/call/uninformed	ACC	445
ACCZ_45H	Difficulty - unable to leave house / health problem	ACC	446
ACCZ_45I	Difficulty - other	ACC	446
ACCZ_46	Experienced difficulties during middle of night	ACC	447
ACCZ_47A	Difficulty - contacting a physican or nurse	ACC	447
ACCZ_47B	Difficulty - did not have a phone number	ACC	448

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 4

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ACCZ_47C	Difficulty - could not get through	ACC	448
ACCZ_47D	Difficulty - waited too long to speak to someone	ACC	449
ACCZ_47E	Difficulty - did not get adequate info or advice	ACC	449
ACCZ_47F	Difficulty - language	ACC	450
ACCZ_47G	Difficulty - did not know where to go/call/uninformed	ACC	450
ACCZ_47H	Difficulty - unable to leave house / health problem	ACC	451
ACCZ_47I	Difficulty - other	ACC	451
ACCZ_50	Required routine care for self/family	ACC	452
ACCZ_50A	Has a regular family doctor	ACC	452
ACCZ_51	Experienced diff. getting routine/on-going care - self/fam.	ACC	453
ACCZ_52	Experienced difficulties during regular hours	ACC	453
ACCZ_53A	Difficulty - contacting a physician	ACC	454
ACCZ_53B	Difficulty - getting an appointment	ACC	454
ACCZ_53C	Difficulty - do not have a family physician	ACC	455
ACCZ_53D	Difficulty - waited too long to get an appointment	ACC	455
ACCZ_53E	Difficulty - waited too long to see doc.	ACC	456
ACCZ_53F	Difficulty - service not available at time required	ACC	456
ACCZ_53G	Difficulty - service not available in the area	ACC	457
ACCZ_53H	Difficulty - transportation	ACC	457
ACCZ_53I	Difficulty - language	ACC	458
ACCZ_53J	Difficulty - cost	ACC	458
ACCZ_53K	Difficulty - did not know where to go	ACC	459
ACCZ_53L	Difficulty - unable to leave house / health problem	ACC	459
ACCZ_53M	Difficulty - other	ACC	460
ACCZ_54	Experienced difficulties during evenings/weekends	ACC	460
ACCZ_55A	Difficulty - contacting a physician	ACC	461
ACCZ_55B	Difficulty - getting an appointment	ACC	461

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 5

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ACCZ_55C	Difficulty - do not have a family physician	ACC	461
ACCZ_55D	Difficulty - waited too long to get an appointment	ACC	462
ACCZ_55E	Difficulty - waited too long to see doc.	ACC	462
ACCZ_55F	Difficulty - service not available at time required	ACC	462
ACCZ_55G	Difficulty - service not available in the area	ACC	463
ACCZ_55H	Difficulty - transportation	ACC	463
ACCZ_55I	Difficulty - language	ACC	463
ACCZ_55J	Difficulty - cost	ACC	464
ACCZ_55K	Difficulty - did not know where to go	ACC	464
ACCZ_55L	Difficulty - unable to leave house / health problem	ACC	464
ACCZ_55M	Difficulty - other	ACC	465
ACCZ_60	Required immediate care/minor health problem - self/family	ACC	465
ACCZ_61	Experienced difficulties getting immediate care - self/fam.	ACC	466
ACCZ_62	Experienced difficulties during regular hours	ACC	466
ACCZ_63A	Difficulty - contacting a physician	ACC	467
ACCZ_63B	Difficulty - getting an appointment	ACC	467
ACCZ_63C	Difficulty - do not have a family physician	ACC	467
ACCZ_63D	Difficulty - waited too long to get an appointment	ACC	468
ACCZ_63E	Difficulty - waited too long to see doc.	ACC	468
ACCZ_63F	Difficulty - service not available at time required	ACC	468
ACCZ_63G	Difficulty - service not available in the area	ACC	469
ACCZ_63H	Difficulty - transportation	ACC	469
ACCZ_63I	Difficulty - language	ACC	469
ACCZ_63J	Difficulty - cost	ACC	470
ACCZ_63K	Difficulty - did not know where to go	ACC	470
ACCZ_63L	Difficulty - unable to leave house / health problem	ACC	470
ACCZ_63M	Difficulty - other	ACC	471

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 6

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ACCZ_64	Experienced difficulties during evenings/weekends	ACC	471
ACCZ_65A	Difficulty - contacting a physican	ACC	472
ACCZ_65B	Difficulty - getting an appointment	ACC	472
ACCZ_65C	Difficulty - do not have a family physician	ACC	473
ACCZ_65D	Difficulty - waited too long to get an appointment	ACC	473
ACCZ_65E	Difficulty - waited too long to see doc.	ACC	474
ACCZ_65F	Difficulty - service not available at time required	ACC	474
ACCZ_65G	Difficulty - service not available in the area	ACC	475
ACCZ_65H	Difficulty - transportation	ACC	475
ACCZ_65I	Difficulty - language	ACC	476
ACCZ_65J	Difficulty - cost	ACC	476
ACCZ_65K	Difficulty - did not know where to go	ACC	477
ACCZ_65L	Difficulty - unable to leave house / health problem	ACC	477
ACCZ_65M	Difficulty - other	ACC	478
ACCZ_66	Experienced difficulties during middle of night	ACC	478
ACCZ_67A	Difficulty - contacting a physican	ACC	479
ACCZ_67B	Difficulty - getting an appointment	ACC	479
ACCZ_67C	Difficulty - do not have a family physician	ACC	479
ACCZ_67D	Difficulty - waited too long to get an appointment	ACC	480
ACCZ_67E	Difficulty - waited too long to see doc.	ACC	480
ACCZ_67F	Difficulty - service not available at time required	ACC	480
ACCZ_67G	Difficulty - service not available in the area	ACC	481
ACCZ_67H	Difficulty - transportation	ACC	481
ACCZ_67I	Difficulty - language	ACC	481
ACCZ_67J	Difficulty - cost	ACC	482
ACCZ_67K	Difficulty - did not know where to go	ACC	482
ACCZ_67L	Difficulty - unable to leave house / health problem	ACC	482

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 7

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ACCZ_67M	Difficulty - other	ACC	483
ADME_DOI	Day of interview	ADM	14
ADME_LHH	Language of preference - household interview	ADM	17
ADME_MOI	Month of interview	ADM	13
ADME_N09	Interview by telephone or in person	ADM	14
ADME_N10	Respondent alone during interview	ADM	14
ADME_N11	Answers affected by presence of another person	ADM	15
ADME_N12	Language of interview	ADM	16
ADME_PRX	Health Component completed by proxy	ADM	13
ADME_STA	Response status after processing	ADM	12
ADME_YOI	Year of interview	ADM	13
ALCE_1	Drank alcohol in past 12 months	ALC	254
ALCE_2	Frequency of drinking alcohol	ALC	255
ALCE_3	Frequency of having 5 or more drinks	ALC	255
ALCE_5	Drank alcohol in past week	ALC	256
ALCE_5A1	Number of drinks - Sunday	ALC	256
ALCE_5A2	Number of drinks - Monday	ALC	257
ALCE_5A3	Number of drinks - Tuesday	ALC	257
ALCE_5A4	Number of drinks - Wednesday	ALC	258
ALCE_5A5	Number of drinks - Thursday	ALC	258
ALCE_5A6	Number of drinks - Friday	ALC	259
ALCE_5A7	Number of drinks - Saturday	ALC	259
ALCE_5B	Ever had a drink	ALC	260
ALCE_6	Regularly drank more than 12 drinks a week	ALC	260
ALCE_7A	Reason reduced drinking - dieting	ALC	261
ALCE_7B	Reason reduced drinking - athletic training	ALC	261
ALCE_7C	Reason reduced drinking - pregnancy	ALC	262

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 8

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ALCE_7D	Reason reduced drinking - getting older	ALC	262
ALCE_7E	Reason reduced drinking - drinking too much	ALC	263
ALCE_7F	Reason reduced drinking - affected work / studies	ALC	263
ALCE_7G	Reason reduced drinking - interfered with life	ALC	264
ALCE_7H	Reason reduced drinking - affected physical health	ALC	264
ALCE_7I	Reason reduced drinking - affected social relationships	ALC	265
ALCE_7J	Reason reduced drinking - affected financial position	ALC	265
ALCE_7K	Reason reduced drinking - affected happiness	ALC	266
ALCE_7L	Reason reduced drinking - influence of family / friends	ALC	266
ALCE_7M	Reason reduced drinking - other	ALC	267
ALCE_7N	Reason reduced drinking - life change	ALC	267
ALCE_8	Age - started drinking alcoholic beverages	ALC	268
ALCEDDLY	Average daily alcohol consumption - (D)	ALC	268
ALCEDTYP	Type of drinker - (D)	ALC	268
ALCEDWKY	Number of drinks - past week - (D)	ALC	269
CCCE_011	Has food allergies	CCC	33
CCCE_021	Has allergies other than food allergies	CCC	33
CCCE_031	Has asthma	CCC	33
CCCE_035	Asthma - had symptoms or attacks	CCC	34
CCCE_036	Asthma - took medication	CCC	34
CCCE_041	Has fibromyalgia	CCC	35
CCCE_051	Has arthritis or rheumatism	CCC	35
CCCE_05A	Kind of arthritis / rheumatism	CCC	36
CCCE_061	Has back problems excluding fibromyalgia and arthritis	CCC	36
CCCE_071	Has high blood pressure	CCC	37
CCCE_072	Ever diagnosed with high blood pressure	CCC	37
CCCE_073	Medication - high blood pressure - past month	CCC	38

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index Master File - 12-Month (Rounded)

Page 9

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
CCCE_074	Did something to reduce or control high blood pressure	CCC	38
CCCE_081	Has migraine headaches	CCC	41
CCCE_101	Has diabetes	CCC	43
CCCE_102	Diabetes - age first diagnosed	CCC	43
CCCE_105	Diabetes - currently takes insulin	CCC	45
CCCE_106	Diabetes - takes pills to control blood sugar	CCC	46
CCCE_10A	Diabetes diagnosed - when pregnant	CCC	44
CCCE_10B	Diabetes diagnosed - other than when pregnant	CCC	44
CCCE_10C	Diabetes diagnosed - when started with insulin	CCC	45
CCCE_111	Has epilepsy	CCC	46
CCCE_121	Has heart disease	CCC	47
CCCE_131	Has cancer	CCC	47
CCCE_13A	Type of cancer - breast	CCC	48
CCCE_13B	Type of cancer - prostate	CCC	49
CCCE_13C	Type of cancer - colorectal	CCC	49
CCCE_13D	Type of cancer - skin melanoma	CCC	50
CCCE_13E	Type of cancer - skin non-melanoma	CCC	50
CCCE_13F	Type of cancer - other	CCC	51
CCCE_141	Has stomach or intestinal ulcers	CCC	51
CCCE_151	Suffers from the effects of a stroke	CCC	52
CCCE_161	Has urinary incontinence	CCC	52
CCCE_171	Has a bowel disorder / Crohn's Disease or colitis	CCC	53
CCCE_17A	Type of bowel disease	CCC	53
CCCE_181	Has Alzheimer's disease or other dementia	CCC	54
CCCE_191	Has cataracts	CCC	54
CCCE_201	Has glaucoma	CCC	55
CCCE_211	Has a thyroid condition	CCC	55

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 10

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
CCCE_251	Has chronic fatigue syndrome	CCC	56
CCCE_261	Suffers from multiple chemical sensitivities	CCC	56
CCCE_271	Has schizophrenia	CCC	57
CCCE_280	Has a mood disorder	CCC	57
CCCE_290	Has an anxiety disorder	CCC	58
CCCE_31A	Ever had cancer	CCC	48
CCCE_321	Has autism or any other developmental disorder	CCC	58
CCCE_331	Has a learning disability	CCC	59
CCCE_33A	Attention Deficit Disorder, no hyperactivity (ADD)	CCC	59
CCCE_33B	Attention Deficit Hyperactivity Disorder (ADHD)	CCC	60
CCCE_33C	Suffers from dyslexia	CCC	60
CCCE_33D	Other learning disability	CCC	61
CCCE_341	Eating disorder such as anorexia or bulimia	CCC	61
CCCE_75A	Follow recommendation - changed diet	CCC	39
CCCE_75B	Follow recommendation - exercised more	CCC	39
CCCE_75C	Follow recommendation - reduced alcohol intake	CCC	40
CCCE_75D	Follow recommendation - other	CCC	40
CCCE_901	Other long-term physical or mental health condition	CCC	62
CCCE_91A	Has chronic bronchitis	CCC	41
CCCE_91E	Has emphysema	CCC	42
CCCE_91F	Has chronic obstructive pulmonary disease	CCC	42
CCCEF1	Has a chronic condition - (F)	CCC	62
DHHE_AGE	Age	DHH	17
DHHE_BED	Dwelling - number of bedrooms	DHH	384
DHHE_DOB	Day of birth	DHH	18
DHHE_MOB	Month of birth	DHH	18
DHHE_MS	Marital Status	DHH	19

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 11

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
DHHE_OWN	Dwelling - owned by a member of household	DHH	384
DHHE_SEX	Sex	DHH	19
DHHE_YOB	Year of birth	DHH	17
DHHED611	Number of persons 6 to 11 years old in household - (D)	DHH	381
DHHEDDWE	Type of dwelling - (D)	DHH	383
DHHEDECF	Household type - (D)	DHH	382
DHHEDHSZ	Household size - (D)	DHH	381
DHHEDL12	Number of persons less than 12 years old in household - (D)	DHH	381
DHHEDLE5	Number of persons 5 years old or less in household - (D)	DHH	381
DHHEDLVG	Living arrangement of selected respondent - (D)	DHH	383
EDUE_1	Highest grade of elementary or high school completed	EDU	377
EDUE_2	Graduated from high school (2ndary school)	EDU	377
EDUE_3	Received any other education	EDU	378
EDUE_4	Highest degree, certificate or diploma obtained	EDU	378
EDUEDH04	Highest level of education – household, 4 levels - (D)	EDU	379
EDUEDH10	Highest level of education - household, 10 levels - (D)	EDU	379
EDUEDR04	Highest level of education - respondent, 4 levels - (D)	EDU	380
EDUEDR10	Highest level of education - respondent, 10 levels - (D)	EDU	380
ETSE_10	Someone smokes inside home	ETS	250
ETSE_11	Number of people who smoke inside home	ETS	250
ETSE_20	Exposed to second-hand smoke in private vehicle	ETS	251
ETSE_20B	Exposed to second-hand smoke in public places	ETS	251
ETSE_5	Restrictions against smoking cigarettes in home	ETS	252
ETSE_6A	Smoking restrictions - not permitted in home	ETS	252
ETSE_6B	Smoking restrictions - permitted in certain rooms only	ETS	253
ETSE_6C	Smoking restrictions - not in presence of young children	ETS	253
ETSE_6D	Smoking restrictions - other	ETS	254

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 12

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
ETSE_7	Smoking restrictions at place of work	ETS	317
FLUE_160	Ever had a flu shot	FLU	168
FLUE_162	Had flu shot - last time	FLU	169
FLUE_66A	No flu shot - have not gotten around to it	FLU	169
FLUE_66B	No flu shot - respondent didn't think it was necessary	FLU	170
FLUE_66C	No flu shot - doctor didn't think it was necessary	FLU	170
FLUE_66D	No flu shot - personal or family responsibilities	FLU	171
FLUE_66E	No flu shot - not available at time required	FLU	171
FLUE_66F	No flu shot - not available at all in area	FLU	172
FLUE_66G	No flu shot - waiting time was too long	FLU	172
FLUE_66H	No flu shot - transportation problems	FLU	173
FLUE_66I	No flu shot - language problem	FLU	173
FLUE_66J	No flu shot - cost	FLU	174
FLUE_66K	No flu shot - did not know where to go	FLU	174
FLUE_66L	No flu shot - fear	FLU	175
FLUE_66M	No flu shot - bad reaction to previous shot	FLU	175
FLUE_66N	No flu shot - other	FLU	176
FLUE_66O	No flu shot - unable to leave house / health problem	FLU	176
GENE_01	Self-perceived health	GEN	20
GENE_02	Self-perceived health compared to one year ago	GEN	20
GENE_02A	Satisfaction with life in general	GEN	21
GENE_02B	Self-perceived mental health	GEN	21
GENE_07	Self-perceived stress	GEN	22
GENE_08	Worked at job or business	GEN	22
GENE_09	Self-perceived work stress	GEN	23
GENE_10	Sense of belonging to local community	GEN	23
GENEDHDI	Self-rated health - (D)	GEN	24

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 13

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
GENEDMHI	Self-rated mental health - (D)	GEN	24
GEOE_PRV	Province of residence of respondent	GEO	1
GEOEDCD	Census Division - (D)	GEO	8
GEOEDCMA	Census Metropolitan Area (CMA) - (D)	GEO	9
GEOEDCSD	Census Sub-Division - (D)	GEO	8
GEOEDDA	Dissemination Area - (D)	GEO	7
GEOEDFED	Federal Electoral District - (D)	GEO	8
GEOEDHR4	Health Region of residence of respondent - (D)	GEO	2
GEOEDLHN	Local Health Integrated Networks (LHIN) - Ontario - (D)	GEO	7
GEOEDPC	Postal code - (D)	GEO	11
GEOEDPRG	Health Region Peer Group - (D)	GEO	10
GEOEDSAT	Statistical area classification type - (D)	GEO	8
GEOEDSHR	Sub-Health Region (Québec only) - (D)	GEO	6
GEOEDUR2	Urban and Rural Areas - 2 levels - (D)	GEO	11
GEOEDUR7	Urban and Rural Areas - 7 levels - (D)	GEO	10
HCUE_01	Overnight patient	HCU	67
HCUE_01A	Number of nights as patient	HCU	67
HCUE_02A	Number of consultations - fam. doctor/general practitioner	HCU	68
HCUE_02B	Number of consultations - eye specialist	HCU	68
HCUE_02C	Number of consultations - other medical doctor	HCU	68
HCUE_02D	Number of consultations - nurse	HCU	69
HCUE_02E	Number of consultations - dentist or orthodontist	HCU	69
HCUE_02F	Number of consultations - chiropractor	HCU	69
HCUE_02G	Number of consultations - physiotherapist	HCU	70
HCUE_02H	Number of consultations - social worker or counsellor	HCU	70
HCUE_02I	Number of consultations - psychologist	HCU	70
HCUE_02J	Number of consultations - speech/audiology/ occ. therapist	HCU	71

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 14

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
HCUE_03A	Location of most recent contact - family doctor	HCU	71
HCUE_03C	Location of most recent contact - other medical doctor	HCU	72
HCUE_03D	Location of most recent contact - nurse	HCU	73
HCUE_04	Consulted alternative health care provider	HCU	74
HCUE_04A	Attended self-help group	HCU	74
HCUE_05A	Alternative health care - massage therapist	HCU	75
HCUE_05B	Alternative health care - acupuncturist	HCU	75
HCUE_05C	Alternative health care - homeopath or naturopath	HCU	76
HCUE_05D	Alternative health care - Feldenkrais or Alexander	HCU	76
HCUE_05E	Alternative health care - relaxation therapist	HCU	77
HCUE_05F	Alternative health care - biofeedback teacher	HCU	77
HCUE_05G	Alternative health care - rolfer	HCU	78
HCUE_05H	Alternative health care - herbalist	HCU	78
HCUE_05I	Alternative health care - reflexologist	HCU	79
HCUE_05J	Alternative health care - spiritual healer	HCU	79
HCUE_05K	Alternative health care - religious healer	HCU	80
HCUE_05L	Alternative health care - other	HCU	80
HCUE_06	Unmet health care needs - self-perceived	HCU	81
HCUE_07A	Care not received - not available in area	HCU	81
HCUE_07B	Care not received - not available at time required	HCU	82
HCUE_07C	Care not received - waiting time too long	HCU	82
HCUE_07D	Care not received - felt would be inadequate	HCU	83
HCUE_07E	Care not received - cost	HCU	83
HCUE_07F	Care not received - too busy	HCU	84
HCUE_07G	Care not received - didn't get around to it	HCU	84
HCUE_07H	Care not received - didn't know where to go	HCU	85
HCUE_07I	Care not received - transportation problems	HCU	85

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 15

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
HCUE_07J	Care not received - language problems	HCU	86
HCUE_07K	Care not received - personal or family responsibilities	HCU	86
HCUE_07L	Care not received - dislikes doctors / afraid	HCU	87
HCUE_07M	Care not received - decided not to seek care	HCU	87
HCUE_07N	Care not received - other	HCU	89
HCUE_07O	Care not received - dr didn't think it was necessary	HCU	88
HCUE_07P	Care not received - unable to leave house / health problem	HCU	88
HCUE_08A	Type of care not received - treatment phys. health problem	HCU	89
HCUE_08B	Type of care not received - treatment emotional problem	HCU	90
HCUE_08C	Type of care not received - regular check-up	HCU	90
HCUE_08D	Type of care not received - care of injury	HCU	91
HCUE_08E	Type of care not received - other	HCU	91
HCUE_09A	Location tried to get service - doctor's office	HCU	92
HCUE_09B	Location tried to get service - hospital emergency room	HCU	92
HCUE_09C	Location tried to get service - hospital overnight patient	HCU	93
HCUE_09D	Location tried to get service - hosp. outpatient clinic	HCU	93
HCUE_09E	Location tried to get service - walk-in clinic	HCU	94
HCUE_09F	Location tried to get service - appointment clinic	HCU	94
HCUE_09G	Location tried to get service - community health centre/CLSC	HCU	95
HCUE_09H	Location tried to get service - other	HCU	95
HCUE_1AA	Has regular medical doctor	HCU	62
HCUE_1AC	Language spoken to doctor	HCU	66
HCUE_1BA	Reason has no regular doctor - no one available in area	HCU	63
HCUE_1BB	Reason has no regular doctor - none taking new patients	HCU	63
HCUE_1BC	Reason has no regular doctor - not tried to contact one	HCU	64
HCUE_1BD	Reason has no regular doctor - has left or retired	HCU	64
HCUE_1BE	Reason has no regular doctor - other	HCU	65

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 16

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
HCUE_3A1	Method of most recent contact - family doctor	HCU	72
HCUE_3C1	Method of most recent contact - other medical doctor	HCU	73
HCUE_3D1	Method of most recent contact - nurse	HCU	74
HCUEDMDC	Number of consultations with medical doctor - (D)	HCU	95
HCUEFCOP	Consultations with health professionals - (F)	HCU	96
HMCE_09	Received home care services - cost covered by government	HMC	96
HMCE_10A	Type of govt. home care rec'd - nursing care	HMC	97
HMCE_10B	Type of govt. home care rec'd - health services	HMC	97
HMCE_10C	Type of govt. home care rec'd - personal care	HMC	98
HMCE_10D	Type of govt. home care rec'd - housework	HMC	98
HMCE_10E	Type of govt. home care rec'd - meals	HMC	99
HMCE_10F	Type of govt. home care rec'd - shopping	HMC	99
HMCE_10G	Type of govt. home care rec'd - respite care	HMC	100
HMCE_10H	Type of govt. home care rec'd - other	HMC	100
HMCE_10I	Type of govt. home care rec'd - med. equipment	HMC	101
HMCE_11	Received home care services - cost not covered by government	HMC	101
HMCE_12A	Non govt. home care - provided by nurse from private agency	HMC	102
HMCE_12B	Non govt. home care - provided by homemaker	HMC	102
HMCE_12C	Non govt. home care - provided by neighbour or friend	HMC	103
HMCE_12D	Non govt. home care - provided by family member	HMC	104
HMCE_12E	Non govt. home care - provided by volunteer	HMC	104
HMCE_12F	Non govt. home care - provided by other	HMC	105
HMCE_12G	Non govt. home care - physiotherapist	HMC	103
HMCE_14	Self-perceived unmet home care needs	HMC	127
HMCE_15A	Home care not received - not available / area	HMC	127
HMCE_15B	Home care not received - not available at time required	HMC	128
HMCE_15C	Home care not received - waiting time too long	HMC	128

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 17

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
HMCE_15D	Home care not received - felt would be inadequate	HMC	129
HMCE_15E	Home care not received - cost	HMC	129
HMCE_15F	Home care not received - too busy	HMC	130
HMCE_15G	Home care not received - didn't get around to it	HMC	130
HMCE_15H	Home care not received - didn't know where to go	HMC	131
HMCE_15I	Home care not received - language problems	HMC	131
HMCE_15J	Home care not received - family responsibilities	HMC	132
HMCE_15K	Home care not received - decided not to seek services	HMC	132
HMCE_15L	Home care not received - doctor didn't think necessary	HMC	133
HMCE_15M	Home care not received - other	HMC	133
HMCE_15N	Home care not received - Did not qualify	HMC	134
HMCE_15O	Home care not received - Still waiting for homecare	HMC	134
HMCE_16A	Type of home care needed - nursing care	HMC	135
HMCE_16B	Type of home care needed - health services	HMC	135
HMCE_16C	Type of home care needed - personal care	HMC	136
HMCE_16D	Type of home care needed - housework	HMC	136
HMCE_16E	Type of home care needed - meals	HMC	137
HMCE_16F	Type of home care needed - shopping	HMC	137
HMCE_16G	Type of home care needed - respite care	HMC	138
HMCE_16H	Type of home care needed - other	HMC	138
HMCE_16I	Type of home care needed - Medical equipment or supplies	HMC	139
HMCE_17A	Who contacted for home care - government sponsored program	HMC	139
HMCE_17B	Who contacted for home care - private agency	HMC	140
HMCE_17C	Who contacted for home care - family member or friend	HMC	140
HMCE_17D	Who contacted for home care - volunteer organization	HMC	141
HMCE_17E	Who contacted for home care - other	HMC	141
HMCE_3AA	Home care provided by private agency nurse - nursing care	HMC	105

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 18

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
HMCE_3AB	Home care provided by private agency nurse - health services	HMC	106
HMCE_3AC	Home care provided by private agency nurse - personal care	HMC	106
HMCE_3AD	Home care provided by private agency nurse - housework	HMC	107
HMCE_3AE	Home care provided by private agency nurse - meals	HMC	107
HMCE_3AF	Home care provided by private agency nurse - shopping	HMC	107
HMCE_3AG	Home care provided by private agency nurse - respite care	HMC	108
HMCE_3AH	Home care provided by private agency nurse - other	HMC	108
HMCE_3AI	Home care provided by private agency nurse - med. equip.	HMC	106
HMCE_3BA	Home care by homemaker from private agency - nursing care	HMC	108
HMCE_3BB	Home care by homemaker from private agency - health services	HMC	109
HMCE_3BC	Home care by homemaker from private agency - personal care	HMC	110
HMCE_3BD	Home care by homemaker from private agency - housework	HMC	110
HMCE_3BE	Home care by homemaker from private agency - meals	HMC	110
HMCE_3BF	Home care by homemaker from private agency - shopping	HMC	111
HMCE_3BG	Home care by homemaker from private agency - respite care	HMC	111
HMCE_3BH	Home care by homemaker from private agency - other	HMC	111
HMCE_3BI	Home care by homemaker from private agency - med. equip.	HMC	109
HMCE_3CA	Home care provided by neighbour or friend - nursing care	HMC	115
HMCE_3CB	Home care provided by neighbour or friend - health services	HMC	115
HMCE_3CC	Home care provided by neighbour or friend - personal care	HMC	116
HMCE_3CD	Home care provided by neighbour or friend - housework	HMC	116
HMCE_3CE	Home care provided by neighbour or friend - meals	HMC	116
HMCE_3CF	Home care provided by neighbour or friend - shopping	HMC	117
HMCE_3CG	Home care provided by neighbour or friend - respite	HMC	117
HMCE_3CH	Home care provided by neighbour or friend - other	HMC	117
HMCE_3CI	Home care provided by neighbour or friend - med. equip./sup.	HMC	115
HMCE_3DA	Home care provided by family - nursing care	HMC	118

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 19

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
HMCE_3DB	Home care provided by family - health services	HMC	118
HMCE_3DC	Home care provided by family - personal care	HMC	119
HMCE_3DD	Home care provided by family - housework	HMC	119
HMCE_3DE	Home care provided by family - meal preparation or delivery	HMC	119
HMCE_3DF	Home care provided by family - shopping	HMC	120
HMCE_3DG	Home care provided by family - respite care	HMC	120
HMCE_3DH	Home care provided by family - other	HMC	120
HMCE_3DI	Home care provided by family - medical equipment/supplies	HMC	118
HMCE_3EA	Home care provided by a volunteer - nursing care	HMC	121
HMCE_3EB	Home care provided by a volunteer - health services	HMC	121
HMCE_3EC	Home care provided by a volunteer - personal care	HMC	122
HMCE_3ED	Home care provided by a volunteer - housework	HMC	122
HMCE_3EE	Home care provided by a volunteer - meals	HMC	122
HMCE_3EF	Home care provided by a volunteer - shopping	HMC	123
HMCE_3EG	Home care provided by a volunteer - respite care	HMC	123
HMCE_3EH	Home care provided by a volunteer - other	HMC	123
HMCE_3EI	Home care provided by a volunteer - medical equip./supplies.	HMC	121
HMCE_3FA	Home care provided by other - nursing care	HMC	124
HMCE_3FB	Home care provided by other - health services	HMC	124
HMCE_3FC	Home care provided by other - personal care	HMC	125
HMCE_3FD	Home care provided by other - housework	HMC	125
HMCE_3FE	Home care provided by other - meals	HMC	125
HMCE_3FF	Home care provided by other - shopping	HMC	126
HMCE_3FG	Home care provided by other - respite care	HMC	126
HMCE_3FH	Home care provided by other - other	HMC	126
HMCE_3FI	Home care provided by other - medical equipment or supplies	HMC	124
HMCE_3GA	Home care by private agency physiotherapist - nursing care	HMC	112

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 20

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
HMCE_3GB	Home care by private agency physiotherapist - health serv.	HMC	112
HMCE_3GC	Home care by private agency physiotherapist - personal care	HMC	113
HMCE_3GD	Home care by private agency physiotherapist - housework	HMC	113
HMCE_3GE	Home care by private agency physiotherapist - meal prep.	HMC	113
HMCE_3GF	Home care by private agency physiotherapist - shopping	HMC	114
HMCE_3GG	Home care by private agency physiotherapist - respite care	HMC	114
HMCE_3GH	Home care by private agency physiotherapist - other	HMC	114
HMCE_3GI	Home care by private agency physiotherapist - medical equip.	HMC	112
HMCEFRHC	Received home care - (F)	HMC	142
HWTE_2	Height / self-reported	HWT	25
HWTE_2A	Height - exact height from 1'0" to 1'11" / self-reported	HWT	25
HWTE_2B	Height - exact height from 2'0" to 2'11" / self-reported	HWT	25
HWTE_2C	Height - exact height from 3'0" to 3'11" / self-reported	HWT	26
HWTE_2D	Height - exact height from 4'0" to 4'11" / self-reported	HWT	26
HWTE_2E	Height - exact height from 5'0" to 5'11" / self-reported	HWT	27
HWTE_2F	Height - exact height from 6'0" to 6'11" / self-reported	HWT	28
HWTE_3	Weight / self-reported	HWT	28
HWTE_4	Respondent's opinion of own weight - self-reported	HWT	29
HWTE_N4	Weight - unit of measure in pounds/kilograms / self-reported	HWT	29
HWTEDBMI	Body Mass Index (BMI) / self-report - (D)	HWT	31
HWTEDCOL	BMI class. (12 to 17) / self-report - Cole system - (D)	HWT	32
HWTEDHMT	Height (metres) / self-reported - (D)	HWT	30
HWTEDISW	BMI class. (18 +) / self-report - Intern. standard - (D)	HWT	32
HWTEDWTK	Weight (kilograms) / self-reported - (D)	HWT	31
INCE_1A	Source of household income - wages and salaries	INC	385
INCE_1B	Source of household income - self-employment	INC	385
INCE_1C	Source of household income - dividends and interest	INC	386

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 21

June 2006

Printed: Tuesday June 13, 2006

Variable	Name	Description	Section	Page
INCE_1D		Source of household income - employment insurance	INC	386
INCE_1E		Source of household income - worker's compensation	INC	387
INCE_1F		Source of hh income - benefits from Can. / Que. Pension Plan	INC	387
INCE_1G		Srcce of hh income - pensions, superan. and annuities	INC	388
INCE_1H		Source of household income - Old Age Security / G.I.S.	INC	388
INCE_1I		Source of household income - child tax benefit	INC	389
INCE_1J		Source of household income - social assistance / welfare	INC	389
INCE_1K		Source of household income - child support	INC	390
INCE_1L		Source of household income - alimony	INC	390
INCE_1M		Source of household income - other	INC	391
INCE_1N		Source of household income - none	INC	391
INCE_2		Total household income - main source	INC	392
INCE_3		Total household income - best estimate	INC	393
INCE_3A		Total household income - < \$20,000 or >= \$20,000	INC	393
INCE_3B		Total household income - < \$10,000 or >= \$10,000	INC	394
INCE_3C		Total household income - < \$5,000 or >= \$5,000	INC	394
INCE_3D		Total household income - < \$15,000 or >= \$15,000	INC	395
INCE_3E		Total household income - < \$40,000 or >= \$40,000	INC	395
INCE_3F		Total household income - < \$30,000 or >= \$30,000	INC	396
INCE_3G		Total household income - >= \$40,000	INC	396
INCE_4		Total personal income - best estimate	INC	397
INCE_4A		Total personal income - < \$20,000 or >= \$20,000	INC	397
INCE_4B		Total personal income - < \$10,000 or >= \$10,000	INC	398
INCE_4C		Total personal income - < \$5,000 or >= \$5,000	INC	398
INCE_4D		Total personal income - < \$15,000 or >= \$15,000	INC	399
INCE_4E		Total personal income - < \$40,000 or >= \$40,000	INC	399
INCE_4F		Total personal income - < \$30,000 or >= \$30,000	INC	400

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 22

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
INCE_4G	Total personal income - >= \$40,000	INC	400
INCEDADR	Adjusted household income ratio - (D)	INC	402
INCEDHH	Total household income from all sources - (D)	INC	401
INCEDPER	Total personal income from all sources - (D)	INC	402
INCEDRCA	Household income distribution - (D)	INC	403
INCEDRPR	Household income distribution - provincial level - (D)	INC	404
INCEDRRS	Household income distribution - health region level - (D)	INC	405
INJE_01	Injured in past 12 months	INJ	287
INJE_02	Number of injuries in past 12 months	INJ	287
INJE_03	Most serious injury - month of occurrence	INJ	288
INJE_04	Most serious injury - year of occurrence	INJ	288
INJE_05	Most serious injury - type	INJ	289
INJE_06	Most serious injury - body part affected	INJ	290
INJE_07	Internal organs - body part affected	INJ	291
INJE_08	Most serious injury - place of occurrence	INJ	291
INJE_09	Most serious injury - activity when injured	INJ	292
INJE_10	Most serious injury - result of a fall	INJ	292
INJE_11	Most serious injury - how fell	INJ	293
INJE_12	Most serious injury - cause	INJ	294
INJE_13	Most serious injury - received treatment within 48 hours	INJ	294
INJE_14A	Most serious injury - treated in doctor's office	INJ	295
INJE_14B	Most serious injury - treated in hospital emergency room	INJ	295
INJE_14C	Most serious injury - treated in outpatient clinic	INJ	296
INJE_14D	Most serious injury - treated in walk-in clinic	INJ	296
INJE_14E	Most serious injury - treated in appointment clinic	INJ	297
INJE_14F	Most serious injury - treated in community h. centre / CLSC	INJ	297
INJE_14G	Most serious injury - treated at work	INJ	298

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 23

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
INJE_14H	Most serious injury - treated at school	INJ	298
INJE_14I	Most serious injury - treated at home	INJ	299
INJE_14J	Most serious injury - treated by telephone consultation	INJ	299
INJE_14K	Most serious injury - treated in other place	INJ	300
INJE_15	Most serious injury - admitted to hospital	INJ	300
INJE_16	Other injuries - treated but did not limit normal activities	INJ	301
INJE_17	Other injuries - number	INJ	301
INJEDCAU	Cause of injury - (D)	INJ	302
INJEDCBP	Cause of injury by place of occurrence - (D)	INJ	302
INJEDSTT	Injury Status - (D)	INJ	303
INJEDTBS	Type of injury by body site - (D)	INJ	301
LBSE_01	Worked at job or business last week	LBS	314
LBSE_02	Absent from job or business last week	LBS	315
LBSE_03	Had more than one job or business last week	LBS	315
LBSE_11	Looked for work in past 4 weeks	LBS	316
LBSE_42	Usual number of hours worked - current main job	LBS	316
LBSE_53	Usual number of hours worked - current other job	LBS	317
LBSEDHPW	Total usual hours worked - current jobs - (D)	LBS	318
LBSEDPFT	Current - full-time / part-time status - (D)	LBS	318
LBSEDWSS	Working status last week - 4 groups - (D)	LBS	318
MAME_030	Ever had mammogram	MAM	186
MAME_032	Last time mammogram was done	MAM	190
MAME_037	Presently pregnant	MAM	198
MAME_038	Had a hysterectomy	MAM	199
MAME_31A	Had mammogram - family history	MAM	186
MAME_31B	Had mammogram - regular check-up	MAM	187
MAME_31C	Had mammogram - age	MAM	187

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 24

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
MAME_31D	Had mammogram - previously detected lump	MAM	188
MAME_31E	Had mammogram - follow-up of treatment	MAM	188
MAME_31F	Had mammogram - on hormone replacement therapy	MAM	189
MAME_31G	Had mammogram - breast problem	MAM	189
MAME_31H	Had mammogram - other	MAM	190
MAME_36A	No mammogram - have not gotten around to it - past 2 yrs	MAM	191
MAME_36B	No mammogram - resp. did not think necessary - past 2 yrs	MAM	191
MAME_36C	No mammogram - doctor did not think necessary - past 2 yrs	MAM	192
MAME_36D	No mammogram - personal/family responsibilities - past 2 yrs	MAM	192
MAME_36E	No mammogram - not available when required - past 2 yrs	MAM	193
MAME_36F	No mammogram - not available in the area - past 2 yrs	MAM	193
MAME_36G	No mammogram - waiting time too long - past 2 yrs	MAM	194
MAME_36H	No mammogram - transportation problems - past 2 yrs	MAM	194
MAME_36I	No mammogram - language problem - past 2 yrs	MAM	195
MAME_36J	No mammogram - cost - past 2 yrs	MAM	195
MAME_36K	No mammogram - did not know where to go - past 2 yrs	MAM	196
MAME_36L	No mammogram - fear - past 2 yrs	MAM	196
MAME_36M	No mammogram - other - past 2 yrs	MAM	197
MAME_36N	No mammogram - unable to leave house/hlth prob - past 2 yrs	MAM	197
MAME_36O	No mammogram - Breasts removed / Mastectomy	MAM	198
MEXE_01	Has given birth in the past 5 years	MEX	269
MEXE_01A	Year of birth of last baby	MEX	270
MEXE_02	Took folic acid - before last pregnancy	MEX	270
MEXE_03	Breastfed or tried to breastfeed last child	MEX	270
MEXE_04	Main reason did not breastfeed last child	MEX	271
MEXE_05	Still breastfeeding last child	MEX	271
MEXE_06	Duration of breastfeeding last child	MEX	272

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 25

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
MEXE_07	Age of last baby - other foods added	MEX	273
MEXE_08	Main reason - other foods added	MEX	274
MEXE_09	Gave vitamin D - when breast milk only	MEX	274
MEXE_10	Main reason why stopped breastfeeding	MEX	275
MEXE_20	Type of smoker - last pregnancy	MEX	276
MEXE_21	No. of cigarettes daily - last pregnancy (daily smoker)	MEX	276
MEXE_22	No. of cigarettes daily - last pregnancy (occasional smoker)	MEX	277
MEXE_23	Smoked while breastfeeding last baby (occasional smoker)	MEX	277
MEXE_24	No. of cigarettes daily - while breastfeeding (daily smoker)	MEX	278
MEXE_25	No. of cigarettes daily - while breastfeeding (occ. smoker)	MEX	278
MEXE_26	Second-hand smoke - during or after last pregnancy	MEX	279
MEXE_30	Drank alcohol - last pregnancy	MEX	279
MEXE_31	Frequency of drinking - last pregnancy	MEX	280
MEXE_32	Drank alcohol - while breastfeeding last baby	MEX	280
MEXE_33	Frequency of drinking - while breastfeeding last baby	MEX	281
MEXEDEBF	Duration of exclusive breastfeeding - (D)	MEX	282
MEXEFEB4	Exclusive breastfeeding for at least 4 months - (F)	MEX	282
PACE_1A	Activity / last 3 months - walking	PAC	199
PACE_1B	Activity / last 3 months - gardening or yard work	PAC	200
PACE_1C	Activity / last 3 months - swimming	PAC	200
PACE_1D	Activity / last 3 months - bicycling	PAC	200
PACE_1E	Activity / last 3 months - popular or social dance	PAC	201
PACE_1F	Activity / last 3 months - home exercises	PAC	201
PACE_1G	Activity / last 3 months - ice hockey	PAC	201
PACE_1H	Activity / last 3 months - ice skating	PAC	202
PACE_1I	Activity / last 3 months - in-line skating or rollerblading	PAC	202
PACE_1J	Activity / last 3 months - jogging or running	PAC	202

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 26

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
PACE_1K	Activity / last 3 months - golfing	PAC	203
PACE_1L	Activity / last 3 months - exercise class or aerobics	PAC	203
PACE_1M	Activity / last 3 months - downhill skiing or snowboarding	PAC	203
PACE_1N	Activity / last 3 months - bowling	PAC	204
PACE_1O	Activity / last 3 months - baseball or softball	PAC	204
PACE_1P	Activity / last 3 months - tennis	PAC	204
PACE_1Q	Activity / last 3 months - weight-training	PAC	205
PACE_1R	Activity / last 3 months - fishing	PAC	205
PACE_1S	Activity / last 3 months - volleyball	PAC	205
PACE_1T	Activity / last 3 months - basketball	PAC	206
PACE_1U	Activity / last 3 months - other (#1)	PAC	206
PACE_1V	Activity / last 3 months - no physical activity	PAC	207
PACE_1W	Activity / last 3 months - other (#2)	PAC	207
PACE_1X	Activity / last 3 months - other (#3)	PAC	207
PACE_1Z	Activity / last 3 months - soccer	PAC	206
PACE_2A	Number of times / 3 months - walking for exercise	PAC	208
PACE_2B	Number of times / 3 months - gardening/yard work	PAC	209
PACE_2C	Number of times / 3 months - swimming	PAC	210
PACE_2D	Number of times / 3 months - bicycling	PAC	211
PACE_2E	Number of times / 3 months - popular or social dance	PAC	212
PACE_2F	Number of times / 3 months - home exercises	PAC	213
PACE_2G	Number of times / 3 months - ice hockey	PAC	214
PACE_2H	Number of times / 3 months - ice skating	PAC	215
PACE_2I	Number of times / 3 months- in-line skating or rollerblading	PAC	216
PACE_2J	Number of times / 3 months - jogging or running	PAC	217
PACE_2K	Number of times / 3 months - golfing	PAC	218
PACE_2L	Number of times / 3 months - exercise class or aerobics	PAC	219

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 27

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
PACE_2M	Number of times / 3 months - downhill skiing or snowboarding	PAC	220
PACE_2N	Number of times / 3 months - bowling	PAC	221
PACE_2O	Number of times / 3 months - baseball or softball	PAC	222
PACE_2P	Number of times / 3 months - tennis	PAC	223
PACE_2Q	Number of times / 3 months - weight-training	PAC	224
PACE_2R	Number of times / 3 months - fishing	PAC	225
PACE_2S	Number of times / 3 months - volleyball	PAC	226
PACE_2T	Number of times / 3 months - basketball	PAC	226
PACE_2U	Number of times / 3 months - other activity (#1)	PAC	228
PACE_2W	Number of times / 3 months - other activity (#2)	PAC	229
PACE_2X	Number of times / 3 months - other activity (#3)	PAC	230
PACE_2Z	Number of times / 3 months - soccer	PAC	227
PACE_3A	Time spent - walking for exercise	PAC	208
PACE_3B	Time spent - gardening or yard work	PAC	209
PACE_3C	Time spent - swimming	PAC	210
PACE_3D	Time spent - bicycling	PAC	211
PACE_3E	Time spent - popular or social dance	PAC	212
PACE_3F	Time spent - home exercises	PAC	213
PACE_3G	Time spent - ice hockey	PAC	214
PACE_3H	Time spent - ice skating	PAC	215
PACE_3I	Time spent - in-line skating or rollerblading	PAC	216
PACE_3J	Time spent - jogging or running	PAC	217
PACE_3K	Time spent - golfing	PAC	218
PACE_3L	Time spent - exercise class or aerobics	PAC	219
PACE_3M	Time spent - downhill skiing or snowboarding	PAC	220
PACE_3N	Time spent - bowling	PAC	221
PACE_3O	Time spent - baseball or softball	PAC	222

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 28

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
PACE_3P	Time spent - tennis	PAC	223
PACE_3Q	Time spent - weight-training	PAC	224
PACE_3R	Time spent - fishing	PAC	225
PACE_3S	Time spent - volleyball	PAC	226
PACE_3T	Time spent - basketball	PAC	227
PACE_3U	Time spent - other activity (#1)	PAC	229
PACE_3W	Time spent - other activity (#2)	PAC	230
PACE_3X	Time spent - other activity (#3)	PAC	231
PACE_3Z	Time spent - soccer	PAC	228
PACE_4A	Number of hours walking - to work or to school	PAC	231
PACE_4B	Number of hours biking - to work or to school	PAC	232
PACE_6	Level of physical activity for usual day	PAC	232
PACEDEE	Daily energy expenditure - (D)	PAC	233
PACEDFM	Monthly frequency - physical activity lasting >15 min. - (D)	PAC	233
PACEDFR	Frequency of all physical activity > 15 min. - (D)	PAC	234
PACEDPAI	Physical activity index - (D)	PAC	234
PACEFD	Participant in daily physical activity > 15 min. - (F)	PAC	234
PACEFLEI	Participant in leisure physical activity - (F)	PAC	233
PAPE_020	Ever had PAP smear test	PAP	177
PAPE_022	Last time had PAP smear test	PAP	177
PAPE_26A	No PAP smear - have not gotten around to it	PAP	178
PAPE_26B	No PAP smear - respondent didn't think necessary	PAP	178
PAPE_26C	No PAP smear - doctor didn't think necessary	PAP	179
PAPE_26D	No PAP smear - personal / family responsibilities	PAP	179
PAPE_26E	No PAP smear - not available when required	PAP	180
PAPE_26F	No PAP smear - not available in area	PAP	180
PAPE_26G	No PAP smear - waiting time too long	PAP	181

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 29

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
PAPE_26H	No PAP smear - transportation problems	PAP	181
PAPE_26I	No PAP smear - language problem	PAP	182
PAPE_26J	No PAP smear - cost	PAP	182
PAPE_26K	No PAP smear - did not know where to go	PAP	183
PAPE_26L	No PAP smear - fear	PAP	183
PAPE_26M	No PAP smear - hysterectomy	PAP	184
PAPE_26N	No PAP smear - hate / dislike having one done	PAP	184
PAPE_26O	No PAP smear - other	PAP	185
PAPE_26P	No PAP smear - unable to leave house / health problem	PAP	185
PASZ_11	Received health care services	PAS	405
PASZ_12	Rating of quality of care received	PAS	406
PASZ_13	Satisfaction with way care provided	PAS	406
PASZ_21A	Received health care services at hospital	PAS	407
PASZ_21B	Type of patient - most recent visit	PAS	407
PASZ_22	Rating of quality of care received - hospital	PAS	408
PASZ_23	Satisfaction with way care provided - hospital	PAS	408
PASZ_31A	Received physician care	PAS	409
PASZ_31B	Type of physician - most recent care	PAS	409
PASZ_32	Rating of quality of care received - physician	PAS	410
PASZ_33	Satisfaction with way care provided - physician	PAS	410
PASZ_41	Received community-based care	PAS	411
PASZ_42	Rating of quality of care received - community-based	PAS	411
PASZ_43	Satisfaction with way care provided - community-based	PAS	412
PASZ_51	Used telehealth service	PAS	412
PASZ_52	Rating of quality of service - telehealth	PAS	413
PERSONID	Person identifier of respondent selected - health interview	DHH	1
RACE_1	Has difficulty with activities	RAC	142

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 30

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
RACE_2A	Reduction in kind/amount of activities - at home	RAC	143
RACE_2B1	Reduction in kind/amount of activities - at school	RAC	143
RACE_2B2	Reduction in kind/amount of activities - at work	RAC	144
RACE_2C	Reduction in kind/amount of activities - other activities	RAC	144
RACE_5	Cause of health problem	RAC	145
RACE_5B1	Discrimination due to condition/health problem - life	RAC	146
RACE_5B2	Discrimination due to condition/health problem	RAC	146
RACE_6A	Needs help - preparing meals	RAC	147
RACE_6B1	Needs help - getting to appointments / running errands	RAC	147
RACE_6C	Needs help - doing housework	RAC	148
RACE_6D	Needs help - heavy household chores	RAC	148
RACE_6E	Needs help - personal care	RAC	149
RACE_6F	Needs help - moving about inside the house	RAC	149
RACE_6G	Needs help - looking after personal finances	RAC	150
RACE_7A	Difficulty - making new friends	RAC	150
RACE_7B	Difficulty - dealing with unknown people	RAC	151
RACE_7C	Difficulty - starting / maintaining a conversation	RAC	151
RACE_8A	Cause of difficulties - physical health	RAC	152
RACE_8B	Cause of difficulties - emotional or mental health	RAC	152
RACE_8C	Cause of difficulties - use of alcohol or drugs	RAC	153
RACE_8D	Cause of difficulties - other	RAC	153
RACEDIMP	Impact of health problems - (D)	RAC	154
RACEDPAL	Participation and activity limitation - (D)	RAC	154
RACEF6R	Help needed for tasks - (F)	RAC	154
RACEF7	Difficulty with social situations - (F)	RAC	155
REPE_1	Repetitive strain injury	INJ	283
REPE_3	Repetitive strain - body part affected	INJ	283

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Page 31

Master File - 12-Month (Rounded)

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
REPE_4A	Repetitive strain - sports or physical exercise	INJ	284
REPE_4B	Repetitive strain - leisure or hobby	INJ	284
REPE_4C	Repetitive strain - working at a job or business	INJ	285
REPE_4D	Repetitive strain - chores, unpaid work, education	INJ	286
REPE_4E	Repetitive strain - sleeping, eating, personal care	INJ	286
REPE_4F	Repetitive strain - other	INJ	287
REPE_4G	Repetitive strain - travel to or from work	INJ	285
SAME_CP	Sampled collection period	SAM	11
SAME_TYP	Sample type	SAM	11
SAMEDLNK	Permission to link data - (D)	SAM	12
SAMEDSHR	Permission to share data - (D)	SAM	12
SAMPLEID	Household identifier	SAM	1
SDCE_1	Country of birth	SDC	320
SDCE_2	Canadian citizen by birth	SDC	321
SDCE_3	Year of immigration to Canada	SDC	321
SDCE_41	Aboriginal - North American Indian, Métis, Inuit	SDC	332
SDCE_42A	Aboriginal person(s) - North American Indian	SDC	333
SDCE_42B	Aboriginal person(s) - Métis	SDC	333
SDCE_42C	Aboriginal person(s) - Inuit	SDC	334
SDCE_43A	Cultural / racial origin - White	SDC	334
SDCE_43B	Cultural/racial origin - Chinese	SDC	335
SDCE_43C	Cultural/racial origin - South Asian	SDC	335
SDCE_43D	Cultural/racial origin - Black	SDC	336
SDCE_43E	Cultural/racial origin - Filipino	SDC	336
SDCE_43F	Cultural/racial origin - Latin American	SDC	337
SDCE_43G	Cultural/racial origin - South East Asian	SDC	337
SDCE_43H	Cultural/racial origin - Arab	SDC	338

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 32

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
SDCE_43I	Cultural/racial origin - West Asian	SDC	338
SDCE_43J	Cultural/racial origin - Japanese	SDC	339
SDCE_43K	Ethnic origin - Korean	SDC	339
SDCE_43M	Cultural/racial origin - other	SDC	340
SDCE_4A	Ethnic origin - Canadian	SDC	322
SDCE_4B	Ethnic origin - French	SDC	322
SDCE_4C	Ethnic origin - English	SDC	323
SDCE_4D	Ethnic origin - German	SDC	323
SDCE_4E	Ethnic origin - Scottish	SDC	324
SDCE_4F	Ethnic origin - Irish	SDC	324
SDCE_4G	Ethnic origin - Italian	SDC	325
SDCE_4H	Ethnic origin - Ukrainian	SDC	325
SDCE_4I	Ethnic origin - Dutch (Netherlands)	SDC	326
SDCE_4J	Ethnic origin - Chinese	SDC	326
SDCE_4K	Ethnic origin - Jewish	SDC	327
SDCE_4L	Ethnic origin - Polish	SDC	327
SDCE_4M	Ethnic origin - Portuguese	SDC	328
SDCE_4N	Ethnic origin - South Asian	SDC	328
SDCE_4P	Ethnic origin - North American Indian	SDC	330
SDCE_4Q	Ethnic origin - Métis	SDC	331
SDCE_4R	Ethnic origin - Inuit	SDC	331
SDCE_4S	Ethnic origin - other	SDC	332
SDCE_4T	Ethnic origin - Norwegian	SDC	329
SDCE_4U	Ethnic origin - Welsh	SDC	329
SDCE_4V	Ethnic origin - Swedish	SDC	330
SDCE_5A	Can converse - English	SDC	340
SDCE_5AA	Language spoken most often at home	SDC	352

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 33

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
SDCE_5B	Can converse - French	SDC	341
SDCE_5C	Can converse - Arabic	SDC	341
SDCE_5D	Can converse - Chinese	SDC	342
SDCE_5E	Can converse - Cree	SDC	342
SDCE_5F	Can converse - German	SDC	343
SDCE_5G	Can converse - Greek	SDC	343
SDCE_5H	Can converse - Hungarian	SDC	344
SDCE_5I	Can converse - Italian	SDC	344
SDCE_5J	Can converse - Korean	SDC	345
SDCE_5K	Can converse - Persian (Farsi)	SDC	345
SDCE_5L	Can converse - Polish	SDC	346
SDCE_5M	Can converse - Portuguese	SDC	346
SDCE_5N	Can converse - Punjabi	SDC	347
SDCE_5O	Can converse - Spanish	SDC	347
SDCE_5P	Can converse - Tagalog (Pilipino)	SDC	348
SDCE_5Q	Can converse - Ukrainian	SDC	348
SDCE_5R	Can converse - Vietnamese	SDC	349
SDCE_5S	Can converse - other language	SDC	351
SDCE_5T	Can converse - Dutch	SDC	349
SDCE_5U	Can converse - Hindi	SDC	350
SDCE_5V	Can converse - Russian	SDC	350
SDCE_5W	Can converse - Tamil	SDC	351
SDCE_6A	First language learned and still understood - English	SDC	353
SDCE_6B	First language learned and still understood - French	SDC	353
SDCE_6C	First language learned and still understood - Arabic	SDC	354
SDCE_6D	First language learned and still understood - Chinese	SDC	354
SDCE_6E	First language learned and still understood - Cree	SDC	355

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 34

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
SDCE_6F	First language learned and still understood - German	SDC	355
SDCE_6G	First language learned and still understood - Greek	SDC	356
SDCE_6H	First language learned and still understood - Hungarian	SDC	356
SDCE_6I	First language learned and still understood - Italian	SDC	357
SDCE_6J	First language learned and still understood - Korean	SDC	357
SDCE_6K	First language learned / still understood - Persian (Farsi)	SDC	358
SDCE_6L	First language learned and still understood - Polish	SDC	358
SDCE_6M	First language learned and still understood - Portuguese	SDC	359
SDCE_6N	First language learned and still understood - Punjabi	SDC	359
SDCE_6O	First language learned and still understood - Spanish	SDC	360
SDCE_6P	First lang. learned / still understood - Tagalog	SDC	360
SDCE_6Q	First language learned and still understood - Ukrainian	SDC	361
SDCE_6R	First language learned and still understood - Vietnamese	SDC	361
SDCE_6S	First language learned and still understood - other	SDC	364
SDCE_6T	First language learned and still understood - Dutch	SDC	362
SDCE_6U	First language learned and still understood - Hindi	SDC	362
SDCE_6V	First language learned and still understood - Russian	SDC	363
SDCE_6W	First language learned and still understood - Tamil	SDC	363
SDCE_7A	Cultural / racial origin - White	SDC	364
SDCE_7AA	Considers self heterosexual, homosexual or bisexual	SDC	371
SDCE_7B	Cultural/racial origin - Chinese	SDC	365
SDCE_7BA	Aboriginal person(s) - North American Indian, Métis, Inuit	SDC	371
SDCE_7C	Cultural/racial origin - South Asian	SDC	365
SDCE_7D	Cultural/racial origin - Black	SDC	366
SDCE_7E	Cultural/racial origin - Filipino	SDC	366
SDCE_7F	Cultural/racial origin - Latin American	SDC	367
SDCE_7G	Cultural/racial origin - South East Asian	SDC	367

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 35

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
SDCE_7H	Cultural/racial origin - Arab	SDC	368
SDCE_7I	Cultural/racial origin - West Asian	SDC	368
SDCE_7J	Cultural/racial origin - Japanese	SDC	369
SDCE_7K	Cultural/racial origin - Korean	SDC	369
SDCE_7L	Cultural/racial origin - Aboriginal Peoples of N. America	SDC	370
SDCE_7M	Cultural/racial origin - other	SDC	370
SDCE_8	Current student	SDC	372
SDCE_9	Full-time student or part-time student	SDC	372
SDCECCB	Country of birth - (C)	SDC	372
SDCEDAIM	Age at time of immigration - (D)	SDC	373
SDCEDCGT	Cultural or racial group - (D)	SDC	375
SDCEDFL1	First official language learned and still understood - (D)	SDC	376
SDCEDLNG	Languages - can converse - (D)	SDC	376
SDCEDRES	Length of time in Canada since immigration - (D)	SDC	374
SDCEFABT	Aboriginal origin or identity - (D)	SDC	374
SDCEFIMM	Immigrant - (F)	SDC	373
SDCEFPRD	New version of SDC module - (F)	SDC	319
SDCEGCB	Country of birth - (G)	SDC	373
SDCEGCGT	Cultural or racial origin - (D, G)	SDC	374
SMKE_01A	Smoked 100 or more cigarettes - life	SMK	235
SMKE_01B	Ever smoked whole cigarette	SMK	235
SMKE_01C	Age - smoked first whole cigarette	SMK	235
SMKE_05B	Number of cigarettes smoked per day (occasional smoker)	SMK	237
SMKE_05C	Number of days - smoked 1 cigarette or more (occ. smoker)	SMK	238
SMKE_05D	Ever smoked cigarettes daily	SMK	238
SMKE_06A	Stopped smoking - when (was never a daily smoker)	SMK	239
SMKE_06B	Stopped smoking - month (never daily smoker)	SMK	240

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 36

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
SMKE_06C	Number of years since stopped smoking	SMK	240
SMKE_09A	Stopped smoking daily - when stopped (former daily smoker)	SMK	242
SMKE_09B	Stopped smoking daily - month (former daily smoker)	SMK	243
SMKE_09C	No. of yrs since stopped smoking daily (former daily smoker)	SMK	243
SMKE_10	Quit smoking completely (former daily smoker)	SMK	244
SMKE_10A	Stopped smoking completely - when (former daily smoker)	SMK	244
SMKE_10B	Stopped smoking completely - month (former daily smoker)	SMK	245
SMKE_10C	Number of years since stopped smoking (daily)	SMK	245
SMKE_202	Type of smoker	SMK	236
SMKE_203	Age - started smoking daily (daily smoker)	SMK	236
SMKE_204	Number of cigarettes smoked per day (daily smoker)	SMK	237
SMKE_207	Age - started smoking daily (former daily smoker)	SMK	241
SMKE_208	Number of cigarettes smoked per day (former daily smoker)	SMK	241
SMKEDSTP	Number of years since stopping smoking completely - (D)	SMK	246
SMKEDSTY	Type of smoker - (D)	SMK	246
SMKEDYCS	Number of years smoked (current daily smokers) - (D)	SMK	247
SXBE_07	Ever diagnosed with STD	SXB	305
SXBE_09	Important to avoid getting pregnant	SXB	306
SXBE_1	Ever had sexual intercourse	SXB	303
SXBE_10	Important to avoid getting partner pregnant	SXB	307
SXBE_11	Usually use birth control - past 12 months	SXB	307
SXBE_12A	Usual birth control method - condom	SXB	308
SXBE_12B	Usual birth control method - Birth control pill	SXB	308
SXBE_12C	Usual birth control method - diaphragm	SXB	309
SXBE_12D	Usual birth control method - spermicide	SXB	309
SXBE_12E	Usual birth control method - other	SXB	310
SXBE_12F	Usual birth control method - birth control injection	SXB	310

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 37

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
SXBE_13A	Birth control method used last time - condom	SXB	311
SXBE_13B	Birth control method used last time - birth control pill	SXB	311
SXBE_13C	Birth control method used last time - diaphragm	SXB	312
SXBE_13D	Birth control method used last time - spermicide	SXB	312
SXBE_13E	Birth control method used last time - other	SXB	313
SXBE_13F	Birth cntrl. method used last time - birth control injection	SXB	313
SXBE_13G	Method used last time - nothing	SXB	314
SXBE_2	Age - first sexual intercourse	SXB	304
SXBE_3	Had sexual intercourse - past 12 months	SXB	304
SXBE_4	Number of different partners - past 12 months	SXB	305
SXBE_7A	Condom use - last time	SXB	306
TWDE_1	Stayed in bed - because of illness or injury - past 14 days	TWD	155
TWDE_2	Stayed in bed - number of days	TWD	156
TWDE_2A	One day stayed in bed is due to mental health/drg/alc	TWD	157
TWDE_2B	Number of days stayed in bed due to mental hlth/drg/alc	TWD	157
TWDE_3	Reduced activities - because of illness or injury	TWD	158
TWDE_4	Reduced activities - number of days	TWD	159
TWDE_4A	One day reduced activities due to mental hlth/drg/alc	TWD	160
TWDE_4B	No. of days reduced activities due to mental hlth1drg/alc	TWD	161
TWDE_5A	Took extra effort - because of illness or injury	TWD	162
TWDE_6	Number of days requiring extra effort	TWD	163
TWDE_6A	Single day extra effort due to mental hlth/drg/alc	TWD	164
TWDE_6B	Number of days extra effort due to mental hlth/drg/alc	TWD	165
TWDEDDDM	No. disability days - emotional/mental hlth, alc/drugs - (D)	TWD	167
TWDEDDDP	No. of disability days - physical illness or injury - (D)	TWD	168
TWDEDDDY	Total number of disability days in past 14 days - (D)	TWD	166
WTMZ_01	Required visit to medical specialist	WTM	483

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 38

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
WTMZ_02	Saw medical specialist - type of condition	WTM	484
WTMZ_03	Person who referred respondent to medical specialist	WTM	484
WTMZ_04	Already visited the medical specialist	WTM	485
WTMZ_05	Had difficulties seeing the medical specialist	WTM	485
WTMZ_06A	Difficulty - getting a referral	WTM	486
WTMZ_06B	Difficulty - getting an appointment	WTM	486
WTMZ_06C	Difficulty - no specialists in area	WTM	487
WTMZ_06D	Difficulty - waited too long for an appointment	WTM	487
WTMZ_06E	Difficulty - waited too long to see doctor	WTM	488
WTMZ_06F	Difficulty - transportation	WTM	488
WTMZ_06G	Difficulty - language	WTM	489
WTMZ_06H	Difficulty - cost	WTM	489
WTMZ_06I	Difficulty - personal or family responsibilities	WTM	490
WTMZ_06J	Difficulty - general deterioration of health	WTM	490
WTMZ_06K	Difficulty - appointment cancelled/deferred	WTM	491
WTMZ_06L	Difficulty - unable to leave house/health problem	WTM	491
WTMZ_06M	Difficulty - other	WTM	492
WTMZ_07A	Length of wait to see specialist	WTM	492
WTMZ_07B	Length of wait to see specialist - reporting unit	WTM	493
WTMZ_08A	Length of time been waiting to see specialist	WTM	493
WTMZ_08B	Length of time been waiting to see specialist - report. unit	WTM	494
WTMZ_10	Respondent's opinion of waiting time	WTM	494
WTMZ_11A	Acceptable waiting time	WTM	495
WTMZ_11B	Acceptable waiting time - reporting unit	WTM	495
WTMZ_12	Visit to specialist cancelled or postponed	WTM	496
WTMZ_13A	Visit cancelled/postponed - by respondent	WTM	496
WTMZ_13B	Visit cancelled/postponed - by specialist	WTM	496

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 39

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
WTMZ_13C	Visit cancelled/postponed - by other	WTM	497
WTMZ_14	Life affected by wait for visit to specialist	WTM	497
WTMZ_15A	Life affected by wait - worry	WTM	498
WTMZ_15B	Life affected by wait - worry for family	WTM	498
WTMZ_15C	Life affected by wait - pain	WTM	499
WTMZ_15D	Life affected by wait - prob. with activities/daily living	WTM	499
WTMZ_15E	Life affected by wait - loss of work	WTM	500
WTMZ_15F	Life affected by wait - loss of income	WTM	500
WTMZ_15G	Life affected by wait - increased dependence	WTM	501
WTMZ_15H	Life affected by wait - increased use medications	WTM	501
WTMZ_15I	Life affected by wait - health deteriorated	WTM	502
WTMZ_15J	Life affected by wait - health problem improved	WTM	502
WTMZ_15K	Life affected by wait - pers. relationships suffered	WTM	503
WTMZ_15L	Life affected by wait - other	WTM	503
WTMZ_16	Type of surgery required	WTM	504
WTMZ_17	Already had the surgery	WTM	504
WTMZ_18	Surgery required overnight hospital stay	WTM	505
WTMZ_19	Experienced difficulties getting this surgery	WTM	505
WTMZ_20A	Difficulty - getting an appointment	WTM	506
WTMZ_20B	Difficulty - getting a diagnosis	WTM	506
WTMZ_20C	Difficulty - waited too long for a diagnostic test	WTM	507
WTMZ_20D	Difficulty - waited too long for a hospital bed	WTM	507
WTMZ_20E	Difficulty - waited too long for surgery	WTM	508
WTMZ_20F	Difficulty - service not available in area	WTM	508
WTMZ_20G	Difficulty - transportation	WTM	509
WTMZ_20H	Difficulty - language	WTM	509
WTMZ_20I	Difficulty - cost	WTM	510

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 40

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
WTMZ_20J	Difficulty - personal or family responsibilities	WTM	510
WTMZ_20K	Difficulty - general deterioration of health	WTM	511
WTMZ_20L	Difficulty - appointment cancelled/deferred	WTM	511
WTMZ_20M	Difficulty - unable to leave house/health problem	WTM	512
WTMZ_20N	Difficulty - other	WTM	512
WTMZ_21A	Length of wait between decision and surgery	WTM	513
WTMZ_21B	Length of wait between decision and surgery - reported unit	WTM	513
WTMZ_22	Surgery will require overnight hospital stay	WTM	514
WTMZ_23A	Time since decision to have surgery	WTM	514
WTMZ_23B	Time since decision to have surgery - reported unit	WTM	515
WTMZ_24	Respondent's opinion of waiting time	WTM	515
WTMZ_25A	Acceptable waiting time	WTM	516
WTMZ_25B	Acceptable waiting time - reported unit	WTM	516
WTMZ_26	Surgery cancelled or postponed	WTM	517
WTMZ_27A	Surgery cancelled/postponed - by respondent	WTM	517
WTMZ_27B	Surgery cancelled/postponed - by surgeon	WTM	518
WTMZ_27C	Surgery cancelled/postponed - by hospital	WTM	518
WTMZ_27D	Surgery cancelled/postponed - other	WTM	519
WTMZ_28	Life affected by wait for surgery	WTM	519
WTMZ_29A	Life affected by wait - worry	WTM	520
WTMZ_29B	Life affected by wait - worry for family	WTM	520
WTMZ_29C	Life affected by wait - pain	WTM	521
WTMZ_29D	Life affected by wait - prob. with activities/daily living	WTM	521
WTMZ_29E	Life affected by wait - loss of work	WTM	522
WTMZ_29F	Life affected by wait - loss of income	WTM	522
WTMZ_29G	Life affected by wait - increased dependence	WTM	523
WTMZ_29H	Life affected by wait - increased used of medication	WTM	523

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 41

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
WTMZ_29I	Life affected by wait - health deteriorated	WTM	524
WTMZ_29J	Life affected by wait - health problem improved	WTM	524
WTMZ_29K	Life affected by wait - personal relationships suffered	WTM	525
WTMZ_29L	Life affected by wait - other	WTM	525
WTMZ_30	Type of diagnostic test required	WTM	526
WTMZ_31	Had diagnostic test - type of condition	WTM	526
WTMZ_32	Already had diagnostic test	WTM	527
WTMZ_33	Location of test	WTM	527
WTMZ_34	Location of clinic	WTM	528
WTMZ_35	Patient in hospital at time of test	WTM	528
WTMZ_36	Had difficulties getting the diagnostic test	WTM	529
WTMZ_37A	Difficulty - getting a referral	WTM	529
WTMZ_37B	Difficulty - getting an appointment	WTM	530
WTMZ_37C	Difficulty - waited too long to get an appointment	WTM	530
WTMZ_37D	Difficulty - waited long to get test	WTM	530
WTMZ_37E	Difficulty - service not available at time required	WTM	531
WTMZ_37F	Difficulty - service not available in area	WTM	531
WTMZ_37G	Difficulty - transportation	WTM	531
WTMZ_37H	Difficulty - language	WTM	532
WTMZ_37I	Difficulty - cost	WTM	532
WTMZ_37J	Difficulty - general deterioration of health	WTM	532
WTMZ_37K	Difficulty - did not know where to get information	WTM	533
WTMZ_37L	Difficulty - unable to leave house/health problem	WTM	533
WTMZ_37M	Difficulty - other	WTM	533
WTMZ_38A	Length of wait between decision and test	WTM	534
WTMZ_38B	Length of wait between decision and test - reporting unit	WTM	534
WTMZ_39A	Length of time been waiting for diagnostic test	WTM	535

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 42

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
WTMZ_39B	Length of time been waiting for diagnostic test - unit	WTM	535
WTMZ_40	Respondent's opinion of waiting time	WTM	536
WTMZ_41A	Acceptable waiting time	WTM	536
WTMZ_41B	Acceptable waiting time - unit	WTM	537
WTMZ_42	Test cancelled or postponed	WTM	537
WTMZ_43	Test cancelled or postponed by	WTM	538
WTMZ_44	Life affected by wait for test	WTM	538
WTMZ_45A	Life affected by wait - worry	WTM	539
WTMZ_45B	Life affected by wait - worry for family	WTM	539
WTMZ_45C	Life affected by wait - pain	WTM	540
WTMZ_45D	Life affected by wait - prob. with activities/daily living	WTM	540
WTMZ_45E	Life affected by wait - loss of work	WTM	541
WTMZ_45F	Life affected by wait - loss of income	WTM	541
WTMZ_45G	Life affected by wait - increased dependence	WTM	542
WTMZ_45H	Life affected by wait - increased use medications	WTM	542
WTMZ_45I	Life affected by wait - health deteriorated	WTM	543
WTMZ_45J	Life affected by wait - health problem improved	WTM	543
WTMZ_45K	Life affected by wait - personal relationships suffered	WTM	544
WTMZ_45L	Life affected by wait - other	WTM	544
WTMZDCA	Number of days acceptable wait - non emergency surgery - (D)	WTM	545
WTMZDCN	Number of days wait - non-urgent surgery - not done - (D)	WTM	545
WTMZDCO	Number of days wait - non-urgent surgery - surgery done - (D)	WTM	545
WTMZDSA	Number of days acceptable wait - med. specialist - (D)	WTM	546
WTMZDSN	Number/days wait/medical specialist - not seen spec. - (D)	WTM	546
WTMZDSO	Number/days wait/medical specialist - seen specialist - (D)	WTM	546
WTMZDTA	Number of days acceptable wait - diagnostic test - (D)	WTM	547
WTMZDTN	Number of days wait - diagnostic test - not done - (D)	WTM	547

CCHS Cycle 3.1 - Sub-Sample 3: Alphabetic Index

Master File - 12-Month (Rounded)

Page 43

June 2006

Printed: Tuesday June 13, 2006

Variable Name	Description	Section	Page
WTMZDTO	Number of days wait - diagnostic test - done - (D)	WTM	547
WTSE_S3M	Weights - Master	WTS	548
WTSE_S3S	Weights - Share	WTS	548
YSME_1	Source of cigarettes	YSM	247
YSME_2	Bought cigarettes for self or others	YSM	248
YSME_3	Age asked when buying cigarettes in store	YSM	248
YSME_4	Someone refused to sell cigarettes	YSM	249
YSME_5	Asked a stranger to buy cigarettes	YSM	249