

**Canadian Tobacco, Alcohol and Drugs Survey 2013**  
PUMF - Person



## Table of Contents

<u>Variable</u>	<u>Position</u>	<u>Description</u>	<u>Page</u>
PUMFID	001-005	Randomly generated sequence number for the public use microdata file	9
PRSNID	006-007	Person ID	9
REFYEAR	008-012	Survey year	9
REFMONTH	013-014	Survey month	9
PROV	015-016	Province of the selected respondent	10
DVURBAN	017-017	Characteristics of community where the respondent lives	10
HHSIZE	018-019	Number of people in the household	10
AGE0014	020-021	Number of children in household aged 0-14	11
AGE1524	022-023	Number of household members (including respondent) aged 15-24	11
AGE2544	024-025	Number of household members (including respondent) aged 25-44	11
AGE45PL	026-027	Number of household members (including respondent) aged 45 plus	12
HHTYPE	028-029	Type of household, based on roster age composition	12
HS_10	030-030	Num people smoke cigarettes inside home daily	13
HS_20	031-032	Num people smoke cigarettes inside home daily	13
HS_30	033-033	Num cigarettes smoked inside home	13
HS_40	034-034	Smoking cigarettes allowed inside home	14
HS_50	035-035	Smoking cigarettes inside home is restricted	14
HS_60A	036-036	Smoking inside home - allowed in certain rooms only	14
HS_60B	037-037	Smoking inside home - restricted in the presence of young children	15
HS_60C	038-038	Smoking inside - only if windows are open/another type of ventilation	15
HS_60D	039-039	Smoking inside your home - other restriction(s)	15
DVAGE	040-042	Age of respondent	16
SEX	043-043	Respondent's sex	16
DVMARST	044-044	Grouped marital status of respondent from household roster	16
HWB_01	045-045	Health	17
HWB_10	046-046	Mental health	17
SS_10	047-047	Frequency - smoking - present time	17
SS_20	048-048	Smoked cigarettes - 30 days	18
SS_30	049-049	Smoked daily - 30 days	18
SS_40	050-050	Smoked at least 100 cigarettes - lifetime	18
PS_10	051-051	Ever smoked whole cigarette	19
PS_20	052-052	Ever smoked cigarettes daily	19
PS_30	053-054	Age smoked first cigarette	19
PS_40	055-056	Age first smoked daily	20
WP_10A	057-058	Number of cigarettes smoked Monday	20
WP_10B	059-060	Number of cigarettes smoked Tuesday	20
WP_10C	061-062	Number of cigarettes smoked Wednesday	21
WP_10D	063-064	Number of cigarettes smoked Thursday	21
WP_10E	065-066	Number of cigarettes smoked Friday	21
WP_10F	067-068	Number of cigarettes smoked Saturday	22
WP_10G	069-070	Number of cigarettes smoked Sunday	22
SB_10	071-071	Time between waking up and smoking first cigarette	22
CA_10	072-073	Where cigarettes are obtained, and from whom	23
PP_010	074-074	Bought cigarettes on a First Nations Reserve - 6 mo.	23
PP_020	075-075	Bought cigarettes believed to have been smuggled - 6 mo.	24
PP_030	076-076	Cigarettes bought at store or gas station - 6 mo.	24
PP_040	077-077	Cigarettes bought from another source - 6 mo.	24
PP_050	078-080	Percentage of all cigarettes on a First Nations Reserve - 6 mo.	25
PP_060	081-083	Percentage of cigarettes believed to have been smuggled - 6 mo.	25
PP_070	084-086	Percentage of cigarettes bought from a store or gas station - 6 mo.	26
PP_071	087-089	Percentage of cigarettes bought from another source - 6 mo.	26
PP_090	090-091	Amt of cigarettes bought most recently from First Nations Reserve	26
PP_100	092-093	How first became aware could buy these cigarettes	27
PP_110A	094-094	Where bought smuggled cigarettes - store	27
PP_110B	095-095	Where bought smuggled cigarettes - First Nations Reserve	28
PP_110C	096-096	Where bought smuggled cigarettes - delivery service	28
PP_110D	097-097	Where bought smuggled cigarettes - co-worker	28
PP_110E	098-098	Where bought smuggled cigarettes - family member	29

**CTADS 2013 - PUMF person - Data Dictionary**

PP_110F	099-099	Where bought smuggled cigarettes - friend .....	29
PP_110G	100-100	Where bought smuggled cigarettes - other - specify .....	29
PP_120	101-101	Quantity smuggled cigarettes bought most recently .....	30
PP_130	102-102	First became aware that bought smuggled cigarettes .....	30
PP_140	103-103	How easy or difficult - to buy smuggled cigarettes .....	30
SC_010	104-104	Stopped smoking - how long .....	31
SC_020	105-106	Month stopped smoking .....	31
SC_030	107-108	Main reason quit smoking .....	32
SC_040	109-110	Num attempts to stop smoking before stopped for good .....	32
SC_050	111-112	Num daily cigarettes at time quit smoking .....	32
SC_060	113-113	Seriously considering quitting smoking in next 6 mo. ....	33
SC_070	114-114	Seriously considering quitting smoking in next 30 days .....	33
SC_080	115-116	Num times stopped smoking for 24 hrs because trying to quit - 12 mo. ....	33
SC_090	117-118	Num attempts to stop smoking that lasted min 1 week .....	34
SC_100	119-120	Main reason began to smoke again .....	34
SC_110	121-121	Tried to quit smoking - ever .....	35
OM_099	122-122	Services offered-1-800 telephone quit-lines & other smoker help lines .....	35
OM_100	123-123	Used a 1-800 quitline or a smokers helpline .....	35
TP_017	124-124	Ever smoked little cigar / cigarillo .....	36
TP_021	125-125	Smoked little cigar / cigarillo - 30 days .....	36
TP_022	126-126	Smoked little cigars / cigarillos - type - 30 days .....	36
TP_024	127-127	Smoked little cigars / cigarillos - ever .....	37
TP_027	128-128	Smoked cigar - 30 days .....	37
TP_028	129-129	Smoked cigar - type .....	37
TP_040	130-130	Smoked pipe - 30 days .....	38
TP_050	131-131	Used chewing tobacco - ever .....	38
TP_060	132-132	Used chewing tobacco - 30 days .....	38
TP_061	133-133	Used chewing tobacco - type - 30 days .....	39
TP_070	134-134	Used tobacco water-pipe - ever .....	39
TP_080	135-135	Used tobacco water-pipe - 30 days .....	40
TP_090A	136-136	Smoked in water-pipe - flavoured tobacco - 30 days .....	40
TP_090B	137-137	Smoked in water-pipe - regular tobacco - 30 days .....	40
TP_090C	138-138	Smoked in water-pipe - a product other than tobacco .....	41
TP_100	139-139	Perception of tobacco water-pipe .....	41
ELC_110	140-140	Used e-cigarette - ever .....	41
ELC_120	141-141	Used e-cigarette - 30 days .....	42
ELC_130	142-142	Last time used an e-cigarette - contained nicotine .....	42
ELC_140	143-143	Used e-cigarette as smoking cessation aid - 2 years .....	42
ELC_150	144-144	Used e-cigarette when unable to smoke cigarettes .....	43
EX_130	145-145	Excluding own smoking, were exposed to second hand smoke in past month .....	43
ALC_10	146-147	Drank alcoholic beverages - 12 mo. ....	43
ALC_20	148-148	Have had a drink .....	44
ALC_30	149-150	Age - started drinking alcoholic beverages .....	44
ALC_40	151-152	Number of drinks consumed on those days - 12 mo. ....	45
ALC_50	153-154	Frequency of drinking four or more drinks on one occasion -12 mo. ....	45
ALC_60	155-156	Frequency of drinking five or more drinks on one occasion -12 mo. ....	45
ALC_70	157-158	Number of drinks consumed - 30 days .....	46
AW_10	159-159	Had beer, wine, liquor or any other alcoholic beverage - 7 days .....	46
AW_20A	160-161	Number of drinks Monday .....	47
AW_20B	162-163	Number of drinks Tuesday .....	47
AW_20C	164-165	Number of drinks Wednesday .....	47
AW_20D	166-167	Number of drinks Thursday .....	48
AW_20E	168-169	Number of drinks Friday .....	48
AW_20F	170-171	Number of drinks Saturday .....	48
AW_20G	172-173	Number of drinks Sunday .....	49
PR_010	174-174	Used codeine products -12 mo. ....	49
PR_020	175-175	Used oxycodone products - 12 mo. ....	50
PR_030	176-176	Used other opioid products - 12 mo. ....	50
PR_040	177-178	Frequency of use - pain relievers - 12 mo. ....	50
PR_050	179-179	Used pain relievers - prescribed for self -12 mo. ....	51
PR_060	180-180	Used pain relievers - ever took more than prescribed - 12 mo. ....	51
PR_070	181-181	Used pain relievers to get high - 12 mo. ....	51
PR_080	182-182	Used pain relievers for reasons other than pain relief - 12 mo. ....	52

**CTADS 2013 - PUMF person - Data Dictionary**

PR_090	183-183	Tampered with a pain reliever product before taking it - 12 mo. ....	52
PR_100A	184-184	Obtained pain relievers - pharmacist no prescription - 12 mo. ....	53
PR_100B	185-185	Obtained pain relievers - prescription for self - for pain - 12 mo. ....	53
PR_100C	186-186	Obtained pain relievers - friend / relative - 12 mo. ....	53
PR_100D	187-187	Obtained pain relievers - drug dealer / stranger - 12 mo. ....	54
PR_100E	188-188	Obtained pain relievers - Internet - 12 mo. ....	54
PR_100F	189-189	Obtained pain relievers - deceiv. doctor to obtain a prescript -12 mo. ....	55
PR_100G	190-190	Obtained pain relievers - forging a prescription - 12 mo. ....	55
PR_100H	191-191	Obtained pain relievers - multiple doctors for prescript. - 12 mo. ....	55
PR_110	192-192	Gave away / sold pain reliever medication prescribed to self - 12 mo. ....	56
STI_10	193-193	Used stimulants - 12 mo. ....	56
STI_15	194-195	Frequency of use - stimulants - 12 mo. ....	56
STI_20	196-196	Used stimulants - prescribed for self -12 mo. ....	57
STI_30	197-197	Used stimulants - ever took more than prescribed - 12 mo ....	57
STI_40	198-198	Used stimulants to get high - 12 mo. ....	58
STI_50	199-199	Used stimulants for reasons other than pain relief - 12 mo. ....	58
STI_60A	200-200	Used stimulants - pharmacists no prescription - 12 mo. ....	58
STI_60B	201-201	Used stimulants - prescription for self - 20 mo. ....	59
STI_60C	202-202	Used stimulants - friend / relative - 20 mo. ....	59
STI_60D	203-203	Used stimulants - drug dealer / stranger - 12 mo. ....	59
STI_60E	204-204	Used stimulants - Internet - 12 mo. ....	60
STI_60F	205-205	Used stimulants - deceiving a doctor - 12 mo. ....	60
STI_60G	206-206	Used stimulants - forging prescription - 12 mo. ....	60
STI_60H	207-207	Used stimulants - multiple doctors - 12 mo. ....	61
STI_70	208-208	Gave away / sold stimulants prescribed to self - 12 mo. ....	61
SED_05	209-209	Used sedatives - 12 mo. ....	61
SED_10	210-211	Used sedatives - frequency - 12 mo. ....	62
SED_20	212-212	Used sedatives - prescribed for self - 12 mo. ....	62
SED_30	213-213	Used sedatives - took more than prescribed - 12 mo. ....	62
SED_40	214-214	Used sedatives take to get high - 12 mo. ....	63
SED_50A	215-215	Obtained sedatives - pharmacist no prescription - 12 mo. ....	63
SED_50B	216-216	Obtained sedatives - prescription for self - 12 mo. ....	64
SED_50C	217-217	Obtained sedatives - friend / relative - 12 mo. ....	64
SED_50D	218-218	Obtained sedatives - drug dealer / stranger - 12 mo. ....	64
SED_50E	219-219	Obtained sedatives - Internet - 12 mo. ....	65
SED_50F	220-220	Obtained sedatives - deceiv. doctor to obtain a prescript -12 mo. ....	65
SED_50G	221-221	Obtained sedatives - forging prescription - 12 mo. ....	65
SED_50H	222-222	Obtained sedatives - multiple doctors for prescript. - 12 mo. ....	66
SED_60	223-223	Gave away / sold sedatives prescribed to self -12 mo. ....	66
CAN_010	224-224	Used marijuana - ever ....	66
CAN_020	225-225	Used marijuana - num times ....	67
CAN_030	226-226	Used marijuana - 12 mo. ....	67
CAN_040	227-227	Used marijuana - 3 mo. ....	67
CAN_050	228-228	Frequency of using marijuana - 3 mo. ....	68
CAN_060	229-230	Age first used - marijuana ....	68
CAN_070	231-231	Had strong desire to use marijuana - ever ....	69
CAN_080	232-232	Frequency of strong desire to use marijuana - 3 mo. ....	69
CAN_090	233-233	Marijuana use led to health, social, legal or financial problems ....	69
CAN_100	234-234	Frequency that marij use led to health/ soc/legal/financial prob ....	70
CAN_110	235-235	Marijuana use affected ability to do expected tasks ....	70
CAN_120	236-236	Frequency marijuana use affected abilitiy to do expected tasks ....	70
CAN_130	237-237	Friend/relative/other expressed concern about marijuana use - ever ....	71
CAN_140	238-238	Concern expressed about marijuana use - 3 mo. ....	71
CAN_150	239-239	Tried to reduce / stop marijuana use but unable to - ever ....	72
CAN_160	240-240	Tried to reduce / stop marijuana use - 3 mo. ....	72
COC_10	241-241	Used cocaine - ever ....	72
COC_20	242-243	Age first used - cocaine ....	73
COC_30	244-244	Used cocaine - 12 mo. ....	73
MET_10	245-245	Used amphetamines, speed, methamphetamine or crystal meth ....	73
MET_20	246-247	Age first used - speed or meth ....	74
MET_30	248-248	Used speed or meth - 12 mo. ....	74
XTC_10	249-249	Used Ecstasy ....	74
XTC_20	250-251	Age - tried or started using Ecstasy ....	75

**CTADS 2013 - PUMF person - Data Dictionary**

XTC_30	252-252	Used ecstasy - 12 mo. ....	75
HAL_10	253-253	Used hallucinogens - ever ....	75
HAL_20	254-255	Age first used - hallucinogens ....	76
HAL_30	256-256	Used hallucinogens - 12 mo. ....	76
GLU_10	257-257	Sniffed solvents - ever ....	76
GLU_20	258-259	Age first used - solvents ....	77
GLU_30	260-260	Sniffed solvents -12 mo. ....	77
HER_10	261-261	Used heroin - ever ....	77
HER_20	262-263	Age first used - heroin ....	78
HER_30	264-264	Used heroin -12 mo. ....	78
SAL_10	265-265	Used Salvia - ever ....	78
SAL_20	266-267	Age first used - Salvia ....	79
SAL_30	268-268	Used Salvia - 12 mo. ....	79
DHA_10	269-269	Drug affects friendships or social life - 12 mo. ....	79
DHA_20	270-270	Drug affects physical health - 12 mo. ....	80
DHA_30	271-271	Drug affects home life or marriage - 12 mo. ....	80
DHA_40	272-272	Drug affects work, studies, or employment opportunities - 12mo. ....	81
DHA_50	273-273	Drug affects financial position - 12 mo. ....	81
DHA_60	274-274	Had legal problems because of drug use - 12 mo. ....	81
DHA_70	275-275	Had housing problems because of drug use - 12 mo. ....	82
DHA_80	276-276	Had difficulty learning things because of drug use - 12 mo. ....	82
LMAM_01	277-277	Worked at a job or business last week ....	83
LMAM_02	278-278	Absent from job or business ....	83
LMAM_03	279-280	Reason for absence from work last week ....	83
LMA3_10	281-281	Employee or self-employed ....	84
DVSST1	282-282	Smoking Status Type 1 - Traditional definition ....	84
DVSST2	283-284	Smoking Status Type 2 - Detailed, using traditional definition ....	85
DVSS1	285-285	Smoking Status Type 1 - Using 30 days definition ....	85
DVSS2	286-287	Smoking Status Type 2 - Detailed, using 30 days definition ....	85
DVCIGWK	288-290	Determines total num cigarettes smoked per week ....	86
DVAVCIG7	291-292	Determines avg num cigarettes smoked per day - past week ....	86
DVNDSMK	293-294	Determines num days respondent smoked cigarettes - past week ....	87
DVAVCIGD	295-296	Determines avg num cigarettes smoked on the days respondents smoked ....	87
DVSMKPTN	297-297	Describes the pattern of smoking - 7 days ....	87
DVDAILY	298-299	Determines avg num cigarettes smoked for the daily smokers ....	88
DVYRSSMK	300-301	Number of years the respondent smoked ....	88
STOPSMK	302-303	Number of months since survey date former smoker stopped smoking ....	88
UNDERAGE	304-304	Below legal drinking age in province of residence ....	89
ALCSTAT3	305-305	Drinking status ....	89
ALC12M	306-306	Alcohol use - 12 mo. ....	89
ALCLIFE	307-307	Alcohol use in lifetime ....	89
QFVOL	308-312	Estimated total num standard drinks - 12 mo. ....	90
QFVOLDAY	313-317	Estimated num standard drinks per day - 12 mo. ....	90
QFVOLWK	318-323	Estimated num standard drinks per week - 12 mo. ....	90
NUMDRNKS	324-324	Usually drinks 5 or more drinks per occasion-total population - 12 mo. ....	91
ALCSTAT6	325-326	Drinking pattern: 6 categories ....	91
ALDAILY	327-327	Daily drinking - 12 mo. ....	91
FIVEMN	328-328	Drank 5 or more drinks in a single sitting once a month or more often ....	92
FIVEWK	329-329	Drank 5 or more drinks in a single sitting once a week or more often ....	92
AHEAVYMN	330-330	Heavy monthly alcohol use once per month / more often - 12 mo. ....	92
AHEAVYWK	331-331	Heavy weekly alcohol use once per week / more often - 12 mo. ....	93
LRDGACUT	332-332	Exceeded low-risk drinking guideline - acute effects - tot. popl'n ....	93
LRDGCHRC	333-333	Exceeded low-risk drinking guideline - chronic effects- tot. popl'n ....	93
LRDGCH12	334-334	Exceeded low-risk drinking guideline- chronic effects- current drinkers ....	94
LRDGAC12	335-335	Exceeded low-risk drinking guideline -acute effects: current drinkers ....	94
ALCLEV4	336-336	Estimated daily alc. consump. level - 12 mo. - 4 cat ....	94
ALCLEV3	337-337	Estimated daily alc. consump. level - 12 mo. - 3 cat ....	95
ALCLEV2	338-338	Estimated daily alc. consump. level - 12 mo. - 2 cat ....	95
SUN	339-340	Number of drinks ....	95
MON	341-342	Number of drinks ....	96
TUES	343-344	Number of drinks ....	96
WED	345-346	Number of drinks ....	96
THURS	347-348	Number of drinks ....	97

CTADS 2013 - PUMF person - Data Dictionary

FRI	349-350	Number of drinks .....	97
SAT	351-352	Number of drinks .....	97
ALC7D	353-355	Total number of standard drinks in the past 7 days .....	98
ALCLEVD	356-357	Avg num standard drinks per day - 7 days - drinking wheel .....	98
ALCLEV4D	358-358	Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel .....	98
ALCLEV3D	359-359	Estimated daily alc. consump. level - 7 days - 3 cat. drinking wheel .....	99
ALCLEV2D	360-360	Estimated daily alc. consump. level - 7 days - 2 cat. drinking wheel .....	99
PAIN12M	361-361	Used pain relievers - 12 mo. ....	99
PAINND	362-362	Used pain relievers not as directed - 12 mo. ....	100
PAINHIGH	363-363	Used pain relievers to get high - 12 mo. ....	100
PAINOTH	364-364	Used pain relievers for other reasons - 12 mo. ....	100
PAINTMPR	365-365	Tampered with pain relievers before taking them - 12 mo. ....	101
PAINABUS	366-366	Abused pain relievers - 12 mo. ....	101
STIMND	367-367	Used stimulants not as directed - 12 mo. ....	101
STIMHIGH	368-368	Used stimulants to get high -12 mo. ....	102
STIMOTH	369-369	Used stimulants for other reasons - 12 mo. ....	102
STIMABUS	370-370	Abused stimulants - 12 mo. ....	102
SEDND	371-371	Used sedatives not as directed - 12 mo. ....	102
SEDHIGH	372-372	Used sedatives to get high - 12 mo. ....	103
PHAR12M	373-373	Used pharmaceuticals - 12 mo. ....	103
PHARND	374-374	Used pharmaceuticals not as directed -12 mo. ....	103
PHARHIGH	375-375	Used pharmaceuticals to get high - 12 mo. ....	104
PHARABUS	376-376	Abused pharmaceuticals - 12 mo. ....	104
CANLIFEX	377-377	Cannabis use in lifetime excluding one-time use .....	104
CAN12M	378-378	Cannabis use - 12 mo. ....	105
CAN3M	379-379	Cannabis use - 3 mo. ....	105
CANFREQ3	380-380	Frequency of cannabis use - 3 mo. ....	105
CANPAT	381-381	Cannabis use status - three categories .....	106
ASCAN1	382-382	Freq of cannabis use in the past 3 mo. ....	106
ASCAN2	383-384	Freq of strong desire / urge to use cannabis - 3 mo. ....	106
ASCAN3	385-386	Freq of health, soc, legal / finan prob due to cannabis use - 3 mo. ....	107
ASCAN4	387-388	Freq of failure to do normal tasks due to cannabis use - 3 mo. ....	107
ASCAN5	389-390	Relative or friend expressed concern about cannabis use .....	107
ASCAN6	391-392	Failed to control cannabis use .....	108
ASISTCAN	393-394	Summary score for WHO's ASSIST .....	108
ASISTCN3	395-395	Risk level for prob. - cannabis consump. - 3 categories .....	108
ASISTCN2	396-396	Risk level for prob. - cannabis consump. - 2 categories .....	109
COC12M	397-397	Cocaine use - 12 mo. ....	109
SPMETH12	398-398	Speed and/or methamphetamine use - 12 mo. ....	109
XTC12M	399-399	Ecstasy use - 12 mo. ....	110
HAL12M	400-400	Hallucinogens use - 12 mo. ....	110
INH12M	401-401	Inhalant use - 12 mo. ....	110
SALV12M	402-402	Salvia use - 12 mo. ....	111
ANY11DYR	403-403	Used at least 1 of 11 drugs to get high - include cannabis - 12 mo. ....	111
ANY10DYR	404-404	Used at least 1 of 10 drugs to get high excluding cannabis - 12 mo. ....	111
IL6D12XS	405-405	Used at least 1 of 6 drugs - 12 mo. including cannabis .....	112
IL5D12XS	406-406	Used at least 1 of 5 drugs - 12 mo. excluding cannabis .....	112
IL6D12	407-407	Used at least 1 of 6 drugs including cannabis - 12 mo. ....	112
IL5D12	408-408	Used at least 1 of 5 drugs - 12 mo. excluding cannabis .....	113
IL3D12	409-409	Used at least 1 of speed/meth, hallucinogens, heroin - 12 mo. ....	113
AMPH412M	410-410	Used at least 1 of 4 amphetamines - 12 mo. ....	113
AMPH312M	411-411	Used at least 1 of 3 amphetamines - 12 mo. ....	114
HERPNA11	412-412	Used heroin and/or abused pain relievers - 12 mo. ....	114
ANY12DLF	413-413	Used at least 1 of 12 drugs in lifetime to get high .....	114
ANY11DLF	414-414	Used at least 1 of 11 drugs in lifetime -exclu cannabis includ cocaine .....	115
ANY9DLF	415-415	Used at least 1 of 9 drugs include cannabis exclu pharmaceutical abuse .....	115
ANY8DLF	416-416	Used at least 1 of 8 drugs, exclude cannabis and pharmaceutical abuse .....	115
IL6DLXS	417-417	Used at least 1 of 6 drugs - lifetime .....	115
IL5DLXS	418-418	Used at least 1 of 5 drugs - lifetime excluding cannabis and salvia .....	116
IL6DL	419-419	Used at least 1 of 6 drugs .....	116
IL5DL	420-420	Used at least 1 of 5 drugs - lifetime .....	116
AMP3L	421-421	Used at least 1 of 3 amphetamines - lifetime .....	117
HALSALVL	422-422	Hallucinogens and/or salvia use - lifetime .....	117

CTADS 2013 - PUMF person - Data Dictionary

---

DHAR12M1	423-423	Harm to friendships or social life - due to drug use - 12 mo. ....	117
DHAR12M2	424-424	Harm to physical health - due to drug use - 12 mo. ....	118
DHAR12M3	425-425	Harm to home life / marriage - due to drug use - 12 mo. ....	118
DHAR12M4	426-426	Harm to work, studies, or employ. opportun. - due to drug use - 12 mo. ....	118
DHAR12M5	427-427	Harm to financial position - due to drug use - 12 mo. ....	119
DHAR12M6	428-428	Legal problems - due to drug use - 12 mo. ....	119
DHAR12M7	429-429	Harm housing problems - due to drug use - 12 mo. ....	119
DHAR12M8	430-430	Difficulty learning things - due to drug use - 12 mo. ....	120
DHAR12	431-431	One or more types of harms - one's own drug use - 12 mo. ....	120
WTPP	432-443	Survey weight of a person .....	120
Topical Index .....			123
Variable Index .....			131

---



CTADS 2013 - PUMF person - Data Dictionary

**Variable Name:** PUMFID **Length:** 5.0 **Position:** 1  
**Question Name:**  
**Concept:** Randomly generated sequence number for the public use microdata file  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

**Variable Name:** PRSNID **Length:** 2.0 **Position:** 6  
**Question Name:**  
**Concept:** Person ID  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

**Variable Name:** REFYEAR **Length:** 5.0 **Position:** 8  
**Question Name:**  
**Concept:** Survey year  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Year	02013	14,565	29,043,884	100.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** REFMONTH **Length:** 2.0 **Position:** 13  
**Question Name:**  
**Concept:** Survey month  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
February	02	1,275	4,817,726	16.6
March and April	03	2,772	4,821,966	16.6
May and June	05	2,773	4,833,497	16.6
July and August	07	2,586	4,846,180	16.7

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
September and October	09	2,561	4,857,688	16.7
November and December	11	2,598	4,866,827	16.8
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PROV **Length:** 2.0 **Position:** 15  
**Question Name:**  
**Concept:** Province of the selected respondent  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Newfoundland and Labrador	10	1,556	431,193	1.5
Prince Edward Island	11	1,445	121,189	0.4
Nova Scotia	12	1,660	796,698	2.7
New Brunswick	13	1,640	631,370	2.2
Quebec	24	1,669	6,741,889	23.2
Ontario	35	1,379	11,278,253	38.8
Manitoba	46	1,497	1,024,242	3.5
Saskatchewan	47	1,245	870,970	3.0
Alberta	48	1,309	3,217,185	11.1
British Columbia	59	1,165	3,930,894	13.5
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** DVURBAN **Length:** 1.0 **Position:** 17  
**Question Name:**  
**Concept:** Characteristics of community where the respondent lives  
**Question Text:**  
**Universe:** All respondents  
**Note:** The category 'Population centre' is historically comparable to 'Urban' which was used in previous years for CTUMS.  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Population centre	1	9,807	22,417,947	77.2
Rural	2	3,972	5,231,712	18.0
Not stated	9	786	1,394,226	4.8
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HHSIZE **Length:** 2.0 **Position:** 18  
**Question Name:**  
**Concept:** Number of people in the household  
**Question Text:**  
**Universe:** All respondents





**Variable Name:** HS\_10 **Length:** 1.0 **Position:** 30  
**Question Name:** HS\_Q10  
**Concept:** Num people smoke cigarettes inside home daily  
**Question Text:** [Do you/Does anyone in your household] smoke cigarettes?  
**Universe:** Household respondent.  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	3,663	6,195,968	21.3
No	2	10,902	22,847,916	78.7
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HS\_20 **Length:** 2.0 **Position:** 31  
**Question Name:** HS\_Q20  
**Concept:** Num people smoke cigarettes inside home daily  
**Question Text:** How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.  
**Universe:** Household respondent.  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
People	00 - 15	14,565	29,043,884	100.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HS\_30 **Length:** 1.0 **Position:** 33  
**Question Name:** HS\_Q30  
**Concept:** Num cigarettes smoked inside home  
**Question Text:** On a typical day, how many cigarettes are smoked inside your home?  
**Universe:** HS\_Q20=(01:15)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
1 to 10 cigarettes	1	469	803,528	2.8
11 to 20 cigarettes	2	352	541,912	1.9
21 to 30 cigarettes	3	185	313,178	1.1
31 to 40 cigarettes	4	53	83,237	0.3
41 or more cigarettes	5	54	47,686	0.2
Valid skip	6	13,421	27,231,213	93.8
Don't know	7	28	19,795	0.1
Refusal	8	2	920	0.0
Not stated	9	1	2,416	0.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HS\_40 **Length:** 1.0 **Position:** 34  
**Question Name:** HS\_Q40  
**Concept:** Smoking cigarettes allowed inside home  
**Question Text:** Is smoking cigarettes allowed inside your home?  
**Universe:** HS\_Q20=(00, DK or RF)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	618	1,358,894	4.7
No	2	12,778	25,840,492	89.0
Valid skip	6	1,113	1,789,540	6.2
Don't know	7	25	31,827	0.1
Not stated	9	31	23,131	0.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HS\_50 **Length:** 1.0 **Position:** 35  
**Question Name:** HS\_Q50  
**Concept:** Smoking cigarettes inside home is restricted  
**Question Text:** Is smoking cigarettes inside your home restricted in any way?  
**Universe:** HS\_Q20=(01:15) and HS\_Q40=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	864	1,506,447	5.2
No	2	889	1,627,724	5.6
Valid skip	6	12,778	25,840,492	89.0
Don't know	7	4	3,148	0.0
Refusal	8	3	24,478	0.1
Not stated	9	27	41,596	0.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HS\_60A **Length:** 1.0 **Position:** 36  
**Question Name:** HS\_Q60  
**Concept:** Smoking inside home - allowed in certain rooms only  
**Question Text:** How is smoking cigarettes restricted inside your home? - Allowed in certain rooms only  
**Universe:** HS\_Q50=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	592	938,200	3.2
No	2	269	544,290	1.9
Valid skip	6	13,667	27,468,216	94.6
Don't know	7	3	23,957	0.1

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Not stated	9	34	69,221	0.2
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HS\_60B **Length:** 1.0 **Position:** 37  
**Question Name:** HS\_Q60  
**Concept:** Smoking inside home - restricted in the presence of young children  
**Question Text:** How is smoking cigarettes restricted inside your home? - Restricted in the presence of young children  
**Universe:** HS\_Q50=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	414	523,066	1.8
No	2	447	959,424	3.3
Valid skip	6	13,667	27,468,216	94.6
Don't know	7	3	23,957	0.1
Not stated	9	34	69,221	0.2
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HS\_60C **Length:** 1.0 **Position:** 38  
**Question Name:** HS\_Q60  
**Concept:** Smoking inside - only if windows are open/another type of ventilation  
**Question Text:** How is smoking cigarettes restricted inside your home? - Allowed only if windows are open or with another type of ventilation  
**Universe:** HS\_Q50=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	471	814,966	2.8
No	2	390	667,525	2.3
Valid skip	6	13,667	27,468,216	94.6
Don't know	7	3	23,957	0.1
Not stated	9	34	69,221	0.2
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HS\_60D **Length:** 1.0 **Position:** 39  
**Question Name:** HS\_Q60  
**Concept:** Smoking inside your home - other restriction(s)  
**Question Text:** How is smoking cigarettes restricted inside your home? - Other restriction(s)  
**Universe:** HS\_Q50=1  
**Note:**  
**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	114	240,549	0.8
No	2	747	1,241,942	4.3
Valid skip	6	13,667	27,468,216	94.6
Don't know	7	3	23,957	0.1
Not stated	9	34	69,221	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVAGE **Length:** 3.0 **Position:** 40  
**Question Name:**  
**Concept:** Age of respondent  
**Question Text:**  
**Universe:** All respondents  
**Note:** Derived from PA\_Q01. Ages greater than 85 were recoded to 85.  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
ages 15 to 84	015 - 084	14,292	28,580,797	98.4
85 years and over	085	273	463,087	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SEX **Length:** 1.0 **Position:** 43  
**Question Name:**  
**Concept:** Respondent's sex  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Male	1	6,659	14,346,528	49.4
Female	2	7,906	14,697,356	50.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVMARST **Length:** 1.0 **Position:** 44  
**Question Name:**  
**Concept:** Grouped marital status of respondent from household roster  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Living common-law/Married	1	5,645	18,215,781	62.7
Widowed/Divorced/Separated	2	1,938	3,052,033	10.5



CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Single, never married	3	6,871	7,546,567	26.0
Not stated	9	111	229,503	0.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HWB\_01 **Length:** 1.0 **Position:** 45  
**Question Name:** HWB\_Q01  
**Concept:** Health  
**Question Text:** In general, would you say your health is...?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Excellent	1	3,538	7,680,745	26.4
Very good	2	5,525	10,932,261	37.6
Good	3	4,125	7,811,978	26.9
Fair	4	1,031	1,857,970	6.4
Poor	5	295	619,139	2.1
Don't know	7	46	127,327	0.4
Refusal	8	5	14,464	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HWB\_10 **Length:** 1.0 **Position:** 46  
**Question Name:** HWB\_Q10  
**Concept:** Mental health  
**Question Text:** In general, would you say your mental health is...?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Excellent	1	5,651	12,099,603	41.7
Very good	2	4,991	9,919,978	34.2
Good	3	3,239	5,779,464	19.9
Fair	4	534	858,341	3.0
Poor	5	102	212,603	0.7
Don't know	7	41	164,609	0.6
Refusal	8	7	9,286	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SS\_10 **Length:** 1.0 **Position:** 47  
**Question Name:** SS\_Q10  
**Concept:** Frequency - smoking - present time  
**Question Text:** At the present time, do you smoke cigarettes every day, occasionally or not at all?  
**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Every day	1	1,742	3,132,147	10.8
Occasionally	2	640	1,101,110	3.8
Not at all	3	12,183	24,810,627	85.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SS\_20 **Length:** 1.0 **Position:** 48

**Question Name:** SS\_Q20

**Concept:** Smoked cigarettes - 30 days

**Question Text:** In the past 30 days, did you smoke any cigarettes?

**Universe:** SS\_Q10=(2 or 3)

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	626	1,086,741	3.7
No	2	12,196	24,821,077	85.5
Valid skip	6	1,742	3,132,147	10.8
Don't know	7	1	3,918	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SS\_30 **Length:** 1.0 **Position:** 49

**Question Name:** SS\_Q30

**Concept:** Smoked daily - 30 days

**Question Text:** During the past 30 days, did you smoke every day?

**Universe:** SS\_Q10=1 or SS\_Q20=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,701	3,091,503	10.6
No	2	667	1,127,386	3.9
Valid skip	6	12,196	24,821,077	85.5
Not stated	9	1	3,918	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SS\_40 **Length:** 1.0 **Position:** 50

**Question Name:** SS\_Q40

**Concept:** Smoked at least 100 cigarettes - lifetime

**Question Text:** Have you smoked at least 100 cigarettes in your life?

**Universe:** All respondents.

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	5,339	11,514,149	39.6
No	2	9,187	17,387,503	59.9
Don't know	7	39	142,232	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PS\_10 **Length:** 1.0 **Position:** 51  
**Question Name:** PS\_Q10  
**Concept:** Ever smoked whole cigarette  
**Question Text:** Have you ever smoked a whole cigarette?  
**Universe:** SS\_Q10=3 and SS\_Q40=2  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,966	4,591,458	15.8
No	2	7,015	12,548,242	43.2
Valid skip	6	5,564	11,834,801	40.7
Don't know	7	20	69,382	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PS\_20 **Length:** 1.0 **Position:** 52  
**Question Name:** PS\_Q20  
**Concept:** Ever smoked cigarettes daily  
**Question Text:** Have you ever smoked cigarettes daily?  
**Universe:** (SS\_Q10=2 and (SS\_Q20=2 or SS\_Q30=2)) or (SS\_Q10=3 and SS\_Q40=1)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	3,006	7,052,297	24.3
No	2	710	1,442,896	5.0
Valid skip	6	10,847	20,546,762	70.7
Don't know	7	2	1,930	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PS\_30 **Length:** 2.0 **Position:** 53  
**Question Name:** PS\_Q30  
**Concept:** Age smoked first cigarette  
**Question Text:** At what age did you smoke your first cigarette?  
**Universe:** SS\_Q10=(1 or 2) or (SS\_Q10=3 and SS\_Q40=1) or PS\_Q10=1  
**Note:**  
**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	04 - 60	7,332	15,853,558	54.6
Valid skip	96	7,047	12,669,601	43.6
Don't know	97	156	400,273	1.4
Refusal	98	6	38,394	0.1
Not stated	99	24	82,058	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PS\_40 **Length:** 2.0 **Position:** 55  
**Question Name:** PS\_Q40  
**Concept:** Age first smoked daily  
**Question Text:** At what age did you begin to smoke cigarettes daily?  
**Universe:** SS\_Q10=1 or PS\_Q20=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	06 - 71	4,553	9,570,694	33.0
Valid skip	96	9,795	18,788,127	64.7
Don't know	97	191	597,097	2.1
Refusal	98	1	14,140	0.0
Not stated	99	25	73,825	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WP\_10A **Length:** 2.0 **Position:** 57  
**Question Name:**  
**Concept:** Number of cigarettes smoked Monday  
**Question Text:** Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Monday  
**Universe:** SS\_10=1 or SS\_20=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	00 - 75	2,274	4,034,737	13.9
Valid skip	96	12,196	24,821,077	85.5
Don't know	97	28	50,954	0.2
Not stated	99	67	137,116	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WP\_10B **Length:** 2.0 **Position:** 59  
**Question Name:**  
**Concept:** Number of cigarettes smoked Tuesday  
**Question Text:** Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Tuesday  
**Universe:** SS\_10=1 or SS\_20=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	00 - 75	2,264	3,956,143	13.6
Valid skip	96	12,196	24,821,077	85.5
Don't know	97	22	78,824	0.3
Not stated	99	83	187,840	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WP\_10C **Length:** 2.0 **Position:** 61

**Question Name:**

**Concept:** Number of cigarettes smoked Wednesday

**Question Text:** Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Wednesday

**Universe:** SS\_10=1 or SS\_20=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	00 - 75	2,241	3,952,806	13.6
Valid skip	96	12,196	24,821,077	85.5
Don't know	97	32	38,346	0.1
Not stated	99	96	231,654	0.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WP\_10D **Length:** 2.0 **Position:** 63

**Question Name:**

**Concept:** Number of cigarettes smoked Thursday

**Question Text:** Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Thursday

**Universe:** SS\_10=1 or SS\_20=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	00 - 75	2,238	3,965,031	13.7
Valid skip	96	12,196	24,821,077	85.5
Don't know	97	33	91,179	0.3
Not stated	99	98	166,596	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WP\_10E **Length:** 2.0 **Position:** 65

**Question Name:**

**Concept:** Number of cigarettes smoked Friday

**Question Text:** Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Friday

CTADS 2013 - PUMF person - Data Dictionary

**Universe:** SS\_10=1 or SS\_20=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	00 - 75	2,256	4,026,004	13.9
Valid skip	96	12,196	24,821,077	85.5
Don't know	97	31	60,754	0.2
Not stated	99	82	136,049	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WP\_10F **Length:** 2.0 **Position:** 67

**Question Name:**

**Concept:** Number of cigarettes smoked Saturday

**Question Text:** Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Saturday

**Universe:** SS\_10=1 or SS\_20=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	00 - 90	2,274	4,074,714	14.0
Valid skip	96	12,196	24,821,077	85.5
Don't know	97	24	21,401	0.1
Not stated	99	71	126,692	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WP\_10G **Length:** 2.0 **Position:** 69

**Question Name:**

**Concept:** Number of cigarettes smoked Sunday

**Question Text:** Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke: Sunday

**Universe:** SS\_10=1 or SS\_20=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	00 - 75	2,281	4,031,051	13.9
Valid skip	96	12,196	24,821,077	85.5
Don't know	97	29	54,074	0.2
Refusal	98	1	572	0.0
Not stated	99	58	137,110	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SB\_10 **Length:** 1.0 **Position:** 71

**Question Name:** SB\_Q10

**Concept:** Time between waking up and smoking first cigarette

**Question Text:** How soon after you wake up do you smoke your first cigarette?  
**Universe:** SS\_Q10=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Within 5 minutes	1	324	487,139	1.7
6 to 30 minutes	2	622	1,275,695	4.4
31 to 60 minutes	3	330	661,072	2.3
More than 60 minutes	4	441	653,745	2.3
Valid skip	6	12,823	25,911,737	89.2
Don't know	7	14	43,038	0.1
Not stated	9	11	11,458	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CA\_10 **Length:** 2.0 **Position:** 72  
**Question Name:** CA\_Q10  
**Concept:** Where cigarettes are obtained, and from whom  
**Question Text:** Where do you usually get your cigarettes?  
 (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)  
**Universe:** SS\_Q10 = (1 or 2)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
I buy them at a small grocery / corner store	02	1,268	2,435,578	8.4
I buy them at a supermarket	03	192	344,112	1.2
I buy them at a gasoline station	05	450	764,658	2.6
I buy them at another kind of store	06	63	164,790	0.6
I buy them from a friend or someone else	07	38	48,290	0.2
My mother or father gives them to me	11	14	7,804	0.0
A friend or someone else gives them to me	12	211	211,812	0.7
I take them from my mother, father or siblings	13	5	1,125	0.0
I buy them from a First Nations Reserve (delivery service)	14	16	32,770	0.1
I buy them on a First Nations Reserve	15	40	65,804	0.2
Other - Specify	16	60	91,529	0.3
Valid skip	96	12,183	24,810,627	85.4
Don't know	97	9	34,098	0.1
Refusal	98	4	18,603	0.1
Not stated	99	12	12,283	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_010 **Length:** 1.0 **Position:** 74  
**Question Name:** PP\_Q010  
**Concept:** Bought cigarettes on a First Nations Reserve - 6 mo.  
**Question Text:** In the past six months, did you buy cigarettes on a First Nations Reserve?  
**Universe:** SS\_Q10 = (1 or 2)  
**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	293	419,666	1.4
No	2	2,072	3,793,409	13.1
Valid skip	6	12,183	24,810,627	85.4
Don't know	7	3	2,587	0.0
Refusal	8	2	5,312	0.0
Not stated	9	12	12,283	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_020 **Length:** 1.0 **Position:** 75

**Question Name:** PP\_Q020

**Concept:** Bought cigarettes believed to have been smuggled - 6 mo.

**Question Text:** In the past six months, did you buy cigarettes that you believe may have been smuggled? Smuggled cigarettes include purchased cigarettes that were not manufactured on a First Nations Reserve, were not manufactured in Canada, do not contain a government of Canada Health Warning message and do not carry a tax stamp. Legally imported cigarettes are not smuggled cigarettes.

**Universe:** SS\_Q10 = (1 or 2)

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	27	78,721	0.3
No	2	2,323	4,097,529	14.1
Valid skip	6	12,183	24,810,627	85.4
Don't know	7	16	39,897	0.1
Refusal	8	3	4,743	0.0
Not stated	9	13	12,367	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_030 **Length:** 1.0 **Position:** 76

**Question Name:** PP\_Q030

**Concept:** Cigarettes bought at store or gas station - 6 mo.

**Question Text:** In the past six months, did you buy cigarettes from a store or gas station, that was not on a First Nations Reserve?

**Universe:** SS\_Q10 = (1 or 2)

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,957	3,521,006	12.1
No	2	406	694,846	2.4
Valid skip	6	12,183	24,810,627	85.4
Don't know	7	4	505	0.0
Refusal	8	2	4,532	0.0
Not stated	9	13	12,367	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>



**Variable Name:** PP\_040 **Length:** 1.0 **Position:** 77  
**Question Name:** PP\_Q040  
**Concept:** Cigarettes bought from another source - 6 mo.  
**Question Text:** In the past six months, did you buy cigarettes from a source other than those just mentioned?  
**Universe:** SS\_Q10 = (1 or 2)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	144	223,230	0.8
No	2	2,219	3,987,029	13.7
Valid skip	6	12,183	24,810,627	85.4
Don't know	7	4	6,099	0.0
Refusal	8	2	4,532	0.0
Not stated	9	13	12,367	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_050 **Length:** 3.0 **Position:** 78  
**Question Name:** PP\_Q050  
**Concept:** Percentage of all cigarettes on a First Nations Reserve - 6 mo.  
**Question Text:** What percentage of all the cigarettes you bought in the past six months were bought on a First Nations Reserve?  
**Universe:** PP\_Q010=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Percentage	000 - 100	210	299,647	1.0
Valid skip	996	14,337	28,724,158	98.9
Don't know	997	15	15,631	0.1
Refusal	998	1	217	0.0
Not stated	999	2	4,231	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_060 **Length:** 3.0 **Position:** 81  
**Question Name:** PP\_Q060  
**Concept:** Percentage of cigarettes believed to have been smuggled - 6 mo.  
**Question Text:** What percentage of all the cigarettes you bought in the past six months do you believe may have been smuggled? [Don't count cigarettes that you bought on a First Nations reserve]  
**Universe:** PP\_Q020=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Percentage	000 - 100	22	71,214	0.2
Valid skip	996	14,536	28,963,424	99.7
Don't know	997	3	4,388	0.0
Not stated	999	4	4,858	0.0

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PP\_070 **Length:** 3.0 **Position:** 84  
**Question Name:** PP\_Q070  
**Concept:** Percentage of cigarettes bought from a store or gas station - 6 mo.  
**Question Text:** What percentage of all the cigarettes you bought in the past six months were bought from a store or gas station? [Don't count cigarettes that you bought on a First Nations Reserve] [Don't count cigarettes that you believe may have been smuggled]  
**Universe:** PP\_Q030=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Percentage	000 - 100	317	478,173	1.6
Valid skip	996	14,233	28,546,165	98.3
Don't know	997	13	15,376	0.1
Refusal	998	1	217	0.0
Not stated	999	1	3,954	0.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PP\_071 **Length:** 3.0 **Position:** 87  
**Question Name:** PP\_Q071  
**Concept:** Percentage of cigarettes bought from another source - 6 mo.  
**Question Text:** What percentage of all the cigarettes you bought in the past six months were bought from another source? [Don't count cigarettes that were bought on a First Nations Reserve] [Don't count cigarettes that you believe may have been smuggled] [Don't count cigarettes that you bought from a store or gas station]  
**Universe:** PP\_Q040=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Percentage	000 - 100	120	196,868	0.7
Valid skip	996	14,438	28,830,967	99.3
Don't know	997	5	7,166	0.0
Not stated	999	2	8,883	0.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PP\_090 **Length:** 2.0 **Position:** 90  
**Question Name:** PP\_Q090  
**Concept:** Amt of cigarettes bought most recently from First Nations Reserve  
**Question Text:** The last time you bought cigarettes that came from a First Nations Reserve, how much did you buy? Was it...?  
**Universe:** PP\_Q010=1 or PP\_Q040=1



CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PP\_110B **Length:** 1.0 **Position:** 95  
**Question Name:** PP\_Q110  
**Concept:** Where bought smuggled cigarettes - First Nations Reserve  
**Question Text:** Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - On a First Nations Reserve  
**Universe:** PP\_Q020=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	6	11,191	0.0
No	2	12	15,566	0.1
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	41	108,971	0.4
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PP\_110C **Length:** 1.0 **Position:** 96  
**Question Name:** PP\_Q110  
**Concept:** Where bought smuggled cigarettes - delivery service  
**Question Text:** Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a delivery service  
**Universe:** PP\_Q020=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	18	26,757	0.1
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	41	108,971	0.4
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PP\_110D **Length:** 1.0 **Position:** 97  
**Question Name:** PP\_Q110  
**Concept:** Where bought smuggled cigarettes - co-worker  
**Question Text:** Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a co-worker  
**Universe:** PP\_Q020=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	18	26,757	0.1

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	41	108,971	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_110E **Length:** 1.0 **Position:** 98  
**Question Name:** PP\_Q110  
**Concept:** Where bought smuggled cigarettes - family member  
**Question Text:** Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a family member  
**Universe:** PP\_Q020=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	18	26,757	0.1
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	41	108,971	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_110F **Length:** 1.0 **Position:** 99  
**Question Name:** PP\_Q110  
**Concept:** Where bought smuggled cigarettes - friend  
**Question Text:** Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - From a friend (not a co-worker)  
**Universe:** PP\_Q020=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	12	15,566	0.1
No	2	6	11,191	0.0
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	41	108,971	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_110G **Length:** 1.0 **Position:** 100  
**Question Name:** PP\_Q110  
**Concept:** Where bought smuggled cigarettes - other - specify  
**Question Text:** Where did you buy the cigarettes that you believed may have been smuggled? Was it...? - Other - Specify  
**Universe:** PP\_Q020=1  
**Note:**  
**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	18	26,757	0.1
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	41	108,971	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_120 **Length:** 1.0 **Position:** 101  
**Question Name:** PP\_Q120  
**Concept:** Quantity smuggled cigarettes bought most recently  
**Question Text:** The last time you bought cigarettes that may have been smuggled, what quantity did you buy? Was it...?  
**Universe:** PP\_Q20=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
A bag of 200 cigarettes	3	7	15,680	0.1
Some other quantity	5	20	63,041	0.2
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	32	57,007	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_130 **Length:** 1.0 **Position:** 102  
**Question Name:** PP\_Q130  
**Concept:** First became aware that bought smuggled cigarettes  
**Question Text:** How did you first become aware that you could buy cigarettes that may have been smuggled? Was it through...?  
**Universe:** PP\_Q20=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
A friend (not a co-worker)	3	15	31,133	0.1
Word of mouth	4	5	19,074	0.1
Other	5	7	28,513	0.1
Valid skip	6	14,506	28,908,156	99.5
Not stated	9	32	57,007	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PP\_140 **Length:** 1.0 **Position:** 103  
**Question Name:** PP\_Q140  
**Concept:** How easy or difficult - to buy smuggled cigarettes  
**Question Text:** How easy or difficult was it for you to buy these cigarettes? Would you say it was...?  
**Universe:** PP\_Q20=1  
**Note:**



CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Don't know	97	12	9,918	0.0
Not stated	99	8	20,737	0.1
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** SC\_030 **Length:** 2.0 **Position:** 107  
**Question Name:** SC\_Q030  
**Concept:** Main reason quit smoking  
**Question Text:** What was your main reason to quit smoking?  
**Universe:** SS\_Q10=3 and SS\_Q40=1 and SC\_Q010=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Health	01	124	278,171	1.0
Pregnancy or a baby in the household	02	11	26,360	0.1
Cost of cigarettes	04	16	13,799	0.0
Some other reason	06	39	49,107	0.2
Valid skip	96	14,364	28,650,223	98.6
Don't know	97	3	5,489	0.0
Not stated	99	8	20,737	0.1
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** SC\_040 **Length:** 2.0 **Position:** 109  
**Question Name:** SC\_Q040  
**Concept:** Num attempts to stop smoking before stopped for good  
**Question Text:** Approximately, how many attempts to quit did you make before you quit smoking for good?  
**Universe:** SS\_Q10=3 and SS\_Q40=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of attempts to quit	01 - 94	3,030	7,188,947	24.8
Valid skip	96	11,415	21,563,698	74.2
Don't know	97	108	257,987	0.9
Refusal	98	8	16,457	0.1
Not stated	99	4	16,794	0.1
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** SC\_050 **Length:** 2.0 **Position:** 111  
**Question Name:** SC\_Q050  
**Concept:** Num daily cigarettes at time quit smoking  
**Question Text:** On average, how many cigarettes were you smoking per day at the time you quit?  
**Universe:** SS\_Q10=3 and SS\_Q40=1  
**Note:**



**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Cigarettes per day	01 - 94	2,976	7,033,375	24.2
Valid skip	96	11,415	21,563,698	74.2
Don't know	97	160	414,457	1.4
Refusal	98	10	15,560	0.1
Not stated	99	4	16,794	0.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SC\_060 **Length:** 1.0 **Position:** 113  
**Question Name:** SC\_Q060  
**Concept:** Seriously considering quitting smoking in next 6 mo.  
**Question Text:** Are you seriously considering quitting smoking within the next 6 months?  
**Universe:** SS\_Q10=(1 or 2)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,413	2,583,129	8.9
No	2	857	1,429,449	4.9
Valid skip	6	12,183	24,810,627	85.4
Don't know	7	92	203,253	0.7
Refusal	8	5	4,783	0.0
Not stated	9	15	12,643	0.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SC\_070 **Length:** 1.0 **Position:** 114  
**Question Name:** SC\_Q070  
**Concept:** Seriously considering quitting smoking in next 30 days  
**Question Text:** Are you seriously considering quitting smoking within the next 30 days?  
**Universe:** SS\_Q10=(1 or 2) and SC\_Q060=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	670	1,195,550	4.1
No	2	658	1,209,576	4.2
Valid skip	6	13,040	26,240,076	90.3
Don't know	7	85	178,003	0.6
Not stated	9	112	220,679	0.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SC\_080 **Length:** 2.0 **Position:** 115  
**Question Name:** SC\_Q080  
**Concept:** Num times stopped smoking for 24 hrs because trying to quit - 12 mo.

**CTADS 2013 - PUMF person - Data Dictionary**

**Question Text:** In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

**Universe:** SS\_Q10=(1 or 2) or SC\_Q010=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of attempts	00 - 94	2,464	4,376,962	15.1
Valid skip	96	11,982	24,416,966	84.1
Don't know	97	90	206,073	0.7
Refusal	98	4	9,033	0.0
Not stated	99	25	34,850	0.1
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** SC\_090 **Length:** 2.0 **Position:** 117

**Question Name:** SC\_Q090

**Concept:** Num attempts to stop smoking that lasted min 1 week

**Question Text:** How many of these attempts lasted at least one week?

**Universe:** (SS\_Q10=(1 or 2) or SC\_Q010=1) and SC\_Q080=(01:94)

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of attempts	00 - 25	1,304	2,149,023	7.4
Valid skip	96	13,139	26,621,669	91.7
Don't know	97	10	17,824	0.1
Refusal	98	1	127	0.0
Not stated	99	111	255,241	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** SC\_100 **Length:** 2.0 **Position:** 119

**Question Name:** SC\_Q100

**Concept:** Main reason began to smoke again

**Question Text:** What was the main reason you began to smoke again?

**Universe:** SS\_Q10=(1 or 2) and SC\_Q080=(01:94)

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Stress, need to relax or to calm down	02	473	888,661	3.1
Boredom	03	51	43,272	0.1
Addiction / habit	04	269	428,682	1.5
Going out more (bars, parties)	06	54	73,356	0.3
Increased availability	07	5	9,010	0.0
No reason / felt like it	08	97	134,942	0.5
Family or friends smoke	09	127	182,029	0.6
Other	10	71	107,022	0.4
Valid skip	96	13,264	26,863,799	92.5
Don't know	97	33	34,618	0.1
Refusal	98	1	12,374	0.0

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Not stated	99	120	266,120	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** SC\_110 **Length:** 1.0 **Position:** 121  
**Question Name:** SC\_Q110  
**Concept:** Tried to quit smoking - ever  
**Question Text:** Have you ever tried to quit smoking?  
**Universe:** SS\_Q10=(1 or 2) and SC\_Q080= (0 or RF or DK)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	723	1,522,192	5.2
No	2	456	738,948	2.5
Valid skip	6	13,347	26,708,671	92.0
Don't know	7	3	20,797	0.1
Refusal	8	1	934	0.0
Not stated	9	35	52,342	0.2
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** OM\_099 **Length:** 1.0 **Position:** 122  
**Question Name:** OM\_Q099  
**Concept:** Services offered-1-800 telephone quit-lines & other smoker help lines  
**Question Text:** Are you aware of 1-800 telephone quit-lines or other smoker help lines available to help you quit smoking?  
**Universe:** (SS\_Q10=(1 or 2) and SC\_Q080=(01:94)) or CM\_Q10=1 or (SS\_Q10=3 and SS\_Q40=1 and SC\_Q010=(1 or 2))  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,311	2,276,047	7.8
No	2	260	447,602	1.5
Valid skip	6	12,883	26,081,030	89.8
Refusal	8	1	127	0.0
Not stated	9	110	239,078	0.8
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** OM\_100 **Length:** 1.0 **Position:** 123  
**Question Name:** OM\_Q100  
**Concept:** Used a 1-800 quitline or a smokers helpline  
**Question Text:** Did you use a 1-800 quitline or a smokers helpline?  
**Universe:** (SS\_Q10=(1 or 2) and SC\_Q080=(01:94)) or CM\_Q10=1 or (SS\_Q10=3 and SS\_Q40=1 and SC\_Q010=(1 or 2)) and OM\_Q099=(1 or NS)

**Note:**

**Source:** Note: This question was labelled as OM\_Q090 prior to 2006 cycle 1.

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	96	150,794	0.5
No	2	1,214	2,114,649	7.3
Valid skip	6	13,143	26,528,632	91.3
Don't know	7	1	10,604	0.0
Not stated	9	111	239,204	0.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_017 **Length:** 1.0 **Position:** 124

**Question Name:** TP\_Q017

**Concept:** Ever smoked little cigar / cigarillo

**Question Text:** Have you ever tried smoking a little cigar or cigarillo?

**Universe:** All respondents.

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	4,818	10,134,155	34.9
No	2	9,712	18,799,943	64.7
Don't know	7	11	62,216	0.2
Not stated	9	24	47,570	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_021 **Length:** 1.0 **Position:** 125

**Question Name:** TP\_Q021

**Concept:** Smoked little cigar / cigarillo - 30 days

**Question Text:** In the past 30 days, did you smoke any little cigars or cigarillos?

**Universe:** TP\_Q017 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	403	758,833	2.6
No	2	4,413	9,371,392	32.3
Valid skip	6	9,712	18,799,943	64.7
Don't know	7	2	3,930	0.0
Not stated	9	35	109,786	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_022 **Length:** 1.0 **Position:** 126

**Question Name:** TP\_Q022

**Concept:** Smoked little cigars / cigarillos - type - 30 days

**Question Text:** Were these (little cigars or cigarillos) plain, flavoured or both?

**Universe:** TP\_Q17=1 and TP\_Q021 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Plain	1	98	260,256	0.9
Flavoured	2	240	404,249	1.4
Both	3	61	69,119	0.2
Valid skip	6	14,125	28,171,335	97.0
Don't know	7	4	25,208	0.1
Not stated	9	37	113,716	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_024 **Length:** 1.0 **Position:** 127

**Question Name:** TP\_Q024

**Concept:** Smoked little cigars / cigarillos - ever

**Question Text:** Have you ever tried smoking a cigar not including little cigars or cigarillos?

**Universe:** All respondents.

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	3,456	7,996,477	27.5
No	2	11,073	20,961,772	72.2
Don't know	7	11	37,795	0.1
Not stated	9	25	47,841	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_027 **Length:** 1.0 **Position:** 128

**Question Name:** TP\_Q027

**Concept:** Smoked cigar - 30 days

**Question Text:** In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

**Universe:** TP\_Q24 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	187	395,872	1.4
No	2	3,268	7,596,498	26.2
Valid skip	6	11,073	20,961,772	72.2
Don't know	7	1	4,106	0.0
Not stated	9	36	85,636	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_028 **Length:** 1.0 **Position:** 129

**Question Name:** TP\_Q028

**Concept:** Smoked cigar - type

**Question Text:** Were these cigars plain, flavoured or both?  
**Universe:** TP\_Q27 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Plain	1	128	319,606	1.1
Flavoured	2	26	16,360	0.1
Both	3	28	56,793	0.2
Valid skip	6	14,341	28,558,270	98.3
Don't know	7	5	3,112	0.0
Not stated	9	37	89,742	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_040 **Length:** 1.0 **Position:** 130  
**Question Name:** TP\_Q040  
**Concept:** Smoked pipe - 30 days  
**Question Text:** In the past 30 days, did you smoke a pipe?  
**Universe:** TP\_Q30 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	145	198,783	0.7
No	2	14,389	28,775,460	99.1
Don't know	7	3	20,556	0.1
Refusal	8	1	284	0.0
Not stated	9	27	48,801	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_050 **Length:** 1.0 **Position:** 131  
**Question Name:** TP\_Q050  
**Concept:** Used chewing tobacco - ever  
**Question Text:** Have you ever tried chewing tobacco, pinch or snuff?  
**Universe:** All respondents.  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,340	2,403,347	8.3
No	2	13,186	26,540,910	91.4
Don't know	7	7	48,230	0.2
Refusal	8	1	670	0.0
Not stated	9	31	50,728	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_060 **Length:** 1.0 **Position:** 132

**Question Name:** TP\_Q060  
**Concept:** Used chewing tobacco - 30 days  
**Question Text:** In the past 30 days, did you use any chewing tobacco, pinch or snuff?  
**Universe:** TP\_Q50 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	115	179,345	0.6
No	2	1,225	2,224,002	7.7
Valid skip	6	13,186	26,540,910	91.4
Not stated	9	39	99,628	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_061 **Length:** 1.0 **Position:** 133  
**Question Name:** TP\_Q061  
**Concept:** Used chewing tobacco - type - 30 days  
**Question Text:** Was the chewing tobacco, pinch or snuff plain, flavoured or both?  
**Universe:** TP\_Q60 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Plain	1	31	63,335	0.2
Flavoured	2	54	88,435	0.3
Both	3	25	24,292	0.1
Valid skip	6	14,411	28,764,911	99.0
Don't know	7	5	3,282	0.0
Not stated	9	39	99,628	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_070 **Length:** 1.0 **Position:** 134  
**Question Name:** TP\_Q070  
**Concept:** Used tobacco water-pipe - ever  
**Question Text:** Have you ever tried a tobacco water-pipe, also known as a hookah, sheesha, narg-eelay, hubble-bubble, or gouza, to smoke tobacco?  
**Universe:** All respondents.  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,287	2,797,640	9.6
No	2	13,237	26,151,849	90.0
Don't know	7	6	35,805	0.1
Refusal	8	2	1,635	0.0
Not stated	9	33	56,955	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_080 **Length:** 1.0 **Position:** 135  
**Question Name:** TP\_Q080  
**Concept:** Used tobacco water-pipe - 30 days  
**Question Text:** In the past 30 days have you smoked a tobacco water-pipe?  
**Universe:** TP\_Q70 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	150	229,229	0.8
No	2	1,137	2,568,412	8.8
Valid skip	6	13,237	26,151,849	90.0
Not stated	9	41	94,394	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_090A **Length:** 1.0 **Position:** 136  
**Question Name:** TP\_Q090  
**Concept:** Smoked in water-pipe - flavoured tobacco - 30 days  
**Question Text:** What type of tobacco did you smoke in the water-pipe? - Flavoured tobacco  
**Universe:** TP\_Q080 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	106	166,499	0.6
No	2	40	61,017	0.2
Valid skip	6	14,374	28,720,261	98.9
Don't know	7	4	1,712	0.0
Not stated	9	41	94,394	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_090B **Length:** 1.0 **Position:** 137  
**Question Name:** TP\_Q090  
**Concept:** Smoked in water-pipe - regular tobacco - 30 days  
**Question Text:** What type of tobacco did you smoke in the water-pipe? - Regular tobacco  
**Universe:** TP\_Q080 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	9	5,954	0.0
No	2	137	221,563	0.8
Valid skip	6	14,374	28,720,261	98.9
Don't know	7	4	1,712	0.0
Not stated	9	41	94,394	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>



**Variable Name:** TP\_090C **Length:** 1.0 **Position:** 138  
**Question Name:** TP\_Q090  
**Concept:** Smoked in water-pipe - a product other than tobacco  
**Question Text:** What type of tobacco did you smoke in the water-pipe? - A product other than tobacco  
**Universe:** TP\_Q080 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	36	57,244	0.2
No	2	110	170,272	0.6
Valid skip	6	14,374	28,720,261	98.9
Don't know	7	4	1,712	0.0
Not stated	9	41	94,394	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TP\_100 **Length:** 1.0 **Position:** 139  
**Question Name:** TP\_Q100  
**Concept:** Perception of tobacco water-pipe  
**Question Text:** Do you believe that smoking tobacco in a water-pipe is ...?  
**Universe:** TP\_Q080 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
More harmful than smoking cigarettes	1	43	67,892	0.2
Less harmful than smoking cigarettes	2	61	74,285	0.3
Neither more harmful nor less harmful than smoking cigarette	3	36	54,745	0.2
Valid skip	6	14,374	28,720,261	98.9
Don't know	7	9	29,413	0.1
Refusal	8	1	2,894	0.0
Not stated	9	41	94,394	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ELC\_110 **Length:** 1.0 **Position:** 140  
**Question Name:** ELC\_Q110  
**Concept:** Used e-cigarette - ever  
**Question Text:** Have you ever tried an electronic cigarette, also known as an e-cigarette?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,980	2,462,277	8.5
No	2	12,543	26,477,746	91.2
Don't know	7	5	44,897	0.2
Refusal	8	2	1,635	0.0

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Not stated	9	35	57,330	0.2
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ELC\_120 **Length:** 1.0 **Position:** 141  
**Question Name:** ELC\_Q120  
**Concept:** Used e-cigarette - 30 days  
**Question Text:** In the past 30 days did you use an electronic cigarette, also known as an e-cigarette?  
**Universe:** ELC\_Q110 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	361	520,958	1.8
No	2	1,618	1,941,154	6.7
Valid skip	6	12,543	26,477,746	91.2
Don't know	7	1	164	0.0
Not stated	9	42	103,861	0.4
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ELC\_130 **Length:** 1.0 **Position:** 142  
**Question Name:** ELC\_Q130  
**Concept:** Last time used an e-cigarette - contained nicotine  
**Question Text:** The last time you used an e-cigarette, did it contain nicotine?  
**Universe:** ELC\_Q110 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	409	650,418	2.2
No	2	1,216	1,345,628	4.6
Uncertain	3	355	466,231	1.6
Valid skip	6	12,543	26,477,746	91.2
Not stated	9	42	103,861	0.4
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ELC\_140 **Length:** 1.0 **Position:** 143  
**Question Name:** ELC\_Q140  
**Concept:** Used e-cigarette as smoking cessation aid - 2 years  
**Question Text:** In the past two years, did you ever use the e-cigarette as an aid while attempting to quit smoking?  
**Universe:** ELC\_Q110 = 1 and (SS\_Q10 = (1,2) and (SC\_Q080 = (1:94) or SC\_Q110 = 1)) or ((SS\_Q10 = 3 and SS\_Q40 = 1) and SC\_Q080 = (1:94))  
**Note:**  
**Source:**



**CTADS 2013 - PUMF person - Data Dictionary**

**Question Name:** ALC\_Q10  
**Concept:** Drank alcoholic beverages - 12 mo.  
**Question Text:** How often did you drink alcoholic beverages during the past 12 months?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Daily or almost daily	01	563	1,607,711	5.5
4 to 5 times a week	02	460	1,433,809	4.9
2 to 3 times a week	03	1,809	4,566,699	15.7
Once a week	04	1,692	3,788,644	13.0
2 to 3 times a month	05	2,028	3,897,400	13.4
Once a month	06	1,252	2,135,986	7.4
Less than once a month	07	2,625	4,422,683	15.2
Never	08	4,036	6,944,189	23.9
Don't know	97	25	124,155	0.4
Refusal	98	15	33,931	0.1
Not stated	99	60	88,678	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALC\_20 **Length:** 1.0 **Position:** 148  
**Question Name:** ALC\_Q20  
**Concept:** Have had a drink  
**Question Text:** Have you ever had a drink?  
**Universe:** ALC\_Q10 = (08, DK, RF)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	2,130	4,253,795	14.6
No	2	1,933	2,801,034	9.6
Valid skip	6	10,429	21,852,931	75.2
Don't know	7	5	30,904	0.1
Refusal	8	8	16,542	0.1
Not stated	9	60	88,678	0.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALC\_30 **Length:** 2.0 **Position:** 149  
**Question Name:** ALC\_Q30  
**Concept:** Age - started drinking alcoholic beverages  
**Question Text:** Not counting small sips, how old were you when you started drinking alcoholic beverages?  
**Universe:** ALC\_Q10 = (01:07) or (ALC\_Q10=(8, DK, RF) and ALC\_Q20 <> 2)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Years	01 - 83	12,189	25,182,753	86.7
Valid skip	96	1,933	2,801,034	9.6

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Don't know	97	365	935,360	3.2
Refusal	98	17	33,883	0.1
Not stated	99	61	90,855	0.3
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ALC\_40 **Length:** 2.0 **Position:** 151  
**Question Name:** ALC\_Q40  
**Concept:** Number of drinks consumed on those days - 12 mo.  
**Question Text:** During the past 12 months, on those days when you drank, how many drinks did you usually have?  
**Universe:** ALC\_Q10 = (01:07)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	01 - 50	10,231	21,414,365	73.7
Valid skip	96	4,037	6,944,350	23.9
Don't know	97	193	420,942	1.4
Refusal	98	3	8,437	0.0
Not stated	99	101	255,791	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ALC\_50 **Length:** 2.0 **Position:** 153  
**Question Name:** ALC\_Q50  
**Concept:** Frequency of drinking four or more drinks on one occasion -12 mo.  
**Question Text:** During the past 12 months, how often have you had four or more drinks on one occasion?  
**Universe:** ALC\_Q40 = (01:61, DK, RF) and Sex = 2  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Daily or almost daily	01	10	8,790	0.0
4 to 5 times a week	02	26	61,819	0.2
2 to 3 times a week	03	139	206,284	0.7
Once a week	04	277	427,948	1.5
2 to 3 times a month	05	512	828,665	2.9
Once a month	06	555	886,968	3.1
Less than once a month	07	1,770	3,378,796	11.6
Never	08	2,132	4,555,092	15.7
Valid skip	96	9,025	18,406,071	63.4
Don't know	97	17	22,103	0.1
Refusal	98	2	7,735	0.0
Not stated	99	100	253,614	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ALC\_60 **Length:** 2.0 **Position:** 155

**CTADS 2013 - PUMF person - Data Dictionary**

**Question Name:** ALC\_Q60  
**Concept:** Frequency of drinking five or more drinks on one occasion -12 mo.  
**Question Text:** During the past 12 months, how often have you had five or more drinks on one occasion?  
**Universe:** (Sex = 1) and (ALC\_Q40 = (01:61, DK, RF))

or

(Sex = 2) and (ALC\_Q40 = (01:61)) and (ALC\_Q50 <> 08)

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Daily or almost daily	01	65	99,809	0.3
4 to 5 times a week	02	55	127,907	0.4
2 to 3 times a week	03	382	767,226	2.6
Once a week	04	601	1,161,005	4.0
2 to 3 times a month	05	816	1,379,466	4.7
Once a month	06	1,080	2,063,200	7.1
Less than once a month	07	2,942	5,978,164	20.6
Never	08	2,304	5,594,863	19.3
Valid skip	96	6,169	11,499,442	39.6
Don't know	97	48	111,232	0.4
Refusal	98	2	5,781	0.0
Not stated	99	101	255,791	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALC\_70 **Length:** 2.0 **Position:** 157

**Question Name:** ALC\_Q70  
**Concept:** Number of drinks consumed - 30 days  
**Question Text:** During the past 30 days, on those days when you drank, how many drinks did you usually have?  
**Universe:** ALC\_Q10 = (01:07)

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00 - 47	10,292	21,537,214	74.2
Valid skip	96	4,037	6,944,350	23.9
Don't know	97	133	294,864	1.0
Refusal	98	1	4,808	0.0
Not stated	99	102	262,649	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** AW\_10 **Length:** 1.0 **Position:** 159

**Question Name:** AW\_Q10  
**Concept:** Had beer, wine, liquor or any other alcoholic beverage - 7 days  
**Question Text:** Now, thinking back over the past seven (7) days, did you have a drink of beer, wine, liquor or any other alcoholic beverage?  
**Universe:** ALC\_Q70 = (01:61)

**Note:**

**Source:**



**CTADS 2013 - PUMF person - Data Dictionary**

**Question Text:** (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Wednesday

**Universe:** AW\_Q10=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00 - 38	5,411	12,778,561	44.0
Valid skip	96	8,764	15,252,644	52.5
Don't know	97	54	196,772	0.7
Refusal	98	1	4,402	0.0
Not stated	99	335	811,505	2.8
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** AW\_20D **Length:** 2.0 **Position:** 166

**Question Name:**

**Concept:** Number of drinks Thursday

**Question Text:** (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Thursday

**Universe:** AW\_Q10=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00 - 50	5,416	12,847,019	44.2
Valid skip	96	8,764	15,252,644	52.5
Don't know	97	53	140,966	0.5
Refusal	98	2	965	0.0
Not stated	99	330	802,290	2.8
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** AW\_20E **Length:** 2.0 **Position:** 168

**Question Name:**

**Concept:** Number of drinks Friday

**Question Text:** (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Friday

**Universe:** AW\_Q10=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00 - 35	5,445	12,932,063	44.5
Valid skip	96	8,764	15,252,644	52.5
Don't know	97	42	155,531	0.5
Not stated	99	314	703,646	2.4
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** AW\_20F **Length:** 2.0 **Position:** 170



**Question Name:**

**Concept:** Number of drinks Saturday

**Question Text:** (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Saturday

**Universe:** AW\_Q10=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00 - 50	5,469	13,028,305	44.9
Valid skip	96	8,764	15,252,644	52.5
Don't know	97	33	68,752	0.2
Refusal	98	1	1,602	0.0
Not stated	99	298	692,581	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** AW\_20G **Length:** 2.0 **Position:** 172

**Question Name:**

**Concept:** Number of drinks Sunday

**Question Text:** (Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?) Sunday

**Universe:** AW\_Q10=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00 - 40	5,472	13,005,364	44.8
Valid skip	96	8,764	15,252,644	52.5
Don't know	97	31	57,943	0.2
Refusal	98	1	2,832	0.0
Not stated	99	297	725,101	2.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_010 **Length:** 1.0 **Position:** 174

**Question Name:** PR\_Q010

**Concept:** Used codeine products -12 mo.

**Question Text:** During the past 12 months, have you used any codeine products like Tylenol #3, Tylenol #1, 292's or 222's?

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,781	3,304,292	11.4
No	2	12,611	25,364,176	87.3
Don't know	7	80	207,542	0.7
Refusal	8	15	31,699	0.1
Not stated	9	78	136,175	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_020 **Length:** 1.0 **Position:** 175  
**Question Name:** PR\_Q020  
**Concept:** Used oxycodone products - 12 mo.  
**Question Text:** During the past 12 months, have you used any oxycodone products such as Percocet or Percodan?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	391	828,178	2.9
No	2	14,035	27,934,040	96.2
Don't know	7	46	114,163	0.4
Refusal	8	15	31,328	0.1
Not stated	9	78	136,175	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_030 **Length:** 1.0 **Position:** 176  
**Question Name:** PR\_Q030  
**Concept:** Used other opioid products - 12 mo.  
**Question Text:** During the past 12 months, have you used any other opioid products such as hydromorphone, Dilaudid, HydromorphContin, morphine, MS Contin, or Demerol?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	592	1,048,791	3.6
No	2	13,829	27,720,300	95.4
Don't know	7	52	110,778	0.4
Refusal	8	14	27,839	0.1
Not stated	9	78	136,175	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_040 **Length:** 2.0 **Position:** 177  
**Question Name:** PR\_Q040  
**Concept:** Frequency of use - pain relievers - 12 mo.  
**Question Text:** During the past 12 months, how often have you used any such pain relievers?  
**Universe:** PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Once or twice	01	376	791,599	2.7
3 to 11 times a year	02	149	338,226	1.2
About once a month	03	94	214,758	0.7

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
2 or 3 times a month	04	75	124,015	0.4
About once or twice a week	05	68	78,635	0.3
3 or 4 times a week	06	30	69,213	0.2
Daily or almost daily	07	225	460,503	1.6
As needed, or following surgery	08	1,229	2,161,979	7.4
Valid skip	96	12,097	24,343,433	83.8
Don't know	97	12	17,241	0.1
Refusal	98	2	745	0.0
Not stated	99	208	443,537	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_050 **Length:** 1.0 **Position:** 179  
**Question Name:** PR\_Q050  
**Concept:** Used pain relievers - prescribed for self -12 mo.  
**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, were they prescribed for you?  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No, none were prescribed	1	328	626,339	2.2
Yes, they all were prescribed	2	1,774	3,369,678	11.6
Some were prescribed and others were not	3	155	256,619	0.9
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	2	3,678	0.0
Not stated	9	209	444,137	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_060 **Length:** 1.0 **Position:** 180  
**Question Name:** PR\_Q060  
**Concept:** Used pain relievers - ever took more than prescribed - 12 mo.  
**Question Text:** Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the pain relievers you have used during the past 12 months, did you ever take more pills, or take them more often than you were supposed to?  
**Universe:** (PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1) and (PR\_Q050 <> 1)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	115	191,687	0.7
No	2	1,815	3,435,666	11.8
Valid skip	6	12,425	24,969,772	86.0
Don't know	7	1	2,622	0.0
Not stated	9	209	444,137	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_070 **Length:** 1.0 **Position:** 181  
**Question Name:** PR\_Q070  
**Concept:** Used pain relievers to get high - 12 mo.  
**Question Text:** During the past 12 months, did you ever use pain relievers only for the experience, the feeling they caused, or to get high?  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	60	43,351	0.1
No	2	2,195	4,201,579	14.5
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	3	10,870	0.0
Refusal	8	1	515	0.0
Not stated	9	209	444,137	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_080 **Length:** 1.0 **Position:** 182  
**Question Name:** PR\_Q080  
**Concept:** Used pain relievers for reasons other than pain relief - 12 mo.  
**Question Text:** During the past 12 months, did you ever use pain relievers for reasons other than pain relief, for example, to feel better (improve mood), to cope with stress or problems, or any other reason?  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	79	83,277	0.3
No	2	2,178	4,172,233	14.4
Valid skip	6	12,097	24,343,433	83.8
Refusal	8	1	515	0.0
Not stated	9	210	444,426	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_090 **Length:** 1.0 **Position:** 183  
**Question Name:** PR\_Q090  
**Concept:** Tampered with a pain reliever product before taking it - 12 mo.  
**Question Text:** During the past 12 months, did you ever tamper with a pain reliever product before taking it, [ for example, by crushing tablets to swallow, snort or inject, not counting for ease of swallowing or to take a lower dose/ for example, by crushing tablets to swallow, snort or inject]?  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	37	34,967	0.1
No	2	2,219	4,212,046	14.5

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	1	8,322	0.0
Refusal	8	1	691	0.0
Not stated	9	210	444,426	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100A **Length:** 1.0 **Position:** 184  
**Question Name:** PR\_Q100  
**Concept:** Obtained pain relievers - pharmacist no prescription - 12 mo.  
**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a pharmacist, without a prescription  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	233	461,901	1.6
No	2	1,991	3,715,835	12.8
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100B **Length:** 1.0 **Position:** 185  
**Question Name:** PR\_Q100  
**Concept:** Obtained pain relievers - prescription for self - for pain - 12 mo.  
**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a prescription written for you for pain  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,887	3,582,017	12.3
No	2	337	595,718	2.1
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100C **Length:** 1.0 **Position:** 186  
**Question Name:** PR\_Q100  
**Concept:** Obtained pain relievers - friend / relative - 12 mo.

**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a friend or relative

**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	146	229,364	0.8
No	2	2,078	3,948,371	13.6
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100D **Length:** 1.0 **Position:** 187

**Question Name:** PR\_Q100

**Concept:** Obtained pain relievers - drug dealer / stranger - 12 mo.

**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From a drug dealer or other stranger

**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	17	3,713	0.0
No	2	2,207	4,174,023	14.4
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100E **Length:** 1.0 **Position:** 188

**Question Name:** PR\_Q100

**Concept:** Obtained pain relievers - Internet - 12 mo.

**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From the internet

**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	2,224	4,177,735	14.4
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100F **Length:** 1.0 **Position:** 189  
**Question Name:** PR\_Q100  
**Concept:** Obtained pain relievers - deceiv. doctor to obtain a prescript -12 mo.  
**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From deceiving a doctor to obtain a prescription  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	20	28,197	0.1
No	2	2,204	4,149,538	14.3
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100G **Length:** 1.0 **Position:** 190  
**Question Name:** PR\_Q100  
**Concept:** Obtained pain relievers - forging a prescription - 12 mo.  
**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From forging a prescription  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	2,224	4,177,735	14.4
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_100H **Length:** 1.0 **Position:** 191  
**Question Name:** PR\_Q100  
**Concept:** Obtained pain relievers - multiple doctors for prescript. - 12 mo.  
**Question Text:** Thinking about all the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...? - From purposely going to more than one doctor for prescriptions  
**Universe:** PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	2,224	4,177,735	14.4

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Valid skip	6	12,097	24,343,433	83.8
Don't know	7	24	66,700	0.2
Refusal	8	4	5,275	0.0
Not stated	9	216	450,740	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PR\_110 **Length:** 1.0 **Position:** 192  
**Question Name:** PR\_Q110  
**Concept:** Gave away / sold pain reliever medication prescribed to self - 12 mo.  
**Question Text:** During the past 12 months, did you ever give away or sell pain reliever medication that was prescribed for you?  
**Universe:** (PR\_Q010 =1 or PR\_Q020 = 1 or PR\_Q030 = 1) and (PR\_Q050 <> 1)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	47	66,548	0.2
No	2	1,881	3,558,342	12.3
Valid skip	6	12,425	24,969,772	86.0
Refusal	8	1	691	0.0
Not stated	9	211	448,532	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_10 **Length:** 1.0 **Position:** 193  
**Question Name:** STI\_Q10  
**Concept:** Used stimulants - 12 mo.  
**Question Text:** During the past 12 months have you used any stimulants?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	265	256,333	0.9
No	2	14,188	28,533,678	98.2
Don't know	7	14	76,776	0.3
Refusal	8	13	27,341	0.1
Not stated	9	85	149,757	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_15 **Length:** 2.0 **Position:** 194  
**Question Name:** STI\_Q15  
**Concept:** Frequency of use - stimulants - 12 mo.  
**Question Text:** During the past 12 months how often have you used any stimulants?  
**Universe:** STI\_Q10 = 1





**Variable Name:** STI\_40 **Length:** 1.0 **Position:** 198  
**Question Name:** STI\_Q40  
**Concept:** Used stimulants to get high - 12 mo.  
**Question Text:** During the past 12 months, did you ever use stimulants only for the experience, the feeling they caused or to get high?  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	45	22,957	0.1
No	2	220	233,375	0.8
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	112	253,873	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_50 **Length:** 1.0 **Position:** 199  
**Question Name:** STI\_Q50  
**Concept:** Used stimulants for reasons other than pain relief - 12 mo.  
**Question Text:** During the past 12 months, did you ever use stimulants for reasons other than why they were prescribed, for example, to study, to stay alert, to decrease your appetite or for any other reason?  
**Universe:** STI\_Q10 = 1 and STI\_Q20 = (2,3)  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	28	20,352	0.1
No	2	185	202,128	0.7
Valid skip	6	14,240	28,567,532	98.4
Not stated	9	112	253,873	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_60A **Length:** 1.0 **Position:** 200  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - pharmacists no prescription - 12 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From a pharmacist, without a prescription  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	257	251,587	0.9
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** STI\_60B **Length:** 1.0 **Position:** 201  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - prescription for self - 20 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them?  
 Was it...? - From a prescription written for you  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	203	216,327	0.7
No	2	54	35,261	0.1
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** STI\_60C **Length:** 1.0 **Position:** 202  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - friend / relative - 20 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them?  
 Was it...? - From a friend or relative  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	47	27,846	0.1
No	2	210	223,741	0.8
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** STI\_60D **Length:** 1.0 **Position:** 203  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - drug dealer / stranger - 12 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them?  
 Was it...? - From a drug dealer or other stranger  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	11	9,373	0.0
No	2	246	242,215	0.8
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_60E **Length:** 1.0 **Position:** 204  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - Internet - 12 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them?  
 Was it...? - From the internet  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	257	251,587	0.9
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_60F **Length:** 1.0 **Position:** 205  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - deceiving a doctor - 12 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them?  
 Was it...? - From deceiving a doctor to obtain a prescription  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	257	251,587	0.9
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_60G **Length:** 1.0 **Position:** 206  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - forging prescription - 12 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them?  
 Was it...? - From forging a prescription  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	257	251,587	0.9
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_60H **Length:** 1.0 **Position:** 207  
**Question Name:** STI\_Q60  
**Concept:** Used stimulants - multiple doctors - 12 mo.  
**Question Text:** Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...? - From purposely going to more than one doctor for prescriptions  
**Universe:** STI\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	257	251,587	0.9
Valid skip	6	14,188	28,533,678	98.2
Not stated	9	120	258,619	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STI\_70 **Length:** 1.0 **Position:** 208  
**Question Name:** STI\_Q70  
**Concept:** Gave away / sold stimulants prescribed to self - 12 mo.  
**Question Text:** During the past 12 months, did you ever give away or sell stimulant medication that was prescribed for you?  
**Universe:** STI\_Q10 = 1 and STI\_Q20 <> 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	13	10,927	0.0
No	2	200	211,553	0.7
Valid skip	6	14,240	28,567,532	98.4
Not stated	9	112	253,873	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_05 **Length:** 1.0 **Position:** 209  
**Question Name:** SED\_Q05  
**Concept:** Used sedatives - 12 mo.  
**Question Text:** During the past 12 months have you used any sedatives?  
**Universe:** All respondents  
**Note:**  
**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,519	2,977,771	10.3
No	2	12,904	25,741,969	88.6
Don't know	7	37	133,616	0.5
Refusal	8	18	37,278	0.1
Not stated	9	87	153,249	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_10 **Length:** 2.0 **Position:** 210  
**Question Name:** SED\_Q10  
**Concept:** Used sedatives - frequency - 12 mo.  
**Question Text:** During the past 12 months how often have you used any sedatives?  
**Universe:** SED\_Q05 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Once or twice	01	176	387,598	1.3
3 to 11 times a year	02	122	236,972	0.8
About once a month	03	62	202,321	0.7
2 or 3 times a month	04	90	188,713	0.6
About once or twice a week	05	64	176,744	0.6
3 or 4 times a week	06	54	102,076	0.4
Daily or almost daily	07	643	1,094,991	3.8
As needed, or following surgery	08	300	577,693	2.0
Valid skip	96	12,904	25,741,969	88.6
Don't know	97	8	10,664	0.0
Not stated	99	142	324,144	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_20 **Length:** 1.0 **Position:** 212  
**Question Name:** SED\_Q20  
**Concept:** Used sedatives - prescribed for self - 12 mo.  
**Question Text:** Thinking about all the sedatives you have used during the past 12 months, were they prescribed for you?  
**Universe:** SED\_Q05 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No, none were prescribed	1	83	100,028	0.3
Yes, they all were prescribed	2	1,410	2,824,165	9.7
Some were prescribed and others were not	3	26	53,579	0.2
Valid skip	6	12,904	25,741,969	88.6
Not stated	9	142	324,144	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_30 **Length:** 1.0 **Position:** 213



**Variable Name:** SED\_50B **Length:** 1.0 **Position:** 216  
**Question Name:** SED\_Q50  
**Concept:** Obtained sedatives - prescription for self - 12 mo.  
**Question Text:** Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a prescription written for you  
**Universe:** SED\_Q05 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,420	2,849,939	9.8
No	2	94	123,401	0.4
Valid skip	6	12,904	25,741,969	88.6
Don't know	7	2	1,522	0.0
Not stated	9	145	327,053	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_50C **Length:** 1.0 **Position:** 217  
**Question Name:** SED\_Q50  
**Concept:** Obtained sedatives - friend / relative - 12 mo.  
**Question Text:** Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a friend or relative  
**Universe:** SED\_Q05 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	73	90,728	0.3
No	2	1,441	2,882,612	9.9
Valid skip	6	12,904	25,741,969	88.6
Don't know	7	2	1,522	0.0
Not stated	9	145	327,053	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_50D **Length:** 1.0 **Position:** 218  
**Question Name:** SED\_Q50  
**Concept:** Obtained sedatives - drug dealer / stranger - 12 mo.  
**Question Text:** Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From a drug dealer or other stranger  
**Universe:** SED\_Q05 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	9	1,498	0.0
No	2	1,505	2,971,842	10.2



<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Valid skip	6	12,904	25,741,969	88.6
Don't know	7	2	1,522	0.0
Not stated	9	145	327,053	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_50E **Length:** 1.0 **Position:** 219  
**Question Name:** SED\_Q50  
**Concept:** Obtained sedatives - Internet - 12 mo.  
**Question Text:** Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From the internet  
**Universe:** SED\_Q05 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	1,514	2,973,340	10.2
Valid skip	6	12,904	25,741,969	88.6
Don't know	7	2	1,522	0.0
Not stated	9	145	327,053	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_50F **Length:** 1.0 **Position:** 220  
**Question Name:** SED\_Q50  
**Concept:** Obtained sedatives - deceiv. doctor to obtain a prescript -12 mo.  
**Question Text:** Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From deceiving a doctor to obtain a prescription  
**Universe:** SED\_Q05 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	10	25,442	0.1
No	2	1,504	2,947,897	10.1
Valid skip	6	12,904	25,741,969	88.6
Don't know	7	2	1,522	0.0
Not stated	9	145	327,053	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_50G **Length:** 1.0 **Position:** 221  
**Question Name:** SED\_Q50  
**Concept:** Obtained sedatives - forging prescription - 12 mo.  
**Question Text:** Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From forging a prescription  
**Universe:** SED\_Q05 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	1,514	2,973,340	10.2
Valid skip	6	12,904	25,741,969	88.6
Don't know	7	2	1,522	0.0
Not stated	9	145	327,053	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_50H **Length:** 1.0 **Position:** 222

**Question Name:** SED\_Q50

**Concept:** Obtained sedatives - multiple doctors for prescript. - 12 mo.

**Question Text:** Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...? - From purposely going to more than one doctor for prescriptions

**Universe:** SED\_Q05 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	1,514	2,973,340	10.2
Valid skip	6	12,904	25,741,969	88.6
Don't know	7	2	1,522	0.0
Not stated	9	145	327,053	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SED\_60 **Length:** 1.0 **Position:** 223

**Question Name:** SED\_Q60

**Concept:** Gave away / sold sedatives prescribed to self -12 mo.

**Question Text:** During the past 12 months, did you ever give away or sell sedative medication that was prescribed for you?

**Universe:** SED\_Q05 = 1 and SED\_Q20 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	29	38,067	0.1
No	2	1,407	2,839,676	9.8
Valid skip	6	12,987	25,841,997	89.0
Not stated	9	142	324,144	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_010 **Length:** 1.0 **Position:** 224

**Question Name:** CAN\_Q010

**Concept:** Used marijuana - ever

**Question Text:** During your lifetime, have you ever used or tried marijuana?

**Universe:** All Respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	5,616	11,843,094	40.8
No	2	8,820	16,896,830	58.2
Don't know	7	7	49,181	0.2
Refusal	8	29	97,181	0.3
Not stated	9	93	157,599	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_020 **Length:** 1.0 **Position:** 225

**Question Name:** CAN\_Q020

**Concept:** Used marijuana - num times

**Question Text:** Have you used marijuana just once or more than once?

**Universe:** CAN\_Q010 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Just once	1	1,112	2,145,248	7.4
More than once	2	4,496	9,683,993	33.3
Valid skip	6	8,820	16,896,830	58.2
Don't know	7	7	12,959	0.0
Refusal	8	1	893	0.0
Not stated	9	129	303,960	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_030 **Length:** 1.0 **Position:** 226

**Question Name:** CAN\_Q030

**Concept:** Used marijuana - 12 mo.

**Question Text:** During the past 12 months have you used marijuana?

**Universe:** CAN\_Q010 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,972	3,050,774	10.5
No	2	3,637	8,779,101	30.2
Valid skip	6	8,820	16,896,830	58.2
Don't know	7	4	10,270	0.0
Refusal	8	1	1,363	0.0
Not stated	9	131	305,546	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_040 **Length:** 1.0 **Position:** 227



**Variable Name:** CAN\_070 **Length:** 1.0 **Position:** 231  
**Question Name:** CAN\_Q070  
**Concept:** Had strong desire to use marijuana - ever  
**Question Text:** Have you ever had a strong desire or urge to use marijuana?  
**Universe:** CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	521	1,122,232	3.9
No	2	3,973	8,557,971	29.5
Valid skip	6	9,932	19,042,079	65.6
Don't know	7	8	16,057	0.1
Not stated	9	131	305,546	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_080 **Length:** 1.0 **Position:** 232  
**Question Name:** CAN\_Q080  
**Concept:** Frequency of strong desire to use marijuana - 3 mo.  
**Question Text:** During the past three months how often have you had a strong desire or urge to use marijuana?  
**Universe:** CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q070 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Once or twice	1	115	278,004	1.0
Monthly	2	34	70,311	0.2
Weekly	3	63	64,672	0.2
Daily or almost daily	4	87	113,068	0.4
Never	5	215	579,618	2.0
Valid skip	6	13,905	27,600,050	95.0
Don't know	7	7	16,559	0.1
Not stated	9	139	321,603	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_090 **Length:** 1.0 **Position:** 233  
**Question Name:** CAN\_Q090  
**Concept:** Marijuana use led to health, social, legal or financial problems  
**Question Text:** Has your use of marijuana ever led to health, social, legal or financial problems?  
**Universe:** CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	215	434,950	1.5
No	2	4,286	9,260,624	31.9



**Question Text:** During the past three months, how often have you found you could not do what was normally expected of you because of your use of marijuana?

**Universe:** CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q110 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Once or twice	1	63	100,780	0.3
Monthly	2	17	30,218	0.1
Weekly	3	21	29,072	0.1
Daily or almost daily	4	8	10,649	0.0
Never	5	289	720,901	2.5
Valid skip	6	14,021	27,832,967	95.8
Don't know	7	2	389	0.0
Refusal	8	1	43	0.0
Not stated	9	143	318,864	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_130 **Length:** 1.0 **Position:** 237

**Question Name:** CAN\_Q130

**Concept:** Friend/relative/other expressed concern about marijuana use - ever

**Question Text:** Has a friend or relative or anyone else ever expressed concern about your use of marijuana?

**Universe:** CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	550	869,554	3.0
No	2	3,946	8,793,527	30.3
Valid skip	6	9,932	19,042,079	65.6
Don't know	7	5	32,585	0.1
Refusal	8	1	593	0.0
Not stated	9	131	305,546	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_140 **Length:** 1.0 **Position:** 238

**Question Name:** CAN\_Q140

**Concept:** Concern expressed about marijuana use - 3 mo.

**Question Text:** Was this concern expressed during the past three months?

**Universe:** CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q130 = 1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	156	165,766	0.6
No	2	394	703,788	2.4
Valid skip	6	13,878	27,835,606	95.8
Not stated	9	137	338,724	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_150 **Length:** 1.0 **Position:** 239  
**Question Name:** CAN\_Q150  
**Concept:** Tried to reduce / stop marijuana use but unable to - ever  
**Question Text:** Have you ever tried to control, cut down or stop using marijuana but discovered that you were not able to do so?  
**Universe:** CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	215	331,755	1.1
No	2	4,271	9,353,047	32.2
Valid skip	6	9,932	19,042,079	65.6
Don't know	7	12	8,648	0.0
Refusal	8	4	2,809	0.0
Not stated	9	131	305,546	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN\_160 **Length:** 1.0 **Position:** 240  
**Question Name:** CAN\_Q160  
**Concept:** Tried to reduce / stop marijuana use - 3 mo.  
**Question Text:** Have you tried to do this during the past three months?  
**Universe:** CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q150 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	85	79,886	0.3
No	2	130	251,869	0.9
Valid skip	6	14,203	28,395,126	97.8
Not stated	9	147	317,003	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** COC\_10 **Length:** 1.0 **Position:** 241  
**Question Name:** COC\_Q10  
**Concept:** Used cocaine - ever  
**Question Text:** Have you ever used or tried cocaine (crack, freebase, powder or snow)?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	809	2,064,333	7.1
No	2	13,626	26,693,944	91.9
Don't know	7	5	36,522	0.1
Refusal	8	28	88,404	0.3



<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Not stated	9	97	160,681	0.6
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** COC\_20 **Length:** 2.0 **Position:** 242  
**Question Name:** COC\_Q20  
**Concept:** Age first used - cocaine  
**Question Text:** How old were you when you tried or started using cocaine or crack?  
**Universe:** COC\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	12 - 47	798	2,044,340	7.0
Valid skip	96	13,626	26,693,944	91.9
Don't know	97	11	19,992	0.1
Not stated	99	130	285,607	1.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** COC\_30 **Length:** 1.0 **Position:** 244  
**Question Name:** COC\_Q30  
**Concept:** Used cocaine - 12 mo.  
**Question Text:** Have you used or tried cocaine or crack during the past 12 months?  
**Universe:** COC\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	185	258,919	0.9
No	2	624	1,805,413	6.2
Valid skip	6	13,626	26,693,944	91.9
Not stated	9	130	285,607	1.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** MET\_10 **Length:** 1.0 **Position:** 245  
**Question Name:** MET\_Q10  
**Concept:** Used amphetamines, speed, methamphetamine or crystal meth  
**Question Text:** Have you ever used or tried amphetamines, speed, methamphetamine or crystal meth?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	364	857,479	3.0
No	2	14,066	27,906,769	96.1

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Don't know	7	12	45,363	0.2
Refusal	8	24	71,441	0.2
Not stated	9	99	162,831	0.6
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** MET\_20 **Length:** 2.0 **Position:** 246  
**Question Name:** MET\_Q20  
**Concept:** Age first used - speed or meth  
**Question Text:** How old were you when you tried or started using speed or meth?  
**Universe:** MET\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	12 - 53	359	849,081	2.9
Valid skip	96	14,066	27,906,769	96.1
Don't know	97	4	8,054	0.0
Refusal	98	1	344	0.0
Not stated	99	135	279,636	1.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** MET\_30 **Length:** 1.0 **Position:** 248  
**Question Name:** MET\_Q30  
**Concept:** Used speed or meth - 12 mo.  
**Question Text:** Have you used or tried speed or meth during the past 12 months?  
**Universe:** MET\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	62	48,077	0.2
No	2	302	809,402	2.8
Valid skip	6	14,066	27,906,769	96.1
Not stated	9	135	279,636	1.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** XTC\_10 **Length:** 1.0 **Position:** 249  
**Question Name:** XTC\_Q10  
**Concept:** Used Ecstasy  
**Question Text:** Have you ever used or tried Ecstasy (MDMA, E, Xtc, Adam, X)?  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	601	1,190,844	4.1
No	2	13,830	27,573,118	94.9
Don't know	7	10	44,548	0.2
Refusal	8	25	72,542	0.2
Not stated	9	99	162,831	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** XTC\_20 **Length:** 2.0 **Position:** 250  
**Question Name:** XTC\_Q20  
**Concept:** Age - tried or started using Ecstasy  
**Question Text:** How old were you when you tried or started using Ecstasy?  
**Universe:** XTC\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	10 - 46	596	1,185,422	4.1
Valid skip	96	13,830	27,573,118	94.9
Don't know	97	4	5,354	0.0
Not stated	99	135	279,990	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** XTC\_30 **Length:** 1.0 **Position:** 252  
**Question Name:** XTC\_Q30  
**Concept:** Used ecstasy - 12 mo.  
**Question Text:** Have you used or tried Ecstasy during the past 12 months?  
**Universe:** XTC\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	107	111,404	0.4
No	2	493	1,079,372	3.7
Valid skip	6	13,830	27,573,118	94.9
Not stated	9	135	279,990	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HAL\_10 **Length:** 1.0 **Position:** 253  
**Question Name:** HAL\_Q10  
**Concept:** Used hallucinogens - ever  
**Question Text:** Have you ever used or tried hallucinogens such as PCP, LSD, acid, magic mushrooms, mescaline or angel dust?  
**Universe:** All respondents  
**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,252	3,154,769	10.9
No	2	13,174	25,600,940	88.1
Don't know	7	11	38,977	0.1
Refusal	8	28	86,298	0.3
Not stated	9	100	162,900	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HAL\_20 **Length:** 2.0 **Position:** 254  
**Question Name:** HAL\_Q20  
**Concept:** Age first used - hallucinogens  
**Question Text:** How old were you when you tried or started using hallucinogens?  
**Universe:** HAL\_Q20 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	11 - 52	1,241	3,133,249	10.8
Valid skip	96	13,174	25,600,940	88.1
Don't know	97	11	21,520	0.1
Not stated	99	139	288,175	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HAL\_30 **Length:** 1.0 **Position:** 256  
**Question Name:** HAL\_Q30  
**Concept:** Used hallucinogens - 12 mo.  
**Question Text:** Have you used or tried hallucinogens during the past 12 months?  
**Universe:** HAL\_Q20 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	175	162,869	0.6
No	2	1,077	2,991,900	10.3
Valid skip	6	13,174	25,600,940	88.1
Not stated	9	139	288,175	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** GLU\_10 **Length:** 1.0 **Position:** 257  
**Question Name:** GLU\_Q10  
**Concept:** Sniffed solvents - ever  
**Question Text:** Have you ever sniffed glue, gasoline or other solvents?  
**Universe:** All respondents  
**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	95	187,331	0.6
No	2	14,329	28,550,157	98.3
Don't know	7	8	47,155	0.2
Refusal	8	33	96,341	0.3
Not stated	9	100	162,900	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** GLU\_20 **Length:** 2.0 **Position:** 258  
**Question Name:** GLU\_Q20  
**Concept:** Age first used - solvents  
**Question Text:** How old were you when you first tried sniffing glue, gasoline or other solvents?  
**Universe:** GLU\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	05 - 35	94	186,795	0.6
Valid skip	96	14,329	28,550,157	98.3
Don't know	97	1	536	0.0
Not stated	99	141	306,396	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** GLU\_30 **Length:** 1.0 **Position:** 260  
**Question Name:** GLU\_Q30  
**Concept:** Sniffed solvents -12 mo.  
**Question Text:** Have you sniffed glue, gasoline or other solvents during the past 12 months?  
**Universe:** GLU\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	6	6,804	0.0
No	2	89	180,527	0.6
Valid skip	6	14,329	28,550,157	98.3
Not stated	9	141	306,396	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HER\_10 **Length:** 1.0 **Position:** 261  
**Question Name:** HER\_Q10  
**Concept:** Used heroin - ever  
**Question Text:** Have you ever used or tried heroin (horse, junk, smack)?  
**Universe:** All respondents  
**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	51	141,253	0.5
No	2	14,371	28,578,514	98.4
Don't know	7	7	41,215	0.1
Refusal	8	36	120,003	0.4
Not stated	9	100	162,900	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HER\_20 **Length:** 2.0 **Position:** 262  
**Question Name:** HER\_Q20  
**Concept:** Age first used - heroin  
**Question Text:** How old were you when you tried or started using heroin?  
**Universe:** HER\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	10 - 62	49	139,248	0.5
Valid skip	96	14,371	28,578,514	98.4
Don't know	97	1	1,284	0.0
Refusal	98	1	721	0.0
Not stated	99	143	324,118	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HER\_30 **Length:** 1.0 **Position:** 264  
**Question Name:** HER\_Q30  
**Concept:** Used heroin -12 mo.  
**Question Text:** Have you used or tried heroin during the past 12 months?  
**Universe:** HER\_Q10 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	46	139,265	0.5
Valid skip	6	14,371	28,578,514	98.4
Refusal	8	1	721	0.0
Not stated	9	147	325,384	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SAL\_10 **Length:** 1.0 **Position:** 265  
**Question Name:** SAL\_Q10  
**Concept:** Used Salvia - ever  
**Question Text:** Have you ever used or tried Salvia (Salvia Divinorum, Divine Sage, Magic Mint, Sally D)?  
**Universe:** All respondents

**Note:****Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	386	554,802	1.9
No	2	14,027	28,151,822	96.9
Don't know	7	11	47,950	0.2
Refusal	8	41	126,410	0.4
Not stated	9	100	162,900	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SAL\_20 **Length:** 2.0 **Position:** 266

**Question Name:** SAL\_Q20

**Concept:** Age first used - Salvia

**Question Text:** How old were you when you tried or started using Salvia?

**Universe:** SAL\_Q10 = 1

**Note:****Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Age (years)	12 - 63	381	552,514	1.9
Valid skip	96	14,027	28,151,822	96.9
Don't know	97	5	2,288	0.0
Not stated	99	152	337,260	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SAL\_30 **Length:** 1.0 **Position:** 268

**Question Name:** SAL\_Q30

**Concept:** Used Salvia - 12 mo.

**Question Text:** Have you used or tried Salvia during the past 12 months?

**Universe:** SAL\_Q10 = 1

**Note:****Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	43	38,463	0.1
No	2	343	516,339	1.8
Valid skip	6	14,027	28,151,822	96.9
Not stated	9	152	337,260	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHA\_10 **Length:** 1.0 **Position:** 269

**Question Name:** DHA\_Q10

**Concept:** Drug affects friendships or social life - 12 mo.

**Question Text:** During the past 12 months, was there ever a time that you felt your drug use had a harmful effect: ...on your friendships or social life?





CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Don't know	7	5	7,677	0.0
Refusal	8	12	24,474	0.1
Not stated	9	72	263,066	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** DHA\_40 **Length:** 1.0 **Position:** 272  
**Question Name:** DHA\_Q40  
**Concept:** Drug affects work, studies, or employment opportunities - 12mo.  
**Question Text:** (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:)  
...on your work, studies, or employment opportunities?  
**Universe:** PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1 or  
COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or HER\_Q10=1 or  
SAL\_Q10=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	220	288,298	1.0
No	2	5,475	11,763,283	40.5
Valid skip	6	8,780	16,697,761	57.5
Don't know	7	7	8,221	0.0
Refusal	8	11	23,255	0.1
Not stated	9	72	263,066	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** DHA\_50 **Length:** 1.0 **Position:** 273  
**Question Name:** DHA\_Q50  
**Concept:** Drug affects financial position - 12 mo.  
**Question Text:** (During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:)  
...on your financial position?  
**Universe:** PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1 or  
COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or HER\_Q10=1 or  
SAL\_Q10=1

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	171	245,841	0.8
No	2	5,523	11,802,753	40.6
Valid skip	6	8,780	16,697,761	57.5
Don't know	7	6	9,670	0.0
Refusal	8	13	24,793	0.1
Not stated	9	72	263,066	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** DHA\_60 **Length:** 1.0 **Position:** 274



<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	157	230,113	0.8
No	2	5,532	11,792,102	40.6
Valid skip	6	8,780	16,697,761	57.5
Don't know	7	10	9,374	0.0
Refusal	8	14	51,468	0.2
Not stated	9	72	263,066	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** LMAM\_01 **Length:** 1.0 **Position:** 277  
**Question Name:** LMAM\_Q01  
**Concept:** Worked at a job or business last week  
**Question Text:** The following questions concern your activities last week. By last week, I mean the week beginning on ^REFBEGE, and ending ^REFENDE.  
 Last week, did you work at a job or business?  
 (regardless of the number of hours)  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	7,439	16,663,762	57.4
No	2	6,970	12,004,226	41.3
Don't know	7	3	30,008	0.1
Refusal	8	46	161,062	0.6
Not stated	9	107	184,825	0.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** LMAM\_02 **Length:** 1.0 **Position:** 278  
**Question Name:** LMAM\_Q02  
**Concept:** Absent from job or business  
**Question Text:** Last week, did you have a job or business from which you were absent?  
**Universe:** LMAM\_01 = 1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	639	1,540,325	5.3
No	2	6,329	10,458,567	36.0
Valid skip	6	7,439	16,663,762	57.4
Don't know	7	1	5,165	0.0
Refusal	8	1	170	0.0
Not stated	9	156	375,896	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** LMAM\_03 **Length:** 2.0 **Position:** 279



**Note:** Survey on Smoking in Canada (SOSIC) definition

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Current smoker	1	2,382	4,233,257	14.6
Former smoker	2	3,150	7,480,186	25.8
Never smoked	3	9,001	17,209,083	59.3
Not stated	9	32	121,358	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVSST2 **Length:** 2.0 **Position:** 283

**Question Name:**

**Concept:** Smoking Status Type 2 - Detailed, using traditional definition

**Question Text:**

**Universe:** All respondents

**Note:** Survey on Smoking in Canada (SOSIC) definition

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Current daily smoker	01	1,742	3,132,147	10.8
Current occasional smoker	02	640	1,101,110	3.8
Former daily smoker	03	2,749	6,443,021	22.2
Former occasional smoker	04	399	1,035,235	3.6
Experimental smoker	05	1,966	4,591,458	15.8
Lifetime abstainer	06	7,015	12,548,242	43.2
Not stated	99	54	192,671	0.7
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVSS1 **Length:** 1.0 **Position:** 285

**Question Name:**

**Concept:** Smoking Status Type 1 - Using 30 days definition

**Question Text:**

**Universe:** All respondents

**Note:** Survey on Smoking in Canada (SOSIC) definition

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Smoked in last 30 days	1	2,368	4,218,889	14.5
Didn't smoke last 30 days - smoked 100 cigarettes in life	2	3,143	7,475,003	25.7
Didn't smoke last 30 days -smoked less than 100 cig in life	3	9,021	17,224,716	59.3
Not stated	9	33	125,277	0.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVSS2 **Length:** 2.0 **Position:** 286

**Question Name:**

**CTADS 2013 - PUMF person - Data Dictionary**

**Concept:** Smoking Status Type 2 - Detailed, using 30 days definition  
**Question Text:**  
**Universe:** All respondents  
**Note:** Survey on Smoking in Canada (SOSIC) definition  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Smoked daily in last 30 days, >=100 cigarettes in life	01	1,806	3,217,365	11.1
Smoked non-daily in last 30 days, >=100 cigarettes in life	02	389	817,864	2.8
Former daily smoker -not smoked last 30 d,>=100 cig. in life	03	2,727	6,394,263	22.0
Former occasion. smoker-not smoked last 30d, >=100 cig.-life	04	414	1,078,809	3.7
Beginner: smoked in last 30 days, <100 cigarettes in life	05	166	162,786	0.6
Past experimental smoker	06	1,992	4,612,946	15.9
	07	7,009	12,542,388	43.2
Not stated	99	62	217,463	0.7
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVCIGWK **Length:** 3.0 **Position:** 288  
**Question Name:**  
**Concept:** Determines total num cigarettes smoked per week  
**Question Text:**  
**Universe:** SS\_Q10=(1 or 2) or SS\_Q20=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of cigarettes	000 - 525	2,185	3,856,905	13.3
Valid skip	996	12,196	24,821,077	85.5
Not stated	999	184	365,901	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVAVCIG7 **Length:** 2.0 **Position:** 291  
**Question Name:**  
**Concept:** Determines avg num cigarettes smoked per day - past week  
**Question Text:**  
**Universe:** SS\_Q10=(1 or 2) or SS\_Q20=1  
**Note:** Averaged over seven days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Average number of cigarettes	00 - 75	2,185	3,856,905	13.3
Valid skip	96	12,196	24,821,077	85.5
Not stated	99	184	365,901	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVNDSMK **Length:** 2.0 **Position:** 293  
**Question Name:**  
**Concept:** Determines num days respondent smoked cigarettes - past week  
**Question Text:**  
**Universe:** SS\_Q10=(1 or 2) or SS\_Q20=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of days	00 - 07	2,185	3,856,905	13.3
Valid skip	96	12,196	24,821,077	85.5
Not stated	99	184	365,901	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVAVCIGD **Length:** 2.0 **Position:** 295  
**Question Name:**  
**Concept:** Determines avg num cigarettes smoked on the days respondents smoked  
**Question Text:**  
**Universe:** SS\_Q10=(1 or 2) or SS\_Q20=1  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Average number of cigarettes	00 - 75	2,185	3,856,905	13.3
Valid skip	96	12,196	24,821,077	85.5
Not stated	99	184	365,901	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVSMKPTN **Length:** 1.0 **Position:** 297  
**Question Name:**  
**Concept:** Describes the pattern of smoking - 7 days  
**Question Text:**  
**Universe:** SS\_10=1 or SS\_20=1  
**Note:** Derived from WP\_Q10A to WP\_Q10G. Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Smoked every day	1	1,706	3,055,018	10.5
Weekdays only	2	8	19,704	0.1
Weekend only	3	6	34,138	0.1
Did not smoke in last seven days	4	115	196,862	0.7
Other pattern	5	350	551,184	1.9
Valid skip	6	12,196	24,821,077	85.5
Not stated	9	184	365,901	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVDAILY **Length:** 2.0 **Position:** 298  
**Question Name:**  
**Concept:** Determines avg num cigarettes smoked for the daily smokers  
**Question Text:**  
**Universe:** SS\_Q10=1  
**Note:** Derived from WP\_Q10A to WP\_Q10G  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Average number of cigarettes	00 - 75	1,632	2,977,626	10.3
Valid skip	96	12,823	25,911,737	89.2
Not stated	99	110	154,521	0.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DVYRSSMK **Length:** 2.0 **Position:** 300  
**Question Name:**  
**Concept:** Number of years the respondent smoked  
**Question Text:**  
**Universe:** DVSST1 = (2,3,9)  
**Note:** Derived from DVAGE and PS\_Q30. Ages greater than 75 were recoded to 75.  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Years	00 - 75	2,345	4,176,960	14.4
Valid skip	96	12,183	24,810,627	85.4
Not stated	99	37	56,297	0.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** STOPSMK **Length:** 2.0 **Position:** 302  
**Question Name:**  
**Concept:** Number of months since survey date former smoker stopped smoking  
**Question Text:**  
**Universe:** SS\_Q10=3 and SS\_Q40=1  
**Note:** Derived from SC\_Q010 and SC\_Q020.  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of months	00 - 11	181	363,006	1.2
1-2 years	18	198	421,192	1.5
3-5 years	48	227	505,386	1.7
More than 5 years ago	60	2,524	6,159,946	21.2
Valid skip	96	11,415	21,563,698	74.2
Not stated	99	20	30,655	0.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>



**Variable Name:** UNDERAGE **Length:** 1.0 **Position:** 304  
**Question Name:**  
**Concept:** Below legal drinking age in province of residence  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	2,647	1,556,675	5.4
No	2	11,918	27,487,209	94.6
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ALCSTAT3 **Length:** 1.0 **Position:** 305  
**Question Name:**  
**Concept:** Drinking status  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Abstainer	1	1,932	2,800,874	9.6
Former drinker	2	2,102	4,142,774	14.3
Current drinker	3	10,429	21,852,931	75.2
Not stated	9	102	247,305	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ALC12M **Length:** 1.0 **Position:** 306  
**Question Name:**  
**Concept:** Alcohol use - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Used alcohol in the past 12 months	1	10,429	21,852,931	75.2
Did not use alcohol in the past 12 months	2	4,036	6,944,189	23.9
Not stated	9	100	246,764	0.8
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ALCLIFE **Length:** 1.0 **Position:** 307  
**Question Name:**

CTADS 2013 - PUMF person - Data Dictionary

**Concept:** Alcohol use in lifetime  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Has used alcohol	1	12,531	25,995,705	89.5
Lifetime abstainer	2	1,932	2,800,874	9.6
Not stated	9	102	247,305	0.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** QFVOL **Length:** 5.0 **Position:** 308  
**Question Name:**  
**Concept:** Estimated total num standard drinks - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00006 - 12775	10,231	21,414,365	73.7
None	00000	4,036	6,944,189	23.9
Not stated	99999	298	685,330	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** QFVOLDAY **Length:** 5.2 **Position:** 313  
**Question Name:**  
**Concept:** Estimated num standard drinks per day - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	00.02 - 35.00	10,231	21,414,365	73.7
None	00.00	4,036	6,944,189	23.9
Not stated	99.99	298	685,330	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** QFVOLWK **Length:** 6.2 **Position:** 318  
**Question Name:**  
**Concept:** Estimated num standard drinks per week - 12 mo.  
**Question Text:**  
**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks	000.12 - 245.67	10,231	21,414,365	73.7
None	000.00	4,036	6,944,189	23.9
Not stated	999.99	298	685,330	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** NUMDRNKS                      **Length:** 1.0                      **Position:** 324

**Question Name:**

**Concept:** Usually drinks 5 or more drinks per occasion-total population - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,794	2,361,553	8.1
No	2	12,473	25,997,001	89.5
Not stated	9	298	685,330	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALCSTAT6                      **Length:** 2.0                      **Position:** 325

**Question Name:**

**Concept:** Drinking pattern: 6 categories

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Lifetime abstainer	01	1,932	2,800,874	9.6
Former drinker	02	2,102	4,142,774	14.3
Light, Infrequent	03	4,941	9,375,504	32.3
Light, frequent	04	3,024	8,260,654	28.4
Heavy, infrequent	05	847	841,437	2.9
Heavy, frequent	06	868	1,354,278	4.7
Not stated	99	851	2,268,363	7.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALDAILY                      **Length:** 1.0                      **Position:** 327

**Question Name:**

**Concept:** Daily drinking - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Daily drinker	1	563	1,607,711	5.5
Non-daily or non-drinker past 12 months	2	13,902	27,189,409	93.6
Not stated	9	100	246,764	0.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** FIVEMN **Length:** 1.0 **Position:** 328

**Question Name:**

**Concept:** Drank 5 or more drinks in a single sitting once a month or more often

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	2,999	5,598,611	19.3
No	2	11,414	23,072,308	79.4
Not stated	9	152	372,964	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** FIVEWK **Length:** 1.0 **Position:** 329

**Question Name:**

**Concept:** Drank 5 or more drinks in a single sitting once a week or more often

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,103	2,155,946	7.4
No	2	13,310	26,514,973	91.3
Not stated	9	152	372,964	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** AHEAVYMN **Length:** 1.0 **Position:** 330

**Question Name:**

**Concept:** Heavy monthly alcohol use once per month / more often - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	3,583	6,660,234	22.9
No	2	10,836	22,028,087	75.8
Not stated	9	146	355,562	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** AHEAVYWK **Length:** 1.0 **Position:** 331  
**Question Name:**  
**Concept:** Heavy weekly alcohol use once per week / more often - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,305	2,515,162	8.7
No	2	13,111	26,171,361	90.1
Not stated	9	149	357,362	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** LRDGACUT **Length:** 1.0 **Position:** 332  
**Question Name:**  
**Concept:** Exceeded low-risk drinking guideline - acute effects - tot. popl'n  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Exceeded LRDG for acute risk	1	1,748	3,133,523	10.8
Within LRDG for acute risk	2	12,347	24,693,665	85.0
Not stated	9	470	1,216,696	4.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** LRDGCHRC **Length:** 1.0 **Position:** 333  
**Question Name:**  
**Concept:** Exceeded low-risk drinking guideline - chronic effects- tot. popl'n  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Exceeds LRDG for chronic disease	1	2,288	4,363,944	15.0
Within LRDG for chronic disease	2	11,832	23,504,155	80.9

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Not stated	9	445	1,175,784	4.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** LRDGCH12 **Length:** 1.0 **Position:** 334  
**Question Name:**  
**Concept:** Exceeded low-risk drinking guideline- chronic effects- current drinkers  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Current drinkers exceeded LRDG for chronic disease	1	2,288	4,363,944	15.0
Current drinkers within LRDG for chronic disease	2	7,796	16,559,966	57.0
Valid skip	6	4,036	6,944,189	23.9
Not stated	9	445	1,175,784	4.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** LRDGAC12 **Length:** 1.0 **Position:** 335  
**Question Name:**  
**Concept:** Exceeded low-risk drinking guideline -acute effects: current drinkers  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Current drinkers exceeded LRDG for acute risk	1	1,748	3,133,523	10.8
Current drinkers within LRDG for acute risk	2	8,311	17,749,476	61.1
Valid skip	6	4,036	6,944,189	23.9
Not stated	9	470	1,216,696	4.2
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ALCLEV4 **Length:** 1.0 **Position:** 336  
**Question Name:**  
**Concept:** Estimated daily alc. consump. level - 12 mo. - 4 cat  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Abstinence or <1.5 drinks/week	0	9,165	16,896,116	58.2
Low	1	4,596	10,508,880	36.2
Hazardous	2	345	688,735	2.4
Harmful	3	161	264,823	0.9
Not stated	9	298	685,330	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALCLEV3 **Length:** 1.0 **Position:** 337  
**Question Name:**  
**Concept:** Estimated daily alc. consump. level - 12 mo. - 3 cat  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Abstainer or <1.5 drinks/week	0	9,165	16,896,116	58.2
Low	1	4,596	10,508,880	36.2
Hazardous / Harmful	2	506	953,558	3.3
Not stated	9	298	685,330	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALCLEV2 **Length:** 1.0 **Position:** 338  
**Question Name:**  
**Concept:** Estimated daily alc. consump. level - 12 mo. - 2 cat  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Abstainer / Low	0	13,761	27,404,996	94.4
Hazardous / Harmful	1	506	953,558	3.3
Not stated	9	298	685,330	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SUN **Length:** 2.0 **Position:** 339  
**Question Name:**  
**Concept:** Number of drinks  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks on Sunday	00 - 40	14,235	28,257,848	97.3
Valid skip	96	1	160	0.0
Don't know	97	31	57,943	0.2
Refusal	98	1	2,832	0.0
Not stated	99	297	725,101	2.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** MON **Length:** 2.0 **Position:** 341  
**Question Name:**  
**Concept:** Number of drinks  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks on Monday	00 - 44	14,220	28,231,721	97.2
Valid skip	96	1	160	0.0
Don't know	97	29	51,978	0.2
Refusal	98	1	9,678	0.0
Not stated	99	314	750,347	2.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** TUES **Length:** 2.0 **Position:** 343  
**Question Name:**  
**Concept:** Number of drinks  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks on Tuesday	00 - 40	14,196	28,123,737	96.8
Valid skip	96	1	160	0.0
Don't know	97	34	80,755	0.3
Refusal	98	1	4,402	0.0
Not stated	99	333	834,829	2.9
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WED **Length:** 2.0 **Position:** 345  
**Question Name:**  
**Concept:** Number of drinks  
**Question Text:**  
**Universe:** All respondents



**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks on Wednesday	00 - 38	14,174	28,031,045	96.5
Valid skip	96	1	160	0.0
Don't know	97	54	196,772	0.7
Refusal	98	1	4,402	0.0
Not stated	99	335	811,505	2.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** THURS **Length:** 2.0 **Position:** 347

**Question Name:**

**Concept:** Number of drinks

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks on Thursday	00 - 50	14,179	28,099,503	96.7
Valid skip	96	1	160	0.0
Don't know	97	53	140,966	0.5
Refusal	98	2	965	0.0
Not stated	99	330	802,290	2.8
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** FRI **Length:** 2.0 **Position:** 349

**Question Name:**

**Concept:** Number of drinks

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks on Friday	00 - 35	14,208	28,184,547	97.0
Valid skip	96	1	160	0.0
Don't know	97	42	155,531	0.5
Not stated	99	314	703,646	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SAT **Length:** 2.0 **Position:** 351

**Question Name:**

**Concept:** Number of drinks

**Question Text:**

CTADS 2013 - PUMF person - Data Dictionary

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Number of drinks on Saturday	00 - 50	14,232	28,280,789	97.4
Valid skip	96	1	160	0.0
Don't know	97	33	68,752	0.2
Refusal	98	1	1,602	0.0
Not stated	99	298	692,581	2.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALC7D **Length:** 3.0 **Position:** 353

**Question Name:**

**Concept:** Total number of standard drinks in the past 7 days

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Total number of drinks in the past 7 days	000 - 245	14,042	27,697,196	95.4
Not stated	999	523	1,346,688	4.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALCLEVD **Length:** 2.0 **Position:** 356

**Question Name:**

**Concept:** Avg num standard drinks per day - 7 days - drinking wheel

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Total number of drinks per day in the past 7 days	00 - 35	14,042	27,697,196	95.4
Not stated	99	523	1,346,688	4.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALCLEV4D **Length:** 1.0 **Position:** 358

**Question Name:**

**Concept:** Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Abstinence or <1.5 drinks/week	0	9,731	17,542,174	60.4
Low	1	3,790	9,164,989	31.6
Hazardous	2	354	680,946	2.3
Harmful	3	167	309,086	1.1
Not stated	9	523	1,346,688	4.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALCLEV3D **Length:** 1.0 **Position:** 359

**Question Name:**

**Concept:** Estimated daily alc. consump. level - 7 days - 3 cat. drinking wheel

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Abstainer or <1.5 drinks/week	0	9,731	17,542,174	60.4
Low	1	3,790	9,164,989	31.6
Hazardous / Harmful	2	521	990,032	3.4
Not stated	9	523	1,346,688	4.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ALCLEV2D **Length:** 1.0 **Position:** 360

**Question Name:**

**Concept:** Estimated daily alc. consump. level - 7 days - 2 cat. drinking wheel

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Abstainer / Low	0	13,521	26,707,163	92.0
Hazardous / Harmful	1	521	990,032	3.4
Not stated	9	523	1,346,688	4.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PAIN12M **Length:** 1.0 **Position:** 361

**Question Name:**

**Concept:** Used pain relievers - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	2,260	4,256,914	14.7
No	2	12,097	24,343,433	83.8
Not stated	9	208	443,537	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PAINND **Length:** 1.0 **Position:** 362  
**Question Name:**  
**Concept:** Used pain relievers not as directed - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	115	191,687	0.7
No	2	14,240	28,405,438	97.8
Not stated	9	210	446,759	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PAINHIGH **Length:** 1.0 **Position:** 363  
**Question Name:**  
**Concept:** Used pain relievers to get high - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	60	43,351	0.1
No	2	14,292	28,545,012	98.3
Not stated	9	213	455,522	1.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PAINOTH **Length:** 1.0 **Position:** 364  
**Question Name:**  
**Concept:** Used pain relievers for other reasons - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	79	83,277	0.3
No	2	14,275	28,515,666	98.2

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Not stated	9	211	444,940	1.5
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PAINTMPR **Length:** 1.0 **Position:** 365  
**Question Name:**  
**Concept:** Tampered with pain relievers before taking them - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	37	34,967	0.1
No	2	14,316	28,555,479	98.3
Not stated	9	212	453,439	1.6
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** PAINABUS **Length:** 1.0 **Position:** 366  
**Question Name:**  
**Concept:** Abused pain relievers - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	95	98,986	0.3
No	2	14,257	28,489,618	98.1
Not stated	9	213	455,280	1.6
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** STIMND **Length:** 1.0 **Position:** 367  
**Question Name:**  
**Concept:** Used stimulants not as directed - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	22	16,922	0.1
No	2	14,431	28,773,089	99.1
Not stated	9	112	253,873	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** STIMHIGH **Length:** 1.0 **Position:** 368  
**Question Name:**  
**Concept:** Used stimulants to get high -12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	45	22,957	0.1
No	2	14,408	28,767,054	99.0
Not stated	9	112	253,873	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** STIMOTH **Length:** 1.0 **Position:** 369  
**Question Name:**  
**Concept:** Used stimulants for other reasons - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	28	20,352	0.1
No	2	14,373	28,735,806	98.9
Not stated	9	164	287,726	1.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** STIMABUS **Length:** 1.0 **Position:** 370  
**Question Name:**  
**Concept:** Abused stimulants - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	66	38,761	0.1
No	2	14,369	28,732,341	98.9
Not stated	9	130	272,782	0.9
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** SEDND **Length:** 1.0 **Position:** 371



CTADS 2013 - PUMF person - Data Dictionary

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	179	277,486	1.0
No	2	14,124	28,168,622	97.0
Not stated	9	262	597,776	2.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PHARHIGH **Length:** 1.0 **Position:** 375

**Question Name:**

**Concept:** Used pharmaceuticals to get high - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	99	74,461	0.3
No	2	14,204	28,373,244	97.7
Not stated	9	262	596,179	2.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** PHARABUS **Length:** 1.0 **Position:** 376

**Question Name:**

**Concept:** Abused pharmaceuticals - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	153	145,653	0.5
No	2	14,136	28,285,678	97.4
Not stated	9	276	612,553	2.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CANLIFEX **Length:** 1.0 **Position:** 377

**Question Name:**

**Concept:** Cannabis use in lifetime excluding one-time use

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**



CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	4,496	9,683,993	33.3
No	2	9,932	19,042,079	65.6
Not stated	9	137	317,812	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN12M **Length:** 1.0 **Position:** 378  
**Question Name:**  
**Concept:** Cannabis use - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,972	3,050,774	10.5
No	2	12,457	25,675,931	88.4
Not stated	9	136	317,178	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CAN3M **Length:** 1.0 **Position:** 379  
**Question Name:**  
**Concept:** Cannabis use - 3 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,417	2,258,392	7.8
No	2	13,011	26,466,956	91.1
Not stated	9	137	318,536	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CANFREQ3 **Length:** 1.0 **Position:** 380  
**Question Name:**  
**Concept:** Frequency of cannabis use - 3 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Less than monthly	1	394	653,865	2.3
Monthly	2	233	462,902	1.6

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Weekly	3	314	457,320	1.6
Daily or almost daily	4	435	604,320	2.1
Not in past 3 months	5	13,011	26,466,956	91.1
Not stated	9	178	398,521	1.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** CANPAT **Length:** 1.0 **Position:** 381  
**Question Name:**  
**Concept:** Cannabis use status - three categories  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Never used cannabis	1	8,820	16,896,830	58.2
Former user; has not used in past 12 months	2	3,637	8,779,101	30.2
Current user; has used in the past 12 months	3	1,972	3,050,774	10.5
Not stated	9	136	317,178	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASCAN1 **Length:** 1.0 **Position:** 382  
**Question Name:**  
**Concept:** Freq of cannabis use in the past 3 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Never	0	13,011	26,466,956	91.1
Once or twice	2	394	653,865	2.3
Monthly	3	233	462,902	1.6
Weekly	4	314	457,320	1.6
Daily or almost daily	5	435	604,320	2.1
Not stated	9	178	398,521	1.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASCAN2 **Length:** 2.0 **Position:** 383  
**Question Name:**  
**Concept:** Freq of strong desire / urge to use cannabis - 3 mo.  
**Question Text:**  
**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Never	00	14,112	28,196,377	97.1
Once or twice	03	99	209,508	0.7
Monthly	04	29	63,647	0.2
Weekly	05	59	62,184	0.2
Daily or almost daily	06	87	113,068	0.4
Not stated	99	179	399,100	1.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASCAN3 **Length:** 2.0 **Position:** 385

**Question Name:**

**Concept:** Freq of health, soc, legal / finan prob due to cannabis use - 3 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Never	00	14,325	28,561,719	98.3
Once or twice	04	37	64,116	0.2
Monthly	05	10	9,709	0.0
Weekly	06	10	20,082	0.1
Daily or almost daily	07	9	4,676	0.0
Not stated	99	174	383,582	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASCAN4 **Length:** 2.0 **Position:** 387

**Question Name:**

**Concept:** Freq of failure to do normal tasks due to cannabis use - 3 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Never	00	14,290	28,493,556	98.1
Once or twice	05	62	99,775	0.3
Monthly	06	15	29,831	0.1
Weekly	07	18	28,514	0.1
Daily or almost daily	08	8	10,649	0.0
Not stated	99	172	381,559	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASCAN5 **Length:** 2.0 **Position:** 389

**Question Name:**

**Concept:** Relative or friend expressed concern about cannabis use  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Never	00	14,037	28,187,781	97.1
Yes, but not in the past 3 months	03	203	308,710	1.1
Yes, in the last three months	06	152	162,142	0.6
Not stated	99	173	385,251	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASCAN6 **Length:** 2.0 **Position:** 391  
**Question Name:**  
**Concept:** Failed to control cannabis use  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Never	00	14,240	28,449,102	98.0
Yes, but not in the past 3 months	03	75	136,160	0.5
Yes, in the last three months	06	78	76,911	0.3
Not stated	99	172	381,711	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASISTCAN **Length:** 2.0 **Position:** 393  
**Question Name:**  
**Concept:** Summary score for WHO's ASSIST  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Cannabis ASSIST score	00 - 38	14,372	28,621,027	98.5
Not stated	99	193	422,857	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASISTCN3 **Length:** 1.0 **Position:** 395  
**Question Name:**  
**Concept:** Risk level for prob. - cannabis consump. - 3 categories  
**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Low risk of developing health and other problems	1	13,492	27,269,952	93.9
Moderate risk of developing health and other problems	2	856	1,320,034	4.5
High risk of developing health and other problems	3	24	31,042	0.1
Not stated	9	193	422,857	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ASISTCN2 **Length:** 1.0 **Position:** 396

**Question Name:**

**Concept:** Risk level for prob. - cannabis consump. - 2 categories

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Low risk of developing health and other problems	1	13,492	27,269,952	93.9
Moderate or high risk of developing health / other problems	2	880	1,351,076	4.7
Not stated	9	193	422,857	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** COC12M **Length:** 1.0 **Position:** 397

**Question Name:**

**Concept:** Cocaine use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	185	258,919	0.9
No	2	14,250	28,499,358	98.1
Not stated	9	130	285,607	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SPMETH12 **Length:** 1.0 **Position:** 398

**Question Name:**

**Concept:** Speed and/or methamphetamine use - 12 mo.

**Question Text:****Universe:** All respondents**Note:****Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	62	48,077	0.2
No	2	14,368	28,716,171	98.9
Not stated	9	135	279,636	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** XTC12M **Length:** 1.0 **Position:** 399**Question Name:****Concept:** Ecstasy use - 12 mo.**Question Text:****Universe:** All respondents**Note:****Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	107	111,404	0.4
No	2	14,323	28,652,490	98.7
Not stated	9	135	279,990	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HAL12M **Length:** 1.0 **Position:** 400**Question Name:****Concept:** Hallucinogens use - 12 mo.**Question Text:****Universe:** All respondents**Note:****Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	175	162,869	0.6
No	2	14,251	28,592,840	98.4
Not stated	9	139	288,175	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** INH12M **Length:** 1.0 **Position:** 401**Question Name:****Concept:** Inhalant use - 12 mo.**Question Text:****Universe:** All respondents**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	6	6,804	0.0
No	2	14,418	28,730,684	98.9
Not stated	9	141	306,396	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** SALV12M **Length:** 1.0 **Position:** 402

**Question Name:**

**Concept:** Salvia use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	43	38,463	0.1
No	2	14,370	28,668,160	98.7
Not stated	9	152	337,260	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ANY11DYR **Length:** 1.0 **Position:** 403

**Question Name:**

**Concept:** Used at least 1 of 11 drugs to get high - include cannabis - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:** Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	2,053	3,204,404	11.0
No	2	12,204	25,046,876	86.2
Not stated	9	308	792,603	2.7
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ANY10DYR **Length:** 1.0 **Position:** 404

**Question Name:**

**Concept:** Used at least 1 of 10 drugs to get high excluding cannabis - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:** Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high

**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	473	582,101	2.0
No	2	13,767	27,692,840	95.3
Not stated	9	325	768,943	2.6
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL6D12XS **Length:** 1.0 **Position:** 405  
**Question Name:**  
**Concept:** Used at least 1 of 6 drugs - 12 mo. including cannabis  
**Question Text:**  
**Universe:** All respondents  
**Note:** Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	2,007	3,128,081	10.8
No	2	12,381	25,478,357	87.7
Not stated	9	177	437,446	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL5D12XS **Length:** 1.0 **Position:** 406  
**Question Name:**  
**Concept:** Used at least 1 of 5 drugs - 12 mo. excluding cannabis  
**Question Text:**  
**Universe:** All respondents  
**Note:** Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	369	458,017	1.6
No	2	14,029	28,206,764	97.1
Not stated	9	167	379,103	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL6D12 **Length:** 1.0 **Position:** 407  
**Question Name:**  
**Concept:** Used at least 1 of 6 drugs including cannabis - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:** Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	2,010	3,133,087	10.8



CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
No	2	12,375	25,461,086	87.7
Not stated	9	180	449,711	1.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL5D12 **Length:** 1.0 **Position:** 408

**Question Name:**

**Concept:** Used at least 1 of 5 drugs - 12 mo. excluding cannabis

**Question Text:**

**Universe:** All respondents

**Note:** Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	384	471,809	1.6
No	2	14,009	28,176,637	97.0
Not stated	9	172	395,438	1.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL3D12 **Length:** 1.0 **Position:** 409

**Question Name:**

**Concept:** Used at least 1 of speed/meth, hallucinogens, heroin - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	215	195,242	0.7
No	2	14,191	28,501,982	98.1
Not stated	9	159	346,660	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** AMPH412M **Length:** 1.0 **Position:** 410

**Question Name:**

**Concept:** Used at least 1 of 4 amphetamines - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	186	169,837	0.6
No	2	14,210	28,515,097	98.2
Not stated	9	169	358,950	1.2

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** AMPH312M **Length:** 1.0 **Position:** 411  
**Question Name:**  
**Concept:** Used at least 1 of 3 amphetamines - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	114	83,637	0.3
No	2	14,285	28,614,892	98.5
Not stated	9	166	345,355	1.2
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** HERPNA11 **Length:** 1.0 **Position:** 412  
**Question Name:**  
**Concept:** Used heroin and/or abused pain relievers - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	95	98,986	0.3
No	2	14,209	28,369,301	97.7
Not stated	9	261	575,597	2.0
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ANY12DLF **Length:** 1.0 **Position:** 413  
**Question Name:**  
**Concept:** Used at least 1 of 12 drugs in lifetime to get high  
**Question Text:**  
**Universe:** All respondents  
**Note:** Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	5,716	12,085,723	41.6
No	2	8,584	16,279,259	56.1
Not stated	9	265	678,902	2.3
<b>Total</b>		14,565	29,043,884	100.0

**Variable Name:** ANY11DLF **Length:** 1.0 **Position:** 414  
**Question Name:**  
**Concept:** Used at least 1 of 11 drugs in lifetime -exclu cannabis includ cocaine  
**Question Text:**  
**Universe:** All respondents  
**Note:** Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants, abuse of pain relievers, stimulants and sedatives to get high  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,868	4,316,513	14.9
No	2	12,396	24,013,490	82.7
Not stated	9	301	713,881	2.5
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ANY9DLF **Length:** 1.0 **Position:** 415  
**Question Name:**  
**Concept:** Used at least 1 of 9 drugs include cannabis exclu pharmaceutical abuse  
**Question Text:**  
**Universe:** All respondents  
**Note:** Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	5,695	12,042,674	41.5
No	2	8,707	16,588,051	57.1
Not stated	9	163	413,159	1.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** ANY8DLF **Length:** 1.0 **Position:** 416  
**Question Name:**  
**Concept:** Used at least 1 of 8 drugs, exclude cannabis and pharmaceutical abuse  
**Question Text:**  
**Universe:** All respondents  
**Note:** Includes cocaine, speed/meth, ecstasy, hallucinogens, salvia, heroin, inhalants  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,813	4,244,751	14.6
No	2	12,588	24,412,537	84.1
Not stated	9	164	386,596	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL6DLXS **Length:** 1.0 **Position:** 417

**Question Name:**

**Concept:** Used at least 1 of 6 drugs - lifetime

**Question Text:**

**Universe:** All respondents

**Note:** Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	5,670	12,001,533	41.3
No	2	8,736	16,650,378	57.3
Not stated	9	159	391,974	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL5DLXS **Length:** 1.0 **Position:** 418

**Question Name:**

**Concept:** Used at least 1 of 5 drugs - lifetime excluding cannabis and salvia

**Question Text:**

**Universe:** All respondents

**Note:** Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens (excluding salvia), heroin

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,684	4,059,131	14.0
No	2	12,723	24,629,682	84.8
Not stated	9	158	355,071	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL6DL **Length:** 1.0 **Position:** 419

**Question Name:**

**Concept:** Used at least 1 of 6 drugs

**Question Text:**

**Universe:** All respondents

**Note:** Includes cannabis, cocaine, speed/meth, ecstasy, hallucinogens (including salvia), heroin

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	5,675	12,004,552	41.3
No	2	8,728	16,635,093	57.3
Not stated	9	162	404,239	1.4
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** IL5DL **Length:** 1.0 **Position:** 420

**Question Name:**

**Concept:** Used at least 1 of 5 drugs - lifetime

**Question Text:**

**Universe:** All respondents

**Note:** Excludes cannabis. Includes cocaine, speed/meth, ecstasy, hallucinogens (including salvia), heroin

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,771	4,161,191	14.3
No	2	12,632	24,511,346	84.4
Not stated	9	162	371,347	1.3
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** AMP3L **Length:** 1.0 **Position:** 421

**Question Name:**

**Concept:** Used at least 1 of 3 amphetamines - lifetime

**Question Text:**

**Universe:** All respondents

**Note:** Includes speed, meth and ecstasy

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	772	1,616,568	5.6
No	2	13,656	27,143,291	93.5
Not stated	9	137	284,025	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** HALSALVL **Length:** 1.0 **Position:** 422

**Question Name:**

**Concept:** Hallucinogens and/or salvia use - lifetime

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	1,383	3,306,969	11.4
No	2	13,027	25,395,111	87.4
Not stated	9	155	341,804	1.2
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M1 **Length:** 1.0 **Position:** 423

**Question Name:**

**Concept:** Harm to friendships or social life - due to drug use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	212	272,285	0.9
No	2	14,072	28,070,494	96.6
Valid skip	6	197	419,075	1.4
Not stated	9	84	282,031	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M2 **Length:** 1.0 **Position:** 424

**Question Name:**

**Concept:** Harm to physical health - due to drug use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	270	414,286	1.4
No	2	14,011	27,918,989	96.1
Valid skip	6	197	419,075	1.4
Not stated	9	87	291,534	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M3 **Length:** 1.0 **Position:** 425

**Question Name:**

**Concept:** Harm to home life / marriage - due to drug use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	183	262,634	0.9
No	2	14,097	28,067,531	96.6
Valid skip	6	197	419,075	1.4
Not stated	9	88	294,645	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M4 **Length:** 1.0 **Position:** 426

**Question Name:**

**Concept:** Harm to work, studies, or employ. opportun. - due to drug use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	220	288,298	1.0
No	2	14,059	28,042,542	96.6
Valid skip	6	197	419,075	1.4
Not stated	9	89	293,970	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M5 **Length:** 1.0 **Position:** 427

**Question Name:**

**Concept:** Harm to financial position - due to drug use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	171	245,841	0.8
No	2	14,107	28,082,012	96.7
Valid skip	6	197	419,075	1.4
Not stated	9	90	296,957	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M6 **Length:** 1.0 **Position:** 428

**Question Name:**

**Concept:** Legal problems - due to drug use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	53	38,140	0.1
No	2	14,226	28,287,635	97.4
Valid skip	6	197	419,075	1.4
Not stated	9	89	299,034	1.0
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M7 **Length:** 1.0 **Position:** 429

**Question Name:**

**Concept:** Harm housing problems - due to drug use - 12 mo.

**Question Text:**

**Universe:** All respondents

**Note:**

**Source:**

CTADS 2013 - PUMF person - Data Dictionary

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	41	42,829	0.1
No	2	14,238	28,260,927	97.3
Valid skip	6	197	419,075	1.4
Not stated	9	89	321,054	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12M8 **Length:** 1.0 **Position:** 430  
**Question Name:**  
**Concept:** Difficulty learning things - due to drug use - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	157	230,113	0.8
No	2	14,116	28,071,361	96.7
Valid skip	6	197	419,075	1.4
Not stated	9	95	323,335	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** DHAR12 **Length:** 1.0 **Position:** 431  
**Question Name:**  
**Concept:** One or more types of harms - one's own drug use - 12 mo.  
**Question Text:**  
**Universe:** All respondents  
**Note:**  
**Source:**

<u>Answer Categories</u>	<u>Code</u>	<u>Frequency</u>	<u>Weighted Frequency</u>	<u>%</u>
Yes	1	608	820,983	2.8
No	2	13,661	27,476,119	94.6
Valid skip	6	197	419,075	1.4
Not stated	9	99	327,707	1.1
<b>Total</b>		<b>14,565</b>	<b>29,043,884</b>	<b>100.0</b>

**Variable Name:** WTPP **Length:** 12.4 **Position:** 432  
**Question Name:**  
**Concept:** Survey weight of a person  
**Question Text:**  
**Universe:** All respondents  
**Note:** i.e. the number of persons in the population represented by a record. Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600  
**Source:**







## Topical Index

<u>Variable</u>	<u>Description</u>	<u>Page</u>
ALC: Alcohol General		
ALC_10	Drank alcoholic beverages - 12 mo. ....	43
ALC_20	Have had a drink .....	44
ALC_30	Age - started drinking alcoholic beverages .....	44
ALC_40	Number of drinks consumed on those days - 12 mo. ....	45
ALC_50	Frequency of drinking four or more drinks on one occasion -12 mo. ....	45
ALC_60	Frequency of drinking five or more drinks on one occasion -12 mo. ....	45
ALC_70	Number of drinks consumed - 30 days .....	46
AW: Alcohol Wheel		
AW_10	Had beer, wine, liquor or any other alcoholic beverage - 7 days .....	46
AW_20A	Number of drinks Monday .....	47
AW_20B	Number of drinks Tuesday .....	47
AW_20C	Number of drinks Wednesday .....	47
AW_20D	Number of drinks Thursday .....	48
AW_20E	Number of drinks Friday .....	48
AW_20F	Number of drinks Saturday .....	48
AW_20G	Number of drinks Sunday .....	49
CA: Cigarette Access		
CA_10	Where cigarettes are obtained, and from whom .....	23
CAN: Cannabis		
CAN_010	Used marijuana - ever .....	66
CAN_020	Used marijuana - num times .....	67
CAN_030	Used marijuana - 12 mo. ....	67
CAN_040	Used marijuana - 3 mo. ....	67
CAN_050	Frequency of using marijuana - 3 mo. ....	68
CAN_060	Age first used - marijuana .....	68
CAN_070	Had strong desire to use marijuana - ever .....	69
CAN_080	Frequency of strong desire to use marijuana - 3 mo. ....	69
CAN_090	Marijuana use led to health, social, legal or financial problems .....	69
CAN_100	Frequency that marij use led to health/ soc/legal/financial prob .....	70
CAN_110	Marijuana use affected ability to do expected tasks .....	70
CAN_120	Frequency marijuana use affected ability to do expected tasks .....	70
CAN_130	Friend/relative/other expressed concern about marijuana use - ever .....	71
CAN_140	Concern expressed about marijuana use - 3 mo. ....	71
CAN_150	Tried to reduce / stop marijuana use but unable to - ever .....	72
CAN_160	Tried to reduce / stop marijuana use - 3 mo. ....	72
COC: Confirm Outcome Code		
COC_10	Used cocaine - ever .....	72
COC_20	Age first used - cocaine .....	73
COC_30	Used cocaine - 12 mo. ....	73
DHA: Drug Harms		
DHA_10	Drug affects friendships or social life - 12 mo. ....	79
DHA_20	Drug affects physical health - 12 mo. ....	80
DHA_30	Drug affects home life or marriage - 12 mo. ....	80
DHA_40	Drug affects work, studies, or employment opportunities - 12mo. ....	81
DHA_50	Drug affects financial position - 12 mo. ....	81
DHA_60	Had legal problems because of drug use - 12 mo. ....	81

CTADS 2013 - PUMF person - Data Dictionary

DHA_70	Had housing problems because of drug use - 12 mo. ....	82
DHA_80	Had difficulty learning things because of drug use - 12 mo. ....	82
DV: Derived variables		
AGE0014	Number of children in household aged 0-14 .....	11
AGE1524	Number of household members (including respondent) aged 15-24 .....	11
AGE2544	Number of household members (including respondent) aged 25-44 .....	11
AGE45PL	Number of household members (including respondent) aged 45 plus .....	12
AHEAVYMN	Heavy monthly alcohol use once per month / more often - 12 mo. ....	92
AHEAVYWK	Heavy weekly alcohol use once per week / more often - 12 mo. ....	93
ALC12M	Alcohol use - 12 mo. ....	89
ALC7D	Total number of standard drinks in the past 7 days .....	98
ALCLEV2	Estimated daily alc. consump. level - 12 mo. - 2 cat .....	95
ALCLEV2D	Estimated daily alc. consump. level - 7 days - 2 cat. drinking wheel .....	99
ALCLEV3	Estimated daily alc. consump. level - 12 mo. - 3 cat .....	95
ALCLEV3D	Estimated daily alc. consump. level - 7 days - 3 cat. drinking wheel .....	99
ALCLEV4	Estimated daily alc. consump. level - 12 mo. - 4 cat .....	94
ALCLEV4D	Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel .....	98
ALCLEVD	Avg num standard drinks per day - 7 days - drinking wheel .....	98
ALCLIFE	Alcohol use in lifetime .....	89
ALCSTAT3	Drinking status .....	89
ALCSTAT6	Drinking pattern: 6 categories .....	91
ALDAILY	Daily drinking - 12 mo. ....	91
AMP3L	Used at least 1 of 3 amphetamines - lifetime .....	117
AMPH312M	Used at least 1 of 3 amphetamines - 12 mo. ....	114
AMPH412M	Used at least 1 of 4 amphetamines - 12 mo. ....	113
ANY10DYR	Used at least 1 of 10 drugs to get high excluding cannabis - 12 mo. ....	111
ANY11DLF	Used at least 1 of 11 drugs in lifetime -exclu cannabis includ cocaine .....	115
ANY11DYR	Used at least 1 of 11 drugs to get high - include cannabis - 12 mo. ....	111
ANY12DLF	Used at least 1 of 12 drugs in lifetime to get high .....	114
ANY8DLF	Used at least 1 of 8 drugs, exclude cannabis and pharmaceutical abuse .....	115
ANY9DLF	Used at least 1 of 9 drugs include cannabis exclu pharmaceutical abuse .....	115
ASCAN1	Freq of cannabis use in the past 3 mo. ....	106
ASCAN2	Freq of strong desire / urge to use cannabis - 3 mo. ....	106
ASCAN3	Freq of health, soc, legal / finan prob due to cannabis use - 3 mo. ....	107
ASCAN4	Freq of failure to do normal tasks due to cannabis use - 3 mo. ....	107
ASCAN5	Relative or friend expressed concern about cannabis use .....	107
ASCAN6	Failed to control cannabis use .....	108
ASISTCAN	Summary score for WHO's ASSIST .....	108
ASISTCN2	Risk level for prob. - cannabis consump. - 2 categories .....	109
ASISTCN3	Risk level for prob. - cannabis consump. - 3 categories .....	108
CAN12M	Cannabis use - 12 mo. ....	105
CAN3M	Cannabis use - 3 mo. ....	105
CANFREQ3	Frequency of cannabis use - 3 mo. ....	105
CANLIFEX	Cannabis use in lifetime excluding one-time use .....	104
CANPAT	Cannabis use status - three categories .....	106
COC12M	Cocaine use - 12 mo. ....	109
DHAR12	One or more types of harms - one's own drug use - 12 mo. ....	120
DHAR12M1	Harm to friendships or social life - due to drug use - 12 mo. ....	117
DHAR12M2	Harm to physical health - due to drug use - 12 mo. ....	118
DHAR12M3	Harm to home life / marriage - due to drug use - 12 mo. ....	118
DHAR12M4	Harm to work, studies, or employ. opportun. - due to drug use - 12 mo. ....	118
DHAR12M5	Harm to financial position - due to drug use - 12 mo. ....	119
DHAR12M6	Legal problems - due to drug use - 12 mo. ....	119
DHAR12M7	Harm housing problems - due to drug use - 12 mo. ....	119
DHAR12M8	Difficulty learning things - due to drug use - 12 mo. ....	120
DVAGE	Age of respondent .....	16
DVAVCIG7	Determines avg num cigarettes smoked per day - past week .....	86
DVAVCIGD	Determines avg num cigarettes smoked on the days respondents smoked .....	87
DVCIGWK	Determines total num cigarettes smoked per week .....	86
DVDAILY	Determines avg num cigarettes smoked for the daily smokers .....	88
DVMARST	Grouped marital status of respondent from household roster .....	16

CTADS 2013 - PUMF person - Data Dictionary

DVNDSMK	Determines num days respondent smoked cigarettes - past week	87
DVSMKPTN	Describes the pattern of smoking - 7 days	87
DVSS1	Smoking Status Type 1 - Using 30 days definition	85
DVSS2	Smoking Status Type 2 - Detailed, using 30 days definition	85
DVSST1	Smoking Status Type 1 - Traditional definition	84
DVSST2	Smoking Status Type 2 - Detailed, using traditional definition	85
DVURBAN	Characteristics of community where the respondent lives	10
DVYRSSMK	Number of years the respondent smoked	88
FIVEMN	Drank 5 or more drinks in a single sitting once a month or more often	92
FIVEWK	Drank 5 or more drinks in a single sitting once a week or more often	92
FRI	Number of drinks	97
HAL12M	Hallucinogens use - 12 mo.	110
HALSALVL	Hallucinogens and/or salvia use - lifetime	117
HERPNA11	Used heroin and/or abused pain relievers - 12 mo.	114
HHSIZE	Number of people in the household	10
HHTYPE	Type of household, based on roster age composition	12
IL3D12	Used at least 1 of speed/meth, hallucinogens, heroin - 12 mo.	113
IL5D12	Used at least 1 of 5 drugs - 12 mo. excluding cannabis	113
IL5D12XS	Used at least 1 of 5 drugs - 12 mo. excluding cannabis	112
IL5DL	Used at least 1 of 5 drugs - lifetime	116
IL5DLXS	Used at least 1 of 5 drugs - lifetime excluding cannabis and salvia	116
IL6D12	Used at least 1 of 6 drugs including cannabis - 12 mo.	112
IL6D12XS	Used at least 1 of 6 drugs - 12 mo. including cannabis	112
IL6DL	Used at least 1 of 6 drugs	116
IL6DLXS	Used at least 1 of 6 drugs - lifetime	115
INH12M	Inhalant use - 12 mo.	110
LRDGAC12	Exceeded low-risk drinking guideline -acute effects: current drinkers	94
LRDGACUT	Exceeded low-risk drinking guideline - acute effects - tot. popl'n	93
LRDGCH12	Exceeded low-risk drinking guideline- chronic effects- current drnkrs	94
LRDGCHRC	Exceeded low-risk drinking guideline - chronic effects- tot. popl'n	93
MON	Number of drinks	96
NUMDRNKS	Usually drinks 5 or more drinks per occasion-total population - 12 mo.	91
PAIN12M	Used pain relievers - 12 mo.	99
PAINABUS	Abused pain relievers - 12 mo.	101
PAINHIGH	Used pain relievers to get high - 12 mo.	100
PAINND	Used pain relievers not as directed - 12 mo.	100
PAINOTH	Used pain relievers for other reasons - 12 mo.	100
PAINTMPR	Tampered with pain relievers before taking them - 12 mo.	101
PHAR12M	Used pharmaceuticals - 12 mo.	103
PHARABUS	Abused pharmaceuticals - 12 mo.	104
PHARHIGH	Used pharmaceuticals to get high - 12 mo.	104
PHARND	Used pharmaceuticals not as directed -12 mo.	103
PROV	Province of the selected respondent	10
PRSNID	Person ID	9
PUMFID	Randomly generated sequence number for the public use microdata file	9
QFVOL	Estimated total num standard drinks - 12 mo.	90
QFVOLDAY	Estimated num standard drinks per day - 12 mo.	90
QFVOLWK	Estimated num standard drinks per week - 12 mo.	90
REFMONTH	Survey month	9
REFYEAR	Survey year	9
SALV12M	Salvia use - 12 mo.	111
SAT	Number of drinks	97
SEDHIGH	Used sedatives to get high - 12 mo.	103
SEDND	Used sedatives not as directed - 12 mo.	102
SEX	Respondent's sex	16
SPMETH12	Speed and/or methamphetamine use - 12 mo.	109
STIMABUS	Abused stimulants - 12 mo.	102
STIMHIGH	Used stimulants to get high -12 mo.	102
STIMND	Used stimulants not as directed - 12 mo.	101
STIMOTH	Used stimulants for other reasons - 12 mo.	102
STOPSMK	Number of months since survey date former smoker stopped smoking	88
SUN	Number of drinks	95
THURS	Number of drinks	97

**CTADS 2013 - PUMF person - Data Dictionary**

TUES	Number of drinks .....	96
UNDERAGE	Below legal drinking age in province of residence .....	89
WED	Number of drinks .....	96
WTPP	Survey weight of a person .....	120
XTC12M	Ecstasy use - 12 mo. ....	110

ELC: Electronic Cigarette

ELC_110	Used e-cigarette - ever .....	41
ELC_120	Used e-cigarette - 30 days .....	42
ELC_130	Last time used an e-cigarette - contained nicotine .....	42
ELC_140	Used e-cigarette as smoking cessation aid - 2 years .....	42
ELC_150	Used e-cigarette when unable to smoke cigarettes .....	43

EX: Exposure to Second-hand Smoke

EX_130	Excluding own smoking, were exposed to second hand smoke in past month .....	43
--------	--	----

GLU: Inhalants

GLU_10	Sniffed solvents - ever .....	76
GLU_20	Age first used - solvents .....	77
GLU_30	Sniffed solvents -12 mo. ....	77

HAL: Hallucinogens

HAL_10	Used hallucinogens - ever .....	75
HAL_20	Age first used - hallucinogens .....	76
HAL_30	Used hallucinogens - 12 mo. ....	76

HER: Heroin

HER_10	Used heroin - ever .....	77
HER_20	Age first used - heroin .....	78
HER_30	Used heroin -12 mo. ....	78

HS: Household Smoking

HS_10	Num people smoke cigarettes inside home daily .....	13
HS_20	Num people smoke cigarettes inside home daily .....	13
HS_30	Num cigarettes smoked inside home .....	13
HS_40	Smoking cigarettes allowed inside home .....	14
HS_50	Smoking cigarettes inside home is restricted .....	14
HS_60A	Smoking inside home - allowed in certain rooms only .....	14
HS_60B	Smoking inside home - restricted in the presence of young children .....	15
HS_60C	Smoking inside - only if windows are open/another type of ventilation .....	15
HS_60D	Smoking inside your home - other restriction(s) .....	15

HWB: General Health

HWB_01	Health .....	17
HWB_10	Mental health .....	17

LMA3: Class of Worker

LMA3_10	Employee or self-employed .....	84
---------	---------------------------------	----

LMAM: Labour Market Activities Minimal

LMAM_01	Worked at a job or business last week .....	83
LMAM_02	Absent from job or business .....	83
LMAM_03	Reason for absence from work last week .....	83

**CTADS 2013 - PUMF person - Data Dictionary**

**MET: Methamphetamines**

MET_10	Used amphetamines, speed, methamphetamine or crystal meth .....	73
MET_20	Age first used - speed or meth .....	74
MET_30	Used speed or meth - 12 mo. ....	74

**OM: Other Cessation Methods**

OM_099	Services offered-1-800 telephone quit-lines & other smoker help lines .....	35
OM_100	Used a 1-800 quitline or a smokers helpline .....	35

**PP: Purchasing Patterns**

PP_010	Bought cigarettes on a First Nations Reserve - 6 mo. ....	23
PP_020	Bought cigarettes believed to have been smuggled - 6 mo. ....	24
PP_030	Cigarettes bought at store or gas station - 6 mo. ....	24
PP_040	Cigarettes bought from another source - 6 mo. ....	24
PP_050	Percentage of all cigarettes on a First Nations Reserve - 6 mo. ....	25
PP_060	Percentage of cigarettes believed to have been smuggled - 6 mo. ....	25
PP_070	Percentage of cigarettes bought from a store or gas station - 6 mo. ....	26
PP_071	Percentage of cigarettes bought from another source - 6 mo. ....	26
PP_090	Amt of cigarettes bought most recently from First Nations Reserve .....	26
PP_100	How first became aware could buy these cigarettes .....	27
PP_110A	Where bought smuggled cigarettes - store .....	27
PP_110B	Where bought smuggled cigarettes - First Nations Reserve .....	28
PP_110C	Where bought smuggled cigarettes - delivery service .....	28
PP_110D	Where bought smuggled cigarettes - co-worker .....	28
PP_110E	Where bought smuggled cigarettes - family member .....	29
PP_110F	Where bought smuggled cigarettes - friend .....	29
PP_110G	Where bought smuggled cigarettes - other - specify .....	29
PP_120	Quantity smuggled cigarettes bought most recently .....	30
PP_130	First became aware that bought smuggled cigarettes .....	30
PP_140	How easy or difficult - to buy smuggled cigarettes .....	30

**PR: Pain Relievers**

PR_010	Used codeine products -12 mo. ....	49
PR_020	Used oxycodone products - 12 mo. ....	50
PR_030	Used other opioid products - 12 mo. ....	50
PR_040	Frequency of use - pain relievers - 12 mo. ....	50
PR_050	Used pain relievers - prescribed for self -12 mo. ....	51
PR_060	Used pain relievers - ever took more than prescribed - 12 mo. ....	51
PR_070	Used pain relievers to get high - 12 mo. ....	51
PR_080	Used pain relievers for reasons other than pain relief - 12 mo. ....	52
PR_090	Tampered with a pain reliever product before taking it - 12 mo. ....	52
PR_100A	Obtained pain relievers - pharmacist no prescription - 12 mo. ....	53
PR_100B	Obtained pain relievers - prescription for self - for pain - 12 mo. ....	53
PR_100C	Obtained pain relievers - friend / relative - 12 mo. ....	53
PR_100D	Obtained pain relievers - drug dealer / stranger - 12 mo. ....	54
PR_100E	Obtained pain relievers - Internet - 12 mo. ....	54
PR_100F	Obtained pain relievers - deceiv. doctor to obtain a prescript -12 mo. ....	55
PR_100G	Obtained pain relievers - forging a prescription - 12 mo. ....	55
PR_100H	Obtained pain relievers - multiple doctors for prescript. - 12 mo. ....	55
PR_110	Gave away / sold pain reliever medication prescribed to self - 12 mo. ....	56

**PS: Past Smoking**

PS_10	Ever smoked whole cigarette .....	19
PS_20	Ever smoked cigarettes daily .....	19
PS_30	Age smoked first cigarette .....	19
PS_40	Age first smoked daily .....	20

CTADS 2013 - PUMF person - Data Dictionary

SAL: SALVIA

SAL_10	Used Salvia - ever .....	78
SAL_20	Age first used - Salvia .....	79
SAL_30	Used Salvia - 12 mo. ....	79

SB: Smoking Behaviour

SB_10	Time between waking up and smoking first cigarette .....	22
-------	--	----

SC: Smoking Cessation

SC_010	Stopped smoking - how long .....	31
SC_020	Month stopped smoking .....	31
SC_030	Main reason quit smoking .....	32
SC_040	Num attempts to stop smoking before stopped for good .....	32
SC_050	Num daily cigarettes at time quit smoking .....	32
SC_060	Seriously considering quitting smoking in next 6 mo. ....	33
SC_070	Seriously considering quitting smoking in next 30 days .....	33
SC_080	Num times stopped smoking for 24 hrs because trying to quit - 12 mo. ....	33
SC_090	Num attempts to stop smoking that lasted min 1 week .....	34
SC_100	Main reason began to smoke again .....	34
SC_110	Tried to quit smoking - ever .....	35

SED: Sedatives

SED_05	Used sedatives - 12 mo. ....	61
SED_10	Used sedatives - frequency - 12 mo. ....	62
SED_20	Used sedatives - prescribed for self - 12 mo. ....	62
SED_30	Used sedatives - took more than prescribed - 12 mo. ....	62
SED_40	Used sedatives take to get high - 12 mo. ....	63
SED_50A	Obtained sedatives - pharmacist no prescription - 12 mo. ....	63
SED_50B	Obtained sedatives - prescription for self - 12 mo. ....	64
SED_50C	Obtained sedatives - friend / relative - 12 mo. ....	64
SED_50D	Obtained sedatives - drug dealer / stranger - 12 mo. ....	64
SED_50E	Obtained sedatives - Internet - 12 mo. ....	65
SED_50F	Obtained sedatives - deceiv. doctor to obtain a prescript -12 mo. ....	65
SED_50G	Obtained sedatives - forging prescription - 12 mo. ....	65
SED_50H	Obtained sedatives - multiple doctors for prescript. - 12 mo. ....	66
SED_60	Gave away / sold sedatives prescribed to self -12 mo. ....	66

SS: Smoking Status

SS_10	Frequency - smoking - present time .....	17
SS_20	Smoked cigarettes - 30 days .....	18
SS_30	Smoked daily - 30 days .....	18
SS_40	Smoked at least 100 cigarettes - lifetime .....	18

STI: Stimulants

STI_10	Used stimulants - 12 mo. ....	56
STI_15	Frequency of use - stimulants - 12 mo. ....	56
STI_20	Used stimulants - prescribed for self -12 mo. ....	57
STI_30	Used stimulants - ever took more than prescribed - 12 mo .....	57
STI_40	Used stimulants to get high - 12 mo. ....	58
STI_50	Used stimulants for reasons other than pain relief - 12 mo. ....	58
STI_60A	Used stimulants - pharmacists no prescription - 12 mo. ....	58
STI_60B	Used stimulants - prescription for self - 20 mo. ....	59
STI_60C	Used stimulants - friend / relative - 20 mo. ....	59
STI_60D	Used stimulants - drug dealer / stranger - 12 mo. ....	59
STI_60E	Used stimulants - Internet - 12 mo. ....	60
STI_60F	Used stimulants - deceiving a doctor - 12 mo. ....	60
STI_60G	Used stimulants - forging prescription - 12 mo. ....	60



**CTADS 2013 - PUMF person - Data Dictionary**

STI_60H	Used stimulants - multiple doctors - 12 mo. ....	61
STI_70	Gave away / sold stimulants prescribed to self - 12 mo. ....	61

TP: Tobacco Products

TP_017	Ever smoked little cigar / cigarillo .....	36
TP_021	Smoked little cigar / cigarillo - 30 days .....	36
TP_022	Smoked little cigars / cigarillos - type - 30 days .....	36
TP_024	Smoked little cigars / cigarillos - ever .....	37
TP_027	Smoked cigar - 30 days .....	37
TP_028	Smoked cigar - type .....	37
TP_040	Smoked pipe - 30 days .....	38
TP_050	Used chewing tobacco - ever .....	38
TP_060	Used chewing tobacco - 30 days .....	38
TP_061	Used chewing tobacco - type - 30 days .....	39
TP_070	Used tobacco water-pipe - ever .....	39
TP_080	Used tobacco water-pipe - 30 days .....	40
TP_090A	Smoked in water-pipe - flavoured tobacco - 30 days .....	40
TP_090B	Smoked in water-pipe - regular tobacco - 30 days .....	40
TP_090C	Smoked in water-pipe - a product other than tobacco .....	41
TP_100	Perception of tobacco water-pipe .....	41

WP: Weekly Pattern

WP_10A	Number of cigarettes smoked Monday .....	20
WP_10B	Number of cigarettes smoked Tuesday .....	20
WP_10C	Number of cigarettes smoked Wednesday .....	21
WP_10D	Number of cigarettes smoked Thursday .....	21
WP_10E	Number of cigarettes smoked Friday .....	21
WP_10F	Number of cigarettes smoked Saturday .....	22
WP_10G	Number of cigarettes smoked Sunday .....	22

XTC: Ecstasy

XTC_10	Used Ecstasy .....	74
XTC_20	Age - tried or started using Ecstasy .....	75
XTC_30	Used ecstasy - 12 mo. ....	75



## Variable Index

<u>Variable</u>	<u>Description</u>	<u>Page</u>
AGE0014	Number of children in household aged 0-14 .....	11
AGE1524	Number of household members (including respondent) aged 15-24 .....	11
AGE2544	Number of household members (including respondent) aged 25-44 .....	11
AGE45PL	Number of household members (including respondent) aged 45 plus .....	12
AHEAVYMN	Heavy monthly alcohol use once per month / more often - 12 mo. ....	92
AHEAVYWK	Heavy weekly alcohol use once per week / more often - 12 mo. ....	93
ALC12M	Alcohol use - 12 mo. ....	89
ALC7D	Total number of standard drinks in the past 7 days .....	98
ALCLEV2	Estimated daily alc. consump. level - 12 mo. - 2 cat .....	95
ALCLEV2D	Estimated daily alc. consump. level - 7 days - 2 cat. drinking wheel .....	99
ALCLEV3	Estimated daily alc. consump. level - 12 mo. - 3 cat .....	95
ALCLEV3D	Estimated daily alc. consump. level - 7 days - 3 cat. drinking wheel .....	99
ALCLEV4	Estimated daily alc. consump. level - 12 mo. - 4 cat .....	94
ALCLEV4D	Estimated daily alc. consump. level - 7 days - 4 cat. drinking wheel .....	98
ALCLEVD	Avg num standard drinks per day - 7 days - drinking wheel .....	98
ALCLIFE	Alcohol use in lifetime .....	89
ALCSTAT3	Drinking status .....	89
ALCSTAT6	Drinking pattern: 6 categories .....	91
ALC_10	Drank alcoholic beverages - 12 mo. ....	43
ALC_20	Have had a drink .....	44
ALC_30	Age - started drinking alcoholic beverages .....	44
ALC_40	Number of drinks consumed on those days - 12 mo. ....	45
ALC_50	Frequency of drinking four or more drinks on one occasion -12 mo. ....	45
ALC_60	Frequency of drinking five or more drinks on one occasion -12 mo. ....	45
ALC_70	Number of drinks consumed - 30 days .....	46
ALDAILY	Daily drinking - 12 mo. ....	91
AMP3L	Used at least 1 of 3 amphetamines - lifetime .....	117
AMPH312M	Used at least 1 of 3 amphetamines - 12 mo. ....	114
AMPH412M	Used at least 1 of 4 amphetamines - 12 mo. ....	113
ANY10DYR	Used at least 1 of 10 drugs to get high excluding cannabis - 12 mo. ....	111
ANY11DLF	Used at least 1 of 11 drugs in lifetime -exclu cannabis includ cocaine .....	115
ANY11DYR	Used at least 1 of 11 drugs to get high - include cannabis - 12 mo. ....	111
ANY12DLF	Used at least 1 of 12 drugs in lifetime to get high .....	114
ANY8DLF	Used at least 1 of 8 drugs, exclude cannabis and pharmaceutical abuse .....	115
ANY9DLF	Used at least 1 of 9 drugs include cannabis exclu pharmaceutical abuse .....	115
ASCAN1	Freq of cannabis use in the past 3 mo. ....	106
ASCAN2	Freq of strong desire / urge to use cannabis - 3 mo. ....	106
ASCAN3	Freq of health, soc, legal / finan prob due to cannabis use - 3 mo. ....	107
ASCAN4	Freq of failure to do normal tasks due to cannabis use - 3 mo. ....	107
ASCAN5	Relative or friend expressed concern about cannabis use .....	107
ASCAN6	Failed to control cannabis use .....	108
ASISTCAN	Summary score for WHO's ASSIST .....	108
ASISTCN2	Risk level for prob. - cannabis consump. - 2 categories .....	109
ASISTCN3	Risk level for prob. - cannabis consump. - 3 categories .....	108
AW_10	Had beer, wine, liquor or any other alcoholic beverage - 7 days .....	46
AW_20A	Number of drinks Monday .....	47
AW_20B	Number of drinks Tuesday .....	47
AW_20C	Number of drinks Wednesday .....	47
AW_20D	Number of drinks Thursday .....	48
AW_20E	Number of drinks Friday .....	48
AW_20F	Number of drinks Saturday .....	48
AW_20G	Number of drinks Sunday .....	49
CAN12M	Cannabis use - 12 mo. ....	105
CAN3M	Cannabis use - 3 mo. ....	105
CANFREQ3	Frequency of cannabis use - 3 mo. ....	105
CANLIFEX	Cannabis use in lifetime excluding one-time use .....	104
CANPAT	Cannabis use status - three categories .....	106
CAN_010	Used marijuana - ever .....	66

CTADS 2013 - PUMF person - Data Dictionary

CAN_020	Used marijuana - num times .....	67
CAN_030	Used marijuana - 12 mo. ....	67
CAN_040	Used marijuana - 3 mo. ....	67
CAN_050	Frequency of using marijuana - 3 mo. ....	68
CAN_060	Age first used - marijuana .....	68
CAN_070	Had strong desire to use marijuana - ever .....	69
CAN_080	Frequency of strong desire to use marijuana - 3 mo. ....	69
CAN_090	Marijuana use led to health, social, legal or financial problems .....	69
CAN_100	Frequency that marij use led to health/ soc/legal/financial prob .....	70
CAN_110	Marijuana use affected ability to do expected tasks .....	70
CAN_120	Frequency marijuana use affected ability to do expected tasks .....	70
CAN_130	Friend/relative/other expressed concern about marijuana use - ever .....	71
CAN_140	Concern expressed about marijuana use - 3 mo. ....	71
CAN_150	Tried to reduce / stop marijuana use but unable to - ever .....	72
CAN_160	Tried to reduce / stop marijuana use - 3 mo. ....	72
CA_10	Where cigarettes are obtained, and from whom .....	23
COC12M	Cocaine use - 12 mo. ....	109
COC_10	Used cocaine - ever .....	72
COC_20	Age first used - cocaine .....	73
COC_30	Used cocaine - 12 mo. ....	73
DHAR12	One or more types of harms - one's own drug use - 12 mo. ....	120
DHAR12M1	Harm to friendships or social life - due to drug use - 12 mo. ....	117
DHAR12M2	Harm to physical health - due to drug use - 12 mo. ....	118
DHAR12M3	Harm to home life / marriage - due to drug use - 12 mo. ....	118
DHAR12M4	Harm to work, studies, or employ. opportun. - due to drug use - 12 mo. ....	118
DHAR12M5	Harm to financial position - due to drug use - 12 mo. ....	119
DHAR12M6	Legal problems - due to drug use - 12 mo. ....	119
DHAR12M7	Harm housing problems - due to drug use - 12 mo. ....	119
DHAR12M8	Difficulty learning things - due to drug use - 12 mo. ....	120
DHA_10	Drug affects friendships or social life - 12 mo. ....	79
DHA_20	Drug affects physical health - 12 mo. ....	80
DHA_30	Drug affects home life or marriage - 12 mo. ....	80
DHA_40	Drug affects work, studies, or employment opportunities - 12mo. ....	81
DHA_50	Drug affects financial position - 12 mo. ....	81
DHA_60	Had legal problems because of drug use - 12 mo. ....	81
DHA_70	Had housing problems because of drug use - 12 mo. ....	82
DHA_80	Had difficulty learning things because of drug use - 12 mo. ....	82
DVAGE	Age of respondent .....	16
DVAVCIG7	Determines avg num cigarettes smoked per day - past week .....	86
DVAVCIGD	Determines avg num cigarettes smoked on the days respondents smoked .....	87
DVCIGWK	Determines total num cigarettes smoked per week .....	86
DVDAILY	Determines avg num cigarettes smoked for the daily smokers .....	88
DVMARST	Grouped marital status of respondent from household roster .....	16
DVNDSMK	Determines num days respondent smoked cigarettes - past week .....	87
DVSMKPTN	Describes the pattern of smoking - 7 days .....	87
DVSS1	Smoking Status Type 1 - Using 30 days definition .....	85
DVSS2	Smoking Status Type 2 - Detailed, using 30 days definition .....	85
DVSST1	Smoking Status Type 1 - Traditional definition .....	84
DVSST2	Smoking Status Type 2 - Detailed, using traditional definition .....	85
DVURBAN	Characteristics of community where the respondent lives .....	10
DVYRSSMK	Number of years the respondent smoked .....	88
ELC_110	Used e-cigarette - ever .....	41
ELC_120	Used e-cigarette - 30 days .....	42
ELC_130	Last time used an e-cigarette - contained nicotine .....	42
ELC_140	Used e-cigarette as smoking cessation aid - 2 years .....	42
ELC_150	Used e-cigarette when unable to smoke cigarettes .....	43
EX_130	Excluding own smoking, were exposed to second hand smoke in past month .....	43
FIVEMN	Drank 5 or more drinks in a single sitting once a month or more often .....	92
FIVEWK	Drank 5 or more drinks in a single sitting once a week or more often .....	92
FRI	Number of drinks .....	97
GLU_10	Sniffed solvents - ever .....	76
GLU_20	Age first used - solvents .....	77
GLU_30	Sniffed solvents -12 mo. ....	77

CTADS 2013 - PUMF person - Data Dictionary

HAL12M	Hallucinogens use - 12 mo. ....	110
HALSALVL	Hallucinogens and/or salvia use - lifetime ....	117
HAL_10	Used hallucinogens - ever ....	75
HAL_20	Age first used - hallucinogens ....	76
HAL_30	Used hallucinogens - 12 mo. ....	76
HERPNA11	Used heroin and/or abused pain relievers - 12 mo. ....	114
HER_10	Used heroin - ever ....	77
HER_20	Age first used - heroin ....	78
HER_30	Used heroin -12 mo. ....	78
HHSIZE	Number of people in the household ....	10
HHTYPE	Type of household, based on roster age composition ....	12
HS_10	Num people smoke cigarettes inside home daily ....	13
HS_20	Num people smoke cigarettes inside home daily ....	13
HS_30	Num cigarettes smoked inside home ....	13
HS_40	Smoking cigarettes allowed inside home ....	14
HS_50	Smoking cigarettes inside home is restricted ....	14
HS_60A	Smoking inside home - allowed in certain rooms only ....	14
HS_60B	Smoking inside home - restricted in the presence of young children ....	15
HS_60C	Smoking inside - only if windows are open/another type of ventilation ....	15
HS_60D	Smoking inside your home - other restriction(s) ....	15
HWB_01	Health ....	17
HWB_10	Mental health ....	17
IL3D12	Used at least 1 of speed/meth, hallucinogens, heroin - 12 mo. ....	113
IL5D12	Used at least 1 of 5 drugs - 12 mo. excluding cannabis ....	113
IL5D12XS	Used at least 1 of 5 drugs - 12 mo. excluding cannabis ....	112
IL5DL	Used at least 1 of 5 drugs - lifetime ....	116
IL5DLXS	Used at least 1 of 5 drugs - lifetime excluding cannabis and salvia ....	116
IL6D12	Used at least 1 of 6 drugs including cannabis - 12 mo. ....	112
IL6D12XS	Used at least 1 of 6 drugs - 12 mo. including cannabis ....	112
IL6DL	Used at least 1 of 6 drugs ....	116
IL6DLXS	Used at least 1 of 6 drugs - lifetime ....	115
INH12M	Inhalant use - 12 mo. ....	110
LMA3_10	Employee or self-employed ....	84
LMAM_01	Worked at a job or business last week ....	83
LMAM_02	Absent from job or business ....	83
LMAM_03	Reason for absence from work last week ....	83
LRDGAC12	Exceeded low-risk drinking guideline -acute effects: current drinkers ....	94
LRDGACUT	Exceeded low-risk drinking guideline - acute effects - tot. popl'n ....	93
LRDGCH12	Exceeded low-risk drinking guideline- chronic effects- current drnkrs ....	94
LRDGCHRC	Exceeded low-risk drinking guideline - chronic effects- tot. popl'n ....	93
MET_10	Used amphetamines, speed, methamphetamine or crystal meth ....	73
MET_20	Age first used - speed or meth ....	74
MET_30	Used speed or meth - 12 mo. ....	74
MON	Number of drinks ....	96
NUMDRNKS	Usually drinks 5 or more drinks per occasion-total population - 12 mo. ....	91
OM_099	Services offered-1-800 telephone quit-lines & other smoker help lines ....	35
OM_100	Used a 1-800 quitline or a smokers helpline ....	35
PAIN12M	Used pain relievers - 12 mo. ....	99
PAINABUS	Abused pain relievers - 12 mo. ....	101
PAINHIGH	Used pain relievers to get high - 12 mo. ....	100
PAINND	Used pain relievers not as directed - 12 mo. ....	100
PAINOTH	Used pain relievers for other reasons - 12 mo. ....	100
PAINTMPR	Tampered with pain relievers before taking them - 12 mo. ....	101
PHAR12M	Used pharmaceuticals - 12 mo. ....	103
PHARABUS	Abused pharmaceuticals - 12 mo. ....	104
PHARHIGH	Used pharmaceuticals to get high - 12 mo. ....	104
PHARND	Used pharmaceuticals not as directed -12 mo. ....	103
PP_010	Bought cigarettes on a First Nations Reserve - 6 mo. ....	23
PP_020	Bought cigarettes believed to have been smuggled - 6 mo. ....	24
PP_030	Cigarettes bought at store or gas station - 6 mo. ....	24
PP_040	Cigarettes bought from another source - 6 mo. ....	24
PP_050	Percentage of all cigarettes on a First Nations Reserve - 6 mo. ....	25
PP_060	Percentage of cigarettes believed to have been smuggled - 6 mo. ....	25

CTADS 2013 - PUMF person - Data Dictionary

PP_070	Percentage of cigarettes bought from a store or gas station - 6 mo. ....	26
PP_071	Percentage of cigarettes bought from another source - 6 mo. ....	26
PP_090	Amt of cigarettes bought most recently from First Nations Reserve .....	26
PP_100	How first became aware could buy these cigarettes .....	27
PP_110A	Where bought smuggled cigarettes - store .....	27
PP_110B	Where bought smuggled cigarettes - First Nations Reserve .....	28
PP_110C	Where bought smuggled cigarettes - delivery service .....	28
PP_110D	Where bought smuggled cigarettes - co-worker .....	28
PP_110E	Where bought smuggled cigarettes - family member .....	29
PP_110F	Where bought smuggled cigarettes - friend .....	29
PP_110G	Where bought smuggled cigarettes - other - specify .....	29
PP_120	Quantity smuggled cigarettes bought most recently .....	30
PP_130	First became aware that bought smuggled cigarettes .....	30
PP_140	How easy or difficult - to buy smuggled cigarettes .....	30
PROV	Province of the selected respondent .....	10
PRSNID	Person ID .....	9
PR_010	Used codeine products -12 mo. ....	49
PR_020	Used oxycodone products - 12 mo. ....	50
PR_030	Used other opioid products - 12 mo. ....	50
PR_040	Frequency of use - pain relievers - 12 mo. ....	50
PR_050	Used pain relievers - prescribed for self -12 mo. ....	51
PR_060	Used pain relievers - ever took more than prescribed - 12 mo. ....	51
PR_070	Used pain relievers to get high - 12 mo. ....	51
PR_080	Used pain relievers for reasons other than pain relief - 12 mo. ....	52
PR_090	Tampered with a pain reliever product before taking it - 12 mo. ....	52
PR_100A	Obtained pain relievers - pharmacist no prescription - 12 mo. ....	53
PR_100B	Obtained pain relievers - prescription for self - for pain - 12 mo. ....	53
PR_100C	Obtained pain relievers - friend / relative - 12 mo. ....	53
PR_100D	Obtained pain relievers - drug dealer / stranger - 12 mo. ....	54
PR_100E	Obtained pain relievers - Internet - 12 mo. ....	54
PR_100F	Obtained pain relievers - deceiv. doctor to obtain a prescript -12 mo. ....	55
PR_100G	Obtained pain relievers - forging a prescription - 12 mo. ....	55
PR_100H	Obtained pain relievers - multiple doctors for prescript. - 12 mo. ....	55
PR_110	Gave away / sold pain reliever medication prescribed to self - 12 mo. ....	56
PS_10	Ever smoked whole cigarette .....	19
PS_20	Ever smoked cigarettes daily .....	19
PS_30	Age smoked first cigarette .....	19
PS_40	Age first smoked daily .....	20
PUMFID	Randomly generated sequence number for the public use microdata file .....	9
QFVOL	Estimated total num standard drinks - 12 mo. ....	90
QFVOLDAY	Estimated num standard drinks per day - 12 mo. ....	90
QFVOLWK	Estimated num standard drinks per week - 12 mo. ....	90
REFMONTH	Survey month .....	9
REFYEAR	Survey year .....	9
SALV12M	Salvia use - 12 mo. ....	111
SAL_10	Used Salvia - ever .....	78
SAL_20	Age first used - Salvia .....	79
SAL_30	Used Salvia - 12 mo. ....	79
SAT	Number of drinks .....	97
SB_10	Time between waking up and smoking first cigarette .....	22
SC_010	Stopped smoking - how long .....	31
SC_020	Month stopped smoking .....	31
SC_030	Main reason quit smoking .....	32
SC_040	Num attempts to stop smoking before stopped for good .....	32
SC_050	Num daily cigarettes at time quit smoking .....	32
SC_060	Seriously considering quitting smoking in next 6 mo. ....	33
SC_070	Seriously considering quitting smoking in next 30 days .....	33
SC_080	Num times stopped smoking for 24 hrs because trying to quit - 12 mo. ....	33
SC_090	Num attempts to stop smoking that lasted min 1 week .....	34
SC_100	Main reason began to smoke again .....	34
SC_110	Tried to quit smoking - ever .....	35
SEDHIGH	Used sedatives to get high - 12 mo. ....	103
SEDND	Used sedatives not as directed - 12 mo. ....	102

CTADS 2013 - PUMF person - Data Dictionary

SED_05	Used sedatives - 12 mo. ....	61
SED_10	Used sedatives - frequency - 12 mo. ....	62
SED_20	Used sedatives - prescribed for self - 12 mo. ....	62
SED_30	Used sedatives - took more than prescribed - 12 mo. ....	62
SED_40	Used sedatives take to get high - 12 mo. ....	63
SED_50A	Obtained sedatives - pharmacist no prescription - 12 mo. ....	63
SED_50B	Obtained sedatives - prescription for self - 12 mo. ....	64
SED_50C	Obtained sedatives - friend / relative - 12 mo. ....	64
SED_50D	Obtained sedatives - drug dealer / stranger - 12 mo. ....	64
SED_50E	Obtained sedatives - Internet - 12 mo. ....	65
SED_50F	Obtained sedatives - deceiv. doctor to obtain a prescript -12 mo. ....	65
SED_50G	Obtained sedatives - forging prescription - 12 mo. ....	65
SED_50H	Obtained sedatives - multiple doctors for prescript. - 12 mo. ....	66
SED_60	Gave away / sold sedatives prescribed to self -12 mo. ....	66
SEX	Respondent's sex ....	16
SPMETH12	Speed and/or methamphetamine use - 12 mo. ....	109
SS_10	Frequency - smoking - present time ....	17
SS_20	Smoked cigarettes - 30 days ....	18
SS_30	Smoked daily - 30 days ....	18
SS_40	Smoked at least 100 cigarettes - lifetime ....	18
STIMABUS	Abused stimulants - 12 mo. ....	102
STIMHIGH	Used stimulants to get high -12 mo. ....	102
STIMND	Used stimulants not as directed - 12 mo. ....	101
STIMOTH	Used stimulants for other reasons - 12 mo. ....	102
STI_10	Used stimulants - 12 mo. ....	56
STI_15	Frequency of use - stimulants - 12 mo. ....	56
STI_20	Used stimulants - prescribed for self -12 mo. ....	57
STI_30	Used stimulants - ever took more than prescribed - 12 mo ....	57
STI_40	Used stimulants to get high - 12 mo. ....	58
STI_50	Used stimulants for reasons other than pain relief - 12 mo. ....	58
STI_60A	Used stimulants - pharmacists no prescription - 12 mo. ....	58
STI_60B	Used stimulants - prescription for self - 20 mo. ....	59
STI_60C	Used stimulants - friend / relative - 20 mo. ....	59
STI_60D	Used stimulants - drug dealer / stranger - 12 mo. ....	59
STI_60E	Used stimulants - Internet - 12 mo. ....	60
STI_60F	Used stimulants - deceiving a doctor - 12 mo. ....	60
STI_60G	Used stimulants - forging prescription - 12 mo. ....	60
STI_60H	Used stimulants - multiple doctors - 12 mo. ....	61
STI_70	Gave away / sold stimulants prescribed to self - 12 mo. ....	61
STOPSMK	Number of months since survey date former smoker stopped smoking ....	88
SUN	Number of drinks ....	95
THURS	Number of drinks ....	97
TP_017	Ever smoked little cigar / cigarillo ....	36
TP_021	Smoked little cigar / cigarillo - 30 days ....	36
TP_022	Smoked little cigars / cigarillos - type - 30 days ....	36
TP_024	Smoked little cigars / cigarillos - ever ....	37
TP_027	Smoked cigar - 30 days ....	37
TP_028	Smoked cigar - type ....	37
TP_040	Smoked pipe - 30 days ....	38
TP_050	Used chewing tobacco - ever ....	38
TP_060	Used chewing tobacco - 30 days ....	38
TP_061	Used chewing tobacco - type - 30 days ....	39
TP_070	Used tobacco water-pipe - ever ....	39
TP_080	Used tobacco water-pipe - 30 days ....	40
TP_090A	Smoked in water-pipe - flavoured tobacco - 30 days ....	40
TP_090B	Smoked in water-pipe - regular tobacco - 30 days ....	40
TP_090C	Smoked in water-pipe - a product other than tobacco ....	41
TP_100	Perception of tobacco water-pipe ....	41
TUES	Number of drinks ....	96
UNDERAGE	Below legal drinking age in province of residence ....	89
WED	Number of drinks ....	96
WP_10A	Number of cigarettes smoked Monday ....	20
WP_10B	Number of cigarettes smoked Tuesday ....	20

CTADS 2013 - PUMF person - Data Dictionary

---

WP_10C	Number of cigarettes smoked Wednesday .....	21
WP_10D	Number of cigarettes smoked Thursday .....	21
WP_10E	Number of cigarettes smoked Friday .....	21
WP_10F	Number of cigarettes smoked Saturday .....	22
WP_10G	Number of cigarettes smoked Sunday .....	22
WTPP	Survey weight of a person .....	120
XTC12M	Ecstasy use - 12 mo. ....	110
XTC_10	Used Ecstasy .....	74
XTC_20	Age - tried or started using Ecstasy .....	75
XTC_30	Used ecstasy - 12 mo. ....	75