

---

Form No. 1

# Canadian Tobacco, Alcohol and Drugs Survey, 2013



Statistics  
Canada

Statistique  
Canada

Canada



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Table of Contents**

Main Content .....	1
Household Smoking (HS) .....	2
Person Age (PA) .....	4
Marital Status with Confirmation (De-facto) (MSWC) .....	5
General Health (HWB) .....	7
Smoking Status (SS) .....	8
Past Smoking (PS) .....	9
Weekly Pattern (WP) .....	11
Smoking Behaviour (SB) .....	12
Cigarette Access (CA) .....	13
Purchasing Patterns (PP) .....	15
Smoking Cessation (SC) .....	22
Other Cessation Methods (OM) .....	26
Tobacco Products (TP) .....	27
Electronic Cigarette (ELC) .....	30
Exposure to Second-hand Smoke (EX) .....	32
Alcohol General (ALC) .....	33
Alcohol Wheel (AW) .....	36
Pain Relievers (PR) .....	37
Stimulants (STI) .....	42
Sedatives (SED) .....	45
Cannabis (CAN) .....	48
Cocaine (COC) .....	53
Methamphetamines (MET) .....	54
Ecstasy (XTC) .....	55
Hallucinogens (HAL) .....	56
Inhalants (GLU) .....	57
Heroin (HER) .....	58
SALVIA (SAL) .....	59
Drug Harms (DHA) .....	60
Labour Market Activities Extended (LMAE) .....	63
Labour Market Activities Minimal (LMAM) .....	66
Class of Worker (LMA3) .....	70
Postal Code (PC) .....	73
Contact .....	74
Contact (CN) .....	75
Telephone Check (TC) .....	77
Respondent Check (RC) .....	80
Initial Contact (IC) .....	82
Language of Preference (LP) .....	83
CATI Monitoring (MON) .....	86
Demographics .....	86
Usual Roster (USU) .....	87
Household .....	88
RDD In Scope (RIS) .....	89
RDD Selection Parameters (RSP) .....	91
Age without Date of Birth (ANDB) .....	93
Sex (SEX) .....	94
Marital Status without Confirmation (De-facto) (MSNC) .....	95
Survey Introduction (INT) .....	96
Shared Blocks .....	96
Interviewer introduction (II) .....	97
Appointment (APP) .....	98
Thank You 1 (TY1) .....	100

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

Thank You 2 (TY2) .....	101
Exit.....	101
Outcome Code (OC) .....	102
Confirm Outcome Code (COC) .....	105
Thank You 3 (TY3) .....	107
Entry - Survey Specific .....	107
Initial Contact (IC) .....	108
Survey Introduction (INT).....	109
CTADS Specific Roster Introduction (CSRI) .....	110
Household Smoking (HS).....	111
Appointment Re-Contact (ARC) .....	113
Person to whom you are speaking (WHO) .....	114
Identify Many Selected Subject (IMSS) .....	115
Exit - Survey Specific .....	115
Person 1 Exit (P1X) .....	116
Person 1 Respondent level Code (P1 Tab) (P1TA) .....	117
Person 2 Exit (P2X) .....	118
Person 2 respondent level code (P2TA) .....	119
Recap Block (RECA).....	120
DRIVER BLOCKS - Entry/Exit .....	120
Contact (BCN) .....	121
Household (BHH) .....	123
Demographics (DEM).....	124
Exit (BEX) .....	125
Topical Index .....	126

**Main Content**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Household Smoking (HS)**

Core content

HS\_BEG Beginning of Section  
Note: This block requires number of people in the household (HHSIZE).

HS\_Q10 **[Do you/Does anyone in your household] smoke cigarettes?**

- 1 Yes
- 2 No
- DK, RF

Universe: *Household respondent.*

HS\_Q20 **How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.**

INTERVIEWER: Smoking inside the home excludes smoking inside the garage, whether attached or detached.

|\_||\_  
(MIN: 0)  
(MAX: 15)

DK, RF

Universe: *Household respondent.*

HS\_C30 If HS\_Q20 = 0 or HS\_Q20 = DK or HS\_Q20 = RF, go to HS\_Q40.  
Otherwise, go to HS\_Q30.

HS\_Q30 **On a typical day, how many cigarettes are smoked inside your home?**

- 1 1 to 10 cigarettes
- 2 11 to 20 cigarettes
- 3 21 to 30 cigarettes
- 4 31 to 40 cigarettes
- 5 41 or more cigarettes
- DK, RF

Go to HS\_Q50

Universe: *HS\_Q20=(01:15)*

HS\_Q40 **Is smoking cigarettes allowed inside your home?**

- 1 Yes
- 2 No (Go to HS\_END)
- DK, RF (Go to HS\_END)

Universe: *HS\_Q20=(00, DK or RF)*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

HS\_Q50

**Is smoking cigarettes inside your home restricted in any way?**

- 1 Yes
- 2 No (Go to HS\_END)
- DK, RF (Go to HS\_END)

Universe:

*HS\_Q20=(01:15) and HS\_Q40=1*

HS\_Q60

**How is smoking cigarettes restricted inside your home?**

INTERVIEWER: Read categories to respondent. Mark all that apply.  
There is no need to read a response that was volunteered by the respondent.

- 1 **Allowed in certain rooms only**
- 2 **Restricted in the presence of young children**
- 3 **Allowed only if windows are open or with another type of ventilation**
- 4 **Other restriction(s)**

DK, RF

Universe:

*HS\_Q50=1*

HS\_END

End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Person Age (PA)**

Core content

PA_BEG	Beginning of Section  Import variables: SEL: Selected person value 1 or 2 ANDB_Q01 (Roster Age)  Notes: This block requires roster age. A header consisting of the name, sex and the age of the selected person should be displayed at the top of the screen.  For example: Household Respondent: John Gender: Male Age: 25
PA_Q01	<b>For statistical purposes only, may we confirm your age, as of today?</b>   _ _ _  (MIN: 0) (MAX: 130)  DK, RF (Go to PA_D01)
Universe:	All respondents.
PA_E01	The respondent's age is different from roster age. Please confirm age entered in PA_Q01.
Rule :	Trigger soft edit if PA_Q01 is a response = > 15 years and the entered age is different by more than three (3) years from the roster age.
PA_E02	The respondent's age is less than 15. Please confirm age entered in PA_Q01. If the respondent is less than 15, a CTADS Questionnaire will not be completed. Enter <X> to accept the answer and continue or return to PA_Q01 and correct.
Rule :	Trigger soft edit if PA_Q01 is = < 15 years.
PA_C02A	If If the respondent's age is >= 15 and SEL = 1 or SEL = 2, go to PA_C02B. Otherwise, go to PA_END.
PA_C02B	If SEL = 2, go to PA_BEG. Otherwise, go to PA_END.
PA_END	End of Section



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Marital Status with Confirmation (De-facto) (MSWC)**

Harmonized content

Overview:	This block is used to collect the respondent's social marital status when any previously collected marital status is to be confirmed. Surveys must specify the minimum age for calling the block (the LFS minimum is 16, the GSS minimum is 15).
MSWC_BEG	Variable taken from sample file: SPECRESPMS: marital status of specific respondent  Variable created based on sample file data: PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy FNAME  Import: YOUR2, ARE_C, YOU1
Programmer:	***HARMONIZED CONTENT BLOCK*** Add layout instruction to display all answer options
MSWC_C01	If SPECRESPMS = DK, RF or EMPTY, go to MSWC_Q02. Otherwise, go to MSWC_D01A.
MSWC_Q01	<b>We recorded your marital status as [married/living in common-law/widowed/separated/divorced/single, never married]. Is this correct?</b>  1 Yes (Go to MSWC_END) 2 No (Go to MSWC_END) DK, RF (Go to MSWC_END)
Help text:	<i>Tag: Marital Status With Confirmation (De-facto)</i>  <i>Purpose:</i> marital status is an important variable in tracking the evolution of social attitudes economic data combined with marital status and family data provides insight into the socio-economic situation of various types of families  <i>Definition:</i> living common-law: refers to two people of the opposite sex or the same sex who live together as a couple but who are not legally married to each other  <i>Procedure:</i> the full list of categories should be read to the respondent
Programmer:	Pre-fill the question text with the appropriate respondent name.  If MSWC_Q01 = 1 (Yes), set MSWC_Q02 = numeric marital status of respondent selected from the roster.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

MSWC\_Q02

**What is your marital status?  
Are you...?**

INTERVIEWER: Read categories to respondent.  
If a Quebec respondent answers "civil union", code to the "married" category.

- 1 **Married**
- 2 **Living common-law**
- 3 **Widowed**
- 4 **Separated**
- 5 **Divorced**
- 6 **Single, never married**

DK, RF

Help text:

Tag: Marital Status With Confirmation (De-facto)

Purpose:  
marital status is an important variable in tracking the evolution of social attitudes economic data combined with marital status and family data provides insight into the socio-economic situation of various types of families

Definition:  
living common-law: refers to two people of the opposite sex or the same sex who live together as a couple but who are not legally married to each other

Procedure:  
the full list of categories should be read to the respondent  
if a Quebec respondent answers "civil union", code to the "married" category

MSWC\_END

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**General Health (HWB)**

Core content

HWB\_BEG

HWB\_Q01

**In general, would you say your health is...?**

INTERVIEWER: Read categories to respondent.

- 1 **Excellent**
  - 2 **Very good**
  - 3 **Good**
  - 4 **Fair**
  - 5 **Poor**
- DK, RF

HWB\_Q10

**In general, would you say your mental health is...?**

INTERVIEWER: Read categories to respondent.

- 1 **Excellent**
  - 2 **Very good**
  - 3 **Good**
  - 4 **Fair**
  - 5 **Poor**
- DK, RF

HWB\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Smoking Status (SS)**

Core content

SS_BEG	Beginning of Section
SS_R10	<b>I am going to start with questions about cigarette smoking. Include cigarettes that are bought ready-made as well as cigarettes that you make yourself.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
SS_Q10	<b>At the present time, do you smoke cigarettes every day, occasionally or not at all?</b>  1 Every day (Go to SS_C30) 2 Occasionally 3 Not at all DK, RF
Universe:	All respondents
SS_Q20	<b>In the past 30 days, did you smoke any cigarettes?</b>  1 Yes 2 No DK, RF
Universe:	SS_Q10=(2 or 3)
SS_E20	Potentially inconsistent answers have been entered. Please confirm.
Rule :	Trigger soft edit if (SS_Q10 = 3 (Not at all)) and (SS_Q20 = 1(Yes)).
SS_C30	If SS_Q10 = 1 (Daily smoker) or SS_Q20 = 1 (Smoked in past 30 days), go to SS_Q30. Otherwise, go to SS_Q40.
SS_Q30	<b>During the past 30 days, did you smoke every day?</b>  1 Yes 2 No DK, RF
Universe:	SS_Q10=1 or SS_Q20=1
SS_Q40	<b>Have you smoked at least 100 cigarettes in your life?</b>  1 Yes 2 No DK, RF
Universe:	All respondents.
SS_END	End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Past Smoking (PS)**

Core content

PS_BEG	Beginning of Section  Note: This block requires DV_SSTAT, PA_Q01 ,SS_Q20 and SS_Q30. AGE = PA_Q01. If PA_Q01 is DK or RF then AGE = ANDB_Q01 (Roster Age)
PS_C10	If DV_SSTAT = 4 (Never smoked), go to PS_Q10. Otherwise, go to PS_C20.
PS_Q10	<b>Have you ever smoked a whole cigarette?</b>  1 Yes 2 No DK, RF
Universe:	SS_Q10=3 and SS_Q40=2
PS_C20	If (DV_SSTAT= 2 (Occasional) and (SS_Q30 NE 1 or SS_Q20 NE = 1)) or DV_SSTAT = 3 (Former), go to PS_Q20. Otherwise, go to PS_C30.
PS_Q20	<b>Have you ever smoked cigarettes daily?</b>  1 Yes 2 No DK, RF
Universe:	(SS_Q10=2 and (SS_Q20=2 or SS_Q30=2)) or (SS_Q10=3 and SS_Q40=1)
PS_C30	If DV_SSTAT = 1 (Daily) or DV_SSTAT = 2 (Occasional) or DV_SSTAT= 3 (Former) or PS_Q10 = 1 (Yes), go to PS_Q30. Otherwise, go to PS_END.
PS_Q30	<b>At what age did you smoke your first cigarette?</b>   _ _  (MIN: 4) (MAX: 94)  DK, RF
Processing:	SS_Q10=(1 or 2 ) or (SS_Q10=3 and SS_Q40=1) or PS_Q10=1
PS_E30	The age in PS_Q30 should not be greater than age of respondent. Please confirm.
Rule :	Trigger soft edit if PS_Q30 > AGE of respondent. Questions Involved: PS_Q30 and PA_Q01. AGE = PA_Q01. If PA_Q01 is DK or RF then AGE = ANDB_Q01 (Roster Age).
PS_C40	If DV_SSTAT = 1 (Daily) or PS_Q20 = 1 (Yes), go to PS_Q40. Otherwise, go to PS_END.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PS_Q40	<b>At what age did you begin to smoke cigarettes daily?</b>   _ _  (MIN: 4) (MAX: 94)  DK, RF
Universe:	SS_Q10=1 or PS_Q20=1
PS_E40A	The age in PS_Q40 should not be greater than age of respondent. Please confirm.
Rule :	<i>Trigger soft edit if PS_Q40 &gt; AGE of respondent. Questions Involved: PS_Q40 and PA_Q01. AGE = PA_Q01. If PA_Q01 is DK or RF then AGE = ANDB_Q01 (Roster Age).</i>
PS_E40B	The age in PS_Q40 should not be less than the age given in PS_Q30. Please confirm.
Rule :	<i>Trigger soft edit if PS_Q40 &lt; PS_Q30 and if PS_Q40 is not equal DK or RF. Questions Involved: PS_Q30 and PS_Q40.</i>
PS_END	End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Weekly Pattern (WP)**

Core content

WP_BEG	Beginning of Section  Note: This block requires DV_SSTAT and SS_Q20.
WP_C10	If DV_SSTAT = 1 (Daily) or SS_Q20 = 1 (Smoked in past 30 days), go to WP_Q10N. Otherwise, go to WP_END.
WP_R10	<b>Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:</b>  <u>INTERVIEWER:</u> Press <1> to continue.
WP_Q10N	<b>(Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:)</b>  <b>On ^DT_DAYSMOKEDE?</b>  <u>INTERVIEWER:</u> Starting on the second day of the week, if same amount every day, please enter 91.   _ _  (MIN: 0) (MAX: 91)  DK, RF
Universe:	SS_Q10=1 or SS_Q20=1
WP_E10	<b>The value 91 is not available for the first day of the week. Please return and correct.</b>
Rule :	Trigger hard edit if WP_Q10N(1) > 90.
WP_END	End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Smoking Behaviour (SB)**

Core content

SB\_BEG

Beginning of Section

Note: This block requires DV\_SSTAT.

SB\_C10

If DV\_SSTAT = 1 (Daily), go to SB\_Q10.  
Otherwise, go to SB\_END.

SB\_Q10

**How soon after you wake up do you smoke your first cigarette?**

- 1 Within 5 minutes
  - 2 6 to 30 minutes
  - 3 31 to 60 minutes
  - 4 More than 60 minutes
- DK, RF

Universe:

SS\_Q10=1

SB\_END

End of Section



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Cigarette Access (CA)**

Core content

CA\_BEG

Beginning of Section

Note: This block requires DV\_SSTAT and PA\_Q01. AGE = PA\_Q01.  
If PA\_Q01 is DK or RF then AGE = ANDB = Q01 (Roster Age)

CA\_C10

If DV\_SSTAT = 1 (Daily) or DV\_SSTAT = 2 (Occasional), go to CA\_Q10.  
Otherwise, go to CA\_END.

CA\_Q10

**Where do you usually get your cigarettes?  
(Do you buy them, or does someone usually give them to you? Where  
do you buy them? Who do you get them from?)**

- 01 I buy them from a vending machine
  - 02 I buy them at a small grocery / corner store
  - 03 I buy them at a supermarket
  - 04 I buy them at a drug store
  - 05 I buy them at a gasoline station
  - 06 I buy them at another kind of store
  - 07 I buy them from a friend or someone else
  - 08 I buy them by mail order
  - 09 I buy them from the internet
  - 10 My brother or sister gives them to me
  - 11 My mother or father gives them to me
  - 12 A friend or someone else gives them to me
  - 13 I take them from my mother, father or siblings
  - 14 I buy them from a First Nations Reserve (i.e. delivery service)
  - 15 I buy them on a First Nations Reserve
  - 16 Other - Specify (Go to CA\_S10)
- DK, RF

Universe:

SS\_Q10=(1 or 2)

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

CA\_S10

**(Where do you usually get your cigarettes?  
(Do you buy them, or does someone usually give them to you? Where  
do you buy them? Who do you get them from?))**

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)

CA\_END

End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Purchasing Patterns (PP)**

Core content

PP_BEG	Beginning of Section  Note: This block requires SS_STAT
PP_C010	If SS_Stat = 1 (Daily) or SS_Stat = 2 (Occasional), go to PP_R010. Otherwise, go to PP_END.
PP_R010	<b>The next few questions ask about cigarettes you bought in the past six months.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
PP_R020	<b>A First Nations Reserve is a tract of land that has been set apart for the use and benefit of a First Nations band.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
PP_Q010	<b>In the past six months, did you buy cigarettes on a First Nations Reserve?</b>  1 Yes 2 No DK, RF
Universe:	SS_Q10 = (1 or 2)
PP_Q020	<b>In the past six months, did you buy cigarettes that you believe may have been smuggled? Smuggled cigarettes include purchased cigarettes that were not manufactured on a First Nations Reserve, were not manufactured in Canada, do not contain a government of Canada Health Warning message and do not carry a tax stamp. Legally imported cigarettes are not smuggled cigarettes.</b>  1 Yes 2 No DK, RF
Universe:	SS_Q10 = (1 or 2)
PP_Q030	<b>In the past six months, did you buy cigarettes from a store or gas station, that was not on a First Nations Reserve?</b>  <u>INTERVIEWER</u> : Examples of stores are: supermarkets, grocery, convenience, and duty-free stores.  1 Yes 2 No DK, RF
Universe:	SS_Q10 = (1 or 2)

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

PP\_Q040                                 **In the past six months, did you buy cigarettes from a source other than those just mentioned?**

- 1     Yes                                 (Go to PP\_Q041)  
2     No  
DK, RF

Go to PP\_C042

Universe:                                 SS\_Q10 = (1 or 2)

PP\_Q041                                 **Of these other sources, what was the main source?**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

Universe:                                 PP\_Q040=1

PP\_C042                                 If more than one instance of (PP\_Q010=1 or PP\_Q020=1 or PP\_Q030=1 or PP\_Q040=1), go to PP\_C050.  
Otherwise, go to PP\_C090.

PP\_C050                                 If PP\_Q010 = 1 (yes, FN), go to PP\_Q050.  
Otherwise, go to PP\_C051.

PP\_Q050                                 **What percentage of all the cigarettes you bought in the past six months were bought on a First Nations Reserve?**

|\_|\_| 3 spaces  
(MIN: 0)  
(MAX: 100)

DK, RF

Universe:                                 PP\_Q010=1

PP\_C051                                 If PP\_Q020 = 1 (Yes, smuggled), go to PP\_D060.  
Otherwise, go to PP\_C061.

PP\_Q060                                 **What percentage of all the cigarettes you bought in the past six months do you believe may have been smuggled? [Don't count cigarettes that you bought on a First Nations reserve]**

|\_|\_| 3 spaces  
(MIN: 0)  
(MAX: 100)

DK, RF

Universe:                                 PP\_Q020=1

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

PP\_C061                               If PP\_Q030 = 1 (store), go to PP\_D070.  
  Otherwise, go to PP\_C071.

PP\_Q070                               **What percentage of all the cigarettes you bought in the past six  
months were bought from a store or gas station? [Don't count  
cigarettes that you bought on a First Nations Reserve] [Don't count  
cigarettes that you believe may have been smuggled]**

  |\_|\_|\_| 3 spaces  
  (MIN: 0)  
  (MAX: 100)

  DK, RF

Universe:                              PP\_Q030=1

PP\_C071                               If PP\_Q040 = 1 (other source), go to PP\_D071.  
  Otherwise, go to PP\_C090.

PP\_Q071                               **What percentage of all the cigarettes you bought in the past six  
months were bought from another source? [Don't count cigarettes  
that were bought on a First Nations Reserve] [Don't count cigarettes  
that you believe may have been smuggled] [Don't count cigarettes  
that you bought from a store or gas station]**

  |\_|\_|\_|  
  (MIN: 0)  
  (MAX: 100)

  DK, RF

Universe:                              PP\_Q040=1

PP\_E071                               The sum of the percentages (smuggled, on First Nations Reserve, from  
retail stores, and from other sources) does not equal 100%. Please  
confirm.

Rule :                                   Trigger soft edit if (PP\_Q050 + PP\_Q060 + PP\_Q070 + PP\_Q071 <> 100). Please show  
(PP\_Q050, PP\_Q060, PP\_Q070, PP\_Q071 listed out their corresponding responses if the  
edit is triggered.

PP\_C090                               If PP\_Q010 = 1 (yes, FN) or PP\_Q040 = 1 (yes, other source), go to  
PP\_R090.  
  Otherwise, go to PP\_C110.

PP\_R090                               **The next questions ask about First Nations Reserve cigarettes.**

  INTERVIEWER: Press <1> to continue.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PP\_Q090

**The last time you bought cigarettes that came from a First Nations Reserve, how much did you buy? Was it...?**

INTERVIEWER: Read categories to respondent.

- 1 **A pack of 20 cigarettes**
- 2 **A pack of 25 cigarettes**
- 3 **A bag of 200 cigarettes**
- 4 **A carton (200 cigarettes)**
- 5 **Some other quantity** (Go to PP\_Q091)
- 6 **Did not buy First Nations Reserve cigarettes** (Go to PP\_C110)

DK, RF

Go to PP\_Q100

Universe:

*PP\_Q010=1 or PP\_Q040=1*

PP\_Q091

**What other quantity of First Nation Reserve cigarettes did you last buy?**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

Universe:

*PP\_Q090=5*

PP\_Q100

**How did you first become aware that you could buy these cigarettes? Was it through...?**

INTERVIEWER: Read categories to respondent.

- 1 **A co-worker**
- 2 **A family member**
- 3 **A friend (not a co-worker)**
- 4 **Word of mouth**
- 5 **A sign on or near a First Nations Reserve**
- 6 **Other - Specify** (Go to PP\_S100)

DK, RF

Go to PP\_C110

Universe:

*(PP\_Q090 in (1,2,3,4,5,DK, RF))*

PP\_S100

**(How did you first become aware that you could buy these cigarettes? Was it through...?)**

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PP\_C110                    If PP\_Q020 = 1 (yes, smuggled), go to PP\_R110.  
                                Otherwise, go to PP\_END.

PP\_R110                    **The next question asks about smuggled cigarettes. Again, I would like  
to remind you that everything you say will remain strictly confidential.**

INTERVIEWER: Press <1> to continue.

PP\_Q110                    **Where did you buy the cigarettes that you believed may have been  
smuggled? Was it...?**

INTERVIEWER: Read categories to respondent. Mark all that apply. If the respondent answers 'from a reserve' or similar words, please probe to find out if the respondent bought the cigarettes on a First Nations Reserve (in which case the response is '2'), or if someone else bought the cigarettes for them from a First Nations Reserve (in which case the response is other than '2').

- 1     **From a store (excluding on  
a First Nations Reserve)**
  - 2     **On a First Nations Reserve**
  - 3     **From a delivery service**
  - 4     **From a co-worker**
  - 5     **From a family member**
  - 6     **From a friend (not a co-  
worker)**
  - 7     Other - Specify                    (Go to PP\_S110)
- DK, RF

Go to PP\_Q120

Universe:                    PP\_Q020=1

PP\_S110                    **(Where did you buy the cigarettes that you believed may have been  
smuggled? Was it...?)**

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PP\_Q120

**The last time you bought cigarettes that may have been smuggled, what quantity did you buy? Was it ...?**

INTERVIEWER: Read categories to respondent.

- 1 **A pack of 20 cigarettes**
  - 2 **A pack of 25 cigarettes**
  - 3 **A bag of 200 cigarettes**
  - 4 **A carton (200 cigarettes)**
  - 5 **Some other quantity** (Go to PP\_Q121)
- DK, RF

Go to PP\_Q130

Universe:

PP\_Q20 = 1

PP\_Q121

**What other quantity of cigarettes that may have been smuggled did you last buy?**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

PP\_Q130

**How did you first become aware that you could buy cigarettes that may have been smuggled? Was it through...?**

INTERVIEWER: Read categories to respondent.

- 1 **A co-worker**
  - 2 **A family member**
  - 3 **A friend (not a co-worker)**
  - 4 **Word of mouth**
  - 5 **Other - Specify** (Go to PP\_S130)
- DK, RF

Go to PP\_Q140

Universe:

PP\_Q020=1

PP\_S130

**(How did you first become aware that you could buy cigarettes that may have been smuggled? Was it through...?)**

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)



Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

PP\_Q140

**How easy or difficult was it for you to buy these cigarettes? Would you say it was...?**

INTERVIEWER: Read categories to respondent.

- 1 **Very easy**
  - 2 **Easy**
  - 3 **Difficult**
  - 4 **Very difficult**
- DK, RF

Universe:

PP\_Q020 = 1

PP\_END

End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Smoking Cessation (SC)**

Core content

SC\_BEG

Beginning of Section

Note: This block requires DV\_SSTAT.

SC\_C010A

If DV\_SSTAT = 3 (Former), go to SC\_Q010.  
Otherwise, go to SC\_C010B.

SC\_C010B

If DV\_SSTAT = 1 (Daily) or DV\_SSTAT = 2 (Occasional), go to SC\_C060.  
Otherwise, go to SC\_END.

SC\_Q010

**When did you stop smoking?**

INTERVIEWER: Read categories to respondent.

- |        |                              |                 |
|--------|------------------------------|-----------------|
| 1      | <b>Less than 1 year ago</b>  |                 |
| 2      | <b>1 to 2 years ago</b>      | (Go to SC_Q040) |
| 3      | <b>3 to 5 years ago</b>      | (Go to SC_Q040) |
| 4      | <b>More than 5 years ago</b> | (Go to SC_Q040) |
| DK, RF |                              | (Go to SC_Q040) |

Universe:

SS\_Q10=3 and SS\_Q40=1

SC\_Q020

**In what month did you stop smoking?**

INTERVIEWER: Select the month.

- |        |           |
|--------|-----------|
| 01     | January   |
| 02     | February  |
| 03     | March     |
| 04     | April     |
| 05     | May       |
| 06     | June      |
| 07     | July      |
| 08     | August    |
| 09     | September |
| 10     | October   |
| 11     | November  |
| 12     | December  |
| DK, RF |           |

Universe:

SS\_Q10=3 and SS\_Q40=1 and SC\_Q010=1

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

SC\_Q030

**What was your main reason to quit smoking?**

INTERVIEWER: Read categories to respondent.

- 1 **Health**
  - 2 **Pregnancy or a baby in the household**
  - 3 **Less stress in life**
  - 4 **Cost of cigarettes**
  - 5 **Smoking is less socially acceptable**
  - 6 **Some other reason** (Go to SC\_S030)
- DK, RF

Go to SC\_Q040

Universe:

SS\_Q10=3 and SS\_Q40=1 and SC\_Q010=1

SC\_S030

**(What was your main reason to quit smoking?)**

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)

SC\_Q040

**Approximately, how many attempts to quit did you make before you quit smoking for good?**

|\_|\_|  
(MIN: 1)  
(MAX: 94)

DK, RF

Universe:

SS\_Q10=3 and SS\_Q40=1

SC\_Q050

**On average, how many cigarettes were you smoking per day at the time you quit?**

|\_|\_|  
(MIN: 1)  
(MAX: 94)

DK, RF

Universe:

SS\_Q10=3 and SS\_Q40=1

SC\_C060

If DV\_SSTAT = 1 (Daily) or DV\_SSTAT = 2 (Occasional), go to SC\_Q060.  
Otherwise, go to SC\_C080.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

SC_Q060	<p><b>Are you seriously considering quitting smoking within the next 6 months?</b></p> <p>1 Yes 2 No (Go to SC_C080) DK, RF (Go to SC_C080)</p>
Universe:	SS_Q10=(1 or 2)
SC_Q070	<p><b>Are you seriously considering quitting smoking within the next 30 days?</b></p> <p>1 Yes 2 No DK, RF</p>
Universe:	SS_Q10=(1 or 2) and SC_Q060=1
SC_C080	If DV_SSTAT = 1 (Daily) or DV_SSTAT = 2 (Occasional) or SC_Q010 = 1 (Former smokers who quit in the past year), go to SC_Q080. Otherwise, go to SC_END.
SC_Q080	<p><b>In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?</b></p> <p> _ _  (MIN: 0) (MAX: 94)</p> <p>DK, RF</p>
Universe:	SS_Q10=(1 or 2) or SC_Q010=1
SC_C090A	If SC_Q010 = 1 and SC_Q080 = 0 (former smokers who quit in the past year), go to SC_END. Otherwise, go to SC_C090B.
SC_C090B	If (DV_SSTAT = 1 or DV_SSTAT = 2) and (SC_Q080 = 0 or DK or RF) (Daily or Occasional smokers who did not try to quit in the past year), go to SC_Q110. Otherwise, go to SC_Q090.
SC_Q090	<p><b>How many of these attempts lasted at least one week?</b></p> <p> _ _  (MIN: 0) (MAX: 52)</p> <p>DK, RF</p>
Universe:	(SS_Q10=(1 or 2) or SC_Q010=1) and SC_Q080=(01:94)

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

SC_E090	<b>The number of attempts which lasted longer than 1 week cannot be greater than the number of times you stopped smoking for 24 hours. Please return and correct.</b>
Rule :	<i>Trigger hard edit if (SC_Q090 is greater than SC_Q080) and if (SC_Q080 NE to DK or RF)</i>
SC_C100	If (DV_SSTAT = 1 (Daily) or DV_SSTAT = 2 (Occasional)) and SC_Q080 > 0, go to SC_Q100. Otherwise, go to SC_END.
SC_Q100	<b>What was the main reason you began to smoke again?</b>  01 To control body weight 02 Stress, need to relax or to calm down 03 Boredom 04 Addiction / habit 05 Lack of support or information 06 Going out more (bars, parties) 07 Increased availability 08 No reason / felt like it 09 Family or friends smoke 10 Other DK, RF  Go to SC_END
Universe:	<i>SS_Q10=(1 or 2) and SC_Q080=(01:94)</i>
SC_Q110	<b>Have you ever tried to quit smoking?</b>  1 Yes 2 No DK, RF
Universe:	<i>SS_Q10=(1 or 2) and SC_Q080= (0 or RF or DK)</i>
SC_END	End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Other Cessation Methods (OM)**

Core content

OM_BEG	Beginning of Section  Note: This block requires DV_SSTAT, SC_Q10, SC_Q080.
OM_C099	If (SS_Q10=(1 or 2) and SC_Q080=(01:94)) or (SS_Q10=3 and SS_Q40=1 and SC_Q010=(1 or 2)), go to OM_Q099. Otherwise, go to OM_END.
OM_Q099	<b>Are you aware of 1-800 telephone quit-lines or other smoker help lines available to help you quit smoking?</b>  <u>INTERVIEWER:</u> A 1-800 quit-line or a smokers' helpline is a free telephone cessation counselling service offered by each province.  1 Yes 2 No (Go to OM_END) DK, RF (Go to OM_END)  Go to OM_Q100
OM_Q100	<b>Did you use a 1-800 quitline or a smokers helpline?</b>  1 Yes 2 No DK, RF
Source:	<i>Note: This question was labelled as OM_Q090 prior to 2006 cycle 1.</i>
OM_END	End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Tobacco Products (TP)**

Core content

TP_BEG	Beginning of Section
TP_R010	<b>Now, I would like to ask you a few questions about tobacco products, other than cigarettes.</b>  <u>INTERVIEWER:</u> Press < 1 > to continue.
TP_Q017	<b>Have you ever tried smoking a little cigar or cigarillo?</b>  1 Yes 2 No (Go to TP_Q024) DK, RF (Go to TP_Q024)
Universe:	All respondents.
TP_Q021	<b>In the past 30 days, did you smoke any little cigars or cigarillos?</b>  1 Yes (Go to TP_Q022) 2 No DK, RF  Go to TP_Q024
Universe:	TP_Q017 = 1
TP_Q022	<b>Were these (little cigars or cigarillos) plain, flavoured or both?</b>  1 Plain 2 Flavoured 3 Both DK, RF
Universe:	TP_Q17=1 and TP_Q021 = 1
TP_Q024	<b>Have you ever tried smoking a cigar not including little cigars or cigarillos?</b>  1 Yes 2 No (Go to TP_Q040) DK, RF (Go to TP_Q040)
Universe:	All respondents.
TP_Q027	<b>In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?</b>  1 Yes (Go to TP_Q028) 2 No DK, RF  Go to TP_Q040
Universe:	TP_Q24 = 1

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

TP\_Q028

**Were these cigars plain, flavoured or both?**

- 1 Plain
- 2 Flavoured
- 3 Both
- DK, RF

Universe:

*TP\_Q27 = 1*

TP\_Q040

**In the past 30 days, did you smoke a pipe?**

- 1 Yes
- 2 No
- DK, RF

Go to TP\_Q050

Universe:

*TP\_Q30 = 1*

TP\_Q050

**Have you ever tried chewing tobacco, pinch or snuff?**

- 1 Yes
- 2 No (Go to TP\_Q070)
- DK, RF (Go to TP\_Q070)

Universe:

*All respondents.*

TP\_Q060

**In the past 30 days, did you use any chewing tobacco, pinch or snuff?**

- 1 Yes (Go to TP\_Q061)
- 2 No
- DK, RF

Go to TP\_Q070

Universe:

*TP\_Q50 = 1*

TP\_Q061

**Was the chewing tobacco, pinch or snuff plain, flavoured or both?**

- 1 Plain
- 2 Flavoured
- 3 Both
- DK, RF

Universe:

*TP\_Q60 = 1*



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

TP\_Q070

**Have you ever tried a tobacco water-pipe, also known as a hookah, sheesha, narg-eelay, hubble-bubble, or gouza, to smoke tobacco?**

INTERVIEWER: A tobacco water-pipe is a tall container with water at the bottom. People smoke through a long hose that comes out of the container. A water-pipe is often used with flavoured tobacco.

- 1 Yes (Go to TP\_Q080)  
2 No  
DK, RF

Go to TP\_END

Universe:

All respondents.

TP\_Q080

**In the past 30 days have you smoked a tobacco water-pipe?**

- 1 Yes (Go to TP\_Q090)  
2 No  
DK, RF

Go to TP\_END

Universe:

TP\_Q70 = 1

TP\_Q090

**What type of tobacco did you smoke in the water-pipe?**

INTERVIEWER: Read categories to respondent. Mark all that apply.

- 1 **Flavoured tobacco**  
2 **Regular tobacco**  
3 **A product other than tobacco**

DK, RF

Universe:

TP\_Q080 = 1

TP\_Q100

**Do you believe that smoking tobacco in a water-pipe is ...?**

INTERVIEWER: Read categories to respondent.

- 1 **More harmful than smoking cigarettes**  
2 **Less harmful than smoking cigarettes**  
3 **Neither more harmful nor less harmful than smoking cigarettes**

DK, RF

Universe:

TP\_Q080 = 1

TP\_END

End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Electronic Cigarette (ELC)**

Core content

ELC_BEG	Beginning of Section  Note: This block requires SS_Q10, SS_Q40, SC_Q080 and SC_Q110.
ELC_Q110	<b>Have you ever tried an electronic cigarette, also known as an e-cigarette?</b>  1 Yes 2 No (Go to ELC_END) DK, RF (Go to ELC_END)
Universe:	All respondents
ELC_Q120	<b>In the past 30 days did you use an electronic cigarette, also known as an e-cigarette?</b>  1 Yes 2 No DK, RF
Universe:	ELC_Q110 = 1
ELC_Q130	<b>The last time you used an e-cigarette, did it contain nicotine?</b>  1 Yes 2 No 3 Uncertain (DK not allowed) RF
Universe:	ELC_Q110 = 1
ELC_C140	If (SS_Q10 = (1,2) and (SC_Q080 = (1:94) or SC_Q110 = 1)) or ((SS_Q10 = 3 and SS_Q40 = 1) and SC_Q080 = (1:94)), go to ELC_Q140. Otherwise, go to ELC_C150.
ELC_Q140	<b>In the past two years, did you ever use the e-cigarette as an aid while attempting to quit smoking?</b>  1 Yes 2 No DK, RF
Universe:	ELC_Q110 = 1 and (SS_Q10 = (1,2) and (SC_Q080 = (1:94) or SC_Q110 = 1)) or ((SS_Q10 = 3 and SS_Q40 = 1) and SC_Q080 = (1:94))
ELC_C150	If SS_Q10 = (1,2), go to ELC_Q150. Otherwise, go to ELC_END.

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

ELC\_Q150

**Sometimes smokers use e-cigarettes even when they are not attempting to quit smoking. Have you ever used e-cigarettes when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)**

1 Yes

2 No

DK, RF

Universe:

*ELC\_Q110 = 1 and SS\_Q10 = (1,2)*

ELC\_END

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**Exposure to Second-hand Smoke (EX)**

Core content

EX\_BEG

Beginning of section

Note: This block requires DV\_SSTAT.

EX\_R010

**The next question is about exposure to second-hand smoke in places other than your own home. Second-hand smoke is what smokers exhale and the smoke from a burning cigarette.**

INTERVIEWER: Press < 1 > to continue.

EX\_Q130

**Overall, [excluding your own smoking], in the past month how often were you exposed to second-hand smoke?**

INTERVIEWER: Read categories to respondent.

- 1 **Every day**
- 2 **Almost every day**
- 3 **At least once a week**
- 4 **At least once in the past month**
- 5 **Never**

DK, RF

EX\_END

End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Alcohol General (ALC)**

Core content

ALC\_BEG Beginning of Section

Programmer: *This block requires SEX, PA\_Q01, ANDB\_Q01 (Roster Age). AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

ALC\_R10 **The following questions are about your alcohol consumption. When we use the word drink, it means:**

**- one 341 ml or 12 oz serving of beer whether from a bottle, can, or draft**

**- one 142 ml or 5 oz glass of wine or bottle of cooler**

**- one straight or mixed drink with 1.5 oz (43ml) of liquor or spirit**

**Drinking does not include having a few sips of wine for religious purposes.**

INTERVIEWER: Include: light beer, but DO NOT include de-alcoholised beer or coolers (0.5% alcohol) or cocktails such as Virgin Mary or Shirley Temple

Press <1> to continue.

ALC\_Q10 **How often did you drink alcoholic beverages during the past 12 months?**

INTERVIEWER: Read categories to respondent.

01 **Daily or almost daily**

02 **4 to 5 times a week**

03 **2 to 3 times a week**

04 **Once a week**

05 **2 to 3 times a month**

06 **Once a month**

07 **Less than once a month**

08 Never

(Go to ALC\_Q20)

DK, RF

(Go to ALC\_Q20)

Go to ALC\_Q30

Universe: *All respondents*

ALC\_Q20 **Have you ever had a drink?**

1 Yes

2 No

(Go to ALC\_END)

DK, RF

Universe: *ALC\_Q10 = (08, DK, RF)*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

ALC_Q30	<p><b>Not counting small sips, how old were you when you started drinking alcoholic beverages?</b></p> <p><i>INTERVIEWER:</i> Drinking does not include having a few sips of wine for religious purposes.</p> <p> _  _  years (MIN: 1; Warning Value: 5) (MAX: 95)</p> <p>DK, RF</p> <p>Go to ALC_C30</p>
Universe:	<p>ALC_Q10 = (01:07) or (ALC_Q10=(8, DK, RF) and ALC_Q20 &lt;&gt; 2)</p>
ALC_E30A	<p>An unusual value has been entered. Please confirm.</p>
Rule :	<p>Trigger soft edit if ALC_Q30 &lt; 10.</p>
ALC_E30B	<p>The age in ALC_Q30 should not be greater than age of respondent. Please confirm.</p>
Rule :	<p>Trigger soft edit if ALC_Q30 &gt; age of respondent Questions Involved: ALC_Q30 and PA_Q01. AGE = PA_Q01. If PA_Q01 is DK or RF then AGE = ANDB_Q01 (Roster Age).</p>
ALC_C30	<p>If ALC_Q10=(01:07), go to ALC_Q40. Otherwise, go to ALC_END.</p>
ALC_Q40	<p><b>During the past 12 months, on those days when you drank, how many drinks did you usually have?</b></p> <p> _  _  number of drinks (MIN: 1) (MAX: 61)</p> <p>DK, RF</p> <p>Go to ALC_C50</p>
Universe:	<p>ALC_Q10 = (01:07)</p>
ALC_C50	<p>If sex = 2, go to ALC_Q50. Otherwise, go to ALC_Q60.</p>

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

ALC\_Q50

**During the past 12 months, how often have you had four or more drinks on one occasion?**

INTERVIEWER: Read categories to respondent.

- 01 **Daily or almost daily**
  - 02 **4 to 5 times a week**
  - 03 **2 to 3 times a week**
  - 04 **Once a week**
  - 05 **2 to 3 times a month**
  - 06 **Once a month**
  - 07 **Less than once a month**
  - 08 Never (Go to ALC\_Q70)
- DK, RF

Go to ALC\_Q60

Universe:

ALC\_Q40 = (01:61, DK, RF) and Sex = 2

ALC\_Q60

**During the past 12 months, how often have you had five or more drinks on one occasion?**

INTERVIEWER: Read categories to respondent.

- 01 **Daily or almost daily**
  - 02 **4 to 5 times a week**
  - 03 **2 to 3 times a week**
  - 04 **Once a week**
  - 05 **2 to 3 times a month**
  - 06 **Once a month**
  - 07 **Less than once a month**
  - 08 Never
- DK, RF

Go to ALC\_Q70

Universe:

(Sex = 1) and (ALC\_Q40 = (01:61, DK, RF))

or

(Sex = 2) and (ALC\_Q40 = (01:61)) and (ALC\_Q50 <> 08)

ALC\_Q70

**During the past 30 days, on those days when you drank, how many drinks did you usually have?**

|\_|\_| number of drinks  
(MIN: 0)  
(MAX: 61)

DK, RF

ALC\_END

End of Section

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**Alcohol Wheel (AW)**

Core content

AW_BEG	Beginning of Section
Programmer:	<i>This block requires ALC_Q70.</i>
AW_C10	If ALC_Q70 = (01:61), go to AW_Q10. Otherwise, go to AW_END.
AW_Q10	<b>Now, thinking back over the past seven (7) days, did you have a drink of beer, wine, liquor or any other alcoholic beverage?</b>  1 Yes 2 No (Go to AW_END) DK, RF (Go to AW_END)  Go to AW_R20
AW_R20	<b>Some people drink <u>more or less</u> depending upon the day of the week.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
AW_R20N	<b>Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?</b>  <u>INTERVIEWER:</u> Press <1> to continue.
AW_Q20N	<b>(Thinking back over the past seven days, starting with yesterday, up to 4AM this morning, how many drinks did you have?)</b>  <b>^DT_DAYDRINKE</b>  <u>INTERVIEWER:</u> For each day, the respondent should be counting up to 4AM in the morning of the following day, e.g. Monday up to 4AM on Tuesday.   _ _  (MIN: 0) (MAX: 61)  DK, RF (Go to AW_Q20N)  Go to AW_Q20N
Universe:	AW_Q10 = 1
AW_END	End of Section



Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**Pain Relievers (PR)**

Core content

PR\_BEG

Beginning of Section

PR\_R01

**The next series of questions are about various medications.**

**The first series of questions are about your use of various pain relievers. When we use the term pain relievers, we mean products that contain opioids such as codeine or morphine, or related drugs. Most of these products require a prescription, although some codeine products are available from a pharmacist without a prescription, for example, Tylenol #1 or 222s.**

**We are not interested in pain relievers such as Aspirin, Advil, regular Tylenol, etc., or Celebrex.**

INTERVIEWER: Press <1> to continue.

PR\_Q010

**During the past 12 months, have you used any codeine products like Tylenol #3, Tylenol #1, 292's or 222's?**

INTERVIEWER: Tylenol Regular and Extra-strength do not contain codeine and are not counted. Tylenol 1, 2, 3, and 4 contain codeine and are counted.

1 Yes

2 No

DK, RF

Go to PR\_Q020

Universe:

*All respondents*

PR\_Q020

**During the past 12 months, have you used any oxycodone products such as Percocet or Percodan?**

INTERVIEWER: Include Oxycontin and oxy-neo. Consider pain relievers given to the respondent while he or she was a patient in hospital as prescribed.

1 Yes

2 No

DK, RF

Go to PR\_Q030

Universe:

*All respondents*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PR\_Q030

**During the past 12 months, have you used any other opioid products such as hydromorphone, Dilaudid, HydromorphContin, morphine, MS Contin, or Demerol?**

INTERVIEWER: Consider pain relievers given to the respondent while he or she was a patient in hospital as prescribed.

- 1 Yes
- 2 No
- DK, RF

Go to PR\_C040

Universe:

*All respondents*

PR\_C040

If PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1, go to PR\_Q040.  
Otherwise, go to PR\_END.

PR\_Q040

**During the past 12 months, how often have you used any such pain relievers?**

INTERVIEWER: Read categories to respondent. Consider pain relievers given to the respondent while he or she was a patient in hospital as prescribed.

- 01 **Once or twice**
- 02 **3 to 11 times a year**
- 03 **About once a month**
- 04 **2 or 3 times a month**
- 05 **About once or twice a week**
- 06 **3 or 4 times a week**
- 07 **Daily or almost daily**
- 08 **As needed, or following surgery**

DK, RF

Go to PR\_Q050

Universe:

*PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PR\_Q050

**Thinking about all the pain relievers you have used during the past 12 months, were they prescribed for you?**

*INTERVIEWER:* Read categories to respondent. Consider pain relievers given to the respondent while he or she was a patient in hospital as prescribed.

- 1 **No, none were prescribed** (Go to PR\_Q070)
- 2 **Yes, they all were prescribed**
- 3 **Some were prescribed and others were not**

DK, RF

Go to PR\_Q060

Universe:

*PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1*

PR\_Q060

**Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the pain relievers you have used during the past 12 months, did you ever take more pills, or take them more often than you were supposed to?**

- 1 Yes
- 2 No

DK, RF

Go to PR\_Q070

Universe:

*(PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1) and (PR\_Q050 <> 1)*

PR\_Q070

**During the past 12 months, did you ever use pain relievers only for the experience, the feeling they caused, or to get high?**

- 1 Yes
- 2 No

DK, RF

Go to PR\_Q080

Universe:

*PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1*

PR\_Q080

**During the past 12 months, did you ever use pain relievers for reasons other than pain relief, for example, to feel better (improve mood), to cope with stress or problems, or any other reason?**

- 1 Yes
- 2 No

DK, RF

Go to PR\_D090

Universe:

*PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PR_Q090	<p><b>During the past 12 months, did you ever tamper with a pain reliever product before taking it, [ for example, by crushing tablets to swallow, snort or inject, not counting for ease of swallowing or to take a lower dose/ for example, by crushing tablets to swallow, snort or inject]?</b></p> <p>1 Yes 2 No DK, RF</p> <p>Go to PR_Q100</p>
Universe:	<p>PR_Q010 = 1 or PR_Q020 = 1 or PR_Q030 = 1</p>
PR_Q100	<p><b>Thinking about <u>all</u> the pain relievers you have used during the past 12 months, how did you obtain them? Was it ...?</b></p> <p><u>INTERVIEWER:</u> Mark all that apply. Read categories to respondent. Consider pain relievers given to the respondent while he or she was a patient in hospital as response option 2 "from a prescription written for you".</p> <p>01 <b>From a pharmacist, without a prescription</b> 02 <b>From a prescription written for you for pain</b> 03 <b>From a friend or relative</b> 04 <b>From a drug dealer or other stranger</b> 05 <b>From the internet</b> 06 <b>From deceiving a doctor to obtain a prescription</b> 07 <b>From forging a prescription</b> 08 <b>From purposely going to more than one doctor for prescriptions</b></p> <p>DK, RF</p> <p>Go to PR_C110</p>
Universe:	<p>PR_Q010 = 1 or PR_Q020 = 1 or PR_Q030 = 1</p>
Programmer:	<p>Display categories 01, 03, 04, 05, 07 if PR_Q050 = 1 Display categories 02, 06, 07 et 08 if PR_Q050 = 2 Display all categories if PR_Q050 = 3, DK, RF</p>
PR_C110	<p>If PR_Q050=1, go to PR_END. Otherwise, go to PR_Q110.</p>

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PR\_Q110

**During the past 12 months, did you ever give away or sell pain reliever medication that was prescribed for you?**

- 1 Yes
- 2 No
- DK, RF

Go to PR\_END

Universe:

*(PR\_Q010 = 1 or PR\_Q020 = 1 or PR\_Q030 = 1) and (PR\_Q050 <> 1)*

PR\_END

End of Section

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**Stimulants (STI)**

Core content

STI\_BEG

Beginning of Section

STI\_R10

**The next few questions are about your use of various stimulants.**

**In these questions, when we use the term stimulants, we mean products that can be obtained from a doctor such as Ritalin, Concerta, Adderall, Dexedrine or others.**

**Stimulants are prescribed by doctors to help people who have attention or concentration problems (such as ADHD).**

INTERVIEWER: Press <1> to continue.

Go to STI\_Q10

STI\_Q10

**During the past 12 months have you used any stimulants?**

- 1 Yes
- 2 No (Go to STI\_END)
- DK, RF (Go to STI\_END)

Go to STI\_Q15

Universe:

*All respondents*

STI\_Q15

**During the past 12 months how often have you used any stimulants?**

INTERVIEWER: Read categories to respondent. Consider stimulants given to the respondent while he or she was a patient in hospital as prescribed.

- 01 **Once or twice**
- 02 **3 to 11 times a year**
- 03 **About once a month**
- 04 **2 or 3 times a month**
- 05 **About once or twice a week**
- 06 **3 or 4 times a week**
- 07 **Daily or almost daily**
- 08 **As needed, or following surgery**

DK, RF

Go to STI\_Q20

Universe:

*STI\_Q10 = 1*

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

STI_Q20	<p><b>Thinking about all the stimulants you used during the past 12 months, were they prescribed for you?</b></p> <p><i>INTERVIEWER:</i> Read categories to respondent. Consider stimulants given to the respondent while he or she was a patient in hospital as prescribed.</p> <p>1    <b>No, none were prescribed</b>      (Go to STI_Q40) 2    <b>Yes, they all were prescribed</b> 3    <b>Some were prescribed and others were not</b></p> <p>DK, RF</p> <p>Go to STI_Q30</p>
Universe:	STI_Q10 = 1
STI_Q30	<p><b>Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about <u>all</u> the stimulants you have used during the past 12 months, did you ever take more pills or take them more often than you were supposed to?</b></p> <p>1    Yes 2    No</p> <p>DK, RF</p> <p>Go to STI_Q40</p>
Universe:	STI_Q10 = 1 and STI_Q20 <> 1
STI_Q40	<p><b>During the past 12 months, did you ever use stimulants only for the experience, the feeling they caused or to get high?</b></p> <p>1    Yes 2    No</p> <p>DK, RF</p> <p>Go to STI_C50</p>
Universe:	STI_Q10 = 1
STI_C50	If STI_Q20 = (2,3), go to STI_Q50. Otherwise, go to STI_Q60.
STI_Q50	<p><b>During the past 12 months, did you ever use stimulants for reasons other than why they were prescribed, for example, to study, to stay alert, to decrease your appetite or for any other reason?</b></p> <p>1    Yes 2    No</p> <p>DK, RF</p> <p>Go to STI_Q60</p>
Universe:	STI_Q10 = 1 and STI_Q20 = (2,3)

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

STI_Q60	<p><b>Thinking about all the stimulants you used during the past 12 months, how did you obtain them? Was it...?</b></p> <p><u>INTERVIEWER:</u> Mark all that apply. Read categories to respondent. Consider stimulants given to the respondent while he or she was a patient in hospital as response option 2 "from a prescription written for you".</p> <p>01 <b>From a pharmacist, without a prescription</b> 02 <b>From a prescription written for you</b> 03 <b>From a friend or relative</b> 04 <b>From a drug dealer or other stranger</b> 05 <b>From the internet</b> 06 <b>From deceiving a doctor to obtain a prescription</b> 07 <b>From forging a prescription</b> 08 <b>From purposely going to more than one doctor for prescriptions</b></p> <p>DK, RF</p> <p>Go to STI_Q70</p>
Universe:	STI_Q10 = 1
Programmer:	<i>Display categories 01, 03, 04, 05, 07 if STI_Q20= 1 Display categories 02, 06, 07 et 08 if STI_Q20 = 2 Display all categories if STI_Q20 = 3, DK, RF</i>
STI_C70	If STI_Q20=1, go to STI_END. Otherwise, go to STI_Q70.
STI_Q70	<p><b>During the past 12 months, did you ever give away or sell stimulant medication that was prescribed for you?</b></p> <p>1 Yes 2 No DK, RF</p> <p>Go to STI_END</p>
Universe:	STI_Q10 = 1 and STI_Q20 <> 1
STI_END	End of Section



Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**Sedatives (SED)**

Core content

SED\_BEG Beginning of Section

SED\_R10 **The next few questions are about your use of various sedatives or anti-anxiety medications.**

**In these questions, when we use the term sedatives we mean products that can be obtained from a doctor such as diazepam, Valium, lorazepam, Ativan, alprazolam, Xanax, clonazepam, Rivotril or others.**

**Sedatives are sometimes prescribed to help people sleep, calm down, or to relax their muscles.**

INTERVIEWER: Press <1> to continue.

Go to SED\_Q05

SED\_Q05 **During the past 12 months have you used any sedatives?**

- 1 Yes
- 2 No (Go to SED\_END)
- DK, RF (Go to SED\_END)

Universe: All respondents

SED\_Q10 **During the past 12 months how often have you used any sedatives?**

INTERVIEWER: Read categories to respondent. Consider sedatives given to the respondent while he or she was a patient in hospital as prescribed.

- 01 **Once or twice**
- 02 **3 to 11 times a year**
- 03 **About once a month**
- 04 **2 or 3 times a month**
- 05 **About once or twice a week**
- 06 **3 or 4 times a week**
- 07 **Daily or almost daily**
- 08 **As needed, or following surgery**
- DK, RF

Universe: SED\_Q05 = 1

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

SED\_Q20

**Thinking about all the sedatives you have used during the past 12 months, were they prescribed for you?**

*INTERVIEWER:* Read categories to respondent. Consider sedatives given to the respondent while he or she was a patient in hospital as prescribed.

- 1 **No, none were prescribed** (Go to SED\_Q40)
- 2 **Yes, they all were prescribed**
- 3 **Some were prescribed and others were not**

DK, RF

Go to SED\_Q30

Universe:

SED\_Q05 = 1

SED\_Q30

**Sometimes people do not take their pills as directed by a physician or pharmacist. Thinking about all the sedatives you have used during the past 12 months, did you ever take more pills or take them more often than you were supposed to?**

- 1 Yes
- 2 No

DK, RF

Go to SED\_Q40

Universe:

SED\_Q05 = 1 and SED\_Q20 = 1

SED\_Q40

**During the past 12 months, did you ever use sedatives only for the experience, the feeling they caused or to get high?**

- 1 Yes
- 2 No

DK, RF

Go to SED\_Q50

Universe:

SED\_Q05 = 1

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

SED\_Q50

**Thinking about all the sedatives you have used during the past 12 months, how did you obtain them? Was it...?**

INTERVIEWER: Read categories to respondent. Mark all that apply. Consider sedatives given to the respondent while he or she was a patient in hospital as response option 2 "from a prescription written for you".

- 01 **From a pharmacist, without a prescription**
- 02 **From a prescription written for you**
- 03 **From a friend or relative**
- 04 **From a drug dealer or other stranger**
- 05 **From the internet**
- 06 **From deceiving a doctor to obtain a prescription**
- 07 **From forging a prescription**
- 08 **From purposely going to more than one doctor for prescriptions**

DK, RF

Go to SED\_C60

Universe:

SED\_Q05 = 1

Programmer:

*Display categories 01, 03, 04, 05, 07 if SED\_Q20 = 1  
Display categories 02, 06, 07 et 08 if SED\_Q20 = 2  
Display all categories if SED\_Q20 = 3, DK, RF*

SED\_C60

If SED\_Q20=1, go to SED\_END.  
Otherwise, go to SED\_Q60.

SED\_Q60

**During the past 12 months, did you ever give away or sell sedative medication that was prescribed for you?**

- 1 Yes
  - 2 No
- DK, RF

Go to SED\_END

Universe:

SED\_Q05 = 1 and SED\_Q20 = 1

SED\_END

End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Cannabis (CAN)**

Core content

CAN\_BEG

Programmer: *This block requires PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age)*

CAN\_R010

**The next questions are about cannabis. In this series of questions when we use the term marijuana, we refer to the use of marijuana, hashish, hash oil or other cannabis derivatives.**

INTERVIEWER: Press <1> to continue.

Go to CAN\_Q010

CAN\_Q010

**During your lifetime, have you ever used or tried marijuana?**

INTERVIEWER: This includes the medical use of marijuana, cannabis or hashish.

- 1 Yes
- 2 No (Go to CAN\_END)
- DK, RF (Go to CAN\_END)

Universe:

*All Respondents*

CAN\_Q020

**Have you used marijuana just once or more than once?**

- 1 Just once
- 2 More than once
- DK, RF

Universe:

*CAN\_Q010 = 1*

CAN\_Q030

**During the past 12 months have you used marijuana?**

- 1 Yes
- 2 No (Go to CAN\_C060)
- DK, RF (Go to CAN\_C060)

Go to CAN\_Q040

Universe:

*CAN\_Q010 = 1*

CAN\_Q040

**During the past three months have you used marijuana?**

- 1 Yes
- 2 No (Go to CAN\_C060)
- DK, RF (Go to CAN\_C060)

Universe:

*CAN\_Q010 = 1 and CAN\_Q030 = 1*

CAN\_C050

If CAN\_Q020 = 1 and CAN\_Q030 = 1 and CAN\_Q040 = 1, go to CAN\_C060.  
Otherwise, go to CAN\_Q050.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

CAN\_Q050                                    **During the past three months how often did you use marijuana?**

INTERVIEWER: Read categories to respondent.

- 1    **Once or twice**
  - 2    **Monthly**
  - 3    **Weekly**
  - 4    **Daily or almost daily**
- DK, RF

Universe:                                    CAN\_Q020 = 2 and CAN\_Q030 = 1 and CAN\_Q040 = 1

CAN\_C060                                    If CAN\_Q20 = 1, go to CAN\_END.  
Otherwise, go to CAN\_Q060.

CAN\_Q060                                    **How old were you when you tried or started using marijuana?**

|\_|\_| Age in years  
(MIN: 5; Warning Value: 5)  
(MAX: 95; Warning Value: 70)

DK, RF

Go to CAN\_R070

Universe:                                    CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF

CAN\_E60A                                    An unusual value has been entered. Please confirm.

Rule :                                         Trigger soft edit if CAN\_Q060 < 10

CAN\_E60B                                    The age in CAN\_Q060 should not be greater than age of respondent.  
Please confirm.

Rule :                                         Trigger soft edit if CAN\_Q060 > AGE of respondent.  
Questions Involved: CAN\_Q060 and PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF  
then AGE = ANDB\_Q01 (Roster Age).

CAN\_R070                                    **The next few questions are about possible problems you might have  
had regarding the use of marijuana.**

INTERVIEWER: Press <1> to continue.

Go to CAN\_Q070

CAN\_Q070                                    **Have you ever had a strong desire or urge to use marijuana?**

- 1    Yes
  - 2    No                                         (Go to CAN\_Q090)
- DK, RF                                         (Go to CAN\_Q090)

Go to CAN\_Q080

Universe:                                    CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

CAN\_Q080

**During the past three months how often have you had a strong desire or urge to use marijuana?**

INTERVIEWER: Read categories to respondent.

- 1 **Once or twice**
  - 2 **Monthly**
  - 3 **Weekly**
  - 4 **Daily or almost daily**
  - 5 **Never**
- DK, RF

Go to CAN\_Q090

Universe:

CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q070 = 1

CAN\_Q090

**Has your use of marijuana ever led to health, social, legal or financial problems?**

INTERVIEWER: Social problems could include: a break up, conflicts with friends or family.

- 1 Yes
  - 2 No (Go to CAN\_Q110)
- DK, RF (Go to CAN\_Q110)

Go to CAN\_Q100

Universe:

CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF

CAN\_Q100

**During the past three months, how often has your use of marijuana led to health, social, legal or financial problems?**

INTERVIEWER: Read categories to respondent.

- 1 **Once or twice**
  - 2 **Monthly**
  - 3 **Weekly**
  - 4 **Daily or almost daily**
  - 5 **Never**
- DK, RF

Go to CAN\_Q110

Universe:

CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q090 = 1

CAN\_Q110

**Have you ever found you could not do what was normally expected of you because of your use of marijuana?**

- 1 Yes
  - 2 No (Go to CAN\_Q130)
- DK, RF (Go to CAN\_Q130)

Go to CAN\_Q120

Universe:

CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

CAN\_Q120

**During the past three months, how often have you found you could not do what was normally expected of you because of your use of marijuana?**

INTERVIEWER: Read categories to respondent.

- 1 **Once or twice**
- 2 **Monthly**
- 3 **Weekly**
- 4 **Daily or almost daily**
- 5 **Never**

DK, RF

Go to CAN\_Q130

Universe:

CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q110 = 1

CAN\_Q130

**Has a friend or relative or anyone else ever expressed concern about your use of marijuana?**

- 1 Yes
  - 2 No (Go to CAN\_Q150)
- DK, RF (Go to CAN\_Q150)

Go to CAN\_Q140

Universe:

CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF

CAN\_Q140

**Was this concern expressed during the past three months?**

- 1 Yes
- 2 No

DK, RF

Go to CAN\_Q150

Universe:

CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q130 = 1

CAN\_Q150

**Have you ever tried to control, cut down or stop using marijuana but discovered that you were not able to do so?**

- 1 Yes
  - 2 No (Go to CAN\_END)
- DK, RF (Go to CAN\_END)

Go to CAN\_Q160

Universe:

CAN\_Q010 = 1 and CAN\_Q020 = 2, DK or RF

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

CAN\_Q160

**Have you tried to do this during the past three months?**

- 1 Yes
- 2 No
- DK, RF

Go to CAN\_END

Universe:

*CAN\_Q010 = 1 and (CAN\_Q020 = 2, DK or RF) and CAN\_Q150 = 1*

CAN\_END



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Cocaine (COC)**

Core content

COC_BEG	Beginning of Section
Programmer:	<i>This block requires PA_Q01. AGE = PA_Q01. If PA_Q01 is DK or RF then AGE = ANDB_Q01 (Roster Age).</i>
COC_R01	<b>Now I am going to ask some questions about other drug use. Again, I would like to remind you that everything you say will remain strictly confidential.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
COC_Q10	<b>Have you ever used or tried cocaine (crack, freebase, powder or snow)?</b>  1 Yes 2 No (Go to COC_END) DK, RF (Go to COC_END)  Go to COC_Q20
Universe:	<i>All respondents</i>
COC_Q20	<b>How old were you when you tried or started using cocaine or crack?</b>   _ _  (MIN: 5; Warning Value: 15) (MAX: 95; Warning Value: 75)  DK, RF
Universe:	<i>COC_Q10 = 1</i>
COC_E20A	An unusual value has been entered. Please confirm.
Rule :	<i>Trigger soft edit if COC_Q20 &lt; 10</i>
COC_E20B	The age in COC_Q20 should not be greater than age of respondent. Please confirm.
Rule :	<i>Trigger soft edit if COC_Q20 &gt; AGE of respondent. Questions Involved: COC_Q20 and PA_Q01. AGE = PA_Q01. If PA_Q01 is DK or RF then AGE = ANDB_Q01 (Roster Age).</i>
COC_Q30	<b>Have you used or tried cocaine or crack during the past 12 months?</b>  1 Yes 2 No DK, RF  Go to COC_END
Universe:	<i>COC_Q10 = 1</i>
COC_END	End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Methamphetamines (MET)**

Core content

MET\_BEG

Programmer: *This block requires PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

MET\_Q10

**Have you ever used or tried amphetamines, speed, methamphetamine or crystal meth?**

1 Yes  
2 No (Go to MET\_END)  
DK, RF (Go to MET\_END)

Universe: *All respondents*

MET\_Q20

**How old were you when you tried or started using speed or meth?**

|\_|\_| Age (years)  
(MIN: 5; Warning Value: 15)  
(MAX: 95; Warning Value: 75)

DK, RF

Universe: *MET\_Q10 = 1*

MET\_E20A

An unusual value has been entered. Please confirm.

Rule : *Trigger soft edit if MET\_Q20 < 10*

MET\_E20B

The age in MET\_Q20 should not be greater than age of respondent. Please confirm.

Rule : *Trigger soft edit if MET\_Q20 > AGE of respondent.  
Questions Involved: MET\_Q20 and PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

MET\_Q30

**Have you used or tried speed or meth during the past 12 months?**

1 Yes  
2 No  
DK, RF

Go to MET\_END

Universe: *MET\_Q10 = 1*

MET\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Ecstasy (XTC)**

Core content

XTC\_BEG

Programmer: *This block requires PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

XTC\_Q10

**Have you ever used or tried Ecstasy (MDMA, E, Xtc, Adam, X)?**

1 Yes  
2 No (Go to XTC\_END)  
DK, RF (Go to XTC\_END)

Universe: *All respondents*

XTC\_Q20

**How old were you when you tried or started using Ecstasy?**

|\_|\_| Age (years)  
(MIN: 5; Warning Value: 15)  
(MAX: 95; Warning Value: 75)

DK, RF

Universe: *XTC\_Q10 = 1*

XTC\_E20A

An unusual value has been entered. Please confirm.

Rule : *Trigger soft edit if XTC\_Q20 < 10*

XTC\_E20B

The age in XTC\_Q20 should not be greater than age of respondent. Please confirm.

Rule : *Trigger soft edit if XTC\_Q20 > AGE of respondent.  
Questions Involved: XTC\_Q20 and PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

XTC\_Q30

**Have you used or tried Ecstasy during the past 12 months?**

1 Yes  
2 No  
DK, RF

Go to XTC\_END

Universe: *XTC\_Q10 = 1*

XTC\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Hallucinogens (HAL)**

Core content

HAL\_BEG

Programmer: *This block requires PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

HAL\_Q10

**Have you ever used or tried hallucinogens such as PCP, LSD, acid, magic mushrooms, mescaline or angel dust?**

INTERVIEWER: Include peyote or psilocybin. Do not include epival or salvia.

1 Yes  
2 No (Go to HAL\_END)  
DK, RF (Go to HAL\_END)

Universe: *All respondents*

HAL\_Q20

**How old were you when you tried or started using hallucinogens?**

|\_|\_| Age (years)  
(MIN: 5; Warning Value: 15)  
(MAX: 95; Warning Value: 75)

DK, RF

Universe: *HAL\_Q20 = 1*

HAL\_E20A

An unusual value has been entered. Please confirm.

Rule : *Trigger soft edit if HAL\_Q20 < 10*

HAL\_E20B

The age in HAL\_Q20 should not be greater than age of respondent. Please confirm.

Rule : *Trigger soft edit if HAL\_Q20 > AGE of respondent.  
Questions Involved: HAL\_Q20 and PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

HAL\_Q30

**Have you used or tried hallucinogens during the past 12 months?**

1 Yes  
2 No  
DK, RF

Go to HAL\_END

Universe: *HAL\_Q20 = 1*

HAL\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Inhalants (GLU)**

Core content

GLU\_BEG

Programmer: *This block requires PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

GLU\_Q10

**Have you ever sniffed glue, gasoline or other solvents?**

- 1 Yes
- 2 No (Go to GLU\_END)
- DK, RF (Go to GLU\_END)

Universe: *All respondents*

GLU\_Q20

**How old were you when you first tried sniffing glue, gasoline or other solvents?**

|\_|\_| Age (years)  
(MIN: 5; Warning Value: 5)  
(MAX: 95; Warning Value: 75)

DK, RF

Universe: *GLU\_Q10 = 1*

GLU\_E20A *An unusual value has been entered. Please confirm.*

Rule : *Trigger soft edit if GLU\_Q20 < 10*

GLU\_E20B *The age in GLU\_Q20 should not be greater than age of respondent. Please confirm.*

Rule : *Trigger soft edit if GLU\_Q20 > AGE of respondent.  
Questions Involved: GLU\_Q20 and PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

GLU\_Q30

**Have you sniffed glue, gasoline or other solvents during the past 12 months?**

- 1 Yes
- 2 No
- DK, RF

Go to GLU\_END

Universe: *GLU\_Q10 = 1*

GLU\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Heroin (HER)**

Core content

HER\_BEG

Programmer: *This block requires PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

HER\_Q10

**Have you ever used or tried heroin (horse, junk, smack)?**

1 Yes  
2 No (Go to HER\_END)  
DK, RF (Go to HER\_END)

Universe: *All respondents*

HER\_Q20

**How old were you when you tried or started using heroin?**

|\_|\_| Age (years)  
(MIN: 5; Warning Value: 15)  
(MAX: 95; Warning Value: 75)

DK, RF

Universe: *HER\_Q10 = 1*

HER\_E20A

An unusual value has been entered. Please confirm.

Rule : *Trigger soft edit if HER\_Q20 < 10*

HER\_E20B

The age in HER\_Q20 should not be greater than age of respondent. Please confirm.

Rule : *Trigger soft edit if HER\_Q20 > AGE of respondent.  
Questions Involved: HER\_Q20 and PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

HER\_Q30

**Have you used or tried heroin during the past 12 months?**

1 Yes  
2 No  
DK, RF

Go to HER\_END

Universe: *HER\_Q10 = 1*

HER\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**SALVIA (SAL)**

Core content

SAL\_BEG

Programmer: *This block requires PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

SAL\_Q10

**Have you ever used or tried Salvia (Salvia Divinorum, Divine Sage, Magic Mint, Sally D)?**

1 Yes  
2 No (Go to SAL\_END)  
DK, RF (Go to SAL\_END)

Universe: *All respondents*

SAL\_Q20

**How old were you when you tried or started using Salvia?**

|\_|\_|  
(MIN: 5)  
(MAX: 95)

DK, RF

Universe: *SAL\_Q10 = 1*

SAL\_E20A *An unusual value has been entered. Please confirm.*

Rule : *Trigger soft edit if SAL\_Q20 < 10*

SAL\_E20B *The age in SAL\_Q20 should not be greater than age of respondent. Please confirm.*

Rule : *Trigger soft edit if SAL\_Q20 > AGE of respondent.  
Questions Involved: SAL\_Q20 and PA\_Q01. AGE = PA\_Q01. If PA\_Q01 is DK or RF then AGE = ANDB\_Q01 (Roster Age).*

SAL\_Q30

**Have you used or tried Salvia during the past 12 months?**

1 Yes  
2 No  
DK, RF

Universe: *SAL\_Q10 = 1*

SAL\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Drug Harms (DHA)**

Core content

DHA_BEG	External variables required: PR_Q070; PR_Q080 STI_Q40; STI_Q50 SED_Q40 CAN_Q010 COC_Q10 MET_Q10 XTC_Q10 HAL_Q10 GLU_Q10 HER_Q10 SAL_Q10
DHA_C10	If PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q010=1 or COC_Q10=1 or MET_Q10=1 or XTC_Q10=1 or HAL_Q10=1 or GLU_Q10=1 or HER_Q10=1 or SAL_Q10=1, go to DHA_Q10. Otherwise, go to DHA_END.
DHA_R01	<b>The next few questions ask about experiences you may have had as a result of your drug use, including cannabis but <u>not</u> alcohol.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
DHA_Q10	<b>During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:  on your friendships or social life?</b>  1 Yes 2 No DK, RF  Go to DHA_Q20
Universe:	<i>PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q010=1 or COC_Q10=1 or MET_Q10=1 or XTC_Q10=1 or HAL_Q10=1 or GLU_Q10=1 or HER_Q10=1 or SAL_Q10=1</i>
DHA_Q20	<b>(During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:)  on your physical health?</b>  1 Yes 2 No DK, RF  Go to DHA_Q30
Universe:	<i>PR_Q070=1 or PR_Q080=1 or STI_Q040=1 or STI_Q50=1 or SED_Q40=1 or CAN_Q010=1 or COC_Q10=1 or MET_Q10=1 or XTC_Q10=1 or HAL_Q10=1 or GLU_Q10=1 or HER_Q10=1 or SAL_Q10=1</i>



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

DHA\_Q30

**(During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:)**

**on your home life or marriage?**

INTERVIEWER: Home life refers to people with whom one lives, or whom one lived with at the time of the harmful effects.

- 1 Yes
- 2 No
- DK, RF

Go to DHA\_Q40

Universe:

*PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1 or COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or HER\_Q10=1 or SAL\_Q10=1*

DHA\_Q40

**(During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:)**

**on your work, studies, or employment opportunities?**

- 1 Yes
- 2 No
- DK, RF

Go to DHA\_Q50

Universe:

*PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1 or COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or HER\_Q10=1 or SAL\_Q10=1*

DHA\_Q50

**(During the past 12 months, was there ever a time that you felt your drug use had a harmful effect:)**

**on your financial position?**

- 1 Yes
- 2 No
- DK, RF

Go to DHA\_Q60

Universe:

*PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1 or COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or HER\_Q10=1 or SAL\_Q10=1*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

DHA\_Q60

**During the past 12 months, was there ever a time when you had legal problems because of your drug use?**

- 1 Yes
  - 2 No
- DK, RF

Go to DHA\_Q70

Universe:

*PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1  
or COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or  
HER\_Q10=1 or SAL\_Q10=1*

DHA\_Q70

**(During the past 12 months,) was there ever a time when you had housing problems because of your drug use?**

- 1 Yes
  - 2 No
- DK, RF

Go to DHA\_Q80

Universe:

*PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1  
or COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or  
HER\_Q10=1 or SAL\_Q10=1*

DHA\_Q80

**(During the past 12 months,) was there ever a time when you had difficulty learning things because of your drug use?**

- 1 Yes
  - 2 No
- DK, RF

Go to DHA\_END

Universe:

*PR\_Q070=1 or PR\_Q080=1 or STI\_Q040=1 or STI\_Q50=1 or SED\_Q40=1 or CAN\_Q010=1  
or COC\_Q10=1 or MET\_Q10=1 or XTC\_Q10=1 or HAL\_Q10=1 or GLU\_Q10=1 or  
HER\_Q10=1 or SAL\_Q10=1*

DHA\_END

**Labour Market Activities Extended (LMAE)**

Harmonized content

## Canadian Tobacco, Alcohol and Drugs Survey (CTADS) 2013 / CTADS / CATI

---

### Overview:

This is the full extended content block for the Labour Market Activities Harmonized Content. It has been specified to represent the full scope of extended content. It includes calls to the minimum content block LMAM and the extended content blocks LMA2 to LMA6. Collectively, the questions within LMAE can be used to derive a value of labour force status according to the harmonized content definition of labour force status. The questions within LMAE also relate to characteristics of the job or business of respondents who are currently employed. Specifically, the calls to blocks LMAM and LMA2 to LMA6 provide the questions required to:

LMAM: establish whether or not a respondent is employed;

LMA2: establish whether a respondent who is not employed is either unemployed or not in the labour force (according to the harmonized content definition of labour force status);

LMA3: identify the class of worker for a respondent who is employed;

LMA4: identify the industry for a respondent who is employed;

LMA5: identify the occupation for a respondent who is employed;

LMA6: identify the number of usual hours worked for a respondent who is employed;

CTADS is only calling LMAM et LMA3.

The high-level LMAE block can be used by surveys that wish to include the full scope of LMA Harmonized Content without any additional survey-specific labour

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

	market
LMAE_BEG	Modified harmonized contact block to call only LMA3.
Programmer:	***HARMONIZED CONTENT BLOCK*** Add layout instruction to display all answer options
LMAE_B01	Call Labour Market Activities - Minimum Block (LMAM)
LMAE_C03	If ((LMAM_Q01=1) or ((LMAM_Q01=2) and (LMAM_Q02=1) and (LMAM_Q03=1, 2, 3, 4, 5, 6, 7, 11, 12, 13 or 14))), go to LMAE_B03. Otherwise, go to LMAE_END.
LMAE_B03	Call Class of Worker Block (LMA3)
LMAE_END	

**Labour Market Activities Minimal (LMAM)**

Harmonized content

Overview:

This is the minimum content block for the Labour Market Activities Harmonized Content.

It contains the questions required to establish whether a respondent is employed or not.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

LMAM\_BEG

External variables required for this block:

Non-proxy only.

RESPNAME

given name and surname of respondent, e.g., Joseph Smith  
(maximum of 51 characters, corresponding to 25 characters for each  
of the given name and surname, separated by a space)  
this information will typically come from a previously completed  
module such as a household roster, or from a sample file

FNAME

given name of respondent, e.g., Joseph (maximum of 25 characters)  
this information will typically come from a previously completed  
module such as a household roster, or from a sample file

PROXYSEX

proxy reporting status cross-classified with gender of respondent

REFBEGE

English date corresponding to the first day of reference week,  
e.g., Sunday, January 9; Wednesday, January 12  
(maximum of 23 characters)  
this information will typically come from a sample file or a survey  
control file, or may be derived elsewhere within the application during  
data collection (e.g., it may be based on the current system date so  
that it will correspond to the first day of the most recently completed  
seven-day period)

REFENDE

English date corresponding to the last day of reference week,  
e.g., Saturday, January 15; Tuesday, January 18  
(maximum of 23 characters)  
this information will typically come from a sample file or a survey  
control file, or may be derived elsewhere within the application during  
data collection (e.g., it may be based on the current system date so  
that it will correspond to the last day of the most recently completed  
seven-day period)

PROXYSEX: gender of targeted respondent and whether the interview  
is being conducted by proxy

Import: YOU2, YOU1, WERE

Programmer:

\*\*\*HARMONIZED CONTENT BLOCK\*\*\*  
Add layout instruction to display all answer options

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

LMAM\_Q01

**The following questions concern your activities last week. By last week, I mean the week beginning on ^REFBEGE, and ending ^REFENDE.**

**Last week, did you work at a job or business?  
(regardless of the number of hours)**

- 1 Yes
- 2 No (Go to LMAM\_Q02)
- DK, RF

Go to LMAM\_END

LMAM\_Q02

**Last week, did you have a job or business from which you were absent?**

- 1 Yes (Go to LMAM\_Q03)
- 2 No
- DK, RF

Go to LMAM\_END

LMAM\_Q03

**What was the main reason you were absent from work last week?**

- 01 Own illness or disability
- 02 Caring for own children
- 03 Caring for elder relative (60 years of age or older)
- 04 Maternity or parental leave
- 05 Other personal or family responsibilities
- 06 Vacation
- 07 Labour dispute (strike or lockout) (Employees only)
- 08 Temporary layoff due to business conditions (Employees only)
- 09 Seasonal layoff (Employees only)
- 10 Casual job, no work available (Employees only)
- 11 Work schedule (e.g., shift work) (Employees only)
- 12 Self-employed, no work available (Self-employed only)
- 13 Seasonal business (Excluding employees)
- 14 Other - Specify (Go to LMAM\_S03)
- DK, RF

Go to LMAM\_END



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

LMAM\_S03

**(What was the main reason you were absent from work last week?)**

INTERVIEWER: Specify.

---

(80 spaces)

DK, RF

LMAM\_END

## Canadian Tobacco, Alcohol and Drugs Survey (CTADS) 2013 / CTADS / CATI

---

### **Class of Worker (LMA3)**

Harmonized content

#### Overview:

This is a block within the extended content for the Labour Market Activities Harmonized Content. It contains the question required to identify the class of worker for a respondent who is employed.

If used, this block should be asked to the subset of respondents whose responses to the questions from the LMAM minimum content block satisfy the logical condition:

```
((LMAM_Q01=1)
or
((LMAM_Q01=2) and
(LMAM_Q02=1) and
(LMAM_Q03=1, 2, 3, 4, 5, 6, 7, 11,
12, 13 or 14)))
```

Note that while the survey-specific logic used to call this block should include the logical condition above, there is a logical condition check at the start of this block to ensure that this condition is enforced.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

LMA3\_BEG

External variables required for this block:

Non-proxy only.

FNAME

given name of respondent, e.g., Joseph  
(maximum of 25 characters)

this information will typically come from a previously completed  
module such as a household roster, or from a sample file

LMAM\_Q01

the response to LMAM\_Q01 from the LMAM minimum content block:

1 Yes

2 No

DK

RF

LMAM\_Q02

the response to LMAM\_Q02 from the LMAM minimum content block:

1 Yes

2 No

DK

RF

Empty

LMAM\_Q03

the response to LMAM\_Q03 from the LMAM minimum content block:

1 Own illness or disability

2 Caring for own children

3 Caring for elder relative (60 years of age or older)

4 Maternity or parental leave

5 Other personal or family responsibilities

6 Vacation

7 Labour dispute (strike or lockout) (Employees only)

8 Temporary layoff due to business conditions (Employees only)

9 Seasonal layoff (Employees only)

10 Casual job, no work available (Employees only)

11 Work schedule (e.g., shift work) (Employees only)

12 Self-employed, no work available (Self-employed only)

13 Seasonal business (excluding employees)

14 Other - Specify

DK

RF

Empty

PROXYSEX: gender of targeted respondent and whether the interview  
is being conducted by proxy

FNAME

Import: WERE\_C, YOU2

Programmer:

\*\*\*HARMONIZED CONTENT BLOCK\*\*\*

Add layout instruction to display all answer options

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

LMA3\_C10                                If ((LMAM\_Q01=1) or ((LMAM\_Q01=2) and (LMAM\_Q02=1) and (LMAM\_Q03=1, 2, 3, 4, 5, 6, 7, 11, 12, 13 or 14))), go to LMA3\_Q10. Otherwise, go to LMA3\_END.

LMA3\_Q10                                **Were you an employee or self-employed?**

- 1    Employee
  - 2    Self-employed
  - 3    Working in a family business  
     without pay
- DK, RF

LMA3\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Postal Code (PC)**

Harmonized content

PC\_BEG Beginning of Section

PC\_Q10 **To determine which geographic region you live in, could you tell me your postal code?**

---

(6 spaces)

DK, RF (Go to PC\_Q20)

Go to PC\_END

Universe: *All respondents.*

PC\_E10A **Invalid first letter for postal code. Please return and correct.  
Question involved: PC\_Q10.**

Rule : *Trigger hard edit if the first character of the postal code is not valid.*

PC\_E10B **Postal code must be 6 characters long. Please return and correct.  
Question involved: PC\_Q10.**

Rule : *Trigger hard edit if there are fewer than three characters entered for the postal code.*

PC\_E10C **Invalid format for postal code. Format must be X9X9X9. Please return and correct.  
Question involved: PC\_Q10.**

Rule : *Trigger hard edit if the first three characters of the postal code are not valid.*

PC\_E10D **Postal code must be 6 characters long. Please return and correct.  
Question involved: PC\_Q10.**

Rule : *Trigger hard edit if fewer than six characters are entered for the postal code.*

PC\_E10E Invalid format for postal code. Format must be X9X9X9. Please return and correct.  
Question involved: PC\_Q10.

Rule : *Trigger soft edit if the format of the postal code is not valid.*

PC\_Q20 **What are the first 3 digits of your postal code?**

---

(3 spaces)

DK, RF (Go to PC\_END)

Universe: *Respondents who did not provide their postal code.*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

PC_E20A	<b>Invalid first letter for postal code. Please return and correct. Question involved: PC_Q20.</b>
Rule :	<i>Trigger hard edit if the first character of the postal code is not valid.</i>
PC_E20B	<b>Postal code must be 3 characters long. Please return and correct. Question involved: PC_Q20.</b>
Rule :	<i>Trigger hard edit if there are fewer than three characters entered for the postal code.</i>
PC_E20C	<b>Invalid format for postal code. Format must be X9X9X9. Please return and correct. Question involved: PC_Q20.</b>
Rule :	<i>Trigger hard edit if the first three characters of the postal code are not valid.</i>
PC_END	End of Section

## **Contact**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Contact (CN)**

CAI standard block

Overview:	The Contact block contains the questions used each time a case is selected for contact. Either this block or the CRN block is mandatory for all surveys.
CN_BEG	<p>External variables required:</p> <p><i>Variables taken from sample file:</i> CASETYPE: type of case (CAPI or CATI) SAMPUNIT: unit of sample HHLDRSPAGE: age of household contact</p> <p><i>Variables created based on sample file data:</i> HHLDRSPNAME: name of household contact (one space separating first and last names) HHLDRSPGENDER: sex of household contact (M or F) TELEPHONENUMBER: household telephone number (in "(999) 999-9999" format) LISTADDRESS_E: English listing address of the household (formatted to fit on two lines)</p> <p>If SAMPUNIT = 2 (Telephone), for all questions a header consisting of the telephone number should be displayed at the top of the screen. For example: Telephone Number: ^TELEPHONENUMBER</p> <p>If SAMPUNIT &lt;&gt; 2, for all questions a header consisting of the name of the contact for the household, address and telephone number should be displayed at the top of the screen. For example: Household Respondent: ^HHLDRSPNAME ^HHLDRSPGENDER, ^HHLDRSPAGE Telephone Number: ^TELEPHONENUMBER Address: ^LISTADDRESS_E</p>
CN_C01A	If SAMPUNIT = 2 (Telephone), set CN_N01 = 1 (Telephone), go to CN_N02. Otherwise, go to CN_C01B.
CN_C01B	If CASETYPE = 1 (CATI), set CN_N01 = 1 (Telephone), go to CN_N02. Otherwise, go to CN_N01.
CN_N01	<p><u>INTERVIEWER</u>: Record method of interview.</p> <p>1 Telephone 2 Personal (DK, RF not allowed)</p>
Help text:	<p><u>Purpose</u>: Used to determine the flow of questions in other modules.</p> <p><u>Functionality</u>: &lt;F5&gt; "Refusal" and &lt;F6&gt; "Don't Know" are disabled for this question.</p>

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

CN\_N02

INTERVIEWER: Have you made contact?

1 Yes

2 No

(DK, RF not allowed)

Help text:

Purpose:

To identify whether contact has been made with a person.

Functionality:

"Yes" will start the interview.

"No" will end the interview and an Outcome Code will have to be assigned.

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

CN\_END



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Telephone Check (TC)**

CAI standard block

Overview: The Telephone Check block is used to confirm that the correct household was contacted. Surveys must specify as part of their block-to-block flow logic that this block is called only when the method of interview is by telephone (i.e., CN\_N01 = 1). This block also makes use of a flag called TC\_TRYGN in order to determine whether another attempt to contact the household will be made from within this block when it is confirmed that a wrong number has been dialled. The flag can take on the values of 1 "Yes" or 2 "No". Note that surveys may wish to assign a Final or In-Progress Outcome Code based on the responses to these questions.

TC\_BEG

External variables required:

*Variables taken from sample file:*

CASETYPE = 1 (type of case: CATI)

SAMPUNIT: unit of sample

HHLRESPAGE: age of household contact

*Variables created based on sample file data:*

HHLDRESPNAME: name of household contact (one space separating first and last names)

HHLDRESGENDER: sex of household contact (M or F)

TELEPHONENUMBER: household telephone number (in "(999) 999-9999 format)

LISTADDRESS\_E: English listing address of the household (formatted to fit on two lines)

*Variables assigned in block-to-block flow logic:*

TC\_TRYGN: try the number again (yes or no)

If SAMPUNIT = 2 (Telephone), for all questions a header consisting of the telephone number should be displayed at the top of the screen.

For example:

Telephone Number: ^TELEPHONENUMBER

If SAMPUNIT <> 2, for all questions a header consisting of the name of the contact for the household, address and telephone number should be displayed at the top of the screen. For example:

Household Respondent: ^HHLDRESPNAME ^HHLDRESGENDER  
^HHLDRESPAGE

Telephone Number: ^TELEPHONENUMBER

Address: ^LISTADDRESS\_E

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

TC_Q01	<p><b>I would like to make sure I've dialled the right number. Is this ^TELEPHONENUMBER?</b></p> <p>1 Yes (Go to TC_END) 2 No DK, RF</p>
Help text:	<p><u>Purpose:</u> To ensure that the call was received at the correct telephone number. Allows identification of mis-dials and calls received at telephone numbers different from the number dialled.</p> <p><u>Functionality:</u> "Yes" will continue the interview. "No" will allow a second attempt to contact the case, or the assignment of an outcome code. &lt;F5&gt; "Refusal" and &lt;F6&gt; "Don't Know" will trigger a soft edit for confirmation, then the interview will be suspended.</p>
TC_E01	<p>This will suspend the interview. Select &lt;Suppress&gt; to accept the answer and continue or &lt;Goto&gt; to return and correct.</p>
Rule :	<p>Trigger soft edit if TC_Q01 = DK or RF.</p>
TC_C02	<p>If TC_Q01 = DK or RF, go to TC_END. Otherwise, go to TC_R02.</p>
TC_R02	<p><b>I'm sorry, I must have dialled incorrectly.</b></p> <p><u>INTERVIEWER:</u> Press &lt;1&gt; to continue.</p>
Help text:	<p><u>Functionality:</u> After &lt;1&gt; is pressed, a second attempt to contact the case will be made or an outcome code will be assigned. &lt;F5&gt; "Refusal" and &lt;F6&gt; "Don't Know" are disabled for this question.</p>
TC_C03	<p>If TC_TRYGN = 2 (No), go to TC_END. Otherwise, go to TC_N03.</p>
TC_N03	<p><u>INTERVIEWER:</u> Re-dial the telephone number. Have you made contact?</p> <p>1 Yes - same person 2 Yes - other person (Go to TC_END) 3 No (Go to TC_END) (DK, RF not allowed)</p>
Help text:	<p><u>Purpose:</u> To identify whether contact has been made with a person.</p> <p><u>Functionality:</u> "Yes - same person" will end the interview. "Yes - other person" will start the interview. "No" will end the interview and an outcome code will have to be assigned. &lt;F5&gt; "Refusal" and &lt;F6&gt; "Don't Know" are disabled for this question.</p>

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

TC\_R04

**I'm sorry, I was trying to reach ^TELEPHONENUMBER. There must be a problem with the telephone lines.**

INTERVIEWER: Press <1> to continue.

Help text:

Purpose:

To provide an explanation for another wrong number.

Functionality:

After <1> is pressed, the interview will be suspended.

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

TC\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Respondent Check (RC)**

CAI standard block

Overview: This block is used to determine whether a member of the household has been contacted. Surveys must specify as part of their block-to-block flow logic that this block is called only for CATI birth interviews (e.g., RDD interviews) when no respondent names are known. Note that the Appointment shared block is called at RC\_N05. Surveys may wish to assign an In-Progress Outcome Code based on the responses to these questions.

RC\_BEG External variables required:

*Variables taken from sample file:*

CASETYPE: type of case (CAPI or CATI)

SAMPUNIT: unit of sample

RC\_Q01 **Are you a member of this household?**

- 1 Yes (Go to RC\_END)
  - 2 No
- (DK, RF not allowed)

Help text:

Definition:

*Household member: a person who regards the dwelling as his or her usual place of residence or is staying in the dwelling and has no usual place of residence elsewhere.*

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

RC\_Q02 **May I speak with a member of the household?**

- 1 Yes, speaking to a member (Go to RC\_END)
  - 2 Yes, a member is available (Go to RC\_END)
  - 3 No, a member is not available (Go to RC\_Q04)
- (DK, RF not allowed)

Help text:

Purpose:

*To ensure that a member of the household has been reached before proceeding further with the interview.*

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

RC\_Q04

**When would a member of the household be available?**

- 1 Available within survey  
collection period
  - 2 Not available within survey  
collection period (Go to RC\_END)
- (DK, RF not allowed)

Help text:

Purpose:

To determine whether a member of the household will be available for an interview within the collection period.

Functionality:

If a household member will be available, an appointment will be made.  
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

RC\_N05

INTERVIEWER: [Press <Shift> <F11> to make an appointment. Press <1> to continue./Press <Ctrl> <A> or select the <Appointment> Tab to make an appointment.]

(DK, RF not allowed)

RC\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Initial Contact (IC)**

CAI standard block

Overview:	This block contains the question used when contact is first established with a respondent.
IC_BEG	External variables required:  <i>Variables from previously completed blocks:</i> CN_N01: method of interview from CN block CRN_N01: method of interview from CRN block  <i>Survey specific text variables created:</i> SURVEYINTRO: "Survey specific text"
IC_R01	<b>I'm calling about a study we are doing with Health Canada on the general health of Canadians and their use of tobacco, alcohol, as well as prescription and non-prescription drugs. All information collected in this survey will be kept strictly confidential as required by the Statistics Act.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<u>Procedure:</u> <i>Since contact has not necessarily been made with an individual who will be responding to the survey, no confidential information should be disclosed.</i>  <u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
Programmer:	<i>Pre-fill the question text with the short introduction specified by the survey. The survey must also specify whether the second sentence should be included in the question text.</i>
IC_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Language of Preference (LP)**

CAI standard block

**Overview:**

The Language of Preference block contains questions that elicit the respondent's preferred language. This includes collection of preferred non-official languages as well as the two official languages. This block also makes use of a flag called LANGINTR in order to determine whether to collect the respondent's preferred non-official language. The flag can take on the values of 1 "Yes" or 2 "No".

**LP\_BEG**

External variables required:

*Variables taken from sample file:*

LANGPREF: language of preference from a previous interview

*Variables assigned in block-to-block flow logic:*

LANGINTR: whether interested in non-official languages

**LP\_Q01**

**Would you prefer that I speak in English or in French?**

**INTERVIEWER: [Previous response was "English"/Previous response was "French"/Previous response was "Other"]**

1 English (Go to LP\_END)

2 French (Go to LP\_END)

3 Other

(DK, RF not allowed)

**Help text:**

*Purpose:*

*Under the Official Languages Act all respondents have the right to be interviewed in the official language of their choice.*

*Functionality:*

*<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.*

**LP\_C02A**

If LANGINTR = 2, go to LP\_END.

Otherwise, go to LP\_N02.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

LP\_N02

INTERVIEWER: Select respondent's preferred non-official language.  
If necessary, ask: **(What language would you prefer?)**

- |    |                 |                |
|----|-----------------|----------------|
| 03 | Chinese         | (Go to LP_END) |
| 04 | Italian         | (Go to LP_END) |
| 05 | Punjabi         | (Go to LP_END) |
| 06 | Spanish         | (Go to LP_END) |
| 07 | Portuguese      | (Go to LP_END) |
| 08 | Polish          | (Go to LP_END) |
| 09 | German          | (Go to LP_END) |
| 10 | Vietnamese      | (Go to LP_END) |
| 11 | Arabic          | (Go to LP_END) |
| 12 | Tagalog         | (Go to LP_END) |
| 13 | Greek           | (Go to LP_END) |
| 14 | Tamil           | (Go to LP_END) |
| 15 | Cree            | (Go to LP_END) |
| 16 | Afghan          | (Go to LP_END) |
| 17 | Cantonese       | (Go to LP_END) |
| 18 | Hindi           | (Go to LP_END) |
| 19 | Mandarin        | (Go to LP_END) |
| 20 | Persian (Farsi) | (Go to LP_END) |
| 21 | Russian         | (Go to LP_END) |
| 22 | Ukrainian       | (Go to LP_END) |
| 23 | Urdu            | (Go to LP_END) |
| 24 | Inuktitut       | (Go to LP_END) |
| 25 | Hungarian       | (Go to LP_END) |
| 26 | Korean          | (Go to LP_END) |
| 27 | Serbo-Croatian  | (Go to LP_END) |
| 28 | Gujarati        | (Go to LP_END) |
| 29 | Dari            | (Go to LP_END) |
| 90 | Other - Specify | (Go to LP_S02) |
- (DK, RF not allowed)

Help text:

Purpose:

To identify a preferred language if the respondent does not understand either official language.

Under certain circumstances for some surveys, a respondent may be interviewed in the preferred non-official language of his or her choice.

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

LP\_S02 (Select respondent's preferred non-official language.  
If necessary, ask: **(What language would you prefer?)**)

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)

Help text:

Purpose:

To allow text entry of a non-official language of preference that is not listed in the previous question.

Functionality:

Mandatory field - something must be entered to continue.

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.

LP\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**CATI Monitoring (MON)**

CAI standard block

Overview: It is necessary to inform respondents that another person may listen in at some time during the interview. The single question contained in this block provides a reason for monitoring the conduct of the interview. Surveys must specify as part of their block-to-block flow logic that this block is called only for CATI interviews (CASETYPE = 1). Note that this information should be repeated (along with the introduction to the survey) to each new respondent.

MON\_BEG External variables required: none

MON\_R01 **My supervisor may listen to this call for the purpose of quality control.**

INTERVIEWER: Press <1> to continue.

Help text:

Purpose:

*To inform the respondent that someone else may be monitoring the interview. This person may be a senior interviewer, a program manager, a Head Office representative, or other authorized individual.*

*To ensure that the survey questions are being asked correctly, so that the quality of the information collected is consistent for all interviews.*

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question

MON\_END

**Demographics**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Usual Roster (USU)**

USU\_BEG

USU\_Q01

**What are the names of all persons who usually live here?**

INTERVIEWER: First Name

Begin with adults who have responsibility for the care or support of the family.

Enter the first name.

To delete a name, replace the first name with \*.

To continue, go to the blank line at the end of roster and enter <1> in first name field.

Last Name

Begin with adults who have responsibility for the care or support of the family.

Enter the last name.

To delete a name, replace the first name with \*.

To continue, go to the blank line at the end of roster and enter <1> in first name field.

---

(0 spaces)

(DK, RF not allowed)

USU\_E01

**"No names were entered. Return to the roster and enter at least one name."**

**Question involved: PE\_Q01.**

Rule :

*Trigger hard edit if no names are entered, pop up a hard edit with the following text:*

Help text:

*Definition:*

*Include all persons who regard the dwelling as their usual residence or are staying in the dwelling and have no usual place or residence elsewhere*

*Include Canadian citizens, landed immigrants, and non-permanent residents (person who are in Canada on a work permit, a student visa or a Minister's permit, or who are applying for refugee status, as well as their dependents)*

*Single students should be considered as usual residents of their parents' dwelling if they have spent 30 or more days there in the past 12 months*

*Married persons away at work or school should be considered as usual residents of their spouse's dwelling*

*Procedure:*

*Begin the list with an adult who has responsibility for the care or support of the household*

USU\_END

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**"Other" Roster 1 (OTH1)**

OTH1\_BEG

OTH1\_Q04\_RSQ4

**Are there any other persons who usually live here but are now away at school, in hospital, or somewhere else?**

(DK, RF not allowed)

OTH1\_Q01

**What are the names of the other people who live or stay here?**

---

(0 spaces)

DK, RF

OTH1\_END

**Household**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**RDD In Scope (RIS)**

CAI standard block

Overview: These questions are used to determine whether or not the sampled telephone number is out of scope for the survey. They should be subject to revision as technology changes. Note that surveys may wish to assign Final Outcome Codes based on the responses to these questions.

RIS\_BEG External variables required: None

RIS\_Q01 **Is this telephone number for a cellular phone, a regular phone, or both?**

INTERVIEWER: Select "Regular phone" if the telephone number is for a regular phone which is call forwarded to a cellular phone. In this case, make an appointment to continue the interview at a regular phone.

- 1 Cellular phone (Go to RIS\_END)
  - 2 Regular phone
  - 3 Both
- (DK, RF not allowed)

Help text: Purpose:  
*To determine the type of telephone associated with the telephone number. For most household surveys, cellular telephones are out of scope. There can be confidentiality concerns with cellular telephones.*

Functionality:  
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

RIS\_Q02 **Is this phone number for a private home, a business, an institution or seasonal (or secondary) dwelling?**

- 1 Private home (Go to RIS\_END)
  - 2 Business (Go to RIS\_Q04)
  - 3 Both home and business (Go to RIS\_END)
  - 4 Institution (Go to RIS\_Q04)
  - 5 Seasonal (or secondary) dwelling (Go to RIS\_Q04)
  - 6 Collective dwelling
- DK, RF (Go to RIS\_Q04)

Help text: Purpose:  
*To determine whether the telephone number is eligible for an interview. For most household surveys, businesses, institutions and seasonal (or secondary) dwelling are not eligible to be interviewed unless at least one person uses the telephone number as a home number.*

Definition:  
*Collective dwelling: a dwelling such as a religious institution, a nursing home, a hotel or motel, or a large boarding house (in which 10 or more unrelated persons live). Institution: a collective dwelling which exists primarily to provide short-term or long-term custody or medical care (e.g., penitentiaries, orphanages, nursing homes, hospitals, homes of religious orders).*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

RIS\_B03 Call the Collective Dwelling block (COLL)

RIS\_Q04 **Does anyone use this number as a home phone number?**

1 Yes

2 No

DK, RF

Help text:

Purpose:

To determine whether the telephone number is eligible for an interview.

For most household surveys, at least one person must use the telephone number as a home number for the dwelling that it serves to be eligible to be interviewed.

RIS\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**RDD Selection Parameters (RSP)**

CAI standard block

Overview:	It is necessary to evaluate the RDD frame, and the following questions are used for that purpose.
RSP_BEG	External variables required: none
RSP_R01	<b>I need to ask you a few questions about the telephone numbers that you have in your household, in order to evaluate the way households were selected for this survey.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<u>Purpose:</u> Used to evaluate the sample since dwellings with multiple telephone numbers are more likely to be selected to be interviewed.  <u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
RSP_Q01	<b>Excluding cellular phones, is this your household's only telephone number?</b>  1 Yes (Go to RSP_END) 2 No DK, RF (Go to RSP_END)
Help text:	<u>Purpose:</u> Used to evaluate the sample since dwellings with multiple telephone numbers are more likely to be selected to be interviewed.
RSP_Q02	<b>Excluding cellular phones, how many different telephone numbers are there?</b>  <u>INTERVIEWER:</u> If 9 telephone numbers or more, enter 9.   _  Telephone numbers (MIN: 2) (MAX: 9)  DK, RF (Go to RSP_END)
Help text:	<u>Purpose:</u> To determine how many different telephone numbers there are for the dwelling.  <u>Functionality:</u> If more than 3 is entered, a soft edit will be triggered for confirmation.
RSP_E02	An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule :	Trigger soft edit if RSP_Q02 > 3.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

RSP_Q03	<b>Are any of these numbers for computer, fax or business use <u>only</u>?</b>
	1 Yes 2 No (Go to RSP_END) DK, RF (Go to RSP_END)
Help text:	<i><u>Purpose:</u> To determine if any of the different telephone numbers are used solely for computer, Internet, fax or business purposes.</i>
RSP_Q04	<b>How many of these numbers are for computer, fax or business use <u>only</u>?</b>
	_  Telephone numbers (MIN: 1) (MAX: 8)  DK, RF (Go to RSP_END)
Help text:	<i><u>Purpose:</u> To determine if any of the different telephone numbers are used solely for computer, Internet, fax or business purposes.  <u>Functionality:</u> If more than 3 is entered, a soft edit will be triggered for confirmation.</i>
RSP_E04A	An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule :	Trigger soft edit if RSP_Q04 > 3.
RSP_E04B	<b>An impossible value has been entered. Please return and correct.</b>
Rule :	Trigger hard edit if RSP_Q04 > (RSP_Q02 - 1).
RSP_END	



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Age without Date of Birth (ANDB)**

Harmonized content

Overview:	This block is used to collect the roster member or respondent's age without asking for date of birth.
ANDB_BEG	Variable taken from sample file: SPECRESPAGE: age of specific respondent  Variable created based on sample file data: SPECRESPNAME: name of specific respondent (one space separating first and last names)
Programmer:	***HARMONIZED CONTENT BLOCK**
ANDB_Q01	<b>What is ^SPECRESPNAME's age?</b>   _ _ _  Age in years (MIN: 0) (MAX: 121)  (DK, RF not allowed)
Help text:	<u>Tag:</u> Age without date of birth  <u>Purpose:</u> To collect the age of the household member.  <u>Procedure:</u> If the respondent is unwilling or unable to provide a specific age for the household member, probe to obtain an estimate.  <u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
Programmer:	Pre-fill the question text with the appropriate respondent name.
ANDB_E01	The respondent's age has been updated. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule :	Trigger soft edit if SPECRESPAGE = RESPONSE and  ANDB_Q01 - SPECRESPAGE  > 3.
ANDB_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Sex (SEX)**

Harmonized content

Overview:	The Sex block is used to collect the sex of the respondent.
SEX_BEG	External variables required: SPECRESPSEX: sex of specific respondent (1 = male or 2 = female) SPECRESPNAME: name of specific respondent (one space separating first and last names)
Programmer:	***HARMONIZED CONTENT BLOCK***
SEX_Q01	<u>INTERVIEWER:</u> Enter ^SPECRESPNAME's sex. If necessary, ask: <b>(Is ^SPECRESPNAME male or female?)</b>  1 Male 2 Female (DK, RF not allowed)
Help text:	<u>Tag:</u> Sex  <u>Procedure:</u> if sufficient information has been provided, select either "Male" or "Female" without asking the question.  If there is doubt as to the sex of a household member, ask the question and make the appropriate selection.  <u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
Programmer:	Pre-fill the question text with the appropriate respondent name.
SEX_E01	The respondent's sex has been updated. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule :	Trigger soft edit if there is a valid feedback sex and the entered sex is different from the feedback sex.
SEX_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Marital Status without Confirmation (De-facto) (MSNC)**

Harmonized content

Overview:	<p>Harmonized content refers to this question as De-facto marital status.</p> <p>This block is used to collect the respondent's social marital status when any previously collected marital status is not to be confirmed. Surveys must specify the minimum age for calling the block (the LFS minimum is 16, the GSS minimum is 15).</p>
MSNC_BEG	<p>Variable created based on sample file data: PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy FNAME</p> <p>Import: YOUR2, ARE_C, YOU1</p>
Programmer:	<p>***HARMONIZED CONTENT BLOCK*** Add layout instruction to display all answer options</p>
MSNC_Q01	<p><b>What is your marital status? Are you... ?</b></p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 <b>Married</b> 2 <b>Living common-law</b> 3 <b>Widowed</b> 4 <b>Separated</b> 5 <b>Divorced</b> 6 <b>Single, never married</b> DK, RF</p>
Help text:	<p><u>Tag</u>: Marital Status Without Confirmation (De-facto)</p> <p><u>Purpose</u>: marital status is an important variable in tracking the evolution of social attitudes economic data combined with marital status and family data provides insight into the socio-economic situation of various types of families</p> <p><u>Definition</u>: living common-law: refers to two people of the opposite sex or the same sex who live together as a couple but who are not legally married to each other</p> <p><u>Procedure</u>: the full list of categories should be read to the respondent if a Quebec respondent answers "civil union", code to the "married" category</p>
Programmer:	<p>Pre-fill the question text with the appropriate respondent name.</p>
MSNC_END	

# Canadian Tobacco, Alcohol and Drugs Survey (CTADS) 2013 / CTADS / CATI

---

## Survey Introduction (INT)

CAI standard block

Overview:	This block contains the introduction of the survey to the respondent. The text is specific to each survey, and multiple screens can be programmed.
INT_BEG	External variables required:  <i>Variables from previously completed blocks:</i> CN_N01: method of interview from CN block CRN_N01: method of interview from CRN block  <i>Survey specific texts variables created:</i> SURVEYNAME = "Survey name" SURVEYINTRO = "Survey specific text"
INT_R01	<b>This study will be used to find out how many Canadians are currently smoking cigarettes or using other tobacco products. We'll also find out about Canadians' use of alcohol, as well as prescription and non-prescription drugs.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<i>Purpose:</i> To introduce the survey to respondents so that they are aware of its nature and purposes.  <i>Functionality:</i> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
INT_R02	<b>Your answers will be kept strictly confidential and used only for statistical purposes. While participation is voluntary, your assistance is essential if the results are to be accurate.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<i>Purpose:</i> To affirm that respondents' information is confidential and that their participation is important for the accuracy of the data.  <i>Functionality:</i> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
INT_END	

## Shared Blocks

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Interviewer introduction (II)**

CAI standard block

Overview:	The Interviewer Introduction block contains a single question that is used to introduce the interviewer and inform the respondent that the caller is a Statistics Canada interviewer.
II_BEG	External variables required:  <i>Variables taken from sample file:</i> SAMPUNIT: unit of sample CASETYPE: type case TELEPHONENUMBER: telephone number HHLDSPRECRES: household respondent ADDRESS_E: address
II_R01	<b>Hello, I'm [calling/blank] from Statistics Canada. My name is ...</b>  <u>INTERVIEWER</u> : Introduce yourself using both your given and last names. Press <1> to continue.
Programmer:	<i>If unit of sample = Telephone (SAMPUNIT = 2), a header consisting of the telephone number should be displayed at the top of the screen. For example: Telephone Number: (613) 321-1234</i>  <i>If unit of sample &lt;&gt; Telephone (SAMPUNIT &lt;&gt; 2), a header consisting of the name of the contact for the household, address and telephone number should be displayed at the top of the screen. For example: Household Respondent: GRACE WESTMORELAND F, 69 Telephone Number: (613) 321-1234 Address: 12 MINSK AVENUE, APT. 310 KINGSTON ON K1A1A1</i>  <i>Note that "APT." should be displayed only if there is data in the apartment field.</i>
II_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Appointment (APP)**

CAI standard block

Overview:	The Appointment block consists of the "Make Appointment" pop-up screen followed by multiple BLAISE questions. The "Make Appointment" screen is pre-defined to collect appointment information in a specific format for the Call Scheduler and cannot be modified. The information gathered in questions APP_N03, APP_N04, APP_N05 is displayed on the "Make Dial" screen in the CATI Call Scheduler.
APP_BEG	External variables required:  MEMBERLIST OUTCOMECODE: 25, 26, 38
APP_R01	<b>Thank you for your time. We will call back later.</b>  <u>INTERVIEWER</u> : Press <1> to continue.
Help text:	<u>Functionality</u> : <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
APP_N02	<u>INTERVIEWER</u> : Do you wish to enter the name of the person you made the appointment with?  1 Yes 2 No (Go to APP_N06) (DK, RF not allowed)
Help text:	<u>Purpose</u> : To determine whether a name is to be associated with the appointment.  <u>Functionality</u> : <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
APP_C03	If Outcome code = 38 "Tracing source appointment" or no names in household roster, go to APP_N04. Otherwise, go to APP_N03.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

APP_N03	<p><u>INTERVIEWER</u>: Select name from list and press &lt;Enter&gt; to continue.</p> <p>(DK, RF not allowed)</p>
Help text:	<p><u>Purpose</u>: To identify a household member as the person to be contacted for the appointment. When the household is contacted for the appointment, the interviewer will request to speak with the identified person.</p> <p><u>Functionality</u>: &lt;F5&gt; "Refusal" and &lt;F6&gt; "Don't Know" are disabled for this question.</p>
Programmer:	<p>Display all current household members (i.e., those with household member codes of 01, 02, 03, 05 or 06). The list should include a "Not on list" category. A selection of "Not on list" will be returned as code 88. If "Not on list" is selected, go to APP_N04. Otherwise, save the first name in APP_N04 and save the last name in APP_N05, and go to APP_N06.</p>
APP_N04	<p><u>INTERVIEWER</u>: Enter the <u>first</u> name.</p> <hr/> <p>(25 spaces)</p> <p>DK, RF</p>
Programmer:	<p>Any lower case text characters typed into the field should be converted to upper case text characters after &lt;Enter&gt; is pressed.</p>
APP_N05	<p><u>INTERVIEWER</u>: Enter the <u>last</u> name</p> <hr/> <p>(25 spaces)</p> <p>DK, RF</p>
Programmer:	<p>Any lower case text characters typed into the field should be converted to upper case text characters after &lt;Enter&gt; is pressed.</p>
APP_N06	<p><u>INTERVIEWER</u>: Enter any other information about the appointment. Press &lt;Enter&gt; to continue.</p> <hr/> <p>(80 spaces)</p> <p>DK, RF</p>
APP_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Thank You 1 (TY1)**

CAI standard block

Overview:

The Thank You 1 block is called from within other blocks.

TY1\_BEG

External variables required: none

TY1\_R01

**Thank you for your time.**

INTERVIEWER: Press <1> to continue.

Help text:

Functionality:  
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

TY1\_END



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Thank You 2 (TY2)**

CAI standard block

Overview:

The Thank You 2 block is called from within other blocks.

TY2\_BEG

External variables required: none

TY2\_R01

**Thank you for your time. That is all the information I need right now.**

INTERVIEWER: Press <1> to continue.

Help text:

*Functionality:*  
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

TY2\_END

**Exit**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Outcome Code (OC)**

CAI standard block

Overview:	The Outcome Code block is used to assign an outcome code to a case. Note that surveys must specify the lists of in-progress or final outcome codes from which interviewers will be able to select.
OC_BEG	External variables required:
OC_C01	If all components are complete, set a Final Outcome Code of 70 "Fully complete", go to OC_END. Otherwise, go to OC_N01.
OC_N01	<u>INTERVIEWER:</u> Is the case in-progress or final?  1 In-progress 2 Final (Go to OC_N03) (DK, RF not allowed)
Help text:	<u>Definition:</u> <i>In-progress: the case has not been completed and needs to be accessed again. Final: the case does not need to be accessed again (i.e., the case is basically ready for transmission).</i>  <u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
OC_N02	<u>INTERVIEWER:</u> Assign the appropriate in-progress outcome code.  (DK, RF not allowed) Go to OC_END
Help text:	<u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
OC_N03	<u>INTERVIEWER:</u> Assign the appropriate final outcome code.  (DK, RF not allowed)
Help text:	<u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
OC_C04A	If Final Outcome Code = 80 "Refusal", go to OC_N04. Otherwise, go to OC_C04B.
OC_C04B	If Final Outcome Code = 90 "Unusual/Special circumstances", go to OC_N05. Otherwise, go to OC_END.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

OC\_N04

INTERVIEWER: Record the reason for the refusal.

- |    |   |                |
|----|---|----------------|
| 01 | Dangerous / rude attitude   | (Go to OC_END) |
| 02 | Won't answer the door/Hangs up (refusal by avoidance)                   | (Go to OC_END) |
| 03 | Not interested / doesn't want to participate                            | (Go to OC_END) |
| 04 | Doesn't want to be disturbed  | (Go to OC_END) |
| 05 | Doesn't have the time   | (Go to OC_END) |
| 06 | Against the government or Statistics Canada                             | (Go to OC_END) |
| 07 | Doesn't believe in or want to hear about statistics                     | (Go to OC_END) |
| 08 | Doesn't believe in or want to hear about surveys                        | (Go to OC_END) |
| 09 | Recently completed a survey (doesn't want to again)                     | (Go to OC_END) |
| 10 | Doesn't believe the info is secure (confidentiality)                    | (Go to OC_END) |
| 11 | Doesn't want to give personal information                               | (Go to OC_END) |
| 12 | Says not obligated / wants legal proof                                  | (Go to OC_END) |
| 13 | Can get info somewhere else (e.g., Revenue Canada)                      | (Go to OC_END) |
| 14 | Adamant refusal (no reason, e.g., shuts the door or hangs up the phone) | (Go to OC_END) |
| 15 | Doesn't want to continue the survey (no more follow-ups)                | (Go to OC_END) |
| 16 | Same household, refusal maintained (for follow-ups only)                | (Go to OC_END) |
| 17 | Why me? Tells you to choose someone else                                | (Go to OC_END) |
| 18 | Other - Specify (DK, RF not allowed)                                    | (Go to OC_S04) |

Help text:

Procedure:

Select the most appropriate response.

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

OC\_S04 (Record the reason for the refusal.)

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)

Go to OC\_END

Help text:

Purpose:

To allow text entry of a specific reason for a refusal that is not listed in the previous question.

Functionality:

Mandatory field - something must be entered to continue.

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

OC\_N05

INTERVIEWER: Record the reason for the non-interview.

1 Illness or death in family (Go to OC\_END)

2 Recovering from natural disaster (Go to OC\_END)

3 Other - Specify (Go to OC\_S05)

(DK, RF not allowed)

Help text:

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

OC\_S05

(Record the reason for the non-interview.)

INTERVIEWER: Specify.

---

(80 spaces)

(DK, RF not allowed)

Help text:

Purpose:

To allow text entry of a specific reason for a non-interview that is not listed in the previous question.

Functionality:

Mandatory field - something must be entered to continue.

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

OC\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Confirm Outcome Code (COC)**

CAI standard block

Overview:	The Confirm Outcome Code block is used to ensure that an outcome code that has been assigned to a case is correct.
COC_BEG	External variables required:  <i>Imported variables from previously completed blocks:</i> Outcome code
COC_C01	If a final Outcome code has not been set, go to COC_END. Otherwise, go to COC_D01.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

COC\_N01

INTERVIEWER: The case has been coded [Not started/Incorrect address/Incorrect phone number/Phone number not in service/Fast busy signal / strange noise / dead silence / fax machine/Recorded message service/To be replaced by sub-sample - listing maintenance/To be replaced by sub-sample - initial listing/No contact/No one home /no answer/Regular busy signal/Answering machine or service - no message left/Answering machine or service - message left/Call screened / blocked / forwarded/Phone number not available/No phone/Interview prevented due to weather conditions/Cap reached/Absent for duration of survey/Interview requested in other official language/Language barrier (not official language)/Suspended / interrupted/Soft appointment; call-back required/Hard appointment; call-back required/Verification of survey requested/Contact with ineligible or non-household member/Request for interview by another Interviewer/Personal interview requested / required/Tracing / research required/Phone co. research: non working number/Phone co. research: outside of sample/Phone co. research: residential/Phone co. research: working number, status unknown/No information from phone co./Unable to trace / research/Obtained name and/or phone number/Tracing / research source appointment/Respondent moved/Outside of sample/Military base/Indian reserve/Business/Residential dwelling/Institution/Cap reached/Cell phone/Child's phone/Void dwelling/Dwelling demolished/Dwelling under construction / renovation/Dwelling vacant/Collective dwelling/Seasonal or secondary dwelling/Residents not eligible/Moved outside Canada/Visitors / representatives of foreign governments/Full-time members of Canadian Forces/Institutionalized/Not eligible due to age/Already interviewed for this survey/Deceased/RO to RO transfer/Information obtained from other sources/Transferred to field/Sample overlap/Withdrawn from sample/Fully completed/Partially completed/Fully completed - initial listing/Partially completed - initial listing/Tracing completed/Partially completed due to time limit/Not eligible for a questionnaire/Refusal/Refusal first follow-up/Refusal second follow-up/Refusal without confirmation/Hang-up / Won't open door/Refusal by avoidance/Complete change in household membership/Unusual / special circumstances/Threat to safety/Interview prevented due to respondent's mental or physical condition/Letter sent; soft appointment follow-up required/Technical difficulty/Missing / Outstanding]. Is this correct?

- 1 Yes
  - 2 No
- (DK, RF not allowed)

Help text:

Purpose:  
To confirm that the correct outcome code has been assigned.  
The outcome code was automatically assigned based on responses to one or more questions.

Functionality:  
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

COC\_END

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**Thank You 3 (TY3)**

TY3\_BEG

TY3\_R01

**Thank you for your time.**

INTERVIEWER: Press <1> to continue.

Help text:

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

TY3\_END

**Entry - Survey Specific**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Initial Contact (IC)**

CAI standard block

Overview:	This block contains the question used when contact is first established with a respondent.
IC_BEG	External variables required:  <i>Variables from previously completed blocks:</i> CN_N01: method of interview from CN block CRN_N01: method of interview from CRN block  <i>Survey specific text variables created:</i> SURVEYINTRO: "Survey specific text"
IC_R01	<b>I'm calling about a study we are doing with Health Canada on the general health of Canadians and their use of tobacco, alcohol, as well as prescription and non-prescription drugs. All information collected in this survey will be kept strictly confidential as required by the Statistics Act.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<u>Procedure:</u> Since contact has not necessarily been made with an individual who will be responding to the survey, no confidential information should be disclosed.  <u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
Programmer:	Pre-fill the question text with the short introduction specified by the survey. The survey must also specify whether the second sentence should be included in the question text.
IC_END	



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Survey Introduction (INT)**

CAI standard block

Overview:	This block contains the introduction of the survey to the respondent. The text is specific to each survey, and multiple screens can be programmed.
INT_BEG	External variables required:  <i>Variables from previously completed blocks:</i> CN_N01: method of interview from CN block CRN_N01: method of interview from CRN block  <i>Survey specific texts variables created:</i> SURVEYNAME = "Survey name" SURVEYINTRO = "Survey specific text"
INT_R01	<b>This study will be used to find out how many Canadians are currently smoking cigarettes or using other tobacco products. We'll also find out about Canadians' use of alcohol, as well as prescription and non-prescription drugs.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<i>Purpose:</i> To introduce the survey to respondents so that they are aware of its nature and purposes.  <i>Functionality:</i> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
INT_R02	<b>Your answers will be kept strictly confidential and used only for statistical purposes. While participation is voluntary, your assistance is essential if the results are to be accurate.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<i>Purpose:</i> To affirm that respondents' information is confidential and that their participation is important for the accuracy of the data.  <i>Functionality:</i> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
INT_END	

Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI

---

**CTADS Specific Roster Introduction (CSRI)**

CSRI\_BEG

CSRI\_R01

**I MAY need to select more than one person from this household for an interview.**

INTERVIEWER: Press <1> to continue.

Universe:

*The field can be left empty, and should not be included on the returned data file.*

*DK, R are not allowed.*

CSRI\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Household Smoking (HS)**

Core content

HS\_BEG Beginning of Section

Note: This block requires number of people in the household (HHSIZE).

HS\_Q10 **[Do you/Does anyone in your household] smoke cigarettes?**

- 1 Yes
- 2 No
- DK, RF

Universe: *Household respondent.*

HS\_Q20 **How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.**

INTERVIEWER: Smoking inside the home excludes smoking inside the garage, whether attached or detached.

|\_|\_|  
(MIN: 0)  
(MAX: 15)

DK, RF

Universe: *Household respondent.*

HS\_C30 If HS\_Q20 = 0 or HS\_Q20 = DK or HS\_Q20 = RF, go to HS\_Q40.  
Otherwise, go to HS\_Q30.

HS\_Q30 **On a typical day, how many cigarettes are smoked inside your home?**

- 1 1 to 10 cigarettes
- 2 11 to 20 cigarettes
- 3 21 to 30 cigarettes
- 4 31 to 40 cigarettes
- 5 41 or more cigarettes
- DK, RF

Go to HS\_Q50

Universe: *HS\_Q20=(01:15)*

HS\_Q40 **Is smoking cigarettes allowed inside your home?**

- 1 Yes
- 2 No (Go to HS\_END)
- DK, RF (Go to HS\_END)

Universe: *HS\_Q20=(00, DK or RF)*

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

HS\_Q50

**Is smoking cigarettes inside your home restricted in any way?**

- 1 Yes
- 2 No (Go to HS\_END)
- DK, RF (Go to HS\_END)

Universe:

HS\_Q20=(01:15) and HS\_Q40=1

HS\_Q60

**How is smoking cigarettes restricted inside your home?**

**INTERVIEWER:** Read categories to respondent. Mark all that apply.  
There is no need to read a response that was volunteered by the respondent.

- 1 **Allowed in certain rooms only**
- 2 **Restricted in the presence of young children**
- 3 **Allowed only if windows are open or with another type of ventilation**
- 4 **Other restriction(s)**

DK, RF

Universe:

HS\_Q50=1

HS\_END

End of Section

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Appointment Re-Contact (ARC)**

CAI standard block

Overview:	The Appointment Re-Contact block contains the questions used when contact is re-established with a respondent who was unable to complete the survey. Surveys must specify the circumstances under which this block is called as part of their block-to-block flow logic. Note that simply using the Outcome Code may be insufficient since a code of 25 "Hard appointment; call-back required" can be replaced by a code of 12 "Regular busy signal" if contact is not made with the first attempt to keep the appointment.
ARC_BEG	External variables required:  <i>Survey specific text variables created:</i> SURVEYINTRO = "a survey on the health of Canadians and their daily activities"
ARC_R01	<b>One of our interviewers previously contacted your household about a study we are doing with Health Canada on the general health of Canadians and their use of tobacco, alcohol, as well as prescription and non-prescription drugs. I would like to continue the interview where we left off. As you know, all information we collect in this survey will be kept strictly confidential.</b>  <u>INTERVIEWER:</u> Press <1> to continue.
Help text:	<u>Purpose:</u> To re-establish rapport with a household following an incomplete interview.  <u>Procedure:</u> Since contact has not necessarily been made with an individual who will be responding to the survey, no confidential information should be disclosed.  <u>Functionality:</u> <F5> "Refusal" and <F6> "Don't Know" are disabled for this question.
Programmer:	Pre-fill the question text with the short introduction specified by the survey.
ARC_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Person to whom you are speaking (WHO)**

WHO_BEG	This block appears before the series of questions for Person 1. It should also be repeated again for Person 2.
WHO_C01	If Pre logic: If SEL=2 AND P1 Tab = EMPTY, then Display SelRespName, GenderE, PA_Q01 (If PA_Q01 = R OR DK, display ANDBQ_01)) = SEL 1 ELSE SelRespName, GenderE, PA_Q01 (If PA_Q01 =R OR DK, display ANDBQ_01)) = SEL 2, go to . Otherwise, go to .
WHO_C02	If If SEL = 2 and were are in the first WHO respondent THEN  ^TEXT_E : If respondent is not available, press P1 Tab to choose a respondent level code., go to . Otherwise, go to .
WHO_C03	If ELSEIf SEL = 2 and were are in the second WHO respondent THEN  ^TEXT_E : If respondent is not available, press P2 Tab to choose a respondent level code., go to . Otherwise, go to .
WHO_C04	If Elself SEL = 1 then  If respondent is not available, press Exit Tab to choose an outcome code., go to . Otherwise, go to .
WHO_N05	<u>INTERVIEWER</u> : Are you speaking to the selected respondent?  1 Yes (Go to CTUMS Questionnaire) 2 No (Go to II, INT, LP, MON and CTUMS Questionnaire)  DK, RF Null is allowed
WHO_END	Post-block Logic  If SEL=2 and P1 Tab is empty, go to series of questions for Person 1. Else, if P1 Tab is not empty, go to decision point for Person 2.

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Identify Many Selected Subject (IMSS)**

IMSS\_BEG

IMSS\_C01                      If SEL=1 (1 person in household selected for questionnaire), go to IMSS\_R01.  
Otherwise, go to IMSS\_END.

IMSS\_C02                      If SEL=2 (2 persons in household selected for questionnaire), go to IMSS\_R02.  
Otherwise, go to IMSS\_END.

IMSS\_R01                      INTERVIEWER: eIRespName1^ (^GenderE, ^PA\_Q01 (If PA\_Q01 = R OR DK, display ANDBQ\_01))

**eIRespName1^ has been randomly selected for our study.**

INTERVIEWER: Press <1> to continue.

Go to IMSS\_END

IMSS\_R02                      INTERVIEWER: eIRespName1^ (^GenderE, ^PA\_Q01 (If PA\_Q01 = R OR DK, display ANDBQ\_01))  
eIRespName2^ (^GenderE, ^PA\_Q01 (If PA\_Q01 = R OR DK, display ANDBQ\_01))

**eIRespName1^ and eIRespName2^ have been randomly selected for our study.**

INTERVIEWER: You must flow from P1 to P2.

To interview P1, press <1> to continue.

To interview P2, press P1 tab to select appropriate in-progress outcome code. Press <1> to continue.

Go to IMSS\_END

IMSS\_END

**Exit - Survey Specific**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Person 1 Exit (P1X)**

P1X\_BEG

P1X\_C01

If If MU\_Q10 = 3, DK , or R OR MU\_Q40 = NOT EMPTY, THEN GO TO  
P1X\_N01, go to .  
Otherwise, go to .

P1X\_N01

INTERVIEWER: The respondent level code for P1 Tab eIRespName1 is  
^Respondent Level code - [description].

DK, RF

P1X\_END



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Person 1 Respondent level Code (P1 Tab) (P1TA)**

P1TA_BEG	<p>This screen appears when Interviewer clicks on the P1 Tab</p> <p>The person-level outcome code is auto assigned by the application (codes 61 and 70) or the Interviewer manually assigns one of the following in-progress outcome codes:</p>
P1TA_N01	<p><u>INTERVIEWER</u>: Assign the in-progress respondent level code for Person 1: elRespName1, ^GenderE, ^PA_Q01 (If PA_Q01 = R OR DK, display ANDBQ_01))</p> <p>95 Skip for now 11 Not available 20 Absent for duration of survey 22 Language barrier (not official language) 26 Verification of survey requested 39 Respondent moved 71 Partially completed 80 Refusal 90 Unusual circumstances 92 Interview prevented due to respondent's mental or physical condition</p> <p>DK, RF</p>
P1TA_END	<p>P1 Tab Post-block Logic / Decision point for Person 2 Questions If SEL=2 and P2 Tab is empty, go to series of CTUMS questions for Person 2, Else, if SEL&lt;2 go to RECAP_N01.</p>

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Person 2 Exit (P2X)**

P2X\_BEG

P2X\_C01

If If MU\_Q10 = 3, DK or R OR MU\_Q40 = NOT EMPTY, THEN GO TO P2X\_N01, go to .  
Otherwise, go to .

P2X\_N01

INTERVIEWER: The respondent level code for P2 Tab eIRespName2 is  
^Respondent Level code - [description].

DK, RF

P2X\_END

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Person 2 respondent level code (P2TA)**

P2TA_BEG	This screen appears when Interviewer clicks on the P2 Tab
P2TA_N01	<u>INTERVIEWER:</u> Assign the in-progress respondent level code for Person 2: elRespName2, ^GenderE, ^PA_Q01 (If PA_Q01 = R OR DK, display ANDBQ_01))  95 Skip for now 11 Not available 20 Absent for duration of survey 22 Language barrier (not official language) 26 Verification of survey requested 39 Respondent moved 71 Partially completed 80 Refusal 90 Unusual circumstances 92 Interview prevented due to respondent's mental or physical condition  DK, RF
P2TA_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Recap Block (RECA)**

RECA\_BEG                                    This block display the latest respondent level codes

RECA\_N01                                    INTERVIEWER: Respondent level code for Person 1 elRespName1 is  
   ^Respondent level code - description.  
   Respondent level code for Person 2 elRespName2 is ^Respondent  
   level code - description.

   Select the person's Tab to return to their CATDUS Questionnaire if OC is  
   not 39, 61 or 70.

   Mark all that apply.

   DK, RF

Programmer:                                    *Display Line 2 (Person 2) only if Se l= 2*

RECA\_END

**DRIVER BLOCKS - Entry/Exit**

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Contact (BCN)**

BCN_BEG	Import as parameters: Sample Unit Case Type, Respondent Name, Sex and Age Address (Num, Street Name, Apartment, City, Postal Code, Province) Phone Number (Area Code, Telephone Number) Previous Language of Preference AskLP_Q03 PREV_OC AskARC Survey Intro Text IsMultiple
BCN_C01	If DV_DONE_DW = No (2), go to BCN_B01. Otherwise, go to BCN_B02.
BCN_B01	Call Dwelling Block (DW)
Programmer:	<i>Pass Interview Method (Personal) as parameter.</i>
BCN_C02	If DV_OC = EMPTY, go to BCN_B02. Otherwise, go to BCN_END.
BCN_B02	Call Contact (CN) Block
Programmer:	<i>Pass as parameter: Sample Unit, Case Type, Respondent Name, Address (Num, Street Name, Apartment, City, Postal Code, Province), Phone Number (Area Code, Telephone Number), Respondent Gender, Respondent Age</i>
BCN_C03	If CRN_N02 = Yes (1), go to BCN_D03. Otherwise, go to BCN_END.
BCN_B03	Call Interviewer Instruction (II) Block
Programmer:	<i>Pass as parameters: Sample Unit, Respondent Name, Gender and Age, Address (Num, Street Name, Apartment, City, Postal Code, Province), Phone Number (Area Code, Telephone Number), Case Type</i>
BCN_B04	Call Initial Contact (IC) Block
BCN_C05	If PREV_OC = 80 OR 81 OR 82, go to BCN_B05. Otherwise, go to BCN_C06.
BCN_B05	Call Respondent Check (RC) Block
BCN_C06	If AskAP = Yes (1) OR PREV_OC = 24 or 25, go to BCN_B06. Otherwise, go to BCN_C07.
BCN_B06	Call Language of Preference (LP) Block
Programmer:	<i>Pass Previous Language and AskLP_Q03 flag as parameters</i>

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

BCN_B07	Call CATI Monitoring (MON) Block
Programmer:	<i>Pass CN_N01 (Method of Interview) and Survey Intro as parameters</i> <i>Default: Go to BCN_END</i>
BCN_B08	Call Appointment (AP)
BCN_B09	Call Telephone Check Block (TC)
BCN_B10	Call Appointment Re-Contact (ARC) Block
BCN_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Household (BHH)**

BHH_BEG	Import as parameters: Address (Num, Street Name, Apartment, City, Postal Code, Province) Phone Number (Area Code, Telephone Number) Current Date IsEFMultiple (Case is an Economic Family Multiple)
BHH_B01	Call RDD in Scope (RIS)
Programmer:	<i>Pass Address Info (num, street name, Apartment, City, Postal Code, Province) as parameters.</i>
BHH_B02	Call Survey Introduction Block (INT)
BHH_B03	Call RDD Selection Parameters block (RSP)
Programmer:	<i>Pass telephone number as parameter.</i>
BHH_B04	Call Age Without Date of Birth (ANDB)
Programmer:	<i>Pass Current Date as parameter.</i>
BHH_B05	Sex (Sex)
BHH_B06	Marital Status Without Confirmation (MSNC)
BHH_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Demographics (DEM)**

DEM_BEG	Import All members names, Current Date and Number of Current members
DEM_B01	Call "Other" Roster 1 Block (OTH1)
DEM_B02	Call the "Usual" Roster Block (USU)
DEM_B03	Call the "Other" Roster 1 Block (OTH1)
DEM_END	



**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Exit (BEX)**

BEX_BEG	Import the following variables: DV_OC DV_STATUS DV_INTLEVEL DV_MADECONTACT Survey Text IsMultiple
BEX_C01	If DV_OC = 70 OR 71, go to BEX_B01. Otherwise, go to BEX_C04.
BEX_B01	Call Person 1 Exit (P1X)
BEX_C02	If P1X_Q01 = Yes, go to BEX_B04. Otherwise, go to BEX_B02.
BEX_B02	Call Person 1 Respondent level Code (P1TA)
BEX_B03	Call Recap block (RECA)
Programmer:	<i>Pass Survey Text as parameter</i>  <i>Default: Go to BEX_C05</i>
BEX_C04	If RECA_N01 = Yes (1), go to BEX_B04. Otherwise, go to BEX_END.
BEX_B04	Call Thank You 1 (TY1) Block
BEX_C05	If RECA_OC = RESPONSE, go to BEX_B05. Otherwise, go to BEX_B06.
BEX_B05	Call Person 2 Exit (P2X) Block
Programmer:	<i>Pass DV_OC as parameter.</i>  <i>Default: Go to BEX_C07</i>
BEX_B06	Call Thank You 2 (TY2) Block
Programmer:	<i>Pass DV_INTLEVEL as parameter</i>
BEX_C07	If IntLevel = Senior or PM AND OC_N03 = 80, 81, 82, 90, 91 or 92, go to BEX_B07. Otherwise, go to BEX_B08.
BEX_B07	Call Thank You 3 Block (TY3)
BEX_B08	Call Outcome Code Block (OC)
BEX_B09	Call Confirm Outcome Code Block (COC)
BEX_END	

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

**Topical Index**

Age without Date of Birth (ANDB).....	93
Alcohol General (ALC).....	33
Alcohol Wheel (AW).....	36
Appointment (APP).....	98
Appointment Re-Contact (ARC).....	113
Cannabis (CAN).....	48
CATI Monitoring (MON).....	86
Cigarette Access (CA).....	13
Class of Worker (LMA3).....	70
Cocaine (COC).....	53
Confirm Outcome Code (COC).....	105
Contact (BCN).....	121
Contact (CN).....	75
CTADS Specific Roster Introduction (CSRI).....	110
Demographics (DEM).....	124
Drug Harms (DHA).....	60
Ecstasy (XTC).....	55
Electronic Cigarette (ELC).....	30
Exit (BEX).....	125
Exposure to Second-hand Smoke (EX).....	32
General Health (HWB).....	7
Hallucinogens (HAL).....	56
Heroin (HER).....	58
Household (BHH).....	123
Household Smoking (HS).....	2, 111
Identify Many Selected Subject (IMSS).....	115
Inhalants (GLU).....	57
Initial Contact (IC).....	82, 108
Interviewer introduction (II).....	97
Labour Market Activities Extended (LMAE).....	63
Labour Market Activities Minimal (LMAM).....	66
Language of Preference (LP).....	83
Marital Status with Confirmation (De-facto) (MSWC).....	5
Marital Status without Confirmation (De-facto) (MSNC).....	95
Methamphetamines (MET).....	54
Other Cessation Methods (OM).....	26
Outcome Code (OC).....	102
Pain Relievers (PR).....	37
Past Smoking (PS).....	9
Person 1 Exit (P1X).....	116
Person 1 Respondent level Code (P1 Tab) (P1TA).....	117
Person 2 Exit (P2X).....	118
Person 2 respondent level code (P2TA).....	119
Person Age (PA).....	4
Person to whom you are speaking (WHO).....	114
Postal Code (PC).....	73
Purchasing Patterns (PP).....	15
RDD In Scope (RIS).....	89
RDD Selection Parameters (RSP).....	91
Recap Block (RECA).....	120
Respondent Check (RC).....	80
SALVIA (SAL).....	59
Sedatives (SED).....	45
Sex (SEX).....	94

**Canadian Tobacco, Alcohol and Drugs Survey (CTADS)  
2013 / CTADS / CATI**

---

Smoking Behaviour (SB) .....	12
Smoking Cessation (SC) .....	22
Smoking Status (SS) .....	8
Stimulants (STI) .....	42
Survey Introduction (INT) .....	96, 109
Telephone Check (TC) .....	77
Thank You 1 (TY1) .....	100
Thank You 2 (TY2) .....	101
Thank You 3 (TY3) .....	107
Tobacco Products (TP) .....	27
Usual Roster (USU) .....	87
Weekly Pattern (WP) .....	11