

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 1

Variable: **HHLID_ID** Position: 1 Length: 11

Household identification consisting of unique SYEAR, SMNTH, ZRID.

This variable is suppressed on the public use microdata file.

Variable: **PRSN_ID** Position: 12 Length: 11

Person identification consisting of unique SYEAR, SMNTH, SEQID.

This variable is suppressed on the public use microdata file.

Variable: **SYEAR** Position: 23 Length: 4

Survey year

	FREQ	WTD
1999 : 1999	11,164	24,178,972
	=====	=====
	11,164	24,178,972

Variable: **SMNTH** Position: 27 Length: 2

Survey month

	FREQ	WTD
02 : 06	11,164	24,178,972
	=====	=====
	11,164	24,178,972

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 2

Demographic Variable: **PROV** *Position:* 29 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland	1,272	439,374
11	Prince Edward Island	1,140	107,841
12	Nova Scotia	1,174	754,051
13	New Brunswick	1,064	606,528
24	Quebec	1,047	5,922,834
35	Ontario	897	9,134,219
46	Manitoba	1,120	886,504
47	Saskatchewan	1,158	788,547
48	Alberta	1,181	2,297,055
59	British Columbia	1,111	3,242,021
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Demographic Variable: **CMA** *Position:* 31 *Length:* 1

CMA of the selected respondent

		FREQ	WTD
1	Non-CMA (less than 100,000)	5,963	8,913,945
2	CMA (population of 100,000 or more)	4,363	8,753,916
3	Toronto or Montréal	838	6,511,111
		=====	=====
		11,164	24,178,972

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 3

Variable: **CH010** Position: 32 Length: 2

Now a few questions about smoking in your household. Does anyone in this household smoke cigarettes, cigars or pipes?

		FREQ	WTD
01	Yes	4,819	9,016,586
03	No	6,336	15,149,747
96	Valid skip	0	0
97	Don't know	4	4,678
98	Refused	0	0
99	Not stated	5	7,961
		=====	=====
		11,164	24,178,972

Coverage: Household respondent where HHSIZE=1; this is derived from Q010, Q020, Q110A, Q120A

Variable: **H020** Position: 34 Length: 2

Including both family members and regular visitors, how many people smoke INSIDE your home every day or almost every day? (Probe: Please include cigarette, cigar and pipe smoking)

		FREQ	WTD
01 : 15		3,697	6,913,186
00	None	7,456	17,258,967
96	Valid skip	0	0
97	Don't know	11	6,819
98	Refused	0	0
99	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 4

Variable: **H025** Position: 36 Length: 2

On a typical day, how many cigarettes are smoked inside your home? (DO NOT READ LIST)

		FREQ	WTD
00	None	89	217,419
01	1 to 10 cigarettes	1,449	2,732,537
02	11 to 20 cigarettes	945	1,842,552
03	21 to 30 cigarettes	632	1,157,072
04	31 to 40 cigarettes	186	287,959
05	41 or more cigarettes	312	568,938
96	Valid skip	7,456	17,258,967
97	Don't know	83	96,941
98	Refused	1	9,767
99	Not stated	11	6,819
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Demographic Variable: **ILANG** Position: 38 Length:1

Language of interview of the selected respondent

		FREQ	WTD
1	English interview	9,942	18,524,097
2	French interview	1,222	5,654,875
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 5

Demographic Variable: **HHSIZE** *Position:* 39 *Length:* 2

Number of people in the household derived from the number of people reported in the ROSTER

Allowed Min: 01 *Allowed Max:* 14

	FREQ	WTD
01 : 12	11,164	24,178,972
	=====	=====
	11,164	24,178,972

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Variable: **AGE0005** *Position:* 41 *Length:* 2

Number of children in the household age 0-5 derived from ROSTER AG01-AG14.

	FREQ	WTD
00 : 03	11,162	24,177,316
04 4 or more	2	1,657
	=====	=====
	11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE0611** *Position:* 43 *Length:* 2

Number of children in household age 6-11 derived from ROSTER AG01-AG14.

	FREQ	WTD
00 : 02	11,126	24,053,355
03 3 or more	38	125,618
	=====	=====
	11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 6

Variable: **AGE1214** Position: 45 Length: 2

Number of children in household age 12-14 derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 02		11,160	24,173,521
03	3 or more	4	5,451
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE1517** Position: 47 Length: 2

Number of household members (including respondent) by age 15-17 derived from Roster Ag01-Ag14

		FREQ	WTD
00 : 01		10,847	23,697,570
02	2 or more	317	481,402
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Variable: **AGE1819** Position: 49 Length: 2

Number of household members (including respondent) by age 18-19 derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 02		11,150	24,174,071
03	3 or more	14	4,902
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 7

Variable: **AGE2022** *Position:* 51 *Length:* 2

Number of household members (including respondent) by age 20-22 derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 03		11,155	24,170,025
04	4 or more	9	8,947
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE2324** *Position:* 53 *Length:* 2

Number of household members (including respondent) by age 23-24 derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 03		11,160	24,171,289
04	4 or more	4	7,683
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Variable: **AGE2544** *Position:* 55 *Length:* 2

Number of household members (including respondent) by age 25-44 derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 03		11,151	24,027,077
04	4 or more	13	151,895
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 8

Variable: **AGE4564** Position: 57 Length: 2

Number of household members (including respondent) by age 45-64 derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 02		11,148	24,115,994
03	3 or more	16	62,979
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE65PL** Position: 59 Length: 2

Number of household members (including respondent) by age 65 plus derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 02		11,156	24,145,382
03	3 or more	8	33,591
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: Derived from ages of household members

Demographic Variable: **AGEGRP1** Position: 61 Length: 1

Age of respondent (grouped)

		FREQ	WTD
1	15-19 year olds	3,123	2,049,311
2	20-24 year olds	2,551	2,045,407
3	25-34 year olds	1,176	4,448,564
4	35-44 year olds	1,415	5,238,971
5	45+	2,899	10,396,720
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 9

Demographic Variable: **SEX** *Position:* 62 *Length:*1

Respondent's sex from ROSTER SE01-SE14

		FREQ	WTD
1	Male	5,195	11,899,597
2	Female	5,969	12,279,376
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Demographic Variable: **MARST** *Position:* 63 *Length:*1

Marital status from ROSTER ST01-ST14

		FREQ	WTD
1	Living common-law	599	1,715,353
2	Married	3,494	12,756,817
3	Widowed	530	1,539,281
4	Divorced	353	889,721
5	Separated	180	465,620
6	Single, never married	5,933	6,527,842
7	Don't know	42	215,728
8	Refused	33	68,611
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Variable: **HHSIZE15** *Position:* 64 *Length:* 2

Number of people age 15+ in household, calculated from household roster.

Allowed Min: 00 *Allowed Max:* 14

		FREQ	WTD
01 : 11		11,164	24,178,972
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 10

Variable: **Q010** Position: 66 Length: 1

At the present time do you smoke cigarettes every day, occasionally, or not at all?

		FREQ	WTD
1	Every day	2,545	4,965,331
2	Occasionally	670	1,033,562
3	Not at all	7,949	18,180,080
6	Valid skip	0	0
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 11

Variable: **Q020** Position: 67 Length: 1

In the past THIRTY DAYS, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	797	1,178,023
3	No	7,822	18,035,618
6	Valid skip	2,545	4,965,331
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are not current daily smokers

Derivation rules:

If Q010='1' or Q020='1'

then E020='1';

else if Q020='3'

then E020='2';

else E020='3';

If E020='1'

then C030='1';

else if E020='2'

then C030='2';

else C030='3';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 12

Variable: **Q030** Position: 68 Length: 1

During the past THIRTY DAYS, did you smoke EVERY day?

		FREQ	WTD
1	Yes	2,563	4,924,794
3	No	779	1,218,560
6	Valid Skip	7,822	18,035,618
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily smokers or who smoked in the past 30 days

Derivation rules:

If E020='1' and Q030='1' or Q010='1' then E040='1';

else if Q010='2' or Q020='1'

then E040='2';

else if E020='2' and Q040='1'

then E040='3';

else if E020='2' and Q040='3'

then E040='4';

else E040='5';

If E040='4'

then C050='1';

else C050='2';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 13

Variable: **Q040** Position: 69 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	5,193	12,159,556
3	No	5,971	12,019,416
6	Valid skip	0	0
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: Help: 100 cigarettes is about 4 or 5 packs.

Variable: **Q050** Position: 70 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,804	3,879,819
3	No	3,939	7,901,369
6	Valid skip	5,421	12,397,784
7	Don't know	0	0
8	Refus	0	0
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are never smokers

Derivation rules:

if E040='2' or E040='3'

then C060='1';

else C060='2';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 14

Variable: **Q060** *Position:* 71 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	2,120	5,887,231
3	No	570	1,326,740
6	Valid skip	8,472	16,963,950
7	Don't know	2	1,052
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are occasional smokers or former smokers

Derivation rules:

if E040 = '1' or E040 = '2' or E040 = '3' or Q050 = '1' then C065='1';
 else C065='2';

Variable: **Q065** *Position:* 72 *Length:* 2

At what age did you smoke your first cigarette?

Allowed Min: 04 *Allowed Max:* 94

		FREQ	WTD
04 : 65		7,089	15,885,080
96	Valid skip	3,939	7,901,369
97	Don't know	117	367,508
98	Refused	15	10,408
99	Not stated	4	14,609
		=====	=====
		11,164	24,178,972

Coverage: Respondents who have ever smoked a cigarette

Derivation rules:

if E040='3'
 then C070='1';
 else C070='2';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 15

Variable: **Q070** *Position:* 74 *Length:* 1

When did you stop smoking? Was it less than one year ago, 1 to 2 years ago, 3 to 5 years ago, or more than 5 years ago?

		FREQ	WTD
1	Less than one year ago	209	383,554
2	1 to 2 years ago	232	393,680
3	3 to 5 years ago	203	424,977
4	More than 5 years ago	1,349	4,875,077
6	Valid skip	9,162	18,072,404
7	Don't know	5	25,489
8	Refused	2	1,609
9	Not stated	2	2,182
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Variable: **Q080** *Position:* 75 *Length:* 2

In what month did you stop smoking?

Allowed Min: 01 *Allowed Max:* 12

		FREQ	WTD
01 : 12		199	367,615
96	Valid skip	10,946	23,766,139
97	Don't know	10	15,940
98	Refused	0	0
99	Not stated	9	29,279
		=====	=====
		11,164	24,178,972

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 16

Variable: **Q085_A** Position: 77 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... have current health problems

		FREQ	WTD
1	Yes	174	612,676
3	No	1,772	5,344,380
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Variable: **Q085_B** Position: 78 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... smoking-related illness or death of a friend or relative

		FREQ	WTD
1	Yes	117	443,390
3	No	1,829	5,513,666
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 17

Variable: **Q085_C** Position: 79 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... pregnancy/had a baby

		FREQ	WTD
1	Yes	170	495,397
3	No	1,776	5,461,659
6	Valid Skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Variable: **Q085_D** Position: 80 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... advice from doctor or other health professional

		FREQ	WTD
1	Yes	59	193,346
3	No	1,887	5,763,710
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 18

Variable: **Q085_E** Position: 81 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... concern about own future health

		FREQ	WTD
1	Yes	687	2,134,899
3	No	1,259	3,822,157
6	Valid Skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Variable: **Q085_F** Position: 82 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... concern about health of family members

		FREQ	WTD
1	Yes	121	313,217
3	No	1,825	5,643,839
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 19

Variable: **Q085_G** Position: 83 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... pressure to quit from family or friends

		FREQ	WTD
1	Yes	128	238,709
3	No	1,818	5,718,347
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Variable: **Q085_H** Position: 84 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... increased cost or difficulty affording cigarettes

		FREQ	WTD
1	Yes	188	507,228
3	No	1,758	5,449,828
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 20

Variable: **Q085_I** Position: 85 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... more restrictions on where smoking is allowed

		FREQ	WTD
1	Yes	13	39,325
3	No	1,933	5,917,731
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Variable: **Q085_J** Position: 86 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?)
... change of lifestyle (different job, less stress, increased physical activity)

		FREQ	WTD
1	Yes	218	619,643
3	No	1,728	5,337,414
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 21

Variable: **Q085_K** Position: 87 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... other (specify)

		FREQ	WTD
1	Yes	496	1,487,298
3	No	1,450	4,469,758
6	Valid skip	9,162	18,072,404
7	Don't know	53	146,668
8	Refused	3	2,844
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are former smokers

Derivation rules:

If E020='1'

then C090='1';

else C090='2'; if E040='1' or E040='2'

then C100='1';

else C100='2';

Derived Variable: **Q090MON** Position: 88 Length: 2

Number smoked by day of week...Monday

		FREQ	WTD
00 : 75		3,291	6,072,777
96	Valid Skip	7,822	18,035,618
97	Don't know	32	45,075
98	Refused	1	777
99	Not stated	18	24,725
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 22

Derived Variable: **Q090TUE** *Position:* 90 *Length:*2

Number smoked by day of week...Tuesday

		FREQ	WTD
00 : 75		3,299	6,081,269
96	Valid Skip	7,822	18,035,618
97	Don't know	24	36,583
98	Refused	0	0
99	Not stated	19	25,502
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090WED** *Position:* 92 *Length:*2

Number smoked by day of week...Wednesday

		FREQ	WTD
00 : 80		3,293	6,078,669
96	Valid Skip	7,822	18,035,618
97	Don't know	30	39,183
98	Refused	6	2,829
99	Not stated	13	22,673
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 23

Derived Variable: **Q090THU** *Position:* 94 *Length:*2

Number smoked by day of week...Thursday

		FREQ	WTD
00 : 80		3,288	6,063,996
96	Valid Skip	7,822	18,035,618
97	Don't know	35	53,856
98	Refused	4	2,637
99	Not stated	15	22,865
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090FRI** *Position:* 96 *Length:*2

Number smoked by day of week...Friday

		FREQ	WTD
00 : 75		3,290	6,062,393
96	Valid Skip	7,822	18,035,618
97	Don't know	33	55,459
98	Refused	2	3,726
99	Not stated	17	21,776
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 24

Derived Variable: **Q090SAT** *Position:* 98 *Length:*2

Number smoked by day of week...Saturday

		FREQ	WTD
00 : 75		3,283	6,055,614
96	Valid Skip	7,822	18,035,618
97	Don't know	40	62,238
98	Refused	0	0
99	Not stated	19	25,502
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090SUN** *Position:* 100 *Length:*2

Number smoked by day of week...Sunday

		FREQ	WTD
00 : 75		3,289	6,067,880
96	Valid Skip	7,822	18,035,618
97	Don't know	34	49,972
98	Refused	3	1,791
99	Not stated	16	23,711
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 25

Variable: **Q095** Position: 102 Length: 2

Where do you usually get your cigarettes? (PROBE: Do you buy them, or does someone usually give them to you?)
(PROBE: Where do you buy them?) (PROBE: Who do you get them from?) (DO NOT READ LIST.)

		FREQ	WTD
01	I buy them from a vending machine	12	18,335
02	I buy them at a small grocery / corner store	1,691	3,737,924
03	I buy them at a supermarket	452	873,822
04	I buy them at a drug store	135	134,835
05	I buy them at a gasoline station	476	664,143
06	I buy them at another kind of store	67	204,764
07	I buy them from a friend or someone else	124	123,686
08	My brother or sister gives them to me	7	21,614
09	My mother or father gives them to me	39	31,122
10	A friend or someone else gives them to me	322	325,488
11	I take from my mother/father/sibling	11	17,455
96	Valid skip	7,745	17,887,756
97	Don't know	54	80,113
98	Refused	25	43,429
99	Not stated	4	14,484
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Derivation rules:

if C100='1' or C100='2'

then do;

if (AGE >= '015' and AGE <= '024')

then do;

if (Q095 >= '01' and Q095 <= '07')

then C096='1';

else if (Q095 >= '08' and Q095 <= '11')

then C096='2';

else C096='9';

end;

else if (AGE >= '025')

then C096='3';

else C096='9';

end;

else C096='6';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 26

Variable: **Q096** Position: 104 Length: 1

Have you ever bought cigarettes?

		FREQ	WTD
1	Yes	153	100,441
3	No	179	118,914
6	Valid skip	10,830	23,958,554
7	Don't know	0	0
8	Refused	1	719
9	Not stated	1	344
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers, and answered Q095 > 07

Variable: **Q097** Position: 105 Length: 1

Have you ever been asked your age when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	1,306	944,712
3	No	456	305,845
6	Valid skip	9,395	22,923,600
7	Don't know	2	1,922
8	Refused	3	1,831
9	Not stated	2	1,063
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers, and have ever bought cigarettes

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 27

Variable: **Q098** Position: 106 Length: 1

Has anyone in a store ever refused to sell you cigarettes?

		FREQ	WTD
1	Yes	669	463,385
3	No	635	480,105
6	Valid skip	9,851	23,229,445
7	Don't know	2	1,221
8	Refused	0	0
9	Not stated	7	4,816
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers, and who have ever been asked their age when buying cigarettes

Variable: **Q100_A** Position: 107 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... nothing could make me quit/own death

		FREQ	WTD
1	Yes	287	672,555
3	No	2,501	4,340,518
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 28

Variable: **Q100_B** Position: 108 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... get smoking-related illness/get fatal disease

		FREQ	WTD
1	Yes	425	662,033
3	No	2,363	4,351,039
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q100_C** Position: 109 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... smoking-related illness/death of family member/friend

		FREQ	WTD
1	Yes	233	385,779
3	No	2,555	4,627,294
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 29

Variable: **Q100_D** *Position:* 110 *Length:* 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... pressure to quite from family/friends

		FREQ	WTD
1	Yes	112	185,817
3	No	2,676	4,827,255
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q100_E** *Position:* 111 *Length:* 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... better support and help from family/friends

		FREQ	WTD
1	Yes	43	96,376
3	No	2,745	4,916,697
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 30

Variable: **Q100_F** Position: 112 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... effective/affordable stop-smoking program / cigarette substitute

		FREQ	WTD
1	Yes	138	174,983
3	No	2,650	4,838,090
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q100_G** Position: 113 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... increased cost/difficulty affording cigarettes

		FREQ	WTD
1	Yes	123	201,158
3	No	2,665	4,811,914
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 31

Variable: **Q100_H** Position: 114 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... more restrictions on where allowed to smoke

		FREQ	WTD
1	Yes	12	21,588
3	No	2,776	4,991,485
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q100_I** Position: 115 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... change of lifestyle (different job, less stress)

		FREQ	WTD
1	Yes	176	327,589
3	No	2,612	4,685,483
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 32

Variable: **Q100_J** Position: 116 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... get pregnant/planning to have children

		FREQ	WTD
1	Yes	124	144,324
3	No	2,664	4,868,749
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q100_K** Position: 117 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... more willpower

		FREQ	WTD
1	Yes	989	1,904,691
3	No	1,799	3,108,382
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 33

Variable: **Q100_L** Position: 118 Length: 1

What would it take for you to quit smoking? (PROBE: What, if anything, would have to happen in your life to make you quit smoking?) ... other (specify)

		FREQ	WTD
1	Yes	636	1,206,719
3	No	2,152	3,806,354
6	Valid skip	7,745	17,887,756
7	Don't know	610	1,262,140
8	Refused	21	16,004
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q110** Position: 119 Length: 1

Have you ever tried smoking a cigar, including cigarillos?

		FREQ	WTD
1	Yes	4,198	8,935,584
3	No	6,924	15,184,179
6	Valid skip	0	0
7	Don't know	6	11,751
8	Refused	26	22,416
9	Not stated	10	25,042
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 34

Variable: **Q110A** Position: 120 Length: 1

In the past THIRTY DAYS, did you smoke any cigars, including cigarillos?

		FREQ	WTD
1	Yes	463	749,358
3	No	3,733	8,182,022
6	Valid skip	6,924	15,184,179
7	Don't know	2	4,204
8	Refused	0	0
9	Not stated	42	59,209
		=====	=====
		11,164	24,178,972

Coverage: Respondents who have ever smoked a cigar

Variable: **Q120** Position: 121 Length: 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,514	4,027,150
3	No	9,607	20,096,597
7	Don't know	6	7,673
8	Refused	25	16,947
9	Not stated	12	30,606
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 35

Variable: **Q120A** Position: 122 Length: 1

In the past THIRTY DAYS, did you smoke a pipe?

		FREQ	WTD
1	Yes	77	83,737
3	No	1,436	3,942,962
6	Valid skip	9,607	20,096,597
7	Don't know	1	451
8	Refused	0	0
9	Not stated	43	55,225
		=====	=====
		11,164	24,178,972

Coverage: Respondents who have ever smoked a pipe

Variable: **Q130** Position: 123 Length: 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,248	1,952,302
3	No	9,871	22,151,216
7	Don't know	8	27,903
8	Refused	25	16,947
9	Not stated	12	30,606
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 36

Variable: **Q130A** *Position:* 124 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	103	127,077
3	No	1,144	1,822,523
6	Valid skip	9,871	22,151,216
7	Don't know	1	2,701
8	Refused	0	0
9	Not stated	45	75,455
		=====	=====
		11,164	24,178,972

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable: **Q140** *Position:* 125 *Length:* 2

The next few questions ask your opinion about the regulation of tobacco products. Using a scale of 1 to 10, where 1 means "not at all important" and 10 means "extremely important", how important is it for the government to control the sale of tobacco products to minors?

Allowed Min: 01 *Allowed Max:* 10

		FREQ	WTD
01 : 10		10,846	23,390,764
97	Don't know	232	574,776
98	Refused	67	154,155
99	Not stated	19	59,277
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 37

Variable: **Q141** Position: 127 Length: 2

On a scale of 1 to 10 (where 1 means "not at all important" and 10 means "extremely important") how important is it for the government to control the advertisement of tobacco products?

Allowed Min: 01 Allowed Max: 10

		FREQ	WTD
01 : 10		10,727	23,104,867
97	Don't know	349	860,883
98	Refused	67	136,037
99	Not stated	21	77,185
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Variable: **Q142** Position: 129 Length: 2

On a scale of 1 to 10 (where 1 means "not at all important" and 10 means "extremely important") how important is it for the government to reduce the amount of nicotine in tobacco products?

Allowed Min: 01 Allowed Max: 10

		FREQ	WTD
01 : 10		10,519	22,704,156
97	Don't know	553	1,210,811
98	Refused	70	166,445
99	Not stated	22	97,561
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 38

Variable: **Q145** Position: 131 Length: 2

On a scale of 1 to 10 (where 1 means "not at all important" and 10 means "extremely important") how important is it for the government to have health warning messages on cigarette packages?

Allowed Min: 01 Allowed Max: 10

		FREQ	WTD
01 : 10		10,833	23,338,172
97	Don't know	239	577,887
98	Refused	69	159,965
99	Not stated	23	102,949
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Variable: **Q150** Position: 133 Length: 2

What is your best estimate of your total household income for the last 12 months before taxes and deductions?
Please include income from all household members and from all sources. Was it ...

		FREQ	WTD
01	Less than \$15,000	1,188	1,944,227
02	\$15 to 29,000	1,869	3,453,731
03	\$30 to 44,000	1,699	3,565,655
04	\$45 to 59,000	1,344	3,335,593
05	\$60 to 79,000	938	2,347,887
06	\$80 to 99,000	450	1,363,789
07	\$100 to 119,000	264	839,517
08	\$120,000 or more	268	918,047
97	Don't know	2,310	4,076,803
98	Refused	797	2,167,893
99	Not stated	37	165,829
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 39

Variable: **Q170** Position: 135 Length: 2

What is the highest grade or level of education you have ever attained?

		FREQ	WTD
01	No schooling	11	48,659
02	Some elementary	196	676,230
03	Completed elementary	354	662,755
04	Some secondary	3,195	4,282,036
05	Completed secondary	2,734	5,762,737
06	Some community college, technical college, CEGEP or nurse's training	702	1,653,027
07	Completed commu college, technical college, CEGEP or nurse's training	1,135	3,486,328
08	Some university or teacher's college	1,243	2,047,704
09	Completed university or teacher's college	1,360	4,886,953
10	Other education or training	67	172,806
97	Don't know	33	53,188
98	Refused	104	297,230
99	Not stated	30	149,320
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Derived Variable: **DVSST1** Position: 137 Length: 1

Derived variable for type 1 smoking status.

		FREQ	WTD
1	Current smoker	3,215	5,998,893
2	Former smoker	2,124	6,307,696
3	Never smoked	5,825	11,872,383
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 40

Derived Variable: **DVSST2** *Position:* 138 *Length:* 2

Derived variable for type 2 smoking status.

		FREQ	WTD
01	Current daily smoker	2,545	4,965,331
02	Current occasional smoker	670	1,033,562
03	Former daily smoker	1,846	5,529,602
04	Former occasional smoker	236	751,899
05	Experimental smoker	1,804	3,879,819
06	Lifetime abstainer	3,939	7,901,369
99	Not stated	124	117,390
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: New DV

Variable: **DVSS1** *Position:* 140 *Length:* 1

Derived variable for type 1 smoking status

		FREQ	WTD
1	Smoked in last 30 days	3,342	6,143,354
2	Not smked in 30 days, but smked 100 cigarettes	2,038	6,195,820
3	Never smoked or smoked less than 100 cigarettes in life	5,784	11,839,798
9	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 41

Derived Variable: **DVSS2** *Position:* 141 *Length:* 2

Derived variable for type 2 smoking status.

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigs. in life	2,712	5,169,494
02	Smoked non-daily in last 30 days, >=100 cigs. in life	443	794,241
03	Former daily smoker, but not smoked in last 30 days, >=100 cigs. in life	1,805	5,447,275
04	Former occasional smoker, not smoked in last 30 days, >=100 cigs in life	232	747,556
05	Beginner: Smoked in last 30 days, <100 cigs. in life	228	238,228
06	Past experimental smoker	1,804	3,879,819
07	Lifetime abstainer	3,939	7,901,369
99	Not stated	1	989
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: SOSIC definition

Variable: **DVCIGWK** *Position:* 143 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed Min: 000 *Allowed Max:* 995

		FREQ	WTD
000 : 525		3,256	6,018,838
996	Valid skip	7,822	18,035,618
999	Not stated	86	124,516
		=====	=====
		11,164	24,178,972

Coverage: Current smokers in last 30 days

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 42

Derived Variable: **DVAVCIG7** *Position:* 146 *Length:*2

Derived variable for smoker's average number of cigarettes smoked per day (Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC).

Allowed Min: 00 *Allowed Max:* 95

		FREQ	WTD
00 : 75		3,256	6,018,838
96	Valid skip	7,822	18,035,618
99	Not stated	86	124,516
		=====	=====
		11,164	24,178,972

Coverage: Current smokers in the last 30 days

Note: Averaged over 7 days

Derived Variable: **DVNDSMK** *Position:* 148 *Length:*2

Derived variable for number of days smoked in the last 7 days

Allowed Min: 00 *Allowed Max:* 07

		FREQ	WTD
00 : 07		3,256	6,018,838
96	Valid skip	7,822	18,035,618
99	Not stated	86	124,516
		=====	=====
		11,164	24,178,972

Coverage: Current smokers

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 43

Derived Variable: **DVAVCIGD** *Position:* 150 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked; on the days that they smoked

Allowed Min: 00 *Allowed Max:* 95

		FREQ	WTD
00 : 75		3,229	5,981,289
96	Valid skip	7,822	18,035,618
99	Not stated	113	162,065
		=====	=====
		11,164	24,178,972

Coverage: Current smokers in the last 30 days

Note: New DV

Derived Variable: **STOPSMK** *Position:* 152 *Length:* 2

Derived variable for the number of months since the survey date that the nonsmoker stopped smoking (i.e. did not smoke in past 30 days)

		FREQ	WTD
00 : 11		199	367,615
18	1-2 yrs	232	393,680
48	3-5 yrs	203	424,977
60	> 5 yrs ago	1,349	4,875,077
96	Valid skip	9,162	18,072,404
99	Not stated	19	45,219
		=====	=====
		11,164	24,178,972

Coverage: Former smokers (E040=3)

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 44

Variable: **DVYRSSMK** Position: 154 Length: 2

Derived variable for the number of years the respondent smoked

Allowed Min: 00 Allowed Max: 95

		FREQ	WTD
00 : 72		3,165	5,868,180
96	Valid Skip	7,949	18,180,080
99	Not Stated	50	130,713
		=====	=====
		11,164	24,178,972

Coverage: Current smokers

Note: New DV

Variable: **DVEVRTOB** Position: 156 Length: 1

Has the respondent ever used any tobacco products (cigarettes, cigars, pipes or chewing tobacco/pinch/snuff)?

		FREQ	WTD
1	Yes	7,817	17,352,503
3	No	3,340	6,815,925
9	Not Stated	7	10,544
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: New DV

Variable: **DVCURTOB** Position: 157 Length: 1

Has the respondent used any tobacco products in the last 30 days (cigarettes, cigars, pipes or chewing tobacco/pinch/snuff)?

		FREQ	WTD
1	Yes	3,544	6,501,908
3	No	7,620	17,677,065
9	Not Stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 45

Variable: **DVEVRBUY** Position: 158 Length: 1

Has the respondent ever bought cigarettes?

		FREQ	WTD
1	Yes	3,110	5,857,952
3	No	179	118,914
6	Valid Skip	7,873	18,201,044
9	Not Stated	2	1,063
		=====	=====
		11,164	24,178,972

Coverage: Current smokers (E040=1 or E040=2) age 15 - 24.

Note: New DV

Variable: **DVEVRREF** Position: 159 Length: 1

Has anyone in a store refused to sell cigarettes to respondent?

		FREQ	WTD
1	Yes	669	463,385
3	No	1,091	785,950
6	Valid Skip	9,395	22,923,600
9	Not Stated	9	6,037
		=====	=====
		11,164	24,178,972

Coverage: Current smokers who have ever bought cigarettes age 15 - 24

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 46

Derived Variable: **DVSMKPTN** *Position:* 160 *Length:* 1

Derived variable for current smokers smoking pattern (SOSIC only included smokers that smoked in the past 7 days instead of 30 days).

		FREQ	WTD
1	Smoked Everyday	2,706	5,202,069
2	Weekdays only	7	34,615
3	Weekend only	5	6,104
4	Did not smoke in last 7 days	186	259,738
5	Other pattern	352	516,312
6	Valid skip	7,822	18,035,618
9	Not stated	86	124,516
		=====	=====
		11,164	24,178,972

Coverage: Current smokers in the last 30 days

Derived Variable: **DVCIGARS** *Position:* 161 *Length:* 1

Derived variable on respondent's usage of cigars

		FREQ	WTD
1	Current User (YES, to used in past 30 days)	463	749,358
2	Past User (YES, to "ever tried", but NO to use in past 30 days)	3,733	8,182,022
3	Never User (NO, to "ever tried" question)	6,924	15,184,179
9	Not stated	44	63,414
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 47

Derived Variable: **DVPIPES** *Position:* 162 *Length:*1

Derived variable on respondent's usage of pipes.

		FREQ	WTD
1	Current User (YES, to used in past 30 days)	77	83,737
2	Past User (YES, to "ever tried", but NO to use in past 30 days)	1,436	3,942,962
3	Never User (NO, to "ever tried" question)	9,607	20,096,597
9	Not stated	44	55,677
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: New DV

Derived Variable: **DVCHEW** *Position:* 163 *Length:*1

Derived variable on respondent's usage of chewing tobacco/pinch/snuff.

		FREQ	WTD
1	Current User (YES, to used in past 30 days)	103	127,077
2	Past User (YES, to "ever tried", but NO to use in past 30 days)	1,144	1,822,523
3	Never User (NO, to "ever tried" question)	9,871	22,151,216
9	Not stated	46	78,156
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 48

Derived Variable: **DVEDUC** *Position:* 164 *Length:*1

Derived variable for highest level of education obtained (grouped).

		FREQ	WTD
1	Less than secondary	3,756	5,669,679
2	Completed secondary	4,746	9,636,273
3	Completed community college, technical college, CEGEP or nurse's training	1,135	3,486,328
4	Completed university or teacher's college	1,360	4,886,953
7	Don't know	0	0
8	Refused	0	0
9	Not stated	167	499,738
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: (SOSIC definition) If Q170 = 01,02,03,04 then DVEDUC = 1; If Q170 = 05,06,08,10 then DVEDUC = 2; If Q170 = 07 then DVEDUC = 3; If Q170 = 09 then DVEDUC = 4

Derived Variable: **DVINCAD** *Position:* 165 *Length:*1

Income adequacy (based on hhld income and hhld size)

		FREQ	WTD
1	Low	2,051	3,306,508
2	Medium low	3,086	6,297,678
3	Medium	1,647	4,225,002
4	Medium high	712	2,000,942
5	High	524	1,938,317
9	Not stated	3,144	6,410,526
		=====	=====
		11,164	24,178,972

Coverage: All respondents

Note: More categories than SOSIC

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 49

Variable: **HHTYPE** Position: 166 Length: 2

Type of household, based on age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Household with only 18-19 members	85	55,894
02	Household with only 20-24 members	546	587,245
03	Household with only 25-44 members	791	2,768,369
04	Household with only 45-64 members	986	3,162,936
05	Household with only 65+ members	862	2,743,141
06	Household with adults and children 00-11 only	1,204	3,788,042
07	Household with adults and teens 12-19 only	3,557	4,594,635
08	Household with adults and young children and teens 00-19	1,181	1,763,921
09	Other compositions.	1,952	4,714,790
99	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All responding households

Note: (New DV) Derived from the Roster entries.

Variable: **T_AGE** Position: 168 Length: 2

Age of respondent, derived from the respondent's date of birth Q160A B C or roster age

Allowed Min: 15 Allowed Max: 95

	FREQ	WTD
15 : 95	11,164	24,178,972
	=====	=====
	11,164	24,178,972

Coverage: All respondents

Note: On public use file, ages greater than 85 were recoded to 85.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 1

September 12, 2000

Page 50

Variable: **P_AGEGRP** Position: 170 Length: 2

Age of the respondent in ranges. Derived from the respondent's age T_AGE.

		FREQ	WTD
01	15-17	1,925	1,230,425
02	18-19	1,198	818,886
03	20-21	1,044	827,102
04	22-24	1,507	1,218,306
05	25-44	2,591	9,687,535
06	45-64	1,876	6,855,550
07	65 plus	1,023	3,541,170
99	Not stated	0	0
		=====	=====
		11,164	24,178,972

Coverage: All responding individuals

Weight Variable: **WGT6MO** Position: 172 Length: 10

Six month weight

	FREQ	WTD
0000000010 : 0000084771	11,164	24,178,972
		=====
		11,164 24,178,972

Coverage: All respondents

Note: 10 digits with 4 decimal places