

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 1

Variable: **HHLD_ID** *Position:* 1 *Length:* 11

Household identification consisting of unique SYEAR, SMNTH, ZRID.

This variable is suppressed on the public use microdata file.

Variable: **PRSN_ID** *Position:* 12 *Length:* 11

Person identification consisting of unique SYEAR, SMNTH, SEQID.

This variable is suppressed on the public use microdata file.

Variable: **SYEAR** *Position:* 23 *Length:* 4

Survey year

	FREQ	WTD
1999 : 1999	10,849	24,328,120
	=====	=====
	10,849	24,328,120

Variable: **SMNTH** *Position:* 27 *Length:* 2

Survey month

	FREQ	WTD
07 : 12	10,849	24,328,120
	=====	=====
	10,849	24,328,120

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 2

Demographic Variable: **PROV** *Position:* 29 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland	1,190	439,814
11	Prince Edward Island	1,089	108,607
12	Nova Scotia	1,061	757,336
13	New Brunswick	1,025	608,523
24	Quebec	1,114	5,942,871
35	Ontario	1,060	9,210,312
46	Manitoba	1,087	889,768
47	Saskatchewan	1,098	788,801
48	Alberta	1,111	2,320,135
59	British Columbia	1,014	3,261,954
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Demographic Variable: **CMA** *Position:* 31 *Length:* 1

CMA of the selected respondent

		FREQ	WTD
1	Non-CMA (less than 100,000)	5,915	8,948,446
2	CMA (population of 100,000 or more)	3,996	8,814,454
3	Toronto or Montréal	938	6,565,220
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 3

Variable: **CH010** *Position:* 32 *Length:* 2

Now a few questions about smoking in your household. Does anyone in this household smoke cigarettes, cigars or pipes?

		FREQ	WTD
01	Yes	4,585	8,961,512
03	No	6,238	15,322,095
96	Valid skip	0	0
97	Don't know	3	947
98	Refused	0	0
99	Not stated	23	43,566
		=====	=====
		10,849	24,328,120

Coverage: Household respondent where HHSIZE=1; this is derived from Q010, Q020, Q110A, Q120A

Variable: **H020** *Position:* 34 *Length:* 2

Including both family members and regular visitors, how many people smoke INSIDE your home every day or almost every day? (Probe: Please include cigarette, cigar and pipe smoking)

		FREQ	WTD
01 : 15		3,424	6,760,908
00	None	7,411	17,540,894
96	Valid skip	0	0
97	Don't know	13	19,032
98	Refused	1	7,286
99	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 4

Variable: **H025** *Position:* 36 *Length:* 2

On a typical day, how many cigarettes are smoked inside your home? (DO NOT READ LIST)

		FREQ	WTD
00	None	137	378,705
01	1 to 10 cigarettes	1,269	2,432,420
02	11 to 20 cigarettes	908	1,978,997
03	21 to 30 cigarettes	591	1,123,078
04	31 to 40 cigarettes	151	220,459
05	41 or more cigarettes	256	501,422
96	Valid skip	7,411	17,540,894
97	Don't know	105	109,448
98	Refused	7	16,379
99	Not stated	14	26,318
		=====	=====
		10,849	24,328,120

Coverage: Households where at least one person smokes inside the home

Variable: **H026** *Position:* 38 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	2,199	4,861,599
3	No	5,332	13,033,458
6	Valid skip	3,175	6,256,377
7	Don't know	26	25,106
8	Refused	5	25,754
9	Not stated	112	125,827
		=====	=====
		10,849	24,328,120

Coverage: Household with no regular smokers inside the home or where no cigarettes are smoked inside home.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 5

Variable: **H027** *Position:* 39 *Length:* 1

Is smoking cigarettes restricted in any way inside your home?

		FREQ	WTD
1	Yes	1,992	4,100,742
3	No	3,481	7,085,260
6	Valid skip	5,332	13,033,458
7	Don't know	8	52,901
8	Refused	5	4,899
9	Not stated	31	50,860
		=====	=====
		10,849	24,328,120

Coverage: Household where no smoker inside home but smoking is allowed or where cigarettes are smoked inside home.

Variable: **H028_A** *Position:* 40 *Length:* 1

How is smoking cigarettes restricted inside your home?Smokers are asked to abstain from smoking in the house

		FREQ	WTD
1	Yes	314	829,939
3	No	1,678	3,270,803
6	Valid skip	8,813	20,118,718
7	Don't know	0	0
8	Refused	0	0
9	Not stated	44	108,660
		=====	=====
		10,849	24,328,120

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 6

Variable: **H028_B** *Position:* 41 *Length:* 1

How is smoking cigarettes restricted inside your home?Smoking is allowed in certain rooms only

			FREQ	WTD
1	Yes		1,268	2,493,984
3	No		724	1,606,758
6	Valid skip		8,813	20,118,718
7	Don't know		0	0
8	Refused		0	0
9	Not stated		44	108,660
			=====	=====
			10,849	24,328,120

Coverage: Households where smoking is restricted inside the home

Variable: **H028_C** *Position:* 42 *Length:* 1

How is smoking cigarettes restricted inside your home?Smoking is restricted in the presence of young children

			FREQ	WTD
1	Yes		237	547,803
3	No		1,755	3,552,939
6	Valid skip		8,813	20,118,718
7	Don't know		0	0
8	Refused		0	0
9	Not stated		44	108,660
			=====	=====
			10,849	24,328,120

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 7

Variable: **H028_D** Position: 43 Length: 1

How is smoking cigarettes restricted inside your home?No ashtrays

		FREQ	WTD
1	Yes	80	164,891
3	No	1,912	3,935,851
6	Valid skip	8,813	20,118,718
7	Don't know	0	0
8	Refused	0	0
9	Not stated	44	108,660
		=====	=====
		10,849	24,328,120

Coverage: Households where smoking is restricted inside the home

Variable: **H028_E** Position: 44 Length: 1

How is smoking cigarettes restricted inside your home?Other (specify)

		FREQ	WTD
1	Yes	337	514,387
3	No	1,655	3,586,355
6	Valid skip	8,813	20,118,718
7	Don't know	0	0
8	Refused	0	0
9	Not stated	44	108,660
		=====	=====
		10,849	24,328,120

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 8

Variable: **H028_F** *Position:* 45 *Length:* 1

How is smoking cigarettes restricted inside your home?Windows opened or ventilation

		FREQ		WTD
1	Yes	98		95,603
3	No	1,894		4,005,140
6	Valid skip	8,813		20,118,718
7	Don't know	0		0
8	Refused	0		0
9	Not stated	44		108,660
		=====		=====
		10,849		24,328,120

Coverage: Households where smoking is restricted inside the home

Note: Information coded from the 'Other (specify)' category

Variable: **H028_G** *Position:* 46 *Length:* 1

How is smoking cigarettes restricted inside your home?Number of cigarettes or smokers restricted

		FREQ		WTD
1	Yes	32		74,574
3	No	1,957		4,024,978
6	Valid skip	8,813		20,118,718
7	Don't know	3		1,190
8	Refused	0		0
9	Not stated	44		108,660
		=====		=====
		10,849		24,328,120

Coverage: Households where smoking is restricted inside the home

Note: Information coded from the 'Other (specify)' category

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 9

Demographic Variable: **ILANG** *Position:* 47 *Length:* 1

Language of interview of the selected respondent

			FREQ	WTD
1	English interview		9,522	18,607,503
2	French interview		1,327	5,720,617
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Demographic Variable: **HHSIZE** *Position:* 48 *Length:* 2

Number of people in the household derived from the number of people reported in the ROSTER

Allowed Min: 01 *Allowed Max:* 14

			FREQ	WTD
01 : 13			10,849	24,328,120
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Variable: **AGE0005** *Position:* 50 *Length:* 2

Number of children in the household age 0-5 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 03			10,844	24,316,643
04	4 or more		5	11,477
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 10

Variable: **AGE0611** *Position:* 52 *Length:* 2

Number of children in household age 6-11 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,798	24,205,115
03	3 or more		51	123,005
			=====	=====
			10,849	24,328,120

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE1214** *Position:* 54 *Length:* 2

Number of children in household age 12-14 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,845	24,314,196
03	3 or more		4	13,924
			=====	=====
			10,849	24,328,120

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE1517** *Position:* 56 *Length:* 2

Number of household members (including respondent) by age 15-17 derived from Roster Ag01-Ag14

			FREQ	WTD
00 : 01			10,528	23,886,324
02	2 or more		321	441,796
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 11

Variable: **AGE1819** *Position:* 58 *Length:* 2

Number of household members (including respondent) by age 18-19 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,832	24,304,617
03	3 or more		17	23,503
			=====	=====
			10,849	24,328,120

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE2022** *Position:* 60 *Length:* 2

Number of household members (including respondent) by age 20-22 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 03			10,835	24,303,639
04	4 or more		14	24,481
			=====	=====
			10,849	24,328,120

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE2324** *Position:* 62 *Length:* 2

Number of household members (including respondent) by age 23-24 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 03			10,847	24,321,779
04	4 or more		2	6,340
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 12

Variable: **AGE2544** *Position:* 64 *Length:* 2

Number of household members (including respondent) by age 25-44 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 03			10,835	24,269,560
04	4 or more		14	58,560
			=====	=====
			10,849	24,328,120

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE4564** *Position:* 66 *Length:* 2

Number of household members (including respondent) by age 45-64 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,830	24,277,874
03	3 or more		19	50,246
			=====	=====
			10,849	24,328,120

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE65PL** *Position:* 68 *Length:* 2

Number of household members (including respondent) by age 65 plus derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,843	24,321,111
03	3 or more		6	7,008
			=====	=====
			10,849	24,328,120

Coverage: All respondents
Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 13

Demographic Variable: **AGEGRP1** *Position:* 70 *Length:*1

Age of respondent (grouped)

		FREQ	WTD
1	15-19 year olds	2,977	2,055,508
2	20-24 year olds	2,481	2,055,240
3	25-34 year olds	1,084	4,413,808
4	35-44 year olds	1,403	5,265,718
5	45 +	2,904	10,537,846
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Demographic Variable: **SEX** *Position:* 71 *Length:*1

Respondent's sex from ROSTER SE01-SE14

		FREQ	WTD
1	Male	5,045	11,973,474
2	Female	5,804	12,354,646
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 14

Demographic Variable: **MARST** *Position:* 72 *Length:* 1

Marital status from ROSTER ST01-ST14

		FREQ	WTD
1	Living common-law	586	1,783,336
2	Married	3,339	13,200,068
3	Widowed	556	1,365,323
4	Divorced	280	761,527
5	Separated	176	481,592
6	Single, never married	5,735	6,392,331
7	Don't know	59	132,639
8	Refused	118	211,304
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Variable: **HHSIZE15** *Position:* 73 *Length:* 2

Number of people age 15+ in household, calculated from household roster.

Allowed Min: 00 *Allowed Max:* 14

	FREQ	WTD
01 : 11	10,849	24,328,120
	=====	=====
	10,849	24,328,120

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 15

Variable: **Q010** Position: 75 Length: 1

At the present time do you smoke cigarettes every day, occasionally, or not at all?

		FREQ	WTD
1	Every day	2,455	5,224,402
2	Occasionally	602	1,033,707
3	Not at all	7,792	18,070,011
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 16

Variable: **Q020** Position: 76 Length: 1

In the past THIRTY DAYS, did you smoke any cigarettes?

			FREQ	WTD
1	Yes		650	1,117,852
3	No		7,744	17,985,866
6	Valid skip		2,455	5,224,402
7	Don't know		0	0
8	Refused		0	0
9	Not stated		0	0
			=====	=====
			10,849	24,328,120

Coverage: Respondents who are not current daily smokers

Derivation rules:

If Q010='1' or Q020='1'

 then E020='1';

 else if Q020='3'

 then E020='2';

 else E020='3';

If E020='1'

 then C030='1' ;

 else if E020='2'

 then C030='2';

 else C030='3';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 17

Variable: **Q030** Position: 77 Length: 1

During the past THIRTY DAYS, did you smoke EVERY day?

		FREQ	WTD
1	Yes	2,428	5,138,402
3	No	677	1,203,853
6	Valid skip	7,744	17,985,866
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current daily smokers or who smoked in the past 30 days

Derivation rules:

If E020='1' and Q030='1' or Q010='1' then E040='1' ;

else if Q010='2' or Q020='1'

 then E040='2' ;

 else if E020='2' and Q040='1'

 then E040='3' ;

 else if E020='2' and Q040='3'

 then E040='4' ;

 else E040='5' ;

If E040='4'

then C050='1' ;

else C050='2' ;

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 18

Variable: **Q040** Position: 78 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	4,817	11,997,045
3	No	6,032	12,331,075
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: All respondents
 Note: Help: 100 cigarettes is about 4 or 5 packs.

Variable: **Q050** Position: 79 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,955	3,941,170
3	No	3,882	8,152,128
6	Valid skip	5,012	12,234,822
7	Don't know	0	0
8	Refus	0	0
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are never smokers
 Derivation rules:
 if E040='2' or E040='3'
 then C060='1';
 else C060='2';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 19

Variable: **Q060** *Position:* 80 *Length:* 1

Have you ever smoked cigarettes daily?

			FREQ	WTD
1	Yes		1,903	5,585,077
3	No		532	1,198,670
6	Valid skip		8,410	17,537,994
7	Don't know		0	0
8	Refused		4	6,379
9	Not stated		0	0
			=====	=====
			10,849	24,328,120

Coverage: Respondents who are occasional smokers or former smokers

Derivation rules:

if E040 = '1' or E040 = '2' or E040 = '3' or Q050 = '1' then C065='1';
 else C065='2';

Variable: **Q065** *Position:* 81 *Length:* 2

At what age did you smoke your first cigarette?

Allowed Min: 04 *Allowed Max:* 94

			FREQ	WTD
04 : 85			6,767	15,793,345
96	Valid skip		3,882	8,152,128
97	Don't know		163	288,556
98	Refused		31	75,616
99	Not stated		6	18,475
			=====	=====
			10,849	24,328,120

Coverage: Respondents who have ever smoked a cigarette

Derivation rules:

if E040='3'
 then C070='1';
 else C070='2';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 20

Variable: **Q070** *Position:* 83 *Length:* 1

When did you stop smoking? Was it less than one year ago, 1 to 2 years ago, 3 to 5 years ago, or more than 5 years ago?

		FREQ	WTD
1	Less than one year ago	174	323,983
2	1 to 2 years ago	190	403,145
3	3 to 5 years ago	158	486,210
4	More than 5 years ago	1,276	4,458,896
6	Valid skip	9,031	18,605,142
7	Don't know	7	22,551
8	Refused	9	18,212
9	Not stated	4	9,982
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are former smokers

Variable: **Q080** *Position:* 84 *Length:* 2

In what month did you stop smoking?

Allowed Min: 01 *Allowed Max:* 12

		FREQ	WTD
01 : 12		163	310,922
96	Valid skip	10,655	23,953,393
97	Don't know	10	7,900
98	Refused	1	5,160
99	Not stated	20	50,744
		=====	=====
		10,849	24,328,120

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 21

Variable: **Q085_A** *Position:* 86 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... have current health problems

		FREQ		WTD
1	Yes	155		487,887
3	No	1,663		5,235,091
6	Valid skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Variable: **Q085_B** *Position:* 87 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... smoking-related illness or death of a friend or relative

		FREQ		WTD
1	Yes	101		330,481
3	No	1,717		5,392,498
6	Valid skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 22

Variable: **Q085_C** *Position:* 88 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... pregnancy/had a baby

		FREQ	WTD
1	Yes	153	466,687
3	No	1,665	5,256,291
6	Valid skip	9,031	18,605,142
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Variable: **Q085_D** *Position:* 89 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... advice from doctor or other health professional

		FREQ	WTD
1	Yes	55	204,594
3	No	1,763	5,518,384
6	Valid skip	9,031	18,605,142
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 23

Variable: **Q085_E** *Position:* 90 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... concern about own future health

		FREQ		WTD
1	Yes	702		2,098,815
3	No	1,116		3,624,163
6	Valid Skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Variable: **Q085_F** *Position:* 91 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... concern about health of family members

		FREQ		WTD
1	Yes	98		332,281
3	No	1,720		5,390,697
6	Valid skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 24

Variable: **Q085_G** *Position:* 92 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... pressure to quit from family or friends

		FREQ		WTD
1	Yes	93		224,473
3	No	1,725		5,498,505
6	Valid skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Variable: **Q085_H** *Position:* 93 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... increased cost or difficulty affording cigarettes

		FREQ		WTD
1	Yes	169		443,877
3	No	1,649		5,279,101
6	Valid skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 25

Variable: **Q085_I** *Position:* 94 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... more restrictions on where smoking is allowed

		FREQ		WTD
1	Yes	27		77,368
3	No	1,791		5,645,610
6	Valid skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Variable: **Q085_J** *Position:* 95 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... change of lifestyle (different job, less stress, increased physical activity)

		FREQ		WTD
1	Yes	222		564,646
3	No	1,596		5,158,332
6	Valid skip	9,031		18,605,142
7	Don't know	0		0
8	Refused	0		0
9	Not stated	0		0
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 26

Variable: **Q085_K** Position: 96 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... other (specify)

			FREQ	WTD
1	Yes		397	1,269,452
3	No		1,421	4,453,526
6	Valid skip		9,031	18,605,142
7	Don't know		0	0
8	Refused		0	0
9	Not stated		0	0
			=====	=====
			10,849	24,328,120

Coverage: Respondents who are former smokers

Derivation rules:

```

If E020='1'
then C090='1';
else C090='2';
if E040='1' then C100='1';
else if E040='2'
then C100='2';
else C100='3';
    
```

Derived Variable: **Q090MON** Position: 97 Length:2

Number smoked by day of week...Monday

			FREQ	WTD
00 : 90			3,029	6,206,127
96	Valid skip		7,744	17,985,866
97	Don't know		45	69,242
98	Refused		4	10,167
99	Not stated		27	56,718
			=====	=====
			10,849	24,328,120

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 27

Derived Variable: **Q090TUE** *Position:* 99 *Length:* 2

Number smoked by day of week...Tuesday

		FREQ	WTD
00 : 90		3,029	6,152,364
96	Valid skip	7,744	17,985,866
97	Don't know	43	121,685
98	Refused	6	2,884
99	Not stated	27	65,321
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090WED** *Position:* 101 *Length:* 2

Number smoked by day of week...Wednesday

		FREQ	WTD
00 : 90		3,032	6,166,772
96	Valid skip	7,744	17,985,866
97	Don't know	41	108,563
98	Refused	4	10,229
99	Not stated	28	56,690
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 28

Derived Variable: **Q090THU** *Position:* 103 *Length:* 2

Number smoked by day of week...Thursday

		FREQ	WTD
00 : 90		3,031	6,147,499
96	Valid skip	7,744	17,985,866
97	Don't know	41	126,551
98	Refused	10	14,781
99	Not stated	23	53,424
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090FRI** *Position:* 105 *Length:* 2

Number smoked by day of week...Friday

		FREQ	WTD
00 : 75		3,023	6,148,073
96	Valid skip	7,744	17,985,866
97	Don't know	50	126,976
98	Refused	2	8,897
99	Not stated	30	58,308
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 29

Derived Variable: **Q090SAT** *Position:* 107 *Length:*2

Number smoked by day of week...Saturday

		FREQ	WTD
00 : 90		3,017	6,132,916
96	Valid skip	7,744	17,985,866
97	Don't know	56	142,134
98	Refused	1	8,221
99	Not stated	31	58,984
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090SUN** *Position:* 109 *Length:*2

Number smoked by day of week...Sunday

		FREQ	WTD
00 : 90		3,023	6,184,485
96	Valid skip	7,744	17,985,866
97	Don't know	51	92,048
98	Refused	2	8,026
99	Not stated	29	57,695
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 30

Variable: **Q091** *Position:* 111 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	within 5 minutes	602	1,284,072
2	6 - 30 minutes	717	1,617,062
3	31 - 60 minutes	425	955,266
4	more than 60 minutes	754	1,428,783
6	Valid skip	8,276	18,883,423
7	Don't know	34	57,287
8	Refused	37	97,227
9	Not stated	4	5,000
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current daily smokers

Variable: **Q092** *Position:* 112 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	1,685	3,436,050
3	No	1,312	2,695,265
6	Valid skip	7,655	17,816,276
7	Don't know	159	294,997
8	Refused	34	80,532
9	Not stated	4	5,000
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 31

Variable: **Q093** *Position:* 113 *Length:* 1

Are you seriously considering quitting within the next 30 days?

			FREQ	WTD
1	Yes		869	1,751,503
3	No		685	1,452,590
6	Valid skip		8,967	20,511,541
7	Don't know		131	231,957
8	Refused		0	0
9	Not stated		197	380,529
			=====	=====
			10,849	24,328,120

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q094** *Position:* 114 *Length:* 2

In the last year, how many times have you quit for at least 24 hours?

Allowed Min: 00 *Allowed Max:* 90

			FREQ	WTD
00 : 90			2,943	6,121,514
96	Valid skip		7,655	17,816,276
97	Don't know		209	296,492
98	Refused		38	88,839
99	Not stated		4	5,000
			=====	=====
			10,849	24,328,120

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 32

Variable: **Q095** *Position:* 116 *Length:* 2

Where do you usually get your cigarettes? (PROBE: Do you buy them, or does someone usually give them to you?) (PROBE: Where do you buy them?) (PROBE: Who do you get them from?) (DO NOT READ LIST.)

		FREQ	WTD
01	I buy them from a vending machine	5	27,527
02	I buy them at a small grocery / corner store	1,598	3,795,189
03	I buy them at a supermarket	404	899,790
04	I buy them at a drug store	118	130,867
05	I buy them at a gasoline station	488	846,422
06	I buy them at another kind of store	66	117,577
07	I buy them from a friend or someone else	77	84,273
08	My brother or sister gives them to me	3	3,318
09	My mother or father gives them to me	27	16,113
10	A friend or someone else gives them to me	268	330,817
11	I take from my mother or father or siblings	4	7,984
96	Valid skip	7,655	17,816,276
97	Don't know	80	108,644
98	Refused	52	138,323
99	Not stated	4	5,000
		=====	=====
		10,849	24,328,120

Coverage: Respondents who are current daily or occasional smokers

Derivation rules:

if C100='1' or C100='2'

 then do;

 if (AGE >= '015' and AGE <= '024')

 then do;

 if (Q095 >= '01' and Q095 <= '07')

 then C096 = '1';

 else if (Q095 >= '08' and Q095 <= '11')

 then C096 = '2';

 else C096 = '9';

 end;

 else if (AGE >= '025')

 then C096 = '3';

 else C096 = '9';

 end;

else C096 = '6';

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 33

Variable: **Q096A** *Position:* 118 *Length:* 1

In the past 12 months, have you bought cigarettes?

		FREQ		WTD
1	Yes	86		49,636
3	No	179		138,270
6	Valid skip	10,532		24,099,673
7	Don't know	0		0
8	Refused	0		0
9	Not stated	52		40,541
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are current daily or occasional smokers between the age of 15 -24 who don't usually buy cig.

Variable: **Q097A** *Position:* 119 *Length:* 1

In the past 12 months, have you been asked your age when buying cigarettes in a store for yourself or for someone else?

		FREQ		WTD
1	Yes	911		719,163
3	No	636		480,434
6	Valid skip	9,243		23,078,914
7	Don't know	3		3,951
8	Refused	3		4,645
9	Not stated	53		41,013
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are current daily or occasional smokers between the age of 15 -24.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 34

Variable: **Q098A** *Position:* 120 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ		WTD
1	Yes	368		292,325
3	No	542		426,497
6	Valid skip	9,879		23,559,349
7	Don't know	1		341
8	Refused	0		0
9	Not stated	59		49,609
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are current daily or occasional smokers, and who have ever been asked their age when buying cigarettes

Variable: **Q099A** *Position:* 121 *Length:* 1

What strength of cigarettes do you usually smoke? (Read the list)

		FREQ		WTD
1	Ultra or extra light	415		1,011,258
2	Lights	1,236		2,243,392
3	Ultra or extra mild	190		388,914
4	Mild	177		395,385
5	Regular	1,055		2,206,724
6	Valid skip	7,655		17,816,276
7	Don't know	68		144,775
8	Refused	49		116,397
9	Not stated	4		5,000
		=====		=====
		10,849		24,328,120

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 35

Variable: **Q099B** *Position:* 122 *Length:* 1

Do you think that light/mild cigarettes are less harmful to smokers than regular cigarettes?

		FREQ	WTD
1	Yes	1,633	3,384,458
3	No	7,132	16,327,246
7	Don't know	1,862	3,868,561
8	Refused	209	712,941
9	Not stated	13	34,914
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Variable: **Q099C** *Position:* 123 *Length:* 1

Do you think that light/mild cigarettes are less addictive, about the same or more addictive than regular cigarettes?

		FREQ	WTD
1	Less addictive	696	1,362,085
2	About the same	7,763	16,627,022
3	More addictive	689	1,928,490
7	Don't know	1,475	3,664,137
8	Refused	211	710,006
9	Not stated	15	36,380
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 36

Variable: **Q110A** *Position:* 124 *Length:* 1

In the past 30 days, did you smoke any cigars, including cigarillos?

		FREQ	WTD
1	Yes	498	908,642
3	No	10,255	23,210,347
7	Don't know	21	35,228
8	Refused	60	137,523
9	Not stated	15	36,380
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Variable: **Q130A** *Position:* 125 *Length:* 1

In the past 30 days, did you use any chewing tobacco?

		FREQ	WTD
1	Yes	78	112,698
3	No	10,681	24,015,825
7	Don't know	15	25,694
8	Refused	60	137,523
9	Not stated	15	36,380
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 37

Variable: **Q130B** *Position:* 126 *Length:* 1

In the past 30 days, did you use any pinch or snuff?

			FREQ	WTD
1	Yes		44	43,931
3	No		10,716	24,078,901
7	Don't know		14	29,881
8	Refused		60	139,028
9	Not stated		15	36,380
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Variable: **Q135** *Position:* 127 *Length:* 1

During the past three (3) months, have you seen, read or heard any advertising of a sport or cultural event sponsored by a tobacco company?

			FREQ	WTD
1	Yes		3,945	8,717,029
3	No		6,251	13,953,517
7	Don't know		419	929,561
8	Refused		217	684,282
9	Not stated		17	43,731
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 38

Variable: **Q136_A** *Position:* 128 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Billboard or poster

			FREQ	WTD
1	Yes		623	1,773,786
3	No		3,322	6,943,243
6	Valid skip		6,251	13,953,517
7	Don't know		0	0
8	Refused		0	0
9	Not stated		653	1,657,574
			=====	=====
			10,849	24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_B** *Position:* 129 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Magazine

			FREQ	WTD
1	Yes		991	1,637,317
3	No		2,954	7,079,712
6	Valid skip		6,251	13,953,517
7	Don't know		0	0
8	Refused		0	0
9	Not stated		653	1,657,574
			=====	=====
			10,849	24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 39

Variable: **Q136_C** *Position:* 130 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Newspaper

			FREQ	WTD
1	Yes		464	1,462,828
3	No		3,481	7,254,201
6	Valid skip		6,251	13,953,517
7	Don't know		0	0
8	Refused		0	0
9	Not stated		653	1,657,574
			=====	=====
			10,849	24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_D** *Position:* 131 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Television

			FREQ	WTD
1	Yes		2,686	5,936,757
3	No		1,259	2,780,272
6	Valid skip		6,251	13,953,517
7	Don't know		0	0
8	Refused		0	0
9	Not stated		653	1,657,574
			=====	=====
			10,849	24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 40

Variable: **Q136_E** *Position:* 132 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Radio

		FREQ	WTD
1	Yes	206	659,873
3	No	3,739	8,057,156
6	Valid skip	6,251	13,953,517
7	Don't know	0	0
8	Refused	0	0
9	Not stated	653	1,657,574
		=====	=====
		10,849	24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_F** *Position:* 133 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...In stores (includes clocks, posters, displays, etc.)

		FREQ	WTD
1	Yes	86	157,280
3	No	3,859	8,559,749
6	Valid skip	6,251	13,953,517
7	Don't know	0	0
8	Refused	0	0
9	Not stated	653	1,657,574
		=====	=====
		10,849	24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 41

Variable: **Q136_G** *Position:* 134 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Flyer or brochure

		FREQ		WTD
1	Yes	46		178,013
3	No	3,899		8,539,016
6	Valid skip	6,251		13,953,517
7	Don't know	0		0
8	Refused	0		0
9	Not stated	653		1,657,574
		=====		=====
		10,849		24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_H** *Position:* 135 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Clothes (T-shirts, caps, jackets, etc.)

		FREQ		WTD
1	Yes	32		78,657
3	No	3,913		8,638,372
6	Valid skip	6,251		13,953,517
7	Don't know	0		0
8	Refused	0		0
9	Not stated	653		1,657,574
		=====		=====
		10,849		24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 42

Variable: **Q136_I** *Position:* 136 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Promotional articles (bags, key chains, umbrellas, etc.)

		FREQ		WTD
1	Yes	45		135,990
3	No	3,900		8,581,039
6	Valid skip	6,251		13,953,517
7	Don't know	0		0
8	Refused	0		0
9	Not stated	653		1,657,574
		=====		=====
		10,849		24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_J** *Position:* 137 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...On a bus or bus shelters

		FREQ		WTD
1	Yes	60		237,886
3	No	3,885		8,479,144
6	Valid skip	6,251		13,953,517
7	Don't know	0		0
8	Refused	0		0
9	Not stated	653		1,657,574
		=====		=====
		10,849		24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 43

Variable: **Q136_K** *Position:* 138 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Internet/ websites

		FREQ		WTD
1	Yes	31		45,299
3	No	3,914		8,671,730
6	Valid skip	6,251		13,953,517
7	Don't know	0		0
8	Refused	0		0
9	Not stated	653		1,657,574
		=====		=====
		10,849		24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_L** *Position:* 139 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Other (do not specify)

		FREQ		WTD
1	Yes	121		217,256
3	No	3,824		8,499,773
6	Valid skip	6,251		13,953,517
7	Don't know	0		0
8	Refused	0		0
9	Not stated	653		1,657,574
		=====		=====
		10,849		24,328,120

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 44

Variable: **Q137** *Position:* 140 *Length:* 2

In your opinion, who is the most responsible for young people starting to smoke? (Mark only one.)

		FREQ	WTD
01	Young people themselves	1,891	4,787,997
02	Friends / peers	4,210	8,700,827
03	Parents	1,642	3,931,602
04	Other adults	282	598,115
05	Brother / sister	19	32,463
06	Celebrities	231	573,132
07	Tobacco industry	1,312	2,564,796
08	Government	184	547,820
09	Other (do not specify)	418	1,039,860
96	Valid skip	0	0
97	Don't know	557	1,283,090
98	Refused	82	187,571
99	Not stated	21	80,847
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Variable: **Q146** *Position:* 142 *Length:* 2

Which of the following best describes your MAIN activity during the last 12 months? Were you ...

		FREQ	WTD
01	working at a job or business?	4,804	13,474,152
02	looking for work?	298	694,691
03	a student?	3,404	2,849,388
04	retired?	1,299	4,341,443
05	raising a family or running a household?	706	2,101,866
06	other?	150	392,368
96	Valid skip	0	0
97	Don't know	26	27,257
98	Refused	140	351,718
99	Not stated	22	95,238
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 45

Variable: **Q150** *Position:* 144 *Length:* 2

What is your best estimate of your total household income for the last 12 months before taxes and deductions?
Please include income from all household members and from all sources. Was it ...

		FREQ	WTD
01	Less than \$15,000	1,192	1,927,108
02	\$15 to 29,000	1,591	3,061,834
03	\$30 to 44,000	1,460	3,029,860
04	\$45 to 59,000	1,230	3,473,389
05	\$60 to 79,000	818	2,726,135
06	\$80 to 99,000	417	1,337,654
07	\$100 to 119,000	222	692,695
08	\$120,000 or more	213	773,086
97	Don't know	2,495	4,264,901
98	Refused	1,174	2,901,105
99	Not stated	37	140,353
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Variable: **Q160** *Position:* 146 *Length:* 1

What is your date of birth?

This variable is suppressed on the public use microdata file.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 46

Variable: **Q170** *Position:* 147 *Length:* 2

What is the highest grade or level of education you have ever attained?

		FREQ	WTD
01	No schooling	13	103,278
02	Some elementary	211	481,950
03	Completed elementary	381	862,200
04	Some secondary	2,986	4,588,508
05	Completed secondary	2,737	5,763,378
06	Some community college, technical college, CEGEP or nurse's training	634	2,025,288
07	Completed commu college, technical college, CEGEP or nurse's training	1,160	3,363,951
08	Some university or teacher's college	1,166	2,215,892
09	Completed university or teacher's college	1,307	4,270,129
10	Other education or training	112	204,585
97	Don't know	19	56,797
98	Refused	96	269,216
99	Not stated	27	122,948
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Derived Variable: **DVSST1** *Position:* 149 *Length:* 1

Derived variable for type 1 smoking status.

		FREQ	WTD
1	Current smoker	3,057	6,258,109
2	Former smoker	1,903	5,917,283
3	Never smoked	5,889	12,152,728
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 47

Derived Variable: **DVSST2** *Position:* 150 *Length:* 2

Derived variable for type 2 smoking status.

		FREQ	WTD
01	Current daily smoker	2,455	5,224,402
02	Current occasional smoker	602	1,033,707
03	Former daily smoker	1,664	5,133,238
04	Former occasional smoker	222	731,598
05	Experimental smoker	1,955	3,941,170
06	Lifetime abstainer	3,882	8,152,128
99	Not stated	69	111,877
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Note: New DV

Variable: **DVSS1** *Position:* 152 *Length:* 1

Derived variable for type 1 smoking status

		FREQ	WTD
1	Smoked in last 30 days	3,105	6,342,254
2	Not smoked in 30 days, but smoked 100 cigarettes	1,860	5,829,122
3	Never smoked or smoked less than 100 cigarettes in life	5,884	12,156,743
9	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 48

Derived Variable: **DVSS2** *Position:* 153 *Length:* 2

Derived variable for type 2 smoking status.

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigs. in life	2,554	5,412,109
02	Smoked non-daily in last 30 days, >=100 cigs. in life	403	755,813
03	Former daily smoker, but not smoked in last 30 days, >=100 cigs. in life	1,627	5,096,923
04	Former occasional smoker, not smoked in last 30 days, >=100 cigs in life	231	730,594
05	Beginner: Smoked in last 30 days, <100 cigs. in life	195	237,777
06	Past experimental smoker	1,955	3,941,170
07	Lifetime abstainer	3,882	8,152,128
99	Not stated	2	1,605
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Note: SOSIC definition

Variable: **DVCIGWK** *Position:* 155 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed Min: 000 *Allowed Max:* 995

		FREQ	WTD
000 : 565		2,993	6,104,954
996	Valid skip	7,744	17,985,866
999	Not stated	112	237,300
		=====	=====
		10,849	24,328,120

Coverage: Current smokers in last 30 days

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 49

Derived Variable: **DVAVCIG7** *Position:* 158 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day (Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC).

Allowed Min: 00 *Allowed Max:* 95

		FREQ	WTD
00 : 81		2,993	6,104,954
96	Valid skip	7,744	17,985,866
99	Not stated	112	237,300
		=====	=====
		10,849	24,328,120

Coverage: Current smokers in the last 30 days

Note: Averaged over 7 days

Derived Variable: **DVNDSMK** *Position:* 160 *Length:* 2

Derived variable for number of days smoked in the last 7 days

Allowed Min: 00 *Allowed Max:* 07

		FREQ	WTD
00 : 07		2,993	6,104,954
96	Valid skip	7,744	17,985,866
99	Not stated	112	237,300
		=====	=====
		10,849	24,328,120

Coverage: Current smokers

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 50

Derived Variable: **DVAVCIGD** *Position:* 162 *Length:*2

Derived variable for smoker's average number of cigarettes smoked; on the days that they smoked
Allowed Min: 00 *Allowed Max:* 95

		FREQ	WTD
00 : 90		2,972	6,062,198
96	Valid skip	7,744	17,985,866
99	Not stated	133	280,057
		=====	=====
		10,849	24,328,120

Coverage: Current smokers in the last 30 days
Note: New DV

Derived Variable: **STOPSMK** *Position:* 164 *Length:*2

Derived variable for the number of months since the survey date that the nonsmoker stopped smoking (i.e. did not smoke in past 30 days)

		FREQ	WTD
00 : 11		163	310,922
18	1-2 yrs	190	403,145
48	3-5 yrs	158	486,210
60	> 5 yrs ago	1,276	4,458,896
96	Valid skip	9,031	18,605,142
99	Not stated	31	63,805
		=====	=====
		10,849	24,328,120

Coverage: Former smokers (E040=3)
Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 51

Variable: **DVYRSSMK** Position: 166 Length: 2

Derived variable for the number of years the respondent smoked

Allowed Min: 00 Allowed Max: 95

			FREQ	WTD
00 : 71			2,981	6,124,581
96	Valid skip		7,792	18,070,011
99	Not stated		76	133,528
			=====	=====
			10,849	24,328,120

Coverage: Current smokers

Note: New DV

Variable: **DVCURTOB** Position: 168 Length: 1

Has the respondent used any tobacco products in the last 30 days (cigarettes, cigars, pipes or chewing tobacco / pinch / snuff)?

			FREQ	WTD
1	Yes		3,334	6,780,050
3	No		7,515	17,548,070
9	Not stated		0	0
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 52

Variable: **DVEVRBUY** *Position:* 169 *Length:* 1

In the past twelve months, has the respondent ever bought cigarettes?

		FREQ	WTD
1	Yes	2,842	5,951,281
3	No	179	138,270
6	Valid skip	7,776	18,198,028
9	Not stated	52	40,541
		=====	=====
		10,849	24,328,120

Coverage: Current smokers (E040=1 or E040=2) age 15 - 24.

Note: New DV

Variable: **DVEVRREF** *Position:* 170 *Length:* 1

In the past twelve months, has anyone in a store refused to sell cigarettes to respondent?

		FREQ	WTD
1	Yes	368	292,325
3	No	1,178	906,931
6	Valid skip	9,243	23,078,914
9	Not stated	60	49,950
		=====	=====
		10,849	24,328,120

Coverage: Current smokers who have ever bought cigarettes age 15 - 24.

Note: New DV

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 53

Derived Variable: **DVSMKPTN** *Position:* 171 *Length:*1

Derived variable for current smokers smoking pattern (SOSIC only included smokers that smoked in the past 7 days instead of 30 days).

		FREQ	WTD
1	Smoked everyday	2,553	5,345,377
2	Weekdays only	5	3,809
3	Weekend only	2	26,340
4	Did not smoke in last 7 days	122	215,955
5	Other pattern	311	513,473
6	Valid skip	7,744	17,985,866
9	Not stated	112	237,300
		=====	=====
		10,849	24,328,120

Coverage: Current smokers in the last 30 days

Derived Variable: **DVEDUC** *Position:* 172 *Length:*1

Derived variable for highest level of education obtained (grouped).

		FREQ	WTD
1	Less than secondary	3,591	6,035,935
2	Completed secondary	4,649	10,209,144
3	Completed community college, technical college, CEGEP or nurse's training	1,160	3,363,951
4	Completed university or teacher's college	1,307	4,270,129
7	Don't know	0	0
8	Refused	0	0
9	Not stated	142	448,962
		=====	=====
		10,849	24,328,120

Coverage: All respondents

Note: (SOSIC definition) If Q170 = 01,02,03,04 then DVEDUC = 1; If Q170 = 05,06,08,10 then DVEDUC = 2; If Q170 = 07 then DVEDUC = 3; If Q170 = 09 then DVEDUC = 4

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 54

Derived Variable: **DVINCAD** *Position:* 173 *Length:* 1

Income adequacy (based on hhld income and hhld size)

			FREQ	WTD
1	Low		1,963	3,357,754
2	Medium low		2,609	5,709,858
3	Medium		1,461	4,054,625
4	Medium high		646	2,197,763
5	High		464	1,701,763
9	Not stated		3,706	7,306,358
			=====	=====
			10,849	24,328,120

Coverage: All respondents

Note: More categories than SOSIC

Variable: **HHTYPE** *Position:* 174 *Length:* 2

Type of household, based on age composition (e.g. adults only, adults with young children, etc.)

			FREQ	WTD
01	Household with only 18-19 members		83	73,420
02	Household with only 20-24 members		518	509,350
03	Household with only 25-44 members		751	3,027,989
04	Household with only 45-64 members		944	2,977,682
05	Household with only 65+ members		884	2,601,773
06	Household with adults and children 00-11 only		1,282	4,318,006
07	Household with adults and teens 12-19 only		3,321	4,649,842
08	Household with adults and young children and teens 00-19		1,147	1,654,368
09	Other compositions.		1,919	4,515,691
99	Not stated		0	0
			=====	=====
			10,849	24,328,120

Coverage: All responding households

Note: (New DV) Derived from the Roster entries.

Canadian Tobacco Use Monitoring Survey - 1999

Person File - Cycle 2

October 10, 2000

Page 55

Variable: **T_AGE** *Position:* 176 *Length:* 2

Age of respondent, derived from the respondent's date of birth Q160A B C or roster age

Allowed Min: 15 *Allowed Max:* 95

	FREQ	WTD
15 : 95	10,849	24,328,120
	=====	=====
	10,849	24,328,120

Coverage: All respondents

Note: On public use file, ages greater than 85 were recoded to 85.

Variable: **P_AGEGRP** *Position:* 178 *Length:* 2

Age of the respondent in ranges. Derived from the respondent's age T_AGE.

		FREQ	WTD
01	15-17	1,882	1,238,458
02	18-19	1,095	817,050
03	20-21	1,025	832,380
04	22-24	1,456	1,222,860
05	25-44	2,487	9,679,526
06	45-64	1,843	6,964,260
07	65 plus	1,061	3,573,586
99	Not stated	0	0
		=====	=====
		10,849	24,328,120

Coverage: All responding individuals

Weight Variable: **WGT6MO** *Position:* 180 *Length:* 10

Six month weight

	FREQ	WTD
0000000010 : 0000059538	10,849	24,328,120
	=====	=====
	10,849	24,328,120

Coverage: All respondents

Note: 10 digits with 4 decimal places