

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 1

Variable: **SEQID** *Position:* 1 *Length:* 5

Randomly generated sequence number

Variable: **HHLD_ID** *Position:* 6 *Length:* 11

Household identification consisting of unique SYEAR, SMNTH, ZRID.

This variable is suppressed on the public use microdata file.

Variable: **PRSN_ID** *Position:* 17 *Length:* 11

Person identification consisting of unique SYEAR, SMNTH, SEQID.

This variable is suppressed on the public use microdata file.

Variable: **SYEAR** *Position:* 28 *Length:* 4

Survey year

	FREQ	WTD
2000 : 2000	10,493	24,495,804
	=====	=====
	10,493	24,495,804

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 2

Variable: **SMNTH** *Position:* 32 *Length:* 2

Survey month

	FREQ	WTD
02 : 06	10,493	24,495,804
	=====	=====
	10,493	24,495,804

Demographic Variable: **PROV** *Position:* 34 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland	1,096	441,202
11	Prince Edward Island	1,159	109,524
12	Nova Scotia	1,134	760,694
13	New Brunswick	975	610,747
24	Quebec	1,090	5,966,329
35	Ontario	947	9,293,460
46	Manitoba	978	894,006
47	Saskatchewan	963	790,190
48	Alberta	1,073	2,342,150
59	British Columbia	1,078	3,287,502
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Demographic Variable: **CMA** *Position:* 36 *Length:* 1

CMA of the selected respondent

		FREQ	WTD
1	Non-CMA (less than 100,000)	5,562	8,985,330
2	CMA (population of 100,000 or more)	4,075	8,882,526
3	Toronto or Montréal	856	6,627,949
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 3

Variable: **CH010** *Position:* 37 *Length:* 2

Now a few questions about smoking in your household. Does anyone in this household smoke cigarettes, cigars or pipes?

		FREQ	WTD
01	Yes	4,274	8,425,722
03	No	6,188	15,982,996
97	Don't know	7	11,628
98	Refused	0	0
99	Not stated	24	75,459
		=====	=====
		10,493	24,495,804

Coverage: Household respondent where HHSIZE=1; this is derived from Q010, Q020, Q110A, Q120A

Variable: **H020** *Position:* 39 *Length:* 2

Including both family members and regular visitors, how many people smoke INSIDE your home every day or almost every day? (Probe: Please include cigarette, cigar and pipe smoking)

		FREQ	WTD
01 : 15		3,237	6,300,448
00	None	7,233	18,178,398
97	Don't know	23	16,959
98	Refused	0	0
99	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 4

Variable: **H025** *Position:* 41 *Length:* 2

On a typical day, how many cigarettes are smoked inside your home? (DO NOT READ LIST)

		FREQ	WTD
00	None	140	564,229
01	1 to 10 cigarettes	1,245	2,384,901
02	11 to 20 cigarettes	857	1,443,109
03	21 to 30 cigarettes	525	1,145,773
04	31 to 40 cigarettes	123	208,904
05	41 or more cigarettes	224	407,307
96	Valid skip	7,233	18,178,398
97	Don't know	121	145,831
98	Refused	2	394
99	Not stated	23	16,959
		=====	=====
		10,493	24,495,804

Coverage: Households where at least one person smokes inside the home

Variable: **H026** *Position:* 43 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	1,938	4,585,645
3	No	5,396	14,041,529
6	Valid skip	2,974	5,589,994
7	Don't know	38	113,615
8	Refused	1	1,838
9	Not stated	146	163,183
		=====	=====
		10,493	24,495,804

Coverage: Household with no regular smokers inside the home or where no cigarettes are smoked inside home.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 5

Variable: **H027** *Position:* 44 *Length:* 1

Is smoking cigarettes restricted in any way inside your home?

			FREQ	WTD
1	Yes		1,861	3,487,392
3	No		3,177	6,810,887
6	Valid skip		5,396	14,041,529
7	Don't know		14	33,299
8	Refused		0	0
9	Not stated		45	122,698
			=====	=====
			10,493	24,495,804

Coverage: Household where no smoker inside home but smoking is allowed or where cigarettes are smoked inside home.

Variable: **H028_A** *Position:* 45 *Length:* 1

How is smoking cigarettes restricted inside your home?Smokers are asked to abstain from smoking in the house

			FREQ	WTD
1	Yes		225	877,273
3	No		1,636	2,610,119
6	Valid skip		8,573	20,852,416
7	Don't know		0	0
8	Refused		0	0
9	Not stated		59	155,997
			=====	=====
			10,493	24,495,804

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 6

Variable: **H028_B** *Position:* 46 *Length:* 1

How is smoking cigarettes restricted inside your home?Smoking is allowed in certain rooms only

			FREQ	WTD
1	Yes		1,194	1,947,817
3	No		667	1,539,575
6	Valid skip		8,573	20,852,416
7	Don't know		0	0
8	Refused		0	0
9	Not stated		59	155,997
			=====	=====
			10,493	24,495,804

Coverage: Households where smoking is restricted inside the home

Variable: **H028_C** *Position:* 47 *Length:* 1

How is smoking cigarettes restricted inside your home?Smoking is restricted in the presence of young children

			FREQ	WTD
1	Yes		223	359,243
3	No		1,638	3,128,149
6	Valid skip		8,573	20,852,416
7	Don't know		0	0
8	Refused		0	0
9	Not stated		59	155,997
			=====	=====
			10,493	24,495,804

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 7

Variable: **H028_D** Position: 48 Length: 1

How is smoking cigarettes restricted inside your home?No ashtrays

		FREQ	WTD
1	Yes	79	74,733
3	No	1,782	3,412,659
6	Valid skip	8,573	20,852,416
7	Don't know	0	0
8	Refused	0	0
9	Not stated	59	155,997
		=====	=====
		10,493	24,495,804

Coverage: Households where smoking is restricted inside the home

Variable: **H028_E** Position: 49 Length: 1

How is smoking cigarettes restricted inside your home?Other (specify)

		FREQ	WTD
1	Yes	351	546,304
3	No	1,510	2,941,088
6	Valid skip	8,573	20,852,416
7	Don't know	0	0
8	Refused	0	0
9	Not stated	59	155,997
		=====	=====
		10,493	24,495,804

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 8

Variable: **H028_F** *Position:* 50 *Length:* 1

How is smoking cigarettes restricted inside your home?Windows opened or ventilation

		FREQ	WTD
1	Yes	119	88,191
3	No	1,742	3,399,201
6	Valid skip	8,573	20,852,416
7	Don't know	0	0
8	Refused	0	0
9	Not stated	59	155,997
		=====	=====
		10,493	24,495,804

Coverage: Households where smoking is restricted inside the home

Note: Information coded from the 'Other (specify)' category

Variable: **H028_G** *Position:* 51 *Length:* 1

How is smoking cigarettes restricted inside your home?Number of cigarettes or smokers restricted

		FREQ	WTD
1	Yes	55	94,323
3	No	1,801	3,387,196
6	Valid skip	8,573	20,852,416
7	Don't know	5	5,873
8	Refused	0	0
9	Not stated	59	155,997
		=====	=====
		10,493	24,495,804

Coverage: Households where smoking is restricted inside the home

Note: Information coded from the 'Other (specify)' category

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 9

Demographic Variable: **ILANG** *Position:* 52 *Length:* 1

Language of interview of the selected respondent

		FREQ	WTD
1	English interview	9,228	18,839,478
2	French interview	1,265	5,656,326
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Demographic Variable: **HHSIZE** *Position:* 53 *Length:* 2

Number of people in the household derived from the number of people reported in the ROSTER

Allowed Min: 01 *Allowed Max:* 14

		FREQ	WTD
01 : 11		10,493	24,495,804
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Variable: **AGE0005** *Position:* 55 *Length:* 2

Number of children in the household age 0-5 derived from ROSTER AG01-AG14.

		FREQ	WTD
00 : 03		10,491	24,486,227
04	4 or more	2	9,578
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 10

Variable: **AGE0611** *Position:* 57 *Length:* 2

Number of children in household age 6-11 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,450	24,403,534
03	3 or more		43	92,271
			=====	=====
			10,493	24,495,804

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE1214** *Position:* 59 *Length:* 2

Number of children in household age 12-14 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,486	24,485,990
03	3 or more		7	9,814
			=====	=====
			10,493	24,495,804

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE1517** *Position:* 61 *Length:* 2

Number of household members (including respondent) by age 15-17 derived from Roster Ag01-Ag14

			FREQ	WTD
00 : 01			10,125	23,811,529
02	2 or more		368	684,275
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 11

Variable: **AGE1819** *Position:* 63 *Length:* 2

Number of household members (including respondent) by age 18-19 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,476	24,471,028
03	3 or more		17	24,777
			=====	=====
			10,493	24,495,804

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE2022** *Position:* 65 *Length:* 2

Number of household members (including respondent) by age 20-22 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 03			10,487	24,491,184
04	4 or more		6	4,620
			=====	=====
			10,493	24,495,804

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE2324** *Position:* 67 *Length:* 2

Number of household members (including respondent) by age 23-24 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 03			10,492	24,495,342
04	4 or more		1	463
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 12

Variable: **AGE2544** *Position:* 69 *Length:* 2

Number of household members (including respondent) by age 25-44 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 03			10,486	24,454,085
04	4 or more		7	41,719
			=====	=====
			10,493	24,495,804

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE4564** *Position:* 71 *Length:* 2

Number of household members (including respondent) by age 45-64 derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,480	24,444,637
03	3 or more		13	51,167
			=====	=====
			10,493	24,495,804

Coverage: All respondents
Note: Derived from ages of household members

Variable: **AGE65PL** *Position:* 73 *Length:* 2

Number of household members (including respondent) by age 65 plus derived from ROSTER AG01-AG14.

			FREQ	WTD
00 : 02			10,486	24,481,952
03	3 or more		7	13,853
			=====	=====
			10,493	24,495,804

Coverage: All respondents
Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 13

Demographic Variable: **AGEGRP1** *Position:* 75 *Length:* 1

Age of respondent (grouped)

		FREQ	WTD
1	15-19 year olds	2,881	2,060,588
2	20-24 year olds	2,317	2,064,864
3	25-34 year olds	1,054	4,384,116
4	35-44 year olds	1,386	5,285,888
5	45 +	2,855	10,700,348
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Demographic Variable: **SEX** *Position:* 76 *Length:* 1

Respondent's sex from ROSTER SE01-SE14

		FREQ	WTD
1	Male	4,828	12,051,027
2	Female	5,665	12,444,778
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 14

Demographic Variable: **MARST** *Position:* 77 *Length:* 1

Marital status from ROSTER ST01-ST14

		FREQ	WTD
1	Living common-law	528	1,560,689
2	Married	3,227	13,086,269
3	Widowed	546	1,415,045
4	Divorced	279	884,834
5	Separated	138	401,792
6	Single, never married	5,539	6,653,951
7	Don't know	63	119,236
8	Refused	173	373,989
9	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Variable: **HHSIZE15** *Position:* 78 *Length:* 2

Number of people age 15+ in household, calculated from household roster.

Allowed Min: 00 *Allowed Max:* 14

	FREQ	WTD
01 : 09	10,493	24,495,804
	=====	=====
	10,493	24,495,804

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 15

Variable: **Q010** Position: 80 Length: 1

At the present time do you smoke cigarettes every day, occasionally, or not at all?

		FREQ	WTD
1	Every day	2,339	4,658,356
2	Occasionally	563	1,294,142
3	Not at all	7,591	18,543,306
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 16

Variable: **Q020** Position: 81 Length: 1

In the past THIRTY DAYS, did you smoke any cigarettes?

			FREQ	WTD
1	Yes		628	1,365,638
3	No		7,526	18,471,810
6	Valid skip		2,339	4,658,356
7	Don't know		0	0
8	Refused		0	0
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are not current daily smokers

Derivation rules:

```

If Q010='1' or Q020='1'
then E020='1';
else if Q020='3'
    then E020='2';
    else E020='3';
    
```

```

If E020='1'
then C030='1';
else if E020='2'
    then C030='2';
    else C030='3';
    
```


Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 17

Variable: **Q030** *Position:* 82 *Length:* 1

During the past THIRTY DAYS, did you smoke EVERY day?

			FREQ	WTD
1	Yes		2,326	4,761,436
3	No		641	1,262,559
6	Valid skip		7,526	18,471,810
7	Don't know		0	0
8	Refused		0	0
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current daily smokers or who smoked in the past 30 days

Derivation rules:

```

If E020='1' and Q030='1' or Q010='1' then E040='1';
else if Q010='2' or Q020='1'
  then E040='2';
  else if E020='2' and Q040='1'
    then E040='3';
    else if E020='2' and Q040='3'
      then E040='4';
      else E040='5';
  
```

```

If E040='4'
then C050='1';
else C050='2';
  
```

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 18

Variable: **Q040** *Position:* 83 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	4,665	11,885,406
3	No	5,828	12,610,398
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: All respondents
Note: Help: 100 cigarettes is about 4 or 5 packs.

Variable: **Q050** *Position:* 84 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,721	3,651,310
3	No	3,899	8,548,484
6	Valid skip	4,873	12,296,010
7	Don't know	0	0
8	Refus	0	0
9	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: Respondents who are never smokers
Derivation rules:
 if E040='2' or E040='3'
 then C060='1';
 else C060='2';

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 19

Variable: **Q060** *Position:* 85 *Length:* 1

Have you ever smoked cigarettes daily?

			FREQ	WTD
1	Yes		1,899	5,916,015
3	No		510	1,360,368
6	Valid skip		8,080	17,211,371
7	Don't know		2	932
8	Refused		2	7,119
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are occasional smokers or former smokers

Derivation rules:

if E040 = '1' or E040 = '2' or E040 = '3' or Q050 = '1' then C065='1';
 else C065='2';

Variable: **Q065** *Position:* 86 *Length:* 2

At what age did you smoke your first cigarette?

Allowed Min: 04 *Allowed Max:* 94

			FREQ	WTD
04 : 70			6,572	15,876,520
96	Valid skip		3,899	8,548,484
97	Don't know		16	61,061
98	Refused		1	83
99	Not stated		5	9,657
			=====	=====
			10,493	24,495,804

Coverage: Respondents who have ever smoked a cigarette

Derivation rules:

if E040='3'
 then C070='1';
 else C070='2';

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 20

Variable: **Q070** *Position:* 88 *Length:* 1

When did you stop smoking? Was it less than one year ago, 1 to 2 years ago, 3 to 5 years ago, or more than 5 years ago?

		FREQ	WTD
1	Less than one year ago	219	607,506
2	1 to 2 years ago	215	464,568
3	3 to 5 years ago	186	579,650
4	More than 5 years ago	1,181	4,319,718
6	Valid skip	8,678	18,481,987
7	Don't know	7	7,337
8	Refused	5	31,236
9	Not stated	2	3,802
		=====	=====
		10,493	24,495,804

Coverage: Respondents who are former smokers

Variable: **Q080** *Position:* 89 *Length:* 2

In what month did you stop smoking?

Allowed Min: 01 *Allowed Max:* 12

		FREQ	WTD
01 : 12		210	605,551
96	Valid skip	10,260	23,845,923
97	Don't know	9	1,955
98	Refused	0	0
99	Not stated	14	42,376
		=====	=====
		10,493	24,495,804

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 21

Variable: **Q085_A** *Position:* 91 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... have current health problems

			FREQ	WTD
1	Yes		148	485,929
3	No		1,564	5,270,815
6	Valid skip		8,678	18,481,987
7	Don't know		98	239,197
8	Refused		5	17,875
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are former smokers

Variable: **Q085_B** *Position:* 92 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... smoking-related illness or death of a friend or relative

			FREQ	WTD
1	Yes		46	203,783
3	No		1,666	5,552,962
6	Valid skip		8,678	18,481,987
7	Don't know		98	239,197
8	Refused		5	17,875
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 22

Variable: **Q085_C** *Position:* 93 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... pregnancy/had a baby

		FREQ		WTD
1	Yes	139		451,811
3	No	1,573		5,304,934
6	Valid skip	8,678		18,481,987
7	Don't know	98		239,197
8	Refused	5		17,875
9	Not stated	0		0
		=====		=====
		10,493		24,495,804

Variable: **Q085_D** *Position:* 94 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... advice from doctor or other health professional

		FREQ		WTD
1	Yes	50		160,668
3	No	1,662		5,596,077
6	Valid skip	8,678		18,481,987
7	Don't know	98		239,197
8	Refused	5		17,875
9	Not stated	0		0
		=====		=====
		10,493		24,495,804

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 23

Variable: **Q085_E** *Position:* 95 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... concern about own future health

			FREQ	WTD
1	Yes		716	2,257,723
3	No		996	3,499,022
6	Valid Skip		8,678	18,481,987
7	Don't know		98	239,197
8	Refused		5	17,875
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are former smokers

Variable: **Q085_F** *Position:* 96 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... concern about health of family members

			FREQ	WTD
1	Yes		88	417,777
3	No		1,624	5,338,968
6	Valid skip		8,678	18,481,987
7	Don't know		98	239,197
8	Refused		5	17,875
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 24

Variable: **Q085_G** *Position:* 97 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... pressure to quit from family or friends

		FREQ		WTD
1	Yes	93		289,637
3	No	1,619		5,467,108
6	Valid skip	8,678		18,481,987
7	Don't know	98		239,197
8	Refused	5		17,875
9	Not stated	0		0
		=====		=====
		10,493		24,495,804

Coverage: Respondents who are former smokers

Variable: **Q085_H** *Position:* 98 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... increased cost or difficulty affording cigarettes

		FREQ		WTD
1	Yes	163		486,486
3	No	1,549		5,270,258
6	Valid skip	8,678		18,481,987
7	Don't know	98		239,197
8	Refused	5		17,875
9	Not stated	0		0
		=====		=====
		10,493		24,495,804

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 25

Variable: **Q085_I** *Position:* 99 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... more restrictions on where smoking is allowed

		FREQ		WTD
1	Yes	19		81,692
3	No	1,693		5,675,053
6	Valid skip	8,678		18,481,987
7	Don't know	98		239,197
8	Refused	5		17,875
9	Not stated	0		0
		=====		=====
		10,493		24,495,804

Coverage: Respondents who are former smokers

Variable: **Q085_J** *Position:* 100 *Length:* 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... change of lifestyle (different job, less stress, increased physical activity)

		FREQ		WTD
1	Yes	181		747,505
3	No	1,531		5,009,239
6	Valid skip	8,678		18,481,987
7	Don't know	98		239,197
8	Refused	5		17,875
9	Not stated	0		0
		=====		=====
		10,493		24,495,804

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 26

Variable: **Q085_K** Position: 101 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... other (specify)

			FREQ	WTD
1	Yes		425	1,256,097
3	No		1,287	4,500,648
6	Valid skip		8,678	18,481,987
7	Don't know		98	239,197
8	Refused		5	17,875
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are former smokers

Derivation rules:

```

If E020='1'
then C090='1';
else C090='2';
if E040='1' then C100='1';
else if E040='2'
then C100='2' ;
else C100='3';
    
```

Derived Variable: **Q090MON** Position: 102 Length:2

Number smoked by day of week...Monday

			FREQ	WTD
00 : 90			2,877	5,873,399
96	Valid skip		7,526	18,471,810
97	Don't know		69	100,014
98	Refused		19	50,188
99	Not stated		2	394
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 27

Derived Variable: **Q090TUE** *Position:* 104 *Length:* 2

Number smoked by day of week...Tuesday

			FREQ	WTD
00 : 90			2,883	5,899,164
96	Valid skip		7,526	18,471,810
97	Don't know		63	74,249
98	Refused		19	50,188
99	Not stated		2	394
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090WED** *Position:* 106 *Length:* 2

Number smoked by day of week...Wednesday

			FREQ	WTD
00 : 90			2,880	5,878,587
96	Valid skip		7,526	18,471,810
97	Don't know		66	94,826
98	Refused		19	50,188
99	Not stated		2	394
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 28

Derived Variable: **Q090THU** *Position:* 108 *Length:* 2

Number smoked by day of week...Thursday

			FREQ	WTD
00 : 90			2,886	5,892,038
96	Valid skip		7,526	18,471,810
97	Don't know		60	81,375
98	Refused		19	50,188
99	Not stated		2	394
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090FRI** *Position:* 110 *Length:* 2

Number smoked by day of week...Friday

			FREQ	WTD
00 : 75			2,878	5,861,184
96	Valid skip		7,526	18,471,810
97	Don't know		69	112,452
98	Refused		19	50,188
99	Not stated		1	170
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 29

Derived Variable: **Q090SAT** *Position:* 112 *Length:* 2

Number smoked by day of week...Saturday

			FREQ	WTD
00 : 90			2,867	5,855,374
96	Valid skip		7,526	18,471,810
97	Don't know		79	118,038
98	Refused		19	50,188
99	Not stated		2	394
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090SUN** *Position:* 114 *Length:* 2

Number smoked by day of week...Sunday

			FREQ	WTD
00 : 90			2,875	5,862,120
96	Valid skip		7,526	18,471,810
97	Don't know		71	111,293
98	Refused		19	50,188
99	Not stated		2	394
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 30

Variable: **Q091** *Position:* 116 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	within 5 minutes	557	1,285,234
2	6 - 30 minutes	707	1,324,199
3	31 - 60 minutes	448	890,432
4	more than 60 minutes	699	1,396,822
6	Valid skip	8,033	19,484,228
7	Don't know	28	65,217
8	Refused	20	49,502
9	Not stated	1	170
		=====	=====
		10,493	24,495,804

Coverage: Respondents who are current daily smokers

Variable: **Q092** *Position:* 117 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	1,719	3,339,284
3	No	1,141	2,653,860
6	Valid skip	7,435	18,213,611
7	Don't know	175	225,524
8	Refused	20	59,851
9	Not stated	3	3,674
		=====	=====
		10,493	24,495,804

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 31

Variable: **Q093** Position: 118 Length: 1

Are you seriously considering quitting within the next 30 days?

			FREQ	WTD
1	Yes		899	1,859,778
3	No		645	1,169,921
6	Valid skip		8,576	20,867,471
7	Don't know		175	309,585
8	Refused		0	0
9	Not stated		198	289,050
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q094** Position: 119 Length: 2

In the last year, how many times have you quit for at least 24 hours?

Allowed Min: 00 Allowed Max: 90

			FREQ	WTD
00 : 90			2,797	5,846,273
96	Valid skip		7,435	18,213,611
97	Don't know		227	345,651
98	Refused		31	86,596
99	Not stated		3	3,674
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 32

Variable: **Q095** Position: 121 Length: 2

Where do you usually get your cigarettes? (PROBE: Do you buy them, or does someone usually give them to you?) (PROBE: Where do you buy them?) (PROBE: Who do you get them from?) (DO NOT READ LIST.)

		FREQ	WTD
01	I buy them from a vending machine	5	11,947
02	I buy them at a small grocery / corner store	1,610	3,990,004
03	I buy them at a supermarket	350	659,558
04	I buy them at a drug store	108	160,499
05	I buy them at a gasoline station	441	694,021
06	I buy them at another kind of store	61	125,557
07	I buy them from a friend or someone else	76	98,252
08	My brother or sister gives them to me	4	1,719
09	My mother or father gives them to me	29	21,093
10	A friend or someone else gives them to me	251	288,354
11	I take from my mother or father or siblings	5	6,080
96	Valid skip	7,435	18,213,611
97	Don't know	85	139,781
98	Refused	30	81,654
99	Not stated	3	3,674
		=====	=====
		10,493	24,495,804

Coverage: Respondents who are current daily or occasional smokers

Derivation rules:

if C100='1' or C100='2'

 then do;

 if (AGE >= '015' and AGE <= '024')

 then do;

 if (Q095 >= '01' and Q095 <= '07')

 then C096 = '1';

 else if (Q095 >= '08' and Q095 <= '11') or

 (Q095 = '97' or Q095 = '98') then C096 = '2';

 else C096 = '9';

 end;

 else if (AGE >= '025')

 then C096 = '3';

 else C096 = '9';

 end;

 else C096 = '6';

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 33

Variable: **Q096A** *Position:* 123 *Length:* 1

In the past 12 months, have you bought cigarettes?

			FREQ	WTD
1	Yes		138	81,151
3	No		163	136,985
6	Valid skip		10,183	24,270,937
7	Don't know		1	166
8	Refused		5	2,539
9	Not stated		3	4,026
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current daily or occasional smokers between the age of 15 -24 who don't usually buy cig.

Variable: **Q097A** *Position:* 124 *Length:* 1

In the past 12 months, have you been asked your age when buying cigarettes in a store for yourself or for someone else?

			FREQ	WTD
1	Yes		929	689,198
3	No		570	464,766
6	Valid skip		8,978	23,330,381
7	Don't know		3	499
8	Refused		2	1,052
9	Not stated		11	9,908
			=====	=====
			10,493	24,495,804

Coverage: Respondents who are current daily or occasional smokers between the age of 15 -24.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 34

Variable: **Q098A** *Position:* 125 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

			FREQ		WTD
1	Yes		324		245,054
3	No		603		442,274
6	Valid skip		9,548		23,795,147
7	Don't know		2		1,869
8	Refused		0		0
9	Not stated		16		11,460
			=====		=====
			10,493		24,495,804

Coverage: Respondents who are current daily or occasional smokers, and who have ever been asked their age when buying cigarettes

Variable: **Q098B** *Position:* 126 *Length:* 1

At the present time, do you roll your own or make your own cigarettes, all of the time, most of the time, sometimes or never?

			FREQ		WTD
1	All of the time		286		417,223
2	Most of the time		155		272,687
3	Sometimes		313		495,671
4	Never		2,268		5,021,795
6	Valid skip		7,435		18,213,611
7	Don't know		6		4,277
8	Refused		27		66,864
9	Not stated		3		3,674
			=====		=====
			10,493		24,495,804

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 35

Variable: **Q099A** *Position:* 127 *Length:* 1

What strength of cigarettes do you usually smoke? (Read the list)

		FREQ	WTD
1	Ultra or extra light	400	980,211
2	Lights	1,182	2,277,834
3	Ultra or extra mild	196	321,626
4	Mild	140	285,478
5	Regular	1,039	2,203,633
6	Valid skip	7,435	18,213,611
7	Don't know	63	122,225
8	Refused	34	87,013
9	Not stated	4	4,173
		=====	=====
		10,493	24,495,804

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q099B** *Position:* 128 *Length:* 1

Do you think that light/mild cigarettes are less harmful to smokers than regular cigarettes?

		FREQ	WTD
1	Yes	1,541	3,509,701
3	No	6,879	15,977,364
7	Don't know	1,833	4,260,983
8	Refused	152	515,943
9	Not stated	88	231,813
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 36

Variable: **Q099C** *Position:* 129 *Length:* 1

Do you think that light/mild cigarettes are less addictive, about the same or more addictive than regular cigarettes?

		FREQ	WTD
1	Less addictive	615	1,407,901
2	About the same	7,482	16,200,780
3	More addictive	632	2,040,718
7	Don't know	1,518	4,022,145
8	Refused	156	558,166
9	Not stated	90	266,095
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Variable: **Q110A** *Position:* 130 *Length:* 1

In the past 30 days, did you smoke any cigars, including cigarillos?

		FREQ	WTD
1	Yes	416	789,380
3	No	9,999	23,462,828
7	Don't know	20	50,911
8	Refused	46	138,363
9	Not stated	12	54,323
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 37

Variable: **Q130A** *Position:* 131 *Length:* 1

In the past 30 days, did you use any chewing tobacco?

			FREQ	WTD
1	Yes		67	114,189
3	No		10,354	24,157,997
7	Don't know		14	41,733
8	Refused		46	127,562
9	Not stated		12	54,323
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Variable: **Q130B** *Position:* 132 *Length:* 1

In the past 30 days, did you use any pinch or snuff?

			FREQ	WTD
1	Yes		30	124,322
3	No		10,390	24,147,544
7	Don't know		14	41,733
8	Refused		47	127,882
9	Not stated		12	54,323
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 38

Variable: **Q135** *Position:* 133 *Length:* 1

During the past three (3) months, have you seen, read or heard any advertising of a sport or cultural event sponsored by a tobacco company?

			FREQ	WTD
1	Yes		3,302	6,777,603
3	No		6,465	15,504,963
7	Don't know		539	1,530,460
8	Refused		172	598,393
9	Not stated		15	84,386
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Variable: **Q136_A** *Position:* 134 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Billboard or poster

			FREQ	WTD
1	Yes		406	1,015,531
3	No		2,896	5,762,072
6	Valid skip		6,465	15,504,963
7	Don't know		0	0
8	Refused		0	0
9	Not stated		726	2,213,239
			=====	=====
			10,493	24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 39

Variable: **Q136_B** *Position:* 135 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Magazine

			FREQ	WTD
1	Yes		907	1,305,366
3	No		2,395	5,472,237
6	Valid skip		6,465	15,504,963
7	Don't know		0	0
8	Refused		0	0
9	Not stated		726	2,213,239
			=====	=====
			10,493	24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_C** *Position:* 136 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Newspaper

			FREQ	WTD
1	Yes		256	727,771
3	No		3,046	6,049,832
6	Valid skip		6,465	15,504,963
7	Don't know		0	0
8	Refused		0	0
9	Not stated		726	2,213,239
			=====	=====
			10,493	24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 40

Variable: **Q136_D** *Position:* 137 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Television

			FREQ	WTD
1	Yes		2,156	4,326,280
3	No		1,146	2,451,322
6	Valid skip		6,465	15,504,963
7	Don't know		0	0
8	Refused		0	0
9	Not stated		726	2,213,239
			=====	=====
			10,493	24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_E** *Position:* 138 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Radio

			FREQ	WTD
1	Yes		146	417,386
3	No		3,156	6,360,217
6	Valid skip		6,465	15,504,963
7	Don't know		0	0
8	Refused		0	0
9	Not stated		726	2,213,239
			=====	=====
			10,493	24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 41

Variable: **Q136_F** *Position:* 139 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...In stores (includes clocks, posters, displays, etc.)

		FREQ		WTD
1	Yes	66		160,455
3	No	3,236		6,617,148
6	Valid skip	6,465		15,504,963
7	Don't know	0		0
8	Refused	0		0
9	Not stated	726		2,213,239
		=====		=====
		10,493		24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_G** *Position:* 140 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Flyer or brochure

		FREQ		WTD
1	Yes	31		113,831
3	No	3,271		6,663,772
6	Valid skip	6,465		15,504,963
7	Don't know	0		0
8	Refused	0		0
9	Not stated	726		2,213,239
		=====		=====
		10,493		24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 42

Variable: **Q136_H** *Position:* 141 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Clothes (T-shirts, caps, jackets, etc.)

			FREQ	WTD
1	Yes		8	12,349
3	No		3,294	6,765,254
6	Valid skip		6,465	15,504,963
7	Don't know		0	0
8	Refused		0	0
9	Not stated		726	2,213,239
			=====	=====
			10,493	24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_I** *Position:* 142 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Promotional articles (bags, key chains, umbrellas, etc.)

			FREQ	WTD
1	Yes		24	18,803
3	No		3,278	6,758,800
6	Valid skip		6,465	15,504,963
7	Don't know		0	0
8	Refused		0	0
9	Not stated		726	2,213,239
			=====	=====
			10,493	24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 43

Variable: **Q136_J** *Position:* 143 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...On a bus or bus shelters

		FREQ		WTD
1	Yes	33		69,891
3	No	3,269		6,707,712
6	Valid skip	6,465		15,504,963
7	Don't know	0		0
8	Refused	0		0
9	Not stated	726		2,213,239
		=====		=====
		10,493		24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_K** *Position:* 144 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Internet/ websites

		FREQ		WTD
1	Yes	28		71,263
3	No	3,274		6,706,340
6	Valid skip	6,465		15,504,963
7	Don't know	0		0
8	Refused	0		0
9	Not stated	726		2,213,239
		=====		=====
		10,493		24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 44

Variable: **Q136_L** *Position:* 145 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
 ...Other (do not specify)

		FREQ		WTD
1	Yes	100		263,223
3	No	3,202		6,514,379
6	Valid skip	6,465		15,504,963
7	Don't know	0		0
8	Refused	0		0
9	Not stated	726		2,213,239
		=====		=====
		10,493		24,495,804

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q137** *Position:* 146 *Length:* 2

In your opinion, who is the most responsible for young people starting to smoke? (Mark only one.)

		FREQ		WTD
01	Young people themselves	1,836		4,902,234
02	Friends / peers	4,085		8,383,372
03	Parents	1,489		3,866,135
04	Other adults	185		407,358
05	Brother / sister	23		91,577
06	Celebrities	182		409,437
07	Tobacco industry	1,297		2,655,456
08	Government	210		651,639
09	Other (do not specify)	401		1,028,537
97	Don't know	694		1,780,940
98	Refused	76		234,733
99	Not stated	15		84,386
		=====		=====
		10,493		24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 45

Variable: **Q138** *Position:* 148 *Length:* 1

Do you think your risk of a heart disease or cancer is higher, lower or about the same as other people your age who do not smoke?

			FREQ	WTD
1	Higher		3,069	6,584,356
2	Lower		1,443	3,422,100
3	About the same		5,003	11,538,071
7	Don't know		739	2,098,229
8	Refused		223	763,471
9	Not stated		16	89,576
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Variable: **Q139** *Position:* 149 *Length:* 1

Do you think your risk of a heart disease or cancer is higher, lower or about the same as other people your age who smoke?

			FREQ	WTD
1	Higher		892	2,972,201
2	Lower		5,762	12,413,747
3	About the same		2,882	6,338,241
7	Don't know		712	1,895,829
8	Refused		228	781,250
9	Not stated		17	94,536
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 46

Variable: **Q140** *Position:* 150 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	8,449	15,903,817
2	French	1,284	5,456,376
3	Both English and French	159	623,229
4	Other	523	2,274,748
7	Don't know	9	40,301
8	Refused	52	102,797
9	Not stated	17	94,536
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Variable: **Q146** *Position:* 151 *Length:* 2

Which of the following best describes your MAIN activity during the last 12 months? Were you ...

		FREQ	WTD
01	working at a job or business?	4,612	13,627,943
02	looking for work?	258	655,948
03	a student?	3,391	3,112,197
04	retired?	1,268	4,197,739
05	raising a family or running a household?	681	2,168,328
06	other?	146	312,664
96	Valid skip	0	0
97	Don't know	20	56,021
98	Refused	100	270,429
99	Not stated	17	94,536
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 47

Variable: **Q150** *Position:* 153 *Length:* 2

What is your best estimate of your total household income for the last 12 months before taxes and deductions?
Please include income from all household members and from all sources. Was it ...

		FREQ	WTD
01	Less than \$15,000	1,116	1,845,239
02	\$15 to 29,000	1,567	3,579,391
03	\$30 to 44,000	1,302	3,254,157
04	\$45 to 59,000	1,056	3,018,753
05	\$60 to 79,000	815	2,517,265
06	\$80 to 99,000	383	1,416,558
07	\$100 to 119,000	223	775,747
08	\$120,000 or more	198	816,983
97	Don't know	2,558	3,532,324
98	Refused	1,244	3,575,342
99	Not stated	31	164,046
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Variable: **Q160** *Position:* 155 *Length:* 1

What is your date of birth?

This variable is suppressed on the public use microdata file.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 48

Variable: **Q170** *Position:* 156 *Length:* 2

What is the highest grade or level of education you have ever attained?

		FREQ	WTD
01	No schooling	22	137,175
02	Some elementary	244	616,476
03	Completed elementary	435	972,335
04	Some secondary	2,847	3,897,818
05	Completed secondary	2,627	6,514,613
06	Some community college, technical college, CEGEP or nurse's training	585	1,480,379
07	Completed commu college, technical college, CEGEP or nurse's training	1,165	3,785,547
08	Some university or teacher's college	1,065	1,725,196
09	Completed university or teacher's college	1,267	4,299,374
10	Other education or training	106	355,067
97	Don't know	27	152,825
98	Refused	83	443,001
99	Not stated	20	115,999
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Derived Variable: **DVSST1** *Position:* 158 *Length:* 1

Derived variable for type 1 smoking status.

		FREQ	WTD
1	Current smoker	2,902	5,952,498
2	Former smoker	1,909	6,239,882
3	Never smoked	5,682	12,303,424
9	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 49

Derived Variable: **DVSST2** *Position:* 159 *Length:* 2

Derived variable for type 2 smoking status.

		FREQ	WTD
01	Current daily smoker	2,339	4,658,356
02	Current occasional smoker	563	1,294,142
03	Former daily smoker	1,668	5,407,587
04	Former occasional smoker	213	734,320
05	Experimental smoker	1,721	3,651,310
06	Lifetime abstainer	3,899	8,548,484
99	Not stated	90	201,605
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Note: New DV

Variable: **DVSS1** *Position:* 161 *Length:* 1

Derived variable for type 1 smoking status

		FREQ	WTD
1	Smoked in last 30 days	2,967	6,023,995
2	Not smoked in 30 days, but smoked 100 cigarettes	1,851	6,137,119
3	Never smoked or smoked less than 100 cigarettes in life	5,675	12,334,690
9	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 50

Derived Variable: **DVSS2** *Position:* 162 *Length:* 2

Derived variable for type 2 smoking status.

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigs. in life	2,438	4,967,474
02	Smoked non-daily in last 30 days, >=100 cigs. in life	376	780,812
03	Former daily smoker, but not smoked in last 30 days, >=100 cigs. in life	1,630	5,338,654
04	Former occasional smoker, not smoked in last 30 days, >=100 cigs in life	219	791,041
05	Beginner: Smoked in last 30 days, <100 cigs. in life	208	410,604
06	Past experimental smoker	1,721	3,651,310
07	Lifetime abstainer	3,899	8,548,484
99	Not stated	2	7,425
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Note: SOSIC definition

Variable: **DVCIGWK** *Position:* 164 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed Min: 000 *Allowed Max:* 995

		FREQ	WTD
000 : 540		2,832	5,815,666
996	Valid skip	7,526	18,471,810
999	Not stated	135	208,329
		=====	=====
		10,493	24,495,804

Coverage: Current smokers in last 30 days

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 51

Derived Variable: **DVAVCIG7** *Position:* 167 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day (Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC).

Allowed Min: 00 *Allowed Max:* 95

			FREQ	WTD
00 : 77			2,832	5,815,666
96	Valid skip		7,526	18,471,810
99	Not stated		135	208,329
			=====	=====
			10,493	24,495,804

Coverage: Current smokers in the last 30 days

Note: Averaged over 7 days

Derived Variable: **DVNDSMK** *Position:* 169 *Length:* 2

Derived variable for number of days smoked in the last 7 days

Allowed Min: 00 *Allowed Max:* 07

			FREQ	WTD
00 : 07			2,832	5,815,666
96	Valid skip		7,526	18,471,810
99	Not stated		135	208,329
			=====	=====
			10,493	24,495,804

Coverage: Current smokers

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 52

Derived Variable: **DVAVCIGD** *Position:* 171 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked; on the days that they smoked

Allowed Min: 00 *Allowed Max:* 95

			FREQ	WTD
00 : 90			2,819	5,786,673
96	Valid skip		7,526	18,471,810
99	Not stated		148	237,322
			=====	=====
			10,493	24,495,804

Coverage: Current smokers in the last 30 days

Note: New DV

Derived Variable: **STOPSMK** *Position:* 173 *Length:* 2

Derived variable for the number of months since the survey date that the nonsmoker stopped smoking (i.e. did not smoke in past 30 days)

			FREQ	WTD
01 : 11			210	605,551
18	1-2 yrs		215	464,568
48	3-5 yrs		186	579,650
60	> 5 yrs ago		1,181	4,319,718
96	Valid skip		8,678	18,481,987
99	Not stated		23	44,330
			=====	=====
			10,493	24,495,804

Coverage: Former smokers (E040=3)

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 53

Variable: **DVYRSSMK** Position: 175 Length: 2

Derived variable for the number of years the respondent smoked

Allowed Min: 00 Allowed Max: 95

			FREQ	WTD
00 : 80			2,890	5,930,724
96	Valid skip		7,591	18,543,306
99	Not stated		12	21,774
			=====	=====
			10,493	24,495,804

Coverage: Current smokers

Note: New DV

Variable: **DVCURTOB** Position: 177 Length: 1

Has the respondent used any tobacco products in the last 30 days (cigarettes, cigars, pipes or chewing tobacco / pinch / snuff)?

			FREQ	WTD
1	Yes		3,151	6,429,142
3	No		7,342	18,066,662
9	Not stated		0	0
			=====	=====
			10,493	24,495,804

Coverage: All respondents

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 54

Variable: **DVEVRBUY** Position: 178 Length: 1

In the past twelve months, has the respondent ever bought cigarettes?

		FREQ	WTD
1	Yes	2,789	5,820,990
3	No	163	136,985
6	Valid skip	7,532	18,531,099
9	Not stated	9	6,731
		=====	=====
		10,493	24,495,804

Coverage: Current smokers (E040=1 or E040=2) age 15 - 24.

Note: New DV

Variable: **DVEVRREF** Position: 179 Length: 1

In the past twelve months, has anyone in a store refused to sell cigarettes to respondent?

		FREQ	WTD
1	Yes	324	245,054
3	No	1,173	907,041
6	Valid skip	8,978	23,330,381
9	Not stated	18	13,329
		=====	=====
		10,493	24,495,804

Coverage: Current smokers who have ever bought cigarettes age 15 - 24.

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 55

Derived Variable: **DVSMKPTN** *Position:* 180 *Length:*1

Derived variable for current smokers smoking pattern (SOSIC only included smokers that smoked in the past 7 days instead of 30 days).

		FREQ	WTD
1	Smoked everyday	2,411	4,924,417
2	Weekdays only	2	3,373
3	Weekend only	1	167
4	Did not smoke in last 7 days	142	277,260
5	Other pattern	276	610,450
6	Valid skip	7,526	18,471,810
9	Not stated	135	208,329
		=====	=====
		10,493	24,495,804

Coverage: Current smokers in the last 30 days

Derived Variable: **DVEDUC** *Position:* 181 *Length:*1

Derived variable for highest level of education obtained (grouped).

		FREQ	WTD
1	Less than secondary	3,548	5,623,804
2	Completed secondary	4,383	10,075,254
3	Completed community college, technical college, CEGEP or nurse's training	1,165	3,785,547
4	Completed university or teacher's college	1,267	4,299,374
7	Don't know	0	0
8	Refused	0	0
9	Not stated	130	711,825
		=====	=====
		10,493	24,495,804

Coverage: All respondents

Note: (SOSIC definition) If Q170 = 01,02,03,04 then DVEDUC = 1; If Q170 = 05,06,08,10 then DVEDUC = 2; If Q170 = 07 then DVEDUC = 3; If Q170 = 09 then DVEDUC = 4

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 56

Derived Variable: **DVINCAD** *Position:* 182 *Length:* 1

Income adequacy (based on hhld income and hhld size)

			FREQ		WTD
1	Low		1,826		3,204,971
2	Medium low		2,412		6,021,655
3	Medium		1,332		3,795,438
4	Medium high		639		2,351,637
5	High		451		1,850,391
9	Not stated		3,833		7,271,712
			=====		=====
			10,493		24,495,804

Coverage: All respondents

Note: More categories than SOSIC

Variable: **HHTYPE** *Position:* 183 *Length:* 2

Type of household, based on age composition (e.g. adults only, adults with young children, etc.)

			FREQ		WTD
01	Household with only 18-19 members		95		80,779
02	Household with only 20-24 members		515		523,247
03	Household with only 25-44 members		835		3,833,103
04	Household with only 45-64 members		882		3,209,932
05	Household with only 65+ members		917		2,646,561
06	Household with adults and children 00-11 only		1,084		3,011,692
07	Household with adults and teens 12-19 only		3,214		4,896,738
08	Household with adults and young children and teens 00-19		1,058		1,529,272
09	Other compositions.		1,893		4,764,479
99	Not stated		0		0
			=====		=====
			10,493		24,495,804

Coverage: All responding households

Note: (New DV) Derived from the Roster entries.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 1

March 2, 2001

Page 57

Variable: **T_AGE** *Position:* 185 *Length:* 2

Age of respondent, derived from the respondent's date of birth Q160A B C or roster age

Allowed Min: 15 *Allowed Max:* 95

	FREQ	WTD
15 : 95	10,493	24,495,804
	=====	=====
	10,493	24,495,804

Coverage: All respondents

Note: On public use file, ages greater than 85 were recoded to 85.

Variable: **P_AGEGRP** *Position:* 187 *Length:* 2

Age of the respondent in ranges. Derived from the respondent's age T_AGE.

		FREQ	WTD
01	15-17	1,813	1,287,713
02	18-19	1,068	772,875
03	20-22	1,498	1,291,247
04	23-24	819	773,617
05	25-44	2,440	9,670,005
06	45-64	1,784	7,085,190
07	65 plus	1,071	3,615,158
99	Not stated	0	0
		=====	=====
		10,493	24,495,804

Coverage: All responding individuals

Weight Variable: **WGT6MO** *Position:* 189 *Length:* 10

Six month weight

** Unspecified range **	10,493	24,495,804
	=====	=====
	10,493	24,495,804

Coverage: All respondents

Note: 10 digits with 4 decimal places