

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 1

Variable: **SEQID** *Position:* 1 *Length:* 5

Randomly generated sequence number

Variable: **HHLID_ID** *Position:* 6 *Length:* 11

Household identification consisting of unique SYEAR, SMNTH, ZRID.

This variable is suppressed on the public use microdata file.

Variable: **PRSN_ID** *Position:* 17 *Length:* 11

Person identification consisting of unique SYEAR, SMNTH, SEQID.

This variable is suppressed on the public use microdata file.

Variable: **SYEAR** *Position:* 28 *Length:* 4

Survey year

| | FREQ | WTD |
|-------------|-------|------------|
| 2000 : 2000 | 9,922 | 24,649,664 |
| | ===== | ===== |
| | 9,922 | 24,649,664 |

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 2

Variable: **SMNTH** *Position:* 32 *Length:* 2

Survey month

| | FREQ | WTD |
|---------|-------|------------|
| 07 : 12 | 9,922 | 24,649,664 |
| | ===== | ===== |
| | 9,922 | 24,649,664 |

Demographic Variable: **PROV** *Position:* 34 *Length:* 2

Province of the selected respondent

| | | FREQ | WTD |
|----|----------------------|-------|------------|
| 10 | Newfoundland | 1,041 | 440,881 |
| 11 | Prince Edward Island | 1,141 | 110,258 |
| 12 | Nova Scotia | 1,060 | 763,131 |
| 13 | New Brunswick | 880 | 612,473 |
| 24 | Quebec | 1,021 | 5,985,595 |
| 35 | Ontario | 880 | 9,378,457 |
| 46 | Manitoba | 1,017 | 897,059 |
| 47 | Saskatchewan | 923 | 790,415 |
| 48 | Alberta | 1,065 | 2,364,751 |
| 59 | British Columbia | 894 | 3,306,645 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Demographic Variable: **CMA** *Position:* 36 *Length:* 1

CMA of the selected respondent

| | | FREQ | WTD |
|---|-------------------------------------|-------|------------|
| 1 | Non-CMA (less than 100,000) | 5,309 | 9,018,151 |
| 2 | CMA (population of 100,000 or more) | 3,783 | 8,944,560 |
| 3 | Toronto or Montréal | 830 | 6,686,953 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 3

Variable: **CH010** *Position:* 37 *Length:* 2

Now a few questions about smoking in your household. Does anyone in this household smoke cigarettes, cigars or pipes?

| | | FREQ | WTD |
|----|------------|-------|------------|
| 01 | Yes | 4,053 | 9,103,044 |
| 03 | No | 5,841 | 15,464,834 |
| 97 | Don't know | 9 | 12,685 |
| 98 | Refused | 0 | 0 |
| 99 | Not stated | 19 | 69,100 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Household respondent where HHSIZE=1; this is derived from Q010, Q020, Q110A, Q120A

Variable: **H020** *Position:* 39 *Length:* 2

Including both family members and regular visitors, how many people smoke INSIDE your home every day or almost every day? (Probe: Please include cigarette, cigar and pipe smoking)

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 01 : 15 | | 3,029 | 6,881,737 |
| 00 | None | 6,861 | 17,719,708 |
| 97 | Don't know | 30 | 43,251 |
| 98 | Refused | 2 | 4,968 |
| 99 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 4

Variable: **H025** *Position:* 41 *Length:* 2

On a typical day, how many cigarettes are smoked inside your home? (DO NOT READ LIST)

| | | FREQ | WTD |
|----|-----------------------|-------|------------|
| 00 | None | 170 | 812,964 |
| 01 | 1 to 10 cigarettes | 1,140 | 2,467,397 |
| 02 | 11 to 20 cigarettes | 782 | 1,665,666 |
| 03 | 21 to 30 cigarettes | 414 | 986,745 |
| 04 | 31 to 40 cigarettes | 114 | 185,273 |
| 05 | 41 or more cigarettes | 214 | 421,960 |
| 96 | Valid skip | 6,861 | 17,719,708 |
| 97 | Don't know | 190 | 327,307 |
| 98 | Refused | 5 | 14,423 |
| 99 | Not stated | 32 | 48,219 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where at least one person smokes inside the home

Variable: **H026** *Position:* 43 *Length:* 1

Is smoking cigarettes allowed inside your home?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,721 | 4,294,823 |
| 3 | No | 5,265 | 14,106,580 |
| 6 | Valid skip | 2,664 | 5,727,042 |
| 7 | Don't know | 45 | 131,269 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 227 | 389,950 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Household with no regular smokers inside the home or where no cigarettes are smoked inside home.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 5

Variable: **H027** *Position:* 44 *Length:* 1

Is smoking cigarettes restricted in any way inside your home?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,606 | 3,634,208 |
| 3 | No | 2,978 | 6,731,747 |
| 6 | Valid skip | 5,265 | 14,106,580 |
| 7 | Don't know | 15 | 13,579 |
| 8 | Refused | 1 | 5,060 |
| 9 | Not stated | 57 | 158,489 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Household where no smoker inside home but smoking is allowed or where cigarettes are smoked inside home.

Variable: **H028_A** *Position:* 45 *Length:* 1

How is smoking cigarettes restricted inside your home?Smokers are asked to abstain from smoking in the house

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 280 | 950,870 |
| 3 | No | 1,323 | 2,655,904 |
| 6 | Valid skip | 8,243 | 20,838,328 |
| 7 | Don't know | 3 | 27,434 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 73 | 177,129 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 6

Variable: **H028_B** Position: 46 Length: 1

How is smoking cigarettes restricted inside your home?Smoking is allowed in certain rooms only

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 993 | 2,195,559 |
| 3 | No | 610 | 1,411,214 |
| 6 | Valid skip | 8,243 | 20,838,328 |
| 7 | Don't know | 3 | 27,434 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 73 | 177,129 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where smoking is restricted inside the home

Variable: **H028_C** Position: 47 Length: 1

How is smoking cigarettes restricted inside your home?Smoking is restricted in the presence of young children

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 187 | 340,595 |
| 3 | No | 1,416 | 3,266,178 |
| 6 | Valid skip | 8,243 | 20,838,328 |
| 7 | Don't know | 3 | 27,434 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 73 | 177,129 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 7

Variable: **H028_D** Position: 48 Length: 1

How is smoking cigarettes restricted inside your home?No ashtrays

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 29 | 46,006 |
| 3 | No | 1,574 | 3,560,767 |
| 6 | Valid skip | 8,243 | 20,838,328 |
| 7 | Don't know | 3 | 27,434 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 73 | 177,129 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where smoking is restricted inside the home

Variable: **H028_E** Position: 49 Length: 1

How is smoking cigarettes restricted inside your home?Other (specify)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 273 | 455,669 |
| 3 | No | 1,330 | 3,151,104 |
| 6 | Valid skip | 8,243 | 20,838,328 |
| 7 | Don't know | 3 | 27,434 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 73 | 177,129 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 8

Variable: **H028_F** Position: 50 Length: 1

How is smoking cigarettes restricted inside your home?Windows opened or ventilation

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 71 | 74,947 |
| 3 | No | 1,532 | 3,531,826 |
| 6 | Valid skip | 8,243 | 20,838,328 |
| 7 | Don't know | 3 | 27,434 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 73 | 177,129 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where smoking is restricted inside the home

Note: Information coded from the 'Other (specify)' category

Variable: **H028_G** Position: 51 Length: 1

How is smoking cigarettes restricted inside your home?Number of cigarettes or smokers restricted

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 67 | 128,112 |
| 3 | No | 1,536 | 3,478,662 |
| 6 | Valid skip | 8,243 | 20,838,328 |
| 7 | Don't know | 3 | 27,434 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 73 | 177,129 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Households where smoking is restricted inside the home

Note: Information coded from the 'Other (specify)' category

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 9

Demographic Variable: **ILANG** *Position:* 52 *Length:*1

Language of interview of the selected respondent

| | | FREQ | WTD |
|---|-------------------|-------|------------|
| 1 | English interview | 8,736 | 18,843,169 |
| 2 | French interview | 1,186 | 5,806,495 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Demographic Variable: **HHSIZE** *Position:* 53 *Length:*2

Number of people in the household derived from the number of people reported in the ROSTER

Allowed Min: 01 *Allowed Max:* 14

| | FREQ | WTD |
|---------|-------|------------|
| 01 : 13 | 9,922 | 24,649,664 |
| | ===== | ===== |
| | 9,922 | 24,649,664 |

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Variable: **AGE0005** *Position:* 55 *Length:* 2

Number of children in the household age 0-5 derived from ROSTER AG01-AG14.

| | FREQ | WTD |
|---------|-------|------------|
| 00 : 03 | 9,919 | 24,645,698 |
| 04 | 3 | 3,967 |
| | ===== | ===== |
| | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 10

Variable: **AGE0611** Position: 57 Length: 2

Number of children in household age 6-11 derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 02 | | 9,873 | 24,518,541 |
| 03 | 3 or more | 49 | 131,124 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE1214** Position: 59 Length: 2

Number of children in household age 12-14 derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 02 | | 9,908 | 24,605,520 |
| 03 | 3 or more | 14 | 44,144 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE1517** Position: 61 Length: 2

Number of household members (including respondent) by age 15-17 derived from Roster Ag01-Ag14

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 01 | | 9,590 | 24,074,845 |
| 02 | 2 or more | 332 | 574,819 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 11

Variable: **AGE1819** *Position:* 63 *Length:* 2

Number of household members (including respondent) by age 18-19 derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 02 | | 9,908 | 24,635,118 |
| 03 | 3 or more | 14 | 14,546 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE2022** *Position:* 65 *Length:* 2

Number of household members (including respondent) by age 20-22 derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 03 | | 9,911 | 24,604,844 |
| 04 | 4 or more | 11 | 44,820 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE2324** *Position:* 67 *Length:* 2

Number of household members (including respondent) by age 23-24 derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 03 | | 9,922 | 24,649,664 |
| 04 | 4 or more | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 12

Variable: **AGE2544** *Position:* 69 *Length:* 2

Number of household members (including respondent) by age 25-44 derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 03 | | 9,914 | 24,551,231 |
| 04 | 4 or more | 8 | 98,433 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE4564** *Position:* 71 *Length:* 2

Number of household members (including respondent) by age 45-64 derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 02 | | 9,910 | 24,637,801 |
| 03 | 3 or more | 12 | 11,863 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Variable: **AGE65PL** *Position:* 73 *Length:* 2

Number of household members (including respondent) by age 65 plus derived from ROSTER AG01-AG14.

| | | FREQ | WTD |
|---------|-----------|-------|------------|
| 00 : 02 | | 9,915 | 24,571,025 |
| 03 | 3 or more | 7 | 78,639 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 13

Demographic Variable: **AGEGRP1** *Position:* 75 *Length:*1

Age of respondent (grouped)

| | | FREQ | WTD |
|---|-----------------|-------|------------|
| 1 | 15-19 year olds | 2,655 | 2,063,206 |
| 2 | 20-24 year olds | 2,208 | 2,070,642 |
| 3 | 25-34 year olds | 989 | 4,376,310 |
| 4 | 35-44 year olds | 1,287 | 5,292,430 |
| 5 | 45 + | 2,783 | 10,847,077 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Demographic Variable: **SEX** *Position:* 76 *Length:*1

Respondent's sex from ROSTER SE01-SE14

| | | FREQ | WTD |
|---|--------|-------|------------|
| 1 | Male | 4,593 | 12,093,257 |
| 2 | Female | 5,329 | 12,556,407 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 14

Demographic Variable: **MARST** *Position:* 77 *Length:*1

Marital status from ROSTER ST01-ST14

| | | FREQ | WTD |
|---|-----------------------|-------|------------|
| 1 | Living common-law | 498 | 1,719,352 |
| 2 | Married | 3,084 | 13,152,942 |
| 3 | Widowed | 468 | 1,223,089 |
| 4 | Divorced | 293 | 922,974 |
| 5 | Separated | 138 | 317,036 |
| 6 | Single, never married | 5,199 | 6,800,387 |
| 7 | Don't know | 79 | 226,085 |
| 8 | Refused | 163 | 287,799 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Variable: **HHSIZE15** *Position:* 78 *Length:* 2

Number of people age 15+ in household, calculated from household roster.

Allowed Min: 00 *Allowed Max:* 14

| | FREQ | WTD |
|---------|-------|-------------------------------------|
| 01 : 10 | 9,922 | 24,649,664 |
| | | ===== |
| | | 9,922 24,649,664 |

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 15

Variable: **Q010** *Position:* 80 *Length:* 1

At the present time do you smoke cigarettes every day, occasionally, or not at all?

| | | FREQ | WTD |
|---|--------------|-------|------------|
| 1 | Every day | 2,269 | 5,054,837 |
| 2 | Occasionally | 461 | 1,040,882 |
| 3 | Not at all | 7,192 | 18,553,945 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 16

Variable: **Q020** *Position:* 81 *Length:* 1

In the past THIRTY DAYS, did you smoke any cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 511 | 1,177,074 |
| 3 | No | 7,142 | 18,417,753 |
| 6 | Valid skip | 2,269 | 5,054,837 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are not current daily smokers

Derivation rules:

If Q010='1' or Q020='1'

then E020='1';

else if Q020='3'

then E020='2';

else E020='3';

If E020='1'

then C030='1' ;

else if E020='2'

then C030='2';

else C030='3';

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 17

Variable: **Q030** Position: 82 Length: 1

During the past THIRTY DAYS, did you smoke EVERY day?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 2,269 | 5,132,929 |
| 3 | No | 511 | 1,098,982 |
| 6 | Valid skip | 7,142 | 18,417,753 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily smokers or who smoked in the past 30 days

Derivation rules:

If E020='1' and Q030='1' or Q010='1' then E040='1' ;

else if Q010='2' or Q020='1'

then E040='2' ;

else if E020='2' and Q040='1'

then E040='3' ;

else if E020='2' and Q040='3'

then E040='4' ;

else E040='5' ;

If E040='4'

then C050='1' ;

else C050='2' ;

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 18

Variable: **Q040** Position: 83 Length: 1

Have you smoked at least 100 cigarettes in your life?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 4,439 | 12,431,301 |
| 3 | No | 5,483 | 12,218,363 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: Help: 100 cigarettes is about 4 or 5 packs.

Variable: **Q050** Position: 84 Length: 1

Have you ever smoked a whole cigarette?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,538 | 3,315,467 |
| 3 | No | 3,793 | 8,596,749 |
| 6 | Valid skip | 4,591 | 12,737,448 |
| 7 | Don't know | 0 | 0 |
| 8 | Refus | 0 | 0 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are never smokers

Derivation rules:

if E040='2' or E040='3'
then C060='1';
else C060='2';

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 19

Variable: **Q060** *Position:* 85 *Length:* 1

Have you ever smoked cigarettes daily?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,830 | 6,234,241 |
| 3 | No | 406 | 1,199,582 |
| 6 | Valid skip | 7,685 | 17,204,820 |
| 7 | Don't know | 1 | 11,021 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are occasional smokers or former smokers

Derivation rules:

if E040 = '1' or E040 = '2' or E040 = '3' or Q050 = '1' then C065='1';
else C065='2';

Variable: **Q065** *Position:* 86 *Length:* 2

At what age did you smoke your first cigarette?

Allowed Min: 04 *Allowed Max:* 94

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 04 : 68 | | 6,114 | 15,974,076 |
| 96 | Valid skip | 3,793 | 8,596,749 |
| 97 | Don't know | 6 | 65,133 |
| 98 | Refused | 4 | 4,077 |
| 99 | Not stated | 5 | 9,629 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who have ever smoked a cigarette

Derivation rules:

if E040='3'
then C070='1';
else C070='2';

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 20

Variable: **Q070** Position: 88 Length: 1

When did you stop smoking? Was it less than one year ago, 1 to 2 years ago, 3 to 5 years ago, or more than 5 years ago?

| | | FREQ | WTD |
|---|------------------------|-------|------------|
| 1 | Less than one year ago | 167 | 446,085 |
| 2 | 1 to 2 years ago | 173 | 464,573 |
| 3 | 3 to 5 years ago | 192 | 452,356 |
| 4 | More than 5 years ago | 1,207 | 4,969,537 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 7 | 28,466 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 1 | 837 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Variable: **Q080** Position: 89 Length: 2

In what month did you stop smoking?

Allowed Min: 01 Allowed Max: 12

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 01 : 12 | | 157 | 390,484 |
| 96 | Valid skip | 9,747 | 24,174,275 |
| 97 | Don't know | 10 | 55,601 |
| 98 | Refused | 0 | 0 |
| 99 | Not stated | 8 | 29,304 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 21

Variable: **Q085_A** Position: 91 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... have current health problems

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 178 | 870,955 |
| 3 | No | 1,448 | 5,191,369 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Variable: **Q085_B** Position: 92 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... smoking-related illness or death of a friend or relative

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 58 | 248,878 |
| 3 | No | 1,568 | 5,813,445 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 22

Variable: **Q085_C** Position: 93 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... pregnancy/had a baby

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 130 | 459,166 |
| 3 | No | 1,496 | 5,603,157 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Variable: **Q085_D** Position: 94 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... advice from doctor or other health professional

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 44 | 188,639 |
| 3 | No | 1,582 | 5,873,684 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 23

Variable: **Q085_E** Position: 95 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... concern about own future health

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 627 | 2,050,352 |
| 3 | No | 999 | 4,011,971 |
| 6 | Valid Skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Variable: **Q085_F** Position: 96 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... concern about health of family members

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 87 | 446,698 |
| 3 | No | 1,539 | 5,615,626 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 24

Variable: **Q085_G** Position: 97 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... pressure to quit from family or friends

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 88 | 233,115 |
| 3 | No | 1,538 | 5,829,208 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Variable: **Q085_H** Position: 98 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... increased cost or difficulty affording cigarettes

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 129 | 431,302 |
| 3 | No | 1,497 | 5,631,021 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 25

Variable: **Q085_I** Position: 99 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... more restrictions on where smoking is allowed

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 15 | 100,535 |
| 3 | No | 1,611 | 5,961,789 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Variable: **Q085_J** Position: 100 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... change of lifestyle (different job, less stress, increased physical activity)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 184 | 950,339 |
| 3 | No | 1,442 | 5,111,985 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 26

Variable: **Q085_K** Position: 101 Length: 1

What prompted you to quit smoking? (PROBE: What was the main reason you quit smoking?) ... other (specify)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 344 | 1,118,477 |
| 3 | No | 1,282 | 4,943,846 |
| 6 | Valid skip | 8,175 | 18,287,809 |
| 7 | Don't know | 117 | 295,571 |
| 8 | Refused | 4 | 3,961 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are former smokers

Derivation rules:

If E020='1'
then C090='1';
else C090='2';
if E040='1' then C100='1';
else if E040='2'
then C100='2' ;
else C100='3';

Derived Variable: **Q090MON** Position: 102 Length:2

Number smoked by day of week...Monday

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,665 | 5,978,781 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 97 | Don't know | 96 | 211,137 |
| 98 | Refused | 16 | 33,380 |
| 99 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 27

Derived Variable: **Q090TUE** *Position:* 104 *Length:*2

Number smoked by day of week...Tuesday

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,666 | 5,954,978 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 97 | Don't know | 95 | 234,940 |
| 98 | Refused | 16 | 33,380 |
| 99 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090WED** *Position:* 106 *Length:*2

Number smoked by day of week...Wednesday

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,680 | 5,935,540 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 97 | Don't know | 81 | 254,379 |
| 98 | Refused | 16 | 33,380 |
| 99 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 28

Derived Variable: **Q090THU** *Position:* 108 *Length:*2

Number smoked by day of week...Thursday

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,685 | 6,021,674 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 97 | Don't know | 76 | 168,244 |
| 98 | Refused | 16 | 33,380 |
| 99 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090FRI** *Position:* 110 *Length:*2

Number smoked by day of week...Friday

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,675 | 5,983,873 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 97 | Don't know | 86 | 206,045 |
| 98 | Refused | 16 | 33,380 |
| 99 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 29

Derived Variable: **Q090SAT** *Position:* 112 *Length:*2

Number smoked by day of week...Saturday

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,662 | 5,960,754 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 97 | Don't know | 99 | 229,164 |
| 98 | Refused | 16 | 33,380 |
| 99 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Derived Variable: **Q090SUN** *Position:* 114 *Length:*2

Number smoked by day of week...Sunday

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,665 | 5,977,636 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 97 | Don't know | 96 | 212,282 |
| 98 | Refused | 16 | 33,380 |
| 99 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current smokers

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 30

Variable: **Q091** Position: 116 Length: 1

How soon after you wake up do you smoke your first cigarette?

| | | FREQ | WTD |
|---|----------------------|-------|------------|
| 1 | within 5 minutes | 524 | 1,106,396 |
| 2 | 6 - 30 minutes | 692 | 1,738,966 |
| 3 | 31 - 60 minutes | 438 | 861,496 |
| 4 | more than 60 minutes | 636 | 1,454,041 |
| 6 | Valid skip | 7,568 | 19,357,060 |
| 7 | Don't know | 45 | 91,734 |
| 8 | Refused | 17 | 39,545 |
| 9 | Not stated | 2 | 426 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily smokers

Variable: **Q092** Position: 117 Length: 1

Are you seriously considering quitting within the next 6 months?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,532 | 3,351,340 |
| 3 | No | 1,124 | 2,661,433 |
| 6 | Valid skip | 7,078 | 18,274,071 |
| 7 | Don't know | 169 | 324,551 |
| 8 | Refused | 16 | 29,657 |
| 9 | Not stated | 3 | 8,613 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 31

Variable: **Q093** Position: 118 Length: 1

Are you seriously considering quitting within the next 30 days?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 777 | 1,702,874 |
| 3 | No | 609 | 1,349,435 |
| 6 | Valid skip | 8,202 | 20,935,504 |
| 7 | Don't know | 145 | 298,886 |
| 8 | Refused | 1 | 145 |
| 9 | Not stated | 188 | 362,821 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q094** Position: 119 Length: 2

In the last year, how many times have you quit for at least 24 hours?

Allowed Min: 00 Allowed Max: 90

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,587 | 5,809,921 |
| 96 | Valid skip | 7,078 | 18,274,071 |
| 97 | Don't know | 233 | 504,745 |
| 98 | Refused | 20 | 50,103 |
| 99 | Not stated | 4 | 10,823 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 32

Variable: **Q095** Position: 121 Length: 2

Where do you usually get your cigarettes? (PROBE: Do you buy them, or does someone usually give them to you?)
(PROBE: Where do you buy them?) (PROBE: Who do you get them from?) (DO NOT READ LIST.)

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | I buy them from a vending machine | 5 | 10,358 |
| 02 | I buy them at a small grocery / corner store | 1,560 | 4,058,758 |
| 03 | I buy them at a supermarket | 364 | 786,965 |
| 04 | I buy them at a drug store | 89 | 119,326 |
| 05 | I buy them at a gasoline station | 347 | 504,798 |
| 06 | I buy them at another kind of store | 70 | 240,268 |
| 07 | I buy them from a friend or someone else | 52 | 111,454 |
| 08 | My brother or sister gives them to me | 7 | 9,837 |
| 09 | My mother or father gives them to me | 27 | 16,050 |
| 10 | A friend or someone else gives them to me | 213 | 290,848 |
| 11 | I take from my mother or father or siblings | 3 | 2,249 |
| 96 | Valid skip | 7,078 | 18,274,071 |
| 97 | Don't know | 80 | 161,256 |
| 98 | Refused | 23 | 52,603 |
| 99 | Not stated | 4 | 10,823 |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers

Derivation rules:

if C100='1' or C100='2'

then do;

if (AGE >= '015' and AGE <= '024')

then do;

if (Q095 >= '01' and Q095 <= '07')

then C096='1';

else if (Q095 >= '08' and Q095 <= '11') or

(Q095 = '97' or Q095 = '98')

then C096='2';

else C096='9';

end;

else if (AGE >= '025')

then C096='3';

else C096='9';

end;

else C096='6';

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 33

Variable: **Q096A** *Position:* 123 *Length:* 1

In the past 12 months, have you bought cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 109 | 79,925 |
| 3 | No | 140 | 110,822 |
| 6 | Valid skip | 9,668 | 24,454,579 |
| 7 | Don't know | 2 | 227 |
| 8 | Refused | 1 | 1,717 |
| 9 | Not stated | 2 | 2,394 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers between the age of 15 -24 who don't usually buy cig.

Variable: **Q097A** *Position:* 124 *Length:* 1

In the past 12 months, have you been asked your age when buying cigarettes in a store for yourself or for someone else?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 894 | 747,632 |
| 3 | No | 489 | 405,529 |
| 6 | Valid skip | 8,529 | 23,485,438 |
| 7 | Don't know | 3 | 1,718 |
| 8 | Refused | 1 | 2,772 |
| 9 | Not stated | 6 | 6,574 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers between the age of 15 -24.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 34

Variable: **Q098A** *Position:* 125 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 317 | 272,700 |
| 3 | No | 577 | 474,932 |
| 6 | Valid skip | 9,018 | 23,890,967 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 10 | 11,065 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers, and who have ever been asked their age when buying cigarettes

Variable: **Q098B** *Position:* 126 *Length:* 1

At the present time, do you roll your own or make your own cigarettes, all of the time, most of the time, sometimes or never?

| | | FREQ | WTD |
|---|------------------|-------|------------|
| 1 | All of the time | 240 | 432,300 |
| 2 | Most of the time | 133 | 134,794 |
| 3 | Sometimes | 270 | 318,418 |
| 4 | Never | 2,176 | 5,437,469 |
| 6 | Valid skip | 7,078 | 18,274,071 |
| 7 | Don't know | 5 | 3,417 |
| 8 | Refused | 16 | 38,372 |
| 9 | Not stated | 4 | 10,823 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 35

Variable: **Q099A** Position: 127 Length: 1

What strength of cigarettes do you usually smoke? (Read the list)

| | | FREQ | WTD |
|---|----------------------|-------|------------|
| 1 | Ultra or extra light | 343 | 1,000,278 |
| 2 | Lights | 1,154 | 2,285,324 |
| 3 | Ultra or extra mild | 193 | 551,296 |
| 4 | Mild | 134 | 266,209 |
| 5 | Regular | 917 | 1,977,592 |
| 6 | Valid skip | 7,078 | 18,274,071 |
| 7 | Don't know | 79 | 210,861 |
| 8 | Refused | 20 | 73,210 |
| 9 | Not stated | 4 | 10,823 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Respondents who are current daily or occasional smokers

Variable: **Q099B** Position: 128 Length: 1

Do you think that light/mild cigarettes are less harmful to smokers than regular cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,424 | 3,592,595 |
| 3 | No | 6,433 | 16,340,073 |
| 7 | Don't know | 1,889 | 4,248,537 |
| 8 | Refused | 63 | 237,215 |
| 9 | Not stated | 113 | 231,245 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 36

Variable: **Q099C** *Position:* 129 *Length:* 1

Do you think that light/mild cigarettes are less addictive, about the same or more addictive than regular cigarettes?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | Less addictive | 619 | 1,734,690 |
| 2 | About the same | 6,817 | 16,426,440 |
| 3 | More addictive | 579 | 1,646,125 |
| 7 | Don't know | 1,727 | 4,345,011 |
| 8 | Refused | 63 | 230,658 |
| 9 | Not stated | 117 | 266,740 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Variable: **Q110A** *Position:* 130 *Length:* 1

In the past 30 days, did you smoke any cigars, including cigarillos?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 413 | 886,679 |
| 3 | No | 9,437 | 23,471,906 |
| 7 | Don't know | 31 | 141,377 |
| 8 | Refused | 27 | 83,078 |
| 9 | Not stated | 14 | 66,624 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 37

Variable: **Q130A** *Position:* 131 *Length:* 1

In the past 30 days, did you use any chewing tobacco?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 62 | 131,170 |
| 3 | No | 9,799 | 24,241,633 |
| 7 | Don't know | 20 | 127,160 |
| 8 | Refused | 27 | 83,078 |
| 9 | Not stated | 14 | 66,624 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Variable: **Q130B** *Position:* 132 *Length:* 1

In the past 30 days, did you use any pinch or snuff?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 18 | 13,596 |
| 3 | No | 9,843 | 24,353,153 |
| 7 | Don't know | 20 | 127,160 |
| 8 | Refused | 27 | 89,131 |
| 9 | Not stated | 14 | 66,624 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 38

Variable: **Q135** *Position:* 133 *Length:* 1

During the past three (3) months, have you seen, read or heard any advertising of a sport or cultural event sponsored by a tobacco company?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 3,170 | 7,707,617 |
| 3 | No | 6,291 | 15,680,597 |
| 7 | Don't know | 378 | 932,870 |
| 8 | Refused | 67 | 238,078 |
| 9 | Not stated | 16 | 90,503 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Variable: **Q136_A** *Position:* 134 *Length:* 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...Billboard or poster

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 459 | 1,234,939 |
| 3 | No | 2,711 | 6,472,679 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 39

Variable: **Q136_B** Position: 135 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...Magazine

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 830 | 1,535,749 |
| 3 | No | 2,340 | 6,171,869 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_C** Position: 136 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...Newspaper

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 330 | 1,122,132 |
| 3 | No | 2,840 | 6,585,485 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 40

Variable: **Q136_D** Position: 137 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)

...Television

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 2,132 | 5,235,488 |
| 3 | No | 1,038 | 2,472,129 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_E** Position: 138 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)

...Radio

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 150 | 490,590 |
| 3 | No | 3,020 | 7,217,028 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 41

Variable: **Q136_F** Position: 139 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...In stores (includes clocks, posters, displays, etc.)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 41 | 78,323 |
| 3 | No | 3,129 | 7,629,294 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_G** Position: 140 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...Flyer or brochure

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 33 | 125,009 |
| 3 | No | 3,137 | 7,582,609 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 42

Variable: **Q136_H** Position: 141 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...Clothes (T-shirts, caps, jackets, etc.)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 17 | 27,568 |
| 3 | No | 3,153 | 7,680,049 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_I** Position: 142 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...Promotional articles (bags, key chains, umbrellas, etc.)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 35 | 117,583 |
| 3 | No | 3,135 | 7,590,034 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 43

Variable: **Q136_J** Position: 143 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)

...On a bus or bus shelters

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 30 | 73,145 |
| 3 | No | 3,140 | 7,634,473 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q136_K** Position: 144 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)

...Internet/ websites

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 28 | 76,117 |
| 3 | No | 3,142 | 7,631,501 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 44

Variable: **Q136_L** Position: 145 Length: 1

Where did you see, read or hear this advertising ? (Mark all that apply)
...Other (do not specify)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 108 | 277,777 |
| 3 | No | 3,062 | 7,429,840 |
| 6 | Valid skip | 6,291 | 15,680,597 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 461 | 1,261,450 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents who have seen advertising of sporting or cultural events.

Variable: **Q137** Position: 146 Length: 2

In your opinion, who is the most responsible for young people starting to smoke? (Mark only one.)

| | | FREQ | WTD |
|----|-------------------------|-------|------------|
| 01 | Young people themselves | 1,803 | 4,900,403 |
| 02 | Friends / peers | 3,788 | 8,712,103 |
| 03 | Parents | 1,552 | 3,763,714 |
| 04 | Other adults | 248 | 567,035 |
| 05 | Brother / sister | 17 | 28,327 |
| 06 | Celebrities | 135 | 265,136 |
| 07 | Tobacco industry | 1,250 | 3,075,473 |
| 08 | Government | 147 | 434,742 |
| 09 | Other (do not specify) | 358 | 1,158,278 |
| 97 | Don't know | 572 | 1,524,235 |
| 98 | Refused | 36 | 129,715 |
| 99 | Not stated | 16 | 90,503 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 45

Variable: **Q138** *Position:* 148 *Length:* 1

Do you think your risk of a heart disease or cancer is higher, lower or about the same as other people your age who do not smoke?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | Higher | 2,843 | 6,954,892 |
| 2 | Lower | 1,348 | 3,897,615 |
| 3 | About the same | 4,589 | 11,080,228 |
| 7 | Don't know | 1,027 | 2,262,233 |
| 8 | Refused | 98 | 360,583 |
| 9 | Not stated | 17 | 94,113 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Variable: **Q139** *Position:* 149 *Length:* 1

Do you think your risk of a heart disease or cancer is higher, lower or about the same as other people your age who smoke?

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | Higher | 989 | 2,805,426 |
| 2 | Lower | 5,313 | 12,919,754 |
| 3 | About the same | 2,604 | 6,307,724 |
| 7 | Don't know | 902 | 2,165,015 |
| 8 | Refused | 97 | 357,632 |
| 9 | Not stated | 17 | 94,113 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 46

Variable: **Q140** *Position:* 150 *Length:* 1

What language do you speak most often at home?

| | | FREQ | WTD |
|---|-------------------------|-------|------------|
| 1 | English | 8,126 | 16,620,498 |
| 2 | French | 1,204 | 5,476,663 |
| 3 | Both English and French | 114 | 402,626 |
| 4 | Other | 415 | 1,927,529 |
| 7 | Don't know | 10 | 17,798 |
| 8 | Refused | 36 | 110,437 |
| 9 | Not stated | 17 | 94,113 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Variable: **Q146** *Position:* 151 *Length:* 2

Which of the following best describes your MAIN activity during the last 12 months? Were you ...

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | working at a job or business? | 4,642 | 14,178,185 |
| 02 | looking for work? | 250 | 552,274 |
| 03 | a student? | 3,006 | 2,832,092 |
| 04 | retired? | 1,182 | 4,464,815 |
| 05 | raising a family or running a household? | 590 | 1,797,838 |
| 06 | other? | 144 | 515,664 |
| 96 | Valid skip | 0 | 0 |
| 97 | Don't know | 20 | 27,497 |
| 98 | Refused | 71 | 187,187 |
| 99 | Not stated | 17 | 94,113 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 47

Variable: **Q150** *Position:* 153 *Length:* 2

What is your best estimate of your total household income for the last 12 months before taxes and deductions?
Please include income from all household members and from all sources. Was it ...

| | | FREQ | WTD |
|----|--------------------|-------|------------|
| 01 | Less than \$15,000 | 1,006 | 1,814,438 |
| 02 | \$15 to 29,000 | 1,465 | 3,174,572 |
| 03 | \$30 to 44,000 | 1,327 | 3,308,005 |
| 04 | \$45 to 59,000 | 967 | 2,918,878 |
| 05 | \$60 to 79,000 | 717 | 2,396,599 |
| 06 | \$80 to 99,000 | 343 | 1,483,628 |
| 07 | \$100 to 119,000 | 221 | 870,701 |
| 08 | \$120,000 or more | 189 | 852,430 |
| 97 | Don't know | 2,314 | 3,365,936 |
| 98 | Refused | 1,346 | 4,355,954 |
| 99 | Not stated | 27 | 108,521 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Variable: **Q160** *Position:* 155 *Length:* 1

What is your date of birth?

This variable is suppressed on the public use microdata file.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 48

Variable: **Q170** Position: 156 Length: 2

What is the highest grade or level of education you have ever attained?

| | | FREQ | WTD |
|----|---|-------|------------|
| 01 | No schooling | 14 | 26,498 |
| 02 | Some elementary | 275 | 503,550 |
| 03 | Completed elementary | 347 | 743,617 |
| 04 | Some secondary | 2,599 | 4,247,182 |
| 05 | Completed secondary | 2,604 | 6,558,540 |
| 06 | Some community college, technical college, CEGEP or nurse's training | 560 | 1,686,806 |
| 07 | Completed commu college, technical college, CEGEP or nurse's training | 1,059 | 3,508,475 |
| 08 | Some university or teacher's college | 1,023 | 1,534,147 |
| 09 | Completed university or teacher's college | 1,228 | 4,913,867 |
| 10 | Other education or training | 90 | 207,780 |
| 97 | Don't know | 30 | 203,210 |
| 98 | Refused | 75 | 421,707 |
| 99 | Not stated | 18 | 94,286 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Derived Variable: **DVSST1** Position: 158 Length: 1

Derived variable for type 1 smoking status.

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | Current smoker | 2,730 | 6,095,719 |
| 2 | Former smoker | 1,811 | 6,501,740 |
| 3 | Never smoked | 5,381 | 12,052,205 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 49

Derived Variable: **DVSST2** *Position:* 159 *Length:* 2

Derived variable for type 2 smoking status.

| | | FREQ | WTD |
|----|---------------------------|-------|------------|
| 01 | Current daily smoker | 2,269 | 5,054,837 |
| 02 | Current occasional smoker | 461 | 1,040,882 |
| 03 | Former daily smoker | 1,601 | 5,708,223 |
| 04 | Former occasional smoker | 192 | 741,934 |
| 05 | Experimental smoker | 1,538 | 3,315,467 |
| 06 | Lifetime abstainer | 3,793 | 8,596,749 |
| 99 | Not stated | 68 | 191,573 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: New DV

Variable: **DVSS1** *Position:* 161 *Length:* 1

Derived variable for type 1 smoking status

| | | FREQ | WTD |
|---|---|-------|------------|
| 1 | Smoked in last 30 days | 2,780 | 6,231,911 |
| 2 | Not smoked in 30 days, but smoked 100 cigarettes | 1,781 | 6,459,889 |
| 3 | Never smoked or smoked less than 100 cigarettes in life | 5,361 | 11,957,864 |
| 9 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: SOSIC definition

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 50

Derived Variable: **DVSS2** *Position:* 162 *Length:* 2

Derived variable for type 2 smoking status.

| | | FREQ | WTD |
|----|--|--------------|-------------------|
| 01 | Smoked daily in last 30 days, >=100 cigs. in life | 2,338 | 5,256,881 |
| 02 | Smoked non-daily in last 30 days, >=100 cigs. in life | 320 | 714,530 |
| 03 | Former daily smoker, but not smoked in last 30 days, >=100 cigs. in life | 1,592 | 5,707,028 |
| 04 | Former occasional smoker, not smoked in last 30 days, >=100 cigs in life | 188 | 741,840 |
| 05 | Beginner: Smoked in last 30 days, <100 cigs. in life | 152 | 306,147 |
| 06 | Past experimental smoker | 1,538 | 3,315,467 |
| 07 | Lifetime abstainer | 3,793 | 8,596,749 |
| 99 | Not stated | 1 | 11,021 |
| | | <u>9,922</u> | <u>24,649,664</u> |

Coverage: All respondents

Note: SOSIC definition

Variable: **DVCIGWK** *Position:* 164 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed Min: 000 *Allowed Max:* 995

| | | FREQ | WTD |
|-----------|------------|--------------|-------------------|
| 000 : 630 | | 2,617 | 5,873,141 |
| 996 | Valid skip | 7,142 | 18,417,753 |
| 999 | Not stated | 163 | 358,770 |
| | | <u>9,922</u> | <u>24,649,664</u> |

Coverage: Current smokers in last 30 days

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 51

Derived Variable: **DVAVCIG7** *Position:* 167 *Length:*2

Derived variable for smoker's average number of cigarettes smoked per day (Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC).

Allowed Min: 00 *Allowed Max:* 95

| | | FREQ | WTD |
|---------|------------|--------------|-------------------|
| 00 : 90 | | 2,617 | 5,873,141 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 99 | Not stated | 163 | 358,770 |
| | | <u>9,922</u> | <u>24,649,664</u> |

Coverage: Current smokers in the last 30 days

Note: Averaged over 7 days

Derived Variable: **DVNDSMK** *Position:* 169 *Length:*2

Derived variable for number of days smoked in the last 7 days

Allowed Min: 00 *Allowed Max:* 07

| | | FREQ | WTD |
|---------|------------|--------------|-------------------|
| 00 : 07 | | 2,617 | 5,873,141 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 99 | Not stated | 163 | 358,770 |
| | | <u>9,922</u> | <u>24,649,664</u> |

Coverage: Current smokers

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 52

Derived Variable: **DVAVCIGD** *Position:* 171 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked; on the days that they smoked

Allowed Min: 00 *Allowed Max:* 95

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 90 | | 2,603 | 5,857,361 |
| 96 | Valid skip | 7,142 | 18,417,753 |
| 99 | Not stated | 177 | 374,550 |
| | | 9,922 | 24,649,664 |

Coverage: Current smokers in the last 30 days

Note: New DV

Derived Variable: **STOPSMK** *Position:* 173 *Length:* 2

Derived variable for the number of months since the survey date that the nonsmoker stopped smoking (i.e. did not smoke in past 30 days)

| | | FREQ | WTD |
|---------|-------------|-------|------------|
| 00 : 11 | | 157 | 390,484 |
| 18 | 1-2 yrs | 173 | 464,573 |
| 48 | 3-5 yrs | 192 | 452,356 |
| 60 | > 5 yrs ago | 1,207 | 4,969,537 |
| 96 | Valid skip | 8,175 | 18,287,809 |
| 99 | Not stated | 18 | 84,905 |
| | | 9,922 | 24,649,664 |

Coverage: Former smokers (E040=3)

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 53

Variable: **DVYRSSMK** Position: 175 Length: 2

Derived variable for the number of years the respondent smoked

Allowed Min: 00 Allowed Max: 95

| | | FREQ | WTD |
|---------|------------|-------|------------|
| 00 : 79 | | 2,720 | 6,048,869 |
| 96 | Valid skip | 7,192 | 18,553,945 |
| 99 | Not stated | 10 | 46,850 |
| | | 9,922 | 24,649,664 |

Coverage: Current smokers

Note: New DV

Variable: **DVCURTOB** Position: 177 Length: 1

Has the respondent used any tobacco products in the last 30 days (cigarettes, cigars, pipes or chewing tobacco / pinch / snuff)?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 2,955 | 6,697,203 |
| 3 | No | 6,967 | 17,952,461 |
| 9 | Not stated | 0 | 0 |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 54

Variable: **DVEVRBUY** Position: 178 Length: 1

In the past twelve months, has the respondent ever bought cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 2,596 | 5,911,852 |
| 3 | No | 140 | 110,822 |
| 6 | Valid skip | 7,181 | 18,622,652 |
| 9 | Not stated | 5 | 4,338 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Current smokers (E040=1 or E040=2) age 15 - 24.

Note: New DV

Variable: **DVEVRREF** Position: 179 Length: 1

In the past twelve months, has anyone in a store refused to sell cigarettes to respondent?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 317 | 272,700 |
| 3 | No | 1,066 | 880,461 |
| 6 | Valid skip | 8,529 | 23,485,438 |
| 9 | Not stated | 10 | 11,065 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Current smokers who have ever bought cigarettes age 15 - 24.

Note: New DV

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 55

Derived Variable: **DVSMKPTN** *Position:* 180 *Length:*1

Derived variable for current smokers smoking pattern (SOSIC only included smokers that smoked in the past 7 days instead of 30 days).

| | | FREQ | WTD |
|---|------------------------------|-------|------------|
| 1 | Smoked everyday | 2,270 | 5,098,800 |
| 2 | Weekdays only | 1 | 1,603 |
| 3 | Weekend only | 2 | 2,449 |
| 4 | Did not smoke in last 7 days | 90 | 300,796 |
| 5 | Other pattern | 254 | 469,492 |
| 6 | Valid skip | 7,142 | 18,417,753 |
| 9 | Not stated | 163 | 358,770 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: Current smokers in the last 30 days

Derived Variable: **DVEDUC** *Position:* 181 *Length:*1

Derived variable for highest level of education obtained (grouped).

| | | FREQ | WTD |
|---|--|-------|------------|
| 1 | Less than secondary | 3,235 | 5,520,847 |
| 2 | Completed secondary | 4,277 | 9,987,273 |
| 3 | Completed community college, technical college, CEGEP or nurse's training | 1,059 | 3,508,475 |
| 4 | Completed university or teacher's college | 1,228 | 4,913,867 |
| 7 | Don't know | 0 | 0 |
| 8 | Refused | 0 | 0 |
| 9 | Not stated | 123 | 719,202 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: (SOSIC definition) If Q170 = 01,02,03,04 then DVEDUC = 1; If Q170 = 05,06,08,10 then DVEDUC = 2; If Q170 = 07 then DVEDUC = 3; If Q170 = 09 then DVEDUC = 4

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 56

Derived Variable: **DVINCAD** *Position:* 182 *Length:*1

Income adequacy (based on hhld income and hhld size)

| | | FREQ | WTD |
|---|-------------|-------|------------|
| 1 | Low | 1,708 | 3,134,769 |
| 2 | Medium low | 2,267 | 5,688,037 |
| 3 | Medium | 1,258 | 3,890,749 |
| 4 | Medium high | 564 | 2,013,563 |
| 5 | High | 438 | 2,092,134 |
| 9 | Not stated | 3,687 | 7,830,412 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All respondents

Note: More categories than SOSIC

Variable: **HHTYPE** *Position:* 183 *Length:* 2

Type of household, based on age composition (e.g. adults only, adults with young children, etc.)

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | Household with only 18-19 members | 80 | 62,571 |
| 02 | Household with only 20-24 members | 500 | 532,844 |
| 03 | Household with only 25-44 members | 764 | 3,043,783 |
| 04 | Household with only 45-64 members | 1,007 | 3,610,854 |
| 05 | Household with only 65+ members | 843 | 2,833,361 |
| 06 | Household with adults and children 00-11 only | 1,085 | 3,932,698 |
| 07 | Household with adults and teens 12-19 only | 3,029 | 4,513,712 |
| 08 | Household with adults and young children and teens 00-19 | 931 | 1,678,837 |
| 09 | Other compositions. | 1,683 | 4,441,004 |
| 99 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All responding households

Note: (New DV) Derived from the Roster entries.

Canadian Tobacco Use Monitoring Survey - 2000

Person File - Cycle 2

March 23, 2001

Page 57

Variable: **T_AGE** Position: 185 Length: 2

Age of respondent, derived from the respondent's date of birth Q160A B C or roster age

Allowed Min: 15 Allowed Max: 95

| | FREQ | WTD |
|---------|-------|------------|
| 15 : 98 | 9,922 | 24,649,664 |
| | ===== | ===== |
| | 9,922 | 24,649,664 |

Coverage: All respondents

Note: On public use file, ages greater than 85 were recoded to 85.

Variable: **P_AGEGRP** Position: 187 Length: 2

Age of the respondent in ranges. Derived from the respondent's age T_AGE.

| | | FREQ | WTD |
|----|------------|-------|------------|
| 01 | 15-17 | 1,625 | 1,200,027 |
| 02 | 18-19 | 1,030 | 863,179 |
| 03 | 20-22 | 1,381 | 1,305,972 |
| 04 | 23-24 | 827 | 764,670 |
| 05 | 25-44 | 2,276 | 9,668,740 |
| 06 | 45-64 | 1,772 | 7,144,622 |
| 07 | 65 plus | 1,011 | 3,702,455 |
| 99 | Not stated | 0 | 0 |
| | | ===== | ===== |
| | | 9,922 | 24,649,664 |

Coverage: All responding individuals

Weight Variable: **WGT6MO** Position: 189 Length: 10

Six month weight

| | | |
|-------------------------|-------|------------|
| ** Unspecified range ** | 9,922 | 24,649,664 |
| | ===== | ===== |
| | 9,922 | 24,649,664 |

Coverage: All respondents

Note: 10 digits with 4 decimal places