

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **H028_G** *Position:* 29 *Length:* 1

How is smoking cigarettes restricted inside your home ... number of cigarettes or smokers restricted?

		FREQ	WTD
1	Yes	59	92,929
3	No	1,562	2,995,058
6	Valid skip	9,478	21,802,707
7	Don't know	3	8,227
9	Not stated	38	88,877
		=====	=====
		11,140	24,987,798

Coverage: Households where smoking is restricted inside the home
Note: Information coded from the 'Other (specify)' category

Variable Name: **ILANG** *Position:* 30 *Length:* 1

Language of interview of the selected respondent

		FREQ	WTD
1	English interview	9,744	19,506,815
2	French interview	1,396	5,480,983
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **HHSIZE** *Position:* 31 *Length:* 2

Number of people in the household derived from the number of people reported in the ROSTER

		FREQ	WTD
01 : 04		9,709	21,937,879
05	5 or more	1,431	3,049,919
		=====	=====
		11,140	24,987,798

Coverage: All respondents
Note: On public use file, the maximum number of members has been set at 05.

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **AGE0005** *Position:* 33 *Length:* 2

Number of children in the household age 0-5 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 03			11,139	24,974,557
04	4 or more		1	13,241
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Variable Name: **AGE0611** *Position:* 35 *Length:* 2

Number of children in the household age 6-11 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 02			11,075	24,735,767
03	3 or more		65	252,031
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Variable Name: **AGE1214** *Position:* 37 *Length:* 2

Number of children in the household age 12-14 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 02			11,133	24,973,410
03	3 or more		7	14,388
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **AGE1517** *Position:* 39 *Length:* 2

Number of household members (including respondent) age 15-17 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 01			10,782	24,352,989
02	2 or more		358	634,809
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Variable Name: **AGE1819** *Position:* 41 *Length:* 2

Number of household members (including respondent) age 18-19 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 02			11,118	24,950,968
03	3 or more		22	36,830
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Variable Name: **AGE2022** *Position:* 43 *Length:* 2

Number of household members (including respondent) age 20-22 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 03			11,127	24,957,630
04	4 or more		13	30,168
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **AGE2324** *Position:* 45 *Length:* 2

Number of household members (including respondent) age 23-24 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 03			11,138	24,986,816
04	4 or more		2	982
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Variable Name: **AGE2544** *Position:* 47 *Length:* 2

Number of household members (including respondent) age 25-44 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 03			11,128	24,860,108
04	4 or more		12	127,690
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Variable Name: **AGE4564** *Position:* 49 *Length:* 2

Number of household members (including respondent) age 45-64 derived from ROSTER AG01-AG14

			FREQ	WTD
00 : 02			11,123	24,912,911
03	3 or more		17	74,887
			=====	=====
			11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **AGE65PL** *Position:* 51 *Length:* 2

Number of household members (including respondent) age 65 plus derived from ROSTER AG01-AG14

		FREQ	WTD
00 : 02		11,136	24,981,382
03	3 or more	4	6,416
		=====	=====
		11,140	24,987,798

Coverage: All respondents
Note: Derived from ages of household members

Variable Name: **AGEGRP1** *Position:* 53 *Length:* 1

Age of respondent (grouped)

		FREQ	WTD
1	15-19 years	2,903	2,073,454
2	20-24 years	2,429	2,096,775
3	25-34 years	1,165	4,365,280
4	35-44 years	1,352	5,300,681
5	45 years and over	3,291	11,151,608
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **SEX** *Position:* 54 *Length:* 1

Respondent's sex from ROSTER SE01-SE14

		FREQ	WTD
1	Male	5,163	12,270,204
2	Female	5,977	12,717,594
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **MARST** *Position:* 55 *Length:* 1

Marital status from ROSTER ST01-ST14

		FREQ	WTD
1	Living common-law	606	1,698,343
2	Married	3,434	13,280,302
3	Widowed	549	1,073,708
4	Divorced	374	1,068,087
5	Separated	185	365,297
6	Single, never married	5,753	6,907,596
7	Don't know	114	220,028
8	Refused	125	374,437
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **HHSIZE15** *Position:* 56 *Length:* 2

Number of people age 15+ in household, calculated from household roster

		FREQ	WTD
01 : 04		10,686	23,963,522
05	5 or more	454	1,024,276
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Variable Name: **Q010** *Position:* 58 *Length:* 1

At the present time do you smoke cigarettes every day, occasionally, or not at all?

		FREQ	WTD
1	Every day	2,246	4,319,335
2	Occasionally	520	813,140
3	Not at all	8,374	19,855,323
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q062_B** *Position:* 67 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... advice from doctor or other health professional?

		FREQ	WTD
1	Yes	2	543
3	No	282	452,647
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Variable Name: **Q062_C** *Position:* 68 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... affecting present health?

		FREQ	WTD
1	Yes	22	33,160
3	No	262	420,029
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Variable Name: **Q062_D** *Position:* 69 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... pregnancy?

		FREQ	WTD
1	Yes	26	25,268
3	No	258	427,921
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q062_E** *Position:* 70 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ...
pressure from family or friends?

		FREQ	WTD
1	Yes	10	25,436
3	No	274	427,754
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Variable Name: **Q062_F** *Position:* 71 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ...
increased cost or difficulty affording cigarettes?

		FREQ	WTD
1	Yes	24	27,031
3	No	260	426,159
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Variable Name: **Q062_G** *Position:* 72 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... more
restrictions on where smoking is allowed?

		FREQ	WTD
1	Yes	5	14,099
3	No	279	439,091
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **Q062_H** *Position:* 73 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... trying to quit?

		FREQ	WTD
1	Yes	33	29,797
3	No	251	423,393
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Variable Name: **Q062_I** *Position:* 74 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... concern about health of children and family members?

		FREQ	WTD
1	Yes	19	35,312
3	No	265	417,878
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Variable Name: **Q062_J** *Position:* 75 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... other?

		FREQ	WTD
1	Yes	77	135,945
3	No	207	317,244
6	Valid skip	10,833	24,498,486
7	Don't know	20	26,953
8	Refused	3	9,169
		=====	=====
		11,140	24,987,798

Coverage: Current occasional smokers who used to smoke daily

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **Q085_A** *Position:* 81 *Length:* 1

What prompted you to quit smoking ... have current health problems?

			FREQ	WTD
1	Yes		358	1,218,758
3	No		1,529	4,217,719
6	Valid skip		9,184	19,305,303
7	Don't know		56	169,218
8	Refused		13	76,800
			=====	=====
			11,140	24,987,798

Coverage: Former smokers

Variable Name: **Q085_B** *Position:* 82 *Length:* 1

What prompted you to quit smoking ... smoking-related illness or death of a friend or relative?

			FREQ	WTD
1	Yes		66	148,252
3	No		1,821	5,288,225
6	Valid skip		9,184	19,305,303
7	Don't know		56	169,218
8	Refused		13	76,800
			=====	=====
			11,140	24,987,798

Coverage: Former smokers

Variable Name: **Q085_C** *Position:* 83 *Length:* 1

What prompted you to quit smoking ... pregnancy/had a baby?

			FREQ	WTD
1	Yes		162	442,265
3	No		1,725	4,994,212
6	Valid skip		9,184	19,305,303
7	Don't know		56	169,218
8	Refused		13	76,800
			=====	=====
			11,140	24,987,798

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q085_D** *Position:* 84 *Length:* 1

What prompted you to quit smoking... advice from doctor or other health professional?

		FREQ	WTD
1	Yes	35	136,406
3	No	1,852	5,300,071
6	Valid skip	9,184	19,305,303
7	Don't know	56	169,218
8	Refused	13	76,800
		=====	=====
		11,140	24,987,798

Coverage: Former smokers

Variable Name: **Q085_E** *Position:* 85 *Length:* 1

What prompted you to quit smoking ... concern about own future health?

		FREQ	WTD
1	Yes	534	1,335,149
3	No	1,353	4,101,328
6	Valid skip	9,184	19,305,303
7	Don't know	56	169,218
8	Refused	13	76,800
		=====	=====
		11,140	24,987,798

Coverage: Former smokers

Variable Name: **Q085_F** *Position:* 86 *Length:* 1

What prompted you to quit smoking ... concern about health of family members?

		FREQ	WTD
1	Yes	98	343,279
3	No	1,789	5,093,198
6	Valid skip	9,184	19,305,303
7	Don't know	56	169,218
8	Refused	13	76,800
		=====	=====
		11,140	24,987,798

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q085_G** *Position:* 87 *Length:* 1

What prompted you to quit smoking ... pressure to quit from family or friends?

		FREQ	WTD
1	Yes	84	254,407
3	No	1,803	5,182,070
6	Valid skip	9,184	19,305,303
7	Don't know	56	169,218
8	Refused	13	76,800
		=====	=====
		11,140	24,987,798

Coverage: Former smokers

Variable Name: **Q085_H** *Position:* 88 *Length:* 1

What prompted you to quit smoking ... increased cost or difficulty affording cigarettes?

		FREQ	WTD
1	Yes	172	377,691
3	No	1,715	5,058,786
6	Valid skip	9,184	19,305,303
7	Don't know	56	169,218
8	Refused	13	76,800
		=====	=====
		11,140	24,987,798

Coverage: Former smokers

Variable Name: **Q085_I** *Position:* 89 *Length:* 1

What prompted you to quit smoking ... more restrictions on where smoking is allowed?

		FREQ	WTD
1	Yes	14	51,855
3	No	1,873	5,384,622
6	Valid skip	9,184	19,305,303
7	Don't know	56	169,218
8	Refused	13	76,800
		=====	=====
		11,140	24,987,798

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **DVQ088_C** *Position:* 98 *Length:* 1

Derived variable for methods used to quit smoking ... nicotine chewing gum (such as Nicorette)

		FREQ	WTD
1	Yes	76	212,465
3	No	1,736	4,652,938
6	Valid skip	9,184	19,305,303
9	Not stated	144	817,092
		=====	=====
		11,140	24,987,798

Coverage: Former smokers
Note: Based on Q088_J

Variable Name: **DVQ088_D** *Position:* 99 *Length:* 1

Derived variable for methods used to quit smoking ... support or counselling of others

		FREQ	WTD
1	Yes	29	94,037
3	No	1,783	4,771,366
6	Valid skip	9,184	19,305,303
9	Not stated	144	817,092
		=====	=====
		11,140	24,987,798

Coverage: Former smokers
Note: Based on Q088_B, Q088_D, Q088_E, Q088_G, Q088_I, Q088_M and Q088_N

Variable Name: **DVQ088_E** *Position:* 100 *Length:* 1

Derived variable for methods used to quit smoking ... modification of smoking behaviours
(reduction of smoking, switching to light/mild cigarettes)

		FREQ	WTD
1	Yes	61	176,961
3	No	1,751	4,688,442
6	Valid skip	9,184	19,305,303
9	Not stated	144	817,092
		=====	=====
		11,140	24,987,798

Coverage: Former smokers
Note: Based on Q088_F and Q088_H

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **DVQ088_F** *Position:* 101 *Length:* 1

Derived variable for methods used to quit smoking ... other therapeutic methods (acupuncture, hypnosis, a product like Zyban)

		FREQ	WTD
1	Yes	92	246,465
3	No	1,720	4,618,939
6	Valid skip	9,184	19,305,303
9	Not stated	144	817,092
		=====	=====
		11,140	24,987,798

Coverage: Former smokers
Note: Based on Q088_K and Q088_L

Variable Name: **DVQ088_G** *Position:* 102 *Length:* 1

Derived variable for methods used to quit smoking ... other

		FREQ	WTD
1	Yes	135	541,529
3	No	1,677	4,323,874
6	Valid skip	9,184	19,305,303
9	Not stated	144	817,092
		=====	=====
		11,140	24,987,798

Coverage: Former smokers
Note: Based on Q088_O

Variable Name: **Q090MON** *Position:* 103 *Length:* 2

Number smoked by day of week ... Monday?

		FREQ	WTD
00 : 90		2,710	4,954,105
96	Valid skip	8,288	19,730,439
97	Don't know	104	199,132
98	Refused	38	104,122
		=====	=====
		11,140	24,987,798

Coverage: Respondents who are current smokers
Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **Q090TUE** *Position:* 105 *Length:* 2

Number smoked by day of week ... Tuesday?

		FREQ	WTD
00 : 90		2,711	4,932,342
96	Valid skip	8,288	19,730,439
97	Don't know	102	217,418
98	Refused	38	104,122
99	Not stated	1	3,477
		=====	=====
		11,140	24,987,798

Coverage: Respondents who are current smokers
Note: Values taken from Q090A to Q090G

Variable Name: **Q090WED** *Position:* 107 *Length:* 2

Number smoked by day of week ... Wednesday?

		FREQ	WTD
00 : 90		2,722	4,964,256
96	Valid skip	8,288	19,730,439
97	Don't know	91	185,504
98	Refused	38	104,122
99	Not stated	1	3,477
		=====	=====
		11,140	24,987,798

Coverage: Respondents who are current smokers
Note: Values taken from Q090A to Q090G

Variable Name: **Q090THU** *Position:* 109 *Length:* 2

Number smoked by day of week ... Thursday?

		FREQ	WTD
00 : 90		2,714	4,949,014
96	Valid skip	8,288	19,730,439
97	Don't know	99	200,746
98	Refused	38	104,122
99	Not stated	1	3,477
		=====	=====
		11,140	24,987,798

Coverage: Respondents who are current smokers
Note: Values taken from Q090A to Q090G

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q090FRI** *Position:* 111 *Length:* 2

Number smoked by day of week ... Friday?

		FREQ	WTD
00 : 90		2,719	4,951,713
96	Valid skip	8,288	19,730,439
97	Don't know	94	201,331
98	Refused	39	104,315
		=====	=====
		11,140	24,987,798

Coverage: Respondents who are current smokers
Note: Values taken from Q090A to Q090G

Variable Name: **Q090SAT** *Position:* 113 *Length:* 2

Number smoked by day of week ... Saturday?

		FREQ	WTD
00 : 90		2,704	4,934,457
96	Valid skip	8,288	19,730,439
97	Don't know	109	218,588
98	Refused	38	104,122
99	Not stated	1	192
		=====	=====
		11,140	24,987,798

Coverage: Respondents who are current smokers
Note: Values taken from Q090A to Q090G

Variable Name: **Q090SUN** *Position:* 115 *Length:* 2

Number smoked by day of week ... Sunday?

		FREQ	WTD
00 : 90		2,703	4,934,762
96	Valid skip	8,288	19,730,439
97	Don't know	110	218,283
98	Refused	38	104,122
99	Not stated	1	192
		=====	=====
		11,140	24,987,798

Coverage: Respondents who are current smokers
Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **Q091** *Position:* 117 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	526	942,789
2	6 - 30 minutes	712	1,572,767
3	31 - 60 minutes	418	752,808
4	More than 60 minutes	622	933,722
6	Valid skip	8,775	20,518,721
7	Don't know	49	145,618
8	Refused	38	121,373
		=====	=====
		11,140	24,987,798

Coverage: Current daily smokers

Variable Name: **Q092** *Position:* 118 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	1,654	2,632,649
3	No	1,069	2,316,515
6	Valid skip	8,240	19,669,968
7	Don't know	132	241,294
8	Refused	43	122,197
9	Not stated	2	5,175
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q093** *Position:* 119 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	881	1,378,096
3	No	675	1,099,946
6	Valid skip	9,309	21,986,483
7	Don't know	97	153,704
8	Refused	1	903
9	Not stated	177	368,666
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers who are considering quitting within the next 6 months

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **Q098B** *Position:* 131 *Length:* 1

At the present time, do you roll your own or make your own cigarettes, all of the time, most of the time, sometimes or never?

		FREQ	WTD
1	All of the time	257	299,069
2	Most of the time	140	153,248
3	Sometimes	258	280,014
4	Never	2,174	4,385,125
6	Valid skip	8,240	19,669,968
7	Don't know	12	35,553
8	Refused	54	155,210
9	Not stated	5	9,611
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q099A** *Position:* 132 *Length:* 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra lights	383	809,158
2	Lights	1,015	1,566,102
3	Ultra or extra mild	189	398,220
4	Mild	170	333,668
5	Regular	990	1,862,056
6	Valid skip	8,240	19,669,968
7	Don't know	91	164,495
8	Refused	57	174,520
9	Not stated	5	9,611
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **Q099H** *Position:* 137 *Length:* 1

In what range does the lowest number fall? Is it ... ?

		FREQ	WTD
1	0 - 4 mg	15	55,605
2	5 - 9 mg	38	89,088
3	10 - 14 mg	179	197,491
4	15 mg or more	149	212,712
6	Valid skip	9,448	22,186,162
7	Don't know	3	7,354
9	Not stated	1,308	2,239,386
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers whom the tar content on cigarette pack is in a range

Variable Name: **Q100_A** *Position:* 138 *Length:* 1

What would it take for you to quit smoking ... nothing could make me quit/own death?

		FREQ	WTD
1	Yes	243	607,257
3	No	1,884	3,184,644
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q100_B** *Position:* 139 *Length:* 1

What would it take for you to quit smoking ... get smoking-related illness/get fatal disease?

		FREQ	WTD
1	Yes	230	496,078
3	No	1,897	3,295,823
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q100_C** *Position:* 140 *Length:* 1

What would it take for you to quit smoking ... smoking-related illness/death of family member/friend?

		FREQ	WTD
1	Yes	123	172,116
3	No	2,004	3,619,785
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q100_D** *Position:* 141 *Length:* 1

What would it take for you to quit smoking ... pressure to quit from family/friends?

		FREQ	WTD
1	Yes	45	144,553
3	No	2,082	3,647,348
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q100_E** *Position:* 142 *Length:* 1

What would it take for you to quit smoking ... better support and help from family/friends?

		FREQ	WTD
1	Yes	73	79,316
3	No	2,054	3,712,585
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q100_F** *Position:* 143 *Length:* 1

What would it take for you to quit smoking ... effective/affordable stop-smoking program/cigarette substitute?

		FREQ	WTD
1	Yes	96	126,951
3	No	2,031	3,664,950
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q100_G** *Position:* 144 *Length:* 1

What would it take for you to quit smoking ... increased cost/difficulty affording cigarettes?

		FREQ	WTD
1	Yes	62	120,822
3	No	2,065	3,671,079
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q100_H** *Position:* 145 *Length:* 1

What would it take for you to quit smoking ... more restrictions on where allowed to smoke?

		FREQ	WTD
1	Yes	19	35,520
3	No	2,108	3,756,381
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q100_L** *Position:* 149 *Length:* 1

What would it take for you to quit smoking ... other?

		FREQ	WTD
1	Yes	518	902,862
3	No	1,609	2,889,039
6	Valid skip	8,240	19,669,968
7	Don't know	705	1,294,420
8	Refused	68	231,509
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q101** *Position:* 150 *Length:* 1

During the past year, did any of the following health care professionals advise you to quit smoking ... a physician?

		FREQ	WTD
1	Yes	922	1,612,221
3	No	1,891	3,421,502
6	Valid skip	8,240	19,669,968
7	Don't know	14	85,436
8	Refused	65	183,308
9	Not stated	8	15,363
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

Variable Name: **Q102** *Position:* 151 *Length:* 1

During the past year, did any of the following health care professionals advise you to quit smoking ... a nurse (clinical setting or public health nurse)?

		FREQ	WTD
1	Yes	298	453,039
3	No	2,515	4,569,233
6	Valid skip	8,240	19,669,968
7	Don't know	16	99,923
8	Refused	63	180,272
9	Not stated	8	15,363
		=====	=====
		11,140	24,987,798

Coverage: Current daily or occasional smokers

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q122_A** *Position:* 160 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... lung cancer/disease?

		FREQ	WTD
1	Yes	7,065	16,855,573
3	No	2,926	4,723,402
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_B** *Position:* 161 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... cancer general?

		FREQ	WTD
1	Yes	4,377	8,781,689
3	No	5,614	12,797,286
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_C** *Position:* 162 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... cancer - oral (tongue, lips, mouth, throat)?

		FREQ	WTD
1	Yes	2,221	5,634,732
3	No	7,770	15,944,243
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q122_D** *Position:* 163 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... heart disease (heart attack)?

		FREQ	WTD
1	Yes	2,563	5,471,203
3	No	7,428	16,107,772
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_E** *Position:* 164 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... stroke, circulatory problems?

		FREQ	WTD
1	Yes	798	1,475,040
3	No	9,193	20,103,935
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_F** *Position:* 165 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... emphysema?

		FREQ	WTD
1	Yes	2,661	5,503,485
3	No	7,330	16,075,490
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q122_G** *Position:* 166 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... bronchitis?

		FREQ	WTD
1	Yes	745	1,435,543
3	No	9,246	20,143,432
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_H** *Position:* 167 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... asthma?

		FREQ	WTD
1	Yes	1,171	2,341,180
3	No	8,820	19,237,795
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_I** *Position:* 168 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... respiratory problems general?

		FREQ	WTD
1	Yes	1,653	3,420,823
3	No	8,338	18,158,152
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q122_J** *Position:* 169 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... impotence?

		FREQ	WTD
1	Yes	102	193,771
3	No	9,889	21,385,203
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_K** *Position:* 170 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... pregnancy problems, low birth weight or premature babies?

		FREQ	WTD
1	Yes	271	594,609
3	No	9,720	20,984,366
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_L** *Position:* 171 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... personal appearance issues (wrinkles, yellow teeth, etc.)?

		FREQ	WTD
1	Yes	438	816,461
3	No	9,553	20,762,514
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q122_M** *Position:* 172 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... none?

		FREQ	WTD
1	Yes	93	228,523
3	No	9,898	21,350,452
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q122_N** *Position:* 173 *Length:* 1

What specific health effects or diseases in smokers do you think can be caused by smoking cigarettes ... other?

		FREQ	WTD
1	Yes	798	1,642,139
3	No	9,193	19,936,835
7	Don't know	925	2,403,707
8	Refused	224	1,005,117
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_A** *Position:* 174 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... ear infections in children?

		FREQ	WTD
1	Yes	91	226,379
3	No	9,099	19,380,543
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q123_B** *Position:* 175 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... respiratory problems in children?

		FREQ	WTD
1	Yes	552	1,081,929
3	No	8,638	18,524,994
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_C** *Position:* 176 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... low birth weight babies, complications?

		FREQ	WTD
1	Yes	140	296,937
3	No	9,050	19,309,986
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_D** *Position:* 177 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... Sudden Infant Death Syndrome (SIDS)?

		FREQ	WTD
1	Yes	48	141,744
3	No	9,142	19,465,178
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q123_E** *Position:* 178 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... asthma attacks in children or adults?

		FREQ	WTD
1	Yes	1,066	2,096,704
3	No	8,124	17,510,219
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_F** *Position:* 179 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... respiratory problems in adults?

		FREQ	WTD
1	Yes	1,651	3,544,721
3	No	7,539	16,062,201
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_G** *Position:* 180 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... lung cancer/disease?

		FREQ	WTD
1	Yes	6,807	14,563,354
3	No	2,383	5,043,568
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q123_H** *Position:* 181 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... emphysema?

		FREQ	WTD
1	Yes	1,978	3,778,379
3	No	7,212	15,828,544
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_I** *Position:* 182 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... bronchitis?

		FREQ	WTD
1	Yes	640	1,221,801
3	No	8,550	18,385,122
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_J** *Position:* 183 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... stroke, circulatory problems?

		FREQ	WTD
1	Yes	582	1,114,726
3	No	8,608	18,492,196
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q123_K** *Position:* 184 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... heart disease (heart attack)?

		FREQ	WTD
1	Yes	1,488	3,043,391
3	No	7,702	16,563,531
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_L** *Position:* 185 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... dizziness, headache, nausea?

		FREQ	WTD
1	Yes	160	483,175
3	No	9,030	19,123,748
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_M** *Position:* 186 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... personal appearance issues (wrinkles, yellow teeth, etc.)?

		FREQ	WTD
1	Yes	174	337,985
3	No	9,016	19,268,937
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **Q123_N** *Position:* 187 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... none?

		FREQ	WTD
1	Yes	268	777,242
3	No	8,922	18,829,681
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_O** *Position:* 188 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... other?

		FREQ	WTD
1	Yes	815	1,403,626
3	No	8,375	18,203,296
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **Q123_P** *Position:* 189 *Length:* 1

What specific health effects or diseases do you think can be caused in non-smokers by breathing in second hand smoke from cigarettes ... cancer, other than lung cancer?

		FREQ	WTD
1	Yes	600	902,571
3	No	8,590	18,704,351
7	Don't know	1,718	4,341,502
8	Refused	232	1,039,374
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Note: Information coded from the 'Other (specify)' category

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **DVSST2** *Position:* 199 *Length:* 2

Derived variable for type 2 smoking status

		FREQ	WTD
01	Current daily smoker	2,246	4,319,335
02	Current occasional smoker	520	813,140
03	Former daily smoker	1,759	4,934,821
04	Former occasional smoker	257	831,012
05	Experimental smoker	1,721	3,540,284
06	Lifetime abstainer	4,563	10,447,190
99	Not stated	74	102,016
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 201 *Length:* 1

Derived variable for type 1 smoking status

		FREQ	WTD
1	Smoked in last 30 days	2,852	5,257,359
2	Not smoked in last 30 days, but smoked 100 cigarettes	1,977	5,707,241
3	Never smoked or smoked less than 100 cigarettes in life	6,311	14,023,198
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Note: SOSIC (Survey of Smoking in Canada) definition

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **DVAVCIG7** *Position:* 207 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 90		2,645	4,879,852
96	Valid skip	8,288	19,730,439
99	Not stated	207	377,507
		=====	=====
		11,140	24,987,798

Coverage: Current smokers who have smoked in last 30 days
Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey of Smoking in Canada).

Variable Name: **DVNDSMK** *Position:* 209 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07		2,645	4,879,853
96	Valid skip	8,288	19,730,439
99	Not stated	207	377,507
		=====	=====
		11,140	24,987,798

Coverage: Current smokers who have smoked in last 30 days

Variable Name: **DVAVCIGD** *Position:* 211 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked; on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 90		2,622	4,843,289
96	Valid skip	8,288	19,730,439
99	Not stated	230	414,070
		=====	=====
		11,140	24,987,798

Coverage: Current smokers who have smoked in last 30 days

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **STOPSMK** *Position:* 213 *Length:* 2

Derived variable for the number of months since the survey date that the nonsmoker stopped smoking (i.e. did not smoke in past 30 days)

Allowed values: 00 : 11

		FREQ	WTD
00 : 11		139	255,638
18	1-2 years	213	525,821
48	3-5 years	200	398,380
60	More than 5 years ago	1,380	4,407,845
96	Valid skip	9,184	19,305,303
99	Not stated	24	94,811
		=====	=====
		11,140	24,987,798

Coverage: Former smokers
Note: Derived from Q070 and Q080

Variable Name: **DVYRSSMK** *Position:* 215 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 77		2,665	4,851,934
96	Valid skip	8,374	19,855,323
99	Not stated	101	280,541
		=====	=====
		11,140	24,987,798

Coverage: Current smokers
Note: Derived from respondent's age and Q065

Variable Name: **DVEVRREF** *Position:* 217 *Length:* 1

Derived variable for having ever been refused while buying cigarettes

		FREQ	WTD
1	Yes	279	195,397
3	No	1,139	823,983
6	Valid skip	9,695	23,930,314
9	Not stated	27	38,104
		=====	=====
		11,140	24,987,798

Coverage: Current smokers between the age of 15 - 24 who have ever bought cigarettes
Note: Derived from Q097A and Q098A

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **DVSMKPTN** *Position:* 218 *Length:* 1

Derived variable for current smokers' smoking pattern

		FREQ	WTD
1	Smoked every day	2,222	4,265,339
2	Weekdays only	2	3,025
3	Weekends only	1	1,015
4	Did not smoke in last 7 days	98	162,888
5	Other pattern	322	447,585
6	Valid skip	8,288	19,730,439
9	Not stated	207	377,507
		=====	=====
		11,140	24,987,798

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey of Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days

Variable Name: **DVEDUC** *Position:* 219 *Length:* 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	3,410	4,983,883
2	Completed secondary	4,894	10,988,487
3	Completed community college, technical college, CEGEP or nurse's college	1,283	3,757,001
4	Completed university or teacher's college	1,393	4,689,005
9	Not stated	160	569,422
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Note: SOSIC (Survey of Smoking in Canada) definition. If Q170 = 01,02,03,04 then DVEDUC = 1; If Q170 = 05,06,08,10 then DVEDUC = 2; If Q170 = 07 then DVEDUC = 3; If Q170 = 09 then DVEDUC = 4

**Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED**

Variable Name: **DVINCAD** *Position:* 220 *Length:* 1

Income adequacy (based on household income and household size)

		FREQ	WTD
1	Low	1,608	2,183,432
2	Medium low	2,386	4,723,157
3	Medium	1,334	3,191,894
4	Medium high	718	2,058,363
5	High	609	1,896,137
9	Not stated	4,485	10,934,815
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Note: More categories than SOSIC (Survey of Smoking in Canada) definition

Variable Name: **HHTYPE** *Position:* 221 *Length:* 2

Type of household, based on age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	93	68,232
02	Households with only 20-24 year old members	514	529,084
03	Households with only 25-44 year old members	829	3,207,760
04	Households with only 45-64 year old members	1,106	3,510,961
05	Households with only 65+ year old members	1,029	2,984,111
06	Households with adults and children 0-11 only	1,229	3,818,511
07	Households with adults and teens 12-19 only	3,306	4,620,347
08	Households with adults and young children and teens 0-19 only	1,131	1,819,031
09	Other compositions	1,903	4,429,761
		=====	=====
		11,140	24,987,798

Coverage: All households

Note: Derived from the roster entries

Variable Name: **T_AGE** *Position:* 223 *Length:* 2

Age of respondent, derived from the respondent's date of birth Q160 or roster age

Allowed values: 15 : 99

		FREQ	WTD
15 : 84		11,041	24,779,091
85	85 or more	99	208,707
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Note: On public use file, ages greater than 85 were recoded to 85.

Canadian Tobacco Use Monitoring Survey - 2001
Public Use Microdata File (Person) - Cycle 2 REVISED

Variable Name: **P_AGEGRP** *Position:* 225 *Length:* 2

Age of the respondent in ranges, derived from the respondent's age (T_AGE)

		FREQ	WTD
01	15-17 years	1,862	1,313,844
02	18-19 years	1,041	759,610
03	20-22 years	1,556	1,392,996
04	23-24 years	873	703,778
05	25-44 years	2,517	9,665,962
06	45-64 years	2,086	7,398,586
07	65 years and over	1,205	3,753,022
		=====	=====
		11,140	24,987,798

Coverage: All respondents

Variable Name: **WGT6MO** *Position:* 227 *Length:* 10.4

Six month weight

Coverage: All respondents

Note: 10 digits with 4 decimal places. Physical decimal present 99999.9999