

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

TABLE OF CONTENTS

Identification Variable	1
Demographic Variable	1
Household Smoking Variable	2
Derived Variable	2
Household Smoking Variable	3
Demographic Variable	7
Person Smoking Variable	10
Derived Variable	23
Person Smoking Variable	25
Demographic Variable	51
Derived Variable	53
Weight Variable	59

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Section: Identification Variable

Variable Name: **SEQID** *Position:* 1 *Length:* 5

Randomly generated sequence number

Variable Name: **SYEAR** *Position:* 6 *Length:* 4

Survey year

2002 : 2002	Survey year	FREQ 11,909 =====	WTD 25,323,948 =====
		11,909	25,323,948

Variable Name: **SMNTH** *Position:* 10 *Length:* 2

Survey month

07 : 12	Survey month	FREQ 11,909 =====	WTD 25,323,948 =====
		11,909	25,323,948

Section: Demographic Variable

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,041	439,987
11	Prince Edward Island	962	112,555
12	Nova Scotia	990	770,093
13	New Brunswick	1,344	616,956
24	Quebec	1,142	6,086,383
35	Ontario	2,194	9,734,796
46	Manitoba	1,040	903,938
47	Saskatchewan	1,082	786,847
48	Alberta	962	2,473,456
59	British Columbia	1,152	3,398,938
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name:	CMA	Position:	14	Length:	1
CMA of the selected respondent					
				FREQ	WTD
1	Non-CMA (less than 100,000)			6,174	9,144,640
2	CMA (population of 100,000 or more)			4,307	9,220,723
3	Toronto or Montreal			1,428	6,958,585
				=====	=====
				11,909	25,323,948
Coverage: All respondents					
<hr/>					
Section:	Household Smoking Variable				
Variable Name:	CH010	Position:	15	Length:	2
Does anyone in your household smoke cigarettes, cigars or pipes?					
				FREQ	WTD
01	Yes			4,317	8,363,730
03	No			7,577	16,937,644
97	Don't know			13	20,501
98	Refused			2	2,074
99	Not stated			0	0
				=====	=====
				11,909	25,323,948
Coverage: Household respondent					
Note: For one person households this is derived from Q010 and Q020					
<hr/>					
Section:	Derived Variable				
Variable Name:	DVH010	Position:	17	Length:	1
Derived variable for does anyone in your household smoke cigarettes, cigars or pipes					
				FREQ	WTD
1	Yes			4,344	8,427,220
3	No			7,527	16,820,081
9	Not stated			38	76,647
				=====	=====
				11,909	25,323,948
Coverage: All households					
Note: For one person households this is derived from Q010, Q020, Q130A and Q131A					

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Section: Household Smoking Variable

Variable Name: **H020** *Position:* 18 *Length:* 2

Including both family members and regular visitors, how many people smoke inside your home every day or almost every day?

		FREQ	WTD
00	None	9,303	20,264,246
01 : 15	No. of people that smoke inside the home	2,587	5,040,992
97	Don't know	12	13,737
98	Refused	7	4,973
99	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Household respondent

Note: Include cigarette, cigar and pipe smoking

Variable Name: **H025** *Position:* 20 *Length:* 2

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
00	None	69	154,481
01	1 to 10 cigarettes	991	1,959,120
02	11 to 20 cigarettes	714	1,510,936
03	21 to 30 cigarettes	391	698,057
04	31 to 40 cigarettes	87	196,844
05	41 or more cigarettes	195	336,021
96	Valid skip	9,303	20,264,246
97	Don't know	137	181,253
98	Refused	3	4,279
99	Not stated	19	18,710
		=====	=====
		11,909	25,323,948

Coverage: Households where at least one person smokes inside the home

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **H026** *Position:* 22 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	1,755	3,928,276
3	No	7,617	16,467,994
6	Valid skip	2,378	4,700,979
7	Don't know	13	24,691
8	Refused	6	16,476
9	Not stated	140	185,532
		=====	=====
		11,909	25,323,948

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Variable Name: **H027** *Position:* 23 *Length:* 1

Is smoking cigarettes restricted in any way inside your home?

		FREQ	WTD
1	Yes	1,708	3,506,473
3	No	2,552	5,266,395
6	Valid skip	7,617	16,467,994
7	Don't know	13	41,919
8	Refused	0	0
9	Not stated	19	41,167
		=====	=====
		11,909	25,323,948

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Variable Name: **H028_A** *Position:* 24 *Length:* 1

How is smoking cigarettes restricted inside your home ... smokers are asked to abstain from smoking in the house?

		FREQ	WTD
1	Yes	286	744,170
3	No	1,418	2,761,142
6	Valid skip	10,169	21,734,389
7	Don't know	4	1,161
8	Refused	0	0
9	Not stated	32	83,086
		=====	=====
		11,909	25,323,948

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **H028_B** *Position:* 25 *Length:* 1

How is smoking cigarettes restricted inside your home ... smoking is allowed in certain rooms only?

		FREQ	WTD
1	Yes	898	1,735,772
3	No	806	1,769,541
6	Valid skip	10,169	21,734,389
7	Don't know	4	1,161
8	Refused	0	0
9	Not stated	32	83,086
		=====	=====
		11,909	25,323,948

Coverage: Households where smoking is restricted inside the home

Variable Name: **H028_C** *Position:* 26 *Length:* 1

How is smoking cigarettes restricted inside your home ... smoking is restricted in the presence of young children?

		FREQ	WTD
1	Yes	240	389,668
3	No	1,464	3,115,645
6	Valid skip	10,169	21,734,389
7	Don't know	4	1,161
8	Refused	0	0
9	Not stated	32	83,086
		=====	=====
		11,909	25,323,948

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **H028_D** *Position:* 27 *Length:* 1

How is smoking cigarettes restricted inside your home ... allowed only if windows are open or with other type of ventilation?

		FREQ	WTD
1	Yes	258	491,922
3	No	1,446	3,013,390
6	Valid skip	10,169	21,734,389
7	Don't know	4	1,161
8	Refused	0	0
9	Not stated	32	83,086
		=====	=====
		11,909	25,323,948

Coverage: Households where smoking is restricted inside the home

Note: Even though question H028 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **H028_E** *Position:* 28 *Length:* 1

How is smoking cigarettes restricted inside your home ... number of cigarettes or smokers is restricted?

		FREQ	WTD
1	Yes	135	397,402
3	No	1,569	3,107,910
6	Valid skip	10,169	21,734,389
7	Don't know	4	1,161
8	Refused	0	0
9	Not stated	32	83,086
		=====	=====
		11,909	25,323,948

Coverage: Households where smoking is restricted inside the home

Note: Even though question H028 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **H028_F** **Position:** 29 **Length:** 1

How is smoking cigarettes restricted inside your home ... other?

		FREQ	WTD
1	Yes	264	591,307
3	No	1,440	2,914,006
6	Valid skip	10,169	21,734,389
7	Don't know	4	1,161
8	Refused	0	0
9	Not stated	32	83,086
		=====	=====
		11,909	25,323,948

Coverage: Households where smoking is restricted inside the home

Note: Even though question H028 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Section: **Demographic Variable**

Variable Name: **ILANG** **Position:** 30 **Length:** 1

Language of interview

		FREQ	WTD
1	English interview	10,533	19,719,763
2	French interview	1,376	5,604,185
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **HHSIZE** **Position:** 31 **Length:** 2

Number of people in the household derived from the number of people reported in the roster

Allowed values: 01 : 14

		FREQ	WTD
01 : 04	Number of people in the household	10,308	22,104,480
05	5 or more	1,601	3,219,468
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **AGE0014** *Position:* 33 *Length:* 2

Number of children in the household aged 0-14 derived from roster AG01-AG14

		FREQ	WTD
00	None	8,442	17,846,267
01	One	2,018	3,689,001
02	Two or more	1,449	3,788,680
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: Derived from ages of household members. On public use file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 35 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from roster AG01-AG14

		FREQ	WTD
00	None	5,050	16,732,833
01	One	4,254	4,664,477
02	Two or more	2,605	3,926,639
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: Derived from ages of household members. On public use file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 37 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from roster AG01-AG14

		FREQ	WTD
00	None	6,207	12,107,450
01	One	3,006	5,484,218
02	Two or more	2,696	7,732,281
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: Derived from ages of household members. On public use file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **AGE45PL** *Position:* 39 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from roster AG01-AG14

		FREQ	WTD
00	None	4,851	9,665,349
01	One	2,996	5,682,929
02	Two or more	4,062	9,975,671
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: Derived from ages of household members. On public use file, the maximum number of members has been set at 02.

Variable Name: **AGEGRP1** *Position:* 41 *Length:* 1

Age of respondent (grouped)

		FREQ	WTD
1	15-19 years	3,126	2,083,989
2	20-24 years	2,540	2,126,779
3	25-34 years	1,088	4,382,646
4	35-44 years	1,500	5,260,434
5	45 years and over	3,655	11,470,102
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **SEX** *Position:* 42 *Length:* 1

Respondent's sex from roster SE01-SE14

		FREQ	WTD
1	Male	5,454	12,473,157
2	Female	6,455	12,850,791
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **MARST** *Position:* 43 *Length:* 1

Marital status of respondent from roster ST01-ST14

		FREQ	WTD
1	Living common-law	682	1,939,669
2	Married	3,678	13,163,877
3	Widowed	626	1,187,717
4	Divorced	403	1,055,839
5	Separated	198	412,779
6	Single, never married	6,100	7,052,364
7	Don't know	32	46,633
8	Refused	190	465,069
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **HHSIZE15** *Position:* 44 *Length:* 2

Number of people age 15 plus in the household, calculated from household roster

Allowed values: 01 : 14

		FREQ	WTD
01 : 04	No. of people age 15+ in household	11,355	24,195,379
05	5 or more	554	1,128,570
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: On public use file, the maximum number of members has been set at 05.

Section: **Person Smoking Variable**

Variable Name: **Q010** *Position:* 46 *Length:* 1

At the present time do you smoke cigarettes every day, occasionally, or not at all?

		FREQ	WTD
1	Every day	2,228	4,408,620
2	Occasionally	570	1,001,093
3	Not at all	9,111	19,914,235
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q020** *Position:* 47 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	643	1,087,724
3	No	9,038	19,827,604
6	Valid skip	2,228	4,408,620
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Respondents who are not current daily smokers

Variable Name: **Q030** *Position:* 48 *Length:* 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	2,222	4,415,845
3	No	649	1,080,499
6	Valid skip	9,038	19,827,604
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **Q040** *Position:* 49 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	5,105	11,705,900
3	No	6,804	13,618,048
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q050** *Position:* 50 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,709	2,995,740
3	No	4,948	10,447,908
6	Valid skip	5,252	11,880,300
7	Don't know	0	0
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Never smokers

Variable Name: **Q060** *Position:* 51 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	2,362	6,089,801
3	No	538	1,112,338
6	Valid skip	9,006	18,109,637
7	Don't know	1	4,855
8	Refused	1	1,287
9	Not stated	1	6,031
		=====	=====
		11,909	25,323,948

Coverage: Occasional smokers or former smokers

Variable Name: **Q061** *Position:* 52 *Length:* 2

At what age did you stop smoking cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
08 : 70	Age stopped smoking cigs. daily	326	602,132
96	Valid skip	11,570	24,708,470
97	Don't know	13	13,346
98	Refused	0	0
99	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q062_A** *Position:* 54 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... own health?

		FREQ	WTD
1	Yes	139	259,385
3	No	188	338,827
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q062_B** *Position:* 55 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... pregnancy/had a baby?

		FREQ	WTD
1	Yes	26	44,260
3	No	301	553,951
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q062_C** *Position:* 56 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... concern about health of family?

		FREQ	WTD
1	Yes	12	33,063
3	No	315	565,148
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q062_D** *Position:* 57 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... got tired of smoking/bad smell/disgusting?

		FREQ	WTD
1	Yes	25	44,773
3	No	302	553,438
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q062_E** *Position:* 58 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... less stress in life, different job?

		FREQ	WTD
1	Yes	5	932
3	No	322	597,280
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q062_F** *Position:* 59 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... trying to quit, cut back?

		FREQ	WTD
1	Yes	54	119,063
3	No	273	479,149
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q062_G** *Position:* 60 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ...
pressure from family or friends?

		FREQ	WTD
1	Yes	15	33,205
3	No	312	565,006
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q062_H** *Position:* 61 *Length:* 1

What were the main reasons you changed from smoking daily to smoking occasionally ... cost?

		FREQ	WTD
1	Yes	68	103,777
3	No	259	494,435
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q062_I** **Position:** 62 **Length:** 1

What were the main reasons you changed from smoking daily to smoking occasionally ...
restrictions on where can smoke?

		FREQ	WTD
1	Yes	0	0
3	No	327	598,211
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q062_J** **Position:** 63 **Length:** 1

What were the main reasons you changed from smoking daily to smoking occasionally ... other?

		FREQ	WTD
1	Yes	57	74,448
3	No	270	523,764
6	Valid skip	11,570	24,708,470
7	Don't know	12	17,267
8	Refused	0	0
9	Not stated	0	0
		=====	=====
		11,909	25,323,948

Coverage: Current occasional smokers who used to smoke daily

Note: Even though question Q062 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q065** **Position:** 64 **Length:** 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 61	Age smoked first cigarette	6,692	14,116,114
96	Valid skip	4,948	10,447,908
97	Don't know	255	726,072
98	Refused	12	31,617
99	Not stated	2	2,237
		=====	=====
		11,909	25,323,948

Coverage: Respondents who have ever smoked a cigarette

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q070** **Position:** 66 **Length:** 1

When did you stop smoking? Was it less than one year ago, 1 to 2 years ago, 3 to 5 years ago, or more than 5 years ago?

		FREQ	WTD
1	Less than one year ago	252	495,348
2	1 to 2 years ago	264	489,777
3	3 to 5 years ago	252	558,228
4	More than 5 years ago	1,542	4,714,035
6	Valid skip	9,587	19,032,892
7	Don't know	8	26,229
8	Refused	2	1,258
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Variable Name: **Q080** **Position:** 67 **Length:** 2

In what month did you stop smoking?

Allowed values: 01 : 12

		FREQ	WTD
01 : 12	Month stopped smoking	247	480,071
96	Valid skip	11,645	24,794,932
97	Don't know	3	5,101
98	Refused	2	10,175
99	Not stated	12	33,669
		=====	=====
		11,909	25,323,948

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **Q085_A** **Position:** 69 **Length:** 1

What prompted you to quit smoking ... own health?

		FREQ	WTD
1	Yes	1,018	3,023,818
3	No	1,243	3,047,250
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q085_B** **Position:** 70 **Length:** 1

What prompted you to quit smoking ... pregnancy/had a baby?

		FREQ	WTD
1	Yes	168	408,851
3	No	2,093	5,662,217
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q085_C** **Position:** 71 **Length:** 1

What prompted you to quit smoking ... concern about health of family?

		FREQ	WTD
1	Yes	154	382,516
3	No	2,107	5,688,551
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q085_D** **Position:** 72 **Length:** 1

What prompted you to quit smoking ... got tired of smoking/bad smell/disgusting?

		FREQ	WTD
1	Yes	202	450,233
3	No	2,059	5,620,834
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q085_E** **Position:** 73 **Length:** 1

What prompted you to quit smoking ... less stress in life, different job?

		FREQ	WTD
1	Yes	9	11,583
3	No	2,252	6,059,485
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q085_F** **Position:** 74 **Length:** 1

What prompted you to quit smoking ... smoking related illness or death of family member or friend?

		FREQ	WTD
1	Yes	50	227,491
3	No	2,211	5,843,577
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q085_G** **Position:** 75 **Length:** 1

What prompted you to quit smoking ... pressure from family or friends?

		FREQ	WTD
1	Yes	114	305,171
3	No	2,147	5,765,897
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q085_H** **Position:** 76 **Length:** 1

What prompted you to quit smoking ... cost?

		FREQ	WTD
1	Yes	299	774,846
3	No	1,962	5,296,221
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q085_I** **Position:** 77 **Length:** 1

What prompted you to quit smoking ... restrictions on where can smoke?

		FREQ	WTD
1	Yes	27	105,750
3	No	2,234	5,965,318
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q085_J** **Position:** 78 **Length:** 1

What prompted you to quit smoking ... just wanted to quit, no reason?

		FREQ	WTD
1	Yes	480	1,054,223
3	No	1,781	5,016,845
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q085_K** **Position:** 79 **Length:** 1

What prompted you to quit smoking ... other?

		FREQ	WTD
1	Yes	236	835,853
3	No	2,025	5,235,215
6	Valid skip	9,587	19,032,892
7	Don't know	53	197,839
8	Refused	6	15,967
9	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Even though question Q085 in Cycle 2 is the same question as in Cycle 1, the answer categories are different.

Variable Name: **Q086** **Position:** 80 **Length:** 2

How many attempts to quit did you make, approximately, before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	No. of attempts before you quit smoking	2,184	5,869,081
96	Valid skip	9,587	19,032,892
97	Don't know	122	378,309
98	Refused	14	37,484
99	Not stated	2	6,183
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Variable Name: **Q087** **Position:** 82 **Length:** 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Avg. cigs. smoked per day before quit	2,146	5,783,966
96	Valid skip	9,587	19,032,892
97	Don't know	162	459,729
98	Refused	11	33,033
99	Not stated	3	14,329
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Section: **Derived Variable**

Variable Name: **DVQ088_A** *Position:* 84 *Length:* 1

Derived variable for methods used to quit smoking ... cold turkey/no formal assistance

		FREQ	WTD
1	Yes	1,965	5,136,518
3	No	327	1,065,684
6	Valid skip	9,587	19,032,892
9	Not stated	30	88,855
		=====	=====
		11,909	25,323,948

Coverage: Former smokers
Note: Based on Q088_A

Variable Name: **DVQ088_B** *Position:* 85 *Length:* 1

Derived variable for methods used to quit smoking ... nicotine patch

		FREQ	WTD
1	Yes	172	444,952
3	No	2,120	5,757,249
6	Valid skip	9,587	19,032,892
9	Not stated	30	88,855
		=====	=====
		11,909	25,323,948

Coverage: Former smokers
Note: Based on Q088_C

Variable Name: **DVQ088_C** *Position:* 86 *Length:* 1

Derived variable for methods used to quit smoking ... nicotine chewing gum (such as Nicorette)

		FREQ	WTD
1	Yes	101	198,397
3	No	2,191	6,003,805
6	Valid skip	9,587	19,032,892
9	Not stated	30	88,855
		=====	=====
		11,909	25,323,948

Coverage: Former smokers
Note: Based on Q088_J

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVQ088_D** **Position:** 87 **Length:** 1

Derived variable for methods used to quit smoking ... support or counselling of others

		FREQ	WTD
1	Yes	60	243,280
3	No	2,232	5,958,921
6	Valid skip	9,587	19,032,892
9	Not stated	30	88,855
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Based on Q088_B, Q088_D, Q088_E, Q088_G, Q088_I, Q088_M and Q088_N

Variable Name: **DVQ088_E** **Position:** 88 **Length:** 1

Derived variable for methods used to quit smoking ... modification of smoking behaviours
(reduction of smoking, switching to light/mild cigarettes)

		FREQ	WTD
1	Yes	65	156,652
3	No	2,227	6,045,549
6	Valid skip	9,587	19,032,892
9	Not stated	30	88,855
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Based on Q088_F and Q088_H

Variable Name: **DVQ088_F** **Position:** 89 **Length:** 1

Derived variable for methods used to quit smoking ... other therapeutic methods (acupuncture, hypnosis, a product like Zyban)

		FREQ	WTD
1	Yes	116	274,622
3	No	2,176	5,927,579
6	Valid skip	9,587	19,032,892
9	Not stated	30	88,855
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Based on Q088_K and Q088_L

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVQ088_G** *Position:* 90 *Length:* 1

Derived variable for methods used to quit smoking ... other

		FREQ	WTD
1	Yes	140	506,545
3	No	2,152	5,695,657
6	Valid skip	9,587	19,032,892
9	Not stated	30	88,855
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Based on Q088_O

Section: **Person Smoking Variable**

Variable Name: **Q090MON** *Position:* 91 *Length:* 2

How many cigarettes did you smoke on Monday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number smoked by day of week Monday	2,713	5,134,320
96	Valid skip	9,038	19,827,604
97	Don't know	137	322,908
98	Refused	15	29,236
99	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values taken from Q090A to Q090G

Variable Name: **Q090TUE** *Position:* 93 *Length:* 2

How many cigarettes did you smoke on Tuesday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number smoked by day of week Tuesday	2,724	5,204,354
96	Valid skip	9,038	19,827,604
97	Don't know	126	252,875
98	Refused	15	29,236
99	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090WED** **Position:** 95 **Length:** 2

How many cigarettes did you smoke on Wednesday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number smoked by day of week Wednesday	2,726	5,216,510
96	Valid skip	9,038	19,827,604
97	Don't know	125	242,428
98	Refused	15	29,236
99	Not stated	5	8,170
		=====	=====
		11,909	25,323,948

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values taken from Q090A to Q090G

Variable Name: **Q090THU** **Position:** 97 **Length:** 2

How many cigarettes did you smoke on Thursday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 80	Number smoked by day of week Thursday	2,724	5,221,557
96	Valid skip	9,038	19,827,604
97	Don't know	127	236,099
98	Refused	16	30,946
99	Not stated	4	7,742
		=====	=====
		11,909	25,323,948

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values taken from Q090A to Q090G

Variable Name: **Q090FRI** **Position:** 99 **Length:** 2

How many cigarettes did you smoke on Friday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number smoked by day of week Friday	2,704	5,182,124
96	Valid skip	9,038	19,827,604
97	Don't know	146	275,104
98	Refused	15	29,236
99	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values taken from Q090A to Q090G

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090SAT** **Position:** 101 **Length:** 2

How many cigarettes did you smoke on Saturday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number smoked by day of week Saturday	2,690	5,136,512
96	Valid skip	9,038	19,827,604
97	Don't know	160	320,716
98	Refused	15	29,236
99	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values taken from Q090A to Q090G

Variable Name: **Q090SUN** **Position:** 103 **Length:** 2

How many cigarettes did you smoke on Sunday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 90	Number smoked by day of week Sunday	2,706	5,145,502
96	Valid skip	9,038	19,827,604
97	Don't know	144	311,726
98	Refused	15	29,236
99	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values taken from Q090A to Q090G

Variable Name: **Q090H** **Position:** 105 **Length:** 1

I want to ask you about your smoking now compared to a year ago. Would you say you are now smoking more, less or about the same?

		FREQ	WTD
1	More	486	689,647
2	Less	1,021	1,841,271
3	About the same	1,311	2,821,875
6	Valid skip	9,038	19,827,604
7	Don't know	33	99,307
8	Refused	14	34,364
9	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090I_A** *Position:* 106 *Length:* 1

Why do you smoke more ... to control body weight?

		FREQ	WTD
1	Yes	3	926
3	No	395	539,665
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Variable Name: **Q090I_B** *Position:* 107 *Length:* 1

Why do you smoke more ... because of stress, need to relax or to calm down?

		FREQ	WTD
1	Yes	137	213,549
3	No	261	327,041
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Variable Name: **Q090I_C** *Position:* 108 *Length:* 1

Why do you smoke more ... to control boredom?

		FREQ	WTD
1	Yes	25	25,101
3	No	373	515,489
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090I_D** *Position:* 109 *Length:* 1

Why do you smoke more ... addiction?

		FREQ	WTD
1	Yes	64	62,553
3	No	334	478,037
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Variable Name: **Q090I_E** *Position:* 110 *Length:* 1

Why do you smoke more ... habit?

		FREQ	WTD
1	Yes	39	63,359
3	No	359	477,231
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Variable Name: **Q090I_F** *Position:* 111 *Length:* 1

Why do you smoke more ... going out more (bars, parties)?

		FREQ	WTD
1	Yes	21	20,249
3	No	377	520,341
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090I_G** *Position:* 112 *Length:* 1

Why do you smoke more ... increased availability?

		FREQ	WTD
1	Yes	7	7,613
3	No	391	532,977
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Variable Name: **Q090I_H** *Position:* 113 *Length:* 1

Why do you smoke more ... no reason/felt like it?

		FREQ	WTD
1	Yes	31	39,781
3	No	367	500,810
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Variable Name: **Q090I_I** *Position:* 114 *Length:* 1

Why do you smoke more ... family or friends smoke?

		FREQ	WTD
1	Yes	30	34,531
3	No	368	506,059
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090I_J** *Position:* 115 *Length:* 1

Why do you smoke more ... other?

		FREQ	WTD
1	Yes	96	135,795
3	No	302	404,795
6	Valid skip	11,370	24,490,751
7	Don't know	88	149,056
8	Refused	0	0
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke more now than a year ago

Variable Name: **Q090J_A** *Position:* 116 *Length:* 1

Why do you smoke less ... own health?

		FREQ	WTD
1	Yes	205	458,057
3	No	763	1,303,628
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Variable Name: **Q090J_B** *Position:* 117 *Length:* 1

Why do you smoke less ... pregnancy/had a baby?

		FREQ	WTD
1	Yes	28	37,730
3	No	940	1,723,955
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090J_C** *Position:* 118 *Length:* 1

Why do you smoke less ... concern about health of family?

		FREQ	WTD
1	Yes	28	86,506
3	No	940	1,675,179
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Variable Name: **Q090J_D** *Position:* 119 *Length:* 1

Why do you smoke less ... got tired of smoking/bad smell/disgusting?

		FREQ	WTD
1	Yes	35	53,022
3	No	933	1,708,663
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Variable Name: **Q090J_E** *Position:* 120 *Length:* 1

Why do you smoke less ... less stress in life, different job?

		FREQ	WTD
1	Yes	24	29,855
3	No	944	1,731,830
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090J_F** *Position:* 121 *Length:* 1

Why do you smoke less ... trying to quit, cut back?

		FREQ	WTD
1	Yes	430	778,041
3	No	538	983,645
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Variable Name: **Q090J_G** *Position:* 122 *Length:* 1

Why do you smoke less ... pressure from family or friends?

		FREQ	WTD
1	Yes	20	30,213
3	No	948	1,731,472
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Variable Name: **Q090J_H** *Position:* 123 *Length:* 1

Why do you smoke less ... cost?

		FREQ	WTD
1	Yes	200	303,749
3	No	768	1,457,936
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q090J_I** *Position:* 124 *Length:* 1

Why do you smoke less ... restrictions on where can smoke?

		FREQ	WTD
1	Yes	45	77,884
3	No	923	1,683,802
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Variable Name: **Q090J_J** *Position:* 125 *Length:* 1

Why do you smoke less ... other?

		FREQ	WTD
1	Yes	120	262,137
3	No	848	1,499,548
6	Valid skip	10,835	23,339,126
7	Don't know	52	79,345
8	Refused	1	242
9	Not stated	53	143,551
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who smoke less now than a year ago

Variable Name: **Q091** *Position:* 126 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	524	1,065,506
2	6-30 minutes	671	1,413,424
3	31-60 minutes	398	774,689
4	More than 60 minutes	686	1,207,634
6	Valid skip	9,560	20,657,959
7	Don't know	48	148,562
8	Refused	16	46,296
9	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Current daily smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q092** *Position:* 127 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	1,770	3,195,923
3	No	969	2,028,871
6	Valid skip	8,979	19,734,704
7	Don't know	168	312,784
8	Refused	17	41,785
9	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q093** *Position:* 128 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	881	1,460,090
3	No	763	1,533,128
6	Valid skip	9,948	21,763,576
7	Don't know	126	202,705
8	Refused	0	0
9	Not stated	191	364,449
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who are considering quitting within the next 6 months

Variable Name: **Q094A** *Position:* 129 *Length:* 2

In the last year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	No. of attempts stop smoking for 24 hrs	2,741	5,222,965
96	Valid skip	8,979	19,734,704
97	Don't know	165	313,989
98	Refused	18	42,410
99	Not stated	6	9,880
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q094B** *Position:* 131 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 43	No. of attempts stop smoking for 1 week	1,448	2,398,637
96	Valid skip	10,261	22,542,860
97	Don't know	11	16,172
98	Refused	0	0
99	Not stated	189	366,279
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who tried to stop smoking in the last year

Variable Name: **Q094C** *Position:* 133 *Length:* 2

Why did you begin to smoke again?

		FREQ	WTD
01	To control body weight	9	8,411
02	Because of stress, need to relax or to calm down	335	611,173
03	To control boredom	31	28,179
04	Addiction	229	372,671
05	Habit	198	344,205
06	Going out more (bars, parties)	77	104,319
07	Increased availability	8	10,377
08	No reason/felt like it	108	176,432
09	Family or friends smoke	177	220,574
10	Other (specify)	134	341,408
96	Valid skip	10,261	22,542,860
97	Don't know	152	194,452
98	Refused	1	2,607
99	Not stated	189	366,279
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who tried to stop smoking in the last year

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q095** *Position:* 135 *Length:* 2

Where do you usually get your cigarettes?

		FREQ	WTD
01	I buy them from a vending machine	8	15,769
02	I buy them at a small grocery/corner store	1,662	3,670,895
03	I buy them at a supermarket	258	502,167
04	I buy them at a drug store	54	58,169
05	I buy them at a gasoline station	417	569,851
06	I buy them at another kind of store	97	188,973
07	I buy them from a friend or someone else	39	17,726
08	My brother or sister gives them to me	4	1,614
09	My mother or father gives them to me	35	29,093
10	A friend or someone else gives them to me	234	257,627
11	I take them from my mother or father or siblings	7	9,600
96	Valid skip	8,979	19,734,704
97	Don't know	87	211,214
98	Refused	21	46,514
99	Not stated	7	10,032
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Note: Respondent was probed: Do you buy them, or does someone usually give them to you? -- Where do you buy them? -- Who do you get them from?

Variable Name: **Q096A** *Position:* 137 *Length:* 1

In the past 12 months, have you bought cigarettes?

		FREQ	WTD
1	Yes	93	58,549
3	No	150	113,733
6	Valid skip	11,621	25,122,158
7	Don't know	1	1,012
8	Refused	0	0
9	Not stated	44	28,497
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers between the age of 15-24 who don't usually buy cigarettes

Note: Based on roster age

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q097A** *Position:* 138 *Length:* 1

In the past 12 months, have you been asked your age when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	906	657,609
3	No	482	347,691
6	Valid skip	10,460	24,268,852
7	Don't know	15	19,986
8	Refused	1	302
9	Not stated	45	29,509
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers between the age of 15-24 who usually buy cigarettes or bought them in the past 12 months

Note: Based on roster age

Variable Name: **Q098A** *Position:* 139 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	296	188,996
3	No	608	465,172
6	Valid skip	10,942	24,616,542
7	Don't know	2	3,442
8	Refused	0	0
9	Not stated	61	49,796
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers between the age of 15-24 who were asked their age when buying cigarettes

Note: Based on roster age. The phrase "in a store" is missing in the French translation.

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q098B** *Position:* 140 *Length:* 1

At the present time, do you roll your own or make your own cigarettes, all of the time, most of the time, sometimes or never?

		FREQ	WTD
1	All of the time	307	482,527
2	Most of the time	140	143,392
3	Sometimes	284	319,462
4	Never	2,141	4,532,948
6	Valid skip	8,979	19,734,704
7	Don't know	25	43,974
8	Refused	25	55,201
9	Not stated	8	11,741
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q099A** *Position:* 141 *Length:* 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra lights	348	835,647
2	Lights	1,019	1,824,686
3	Ultra or extra mild	164	315,361
4	Mild	180	400,479
5	Regular	1,014	1,856,788
6	Valid skip	8,979	19,734,704
7	Don't know	161	267,599
8	Refused	35	76,763
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q099D** *Position:* 142 *Length:* 1

Do you smoke <%pre-fill% Q99A> cigarettes because you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	175	370,019
3	No	1,489	2,855,570
6	Valid skip	9,993	21,591,492
7	Don't know	45	135,546
8	Refused	2	15,038
9	Not stated	205	356,283
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers not smoking regular cigarettes

Variable Name: **Q099E** *Position:* 143 *Length:* 1

Do you smoke <%pre-fill% Q099A> cigarettes because you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	366	762,426
3	No	1,273	2,408,148
6	Valid skip	9,993	21,591,492
7	Don't know	70	190,561
8	Refused	2	15,038
9	Not stated	205	356,283
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers not smoking regular cigarettes

Variable Name: **Q099F** *Position:* 144 *Length:* 1

Do you smoke <%pre-fill% Q099A> cigarettes because you believe they reduce the risk to your health compared to regular cigarettes?

		FREQ	WTD
1	Yes	224	467,518
3	No	1,436	2,756,346
6	Valid skip	9,993	21,591,492
7	Don't know	49	137,271
8	Refused	2	15,038
9	Not stated	205	356,283
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers not smoking regular cigarettes

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q099G** *Position:* 145 *Length:* 2

Looking at your cigarette pack, what is the tar content number? If the tar content is a range, give us the lower number.

Allowed values: 01 : 20

		FREQ	WTD
01 : 20	Tar content of cigarettes	1,336	2,619,255
96	Valid skip	8,979	19,734,704
97	Don't know	1,535	2,814,300
98	Refused	50	143,768
99	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_A** *Position:* 147 *Length:* 1

What would it take for you to quit smoking ... nothing could make me quit/own death?

		FREQ	WTD
1	Yes	229	652,801
3	No	1,971	3,654,008
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_B** *Position:* 148 *Length:* 1

What would it take for you to quit smoking ... get smoking-related illness/get fatal disease?

		FREQ	WTD
1	Yes	308	675,079
3	No	1,892	3,631,729
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q100_C** *Position:* 149 *Length:* 1

What would it take for you to quit smoking ... smoking-related illness/death of family member/friend?

		FREQ	WTD
1	Yes	88	209,100
3	No	2,112	4,097,709
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_D** *Position:* 150 *Length:* 1

What would it take for you to quit smoking ... pressure to quit from family/friends?

		FREQ	WTD
1	Yes	46	83,688
3	No	2,154	4,223,121
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_E** *Position:* 151 *Length:* 1

What would it take for you to quit smoking ... better support and help from family/friends?

		FREQ	WTD
1	Yes	57	104,432
3	No	2,143	4,202,376
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q100_F** *Position:* 152 *Length:* 1

What would it take for you to quit smoking ... effective/affordable stop-smoking program/cigarette substitute?

		FREQ	WTD
1	Yes	156	200,985
3	No	2,044	4,105,824
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_G** *Position:* 153 *Length:* 1

What would it take for you to quit smoking ... increased cost/difficulty affording cigarettes?

		FREQ	WTD
1	Yes	163	246,388
3	No	2,037	4,060,421
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_H** *Position:* 154 *Length:* 1

What would it take for you to quit smoking ... more restrictions on where allowed to smoke?

		FREQ	WTD
1	Yes	16	32,742
3	No	2,184	4,274,066
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q100_I** *Position:* 155 *Length:* 1

What would it take for you to quit smoking ... change of lifestyle (different job, less stress)?

		FREQ	WTD
1	Yes	153	243,844
3	No	2,047	4,062,965
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_J** *Position:* 156 *Length:* 1

What would it take for you to quit smoking ... get pregnant/planning to have children?

		FREQ	WTD
1	Yes	85	169,902
3	No	2,115	4,136,907
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q100_K** *Position:* 157 *Length:* 1

What would it take for you to quit smoking ... more willpower?

		FREQ	WTD
1	Yes	754	1,536,137
3	No	1,446	2,770,671
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q100_L** *Position:* 158 *Length:* 1

What would it take for you to quit smoking ... other?

		FREQ	WTD
1	Yes	507	1,029,943
3	No	1,693	3,276,865
6	Valid skip	8,979	19,734,704
7	Don't know	693	1,202,189
8	Refused	28	68,326
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q109A** *Position:* 159 *Length:* 1

In the past 12 months have you seen a physician?

		FREQ	WTD
1	Yes	2,094	3,995,180
3	No	764	1,384,134
6	Valid skip	8,979	19,734,704
7	Don't know	31	105,208
8	Refused	32	92,801
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q109B** *Position:* 160 *Length:* 1

Did the physican advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	956	1,952,343
3	No	1,126	1,994,092
6	Valid skip	9,743	21,118,839
7	Don't know	12	48,745
8	Refused	0	0
9	Not stated	72	209,930
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who saw a physican in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q109C** **Position:** 161 **Length:** 1

In the past 12 months have you seen a dentist?

		FREQ	WTD
1	Yes	1,692	3,055,579
3	No	1,167	2,316,756
6	Valid skip	8,979	19,734,704
7	Don't know	29	105,665
8	Refused	33	99,323
9	Not stated	9	11,921
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers

Variable Name: **Q109D** **Position:** 162 **Length:** 1

Did the dentist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	413	798,399
3	No	1,263	2,205,185
6	Valid skip	10,146	22,051,461
7	Don't know	16	51,995
8	Refused	0	0
9	Not stated	71	216,909
		=====	=====
		11,909	25,323,948

Coverage: Current daily or occasional smokers who saw a dentist in the past 12 months

Note: The English and French versions vary slightly. In English it is referring to "reduce or quit". The French version refers to "reduce" only.

Variable Name: **Q110** **Position:** 163 **Length:** 1

Have you been pregnant in the last five years? (i.e. since survey month + survey year-5, e.g. July 1997)

		FREQ	WTD
1	Yes	656	1,504,973
3	No	2,107	4,252,921
6	Valid skip	9,122	19,494,550
7	Don't know	3	5,481
8	Refused	11	23,611
9	Not stated	10	42,412
		=====	=====
		11,909	25,323,948

Coverage: Women aged 20-44

Note: Based on roster age

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q111** *Position:* 164 *Length:* 1

During your most recent pregnancy, did you smoke regularly (that is, every day or almost everyday)?

		FREQ	WTD
1	Yes	107	159,706
3	No	253	546,429
6	Valid skip	11,536	24,571,351
7	Don't know	0	0
8	Refused	1	946
9	Not stated	12	45,516
		=====	=====
		11,909	25,323,948

Coverage: Women who are daily, occasional or former smokers and were pregnant in the last 5 years

Note: Based on roster age

Variable Name: **Q112** *Position:* 165 *Length:* 1

(During your most recent pregnancy,) did your spouse/partner smoke regularly in the home (that is, every day or almost every day)?

		FREQ	WTD
1	Yes	96	181,096
3	No	536	1,307,373
4	Not applicable (no spouse/partner)	23	15,558
6	Valid skip	11,229	23,747,471
7	Don't know	0	0
8	Refused	1	946
9	Not stated	24	71,505
		=====	=====
		11,909	25,323,948

Coverage: Women pregnant in the last 5 years

Note: Based on roster age. The English and French versions vary slightly. In English it is referring to "in the home". The French version refers to "in your presence".

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q120** *Position:* 166 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in any section of a restaurant	5,091	10,430,434
2	Smoking should be allowed only in enclosed smoking section	3,602	7,158,594
3	Smoking should be allowed only in a smoking section of a restaurant	2,255	4,983,557
4	Smoking should be allowed in all sections of a restaurant	331	854,714
7	Don't know	532	1,629,314
8	Refused	82	229,432
9	Not stated	16	37,902
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **Q121** *Position:* 167 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in any section of a bar or tavern	2,567	5,800,332
2	Smoking should be allowed only in enclosed smoking section	2,266	5,022,024
3	Smoking should be allowed only in a smoking section of a bar or tavern	2,079	4,126,639
4	Smoking should be allowed in all sections of a bar or tavern	3,552	6,453,107
7	Don't know	1,340	3,620,887
8	Refused	89	263,057
9	Not stated	16	37,902
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q130** *Position:* 168 *Length:* 1

Have you ever tried smoking a cigar, including cigarillos?

		FREQ	WTD
1	Yes	4,006	8,396,109
3	No	7,790	16,603,953
7	Don't know	43	134,138
8	Refused	54	151,846
9	Not stated	16	37,902
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **Q130A** *Position:* 169 *Length:* 1

In the past 30 days, did you smoke any cigars including cigarillos?

		FREQ	WTD
1	Yes	464	794,153
3	No	3,538	7,593,409
6	Valid skip	7,790	16,603,953
7	Don't know	4	8,548
8	Refused	0	0
9	Not stated	113	323,886
		=====	=====
		11,909	25,323,948

Coverage: Respondents who have ever smoked a cigar

Variable Name: **Q131** *Position:* 170 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,458	3,588,688
3	No	10,341	21,425,176
7	Don't know	38	118,072
8	Refused	56	154,110
9	Not stated	16	37,902
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q131A** *Position:* 171 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	82	118,959
3	No	1,375	3,468,686
6	Valid skip	10,341	21,425,176
7	Don't know	1	1,043
8	Refused	0	0
9	Not stated	110	310,084
		=====	=====
		11,909	25,323,948

Coverage: Respondents who have ever smoked a pipe

Variable Name: **Q132** *Position:* 172 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,168	1,990,040
3	No	10,631	23,039,796
7	Don't know	37	96,986
8	Refused	57	159,225
9	Not stated	16	37,902
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **Q132A** *Position:* 173 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	105	120,139
3	No	1,063	1,869,901
6	Valid skip	10,631	23,039,796
7	Don't know	0	0
8	Refused	0	0
9	Not stated	110	294,112
		=====	=====
		11,909	25,323,948

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Section: Demographic Variable

Variable Name: **Q140** *Position:* 174 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	9,577	16,732,772
2	French	1,414	5,472,809
3	Both English and French	120	303,608
4	Other	739	2,685,921
7	Don't know	16	36,648
8	Refused	27	54,288
9	Not stated	16	37,902
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **Q146** *Position:* 175 *Length:* 2

Which of the following best describes your main activity during the last 12 months? Were you ...

		FREQ	WTD
01	working at a job or business?	5,451	14,550,685
02	looking for work?	263	411,671
03	a student?	3,640	3,184,685
04	retired?	1,565	4,471,695
05	raising a family or running a household?	715	1,927,260
06	other?	173	477,946
97	Don't know	30	78,204
98	Refused	56	183,901
99	Not stated	16	37,902
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **Q150** **Position:** 177 **Length:** 2

What is your best estimate of your total household income for the last 12 months before taxes and deductions? Please include income from all household members and from all sources. Was it ...

		FREQ	WTD
01	Less than \$15 thousand	1,011	1,502,290
02	\$15 to 29 thousand	1,543	2,905,724
03	\$30 to 44 thousand	1,372	2,974,701
04	\$45 to 59 thousand	1,060	2,289,561
05	\$60 to 79 thousand	841	2,306,369
06	\$80 to 99 thousand	457	1,394,486
07	\$100 to 119 thousand	299	737,598
08	\$120 thousand or more	410	1,175,414
97	Don't know	3,058	4,206,256
98	Refused	1,844	5,794,006
99	Not stated	14	37,543
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: Because some of the ranges are not all inclusive, it was left to the respondent to interpret which range category to select.

Variable Name: **Q170** **Position:** 179 **Length:** 2

What is the highest grade or level of education you have ever attained?

		FREQ	WTD
01	No schooling	18	75,116
02	Some elementary	220	573,809
03	Completed elementary	384	889,088
04	Some secondary	3,194	4,334,580
05	Completed secondary	3,026	6,566,467
06	Some community college, technical college, CEGEP or nurse's training	662	1,491,594
07	Completed community college, technical college, CEGEP or nurse's training	1,545	4,194,669
08	Some university or teacher's college	1,103	1,561,639
09	Completed university or teacher's college	1,518	4,877,005
10	Other education or training	96	205,398
97	Don't know	29	100,776
98	Refused	96	407,640
99	Not stated	18	46,168
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Section: Derived Variable

Variable Name: **DVSST1** *Position:* 181 *Length:* 1

Derived variable for type 1 smoking status

		FREQ	WTD
1	Current smoker	2,798	5,409,713
2	Former smoker	2,408	6,433,555
3	Never smoked	6,703	13,480,680
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition

Variable Name: **DVSST2** *Position:* 182 *Length:* 2

Derived variable for type 2 smoking status

		FREQ	WTD
01	Current daily smoker	2,228	4,408,620
02	Current occasional smoker	570	1,001,093
03	Former daily smoker	2,079	5,562,481
04	Former occasional smoker	309	819,149
05	Experimental smoker	1,709	2,995,740
06	Lifetime abstainer	4,948	10,447,908
99	Not stated	66	88,957
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 184 *Length:* 1

Derived variable for type 1 smoking status

		FREQ	WTD
1	Smoked in last 30 days	2,871	5,496,344
2	Not smoked in last 30 days, but smoked 100 cigarettes	2,359	6,364,900
3	Never smoked or smoked less than 100 cigarettes in life	6,679	13,462,704
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVSS2** **Position:** 185 **Length:** 2

Derived variable for type 2 smoking status

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	2,332	4,648,709
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	414	692,290
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	2,044	5,512,584
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	312	840,145
05	Beginner: smoked in last 30 days, <100 cigarettes in life	125	155,344
06	Past experimental smoker	1,731	3,014,796
07	Lifetime abstainer	4,948	10,447,908
99	Not stated	3	12,172
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition

Variable Name: **DVCIGWK** **Position:** 187 **Length:** 3

Derived variable for number of cigarettes smoked per week

		FREQ	WTD
000 : 609	D.V. for no. of cigs smoke/wk	2,646	5,038,045
996	Valid skip	9,038	19,827,604
999	Not stated	225	458,299
		=====	=====
		11,909	25,323,948

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** **Position:** 190 **Length:** 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 87	D.V. avg. no. of cigs smoked/day	2,646	5,038,045
96	Valid skip	9,038	19,827,604
99	Not stated	225	458,299
		=====	=====
		11,909	25,323,948

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVNDSMK** *Position:* 192 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	D.V. no. of days smoked in last 7 days	2,646	5,038,045
96	Valid skip	9,038	19,827,604
99	Not stated	225	458,299
		=====	=====
		11,909	25,323,948

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 194 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 87	D.V. avg. smoked on the days they smoked	2,646	5,038,045
96	Valid skip	9,038	19,827,604
99	Not stated	225	458,299
		=====	=====
		11,909	25,323,948

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **STOPSMK** *Position:* 196 *Length:* 2

Derived variable for the number of months since the survey date that the nonsmoker stopped smoking (i.e. did not smoke in past 30 days)

		FREQ	WTD
00 : 11	D.V. no. of mths. no smoke since survey	247	480,071
18	1-2 years	264	489,777
48	3-5 years	252	558,228
60	More than 5 years ago	1,542	4,714,035
96	Valid skip	9,587	19,032,892
99	Not stated	17	48,945
		=====	=====
		11,909	25,323,948

Coverage: Former smokers

Note: Derived from Q070 and Q080

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVYRSSMK** **Position:** 198 **Length:** 2

Derived variable for the number of years the respondent smoked

		FREQ	WTD
00 : 70	D.V. no. of yrs the respondent smoked	2,701	5,106,136
96	Valid skip	9,111	19,914,235
99	Not stated	97	303,577
		=====	=====
		11,909	25,323,948

Coverage: Current smokers

Note: Derived from respondent's age and Q065

Variable Name: **DVEVRREF** **Position:** 200 **Length:** 1

Derived variable for having ever been refused while buying cigarettes

		FREQ	WTD
1	Yes	296	188,996
3	No	1,090	812,862
6	Valid skip	10,460	24,268,852
9	Not stated	63	53,239
		=====	=====
		11,909	25,323,948

Coverage: Current smokers between the age of 15-24 who have ever bought cigarettes

Note: Derived from Q097A and Q098A

Variable Name: **DVSMKPTN** **Position:** 201 **Length:** 1

Derived variable for current smokers' smoking pattern

		FREQ	WTD
1	Smoked everyday	2,204	4,359,450
2	Weekdays only	6	15,916
3	Weekends only	4	6,380
4	Did not smoke in last 7 days	125	167,806
5	Other pattern	307	488,492
6	Valid skip	9,038	19,827,604
9	Not stated	225	458,299
		=====	=====
		11,909	25,323,948

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HHTYPE** *Position:* 202 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	80	48,620
02	Households with only 20-24 year old members	500	482,024
03	Households with only 25-44 year old members	815	2,804,619
04	Households with only 45-64 year old members	1,207	3,500,008
05	Households with only 65+ year old members	1,160	2,965,194
06	Households with adults and children 0-11 only	1,309	4,021,548
07	Households with adults and teens 12-19 only	3,637	4,898,827
08	Households with adults and young children and teens 0-19 only	1,160	1,987,862
09	Other compositions	2,041	4,615,246
		=====	=====
		11,909	25,323,948

Coverage: All households

Note: Derived from the roster entries

Variable Name: **DVEDUC** *Position:* 204 *Length:* 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	3,816	5,872,593
2	Completed secondary	4,887	9,825,098
3	Completed community college, technical college, CEGEP or nurse's college	1,545	4,194,669
4	Completed university or teacher's college	1,518	4,877,005
9	Not stated	143	554,584
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition If Q170=01,02,03,04 then DVEDUC=1; if Q170=05,06,08,10 then DVEDUC=2; if Q170=07 then DVEDUC=3; if Q170=09 then DVEDUC=4

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVINCAD** **Position:** 205 **Length:** 1

Income adequacy (based on household income and household size)

		FREQ	WTD
1	Low	1,637	2,686,677
2	Medium low	2,490	5,071,190
3	Medium	1,424	3,368,848
4	Medium high	702	1,896,105
5	High	740	2,263,323
9	Not stated	4,916	10,037,805
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: More categories than SOSIC (Survey on Smoking in Canada) definition

Variable Name: **T_AGE** **Position:** 206 **Length:** 3

Age of respondent, derived from the respondent's date of birth Q160 (A,B,C) or roster age

Allowed values: 015 : 115

		FREQ	WTD
015 : 084	Age of respondent	11,785	25,018,696
085	85 or more	124	305,252
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Note: On public use file, ages greater than 85 were recoded to 85.

Variable Name: **P_AGEGRP** **Position:** 209 **Length:** 2

Age of the respondent in ranges, derived from the respondent's age (T_AGE)

		FREQ	WTD
01	15-17 years	1,961	1,279,566
02	18-19 years	1,165	804,423
03	20-22 years	1,613	1,366,890
04	23-24 years	927	759,889
05	25-44 years	2,588	9,643,080
06	45-64 years	2,305	7,714,333
07	65 years and over	1,350	3,755,769
		=====	=====
		11,909	25,323,948

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Section: **Weight Variable**

Variable Name: **WGT6MO** *Position:* 211 *Length:* 10.4

Six month weight

Coverage: All respondents

Note: 10 digits with 4 decimal places. Physical decimal present 99999.9999

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

INDEX

A		PROV	1
AGE0014	8	Q	
AGE1524	8	Q010	10
AGE2544	8	Q020	11
AGE45PL	9	Q030	11
AGEGRP1	9	Q040	11
C		Q050	12
CH010	2	Q060	12
CMA	2	Q061	12
D		Q062_A	13
DVAVCIG7	54	Q062_B	13
DVAVCIGD	55	Q062_C	14
DVCIGWK	54	Q062_D	14
DVEDUC	57	Q062_E	15
DVEVRREF	56	Q062_F	15
DVH010	2	Q062_G	16
DVINCAD	58	Q062_H	16
DVNDSMK	55	Q062_I	17
DVQ088_A	23	Q062_J	17
DVQ088_B	23	Q065	17
DVQ088_C	23	Q070	18
DVQ088_D	24	Q080	18
DVQ088_E	24	Q085_A	18
DVQ088_F	24	Q085_B	19
DVQ088_G	25	Q085_C	19
DVSMKPTN	56	Q085_D	19
DVSS1	53	Q085_E	20
DVSS2	54	Q085_F	20
DVSST1	53	Q085_G	20
DVSST2	53	Q085_H	21
DVYRSSMK	56	Q085_I	21
H		Q085_J	21
H020	3	Q085_K	22
H025	3	Q086	22
H026	4	Q087	22
H027	4	Q090FRI	26
H028_A	4	Q090H	27
H028_B	5	Q090I_A	28
H028_C	5	Q090I_B	28
H028_D	6	Q090I_C	28
H028_E	6	Q090I_D	29
H028_F	7	Q090I_E	29
HHSIZE	7	Q090I_F	29
HHSIZE15	10	Q090I_G	30
HHTYPE	57	Q090I_H	30
I		Q090I_I	30
ILANG	7	Q090I_J	31
M		Q090J_A	31
MARST	10	Q090J_B	31
P		Q090J_C	32
P_AGEGRP	58	Q090J_D	32

Canadian Tobacco Use Monitoring Survey - 2002
Public Use Microdata File (Person) - Cycle 2

Q090J_E.....	32	Q100_H.....	43
Q090J_F.....	33	Q100_I.....	44
Q090J_G.....	33	Q100_J.....	44
Q090J_H.....	33	Q100_K.....	44
Q090J_I.....	34	Q100_L.....	45
Q090J_J.....	34	Q109A.....	45
Q090MON.....	25	Q109B.....	45
Q090SAT.....	27	Q109C.....	46
Q090SUN.....	27	Q109D.....	46
Q090THU.....	26	Q110.....	46
Q090TUE.....	25	Q111.....	47
Q090WED.....	26	Q112.....	47
Q091.....	34	Q120.....	48
Q092.....	35	Q121.....	48
Q093.....	35	Q130.....	49
Q094A.....	35	Q130A.....	49
Q094B.....	36	Q131.....	49
Q094C.....	36	Q131A.....	50
Q095.....	37	Q132.....	50
Q096A.....	37	Q132A.....	50
Q097A.....	38	Q140.....	51
Q098A.....	38	Q146.....	51
Q098B.....	39	Q150.....	52
Q099A.....	39	Q170.....	52
Q099D.....	40	S	
Q099E.....	40	SEQID.....	1
Q099F.....	40	SEX.....	9
Q099G.....	41	SMNTH.....	1
Q100_A.....	41	STOPSMK.....	55
Q100_B.....	41	SYEAR.....	1
Q100_C.....	42	T	
Q100_D.....	42	T_AGE.....	58
Q100_E.....	42	W	
Q100_F.....	43	WGT6MO.....	59
Q100_G.....	43		