

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Canada

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	83.6	83.3	82.8	81.6	79.4	77.2	74.9	72.5	70.0	67.5	64.8	59.2	45.8	26.5
2	59.1	58.9	58.6	57.7	56.1	54.6	52.9	51.2	49.5	47.7	45.8	41.8	32.4	18.7
3	48.3	48.1	47.8	47.1	45.8	44.5	43.2	41.8	40.4	39.0	37.4	34.2	26.5	15.3
4	41.8	41.6	41.4	40.8	39.7	38.6	37.4	36.2	35.0	33.7	32.4	29.6	22.9	13.2
5	37.4	37.2	37.1	36.5	35.5	34.5	33.5	32.4	31.3	30.2	29.0	26.5	20.5	11.8
6	34.1	34.0	33.8	33.3	32.4	31.5	30.6	29.6	28.6	27.5	26.5	24.2	18.7	10.8
7	31.6	31.5	31.3	30.8	30.0	29.2	28.3	27.4	26.5	25.5	24.5	22.4	17.3	10.0
8	29.6	29.4	29.3	28.8	28.1	27.3	26.5	25.6	24.8	23.9	22.9	20.9	16.2	9.4
9	27.9	27.8	27.6	27.2	26.5	25.7	25.0	24.2	23.3	22.5	21.6	19.7	15.3	8.8
10	26.5	26.3	26.2	25.8	25.1	24.4	23.7	22.9	22.1	21.3	20.5	18.7	14.5	8.4
11	25.2	25.1	25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.3	19.5	17.8	13.8	8.0
12	24.1	24.0	23.9	23.5	22.9	22.3	21.6	20.9	20.2	19.5	18.7	17.1	13.2	7.6
13	*****	23.1	23.0	22.6	22.0	21.4	20.8	20.1	19.4	18.7	18.0	16.4	12.7	7.3
14	*****	22.3	22.1	21.8	21.2	20.6	20.0	19.4	18.7	18.0	17.3	15.8	12.3	7.1
15	*****	21.5	21.4	21.1	20.5	19.9	19.3	18.7	18.1	17.4	16.7	15.3	11.8	6.8
16	*****	20.8	20.7	20.4	19.8	19.3	18.7	18.1	17.5	16.9	16.2	14.8	11.5	6.6
17	*****	20.2	20.1	19.8	19.3	18.7	18.2	17.6	17.0	16.4	15.7	14.4	11.1	6.4
18	*****	19.6	19.5	19.2	18.7	18.2	17.6	17.1	16.5	15.9	15.3	13.9	10.8	6.2
19	*****	19.1	19.0	18.7	18.2	17.7	17.2	16.6	16.1	15.5	14.9	13.6	10.5	6.1
20	*****	18.6	18.5	18.2	17.8	17.3	16.7	16.2	15.7	15.1	14.5	13.2	10.2	5.9
21	*****	18.2	18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
22	*****	17.8	17.7	17.4	16.9	16.4	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
23	*****	17.4	17.3	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.3	9.6	5.5
24	*****	17.0	16.9	16.7	16.2	15.7	15.3	14.8	14.3	13.8	13.2	12.1	9.4	5.4
25	*****	16.7	16.6	16.3	15.9	15.4	15.0	14.5	14.0	13.5	13.0	11.8	9.2	5.3
30	*****	15.2	15.1	14.9	14.5	14.1	13.7	13.2	12.8	12.3	11.8	10.8	8.4	4.8
35	*****	14.1	14.0	13.8	13.4	13.0	12.7	12.3	11.8	11.4	11.0	10.0	7.7	4.5
40	*****	13.2	13.1	12.9	12.6	12.2	11.8	11.5	11.1	10.7	10.2	9.4	7.2	4.2
45	*****	12.4	12.4	12.2	11.8	11.5	11.2	10.8	10.4	10.1	9.7	8.8	6.8	3.9
50	*****	11.8	11.7	11.5	11.2	10.9	10.6	10.2	9.9	9.5	9.2	8.4	6.5	3.7
55	*****	11.2	11.2	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
60	*****	10.7	10.7	10.5	10.2	10.0	9.7	9.4	9.0	8.7	8.4	7.6	5.9	3.4
65	*****	10.3	10.3	10.1	9.8	9.6	9.3	9.0	8.7	8.4	8.0	7.3	5.7	3.3
70	*****	10.0	9.9	9.7	9.5	9.2	8.9	8.7	8.4	8.1	7.7	7.1	5.5	3.2
75	*****	9.6	9.6	9.4	9.2	8.9	8.6	8.4	8.1	7.8	7.5	6.8	5.3	3.1
80	*****	9.3	9.3	9.1	8.9	8.6	8.4	8.1	7.8	7.5	7.2	6.6	5.1	3.0
85	*****	9.0	9.0	8.8	8.6	8.4	8.1	7.9	7.6	7.3	7.0	6.4	5.0	2.9
90	*****	8.8	8.7	8.6	8.4	8.1	7.9	7.6	7.4	7.1	6.8	6.2	4.8	2.8
95	*****	8.5	8.5	8.4	8.1	7.9	7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7
100	*****	8.3	8.3	8.2	7.9	7.7	7.5	7.2	7.0	6.7	6.5	5.9	4.6	2.6
125	*****	7.4	7.4	7.3	7.1	6.9	6.7	6.5	6.3	6.0	5.8	5.3	4.1	2.4
150	*****	6.8	6.8	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
200	*****	5.9	5.9	5.8	5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.2	1.9
250	*****	5.2	5.2	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.7	2.9	1.7
300	*****	4.7	4.7	4.6	4.5	4.3	4.2	4.0	3.9	3.7	3.6	3.4	2.6	1.5
350	*****	4.4	4.4	4.2	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.2	2.5	1.4
400	*****	4.1	4.1	4.0	3.9	3.7	3.6	3.5	3.4	3.3	3.2	3.0	2.3	1.3
450	*****	3.8	3.8	3.7	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.8	2.2	1.2
500	*****	3.6	3.6	3.6	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2
750	*****	2.9	2.9	2.8	2.7	2.6	2.6	2.5	2.4	2.3	2.2	2.2	1.7	1.0
1000	*****	2.5	2.5	2.4	2.4	2.3	2.2	2.2	2.1	2.0	1.9	1.9	1.4	0.8
1500	*****	2.0	2.0	1.9	1.9	1.8	1.7	1.7	1.6	1.5	1.4	1.3	1.0	0.6
2000	*****	1.7	1.7	1.6	1.6	1.5	1.4	1.4	1.3	1.2	1.1	1.1	0.8	0.5
3000	*****	1.3	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.0	0.9	0.9	0.7	0.4
4000	*****	1.1	1.1	1.0	1.0	0.9	0.9	0.8	0.8	0.7	0.7	0.6	0.5	0.3
5000	*****	0.8	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.2
6000	*****	0.8	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.2
7000	*****	0.8	0.7	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.2
8000	*****	0.8	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.2
9000	*****	0.8	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.2
10000	*****	0.8	0.7	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.2

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Newfoundland and Labrador

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
1	*****	24.5	24.4	24.0	23.4	22.7	22.0	21.3	20.6	19.9	19.1	17.4	13.5	7.8	
2	*****		17.2	17.0	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5	
3	*****		14.1	13.9	13.5	13.1	12.7	12.3	11.9	11.5	11.0	10.1	7.8	4.5	
4	*****			12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9	
5	*****			10.7	10.4	10.2	9.8	9.5	9.2	8.9	8.5	7.8	6.0	3.5	
6	*****			9.8	9.5	9.3	9.0	8.7	8.4	8.1	7.8	7.1	5.5	3.2	
7	*****			9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9	
8	*****			8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8	
9	*****			8.0	7.8	7.6	7.3	7.1	6.9	6.6	6.4	5.8	4.5	2.6	
10	*****				7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.5	4.3	2.5	
11	*****				7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.2	4.1	2.3	
12	*****				6.7	6.6	6.4	6.2	5.9	5.7	5.5	5.0	3.9	2.2	
13	*****				6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2	
14	*****				6.2	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1	
15	*****				6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0	
16	*****				5.8	5.7	5.5	5.3	5.2	5.0	4.8	4.4	3.4	1.9	
17	*****				5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9	
18	*****				5.5	5.4	5.2	5.0	4.9	4.7	4.5	4.1	3.2	1.8	
19	*****				5.4	5.2	5.1	4.9	4.7	4.6	4.4	4.0	3.1	1.8	
20	*****				5.1	4.9	4.8	4.6	4.4	4.3	4.1	3.7	3.0	1.7	
21	*****					5.0	4.8	4.7	4.5	4.3	4.2	3.8	2.9	1.7	
22	*****					4.8	4.7	4.5	4.4	4.2	4.1	3.7	2.9	1.7	
23	*****					4.7	4.6	4.4	4.3	4.1	4.0	3.6	2.8	1.6	
24	*****					4.6	4.5	4.4	4.2	4.1	3.9	3.6	2.8	1.6	
25	*****					4.5	4.4	4.3	4.1	4.0	3.8	3.5	2.7	1.6	
30	*****						4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4	
35	*****						3.7	3.6	3.5	3.4	3.2	2.9	2.3	1.3	
40	*****							3.4	3.3	3.1	3.0	2.8	2.1	1.2	
45	*****							3.2	3.1	3.0	2.8	2.6	2.0	1.2	
50	*****								2.9	2.8	2.7	2.5	1.9	1.1	
55	*****								2.8	2.7	2.6	2.3	1.8	1.0	
60	*****									2.6	2.5	2.2	1.7	1.0	
65	*****									2.5	2.4	2.2	1.7	1.0	
70	*****										2.3	2.1	1.6	0.9	
75	*****										2.2	2.0	1.6	0.9	
80	*****											1.9	1.5	0.9	
85	*****											1.9	1.5	0.8	
90	*****											1.8	1.4	0.8	
95	*****											1.8	1.4	0.8	
100	*****												1.3	0.8	
125	*****													1.2	0.7
150	*****														0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Prince Edward Island

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																												
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%															
1	*****	11.9	11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8																
2	*****		8.3	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7																
3	*****			6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2																
4	*****				5.7	5.5	5.4	5.2	5.0	4.8	4.6	4.2	3.3	1.9															
5	*****					5.1	4.9	4.8	4.6	4.5	4.3	4.1	3.8	2.9	1.7														
6	*****						4.5	4.4	4.2	4.1	3.9	3.8	3.5	2.7	1.5														
7	*****							4.2	4.0	3.9	3.8	3.6	3.5	3.2	2.5	1.4													
8	*****								3.9	3.8	3.7	3.5	3.4	3.0	2.3	1.3													
9	*****									3.6	3.5	3.3	3.2	3.1	2.8	2.2	1.3												
10	*****										3.4	3.3	3.2	3.1	2.9	2.7	2.1	1.2											
11	*****											3.1	3.0	2.9	2.8	2.6	2.0	1.1											
12	*****												3.0	2.9	2.8	2.7	2.4	1.9	1.1										
13	*****													2.9	2.8	2.7	2.6	2.3	1.8	1.1									
14	*****														2.7	2.6	2.5	2.3	1.8	1.0									
15	*****															2.6	2.5	2.4	2.2	1.7	1.0								
16	*****																2.5	2.4	2.3	2.1	1.6	0.9							
17	*****																	2.4	2.3	2.2	2.1	1.6	0.9						
18	*****																		2.3	2.2	2.0	1.5	0.9						
19	*****																			2.1	1.9	1.5	0.9						
20	*****																				2.1	1.9	1.5	0.8					
21	*****																					2.0	1.8	1.4	0.8				
22	*****																						1.8	1.4	0.8				
23	*****																							1.8	1.4	0.8			
24	*****																								1.7	1.3	0.8		
25	*****																									1.7	1.3	0.8	
30	*****																										1.2	0.7	
35	*****																											1.1	0.6
40	*****																												0.6
45	*****																												0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Nova Scotia

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE																																				
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%																							
1	*****	29.6	29.5	29.0	28.3	27.5	26.6	25.8	24.9	24.0	23.1	21.1	16.3	9.4																							
2	*****	21.0	20.8	20.5	20.0	19.4	18.8	18.2	17.6	17.0	16.3	14.9	11.5	6.7																							
3	*****	17.1	17.0	16.8	16.3	15.9	15.4	14.9	14.4	13.9	13.3	12.2	9.4	5.4																							
4	*****		14.7	14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.5	10.5	8.2	4.7																							
5	*****		13.2	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2																							
6	*****		12.0	11.9	11.5	11.2	10.9	10.5	10.2	9.8	9.4	8.6	6.7	3.8																							
7	*****		11.1	11.0	10.7	10.4	10.1	9.7	9.4	9.1	8.7	8.0	6.2	3.6																							
8	*****			10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.4	5.8	3.3																							
9	*****				9.7	9.4	9.2	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1																						
10	*****					9.2	8.9	8.7	8.4	8.2	7.9	7.6	7.3	6.7	5.2	3.0																					
11	*****						8.8	8.5	8.3	8.0	7.8	7.5	7.2	7.0	6.3	4.9	2.8																				
12	*****							8.4	8.2	7.9	7.7	7.4	7.2	6.9	6.7	6.1	4.7	2.7																			
13	*****								8.1	7.8	7.6	7.4	7.2	6.9	6.7	6.4	5.8	4.5	2.6																		
14	*****									7.8	7.6	7.3	7.1	6.9	6.7	6.4	6.2	5.6	4.4	2.5																	
15	*****										7.5	7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.4	4.2	2.4																
16	*****											7.3	7.1	6.9	6.7	6.4	6.2	6.0	5.8	5.3	4.1	2.4															
17	*****												7.0	6.9	6.7	6.5	6.3	6.0	5.8	5.6	5.1	4.0	2.3														
18	*****													6.8	6.7	6.5	6.3	6.1	5.9	5.7	5.4	5.0	3.8	2.2													
19	*****														6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2													
20	*****															6.3	6.1	6.0	5.8	5.6	5.4	5.2	4.7	3.6	2.1												
21	*****																6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1											
22	*****																	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0										
23	*****																		5.9	5.7	5.6	5.4	5.2	5.0	4.8	4.4	3.4	2.0									
24	*****																			5.8	5.6	5.4	5.3	5.1	4.9	4.7	4.3	3.3	1.9								
25	*****																				5.7	5.5	5.3	5.2	5.0	4.8	4.6	4.2	3.3	1.9							
30	*****																					5.2	5.0	4.9	4.7	4.5	4.4	4.2	3.8	3.0	1.7						
35	*****																						4.8	4.6	4.5	4.4	4.2	4.1	3.9	3.6	2.8	1.6					
40	*****																							4.3	4.2	4.1	3.9	3.8	3.6	3.3	2.6	1.5					
45	*****																								4.1	4.0	3.8	3.7	3.6	3.4	3.1	2.4	1.4				
50	*****																									3.9	3.8	3.6	3.5	3.4	3.3	3.0	2.3	1.3			
55	*****																										3.7	3.6	3.5	3.4	3.2	3.1	2.8	2.2	1.3		
60	*****																											3.4	3.3	3.2	3.1	3.0	2.7	2.1	1.2		
65	*****																											3.3	3.2	3.1	3.0	2.9	2.6	2.0	1.2		
70	*****																											3.2	3.1	3.0	2.9	2.8	2.5	1.9	1.1		
75	*****																												3.0	2.9	2.8	2.7	2.6	2.4	1.9	1.1	
80	*****																												2.9	2.8	2.7	2.6	2.5	2.4	1.8	1.1	
85	*****																												2.8	2.7	2.6	2.5	2.3	2.3	1.8	1.0	
90	*****																												2.7	2.6	2.5	2.4	2.2	2.2	1.7	1.0	
95	*****																												2.6	2.5	2.4	2.2	2.2	1.7	1.0	1.0	
100	*****																												2.5	2.4	2.3	2.1	2.1	1.6	0.9	0.9	
125	*****																													2.1	2.1	1.9	1.9	1.5	0.8	0.8	
150	*****																														1.7	1.3	0.8	0.8	0.8		
200	*****																															1.2	0.7	0.7	0.7		
250	*****																																1.0	0.6	0.6	0.6	
300	*****																																	0.5	0.5	0.5	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for New Brunswick

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	26.7	26.5	26.1	25.4	24.7	24.0	23.2	22.4	21.6	20.8	18.9	14.7	8.5
2	*****	18.9	18.8	18.5	18.0	17.5	16.9	16.4	15.9	15.3	14.7	13.4	10.4	6.0
3	*****	*****	15.3	15.1	14.7	14.3	13.8	13.4	12.9	12.5	12.0	10.9	8.5	4.9
4	*****	*****	13.3	13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.3	4.2
5	*****	*****	11.9	11.7	11.4	11.0	10.7	10.4	10.0	9.7	9.3	8.5	6.6	3.8
6	*****	*****	*****	10.7	10.4	10.1	9.8	9.5	9.2	8.8	8.5	7.7	6.0	3.5
7	*****	*****	*****	9.9	9.6	9.3	9.1	8.8	8.5	8.2	7.8	7.2	5.5	3.2
8	*****	*****	*****	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
9	*****	*****	*****	8.7	8.5	8.2	8.0	7.7	7.5	7.2	6.9	6.3	4.9	2.8
10	*****	*****	*****	8.3	8.0	7.8	7.6	7.3	7.1	6.8	6.6	6.0	4.6	2.7
11	*****	*****	*****	7.9	7.7	7.4	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
12	*****	*****	*****	7.5	7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.5	4.2	2.4
13	*****	*****	*****	7.2	7.0	6.9	6.6	6.4	6.2	6.0	5.8	5.3	4.1	2.3
14	*****	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.5	5.1	3.9	2.3
15	*****	*****	*****	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
16	*****	*****	*****	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1
17	*****	*****	*****	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.2	3.3	1.9
18	*****	*****	*****	6.0	5.8	5.6	5.5	5.3	5.1	4.9	4.5	3.5	2.0	1.2
19	*****	*****	*****	5.8	5.7	5.5	5.3	5.1	5.0	4.8	4.3	3.4	1.9	1.1
20	*****	*****	*****	5.7	5.5	5.4	5.2	5.0	4.8	4.6	4.2	3.3	1.9	1.1
21	*****	*****	*****	5.5	5.4	5.2	5.1	4.9	4.7	4.5	4.1	3.2	1.8	1.0
22	*****	*****	*****	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8	1.0
23	*****	*****	*****	5.3	5.2	5.0	4.8	4.7	4.5	4.3	4.0	3.1	1.8	1.0
24	*****	*****	*****	5.2	5.0	4.9	4.7	4.6	4.4	4.2	3.9	3.0	1.7	1.0
25	*****	*****	*****	5.1	4.9	4.8	4.6	4.5	4.3	4.2	3.8	2.9	1.7	1.0
30	*****	*****	*****	4.5	4.4	4.2	4.1	4.1	3.9	3.8	3.5	2.7	1.5	0.9
35	*****	*****	*****	4.2	4.1	3.9	3.8	3.7	3.5	3.4	3.1	2.5	1.4	0.8
40	*****	*****	*****	3.9	3.8	3.7	3.5	3.4	3.3	3.2	2.9	2.1	1.2	0.7
45	*****	*****	*****	3.6	3.5	3.3	3.2	3.1	2.9	2.8	2.6	2.0	1.1	0.6
50	*****	*****	*****	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.6	2.0	1.1	0.6
55	*****	*****	*****	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.5	2.3	1.8	1.0
60	*****	*****	*****	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.6	0.9
65	*****	*****	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.1	1.6	0.9	0.5
70	*****	*****	*****	2.8	2.7	2.6	2.5	2.4	2.3	2.2	2.1	1.9	1.5	0.9
75	*****	*****	*****	2.6	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.7	1.3	0.8
80	*****	*****	*****	2.5	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.6	1.2	0.7
85	*****	*****	*****	2.4	2.3	2.3	2.2	2.1	2.0	1.9	1.8	1.6	1.2	0.7
90	*****	*****	*****	2.3	2.2	2.2	2.1	2.0	1.9	1.8	1.7	1.5	1.1	0.6
95	*****	*****	*****	2.2	2.1	2.1	2.0	1.9	1.8	1.7	1.6	1.4	1.0	0.6
100	*****	*****	*****	2.2	2.1	2.1	2.0	1.9	1.8	1.7	1.6	1.4	1.0	0.6
125	*****	*****	*****	2.1	2.0	2.0	1.9	1.8	1.7	1.6	1.5	1.3	0.9	0.5
150	*****	*****	*****	2.0	1.9	1.9	1.8	1.7	1.6	1.5	1.4	1.2	0.8	0.5
200	*****	*****	*****	1.9	1.8	1.8	1.7	1.6	1.5	1.4	1.3	1.1	0.7	0.4
250	*****	*****	*****	1.8	1.7	1.7	1.6	1.5	1.4	1.3	1.2	1.0	0.6	0.4

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Quebec

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	87.4	87.0	86.6	85.2	83.0	80.6	78.2	75.7	73.2	70.5	67.7	61.8	47.9	27.7
2	61.8	61.5	61.2	60.3	58.7	57.0	55.3	53.6	51.7	49.9	47.9	43.7	33.9	19.6
3	50.5	50.2	50.0	49.2	47.9	46.5	45.2	43.7	42.2	40.7	39.1	35.7	27.7	16.0
4	*****	43.5	43.3	42.6	41.5	40.3	39.1	37.9	36.6	35.3	33.9	30.9	23.9	13.8
5	*****	38.9	38.7	38.1	37.1	36.1	35.0	33.9	32.7	31.5	30.3	27.7	21.4	12.4
6	*****	35.5	35.3	34.8	33.9	32.9	31.9	30.9	29.9	28.8	27.7	25.2	19.6	11.3
7	*****	32.9	32.7	32.2	31.4	30.5	29.6	28.6	27.7	26.6	25.6	23.4	18.1	10.5
8	*****	30.8	30.6	30.1	29.3	28.5	27.7	26.8	25.9	24.9	23.9	21.9	16.9	9.8
9	*****	29.0	28.9	28.4	27.7	26.9	26.1	25.2	24.4	23.5	22.6	20.6	16.0	9.2
10	*****	27.5	27.4	27.0	26.2	25.5	24.7	23.9	23.1	22.3	21.4	19.6	15.1	8.7
11	*****	26.2	26.1	25.7	25.0	24.3	23.6	22.8	22.1	21.3	20.4	18.6	14.4	8.3
12	*****	25.1	25.0	24.6	23.9	23.3	22.6	21.9	21.1	20.4	19.6	17.9	13.8	8.0
13	*****	24.1	24.0	23.6	23.0	22.4	21.7	21.0	20.3	19.6	18.8	17.2	13.3	7.7
14	*****	23.3	23.1	22.8	22.2	21.5	20.9	20.2	19.6	18.8	18.1	16.5	12.8	7.4
15	*****	22.5	22.4	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1
16	*****	21.8	21.6	21.3	20.7	20.2	19.6	18.9	18.3	17.6	16.9	15.5	12.0	6.9
17	*****	21.1	21.0	20.7	20.1	19.6	19.0	18.4	17.7	17.1	16.4	15.0	11.6	6.7
18	*****	20.5	20.4	20.1	19.6	19.0	18.4	17.9	17.2	16.6	16.0	14.6	11.3	6.5
19	*****	20.0	19.9	19.6	19.0	18.5	17.9	17.4	16.8	16.2	15.5	14.2	11.0	6.3
20	*****	19.5	19.4	19.1	18.6	18.0	17.5	16.9	16.4	15.8	15.1	13.8	10.7	6.2
21	*****	19.0	18.9	18.6	18.1	17.6	17.1	16.5	16.0	15.4	14.8	13.5	10.5	6.0
22	*****	18.6	18.5	18.2	17.7	17.2	16.7	16.1	15.6	15.0	14.4	13.2	10.2	5.9
23	*****	18.1	18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
24	*****	17.8	17.7	17.4	16.9	16.5	16.0	15.5	14.9	14.4	13.8	12.6	9.8	5.6
25	*****	17.4	17.3	17.0	16.6	16.1	15.6	15.1	14.6	14.1	13.5	12.4	9.6	5.5
30	*****	15.9	15.8	15.6	15.1	14.7	14.3	13.8	13.4	12.9	12.4	11.3	8.7	5.0
35	*****	*****	14.6	14.4	14.0	13.6	13.2	12.8	12.4	11.9	11.4	10.5	8.1	4.7
40	*****	*****	13.7	13.5	13.1	12.7	12.4	12.0	11.6	11.1	10.7	9.8	7.6	4.4
45	*****	*****	12.9	12.7	12.4	12.0	11.7	11.3	10.9	10.5	10.1	9.2	7.1	4.1
50	*****	*****	12.2	12.1	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
55	*****	*****	11.7	11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.3	6.5	3.7
60	*****	*****	11.2	11.0	10.7	10.4	10.1	9.8	9.4	9.1	8.7	8.0	6.2	3.6
65	*****	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	8.1	7.4	5.9	3.4
70	*****	*****	10.2	9.9	9.6	9.3	9.1	8.7	8.4	8.1	7.8	7.1	5.7	3.3
75	*****	*****	9.8	9.6	9.3	9.0	8.7	8.4	8.1	7.8	7.5	6.9	5.5	3.2
80	*****	*****	9.5	9.3	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.1
85	*****	*****	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	7.0	6.4	5.0	3.0
90	*****	*****	9.0	8.7	8.5	8.2	8.0	7.7	7.4	7.1	6.8	6.2	4.8	2.9
95	*****	*****	8.7	8.5	8.3	8.0	7.8	7.5	7.2	6.9	6.6	6.0	4.6	2.8
100	*****	*****	8.5	8.3	8.1	7.8	7.6	7.3	7.1	6.8	6.5	5.9	4.5	2.7
125	*****	*****	7.6	7.4	7.2	7.0	6.8	6.5	6.3	6.1	5.8	5.2	3.9	2.5
150	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.5	5.3	4.7	3.4	2.3
200	*****	*****	5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.6	4.4	3.8	2.8	2.0
250	*****	*****	5.2	5.1	4.9	4.8	4.6	4.5	4.3	4.2	4.0	3.4	2.5	1.7
300	*****	*****	4.8	4.7	4.5	4.4	4.2	4.1	3.9	3.8	3.6	3.0	2.2	1.6
350	*****	*****	4.3	4.2	4.0	3.9	3.7	3.6	3.4	3.3	3.1	2.5	1.8	1.5
400	*****	*****	4.0	3.9	3.8	3.6	3.5	3.4	3.2	3.1	2.9	2.3	1.7	1.4
450	*****	*****	3.8	3.7	3.6	3.4	3.3	3.2	3.0	2.9	2.7	2.1	1.5	1.3
500	*****	*****	3.5	3.4	3.3	3.1	3.0	2.9	2.7	2.6	2.4	1.8	1.3	1.2
750	*****	*****	2.8	2.7	2.6	2.5	2.4	2.3	2.1	2.0	1.9	1.4	1.0	0.9
1000	*****	*****	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.4	1.0	0.7	0.9
1500	*****	*****	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.8	0.6	0.4	0.7
2000	*****	*****	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Ontario

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	108.2	107.7	107.2	105.5	102.7	99.8	96.8	93.8	90.6	87.3	83.9	76.6	59.3	34.2
2	76.5	76.2	75.8	74.6	72.6	70.6	68.5	66.3	64.1	61.7	59.3	54.1	41.9	24.2
3	62.5	62.2	61.9	60.9	59.3	57.6	55.9	54.1	52.3	50.4	48.4	44.2	34.2	19.8
4	54.1	53.9	53.6	52.8	51.4	49.9	48.4	46.9	45.3	43.6	41.9	38.3	29.7	17.1
5	*****	48.2	47.9	47.2	45.9	44.6	43.3	41.9	40.5	39.0	37.5	34.2	26.5	15.3
6	*****	44.0	43.8	43.1	41.9	40.8	39.5	38.3	37.0	35.6	34.2	31.3	24.2	14.0
7	*****	40.7	40.5	39.9	38.8	37.7	36.6	35.4	34.2	33.0	31.7	28.9	22.4	12.9
8	*****	38.1	37.9	37.3	36.3	35.3	34.2	33.2	32.0	30.9	29.7	27.1	21.0	12.1
9	*****	35.9	35.7	35.2	34.2	33.3	32.3	31.3	30.2	29.1	28.0	25.5	19.8	11.4
10	*****	34.1	33.9	33.4	32.5	31.6	30.6	29.7	28.6	27.6	26.5	24.2	18.8	10.8
11	*****	32.5	32.3	31.8	31.0	30.1	29.2	28.3	27.3	26.3	25.3	23.1	17.9	10.3
12	*****	31.1	30.9	30.5	29.7	28.8	28.0	27.1	26.1	25.2	24.2	22.1	17.1	9.9
13	*****	29.9	29.7	29.3	28.5	27.7	26.9	26.0	25.1	24.2	23.3	21.2	16.4	9.5
14	*****	28.8	28.6	28.2	27.5	26.7	25.9	25.1	24.2	23.3	22.4	20.5	15.8	9.2
15	*****	27.8	27.7	27.2	26.5	25.8	25.0	24.2	23.4	22.5	21.7	19.8	15.3	8.8
16	*****	26.9	26.8	26.4	25.7	25.0	24.2	23.4	22.6	21.8	21.0	19.1	14.8	8.6
17	*****	26.1	26.0	25.6	24.9	24.2	23.5	22.7	22.0	21.2	20.3	18.6	14.4	8.3
18	*****	25.4	25.3	24.9	24.2	23.5	22.8	22.1	21.4	20.6	19.8	18.0	14.0	8.1
19	*****	24.7	24.6	24.2	23.6	22.9	22.2	21.5	20.8	20.0	19.2	17.6	13.6	7.9
20	*****	24.1	24.0	23.6	23.0	22.3	21.7	21.0	20.3	19.5	18.8	17.1	13.3	7.7
21	*****	23.5	23.4	23.0	22.4	21.8	21.1	20.5	19.8	19.0	18.3	16.7	12.9	7.5
22	*****	23.0	22.9	22.5	21.9	21.3	20.6	20.0	19.3	18.6	17.9	16.3	12.6	7.3
23	*****	22.5	22.3	22.0	21.4	20.8	20.2	19.6	18.9	18.2	17.5	16.0	12.4	7.1
24	*****	22.0	21.9	21.5	21.0	20.4	19.8	19.1	18.5	17.8	17.1	15.6	12.1	7.0
25	*****	21.5	21.4	21.1	20.5	20.0	19.4	18.8	18.1	17.5	16.8	15.3	11.9	6.8
30	*****	19.7	19.6	19.3	18.8	18.2	17.7	17.1	16.5	15.9	15.3	14.0	10.8	6.3
35	*****	18.2	18.1	17.8	17.4	16.9	16.4	15.8	15.3	14.8	14.2	12.9	10.0	5.8
40	*****	17.0	16.9	16.7	16.2	15.8	15.3	14.8	14.3	13.8	13.3	12.1	9.4	5.4
45	*****	16.1	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
50	*****	*****	15.2	14.9	14.5	14.1	13.7	13.3	12.8	12.3	11.9	10.8	8.4	4.8
55	*****	*****	14.5	14.2	13.8	13.5	13.1	12.6	12.2	11.8	11.3	10.3	8.0	4.6
60	*****	*****	13.8	13.6	13.3	12.9	12.5	12.1	11.7	11.3	10.8	9.9	7.7	4.4
65	*****	*****	13.3	13.1	12.7	12.4	12.0	11.6	11.2	10.8	10.4	9.5	7.4	4.2
70	*****	*****	12.8	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.2	7.1	4.1
75	*****	*****	12.4	12.2	11.9	11.5	11.2	10.8	10.5	10.1	9.7	8.8	6.8	4.0
80	*****	*****	12.0	11.8	11.5	11.2	10.8	10.5	10.1	9.8	9.4	8.6	6.6	3.8
85	*****	*****	11.6	11.4	11.1	10.8	10.5	10.2	9.8	9.5	9.1	8.3	6.4	3.7
90	*****	*****	11.3	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.3	3.6
95	*****	*****	*****	10.8	10.5	10.2	9.9	9.6	9.3	9.0	8.6	7.9	6.1	3.5
100	*****	*****	*****	10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4
125	*****	*****	*****	9.4	9.2	8.9	8.7	8.4	8.1	7.8	7.5	6.8	5.3	3.1
150	*****	*****	*****	8.6	8.4	8.2	7.9	7.7	7.4	7.1	6.8	6.3	4.8	2.8
200	*****	*****	*****	7.5	7.3	7.1	6.8	6.6	6.4	6.2	5.9	5.4	4.2	2.4
250	*****	*****	*****	6.5	6.3	6.1	5.9	5.7	5.5	5.3	5.0	4.8	3.8	2.2
300	*****	*****	*****	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	3.4	2.0
350	*****	*****	*****	5.5	5.3	5.2	5.0	4.8	4.7	4.5	4.4	4.1	3.2	1.8
400	*****	*****	*****	5.1	5.0	4.8	4.7	4.5	4.4	4.2	4.1	3.8	3.0	1.7
450	*****	*****	*****	4.8	4.7	4.6	4.4	4.3	4.1	4.0	3.9	3.6	2.8	1.6
500	*****	*****	*****	4.5	4.4	4.3	4.2	4.1	3.9	3.8	3.7	3.4	2.7	1.5
750	*****	*****	*****	3.5	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.4	1.3
1000	*****	*****	*****	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	1.9	1.1
1500	*****	*****	*****	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.5	1.2	0.9
2000	*****	*****	*****	1.7	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	0.7	0.8
3000	*****	*****	*****	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.6
4000	*****	*****	*****	0.5	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.5

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Manitoba

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	*****	31.2	31.1	30.6	29.8	28.9	28.1	27.2	26.2	25.3	24.3	22.2	17.2	9.9
2	*****	22.1	22.0	21.6	21.0	20.5	19.8	19.2	18.6	17.9	17.2	15.7	12.2	7.0
3	*****	18.0	17.9	17.7	17.2	16.7	16.2	15.7	15.2	14.6	14.0	12.8	9.9	5.7
4	*****	15.6	15.5	15.3	14.9	14.5	14.0	13.6	13.1	12.6	12.2	11.1	8.6	5.0
5	*****	*****	13.9	13.7	13.3	12.9	12.5	12.2	11.7	11.3	10.9	9.9	7.7	4.4
6	*****	*****	12.7	12.5	12.2	11.8	11.5	11.1	10.7	10.3	9.9	9.1	7.0	4.1
7	*****	*****	11.7	11.6	11.2	10.9	10.6	10.3	9.9	9.6	9.2	8.4	6.5	3.7
8	*****	*****	11.0	10.8	10.5	10.2	9.9	9.6	9.3	8.9	8.6	7.8	6.1	3.5
9	*****	*****	*****	10.2	9.9	9.6	9.4	9.1	8.7	8.4	8.1	7.4	5.7	3.3
10	*****	*****	*****	9.7	9.4	9.1	8.9	8.6	8.3	8.0	7.7	7.0	5.4	3.1
11	*****	*****	*****	9.2	9.0	8.7	8.5	8.2	7.9	7.6	7.3	6.7	5.2	3.0
12	*****	*****	*****	8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	5.0	2.9
13	*****	*****	*****	8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8
14	*****	*****	*****	8.2	8.0	7.7	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7
15	*****	*****	*****	7.9	7.7	7.5	7.2	7.0	6.8	6.5	6.3	5.7	4.4	2.6
16	*****	*****	*****	7.6	7.4	7.2	7.0	6.8	6.6	6.3	6.1	5.5	4.3	2.5
17	*****	*****	*****	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
18	*****	*****	*****	7.2	7.0	6.8	6.6	6.4	6.2	6.0	5.7	5.2	4.1	2.3
19	*****	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3
20	*****	*****	*****	6.8	6.7	6.5	6.3	6.1	5.9	5.7	5.4	5.0	3.8	2.2
21	*****	*****	*****	6.7	6.5	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.2
22	*****	*****	*****	6.3	6.2	6.0	6.0	5.8	5.6	5.4	5.2	4.7	3.7	2.1
23	*****	*****	*****	6.2	6.0	5.9	5.7	5.5	5.3	5.1	4.9	4.6	3.6	2.1
24	*****	*****	*****	6.1	5.9	5.7	5.5	5.4	5.2	5.0	4.8	4.5	3.5	2.0
25	*****	*****	*****	6.0	5.8	5.6	5.4	5.2	5.1	4.9	4.7	4.4	3.4	2.0
30	*****	*****	*****	5.4	5.3	5.1	5.0	4.8	4.6	4.4	4.2	4.1	3.1	1.8
35	*****	*****	*****	5.0	4.9	4.7	4.6	4.4	4.3	4.1	4.0	3.7	2.9	1.7
40	*****	*****	*****	4.7	4.6	4.4	4.3	4.2	4.0	3.8	3.6	3.1	2.4	1.4
45	*****	*****	*****	4.3	4.2	4.1	3.9	3.8	3.6	3.4	3.3	3.0	2.3	1.3
50	*****	*****	*****	4.1	4.0	3.8	3.7	3.5	3.4	3.3	3.1	2.8	2.1	1.2
55	*****	*****	*****	3.9	3.8	3.7	3.5	3.4	3.3	3.1	3.0	2.7	2.1	1.2
60	*****	*****	*****	3.7	3.6	3.5	3.4	3.3	3.1	3.0	2.8	2.4	1.9	1.1
65	*****	*****	*****	3.5	3.4	3.3	3.1	3.0	2.9	2.7	2.6	2.3	1.8	1.0
70	*****	*****	*****	3.4	3.2	3.1	3.0	2.9	2.7	2.6	2.4	2.0	1.5	0.9
75	*****	*****	*****	3.2	3.1	3.0	2.9	2.8	2.6	2.5	2.3	1.9	1.4	0.8
80	*****	*****	*****	3.1	3.0	2.9	2.8	2.7	2.5	2.4	2.2	1.7	1.3	0.8
85	*****	*****	*****	3.0	2.9	2.8	2.7	2.6	2.4	2.3	2.1	1.6	1.2	0.7
90	*****	*****	*****	2.9	2.8	2.7	2.6	2.5	2.3	2.2	2.0	1.5	1.1	0.6
95	*****	*****	*****	2.8	2.7	2.6	2.5	2.4	2.2	2.1	1.9	1.4	1.0	0.6
100	*****	*****	*****	2.7	2.6	2.5	2.4	2.2	2.1	1.9	1.8	1.4	1.0	0.6
125	*****	*****	*****	2.3	2.3	2.2	2.0	1.9	1.7	1.6	1.4	1.0	0.7	0.4
150	*****	*****	*****	2.1	2.0	1.8	1.7	1.5	1.4	1.2	1.1	0.8	0.5	0.3
200	*****	*****	*****	1.6	1.6	1.4	1.3	1.1	1.0	0.9	0.7	0.5	0.3	0.2
250	*****	*****	*****	1.1	1.1	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1
300	*****	*****	*****	1.0	1.0	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1
350	*****	*****	*****	0.5	0.5	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.0	0.0

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Saskatchewan

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE														
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%	
1	*****	32.4	32.2	31.7	30.9	30.0	29.1	28.2	27.2	26.2	25.2	23.0	17.8	10.3	
2	*****	22.9	22.8	22.4	21.8	21.2	20.6	19.9	19.3	18.6	17.8	16.3	12.6	7.3	
3	*****	18.7	18.6	18.3	17.8	17.3	16.8	16.3	15.7	15.2	14.6	13.3	10.3	5.9	
4	*****		16.1	15.9	15.4	15.0	14.6	14.1	13.6	13.1	12.6	11.5	8.9	5.1	
5	*****		14.4	14.2	13.8	13.4	13.0	12.6	12.2	11.7	11.3	10.3	8.0	4.6	
6	*****		13.2	13.0	12.6	12.3	11.9	11.5	11.1	10.7	10.3	9.4	7.3	4.2	
7	*****		12.2	12.0	11.7	11.3	11.0	10.7	10.3	9.9	9.5	8.7	6.7	3.9	
8	*****			11.2	10.9	10.6	10.3	10.0	9.6	9.3	8.9	8.1	6.3	3.6	
9	*****			10.6	10.3	10.0	9.7	9.4	9.1	8.7	8.4	7.7	5.9	3.4	
10	*****			10.0	9.8	9.5	9.2	8.9	8.6	8.3	8.0	7.3	5.6	3.3	
11	*****			9.6	9.3	9.1	8.8	8.5	8.2	7.9	7.6	6.9	5.4	3.1	
12	*****			9.2	8.9	8.7	8.4	8.1	7.9	7.6	7.3	6.6	5.1	3.0	
13	*****			8.8	8.6	8.3	8.1	7.8	7.6	7.3	7.0	6.4	4.9	2.9	
14	*****			8.5	8.3	8.0	7.8	7.5	7.3	7.0	6.7	6.2	4.8	2.8	
15	*****			8.2	8.0	7.8	7.5	7.3	7.0	6.8	6.5	5.9	4.6	2.7	
16	*****			7.9	7.7	7.5	7.3	7.0	6.8	6.6	6.3	5.8	4.5	2.6	
17	*****			7.7	7.5	7.3	7.1	6.8	6.6	6.4	6.1	5.6	4.3	2.5	
18	*****			7.5	7.3	7.1	6.9	6.6	6.4	6.2	5.9	5.4	4.2	2.4	
19	*****			7.3	7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.3	4.1	2.4	
20	*****				6.9	6.7	6.5	6.3	6.1	5.9	5.6	5.1	4.0	2.3	
21	*****				6.7	6.6	6.4	6.2	5.9	5.7	5.5	5.0	3.9	2.2	
22	*****				6.6	6.4	6.2	6.0	5.8	5.6	5.4	4.9	3.8	2.2	
23	*****				6.4	6.3	6.1	5.9	5.7	5.5	5.3	4.8	3.7	2.1	
24	*****				6.3	6.1	5.9	5.8	5.6	5.4	5.1	4.7	3.6	2.1	
25	*****				6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.6	3.6	2.1	
30	*****				5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.2	3.3	1.9	
35	*****				5.2	5.1	4.9	4.8	4.6	4.4	4.3	3.9	3.0	1.7	
40	*****					4.7	4.6	4.5	4.3	4.2	4.0	3.6	2.8	1.6	
45	*****					4.5	4.3	4.2	4.1	3.9	3.8	3.4	2.7	1.5	
50	*****					4.2	4.1	4.0	3.9	3.7	3.6	3.3	2.5	1.5	
55	*****					4.0	3.9	3.8	3.7	3.5	3.4	3.1	2.4	1.4	
60	*****						3.8	3.6	3.5	3.4	3.3	3.0	2.3	1.3	
65	*****						3.6	3.5	3.4	3.3	3.1	2.9	2.2	1.3	
70	*****						3.5	3.4	3.3	3.1	3.0	2.8	2.1	1.2	
75	*****						3.4	3.3	3.1	3.0	2.9	2.7	2.1	1.2	
80	*****							3.2	3.0	2.9	2.8	2.6	2.0	1.2	
85	*****							3.1	3.0	2.8	2.7	2.5	1.9	1.1	
90	*****							3.0	2.9	2.8	2.7	2.4	1.9	1.1	
95	*****							2.9	2.8	2.7	2.6	2.4	1.8	1.1	
100	*****								2.7	2.6	2.5	2.3	1.8	1.0	
125	*****									2.3	2.3	2.1	1.6	0.9	
150	*****										2.1	1.9	1.5	0.8	
200	*****												1.3	0.7	
250	*****													1.1	0.7
300	*****														0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for Alberta

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	57.7	57.5	57.2	56.3	54.8	53.3	51.7	50.0	48.3	46.6	44.7	40.8	31.6	18.3
2	*****	40.6	40.4	39.8	38.7	37.7	36.5	35.4	34.2	32.9	31.6	28.9	22.4	12.9
3	*****	33.2	33.0	32.5	31.6	30.7	29.8	28.9	27.9	26.9	25.8	23.6	18.3	10.5
4	*****	28.7	28.6	28.1	27.4	26.6	25.8	25.0	24.2	23.3	22.4	20.4	15.8	9.1
5	*****	25.7	25.6	25.2	24.5	23.8	23.1	22.4	21.6	20.8	20.0	18.3	14.1	8.2
6	*****	23.5	23.3	23.0	22.4	21.7	21.1	20.4	19.7	19.0	18.3	16.7	12.9	7.5
7	*****	21.7	21.6	21.3	20.7	20.1	19.5	18.9	18.3	17.6	16.9	15.4	12.0	6.9
8	*****	20.3	20.2	19.9	19.4	18.8	18.3	17.7	17.1	16.5	15.8	14.4	11.2	6.5
9	*****	19.2	19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.5	6.1
10	*****	18.2	18.1	17.8	17.3	16.8	16.3	15.8	15.3	14.7	14.1	12.9	10.0	5.8
11	*****	17.3	17.2	17.0	16.5	16.1	15.6	15.1	14.6	14.0	13.5	12.3	9.5	5.5
12	*****	16.5	16.3	15.8	15.4	14.9	14.4	13.9	13.4	12.9	12.4	11.8	9.1	5.3
13	*****	15.9	15.6	15.2	14.8	14.3	13.9	13.4	12.9	12.4	11.9	11.3	8.8	5.1
14	*****	15.3	15.0	14.6	14.2	13.8	13.4	12.9	12.4	12.0	11.6	10.9	8.5	4.9
15	*****	14.8	14.5	14.1	13.7	13.3	12.9	12.5	12.0	11.6	11.2	10.5	8.2	4.7
16	*****	14.3	14.1	13.7	13.3	12.9	12.5	12.1	11.6	11.2	10.8	10.2	7.9	4.6
17	*****	13.9	13.7	13.3	12.9	12.5	12.1	11.7	11.3	10.9	10.5	9.9	7.7	4.4
18	*****	13.5	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.5	10.1	9.6	7.5	4.3
19	*****	13.1	12.9	12.6	12.2	11.9	11.5	11.1	10.7	10.3	9.9	9.4	7.3	4.2
20	*****	12.8	12.6	12.3	11.9	11.6	11.2	10.8	10.4	10.0	9.6	9.1	7.1	4.1
21	*****	12.5	12.3	12.0	11.6	11.3	10.9	10.5	10.2	9.8	9.4	8.9	6.9	4.0
22	*****	12.2	12.0	11.7	11.4	11.0	10.7	10.3	9.9	9.5	9.1	8.7	6.7	3.9
23	*****	11.9	11.7	11.4	11.1	10.8	10.4	10.1	9.7	9.3	8.9	8.5	6.6	3.8
24	*****	11.5	11.2	10.9	10.5	10.2	9.9	9.5	9.1	8.7	8.3	7.9	6.1	3.7
25	*****	11.3	11.0	10.7	10.3	10.0	9.7	9.3	8.9	8.5	8.1	7.7	6.0	3.6
30	*****	10.3	10.0	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.6	7.2	5.7	3.4
35	*****	9.5	9.3	9.0	8.7	8.5	8.2	7.9	7.6	7.3	7.0	6.7	5.3	3.2
40	*****	8.9	8.7	8.4	8.2	7.9	7.6	7.4	7.1	6.8	6.5	6.2	4.9	3.1
45	*****	8.4	8.2	7.9	7.7	7.5	7.2	6.9	6.7	6.4	6.1	5.8	4.6	2.9
50	*****	8.0	7.7	7.5	7.3	7.1	6.8	6.6	6.3	6.1	5.8	5.5	4.4	2.8
55	*****	7.6	7.4	7.2	7.0	6.7	6.5	6.3	6.0	5.8	5.5	5.3	4.3	2.7
60	*****	7.1	6.9	6.7	6.5	6.2	6.0	5.8	5.5	5.3	5.1	4.9	4.0	2.6
65	*****	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	3.9	2.5
70	*****	6.5	6.4	6.2	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	3.8	2.4
75	*****	6.3	6.1	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	3.7	2.3
80	*****	6.1	6.0	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	3.6	2.2
85	*****	5.9	5.8	5.6	5.4	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.5	2.1
90	*****	5.8	5.6	5.4	5.3	5.1	4.9	4.7	4.5	4.3	4.1	3.9	3.4	2.0
95	*****	5.6	5.5	5.3	5.1	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.3	1.9
100	*****	5.5	5.3	5.2	5.0	4.8	4.6	4.4	4.2	4.0	3.8	3.6	3.1	1.8
125	*****	4.8	4.6	4.5	4.3	4.2	4.0	3.8	3.6	3.4	3.2	3.0	2.6	1.6
150	*****	4.3	4.2	4.1	3.9	3.8	3.6	3.4	3.2	3.0	2.8	2.6	2.2	1.5
200	*****	3.7	3.5	3.4	3.3	3.2	3.0	2.8	2.6	2.4	2.2	2.0	1.7	1.3
250	*****	3.2	3.1	3.0	2.9	2.8	2.6	2.4	2.2	2.0	1.8	1.6	1.4	1.2
300	*****	2.8	2.7	2.6	2.5	2.4	2.2	2.0	1.8	1.6	1.4	1.2	1.1	1.1
350	*****	2.6	2.5	2.4	2.3	2.2	2.0	1.8	1.6	1.4	1.2	1.0	0.9	1.0
400	*****	2.3	2.2	2.1	2.0	1.9	1.7	1.5	1.3	1.1	0.9	0.8	0.7	0.9
450	*****	2.1	2.0	1.9	1.8	1.7	1.5	1.3	1.1	0.9	0.8	0.7	0.6	0.9
500	*****	1.8	1.7	1.6	1.5	1.4	1.2	1.0	0.9	0.8	0.7	0.6	0.5	0.8
750	*****	1.2	1.1	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.2	0.7
1000	*****	0.6	0.5	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.6

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION

Canadian Tobacco Use Monitoring Survey, 2003 - February to December - Household File

Approximate Sampling Variability Tables for British Columbia

NUMERATOR OF PERCENTAGE ('000)	ESTIMATED PERCENTAGE													
	0.1%	1.0%	2.0%	5.0%	10.0%	15.0%	20.0%	25.0%	30.0%	35.0%	40.0%	50.0%	70.0%	90.0%
1	51.0	50.7	50.5	49.7	48.4	47.0	45.6	44.2	42.7	41.1	39.5	36.1	27.9	16.1
2	*****	35.9	35.7	35.1	34.2	33.2	32.2	31.2	30.2	29.1	27.9	25.5	19.7	11.4
3	*****	29.3	29.1	28.7	27.9	27.1	26.3	25.5	24.6	23.7	22.8	20.8	16.1	9.3
4	*****	25.4	25.2	24.8	24.2	23.5	22.8	22.1	21.3	20.6	19.7	18.0	14.0	8.1
5	*****	22.7	22.6	22.2	21.6	21.0	20.4	19.7	19.1	18.4	17.7	16.1	12.5	7.2
6	*****	20.7	20.6	20.3	19.7	19.2	18.6	18.0	17.4	16.8	16.1	14.7	11.4	6.6
7	*****	19.2	19.1	18.8	18.3	17.8	17.2	16.7	16.1	15.5	14.9	13.6	10.6	6.1
8	*****	17.9	17.8	17.6	17.1	16.6	16.1	15.6	15.1	14.5	14.0	12.7	9.9	5.7
9	*****	16.9	16.8	16.6	16.1	15.7	15.2	14.7	14.2	13.7	13.2	12.0	9.3	5.4
10	*****	16.0	16.0	15.7	15.3	14.9	14.4	14.0	13.5	13.0	12.5	11.4	8.8	5.1
11	*****	15.3	15.2	15.0	14.6	14.2	13.8	13.3	12.9	12.4	11.9	10.9	8.4	4.9
12	*****	14.6	14.6	14.3	14.0	13.6	13.2	12.7	12.3	11.9	11.4	10.4	8.1	4.7
13	*****	14.1	14.0	13.8	13.4	13.0	12.6	12.2	11.8	11.4	11.0	10.0	7.7	4.5
14	*****	13.6	13.5	13.3	12.9	12.6	12.2	11.8	11.4	11.0	10.6	9.6	7.5	4.3
15	*****	13.1	13.0	12.8	12.5	12.1	11.8	11.4	11.0	10.6	10.2	9.3	7.2	4.2
16	*****	12.7	12.6	12.4	12.1	11.8	11.4	11.0	10.7	10.3	9.9	9.0	7.0	4.0
17	*****	*****	12.2	12.1	11.7	11.4	11.1	10.7	10.3	10.0	9.6	8.7	6.8	3.9
18	*****	*****	11.9	11.7	11.4	11.1	10.7	10.4	10.1	9.7	9.3	8.5	6.6	3.8
19	*****	*****	11.6	11.4	11.1	10.8	10.5	10.1	9.8	9.4	9.1	8.3	6.4	3.7
20	*****	*****	11.3	11.1	10.8	10.5	10.2	9.9	9.5	9.2	8.8	8.1	6.2	3.6
21	*****	*****	11.0	10.8	10.6	10.3	10.0	9.6	9.3	9.0	8.6	7.9	6.1	3.5
22	*****	*****	10.8	10.6	10.3	10.0	9.7	9.4	9.1	8.8	8.4	7.7	6.0	3.4
23	*****	*****	10.5	10.4	10.1	9.8	9.5	9.2	8.9	8.6	8.2	7.5	5.8	3.4
24	*****	*****	10.3	10.1	9.9	9.6	9.3	9.0	8.7	8.4	8.1	7.4	5.7	3.3
25	*****	*****	10.1	9.9	9.7	9.4	9.1	8.8	8.5	8.2	7.9	7.2	5.6	3.2
30	*****	*****	9.2	9.1	8.8	8.6	8.3	8.1	7.8	7.5	7.2	6.6	5.1	2.9
35	*****	*****	*****	8.4	8.2	7.9	7.7	7.5	7.2	6.9	6.7	6.1	4.7	2.7
40	*****	*****	*****	7.9	7.6	7.4	7.2	7.0	6.7	6.5	6.2	5.7	4.4	2.5
45	*****	*****	*****	7.4	7.2	7.0	6.8	6.6	6.4	6.1	5.9	5.4	4.2	2.4
50	*****	*****	*****	7.0	6.8	6.6	6.4	6.2	6.0	5.8	5.6	5.1	3.9	2.3
55	*****	*****	*****	6.7	6.5	6.3	6.1	6.0	5.8	5.5	5.3	4.9	3.8	2.2
60	*****	*****	*****	6.4	6.2	6.1	5.9	5.7	5.5	5.3	5.1	4.7	3.6	2.1
65	*****	*****	*****	6.2	6.0	5.8	5.7	5.5	5.3	5.1	4.9	4.5	3.5	2.0
70	*****	*****	*****	5.9	5.8	5.6	5.5	5.3	5.1	4.9	4.7	4.3	3.3	1.9
75	*****	*****	*****	5.7	5.6	5.4	5.3	5.1	4.9	4.7	4.6	4.2	3.2	1.9
80	*****	*****	*****	5.6	5.4	5.3	5.1	4.9	4.8	4.6	4.4	4.0	3.1	1.8
85	*****	*****	*****	5.2	5.1	4.9	4.8	4.6	4.5	4.3	4.2	3.9	3.0	1.7
90	*****	*****	*****	5.1	5.0	4.8	4.7	4.5	4.3	4.2	4.1	3.7	2.9	1.7
95	*****	*****	*****	5.0	4.8	4.7	4.5	4.4	4.2	4.1	4.0	3.6	2.8	1.6
100	*****	*****	*****	4.8	4.7	4.6	4.4	4.3	4.1	3.9	3.8	3.4	2.6	1.5
125	*****	*****	*****	4.3	4.2	4.1	3.9	3.8	3.7	3.5	3.4	3.0	2.3	1.4
150	*****	*****	*****	3.9	3.8	3.7	3.6	3.5	3.4	3.2	3.1	2.7	2.0	1.2
200	*****	*****	*****	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6	2.2	1.6	1.0
250	*****	*****	*****	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2	1.8	1.3	0.8
300	*****	*****	*****	2.6	2.5	2.5	2.4	2.3	2.2	2.1	2.0	1.6	1.1	0.7
350	*****	*****	*****	2.4	2.3	2.2	2.1	2.0	1.9	1.8	1.7	1.3	0.9	0.6
400	*****	*****	*****	2.2	2.1	2.1	2.0	1.9	1.8	1.7	1.6	1.2	0.8	0.5
450	*****	*****	*****	2.0	1.9	1.9	1.8	1.7	1.6	1.5	1.4	1.0	0.7	0.4
500	*****	*****	*****	1.8	1.8	1.7	1.6	1.5	1.4	1.3	1.2	0.9	0.6	0.4
750	*****	*****	*****	1.3	1.3	1.2	1.1	1.0	0.9	0.8	0.7	0.5	0.3	0.2
1000	*****	*****	*****	0.9	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1	0.1

NOTE: FOR CORRECT USAGE OF THESE TABLES PLEASE REFER TO MICRODATA DOCUMENTATION