

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

TABLE OF CONTENTS

| | |
|---|----|
| Identification Variables | 1 |
| Demographic Variables - Household | 2 |
| Derived Variables - Household | 2 |
| Household Smoking | 4 |
| Demographic Variables - Person | 7 |
| Smoking Status | 9 |
| Past Smoking | 10 |
| Weekly Pattern | 12 |
| Smoking Behaviour | 15 |
| Derived Variables - Person | 17 |
| Smoking Cessation | 21 |
| Cessation Methods | 26 |
| Other Cessation Methods | 30 |
| Health Professionals | 34 |
| Smoking and Pregnancy | 39 |
| Tobacco Products | 40 |
| Opinions on Smoking | 44 |
| Language and Education | 45 |
| Labour Force | 47 |
| Student Income | 48 |
| Marijuana Use | 49 |
| Weight Variable | 50 |

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

| | | | |
|-------------|-------------|-------|------------|
| 2004 : 2004 | Survey year | FREQ | WTD |
| | | 8,819 | 25,830,564 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

| | | | |
|---------|--------------|-------|------------|
| 02 : 06 | Survey month | FREQ | WTD |
| | | 8,819 | 25,830,564 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

| | | FREQ | WTD |
|----|-------------|-------|------------|
| 00 | None | 6,173 | 17,885,000 |
| 01 | One | 1,498 | 3,440,139 |
| 02 | Two or more | 1,148 | 4,505,424 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

| | | FREQ | WTD |
|----|-------------|-------|------------|
| 00 | None | 3,750 | 17,436,772 |
| 01 | One | 3,223 | 4,700,390 |
| 02 | Two or more | 1,846 | 3,693,401 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

| | | FREQ | WTD |
|----|-------------|-------|------------|
| 00 | None | 4,677 | 12,397,697 |
| 01 | One | 2,300 | 5,707,898 |
| 02 | Two or more | 1,842 | 7,724,969 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

| | | FREQ | WTD |
|----|-------------|-------|------------|
| 00 | None | 3,550 | 9,595,298 |
| 01 | One | 2,245 | 5,785,009 |
| 02 | Two or more | 3,024 | 10,450,257 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

| | | FREQ | WTD |
|----|---|-------|------------|
| 01 | Households with only 18-19 year old members | 53 | 42,663 |
| 02 | Households with only 20-24 year old members | 431 | 618,647 |
| 03 | Households with only 25-44 year old members | 573 | 2,573,986 |
| 04 | Households with only 45-64 year old members | 941 | 3,586,807 |
| 05 | Households with only 65+ year old members | 812 | 2,870,435 |
| 06 | Households with adults and children 0-11 only | 964 | 4,170,311 |
| 07 | Households with adults and teens 12-19 only | 2,629 | 4,751,502 |
| 08 | Households with adults and young children and teens 0-19 only | 850 | 2,201,735 |
| 09 | Other compositions | 1,566 | 5,014,477 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All households

Note: Derived from the roster entries

Section: **Household Smoking**

Variable Name: **HS_Q10** *Position:* 27 *Length:* 1

(Do you / Does anyone in your household) smoke cigarettes?

| | | FREQ | WTD |
|---|-----|-------|------------|
| 1 | Yes | 2,921 | 7,391,468 |
| 2 | No | 5,898 | 18,439,096 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Household respondent

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 01 : 15

| | | FREQ | WTD |
|---------|--|-------|------------|
| 00 | None | 7,032 | 21,657,467 |
| 01 : 15 | # of people that smoke inside the home | 1,787 | 4,173,097 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Household respondent

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked INSIDE your home?

| | | FREQ | WTD |
|---|-----------------------|-------|------------|
| 1 | 1 to 10 cigarettes | 838 | 2,096,379 |
| 2 | 11 to 20 cigarettes | 482 | 1,107,609 |
| 3 | 21 to 30 cigarettes | 256 | 503,705 |
| 4 | 31 to 40 cigarettes | 83 | 176,882 |
| 5 | 41 or more cigarettes | 93 | 216,396 |
| 6 | Valid skip | 7,032 | 21,657,467 |
| 7 | Don't know | 35 | 72,125 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,103 | 3,428,030 |
| 2 | No | 5,915 | 18,202,289 |
| 6 | Valid skip | 1,787 | 4,173,097 |
| 7 | Don't know | 11 | 13,531 |
| 8 | Refused | 3 | 13,616 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,150 | 2,817,096 |
| 2 | No | 1,736 | 4,779,930 |
| 6 | Valid skip | 5,915 | 18,202,289 |
| 7 | Don't know | 3 | 1,959 |
| 9 | Not stated | 15 | 29,288 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Allowed in certain rooms only

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 794 | 1,987,537 |
| 2 | No | 355 | 828,296 |
| 6 | Valid skip | 7,651 | 22,982,219 |
| 7 | Don't know | 1 | 1,263 |
| 9 | Not stated | 18 | 31,248 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Restricted in the presence of young children

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 227 | 524,769 |
| 2 | No | 922 | 2,291,064 |
| 6 | Valid skip | 7,651 | 22,982,219 |
| 7 | Don't know | 1 | 1,263 |
| 9 | Not stated | 18 | 31,248 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Allowed only if windows are open or with other type of ventilation

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 311 | 845,984 |
| 2 | No | 838 | 1,969,849 |
| 6 | Valid skip | 7,651 | 22,982,219 |
| 7 | Don't know | 1 | 1,263 |
| 9 | Not stated | 18 | 31,248 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Other restriction(s)

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 187 | 397,986 |
| 2 | No | 962 | 2,417,848 |
| 6 | Valid skip | 7,651 | 22,982,219 |
| 7 | Don't know | 1 | 1,263 |
| 9 | Not stated | 18 | 31,248 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Households where smoking is restricted inside the home

Section: **Demographic Variables - Person**

Variable Name: **DVAGE** *Position:* 37 *Length:* 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 95

| | | FREQ | WTD |
|---------|-------------------|-------|------------|
| 15 : 84 | Age of respondent | 8,718 | 25,555,015 |
| 85 | 85 or more | 101 | 275,548 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: On public use microdata file, ages greater than 85 were recoded to 85.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **AGEGRP5** *Position:* 39 *Length:* 1

Age of respondent - 5 groups

| | | FREQ | WTD |
|---|-------------------|-------|------------|
| 1 | 15-19 years | 2,253 | 2,095,371 |
| 2 | 20-24 years | 1,927 | 2,175,959 |
| 3 | 25-34 years | 833 | 4,407,332 |
| 4 | 35-44 years | 1,087 | 5,175,309 |
| 5 | 45 years and over | 2,719 | 11,976,592 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

| | | FREQ | WTD |
|----|-------------------|-------|------------|
| 01 | 15-17 years | 1,388 | 1,294,162 |
| 02 | 18-19 years | 865 | 801,209 |
| 03 | 20-22 years | 1,201 | 1,357,445 |
| 04 | 23-24 years | 726 | 818,515 |
| 05 | 25-44 years | 1,920 | 9,582,641 |
| 06 | 45-64 years | 1,743 | 8,114,209 |
| 07 | 65 years and over | 976 | 3,862,383 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 42 *Length:* 1

Respondent's sex

| | | FREQ | WTD |
|---|--------|-------|------------|
| 1 | Male | 4,020 | 12,718,613 |
| 2 | Female | 4,799 | 13,111,951 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVMARST** *Position:* 43 *Length:* 1

Grouped marital status of respondent from household roster

| | | FREQ | WTD |
|---|----------------------------|-------|------------|
| 1 | Living common-law/Married | 3,309 | 15,765,401 |
| 2 | Widowed/Divorced/Separated | 956 | 3,112,803 |
| 3 | Single, never married | 4,442 | 6,618,945 |
| 9 | Not stated | 112 | 333,414 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Section: Smoking Status

Variable Name: **SS_Q10** *Position:* 44 *Length:* 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

| | | FREQ | WTD |
|---|--------------|-------|------------|
| 1 | Every day | 1,456 | 3,861,498 |
| 2 | Occasionally | 491 | 1,311,852 |
| 3 | Not at all | 6,872 | 20,657,214 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Variable Name: **SS_Q20** *Position:* 45 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 494 | 1,189,967 |
| 2 | No | 6,869 | 20,779,099 |
| 6 | Valid skip | 1,456 | 3,861,498 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who are not current daily smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SS_Q30** *Position:* 46 *Length:* 1

During the past 30 days, did you smoke EVERY day?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,433 | 3,899,122 |
| 2 | No | 517 | 1,152,342 |
| 6 | Valid skip | 6,869 | 20,779,099 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **SS_Q40** *Position:* 47 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

| | | FREQ | WTD |
|---|-----|-------|------------|
| 1 | Yes | 3,678 | 11,651,038 |
| 2 | No | 5,141 | 14,179,526 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Section: **Past Smoking**

Variable Name: **PS_Q10** *Position:* 48 *Length:* 1

Have you ever smoked a whole cigarette?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,327 | 3,825,939 |
| 2 | No | 3,702 | 10,146,670 |
| 6 | Valid skip | 3,790 | 11,857,955 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **PS_Q20** *Position:* 49 *Length:* 1

Have you ever smoked cigarettes daily?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,944 | 6,877,856 |
| 2 | No | 387 | 1,108,324 |
| 6 | Valid skip | 6,485 | 17,834,107 |
| 7 | Don't know | 3 | 10,277 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Occasional smokers or former smokers

Variable Name: **PS_Q30** *Position:* 50 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

| | | FREQ | WTD |
|---------|----------------------------|-------|------------|
| 04 : 60 | Age smoked first cigarette | 5,029 | 15,418,700 |
| 96 | Valid skip | 3,702 | 10,146,670 |
| 97 | Don't know | 78 | 231,669 |
| 98 | Refused | 9 | 22,253 |
| 99 | Not stated | 1 | 11,271 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

| | | FREQ | WTD |
|---------|-------------------------------------|-------|------------|
| 06 : 60 | Age began to smoke cigarettes daily | 3,355 | 10,607,613 |
| 96 | Valid skip | 5,419 | 15,091,210 |
| 97 | Don't know | 37 | 111,044 |
| 98 | Refused | 7 | 9,425 |
| 99 | Not stated | 1 | 11,271 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever smoked cigarettes daily

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

| | | FREQ | WTD |
|---------|--------------------------------|-------|------------|
| 00 : 76 | # of yrs the respondent smoked | 1,917 | 5,093,811 |
| 96 | Valid skip | 6,872 | 20,657,214 |
| 99 | Not stated | 30 | 79,539 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Note: Derived from PA_Q01 and PS_Q30.

Section: **Weekly Pattern**

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke: ... on Monday?

Allowed values: 00 : 90

| | | FREQ | WTD |
|---------|-------------------------------|-------|------------|
| 00 | None | 258 | 633,232 |
| 01 : 75 | # of cigarettes smoked-Monday | 1,617 | 4,273,947 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 97 | Don't know | 14 | 9,813 |
| 98 | Refused | 1 | 1,359 |
| 99 | Not stated | 60 | 133,114 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Tuesday?

Allowed values: 00 : 91

| | | FREQ | WTD |
|---------|--------------------------------|-------|------------|
| 00 | None | 248 | 647,484 |
| 01 : 75 | # of cigarettes smoked-Tuesday | 1,613 | 4,233,430 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 99 | Not stated | 89 | 170,550 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Wednesday?

Allowed values: 00 : 91

| | | FREQ | WTD |
|---------|----------------------------------|-------|------------|
| 00 | None | 240 | 625,516 |
| 01 : 75 | # of cigarettes smoked-Wednesday | 1,607 | 4,231,817 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 97 | Don't know | 2 | 795 |
| 99 | Not stated | 101 | 193,336 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10D** *Position:* 62 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Thursday?

Allowed values: 00 : 91

| | | FREQ | WTD |
|---------|---------------------------------|-------|------------|
| 00 | None | 241 | 586,943 |
| 01 : 80 | # of cigarettes smoked-Thursday | 1,602 | 4,266,051 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 97 | Don't know | 3 | 4,098 |
| 99 | Not stated | 104 | 194,372 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **WP_Q10E** *Position:* 64 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Friday?

Allowed values: 00 : 91

| | | FREQ | WTD |
|---------|-------------------------------|-------|------------|
| 00 | None | 179 | 476,807 |
| 01 : 80 | # of cigarettes smoked-Friday | 1,657 | 4,365,447 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 97 | Don't know | 3 | 316 |
| 99 | Not stated | 111 | 208,895 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10F** *Position:* 66 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Saturday?

Allowed values: 00 : 91

| | | FREQ | WTD |
|---------|---------------------------------|-------|------------|
| 00 | None | 176 | 497,292 |
| 01 : 75 | # of cigarettes smoked-Saturday | 1,656 | 4,342,619 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 99 | Not stated | 118 | 211,553 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10G** *Position:* 68 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Sunday?

Allowed values: 00 : 91

| | | FREQ | WTD |
|---------|-------------------------------|-------|------------|
| 00 | None | 266 | 649,797 |
| 01 : 75 | # of cigarettes smoked-Sunday | 1,566 | 4,190,114 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 99 | Not stated | 118 | 211,553 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Section: Smoking Behaviour

Variable Name: **SB_Q10** *Position:* 70 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

| | | FREQ | WTD |
|---|----------------------|-------|------------|
| 1 | Within 5 minutes | 343 | 888,469 |
| 2 | 6 to 30 minutes | 459 | 1,287,155 |
| 3 | 31 to 60 minutes | 268 | 827,720 |
| 4 | More than 60 minutes | 372 | 834,852 |
| 6 | Valid skip | 7,363 | 21,969,066 |
| 7 | Don't know | 5 | 8,495 |
| 8 | Refused | 8 | 10,709 |
| 9 | Not stated | 1 | 4,098 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current daily smokers

Variable Name: **SB_Q20** *Position:* 71 *Length:* 1

What strength of cigarettes do you usually smoke?

| | | FREQ | WTD |
|---|----------------------|-------|------------|
| 1 | Ultra or extra light | 191 | 659,740 |
| 2 | Light | 732 | 1,930,639 |
| 3 | Ultra or extra mild | 101 | 233,130 |
| 4 | Mild | 84 | 200,484 |
| 5 | Regular | 780 | 1,973,875 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 48 | 157,162 |
| 8 | Refused | 10 | 14,223 |
| 9 | Not stated | 1 | 4,098 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SB_Q30** *Position:* 72 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 118 | 339,976 |
| 2 | No | 977 | 2,661,080 |
| 6 | Valid skip | 7,652 | 22,631,089 |
| 7 | Don't know | 13 | 22,936 |
| 9 | Not stated | 59 | 175,482 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q40** *Position:* 73 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 238 | 740,667 |
| 2 | No | 829 | 2,204,999 |
| 6 | Valid skip | 7,652 | 22,631,089 |
| 7 | Don't know | 41 | 78,326 |
| 9 | Not stated | 59 | 175,482 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q50** *Position:* 74 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 131 | 348,029 |
| 2 | No | 961 | 2,639,675 |
| 6 | Valid skip | 7,652 | 22,631,089 |
| 7 | Don't know | 15 | 36,146 |
| 8 | Refused | 1 | 143 |
| 9 | Not stated | 59 | 175,482 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers not smoking regular cigarettes

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 75 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

| | | FREQ | WTD |
|----|---------------|-------|------------|
| 02 | 2 mg or less | 6 | 8,797 |
| 03 | 3 mg | 15 | 62,516 |
| 04 | 4 mg | 49 | 164,791 |
| 05 | 5 mg | 0 | 0 |
| 06 | 6 mg | 15 | 63,714 |
| 07 | 7 mg | 17 | 123,108 |
| 08 | 8 mg | 23 | 101,480 |
| 09 | 9 mg | 34 | 70,830 |
| 10 | 10 mg | 45 | 126,035 |
| 11 | 11 mg | 198 | 706,627 |
| 12 | 12 mg | 326 | 885,202 |
| 13 | 13 mg | 590 | 1,291,924 |
| 14 | 14 mg | 5 | 30,122 |
| 15 | 15 mg | 430 | 856,729 |
| 16 | 16 mg | 38 | 117,342 |
| 17 | 17 mg or more | 3 | 11,060 |
| 96 | Valid skip | 6,872 | 20,657,214 |
| 99 | Not stated | 153 | 553,073 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who usually smoke the same brand of cigarettes

Note: Derived from CB_Q10.

Variable Name: **DVSST1** *Position:* 77 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

| | | FREQ | WTD |
|---|----------------|-------|------------|
| 1 | Current smoker | 1,947 | 5,173,350 |
| 2 | Former smoker | 1,843 | 6,684,605 |
| 3 | Never smoked | 5,029 | 13,972,609 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVSST2** *Position:* 78 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

| | | FREQ | WTD |
|----|---------------------------|-------|------------|
| 01 | Current daily smoker | 1,456 | 3,861,498 |
| 02 | Current occasional smoker | 491 | 1,311,852 |
| 03 | Former daily smoker | 1,646 | 5,990,556 |
| 04 | Former occasional smoker | 194 | 683,773 |
| 05 | Experimental smoker | 1,327 | 3,825,939 |
| 06 | Lifetime abstainer | 3,702 | 10,146,670 |
| 99 | Not stated | 3 | 10,277 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 80 *Length:* 1

Smoking status derived using in the last 30 days definition

| | | FREQ | WTD |
|---|---|-------|------------|
| 1 | Smoked in last 30 days | 1,950 | 5,051,464 |
| 2 | Did not smoke in the last 30 days, but smoked 100 cigarettes in life | 1,820 | 6,768,676 |
| 3 | Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life | 5,049 | 14,010,424 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVSS2** *Position:* 81 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | Smoked daily in last 30 days, >=100 cigarettes in life | 1,528 | 4,076,314 |
| 02 | Smoked non-daily in last 30 days, >=100 cigarettes in life | 330 | 806,048 |
| 03 | Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life | 1,616 | 6,012,048 |
| 04 | Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life | 201 | 746,351 |
| 05 | Beginner: smoked in last 30 days, <100 cigarettes in life | 92 | 169,102 |
| 06 | Past experimental smoker | 1,347 | 3,863,754 |
| 07 | Lifetime abstainer | 3,702 | 10,146,670 |
| 99 | Not stated | 3 | 10,277 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Variable Name: **DVCIGWK** *Position:* 83 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

| | | FREQ | WTD |
|-----------|---------------------------|-------|------------|
| 000 : 525 | # of cigs smoked per week | 1,832 | 4,839,911 |
| 996 | Valid skip | 6,869 | 20,779,099 |
| 999 | Not stated | 118 | 211,553 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who have smoked in the last 30 days

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVAVCIG7** *Position:* 86 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

| | | FREQ | WTD |
|---------|---------------------------|-------|------------|
| 00 : 75 | Avg. # of cigs smoked/day | 1,832 | 4,839,911 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 99 | Not stated | 118 | 211,553 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

Variable Name: **DVNDSMK** *Position:* 88 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

| | | FREQ | WTD |
|---------|-------------------------------------|-------|------------|
| 00 : 07 | # of days smoked in last seven days | 1,832 | 4,839,911 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 99 | Not stated | 118 | 211,553 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 90 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

| | | FREQ | WTD |
|---------|-------------------------------------|-------|------------|
| 00 : 75 | Avg. smoked on the days they smoked | 1,832 | 4,839,911 |
| 96 | Valid skip | 6,869 | 20,779,099 |
| 99 | Not stated | 118 | 211,553 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who have smoked in the last 30 days

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVSMKPTN** *Position:* 92 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

| | | FREQ | WTD |
|---|------------------------------|-------|------------|
| 1 | Smoked every day | 1,484 | 3,960,043 |
| 2 | Weekdays only | 7 | 6,664 |
| 3 | Weekend only | 7 | 20,055 |
| 4 | Did not smoke in last 7 days | 84 | 266,014 |
| 5 | Other pattern | 250 | 587,135 |
| 6 | Valid skip | 6,869 | 20,779,099 |
| 9 | Not stated | 118 | 211,553 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days.

Section: **Smoking Cessation**

Variable Name: **SC_Q010** *Position:* 93 *Length:* 1

When did you stop smoking?

| | | FREQ | WTD |
|---|-----------------------|-------|------------|
| 1 | Less than 1 year ago | 182 | 443,085 |
| 2 | 1 to 2 years ago | 217 | 534,346 |
| 3 | 3 to 5 years ago | 224 | 686,464 |
| 4 | More than 5 years ago | 1,209 | 4,933,406 |
| 6 | Valid skip | 6,976 | 19,145,959 |
| 7 | Don't know | 7 | 64,073 |
| 8 | Refusal | 3 | 11,960 |
| 9 | Not stated | 1 | 11,271 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Former smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q020** *Position:* 94 *Length:* 2

In what month did you stop smoking?

| | | FREQ | WTD |
|----|------------|-------|------------|
| 01 | January | 45 | 144,994 |
| 02 | February | 17 | 22,712 |
| 03 | March | 20 | 32,000 |
| 04 | April | 12 | 23,368 |
| 05 | May | 10 | 14,224 |
| 06 | June | 10 | 15,098 |
| 07 | July | 4 | 3,813 |
| 08 | August | 10 | 39,581 |
| 09 | September | 11 | 44,764 |
| 10 | October | 14 | 37,264 |
| 11 | November | 11 | 14,808 |
| 12 | December | 17 | 50,290 |
| 96 | Valid skip | 8,626 | 25,300,175 |
| 97 | Don't know | 1 | 170 |
| 99 | Not stated | 11 | 87,304 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** *Position:* 96 *Length:* 2

What was your main reason to quit smoking?

| | | FREQ | WTD |
|----|--------------------------------------|-------|------------|
| 01 | Health | 102 | 274,250 |
| 02 | Pregnancy or a baby in the household | 17 | 21,206 |
| 03 | Less stress in life | 3 | 26,655 |
| 04 | Cost of cigarettes | 30 | 80,486 |
| 05 | Smoking is less socially acceptable | 6 | 18,417 |
| 06 | Some other reason | 24 | 22,070 |
| 96 | Valid skip | 8,626 | 25,300,175 |
| 99 | Not stated | 11 | 87,304 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q040** *Position:* 98 *Length:* 2

How many attempts to quit did you make, approximately, before you quit smoking for good?

Allowed values: 01 : 94

| | | FREQ | WTD |
|---------|---------------------------------------|-------|------------|
| 01 : 94 | # of attempts before you quit smoking | 1,778 | 6,439,693 |
| 96 | Valid skip | 6,976 | 19,145,959 |
| 97 | Don't know | 58 | 202,989 |
| 98 | Refused | 6 | 30,653 |
| 99 | Not stated | 1 | 11,271 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Former smokers

Variable Name: **SC_Q050** *Position:* 100 *Length:* 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

| | | FREQ | WTD |
|---------|---------------------------------------|-------|------------|
| 01 : 94 | Avg. cigs. smoked per day before quit | 1,770 | 6,394,896 |
| 96 | Valid skip | 6,976 | 19,145,959 |
| 97 | Don't know | 65 | 245,610 |
| 98 | Refused | 7 | 32,828 |
| 99 | Not stated | 1 | 11,271 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Former smokers

Variable Name: **SC_Q060** *Position:* 102 *Length:* 1

Are you seriously considering quitting within the next 6 months?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,180 | 3,033,731 |
| 2 | No | 688 | 1,860,802 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 73 | 264,567 |
| 8 | Refused | 4 | 7,945 |
| 9 | Not stated | 2 | 6,304 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q070** *Position:* 103 *Length:* 1

Are you seriously considering quitting within the next 30 days?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 587 | 1,633,605 |
| 2 | No | 550 | 1,331,185 |
| 6 | Valid skip | 7,560 | 22,518,016 |
| 7 | Don't know | 42 | 68,818 |
| 8 | Refused | 1 | 123 |
| 9 | Not stated | 79 | 278,816 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 104 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

| | | FREQ | WTD |
|---------|---------------------------------------|-------|------------|
| 00 : 94 | # of attempts stop smoking for 24 hrs | 2,056 | 5,373,872 |
| 96 | Valid skip | 6,690 | 20,214,129 |
| 97 | Don't know | 64 | 181,527 |
| 98 | Refused | 7 | 54,731 |
| 99 | Not stated | 2 | 6,304 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** *Position:* 106 *Length:* 2

How many of these attempts lasted at least 1 week?

Allowed values: 00 : 52

| | | FREQ | WTD |
|---------|---------------------------------------|-------|------------|
| 00 : 25 | # of attempts stop smoking for 1 week | 1,146 | 2,541,473 |
| 96 | Valid skip | 7,591 | 23,018,554 |
| 97 | Don't know | 8 | 19,297 |
| 98 | Refused | 1 | 8,677 |
| 99 | Not stated | 73 | 242,562 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q100** *Position:* 108 *Length:* 2

What was the main reason you began to smoke again?

| | | FREQ | WTD |
|----|---------------------------------------|-------|------------|
| 01 | To control body weight | 9 | 14,235 |
| 02 | Stress, need to relax or to calm down | 297 | 785,761 |
| 03 | Boredom | 65 | 73,315 |
| 04 | Addiction / habit | 240 | 608,876 |
| 05 | Lack of support or information | 4 | 27,345 |
| 06 | Going out more (bars, parties) | 62 | 123,600 |
| 07 | Increased availability | 5 | 2,125 |
| 08 | No reason / felt like it | 74 | 84,765 |
| 09 | Family or friends smoke | 152 | 316,340 |
| 10 | Other | 110 | 235,435 |
| 96 | Valid skip | 7,710 | 23,272,105 |
| 97 | Don't know | 17 | 35,423 |
| 98 | Refused | 1 | 8,677 |
| 99 | Not stated | 73 | 242,562 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **STOPSMK** *Position:* 110 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

| | | FREQ | WTD |
|---------|-------------------------------|-------|------------|
| 00 : 11 | # of mths. quit before survey | 181 | 442,915 |
| 18 | 1-2 years | 217 | 534,346 |
| 48 | 3-5 years | 224 | 686,464 |
| 60 | More than 5 years ago | 1,209 | 4,933,406 |
| 96 | Valid skip | 6,976 | 19,145,959 |
| 99 | Not stated | 12 | 87,474 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Former smokers

Note: Derived from SC_Q10 and SC_Q020.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Section: Cessation Methods

Variable Name: **CM_Q10** *Position:* 112 *Length:* 1

Have you tried to quit smoking in the past 2 years?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,282 | 2,958,166 |
| 2 | No | 644 | 2,110,890 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 12 | 42,167 |
| 8 | Refused | 7 | 55,822 |
| 9 | Not stated | 2 | 6,304 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Variable Name: **CM_Q20** *Position:* 113 *Length:* 1

In the past 2 years, did you use a nicotine patch?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 411 | 1,297,725 |
| 2 | No | 1,125 | 2,265,372 |
| 6 | Valid skip | 7,117 | 21,790,674 |
| 8 | Refused | 1 | 3,029 |
| 9 | Not stated | 165 | 473,764 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **CM_Q30** *Position:* 114 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 270 | 987,917 |
| 2 | No | 139 | 308,215 |
| 6 | Valid skip | 8,242 | 24,056,045 |
| 7 | Don't know | 2 | 1,593 |
| 9 | Not stated | 166 | 476,793 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and used the nicotine patch

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CM_Q40** *Position:* 115 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 270 | 690,923 |
| 2 | No | 1,266 | 2,872,174 |
| 6 | Valid skip | 7,117 | 21,790,674 |
| 8 | Refused | 1 | 3,029 |
| 9 | Not stated | 165 | 473,764 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **CM_Q50** *Position:* 116 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 74 | 180,411 |
| 2 | No | 196 | 510,512 |
| 6 | Valid skip | 8,383 | 24,662,847 |
| 9 | Not stated | 166 | 476,793 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and used nicotine gum

Variable Name: **CM_Q60** *Position:* 117 *Length:* 1

In the past 2 years, did you use a product such as 'Zyban'?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 184 | 530,780 |
| 2 | No | 1,352 | 3,032,317 |
| 6 | Valid skip | 7,117 | 21,790,674 |
| 8 | Refused | 1 | 3,029 |
| 9 | Not stated | 165 | 473,764 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CM_Q70** *Position:* 118 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 92 | 259,459 |
| 2 | No | 91 | 270,353 |
| 6 | Valid skip | 8,469 | 24,822,990 |
| 7 | Don't know | 1 | 968 |
| 9 | Not stated | 166 | 476,793 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and used a product like Zyban

Variable Name: **CM_Q80A** *Position:* 119 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...You were concerned about possible side effects

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 108 | 192,720 |
| 2 | No | 784 | 1,582,871 |
| 6 | Valid skip | 7,898 | 23,942,983 |
| 7 | Don't know | 8 | 7,696 |
| 9 | Not stated | 21 | 104,293 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80B** *Position:* 120 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...You didn't believe these products work

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 194 | 480,555 |
| 2 | No | 698 | 1,295,037 |
| 6 | Valid skip | 7,898 | 23,942,983 |
| 7 | Don't know | 8 | 7,696 |
| 9 | Not stated | 21 | 104,293 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CM_Q80C** *Position:* 121 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...You didn't have enough information about these products

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 78 | 163,057 |
| 2 | No | 814 | 1,612,534 |
| 6 | Valid skip | 7,898 | 23,942,983 |
| 7 | Don't know | 8 | 7,696 |
| 9 | Not stated | 21 | 104,293 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80D** *Position:* 122 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...They cost too much

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 214 | 328,290 |
| 2 | No | 678 | 1,447,301 |
| 6 | Valid skip | 7,898 | 23,942,983 |
| 7 | Don't know | 8 | 7,696 |
| 9 | Not stated | 21 | 104,293 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80E** *Position:* 123 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...Some other reason

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 491 | 1,046,472 |
| 2 | No | 401 | 729,120 |
| 6 | Valid skip | 7,898 | 23,942,983 |
| 7 | Don't know | 8 | 7,696 |
| 9 | Not stated | 21 | 104,293 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Section: Other Cessation Methods

Variable Name: **OM_Q010** *Position:* 124 *Length:* 1

Did you use hypnosis or acupuncture?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 60 | 135,646 |
| 2 | No | 1,475 | 3,426,912 |
| 6 | Valid skip | 7,138 | 21,894,967 |
| 7 | Don't know | 1 | 538 |
| 8 | Refused | 1 | 3,029 |
| 9 | Not stated | 144 | 369,471 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q020** *Position:* 125 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 22 | 41,002 |
| 2 | No | 36 | 92,815 |
| 6 | Valid skip | 8,613 | 25,321,880 |
| 7 | Don't know | 2 | 1,830 |
| 9 | Not stated | 146 | 373,038 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried hypnosis or acupuncture

Variable Name: **OM_Q030** *Position:* 126 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 488 | 812,418 |
| 2 | No | 1,047 | 2,743,555 |
| 6 | Valid skip | 7,138 | 21,894,967 |
| 7 | Don't know | 1 | 7,124 |
| 8 | Refused | 1 | 3,029 |
| 9 | Not stated | 144 | 369,471 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OM_Q040** *Position:* 127 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 276 | 448,408 |
| 2 | No | 209 | 361,669 |
| 6 | Valid skip | 8,185 | 24,638,522 |
| 7 | Don't know | 3 | 2,341 |
| 9 | Not stated | 146 | 379,624 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried making a deal with a friend or family member

Variable Name: **OM_Q050** *Position:* 128 *Length:* 1

In the past 2 years, did you take part in a quit smoking contest?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 68 | 141,476 |
| 2 | No | 1,468 | 3,421,621 |
| 6 | Valid skip | 7,138 | 21,894,967 |
| 8 | Refused | 1 | 3,029 |
| 9 | Not stated | 144 | 369,471 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q060** *Position:* 129 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 26 | 73,399 |
| 2 | No | 42 | 68,077 |
| 6 | Valid skip | 8,606 | 25,316,588 |
| 9 | Not stated | 145 | 372,500 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried a quit smoking contest

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OM_Q070** *Position:* 130 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 973 | 1,926,071 |
| 2 | No | 559 | 1,632,801 |
| 6 | Valid skip | 7,138 | 21,894,967 |
| 7 | Don't know | 4 | 4,225 |
| 8 | Refused | 1 | 3,029 |
| 9 | Not stated | 144 | 369,471 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q080** *Position:* 131 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 686 | 1,258,057 |
| 2 | No | 280 | 624,907 |
| 6 | Valid skip | 7,697 | 23,527,768 |
| 7 | Don't know | 6 | 35,990 |
| 8 | Refused | 1 | 7,117 |
| 9 | Not stated | 149 | 376,725 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and reduced the number of cigarettes smoked

Variable Name: **OM_Q090** *Position:* 132 *Length:* 1

Did you use a 1-800 quit smoking phone line?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 24 | 71,985 |
| 2 | No | 1,507 | 3,479,727 |
| 6 | Valid skip | 7,138 | 21,894,967 |
| 7 | Don't know | 3 | 10,184 |
| 8 | Refused | 2 | 3,406 |
| 9 | Not stated | 145 | 370,294 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OM_Q100** *Position:* 133 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 14 | 40,434 |
| 2 | No | 10 | 31,551 |
| 6 | Valid skip | 8,645 | 25,374,694 |
| 9 | Not stated | 150 | 383,884 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried the quit phone line

Variable Name: **OM_Q110** *Position:* 134 *Length:* 1

Did you use an internet web-site program to quit smoking?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 49 | 106,362 |
| 2 | No | 1,484 | 3,455,486 |
| 6 | Valid skip | 7,138 | 21,894,967 |
| 7 | Don't know | 1 | 48 |
| 8 | Refused | 2 | 3,406 |
| 9 | Not stated | 145 | 370,294 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q120** *Position:* 135 *Length:* 1

Was this useful in helping you quit?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 32 | 47,827 |
| 2 | No | 16 | 56,080 |
| 6 | Valid skip | 8,622 | 25,350,453 |
| 7 | Don't know | 1 | 2,455 |
| 9 | Not stated | 148 | 373,748 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried an internet web-site program

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OM_Q130** *Position:* 136 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 197 | 428,620 |
| 2 | No | 57 | 260,448 |
| 6 | Valid skip | 8,565 | 25,141,496 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years without using any of the above mentioned methods

Section: **Health Professionals**

Variable Name: **HP_Q010** *Position:* 137 *Length:* 1

In the past 12 months, did you see a doctor?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,448 | 3,911,818 |
| 2 | No | 477 | 1,219,887 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 8 | 12,874 |
| 8 | Refused | 10 | 16,278 |
| 9 | Not stated | 4 | 12,492 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Variable Name: **HP_Q020** *Position:* 138 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 687 | 2,015,483 |
| 2 | No | 757 | 1,893,829 |
| 6 | Valid skip | 7,349 | 21,877,101 |
| 7 | Don't know | 3 | 1,966 |
| 8 | Refused | 1 | 541 |
| 9 | Not stated | 22 | 41,645 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a doctor in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HP_Q030** *Position:* 139 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 354 | 1,118,658 |
| 2 | No | 328 | 882,165 |
| 6 | Valid skip | 8,106 | 23,770,930 |
| 7 | Don't know | 5 | 14,659 |
| 9 | Not stated | 26 | 44,151 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 140 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,142 | 3,219,056 |
| 2 | No | 784 | 1,912,012 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 6 | 12,152 |
| 8 | Refused | 11 | 17,637 |
| 9 | Not stated | 4 | 12,492 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Variable Name: **HP_Q050** *Position:* 141 *Length:* 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 317 | 907,792 |
| 2 | No | 822 | 2,307,460 |
| 6 | Valid skip | 7,656 | 22,569,226 |
| 7 | Don't know | 3 | 3,804 |
| 9 | Not stated | 21 | 42,282 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a dentist in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HP_Q060** *Position:* 142 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 68 | 207,936 |
| 2 | No | 248 | 699,749 |
| 6 | Valid skip | 8,478 | 24,876,686 |
| 7 | Don't know | 1 | 108 |
| 9 | Not stated | 24 | 46,086 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q070** *Position:* 143 *Length:* 1

In the past 12 months, did you see a nurse for treatment?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 333 | 723,791 |
| 2 | No | 1,589 | 4,395,254 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 9 | 21,438 |
| 8 | Refused | 11 | 17,637 |
| 9 | Not stated | 5 | 15,230 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Variable Name: **HP_Q080** *Position:* 144 *Length:* 1

Did the nurse advise you to reduce or quit smoking?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 80 | 181,215 |
| 2 | No | 252 | 541,012 |
| 6 | Valid skip | 8,461 | 25,052,468 |
| 7 | Don't know | 1 | 1,565 |
| 9 | Not stated | 25 | 54,305 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a nurse in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HP_Q090** *Position:* 145 *Length:* 1

Did the nurse provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 34 | 69,499 |
| 2 | No | 46 | 111,716 |
| 6 | Valid skip | 8,713 | 25,593,479 |
| 9 | Not stated | 26 | 55,870 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a nurse in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** *Position:* 146 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 663 | 1,758,743 |
| 2 | No | 1,261 | 3,365,193 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 7 | 16,546 |
| 8 | Refused | 11 | 17,637 |
| 9 | Not stated | 5 | 15,230 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Variable Name: **HP_Q110** *Position:* 147 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 125 | 308,185 |
| 2 | No | 535 | 1,399,984 |
| 6 | Valid skip | 8,133 | 24,022,407 |
| 7 | Don't know | 2 | 4,851 |
| 8 | Refused | 1 | 45,723 |
| 9 | Not stated | 23 | 49,414 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HP_Q120** *Position:* 148 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 98 | 254,114 |
| 2 | No | 26 | 53,963 |
| 6 | Valid skip | 8,668 | 25,422,391 |
| 7 | Don't know | 1 | 108 |
| 9 | Not stated | 26 | 99,988 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q130** *Position:* 149 *Length:* 1

In the past 12 months, did you see a respiratory therapist?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 46 | 101,601 |
| 2 | No | 1,877 | 5,018,630 |
| 6 | Valid skip | 6,872 | 20,657,214 |
| 7 | Don't know | 8 | 20,251 |
| 8 | Refused | 11 | 17,637 |
| 9 | Not stated | 5 | 15,230 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers

Variable Name: **HP_Q140** *Position:* 150 *Length:* 1

Did the therapist advise you to reduce or quit smoking?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 28 | 46,993 |
| 2 | No | 18 | 54,608 |
| 6 | Valid skip | 8,749 | 25,675,844 |
| 9 | Not stated | 24 | 53,119 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a respiratory therapist in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HP_Q150** *Position:* 151 *Length:* 1

Did the therapist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 14 | 35,502 |
| 2 | No | 14 | 11,491 |
| 6 | Valid skip | 8,767 | 25,730,451 |
| 9 | Not stated | 24 | 53,119 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Current smokers who saw a therapist in the past 12 months and were advised to reduce or quit smoking

Section: **Smoking and Pregnancy**

Variable Name: **SP_Q10** *Position:* 152 *Length:* 1

Have you been pregnant in the past 5 years?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 523 | 1,594,085 |
| 2 | No | 1,588 | 4,215,785 |
| 6 | Valid skip | 6,700 | 19,999,633 |
| 8 | Refused | 6 | 16,139 |
| 9 | Not stated | 2 | 4,922 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Women aged 20-44

Variable Name: **SP_Q20** *Position:* 153 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 71 | 69,444 |
| 2 | No | 131 | 279,751 |
| 6 | Valid skip | 8,609 | 25,460,308 |
| 9 | Not stated | 8 | 21,060 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Women who are daily, occasional or former smokers (who quit less than 5 years ago) and were pregnant in the last five years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SP_Q30** *Position:* 154 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

| | | FREQ | WTD |
|---|--------------------------------------|-------|------------|
| 1 | Yes | 71 | 99,346 |
| 2 | No | 440 | 1,483,950 |
| 3 | Not applicable (no spouse / partner) | 12 | 10,789 |
| 6 | Valid skip | 8,288 | 24,215,418 |
| 9 | Not stated | 8 | 21,060 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Women aged 20-44 who were pregnant in the last 5 years

Section: Tobacco Products

Variable Name: **TP_Q010** *Position:* 155 *Length:* 1

Have you ever tried smoking a cigar or cigarillos?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 3,373 | 10,065,924 |
| 2 | No | 5,403 | 15,633,781 |
| 7 | Don't know | 9 | 22,322 |
| 8 | Refused | 22 | 54,037 |
| 9 | Not stated | 12 | 54,500 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Variable Name: **TP_Q020** *Position:* 156 *Length:* 1

In the past 30 days, did you smoke any cigars or cigarillos?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 424 | 868,395 |
| 2 | No | 2,949 | 9,197,529 |
| 6 | Valid skip | 5,403 | 15,633,781 |
| 9 | Not stated | 43 | 130,859 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever smoked a cigar or cigarillo

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **TP_Q030** *Position:* 157 *Length:* 1

Have you ever tried smoking a pipe?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,185 | 4,121,411 |
| 2 | No | 7,589 | 21,565,089 |
| 7 | Don't know | 12 | 35,706 |
| 8 | Refused | 21 | 53,858 |
| 9 | Not stated | 12 | 54,500 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 158 *Length:* 1

In the past 30 days, did you smoke a pipe?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 68 | 117,844 |
| 2 | No | 1,117 | 4,003,567 |
| 6 | Valid skip | 7,589 | 21,565,089 |
| 9 | Not stated | 45 | 144,064 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever smoked a pipe

Variable Name: **TP_Q050** *Position:* 159 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 938 | 1,941,018 |
| 2 | No | 7,836 | 23,744,036 |
| 7 | Don't know | 12 | 37,152 |
| 8 | Refused | 21 | 53,858 |
| 9 | Not stated | 12 | 54,500 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **TP_Q060** *Position:* 160 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 91 | 103,949 |
| 2 | No | 847 | 1,837,070 |
| 6 | Valid skip | 7,836 | 23,744,036 |
| 9 | Not stated | 45 | 145,510 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable Name: **TP_Q070** *Position:* 161 *Length:* 1

Have you ever tried smoking bidis?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 280 | 1,026,194 |
| 2 | No | 8,498 | 24,668,708 |
| 7 | Don't know | 8 | 22,104 |
| 8 | Refused | 21 | 59,058 |
| 9 | Not stated | 12 | 54,500 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Bidis are small, brown cigarettes from India that are hand rolled in leaves and tied with a string at the ends and come in different flavours.

Variable Name: **TP_Q080** *Position:* 162 *Length:* 1

In the past 30 days, did you smoke bidis?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 22 | 68,145 |
| 2 | No | 258 | 958,049 |
| 6 | Valid skip | 8,498 | 24,668,708 |
| 9 | Not stated | 41 | 135,662 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever smoked bidis

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **TP_Q090** *Position:* 163 *Length:* 1

Have you ever tried smoking kreteks?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 100 | 292,705 |
| 2 | No | 8,674 | 25,391,389 |
| 7 | Don't know | 12 | 32,912 |
| 8 | Refused | 21 | 59,058 |
| 9 | Not stated | 12 | 54,500 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Kreteks are clove flavoured cigarettes from Indonesia.

Variable Name: **TP_Q100** *Position:* 164 *Length:* 1

In the past 30 days, did you smoke kreteks?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 10 | 37,575 |
| 2 | No | 90 | 255,130 |
| 6 | Valid skip | 8,674 | 25,391,389 |
| 9 | Not stated | 45 | 146,469 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever smoked kreteks

Variable Name: **TP_Q110** *Position:* 165 *Length:* 1

Have you ever made cigarettes with tobacco sticks?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,095 | 2,211,427 |
| 2 | No | 7,676 | 23,450,482 |
| 7 | Don't know | 14 | 48,110 |
| 8 | Refused | 21 | 59,058 |
| 9 | Not stated | 13 | 61,487 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Tobacco sticks are rolls of tobacco, other than cigars, that need to be put together with filters and paper sleeves to create a cigarette.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **TP_Q120** *Position:* 166 *Length:* 1

In the past 30 days, did you smoke cigarettes made with tobacco sticks?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 205 | 245,610 |
| 2 | No | 889 | 1,961,479 |
| 6 | Valid skip | 7,676 | 23,450,482 |
| 7 | Don't know | 1 | 4,339 |
| 9 | Not stated | 48 | 168,655 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever made cigarettes with tobacco sticks

Section: **Opinions on Smoking**

Variable Name: **OS_Q10** *Position:* 167 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

| | | FREQ | WTD |
|---|--|-------|------------|
| 1 | Smoking should not be allowed in a restaurant | 4,959 | 14,088,847 |
| 2 | Smoking should be allowed only in a section of a restaurant that is enclosed | 2,095 | 6,093,458 |
| 3 | Smoking should be allowed only in a designated section of a restaurant | 1,410 | 4,398,002 |
| 4 | Smoking should be allowed anywhere in a restaurant | 187 | 541,268 |
| 7 | Don't know | 115 | 507,608 |
| 8 | Refused | 39 | 134,618 |
| 9 | Not stated | 14 | 66,764 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OS_Q20** *Position:* 168 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

| | | FREQ | WTD |
|---|---|-------|------------|
| 1 | Smoking should not be allowed in a bar or tavern | 2,889 | 8,315,088 |
| 2 | Smoking should be allowed only in a section of a bar or tavern that is enclosed | 2,035 | 5,321,377 |
| 3 | Smoking should be allowed only in a designated section of a bar or tavern | 1,649 | 4,974,812 |
| 4 | Smoking should be allowed anywhere in a bar or tavern | 1,744 | 5,114,774 |
| 7 | Don't know | 435 | 1,823,065 |
| 8 | Refused | 53 | 214,684 |
| 9 | Not stated | 14 | 66,764 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Section: **Language and Education**

Variable Name: **LA_Q10** *Position:* 169 *Length:* 1

What language do you speak most often at home?

| | | FREQ | WTD |
|---|-------------------------|-------|------------|
| 1 | English | 7,197 | 17,045,488 |
| 2 | French | 1,133 | 5,702,640 |
| 3 | Both English and French | 47 | 84,802 |
| 4 | Other | 399 | 2,852,465 |
| 7 | Don't know | 6 | 7,614 |
| 8 | Refused | 23 | 70,790 |
| 9 | Not stated | 14 | 66,764 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVEDUC** *Position:* 170 *Length:* 1

Derived variable for highest level of education attained (grouped)

| | | FREQ | WTD |
|---|---|-------|------------|
| 1 | Less than secondary | 2,659 | 5,324,568 |
| 2 | Completed secondary | 3,635 | 10,090,850 |
| 3 | Completed community college, technical college, CEGEP or nurse's college | 1,058 | 3,920,843 |
| 4 | Completed university or teacher's college | 1,312 | 5,887,582 |
| 9 | Not stated | 155 | 606,720 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if
LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Variable Name: **GPLA_Q20** *Position:* 171 *Length:* 2

Grouped: Highest grade or level of education attained

| | | FREQ | WTD |
|----|--|-------|------------|
| 01 | No schooling, some elementary | 149 | 582,916 |
| 02 | Completed elementary | 208 | 805,233 |
| 03 | Some secondary | 2,302 | 3,936,419 |
| 04 | Completed secondary | 2,116 | 6,140,842 |
| 05 | Some community college, technical college, CEGEP or nurse's training | 545 | 1,849,496 |
| 06 | Completed community college, technical college, CEGEP or nurse's training | 1,058 | 3,920,843 |
| 07 | Some university or teacher's college | 931 | 1,923,485 |
| 08 | Completed university or teacher's college | 1,312 | 5,887,582 |
| 09 | Other education or training | 43 | 177,027 |
| 99 | Not stated | 155 | 606,720 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Section: Labour Force

Variable Name: **LF_Q10** *Position:* 173 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 6,309 | 17,938,753 |
| 2 | No | 2,431 | 7,640,022 |
| 7 | Don't know | 12 | 23,961 |
| 8 | Refused | 52 | 154,955 |
| 9 | Not stated | 15 | 72,873 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Variable Name: **LF_Q50** *Position:* 174 *Length:* 1

At your place of work, what (are/were) the restrictions on smoking?

| | | FREQ | WTD |
|---|-----------------------------------|-------|------------|
| 1 | Restricted completely | 4,077 | 12,127,966 |
| 2 | Allowed in designated areas | 1,174 | 3,107,883 |
| 3 | Restricted only in certain places | 289 | 821,753 |
| 4 | Not restricted at all | 657 | 1,554,403 |
| 6 | Valid skip | 2,431 | 7,640,022 |
| 7 | Don't know | 92 | 227,931 |
| 8 | Refused | 14 | 88,156 |
| 9 | Not stated | 85 | 262,450 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have worked at a job or business in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVSOC10** *Position:* 175 *Length:* 2

Broad occupational category of the main job.

| | | FREQ | WTD |
|----|---|-------|------------|
| 01 | Management Occupations | 250 | 1,357,019 |
| 02 | Business, Finance and Administrative Occupations | 921 | 2,984,318 |
| 03 | Natural and Applied Sciences and Related Occupations | 279 | 1,258,897 |
| 04 | Health Occupations | 317 | 898,998 |
| 05 | Occupations in Social Science, Education, Government Service and Religion | 368 | 1,142,940 |
| 06 | Occupations in Art, Culture, Recreation and Sport | 259 | 788,265 |
| 07 | Sales and Service Occupations | 2,240 | 4,565,958 |
| 08 | Trades, Transport and Equipment Operators and Related Occupations | 725 | 2,187,102 |
| 09 | Occupations Unique to Primary Industry | 367 | 593,050 |
| 10 | Occupations Unique to Processing, Manufacturing and Utilities | 267 | 841,625 |
| 96 | Valid Skip | 2,431 | 7,640,022 |
| 99 | Not Stated | 395 | 1,572,369 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Persons who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the 1991 Standard Occupational Classification (SOC).

Section: **Student Income**

Variable Name: **SI_Q10** *Position:* 177 *Length:* 1

Are you currently attending a school, college or university?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 2,588 | 2,691,780 |
| 2 | No | 1,566 | 1,527,232 |
| 6 | Valid skip | 4,639 | 21,559,233 |
| 7 | Don't know | 5 | 13,830 |
| 8 | Refused | 15 | 18,901 |
| 9 | Not stated | 6 | 19,588 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents less than 25 years of age

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SI_G20** *Position:* 178 *Length:* 2

Grouped student's weekly spending money

| | | FREQ | WTD |
|----|----------------|-------|------------|
| 01 | \$000 to \$009 | 136 | 162,208 |
| 02 | \$010 to \$024 | 688 | 714,255 |
| 03 | \$025 to \$049 | 448 | 412,434 |
| 04 | \$050 to \$099 | 527 | 550,003 |
| 05 | \$100 to \$199 | 413 | 413,321 |
| 06 | \$200 or more | 231 | 267,948 |
| 96 | Valid Skip | 6,205 | 23,086,465 |
| 99 | Not Stated | 171 | 223,930 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Persons below 25 years of age who currently attend a school, college or university
Note: Derived from SI_Q20.

Section: **Marijuana Use**

Variable Name: **MU_Q10** *Position:* 180 *Length:* 1

Have you ever used or tried marijuana, cannabis or hashish?

| | | FREQ | WTD |
|---|---------------------|-------|------------|
| 1 | Yes, just once | 590 | 1,378,572 |
| 2 | Yes, more than once | 2,772 | 7,882,007 |
| 3 | No | 5,227 | 15,956,825 |
| 7 | Don't know | 112 | 162,318 |
| 8 | Refusal | 102 | 376,734 |
| 9 | Not stated | 16 | 74,107 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: All respondents

Variable Name: **MU_Q20** *Position:* 181 *Length:* 1

Have you used it in the past 12 months?

| | | FREQ | WTD |
|---|------------|-------|------------|
| 1 | Yes | 1,303 | 2,386,136 |
| 2 | No | 2,059 | 6,874,443 |
| 6 | Valid skip | 5,227 | 15,956,825 |
| 9 | Not stated | 230 | 613,159 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever used marijuana, cannabis or hashish

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

Variable Name: **MU_Q30** *Position:* 182 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

| | | FREQ | WTD |
|---|------------------------|-------|------------|
| 1 | Less than once a month | 434 | 826,330 |
| 2 | 1 to 3 times a month | 302 | 534,246 |
| 3 | Once a week | 151 | 275,700 |
| 4 | More than once a week | 172 | 349,638 |
| 5 | Every day | 175 | 323,199 |
| 6 | Valid skip | 7,350 | 22,897,255 |
| 7 | Don't know | 1 | 228 |
| 8 | Refused | 4 | 10,810 |
| 9 | Not stated | 230 | 613,159 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 183 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

| | | FREQ | WTD |
|---------|--------------------------|-------|------------|
| 07 : 74 | Age first used marijuana | 3,332 | 9,204,929 |
| 96 | Valid skip | 5,227 | 15,956,825 |
| 97 | Don't know | 27 | 55,111 |
| 98 | Refused | 3 | 539 |
| 99 | Not stated | 230 | 613,159 |
| | | ===== | ===== |
| | | 8,819 | 25,830,564 |

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: **Weight Variable**

Variable Name: **WTPP** *Position:* 185 *Length:* 12.4

Six month survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

INDEX

| | |
|---------------|----|
| A | |
| AGE0014..... | 3 |
| AGE1524..... | 3 |
| AGE2544..... | 3 |
| AGE45PL..... | 4 |
| AGEGRP5..... | 8 |
| AGEGRP7..... | 8 |
| C | |
| CM_Q10..... | 26 |
| CM_Q20..... | 26 |
| CM_Q30..... | 26 |
| CM_Q40..... | 27 |
| CM_Q50..... | 27 |
| CM_Q60..... | 27 |
| CM_Q70..... | 28 |
| CM_Q80A..... | 28 |
| CM_Q80B..... | 28 |
| CM_Q80C..... | 29 |
| CM_Q80D..... | 29 |
| CM_Q80E..... | 29 |
| D | |
| DVAGE..... | 7 |
| DVAVCIG7..... | 20 |
| DVAVCIGD..... | 20 |
| DVCIGWK..... | 19 |
| DVEDUC..... | 46 |
| DVLOWTAR..... | 17 |
| DVMARST..... | 9 |
| DVNDSMK..... | 20 |
| DVSMKPTN..... | 21 |
| DVSOC10..... | 48 |
| DVSS1..... | 18 |
| DVSS2..... | 19 |
| DVSST1..... | 17 |
| DVSST2..... | 18 |
| DVURBAN..... | 2 |
| DVYRSSMK..... | 12 |
| G | |
| GPLA_Q20..... | 46 |
| H | |
| HHSIZE..... | 2 |
| HHTYPE..... | 4 |
| HP_Q010..... | 34 |
| HP_Q020..... | 34 |
| HP_Q030..... | 35 |
| HP_Q040..... | 35 |
| HP_Q050..... | 35 |
| HP_Q060..... | 36 |
| HP_Q070..... | 36 |
| HP_Q080..... | 36 |
| HP_Q090..... | 37 |
| HP_Q100..... | 37 |
| HP_Q110..... | 37 |
| HP_Q120..... | 38 |
| HP_Q130..... | 38 |
| HP_Q140..... | 38 |
| HP_Q150..... | 39 |
| HS_Q10..... | 4 |
| HS_Q20..... | 5 |
| HS_Q30..... | 5 |
| HS_Q40..... | 5 |
| HS_Q50..... | 6 |
| HS_Q60A..... | 6 |
| HS_Q60B..... | 6 |
| HS_Q60C..... | 7 |
| HS_Q60D..... | 7 |
| L | |
| LA_Q10..... | 45 |
| LF_Q10..... | 47 |
| LF_Q50..... | 47 |
| M | |
| MU_Q10..... | 49 |
| MU_Q20..... | 49 |
| MU_Q30..... | 50 |
| MU_Q40..... | 50 |
| O | |
| OM_Q010..... | 30 |
| OM_Q020..... | 30 |
| OM_Q030..... | 30 |
| OM_Q040..... | 31 |
| OM_Q050..... | 31 |
| OM_Q060..... | 31 |
| OM_Q070..... | 32 |
| OM_Q080..... | 32 |
| OM_Q090..... | 32 |
| OM_Q100..... | 33 |
| OM_Q110..... | 33 |
| OM_Q120..... | 33 |
| OM_Q130..... | 34 |
| OS_Q10..... | 44 |
| OS_Q20..... | 45 |
| P | |
| PROV..... | 2 |
| PS_Q10..... | 10 |
| PS_Q20..... | 11 |
| PS_Q30..... | 11 |
| PS_Q40..... | 11 |
| PUMFID..... | 1 |
| R | |
| REFMONTH..... | 1 |

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 1

| | | | |
|---------------|----|---------------|----|
| REFYEAR..... | 1 | SS_Q30..... | 10 |
| S | | SS_Q40..... | 10 |
| SB_Q10 | 15 | STOPSMK..... | 25 |
| SB_Q20 | 15 | T | |
| SB_Q30 | 16 | TP_Q010..... | 40 |
| SB_Q40 | 16 | TP_Q020..... | 40 |
| SB_Q50 | 16 | TP_Q030..... | 41 |
| SC_Q010 | 21 | TP_Q040..... | 41 |
| SC_Q020 | 22 | TP_Q050..... | 41 |
| SC_Q030 | 22 | TP_Q060..... | 42 |
| SC_Q040 | 23 | TP_Q070..... | 42 |
| SC_Q050 | 23 | TP_Q080..... | 42 |
| SC_Q060 | 23 | TP_Q090..... | 43 |
| SC_Q070 | 24 | TP_Q100..... | 43 |
| SC_Q080 | 24 | TP_Q110..... | 43 |
| SC_Q090 | 24 | TP_Q120..... | 44 |
| SC_Q100 | 25 | W | |
| SEX | 8 | WP_Q10A | 12 |
| SI_G20 | 49 | WP_Q10B..... | 12 |
| SI_Q10 | 48 | WP_Q10C..... | 13 |
| SP_Q10..... | 39 | WP_Q10D | 13 |
| SP_Q20..... | 39 | WP_Q10E..... | 14 |
| SP_Q30..... | 40 | WP_Q10F..... | 14 |
| SS_Q10..... | 9 | WP_Q10G | 14 |
| SS_Q20..... | 9 | WTPP | 50 |