

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	2
Household Smoking	4
Demographic Variables - Person	7
Smoking Status	9
Past Smoking	10
Weekly Pattern	12
Smoking Behaviour	15
Cigarette Source	18
Cheaper Cigarettes	19
Derived Variables - Person	22
Smoking Cessation	27
Cessation Methods	31
Other Cessation Methods	36
Health Professionals	40
Smoking and Pregnancy	45
Tobacco Products	46
Opinions on Smoking	50
Language and Education	51
Labour Force	53
Student Income	54
Marijuana Use	55
Weight Variable	56

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

		FREQ	WTD
2004 : 2004	Survey year	11,456	26,003,758
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

		FREQ	WTD
07 : 12	Survey month	11,456	26,003,758
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,075	440,860
11	Prince Edward Island	1,124	115,162
12	Nova Scotia	1,261	779,289
13	New Brunswick	1,100	622,665
24	Quebec	1,172	6,207,636
35	Ontario	1,130	10,059,894
46	Manitoba	1,097	921,190
47	Saskatchewan	1,183	788,904
48	Alberta	1,277	2,571,429
59	British Columbia	1,037	3,496,729
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	7,933	20,196,065
2	Rural	2,965	4,501,343
9	Not stated	558	1,306,350
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	9,974	22,845,474
05	5 or more	1,482	3,158,283
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	8,114	18,452,135
01	One	1,942	3,893,594
02	Two or more	1,400	3,658,029
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	4,963	17,474,053
01	One	4,195	5,082,220
02	Two or more	2,298	3,447,484
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	6,022	12,569,779
01	One	2,980	5,986,754
02	Two or more	2,454	7,447,225
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	4,565	9,287,742
01	One	2,946	6,135,825
02	Two or more	3,945	10,580,190
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	75	82,741
02	Households with only 20-24 year old members	489	532,770
03	Households with only 25-44 year old members	771	2,979,347
04	Households with only 45-64 year old members	1,307	3,795,336
05	Households with only 65+ year old members	1,022	2,942,430
06	Households with adults and children 0-11 only	1,223	3,708,854
07	Households with adults and teens 12-19 only	3,387	4,983,396
08	Households with adults and young children and teens 0-19 only	1,068	1,933,666
09	Other compositions	2,114	5,045,216
		=====	=====
		11,456	26,003,758

Coverage: All households

Note: Derived from the roster entries

Section: **Household Smoking**

Variable Name: **HS_Q10** *Position:* 27 *Length:* 1

(Do you / Does anyone in your household) smoke cigarettes?

		FREQ	WTD
1	Yes	3,813	7,704,348
2	No	7,643	18,299,409
		=====	=====
		11,456	26,003,758

Coverage: Household respondent

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 01 : 15

		FREQ	WTD
00	None	9,315	21,774,859
01 : 15	# of people that smoke inside the home	2,141	4,228,898
		=====	=====
		11,456	26,003,758

Coverage: Household respondent

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked INSIDE your home?

		FREQ	WTD
1	1 to 10 cigarettes	958	1,814,202
2	11 to 20 cigarettes	653	1,305,981
3	21 to 30 cigarettes	294	649,179
4	31 to 40 cigarettes	80	147,078
5	41 or more cigarettes	115	221,944
6	Valid skip	9,315	21,774,859
7	Don't know	39	89,852
8	Refused	1	641
9	Not stated	1	21
		=====	=====
		11,456	26,003,758

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	1,305	3,079,745
2	No	7,984	18,650,730
6	Valid skip	2,141	4,228,898
7	Don't know	22	30,821
8	Refused	3	12,552
9	Not stated	1	1,012
		=====	=====
		11,456	26,003,758

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	1,503	3,019,436
2	No	1,936	4,267,936
6	Valid skip	7,984	18,650,730
7	Don't know	6	21,250
9	Not stated	27	44,405
		=====	=====
		11,456	26,003,758

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Allowed in certain rooms only

		FREQ	WTD
1	Yes	1,008	2,026,990
2	No	493	991,158
6	Valid skip	9,920	22,918,667
7	Don't know	2	1,288
9	Not stated	33	65,655
		=====	=====
		11,456	26,003,758

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Restricted in the presence of young children

		FREQ	WTD
1	Yes	351	644,439
2	No	1,150	2,373,709
6	Valid skip	9,920	22,918,667
7	Don't know	2	1,288
9	Not stated	33	65,655
		=====	=====
		11,456	26,003,758

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	610	1,106,922
2	No	891	1,911,226
6	Valid skip	9,920	22,918,667
7	Don't know	2	1,288
9	Not stated	33	65,655
		=====	=====
		11,456	26,003,758

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home? ...Other restriction(s)

		FREQ	WTD
1	Yes	210	497,544
2	No	1,291	2,520,604
6	Valid skip	9,920	22,918,667
7	Don't know	2	1,288
9	Not stated	33	65,655
		=====	=====
		11,456	26,003,758

Coverage: Households where smoking is restricted inside the home

Section: **Demographic Variables - Person**

Variable Name: **DVAGE** *Position:* 37 *Length:* 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 95

		FREQ	WTD
15 : 84	Age of respondent	11,350	25,751,246
85	85 or more	106	252,511
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: On public use microdata file, ages greater than 85 were recoded to 85.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **AGEGRP5** *Position:* 39 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	2,902	2,105,221
2	20-24 years	2,474	2,187,488
3	25-34 years	1,103	4,422,135
4	35-44 years	1,392	5,155,224
5	45 years and over	3,585	12,133,690
		=====	=====
		11,456	26,003,758

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,852	1,312,095
02	18-19 years	1,050	793,125
03	20-22 years	1,487	1,288,235
04	23-24 years	987	899,253
05	25-44 years	2,495	9,577,359
06	45-64 years	2,354	8,233,940
07	65 years and over	1,231	3,899,751
		=====	=====
		11,456	26,003,758

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 42 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	5,347	12,803,164
2	Female	6,109	13,200,594
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVMARST** *Position:* 43 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	4,368	15,845,700
2	Widowed/Divorced/Separated	1,224	3,094,122
3	Single, never married	5,679	6,774,944
9	Not stated	185	288,991
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Section: **Smoking Status**

Variable Name: **SS_Q10** *Position:* 44 *Length:* 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	1,895	3,952,459
2	Occasionally	596	1,091,205
3	Not at all	8,965	20,960,093
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **SS_Q20** *Position:* 45 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	599	1,005,786
2	No	8,962	21,045,512
6	Valid skip	1,895	3,952,459
		=====	=====
		11,456	26,003,758

Coverage: Respondents who are not current daily smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SS_Q30** *Position:* 46 *Length:* 1

During the past 30 days, did you smoke EVERY day?

		FREQ	WTD
1	Yes	1,905	4,046,103
2	No	589	912,143
6	Valid skip	8,962	21,045,512
		=====	=====
		11,456	26,003,758

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **SS_Q40** *Position:* 47 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	4,548	11,388,851
2	No	6,908	14,614,906
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Section: **Past Smoking**

Variable Name: **PS_Q10** *Position:* 48 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,826	4,023,024
2	No	4,938	10,403,692
6	Valid skip	4,692	11,577,042
		=====	=====
		11,456	26,003,758

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **PS_Q20** *Position:* 49 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	2,255	6,308,854
2	No	541	1,306,566
6	Valid skip	8,659	18,379,175
8	Refused	1	9,162
		=====	=====
		11,456	26,003,758

Coverage: Occasional smokers or former smokers

Variable Name: **PS_Q30** *Position:* 50 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 65	Age smoked first cigarette	6,410	15,356,325
96	Valid skip	4,938	10,403,692
97	Don't know	96	188,440
98	Refused	10	51,349
99	Not stated	2	3,952
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
04 : 65	Age began to smoke cigarettes daily	4,085	10,126,947
96	Valid skip	7,306	15,742,444
97	Don't know	54	100,611
98	Refused	8	28,769
99	Not stated	3	4,987
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever smoked cigarettes daily

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 76	# of yrs the respondent smoked	2,455	4,975,496
96	Valid skip	8,965	20,960,093
99	Not stated	36	68,168
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Note: Derived from PA_Q01 and PS_Q30.

Section: **Weekly Pattern**

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke: ... on Monday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	316	522,471
01 : 90	# of cigarettes smoked-Monday	2,084	4,354,421
96	Valid skip	8,962	21,045,512
97	Don't know	21	14,106
98	Refused	4	2,907
99	Not stated	69	64,341
		=====	=====
		11,456	26,003,758

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Tuesday?

Allowed values: 00 : 91

		FREQ	WTD
00	None	302	521,707
01 : 75	# of cigarettes smoked-Tuesday	2,075	4,308,088
96	Valid skip	8,962	21,045,512
97	Don't know	2	855
99	Not stated	115	127,595
		=====	=====
		11,456	26,003,758

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Wednesday?

Allowed values: 00 : 91

		FREQ	WTD
00	None	294	501,591
01 : 75	# of cigarettes smoked-Wednesday	2,063	4,303,271
96	Valid skip	8,962	21,045,512
97	Don't know	2	222
99	Not stated	135	153,161
		=====	=====
		11,456	26,003,758

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **WP_Q10D** **Position:** 62 **Length:** 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Thursday?

Allowed values: 00 : 91

		FREQ	WTD
00	None	294	491,443
01 : 75	# of cigarettes smoked-Thursday	2,050	4,283,636
96	Valid skip	8,962	21,045,512
97	Don't know	1	6,134
99	Not stated	149	177,033
		=====	=====
		11,456	26,003,758

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10E** **Position:** 64 **Length:** 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Friday?

Allowed values: 00 : 91

		FREQ	WTD
00	None	218	344,443
01 : 90	# of cigarettes smoked-Friday	2,124	4,430,296
96	Valid skip	8,962	21,045,512
99	Not stated	152	183,506
		=====	=====
		11,456	26,003,758

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10F** **Position:** 66 **Length:** 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Saturday?

Allowed values: 00 : 91

		FREQ	WTD
00	None	208	392,153
01 : 90	# of cigarettes smoked-Saturday	2,133	4,381,773
96	Valid skip	8,962	21,045,512
97	Don't know	1	813
99	Not stated	152	183,506
		=====	=====
		11,456	26,003,758

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **WP_Q10G** *Position:* 68 *Length:* 2

... thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke on Sunday?

Allowed values: 00 : 91

		FREQ	WTD
00	None	296	466,270
01 : 90	# of cigarettes smoked-Sunday	2,044	4,307,546
96	Valid skip	8,962	21,045,512
97	Don't know	1	109
99	Not stated	153	184,320
		=====	=====
		11,456	26,003,758

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Section: Smoking Behaviour

Variable Name: **SB_Q10** *Position:* 70 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	418	870,105
2	6 to 30 minutes	603	1,360,363
3	31 to 60 minutes	369	752,865
4	More than 60 minutes	477	925,522
6	Valid skip	9,561	22,051,298
7	Don't know	19	30,268
8	Refused	4	2,908
9	Not stated	5	10,428
		=====	=====
		11,456	26,003,758

Coverage: Current daily smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SB_Q20** *Position:* 71 *Length:* 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra light	257	803,275
2	Light	903	1,625,326
3	Ultra or extra mild	130	224,500
4	Mild	126	219,891
5	Regular	1,017	2,073,901
6	Valid skip	8,965	20,960,093
7	Don't know	43	65,089
8	Refused	10	21,254
9	Not stated	5	10,428
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **SB_Q30** *Position:* 72 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	132	301,803
2	No	1,270	2,550,240
6	Valid skip	9,982	23,033,994
7	Don't know	14	20,949
9	Not stated	58	96,772
		=====	=====
		11,456	26,003,758

Coverage: Current smokers not smoking regular cigarettes

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SB_Q40** *Position:* 73 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	275	596,252
2	No	1,111	2,223,130
6	Valid skip	9,982	23,033,994
7	Don't know	30	53,609
9	Not stated	58	96,772
		=====	=====
		11,456	26,003,758

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q50** *Position:* 74 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

		FREQ	WTD
1	Yes	143	325,363
2	No	1,259	2,511,036
6	Valid skip	9,982	23,033,994
7	Don't know	13	35,134
9	Not stated	59	98,231
		=====	=====
		11,456	26,003,758

Coverage: Current smokers not smoking regular cigarettes

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Cigarette Source

Variable Name: **CS_Q10** *Position:* 75 *Length:* 2

In the past 6 months, where did you usually buy cigarettes?

		FREQ	WTD
01	Vending machine	7	27,791
02	Convenience store/corner store	1,301	2,888,174
03	Gasoline station	430	695,458
04	Another store/retail outlet (such as grocery store)	433	792,291
05	Internet	0	0
06	Mail order	0	0
07	Someone else	64	188,134
08	Don't buy cigarettes / Did not buy in last 6 months	124	189,418
09	Other	84	196,846
96	Valid skip	8,965	20,960,093
97	Don't know	28	23,690
98	Refusal	12	24,205
99	Not stated	8	17,657
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **CS_Q20** *Position:* 77 *Length:* 2

The last time you purchased cigarettes for yourself, where did you buy them?

		FREQ	WTD
01	Vending machine	10	38,619
02	Convenience store/corner store	1,263	2,759,332
03	Gasoline station	506	863,584
04	Another store/retail outlet (such as grocery store, drug store)	430	810,946
05	Internet	0	0
06	Mail order	0	0
07	Someone else	54	143,404
08	Don't buy cigarettes	101	182,616
09	Other	80	189,927
96	Valid skip	8,965	20,960,093
97	Don't know	27	12,269
98	Refusal	12	25,310
99	Not stated	8	17,657
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Cheaper Cigarettes

Variable Name: **CC_Q20** *Position:* 79 *Length:* 1

In the past 6 months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	941	1,634,156
2	No	1,510	3,345,503
6	Valid skip	8,965	20,960,093
7	Don't know	15	18,085
8	Refused	16	27,285
9	Not stated	9	18,635
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **CC_Q30** *Position:* 80 *Length:* 1

In the past 6 months, did you buy:

... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	316	611,294
2	No	2,143	4,378,939
6	Valid skip	8,965	20,960,093
7	Don't know	8	7,252
8	Refused	15	27,543
9	Not stated	9	18,635
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **CC_Q40** *Position:* 81 *Length:* 1

In the past 6 months, did you buy:

... from the Internet?

		FREQ	WTD
1	Yes	6	4,682
2	No	2,454	4,990,042
6	Valid skip	8,965	20,960,093
7	Don't know	7	3,894
8	Refused	15	26,411
9	Not stated	9	18,635
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **CC_Q50** *Position:* 82 *Length:* 1

In the past 6 months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	5	3,875
2	No	2,454	4,990,656
6	Valid skip	8,965	20,960,093
7	Don't know	8	4,087
8	Refused	15	26,411
9	Not stated	9	18,635
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **CC_Q60** *Position:* 83 *Length:* 1

In the past 6 months, did you buy:

... from outside your province?

		FREQ	WTD
1	Yes	351	629,340
2	No	2,108	4,365,150
6	Valid skip	8,965	20,960,093
7	Don't know	7	3,894
8	Refused	16	26,645
9	Not stated	9	18,635
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **CC_Q70** *Position:* 84 *Length:* 1

In the past 6 months, did you buy:

... cigarettes that may have been smuggled?

		FREQ	WTD
1	Yes	56	151,896
2	No	2,386	4,784,314
6	Valid skip	8,965	20,960,093
7	Don't know	20	51,648
8	Refused	20	37,171
9	Not stated	9	18,635
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **CC_Q80** *Position:* 85 *Length:* 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	160	251,862
2	No	2,295	4,722,267
6	Valid skip	8,965	20,960,093
7	Don't know	10	23,614
8	Refused	17	27,286
9	Not stated	9	18,635
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 86 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	6	16,156
03	3 mg	18	46,029
04	4 mg	71	200,212
05	5 mg	2	15,590
06	6 mg	22	81,646
07	7 mg	22	74,591
08	8 mg	40	152,206
09	9 mg	37	191,473
10	10 mg	37	87,301
11	11 mg	247	458,630
12	12 mg	444	713,685
13	13 mg	750	1,226,575
14	14 mg	7	30,296
15	15 mg	521	1,029,944
16	16 mg	56	113,712
17	17 mg or more	6	11,965
96	Valid skip	8,967	20,975,484
99	Not stated	203	578,262
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who usually smoke the same brand of cigarettes

Note: Derived from CB_Q10.

Variable Name: **DVSST1** *Position:* 88 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	2,491	5,043,664
2	Former smoker	2,201	6,533,378
3	Never smoked	6,764	14,426,715
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVSST2** *Position:* 89 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	1,895	3,952,459
02	Current occasional smoker	596	1,091,205
03	Former daily smoker	1,897	5,604,339
04	Former occasional smoker	303	919,877
05	Experimental smoker	1,826	4,023,024
06	Lifetime abstainer	4,938	10,403,692
99	Not stated	1	9,162
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 91 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	2,494	4,958,246
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	2,183	6,582,772
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	6,779	14,462,740
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVSS2** *Position:* 92 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	1,982	4,136,304
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	383	669,776
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	1,870	5,603,555
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	312	970,054
05	Beginner: smoked in last 30 days, <100 cigarettes in life	129	152,166
06	Past experimental smoker	1,843	4,062,435
07	Lifetime abstainer	4,936	10,400,305
99	Not stated	1	9,162
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Variable Name: **DVCIGWK** *Position:* 94 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 525	# of cigs smoked per week	2,340	4,773,816
996	Valid skip	8,962	21,045,512
999	Not stated	154	184,429
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who have smoked in the last 30 days

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVAVCIG7** *Position:* 97 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Avg. # of cigs smoked/day	2,340	4,773,816
96	Valid skip	8,962	21,045,512
99	Not stated	154	184,429
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

Variable Name: **DVNDSMK** *Position:* 99 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	2,340	4,773,816
96	Valid skip	8,962	21,045,512
99	Not stated	154	184,429
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 101 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Avg. smoked on the days they smoked	2,340	4,773,816
96	Valid skip	8,962	21,045,512
99	Not stated	154	184,429
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who have smoked in the last 30 days

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVSMKPTN** *Position:* 103 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	1,915	4,060,181
2	Weekdays only	8	3,065
3	Weekend only	12	16,400
4	Did not smoke in last 7 days	89	167,691
5	Other pattern	316	526,478
6	Valid skip	8,962	21,045,512
9	Not stated	154	184,429
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days.

Variable Name: **DVPRICE** *Position:* 104 *Length:* 1

Derived variable for smokers indicating if they smoke discount or regular price brand

		FREQ	WTD
1	Discount price brand	478	934,630
2	Regular price brand	1,865	3,756,156
6	Valid skip	8,965	20,960,093
9	Not stated	148	352,878
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Note: Based on CB_Q10 and information about discount brands obtained from Health Canada. Present on the public use microdata file for Cycle 2 and on the 2004 Annual file.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Smoking Cessation

Variable Name: **SC_Q010** *Position:* 105 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	211	415,041
2	1 to 2 years ago	205	374,743
3	3 to 5 years ago	296	791,187
4	More than 5 years ago	1,482	4,919,959
6	Valid skip	9,255	19,470,379
7	Don't know	3	2,493
8	Refusal	3	28,428
9	Not stated	1	1,528
		=====	=====
		11,456	26,003,758

Coverage: Former smokers

Variable Name: **SC_Q020** *Position:* 106 *Length:* 2

In what month did you stop smoking?

		FREQ	WTD
01	January	22	32,343
02	February	9	8,680
03	March	9	14,480
04	April	20	72,607
05	May	15	33,992
06	June	16	22,778
07	July	21	55,416
08	August	16	46,839
09	September	28	35,237
10	October	23	56,288
11	November	18	29,411
12	December	12	5,382
96	Valid skip	11,238	25,556,269
97	Don't know	2	1,589
99	Not stated	7	32,448
		=====	=====
		11,456	26,003,758

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SC_Q030** *Position:* 108 *Length:* 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	109	221,684
02	Pregnancy or a baby in the household	17	49,218
03	Less stress in life	0	0
04	Cost of cigarettes	33	69,549
05	Smoking is less socially acceptable	8	13,155
06	Some other reason	41	52,403
96	Valid skip	11,238	25,556,269
97	Don't know	3	9,032
99	Not stated	7	32,448
		=====	=====
		11,456	26,003,758

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q040** *Position:* 110 *Length:* 2

How many attempts to quit did you make, approximately, before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	2,108	6,256,824
96	Valid skip	9,255	19,470,379
97	Don't know	86	238,648
98	Refused	6	36,378
99	Not stated	1	1,528
		=====	=====
		11,456	26,003,758

Coverage: Former smokers

Variable Name: **SC_Q050** *Position:* 112 *Length:* 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Avg. cigs. smoked per day before quit	2,133	6,343,012
96	Valid skip	9,255	19,470,379
97	Don't know	61	152,460
98	Refused	6	36,378
99	Not stated	1	1,528
		=====	=====
		11,456	26,003,758

Coverage: Former smokers

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SC_Q060** *Position:* 114 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	1,359	2,607,843
2	No	1,020	2,227,612
6	Valid skip	8,965	20,960,093
7	Don't know	91	170,730
8	Refused	13	24,478
9	Not stated	8	13,002
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **SC_Q070** *Position:* 115 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	607	999,901
2	No	696	1,469,640
6	Valid skip	9,985	23,187,706
7	Don't know	56	138,302
9	Not stated	112	208,209
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 116 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	# of attempts stop smoking for 24 hrs	2,595	5,268,074
96	Valid skip	8,754	20,545,053
97	Don't know	86	152,261
98	Refused	13	25,367
99	Not stated	8	13,002
		=====	=====
		11,456	26,003,758

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SC_Q090** *Position:* 118 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 50	# of attempts stop smoking for one week	1,465	2,544,058
96	Valid skip	9,879	23,263,456
97	Don't know	5	5,612
99	Not stated	107	190,630
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q100** *Position:* 120 *Length:* 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	12	46,916
02	Stress, need to relax or to calm down	420	857,813
03	Boredom	48	72,077
04	Addiction / habit	335	587,297
05	Lack of support or information	2	3,712
06	Going out more (bars, parties)	68	77,738
07	Increased availability	4	26,863
08	No reason / felt like it	81	87,745
09	Family or friends smoke	212	332,034
10	Other	113	151,461
96	Valid skip	10,028	23,546,411
97	Don't know	25	22,188
98	Refused	1	874
99	Not stated	107	190,630
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who tried to quit smoking in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **STOPSMK** *Position:* 122 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	209	413,452
18	1-2 years	205	374,743
48	3-5 years	296	791,187
60	More than 5 years ago	1,482	4,919,959
96	Valid skip	9,255	19,470,379
99	Not stated	9	34,037
		=====	=====
		11,456	26,003,758

Coverage: Former smokers
Note: Derived from SC_Q10 and SC_Q020.

Section: **Cessation Methods**

Variable Name: **CM_Q10** *Position:* 124 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	1,630	2,889,566
2	No	822	2,101,882
6	Valid skip	8,965	20,960,093
7	Don't know	17	13,466
8	Refused	13	24,699
9	Not stated	9	14,052
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **CM_Q20** *Position:* 125 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	456	1,017,928
2	No	1,357	2,214,678
6	Valid skip	9,371	22,272,192
7	Don't know	1	771
8	Refused	4	20,572
9	Not stated	267	477,617
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **CM_Q30** *Position:* 126 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	299	647,245
2	No	154	365,188
6	Valid skip	10,728	24,486,870
7	Don't know	3	5,495
9	Not stated	272	498,959
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and used the nicotine patch

Variable Name: **CM_Q40** *Position:* 127 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	308	628,455
2	No	1,505	2,604,151
6	Valid skip	9,371	22,272,192
7	Don't know	1	771
8	Refused	4	20,572
9	Not stated	267	477,617
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **CM_Q50** *Position:* 128 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	98	237,734
2	No	210	390,721
6	Valid skip	10,876	24,876,343
9	Not stated	272	498,959
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and used nicotine gum

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **CM_Q60** *Position:* 129 *Length:* 1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	194	501,061
2	No	1,619	2,731,545
6	Valid skip	9,371	22,272,192
7	Don't know	1	771
8	Refused	4	20,572
9	Not stated	267	477,617
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **CM_Q70** *Position:* 130 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	100	278,631
2	No	91	221,898
6	Valid skip	10,990	25,003,737
7	Don't know	3	532
9	Not stated	272	498,959
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and used a product like Zyban

Variable Name: **CM_Q80A** *Position:* 131 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...You were concerned about possible side effects

		FREQ	WTD
1	Yes	176	275,055
2	No	911	1,362,354
6	Valid skip	10,314	24,283,165
7	Don't know	15	29,536
8	Refused	1	1,430
9	Not stated	39	52,216
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **CM_Q80B** *Position:* 132 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...You didn't believe these products work

		FREQ	WTD
1	Yes	268	371,858
2	No	819	1,265,551
6	Valid skip	10,314	24,283,165
7	Don't know	15	29,536
8	Refused	1	1,430
9	Not stated	39	52,216
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80C** *Position:* 133 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...You didn't have enough information about these products

		FREQ	WTD
1	Yes	128	162,124
2	No	959	1,475,286
6	Valid skip	10,314	24,283,165
7	Don't know	15	29,536
8	Refused	1	1,430
9	Not stated	39	52,216
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **CM_Q80D** *Position:* 134 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...They cost too much

		FREQ	WTD
1	Yes	251	295,134
2	No	836	1,342,275
6	Valid skip	10,314	24,283,165
7	Don't know	15	29,536
8	Refused	1	1,430
9	Not stated	39	52,216
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80E** *Position:* 135 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking? ...Some other reason

		FREQ	WTD
1	Yes	571	902,566
2	No	516	734,843
6	Valid skip	10,314	24,283,165
7	Don't know	15	29,536
8	Refused	1	1,430
9	Not stated	39	52,216
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Other Cessation Methods

Variable Name: **OM_Q010** *Position:* 136 *Length:* 1

Did you use hypnosis or acupuncture?

		FREQ	WTD
1	Yes	72	130,119
2	No	1,737	3,094,689
6	Valid skip	9,410	22,324,408
7	Don't know	4	7,139
8	Refused	5	22,002
9	Not stated	228	425,400
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q020** *Position:* 137 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	23	28,495
2	No	49	101,624
6	Valid skip	11,147	25,419,097
9	Not stated	237	454,542
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried hypnosis or acupuncture

Variable Name: **OM_Q030** *Position:* 138 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	558	796,284
2	No	1,251	2,428,524
6	Valid skip	9,410	22,324,408
7	Don't know	4	7,139
8	Refused	5	22,002
9	Not stated	228	425,400
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **OM_Q040** *Position:* 139 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	309	404,890
2	No	248	390,738
6	Valid skip	10,661	24,752,932
7	Don't know	1	656
9	Not stated	237	454,542
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried making a deal with a friend or family member

Variable Name: **OM_Q050** *Position:* 140 *Length:* 1

In the past 2 years, did you take part in a quit smoking contest?

		FREQ	WTD
1	Yes	74	103,173
2	No	1,734	3,119,800
6	Valid skip	9,410	22,324,408
7	Don't know	5	8,974
8	Refused	5	22,002
9	Not stated	228	425,400
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q060** *Position:* 141 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	41	46,324
2	No	33	56,849
6	Valid skip	11,144	25,444,208
9	Not stated	238	456,376
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried a quit smoking contest

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **OM_Q070** *Position:* 142 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,096	1,883,286
2	No	711	1,340,092
6	Valid skip	9,410	22,324,408
7	Don't know	6	8,570
8	Refused	5	22,002
9	Not stated	228	425,400
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q080** *Position:* 143 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	771	1,327,415
2	No	316	540,559
6	Valid skip	10,121	23,664,500
7	Don't know	9	15,311
9	Not stated	239	455,972
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and reduced the number of cigarettes smoked

Variable Name: **OM_Q090** *Position:* 144 *Length:* 1

Did you use a 1-800 quit smoking phone line?

		FREQ	WTD
1	Yes	29	39,088
2	No	1,782	3,191,939
6	Valid skip	9,410	22,324,408
7	Don't know	2	920
8	Refused	5	22,002
9	Not stated	228	425,400
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **OM_Q100** *Position:* 145 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	11	24,450
2	No	17	14,606
6	Valid skip	11,192	25,516,347
7	Don't know	1	32
9	Not stated	235	448,323
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried the 1-800 quit phone line

Variable Name: **OM_Q110** *Position:* 146 *Length:* 1

Did you use an Internet web-site program to quit smoking?

		FREQ	WTD
1	Yes	41	80,378
2	No	1,769	3,147,291
6	Valid skip	9,410	22,324,408
7	Don't know	3	4,279
8	Refused	5	22,002
9	Not stated	228	425,400
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **OM_Q120** *Position:* 147 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	24	63,336
2	No	17	17,042
6	Valid skip	11,179	25,471,699
9	Not stated	236	451,681
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years and tried an Internet web-site program

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **OM_Q130** *Position:* 148 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	287	447,977
2	No	75	141,382
6	Valid skip	11,094	25,414,399
		=====	=====
		11,456	26,003,758

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years without using any of the above mentioned methods

Section: Health Professionals

Variable Name: **HP_Q010** *Position:* 149 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,751	3,471,733
2	No	692	1,472,341
6	Valid skip	8,965	20,960,093
7	Don't know	15	37,138
8	Refused	23	48,237
9	Not stated	10	14,215
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **HP_Q020** *Position:* 150 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	813	1,789,133
2	No	934	1,669,196
6	Valid skip	9,657	22,432,434
7	Don't know	3	13,317
8	Refused	1	87
9	Not stated	48	99,590
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a doctor in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HP_Q030** *Position:* 151 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	405	920,635
2	No	407	868,228
6	Valid skip	10,591	24,101,630
7	Don't know	1	270
9	Not stated	52	112,995
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 152 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,359	2,760,919
2	No	1,084	2,210,401
6	Valid skip	8,965	20,960,093
7	Don't know	14	9,958
8	Refused	24	48,171
9	Not stated	10	14,215
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **HP_Q050** *Position:* 153 *Length:* 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	354	779,062
2	No	1,000	1,965,273
6	Valid skip	10,049	23,170,494
7	Don't know	5	16,583
9	Not stated	48	72,344
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a dentist in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HP_Q060** *Position:* 154 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	87	183,974
2	No	267	595,088
6	Valid skip	11,049	25,135,767
9	Not stated	53	88,928
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q070** *Position:* 155 *Length:* 1

In the past 12 months, did you see a nurse for treatment?

		FREQ	WTD
1	Yes	361	702,364
2	No	2,083	4,269,599
6	Valid skip	8,965	20,960,093
7	Don't know	12	8,520
8	Refused	25	48,966
9	Not stated	10	14,215
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **HP_Q080** *Position:* 156 *Length:* 1

Did the nurse advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	97	230,953
2	No	263	456,989
6	Valid skip	11,048	25,229,693
7	Don't know	1	14,422
9	Not stated	47	71,701
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a nurse in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HP_Q090** *Position:* 157 *Length:* 1

Did the nurse provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	50	103,532
2	No	46	126,061
6	Valid skip	11,311	25,686,681
7	Don't know	1	1,359
9	Not stated	48	86,123
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a nurse in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** *Position:* 158 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	715	1,529,186
2	No	1,729	3,442,698
6	Valid skip	8,965	20,960,093
7	Don't know	12	8,520
8	Refused	25	49,045
9	Not stated	10	14,215
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **HP_Q110** *Position:* 159 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	139	256,961
2	No	576	1,272,225
6	Valid skip	10,694	24,402,791
9	Not stated	47	71,780
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HP_Q120** *Position:* 160 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	113	215,810
2	No	26	41,151
6	Valid skip	11,270	25,675,016
9	Not stated	47	71,780
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q130** *Position:* 161 *Length:* 1

In the past 12 months, did you see a respiratory therapist?

		FREQ	WTD
1	Yes	55	119,789
2	No	2,388	4,840,462
6	Valid skip	8,965	20,960,093
7	Don't know	13	20,154
8	Refused	25	49,045
9	Not stated	10	14,215
		=====	=====
		11,456	26,003,758

Coverage: Current smokers

Variable Name: **HP_Q140** *Position:* 162 *Length:* 1

Did the therapist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	33	91,571
2	No	22	28,218
6	Valid skip	11,353	25,800,555
9	Not stated	48	83,414
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a respiratory therapist in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **HP_Q150** *Position:* 163 *Length:* 1

Did the therapist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	15	24,103
2	No	18	67,468
6	Valid skip	11,375	25,828,773
9	Not stated	48	83,414
		=====	=====
		11,456	26,003,758

Coverage: Current smokers who saw a therapist in the past 12 months and were advised to reduce or quit smoking

Section: **Smoking and Pregnancy**

Variable Name: **SP_Q10** *Position:* 164 *Length:* 1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	651	1,518,843
2	No	2,037	4,306,902
6	Valid skip	8,758	20,168,497
7	Don't know	2	873
8	Refused	7	5,826
9	Not stated	1	2,817
		=====	=====
		11,456	26,003,758

Coverage: Women aged 20-44

Variable Name: **SP_Q20** *Position:* 165 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	120	175,087
2	No	148	292,853
6	Valid skip	11,177	25,525,572
8	Refused	1	729
9	Not stated	10	9,516
		=====	=====
		11,456	26,003,758

Coverage: Women who are daily, occasional or former smokers (who quit less than 5 years ago) and were pregnant in the last five years

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SP_Q30** *Position:* 166 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	93	123,298
2	No	530	1,377,659
3	Not applicable (no spouse / partner)	27	17,156
6	Valid skip	10,795	24,475,399
8	Refusal	1	729
9	Not stated	10	9,516
		=====	=====
		11,456	26,003,758

Coverage: Women aged 20-44 who were pregnant in the last 5 years

Section: Tobacco Products

Variable Name: **TP_Q010** *Position:* 167 *Length:* 1

Have you ever tried smoking a cigar or cigarillos?

		FREQ	WTD
1	Yes	4,190	9,128,439
2	No	7,209	16,750,234
7	Don't know	9	7,397
8	Refused	34	92,940
9	Not stated	14	24,748
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **TP_Q020** *Position:* 168 *Length:* 1

In the past 30 days, did you smoke any cigars or cigarillos?

		FREQ	WTD
1	Yes	622	1,064,254
2	No	3,568	8,064,185
6	Valid skip	7,209	16,750,234
9	Not stated	57	125,085
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever smoked a cigar or cigarillo

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **TP_Q030** *Position:* 169 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,419	3,824,317
2	No	9,973	22,043,336
7	Don't know	14	16,987
8	Refused	36	94,370
9	Not stated	14	24,748
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 170 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	86	130,813
2	No	1,332	3,690,504
6	Valid skip	9,973	22,043,336
8	Refused	1	3,001
9	Not stated	64	136,105
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever smoked a pipe

Variable Name: **TP_Q050** *Position:* 171 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,102	1,850,984
2	No	10,290	24,016,764
7	Don't know	12	13,010
8	Refused	38	98,252
9	Not stated	14	24,748
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **TP_Q060** *Position:* 172 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	115	96,432
2	No	987	1,754,552
6	Valid skip	10,290	24,016,764
9	Not stated	64	136,009
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable Name: **TP_Q070** *Position:* 173 *Length:* 1

Have you ever tried smoking bidis?

		FREQ	WTD
1	Yes	301	841,997
2	No	11,090	25,026,479
7	Don't know	15	13,796
8	Refused	36	96,737
9	Not stated	14	24,748
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Bidis are small, brown cigarettes from India that are hand rolled in leaves and tied with a string at the ends and come in different flavours.

Variable Name: **TP_Q080** *Position:* 174 *Length:* 1

In the past 30 days, did you smoke bidis?

		FREQ	WTD
1	Yes	26	41,985
2	No	275	800,012
6	Valid skip	11,090	25,026,479
9	Not stated	65	135,282
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever smoked bidis

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **TP_Q090** *Position:* 175 *Length:* 1

Have you ever tried smoking kreteks?

		FREQ	WTD
1	Yes	95	207,786
2	No	11,294	25,656,777
7	Don't know	14	13,871
8	Refused	38	100,097
9	Not stated	15	25,226
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Kreteks are clove flavoured cigarettes from Indonesia.

Variable Name: **TP_Q100** *Position:* 176 *Length:* 1

In the past 30 days, did you smoke kreteks?

		FREQ	WTD
1	Yes	10	5,155
2	No	85	202,631
6	Valid skip	11,294	25,656,777
9	Not stated	67	139,195
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever smoked kreteks

Variable Name: **TP_Q110** *Position:* 177 *Length:* 1

Have you ever made cigarettes with tobacco sticks?

		FREQ	WTD
1	Yes	1,249	2,065,050
2	No	10,137	23,780,167
7	Don't know	15	29,733
8	Refused	40	103,580
9	Not stated	15	25,226
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Tobacco sticks are rolls of tobacco, other than cigars, that need to be put together with filters and paper sleeves to create a cigarette.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **TP_Q120** *Position:* 178 *Length:* 1

In the past 30 days, did you smoke cigarettes made with tobacco sticks?

		FREQ	WTD
1	Yes	185	186,011
2	No	1,060	1,877,092
6	Valid skip	10,137	23,780,167
7	Don't know	4	1,948
9	Not stated	70	158,540
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever made cigarettes with tobacco sticks

Section: **Opinions on Smoking**

Variable Name: **OS_Q10** *Position:* 179 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	6,648	14,872,251
2	Smoking should be allowed only in a section of a restaurant that is enclosed	2,565	5,843,552
3	Smoking should be allowed only in a designated section of a restaurant	1,804	4,181,968
4	Smoking should be allowed anywhere in a restaurant	242	663,266
7	Don't know	125	256,387
8	Refused	56	159,748
9	Not stated	16	26,585
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **OS_Q20** *Position:* 180 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	3,958	9,398,857
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	2,547	5,453,378
3	Smoking should be allowed only in a designated section of a bar or tavern	2,139	4,671,830
4	Smoking should be allowed anywhere in a bar or tavern	2,149	4,603,956
7	Don't know	552	1,627,017
8	Refused	95	222,133
9	Not stated	16	26,585
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Section: **Language and Education**

Variable Name: **LA_Q10** *Position:* 181 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	9,342	17,223,481
2	French	1,374	5,589,080
3	Both English and French	80	179,837
4	Other	597	2,825,893
7	Don't know	6	23,888
8	Refused	40	134,920
9	Not stated	17	26,658
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVEDUC** **Position:** 182 **Length:** 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	3,210	4,896,971
2	Completed secondary	4,844	10,021,440
3	Completed community college, technical college, CEGEP or nurse's college	1,434	4,178,055
4	Completed university or teacher's college	1,726	6,177,009
9	Not stated	242	730,284
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if
LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Variable Name: **GPLA_Q20** **Position:** 183 **Length:** 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	141	454,534
02	Completed elementary	197	543,260
03	Some secondary	2,872	3,899,177
04	Completed secondary	2,938	6,186,298
05	Some community college, technical college, CEGEP or nurse's training	676	1,763,940
06	Completed community college, technical college, CEGEP or nurse's training	1,434	4,178,055
07	Some university or teacher's college	1,180	1,938,209
08	Completed university or teacher's college	1,726	6,177,009
09	Other education or training	50	132,993
99	Not stated	242	730,284
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Section: Labour Force

Variable Name: **LF_Q10** *Position:* 185 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	8,266	17,983,579
2	No	3,073	7,670,380
7	Don't know	25	66,397
8	Refused	76	256,816
9	Not stated	16	26,585
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **LF_Q50** *Position:* 186 *Length:* 1

At your place of work, what (are/were) the restrictions on smoking?

		FREQ	WTD
1	Restricted completely	5,519	12,873,184
2	Allowed in designated areas	1,433	2,732,685
3	Restricted only in certain places	355	670,887
4	Not restricted at all	842	1,497,360
6	Valid skip	3,073	7,670,380
7	Don't know	91	127,993
8	Refused	19	56,131
9	Not stated	124	375,138
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have worked at a job or business in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **DVSOC10** *Position:* 187 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	287	1,115,250
02	Business, Finance and Administrative Occupations	1,185	3,260,564
03	Natural and Applied Sciences and Related Occupations	397	1,083,676
04	Health Occupations	417	1,030,813
05	Occupations in Social Science, Education, Government Service and Religion	472	1,402,210
06	Occupations in Art, Culture, Recreation and Sport	334	639,828
07	Sales and Service Occupations	2,924	4,323,023
08	Trades, Transport and Equipment Operators and Related Occupations	964	2,207,030
09	Occupations Unique to Primary Industry	480	495,860
10	Occupations Unique to Processing, Manufacturing and Utilities	393	983,902
96	Valid Skip	3,073	7,670,380
99	Not Stated	530	1,791,222
		=====	=====
		11,456	26,003,758

Coverage: Persons who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the 1991 Standard Occupational Classification (SOC).

Section: **Student Income**

Variable Name: **SI_Q10** *Position:* 189 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	3,263	2,609,479
2	No	2,071	1,650,139
6	Valid skip	6,080	21,711,049
7	Don't know	8	5,988
8	Refused	29	23,914
9	Not stated	5	3,188
		=====	=====
		11,456	26,003,758

Coverage: Respondents less than 25 years of age

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **SI_G20** **Position:** 190 **Length:** 2

Grouped student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	133	96,085
02	\$010 to \$024	712	536,105
03	\$025 to \$049	528	433,282
04	\$050 to \$099	613	506,481
05	\$100 to \$199	634	491,609
06	\$200 or more	359	286,352
96	Valid Skip	8,151	23,361,188
99	Not Stated	326	292,654
		=====	=====
		11,456	26,003,758

Coverage: Persons below 25 years of age who currently attend a school, college or university
Note: Derived from SI_Q20.

Section: **Marijuana Use**

Variable Name: **MU_Q10** **Position:** 192 **Length:** 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	742	1,686,900
2	Yes, more than once	3,404	6,915,717
3	No	7,034	16,674,364
7	Don't know	83	139,639
8	Refusal	176	559,570
9	Not stated	17	27,568
		=====	=====
		11,456	26,003,758

Coverage: All respondents

Variable Name: **MU_Q20** **Position:** 193 **Length:** 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	1,561	2,293,565
2	No	2,580	6,289,941
6	Valid skip	7,034	16,674,364
7	Don't know	3	17,989
8	Refused	2	1,122
9	Not stated	276	726,777
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever used marijuana, cannabis or hashish

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

Variable Name: **MU_Q30** *Position:* 194 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	515	861,531
2	1 to 3 times a month	364	476,135
3	Once a week	180	252,924
4	More than once a week	213	279,505
5	Every day	197	312,907
6	Valid skip	9,695	23,063,399
7	Don't know	7	5,344
8	Refused	4	6,124
9	Not stated	281	745,888
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 195 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
04 : 65	Age first used marijuana	4,095	8,496,663
96	Valid skip	7,034	16,674,364
97	Don't know	42	86,540
98	Refused	9	19,414
99	Not stated	276	726,777
		=====	=====
		11,456	26,003,758

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: **Weight Variable**

Variable Name: **WTPP** *Position:* 197 *Length:* 12.4

Six month survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

INDEX

A		DVSS2	24
AGE0014	3	DVSST1	22
AGE1524	3	DVSST2	23
AGE2544	3	DVURBAN	2
AGE45PL	4	DVYRSSMK	12
AGEGRP5	8	G	
AGEGRP7	8	GPLA_Q20	52
C		H	
CC_Q20	19	HHSIZE	2
CC_Q30	19	HHTYPE	4
CC_Q40	20	HP_Q010	40
CC_Q50	20	HP_Q020	40
CC_Q60	21	HP_Q030	41
CC_Q70	21	HP_Q040	41
CC_Q80	21	HP_Q050	41
CM_Q10	31	HP_Q060	42
CM_Q20	31	HP_Q070	42
CM_Q30	32	HP_Q080	42
CM_Q40	32	HP_Q090	43
CM_Q50	32	HP_Q100	43
CM_Q60	33	HP_Q110	43
CM_Q70	33	HP_Q120	44
CM_Q80A	33	HP_Q130	44
CM_Q80B	34	HP_Q140	44
CM_Q80C	34	HP_Q150	45
CM_Q80D	35	HS_Q10	4
CM_Q80E	35	HS_Q20	5
CS_Q10	18	HS_Q30	5
CS_Q20	18	HS_Q40	5
D		HS_Q50	6
DVAGE	7	HS_Q60A	6
DVAVCIG7	25	HS_Q60B	6
DVAVCIGD	25	HS_Q60C	7
DVCIGWK	24	HS_Q60D	7
DVEDUC	52	L	
DVLOWTAR	22	LA_Q10	51
DVMARST	9	LF_Q10	53
DVNDSMK	25	LF_Q50	53
DVPRICE	26	M	
DVSMKPTN	26	MU_Q10	55
DVSOC10	54	MU_Q20	55
DVSS1	23	MU_Q30	56

Canadian Tobacco Use Monitoring Survey - 2004
Public Use Microdata File (Person) - Cycle 2

MU_Q40	56	SC_Q060.....	29
O		SC_Q070.....	29
OM_Q010	36	SC_Q080.....	29
OM_Q020	36	SC_Q090.....	30
OM_Q030	36	SC_Q100.....	30
OM_Q040	37	SEX.....	8
OM_Q050	37	SI_G20	55
OM_Q060	37	SI_Q10	54
OM_Q070	38	SP_Q10	45
OM_Q080	38	SP_Q20	45
OM_Q090	38	SP_Q30	46
OM_Q100	39	SS_Q10	9
OM_Q110	39	SS_Q20	9
OM_Q120	39	SS_Q30	10
OM_Q130	40	SS_Q40	10
OS_Q10.....	50	STOPSMK	31
OS_Q20.....	51	T	
P		TP_Q010	46
PROV	2	TP_Q020	46
PS_Q10	10	TP_Q030	47
PS_Q20	11	TP_Q040	47
PS_Q30	11	TP_Q050	47
PS_Q40	11	TP_Q060	48
PUMFID	1	TP_Q070	48
R		TP_Q080	48
REFMONTH.....	1	TP_Q090	49
REFYEAR	1	TP_Q100	49
S		TP_Q110	49
SB_Q10.....	15	TP_Q120	50
SB_Q20.....	16	W	
SB_Q30.....	16	WP_Q10A.....	12
SB_Q40.....	17	WP_Q10B.....	13
SB_Q50.....	17	WP_Q10C.....	13
SC_Q010.....	27	WP_Q10D.....	14
SC_Q020.....	27	WP_Q10E.....	14
SC_Q030.....	28	WP_Q10F.....	14
SC_Q040.....	28	WP_Q10G.....	15
SC_Q050.....	28	WTPP	56