

**Canadian Tobacco Use Monitoring Survey - 2005/2006**  
**Public Use Microdata File (Person)**

---

**TABLE OF CONTENTS**

Identification Variables .....	1
Demographic Variables - Household .....	1
Derived Variables - Household .....	2
Household Smoking.....	4
Demographic Variables - Person .....	8
Smoking Status.....	9
Past Smoking.....	11
Weekly Pattern.....	13
Smoking Behaviour .....	16
Cigarette Access.....	19
Cheaper Cigarettes.....	21
Derived Variables - Person .....	24
Fire Risk.....	26
Derived Variables - Person .....	29
Smoking Cessation .....	31
Cessation Methods .....	36
Other Cessation Methods .....	40
Cessation Products.....	41
Health Professionals .....	41
Smoking and Pregnancy .....	44
Tobacco Products .....	46
Opinions on Smoking.....	48
Exposure to Second-hand Smoke .....	49
Language and Education .....	54
Labour Force .....	56
Student Income.....	57
Marijuana Use.....	58
Weight Variable.....	60

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Identification Variables**

*Variable Name:* **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

*Variable Name:* **REFMONTH** *Position:* 6 *Length:* 2

Survey month

02 : 12	Survey month	FREQ	WTD
		42,816	26,333,120
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Section: Demographic Variables - Household**

*Variable Name:* **PROV** *Position:* 8 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	4,293	429,811
11	Prince Edward Island	3,862	112,321
12	Nova Scotia	4,038	776,221
13	New Brunswick	4,257	620,376
24	Quebec	4,150	6,264,903
35	Ontario	3,872	10,222,805
46	Manitoba	4,356	932,813
47	Saskatchewan	4,356	783,362
48	Alberta	5,819	2,641,901
59	British Columbia	3,813	3,548,608
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **DVURBAN**                           *Position:*   10                   *Length:*     1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	30,437	20,802,938
2	Rural	11,008	4,686,161
9	Not stated	1,371	844,021
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Section:                   Derived Variables - Household**

*Variable Name:*           **HHSIZE**                           *Position:*   11                   *Length:*     2

Number of people in the household derived from the number of people reported in the household roster

*Allowed values:*           01 : 20

		FREQ	WTD
01 : 04	# of people in the household	36,947	22,865,638
05	5 or more	5,869	3,467,482
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

*Variable Name:*           **AGE0014**                           *Position:*   13                   *Length:*     2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	30,527	18,661,290
01	One	6,994	3,677,510
02	Two or more	5,295	3,994,320
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **AGE1524**                           *Position:*   15                   *Length:*    2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	18,451	17,676,263
01	One	15,404	4,838,632
02	Two or more	8,961	3,818,224
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

*Variable Name:*           **AGE2544**                           *Position:*   17                   *Length:*    2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	23,265	13,003,639
01	One	10,930	5,944,494
02	Two or more	8,621	7,384,987
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

*Variable Name:*           **AGE45PL**                           *Position:*   19                   *Length:*    2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	15,877	9,137,085
01	One	11,213	5,851,496
02	Two or more	15,726	11,344,539
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.





**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

Variable Name: **HS\_Q60A** Position: 29 Length: 1  
Collection Name: HS\_Q60

How is smoking cigarettes restricted inside your home?

... Allowed in certain rooms only

		FREQ	WTD
1	Yes	3,406	1,959,733
2	No	1,430	822,664
6	Valid skip	37,854	23,470,097
7	Don't know	5	7,952
8	Refused	1	278
9	Not stated	120	72,397
		=====	=====
		42,816	26,333,120

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS\_Q60B** Position: 30 Length: 1  
Collection Name: HS\_Q60

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

		FREQ	WTD
1	Yes	1,439	699,894
2	No	3,397	2,082,502
6	Valid skip	37,854	23,470,097
7	Don't know	5	7,952
8	Refused	1	278
9	Not stated	120	72,397
		=====	=====
		42,816	26,333,120

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

Variable Name: **HS\_Q60C** Position: 31 Length: 1  
Collection Name: HS\_Q60

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	1,841	1,191,950
2	No	2,995	1,590,446
6	Valid skip	37,854	23,470,097
7	Don't know	5	7,952
8	Refused	1	278
9	Not stated	120	72,397
		=====	=====
		42,816	26,333,120

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS\_Q60D** Position: 32 Length: 1  
Collection Name: HS\_Q60

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

		FREQ	WTD
1	Yes	765	401,954
2	No	4,071	2,380,442
6	Valid skip	37,854	23,470,097
7	Don't know	5	7,952
8	Refused	1	278
9	Not stated	120	72,397
		=====	=====
		42,816	26,333,120

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Demographic Variables - Person**

*Variable Name:* **DVAGE** *Position:* 33 *Length:* 2

Age of respondent, derived from PA\_Q01

*Allowed values:* 15 : 95

		FREQ	WTD
15 : 84	Age of respondent	42,316	26,030,763
85	85 or more	500	302,357
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* On public use microdata file, ages greater than 85 were recoded to 85.

*Variable Name:* **AGEGRP5** *Position:* 35 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	11,199	2,142,472
2	20-24 years	8,951	2,235,954
3	25-34 years	3,768	4,398,810
4	35-44 years	4,993	5,029,718
5	45 years and over	13,905	12,526,166
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* Derived from PA\_Q01

*Variable Name:* **AGEGRP7** *Position:* 36 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	7,132	1,346,159
02	18-19 years	4,067	796,313
03	20-22 years	5,521	1,402,700
04	23-24 years	3,430	833,254
05	25-44 years	8,761	9,428,528
06	45-64 years	9,016	8,527,288
07	65 years and over	4,889	3,998,878
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:* Derived from PA\_Q01





**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Past Smoking**

*Variable Name:* **PS\_Q10** *Position:* 44 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	6,380	3,943,166
2	No	18,711	10,270,483
6	Valid skip	17,725	12,119,471
		=====	=====
		42,816	26,333,120

*Coverage:* Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

*Variable Name:* **PS\_Q20** *Position:* 45 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	8,787	6,801,035
2	No	1,978	1,358,376
6	Valid skip	32,036	18,152,906
7	Don't know	8	11,872
8	Refused	2	7,571
9	Not stated	5	1,361
		=====	=====
		42,816	26,333,120

*Coverage:* Occasional smokers or former smokers

*Variable Name:* **PS\_Q30** *Position:* 46 *Length:* 2

At what age did you smoke your first cigarette?

*Allowed values:* 04 : 94

		FREQ	WTD
04 : 65	Age smoked first cigarette	23,681	15,782,364
96	Valid skip	18,711	10,270,483
97	Don't know	383	256,118
98	Refused	25	11,878
99	Not stated	16	12,277
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever smoked a cigarette

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **PS\_Q40**                                   *Position:*   48                                   *Length:*    2

At what age did you begin to smoke cigarettes daily?

*Allowed values:*           04 : 94

		FREQ	WTD
04 : 70	Age began to smoke cigarettes daily	15,276	10,465,210
96	Valid skip	27,272	15,700,957
97	Don't know	240	147,576
98	Refused	18	8,718
99	Not stated	10	10,658
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever smoked cigarettes daily

*Variable Name:*           **DVYRSSMK**                                   *Position:*   50                                   *Length:*    2

Derived variable for the number of years the respondent smoked

*Allowed values:*           00 : 95

		FREQ	WTD
00 : 80	# of yrs the respondent smoked	8,882	4,827,843
96	Valid skip	33,814	21,425,261
99	Not stated	120	80,016
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers

*Note:*       Derived from AGE and PS\_Q30.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Weekly Pattern**

*Variable Name:* **WP\_Q10A** *Position:* 52 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	1,256	562,378
01 : 90	# of cigarettes smoked-Monday	7,431	4,176,021
96	Valid skip	33,728	21,408,231
97	Don't know	97	43,595
98	Refused	4	7,100
99	Not stated	300	135,794
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers or those who smoked in the last 30 days  
*Note:* Values derived from WP\_Q10A to WP\_Q10G.

*Variable Name:* **WP\_Q10B** *Position:* 54 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Tuesday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	1,267	581,631
01 : 90	# of cigarettes smoked-Tuesday	7,367	4,129,191
96	Valid skip	33,728	21,408,231
97	Don't know	84	50,015
98	Refused	1	418
99	Not stated	369	163,633
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers or those who smoked in the last 30 days  
*Note:* Values derived from WP\_Q10A to WP\_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **WP\_Q10C**                           *Position:*   56                   *Length:*    2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Wednesday?

<i>Allowed values:</i> 00 : 91			
		FREQ	WTD
00	None	1,222	552,089
01 : 90	# of cigarettes smoked-Wednesday	7,361	4,134,203
96	Valid skip	33,728	21,408,231
97	Don't know	84	38,532
98	Refused	3	2,631
99	Not stated	418	197,434
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers or those who smoked in the last 30 days  
*Note:* Values derived from WP\_Q10A to WP\_Q10G.

*Variable Name:*           **WP\_Q10D**                           *Position:*   58                   *Length:*    2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Thursday?

<i>Allowed values:</i> 00 : 91			
		FREQ	WTD
00	None	1,209	528,090
01 : 90	# of cigarettes smoked-Thursday	7,329	4,150,484
96	Valid skip	33,728	21,408,231
97	Don't know	117	41,194
99	Not stated	433	205,121
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers or those who smoked in the last 30 days  
*Note:* Values derived from WP\_Q10A to WP\_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **WP\_Q10E**                           *Position:*   60                   *Length:*    2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Friday?

<i>Allowed values:</i> 00 : 91			
		FREQ	WTD
00	None	980	463,490
01 : 90	# of cigarettes smoked-Friday	7,615	4,228,168
96	Valid skip	33,728	21,408,231
97	Don't know	98	33,729
99	Not stated	395	199,503
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers or those who smoked in the last 30 days  
*Note:*       Values derived from WP\_Q10A to WP\_Q10G.

*Variable Name:*           **WP\_Q10F**                           *Position:*   62                   *Length:*    2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Saturday?

<i>Allowed values:</i> 00 : 91			
		FREQ	WTD
00	None	953	473,773
01 : 90	# of cigarettes smoked-Saturday	7,711	4,242,804
96	Valid skip	33,728	21,408,231
97	Don't know	90	43,383
98	Refused	1	148
99	Not stated	333	164,782
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers or those who smoked in the last 30 days  
*Note:*       Values derived from WP\_Q10A to WP\_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*            **WP\_Q10G**                            *Position:*    64                            *Length:*       2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Sunday?

*Allowed values:*            00 : 91

		FREQ	WTD
00	None	1,315	614,139
01 : 90	# of cigarettes smoked-Sunday	7,384	4,132,990
96	Valid skip	33,728	21,408,231
97	Don't know	92	31,161
99	Not stated	297	146,598
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers or those who smoked in the last 30 days  
*Note:* Values derived from WP\_Q10A to WP\_Q10G.

**Section:                            Smoking Behaviour**

*Variable Name:*            **SB\_Q10**                            *Position:*    66                            *Length:*       1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	1,537	856,077
2	6 to 30 minutes	2,160	1,312,134
3	31 to 60 minutes	1,267	714,501
4	More than 60 minutes	1,725	896,899
6	Valid skip	36,059	22,501,992
7	Don't know	40	27,750
8	Refused	10	5,250
9	Not stated	18	18,516
		=====	=====
		42,816	26,333,120

*Coverage:* Current daily smokers

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

Variable Name: **SB\_Q20** Position: 67 Length: 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra light	734	569,122
2	Light	3,157	1,690,929
3	Ultra or extra mild	355	239,490
4	Mild	493	304,067
5	Regular	3,995	1,967,757
6	Valid skip	33,814	21,425,261
7	Don't know	229	106,664
8	Refused	15	10,041
9	Not stated	24	19,787
		=====	=====
		42,816	26,333,120

Coverage: Current smokers

Variable Name: **SB\_Q30** Position: 68 Length: 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	434	314,927
2	No	4,249	2,466,086
6	Valid skip	37,809	23,393,018
7	Don't know	56	22,596
9	Not stated	268	136,493
		=====	=====
		42,816	26,333,120

Coverage: Current smokers not smoking regular cigarettes

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **SB\_Q40**                           *Position:*   69                   *Length:*    1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	959	571,350
2	No	3,645	2,117,541
6	Valid skip	37,809	23,393,018
7	Don't know	135	114,718
9	Not stated	268	136,493
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers not smoking regular cigarettes

*Variable Name:*           **SB\_Q50**                           *Position:*   70                   *Length:*    1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

		FREQ	WTD
1	Yes	548	345,681
2	No	4,110	2,410,664
6	Valid skip	37,809	23,393,018
7	Don't know	81	47,264
9	Not stated	268	136,493
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers not smoking regular cigarettes

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Cigarette Access**

*Variable Name:*       **CA\_Q10**                               *Position:*   71                       *Length:*    2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them from a vending machine	8	7,803
02	I buy them at a small grocery/corner store	4,671	2,766,246
03	I buy them at a supermarket	924	497,553
04	I buy them at a drug store	167	81,112
05	I buy them at a gasoline station	1,547	683,358
06	I buy them at another kind of store	169	134,450
07	I buy them from a friend or someone else	135	31,334
08	I buy them by mail order	1	112
09	I buy them from the Internet	1	22
10	My brother or sister gives them to me	17	5,212
11	My mother or father gives them to me	64	9,805
12	A friend or someone else gives them to me	698	249,856
13	I take them from my mother, father or siblings	18	3,409
14	Other - specify	469	345,210
96	Valid skip	33,814	21,425,261
97	Don't know	63	47,503
98	Refusal	25	27,132
99	Not stated	25	17,743
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers

*Variable Name:*       **CA\_Q20**                               *Position:*   73                       *Length:*    1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	179	28,814
2	No	478	86,951
6	Valid skip	42,158	26,217,296
9	Not stated	1	59
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers between the age of 15-18 who don't usually buy cigarettes from a store

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **CA\_Q30**                                    *Position:*   74                    *Length:*     1

In the past 12 months, have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	511	99,792
2	No	335	63,834
6	Valid skip	41,963	26,168,656
7	Don't know	5	730
9	Not stated	2	107
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

*Variable Name:*           **CA\_Q40**                                    *Position:*   75                    *Length:*     1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	403	80,928
2	No	445	83,300
6	Valid skip	41,963	26,168,656
7	Don't know	3	128
9	Not stated	2	107
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

*Variable Name:*           **CA\_Q50**                                    *Position:*   76                    *Length:*     1

In the past 12 months, have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	728	123,696
2	No	427	95,981
6	Valid skip	41,485	26,081,706
7	Don't know	1	34
8	Refused	1	492
9	Not stated	174	31,212
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers between the age of 15-18

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Cheaper Cigarettes**

Variable Name: **CC\_Q20** Position: 77 Length: 1

In the past 6 months, did you buy:  
... a discount brand?

		FREQ	WTD
1	Yes	3,493	1,806,893
2	No	5,439	3,052,226
6	Valid skip	33,814	21,425,261
7	Don't know	27	16,258
8	Refused	15	12,504
9	Not stated	28	19,978
		=====	=====
		42,816	26,333,120

Coverage: Current smokers

Variable Name: **CC\_Q30** Position: 78 Length: 1

In the past 6 months, did you buy:  
... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	1,449	826,396
2	No	7,485	4,026,949
6	Valid skip	33,814	21,425,261
7	Don't know	22	19,022
8	Refused	16	15,264
9	Not stated	30	20,229
		=====	=====
		42,816	26,333,120

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

Variable Name: **CC\_Q40** Position: 79 Length: 1

In the past 6 months, did you buy:

... from the Internet?

		FREQ	WTD
1	Yes	21	14,369
2	No	8,929	4,855,249
6	Valid skip	33,814	21,425,261
7	Don't know	7	5,509
8	Refused	15	12,504
9	Not stated	30	20,229
		=====	=====
		42,816	26,333,120

Coverage: Current smokers

Variable Name: **CC\_Q50** Position: 80 Length: 1

In the past 6 months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	26	9,326
2	No	8,924	4,860,292
6	Valid skip	33,814	21,425,261
7	Don't know	7	5,509
8	Refused	15	12,504
9	Not stated	30	20,229
		=====	=====
		42,816	26,333,120

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **CC\_Q60**                           *Position:*   81                   *Length:*    1

In the past 6 months, did you buy cigarettes:

... from outside your province?

		FREQ	WTD
1	Yes	1,305	518,145
2	No	7,640	4,336,818
6	Valid skip	33,814	21,425,261
7	Don't know	10	18,079
8	Refused	17	14,588
9	Not stated	30	20,229
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers

*Variable Name:*           **CC\_Q70**                           *Position:*   82                   *Length:*    1

In the past 6 months, did you buy cigarettes:

... that may have been smuggled?

		FREQ	WTD
1	Yes	258	124,846
2	No	8,613	4,704,052
6	Valid skip	33,814	21,425,261
7	Don't know	82	38,356
8	Refused	19	20,377
9	Not stated	30	20,229
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **CC\_Q80**                           *Position:*   83                   *Length:*    1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	549	260,432
2	No	8,392	4,596,763
6	Valid skip	33,814	21,425,261
7	Don't know	11	8,518
8	Refused	18	14,560
9	Not stated	32	27,586
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers

**Section:                   Derived Variables - Person**

*Variable Name:*           **DVLOWTAR**                           *Position:*   84                   *Length:*    2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	24	15,650
03	3 mg	61	68,746
04	4 mg	447	307,041
05	5 mg	2	2,193
06	6 mg	33	32,445
07	7 mg	72	51,888
08	8 mg	128	112,403
09	9 mg	104	95,354
10	10 mg	298	180,151
11	11 mg	817	645,103
12	12 mg	1,388	590,825
13	13 mg	2,468	1,156,894
14	14 mg	662	239,485
15	15 mg	1,447	640,117
16	16 mg	151	116,810
17	17 mg or more	29	19,761
96	Valid skip	33,819	21,430,373
99	Not stated	866	627,880
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who usually smoke the same brand of cigarettes

*Note:*       Derived from CB\_Q10.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **DVSST1**                           *Position:*   86                   *Length:*     1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	9,002	4,907,859
2	Former smoker	8,723	7,211,612
3	Never smoked	25,091	14,213,649
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:*       SOSIC (Survey on Smoking in Canada) definition.

*Variable Name:*           **DVSST2**                           *Position:*   87                   *Length:*     2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	6,757	3,831,128
02	Current occasional smoker	2,245	1,076,731
03	Former daily smoker	7,615	6,220,818
04	Former occasional smoker	1,097	978,394
05	Experimental smoker	6,380	3,943,166
06	Lifetime abstainer	18,711	10,270,483
99	Not stated	11	12,400
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **DVSS1**                           *Position:*   89                   *Length:*     1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	9,088	4,924,889
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	8,629	7,183,937
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	25,099	14,224,294
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:*       SOSIC (Survey on Smoking in Canada) definition.



**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

Variable Name: **FR\_Q20** Position: 93 Length: 1

In the past year, how often did you smoke in bed?

		FREQ	WTD
1	Everyday	551	241,303
2	A few times a week	471	173,192
3	Once a week	255	82,290
4	Once a month or less	1,045	403,100
5	Never	857	479,726
6	Valid skip	39,535	24,886,194
7	Don't know	16	5,805
8	Refused	1	3,607
9	Not stated	85	57,902
		=====	=====
		42,816	26,333,120

Coverage: Respondents who have smoked in bed

Variable Name: **FR\_Q30** Position: 94 Length: 1

Sometimes people fall asleep with a lit cigarette. This could be in bed, on a sofa or in a chair.  
When was the last time this happened to you? Was it...

		FREQ	WTD
1	In the past week	41	18,498
2	In the past month	43	20,774
3	Within one to six months	60	25,856
4	More than six months ago	604	356,417
5	Never	8,175	4,421,489
6	Valid skip	33,814	21,425,261
7	Don't know	16	15,347
8	Refused	27	20,993
9	Not stated	36	28,486
		=====	=====
		42,816	26,333,120

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **FR\_Q40**                           *Position:*   95                   *Length:*     1

In the past year, how many times did this happen to you?

		FREQ	WTD
1	Never	415	255,033
2	Once	192	92,278
3	Two to five times	86	42,537
4	More than five times	42	27,349
6	Valid skip	41,989	25,846,750
7	Don't know	9	3,740
8	Refused	2	134
9	Not stated	81	65,299
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have fallen asleep with a lit cigarette

*Variable Name:*           **FR\_Q50**                           *Position:*   96                   *Length:*     2

Sometimes people leave a cigarette burning in an ashtray while attending to something else.  
When was the last time you did this? Was it...

		FREQ	WTD
01	In the past week	2,138	1,048,442
02	In the past month	548	229,299
03	Within one to six months	434	171,387
04	More than six months ago	1,105	616,784
05	Never	4,467	2,651,998
06	Don't use ashtrays	147	53,083
96	Valid skip	33,814	21,425,261
97	Don't know	93	86,386
98	Refused	32	21,897
99	Not stated	38	28,583
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **FR\_Q60**                           *Position:*   98                   *Length:*    1

In the past year, how often did you leave a cigarette burning in an ashtray while attending to something else?

		FREQ	WTD
1	Everyday	513	290,108
2	A few times a week	714	378,068
3	Once a week	522	267,354
4	Once a month or less	2,042	909,534
5	Never	355	178,425
6	Valid skip	38,428	24,130,343
7	Don't know	58	30,963
8	Refused	5	1,800
9	Not stated	179	146,524
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have left a cigarette burning in an ashtray

**Section:                   Derived Variables - Person**

*Variable Name:*           **DVCIGWK**                           *Position:*   99                   *Length:*    3

Derived variable for number of cigarettes smoked per week

*Allowed values:*           000 : 995

		FREQ	WTD
000 : 630	# of cigs smoked per week	8,404	4,621,638
996	Valid skip	33,728	21,408,231
999	Not stated	684	303,251
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who have smoked in the last 30 days

*Variable Name:*           **DVAVCIG7**                           *Position:*   102                   *Length:*    2

Derived variable for smoker's average number of cigarettes smoked per day

*Allowed values:*           00 : 95

		FREQ	WTD
00 : 90	Avg. # of cigs smoked/day	8,404	4,621,638
96	Valid skip	33,728	21,408,231
99	Not stated	684	303,251
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who have smoked in the last 30 days

*Note:* Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **DVNDSMK**                           *Position:*   104           *Length:*    2

Derived variable for number of days respondent smoked in the last 7 days

*Allowed values:*           00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	8,404	4,621,638
96	Valid skip	33,728	21,408,231
99	Not stated	684	303,251
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who have smoked in the last 30 days

*Variable Name:*           **DVAVCIGD**                           *Position:*   106           *Length:*    2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

*Allowed values:*           00 : 95

		FREQ	WTD
00 : 90	Avg. smoked on the days they smoked	8,404	4,621,638
96	Valid skip	33,728	21,408,231
99	Not stated	684	303,251
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who have smoked in the last 30 days

*Variable Name:*           **DVSMKPTN**                           *Position:*   108           *Length:*    1

Derived variable for current smokers' smoking pattern in the past 7 days (WP\_Q10A-WP\_Q10G)

		FREQ	WTD
1	Smoked every day	6,680	3,803,930
2	Weekdays only	27	26,007
3	Weekend only	20	5,499
4	Did not smoke in last 7 days	419	184,957
5	Other pattern	1,258	601,244
6	Valid skip	33,728	21,408,231
9	Not stated	684	303,251
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who have smoked in the last 30 days

*Note:*       SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **DVDAILY**                           *Position:*   109           *Length:*    2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

*Allowed values:*           00 : 95

		FREQ	WTD
00 : 80	Average smoked-Daily smokers	6,321	3,640,506
96	Valid skip	36,059	22,501,992
99	Not stated	436	190,622
		=====	=====
		42,816	26,333,120

*Coverage:* Daily smokers  
*Note:* Based on WP\_Q10A-G

*Variable Name:*           **DVPRICE**                           *Position:*   111           *Length:*    1

Derived variable for smokers indicating if they smoke discount or regular price brand

		FREQ	WTD
1	Discount price brand	2,674	1,458,435
2	Regular price brand	5,801	3,129,057
6	Valid skip	33,814	21,425,261
9	Not stated	527	320,367
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers  
*Note:* Based on CB\_Q10 and information about discount brands obtained from Health Canada.

**Section:                   Smoking Cessation**

*Variable Name:*           **SC\_Q010**                           *Position:*   112           *Length:*    1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	813	539,629
2	1 to 2 years ago	807	501,662
3	3 to 5 years ago	1,019	728,139
4	More than 5 years ago	6,049	5,412,965
6	Valid skip	34,093	19,121,508
7	Don't know	19	19,921
8	Refusal	9	4,009
9	Not stated	7	5,288
		=====	=====
		42,816	26,333,120

*Coverage:* Former smokers

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **SC\_Q020**                           *Position:*   113                   *Length:*     2

In what month did you stop smoking?

		FREQ	WTD
01	January	104	66,364
02	February	89	74,603
03	March	60	41,977
04	April	61	40,254
05	May	46	31,698
06	June	47	22,510
07	July	49	36,823
08	August	68	33,552
09	September	82	56,946
10	October	65	33,773
11	November	61	27,829
12	December	68	70,107
96	Valid skip	41,968	25,764,273
97	Don't know	13	3,193
99	Not stated	35	29,218
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who stopped smoking less than one year ago

*Variable Name:*           **SC\_Q030**                           *Position:*   115                   *Length:*     2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	493	347,728
02	Pregnancy or a baby in the household	80	39,684
03	Less stress in life	6	1,571
04	Cost of cigarettes	85	37,415
05	Smoking is less socially acceptable	35	22,405
06	Some other reason	110	88,563
96	Valid skip	41,968	25,764,273
97	Don't know	3	1,917
99	Not stated	36	29,563
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who stopped smoking less than one year ago





**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **SC\_Q100**                           *Position:*   127                   *Length:*    2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	33	15,567
02	Stress, need to relax or to calm down	1,546	774,284
03	Boredom	190	58,320
04	Addiction / habit	1,071	569,857
05	Lack of support or information	8	5,311
06	Going out more (bars, parties)	272	124,378
07	Increased availability	14	9,803
08	No reason / felt like it	458	194,389
09	Family or friends smoke	622	270,693
10	Other	399	246,131
96	Valid skip	37,660	23,786,062
97	Don't know	76	32,090
98	Refused	2	101
99	Not stated	465	246,134
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who tried to quit smoking in the past 12 months

*Variable Name:*           **STOPSMK**                           *Position:*   129                   *Length:*    2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00	None	101	75,504
01 : 11	# of mths. quit before survey	699	460,932
18	1-2 years	807	501,662
48	3-5 years	1,019	728,139
60	More than 5 years ago	6,049	5,412,965
96	Valid skip	34,093	19,121,508
99	Not stated	48	32,411
		=====	=====
		42,816	26,333,120

*Coverage:* Former smokers

*Note:*       Derived from SC\_Q010 and SC\_Q020.

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Cessation Methods**

*Variable Name:* **CM\_Q10** *Position:* 131 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	1,117	639,540
2	No	2,585	1,667,988
6	Valid skip	39,074	24,002,625
7	Don't know	16	5,383
8	Refused	23	17,434
9	Not stated	1	150
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who did not try to quit smoking in the last year (SC\_Q080=0)

*Variable Name:* **CM\_Q20** *Position:* 132 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	1,917	1,273,042
2	No	5,497	2,686,883
6	Valid skip	35,346	22,325,275
7	Don't know	7	9,364
8	Refused	2	162
9	Not stated	47	38,394
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the last two years

*Variable Name:* **CM\_Q40** *Position:* 133 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	1,313	745,294
2	No	6,105	3,222,612
6	Valid skip	35,346	22,325,275
7	Don't know	3	1,383
8	Refused	2	162
9	Not stated	47	38,394
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **CM\_Q60**                           *Position:*   134           *Length:*    1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	731	562,621
2	No	6,678	3,401,824
6	Valid skip	35,346	22,325,275
7	Don't know	11	4,796
8	Refused	2	162
9	Not stated	48	38,441
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past two years

*Variable Name:*           **CM\_Q80A**                           *Position:*   135           *Length:*    1  
*Collection Name:*        CM\_Q80

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You were concerned about possible side effects

		FREQ	WTD
1	Yes	686	308,979
2	No	3,791	1,829,499
6	Valid skip	38,226	24,133,649
7	Don't know	72	37,980
8	Refused	1	47
9	Not stated	40	22,967
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **CM\_Q80B**                            *Position:*   136            *Length:*     1  
*Collection Name:*        CM\_Q80

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't believe these products work

		FREQ	WTD
1	Yes	918	441,522
2	No	3,559	1,696,955
6	Valid skip	38,226	24,133,649
7	Don't know	72	37,980
8	Refused	1	47
9	Not stated	40	22,967
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

*Variable Name:*           **CM\_Q80C**                            *Position:*   137            *Length:*     1  
*Collection Name:*        CM\_Q80

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't have enough information about these products

		FREQ	WTD
1	Yes	489	172,324
2	No	3,988	1,966,154
6	Valid skip	38,226	24,133,649
7	Don't know	72	37,980
8	Refused	1	47
9	Not stated	40	22,967
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **CM\_Q80D**                           *Position:*   138           *Length:*    1  
*Collection Name:*       CM\_Q80

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... They cost too much

		FREQ	WTD
1	Yes	1,011	327,392
2	No	3,466	1,811,086
6	Valid skip	38,226	24,133,649
7	Don't know	72	37,980
8	Refused	1	47
9	Not stated	40	22,967
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

*Variable Name:*           **CM\_Q80E**                           *Position:*   139           *Length:*    1  
*Collection Name:*       CM\_Q80

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... Some other reason

		FREQ	WTD
1	Yes	2,673	1,398,749
2	No	1,804	739,729
6	Valid skip	38,226	24,133,649
7	Don't know	72	37,980
8	Refused	1	47
9	Not stated	40	22,967
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Other Cessation Methods**

*Variable Name:* **OM\_Q030** *Position:* 140 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	2,373	1,041,634
2	No	5,033	2,915,114
6	Valid skip	35,386	22,348,242
7	Don't know	6	4,730
8	Refused	9	5,538
9	Not stated	9	17,862
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past two years

*Variable Name:* **OM\_Q070** *Position:* 141 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	4,837	2,247,642
2	No	2,563	1,709,049
6	Valid skip	35,386	22,348,242
7	Don't know	11	4,687
8	Refused	9	5,538
9	Not stated	10	17,963
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past two years

*Variable Name:* **OM\_Q130** *Position:* 142 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	1,040	639,227
2	No	257	183,392
6	Valid skip	41,518	25,510,359
7	Don't know	1	142
		=====	=====
		42,816	26,333,120

*Coverage:* Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Cessation Products**

*Variable Name:* **CP\_Q10** *Position:* 143 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? For example, in a meeting, on a plane, at school?

		FREQ	WTD
1	Yes	713	383,226
2	No	8,184	4,450,140
6	Valid skip	33,814	21,425,261
7	Don't know	14	8,842
8	Refused	42	29,759
9	Not stated	49	35,891
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers

**Section: Health Professionals**

*Variable Name:* **HP\_Q010** *Position:* 144 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	6,702	3,624,414
2	No	2,189	1,209,041
6	Valid skip	33,814	21,425,261
7	Don't know	15	7,426
8	Refused	46	31,006
9	Not stated	50	35,973
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers





**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **HP\_Q110**                           *Position:*   151                   *Length:*     1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	554	303,574
2	No	3,010	1,714,217
6	Valid skip	39,126	24,222,077
7	Don't know	7	1,751
9	Not stated	119	91,501
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who talked with a pharmacist in the past 12 months

*Variable Name:*           **HP\_Q120**                           *Position:*   152                   *Length:*     1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	416	242,393
2	No	138	61,181
6	Valid skip	42,136	25,936,294
9	Not stated	126	93,252
		=====	=====
		42,816	26,333,120

*Coverage:* Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

**Section:                   Smoking and Pregnancy**

*Variable Name:*           **SP\_Q10**                           *Position:*   153                   *Length:*     1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	2,410	1,645,822
2	No	7,285	4,108,530
6	Valid skip	33,076	20,550,553
7	Don't know	6	3,768
8	Refused	28	22,253
9	Not stated	11	2,194
		=====	=====
		42,816	26,333,120

*Coverage:* Women aged 20-44



**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Tobacco Products**

*Variable Name:* **TP\_Q010** *Position:* 156 *Length:* 1

Have you ever tried smoking a cigar or cigarillos?

		FREQ	WTD
1	Yes	17,075	10,250,026
2	No	25,572	15,954,845
7	Don't know	17	20,958
8	Refused	73	43,330
9	Not stated	79	63,961
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:* **TP\_Q020** *Position:* 157 *Length:* 1

In the past 30 days, did you smoke any cigars or cigarillos?

		FREQ	WTD
1	Yes	2,643	1,114,176
2	No	14,429	9,135,071
6	Valid skip	25,572	15,954,845
7	Don't know	2	504
8	Refused	1	275
9	Not stated	169	128,249
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever smoked a cigar or cigarillo

*Variable Name:* **TP\_Q030** *Position:* 158 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	5,417	3,765,052
2	No	37,230	22,442,114
7	Don't know	10	10,769
8	Refused	76	47,356
9	Not stated	83	67,828
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **TP\_Q040**                           *Position:*   159                   *Length:*     1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	339	125,477
2	No	5,078	3,639,575
6	Valid skip	37,230	22,442,114
9	Not stated	169	125,954
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever smoked a pipe

*Variable Name:*           **TP\_Q050**                           *Position:*   160                   *Length:*     1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	4,426	2,060,277
2	No	38,217	24,141,666
7	Don't know	10	13,915
8	Refused	80	49,434
9	Not stated	83	67,828
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **TP\_Q060**                           *Position:*   161                   *Length:*     1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	472	144,062
2	No	3,952	1,915,760
6	Valid skip	38,217	24,141,666
7	Don't know	2	455
9	Not stated	173	131,177
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever tried chewing tobacco, pinch or snuff

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**Section: Opinions on Smoking**

*Variable Name:*        **OS\_Q10**                      *Position:*    162                      *Length:*        1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	28,105	17,047,428
2	Smoking should be allowed only in a section of a restaurant that is enclosed	8,261	4,987,507
3	Smoking should be allowed only in a designated section of a restaurant	5,342	3,437,559
4	Smoking should be allowed anywhere in a restaurant	602	450,225
7	Don't know	290	212,553
8	Refused	125	105,283
9	Not stated	91	92,564
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*        **OS\_Q20**                      *Position:*    163                      *Length:*        1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	17,892	11,308,390
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	10,453	6,075,811
3	Smoking should be allowed only in a designated section of a bar or tavern	7,523	4,584,944
4	Smoking should be allowed anywhere in a bar or tavern	5,164	3,040,742
7	Don't know	1,478	1,053,215
8	Refused	211	176,392
9	Not stated	95	93,627
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents



**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **EX\_Q020**                                   *Position:*   166                   *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside someone else's home?

		FREQ	WTD
1	Yes	16,918	7,936,343
2	No	25,546	18,113,641
7	Don't know	76	71,119
8	Refused	165	103,718
9	Not stated	111	108,299
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **EX\_Q030**                                   *Position:*   167                   *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	13,518	8,183,587
2	No	28,887	17,805,564
7	Don't know	128	119,583
8	Refused	171	115,926
9	Not stated	112	108,460
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **EX\_Q040**                                   *Position:*   168                   *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a restaurant?

		FREQ	WTD
1	Yes	5,546	4,575,964
2	No	36,895	21,438,450
7	Don't know	88	83,920
8	Refused	174	126,281
9	Not stated	113	108,505
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **EX\_Q050**                           *Position:*   169           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a bar or tavern?

		FREQ	WTD
1	Yes	7,110	4,263,312
2	No	35,237	21,609,081
7	Don't know	182	225,940
8	Refused	174	126,281
9	Not stated	113	108,505
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **EX\_Q060**                           *Position:*   170           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	6,916	3,742,690
2	No	35,501	22,253,274
7	Don't know	107	101,192
8	Refused	179	127,458
9	Not stated	113	108,505
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **EX\_Q070**                           *Position:*   171           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	22,084	12,881,049
2	No	20,243	13,050,523
7	Don't know	189	151,747
8	Refused	187	141,295
9	Not stated	113	108,505
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **EX\_Q080**                           *Position:*   172           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at your workplace?

		FREQ	WTD
1	Yes	9,566	5,952,459
2	No	32,773	19,910,634
7	Don't know	174	219,423
8	Refused	191	142,576
9	Not stated	112	108,027
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **EX\_Q090**                           *Position:*   173           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at your school?

		FREQ	WTD
1	Yes	7,264	2,043,543
2	No	34,995	23,695,710
7	Don't know	254	342,060
8	Refused	190	143,302
9	Not stated	113	108,505
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **EX\_Q100**                           *Position:*   174           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	15,997	8,564,924
2	No	26,349	17,370,752
7	Don't know	162	145,358
8	Refused	196	143,934
9	Not stated	112	108,153
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **EX\_Q110**                           *Position:*   175           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	22,902	12,692,039
2	No	19,354	13,159,656
7	Don't know	246	227,739
8	Refused	202	145,533
9	Not stated	112	108,153
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Variable Name:*           **EX\_Q120**                           *Position:*   176           *Length:*    1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... anywhere else?

		FREQ	WTD
1	Yes	1,260	935,473
2	No	41,067	25,007,934
7	Don't know	177	137,400
8	Refused	200	144,160
9	Not stated	112	108,153
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **EX\_Q130**                            *Position:*   177                    *Length:*     1

Overall, (excluding your own smoking), in the past month were you exposed to second-hand smoke?

		FREQ	WTD
1	Every day	5,358	2,673,545
2	Almost every day	5,439	2,720,530
3	At least once a week	13,119	7,716,264
4	At least once in the past month	11,954	7,911,167
6	Valid skip	6,609	5,074,073
7	Don't know	282	194,471
8	Refused	54	41,934
9	Not stated	1	1,135
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who in the past month were exposed to second-hand smoke in places other than their own home

**Section:                            Language and Education**

*Variable Name:*           **LA\_Q10**                            *Position:*   178                    *Length:*     1

What language do you speak most often at home?

		FREQ	WTD
1	English	34,987	17,408,705
2	French	4,994	5,635,029
3	Both English and French	278	252,383
4	Other	2,256	2,839,748
7	Don't know	23	10,868
8	Refused	145	74,341
9	Not stated	133	112,046
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **DVEDUC**                           *Position:*   179           *Length:*     1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	12,742	4,935,115
2	Completed secondary	17,249	9,756,769
3	Completed community college, technical college, CEGEP or nurse's college	5,464	4,332,038
4	Completed university or teacher's college	6,652	6,692,598
9	Not stated	709	616,599
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:*       SOSIC (Survey on Smoking in Canada) definition. If LA\_Q20=01,02,03,04 then DVEDUC=1; if  
LA\_Q20=05,06,08,10 then DVEDUC=2; if LA\_Q20=07 then DVEDUC=3; if LA\_Q20=09 then DVEDUC=4.

*Variable Name:*           **GPLA\_Q20**                           *Position:*   180           *Length:*     2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	564	371,873
02	Completed elementary	815	455,428
03	Some secondary	11,363	4,107,814
04	Completed secondary	10,076	5,989,630
05	Some community college, technical college, CEGEP or nurse's training	2,297	1,451,568
06	Completed community college, technical college, CEGEP or nurse's training	5,464	4,332,038
07	Some university or teacher's college	4,481	1,977,286
08	Completed university or teacher's college	6,653	6,694,454
09	Other education or training	395	338,286
99	Not stated	708	614,744
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

*Note:*       Grouped "No schooling" and "Some elementary".



**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

---

*Variable Name:*            **DVSOC10**                            *Position:*    184                            *Length:*        2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	1,316	1,223,647
02	Business, Finance and Administrative Occupations	4,806	3,404,603
03	Natural and Applied Sciences and Related Occupations	1,519	1,343,231
04	Health Occupations	1,605	1,116,366
05	Occupations in Social Science, Education, Government Service and Religion	1,688	1,357,982
06	Occupations in Art, Culture, Recreation and Sport	1,113	635,514
07	Sales and Service Occupations	11,301	4,588,387
08	Trades, Transport and Equipment Operators and Related Occupations	3,819	2,420,221
09	Occupations Unique to Primary Industry	1,814	592,491
10	Occupations Unique to Processing, Manufacturing and Utilities	1,417	973,125
96	Valid Skip	10,930	7,299,711
99	Not Stated	1,488	1,377,840
		=====	=====
		42,816	26,333,120

*Coverage:* Persons who have worked at a job or business in the past 12 months

*Note:* Codes assigned based on LF\_Q30 and LF\_Q40. Occupational categories correspond to the first digit of the 1991 Standard Occupational Classification (SOC).

---

**Section:                            Student Income**

*Variable Name:*            **SI\_Q10**                            *Position:*    186                            *Length:*        1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	12,370	2,709,680
2	No	7,611	1,633,151
6	Valid skip	22,666	21,954,694
7	Don't know	26	2,207
8	Refused	92	25,924
9	Not stated	51	7,463
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents less than 25 years of age

---

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **SI\_G20**                           *Position:*   187           *Length:*    2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	585	128,968
02	\$010 to \$024	2,829	568,884
03	\$025 to \$049	1,953	392,874
04	\$050 to \$099	2,426	523,737
05	\$100 to \$199	2,353	545,858
06	\$200 or more	1,439	344,527
96	Valid Skip	30,277	23,587,845
99	Not Stated	954	240,427
		=====	=====
		42,816	26,333,120

*Coverage:* Persons below 25 years of age who currently attend a school, college or university  
*Note:*       Derived from SI\_Q20.

**Section:                    Marijuana Use**

*Variable Name:*           **MU\_Q10**                           *Position:*   189           *Length:*    1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	2,985	1,956,027
2	Yes, more than once	13,563	7,769,931
3	No	25,338	15,826,965
7	Don't know	117	104,759
8	Refusal	692	560,239
9	Not stated	121	115,199
		=====	=====
		42,816	26,333,120

*Coverage:* All respondents

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

*Variable Name:*           **MU\_Q20**                           *Position:*   190           *Length:*     1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	6,293	2,439,272
2	No	10,241	7,277,643
6	Valid skip	25,338	15,826,965
7	Don't know	6	3,180
8	Refused	8	5,862
9	Not stated	930	780,198
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever used marijuana, cannabis or hashish

*Variable Name:*           **MU\_Q30**                           *Position:*   191           *Length:*     1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	2,109	870,743
2	1 to 3 times a month	1,342	484,470
3	Once a week	714	274,126
4	More than once a week	947	370,675
5	Every day	824	309,524
6	Valid skip	35,901	23,216,009
7	Don't know	15	3,283
8	Refused	20	15,049
9	Not stated	944	789,240
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

*Variable Name:*           **MU\_Q40**                           *Position:*   192           *Length:*     2

How old were you when you first did this?

*Allowed values:*        04 : 94

		FREQ	WTD
04 : 88	Age first used marijuana	16,409	9,628,643
96	Valid skip	25,338	15,826,965
97	Don't know	117	79,744
98	Refused	22	17,570
99	Not stated	930	780,198
		=====	=====
		42,816	26,333,120

*Coverage:* Respondents who have ever used or tried marijuana, cannabis or hashish

**Canadian Tobacco Use Monitoring Survey - 2005/2006**  
**Public Use Microdata File (Person)**

---

**Section:                      Weight Variable**

*Variable Name:*            **WTPP**                                      *Position:*    194                      *Length:*        12.4

Six month survey weight of a person, i.e. the number of persons in the population represented by a record.

*Coverage:* All respondents

*Note:*        Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

---

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

**INDEX**

<b>A</b>	
AGE0014 .....	2
AGE1524 .....	3
AGE2544 .....	3
AGE45PL.....	3
AGEGRP5.....	8
AGEGRP7.....	8
<b>C</b>	
CA_Q10 .....	19
CA_Q20 .....	19
CA_Q30 .....	20
CA_Q40 .....	20
CA_Q50 .....	20
CC_Q20 .....	21
CC_Q30 .....	21
CC_Q40 .....	22
CC_Q50 .....	22
CC_Q60 .....	23
CC_Q70 .....	23
CC_Q80 .....	24
CM_Q10 .....	36
CM_Q20 .....	36
CM_Q40 .....	36
CM_Q60 .....	37
CM_Q80A.....	37
CM_Q80B.....	38
CM_Q80C.....	38
CM_Q80D.....	39
CM_Q80E.....	39
CP_Q10.....	41
<b>D</b>	
DVAGE.....	8
DVAVCIG7 .....	29
DVAVCIGD .....	30
DVCIGWK .....	29
DVDAILY .....	31
DVEDUC.....	55
DVLOWTAR.....	24
DVMARST .....	9
DVNDSMK .....	30
DVPRICE .....	31
DVSMKPTN.....	30
DVSOC10.....	57
DVSS1 .....	25
DVSS2 .....	26
DVSST1 .....	25
DVSST2.....	25
DVURBAN.....	2
DVYRSSMK .....	12
<b>E</b>	
EX_Q010 .....	49
EX_Q020 .....	50
EX_Q030 .....	50
EX_Q040 .....	50
EX_Q050 .....	51
EX_Q060 .....	51
EX_Q070 .....	51
EX_Q080 .....	52
EX_Q090 .....	52
EX_Q100 .....	52
EX_Q110 .....	53
EX_Q120 .....	53
EX_Q130 .....	54
<b>F</b>	
FR_Q10.....	26
FR_Q20.....	27
FR_Q30.....	27
FR_Q40.....	28
FR_Q50.....	28
FR_Q60.....	29
<b>G</b>	
GPLA_Q20 .....	55
<b>H</b>	
HHSIZE .....	2
HHTYPE.....	4
HP_Q010.....	41
HP_Q020.....	42
HP_Q030.....	42
HP_Q040.....	42
HP_Q050.....	43
HP_Q060.....	43
HP_Q100.....	43

**Canadian Tobacco Use Monitoring Survey - 2005/2006  
Public Use Microdata File (Person)**

HP_Q110.....	44	SB_Q40.....	18
HP_Q120.....	44	SB_Q50.....	18
HS_Q10.....	4	SC_Q010.....	31
HS_Q20.....	4	SC_Q020.....	32
HS_Q30.....	5	SC_Q030.....	32
HS_Q40.....	5	SC_Q040.....	33
HS_Q50.....	5	SC_Q050.....	33
HS_Q60A.....	6	SC_Q060.....	33
HS_Q60B.....	6	SC_Q070.....	34
HS_Q60C.....	7	SC_Q080.....	34
HS_Q60D.....	7	SC_Q090.....	34
<b>L</b>		SC_Q100.....	35
LA_Q10.....	54	SEX.....	9
LF_Q10.....	56	SI_G20.....	58
LF_Q50.....	56	SI_Q10.....	57
<b>M</b>		SP_Q10.....	44
MU_Q10.....	58	SP_Q20.....	45
MU_Q20.....	59	SP_Q30.....	45
MU_Q30.....	59	SS_Q10.....	9
MU_Q40.....	59	SS_Q20.....	10
<b>O</b>		SS_Q30.....	10
OM_Q030.....	40	SS_Q40.....	10
OM_Q070.....	40	STOPSMK.....	35
OM_Q130.....	40	<b>T</b>	
OS_Q10.....	48	TP_Q010.....	46
OS_Q20.....	48	TP_Q020.....	46
OS_Q30.....	49	TP_Q030.....	46
<b>P</b>		TP_Q040.....	47
PROV.....	1	TP_Q050.....	47
PS_Q10.....	11	TP_Q060.....	47
PS_Q20.....	11	<b>W</b>	
PS_Q30.....	11	WP_Q10A.....	13
PS_Q40.....	12	WP_Q10B.....	13
PUMFID.....	1	WP_Q10C.....	14
<b>R</b>		WP_Q10D.....	14
REFMONTH.....	1	WP_Q10E.....	15
<b>S</b>		WP_Q10F.....	15
SB_Q10.....	16	WP_Q10G.....	16
SB_Q20.....	17	WTPP.....	60
SB_Q30.....	17		