

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Weekly Pattern.....	12
Smoking Behaviour.....	16
Cigarette Access.....	18
Cheaper Cigarettes.....	20
Derived Variables - Person	23
Fire Risk.....	25
Derived Variables - Person	28
Smoking Cessation	30
Cessation Methods	35
Other Cessation Methods	40
Cessation Products.....	42
Health Professionals	42
Smoking and Pregnancy	45
Tobacco Products	46
Opinions on Smoking.....	48
Exposure to Second-hand Smoke	50
Language and Education	55
Labour Force	56
Student Income.....	58
Marijuana Use.....	59
Weight Variable.....	60

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

		FREQ	WTD
2005 : 2005	Survey year	20,840	26,139,682
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

		FREQ	WTD
02 : 12	Survey month	20,840	26,139,682
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,985	430,872
11	Prince Edward Island	1,818	111,966
12	Nova Scotia	1,820	775,119
13	New Brunswick	1,980	619,855
24	Quebec	1,960	6,229,943
35	Ontario	1,757	10,143,494
46	Manitoba	1,990	930,485
47	Saskatchewan	2,094	783,809
48	Alberta	3,726	2,597,625
59	British Columbia	1,710	3,516,512
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	14,839	20,705,100
2	Rural	5,216	4,436,485
9	Not stated	785	998,096
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	18,033	22,672,856
05	5 or more	2,807	3,466,825
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	14,838	18,539,592
01	One	3,412	3,699,317
02	Two or more	2,590	3,900,772
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	9,044	17,562,239
01	One	7,503	4,849,150
02	Two or more	4,293	3,728,292
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	11,199	12,813,256
01	One	5,409	5,984,840
02	Two or more	4,232	7,341,585
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	7,895	9,008,683
01	One	5,377	5,749,432
02	Two or more	7,568	11,381,566
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	136	52,544
02	Households with only 20-24 year old members	828	502,517
03	Households with only 25-44 year old members	1,294	2,479,999
04	Households with only 45-64 year old members	2,364	3,720,224
05	Households with only 65+ year old members	1,967	2,978,135
06	Households with adults and children 0-11 only	2,159	4,011,235
07	Households with adults and teens 12-19 only	6,384	5,158,856
08	Households with adults and young children and teens 0-19 only	1,930	1,738,836
09	Other compositions	3,778	5,497,335
		=====	=====
		20,840	26,139,682

Coverage: All households

Note: Derived from the roster entries

Section: **Household Smoking**

Variable Name: **HS_Q10** *Position:* 27 *Length:* 1

(Do you/Does anyone in your household) smoke cigarettes?

		FREQ	WTD
1	Yes	6,809	7,274,805
2	No	14,031	18,864,876
		=====	=====
		20,840	26,139,682

Coverage: Household respondent

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 01 : 15

		FREQ	WTD
00	None	17,207	22,250,236
01 : 15	# of people that smoke inside the home	3,633	3,889,446
		=====	=====
		20,840	26,139,682

Coverage: Household respondent

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	1,528	1,631,326
2	11 to 20 cigarettes	1,008	1,102,309
3	21 to 30 cigarettes	576	653,413
4	31 to 40 cigarettes	137	114,129
5	41 or more cigarettes	241	284,235
6	Valid skip	17,207	22,250,236
7	Don't know	139	91,721
8	Refused	3	10,944
9	Not stated	1	1,369
		=====	=====
		20,840	26,139,682

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	2,091	2,811,346
2	No	15,075	19,391,315
6	Valid skip	3,633	3,889,446
7	Don't know	38	38,656
8	Refused	3	8,919
		=====	=====
		20,840	26,139,682

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	2,359	2,810,474
2	No	3,349	3,857,379
6	Valid skip	15,075	19,391,315
7	Don't know	12	20,983
8	Refused	3	10,586
9	Not stated	42	48,944
		=====	=====
		20,840	26,139,682

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed in certain rooms only

		FREQ	WTD
1	Yes	1,633	1,925,834
2	No	721	870,932
6	Valid skip	18,424	23,248,694
7	Don't know	4	13,142
8	Refused	1	567
9	Not stated	57	80,513
		=====	=====
		20,840	26,139,682

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

		FREQ	WTD
1	Yes	719	745,950
2	No	1,635	2,050,815
6	Valid skip	18,424	23,248,694
7	Don't know	4	13,142
8	Refused	1	567
9	Not stated	57	80,513
		=====	=====
		20,840	26,139,682

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	934	1,273,840
2	No	1,420	1,522,925
6	Valid skip	18,424	23,248,694
7	Don't know	4	13,142
8	Refused	1	567
9	Not stated	57	80,513
		=====	=====
		20,840	26,139,682

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

		FREQ	WTD
1	Yes	367	389,890
2	No	1,987	2,406,876
6	Valid skip	18,424	23,248,694
7	Don't know	4	13,142
8	Refused	1	567
9	Not stated	57	80,513
		=====	=====
		20,840	26,139,682

Coverage: Households where smoking is restricted inside the home

Section: **Demographic Variables - Person**

Variable Name: **DVAGE** *Position:* 37 *Length:* 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 95

		FREQ	WTD
15 : 84	Age of respondent	20,600	25,876,156
85	85 or more	240	263,526
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: On public use microdata file, ages greater than 85 were recoded to 85.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **AGEGRP5** *Position:* 39 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	5,438	2,130,724
2	20-24 years	4,362	2,226,381
3	25-34 years	1,873	4,378,905
4	35-44 years	2,459	5,052,566
5	45 years and over	6,708	12,351,106
		=====	=====
		20,840	26,139,682

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	3,406	1,321,975
02	18-19 years	2,032	808,748
03	20-22 years	2,708	1,406,689
04	23-24 years	1,654	819,692
05	25-44 years	4,332	9,431,472
06	45-64 years	4,327	8,399,385
07	65 years and over	2,381	3,951,721
		=====	=====
		20,840	26,139,682

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 42 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	9,476	12,884,065
2	Female	11,364	13,255,617
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **DVMARST** *Position:* 43 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	8,029	16,373,640
2	Widowed/Divorced/Separated	2,234	2,724,500
3	Single, never married	10,328	6,755,009
9	Not stated	249	286,532
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Section: **Smoking Status**

Variable Name: **SS_Q10** *Position:* 44 *Length:* 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	3,360	3,913,394
2	Occasionally	1,034	976,116
3	Not at all	16,446	21,250,172
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **SS_Q20** *Position:* 45 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	1,096	1,012,496
2	No	16,384	21,213,791
6	Valid skip	3,360	3,913,394
		=====	=====
		20,840	26,139,682

Coverage: Respondents who are not current daily smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **SS_Q30** *Position:* 46 *Length:* 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	3,286	3,862,630
2	No	1,170	1,063,260
6	Valid skip	16,384	21,213,791
		=====	=====
		20,840	26,139,682

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **SS_Q40** *Position:* 47 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	8,408	11,957,362
2	No	12,432	14,182,320
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Section: **Past Smoking**

Variable Name: **PS_Q10** *Position:* 48 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	3,096	3,795,266
2	No	9,092	10,208,808
6	Valid skip	8,652	12,135,607
		=====	=====
		20,840	26,139,682

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **PS_Q20** *Position:* 49 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	4,313	6,739,412
2	No	973	1,473,386
6	Valid skip	15,548	17,917,469
7	Don't know	4	7,478
9	Not stated	2	1,936
		=====	=====
		20,840	26,139,682

Coverage: Occasional smokers or former smokers

Variable Name: **PS_Q30** *Position:* 50 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 65	Age smoked first cigarette	11,557	15,737,456
96	Valid skip	9,092	10,208,808
97	Don't know	167	176,726
98	Refused	16	6,399
99	Not stated	8	10,293
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
05 : 70	Age began to smoke cigarettes daily	7,538	10,547,226
96	Valid skip	13,167	15,486,875
97	Don't know	118	93,003
98	Refused	11	4,221
99	Not stated	6	8,357
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever smoked cigarettes daily

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 76	# of yrs the respondent smoked	4,344	4,854,708
96	Valid skip	16,446	21,250,172
99	Not stated	50	34,802
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Note: Derived from AGE and PS_Q30.

Section: **Weekly Pattern**

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	577	545,577
01 : 90	# of cigarettes smoked-Monday	3,677	4,249,603
96	Valid skip	16,384	21,213,791
97	Don't know	49	34,043
98	Refused	3	1,214
99	Not stated	150	95,453
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Tuesday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	594	575,560
01 : 90	# of cigarettes smoked-Tuesday	3,641	4,188,936
96	Valid skip	16,384	21,213,791
97	Don't know	44	42,358
98	Refused	1	810
99	Not stated	176	118,227
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Wednesday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	569	539,964
01 : 90	# of cigarettes smoked-Wednesday	3,655	4,194,993
96	Valid skip	16,384	21,213,791
97	Don't know	40	21,129
98	Refused	1	224
99	Not stated	191	169,580
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **WP_Q10D** *Position:* 62 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Thursday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	553	502,507
01 : 90	# of cigarettes smoked-Thursday	3,638	4,213,688
96	Valid skip	16,384	21,213,791
97	Don't know	52	24,787
99	Not stated	213	184,908
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10E** *Position:* 64 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Friday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	452	437,484
01 : 90	# of cigarettes smoked-Friday	3,766	4,297,166
96	Valid skip	16,384	21,213,791
97	Don't know	50	36,238
99	Not stated	188	155,001
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **WP_Q10F** *Position:* 66 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Saturday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	449	387,784
01 : 90	# of cigarettes smoked-Saturday	3,811	4,378,757
96	Valid skip	16,384	21,213,791
97	Don't know	42	48,591
98	Refused	1	286
99	Not stated	153	110,473
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10G** *Position:* 68 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Sunday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	633	581,541
01 : 90	# of cigarettes smoked-Sunday	3,644	4,229,895
96	Valid skip	16,384	21,213,791
97	Don't know	34	23,704
99	Not stated	145	90,749
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Smoking Behaviour

Variable Name: **SB_Q10** *Position:* 70 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	766	921,500
2	6 to 30 minutes	1,094	1,404,886
3	31 to 60 minutes	634	729,086
4	More than 60 minutes	833	819,122
6	Valid skip	17,480	22,226,287
7	Don't know	19	21,365
8	Refused	6	2,621
9	Not stated	8	14,814
		=====	=====
		20,840	26,139,682

Coverage: Current daily smokers

Variable Name: **SB_Q20** *Position:* 71 *Length:* 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra light	374	560,983
2	Light	1,544	1,683,983
3	Ultra or extra mild	178	221,336
4	Mild	237	279,576
5	Regular	1,952	2,019,019
6	Valid skip	16,446	21,250,172
7	Don't know	88	100,091
8	Refused	9	7,215
9	Not stated	12	17,307
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **SB_Q30** *Position:* 72 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	207	300,828
2	No	2,101	2,426,434
6	Valid skip	18,398	23,269,191
7	Don't know	25	18,616
9	Not stated	109	124,613
		=====	=====
		20,840	26,139,682

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q40** *Position:* 73 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	468	568,597
2	No	1,811	2,065,542
6	Valid skip	18,398	23,269,191
7	Don't know	54	111,740
9	Not stated	109	124,613
		=====	=====
		20,840	26,139,682

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q50** *Position:* 74 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

		FREQ	WTD
1	Yes	252	294,660
2	No	2,048	2,397,220
6	Valid skip	18,398	23,269,191
7	Don't know	33	53,999
9	Not stated	109	124,613
		=====	=====
		20,840	26,139,682

Coverage: Current smokers not smoking regular cigarettes

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Cigarette Access

Variable Name: **CA_Q10** *Position:* 75 *Length:* 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them from a vending machine	4	16,819
02	I buy them at a small grocery/corner store	2,273	2,840,178
03	I buy them at a supermarket	477	459,360
04	I buy them at a drug store	101	90,089
05	I buy them at a gasoline station	719	630,274
06	I buy them at another kind of store	84	153,736
07	I buy them from a friend or someone else	65	36,169
08	I buy them by mail order	1	170
09	I buy them from the Internet	0	0
10	My brother or sister gives them to me	13	9,139
11	My mother or father gives them to me	25	8,861
12	A friend or someone else gives them to me	322	240,661
13	I take them from my mother, father or siblings	11	5,278
14	Other - specify	244	331,497
96	Valid skip	16,446	21,250,172
97	Don't know	30	46,404
98	Refusal	12	3,520
99	Not stated	13	17,356
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Variable Name: **CA_Q20** *Position:* 77 *Length:* 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	74	25,020
2	No	250	96,638
6	Valid skip	20,516	26,018,023
		=====	=====
		20,840	26,139,682

Coverage: Current smokers between the age of 15-18 who don't usually buy cigarettes from a store

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **CA_Q30** *Position:* 78 *Length:* 1

In the past 12 months, have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	255	101,605
2	No	164	70,189
6	Valid skip	20,419	25,966,738
7	Don't know	2	1,149
		=====	=====
		20,840	26,139,682

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** *Position:* 79 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	191	79,707
2	No	229	93,183
6	Valid skip	20,419	25,966,738
7	Don't know	1	53
		=====	=====
		20,840	26,139,682

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q50** *Position:* 80 *Length:* 1

In the past 12 months, have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	313	114,316
2	No	185	89,286
6	Valid skip	20,169	25,870,100
8	Refused	1	1,104
9	Not stated	172	64,876
		=====	=====
		20,840	26,139,682

Coverage: Current smokers between the age of 15-18

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Cheaper Cigarettes

Variable Name: **CC_Q20** *Position:* 81 *Length:* 1

In the past 6 months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	1,710	1,744,880
2	No	2,650	3,110,738
6	Valid skip	16,446	21,250,172
7	Don't know	15	14,838
8	Refused	5	1,547
9	Not stated	14	17,506
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Variable Name: **CC_Q30** *Position:* 82 *Length:* 1

In the past 6 months, did you buy:

... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	670	822,305
2	No	3,692	4,026,935
6	Valid skip	16,446	21,250,172
7	Don't know	10	15,621
8	Refused	6	6,695
9	Not stated	16	17,954
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **CC_Q40** *Position:* 83 *Length:* 1

In the past 6 months, did you buy:

... from the Internet?

		FREQ	WTD
1	Yes	10	5,223
2	No	4,359	4,863,629
6	Valid skip	16,446	21,250,172
7	Don't know	4	1,156
8	Refused	5	1,547
9	Not stated	16	17,954
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Variable Name: **CC_Q50** *Position:* 84 *Length:* 1

In the past 6 months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	13	8,142
2	No	4,356	4,860,711
6	Valid skip	16,446	21,250,172
7	Don't know	4	1,156
8	Refused	5	1,547
9	Not stated	16	17,954
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **CC_Q60** *Position:* 85 *Length:* 1

In the past 6 months, did you buy cigarettes:

... from outside your province?

		FREQ	WTD
1	Yes	611	524,884
2	No	3,756	4,324,648
6	Valid skip	16,446	21,250,172
7	Don't know	6	20,477
8	Refused	5	1,547
9	Not stated	16	17,954
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Variable Name: **CC_Q70** *Position:* 86 *Length:* 1

In the past 6 months, did you buy cigarettes:

... that may have been smuggled?

		FREQ	WTD
1	Yes	101	138,604
2	No	4,234	4,684,229
6	Valid skip	16,446	21,250,172
7	Don't know	36	31,235
8	Refused	7	17,488
9	Not stated	16	17,954
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Variable Name: **CC_Q80** *Position:* 87 *Length:* 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	271	282,344
2	No	4,098	4,571,014
6	Valid skip	16,446	21,250,172
7	Don't know	2	777
8	Refused	5	1,547
9	Not stated	18	33,827
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 88 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	15	19,113
03	3 mg	30	76,602
04	4 mg	110	166,179
05	5 mg	2	4,729
06	6 mg	17	29,946
07	7 mg	38	43,943
08	8 mg	53	78,948
09	9 mg	65	105,571
10	10 mg	58	76,632
11	11 mg	378	640,582
12	12 mg	819	687,511
13	13 mg	1,257	1,221,390
14	14 mg	28	16,678
15	15 mg	1,003	904,724
16	16 mg	135	218,550
17	17 mg or more	9	21,548
96	Valid skip	16,448	21,251,596
99	Not stated	375	575,438
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who usually smoke the same brand of cigarettes

Note: Derived from CB_Q10.

Variable Name: **DVSST1** *Position:* 90 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	4,394	4,889,510
2	Former smoker	4,258	7,246,097
3	Never smoked	12,188	14,004,074
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **DVSST2** *Position:* 91 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	3,360	3,913,394
02	Current occasional smoker	1,034	976,116
03	Former daily smoker	3,701	6,170,797
04	Former occasional smoker	552	1,067,350
05	Experimental smoker	3,096	3,795,266
06	Lifetime abstainer	9,092	10,208,808
99	Not stated	5	7,950
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 93 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	4,456	4,925,890
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	4,204	7,206,406
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	12,180	14,007,386
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **DVSS2** *Position:* 94 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	3,494	4,040,272
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	710	710,684
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	3,633	6,115,951
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	566	1,082,505
05	Beginner: smoked in last 30 days, <100 cigarettes in life	252	174,934
06	Past experimental smoker	3,106	3,809,568
07	Lifetime abstainer	9,074	10,197,817
99	Not stated	5	7,950
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Section: **Fire Risk**

Variable Name: **FR_Q10** *Position:* 96 *Length:* 1

Many people will smoke in bed while watching television or reading. When was the last time you smoked in bed? Was it...

		FREQ	WTD
1	In the past week	648	580,813
2	In the past month	126	69,108
3	Within one to six months	151	102,760
4	More than six months ago	737	689,886
5	Never	2,702	3,410,367
6	Valid skip	16,446	21,250,172
7	Don't know	6	1,042
8	Refused	6	1,707
9	Not stated	18	33,827
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **FR_Q20** *Position:* 97 *Length:* 1

In the past year, how often did you smoke in bed?

		FREQ	WTD
1	Everyday	288	254,402
2	A few times a week	228	201,677
3	Once a week	145	89,240
4	Once a month or less	577	420,624
5	Never	399	454,796
6	Valid skip	19,148	24,660,539
7	Don't know	11	5,218
9	Not stated	44	53,184
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have smoked in bed

Variable Name: **FR_Q30** *Position:* 98 *Length:* 1

Sometimes people fall asleep with a lit cigarette. This could be in bed, on a sofa or in a chair.
 When was the last time this happened to you? Was it...

		FREQ	WTD
1	In the past week	25	15,209
2	In the past month	24	14,889
3	Within one to six months	38	33,845
4	More than six months ago	314	427,127
5	Never	3,958	4,344,803
6	Valid skip	16,446	21,250,172
7	Don't know	8	16,368
8	Refused	8	3,198
9	Not stated	19	34,073
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **FR_Q40** *Position:* 99 *Length:* 1

In the past year, how many times did this happen to you?

		FREQ	WTD
1	Never	204	294,216
2	Once	112	116,637
3	Two to five times	48	46,630
4	More than five times	29	26,165
6	Valid skip	20,404	25,594,974
7	Don't know	7	6,677
9	Not stated	36	54,381
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have fallen asleep with a lit cigarette

Variable Name: **FR_Q50** *Position:* 100 *Length:* 2

Sometimes people leave a cigarette burning in an ashtray while attending to something else.
 When was the last time you did this? Was it...

		FREQ	WTD
01	In the past week	1,077	1,041,650
02	In the past month	286	227,521
03	Within one to six months	221	175,892
04	More than six months ago	542	636,764
05	Never	2,157	2,673,172
06	Don't use ashtrays	44	40,757
96	Valid skip	16,446	21,250,172
97	Don't know	36	55,668
98	Refused	11	3,995
99	Not stated	20	34,092
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **FR_Q60** *Position:* 102 *Length:* 1

In the past year, how often did you leave a cigarette burning in an ashtray while attending to something else?

		FREQ	WTD
1	Everyday	282	337,939
2	A few times a week	359	380,349
3	Once a week	258	229,631
4	Once a month or less	1,047	975,044
5	Never	136	121,945
6	Valid skip	18,647	23,964,101
7	Don't know	27	17,295
8	Refused	2	103
9	Not stated	82	113,276
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have left a cigarette burning in an ashtray

Section: **Derived Variables - Person**

Variable Name: **DVCIGWK** *Position:* 103 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 630	# of cigs smoked per week	4,130	4,675,841
996	Valid skip	16,384	21,213,791
999	Not stated	326	250,049
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** *Position:* 106 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Avg. # of cigs smoked/day	4,130	4,675,841
96	Valid skip	16,384	21,213,791
99	Not stated	326	250,049
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **DVNDSMK** *Position:* 108 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	4,130	4,675,841
96	Valid skip	16,384	21,213,791
99	Not stated	326	250,049
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 110 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Avg. smoked on the days they smoked	4,130	4,675,841
96	Valid skip	16,384	21,213,791
99	Not stated	326	250,049
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 112 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	3,291	3,892,321
2	Weekdays only	14	12,455
3	Weekend only	11	6,853
4	Did not smoke in last 7 days	190	165,631
5	Other pattern	624	598,582
6	Valid skip	16,384	21,213,791
9	Not stated	326	250,049
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **DVDAILY** *Position:* 113 *Length:* 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average smoked-Daily smokers	3,155	3,777,839
96	Valid skip	17,480	22,226,287
99	Not stated	205	135,556
		=====	=====
		20,840	26,139,682

Coverage: Daily smokers
Note: Based on WP_Q10A-G

Variable Name: **DVPRICE** *Position:* 115 *Length:* 1

Derived variable for smokers indicating if they smoke discount or regular price brand

		FREQ	WTD
1	Discount price brand	1,110	1,236,773
2	Regular price brand	3,053	3,341,827
6	Valid skip	16,446	21,250,172
9	Not stated	231	310,910
		=====	=====
		20,840	26,139,682

Coverage: Current smokers
Note: Based on CB_Q10 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation

Variable Name: **SC_Q010** *Position:* 116 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	412	600,406
2	1 to 2 years ago	413	561,635
3	3 to 5 years ago	530	722,868
4	More than 5 years ago	2,886	5,326,579
6	Valid skip	16,582	18,893,584
7	Don't know	12	28,086
8	Refusal	2	408
9	Not stated	3	6,115
		=====	=====
		20,840	26,139,682

Coverage: Former smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q020** *Position:* 117 *Length:* 2

In what month did you stop smoking?

		FREQ	WTD
01	January	59	69,692
02	February	47	84,521
03	March	33	36,142
04	April	24	32,579
05	May	24	41,562
06	June	24	29,125
07	July	24	41,389
08	August	33	47,806
09	September	49	71,103
10	October	30	38,521
11	November	27	18,683
12	December	36	89,038
96	Valid skip	20,411	25,504,667
97	Don't know	2	245
99	Not stated	17	34,608
		=====	=====
		20,840	26,139,682

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** *Position:* 119 *Length:* 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	245	357,834
02	Pregnancy or a baby in the household	34	39,529
03	Less stress in life	2	1,260
04	Cost of cigarettes	46	45,077
05	Smoking is less socially acceptable	19	33,760
06	Some other reason	64	121,242
96	Valid skip	20,411	25,504,667
97	Don't know	1	1,120
99	Not stated	18	35,194
		=====	=====
		20,840	26,139,682

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q040** *Position:* 121 *Length:* 2

Approximately, how many attempts to quit did you make, before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	4,093	7,005,993
96	Valid skip	16,582	18,893,584
97	Don't know	152	222,149
98	Refused	8	10,450
99	Not stated	5	7,506
		=====	=====
		20,840	26,139,682

Coverage: Former smokers

Variable Name: **SC_Q050** *Position:* 123 *Length:* 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Avg. cigs. smoked per day before quit	4,087	6,909,257
96	Valid skip	16,582	18,893,584
97	Don't know	156	292,726
98	Refused	8	10,332
99	Not stated	7	33,783
		=====	=====
		20,840	26,139,682

Coverage: Former smokers

Variable Name: **SC_Q060** *Position:* 125 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	2,581	2,743,081
2	No	1,658	1,983,434
6	Valid skip	16,446	21,250,172
7	Don't know	121	121,667
8	Refused	12	6,296
9	Not stated	22	35,031
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q070** *Position:* 126 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	1,274	1,308,576
2	No	1,199	1,302,807
6	Valid skip	18,104	23,233,606
7	Don't know	108	131,698
9	Not stated	155	162,995
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 127 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	# of attempts stop smoking for 24 hrs	4,647	5,310,362
96	Valid skip	16,034	20,649,765
97	Don't know	124	138,708
98	Refused	12	5,230
99	Not stated	23	35,617
		=====	=====
		20,840	26,139,682

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** *Position:* 129 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 52	# of attempts stop smoking for one week	2,564	2,666,047
96	Valid skip	18,106	23,281,040
97	Don't know	10	13,016
99	Not stated	160	179,579
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **SC_Q100** *Position:* 131 *Length:* 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	14	16,819
02	Stress, need to relax or to calm down	771	768,026
03	Boredom	84	57,043
04	Addiction / habit	509	566,647
05	Lack of support or information	4	11,265
06	Going out more (bars, parties)	112	122,552
07	Increased availability	6	17,555
08	No reason / felt like it	217	173,578
09	Family or friends smoke	325	264,424
10	Other	199	260,898
96	Valid skip	18,395	23,663,092
97	Don't know	41	31,120
98	Refused	2	226
99	Not stated	161	186,438
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **STOPSMK** *Position:* 133 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00	None	50	81,229
01 : 11	# of mths. quit before survey	360	518,932
18	1-2 years	413	561,635
48	3-5 years	530	722,868
60	More than 5 years ago	2,886	5,326,579
96	Valid skip	16,582	18,893,584
99	Not stated	19	34,854
		=====	=====
		20,840	26,139,682

Coverage: Former smokers

Note: Derived from SC_Q010 and SC_Q020.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Cessation Methods

Variable Name: **CM_Q10** *Position:* 135 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	583	662,485
2	No	1,482	1,884,630
6	Valid skip	18,754	23,582,239
7	Don't know	8	4,788
8	Refused	12	5,230
9	Not stated	1	311
		=====	=====
		20,840	26,139,682

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 136 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	961	1,335,431
2	No	2,724	2,743,245
6	Valid skip	17,125	22,007,791
7	Don't know	2	12,137
8	Refused	1	270
9	Not stated	27	40,809
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

Variable Name: **CM_Q30** *Position:* 137 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	597	870,432
2	No	361	456,094
6	Valid skip	19,849	24,751,036
7	Don't know	3	8,906
9	Not stated	30	53,215
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and used the nicotine patch

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **CM_Q40** *Position:* 138 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	638	705,041
2	No	3,048	3,385,034
6	Valid skip	17,125	22,007,791
7	Don't know	1	737
8	Refused	1	270
9	Not stated	27	40,809
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q50** *Position:* 139 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	212	197,011
2	No	424	507,489
6	Valid skip	20,173	25,392,825
7	Don't know	2	541
9	Not stated	29	41,816
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and used nicotine gum

Variable Name: **CM_Q60** *Position:* 140 *Length:* 1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	365	594,336
2	No	3,318	3,493,989
6	Valid skip	17,125	22,007,791
7	Don't know	3	2,397
8	Refused	1	270
9	Not stated	28	40,899
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **CM_Q70** *Position:* 141 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	182	204,227
2	No	182	389,877
6	Valid skip	20,443	25,501,780
7	Don't know	1	232
9	Not stated	32	43,566
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and used a product like Zyban

Variable Name: **CM_Q80A** *Position:* 142 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You were concerned about possible side effects

		FREQ	WTD
1	Yes	375	353,901
2	No	1,854	1,904,054
6	Valid skip	18,559	23,849,929
7	Don't know	31	21,469
9	Not stated	21	10,328
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **CM_Q80B** *Position:* 143 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't believe these products work

		FREQ	WTD
1	Yes	480	482,202
2	No	1,749	1,775,752
6	Valid skip	18,559	23,849,929
7	Don't know	31	21,469
9	Not stated	21	10,328
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80C** *Position:* 144 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't have enough information about these products

		FREQ	WTD
1	Yes	282	206,085
2	No	1,947	2,051,869
6	Valid skip	18,559	23,849,929
7	Don't know	31	21,469
9	Not stated	21	10,328
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **CM_Q80D** *Position:* 145 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... They cost too much

		FREQ	WTD
1	Yes	559	346,615
2	No	1,670	1,911,340
6	Valid skip	18,559	23,849,929
7	Don't know	31	21,469
9	Not stated	21	10,328
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80E** *Position:* 146 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... Some other reason

		FREQ	WTD
1	Yes	1,291	1,469,576
2	No	938	788,379
6	Valid skip	18,559	23,849,929
7	Don't know	31	21,469
9	Not stated	21	10,328
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Other Cessation Methods

Variable Name: **OM_Q010** *Position:* 147 *Length:* 1

Did you use hypnosis or acupuncture?

		FREQ	WTD
1	Yes	157	248,224
2	No	3,526	3,840,476
6	Valid skip	17,146	22,018,119
7	Don't know	1	716
8	Refused	3	1,576
9	Not stated	7	30,570
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q030** *Position:* 148 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	1,152	999,184
2	No	2,528	3,077,776
6	Valid skip	17,146	22,018,119
7	Don't know	3	6,238
8	Refused	4	7,793
9	Not stated	7	30,570
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q050** *Position:* 149 *Length:* 1

In the past 2 years, did you take part in a quit smoking contest?

		FREQ	WTD
1	Yes	224	276,014
2	No	3,456	3,805,471
6	Valid skip	17,146	22,018,119
7	Don't know	3	1,713
8	Refused	4	7,793
9	Not stated	7	30,570
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **OM_Q070** *Position:* 150 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	2,345	2,127,314
2	No	1,332	1,949,427
6	Valid skip	17,146	22,018,119
7	Don't know	5	6,211
8	Refused	4	7,793
9	Not stated	8	30,817
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q090** *Position:* 151 *Length:* 1

Did you use a 1-800 quit smoking phone line?

		FREQ	WTD
1	Yes	67	74,635
2	No	3,613	4,006,187
6	Valid skip	17,146	22,018,119
7	Don't know	2	2,130
8	Refused	4	7,793
9	Not stated	8	30,817
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q110** *Position:* 152 *Length:* 1

Did you use an Internet web-site program to quit smoking?

		FREQ	WTD
1	Yes	109	136,376
2	No	3,572	3,945,118
6	Valid skip	17,146	22,018,119
7	Don't know	1	1,458
8	Refused	4	7,793
9	Not stated	8	30,817
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **OM_Q130** *Position:* 153 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	505	688,947
2	No	177	258,879
6	Valid skip	20,157	25,191,527
7	Don't know	1	328
		=====	=====
		20,840	26,139,682

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

Section: Cessation Products

Variable Name: **CP_Q10** *Position:* 154 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? For example, in a meeting, on a plane, at school?

		FREQ	WTD
1	Yes	344	351,654
2	No	4,001	4,480,484
6	Valid skip	16,446	21,250,172
7	Don't know	6	1,868
8	Refused	14	11,384
9	Not stated	29	44,120
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Section: Health Professionals

Variable Name: **HP_Q010** *Position:* 155 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	3,269	3,537,992
2	No	1,075	1,294,206
6	Valid skip	16,446	21,250,172
7	Don't know	4	468
8	Refused	16	12,539
9	Not stated	30	44,305
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **HP_Q020** *Position:* 156 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	1,600	1,815,105
2	No	1,659	1,716,251
6	Valid skip	17,521	22,544,378
7	Don't know	9	5,980
8	Refused	1	656
9	Not stated	50	57,312
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who saw a doctor in the past 12 months

Variable Name: **HP_Q030** *Position:* 157 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	778	1,027,432
2	No	816	783,418
6	Valid skip	19,180	24,260,629
7	Don't know	5	3,772
8	Refused	1	482
9	Not stated	60	63,948
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 158 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	2,493	2,881,993
2	No	1,848	1,928,343
6	Valid skip	16,446	21,250,172
7	Don't know	7	2,108
8	Refused	16	32,760
9	Not stated	30	44,305
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **HP_Q050** *Position:* 159 *Length:* 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	737	1,037,463
2	No	1,751	1,840,170
6	Valid skip	18,294	23,178,515
7	Don't know	4	859
8	Refused	1	3,501
9	Not stated	53	79,173
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who saw a dentist in the past 12 months

Variable Name: **HP_Q060** *Position:* 160 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	203	323,204
2	No	529	712,748
6	Valid skip	20,045	25,018,685
7	Don't know	5	1,511
9	Not stated	58	83,533
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** *Position:* 161 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	1,619	1,816,457
2	No	2,719	2,988,696
6	Valid skip	16,446	21,250,172
7	Don't know	7	2,969
8	Refused	18	36,917
9	Not stated	31	44,471
		=====	=====
		20,840	26,139,682

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **HP_Q110** *Position:* 162 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	258	287,724
2	No	1,357	1,526,712
6	Valid skip	19,165	24,238,868
7	Don't know	4	2,020
9	Not stated	56	84,357
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Variable Name: **HP_Q120** *Position:* 163 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	199	241,202
2	No	59	46,522
6	Valid skip	20,522	25,765,580
9	Not stated	60	86,378
		=====	=====
		20,840	26,139,682

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Section: **Smoking and Pregnancy**

Variable Name: **SP_Q10** *Position:* 164 *Length:* 1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	1,172	1,540,800
2	No	3,609	4,226,125
6	Valid skip	16,045	20,360,265
8	Refused	9	11,458
9	Not stated	5	1,033
		=====	=====
		20,840	26,139,682

Coverage: Women aged 20-44

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **SP_Q20** *Position:* 165 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	193	143,272
2	No	309	261,725
6	Valid skip	20,322	25,721,480
8	Refused	2	714
9	Not stated	14	12,491
		=====	=====
		20,840	26,139,682

Coverage: Women aged 20-44 who are daily, occasional or former smokers (who quit less than 5 years ago) and were pregnant in the last five years

Variable Name: **SP_Q30** *Position:* 166 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	134	106,787
2	No	1,004	1,416,948
3	Not applicable (no spouse/partner)	30	14,549
6	Valid skip	19,654	24,586,390
7	Don't know	1	52
8	Refusal	2	714
9	Not stated	15	14,242
		=====	=====
		20,840	26,139,682

Coverage: Women aged 20-44 who were pregnant in the last 5 years

Section: Tobacco Products

Variable Name: **TP_Q010** *Position:* 167 *Length:* 1

Have you ever tried smoking a cigar or cigarillos?

		FREQ	WTD
1	Yes	8,114	9,921,456
2	No	12,643	16,079,669
7	Don't know	9	21,916
8	Refused	29	35,090
9	Not stated	45	81,551
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q020** *Position:* 168 *Length:* 1

In the past 30 days, did you smoke any cigars or cigarillos?

		FREQ	WTD
1	Yes	1,279	1,150,326
2	No	6,833	8,770,106
6	Valid skip	12,643	16,079,669
7	Don't know	2	1,024
9	Not stated	83	138,557
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever smoked a cigar or cigarillo

Variable Name: **TP_Q030** *Position:* 169 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	2,616	3,595,106
2	No	18,143	22,417,464
7	Don't know	4	1,423
8	Refused	31	43,939
9	Not stated	46	81,749
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 170 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	183	115,110
2	No	2,433	3,479,997
6	Valid skip	18,143	22,417,464
9	Not stated	81	127,111
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever smoked a pipe

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **TP_Q050** *Position:* 171 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	2,137	1,918,486
2	No	18,621	24,090,725
7	Don't know	3	1,613
8	Refused	33	47,109
9	Not stated	46	81,749
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 172 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	242	144,698
2	No	1,894	1,773,547
6	Valid skip	18,621	24,090,725
7	Don't know	1	240
9	Not stated	82	130,471
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Section: **Opinions on Smoking**

Variable Name: **OS_Q10** *Position:* 173 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	12,913	16,104,637
2	Smoking should be allowed only in a section of a restaurant that is enclosed	4,437	5,452,949
3	Smoking should be allowed only in a designated section of a restaurant	2,901	3,666,567
4	Smoking should be allowed anywhere in a restaurant	325	487,058
7	Don't know	151	211,399
8	Refused	62	95,443
9	Not stated	51	121,628
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **OS_Q20** *Position:* 174 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	7,943	10,283,066
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	5,065	6,084,622
3	Smoking should be allowed only in a designated section of a bar or tavern	3,761	4,675,892
4	Smoking should be allowed anywhere in a bar or tavern	3,060	3,622,974
7	Don't know	835	1,159,893
8	Refused	123	190,313
9	Not stated	53	122,921
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **OS_Q30** *Position:* 175 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	6,246	8,595,581
2	Smoking should be allowed only in enclosed smoking areas in the workplace	2,528	3,378,444
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	11,297	13,025,832
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	360	548,436
7	Don't know	276	331,493
8	Refused	75	127,589
9	Not stated	58	132,308
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Exposure to Second-hand Smoke

Variable Name: **EX_Q010** *Position:* 176 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	7,829	6,774,432
2	No	12,832	19,033,138
7	Don't know	42	71,084
8	Refused	72	110,692
9	Not stated	65	150,336
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q020** *Position:* 177 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside someone else's home?

		FREQ	WTD
1	Yes	8,491	8,232,936
2	No	12,174	17,600,394
7	Don't know	37	65,375
8	Refused	73	90,639
9	Not stated	65	150,336
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q030** *Position:* 178 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	6,511	8,167,116
2	No	14,121	17,589,261
7	Don't know	67	130,600
8	Refused	75	102,121
9	Not stated	66	150,583
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q040** *Position:* 179 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a restaurant?

		FREQ	WTD
1	Yes	3,422	5,747,051
2	No	17,227	20,031,481
7	Don't know	46	84,015
8	Refused	78	126,460
9	Not stated	67	150,675
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q050** *Position:* 180 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a bar or tavern?

		FREQ	WTD
1	Yes	4,266	5,103,911
2	No	16,278	20,389,877
7	Don't know	151	368,758
8	Refused	78	126,460
9	Not stated	67	150,675
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q060** *Position:* 181 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	3,247	3,527,447
2	No	17,388	22,227,698
7	Don't know	56	105,042
8	Refused	82	128,820
9	Not stated	67	150,675
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q070** *Position:* 182 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	10,517	12,554,613
2	No	10,078	13,133,069
7	Don't know	90	143,256
8	Refused	88	158,069
9	Not stated	67	150,675
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q080** *Position:* 183 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at your workplace?

		FREQ	WTD
1	Yes	4,595	5,893,577
2	No	15,949	19,575,516
7	Don't know	139	362,548
8	Refused	91	158,371
9	Not stated	66	149,669
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q090** *Position:* 184 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at your school?

		FREQ	WTD
1	Yes	3,541	2,034,071
2	No	16,925	23,194,831
7	Don't know	217	600,471
8	Refused	90	159,634
9	Not stated	67	150,675
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q100** *Position:* 185 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	7,604	8,215,667
2	No	13,008	17,467,648
7	Don't know	70	147,068
8	Refused	92	159,385
9	Not stated	66	149,913
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q110** *Position:* 186 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	10,704	11,986,593
2	No	9,862	13,634,442
7	Don't know	114	207,624
8	Refused	94	161,110
9	Not stated	66	149,913
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **EX_Q120** *Position:* 187 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... anywhere else?

		FREQ	WTD
1	Yes	511	747,208
2	No	20,083	24,980,794
7	Don't know	87	105,771
8	Refused	93	155,996
9	Not stated	66	149,913
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **EX_Q130** *Position:* 188 *Length:* 1

Overall, (excluding your own smoking), in the past month were you exposed to second-hand smoke?

		FREQ	WTD
1	Every day	2,707	2,846,336
2	Almost every day	2,682	2,714,236
3	At least once a week	6,418	7,708,003
4	At least once in the past month	5,658	7,688,007
6	Valid skip	3,213	4,958,508
7	Don't know	139	175,134
8	Refused	23	49,457
		=====	=====
		20,840	26,139,682

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Language and Education

Variable Name: **LA_Q10** *Position:* 189 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	17,096	17,125,973
2	French	2,377	5,626,819
3	Both English and French	129	251,126
4	Other	1,102	2,931,966
7	Don't know	14	6,356
8	Refused	48	44,758
9	Not stated	74	152,683
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **DVEDUC** *Position:* 190 *Length:* 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	6,179	4,921,938
2	Completed secondary	8,487	9,930,639
3	Completed community college, technical college, CEGEP or nurse's college	2,750	4,369,111
4	Completed university or teacher's college	3,098	6,373,253
9	Not stated	326	544,739
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **GPLA_Q20** *Position:* 191 *Length:* 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	306	329,140
02	Completed elementary	420	499,881
03	Some secondary	5,453	4,092,918
04	Completed secondary	4,969	6,150,628
05	Some community college, technical college, CEGEP or nurse's training	1,217	1,597,548
06	Completed community college, technical college, CEGEP or nurse's training	2,750	4,369,111
07	Some university or teacher's college	2,126	1,892,466
08	Completed university or teacher's college	3,099	6,376,766
09	Other education or training	175	289,997
99	Not stated	325	541,227
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force

Variable Name: **LF_Q10** *Position:* 193 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	15,165	18,457,134
2	No	5,462	7,278,940
7	Don't know	28	80,890
8	Refused	117	167,116
9	Not stated	68	155,601
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **LF_Q50** *Position:* 194 *Length:* 1

At your place of work, what (are/were) the restrictions on smoking?

		FREQ	WTD
1	Restricted completely	7,079	9,838,362
2	Allowed in designated areas	5,288	6,133,970
3	Restricted only in certain places	1,190	1,055,794
4	Not restricted at all	1,334	1,143,751
6	Valid skip	5,462	7,278,940
7	Don't know	237	210,119
8	Refused	35	73,895
9	Not stated	215	404,851
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have worked at a job or business in the past 12 months

Variable Name: **DVSOC10** *Position:* 195 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	638	1,186,158
02	Business, Finance and Administrative Occupations	2,320	3,314,920
03	Natural and Applied Sciences and Related Occupations	691	1,267,813
04	Health Occupations	752	1,127,744
05	Occupations in Social Science, Education, Government Service and Religion	773	1,272,257
06	Occupations in Art, Culture, Recreation and Sport	540	661,042
07	Sales and Service Occupations	5,488	4,538,900
08	Trades, Transport and Equipment Operators and Related Occupations	1,834	2,341,878
09	Occupations Unique to Primary Industry	905	581,021
10	Occupations Unique to Processing, Manufacturing and Utilities	648	968,937
96	Valid Skip	5,462	7,278,940
99	Not Stated	789	1,600,070
		=====	=====
		20,840	26,139,682

Coverage: Persons who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the 1991 Standard Occupational Classification (SOC).

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Student Income

Variable Name: **SI_Q10** *Position:* 197 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	5,864	2,702,062
2	No	3,852	1,623,711
6	Valid skip	11,040	21,782,577
7	Don't know	10	1,849
8	Refused	39	17,876
9	Not stated	35	11,606
		=====	=====
		20,840	26,139,682

Coverage: Respondents less than 25 years of age

Variable Name: **SI_G20** *Position:* 198 *Length:* 2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	295	145,854
02	\$010 to \$024	1,406	579,879
03	\$025 to \$049	936	409,925
04	\$050 to \$099	1,142	512,869
05	\$100 to \$199	1,102	556,794
06	\$200 or more	632	299,156
96	Valid Skip	14,892	23,406,288
99	Not Stated	435	228,916
		=====	=====
		20,840	26,139,682

Coverage: Persons below 25 years of age who currently attend a school, college or university

Note: Derived from SI_Q20.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Section: Marijuana Use

Variable Name: **MU_Q10** *Position:* 200 *Length:* 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	1,452	1,966,789
2	Yes, more than once	6,510	7,606,713
3	No	12,424	15,789,561
7	Don't know	59	84,206
8	Refusal	322	530,552
9	Not stated	73	161,860
		=====	=====
		20,840	26,139,682

Coverage: All respondents

Variable Name: **MU_Q20** *Position:* 201 *Length:* 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	3,119	2,459,618
2	No	4,834	7,102,332
6	Valid skip	12,424	15,789,561
7	Don't know	4	2,285
8	Refused	5	9,267
9	Not stated	454	776,618
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever used marijuana, cannabis or hashish

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

Variable Name: **MU_Q30** *Position:* 202 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	1,038	830,908
2	1 to 3 times a month	639	489,825
3	Once a week	336	249,971
4	More than once a week	491	412,483
5	Every day	430	314,616
6	Valid skip	17,418	23,022,718
7	Don't know	11	5,781
8	Refused	14	25,209
9	Not stated	463	788,170
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 203 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
05 : 75	Age first used marijuana	7,897	9,488,836
96	Valid skip	12,424	15,789,561
97	Don't know	54	60,918
98	Refused	11	23,747
99	Not stated	454	776,618
		=====	=====
		20,840	26,139,682

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 205 *Length:* 12.4

Six month survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

INDEX

A		DVNDSMK	31
AGE0014	3	DVPRICE	32
AGE1524	3	DVSMKPTN.....	32
AGE2544	4	DVSOC10.....	63
AGE45PL.....	4	DVSS1	26
AGEGRP5.....	9	DVSS2	27
AGEGRP7.....	9	DVSST1	26
C		DVSST2.....	26
CA_Q10	20	DVURBAN.....	2
CA_Q20	20	DVYRSSMK	13
CA_Q30	21	E	
CA_Q40	21	EX_Q010	54
CA_Q50	21	EX_Q020	54
CC_Q20	22	EX_Q030	55
CC_Q30	22	EX_Q040	55
CC_Q40	23	EX_Q050	56
CC_Q50	23	EX_Q060	56
CC_Q60	24	EX_Q070	57
CC_Q70	24	EX_Q080	57
CC_Q80	25	EX_Q090	58
CM_Q10	38	EX_Q100	58
CM_Q20	38	EX_Q110	59
CM_Q30	38	EX_Q120	59
CM_Q40	39	EX_Q130	60
CM_Q50	39	F	
CM_Q60	39	FR_Q10.....	27
CM_Q70	40	FR_Q20.....	28
CM_Q80A.....	40	FR_Q30.....	28
CM_Q80B.....	41	FR_Q40.....	29
CM_Q80C.....	41	FR_Q50.....	29
CM_Q80D.....	42	FR_Q60.....	30
CM_Q80E.....	42	G	
CP_Q10.....	45	GPLA_Q20	61
D		H	
DVAGE.....	9	HHSIZE	3
DVAVCIG7	31	HHTYPE.....	5
DVAVCIGD	31	HP_Q010.....	46
DVCIGWK	30	HP_Q020.....	46
DVDAILY	32	HP_Q030.....	47
DVEDUC.....	61	HP_Q040.....	47
DVLOWTAR.....	25	HP_Q050.....	47
DVMARST	10	HP_Q060.....	48

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Annual

HP_Q100.....	48	S	
HP_Q110.....	48	SB_Q10.....	17
HP_Q120.....	49	SB_Q20.....	18
HS_Q10.....	5	SB_Q30.....	18
HS_Q20.....	5	SB_Q40.....	19
HS_Q30.....	6	SB_Q50.....	19
HS_Q40.....	6	SC_Q010.....	33
HS_Q50.....	6	SC_Q020.....	33
HS_Q60A.....	7	SC_Q030.....	34
HS_Q60B.....	7	SC_Q040.....	34
HS_Q60C.....	8	SC_Q050.....	35
HS_Q60D.....	8	SC_Q060.....	35
L		SC_Q070.....	35
LA_Q10	60	SC_Q080.....	36
LF_Q10	62	SC_Q090.....	36
LF_Q50	62	SC_Q100.....	37
M		SEX.....	10
MU_Q10	64	SI_G20	64
MU_Q20	65	SI_Q10	63
MU_Q30	65	SP_Q10	49
MU_Q40	66	SP_Q20	49
O		SP_Q30	50
OM_Q010	43	SS_Q10	10
OM_Q030	43	SS_Q20	11
OM_Q050	44	SS_Q30	11
OM_Q070	44	SS_Q40	11
OM_Q090	44	STOPOSMK	37
OM_Q110	45	T	
OM_Q130	45	TP_Q010.....	50
OS_Q10.....	52	TP_Q020.....	50
OS_Q20.....	53	TP_Q030.....	51
OS_Q30.....	53	TP_Q040.....	51
P		TP_Q050.....	51
PROV	2	TP_Q060.....	52
PS_Q10	12	W	
PS_Q20	12	WP_Q10A.....	14
PS_Q30	12	WP_Q10B.....	14
PS_Q40	13	WP_Q10C.....	15
PUMFID	1	WP_Q10D.....	15
R		WP_Q10E.....	16
REFMONTH.....	1	WP_Q10F.....	16
REFYEAR	1	WP_Q10G.....	17
		WTPP.....	66