

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	2
Household Smoking	4
Demographic Variables - Person	7
Smoking Status	9
Past Smoking	10
Weekly Pattern	12
Smoking Behaviour	16
Cigarette Access	18
Cheaper Cigarettes	20
Derived Variables - Person	23
Fire Risk	25
Derived Variables - Person	28
Smoking Cessation	30
Cessation Methods	35
Other Cessation Methods	39
Cessation Products	41
Health Professionals	42
Smoking and Pregnancy	45
Tobacco Products	46
Opinions on Smoking	48
Exposure to Second-hand Smoke	49
Language and Education	54
Labour Force	55
Student Income	57
Marijuana Use	58
Weight Variable	59

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

		FREQ	WTD
2005 : 2005	Survey year	9,375	26,034,283
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

		FREQ	WTD
02 : 06	Survey month	9,375	26,034,283
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	883	431,295
11	Prince Edward Island	798	111,766
12	Nova Scotia	840	774,284
13	New Brunswick	901	619,147
24	Quebec	874	6,210,706
35	Ontario	762	10,094,211
46	Manitoba	867	928,866
47	Saskatchewan	895	783,315
48	Alberta	1,751	2,581,257
59	British Columbia	804	3,499,436
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	6,630	20,580,769
2	Rural	2,366	4,378,000
9	Not stated	379	1,075,515
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	8,095	22,470,987
05	5 or more	1,280	3,563,296
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	6,589	18,201,284
01	One	1,590	3,893,445
02	Two or more	1,196	3,939,554
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	4,095	17,679,796
01	One	3,403	4,905,813
02	Two or more	1,877	3,448,675
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	5,022	12,594,255
01	One	2,472	6,092,300
02	Two or more	1,881	7,347,729
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **AGE45PL** **Position:** 23 **Length:** 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	3,587	9,080,248
01	One	2,427	5,921,479
02	Two or more	3,361	11,032,557
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHTYPE** **Position:** 25 **Length:** 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	57	44,674
02	Households with only 20-24 year old members	366	466,832
03	Households with only 25-44 year old members	566	2,339,410
04	Households with only 45-64 year old members	1,067	3,739,079
05	Households with only 65+ year old members	863	2,949,865
06	Households with adults and children 0-11 only	990	4,177,296
07	Households with adults and teens 12-19 only	2,907	5,032,702
08	Households with adults and young children and teens 0-19 only	892	1,665,593
09	Other compositions	1,667	5,618,831
		=====	=====
		9,375	26,034,283

Coverage: All households

Note: Derived from the roster entries

Section: **Household Smoking**

Variable Name: **HS_Q10** **Position:** 27 **Length:** 1

(Do you/Does anyone in your household) smoke cigarettes?

		FREQ	WTD
1	Yes	2,992	7,431,194
2	No	6,383	18,603,089
		=====	=====
		9,375	26,034,283

Coverage: Household respondent

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 01 : 15

		FREQ	WTD
00	None	7,697	21,720,238
01 : 15	# of people that smoke inside the home	1,678	4,314,045
		=====	=====
		9,375	26,034,283

Coverage: Household respondent

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	713	1,828,179
2	11 to 20 cigarettes	467	1,172,075
3	21 to 30 cigarettes	259	694,542
4	31 to 40 cigarettes	54	115,895
5	41 or more cigarettes	112	359,608
6	Valid skip	7,697	21,720,238
7	Don't know	69	116,046
8	Refused	3	24,018
9	Not stated	1	3,681
		=====	=====
		9,375	26,034,283

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	941	2,886,923
2	No	6,735	18,773,442
6	Valid skip	1,678	4,314,045
7	Don't know	19	38,545
8	Refused	2	21,327
		=====	=====
		9,375	26,034,283

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	1,068	2,966,133
2	No	1,542	4,199,447
6	Valid skip	6,735	18,773,442
7	Don't know	5	8,639
8	Refused	3	23,069
9	Not stated	22	63,553
		=====	=====
		9,375	26,034,283

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed in certain rooms only

		FREQ	WTD
1	Yes	775	2,126,143
2	No	290	807,982
6	Valid skip	8,277	22,972,889
7	Don't know	2	30,930
8	Refused	1	1,079
9	Not stated	30	95,261
		=====	=====
		9,375	26,034,283

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

		FREQ	WTD
1	Yes	329	866,495
2	No	736	2,067,629
6	Valid skip	8,277	22,972,889
7	Don't know	2	30,930
8	Refused	1	1,079
9	Not stated	30	95,261
		=====	=====
		9,375	26,034,283

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	453	1,538,823
2	No	612	1,395,301
6	Valid skip	8,277	22,972,889
7	Don't know	2	30,930
8	Refused	1	1,079
9	Not stated	30	95,261
		=====	=====
		9,375	26,034,283

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

		FREQ	WTD
1	Yes	149	336,719
2	No	916	2,597,405
6	Valid skip	8,277	22,972,889
7	Don't know	2	30,930
8	Refused	1	1,079
9	Not stated	30	95,261
		=====	=====
		9,375	26,034,283

Coverage: Households where smoking is restricted inside the home

Section: Demographic Variables - Person

Variable Name: **DVAGE** *Position:* 37 *Length:* 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 95

		FREQ	WTD
15 : 84	Age of respondent	9,269	25,778,833
85	85 or more	106	255,450
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: On public use microdata file, ages greater than 85 were recoded to 85.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **AGEGRP5** *Position:* 39 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	2,474	2,124,491
2	20-24 years	1,932	2,219,453
3	25-34 years	841	4,366,506
4	35-44 years	1,112	5,061,148
5	45 years and over	3,016	12,262,686
		=====	=====
		9,375	26,034,283

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,556	1,337,854
02	18-19 years	918	786,637
03	20-22 years	1,185	1,354,099
04	23-24 years	747	865,354
05	25-44 years	1,953	9,427,654
06	45-64 years	1,956	8,333,802
07	65 years and over	1,060	3,928,884
		=====	=====
		9,375	26,034,283

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 42 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	4,242	12,831,753
2	Female	5,133	13,202,530
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVMARST** *Position:* 43 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	3,564	15,979,481
2	Widowed/Divorced/Separated	992	2,818,699
3	Single, never married	4,682	6,861,499
9	Not stated	137	374,604
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Section: **Smoking Status**

Variable Name: **SS_Q10** *Position:* 44 *Length:* 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	1,518	4,225,773
2	Occasionally	435	948,247
3	Not at all	7,422	20,860,263
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **SS_Q20** *Position:* 45 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	472	1,001,582
2	No	7,385	20,806,928
6	Valid skip	1,518	4,225,773
		=====	=====
		9,375	26,034,283

Coverage: Respondents who are not current daily smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SS_Q30** *Position:* 46 *Length:* 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	1,473	4,129,208
2	No	517	1,098,147
6	Valid skip	7,385	20,806,928
		=====	=====
		9,375	26,034,283

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **SS_Q40** *Position:* 47 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	3,804	12,408,537
2	No	5,571	13,625,747
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Section: **Past Smoking**

Variable Name: **PS_Q10** *Position:* 48 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,412	3,815,931
2	No	4,057	9,619,902
6	Valid skip	3,906	12,598,451
		=====	=====
		9,375	26,034,283

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **PS_Q20** *Position:* 49 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	1,940	6,722,421
2	No	447	1,649,302
6	Valid skip	6,987	17,661,606
9	Not stated	1	955
		=====	=====
		9,375	26,034,283

Coverage: Occasional smokers or former smokers

Variable Name: **PS_Q30** *Position:* 50 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 65	Age smoked first cigarette	5,237	16,252,114
96	Valid skip	4,057	9,619,902
97	Don't know	68	146,005
98	Refused	10	6,629
99	Not stated	3	9,634
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
07 : 61	Age began to smoke cigarettes daily	3,398	10,818,213
96	Valid skip	5,917	15,086,090
97	Don't know	51	116,228
98	Refused	7	5,074
99	Not stated	2	8,679
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever smoked cigarettes daily

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 70	# of yrs the respondent smoked	1,929	5,146,203
96	Valid skip	7,422	20,860,263
99	Not stated	24	27,817
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Note: Derived from AGE and PS_Q30.

Section: **Weekly Pattern**

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	259	541,985
01 : 90	# of cigarettes smoked-Monday	1,640	4,577,623
96	Valid skip	7,385	20,806,928
97	Don't know	23	39,990
98	Refused	3	2,607
99	Not stated	65	65,150
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Tuesday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	267	606,236
01 : 90	# of cigarettes smoked-Tuesday	1,629	4,519,356
96	Valid skip	7,385	20,806,928
97	Don't know	14	25,117
99	Not stated	80	76,647
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Wednesday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	250	581,249
01 : 90	# of cigarettes smoked-Wednesday	1,635	4,498,971
96	Valid skip	7,385	20,806,928
97	Don't know	18	24,522
98	Refused	1	571
99	Not stated	86	122,041
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **WP_Q10D** *Position:* 62 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Thursday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	248	595,911
01 : 90	# of cigarettes smoked-Thursday	1,622	4,465,017
96	Valid skip	7,385	20,806,928
97	Don't know	24	27,891
99	Not stated	96	138,536
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10E** *Position:* 64 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Friday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	201	472,440
01 : 90	# of cigarettes smoked-Friday	1,684	4,611,174
96	Valid skip	7,385	20,806,928
97	Don't know	19	19,021
99	Not stated	86	124,720
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **WP_Q10F** *Position:* 66 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Saturday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	210	431,022
01 : 90	# of cigarettes smoked-Saturday	1,691	4,670,659
96	Valid skip	7,385	20,806,928
97	Don't know	25	23,023
99	Not stated	64	102,652
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10G** *Position:* 68 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Sunday?

<i>Allowed values:</i>	00 : 91		
		FREQ	WTD
00	None	291	615,776
01 : 90	# of cigarettes smoked-Sunday	1,619	4,485,202
96	Valid skip	7,385	20,806,928
97	Don't know	16	37,802
99	Not stated	64	88,575
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Smoking Behaviour

Variable Name: **SB_Q10** *Position:* 70 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	352	1,153,458
2	6 to 30 minutes	459	1,311,776
3	31 to 60 minutes	317	798,687
4	More than 60 minutes	374	916,161
6	Valid skip	7,857	21,808,510
7	Don't know	8	33,510
8	Refused	4	3,374
9	Not stated	4	8,807
		=====	=====
		9,375	26,034,283

Coverage: Current daily smokers

Variable Name: **SB_Q20** *Position:* 71 *Length:* 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra light	163	672,405
2	Light	678	1,671,324
3	Ultra or extra mild	91	238,022
4	Mild	113	281,012
5	Regular	871	2,209,513
6	Valid skip	7,422	20,860,263
7	Don't know	29	90,859
8	Refused	3	1,023
9	Not stated	5	9,862
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SB_Q30** *Position:* 72 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	98	391,237
2	No	937	2,455,204
6	Valid skip	8,293	23,069,776
7	Don't know	10	16,322
9	Not stated	37	101,744
		=====	=====
		9,375	26,034,283

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q40** *Position:* 73 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	201	597,100
2	No	824	2,146,684
6	Valid skip	8,293	23,069,776
7	Don't know	20	118,979
9	Not stated	37	101,744
		=====	=====
		9,375	26,034,283

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q50** *Position:* 74 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

		FREQ	WTD
1	Yes	103	278,139
2	No	929	2,530,890
6	Valid skip	8,293	23,069,776
7	Don't know	13	53,734
9	Not stated	37	101,744
		=====	=====
		9,375	26,034,283

Coverage: Current smokers not smoking regular cigarettes

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Cigarette Access

Variable Name: **CA_Q10** *Position:* 75 *Length:* 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them from a vending machine	1	498
02	I buy them at a small grocery/corner store	1,025	3,104,096
03	I buy them at a supermarket	214	449,488
04	I buy them at a drug store	50	87,291
05	I buy them at a gasoline station	311	692,425
06	I buy them at another kind of store	29	138,782
07	I buy them from a friend or someone else	23	31,388
08	I buy them by mail order	0	0
09	I buy them from the Internet	0	0
10	My brother or sister gives them to me	7	16,694
11	My mother or father gives them to me	14	10,675
12	A friend or someone else gives them to me	152	259,191
13	I take them from my mother, father or siblings	4	1,070
14	Other - specify	96	303,312
96	Valid skip	7,422	20,860,263
97	Don't know	15	64,897
98	Refusal	7	4,351
99	Not stated	5	9,862
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **CA_Q20** *Position:* 77 *Length:* 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	34	26,846
2	No	121	113,847
6	Valid skip	9,220	25,893,590
		=====	=====
		9,375	26,034,283

Coverage: Current smokers between the age of 15-18 who don't usually buy cigarettes from a store

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CA_Q30** *Position:* 78 *Length:* 1

In the past 12 months, have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	110	94,158
2	No	78	87,820
6	Valid skip	9,187	25,852,305
		=====	=====
		9,375	26,034,283

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** *Position:* 79 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	87	81,265
2	No	100	100,619
6	Valid skip	9,187	25,852,305
7	Don't know	1	94
		=====	=====
		9,375	26,034,283

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q50** *Position:* 80 *Length:* 1

In the past 12 months, have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	119	96,156
2	No	69	83,330
6	Valid skip	9,066	25,738,459
8	Refused	1	2,596
9	Not stated	120	113,743
		=====	=====
		9,375	26,034,283

Coverage: Current smokers between the age of 15-18

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Cheaper Cigarettes

Variable Name: **CC_Q20** *Position:* 81 *Length:* 1

In the past 6 months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	750	1,934,722
2	No	1,191	3,227,093
6	Valid skip	7,422	20,860,263
7	Don't know	4	1,319
8	Refused	3	1,023
9	Not stated	5	9,862
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **CC_Q30** *Position:* 82 *Length:* 1

In the past 6 months, did you buy:

... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	279	738,589
2	No	1,661	4,398,673
6	Valid skip	7,422	20,860,263
7	Don't know	3	24,705
8	Refused	3	1,023
9	Not stated	7	11,030
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CC_Q40** *Position:* 83 *Length:* 1

In the past 6 months, did you buy:

... from the Internet?

		FREQ	WTD
1	Yes	5	6,810
2	No	1,937	5,154,612
6	Valid skip	7,422	20,860,263
7	Don't know	1	545
8	Refused	3	1,023
9	Not stated	7	11,030
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **CC_Q50** *Position:* 84 *Length:* 1

In the past 6 months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	5	11,892
2	No	1,937	5,149,531
6	Valid skip	7,422	20,860,263
7	Don't know	1	545
8	Refused	3	1,023
9	Not stated	7	11,030
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CC_Q60** *Position:* 85 *Length:* 1

In the past 6 months, did you buy cigarettes:

... from outside your province?

		FREQ	WTD
1	Yes	240	451,257
2	No	1,700	4,668,784
6	Valid skip	7,422	20,860,263
7	Don't know	3	41,926
8	Refused	3	1,023
9	Not stated	7	11,030
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **CC_Q70** *Position:* 86 *Length:* 1

In the past 6 months, did you buy cigarettes:

... that may have been smuggled?

		FREQ	WTD
1	Yes	40	115,954
2	No	1,890	5,004,613
6	Valid skip	7,422	20,860,263
7	Don't know	11	6,546
8	Refused	5	35,878
9	Not stated	7	11,030
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **CC_Q80** *Position:* 87 *Length:* 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	133	308,452
2	No	1,809	4,819,619
6	Valid skip	7,422	20,860,263
8	Refused	3	1,023
9	Not stated	8	44,926
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 88 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	5	22,027
03	3 mg	12	56,731
04	4 mg	46	181,847
05	5 mg	0	0
06	6 mg	11	48,706
07	7 mg	23	70,893
08	8 mg	28	98,384
09	9 mg	41	137,366
10	10 mg	19	61,691
11	11 mg	167	676,779
12	12 mg	356	687,360
13	13 mg	546	1,265,168
14	14 mg	16	8,045
15	15 mg	464	982,983
16	16 mg	55	214,432
17	17 mg or more	4	27,238
96	Valid skip	7,423	20,860,506
99	Not stated	159	634,127
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who usually smoke the same brand of cigarettes

Note: Derived from CB_Q10.

Variable Name: **DVSST1** *Position:* 90 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	1,953	5,174,020
2	Former smoker	1,953	7,424,430
3	Never smoked	5,469	13,435,833
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVSST2** *Position:* 91 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	1,518	4,225,773
02	Current occasional smoker	435	948,247
03	Former daily smoker	1,673	6,143,283
04	Former occasional smoker	279	1,280,193
05	Experimental smoker	1,412	3,815,931
06	Lifetime abstainer	4,057	9,619,902
99	Not stated	1	955
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 93 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	1,990	5,227,355
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	1,922	7,368,179
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	5,463	13,438,749
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVSS2** *Position:* 94 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	1,566	4,311,795
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	316	728,563
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	1,639	6,093,719
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	282	1,273,506
05	Beginner: smoked in last 30 days, <100 cigarettes in life	108	186,997
06	Past experimental smoker	1,410	3,820,165
07	Lifetime abstainer	4,053	9,618,584
99	Not stated	1	955
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Section: **Fire Risk**

Variable Name: **FR_Q10** *Position:* 96 *Length:* 1

Many people will smoke in bed while watching television or reading. When was the last time you smoked in bed? Was it...

		FREQ	WTD
1	In the past week	296	666,432
2	In the past month	59	69,496
3	Within one to six months	68	115,596
4	More than six months ago	310	683,476
5	Never	1,204	3,590,805
6	Valid skip	7,422	20,860,263
7	Don't know	4	1,912
8	Refused	4	1,378
9	Not stated	8	44,926
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **FR_Q20** *Position:* 97 *Length:* 1

In the past year, how often did you smoke in bed?

		FREQ	WTD
1	Everyday	115	274,363
2	A few times a week	114	240,883
3	Once a week	64	100,294
4	Once a month or less	268	469,287
5	Never	162	429,844
6	Valid skip	8,626	24,451,068
7	Don't know	2	662
9	Not stated	24	67,883
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have smoked in bed

Variable Name: **FR_Q30** *Position:* 98 *Length:* 1

Sometimes people fall asleep with a lit cigarette. This could be in bed, on a sofa or in a chair.
 When was the last time this happened to you? Was it...

		FREQ	WTD
1	In the past week	10	18,747
2	In the past month	8	5,210
3	Within one to six months	23	55,368
4	More than six months ago	155	522,481
5	Never	1,742	4,524,146
6	Valid skip	7,422	20,860,263
7	Don't know	3	1,765
8	Refused	4	1,378
9	Not stated	8	44,926
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **FR_Q40** *Position:* 99 *Length:* 1

In the past year, how many times did this happen to you?

		FREQ	WTD
1	Never	104	374,807
2	Once	48	134,041
3	Two to five times	30	57,399
4	More than five times	10	22,080
6	Valid skip	9,164	25,384,409
7	Don't know	3	11,693
9	Not stated	16	49,854
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have fallen asleep with a lit cigarette

Variable Name: **FR_Q50** *Position:* 100 *Length:* 2

Sometimes people leave a cigarette burning in an ashtray while attending to something else.
 When was the last time you did this? Was it...

		FREQ	WTD
01	In the past week	492	998,688
02	In the past month	144	239,458
03	Within one to six months	101	217,819
04	More than six months ago	252	833,433
05	Never	918	2,769,819
06	Don't use ashtrays	18	35,275
96	Valid skip	7,422	20,860,263
97	Don't know	14	33,054
98	Refused	5	1,502
99	Not stated	9	44,972
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **FR_Q60** *Position:* 102 *Length:* 1

In the past year, how often did you leave a cigarette burning in an ashtray while attending to something else?

		FREQ	WTD
1	Everyday	138	380,154
2	A few times a week	163	342,594
3	Once a week	137	276,535
4	Once a month or less	470	1,097,296
5	Never	63	159,288
6	Valid skip	8,358	23,665,358
7	Don't know	12	8,657
8	Refused	1	196
9	Not stated	33	104,207
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have left a cigarette burning in an ashtray

Section: **Derived Variables - Person**

Variable Name: **DVCIGWK** *Position:* 103 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 630	# of cigs smoked per week	1,844	5,018,223
996	Valid skip	7,385	20,806,928
999	Not stated	146	209,132
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** *Position:* 106 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Avg. # of cigs smoked/day	1,844	5,018,223
96	Valid skip	7,385	20,806,928
99	Not stated	146	209,132
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVNDSMK** *Position:* 108 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	1,844	5,018,223
96	Valid skip	7,385	20,806,928
99	Not stated	146	209,132
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 110 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 90	Avg. smoked on the days they smoked	1,844	5,018,223
96	Valid skip	7,385	20,806,928
99	Not stated	146	209,132
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 112 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	1,474	4,223,318
2	Weekdays only	7	18,550
3	Weekend only	6	1,598
4	Did not smoke in last 7 days	98	170,310
5	Other pattern	259	604,447
6	Valid skip	7,385	20,806,928
9	Not stated	146	209,132
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **DVDAILY** *Position:* 113 *Length:* 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Average smoked-Daily smokers	1,423	4,091,632
96	Valid skip	7,857	21,808,510
99	Not stated	95	134,141
		=====	=====
		9,375	26,034,283

Coverage: Daily smokers

Variable Name: **DVPRICE** *Position:* 115 *Length:* 1

Derived variable for smokers indicating if they smoke discount or regular price brand

		FREQ	WTD
1	Discount price brand	471	1,237,177
2	Regular price brand	1,393	3,647,773
6	Valid skip	7,422	20,860,263
9	Not stated	89	289,070
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Note: Based on CB_Q10 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation

Variable Name: **SC_Q010** *Position:* 116 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	218	794,918
2	1 to 2 years ago	205	586,008
3	3 to 5 years ago	240	688,091
4	More than 5 years ago	1,281	5,321,027
6	Valid skip	7,422	18,609,853
7	Don't know	6	30,363
8	Refusal	1	549
9	Not stated	2	3,473
		=====	=====
		9,375	26,034,283

Coverage: Former smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q020** *Position:* 117 *Length:* 2

In what month did you stop smoking?

		FREQ	WTD
01	January	39	82,856
02	February	30	139,757
03	March	17	56,253
04	April	18	51,735
05	May	14	65,068
06	June	9	54,725
07	July	5	46,795
08	August	9	18,361
09	September	23	93,195
10	October	16	47,643
11	November	12	23,754
12	December	26	114,777
96	Valid skip	9,148	25,204,979
99	Not stated	9	34,386
		=====	=====
		9,375	26,034,283

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** *Position:* 119 *Length:* 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	128	397,970
02	Pregnancy or a baby in the household	19	60,650
03	Less stress in life	1	1,259
04	Cost of cigarettes	21	81,784
05	Smoking is less socially acceptable	13	68,012
06	Some other reason	34	181,530
96	Valid skip	9,148	25,204,979
97	Don't know	1	2,281
99	Not stated	10	35,818
		=====	=====
		9,375	26,034,283

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q040** *Position:* 121 *Length:* 2

Approximately, how many attempts to quit did you make, before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	1,879	7,147,500
96	Valid skip	7,422	18,609,853
97	Don't know	68	256,447
98	Refused	3	15,579
99	Not stated	3	4,905
		=====	=====
		9,375	26,034,283

Coverage: Former smokers

Variable Name: **SC_Q050** *Position:* 123 *Length:* 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Avg. cigs. smoked per day before quit	1,879	7,044,280
96	Valid skip	7,422	18,609,853
97	Don't know	67	302,550
98	Refused	3	15,579
99	Not stated	4	62,022
		=====	=====
		9,375	26,034,283

Coverage: Former smokers

Variable Name: **SC_Q060** *Position:* 125 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	1,165	3,021,956
2	No	714	1,956,031
6	Valid skip	7,422	20,860,263
7	Don't know	56	140,889
8	Refused	7	7,955
9	Not stated	11	47,189
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q070** *Position:* 126 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	586	1,418,806
2	No	530	1,418,453
6	Valid skip	8,136	22,816,294
7	Don't know	49	184,697
9	Not stated	74	196,033
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 127 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00	None	915	2,863,904
01 : 94	# of attempts stop smoking for 24 hrs	1,186	2,896,980
96	Valid skip	7,204	20,065,345
97	Don't know	51	153,707
98	Refused	7	5,727
99	Not stated	12	48,621
		=====	=====
		9,375	26,034,283

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** *Position:* 129 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00	None	378	999,079
01 : 52	# of attempts stop smoking for one week	805	1,873,654
96	Valid skip	8,119	22,929,248
97	Don't know	3	24,247
99	Not stated	70	208,056
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **SC_Q100** *Position:* 131 *Length:* 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	8	7,265
02	Stress, need to relax or to calm down	351	830,125
03	Boredom	37	50,858
04	Addiction/habit	221	496,015
05	Lack of support or information	2	24,568
06	Going out more (bars, parties)	54	208,227
07	Increased availability	2	743
08	No reason/felt like it	114	211,809
09	Family or friends smoke	138	294,426
10	Other	79	226,174
96	Valid skip	8,277	23,435,438
97	Don't know	21	26,400
99	Not stated	71	222,237
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **STOPSMK** *Position:* 133 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00	None	20	110,373
01 : 11	# of mths. quit before survey	198	684,545
18	1-2 years	205	586,008
48	3-5 years	240	688,091
60	More than 5 years ago	1,281	5,321,027
96	Valid skip	7,422	18,609,853
99	Not stated	9	34,386
		=====	=====
		9,375	26,034,283

Coverage: Former smokers

Note: Derived from SC_Q010 and SC_Q020.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Cessation Methods

Variable Name: **CM_Q10** *Position:* 135 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	244	757,248
2	No	660	1,967,153
6	Valid skip	8,461	23,298,242
7	Don't know	3	5,913
8	Refused	7	5,727
		=====	=====
		9,375	26,034,283

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 136 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	438	1,437,464
2	No	1,252	3,015,742
6	Valid skip	7,670	21,493,679
8	Refused	1	527
9	Not stated	14	86,872
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q30** *Position:* 137 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	272	1,001,904
2	No	165	435,245
6	Valid skip	8,922	24,509,421
7	Don't know	1	315
9	Not stated	15	87,399
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and used the nicotine patch

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CM_Q40** *Position:* 138 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	287	804,323
2	No	1,403	3,648,882
6	Valid skip	7,670	21,493,679
8	Refused	1	527
9	Not stated	14	86,872
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q50** *Position:* 139 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	99	244,882
2	No	187	558,888
6	Valid skip	9,073	25,142,561
7	Don't know	1	553
9	Not stated	15	87,399
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and used nicotine gum

Variable Name: **CM_Q60** *Position:* 140 *Length:* 1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	175	631,169
2	No	1,515	3,822,036
6	Valid skip	7,670	21,493,679
8	Refused	1	527
9	Not stated	14	86,872
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CM_Q70** *Position:* 141 *Length:* 1

Was this useful in helping you quit?

		FREQ	WTD
1	Yes	101	255,855
2	No	74	375,314
6	Valid skip	9,185	25,315,715
9	Not stated	15	87,399
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and used a product like Zyban

Variable Name: **CM_Q80A** *Position:* 142 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You were concerned about possible side effects

		FREQ	WTD
1	Yes	177	372,982
2	No	847	2,098,352
6	Valid skip	8,329	23,535,363
7	Don't know	12	15,946
9	Not stated	10	11,641
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80B** *Position:* 143 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't believe these products work

		FREQ	WTD
1	Yes	224	520,003
2	No	800	1,951,330
6	Valid skip	8,329	23,535,363
7	Don't know	12	15,946
9	Not stated	10	11,641
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CM_Q80C** *Position:* 144 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't have enough information about these products

		FREQ	WTD
1	Yes	138	170,601
2	No	886	2,300,733
6	Valid skip	8,329	23,535,363
7	Don't know	12	15,946
9	Not stated	10	11,641
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80D** *Position:* 145 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... They cost too much

		FREQ	WTD
1	Yes	269	354,860
2	No	755	2,116,473
6	Valid skip	8,329	23,535,363
7	Don't know	12	15,946
9	Not stated	10	11,641
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **CM_Q80E** *Position:* 146 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... Some other reason

		FREQ	WTD
1	Yes	589	1,746,882
2	No	435	724,452
6	Valid skip	8,329	23,535,363
7	Don't know	12	15,946
9	Not stated	10	11,641
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Section: Other Cessation Methods

Variable Name: **OM_Q010** *Position:* 147 *Length:* 1

Did you use hypnosis or acupuncture?

		FREQ	WTD
1	Yes	75	281,771
2	No	1,614	4,171,327
6	Valid skip	7,680	21,505,319
8	Refused	2	634
9	Not stated	4	75,231
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q030** *Position:* 148 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	513	1,080,529
2	No	1,175	3,356,874
6	Valid skip	7,680	21,505,319
8	Refused	3	16,329
9	Not stated	4	75,231
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OM_Q050** *Position:* 149 *Length:* 1

In the past 2 years, did you take part in a quit smoking contest?

		FREQ	WTD
1	Yes	95	314,190
2	No	1,593	4,123,213
6	Valid skip	7,680	21,505,319
8	Refused	3	16,329
9	Not stated	4	75,231
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** *Position:* 150 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,066	2,255,279
2	No	619	2,174,876
6	Valid skip	7,680	21,505,319
7	Don't know	2	6,737
8	Refused	3	16,329
9	Not stated	5	75,744
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q090** *Position:* 151 *Length:* 1

Did you use a 1-800 quit smoking phone line?

		FREQ	WTD
1	Yes	34	120,598
2	No	1,653	4,316,293
6	Valid skip	7,680	21,505,319
8	Refused	3	16,329
9	Not stated	5	75,744
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OM_Q110** *Position:* 152 *Length:* 1

Did you use an Internet web-site program to quit smoking?

		FREQ	WTD
1	Yes	48	153,204
2	No	1,639	4,283,687
6	Valid skip	7,680	21,505,319
8	Refused	3	16,329
9	Not stated	5	75,744
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q130** *Position:* 153 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	248	833,521
2	No	86	346,501
6	Valid skip	9,041	24,854,261
		=====	=====
		9,375	26,034,283

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

Section: **Cessation Products**

Variable Name: **CP_Q10** *Position:* 154 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? For example, in a meeting, on a plane, at school?

		FREQ	WTD
1	Yes	159	378,560
2	No	1,770	4,709,889
6	Valid skip	7,422	20,860,263
7	Don't know	1	86
8	Refused	9	21,101
9	Not stated	14	64,384
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Health Professionals

Variable Name: **HP_Q010** *Position:* 155 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,467	3,676,422
2	No	461	1,409,627
6	Valid skip	7,422	20,860,263
8	Refused	10	23,209
9	Not stated	15	64,761
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **HP_Q020** *Position:* 156 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	732	1,945,231
2	No	731	1,727,952
6	Valid skip	7,883	22,269,891
7	Don't know	3	2,147
8	Refused	1	1,091
9	Not stated	25	87,971
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who saw a doctor in the past 12 months

Variable Name: **HP_Q030** *Position:* 157 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	369	1,267,836
2	No	361	675,366
6	Valid skip	8,614	23,997,843
7	Don't know	1	1,034
8	Refused	1	996
9	Not stated	29	91,209
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HP_Q040** *Position:* 158 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,101	2,994,952
2	No	824	2,058,494
6	Valid skip	7,422	20,860,263
7	Don't know	2	224
8	Refused	11	55,589
9	Not stated	15	64,761
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **HP_Q050** *Position:* 159 *Length:* 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	323	1,198,998
2	No	775	1,794,666
6	Valid skip	8,246	22,918,757
7	Don't know	3	1,289
9	Not stated	28	120,574
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who saw a dentist in the past 12 months

Variable Name: **HP_Q060** *Position:* 160 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	93	413,997
2	No	229	784,608
6	Valid skip	9,021	24,713,423
7	Don't know	1	393
9	Not stated	31	121,863
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **HP_Q100** *Position:* 161 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	696	1,861,699
2	No	1,228	3,189,301
6	Valid skip	7,422	20,860,263
7	Don't know	2	1,578
8	Refused	12	56,680
9	Not stated	15	64,761
		=====	=====
		9,375	26,034,283

Coverage: Current smokers

Variable Name: **HP_Q110** *Position:* 162 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	121	399,817
2	No	574	1,461,348
6	Valid skip	8,650	24,049,564
7	Don't know	1	534
9	Not stated	29	123,020
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Variable Name: **HP_Q120** *Position:* 163 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	99	368,382
2	No	22	31,435
6	Valid skip	9,224	25,510,912
9	Not stated	30	123,554
		=====	=====
		9,375	26,034,283

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Smoking and Pregnancy

Variable Name: **SP_Q10** *Position:* 164 *Length:* 1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	548	1,644,513
2	No	1,606	4,105,308
6	Valid skip	7,212	20,260,979
8	Refused	5	21,135
9	Not stated	4	2,348
		=====	=====
		9,375	26,034,283

Coverage: Women aged 20-44

Variable Name: **SP_Q20** *Position:* 165 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	90	178,516
2	No	145	300,464
6	Valid skip	9,130	25,531,466
8	Refused	1	354
9	Not stated	9	23,483
		=====	=====
		9,375	26,034,283

Coverage: Women aged 20-44 who are daily, occasional or former smokers (who quit less than 5 years ago) and were pregnant in the last five years

Variable Name: **SP_Q30** *Position:* 166 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	67	129,110
2	No	466	1,488,876
3	Not applicable (no spouse/partner)	14	26,173
6	Valid skip	8,818	24,366,287
8	Refusal	1	354
9	Not stated	9	23,483
		=====	=====
		9,375	26,034,283

Coverage: Women aged 20-44 who were pregnant in the last 5 years

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Tobacco Products

Variable Name: **TP_Q010** *Position:* 167 *Length:* 1

Have you ever tried smoking a cigar or cigarillos?

		FREQ	WTD
1	Yes	3,612	9,966,495
2	No	5,720	15,878,585
7	Don't know	5	20,423
8	Refused	14	38,920
9	Not stated	24	129,860
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **TP_Q020** *Position:* 168 *Length:* 1

In the past 30 days, did you smoke any cigars or cigarillos?

		FREQ	WTD
1	Yes	541	1,070,509
2	No	3,071	8,895,986
6	Valid skip	5,720	15,878,585
9	Not stated	43	189,204
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever smoked a cigar or cigarillo

Variable Name: **TP_Q030** *Position:* 169 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,160	3,538,420
2	No	8,174	22,323,884
7	Don't know	2	2,743
8	Refused	14	38,920
9	Not stated	25	130,316
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **TP_Q040** *Position:* 170 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	77	116,076
2	No	1,083	3,422,344
6	Valid skip	8,174	22,323,884
9	Not stated	41	171,979
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever smoked a pipe

Variable Name: **TP_Q050** *Position:* 171 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	927	2,016,641
2	No	8,408	23,846,491
7	Don't know	1	1,916
8	Refused	14	38,920
9	Not stated	25	130,316
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 172 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	99	119,712
2	No	828	1,896,929
6	Valid skip	8,408	23,846,491
9	Not stated	40	171,152
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Opinions on Smoking

Variable Name: **OS_Q10** *Position:* 173 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	5,737	15,962,378
2	Smoking should be allowed only in a section of a restaurant that is enclosed	2,034	5,140,566
3	Smoking should be allowed only in a designated section of a restaurant	1,332	3,845,813
4	Smoking should be allowed anywhere in a restaurant	147	599,357
7	Don't know	70	213,794
8	Refused	26	42,033
9	Not stated	29	230,342
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 174 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	3,489	10,381,790
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	2,248	5,525,218
3	Smoking should be allowed only in a designated section of a bar or tavern	1,736	4,757,393
4	Smoking should be allowed anywhere in a bar or tavern	1,426	3,773,464
7	Don't know	398	1,268,202
8	Refused	48	97,569
9	Not stated	30	230,648
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **OS_Q30** *Position:* 175 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	2,736	8,234,627
2	Smoking should be allowed only in enclosed smoking areas in the workplace	1,078	3,063,869
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	5,197	13,542,808
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	160	552,849
7	Don't know	135	310,338
8	Refused	35	78,696
9	Not stated	34	251,096
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Section: **Exposure to Second-hand Smoke**

Variable Name: **EX_Q010** *Position:* 176 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	3,496	7,015,230
2	No	5,788	18,570,032
7	Don't know	17	70,055
8	Refused	37	120,301
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **EX_Q020** *Position:* 177 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside someone else's home?

		FREQ	WTD
1	Yes	3,862	8,357,224
2	No	5,424	17,291,097
7	Don't know	15	47,463
8	Refused	37	79,834
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q030** *Position:* 178 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	2,629	7,134,394
2	No	6,643	18,407,566
7	Don't know	28	124,028
8	Refused	38	109,630
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q040** *Position:* 179 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a restaurant?

		FREQ	WTD
1	Yes	1,695	6,363,037
2	No	7,585	19,183,036
7	Don't know	18	71,533
8	Refused	40	158,012
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **EX_Q050** *Position:* 180 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a bar or tavern?

		FREQ	WTD
1	Yes	2,154	5,280,668
2	No	7,091	20,062,308
7	Don't know	53	274,629
8	Refused	40	158,012
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q060** *Position:* 181 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	1,410	3,331,671
2	No	7,865	22,173,473
7	Don't know	21	107,699
8	Refused	42	162,775
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q070** *Position:* 182 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	4,660	12,343,662
2	No	4,600	13,112,288
7	Don't know	33	121,251
8	Refused	45	198,417
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **EX_Q080** *Position:* 183 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at your workplace?

		FREQ	WTD
1	Yes	1,901	5,302,326
2	No	7,339	19,983,398
7	Don't know	49	284,078
8	Refused	49	205,815
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q090** *Position:* 184 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at your school?

		FREQ	WTD
1	Yes	1,670	2,084,756
2	No	7,546	23,002,685
7	Don't know	74	479,016
8	Refused	48	209,161
9	Not stated	37	258,666
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q100** *Position:* 185 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	3,280	7,625,834
2	No	5,986	17,873,941
7	Don't know	25	72,175
8	Refused	48	204,910
9	Not stated	36	257,422
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **EX_Q110** *Position:* 186 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	4,586	11,286,408
2	No	4,659	14,138,984
7	Don't know	45	145,577
8	Refused	49	205,892
9	Not stated	36	257,422
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q120** *Position:* 187 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... anywhere else?

		FREQ	WTD
1	Yes	184	572,763
2	No	9,069	24,909,496
7	Don't know	38	99,881
8	Refused	48	194,721
9	Not stated	36	257,422
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **EX_Q130** *Position:* 188 *Length:* 1

Overall, (excluding your own smoking), in the past month were you exposed to second-hand smoke?

		FREQ	WTD
1	Every day	1,204	3,014,116
2	Almost every day	1,163	2,631,445
3	At least once a week	2,911	7,602,655
4	At least once in the past month	2,518	7,528,868
6	Valid skip	1,504	4,990,650
7	Don't know	63	215,311
8	Refused	12	51,239
		=====	=====
		9,375	26,034,283

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Language and Education

Variable Name: **LA_Q10** *Position:* 189 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	7,672	17,019,200
2	French	1,089	5,652,299
3	Both English and French	47	233,576
4	Other	507	2,829,253
7	Don't know	3	1,679
8	Refused	20	40,732
9	Not stated	37	257,544
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **DVEDUC** *Position:* 190 *Length:* 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	2,904	5,157,086
2	Completed secondary	3,705	9,556,745
3	Completed community college, technical college, CEGEP or nurse's college	1,198	4,123,123
4	Completed university or teacher's college	1,407	6,494,677
9	Not stated	161	702,652
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **GPLA_Q20** *Position:* 191 *Length:* 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	126	279,398
02	Completed elementary	208	654,746
03	Some secondary	2,570	4,222,943
04	Completed secondary	2,155	5,991,105
05	Some community college, technical college, CEGEP or nurse's training	564	1,660,898
06	Completed community college, technical college, CEGEP or nurse's training	1,198	4,123,123
07	Some university or teacher's college	928	1,716,928
08	Completed university or teacher's college	1,407	6,494,677
09	Other education or training	58	187,813
99	Not stated	161	702,652
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: **Labour Force**

Variable Name: **LF_Q10** *Position:* 193 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include part-time jobs, seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	6,731	18,059,276
2	No	2,546	7,499,900
7	Don't know	12	53,265
8	Refused	48	151,855
9	Not stated	38	269,988
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **LF_Q50** *Position:* 194 *Length:* 1

At your place of work, what (are/were) the restrictions on smoking?

		FREQ	WTD
1	Restricted completely	3,420	10,631,012
2	Allowed in designated areas	2,082	4,993,635
3	Restricted only in certain places	543	1,044,351
4	Not restricted at all	579	1,135,166
6	Valid skip	2,546	7,499,900
7	Don't know	98	202,037
8	Refused	9	53,074
9	Not stated	98	475,108
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have worked at a job or business in the past 12 months

Variable Name: **DVSOC10** *Position:* 195 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	301	1,223,081
02	Business, Finance and Administrative Occupations	1,051	3,291,362
03	Natural and Applied Sciences and Related Occupations	280	1,067,837
04	Health Occupations	340	1,066,191
05	Occupations in Social Science, Education, Government Service and Religion	349	1,255,315
06	Occupations in Art, Culture, Recreation and Sport	232	607,675
07	Sales and Service Occupations	2,457	4,539,603
08	Trades, Transport and Equipment Operators and Related Occupations	774	2,087,482
09	Occupations Unique to Primary Industry	399	513,764
10	Occupations Unique to Processing, Manufacturing and Utilities	269	1,039,705
96	Valid Skip	2,546	7,499,900
99	Not Stated	377	1,842,367
		=====	=====
		9,375	26,034,283

Coverage: Persons who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the 1991 Standard Occupational Classification (SOC).

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Student Income

Variable Name: **SI_Q10** *Position:* 197 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	2,746	2,683,669
2	No	1,622	1,630,745
6	Valid skip	4,969	21,690,340
7	Don't know	3	443
8	Refused	17	12,522
9	Not stated	18	16,564
		=====	=====
		9,375	26,034,283

Coverage: Respondents less than 25 years of age

Variable Name: **SI_G20** *Position:* 198 *Length:* 2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	158	163,989
02	\$010 to \$024	722	629,936
03	\$025 to \$049	462	470,459
04	\$050 to \$099	495	430,102
05	\$100 to \$199	488	528,455
06	\$200 or more	259	273,233
96	Valid Skip	6,591	23,321,085
99	Not Stated	200	217,025
		=====	=====
		9,375	26,034,283

Coverage: Persons below 25 years of age who currently attend a school, college or university

Note: Derived from SI_Q20.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Section: Marijuana Use

Variable Name: **MU_Q10** *Position:* 200 *Length:* 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	655	1,884,632
2	Yes, more than once	2,936	7,923,083
3	No	5,569	15,373,425
7	Don't know	40	119,741
8	Refusal	134	458,976
9	Not stated	41	274,427
		=====	=====
		9,375	26,034,283

Coverage: All respondents

Variable Name: **MU_Q20** *Position:* 201 *Length:* 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	1,402	2,535,348
2	No	2,186	7,266,310
6	Valid skip	5,569	15,373,425
7	Don't know	2	4,199
8	Refused	1	1,858
9	Not stated	215	853,144
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever used marijuana, cannabis or hashish

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

Variable Name: **MU_Q30** *Position:* 202 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	478	913,352
2	1 to 3 times a month	281	469,070
3	Once a week	143	215,141
4	More than once a week	222	408,676
5	Every day	192	344,378
6	Valid skip	7,827	22,782,704
7	Don't know	5	3,974
8	Refused	9	37,787
9	Not stated	218	859,201
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 203 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
07 : 65	Age first used marijuana	3,562	9,724,261
96	Valid skip	5,569	15,373,425
97	Don't know	21	56,986
98	Refused	8	26,468
99	Not stated	215	853,144
		=====	=====
		9,375	26,034,283

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: **Weight Variable**

Variable Name: **WTPP** *Position:* 205 *Length:* 12.4

Six month survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

INDEX

A		DVNDSMK	29
AGE0014	3	DVPRICE	30
AGE1524	3	DVSMKPTN.....	29
AGE2544	3	DVSOC10.....	56
AGE45PL.....	4	DVSS1	24
AGEGRP5.....	8	DVSS2	25
AGEGRP7.....	8	DVSST1	23
C		DVSST2.....	24
CA_Q10	18	DVURBAN.....	2
CA_Q20	18	DVYRSSMK	12
CA_Q30	19	E	
CA_Q40	19	EX_Q010	49
CA_Q50	19	EX_Q020	50
CC_Q20	20	EX_Q030	50
CC_Q30	20	EX_Q040	50
CC_Q40	21	EX_Q050	51
CC_Q50	21	EX_Q060	51
CC_Q60	22	EX_Q070	51
CC_Q70	22	EX_Q080	52
CC_Q80	22	EX_Q090	52
CM_Q10	35	EX_Q100	52
CM_Q20	35	EX_Q110	53
CM_Q30	35	EX_Q120	53
CM_Q40	36	EX_Q130	53
CM_Q50	36	F	
CM_Q60	36	FR_Q10.....	25
CM_Q70	37	FR_Q20.....	26
CM_Q80A.....	37	FR_Q30.....	26
CM_Q80B.....	37	FR_Q40.....	27
CM_Q80C.....	38	FR_Q50.....	27
CM_Q80D.....	38	FR_Q60.....	28
CM_Q80E.....	39	G	
CP_Q10.....	41	GPLA_Q20	55
D		H	
DVAGE.....	7	HHSIZE	2
DVAVCIG7	28	HHTYPE.....	4
DVAVCIGD	29	HP_Q010.....	42
DVCIGWK	28	HP_Q020.....	42
DVDAILY	30	HP_Q030.....	42
DVEDUC.....	54	HP_Q040.....	43
DVLOWTAR.....	23	HP_Q050.....	43
DVMARST	9	HP_Q060.....	43

Canadian Tobacco Use Monitoring Survey - 2005
Public Use Microdata File (Person) - Cycle 1

HP_Q100.....	44	S	
HP_Q110.....	44	SB_Q10.....	16
HP_Q120.....	44	SB_Q20.....	16
HS_Q10.....	4	SB_Q30.....	17
HS_Q20.....	5	SB_Q40.....	17
HS_Q30.....	5	SB_Q50.....	17
HS_Q40.....	5	SC_Q010.....	30
HS_Q50.....	6	SC_Q020.....	31
HS_Q60A.....	6	SC_Q030.....	31
HS_Q60B.....	6	SC_Q040.....	32
HS_Q60C.....	7	SC_Q050.....	32
HS_Q60D.....	7	SC_Q060.....	32
L		SC_Q070.....	33
LA_Q10	54	SC_Q080.....	33
LF_Q10	55	SC_Q090.....	33
LF_Q50	56	SC_Q100.....	34
M		SEX.....	8
MU_Q10	58	SI_G20	57
MU_Q20	58	SI_Q10	57
MU_Q30	59	SP_Q10	45
MU_Q40	59	SP_Q20	45
O		SP_Q30	45
OM_Q010	39	SS_Q10	9
OM_Q030	39	SS_Q20	9
OM_Q050	40	SS_Q30	10
OM_Q070	40	SS_Q40	10
OM_Q090	40	STOPSMK	34
OM_Q110	41	T	
OM_Q130	41	TP_Q010.....	46
OS_Q10.....	48	TP_Q020.....	46
OS_Q20.....	48	TP_Q030.....	46
OS_Q30.....	49	TP_Q040.....	47
P		TP_Q050.....	47
PROV	2	TP_Q060.....	47
PS_Q10	10	W	
PS_Q20	11	WP_Q10A.....	12
PS_Q30	11	WP_Q10B.....	13
PS_Q40	11	WP_Q10C.....	13
PUMFID	1	WP_Q10D.....	14
R		WP_Q10E.....	14
REFMONTH.....	1	WP_Q10F	15
REFYEAR	1	WP_Q10G.....	15
		WTPP	59