

Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	2
Household Smoking.....	5
Demographic Variables - Person	8
Smoking Status.....	9
Past Smoking.....	11
Weekly Pattern.....	13
Smoking Behaviour	16
Cigarette Access.....	19
Cigarette Source	21
Cheaper Cigarettes.....	22
Derived Variables - Person	25
Fire Risk.....	27
Derived Variables - Person	30
Smoking Cessation	32
Cessation Methods	37
Other Cessation Methods	41
Cessation Products.....	42
Health Professionals	42
Smoking and Pregnancy	45
Tobacco Products	46
Opinions on Smoking.....	51
Exposure to Second-hand Smoke	52
Language and Education	57
Labour Force	59
Student Income.....	60
Marijuana Use.....	61
Weight Variable.....	62

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	15,689	18,793,097
01	One	3,582	3,660,891
02	Two or more	2,705	4,072,570
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	9,407	17,764,211
01	One	7,901	4,835,231
02	Two or more	4,668	3,927,116
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	12,066	13,211,477
01	One	5,521	5,908,150
02	Two or more	4,389	7,406,931
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	7,982	9,299,121
01	One	5,836	5,945,720
02	Two or more	8,158	11,281,717
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	100	34,359
02	Households with only 20-24 year old members	797	434,086
03	Households with only 25-44 year old members	1,351	2,853,275
04	Households with only 45-64 year old members	2,582	3,990,916
05	Households with only 65+ year old members	2,083	2,960,360
06	Households with adults and children aged 0-11 only	2,237	3,997,452
07	Households with adults and teens aged 12-19 only	6,677	5,079,514
08	Households with adults and young children and teens aged 0-19 only	2,112	1,962,400
09	Other compositions	4,037	5,214,195
		=====	=====
		21,976	26,526,558

Coverage: All households

Note: Derived from the roster entries

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Household Smoking

Variable Name: **HS_Q10** Position: 27 Length: 1

(Do you/Does anyone in your household) smoke cigarettes?

		FREQ	WTD
1	Yes	7,039	7,344,078
2	No	14,937	19,182,480
		=====	=====
		21,976	26,526,558

Coverage: Household respondent

Variable Name: **HS_Q20** Position: 28 Length: 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00	None	18,503	22,994,701
01 : 15	# of people that smoke inside the home	3,473	3,531,857
		=====	=====
		21,976	26,526,558

Coverage: Household respondent

Variable Name: **HS_Q30** Position: 30 Length: 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	1,494	1,596,768
2	11 to 20 cigarettes	1,012	1,058,659
3	21 to 30 cigarettes	520	479,904
4	31 to 40 cigarettes	151	146,510
5	41 or more cigarettes	212	185,322
6	Valid skip	18,503	22,994,701
7	Don't know	82	62,077
8	Refused	1	857
9	Not stated	1	1,760
		=====	=====
		21,976	26,526,558

Coverage: Households where at least one person smokes inside the home

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

		FREQ	WTD
1	Yes	720	648,596
2	No	1,762	2,136,665
6	Valid skip	19,430	23,673,343
7	Don't know	1	2,573
9	Not stated	63	65,382
		=====	=====
		21,976	26,526,558

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	907	1,106,145
2	No	1,575	1,679,116
6	Valid skip	19,430	23,673,343
7	Don't know	1	2,573
9	Not stated	63	65,382
		=====	=====
		21,976	26,526,558

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

		FREQ	WTD
1	Yes	398	417,162
2	No	2,084	2,368,099
6	Valid skip	19,430	23,673,343
7	Don't know	1	2,573
9	Not stated	63	65,382
		=====	=====
		21,976	26,526,558

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Demographic Variables - Person

Variable Name: **DVAGE** *Position:* 37 *Length:* 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 95

		FREQ	WTD
15 : 84	Age of respondent	21,716	26,192,808
85	85 or more	260	333,750
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: On public use microdata file, ages greater than 85 were recoded to 85.

Variable Name: **AGEGRP5** *Position:* 39 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	5,761	2,154,220
2	20-24 years	4,589	2,245,528
3	25-34 years	1,895	4,418,715
4	35-44 years	2,534	5,006,869
5	45 years and over	7,197	12,701,226
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	3,726	1,372,387
02	18-19 years	2,035	781,833
03	20-22 years	2,813	1,399,891
04	23-24 years	1,776	845,637
05	25-44 years	4,429	9,425,585
06	45-64 years	4,689	8,655,191
07	65 years and over	2,508	4,046,035
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: Derived from PA_Q01

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **SS_Q20** *Position:* 45 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	1,235	1,170,259
2	No	17,344	21,597,348
6	Valid skip	3,397	3,758,952
		=====	=====
		21,976	26,526,558

Coverage: Respondents who are not current daily smokers

Variable Name: **SS_Q30** *Position:* 46 *Length:* 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	3,396	3,786,828
2	No	1,236	1,142,382
6	Valid skip	17,344	21,597,348
		=====	=====
		21,976	26,526,558

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **SS_Q40** *Position:* 47 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	8,796	11,965,347
2	No	13,180	14,561,211
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Past Smoking

Variable Name: **PS_Q10** Position: 48 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	3,284	4,098,080
2	No	9,619	10,299,615
6	Valid skip	9,073	12,128,863
		=====	=====
		21,976	26,526,558

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Variable Name: **PS_Q20** Position: 49 Length: 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	4,474	6,886,706
2	No	1,005	1,236,659
6	Valid skip	16,488	18,373,119
7	Don't know	4	16,472
8	Refused	2	12,849
9	Not stated	3	754
		=====	=====
		21,976	26,526,558

Coverage: Former or occasional smokers who did not smoke daily in the past 30 days or who did not smoke at all in the past 30 days.

Variable Name: **PS_Q30** Position: 50 Length: 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 60	Age smoked first cigarette	12,124	15,855,648
96	Valid skip	9,619	10,299,615
97	Don't know	216	340,536
98	Refused	9	16,771
99	Not stated	8	13,988
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever smoked a cigarette

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
04 : 65	Age began to smoke cigarettes daily	7,738	10,416,829
96	Valid skip	14,105	15,880,901
97	Don't know	122	203,806
98	Refused	7	12,276
99	Not stated	4	12,746
		=====	=====
		21,976	26,526,558

Coverage: Respondents who are actually daily smokers or who have ever smoked cigarettes daily

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 80	# of yrs the respondent smoked	4,538	4,812,174
96	Valid skip	17,368	21,591,146
99	Not stated	70	123,238
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Note: Derived from AGE and PS_Q30.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Weekly Pattern

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

<i>Allowed values:</i>	00 : 90		FREQ	WTD
00	None		679	583,688
01 : 75	# of cigarettes smoked-Monday		3,754	4,106,082
96	Valid skip		17,344	21,597,348
97	Don't know		48	50,593
98	Refused		1	10,796
99	Not stated		150	178,051
			=====	=====
			21,976	26,526,558

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Tuesday?

<i>Allowed values:</i>	00 : 90		FREQ	WTD
00	None		673	594,371
01 : 90	# of cigarettes smoked-Tuesday		3,726	4,073,129
96	Valid skip		17,344	21,597,348
97	Don't know		40	56,360
99	Not stated		193	205,350
			=====	=====
			21,976	26,526,558

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Wednesday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	653	566,609
01 : 90	# of cigarettes smoked-Wednesday	3,706	4,082,780
96	Valid skip	17,344	21,597,348
97	Don't know	44	54,585
98	Refused	2	4,781
99	Not stated	227	220,455
		=====	=====
		21,976	26,526,558

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10D** *Position:* 62 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Thursday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	656	562,451
01 : 90	# of cigarettes smoked-Thursday	3,691	4,089,724
96	Valid skip	17,344	21,597,348
97	Don't know	65	58,181
99	Not stated	220	218,854
		=====	=====
		21,976	26,526,558

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10E** *Position:* 64 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Friday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	528	493,390
01 : 90	# of cigarettes smoked-Friday	3,849	4,165,713
96	Valid skip	17,344	21,597,348
97	Don't know	48	30,925
99	Not stated	207	239,182
		=====	=====
		21,976	26,526,558

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10F** *Position:* 66 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Saturday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	504	560,210
01 : 90	# of cigarettes smoked-Saturday	3,900	4,117,513
96	Valid skip	17,344	21,597,348
97	Don't know	48	35,528
99	Not stated	180	215,960
		=====	=====
		21,976	26,526,558

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10G** *Position:* 68 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Sunday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	682	646,879
01 : 90	# of cigarettes smoked-Sunday	3,740	4,043,706
96	Valid skip	17,344	21,597,348
97	Don't know	58	40,027
99	Not stated	152	198,598
		=====	=====
		21,976	26,526,558

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Section: Smoking Behaviour

Variable Name: **SB_Q10** *Position:* 70 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	771	793,032
2	6 to 30 minutes	1,066	1,214,630
3	31 to 60 minutes	633	699,878
4	More than 60 minutes	892	984,345
6	Valid skip	18,579	22,767,607
7	Don't know	21	35,819
8	Refused	4	7,651
9	Not stated	10	23,598
		=====	=====
		21,976	26,526,558

Coverage: Current daily smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **SB_Q20** *Position:* 71 *Length:* 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra light	360	577,371
2	Light	1,613	1,695,288
3	Ultra or extra mild	177	261,515
4	Mild	256	318,369
5	Regular	2,043	1,927,589
6	Valid skip	17,368	21,591,146
7	Don't know	141	118,813
8	Refused	6	12,672
9	Not stated	12	23,795
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Variable Name: **SB_Q30** *Position:* 72 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	227	323,686
2	No	2,148	2,502,719
6	Valid skip	19,411	23,518,735
7	Don't know	31	26,138
9	Not stated	159	155,280
		=====	=====
		21,976	26,526,558

Coverage: Current smokers not smoking regular cigarettes

Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual

Variable Name: **SB_Q40** Position: 73 Length: 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	491	573,519
2	No	1,834	2,165,198
6	Valid skip	19,411	23,518,735
7	Don't know	81	113,826
9	Not stated	159	155,280
		=====	=====
		21,976	26,526,558

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q50** Position: 74 Length: 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

		FREQ	WTD
1	Yes	296	387,648
2	No	2,062	2,425,029
6	Valid skip	19,411	23,518,735
7	Don't know	48	39,866
9	Not stated	159	155,280
		=====	=====
		21,976	26,526,558

Coverage: Current smokers not smoking regular cigarettes

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Cigarette Access

Variable Name: **CA_Q10** Position: 75 Length: 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them from a vending machine	4	638
02	I buy them at a small grocery/corner store	2,398	2,699,752
03	I buy them at a supermarket	447	532,629
04	I buy them at a drug store	66	68,838
05	I buy them at a gasoline station	828	730,998
06	I buy them at another kind of store	85	117,541
07	I buy them from a friend or someone else	70	26,128
08	I buy them by mail order	0	0
09	I buy them from the Internet	1	45
10	My brother or sister gives them to me	4	1,049
11	My mother or father gives them to me	39	11,013
12	A friend or someone else gives them to me	376	261,712
13	I take them from my mother, father or siblings	7	1,309
14	Other	225	363,104
96	Valid skip	17,368	21,591,146
97	Don't know	33	53,040
98	Refusal	13	49,229
99	Not stated	12	18,389
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Variable Name: **CA_Q20** Position: 77 Length: 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	105	34,008
2	No	228	79,795
6	Valid skip	21,642	26,412,648
9	Not stated	1	108
		=====	=====
		21,976	26,526,558

Coverage: Current smokers between the age of 15-18 who don't usually buy cigarettes from a store

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **CA_Q30** *Position:* 78 *Length:* 1

In the past 12 months, have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	256	96,494
2	No	171	59,502
6	Valid skip	21,544	26,369,985
7	Don't know	3	372
9	Not stated	2	205
		=====	=====
		21,976	26,526,558

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** *Position:* 79 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	212	81,350
2	No	216	74,821
6	Valid skip	21,544	26,369,985
7	Don't know	2	197
9	Not stated	2	205
		=====	=====
		21,976	26,526,558

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q50** *Position:* 80 *Length:* 1

In the past 12 months, have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	415	133,051
2	No	242	103,048
6	Valid skip	21,316	26,290,191
7	Don't know	1	64
9	Not stated	2	205
		=====	=====
		21,976	26,526,558

Coverage: Current smokers between the age of 15-18

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Cigarette Source

Variable Name: **CS_Q30** Position: 81 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	698	429,922
2	No	3,864	4,436,298
6	Valid skip	17,368	21,591,146
7	Don't know	21	24,231
8	Refusal	11	21,015
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Variable Name: **CS_Q40** Position: 82 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	386	193,278
2	No	308	235,185
6	Valid skip	21,232	26,027,444
7	Don't know	4	1,459
9	Not stated	46	69,192
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who have ever purchased or gave cigarettes to a minor

Variable Name: **CS_Q50** Position: 83 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	213	102,540
2	No	167	89,314
6	Valid skip	21,540	26,262,629
7	Don't know	6	1,424
9	Not stated	50	70,651
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who in the past 12 months have purchased or gave cigarettes to a minor

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Cheaper Cigarettes

Variable Name: **CC_Q20** *Position:* 84 *Length:* 1

In the past 6 months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	1,783	1,871,000
2	No	2,789	3,001,892
6	Valid skip	17,368	21,591,146
7	Don't know	12	17,936
8	Refused	10	20,638
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Variable Name: **CC_Q30** *Position:* 85 *Length:* 1

In the past 6 months, did you buy:

... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	779	842,487
2	No	3,793	4,023,967
6	Valid skip	17,368	21,591,146
7	Don't know	12	24,374
8	Refused	10	20,638
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual

Variable Name: **CC_Q40** Position: 86 Length: 1

In the past 6 months, did you buy:
... from the Internet?

		FREQ	WTD
1	Yes	11	23,380
2	No	4,570	4,856,392
6	Valid skip	17,368	21,591,146
7	Don't know	3	11,055
8	Refused	10	20,638
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Variable Name: **CC_Q50** Position: 87 Length: 1

In the past 6 months, did you buy:
... by mail order?

		FREQ	WTD
1	Yes	13	10,933
2	No	4,568	4,868,839
6	Valid skip	17,368	21,591,146
7	Don't know	3	11,055
8	Refused	10	20,638
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **CC_Q60** *Position:* 88 *Length:* 1

In the past 6 months, did you buy cigarettes:
... from outside your province?

		FREQ	WTD
1	Yes	694	507,651
2	No	3,884	4,361,345
6	Valid skip	17,368	21,591,146
7	Don't know	4	17,592
8	Refused	12	24,878
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Variable Name: **CC_Q70** *Position:* 89 *Length:* 1

In the past 6 months, did you buy cigarettes:
... that may have been smuggled?

		FREQ	WTD
1	Yes	157	118,244
2	No	4,379	4,726,528
6	Valid skip	17,368	21,591,146
7	Don't know	46	44,905
8	Refused	12	21,788
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Variable Name: **CC_Q80** *Position:* 90 *Length:* 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	278	237,933
2	No	4,294	4,631,504
6	Valid skip	17,368	21,591,146
7	Don't know	9	17,118
8	Refused	13	24,911
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 91 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	9	9,721
03	3 mg	31	58,383
04	4 mg	337	446,074
05	5 mg	0	0
06	6 mg	16	36,844
07	7 mg	34	60,993
08	8 mg	75	145,230
09	9 mg	39	87,461
10	10 mg	240	282,492
11	11 mg	439	648,045
12	12 mg	569	477,676
13	13 mg	1,211	1,103,203
14	14 mg	634	461,146
15	15 mg	444	374,050
16	16 mg	16	22,831
17	17 mg or more	20	17,656
96	Valid skip	17,371	21,598,791
99	Not stated	491	695,963
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who usually smoke the same brand of cigarettes
Note: Derived from CB_Q10.

Variable Name: **DVSST1** *Position:* 93 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	4,608	4,935,412
2	Former smoker	4,465	7,193,451
3	Never smoked	12,903	14,397,696
		=====	=====
		21,976	26,526,558

Coverage: All respondents
Note: SOSIC (Survey on Smoking in Canada) definition.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **DVSST2** *Position:* 94 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	3,397	3,758,952
02	Current occasional smoker	1,211	1,176,460
03	Former daily smoker	3,914	6,307,462
04	Former occasional smoker	545	869,308
05	Experimental smoker	3,284	4,098,080
06	Lifetime abstainer	9,619	10,299,615
99	Not stated	6	16,680
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 96 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	4,632	4,929,210
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	4,425	7,181,427
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	12,919	14,415,922
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **DVSS2** Position: 97 Length: 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	3,590	3,995,195
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	781	788,725
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	3,857	6,250,328
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	562	914,418
05	Beginner: smoked in last 30 days, <100 cigarettes in life	261	145,290
06	Past experimental smoker	3,310	4,120,582
07	Lifetime abstainer	9,609	10,295,340
99	Not stated	6	16,680
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Section: Fire Risk

Variable Name: **FR_Q10** Position: 99 Length: 1

Many people will smoke in bed while watching television or reading. When was the last time you smoked in bed? Was it...

		FREQ	WTD
1	In the past week	610	461,979
2	In the past month	110	67,373
3	Within one to six months	118	135,725
4	More than six months ago	712	689,779
5	Never	3,019	3,518,110
6	Valid skip	17,368	21,591,146
7	Don't know	9	10,823
8	Refused	16	27,676
9	Not stated	14	23,946
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **FR_Q20** *Position:* 100 *Length:* 1

In the past year, how often did you smoke in bed?

		FREQ	WTD
1	Everyday	263	230,486
2	A few times a week	243	148,143
3	Once a week	110	76,174
4	Once a month or less	468	382,739
5	Never	458	503,313
6	Valid skip	20,387	25,109,256
7	Don't know	5	6,043
8	Refused	1	6,537
9	Not stated	41	63,869
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have smoked in bed

Variable Name: **FR_Q30** *Position:* 101 *Length:* 1

Sometimes people fall asleep with a lit cigarette. This could be in bed, on a sofa or in a chair.
When was the last time this happened to you? Was it...

		FREQ	WTD
1	In the past week	16	22,195
2	In the past month	19	25,214
3	Within one to six months	22	22,108
4	More than six months ago	290	278,736
5	Never	4,217	4,513,365
6	Valid skip	17,368	21,591,146
7	Don't know	8	12,758
8	Refused	19	35,583
9	Not stated	17	25,453
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **FR_Q40** *Position:* 102 *Length:* 1

In the past year, how many times did this happen to you?

		FREQ	WTD
1	Never	211	211,599
2	Once	80	70,655
3	Two to five times	38	36,189
4	More than five times	13	28,587
6	Valid skip	21,585	26,104,512
7	Don't know	2	776
8	Refused	2	270
9	Not stated	45	73,971
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have fallen asleep with a lit cigarette

Variable Name: **FR_Q50** *Position:* 103 *Length:* 2

Sometimes people leave a cigarette burning in an ashtray while attending to something else.
When was the last time you did this? Was it...

		FREQ	WTD
01	In the past week	1,061	1,057,700
02	In the past month	262	234,058
03	Within one to six months	213	163,083
04	More than six months ago	563	591,399
05	Never	2,310	2,643,798
06	Don't use ashtrays	103	68,887
96	Valid skip	17,368	21,591,146
97	Don't know	57	114,129
98	Refused	21	36,727
99	Not stated	18	25,631
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **FR_Q60** *Position:* 105 *Length:* 1

In the past year, how often did you leave a cigarette burning in an ashtray while attending to something else?

		FREQ	WTD
1	Everyday	231	244,785
2	A few times a week	355	374,666
3	Once a week	264	307,078
4	Once a month or less	995	834,172
5	Never	219	238,203
6	Valid skip	19,781	24,303,830
7	Don't know	31	43,879
8	Refused	3	3,152
9	Not stated	97	176,793
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have left a cigarette burning in an ashtray

Section: Derived Variables - Person

Variable Name: **DVCIGWK** *Position:* 106 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 557	# of cigs smoked per week	4,274	4,579,677
996	Valid skip	17,344	21,597,348
999	Not stated	358	349,533
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** *Position:* 109 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 80	Avg. # of cigs smoked/day	4,274	4,579,677
96	Valid skip	17,344	21,597,348
99	Not stated	358	349,533
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **DVNDSMK** *Position:* 111 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	4,274	4,579,677
96	Valid skip	17,344	21,597,348
99	Not stated	358	349,533
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 113 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 80	Avg. smoked on the days they smoked	4,274	4,579,677
96	Valid skip	17,344	21,597,348
99	Not stated	358	349,533
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 115 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	3,389	3,719,385
2	Weekdays only	13	38,757
3	Weekend only	9	3,398
4	Did not smoke in last 7 days	229	207,160
5	Other pattern	634	610,977
6	Valid skip	17,344	21,597,348
9	Not stated	358	349,533
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **DVDAILY** *Position:* 116 *Length:* 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 80	Average smoked-Daily smokers	3,166	3,516,097
96	Valid skip	18,579	22,767,607
99	Not stated	231	242,855
		=====	=====
		21,976	26,526,558

Coverage: Daily smokers
Note: Based on WP_Q10A-G.

Variable Name: **DVPRICE** *Position:* 118 *Length:* 1

Derived variable for smokers indicating if they smoke discount or regular price brand

		FREQ	WTD
1	Discount price brand	1,564	1,668,347
2	Regular price brand	2,748	2,928,859
6	Valid skip	17,368	21,591,146
9	Not stated	296	338,206
		=====	=====
		21,976	26,526,558

Coverage: Current smokers
Note: Based on CB_Q10 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation

Variable Name: **SC_Q010** *Position:* 119 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	401	466,375
2	1 to 2 years ago	394	449,863
3	3 to 5 years ago	489	731,041
4	More than 5 years ago	3,163	5,521,663
6	Valid skip	17,511	19,333,108
7	Don't know	7	12,424
8	Refusal	7	7,759
9	Not stated	4	4,326
		=====	=====
		21,976	26,526,558

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q020** *Position:* 120 *Length:* 2

In what month did you stop smoking?

		FREQ	WTD
01	January	45	61,621
02	February	42	62,281
03	March	27	45,839
04	April	37	50,678
05	May	22	23,639
06	June	23	15,883
07	July	25	29,240
08	August	35	17,968
09	September	33	38,796
10	October	35	31,051
11	November	34	36,245
12	December	32	47,111
96	Valid skip	21,557	26,035,675
97	Don't know	11	6,023
99	Not stated	18	24,508
		=====	=====
		21,976	26,526,558

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** *Position:* 122 *Length:* 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	248	329,331
02	Pregnancy or a baby in the household	46	38,712
03	Less stress in life	4	1,963
04	Cost of cigarettes	39	29,058
05	Smoking is less socially acceptable	16	9,239
06	Some other reason	46	55,350
96	Valid skip	21,557	26,035,675
97	Don't know	2	2,722
99	Not stated	18	24,508
		=====	=====
		21,976	26,526,558

Coverage: Respondents who stopped smoking less than one year ago

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q040** *Position:* 124 *Length:* 2

Approximately how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	4,296	6,903,983
96	Valid skip	17,511	19,333,108
97	Don't know	154	272,887
98	Refused	11	12,255
99	Not stated	4	4,326
		=====	=====
		21,976	26,526,558

Coverage: Former smokers

Variable Name: **SC_Q050** *Position:* 126 *Length:* 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Avg. cigs. smoked per day before quit	4,286	6,867,512
96	Valid skip	17,511	19,333,108
97	Don't know	155	290,459
98	Refused	19	31,043
99	Not stated	5	4,436
		=====	=====
		21,976	26,526,558

Coverage: Former smokers

Variable Name: **SC_Q060** *Position:* 128 *Length:* 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	2,874	3,056,584
2	No	1,534	1,626,689
6	Valid skip	17,368	21,591,146
7	Don't know	159	185,079
8	Refused	22	41,126
9	Not stated	19	25,936
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q070** *Position:* 129 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	1,435	1,462,534
2	No	1,258	1,415,781
6	Valid skip	18,902	23,217,835
7	Don't know	181	178,269
9	Not stated	200	252,140
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 130 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00	None	2,167	2,644,605
01 : 94	# of attempts stop smoking for 24 hrs	2,680	2,573,656
96	Valid skip	16,967	21,124,771
97	Don't know	118	107,972
98	Refused	25	49,619
99	Not stated	19	25,936
		=====	=====
		21,976	26,526,558

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** *Position:* 132 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00	None	871	818,823
01 : 52	# of attempts stop smoking for one week	1,802	1,749,935
96	Valid skip	19,265	23,913,935
97	Don't know	19	17,930
99	Not stated	19	25,936
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q100** *Position:* 134 *Length:* 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	19	11,775
02	Stress, need to relax or to calm down	775	763,571
03	Boredom	106	60,711
04	Addiction/habit	562	572,682
05	Lack of support or information	4	907
06	Going out more (bars, parties)	160	122,383
07	Increased availability	8	4,836
08	No reason/felt like it	241	218,047
09	Family or friends smoke	297	280,831
10	Other	200	235,579
96	Valid skip	19,265	23,913,935
97	Don't know	35	33,366
99	Not stated	304	307,934
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **SC_Q110** *Position:* 136 *Length:* 1

Have you tried to quit smoking?

		FREQ	WTD
1	Yes	1,258	1,698,993
2	No	892	843,274
6	Valid skip	19,794	23,921,771
7	Don't know	8	13,360
8	Refused	23	42,905
9	Not stated	1	6,256
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who did not try to quit in the past year

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **STOPSMK** *Position:* 137 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	390	460,353
18	1-2 years	394	449,863
48	3-5 years	489	731,041
60	More than 5 years ago	3,163	5,521,663
96	Valid skip	17,511	19,333,108
99	Not stated	29	30,531
		=====	=====
		21,976	26,526,558

Coverage: Former smokers
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods

Variable Name: **CM_Q10** *Position:* 139 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	534	615,048
2	No	1,103	1,473,413
6	Valid skip	20,320	24,404,667
7	Don't know	8	6,638
8	Refused	11	26,792
		=====	=====
		21,976	26,526,558

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 140 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	956	1,180,880
2	No	2,773	2,648,437
6	Valid skip	18,221	22,657,153
7	Don't know	5	6,132
8	Refused	1	45
9	Not stated	20	33,912
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q40** *Position:* 141 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	675	776,726
2	No	3,057	3,056,701
6	Valid skip	18,221	22,657,153
7	Don't know	2	2,021
8	Refused	1	45
9	Not stated	20	33,912
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q60** *Position:* 142 *Length:* 1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	366	518,651
2	No	3,360	3,308,662
6	Valid skip	18,221	22,657,153
7	Don't know	8	8,136
8	Refused	1	45
9	Not stated	20	33,912
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q80A** *Position:* 143 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You were concerned about possible side effects

		FREQ	WTD
1	Yes	311	271,614
2	No	1,937	1,761,832
6	Valid skip	19,667	24,401,186
7	Don't know	41	58,402
8	Refused	1	94
9	Not stated	19	33,430
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q80B** *Position:* 144 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't believe these products work

		FREQ	WTD
1	Yes	438	400,957
2	No	1,810	1,632,489
6	Valid skip	19,667	24,401,186
7	Don't know	41	58,402
8	Refused	1	94
9	Not stated	19	33,430
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80C** *Position:* 145 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't have enough information about these products

		FREQ	WTD
1	Yes	207	138,180
2	No	2,041	1,895,266
6	Valid skip	19,667	24,401,186
7	Don't know	41	58,402
8	Refused	1	94
9	Not stated	19	33,430
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q80D** *Position:* 146 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... They cost too much

		FREQ	WTD
1	Yes	452	317,364
2	No	1,796	1,716,082
6	Valid skip	19,667	24,401,186
7	Don't know	41	58,402
8	Refused	1	94
9	Not stated	19	33,430
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80E** *Position:* 147 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... Some other reason

		FREQ	WTD
1	Yes	1,382	1,332,419
2	No	866	701,027
6	Valid skip	19,667	24,401,186
7	Don't know	41	58,402
8	Refused	1	94
9	Not stated	19	33,430
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Other Cessation Methods

Variable Name: **OM_Q030** Position: 148 Length: 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	1,221	1,082,915
2	No	2,505	2,742,821
6	Valid skip	18,240	22,690,583
7	Don't know	3	2,242
8	Refused	5	3,400
9	Not stated	2	4,597
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** Position: 149 Length: 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	2,492	2,378,887
2	No	1,231	1,445,881
6	Valid skip	18,240	22,690,583
7	Don't know	6	3,210
8	Refused	5	3,400
9	Not stated	2	4,597
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q130** Position: 150 Length: 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	535	600,107
2	No	80	108,814
6	Valid skip	21,361	25,817,638
		=====	=====
		21,976	26,526,558

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Cessation Products

Variable Name: **CP_Q10** *Position:* 151 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? For example, in a meeting, on a plane, at school?

		FREQ	WTD
1	Yes	369	404,692
2	No	4,183	4,438,230
6	Valid skip	17,368	21,591,146
7	Don't know	8	16,404
8	Refused	28	46,035
9	Not stated	20	30,050
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

Section: Health Professionals

Variable Name: **HP_Q010** *Position:* 152 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	3,433	3,695,794
2	No	1,114	1,147,379
6	Valid skip	17,368	21,591,146
7	Don't know	11	15,153
8	Refused	30	47,036
9	Not stated	20	30,050
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q020** *Position:* 153 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	1,612	1,856,893
2	No	1,810	1,831,384
6	Valid skip	18,482	22,738,525
7	Don't know	10	4,465
8	Refused	1	3,052
9	Not stated	61	92,239
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who saw a doctor in the past 12 months

Variable Name: **HP_Q030** *Position:* 154 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	799	989,350
2	No	809	856,917
6	Valid skip	20,292	24,569,909
7	Don't know	4	10,626
9	Not stated	72	99,756
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 155 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	2,696	2,862,820
2	No	1,845	1,964,697
6	Valid skip	17,368	21,591,146
7	Don't know	16	28,264
8	Refused	31	49,581
9	Not stated	20	30,050
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q050** *Position:* 156 *Length:* 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	779	958,682
2	No	1,903	1,879,270
6	Valid skip	19,213	23,555,843
7	Don't know	11	21,740
8	Refused	3	3,127
9	Not stated	67	107,895
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who saw a dentist in the past 12 months

Variable Name: **HP_Q060** *Position:* 157 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	208	231,848
2	No	564	713,004
6	Valid skip	21,116	25,435,114
7	Don't know	7	13,830
9	Not stated	81	132,763
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** *Position:* 158 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	1,952	2,214,208
2	No	2,593	2,616,295
6	Valid skip	17,368	21,591,146
7	Don't know	11	24,926
8	Refused	32	49,932
9	Not stated	20	30,050
		=====	=====
		21,976	26,526,558

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q110** *Position:* 159 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	296	314,080
2	No	1,653	1,899,049
6	Valid skip	19,961	24,207,441
7	Don't know	3	1,079
9	Not stated	63	104,909
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Variable Name: **HP_Q120** *Position:* 160 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	217	240,044
2	No	79	74,035
6	Valid skip	21,614	26,106,490
9	Not stated	66	105,988
		=====	=====
		21,976	26,526,558

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Section: Smoking and Pregnancy

Variable Name: **SP_Q10** *Position:* 161 *Length:* 1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	1,238	1,758,048
2	No	3,676	3,983,408
6	Valid skip	17,031	20,740,841
7	Don't know	6	7,527
8	Refused	19	33,232
9	Not stated	6	3,503
		=====	=====
		21,976	26,526,558

Coverage: Women aged 20-44

Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual

Variable Name: **SP_Q20** *Position:* 162 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	222	172,493
2	No	325	329,872
6	Valid skip	21,396	25,978,442
7	Don't know	1	104
8	Refused	1	1,386
9	Not stated	31	44,262
		=====	=====
		21,976	26,526,558

Coverage: Women aged 20-44 who are daily, occasional or former smokers (who quit less than 5 years ago) and were pregnant in the last five years

Variable Name: **SP_Q30** *Position:* 163 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	142	127,234
2	No	1,065	1,610,362
3	Not applicable (no spouse/partner)	29	16,791
6	Valid skip	20,707	24,724,249
8	Refusal	2	3,661
9	Not stated	31	44,262
		=====	=====
		21,976	26,526,558

Coverage: Women aged 20-44 who were pregnant in the last 5 years

Section: Tobacco Products

Variable Name: **TP_Q010** *Position:* 164 *Length:* 1

Have you ever tried smoking a cigar or cigarillos?

		FREQ	WTD
1	Yes	8,961	10,600,928
2	No	12,929	15,805,106
7	Don't know	8	21,081
8	Refused	44	51,479
9	Not stated	34	47,964
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q020** *Position:* 165 *Length:* 1

In the past 30 days, did you smoke any cigars or cigarillos?

		FREQ	WTD
1	Yes	1,364	1,087,474
2	No	7,596	9,512,947
6	Valid skip	12,929	15,805,106
8	Refused	1	506
9	Not stated	86	120,524
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever smoked a cigar or cigarillo

Variable Name: **TP_Q030** *Position:* 166 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	2,801	3,917,337
2	No	19,087	22,478,895
7	Don't know	6	22,494
8	Refused	45	51,881
9	Not stated	37	55,951
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 167 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	156	129,054
2	No	2,645	3,788,283
6	Valid skip	19,087	22,478,895
9	Not stated	88	130,327
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever smoked a pipe

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q050** *Position:* 168 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	2,289	2,203,661
2	No	19,596	24,185,843
7	Don't know	7	28,320
8	Refused	47	52,783
9	Not stated	37	55,951
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 169 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	230	139,849
2	No	2,058	2,062,954
6	Valid skip	19,596	24,185,843
7	Don't know	1	858
9	Not stated	91	137,054
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable Name: **TP_Q075** *Position:* 170 *Length:* 1

Have you ever tried smoking herbal cigarettes (these are tobacco free cigarettes often found in natural food stores)?

		FREQ	WTD
1	Yes	961	1,032,009
2	No	20,918	25,351,008
7	Don't know	13	34,808
8	Refusal	47	52,783
9	Not stated	37	55,951
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q076** *Position:* 171 *Length:* 1

In the past 30 days, did you smoke any herbal cigarettes?

		FREQ	WTD
1	Yes	77	60,423
2	No	884	971,585
6	Valid skip	20,918	25,351,008
9	Not stated	97	143,542
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever tried to smoke herbal cigarettes

Variable Name: **TP_Q085** *Position:* 172 *Length:* 1

Have you ever tried a water-pipe, also known as a hookah, sheesha, narg-eelay, hubble-bubble, or gouza, to smoke tobacco? (It is a tall container with water at the bottom that the air bubbles through and it has a long hose coming out of it that people smoke through. It is somewhat popular in the Middle East and is often used with flavoured tobacco).

		FREQ	WTD
1	Yes	773	926,501
2	No	21,098	25,445,679
7	Don't know	17	44,037
8	Refusal	51	54,390
9	Not stated	37	55,951
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **TP_Q086** *Position:* 173 *Length:* 1

Do you believe that smoking tobacco in a water-pipe is less harmful than smoking cigarettes?

		FREQ	WTD
1	Yes	203	239,708
2	No	497	579,781
6	Valid skip	21,098	25,445,679
7	Don't know	72	105,272
8	Refusal	1	1,741
9	Not stated	105	154,378
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever tried smoking tobacco in a water-pipe

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q087** *Position:* 174 *Length:* 1

Do you believe that smoking tobacco in a water-pipe reduces the amount of tar you inhale, compared to smoking cigarettes?

		FREQ	WTD
1	Yes	242	272,747
2	No	440	540,132
6	Valid skip	21,098	25,445,679
7	Don't know	90	111,882
8	Refusal	1	1,741
9	Not stated	105	154,378
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever tried smoking tobacco in a water-pipe

Variable Name: **TP_Q088** *Position:* 175 *Length:* 1

Do you believe that smoking tobacco in a water-pipe reduces the risk to your health, compared to smoking cigarettes?

		FREQ	WTD
1	Yes	169	195,509
2	No	537	616,469
6	Valid skip	21,098	25,445,679
7	Don't know	65	106,477
8	Refusal	2	8,046
9	Not stated	105	154,378
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever tried smoking tobacco in a water-pipe

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Opinions on Smoking

Variable Name: **OS_Q10** *Position:* 176 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	15,192	18,016,187
2	Smoking should be allowed only in a section of a restaurant that is enclosed	3,824	4,489,100
3	Smoking should be allowed only in a designated section of a restaurant	2,441	3,201,679
4	Smoking should be allowed anywhere in a restaurant	277	420,464
7	Don't know	139	218,429
8	Refused	63	118,696
9	Not stated	40	62,003
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 177 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	9,949	12,349,880
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	5,388	6,088,854
3	Smoking should be allowed only in a designated section of a bar or tavern	3,762	4,485,240
4	Smoking should be allowed anywhere in a bar or tavern	2,104	2,436,831
7	Don't know	643	938,416
8	Refused	88	164,738
9	Not stated	42	62,599
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **OS_Q30** *Position:* 178 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	7,182	10,330,636
2	Smoking should be allowed only in enclosed smoking areas in the workplace	2,294	3,258,904
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	11,872	12,070,715
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	284	365,736
7	Don't know	221	313,633
8	Refused	81	124,336
9	Not stated	42	62,599
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Section: Exposure to Second-hand Smoke

Variable Name: **EX_Q010** *Position:* 179 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	8,213	6,547,473
2	No	13,590	19,741,288
7	Don't know	39	54,686
8	Refused	90	119,322
9	Not stated	44	63,789
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q020** *Position:* 180 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... inside someone else's home?

		FREQ	WTD
1	Yes	8,427	7,648,173
2	No	13,372	18,614,758
7	Don't know	39	79,336
8	Refused	92	119,666
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **EX_Q030** *Position:* 181 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	7,007	8,252,234
2	No	14,766	17,970,810
7	Don't know	61	108,910
8	Refused	96	129,977
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **EX_Q040** *Position:* 182 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... inside a restaurant?

		FREQ	WTD
1	Yes	2,124	3,390,193
2	No	19,668	22,856,176
7	Don't know	42	85,575
8	Refused	96	129,989
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q050** *Position:* 183 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a bar or tavern?

		FREQ	WTD
1	Yes	2,844	3,409,996
2	No	18,959	22,829,401
7	Don't know	31	92,546
8	Refused	96	129,989
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **EX_Q060** *Position:* 184 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	3,669	3,974,087
2	No	18,113	22,260,399
7	Don't know	51	97,438
8	Refused	97	130,008
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **EX_Q070** *Position:* 185 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	11,567	13,241,560
2	No	10,165	12,929,074
7	Don't know	99	158,742
8	Refused	99	132,556
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q080** *Position:* 186 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your workplace?

		FREQ	WTD
1	Yes	4,971	6,012,687
2	No	16,824	20,229,914
7	Don't know	35	84,721
8	Refused	100	134,610
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **EX_Q090** *Position:* 187 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your school?

		FREQ	WTD
1	Yes	3,723	2,060,918
2	No	18,070	24,181,058
7	Don't know	37	85,346
8	Refused	100	134,610
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **EX_Q100** *Position:* 188 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	8,393	8,870,720
2	No	13,341	17,320,316
7	Don't know	92	135,092
8	Refused	104	135,804
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q110** *Position:* 189 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	12,198	13,393,175
2	No	9,492	12,679,645
7	Don't know	132	251,942
8	Refused	108	137,171
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **EX_Q120** *Position:* 190 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... anywhere else?

		FREQ	WTD
1	Yes	749	1,119,511
2	No	20,984	25,033,864
7	Don't know	90	169,655
8	Refused	107	138,903
9	Not stated	46	64,626
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q130** *Position:* 191 *Length:* 1

Overall, (excluding your own smoking), in the past month were you exposed to second-hand smoke?

		FREQ	WTD
1	Every day	2,651	2,506,790
2	Almost every day	2,757	2,718,654
3	At least once a week	6,701	7,718,444
4	At least once in the past month	6,296	8,120,816
6	Valid skip	3,396	5,213,824
7	Don't know	143	208,206
8	Refused	31	37,648
9	Not stated	1	2,177
		=====	=====
		21,976	26,526,558

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

Section: Language and Education

Variable Name: **LA_Q10** *Position:* 192 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	17,891	17,694,282
2	French	2,617	5,635,293
3	Both English and French	149	255,255
4	Other	1,154	2,755,021
7	Don't know	9	14,797
8	Refused	97	102,099
9	Not stated	59	69,812
		=====	=====
		21,976	26,526,558

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **DVEDUC** Position: 193 Length: 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	6,563	4,972,730
2	Completed secondary	8,762	9,556,639
3	Completed community college, technical college, CEGEP or nurse's college	2,714	4,300,022
4	Completed university or teacher's college	3,554	7,004,083
9	Not stated	383	693,084
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Variable Name: **GPLA_Q20** Position: 194 Length: 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	258	410,903
02	Completed elementary	395	408,024
03	Some secondary	5,910	4,153,802
04	Completed secondary	5,107	5,851,700
05	Some community college, technical college, CEGEP or nurse's training	1,080	1,286,854
06	Completed community college, technical college, CEGEP or nurse's training	2,714	4,300,022
07	Some university or teacher's college	2,355	2,038,821
08	Completed university or teacher's college	3,554	7,004,083
09	Other education or training	220	379,264
99	Not stated	383	693,084
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Section: Labour Force

Variable Name: **LF_Q10** *Position:* 196 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	16,291	18,922,896
2	No	5,468	7,289,403
7	Don't know	14	23,235
8	Refused	156	224,222
9	Not stated	47	66,803
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **LF_Q50** *Position:* 197 *Length:* 1

At your place of work, what (are/were) the restrictions on smoking?

		FREQ	WTD
1	Restricted completely	6,303	8,189,027
2	Allowed in designated areas	7,160	8,059,084
3	Restricted only in certain places	1,219	1,291,790
4	Not restricted at all	1,288	1,039,611
6	Valid skip	5,468	7,289,403
7	Don't know	285	266,502
8	Refused	31	67,566
9	Not stated	222	323,575
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have worked at a job or business in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **DVSOC10** *Position:* 198 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	678	1,257,648
02	Business, Finance and Administrative Occupations	2,486	3,510,209
03	Natural and Applied Sciences and Related Occupations	828	1,422,229
04	Health Occupations	853	1,116,126
05	Occupations in Social Science, Education, Government Service and Religion	915	1,445,315
06	Occupations in Art, Culture, Recreation and Sport	573	608,548
07	Sales and Service Occupations	5,813	4,648,055
08	Trades, Transport and Equipment Operators and Related Occupations	1,985	2,495,146
09	Occupations Unique to Primary Industry	909	598,421
10	Occupations Unique to Processing, Manufacturing and Utilities	769	966,817
96	Valid Skip	5,468	7,289,403
99	Not Stated	699	1,168,640
		=====	=====
		21,976	26,526,558

Coverage: Persons who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the 1991 Standard Occupational Classification (SOC).

Section: Student Income

Variable Name: **SI_Q10** *Position:* 200 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	6,506	2,728,415
2	No	3,759	1,631,562
6	Valid skip	11,626	22,126,811
7	Don't know	16	2,690
8	Refused	53	33,844
9	Not stated	16	3,237
		=====	=====
		21,976	26,526,558

Coverage: Respondents less than 25 years of age

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **SI_G20** Position: 201 Length: 2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	290	115,800
02	\$010 to \$024	1,423	557,151
03	\$025 to \$049	1,017	383,659
04	\$050 to \$099	1,284	534,920
05	\$100 to \$199	1,251	540,452
06	\$200 or more	807	385,628
96	Valid Skip	15,385	23,758,373
99	Not Stated	519	250,575
		=====	=====
		21,976	26,526,558

Coverage: Persons below 25 years of age who currently attend a school, college or university
Note: Derived from SI_Q20.

Section: Marijuana Use

Variable Name: **MU_Q10** Position: 203 Length: 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	1,533	1,950,303
2	Yes, more than once	7,053	7,914,081
3	No	12,914	15,880,740
7	Don't know	58	121,273
8	Refusal	370	593,339
9	Not stated	48	66,821
		=====	=====
		21,976	26,526,558

Coverage: All respondents

Variable Name: **MU_Q20** Position: 204 Length: 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	3,174	2,439,240
2	No	5,407	7,418,832
6	Valid skip	12,914	15,880,740
7	Don't know	2	3,562
8	Refused	3	2,751
9	Not stated	476	781,434
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever used marijuana, cannabis or hashish

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

Variable Name: **MU_Q30** *Position:* 205 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	1,071	906,465
2	1 to 3 times a month	703	498,247
3	Once a week	378	306,448
4	More than once a week	456	328,510
5	Every day	394	302,783
6	Valid skip	18,483	23,391,124
7	Don't know	4	817
8	Refused	6	4,418
9	Not stated	481	787,747
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 206 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
04 : 88	Age first used marijuana	8,512	9,756,269
96	Valid skip	12,914	15,880,740
97	Don't know	63	98,167
98	Refused	11	9,948
99	Not stated	476	781,434
		=====	=====
		21,976	26,526,558

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 208 *Length:* 12.4

Six month survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual

INDEX

A	
AGE0014	3
AGE1524	3
AGE2544	3
AGE45PL.....	4
AGEGRP5.....	8
AGEGRP7.....	8
C	
CA_Q10	19
CA_Q20	19
CA_Q30	20
CA_Q40	20
CA_Q50	20
CC_Q20	22
CC_Q30	22
CC_Q40	23
CC_Q50	23
CC_Q60	24
CC_Q70	24
CC_Q80	24
CM_Q10	37
CM_Q20	37
CM_Q40	38
CM_Q60	38
CM_Q80A.....	38
CM_Q80B.....	39
CM_Q80C.....	39
CM_Q80D.....	40
CM_Q80E.....	40
CP_Q10.....	42
CS_Q30.....	21
CS_Q40.....	21
CS_Q50.....	21
D	
DVAGE.....	8
DVAVCIG7	30
DVAVCIGD	31
DVCIGWK	30
DVDAILY	32
DVEDUC.....	58
DVLOWTAR.....	25
DVMARST	9
DVNDSMK	31
DVPRICE	32
DVSMKPTN.....	31
DVSOC10.....	60
DVSS1	26
DVSS2	27
DVSST1	25
DVSST2.....	26
DVURBAN.....	2
DVYRSSMK	12
E	
EX_Q010	52
EX_Q020	53
EX_Q030	53
EX_Q040	53
EX_Q050	54
EX_Q060	54
EX_Q070	54
EX_Q080	55
EX_Q090	55
EX_Q100	55
EX_Q110	56
EX_Q120	56
EX_Q130	57
F	
FR_Q10.....	27
FR_Q20.....	28
FR_Q30.....	28
FR_Q40.....	29
FR_Q50.....	29
FR_Q60.....	30
G	
GPLA_Q20	58
H	
HHSIZE	2
HHTYPE.....	4
HP_Q010.....	42
HP_Q020.....	43
HP_Q030.....	43
HP_Q040.....	43
HP_Q050.....	44
HP_Q060.....	44

**Canadian Tobacco Use Monitoring Survey - 2006
Public Use Microdata File (Person) - Annual**

HP_Q100.....	44	SC_Q010.....	32
HP_Q110.....	45	SC_Q020.....	33
HP_Q120.....	45	SC_Q030.....	33
HS_Q10.....	5	SC_Q040.....	34
HS_Q20.....	5	SC_Q050.....	34
HS_Q30.....	5	SC_Q060.....	34
HS_Q40.....	6	SC_Q070.....	35
HS_Q50.....	6	SC_Q080.....	35
HS_Q60A.....	6	SC_Q090.....	35
HS_Q60B.....	7	SC_Q100.....	36
HS_Q60C.....	7	SC_Q110.....	36
HS_Q60D.....	7	SEX.....	9
L		SI_G20.....	61
LA_Q10.....	57	SI_Q10.....	60
LF_Q10.....	59	SP_Q10.....	45
LF_Q50.....	59	SP_Q20.....	46
M		SP_Q30.....	46
MU_Q10.....	61	SS_Q10.....	9
MU_Q20.....	61	SS_Q20.....	10
MU_Q30.....	62	SS_Q30.....	10
MU_Q40.....	62	SS_Q40.....	10
O		STOPSMK.....	37
OM_Q030.....	41	T	
OM_Q070.....	41	TP_Q010.....	46
OM_Q130.....	41	TP_Q020.....	47
OS_Q10.....	51	TP_Q030.....	47
OS_Q20.....	51	TP_Q040.....	47
OS_Q30.....	52	TP_Q050.....	48
P		TP_Q060.....	48
PROV.....	2	TP_Q075.....	48
PS_Q10.....	11	TP_Q076.....	49
PS_Q20.....	11	TP_Q085.....	49
PS_Q30.....	11	TP_Q086.....	49
PS_Q40.....	12	TP_Q087.....	50
PUMFID.....	1	TP_Q088.....	50
R		W	
REFMONTH.....	1	WP_Q10A.....	13
REFYEAR.....	1	WP_Q10B.....	13
S		WP_Q10C.....	14
SB_Q10.....	16	WP_Q10D.....	14
SB_Q20.....	17	WP_Q10E.....	15
SB_Q30.....	17	WP_Q10F.....	15
SB_Q40.....	18	WP_Q10G.....	16
SB_Q50.....	18	WTPP.....	62