

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Weekly Pattern.....	12
Smoking Behaviour.....	16
Cigarette Access.....	18
Cigarette Source	20
Cheaper Cigarettes.....	21
Derived Variables - Person	24
Fire Risk.....	26
Derived Variables - Person	29
Smoking Cessation	31
Cessation Methods	36
Other Cessation Methods	40
Cessation Products.....	41
Health Professionals.....	41
Smoking and Pregnancy.....	44
Tobacco Products.....	45
Opinions on Smoking.....	50
Exposure to Second-hand Smoke	51
Language and Education	56
Labour Force	58
Student Income.....	59
Marijuana Use.....	60
Weight Variable.....	61

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

2006 : 2006	Survey year	FREQ	WTD
		9,954	26,428,475
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

02 : 06	Survey month	FREQ	WTD
		9,954	26,428,475
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	991	429,490
11	Prince Edward Island	931	112,445
12	Nova Scotia	1,024	777,020
13	New Brunswick	1,079	620,955
24	Quebec	976	6,281,657
35	Ontario	948	10,266,000
46	Manitoba	1,063	933,714
47	Saskatchewan	1,024	782,824
48	Alberta	980	2,659,381
59	British Columbia	938	3,564,988
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	7,063	20,766,109
2	Rural	2,654	4,998,051
9	Not stated	237	664,315
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	8,587	23,254,009
05	5 or more	1,367	3,174,466
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	7,130	18,824,543
01	One	1,613	3,479,402
02	Two or more	1,211	4,124,530
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	4,241	17,823,574
01	One	3,561	4,800,714
02	Two or more	2,152	3,804,187
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	5,450	13,139,535
01	One	2,513	5,802,698
02	Two or more	1,991	7,486,242
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	3,658	9,363,714
01	One	2,699	6,036,305
02	Two or more	3,597	11,028,456
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	57	37,837
02	Households with only 20-24 year old members	393	479,956
03	Households with only 25-44 year old members	620	2,902,842
04	Households with only 45-64 year old members	1,153	3,947,792
05	Households with only 65+ year old members	959	3,006,815
06	Households with adults and children 0-11 only	983	3,795,872
07	Households with adults and teens 12-19 only	3,016	4,833,662
08	Households with adults and young children and teens 0-19 only	963	2,134,149
09	Other compositions	1,810	5,289,549
		=====	=====
		9,954	26,428,475

Coverage: All households

Note: Derived from the roster entries

Section: Household Smoking

Variable Name: **HS_Q10** *Position:* 27 *Length:* 1

(Do you/Does anyone in your household) smoke cigarettes?

		FREQ	WTD
1	Yes	3,175	6,968,997
2	No	6,779	19,459,478
		=====	=====
		9,954	26,428,475

Coverage: Household respondent

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

<i>Allowed values:</i>	00 : 15		FREQ	WTD
00	None		8,312	22,912,026
01 : 15	# of people that smoke inside the home		1,642	3,516,450
			=====	=====
			9,954	26,428,475

Coverage: Household respondent

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

			FREQ	WTD
1	1 to 10 cigarettes		694	1,494,201
2	11 to 20 cigarettes		487	1,123,214
3	21 to 30 cigarettes		248	479,359
4	31 to 40 cigarettes		74	185,856
5	41 or more cigarettes		98	170,234
6	Valid skip		8,312	22,912,026
7	Don't know		40	61,932
8	Refused		1	1,653
			=====	=====
			9,954	26,428,475

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

			FREQ	WTD
1	Yes		925	2,677,817
2	No		7,374	20,219,914
6	Valid skip		1,642	3,516,450
7	Don't know		13	14,294
			=====	=====
			9,954	26,428,475

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	1,148	2,740,640
2	No	1,413	3,434,756
6	Valid skip	7,374	20,219,914
7	Don't know	6	18,871
9	Not stated	13	14,294
		=====	=====
		9,954	26,428,475

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed in certain rooms only

		FREQ	WTD
1	Yes	826	1,950,726
2	No	322	789,913
6	Valid skip	8,787	23,654,670
9	Not stated	19	33,165
		=====	=====
		9,954	26,428,475

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

		FREQ	WTD
1	Yes	324	517,206
2	No	824	2,223,433
6	Valid skip	8,787	23,654,670
9	Not stated	19	33,165
		=====	=====
		9,954	26,428,475

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	410	963,704
2	No	738	1,776,936
6	Valid skip	8,787	23,654,670
9	Not stated	19	33,165
		=====	=====
		9,954	26,428,475

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

		FREQ	WTD
1	Yes	178	404,391
2	No	970	2,336,248
6	Valid skip	8,787	23,654,670
9	Not stated	19	33,165
		=====	=====
		9,954	26,428,475

Coverage: Households where smoking is restricted inside the home

Section: Demographic Variables - Person

Variable Name: **DVAGE** *Position:* 37 *Length:* 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 95

		FREQ	WTD
15 : 84	Age of respondent	9,833	26,114,085
85	85 or more	121	314,390
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: On public use microdata file, ages greater than 85 were recoded to 85.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **AGEGRP5** *Position:* 39 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	2,636	2,147,806
2	20-24 years	2,084	2,241,710
3	25-34 years	890	4,407,232
4	35-44 years	1,105	5,018,964
5	45 years and over	3,239	12,612,763
		=====	=====
		9,954	26,428,475

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,684	1,324,452
02	18-19 years	952	823,353
03	20-22 years	1,269	1,392,465
04	23-24 years	815	849,246
05	25-44 years	1,995	9,426,196
06	45-64 years	2,100	8,593,008
07	65 years and over	1,139	4,019,755
		=====	=====
		9,954	26,428,475

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 42 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	4,629	13,029,021
2	Female	5,325	13,399,455
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVMARST** *Position:* 43 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	3,706	16,394,422
2	Widowed/Divorced/Separated	1,135	2,924,325
3	Single, never married	4,926	6,491,423
9	Not stated	187	618,305
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Section: Smoking Status

Variable Name: **SS_Q10** *Position:* 44 *Length:* 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	1,540	3,566,350
2	Occasionally	535	1,104,478
3	Not at all	7,879	21,757,647
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **SS_Q20** *Position:* 45 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	543	1,107,723
2	No	7,871	21,754,402
6	Valid skip	1,540	3,566,350
		=====	=====
		9,954	26,428,475

Coverage: Respondents who are not current daily smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **SS_Q30** *Position:* 46 *Length:* 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	1,518	3,602,438
2	No	565	1,071,635
6	Valid skip	7,871	21,754,402
		=====	=====
		9,954	26,428,475

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **SS_Q40** *Position:* 47 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	3,975	11,518,113
2	No	5,979	14,910,362
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Section: Past Smoking

Variable Name: **PS_Q10** *Position:* 48 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,541	4,323,942
2	No	4,319	10,388,477
6	Valid skip	4,094	11,716,056
		=====	=====
		9,954	26,428,475

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **PS_Q20** *Position:* 49 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	1,999	6,602,270
2	No	479	1,312,112
6	Valid skip	7,472	18,456,555
7	Don't know	2	28,292
8	Refused	2	29,247
		=====	=====
		9,954	26,428,475

Coverage: Former or occasional smokers who did not smoke daily in the past 30 days or who did not smoke at all in the past 30 days.

Variable Name: **PS_Q30** *Position:* 50 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 60	Age smoked first cigarette	5,548	15,715,134
96	Valid skip	4,319	10,388,477
97	Don't know	79	276,670
98	Refused	4	16,221
99	Not stated	4	31,973
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
07 : 65	Age began to smoke cigarettes daily	3,485	9,981,878
96	Valid skip	6,415	16,259,855
97	Don't know	50	149,755
98	Refused	1	6,328
99	Not stated	3	30,660
		=====	=====
		9,954	26,428,475

Coverage: Respondents who are actually daily smokers or who have ever smoked cigarettes daily

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 80	# of yrs the respondent smoked	2,051	4,545,164
96	Valid skip	7,879	21,757,647
99	Not stated	24	125,664
		=====	=====
		9,954	26,428,475

Coverage: Current smokers
Note: Derived from AGE and PS_Q30.

Section: Weekly Pattern

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	310	667,303
01 : 75	# of cigarettes smoked-Monday	1,684	3,796,120
96	Valid skip	7,871	21,754,402
97	Don't know	25	51,071
98	Refused	1	23,849
99	Not stated	63	135,731
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Tuesday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	306	669,340
01 : 75	# of cigarettes smoked-Tuesday	1,672	3,780,930
96	Valid skip	7,871	21,754,402
97	Don't know	22	44,002
99	Not stated	83	179,801
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Wednesday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	303	639,067
01 : 75	# of cigarettes smoked-Wednesday	1,656	3,772,443
96	Valid skip	7,871	21,754,402
97	Don't know	21	26,900
99	Not stated	103	235,662
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **WP_Q10D** *Position:* 62 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Thursday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	302	620,956
01 : 75	# of cigarettes smoked-Thursday	1,657	3,782,049
96	Valid skip	7,871	21,754,402
97	Don't know	21	26,479
99	Not stated	103	244,590
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10E** *Position:* 64 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Friday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	234	494,051
01 : 75	# of cigarettes smoked-Friday	1,729	3,906,330
96	Valid skip	7,871	21,754,402
97	Don't know	19	44,385
99	Not stated	101	229,307
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **WP_Q10F** *Position:* 66 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Saturday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	228	569,390
01 : 75	# of cigarettes smoked-Saturday	1,742	3,855,179
96	Valid skip	7,871	21,754,402
97	Don't know	21	36,384
99	Not stated	92	213,120
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10G** *Position:* 68 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Sunday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	315	655,037
01 : 75	# of cigarettes smoked-Sunday	1,663	3,790,912
96	Valid skip	7,871	21,754,402
97	Don't know	33	45,892
99	Not stated	72	182,233
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Smoking Behaviour

Variable Name: **SB_Q10** *Position:* 70 *Length:* 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	357	850,586
2	6 to 30 minutes	472	1,042,819
3	31 to 60 minutes	290	685,155
4	More than 60 minutes	406	944,372
6	Valid skip	8,414	22,862,125
7	Don't know	7	5,376
9	Not stated	8	38,042
		=====	=====
		9,954	26,428,475

Coverage: Current daily smokers

Variable Name: **SB_Q20** *Position:* 71 *Length:* 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra light	150	530,855
2	Light	742	1,538,668
3	Ultra or extra mild	81	201,041
4	Mild	122	300,590
5	Regular	914	1,956,830
6	Valid skip	7,879	21,757,647
7	Don't know	57	103,409
8	Refused	1	1,392
9	Not stated	8	38,042
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **SB_Q30** *Position:* 72 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	85	225,208
2	No	1,001	2,332,377
6	Valid skip	8,793	23,714,477
7	Don't know	9	13,569
9	Not stated	66	142,844
		=====	=====
		9,954	26,428,475

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q40** *Position:* 73 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	200	463,986
2	No	865	2,009,993
6	Valid skip	8,793	23,714,477
7	Don't know	30	97,176
9	Not stated	66	142,844
		=====	=====
		9,954	26,428,475

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q50** *Position:* 74 *Length:* 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

		FREQ	WTD
1	Yes	120	349,811
2	No	957	2,195,614
6	Valid skip	8,793	23,714,477
7	Don't know	18	25,729
9	Not stated	66	142,844
		=====	=====
		9,954	26,428,475

Coverage: Current smokers not smoking regular cigarettes

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Cigarette Access

Variable Name: **CA_Q10** *Position:* 75 *Length:* 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them from a vending machine	2	1,142
02	I buy them at a small grocery/corner store	1,108	2,619,761
03	I buy them at a supermarket	205	493,460
04	I buy them at a drug store	30	65,193
05	I buy them at a gasoline station	352	630,190
06	I buy them at another kind of store	36	104,467
07	I buy them from a friend or someone else	33	22,703
08	I buy them by mail order	0	0
09	I buy them from the Internet	0	0
10	My brother or sister gives them to me	3	1,008
11	My mother or father gives them to me	17	11,163
12	A friend or someone else gives them to me	160	293,985
13	I take them from my mother, father or siblings	4	1,071
14	Other	98	306,071
96	Valid skip	7,879	21,757,647
97	Don't know	12	24,223
98	Refusal	6	54,703
99	Not stated	9	41,687
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

Variable Name: **CA_Q20** *Position:* 77 *Length:* 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	41	24,173
2	No	105	91,044
6	Valid skip	9,807	26,313,024
9	Not stated	1	234
		=====	=====
		9,954	26,428,475

Coverage: Current smokers between the age of 15-18 who don't usually buy cigarettes from a store

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

Variable Name: **CA_Q30** *Position:* 78 *Length:* 1

In the past 12 months, have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	128	108,135
2	No	85	56,322
6	Valid skip	9,740	26,263,784
9	Not stated	1	234
		=====	=====
		9,954	26,428,475

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** *Position:* 79 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	105	99,637
2	No	108	64,820
6	Valid skip	9,740	26,263,784
9	Not stated	1	234
		=====	=====
		9,954	26,428,475

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q50** *Position:* 80 *Length:* 1

In the past 12 months, have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	202	147,172
2	No	116	108,330
6	Valid skip	9,635	26,172,740
9	Not stated	1	234
		=====	=====
		9,954	26,428,475

Coverage: Current smokers between the age of 15-18

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Cigarette Source

Variable Name: **CS_Q30** Position: 81 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	337	408,474
2	No	1,716	4,183,189
6	Valid skip	7,879	21,757,647
7	Don't know	9	11,332
8	Refusal	4	29,670
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

Variable Name: **CS_Q40** Position: 82 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	184	213,442
2	No	151	193,897
6	Valid skip	9,595	25,940,836
7	Don't know	2	1,136
9	Not stated	22	79,165
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who have ever purchased or gave cigarettes to a minor

Variable Name: **CS_Q50** Position: 83 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	95	101,720
2	No	86	109,937
6	Valid skip	9,746	26,134,733
7	Don't know	3	1,785
9	Not stated	24	80,301
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who in the past 12 months have purchased or gave cigarettes to a minor

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

Section: Cheaper Cigarettes

Variable Name: **CC_Q20** *Position:* 84 *Length:* 1

In the past 6 months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	796	1,783,581
2	No	1,260	2,814,573
6	Valid skip	7,879	21,757,647
7	Don't know	5	4,166
8	Refused	5	30,345
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

Variable Name: **CC_Q30** *Position:* 85 *Length:* 1

In the past 6 months, did you buy:

... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	373	745,617
2	No	1,682	3,850,830
6	Valid skip	7,879	21,757,647
7	Don't know	6	5,874
8	Refused	5	30,345
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **CC_Q40** Position: 86 Length: 1

In the past 6 months, did you buy:
... from the Internet?

		FREQ	WTD
1	Yes	2	28,937
2	No	2,058	4,573,222
6	Valid skip	7,879	21,757,647
7	Don't know	1	161
8	Refused	5	30,345
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

Variable Name: **CC_Q50** Position: 87 Length: 1

In the past 6 months, did you buy:
... by mail order?

		FREQ	WTD
1	Yes	3	1,317
2	No	2,057	4,600,842
6	Valid skip	7,879	21,757,647
7	Don't know	1	161
8	Refused	5	30,345
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **CC_Q60** *Position:* 88 *Length:* 1

In the past 6 months, did you buy cigarettes:
... from outside your province?

		FREQ	WTD
1	Yes	328	518,215
2	No	1,731	4,067,124
6	Valid skip	7,879	21,757,647
7	Don't know	2	16,982
8	Refused	5	30,345
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

Variable Name: **CC_Q70** *Position:* 89 *Length:* 1

In the past 6 months, did you buy cigarettes:
... that may have been smuggled?

		FREQ	WTD
1	Yes	79	131,102
2	No	1,963	4,436,248
6	Valid skip	7,879	21,757,647
7	Don't know	18	34,821
8	Refused	6	30,495
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

Variable Name: **CC_Q80** *Position:* 90 *Length:* 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	123	201,962
2	No	1,934	4,392,361
6	Valid skip	7,879	21,757,647
7	Don't know	3	1,553
8	Refused	6	36,790
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 91 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	8	16,766
03	3 mg	15	44,014
04	4 mg	141	372,816
05	5 mg	0	0
06	6 mg	7	35,482
07	7 mg	20	94,232
08	8 mg	36	151,327
09	9 mg	18	70,848
10	10 mg	88	240,825
11	11 mg	198	558,061
12	12 mg	281	468,708
13	13 mg	566	1,162,583
14	14 mg	275	429,420
15	15 mg	210	394,917
16	16 mg	8	34,241
17	17 mg or more	9	20,596
96	Valid skip	7,880	21,758,856
99	Not stated	194	574,781
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who usually smoke the same brand of cigarettes
Note: Derived from CB_Q10.

Variable Name: **DVSST1** *Position:* 93 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	2,075	4,670,828
2	Former smoker	2,019	7,045,227
3	Never smoked	5,860	14,712,419
		=====	=====
		9,954	26,428,475

Coverage: All respondents
Note: SOSIC (Survey on Smoking in Canada) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVSST2** *Position:* 94 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	1,540	3,566,350
02	Current occasional smoker	535	1,104,478
03	Former daily smoker	1,748	6,036,267
04	Former occasional smoker	268	975,270
05	Experimental smoker	1,541	4,323,942
06	Lifetime abstainer	4,319	10,388,477
99	Not stated	3	33,690
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 96 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	2,083	4,674,073
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	2,000	7,018,922
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	5,871	14,735,480
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVSS2** *Position:* 97 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	1,618	3,768,559
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	357	730,632
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	1,724	5,993,528
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	273	991,703
05	Beginner: smoked in last 30 days, <100 cigarettes in life	108	174,882
06	Past experimental smoker	1,556	4,347,879
07	Lifetime abstainer	4,315	10,387,602
99	Not stated	3	33,690
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition.

Section: **Fire Risk**

Variable Name: **FR_Q10** *Position:* 99 *Length:* 1

Many people will smoke in bed while watching television or reading. When was the last time you smoked in bed? Was it...

		FREQ	WTD
1	In the past week	282	438,795
2	In the past month	47	56,639
3	Within one to six months	59	93,188
4	More than six months ago	341	649,358
5	Never	1,326	3,350,420
6	Valid skip	7,879	21,757,647
7	Don't know	3	1,834
8	Refused	8	42,432
9	Not stated	9	38,163
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **FR_Q20** *Position:* 100 *Length:* 1

In the past year, how often did you smoke in bed?

		FREQ	WTD
1	Everyday	124	181,063
2	A few times a week	115	152,780
3	Once a week	47	91,565
4	Once a month or less	213	272,889
5	Never	223	506,501
6	Valid skip	9,205	25,108,067
7	Don't know	4	13,242
8	Refused	1	16,821
9	Not stated	22	85,548
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have smoked in bed

Variable Name: **FR_Q30** *Position:* 101 *Length:* 1

Sometimes people fall asleep with a lit cigarette. This could be in bed, on a sofa or in a chair. When was the last time this happened to you? Was it...

		FREQ	WTD
1	In the past week	11	36,727
2	In the past month	11	22,043
3	Within one to six months	7	9,971
4	More than six months ago	148	327,987
5	Never	1,873	4,159,003
6	Valid skip	7,879	21,757,647
7	Don't know	4	13,917
8	Refused	10	59,898
9	Not stated	11	41,282
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **FR_Q40** *Position:* 102 *Length:* 1

In the past year, how many times did this happen to you?

		FREQ	WTD
1	Never	100	221,592
2	Once	45	100,743
3	Two to five times	24	29,894
4	More than five times	6	42,448
6	Valid skip	9,752	25,916,649
7	Don't know	2	2,052
9	Not stated	25	115,097
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have fallen asleep with a lit cigarette

Variable Name: **FR_Q50** *Position:* 103 *Length:* 2

Sometimes people leave a cigarette burning in an ashtray while attending to something else.
When was the last time you did this? Was it...

		FREQ	WTD
01	In the past week	491	1,005,331
02	In the past month	116	205,447
03	Within one to six months	101	186,241
04	More than six months ago	264	495,121
05	Never	1,022	2,542,151
06	Don't use ashtrays	43	80,651
96	Valid skip	7,879	21,757,647
97	Don't know	17	54,707
98	Refused	10	59,898
99	Not stated	11	41,282
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **FR_Q60** *Position:* 105 *Length:* 1

In the past year, how often did you leave a cigarette burning in an ashtray while attending to something else?

		FREQ	WTD
1	Everyday	106	235,207
2	A few times a week	163	407,834
3	Once a week	128	281,946
4	Once a month or less	462	730,549
5	Never	95	183,564
6	Valid skip	8,944	24,380,449
7	Don't know	14	46,675
8	Refused	3	5,702
9	Not stated	39	156,550
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have left a cigarette burning in an ashtray

Section: Derived Variables - Person

Variable Name: **DVCIGWK** *Position:* 106 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 525	# of cigs smoked per week	1,919	4,352,564
996	Valid skip	7,871	21,754,402
999	Not stated	164	321,508
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** *Position:* 109 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Avg. # of cigs smoked/day	1,919	4,352,564
96	Valid skip	7,871	21,754,402
99	Not stated	164	321,508
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike SOSIC (Survey on Smoking in Canada).

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVNDSMK** *Position:* 111 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	1,919	4,352,564
96	Valid skip	7,871	21,754,402
99	Not stated	164	321,508
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 113 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 75	Avg. smoked on the days they smoked	1,919	4,352,564
96	Valid skip	7,871	21,754,402
99	Not stated	164	321,508
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 115 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	1,509	3,491,138
2	Weekdays only	6	23,297
3	Weekend only	2	595
4	Did not smoke in last 7 days	102	261,339
5	Other pattern	300	576,196
6	Valid skip	7,871	21,754,402
9	Not stated	164	321,508
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who have smoked in the last 30 days

Note: SOSIC (Survey on Smoking in Canada) only included smokers that smoked in the past 7 days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVDAILY** *Position:* 116 *Length:* 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
01 : 75	Average smoked-Daily smokers	1,440	3,346,947
96	Valid skip	8,414	22,862,125
99	Not stated	100	219,403
		=====	=====
		9,954	26,428,475

Coverage: Daily smokers
Note: Based on WP_Q10A-G.

Variable Name: **DVPRICE** *Position:* 118 *Length:* 1

Derived variable for smokers indicating if they smoke discount or regular price brand

		FREQ	WTD
1	Discount price brand	657	1,395,877
2	Regular price brand	1,296	2,954,023
6	Valid skip	7,879	21,757,647
9	Not stated	122	320,928
		=====	=====
		9,954	26,428,475

Coverage: Current smokers
Note: Based on CB_Q10 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation

Variable Name: **SC_Q010** *Position:* 119 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	198	511,593
2	1 to 2 years ago	205	519,157
3	3 to 5 years ago	222	776,472
4	More than 5 years ago	1,387	5,216,426
6	Valid skip	7,935	19,383,248
7	Don't know	3	1,928
8	Refusal	3	11,829
9	Not stated	1	7,822
		=====	=====
		9,954	26,428,475

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **SC_Q020** *Position:* 120 *Length:* 2

In what month did you stop smoking?

		FREQ	WTD
01	January	31	99,920
02	February	30	89,577
03	March	17	46,986
04	April	21	81,417
05	May	12	32,092
06	June	5	3,640
07	July	7	12,542
08	August	10	7,147
09	September	12	22,640
10	October	18	25,559
11	November	13	26,024
12	December	17	60,590
96	Valid skip	9,749	25,895,303
97	Don't know	5	3,461
99	Not stated	7	21,580
		=====	=====
		9,954	26,428,475

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** *Position:* 122 *Length:* 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	116	364,260
02	Pregnancy or a baby in the household	25	58,697
03	Less stress in life	1	792
04	Cost of cigarettes	19	17,183
05	Smoking is less socially acceptable	12	16,237
06	Some other reason	24	54,208
96	Valid skip	9,749	25,895,303
97	Don't know	1	215
99	Not stated	7	21,580
		=====	=====
		9,954	26,428,475

Coverage: Respondents who stopped smoking less than one year ago

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

Variable Name: **SC_Q040** Position: 124 Length: 2

Approximately how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	1,954	6,795,245
96	Valid skip	7,935	19,383,248
97	Don't know	60	229,692
98	Refused	4	12,468
99	Not stated	1	7,822
		=====	=====
		9,954	26,428,475

Coverage: Former smokers

Variable Name: **SC_Q050** Position: 126 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Avg. cigs. smoked per day before quit	1,949	6,807,643
96	Valid skip	7,935	19,383,248
97	Don't know	63	216,437
98	Refused	5	13,021
99	Not stated	2	8,126
		=====	=====
		9,954	26,428,475

Coverage: Former smokers

Variable Name: **SC_Q060** Position: 128 Length: 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	1,334	2,830,643
2	No	651	1,545,019
6	Valid skip	7,879	21,757,647
7	Don't know	70	194,157
8	Refused	8	59,065
9	Not stated	12	41,945
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **SC_Q070** *Position:* 129 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	686	1,425,411
2	No	579	1,291,242
6	Valid skip	8,530	23,302,665
7	Don't know	69	113,990
9	Not stated	90	295,167
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 130 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00	None	940	2,460,030
01 : 94	# of attempts stop smoking for 24 hrs	1,264	2,516,777
96	Valid skip	7,681	21,246,054
97	Don't know	47	98,875
98	Refused	10	64,795
99	Not stated	12	41,945
		=====	=====
		9,954	26,428,475

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** *Position:* 132 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00	None	425	868,316
01 : 50	# of attempts stop smoking for one week	836	1,638,903
96	Valid skip	8,673	23,849,499
97	Don't know	8	29,812
99	Not stated	12	41,945
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **SC_Q100** *Position:* 134 *Length:* 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	8	6,742
02	Stress, need to relax or to calm down	378	774,695
03	Boredom	53	53,833
04	Addiction/habit	265	541,985
05	Lack of support or information	2	906
06	Going out more (bars, parties)	60	99,693
07	Increased availability	3	7,054
08	No reason/felt like it	115	201,391
09	Family or friends smoke	138	319,551
10	Other	92	216,045
96	Valid skip	8,673	23,849,499
97	Don't know	15	10,962
99	Not stated	152	346,119
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **SC_Q110** *Position:* 136 *Length:* 1

Have you tried to quit smoking?

		FREQ	WTD
1	Yes	537	1,476,110
2	No	384	850,014
6	Valid skip	9,020	24,032,448
7	Don't know	4	9,525
8	Refused	9	60,378
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who did not try to quit in the past year

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **STOPSMK** *Position:* 137 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	193	508,132
18	1-2 years	205	519,157
48	3-5 years	222	776,472
60	More than 5 years ago	1,387	5,216,426
96	Valid skip	7,935	19,383,248
99	Not stated	12	25,041
		=====	=====
		9,954	26,428,475

Coverage: Former smokers
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods

Variable Name: **CM_Q10** *Position:* 139 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	240	629,259
2	No	678	1,691,604
6	Valid skip	9,020	24,032,448
7	Don't know	6	14,489
8	Refused	10	60,676
		=====	=====
		9,954	26,428,475

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 140 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	460	1,225,385
2	No	1,309	2,665,939
6	Valid skip	8,166	22,460,446
7	Don't know	1	267
8	Refused	1	130
9	Not stated	17	76,308
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **CM_Q40** *Position:* 141 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	335	807,469
2	No	1,435	3,084,122
6	Valid skip	8,166	22,460,446
8	Refused	1	130
9	Not stated	17	76,308
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q60** *Position:* 142 *Length:* 1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	194	623,645
2	No	1,572	3,257,649
6	Valid skip	8,166	22,460,446
7	Don't know	4	10,297
8	Refused	1	130
9	Not stated	17	76,308
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q80A** *Position:* 143 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You were concerned about possible side effects

		FREQ	WTD
1	Yes	129	251,734
2	No	922	1,813,366
6	Valid skip	8,862	24,213,431
7	Don't know	24	74,588
8	Refused	1	192
9	Not stated	16	75,164
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **CM_Q80B** *Position:* 144 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't believe these products work

		FREQ	WTD
1	Yes	205	410,728
2	No	846	1,654,372
6	Valid skip	8,862	24,213,431
7	Don't know	24	74,588
8	Refused	1	192
9	Not stated	16	75,164
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80C** *Position:* 145 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't have enough information about these products

		FREQ	WTD
1	Yes	85	86,605
2	No	966	1,978,495
6	Valid skip	8,862	24,213,431
7	Don't know	24	74,588
8	Refused	1	192
9	Not stated	16	75,164
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **CM_Q80D** *Position:* 146 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... They cost too much

		FREQ	WTD
1	Yes	205	298,943
2	No	846	1,766,157
6	Valid skip	8,862	24,213,431
7	Don't know	24	74,588
8	Refused	1	192
9	Not stated	16	75,164
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80E** *Position:* 147 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... Some other reason

		FREQ	WTD
1	Yes	652	1,356,640
2	No	399	708,460
6	Valid skip	8,862	24,213,431
7	Don't know	24	74,588
8	Refused	1	192
9	Not stated	16	75,164
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past 2 years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Other Cessation Methods

Variable Name: **OM_Q030** Position: 148 Length: 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	568	1,028,000
2	No	1,199	2,851,458
6	Valid skip	8,182	22,535,611
8	Refused	3	4,752
9	Not stated	2	8,654
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** Position: 149 Length: 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,180	2,307,123
2	No	584	1,569,805
6	Valid skip	8,182	22,535,611
7	Don't know	3	2,530
8	Refused	3	4,752
9	Not stated	2	8,654
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q130** Position: 150 Length: 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	251	679,169
2	No	40	133,966
6	Valid skip	9,663	25,615,341
		=====	=====
		9,954	26,428,475

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Cessation Products

Variable Name: **CP_Q10** *Position:* 151 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? For example, in a meeting, on a plane, at school?

		FREQ	WTD
1	Yes	188	359,239
2	No	1,861	4,201,085
6	Valid skip	7,879	21,757,647
7	Don't know	2	349
8	Refused	11	60,700
9	Not stated	13	49,455
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

Section: Health Professionals

Variable Name: **HP_Q010** *Position:* 152 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,538	3,530,771
2	No	507	1,027,804
6	Valid skip	7,879	21,757,647
7	Don't know	6	6,087
8	Refused	11	56,712
9	Not stated	13	49,455
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **HP_Q020** *Position:* 153 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	725	1,780,803
2	No	811	1,743,412
6	Valid skip	8,386	22,785,450
7	Don't know	1	346
8	Refused	1	6,210
9	Not stated	30	112,254
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who saw a doctor in the past 12 months

Variable Name: **HP_Q030** *Position:* 154 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	370	954,645
2	No	353	806,734
6	Valid skip	9,197	24,528,862
7	Don't know	2	19,424
9	Not stated	32	118,810
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 155 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,187	2,658,257
2	No	856	1,875,647
6	Valid skip	7,879	21,757,647
7	Don't know	7	24,548
8	Refused	12	62,922
9	Not stated	13	49,455
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **HP_Q050** *Position:* 156 *Length:* 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	360	926,855
2	No	822	1,700,538
6	Valid skip	8,735	23,633,293
7	Don't know	5	30,865
9	Not stated	32	136,925
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who saw a dentist in the past 12 months

Variable Name: **HP_Q060** *Position:* 157 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	97	208,051
2	No	261	712,632
6	Valid skip	9,557	25,333,831
7	Don't know	2	6,172
9	Not stated	37	167,789
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** *Position:* 158 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	852	1,972,574
2	No	1,194	2,571,052
6	Valid skip	7,879	21,757,647
7	Don't know	4	14,826
8	Refused	12	62,922
9	Not stated	13	49,455
		=====	=====
		9,954	26,428,475

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **HP_Q110** *Position:* 159 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	148	341,303
2	No	703	1,630,673
6	Valid skip	9,073	24,328,698
7	Don't know	1	598
9	Not stated	29	127,203
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Variable Name: **HP_Q120** *Position:* 160 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	111	273,781
2	No	37	67,523
6	Valid skip	9,776	25,959,371
9	Not stated	30	127,801
		=====	=====
		9,954	26,428,475

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Section: Smoking and Pregnancy

Variable Name: **SP_Q10** *Position:* 161 *Length:* 1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	563	1,779,164
2	No	1,631	3,972,298
6	Valid skip	7,747	20,644,368
7	Don't know	1	298
8	Refused	9	25,473
9	Not stated	3	6,874
		=====	=====
		9,954	26,428,475

Coverage: Women aged 20-44

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **SP_Q20** *Position:* 162 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	100	154,014
2	No	157	313,184
6	Valid skip	9,684	25,928,633
9	Not stated	13	32,645
		=====	=====
		9,954	26,428,475

Coverage: Women aged 20-44 who are daily, occasional or former smokers (who quit less than 5 years ago) and were pregnant in the last five years

Variable Name: **SP_Q30** *Position:* 163 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	66	150,799
2	No	477	1,590,423
3	Not applicable (no spouse/partner)	19	32,857
6	Valid skip	9,378	24,616,666
8	Refusal	1	5,086
9	Not stated	13	32,645
		=====	=====
		9,954	26,428,475

Coverage: Women aged 20-44 who were pregnant in the last 5 years

Section: Tobacco Products

Variable Name: **TP_Q010** *Position:* 164 *Length:* 1

Have you ever tried smoking a cigar or cigarillos?

		FREQ	WTD
1	Yes	4,117	10,646,868
2	No	5,802	15,639,958
7	Don't know	1	1,731
8	Refused	15	76,105
9	Not stated	19	63,813
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

Variable Name: **TP_Q020** *Position:* 165 *Length:* 1

In the past 30 days, did you smoke any cigars or cigarillos?

		FREQ	WTD
1	Yes	560	992,696
2	No	3,557	9,654,172
6	Valid skip	5,802	15,639,958
9	Not stated	35	141,650
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever smoked a cigar or cigarillo

Variable Name: **TP_Q030** *Position:* 166 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,301	4,030,992
2	No	8,614	22,239,253
7	Don't know	2	2,064
8	Refused	15	76,105
9	Not stated	22	80,060
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 167 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	71	97,146
2	No	1,230	3,933,847
6	Valid skip	8,614	22,239,253
9	Not stated	39	158,230
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever smoked a pipe

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **TP_Q050** *Position:* 168 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,062	2,177,730
2	No	8,852	24,085,821
7	Don't know	2	7,682
8	Refused	16	77,182
9	Not stated	22	80,060
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 169 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	106	132,548
2	No	956	2,045,182
6	Valid skip	8,852	24,085,821
9	Not stated	40	164,924
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable Name: **TP_Q075** *Position:* 170 *Length:* 1

Have you ever tried smoking herbal cigarettes (these are tobacco free cigarettes often found in natural food stores)?

		FREQ	WTD
1	Yes	449	1,003,960
2	No	9,464	25,251,355
7	Don't know	3	15,918
8	Refusal	16	77,182
9	Not stated	22	80,060
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **TP_Q076** *Position:* 171 *Length:* 1

In the past 30 days, did you smoke any herbal cigarettes?

		FREQ	WTD
1	Yes	32	79,589
2	No	417	924,371
6	Valid skip	9,464	25,251,355
9	Not stated	41	173,160
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever tried to smoke herbal cigarettes

Variable Name: **TP_Q085** *Position:* 172 *Length:* 1

Have you ever tried a water-pipe, also known as a hookah, sheesha, narg-eelay, hubble-bubble, or gouza, to smoke tobacco? (It is a tall container with water at the bottom that the air bubbles through and it has a long hose coming out of it that people smoke through. It is somewhat popular in the Middle East and is often used with flavoured tobacco).

		FREQ	WTD
1	Yes	340	832,197
2	No	9,567	25,405,130
7	Don't know	7	31,929
8	Refusal	18	79,158
9	Not stated	22	80,060
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **TP_Q086** *Position:* 173 *Length:* 1

Do you believe that smoking tobacco in a water-pipe is less harmful than smoking cigarettes?

		FREQ	WTD
1	Yes	83	146,970
2	No	235	624,337
6	Valid skip	9,567	25,405,130
7	Don't know	21	57,090
8	Refusal	1	3,800
9	Not stated	47	191,148
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever tried smoking tobacco in a water-pipe

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **TP_Q087** *Position:* 174 *Length:* 1

Do you believe that smoking tobacco in a water-pipe reduces the amount of tar you inhale, compared to smoking cigarettes?

		FREQ	WTD
1	Yes	106	208,812
2	No	209	555,418
6	Valid skip	9,567	25,405,130
7	Don't know	24	64,167
8	Refusal	1	3,800
9	Not stated	47	191,148
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever tried smoking tobacco in a water-pipe

Variable Name: **TP_Q088** *Position:* 175 *Length:* 1

Do you believe that smoking tobacco in a water-pipe reduces the risk to your health, compared to smoking cigarettes?

		FREQ	WTD
1	Yes	61	114,870
2	No	259	643,951
6	Valid skip	9,567	25,405,130
7	Don't know	19	69,576
8	Refusal	1	3,800
9	Not stated	47	191,148
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever tried smoking tobacco in a water-pipe

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Section: Opinions on Smoking

Variable Name: **OS_Q10** *Position:* 176 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	6,832	17,631,791
2	Smoking should be allowed only in a section of a restaurant that is enclosed	1,776	4,647,305
3	Smoking should be allowed only in a designated section of a restaurant	1,124	3,444,432
4	Smoking should be allowed anywhere in a restaurant	129	367,916
7	Don't know	48	153,344
8	Refused	21	89,761
9	Not stated	24	93,924
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 177 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	4,392	12,082,072
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	2,477	6,005,338
3	Smoking should be allowed only in a designated section of a bar or tavern	1,726	4,414,211
4	Smoking should be allowed anywhere in a bar or tavern	1,040	2,756,867
7	Don't know	260	883,126
8	Refused	34	192,134
9	Not stated	25	94,726
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **OS_Q30** *Position:* 178 *Length:* 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	3,343	10,587,146
2	Smoking should be allowed only in enclosed smoking areas in the workplace	1,046	3,392,028
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	5,277	11,531,112
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	154	408,547
7	Don't know	84	313,736
8	Refused	25	101,180
9	Not stated	25	94,726
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Section: **Exposure to Second-hand Smoke**

Variable Name: **EX_Q010** *Position:* 179 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... inside a car or other vehicle?

		FREQ	WTD
1	Yes	3,783	6,491,653
2	No	6,103	19,678,402
7	Don't know	12	50,726
8	Refused	30	111,481
9	Not stated	26	96,213
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

Variable Name: **EX_Q020** *Position:* 180 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... inside someone else's home?

		FREQ	WTD
1	Yes	3,960	7,877,380
2	No	5,918	18,254,360
7	Don't know	17	86,768
8	Refused	31	112,127
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **EX_Q030** *Position:* 181 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	2,926	7,659,250
2	No	6,947	18,415,780
7	Don't know	20	126,067
8	Refused	33	129,538
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **EX_Q040** *Position:* 182 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... inside a restaurant?

		FREQ	WTD
1	Yes	1,292	5,153,046
2	No	8,582	20,923,107
7	Don't know	19	124,871
8	Refused	33	129,611
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **EX_Q050** *Position:* 183 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a bar or tavern?

		FREQ	WTD
1	Yes	1,568	4,519,555
2	No	8,312	21,567,517
7	Don't know	13	113,953
8	Refused	33	129,611
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **EX_Q060** *Position:* 184 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	1,633	3,889,596
2	No	8,241	22,222,179
7	Don't know	19	89,634
8	Refused	33	129,225
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **EX_Q070** *Position:* 185 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	5,236	13,435,093
2	No	4,624	12,625,679
7	Don't know	31	134,864
8	Refused	35	134,999
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **EX_Q080** *Position:* 186 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your workplace?

		FREQ	WTD
1	Yes	2,180	5,964,979
2	No	7,698	20,150,499
7	Don't know	14	80,480
8	Refused	34	134,677
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **EX_Q090** *Position:* 187 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your school?

		FREQ	WTD
1	Yes	1,851	2,303,186
2	No	8,027	23,811,977
7	Don't know	14	80,795
8	Refused	34	134,677
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **EX_Q100** *Position:* 188 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	3,854	9,566,802
2	No	6,007	16,523,357
7	Don't know	29	105,206
8	Refused	36	135,270
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **EX_Q110** *Position:* 189 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	5,384	13,093,435
2	No	4,449	12,832,173
7	Don't know	55	268,320
8	Refused	38	136,706
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **EX_Q120** *Position:* 190 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... anywhere else?

		FREQ	WTD
1	Yes	294	1,007,132
2	No	9,568	25,019,264
7	Don't know	28	164,753
8	Refused	36	139,486
9	Not stated	28	97,840
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

Variable Name: **EX_Q130** *Position:* 191 *Length:* 1

Overall, (excluding your own smoking), in the past month were you exposed to second-hand smoke?

		FREQ	WTD
1	Every day	1,220	2,346,193
2	Almost every day	1,254	2,861,388
3	At least once a week	3,087	8,355,254
4	At least once in the past month	2,790	7,533,901
6	Valid skip	1,536	5,154,370
7	Don't know	55	130,212
8	Refused	11	41,816
9	Not stated	1	5,342
		=====	=====
		9,954	26,428,475

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

Section: **Language and Education**

Variable Name: **LA_Q10** *Position:* 192 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	8,090	17,627,917
2	French	1,197	5,518,799
3	Both English and French	70	278,805
4	Other	523	2,772,757
7	Don't know	3	23,939
8	Refused	36	99,306
9	Not stated	35	106,953
		=====	=====
		9,954	26,428,475

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVEDUC** *Position:* 193 *Length:* 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	3,072	4,993,093
2	Completed secondary	3,935	9,428,747
3	Completed community college, technical college, CEGEP or nurse's college	1,136	3,965,216
4	Completed university or teacher's college	1,652	7,343,569
9	Not stated	159	697,850
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: SOSIC (Survey on Smoking in Canada) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if
LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

Variable Name: **GPLA_Q20** *Position:* 194 *Length:* 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	141	526,583
02	Completed elementary	157	354,699
03	Some secondary	2,774	4,111,811
04	Completed secondary	2,258	5,897,980
05	Some community college, technical college, CEGEP or nurse's training	470	1,065,655
06	Completed community college, technical college, CEGEP or nurse's training	1,136	3,965,216
07	Some university or teacher's college	1,094	2,084,990
08	Completed university or teacher's college	1,652	7,343,569
09	Other education or training	113	380,123
99	Not stated	159	697,850
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

Section: Labour Force

Variable Name: **LF_Q10** *Position:* 196 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	7,310	18,500,339
2	No	2,553	7,545,111
7	Don't know	6	38,414
8	Refused	56	241,429
9	Not stated	29	103,182
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **LF_Q50** *Position:* 197 *Length:* 1

At your place of work, what (are/were) the restrictions on smoking?

		FREQ	WTD
1	Restricted completely	2,799	7,958,083
2	Allowed in designated areas	3,337	8,349,932
3	Restricted only in certain places	465	891,676
4	Not restricted at all	578	1,065,365
6	Valid skip	2,553	7,545,111
7	Don't know	116	179,738
8	Refused	14	55,327
9	Not stated	92	383,243
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have worked at a job or business in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **DVSOC10** *Position:* 198 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	278	1,137,872
02	Business, Finance and Administrative Occupations	1,099	3,452,802
03	Natural and Applied Sciences and Related Occupations	362	1,396,672
04	Health Occupations	355	1,124,761
05	Occupations in Social Science, Education, Government Service and Religion	449	1,561,001
06	Occupations in Art, Culture, Recreation and Sport	242	557,038
07	Sales and Service Occupations	2,686	4,559,995
08	Trades, Transport and Equipment Operators and Related Occupations	857	2,240,987
09	Occupations Unique to Primary Industry	412	634,864
10	Occupations Unique to Processing, Manufacturing and Utilities	363	975,764
96	Valid Skip	2,553	7,545,111
99	Not Stated	298	1,241,608
		=====	=====
		9,954	26,428,475

Coverage: Persons who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the 1991 Standard Occupational Classification (SOC).

Section: Student Income

Variable Name: **SI_Q10** *Position:* 200 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	3,018	2,739,491
2	No	1,672	1,618,493
6	Valid skip	5,234	22,038,959
7	Don't know	6	3,541
8	Refused	14	22,840
9	Not stated	10	5,152
		=====	=====
		9,954	26,428,475

Coverage: Respondents less than 25 years of age

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **SI_G20** *Position:* 201 *Length:* 2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	148	125,481
02	\$010 to \$024	706	641,451
03	\$025 to \$049	484	390,143
04	\$050 to \$099	586	498,252
05	\$100 to \$199	577	508,896
06	\$200 or more	329	381,566
96	Valid Skip	6,906	23,657,452
99	Not Stated	218	225,235
		=====	=====
		9,954	26,428,475

Coverage: Persons below 25 years of age who currently attend a school, college or university
Note: Derived from SI_Q20.

Section: **Marijuana Use**

Variable Name: **MU_Q10** *Position:* 203 *Length:* 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	699	1,944,098
2	Yes, more than once	3,264	7,995,324
3	No	5,778	15,584,715
7	Don't know	27	149,306
8	Refusal	157	651,851
9	Not stated	29	103,182
		=====	=====
		9,954	26,428,475

Coverage: All respondents

Variable Name: **MU_Q20** *Position:* 204 *Length:* 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	1,475	2,342,060
2	No	2,487	7,596,351
6	Valid skip	5,778	15,584,715
7	Don't know	1	1,010
9	Not stated	213	904,339
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever used marijuana, cannabis or hashish

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

Variable Name: **MU_Q30** *Position:* 205 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	477	733,958
2	1 to 3 times a month	341	578,541
3	Once a week	193	329,655
4	More than once a week	208	325,790
5	Every day	173	307,615
6	Valid skip	8,343	23,242,163
7	Don't know	2	1,379
8	Refused	3	4,025
9	Not stated	214	905,349
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 206 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
06 : 88	Age first used marijuana	3,931	9,817,542
96	Valid skip	5,778	15,584,715
97	Don't know	28	111,176
98	Refused	4	10,703
99	Not stated	213	904,339
		=====	=====
		9,954	26,428,475

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 208 *Length:* 12.4

Six month survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)

INDEX

A	
AGE0014	3
AGE1524	3
AGE2544	3
AGE45PL.....	4
AGEGRP5.....	8
AGEGRP7.....	8
C	
CA_Q10	18
CA_Q20	18
CA_Q30	19
CA_Q40	19
CA_Q50	19
CC_Q20	21
CC_Q30	21
CC_Q40	22
CC_Q50	22
CC_Q60	23
CC_Q70	23
CC_Q80	23
CM_Q10	36
CM_Q20	36
CM_Q40	37
CM_Q60	37
CM_Q80A.....	37
CM_Q80B.....	38
CM_Q80C.....	38
CM_Q80D.....	39
CM_Q80E.....	39
CP_Q10.....	41
CS_Q30.....	20
CS_Q40.....	20
CS_Q50.....	20
D	
DVAGE.....	7
DVAVCIG7	29
DVAVCIGD	30
DVCIGWK	29
DVDAILY	31
DVEDUC	57
DVLOWTAR.....	24
DVMARST	9
DVNDSMK	30
DVPRICE	31
DVSMKPTN.....	30
DVSOC10.....	59
DVSS1	25
DVSS2	26
DVSST1	24
DVSST2.....	25
DVURBAN.....	2
DVYRSSMK	12
E	
EX_Q010	51
EX_Q020	52
EX_Q030	52
EX_Q040	52
EX_Q050	53
EX_Q060	53
EX_Q070	53
EX_Q080	54
EX_Q090	54
EX_Q100	54
EX_Q110	55
EX_Q120	55
EX_Q130	56
F	
FR_Q10.....	26
FR_Q20.....	27
FR_Q30.....	27
FR_Q40.....	28
FR_Q50.....	28
FR_Q60.....	29
G	
GPLA_Q20	57
H	
HHSIZE	2
HHTYPE.....	4
HP_Q010.....	41
HP_Q020.....	42
HP_Q030.....	42
HP_Q040.....	42
HP_Q050.....	43
HP_Q060.....	43

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2006
Public Use Microdata File (Person)**

HP_Q100.....	43	SC_Q010.....	31
HP_Q110.....	44	SC_Q020.....	32
HP_Q120.....	44	SC_Q030.....	32
HS_Q10.....	4	SC_Q040.....	33
HS_Q20.....	5	SC_Q050.....	33
HS_Q30.....	5	SC_Q060.....	33
HS_Q40.....	5	SC_Q070.....	34
HS_Q50.....	6	SC_Q080.....	34
HS_Q60A.....	6	SC_Q090.....	34
HS_Q60B.....	6	SC_Q100.....	35
HS_Q60C.....	7	SC_Q110.....	35
HS_Q60D.....	7	SEX.....	8
L		SI_G20.....	60
LA_Q10.....	56	SI_Q10.....	59
LF_Q10.....	58	SP_Q10.....	44
LF_Q50.....	58	SP_Q20.....	45
M		SP_Q30.....	45
MU_Q10.....	60	SS_Q10.....	9
MU_Q20.....	60	SS_Q20.....	9
MU_Q30.....	61	SS_Q30.....	10
MU_Q40.....	61	SS_Q40.....	10
O		STOPSMK.....	36
OM_Q030.....	40	T	
OM_Q070.....	40	TP_Q010.....	45
OM_Q130.....	40	TP_Q020.....	46
OS_Q10.....	50	TP_Q030.....	46
OS_Q20.....	50	TP_Q040.....	46
OS_Q30.....	51	TP_Q050.....	47
P		TP_Q060.....	47
PROV.....	2	TP_Q075.....	47
PS_Q10.....	10	TP_Q076.....	48
PS_Q20.....	11	TP_Q085.....	48
PS_Q30.....	11	TP_Q086.....	48
PS_Q40.....	11	TP_Q087.....	49
PUMFID.....	1	TP_Q088.....	49
R		W	
REFMONTH.....	1	WP_Q10A.....	12
REFYEAR.....	1	WP_Q10B.....	13
S		WP_Q10C.....	13
SB_Q10.....	16	WP_Q10D.....	14
SB_Q20.....	16	WP_Q10E.....	14
SB_Q30.....	17	WP_Q10F.....	15
SB_Q40.....	17	WP_Q10G.....	15
SB_Q50.....	17	WTPP.....	61