

Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household.....	1
Derived Variables - Household.....	2
Household Smoking	4
Demographic Variables - Person.....	7
Smoking Status.....	9
Past Smoking.....	10
Weekly Pattern	12
Smoking Behaviour	15
Cigarette Brand.....	17
Cigarette Access.....	18
Cigarette Source.....	20
Cheaper Cigarettes	21
Derived Variables - Person.....	24
Fire Risk.....	26
Derived Variables - Person.....	29
Smoking Cessation.....	31
Cessation Methods.....	36
Other Cessation Methods.....	40
Cessation Products	41
Health Professionals.....	42
Smoking and Pregnancy	45
Tobacco Products.....	46
Opinions on Smoking	49
Exposure to Second-hand Smoke.....	51
Language and Education.....	56
Labour Force	57
Student Income.....	59
Marijuana Use.....	60
Weight Variable	61

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Identification Variables

Variable Name: **PUMFID** Position: 1 Length: 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** Position: 6 Length: 4

Survey year

2007 : 2007	Survey year	FREQ 20,921 =====	WTD 26,903,252 =====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **REFMONTH** Position: 10 Length: 2

Survey month

02 : 12	Survey month	FREQ 20,921 =====	WTD 26,903,252 =====
		20,921	26,903,252

Coverage: All respondents

Section: Demographic Variables - Household

Variable Name: **PROV** Position: 12 Length: 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	2,074	425,343
11	Prince Edward Island	2,167	113,677
12	Nova Scotia	2,113	778,778
13	New Brunswick	2,057	623,344
24	Quebec	2,157	6,364,091
35	Ontario	2,066	10,436,141
46	Manitoba	2,287	943,403
47	Saskatchewan	2,087	789,727
48	Alberta	2,052	2,786,067
59	British Columbia	1,861	3,642,681
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	14,921	21,500,293
2	Rural	5,337	4,661,495
9	Not stated	663	741,465
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	18,062	23,062,943
05	5 or more	2,859	3,840,309
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	14,957	18,832,947
01	One	3,451	3,875,156
02	Two or more	2,513	4,195,149
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	9,166	17,665,286
01	One	7,395	5,102,301
02	Two or more	4,360	4,135,665
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	11,779	13,399,270
01	One	5,136	6,103,232
02	Two or more	4,006	7,400,751
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	7,101	8,986,595
01	One	5,611	6,450,085
02	Two or more	8,209	11,466,573
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	72	19,639
02	Households with only 20-24 year old members	630	353,365
03	Households with only 25-44 year old members	1,197	2,493,729
04	Households with only 45-64 year old members	2,602	3,985,617
05	Households with only 65+ year old members	2,059	3,196,123
06	Households with adults and children aged 0-11 only	2,066	4,100,642
07	Households with adults and teens aged 12-19 only	6,457	5,414,414
08	Households with adults and young children and teens aged 0-19 only	1,983	2,195,220
09	Other compositions	3,855	5,144,502
		=====	=====
		20,921	26,903,252

Coverage: All households
Note: Derived from the roster entries

Section: Household Smoking

Variable Name: **HS_Q10** *Position:* 27 *Length:* 1

(Do you/Does anyone in your household) smoke cigarettes?

		FREQ	WTD
1	Yes	6,540	7,478,218
2	No	14,381	19,425,035
		=====	=====
		20,921	26,903,252

Coverage: Household respondent

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00	None	17,900	23,374,988
01 : 15	# of people that smoke inside the home	3,021	3,528,264
		=====	=====
		20,921	26,903,252

Coverage: Household respondent

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	1,298	1,447,945
2	11 to 20 cigarettes	847	937,536
3	21 to 30 cigarettes	436	638,805
4	31 to 40 cigarettes	139	180,527
5	41 or more cigarettes	209	255,517
6	Valid skip	17,900	23,374,988
7	Don't know	91	66,761
8	Refused	1	1,172
		=====	=====
		20,921	26,903,252

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	1,742	2,427,474
2	No	16,116	20,899,860
6	Valid skip	3,021	3,528,264
7	Don't know	42	47,654
		=====	=====
		20,921	26,903,252

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	2,136	2,677,503
2	No	2,613	3,258,253
6	Valid skip	16,116	20,899,860
7	Don't know	12	10,518
9	Not stated	44	57,118
		=====	=====
		20,921	26,903,252

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed in certain rooms only

		FREQ	WTD
1	Yes	1,502	1,889,920
2	No	633	787,365
6	Valid skip	18,729	24,158,113
7	Don't know	1	218
9	Not stated	56	67,636
		=====	=====
		20,921	26,903,252

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

		FREQ	WTD
1	Yes	738	789,966
2	No	1,397	1,887,319
6	Valid skip	18,729	24,158,113
7	Don't know	1	218
9	Not stated	56	67,636
		=====	=====
		20,921	26,903,252

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	915	1,147,045
2	No	1,220	1,530,240
6	Valid skip	18,729	24,158,113
7	Don't know	1	218
9	Not stated	56	67,636
		=====	=====
		20,921	26,903,252

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q60D** Position: 36 Length: 1

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

		FREQ	WTD
1	Yes	391	423,676
2	No	1,744	2,253,609
6	Valid skip	18,729	24,158,113
7	Don't know	1	218
9	Not stated	56	67,636
		=====	=====
		20,921	26,903,252

Coverage: Households where smoking is restricted inside the home

Section: Demographic Variables - Person

Variable Name: **DVAGE** Position: 37 Length: 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 85

		FREQ	WTD
15 : 84	Age of respondent	20,655	26,581,989
85	85 or more	266	321,263
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: On public use microdata file, ages greater than 85 were recoded to 85.

Variable Name: **AGEGRP5** Position: 39 Length: 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	5,490	2,179,589
2	20-24 years	4,142	2,255,926
3	25-34 years	1,777	4,473,113
4	35-44 years	2,233	4,941,838
5	45 years and over	7,279	13,052,786
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Derived from PA_Q01

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	3,499	1,337,481
02	18-19 years	1,991	842,107
03	20-22 years	2,537	1,338,444
04	23-24 years	1,605	917,482
05	25-44 years	4,010	9,414,951
06	45-64 years	4,792	8,901,157
07	65 years and over	2,487	4,151,629
		=====	=====
		20,921	26,903,252

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 42 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	9,535	13,265,069
2	Female	11,386	13,638,183
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **DVMARST** *Position:* 43 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	7,887	16,413,667
2	Widowed/Divorced/Separated	2,402	3,117,105
3	Single, never married	10,389	7,030,037
9	Not stated	243	342,443
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Smoking Status

Variable Name: **SS_Q10** Position: 44 Length: 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	3,193	4,127,662
2	Occasionally	1,023	1,048,720
3	Not at all	16,705	21,726,870
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **SS_Q20** Position: 45 Length: 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	1,123	1,142,781
2	No	16,605	21,632,809
6	Valid skip	3,193	4,127,662
		=====	=====
		20,921	26,903,252

Coverage: Respondents who are not current daily smokers

Variable Name: **SS_Q30** Position: 46 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	3,170	4,056,818
2	No	1,146	1,213,625
6	Valid skip	16,605	21,632,809
		=====	=====
		20,921	26,903,252

Coverage: Current daily smokers or respondents who smoked in the past 30 days

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **SS_Q40** Position: 47 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	8,407	12,566,928
2	No	12,514	14,336,324
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Section: Past Smoking

Variable Name: **PS_Q10** Position: 48 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	3,079	4,049,613
2	No	9,209	10,131,197
6	Valid skip	8,633	12,722,442
		=====	=====
		20,921	26,903,252

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Variable Name: **PS_Q20** Position: 49 Length: 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	4,380	7,041,024
2	No	898	1,383,994
6	Valid skip	15,638	18,476,329
7	Don't know	5	1,905
		=====	=====
		20,921	26,903,252

Coverage: Former or occasional smokers who did not smoke daily in the past 30 days or who did not smoke at all in the past 30 days.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **PS_Q30** *Position:* 50 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 72	Age smoked first cigarette	11,420	16,464,026
96	Valid skip	9,209	10,131,197
97	Don't know	283	295,783
98	Refused	5	5,075
99	Not stated	4	7,171
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
04 : 91	Age began to smoke cigarettes daily	7,411	10,943,785
96	Valid skip	13,348	15,734,566
97	Don't know	154	217,970
98	Refused	3	3,750
99	Not stated	5	3,181
		=====	=====
		20,921	26,903,252

Coverage: Respondents who are actually daily smokers or who have ever smoked cigarettes daily

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 72	# of yrs the respondent smoked	4,140	5,095,728
96	Valid skip	16,705	21,726,870
99	Not stated	76	80,654
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Note: Derived from AGE and PS_Q30.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Weekly Pattern

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	619	627,824
01 : 65	# of cigarettes smoked-Monday	3,441	4,399,067
96	Valid skip	16,605	21,632,809
97	Don't know	60	76,412
98	Refused	1	702
99	Not stated	195	166,437
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Tuesday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	585	601,057
01 : 90	# of cigarettes smoked-Tuesday	3,445	4,383,952
96	Valid skip	16,605	21,632,809
97	Don't know	58	57,122
99	Not stated	228	228,312
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Wednesday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	584	595,389
01 : 70	# of cigarettes smoked-Wednesday	3,432	4,363,552
96	Valid skip	16,605	21,632,809
97	Don't know	36	37,213
99	Not stated	264	274,289
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10D** *Position:* 62 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Thursday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	583	577,500
01 : 90	# of cigarettes smoked-Thursday	3,406	4,380,355
96	Valid skip	16,605	21,632,809
97	Don't know	65	70,273
98	Refused	2	3,762
99	Not stated	260	238,553
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10E** *Position:* 64 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Friday?

<i>Allowed values:</i> 00 : 90			
		FREQ	WTD
00	None	488	503,320
01 : 90	# of cigarettes smoked-Friday	3,530	4,478,784
96	Valid skip	16,605	21,632,809
97	Don't know	54	64,203
99	Not stated	244	224,136
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10F** *Position:* 66 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Saturday?

<i>Allowed values:</i> 00 : 90			
		FREQ	WTD
00	None	480	524,923
01 : 90	# of cigarettes smoked-Saturday	3,568	4,498,947
96	Valid skip	16,605	21,632,809
97	Don't know	68	47,919
99	Not stated	200	198,654
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10G** Position: 68 Length: 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Sunday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	650	664,392
01 : 90	# of cigarettes smoked-Sunday	3,421	4,370,558
96	Valid skip	16,605	21,632,809
97	Don't know	60	50,186
99	Not stated	185	185,306
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Section: Smoking Behaviour

Variable Name: **SB_Q10** Position: 70 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	754	958,324
2	6 to 30 minutes	994	1,461,694
3	31 to 60 minutes	546	626,282
4	More than 60 minutes	867	1,048,350
6	Valid skip	17,728	22,775,590
7	Don't know	25	27,896
8	Refused	3	2,924
9	Not stated	4	2,192
		=====	=====
		20,921	26,903,252

Coverage: Current daily smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **SB_Q20** Position: 71 Length: 1

What strength of cigarettes do you usually smoke?

		FREQ	WTD
1	Ultra or extra light	304	534,292
2	Light	1,322	1,670,784
3	Ultra or extra mild	128	246,788
4	Mild	199	280,082
5	Regular	2,110	2,302,485
6	Valid skip	16,705	21,726,870
7	Don't know	141	127,365
8	Refused	4	6,207
9	Not stated	8	8,378
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **SB_Q30** Position: 72 Length: 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risks of smoking without having to actually give up smoking?

		FREQ	WTD
1	Yes	214	303,231
2	No	1,714	2,377,848
6	Valid skip	18,815	24,029,355
7	Don't know	24	50,842
9	Not stated	154	141,975
		=====	=====
		20,921	26,903,252

Coverage: Current smokers not smoking regular cigarettes

Variable Name: **SB_Q40** Position: 73 Length: 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the amount of tar you inhale, compared to regular cigarettes?

		FREQ	WTD
1	Yes	430	626,174
2	No	1,467	1,996,209
6	Valid skip	18,815	24,029,355
7	Don't know	55	109,539
9	Not stated	154	141,975
		=====	=====
		20,921	26,903,252

Coverage: Current smokers not smoking regular cigarettes

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **SB_Q50** Position: 74 Length: 1

Do you smoke light or mild cigarettes because:

... you believe they reduce the risk to your health, compared to regular cigarettes?

		FREQ	WTD
1	Yes	231	334,353
2	No	1,688	2,343,881
6	Valid skip	18,815	24,029,355
7	Don't know	33	53,688
9	Not stated	154	141,975
		=====	=====
		20,921	26,903,252

Coverage: Current smokers not smoking regular cigarettes

Section: Cigarette Brand

Variable Name: **CB_Q20** Position: 75 Length: 1

At the present time, do you roll your own or make your own cigarettes?

		FREQ	WTD
1	All the time	241	161,440
2	Most of the time	110	66,972
3	Sometimes	341	233,997
4	Never	2,988	3,716,724
6	Valid skip	16,705	21,726,870
7	Don't know	3	3,681
8	Refused	4	6,196
9	Not stated	529	987,372
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Cigarette Access

Variable Name: **CA_Q10** *Position:* 76 *Length:* 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them from a vending machine	4	4,381
02	I buy them at a small grocery/corner store	2,190	2,929,773
03	I buy them at a supermarket	403	490,194
04	I buy them at a drug store	59	57,239
05	I buy them at a gasoline station	774	728,800
06	I buy them at another kind of store	121	185,686
07	I buy them from a friend or someone else	56	47,571
08	I buy them by mail order	0	0
09	I buy them from the Internet	2	4,194
10	My brother or sister gives them to me	3	807
11	My mother or father gives them to me	32	11,090
12	A friend or someone else gives them to me	310	276,302
13	I take them from my mother, father or siblings	7	8,313
14	Other	181	349,172
96	Valid skip	16,705	21,726,870
97	Don't know	53	44,201
98	Refusal	9	29,699
99	Not stated	12	8,961
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **CA_Q20** *Position:* 78 *Length:* 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	71	34,166
2	No	206	68,292
6	Valid skip	20,644	26,800,795
		=====	=====
		20,921	26,903,252

Coverage: Current smokers between the age of 15-18 who don't usually buy cigarettes from a store

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **CA_Q30** Position: 79 Length: 1

In the past 12 months, have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	247	111,729
2	No	165	61,702
6	Valid skip	20,507	26,729,302
7	Don't know	1	233
9	Not stated	1	286
		=====	=====
		20,921	26,903,252

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** Position: 80 Length: 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	207	86,693
2	No	206	86,971
6	Valid skip	20,507	26,729,302
9	Not stated	1	286
		=====	=====
		20,921	26,903,252

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q50** Position: 81 Length: 1

In the past 12 months, have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	379	140,626
2	No	240	101,329
6	Valid skip	20,301	26,661,011
9	Not stated	1	286
		=====	=====
		20,921	26,903,252

Coverage: Current smokers between the age of 15-18

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Cigarette Source

Variable Name: **CS_Q31** Position: 82 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	1,213	1,352,152
2	No	19,590	25,388,801
7	Don't know	41	82,427
8	Refusal	15	33,886
9	Not stated	62	45,985
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **CS_Q41** Position: 83 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	436	256,224
2	No	767	1,087,597
6	Valid skip	19,590	25,388,801
7	Don't know	10	8,331
9	Not stated	118	162,298
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever purchased or gave cigarettes to a minor

Variable Name: **CS_Q51** Position: 84 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	211	108,794
2	No	223	145,922
6	Valid skip	20,357	26,476,399
7	Don't know	2	1,507
9	Not stated	128	170,630
		=====	=====
		20,921	26,903,252

Coverage: Respondents who in the past 12 months have purchased or gave cigarettes to a minor

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Cheaper Cigarettes

Variable Name: **CC_Q20** *Position:* 85 *Length:* 1

In the past 6 months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	1,573	1,879,632
2	No	2,603	3,238,704
6	Valid skip	16,705	21,726,870
7	Don't know	18	34,621
8	Refused	5	7,024
9	Not stated	17	16,401
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **CC_Q30** *Position:* 86 *Length:* 1

In the past 6 months, did you buy:

... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	740	1,021,331
2	No	3,442	4,109,801
6	Valid skip	16,705	21,726,870
7	Don't know	9	7,750
8	Refused	7	21,034
9	Not stated	18	16,465
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **CC_Q40** Position: 87 Length: 1

In the past 6 months, did you buy:

... from the Internet?

		FREQ	WTD
1	Yes	13	21,321
2	No	4,177	5,123,101
6	Valid skip	16,705	21,726,870
7	Don't know	1	145
8	Refused	7	15,350
9	Not stated	18	16,465
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **CC_Q50** Position: 88 Length: 1

In the past 6 months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	18	34,263
2	No	4,172	5,110,159
6	Valid skip	16,705	21,726,870
7	Don't know	1	145
8	Refused	7	15,350
9	Not stated	18	16,465
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **CC_Q60** Position: 89 Length: 1

In the past 6 months, did you buy cigarettes:

... from outside your province?

		FREQ	WTD
1	Yes	608	654,723
2	No	3,578	4,487,437
6	Valid skip	16,705	21,726,870
7	Don't know	5	2,407
8	Refused	7	15,350
9	Not stated	18	16,465
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **CC_Q70** Position: 90 Length: 1

In the past 6 months, did you buy cigarettes:

... that may have been smuggled?

		FREQ	WTD
1	Yes	158	177,095
2	No	3,983	4,911,537
6	Valid skip	16,705	21,726,870
7	Don't know	49	55,233
8	Refused	8	16,052
9	Not stated	18	16,465
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **CC_Q80** Position: 91 Length: 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	212	263,748
2	No	3,963	4,864,764
6	Valid skip	16,705	21,726,870
7	Don't know	15	14,098
8	Refused	8	17,307
9	Not stated	18	16,465
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 92 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	4	5,093
03	3 mg	25	38,558
04	4 mg	150	351,578
05	5 mg	4	26,493
06	6 mg	4	8,466
07	7 mg	37	79,872
08	8 mg	80	110,857
09	9 mg	26	63,157
10	10 mg	210	281,929
11	11 mg	346	676,042
12	12 mg	653	642,945
13	13 mg	1,007	1,027,796
14	14 mg	762	686,823
15	15 mg	395	399,709
16	16 mg	27	20,001
17	17 mg or more	13	14,193
96	Valid skip	16,713	21,744,155
99	Not stated	465	725,585
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who usually smoke the same brand of cigarettes

Note: Derived from CB_Q11.

Variable Name: **DVSST1** *Position:* 94 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	4,216	5,176,382
2	Former smoker	4,417	7,546,060
3	Never smoked	12,288	14,180,811
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **DVSS2** *Position:* 98 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	3,349	4,286,068
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	729	848,507
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	3,808	6,395,071
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	519	1,036,130
05	Beginner: smoked in last 30 days, <100 cigarettes in life	238	135,868
06	Past experimental smoker	3,079	4,073,985
07	Lifetime abstainer	9,197	10,126,471
99	Not stated	2	1,152
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Section: Fire Risk

Variable Name: **FR_Q10** *Position:* 100 *Length:* 1

Many people will smoke in bed while watching television or reading. When was the last time you smoked in bed? Was it...

		FREQ	WTD
1	In the past week	539	528,820
2	In the past month	93	78,071
3	Within one to six months	121	115,032
4	More than six months ago	730	838,648
5	Never	2,692	3,558,564
6	Valid skip	16,705	21,726,870
7	Don't know	15	24,051
8	Refused	8	16,732
9	Not stated	18	16,465
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **FR_Q20** Position: 101 Length: 1

In the past year, how often did you smoke in bed?

		FREQ	WTD
1	Everyday	250	312,730
2	A few times a week	199	137,550
3	Once a week	101	75,226
4	Once a month or less	458	410,777
5	Never	466	619,518
6	Valid skip	19,397	25,285,434
7	Don't know	8	2,786
9	Not stated	42	59,231
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have smoked in bed

Variable Name: **FR_Q30** Position: 102 Length: 1

Sometimes people fall asleep with a lit cigarette. This could be in bed, on a sofa or in a chair.
When was the last time this happened to you? Was it...

		FREQ	WTD
1	In the past week	26	17,624
2	In the past month	13	14,280
3	Within one to six months	30	63,317
4	More than six months ago	263	380,214
5	Never	3,850	4,650,985
6	Valid skip	16,705	21,726,870
7	Don't know	7	14,783
8	Refused	8	16,732
9	Not stated	19	18,448
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **FR_Q40** Position: 103 Length: 1

In the past year, how many times did this happen to you?

		FREQ	WTD
1	Never	199	295,310
2	Once	64	89,425
3	Two to five times	39	51,000
4	More than five times	28	35,998
6	Valid skip	20,555	26,377,855
7	Don't know	2	3,701
9	Not stated	34	49,963
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have fallen asleep with a lit cigarette

Variable Name: **FR_Q50** Position: 104 Length: 2

Sometimes people leave a cigarette burning in an ashtray while attending to something else.
When was the last time you did this? Was it...

		FREQ	WTD
01	In the past week	965	1,186,252
02	In the past month	224	208,833
03	Within one to six months	195	215,590
04	More than six months ago	543	730,199
05	Never	2,126	2,586,292
06	Don't use ashtrays	67	65,425
96	Valid skip	16,705	21,726,870
97	Don't know	65	147,484
98	Refused	11	17,802
99	Not stated	20	18,504
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **FR_Q60** *Position:* 106 *Length:* 1

In the past year, how often did you leave a cigarette burning in an ashtray while attending to something else?

		FREQ	WTD
1	Everyday	200	290,790
2	A few times a week	322	425,209
3	Once a week	223	254,992
4	Once a month or less	953	1,083,860
5	Never	194	257,505
6	Valid skip	18,898	24,378,587
7	Don't know	34	20,839
9	Not stated	97	191,471
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have left a cigarette burning in an ashtray

Section: Derived Variables - Person

Variable Name: **DVCIGWK** *Position:* 107 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 455	# of cigs smoked per week	3,913	4,860,796
996	Valid skip	16,605	21,632,809
999	Not stated	403	409,648
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** *Position:* 110 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 65	Avg. # of cigs smoked/day	3,913	4,860,796
96	Valid skip	16,605	21,632,809
99	Not stated	403	409,648
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **DVNDSMK** *Position:* 112 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	3,913	4,860,796
96	Valid skip	16,605	21,632,809
99	Not stated	403	409,648
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 114 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 65	Avg. smoked on the days they smoked	3,913	4,860,796
96	Valid skip	16,605	21,632,809
99	Not stated	403	409,648
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 116 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	3,100	4,049,849
2	Weekdays only	15	18,489
3	Weekend only	16	10,587
4	Did not smoke in last 7 days	222	214,080
5	Other pattern	560	567,790
6	Valid skip	16,605	21,632,809
9	Not stated	403	409,648
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who have smoked in the last 30 days

Note: Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past 7 days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **DVDAILY** Position: 117 Length: 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 65	Average smoked-Daily smokers	2,947	3,876,677
96	Valid skip	17,728	22,775,590
99	Not stated	246	250,985
		=====	=====
		20,921	26,903,252

Coverage: Daily smokers
Note: Based on WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** Position: 119 Length: 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	1,603	1,820,554
2	Regular price brand	2,320	2,952,419
6	Valid skip	16,705	21,726,870
9	Not stated	293	403,408
		=====	=====
		20,921	26,903,252

Coverage: Current smokers
Note: Based on CB_Q11 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation

Variable Name: **SC_Q010** Position: 120 Length: 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	413	547,962
2	1 to 2 years ago	332	426,003
3	3 to 5 years ago	481	846,675
4	More than 5 years ago	3,173	5,713,108
6	Valid skip	16,504	19,357,193
7	Don't know	14	9,522
9	Not stated	4	2,791
		=====	=====
		20,921	26,903,252

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q020** Position: 121 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	60	102,648
02	February	43	66,480
03	March	31	42,366
04	April	22	16,007
05	May	32	48,117
06	June	25	26,329
07	July	29	24,137
08	August	29	43,412
09	September	37	37,153
10	October	35	55,788
11	November	25	41,111
12	December	31	25,147
96	Valid skip	20,490	26,342,978
97	Don't know	13	12,228
98	Refused	1	7,039
99	Not stated	18	12,313
		=====	=====
		20,921	26,903,252

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** Position: 123 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	238	349,636
02	Pregnancy or a baby in the household	45	76,711
03	Less stress in life	4	1,459
04	Cost of cigarettes	36	21,167
05	Smoking is less socially acceptable	14	11,812
06	Some other reason	71	85,959
96	Valid skip	20,490	26,342,978
97	Don't know	5	1,219
99	Not stated	18	12,313
		=====	=====
		20,921	26,903,252

Coverage: Respondents who stopped smoking less than one year ago

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q040** Position: 125 Length: 2

Approximately how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	4,233	7,274,018
96	Valid skip	16,504	19,357,193
97	Don't know	175	249,024
98	Refused	4	19,857
99	Not stated	5	3,161
		=====	=====
		20,921	26,903,252

Coverage: Former smokers

Variable Name: **SC_Q050** Position: 127 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Avg. cigs. smoked per day before quit	4,197	7,226,730
96	Valid skip	16,504	19,357,193
97	Don't know	203	297,031
98	Refused	8	17,634
99	Not stated	9	4,665
		=====	=====
		20,921	26,903,252

Coverage: Former smokers

Variable Name: **SC_Q060** Position: 129 Length: 1

Are you seriously considering quitting within the next 6 months?

		FREQ	WTD
1	Yes	2,548	3,144,543
2	No	1,474	1,777,200
6	Valid skip	16,705	21,726,870
7	Don't know	166	202,568
8	Refused	6	21,528
9	Not stated	22	30,544
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q070** *Position:* 130 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	1,211	1,535,691
2	No	1,144	1,352,834
6	Valid skip	18,179	23,504,070
7	Don't know	193	256,018
9	Not stated	194	254,639
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 131 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00	None	2,019	2,735,480
01 : 94	# of attempts stop smoking for 24 hrs	2,413	2,750,336
96	Valid skip	16,292	21,178,909
97	Don't know	164	184,304
98	Refused	9	22,939
99	Not stated	24	31,285
		=====	=====
		20,921	26,903,252

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** *Position:* 133 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00	None	799	933,883
01 : 52	# of attempts stop smoking for one week	1,598	1,799,639
96	Valid skip	18,462	24,100,101
97	Don't know	37	38,221
99	Not stated	25	31,408
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q100** Position: 135 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	12	12,320
02	Stress, need to relax or to calm down	682	787,324
03	Boredom	90	77,413
04	Addiction/habit	474	641,740
05	Lack of support or information	6	3,334
06	Going out more (bars, parties)	120	95,395
07	Increased availability	6	1,434
08	No reason/felt like it	217	187,823
09	Family or friends smoke	258	244,987
10	Other	210	253,702
96	Valid skip	18,462	24,100,101
97	Don't know	66	101,300
99	Not stated	318	396,379
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **SC_Q110** Position: 137 Length: 1

Have you tried to quit smoking?

		FREQ	WTD
1	Yes	1,245	1,787,256
2	No	783	917,649
6	Valid skip	18,870	24,164,682
7	Don't know	14	16,795
8	Refused	8	14,377
9	Not stated	1	2,492
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who did not try to quit in the past year

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **STOPSMK** *Position:* 138 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	399	528,695
18	1-2 years	332	426,003
48	3-5 years	481	846,675
60	More than 5 years ago	3,173	5,713,108
96	Valid skip	16,504	19,357,193
99	Not stated	32	31,580
		=====	=====
		20,921	26,903,252

Coverage: Former smokers
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods

Variable Name: **CM_Q10** *Position:* 140 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	500	663,243
2	No	738	1,115,107
6	Valid skip	19,675	25,113,504
7	Don't know	8	11,398
		=====	=====
		20,921	26,903,252

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 141 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	863	1,246,620
2	No	2,520	2,795,423
6	Valid skip	17,526	22,847,751
7	Don't know	2	273
8	Refused	1	1,417
9	Not stated	9	11,768
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q40** Position: 142 Length: 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	696	949,284
2	No	2,687	3,092,759
6	Valid skip	17,526	22,847,751
7	Don't know	2	273
8	Refused	1	1,417
9	Not stated	9	11,768
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q60** Position: 143 Length: 1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	300	561,583
2	No	3,081	3,479,653
6	Valid skip	17,526	22,847,751
7	Don't know	4	1,080
8	Refused	1	1,417
9	Not stated	9	11,768
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q80A** Position: 144 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You were concerned about possible side effects

		FREQ	WTD
1	Yes	381	402,037
2	No	1,626	1,666,500
6	Valid skip	18,875	24,787,912
7	Don't know	29	34,025
8	Refused	2	1,379
9	Not stated	8	11,398
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q80B** Position: 145 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't believe these products work

		FREQ	WTD
1	Yes	479	534,805
2	No	1,528	1,533,732
6	Valid skip	18,875	24,787,912
7	Don't know	29	34,025
8	Refused	2	1,379
9	Not stated	8	11,398
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80C** Position: 146 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't have enough information about these products

		FREQ	WTD
1	Yes	266	198,672
2	No	1,741	1,869,865
6	Valid skip	18,875	24,787,912
7	Don't know	29	34,025
8	Refused	2	1,379
9	Not stated	8	11,398
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q80D** Position: 147 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... They cost too much

		FREQ	WTD
1	Yes	473	289,160
2	No	1,534	1,779,377
6	Valid skip	18,875	24,787,912
7	Don't know	29	34,025
8	Refused	2	1,379
9	Not stated	8	11,398
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80E** Position: 148 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... Some other reason

		FREQ	WTD
1	Yes	1,173	1,351,366
2	No	834	717,171
6	Valid skip	18,875	24,787,912
7	Don't know	29	34,025
8	Refused	2	1,379
9	Not stated	8	11,398
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Other Cessation Methods

Variable Name: **OM_Q030** *Position:* 149 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	1,077	1,056,541
2	No	2,302	2,982,286
6	Valid skip	17,534	22,859,149
7	Don't know	5	3,282
8	Refused	2	1,624
9	Not stated	1	370
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** *Position:* 150 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	2,246	2,604,596
2	No	1,123	1,405,942
6	Valid skip	17,534	22,859,149
7	Don't know	15	31,572
8	Refused	2	1,624
9	Not stated	1	370
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q080** *Position:* 151 *Length:* 1

Are you aware of any smoking cessation programs offered at your workplace?

		FREQ	WTD
1	Yes	343	415,845
2	No	2,569	2,752,944
6	Valid skip	17,534	22,859,149
7	Don't know	35	53,055
8	Refused	6	11,874
9	Not stated	434	810,384
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **OM_Q090** Position: 152 Length: 1

Have you used any of these programs?

		FREQ	WTD
1	Yes	47	73,617
2	No	296	342,228
6	Valid skip	20,103	25,612,093
9	Not stated	475	875,314
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and who have smoking cessation programs offered at their workplace

Variable Name: **OM_Q130** Position: 153 Length: 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	388	408,319
2	No	42	38,869
6	Valid skip	20,441	26,419,696
9	Not stated	50	36,368
		=====	=====
		20,921	26,903,252

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

Section: Cessation Products

Variable Name: **CP_Q10** Position: 154 Length: 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? For example, in a meeting, on a plane, at school?

		FREQ	WTD
1	Yes	424	584,952
2	No	3,743	4,516,696
6	Valid skip	16,705	21,726,870
7	Don't know	11	19,188
8	Refused	12	15,538
9	Not stated	26	40,008
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Health Professionals

Variable Name: **HP_Q010** *Position:* 155 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	3,115	3,816,984
2	No	1,051	1,283,382
6	Valid skip	16,705	21,726,870
7	Don't know	6	5,687
8	Refused	16	28,127
9	Not stated	28	42,202
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **HP_Q020** *Position:* 156 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	1,583	2,214,998
2	No	1,520	1,588,067
6	Valid skip	17,756	23,010,253
7	Don't know	12	13,920
9	Not stated	50	76,015
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who saw a doctor in the past 12 months

Variable Name: **HP_Q030** *Position:* 157 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	816	1,200,446
2	No	763	1,009,177
6	Valid skip	19,276	24,598,319
7	Don't know	4	5,375
9	Not stated	62	89,935
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q040** Position: 158 Length: 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	2,482	3,168,105
2	No	1,681	1,928,302
6	Valid skip	16,705	21,726,870
7	Don't know	9	9,830
8	Refused	15	27,800
9	Not stated	29	42,345
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **HP_Q050** Position: 159 Length: 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	721	1,136,175
2	No	1,745	2,011,090
6	Valid skip	18,386	23,655,173
7	Don't know	16	20,840
9	Not stated	53	79,975
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who saw a dentist in the past 12 months

Variable Name: **HP_Q060** Position: 160 Length: 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	222	308,081
2	No	490	819,206
6	Valid skip	20,131	25,666,262
7	Don't know	9	8,888
9	Not stated	69	100,815
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q100** Position: 161 Length: 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	1,805	2,259,429
2	No	2,355	2,831,163
6	Valid skip	16,705	21,726,870
7	Don't know	11	15,042
8	Refused	16	28,403
9	Not stated	29	42,345
		=====	=====
		20,921	26,903,252

Coverage: Current smokers

Variable Name: **HP_Q110** Position: 162 Length: 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	289	348,914
2	No	1,506	1,886,321
6	Valid skip	19,060	24,558,033
7	Don't know	9	24,016
8	Refused	1	177
9	Not stated	56	85,790
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who talked with a pharmacist in the past 12 months

Variable Name: **HP_Q120** Position: 163 Length: 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	209	259,757
2	No	80	89,157
6	Valid skip	20,566	26,444,354
9	Not stated	66	109,984
		=====	=====
		20,921	26,903,252

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Smoking and Pregnancy

Variable Name: **SP_Q10** Position: 164 Length: 1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	1,154	1,850,041
2	No	3,325	3,916,792
6	Valid skip	16,416	21,115,872
7	Don't know	5	7,051
8	Refused	16	12,576
9	Not stated	5	920
		=====	=====
		20,921	26,903,252

Coverage: Women aged 20-44

Variable Name: **SP_Q20** Position: 165 Length: 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	199	183,761
2	No	310	376,772
6	Valid skip	20,385	26,319,710
7	Don't know	1	2,463
9	Not stated	26	20,547
		=====	=====
		20,921	26,903,252

Coverage: Women aged 20-44 who are daily, occasional or former smokers (who quit less than five years ago) and were pregnant in the last five years

Variable Name: **SP_Q30** Position: 166 Length: 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	87	60,797
2	No	1,033	1,755,818
3	Not applicable (no spouse/partner)	31	26,841
6	Valid skip	19,741	25,032,664
7	Don't know	3	6,586
9	Not stated	26	20,547
		=====	=====
		20,921	26,903,252

Coverage: Women aged 20-44 who were pregnant in the last five years

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Tobacco Products

Variable Name: **TP_Q015** Position: 167 Length: 1

Have you ever tried smoking a little cigar or cigarillos (plain or flavored)?

		FREQ	WTD
1	Yes	7,696	9,927,997
2	No	13,139	16,861,878
7	Don't know	21	25,884
8	Refused	22	35,077
9	Not stated	43	52,415
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **TP_Q016** Position: 168 Length: 1

In the past 30 days, did you smoke any little cigars or cigarillos (plain or flavored)?

		FREQ	WTD
1	Yes	1,321	1,097,663
2	No	6,370	8,826,470
6	Valid skip	13,139	16,861,878
7	Don't know	5	3,864
9	Not stated	86	113,377
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever smoked a cigar or cigarillo (plain or flavored)

Variable Name: **TP_Q025** Position: 169 Length: 1

Have you ever tried smoking a cigar (not including a little cigar/cigarillo plain or flavored)?

		FREQ	WTD
1	Yes	6,470	8,698,696
2	No	14,368	18,100,849
7	Don't know	17	16,874
8	Refused	20	29,339
9	Not stated	46	57,493
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q026** Position: 170 Length: 1

In the past 30 days, did you smoke any cigars (not including little cigars/cigarillos plain or flavored)?

		FREQ	WTD
1	Yes	701	595,175
2	No	5,768	8,103,474
6	Valid skip	14,368	18,100,849
7	Don't know	1	47
9	Not stated	83	103,707
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever smoked a cigar

Variable Name: **TP_Q030** Position: 171 Length: 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	2,781	4,089,238
2	No	18,057	22,680,204
7	Don't know	13	25,333
8	Refused	21	41,371
9	Not stated	49	67,106
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **TP_Q040** Position: 172 Length: 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	162	145,214
2	No	2,619	3,944,024
6	Valid skip	18,057	22,680,204
9	Not stated	83	133,810
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever smoked a pipe

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q050** *Position:* 173 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	2,180	2,261,464
2	No	18,655	24,465,976
7	Don't know	11	52,520
8	Refused	24	48,820
9	Not stated	51	74,473
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 174 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	232	157,451
2	No	1,948	2,104,013
6	Valid skip	18,655	24,465,976
9	Not stated	86	175,813
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable Name: **TP_Q075** *Position:* 175 *Length:* 1

Have you ever tried smoking herbal cigarettes (these are tobacco free cigarettes often found in natural food stores)?

		FREQ	WTD
1	Yes	892	1,073,724
2	No	19,937	25,671,898
7	Don't know	14	32,302
8	Refusal	26	50,326
9	Not stated	52	75,002
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q076** Position: 176 Length: 1

In the past 30 days, did you smoke any herbal cigarettes?

		FREQ	WTD
1	Yes	55	53,029
2	No	836	1,020,612
6	Valid skip	19,937	25,671,898
7	Don't know	1	83
9	Not stated	92	157,630
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever tried to smoke herbal cigarettes

Section: Opinions on Smoking

Variable Name: **OS_Q10** Position: 177 Length: 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	15,269	19,490,381
2	Smoking should be allowed only in a section of a restaurant that is enclosed	3,040	3,726,114
3	Smoking should be allowed only in a designated section of a restaurant	2,115	2,916,180
4	Smoking should be allowed anywhere in a restaurant	251	400,424
7	Don't know	148	211,983
8	Refused	37	68,768
9	Not stated	61	89,401
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **OS_Q20** Position: 178 Length: 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	10,265	12,898,873
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	4,886	5,934,544
3	Smoking should be allowed only in a designated section of a bar or tavern	3,386	4,702,050
4	Smoking should be allowed anywhere in a bar or tavern	1,550	2,038,682
7	Don't know	690	1,091,684
8	Refused	82	145,643
9	Not stated	62	91,777
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **OS_Q30** Position: 179 Length: 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	7,033	9,649,411
2	Smoking should be allowed only in enclosed smoking areas in the workplace	2,053	3,024,011
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	11,166	13,237,059
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	298	414,610
7	Don't know	249	382,779
8	Refused	57	100,713
9	Not stated	65	94,670
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **OS_Q40** Position: 180 Length: 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	3,985	4,716,444
02	Friends/peers	9,329	11,285,159
03	Parents	3,302	4,915,301
04	Other adults	262	279,244
05	Brother(s)/sister(s)	70	63,413
06	Celebrities	422	544,748
07	Tobacco industry	1,578	2,067,424
08	Government	546	829,178
09	Other (do not specify)	635	902,161
97	Don't know	660	1,112,288
98	Refused	67	93,222
99	Not stated	65	94,670
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Section: Exposure to Second-hand Smoke

Variable Name: **EX_Q010** Position: 182 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	7,650	7,018,014
2	No	13,087	19,649,590
7	Don't know	52	52,590
8	Refused	64	84,680
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q020** Position: 183 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside someone else's home?

		FREQ	WTD
1	Yes	7,829	7,721,667
2	No	12,906	18,932,992
7	Don't know	54	66,317
8	Refused	64	83,898
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q030** Position: 184 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	6,445	7,747,999
2	No	14,268	18,831,710
7	Don't know	75	141,205
8	Refused	65	83,962
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q040** Position: 185 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a restaurant?

		FREQ	WTD
1	Yes	1,159	1,475,828
2	No	19,583	25,172,475
7	Don't know	46	72,610
8	Refused	65	83,962
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q050** Position: 186 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a bar or tavern?

		FREQ	WTD
1	Yes	1,603	2,101,180
2	No	19,139	24,551,201
7	Don't know	46	68,533
8	Refused	65	83,962
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q060** Position: 187 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at a bus stop or shelter?

		FREQ	WTD
1	Yes	3,738	4,351,355
2	No	16,996	22,261,773
7	Don't know	52	106,803
8	Refused	67	84,945
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q070** Position: 188 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... at an entrance to a building?

		FREQ	WTD
1	Yes	11,156	14,013,916
2	No	9,516	12,571,048
7	Don't know	110	133,884
8	Refused	71	86,028
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q080** Position: 189 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your workplace?

		FREQ	WTD
1	Yes	4,376	5,678,376
2	No	16,358	20,964,022
7	Don't know	45	73,252
8	Refused	74	89,225
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q090** Position: 190 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your school?

		FREQ	WTD
1	Yes	3,378	1,953,547
2	No	17,360	24,690,465
7	Don't know	40	63,999
8	Refused	75	96,864
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q100** Position: 191 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	7,404	7,971,056
2	No	13,273	18,561,336
7	Don't know	98	173,918
8	Refused	78	98,566
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q110** Position: 192 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	11,869	14,093,146
2	No	8,741	12,390,393
7	Don't know	159	215,310
8	Refused	84	106,026
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q120** Position: 193 Length: 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... anywhere else?

		FREQ	WTD
1	Yes	888	1,332,215
2	No	19,760	25,189,746
7	Don't know	118	177,256
8	Refused	87	105,658
9	Not stated	68	98,377
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **EX_Q130** Position: 194 Length: 1

Overall, (excluding your own smoking), in the past month were you exposed to second-hand smoke?

		FREQ	WTD
1	Every day	2,405	2,491,183
2	Almost every day	2,458	2,604,404
3	At least once a week	6,103	7,329,840
4	At least once in the past month	6,363	8,799,865
6	Valid skip	3,346	5,269,754
7	Don't know	215	363,944
8	Refused	30	42,582
9	Not stated	1	1,681
		=====	=====
		20,921	26,903,252

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **GPLA_Q20** Position: 197 Length: 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	220	411,604
02	Completed elementary	443	628,650
03	Some secondary	5,492	3,943,041
04	Completed secondary	4,894	6,210,216
05	Some community college, technical college, CEGEP or nurse's training	953	1,352,654
06	Completed community college, technical college, CEGEP or nurse's training	2,970	5,222,765
07	Some university or teacher's college	2,034	1,711,375
08	Completed university or teacher's college	3,401	6,473,220
09	Other education or training	197	472,162
99	Not stated	317	477,566
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force

Variable Name: **LF_Q10** Position: 199 Length: 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	15,568	19,564,947
2	No	5,142	7,045,335
7	Don't know	25	35,122
8	Refused	116	153,036
9	Not stated	70	104,811
		=====	=====
		20,921	26,903,252

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Student Income

Variable Name: **SI_Q10** Position: 203 Length: 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	6,052	2,697,985
2	No	3,497	1,702,992
6	Valid skip	11,289	22,467,737
7	Don't know	11	5,466
8	Refused	47	14,764
9	Not stated	25	14,306
		=====	=====
		20,921	26,903,252

Coverage: Respondents less than 25 years of age

Variable Name: **SI_G20** Position: 204 Length: 2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	272	120,873
02	\$010 to \$024	1,134	483,163
03	\$025 to \$049	820	325,183
04	\$050 to \$099	1,142	513,147
05	\$100 to \$199	1,289	607,728
06	\$200 or more	942	446,163
96	Valid Skip	14,786	24,170,730
99	Not Stated	536	236,266
		=====	=====
		20,921	26,903,252

Coverage: Respondents under 25 years of age who currently attend a school, college or university

Note: Derived from SI_Q20.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Section: Marijuana Use

Variable Name: **MU_Q10** *Position:* 206 *Length:* 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	1,533	1,808,686
2	Yes, more than once	6,677	8,449,647
3	No	12,269	15,947,338
7	Don't know	61	105,088
8	Refusal	311	489,579
9	Not stated	70	102,915
		=====	=====
		20,921	26,903,252

Coverage: All respondents

Variable Name: **MU_Q20** *Position:* 207 *Length:* 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	2,935	2,454,363
2	No	5,267	7,795,111
6	Valid skip	12,269	15,947,338
7	Don't know	4	748
8	Refused	4	8,110
9	Not stated	442	697,581
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Variable Name: **MU_Q30** *Position:* 208 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	942	894,588
2	1 to 3 times a month	648	509,797
3	Once a week	305	278,988
4	More than once a week	440	322,969
5	Every day	418	354,051
6	Valid skip	17,703	23,826,471
7	Don't know	11	5,039
8	Refused	4	4,910
9	Not stated	450	706,440
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

Variable Name: **MU_Q40** *Position:* 209 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
07 : 73	Age first used marijuana	8,127	10,185,909
96	Valid skip	12,269	15,947,338
97	Don't know	74	56,135
98	Refused	9	16,288
99	Not stated	442	697,581
		=====	=====
		20,921	26,903,252

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 211 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

INDEX

A	
AGE0014	3
AGE1524	3
AGE2544	4
AGE45PL	4
AGEGRP5	9
AGEGRP7	9
C	
CA_Q10	19
CA_Q20	20
CA_Q30	20
CA_Q40	20
CA_Q50	21
CB_Q20	19
CC_Q20	22
CC_Q30	23
CC_Q40	23
CC_Q50	24
CC_Q60	24
CC_Q70	25
CC_Q80	25
CM_Q10	38
CM_Q20	38
CM_Q40	39
CM_Q60	39
CM_Q80A	40
CM_Q80B	40
CM_Q80C	41
CM_Q80D	41
CM_Q80E	42
CP_Q10	44
CS_Q31	21
CS_Q41	21
CS_Q51	22
D	
DVAGE	8
DVAVCIG7	31
DVAVCIGD	32
DVCIGWK	31
DVDAILY	33
DVEDUC	60
DVLOWTAR	26
DVMARST	10
DVNDSMK	32
DVNOCS10	63
DVPRICE	33
DVSMKPTN	32
DVSS1	27
DVSS2	28
DVSST1	26
DVSST2	27
DVURBAN	2
DVYRSSMK	13
E	
EX_Q010	55
EX_Q020	55
EX_Q030	56
EX_Q040	56
EX_Q050	56
EX_Q060	57
EX_Q070	57
EX_Q080	57
EX_Q090	58
EX_Q100	58
EX_Q110	58
EX_Q120	59
EX_Q130	59
F	
FR_Q10	28
FR_Q20	29
FR_Q30	29
FR_Q40	30
FR_Q50	30
FR_Q60	31
G	
GPLA_Q20	61
H	
HHSIZE	3
HHTYPE	5
HP_Q010	45
HP_Q020	45
HP_Q030	45
HP_Q040	46
HP_Q050	46
HP_Q060	46
HP_Q100	47
HP_Q110	47
HP_Q120	47
HS_Q10	5
HS_Q20	6
HS_Q30	6
HS_Q40	6
HS_Q50	7
HS_Q60A	7
HS_Q60B	7
HS_Q60C	8
HS_Q60D	8
L	
LA_Q10	60
LF_Q10	61
LF_Q51	62

**Canadian Tobacco Use Monitoring Survey - 2007
Public Use Microdata File (Person) - Annual**

M	SC_Q070	36
MU_Q10	SC_Q080	36
MU_Q20	SC_Q090	36
MU_Q30	SC_Q100	37
MU_Q40	SC_Q110	37
O	SEX	9
OM_Q030	SI_G20	64
OM_Q070	SI_Q10	63
OM_Q080	SP_Q10	48
OM_Q090	SP_Q20	48
OM_Q130	SP_Q30	49
OS_Q10	SS_Q10	10
OS_Q20	SS_Q20	10
OS_Q30	SS_Q30	11
OS_Q40	SS_Q40	11
P	STOPSMK	38
PROV	T	
PS_Q10	TP_Q015	49
PS_Q20	TP_Q016	49
PS_Q30	TP_Q025	50
PS_Q40	TP_Q026	50
PUMFID	TP_Q030	50
R	TP_Q040	51
REFMONTH	TP_Q050	51
REFYEAR	TP_Q060	51
S	TP_Q075	52
SB_Q10	TP_Q076	52
SB_Q20	W	
SB_Q30	WP_Q10A	13
SB_Q40	WP_Q10B	14
SB_Q50	WP_Q10C	14
SC_Q010	WP_Q10D	15
SC_Q020	WP_Q10E	15
SC_Q030	WP_Q10F	16
SC_Q040	WP_Q10G	16
SC_Q050	WTPP	66
SC_Q060		