

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

TABLE OF CONTENTS

| | |
|---|---|
| Identification Variables | 1 |
| Demographic Variables - Household | 1 |
| Household Smoking | 2 |
| Derived Variables - Household | 5 |
| Weight Variable..... | 7 |

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

| | | | |
|-------------|-------------|--------|------------|
| | | FREQ | WTD |
| 2007 : 2007 | Survey year | 22,485 | 12,800,009 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

| | | | |
|---------|--------------|--------|------------|
| | | FREQ | WTD |
| 02 : 06 | Survey month | 22,485 | 12,800,009 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

Section: Demographic Variables - Household

Variable Name: **FINTLANG** *Position:* 12 *Length:* 1

Language of interview

| | | | |
|---|-------------------|--------|------------|
| | | FREQ | WTD |
| 1 | English interview | 19,682 | 9,796,628 |
| 2 | French interview | 2,803 | 3,003,381 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

| | | | | | |
|-------------------------------------|---------------------------|------------------|----|----------------|------------|
| <i>Variable Name:</i> | PROV | <i>Position:</i> | 13 | <i>Length:</i> | 2 |
| Province of the selected respondent | | | | | |
| | | | | FREQ | WTD |
| 10 | Newfoundland and Labrador | | | 2,303 | 200,102 |
| 11 | Prince Edward Island | | | 2,072 | 54,173 |
| 12 | Nova Scotia | | | 2,537 | 380,153 |
| 13 | New Brunswick | | | 2,376 | 301,231 |
| 24 | Quebec | | | 2,539 | 3,277,441 |
| 35 | Ontario | | | 2,095 | 4,750,530 |
| 46 | Manitoba | | | 2,247 | 451,393 |
| 47 | Saskatchewan | | | 2,161 | 379,130 |
| 48 | Alberta | | | 2,032 | 1,291,308 |
| 59 | British Columbia | | | 2,123 | 1,714,548 |
| | | | | ===== | ===== |
| | | | | 22,485 | 12,800,009 |

Section: Household Smoking

(Do you/Does anyone in your household) smoke cigarettes?

Coverage: Household respondent

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Coverage: Household respondent

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

Variable Name: **HS_Q30** *Position:* 18 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

| | | FREQ | WTD |
|---|-----------------------|--------|------------|
| 1 | 1 to 10 cigarettes | 1,380 | 796,550 |
| 2 | 11 to 20 cigarettes | 904 | 479,325 |
| 3 | 21 to 30 cigarettes | 489 | 277,362 |
| 4 | 31 to 40 cigarettes | 117 | 60,692 |
| 5 | 41 or more cigarettes | 178 | 95,026 |
| 6 | Valid skip | 19,319 | 11,037,287 |
| 7 | Don't know | 93 | 49,083 |
| 8 | Refused | 5 | 4,684 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 19 *Length:* 1

Is smoking cigarettes allowed inside your home?

| | | FREQ | WTD |
|---|------------|--------|------------|
| 1 | Yes | 2,135 | 1,346,411 |
| 2 | No | 17,113 | 9,645,649 |
| 6 | Valid skip | 3,166 | 1,762,722 |
| 7 | Don't know | 66 | 43,211 |
| 8 | Refused | 4 | 1,870 |
| 9 | Not stated | 1 | 147 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Variable Name: **HS_Q50** *Position:* 20 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

| | | FREQ | WTD |
|---|------------|--------|------------|
| 1 | Yes | 2,245 | 1,284,788 |
| 2 | No | 3,034 | 1,807,989 |
| 6 | Valid skip | 17,113 | 9,645,649 |
| 7 | Don't know | 16 | 12,355 |
| 8 | Refused | 5 | 1,760 |
| 9 | Not stated | 72 | 47,468 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

Variable Name: **HS_Q60A** *Position:* 21 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed in certain rooms only

| | | FREQ | WTD |
|---|------------|--------|------------|
| 1 | Yes | 1,538 | 864,265 |
| 2 | No | 707 | 420,523 |
| 6 | Valid skip | 20,147 | 11,453,638 |
| 9 | Not stated | 93 | 61,583 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 22 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

| | | FREQ | WTD |
|---|------------|--------|------------|
| 1 | Yes | 788 | 392,686 |
| 2 | No | 1,457 | 892,101 |
| 6 | Valid skip | 20,147 | 11,453,638 |
| 9 | Not stated | 93 | 61,583 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60C** *Position:* 23 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

| | | FREQ | WTD |
|---|------------|--------|------------|
| 1 | Yes | 901 | 571,106 |
| 2 | No | 1,344 | 713,682 |
| 6 | Valid skip | 20,147 | 11,453,638 |
| 9 | Not stated | 93 | 61,583 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: Households where smoking is restricted inside the home

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

Variable Name: **HS_Q60D** *Position:* 24 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

| | | FREQ | WTD |
|---|------------|--------|------------|
| 1 | Yes | 422 | 220,799 |
| 2 | No | 1,823 | 1,063,989 |
| 6 | Valid skip | 20,147 | 11,453,638 |
| 9 | Not stated | 93 | 61,583 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: Households where smoking is restricted inside the home

Section: **Derived Variables - Household**

Variable Name: **AGE0014** *Position:* 25 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

| | | FREQ | WTD |
|----|-------------|--------|------------|
| 00 | None | 16,747 | 9,444,543 |
| 01 | One | 2,670 | 1,547,486 |
| 02 | Two or more | 3,068 | 1,807,980 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 27 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

| | | FREQ | WTD |
|----|-------------|--------|------------|
| 00 | None | 17,451 | 9,964,212 |
| 01 | One | 3,261 | 1,789,215 |
| 02 | Two or more | 1,773 | 1,046,583 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

Variable Name: **AGE2544** *Position:* 29 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

| | | FREQ | WTD |
|----|-------------|--------|------------|
| 00 | None | 12,874 | 7,146,227 |
| 01 | One | 4,637 | 2,736,525 |
| 02 | Two or more | 4,974 | 2,917,257 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 31 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

| | | FREQ | WTD |
|----|-------------|--------|------------|
| 00 | None | 7,223 | 4,125,773 |
| 01 | One | 6,358 | 3,803,689 |
| 02 | Two or more | 8,904 | 4,870,547 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHSIZE** *Position:* 33 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

| | | FREQ | WTD |
|---------|------------------------------|--------|------------|
| 01 : 04 | # of people in the household | 20,705 | 11,749,037 |
| 05 | 5 or more | 1,780 | 1,050,972 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

Variable Name: **HHTYPE** **Position:** 35 **Length:** 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

| | | FREQ | WTD |
|----|--|--------|------------|
| 01 | Households with only 18-19 year old members | 38 | 15,808 |
| 02 | Households with only 20-24 year old members | 317 | 165,811 |
| 03 | Households with only 25-44 year old members | 2,232 | 1,350,169 |
| 04 | Households with only 45-64 year old members | 4,767 | 2,624,983 |
| 05 | Households with only 65+ year old members | 3,972 | 2,166,281 |
| 06 | Households with adults and children aged 0-11 only | 3,201 | 1,887,255 |
| 07 | Households with adults and teens aged 12-19 only | 2,986 | 1,705,746 |
| 08 | Households with adults and young children and teens aged 0-19 only | 1,388 | 787,497 |
| 09 | Other compositions | 3,584 | 2,096,459 |
| | | ===== | ===== |
| | | 22,485 | 12,800,009 |

Coverage: All households

Note: Derived from the roster entries

Section: **Weight Variable**

Variable Name: **WTHP** **Position:** 37 **Length:** 12.4

Six month survey weight of a household, i.e. the number of households in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2007
Public Use Microdata File (Household)

INDEX

| | | | |
|---------------|---|---------------|---|
| A | | HS_Q50..... | 3 |
| AGE0014 | 5 | HS_Q60A..... | 4 |
| AGE1524 | 5 | HS_Q60B..... | 4 |
| AGE2544 | 6 | HS_Q60C..... | 4 |
| AGE45PL..... | 6 | HS_Q60D..... | 5 |
| F | | P | |
| FINTLANG..... | 1 | PROV | 2 |
| H | | PUMFID | 1 |
| HHSIZE | 6 | R | |
| HHTYPE..... | 7 | REFMONTH..... | 1 |
| HS_Q10..... | 2 | REFYEAR | 1 |
| HS_Q20..... | 2 | W | |
| HS_Q30..... | 3 | WTHP | 7 |
| HS_Q40..... | 3 | | |