

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	2
Derived Variables - Household	2
Household Smoking.....	5
Demographic Variables - Person	8
Smoking Status.....	9
Past Smoking.....	11
Weekly Pattern.....	12
Smoking Behaviour	16
Cigarette Brand.....	16
Cigarette Access.....	17
Cigarette Source	19
Cheaper Cigarettes.....	20
Derived Variables - Person	23
Fire Risk.....	25
Derived Variables - Person	28
Smoking Cessation	30
Cessation Methods	35
Other Cessation Methods	39
Cessation Products.....	40
Health Professionals	41
Smoking and Pregnancy	44
Tobacco Products	45
Smoking in Vehicles.....	48
Opinions on Smoking.....	53
Exposure to Second-hand Smoke	55
Language and Education	60
Labour Force	61
Student Income.....	63
Marijuana Use.....	64
Weight Variable.....	65

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

2008 : 2008	Survey year	FREQ	WTD
		10,822	27,365,279
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

07 : 12	Survey month	FREQ	WTD
		10,822	27,365,279
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,102	428,101
11	Prince Edward Island	1,144	115,494
12	Nova Scotia	1,117	784,246
13	New Brunswick	1,060	629,308
24	Quebec	1,133	6,435,392
35	Ontario	1,011	10,620,442
46	Manitoba	1,164	958,443
47	Saskatchewan	1,125	810,595
48	Alberta	999	2,853,456
59	British Columbia	967	3,729,802
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	7,673	21,648,435
2	Rural	2,792	5,007,682
9	Not stated	357	709,162
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	9,367	23,476,128
05	5 or more	1,455	3,889,151
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	7,770	19,005,650
01	One	1,764	4,002,053
02	Two or more	1,288	4,357,576
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	4,786	18,025,236
01	One	3,817	5,306,530
02	Two or more	2,219	4,033,513
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	6,313	14,055,507
01	One	2,549	5,887,506
02	Two or more	1,960	7,422,265
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	3,401	8,780,024
01	One	2,998	6,348,950
02	Two or more	4,423	12,236,306
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	40	21,357
02	Households with only 20-24 year old members	292	297,169
03	Households with only 25-44 year old members	541	2,362,948
04	Households with only 45-64 year old members	1,430	4,178,242
05	Households with only 65+ year old members	1,145	3,442,157
06	Households with adults and children aged 0-11 only	1,066	4,379,285
07	Households with adults and teens aged 12-19 only	3,351	5,337,242
08	Households with adults and young children and teens aged 0-19 only	967	2,127,079
09	Other compositions	1,990	5,219,799
		=====	=====
		10,822	27,365,279

Coverage: All households

Note: Derived from the roster entries

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Household Smoking

Variable Name: **HS_Q10** Position: 27 Length: 1

(Do you/Does anyone in your household) smoke cigarettes?

		FREQ	WTD
1	Yes	3,322	7,132,821
2	No	7,500	20,232,458
		=====	=====
		10,822	27,365,279

Coverage: Household respondent

Variable Name: **HS_Q20** Position: 28 Length: 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00	None	9,462	24,532,023
01 : 15	# of people that smoke inside the home	1,360	2,833,256
		=====	=====
		10,822	27,365,279

Coverage: Household respondent

Variable Name: **HS_Q30** Position: 30 Length: 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	596	1,299,802
2	11 to 20 cigarettes	401	843,846
3	21 to 30 cigarettes	202	418,681
4	31 to 40 cigarettes	54	97,971
5	41 or more cigarettes	72	116,876
6	Valid skip	9,462	24,532,023
7	Don't know	35	56,080
		=====	=====
		10,822	27,365,279

Coverage: Households where at least one person smokes inside the home

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

Variable Name: **HS_Q40** Position: 31 Length: 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	780	2,093,831
2	No	8,661	22,351,023
6	Valid skip	1,360	2,833,256
7	Don't know	21	87,169
		=====	=====
		10,822	27,365,279

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Variable Name: **HS_Q50** Position: 32 Length: 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	954	2,057,553
2	No	1,177	2,849,498
6	Valid skip	8,661	22,351,023
7	Don't know	9	20,035
9	Not stated	21	87,169
		=====	=====
		10,822	27,365,279

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Variable Name: **HS_Q60A** Position: 33 Length: 1

How is smoking cigarettes restricted inside your home?

... Allowed in certain rooms only

		FREQ	WTD
1	Yes	682	1,471,298
2	No	272	586,255
6	Valid skip	9,838	25,200,522
9	Not stated	30	107,204
		=====	=====
		10,822	27,365,279

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Restricted in the presence of young children

		FREQ	WTD
1	Yes	414	605,296
2	No	540	1,452,257
6	Valid skip	9,838	25,200,522
9	Not stated	30	107,204
		=====	=====
		10,822	27,365,279

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Allowed only if windows are open or with other type of ventilation

		FREQ	WTD
1	Yes	507	944,351
2	No	447	1,113,202
6	Valid skip	9,838	25,200,522
9	Not stated	30	107,204
		=====	=====
		10,822	27,365,279

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home?

... Other restriction(s)

		FREQ	WTD
1	Yes	163	410,797
2	No	791	1,646,756
6	Valid skip	9,838	25,200,522
9	Not stated	30	107,204
		=====	=====
		10,822	27,365,279

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Demographic Variables - Person

Variable Name: **DVAGE** *Position:* 37 *Length:* 2

Age of respondent, derived from PA_Q01

Allowed values: 15 : 85

		FREQ	WTD
15 : 84	Age of respondent	10,688	27,041,650
85	85 or more	134	323,629
		=====	=====
		10,822	27,365,279

Coverage: All respondents
Note: Ages greater than 85 were recoded to 85.

Variable Name: **AGEGRP5** *Position:* 39 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	2,804	2,204,415
2	20-24 years	2,137	2,260,518
3	25-34 years	846	4,561,412
4	35-44 years	1,134	4,847,654
5	45 years and over	3,901	13,491,281
		=====	=====
		10,822	27,365,279

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **AGEGRP7** *Position:* 40 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,764	1,385,123
02	18-19 years	1,040	819,291
03	20-22 years	1,337	1,440,951
04	23-24 years	800	819,567
05	25-44 years	1,980	9,409,066
06	45-64 years	2,538	9,188,332
07	65 years and over	1,363	4,302,949
		=====	=====
		10,822	27,365,279

Coverage: All respondents
Note: Derived from PA_Q01

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **SS_Q20** *Position:* 45 *Length:* 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	551	1,233,686
2	No	8,650	22,373,861
6	Valid skip	1,621	3,757,732
		=====	=====
		10,822	27,365,279

Coverage: Respondents who are not current daily smokers

Variable Name: **SS_Q30** *Position:* 46 *Length:* 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	1,604	3,775,831
2	No	568	1,215,587
6	Valid skip	8,650	22,373,861
		=====	=====
		10,822	27,365,279

Coverage: Current daily smokers or respondents who smoked in the past 30 days

Variable Name: **SS_Q40** *Position:* 47 *Length:* 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	4,245	12,630,849
2	No	6,577	14,734,430
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Past Smoking

Variable Name: **PS_Q10** *Position:* 48 *Length:* 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,583	4,079,260
2	No	4,842	10,434,516
6	Valid skip	4,397	12,851,502
		=====	=====
		10,822	27,365,279

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Variable Name: **PS_Q20** *Position:* 49 *Length:* 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	2,243	7,734,521
2	No	456	1,215,348
6	Valid skip	8,122	18,414,927
7	Don't know	1	483
		=====	=====
		10,822	27,365,279

Coverage: Former or occasional smokers who did not smoke daily in the past 30 days or who did not smoke at all in the past 30 days.

Variable Name: **PS_Q30** *Position:* 50 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 52	Age smoked first cigarette	5,856	16,614,954
96	Valid skip	4,842	10,434,516
97	Don't know	124	315,809
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever smoked a cigarette

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **PS_Q40** *Position:* 52 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
06 : 69	Age began to smoke cigarettes daily	3,737	11,052,020
96	Valid skip	6,958	15,873,025
97	Don't know	126	439,368
99	Not stated	1	866
		=====	=====
		10,822	27,365,279

Coverage: Respondents who are actually daily smokers or who have ever smoked cigarettes daily

Variable Name: **DVYRSSMK** *Position:* 54 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 75

		FREQ	WTD
00 : 75	# of yrs the respondent smoked	2,123	4,818,089
96	Valid skip	8,669	22,486,993
99	Not stated	30	60,197
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Note: Derived from AGE and PS_Q30. Ages greater than 75 were recoded to 75.

Section: Weekly Pattern

Variable Name: **WP_Q10A** *Position:* 56 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Monday?

Allowed values: 00 : 90

		FREQ	WTD
00	None	284	707,362
01 : 60	# of cigarettes smoked-Monday	1,775	4,111,814
96	Valid skip	8,650	22,373,861
97	Don't know	22	24,031
99	Not stated	91	148,211
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **WP_Q10B** *Position:* 58 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Tuesday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	285	729,793
01 : 60	# of cigarettes smoked-Tuesday	1,752	4,039,665
96	Valid skip	8,650	22,373,861
97	Don't know	27	52,437
99	Not stated	108	169,524
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10C** *Position:* 60 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Wednesday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	274	661,960
01 : 50	# of cigarettes smoked-Wednesday	1,750	4,119,626
96	Valid skip	8,650	22,373,861
97	Don't know	24	37,813
99	Not stated	124	172,020
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **WP_Q10D** *Position:* 62 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Thursday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	288	635,108
01 : 60	# of cigarettes smoked-Thursday	1,729	4,090,880
96	Valid skip	8,650	22,373,861
97	Don't know	33	46,033
99	Not stated	122	219,396
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10E** *Position:* 64 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Friday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	242	567,012
01 : 60	# of cigarettes smoked-Friday	1,796	4,197,844
96	Valid skip	8,650	22,373,861
97	Don't know	26	31,830
98	Refused	2	3,550
99	Not stated	106	191,182
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers or those who smoked in the last 30 days

Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **WP_Q10F** *Position:* 66 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Saturday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	240	647,078
01 : 80	# of cigarettes smoked-Saturday	1,813	4,136,285
96	Valid skip	8,650	22,373,861
97	Don't know	24	72,219
99	Not stated	95	135,836
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

Variable Name: **WP_Q10G** *Position:* 68 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... Sunday?

<i>Allowed values:</i>	00 : 90		
		FREQ	WTD
00	None	294	729,042
01 : 50	# of cigarettes smoked-Sunday	1,769	4,111,809
96	Valid skip	8,650	22,373,861
97	Don't know	33	33,752
99	Not stated	76	116,816
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers or those who smoked in the last 30 days
Note: Values derived from WP_Q10A to WP_Q10G.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Smoking Behaviour

Variable Name: **SB_Q10** Position: 70 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	366	871,904
2	6 to 30 minutes	527	1,407,730
3	31 to 60 minutes	296	635,702
4	More than 60 minutes	420	793,323
6	Valid skip	9,201	23,607,547
7	Don't know	7	38,361
8	Refused	1	1,591
9	Not stated	4	9,120
		=====	=====
		10,822	27,365,279

Coverage: Current daily smokers

Section: Cigarette Brand

Variable Name: **CB_Q20** Position: 71 Length: 1

At the present time, do you roll your own or make your own cigarettes?

		FREQ	WTD
1	All the time	98	174,057
2	Most of the time	63	61,239
3	Sometimes	172	234,092
4	Never	1,548	3,524,739
6	Valid skip	8,669	22,486,993
7	Don't know	1	593
9	Not stated	271	883,565
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Cigarette Access

Variable Name: **CA_Q10** *Position:* 72 *Length:* 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them from a vending machine	0	0
02	I buy them at a small grocery/corner store	1,109	2,700,832
03	I buy them at a supermarket	196	476,957
04	I buy them at a drug store	26	54,057
05	I buy them at a gasoline station	419	741,640
06	I buy them at another kind of store	72	185,729
07	I buy them from a friend or someone else	27	51,373
08	I buy them by mail order	0	0
09	I buy them from the Internet	0	0
10	My brother or sister gives them to me	3	4,351
11	My mother or father gives them to me	10	4,325
12	A friend or someone else gives them to me	158	277,520
13	I take them from my mother, father or siblings	2	1,407
14	Other	103	292,368
96	Valid skip	8,669	22,486,993
97	Don't know	13	40,969
98	Refusal	7	29,951
99	Not stated	8	16,807
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Variable Name: **CA_Q20** *Position:* 74 *Length:* 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	33	18,054
2	No	86	70,314
6	Valid skip	10,703	27,276,910
		=====	=====
		10,822	27,365,279

Coverage: Current smokers between the age of 15-18 who don't usually buy cigarettes from a store

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

Variable Name: **CA_Q30** *Position:* 75 *Length:* 1

In the past 12 months, have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	124	80,391
2	No	88	59,145
6	Valid skip	10,610	27,225,742
		=====	=====
		10,822	27,365,279

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** *Position:* 76 *Length:* 1

In the past 12 months, has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	99	57,012
2	No	113	82,524
6	Valid skip	10,610	27,225,742
		=====	=====
		10,822	27,365,279

Coverage: Current smokers between the age of 15-18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q50** *Position:* 77 *Length:* 1

In the past 12 months, have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	164	88,264
2	No	134	121,587
6	Valid skip	10,524	27,155,428
		=====	=====
		10,822	27,365,279

Coverage: Current smokers between the age of 15-18

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Cigarette Source

Variable Name: **CS_Q31** *Position:* 78 *Length:* 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	555	1,256,424
2	No	10,236	26,049,970
7	Don't know	16	36,927
8	Refusal	5	2,929
9	Not stated	10	19,028
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **CS_Q41** *Position:* 79 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	187	221,544
2	No	367	1,033,834
6	Valid skip	10,236	26,049,970
7	Don't know	1	1,047
9	Not stated	31	58,885
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever purchased or gave cigarettes to a minor

Variable Name: **CS_Q51** *Position:* 80 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	90	133,131
2	No	96	87,132
6	Valid skip	10,603	27,083,804
7	Don't know	1	1,280
9	Not stated	32	59,931
		=====	=====
		10,822	27,365,279

Coverage: Respondents who in the past 12 months have purchased or gave cigarettes to a minor

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Cheaper Cigarettes

Variable Name: **CC_Q20** Position: 81 Length: 1

In the past 6 months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	820	1,837,352
2	No	1,316	2,993,803
6	Valid skip	8,669	22,486,993
7	Don't know	8	29,353
8	Refused	1	971
9	Not stated	8	16,807
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Variable Name: **CC_Q30** Position: 82 Length: 1

In the past 6 months, did you buy:

... from a First Nation's Reserve?

		FREQ	WTD
1	Yes	370	986,210
2	No	1,765	3,820,780
6	Valid skip	8,669	22,486,993
7	Don't know	7	50,035
8	Refused	3	4,454
9	Not stated	8	16,807
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **CC_Q40** *Position:* 83 *Length:* 1

In the past 6 months, did you buy:

... from the Internet?

		FREQ	WTD
1	Yes	4	29,142
2	No	2,139	4,831,227
6	Valid skip	8,669	22,486,993
7	Don't know	1	139
8	Refused	1	971
9	Not stated	8	16,807
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Variable Name: **CC_Q50** *Position:* 84 *Length:* 1

In the past 6 months, did you buy:

... by mail order?

		FREQ	WTD
1	Yes	6	32,705
2	No	2,137	4,827,663
6	Valid skip	8,669	22,486,993
7	Don't know	1	139
8	Refused	1	971
9	Not stated	8	16,807
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **CC_Q60** *Position:* 85 *Length:* 1

In the past 6 months, did you buy cigarettes:
... from outside your province?

		FREQ	WTD
1	Yes	311	555,940
2	No	1,829	4,302,776
6	Valid skip	8,669	22,486,993
7	Don't know	4	1,793
8	Refused	1	971
9	Not stated	8	16,807
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Variable Name: **CC_Q70** *Position:* 86 *Length:* 1

In the past 6 months, did you buy cigarettes:
... that may have been smuggled?

		FREQ	WTD
1	Yes	84	212,114
2	No	2,032	4,565,870
6	Valid skip	8,669	22,486,993
7	Don't know	27	82,269
8	Refused	1	971
9	Not stated	9	17,061
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Variable Name: **CC_Q80** *Position:* 87 *Length:* 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	89	205,813
2	No	2,050	4,645,805
6	Valid skip	8,669	22,486,993
7	Don't know	3	3,015
8	Refused	2	6,592
9	Not stated	9	17,061
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** *Position:* 88 *Length:* 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	6	11,450
03	3 mg	10	57,819
04	4 mg	110	318,321
05	5 mg	2	12,493
06	6 mg	0	0
07	7 mg	10	51,138
08	8 mg	36	136,016
09	9 mg	3	5,361
10	10 mg	65	168,958
11	11 mg	153	573,968
12	12 mg	286	425,795
13	13 mg	390	937,364
14	14 mg	504	788,654
15	15 mg	173	443,116
16	16 mg	5	14,158
17	17 mg or more	8	18,443
96	Valid skip	8,669	22,486,993
99	Not stated	392	915,232
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who usually smoke the same brand of cigarettes
Note: Derived from CB_Q12.

Variable Name: **DVSST1** *Position:* 90 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	2,153	4,878,286
2	Former smoker	2,244	7,973,216
3	Never smoked	6,425	14,513,777
		=====	=====
		10,822	27,365,279

Coverage: All respondents
Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **DVSS2** *Position:* 94 *Length:* 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	1,684	3,883,310
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	349	868,632
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	1,973	7,032,329
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	238	846,094
05	Beginner: smoked in last 30 days, <100 cigarettes in life	139	239,476
06	Past experimental smoker	1,604	4,068,061
07	Lifetime abstainer	4,834	10,426,894
99	Not stated	1	483
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Section: Fire Risk

Variable Name: **FR_Q10** *Position:* 96 *Length:* 1

Many people will smoke in bed while watching television or reading. When was the last time you smoked in bed? Was it...

		FREQ	WTD
1	In the past week	241	397,023
2	In the past month	49	84,235
3	Within one to six months	72	131,042
4	More than six months ago	383	777,921
5	Never	1,393	3,461,270
6	Valid skip	8,669	22,486,993
7	Don't know	4	8,386
8	Refused	1	971
9	Not stated	10	17,437
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **FR_Q40** *Position:* 99 *Length:* 1

In the past year, how many times did this happen to you?

		FREQ	WTD
1	Never	104	154,850
2	Once	38	70,687
3	Two to five times	22	11,230
4	More than five times	5	13,340
6	Valid skip	10,635	27,080,028
7	Don't know	4	1,040
9	Not stated	14	34,103
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have fallen asleep with a lit cigarette

Variable Name: **FR_Q50** *Position:* 100 *Length:* 2

Sometimes people leave a cigarette burning in an ashtray while attending to something else. When was the last time you did this? Was it...

		FREQ	WTD
01	In the past week	455	1,000,753
02	In the past month	114	266,424
03	Within one to six months	93	237,428
04	More than six months ago	265	654,274
05	Never	1,141	2,528,957
06	Don't use ashtrays	47	95,913
96	Valid skip	8,669	22,486,993
97	Don't know	24	56,702
98	Refused	2	4,888
99	Not stated	12	32,947
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **FR_Q60** *Position:* 102 *Length:* 1

In the past year, how often did you leave a cigarette burning in an ashtray while attending to something else?

		FREQ	WTD
1	Everyday	91	236,727
2	A few times a week	145	372,029
3	Once a week	120	236,407
4	Once a month or less	454	1,070,344
5	Never	103	221,808
6	Valid skip	9,857	25,111,863
7	Don't know	14	21,565
9	Not stated	38	94,536
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have left a cigarette burning in an ashtray

Section: Derived Variables - Person

Variable Name: **DVCIGWK** *Position:* 103 *Length:* 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 350	# of cigs smoked per week	1,977	4,680,147
996	Valid skip	8,650	22,373,861
999	Not stated	195	311,271
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** *Position:* 106 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 50	Avg. # of cigs smoked/day	1,977	4,680,147
96	Valid skip	8,650	22,373,861
99	Not stated	195	311,271
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over 7 days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **DVNDSMK** *Position:* 108 *Length:* 2

Derived variable for number of days respondent smoked in the last 7 days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last seven days	1,977	4,680,147
96	Valid skip	8,650	22,373,861
99	Not stated	195	311,271
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 110 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 55	Avg. smoked on the days they smoked	1,977	4,680,147
96	Valid skip	8,650	22,373,861
99	Not stated	195	311,271
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 112 *Length:* 1

Derived variable for current smokers' smoking pattern in the past 7 days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	1,577	3,736,707
2	Weekdays only	8	10,287
3	Weekend only	10	12,020
4	Did not smoke in last 7 days	97	238,306
5	Other pattern	285	682,827
6	Valid skip	8,650	22,373,861
9	Not stated	195	311,271
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who have smoked in the last 30 days

Note: Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past 7 days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **DVDAILY** *Position:* 113 *Length:* 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
01 : 50	Average smoked-Daily smokers	1,492	3,555,832
96	Valid skip	9,201	23,607,547
99	Not stated	129	201,900
		=====	=====
		10,822	27,365,279

Coverage: Daily smokers
Note: Based on WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** *Position:* 115 *Length:* 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	841	1,551,046
2	Regular price brand	1,111	2,865,651
6	Valid skip	8,669	22,486,993
9	Not stated	201	461,589
		=====	=====
		10,822	27,365,279

Coverage: Current smokers
Note: Based on CB_Q11 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation

Variable Name: **SC_Q010** *Position:* 116 *Length:* 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	181	477,811
2	1 to 2 years ago	155	477,112
3	3 to 5 years ago	226	716,645
4	More than 5 years ago	1,675	6,281,088
6	Valid skip	8,578	19,392,063
7	Don't know	6	19,658
9	Not stated	1	902
		=====	=====
		10,822	27,365,279

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **SC_Q070** *Position:* 126 *Length:* 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	680	1,597,191
2	No	589	1,321,367
6	Valid skip	9,386	23,984,679
7	Don't know	75	190,898
9	Not stated	92	271,144
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** *Position:* 127 *Length:* 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00	None	1,033	2,621,978
01 : 94	# of attempts stop smoking for 24 hrs	1,212	2,488,364
96	Valid skip	8,488	22,009,182
97	Don't know	74	208,865
98	Refused	1	971
99	Not stated	14	35,919
		=====	=====
		10,822	27,365,279

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** *Position:* 129 *Length:* 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00	None	423	843,780
01 : 25	# of attempts stop smoking for one week	788	1,644,489
96	Valid skip	9,582	24,809,227
97	Don't know	15	31,865
99	Not stated	14	35,919
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **SC_Q100** *Position:* 131 *Length:* 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	1	856
02	Stress, need to relax or to calm down	388	828,933
03	Boredom	46	61,216
04	Addiction/habit	250	476,572
05	Lack of support or information	0	0
06	Going out more (bars, parties)	54	115,010
07	Increased availability	2	432
08	No reason/felt like it	106	266,228
09	Family or friends smoke	142	212,142
10	Other	82	199,040
96	Valid skip	9,582	24,809,227
97	Don't know	29	62,563
99	Not stated	140	333,060
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **SC_Q110** *Position:* 133 *Length:* 1

Have you tried to quit smoking?

		FREQ	WTD
1	Yes	634	1,790,713
2	No	400	822,201
6	Valid skip	9,783	24,745,904
7	Don't know	3	3,192
8	Refused	1	971
9	Not stated	1	2,298
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who did not try to quit in the past year

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

Variable Name: **STOPSMK** *Position:* 134 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	176	450,468
18	1-2 years	155	477,112
48	3-5 years	226	716,645
60	More than 5 years ago	1,675	6,281,088
96	Valid skip	8,578	19,392,063
99	Not stated	12	47,904
		=====	=====
		10,822	27,365,279

Coverage: Former smokers
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods

Variable Name: **CM_Q10** *Position:* 136 *Length:* 1

Have you tried to quit smoking in the past 2 years?

		FREQ	WTD
1	Yes	251	547,496
2	No	383	1,245,365
6	Valid skip	10,187	25,572,268
7	Don't know	1	150
		=====	=====
		10,822	27,365,279

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 137 *Length:* 1

In the past 2 years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	413	1,189,540
2	No	1,273	2,535,270
6	Valid skip	9,134	23,639,718
9	Not stated	2	751
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the last two years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **CM_Q40** *Position:* 138 *Length:* 1

In the past 2 years, did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	358	924,853
2	No	1,328	2,799,957
6	Valid skip	9,134	23,639,718
9	Not stated	2	751
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q60** *Position:* 139 *Length:* 1

In the past 2 years, did you use a product such as 'Zyban'?

		FREQ	WTD
1	Yes	170	418,208
2	No	1,513	3,304,287
6	Valid skip	9,134	23,639,718
7	Don't know	2	1,501
9	Not stated	3	1,565
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q80A** *Position:* 140 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You were concerned about possible side effects

		FREQ	WTD
1	Yes	194	330,970
2	No	807	1,613,011
6	Valid skip	9,806	25,413,119
7	Don't know	14	8,029
9	Not stated	1	150
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **CM_Q80B** *Position:* 141 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't believe these products work

		FREQ	WTD
1	Yes	230	468,653
2	No	771	1,475,328
6	Valid skip	9,806	25,413,119
7	Don't know	14	8,029
9	Not stated	1	150
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80C** *Position:* 142 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... You didn't have enough information about these products

		FREQ	WTD
1	Yes	140	251,970
2	No	861	1,692,011
6	Valid skip	9,806	25,413,119
7	Don't know	14	8,029
9	Not stated	1	150
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **CM_Q80D** *Position:* 143 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... They cost too much

		FREQ	WTD
1	Yes	211	349,128
2	No	790	1,594,852
6	Valid skip	9,806	25,413,119
7	Don't know	14	8,029
9	Not stated	1	150
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

Variable Name: **CM_Q80E** *Position:* 144 *Length:* 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' to help you quit smoking?

... Some other reason

		FREQ	WTD
1	Yes	583	1,147,279
2	No	418	796,702
6	Valid skip	9,806	25,413,119
7	Don't know	14	8,029
9	Not stated	1	150
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and did not use either a patch, nicotine gum or a product such as Zyban

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Other Cessation Methods

Variable Name: **OM_Q030** *Position:* 145 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	497	915,395
2	No	1,187	2,801,391
6	Valid skip	9,135	23,639,867
7	Don't know	1	7,210
9	Not stated	2	1,415
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** *Position:* 146 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	1,149	2,107,536
2	No	533	1,610,569
6	Valid skip	9,135	23,639,867
7	Don't know	3	5,892
9	Not stated	2	1,415
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q080** *Position:* 147 *Length:* 1

Are you aware of any smoking cessation programs offered at your workplace?

		FREQ	WTD
1	Yes	194	443,382
2	No	1,255	2,530,986
6	Valid skip	9,135	23,639,867
7	Don't know	17	30,984
8	Refused	2	26,247
9	Not stated	219	693,812
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **OM_Q090** *Position:* 148 *Length:* 1

Have you used any of these programs?

		FREQ	WTD
1	Yes	23	55,378
2	No	169	384,884
6	Valid skip	10,390	26,170,853
7	Don't know	2	3,121
9	Not stated	238	751,043
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and who have smoking cessation programs offered at their workplace

Variable Name: **OM_Q130** *Position:* 149 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	195	489,567
2	No	34	104,258
6	Valid skip	10,593	26,771,454
		=====	=====
		10,822	27,365,279

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

Section: Cessation Products

Variable Name: **CP_Q10** *Position:* 150 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? For example, in a meeting, on a plane, at school?

		FREQ	WTD
1	Yes	217	598,177
2	No	1,917	4,239,401
6	Valid skip	8,669	22,486,993
7	Don't know	2	2,719
8	Refused	1	971
9	Not stated	16	37,018
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Health Professionals

Variable Name: **HP_Q010** Position: 151 Length: 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,589	3,579,368
2	No	544	1,259,454
6	Valid skip	8,669	22,486,993
7	Don't know	2	1,172
8	Refused	1	971
9	Not stated	17	37,320
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Variable Name: **HP_Q020** Position: 152 Length: 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	817	1,970,434
2	No	767	1,566,949
6	Valid skip	9,213	23,746,447
7	Don't know	4	27,204
8	Refused	1	14,782
9	Not stated	20	39,464
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who saw a doctor in the past 12 months

Variable Name: **HP_Q030** Position: 153 Length: 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	446	1,117,164
2	No	368	843,674
6	Valid skip	9,980	25,313,396
7	Don't know	3	9,595
9	Not stated	25	81,449
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **HP_Q040** *Position:* 154 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	1,277	3,003,704
2	No	850	1,814,467
6	Valid skip	8,669	22,486,993
7	Don't know	6	6,024
8	Refused	2	15,753
9	Not stated	18	38,338
		=====	=====
		10,822	27,365,279

Coverage: Current smokers

Variable Name: **HP_Q050** *Position:* 155 *Length:* 1

Did the dentist or dental hygienist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	404	1,032,284
2	No	867	1,961,803
6	Valid skip	9,519	24,301,460
7	Don't know	6	9,617
9	Not stated	26	60,115
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who saw a dentist in the past 12 months

Variable Name: **HP_Q060** *Position:* 156 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	113	285,890
2	No	290	741,044
6	Valid skip	10,386	26,263,263
7	Don't know	1	5,350
9	Not stated	32	69,732
		=====	=====
		10,822	27,365,279

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Smoking and Pregnancy

Variable Name: **SP_Q10** Position: 160 Length: 1

Have you been pregnant in the past 5 years?

		FREQ	WTD
1	Yes	594	1,721,450
2	No	1,642	4,048,631
6	Valid skip	8,578	21,575,718
7	Don't know	1	380
8	Refused	3	16,028
9	Not stated	4	3,071
		=====	=====
		10,822	27,365,279

Coverage: Women aged 20 to 44

Variable Name: **SP_Q20** Position: 161 Length: 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	104	150,865
2	No	158	302,279
6	Valid skip	10,551	26,891,541
8	Refused	1	1,115
9	Not stated	8	19,479
		=====	=====
		10,822	27,365,279

Coverage: Women aged 20 to 44 who are daily, occasional or former smokers (who quit less than five years ago) and were pregnant in the last five years

Variable Name: **SP_Q30** Position: 162 Length: 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	59	90,862
2	No	521	1,606,660
3	Not applicable (no spouse/partner)	12	21,212
6	Valid skip	10,220	25,624,350
7	Don't know	1	1,601
8	Refusal	1	1,115
9	Not stated	8	19,479
		=====	=====
		10,822	27,365,279

Coverage: Women aged 20 to 44 who were pregnant in the last five years

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Tobacco Products

Variable Name: **TP_Q015** *Position:* 163 *Length:* 1

Have you ever tried smoking a little cigar or cigarillos (plain or flavored)?

		FREQ	WTD
1	Yes	3,913	10,336,076
2	No	6,875	16,922,753
7	Don't know	7	61,363
8	Refused	1	971
9	Not stated	26	44,115
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **TP_Q016** *Position:* 164 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos (plain or flavored)?

		FREQ	WTD
1	Yes	704	1,142,921
2	No	3,207	9,183,772
6	Valid skip	6,875	16,922,753
7	Don't know	2	9,382
9	Not stated	34	106,450
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever smoked a cigar or cigarillo (plain or flavored)

Variable Name: **TP_Q025** *Position:* 165 *Length:* 1

Have you ever tried smoking a cigar (not including a little cigar/cigarillo plain or flavored)?

		FREQ	WTD
1	Yes	3,208	9,057,462
2	No	7,581	18,227,924
7	Don't know	5	34,576
8	Refused	1	971
9	Not stated	27	44,346
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **TP_Q026** *Position:* 166 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars/cigarillos plain or flavored)?

		FREQ	WTD
1	Yes	313	647,957
2	No	2,894	8,409,079
6	Valid skip	7,581	18,227,924
7	Don't know	1	426
9	Not stated	33	79,893
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever smoked a cigar

Variable Name: **TP_Q030** *Position:* 167 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,352	4,268,631
2	No	9,434	23,012,082
7	Don't know	6	37,235
8	Refused	1	971
9	Not stated	29	46,360
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 168 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	68	90,318
2	No	1,284	4,178,313
6	Valid skip	9,434	23,012,082
9	Not stated	36	84,566
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever smoked a pipe

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **TP_Q050** *Position:* 169 *Length:* 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,066	2,279,293
2	No	9,720	24,996,998
7	Don't know	4	38,612
8	Refused	1	971
9	Not stated	31	49,405
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **TP_Q060** *Position:* 170 *Length:* 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	104	131,903
2	No	962	2,147,390
6	Valid skip	9,720	24,996,998
9	Not stated	36	88,988
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

Variable Name: **TP_Q075** *Position:* 171 *Length:* 1

Have you ever tried smoking herbal cigarettes (these are tobacco free cigarettes often found in natural food stores)?

		FREQ	WTD
1	Yes	471	1,305,819
2	No	10,308	25,963,049
7	Don't know	10	39,422
8	Refusal	1	971
9	Not stated	32	56,018
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **SV_Q30** *Position:* 175 *Length:* 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,338	2,794,599
2	No	587	884,242
3	Never has children under 18 in vehicles	295	831,234
6	Valid skip	8,477	22,602,037
7	Don't know	23	29,548
9	Not stated	102	223,619
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed inside a vehicle

Variable Name: **SV_Q40** *Position:* 176 *Length:* 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	735	1,427,118
2	No	1,463	3,004,032
6	Valid skip	8,477	22,602,037
7	Don't know	21	77,664
9	Not stated	126	254,428
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **SV_Q50A** *Position:* 177 *Length:* 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

... Restricted if any occupant is a non-smoker

		FREQ	WTD
1	Yes	207	476,577
2	No	524	946,513
6	Valid skip	9,940	25,606,069
7	Don't know	3	3,280
9	Not stated	148	332,840
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50B** *Position:* 178 *Length:* 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

... Restricted by the number of cigarettes smoked

		FREQ	WTD
1	Yes	31	65,080
2	No	700	1,358,009
6	Valid skip	9,940	25,606,069
7	Don't know	3	3,280
9	Not stated	148	332,840
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **SV_Q50C** *Position:* 179 *Length:* 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

... Allowed only when driving alone

		FREQ	WTD
1	Yes	80	216,376
2	No	651	1,206,714
6	Valid skip	9,940	25,606,069
7	Don't know	3	3,280
9	Not stated	148	332,840
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50D** *Position:* 180 *Length:* 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

... Allowed only when the fan, air conditioner, heater is turned on or the window is open

		FREQ	WTD
1	Yes	394	631,313
2	No	337	791,777
6	Valid skip	9,940	25,606,069
7	Don't know	3	3,280
9	Not stated	148	332,840
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **SV_Q50E** *Position:* 181 *Length:* 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)?

... Other

		FREQ	WTD
1	Yes	162	332,225
2	No	569	1,090,865
6	Valid skip	9,940	25,606,069
7	Don't know	3	3,280
9	Not stated	148	332,840
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q60** *Position:* 182 *Length:* 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	1,856	3,857,102
2	Sometimes	187	319,947
3	Rarely	42	82,991
4	Never	89	111,558
6	Valid skip	8,477	22,602,037
7	Don't know	43	126,038
8	Refusal	1	10,429
9	Not stated	127	255,176
		=====	=====
		10,822	27,365,279

Coverage: Respondents with a household member who owns or leases a motor vehicle and who said that smoking was allowed inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Opinions on Smoking

Variable Name: **OS_Q10** *Position:* 183 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	8,038	19,998,399
2	Smoking should be allowed only in a section of a restaurant that is enclosed	1,457	3,887,830
3	Smoking should be allowed only in a designated section of a restaurant	1,097	2,839,619
4	Smoking should be allowed anywhere in a restaurant	118	375,647
7	Don't know	53	148,449
8	Refused	12	43,284
9	Not stated	47	72,052
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 184 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	5,612	14,003,344
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	2,424	6,182,643
3	Smoking should be allowed only in a designated section of a bar or tavern	1,714	4,297,058
4	Smoking should be allowed anywhere in a bar or tavern	693	1,734,918
7	Don't know	287	931,956
8	Refused	44	135,904
9	Not stated	48	79,456
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **OS_Q40** *Position:* 187 *Length:* 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	1,980	4,796,555
02	Friends/peers	4,835	11,307,406
03	Parents	2,020	5,841,953
04	Other adults	142	250,134
05	Brother(s)/sister(s)	51	52,093
06	Celebrities	190	419,169
07	Tobacco industry	616	1,603,538
08	Government	250	909,661
09	Other (do not specify)	368	1,084,775
97	Don't know	292	942,524
98	Refused	23	72,760
99	Not stated	55	84,711
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Section: Exposure to Second-hand Smoke

Variable Name: **EX_Q010** *Position:* 189 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:

... inside a car or other vehicle?

		FREQ	WTD
1	Yes	3,427	6,094,827
2	No	7,288	21,005,043
7	Don't know	24	82,739
8	Refused	26	73,689
9	Not stated	57	108,980
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

Variable Name: **EX_Q020** *Position:* 190 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... inside someone else's home?

		FREQ	WTD
1	Yes	3,536	6,633,246
2	No	7,179	20,478,989
7	Don't know	22	64,747
8	Refused	28	79,317
9	Not stated	57	108,980
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q030** *Position:* 191 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	3,477	8,814,167
2	No	7,220	18,179,336
7	Don't know	37	124,981
8	Refused	30	131,858
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q040** *Position:* 192 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... inside a restaurant?

		FREQ	WTD
1	Yes	334	888,495
2	No	10,377	26,140,511
7	Don't know	23	92,000
8	Refused	30	129,336
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

Variable Name: **EX_Q050** *Position:* 193 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... inside a bar or tavern?

		FREQ	WTD
1	Yes	481	1,166,437
2	No	10,236	25,885,832
7	Don't know	16	68,133
8	Refused	31	129,940
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q060** *Position:* 194 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... at a bus stop or shelter?

		FREQ	WTD
1	Yes	2,010	4,561,840
2	No	8,694	22,420,346
7	Don't know	27	121,676
8	Refused	33	146,479
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q070** *Position:* 195 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
 ... at an entrance to a building?

		FREQ	WTD
1	Yes	5,855	14,261,638
2	No	4,834	12,734,134
7	Don't know	41	107,492
8	Refused	34	147,078
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **EX_Q080** *Position:* 196 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your workplace?

		FREQ	WTD
1	Yes	2,416	5,879,348
2	No	8,296	21,155,517
7	Don't know	16	68,000
8	Refused	36	147,476
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q090** *Position:* 197 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at your school?

		FREQ	WTD
1	Yes	1,590	1,884,771
2	No	9,122	25,148,452
7	Don't know	17	69,910
8	Refused	35	147,208
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q100** *Position:* 198 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	3,982	8,353,221
2	No	6,709	18,573,078
7	Don't know	36	175,829
8	Refused	37	148,213
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **EX_Q110** *Position:* 199 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	6,247	15,064,788
2	No	4,403	11,797,504
7	Don't know	74	227,921
8	Refused	40	160,128
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q120** *Position:* 200 *Length:* 1

In the past month, (excluding your own smoking), were you exposed to second-hand smoke:
... anywhere else?

		FREQ	WTD
1	Yes	434	1,271,230
2	No	10,242	25,676,861
7	Don't know	47	125,133
8	Refused	41	177,117
9	Not stated	58	114,937
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **EX_Q130** *Position:* 201 *Length:* 1

Overall, (excluding your own smoking), in the past month were you exposed to second-hand smoke?

		FREQ	WTD
1	Every day	1,089	2,164,650
2	Almost every day	1,175	2,515,948
3	At least once a week	3,175	7,116,378
4	At least once in the past month	3,445	9,615,121
6	Valid skip	1,841	5,617,948
7	Don't know	80	294,443
8	Refused	17	40,792
		=====	=====
		10,822	27,365,279

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Section: Language and Education

Variable Name: **LA_Q10** *Position:* 202 *Length:* 1

What language do you speak most often at home?

		FREQ	WTD
1	English	8,790	18,450,127
2	French	1,303	5,731,847
3	Both English and French	78	291,535
4	Other	532	2,553,294
7	Don't know	8	35,981
8	Refused	44	181,323
9	Not stated	67	121,171
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Variable Name: **DVEDUC** *Position:* 203 *Length:* 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	2,977	4,485,184
2	Completed secondary	4,261	9,483,639
3	Completed community college, technical college, CEGEP or nurse's college	1,596	5,722,706
4	Completed university or teacher's college	1,792	7,133,049
9	Not stated	196	540,701
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **GPLA_Q20** *Position:* 204 *Length:* 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	103	307,215
02	Completed elementary	244	458,485
03	Some secondary	2,630	3,719,484
04	Completed secondary	2,587	6,168,291
05	Some community college, technical college, CEGEP or nurse's training	576	1,310,745
06	Completed community college, technical college, CEGEP or nurse's training	1,596	5,722,706
07	Some university or teacher's college	1,026	1,764,351
08	Completed university or teacher's college	1,792	7,133,049
09	Other education or training	72	240,252
99	Not stated	196	540,701
		=====	=====
		10,822	27,365,279

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force

Variable Name: **LF_Q10** *Position:* 206 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	8,058	19,640,240
2	No	2,630	7,378,506
7	Don't know	10	13,082
8	Refused	65	215,098
9	Not stated	59	118,354
		=====	=====
		10,822	27,365,279

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **LF_Q51** Position: 207 Length: 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed <u>outside</u> the building, worksite or company vehicle	6,930	17,398,843
2	Smoking is allowed in designated areas <u>within</u> the building, worksite or company vehicle	459	774,588
3	Smoking is not restricted at all	439	927,365
4	Other - Respondent does not have a fixed workplace	136	287,641
6	Valid skip	2,630	7,378,506
7	Don't know	84	235,225
8	Refused	9	16,482
9	Not stated	135	346,629
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have worked at a job or business in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **DVNOCS10** *Position:* 208 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	350	1,393,179
02	Business, Finance and Administrative Occupations	1,283	3,527,309
03	Natural and Applied Sciences and Related Occupations	379	1,470,590
04	Health Occupations	463	1,385,499
05	Occupations in Social Science, Education, Government Service and Religion	582	1,957,534
06	Occupations in Art, Culture, Recreation and Sport	302	645,106
07	Sales and Service Occupations	2,698	4,316,744
08	Trades, Transport and Equipment Operators and Related Occupations	1,115	2,826,115
09	Occupations Unique to Primary Industry	423	595,573
10	Occupations Unique to Processing, Manufacturing and Utilities	259	657,582
96	Valid Skip	2,630	7,378,506
99	Not Stated	338	1,211,543
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income

Variable Name: **SI_Q10** *Position:* 210 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	3,041	2,750,537
2	No	1,838	1,647,087
6	Valid skip	5,881	22,900,346
7	Don't know	11	15,748
8	Refused	25	24,745
9	Not stated	26	26,815
		=====	=====
		10,822	27,365,279

Coverage: Respondents less than 25 years of age

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

Variable Name: **MU_Q30** *Position:* 215 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	483	779,281
2	1 to 3 times a month	321	523,260
3	Once a week	155	243,901
4	More than once a week	213	375,938
5	Every day	195	288,315
6	Valid skip	9,184	24,359,480
7	Don't know	14	11,771
8	Refused	1	2,416
9	Not stated	256	780,918
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 216 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
05 : 75	Age first used marijuana	4,096	10,671,959
96	Valid skip	6,426	15,802,867
97	Don't know	48	113,589
98	Refused	3	14,804
99	Not stated	249	762,059
		=====	=====
		10,822	27,365,279

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 218 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

INDEX

A	
AGE0014	3
AGE1524	3
AGE2544	3
AGE45PL.....	4
AGEGRP5.....	8
AGEGRP7.....	8
C	
CA_Q10	17
CA_Q20	17
CA_Q30	18
CA_Q40	18
CA_Q50	18
CB_Q20	16
CC_Q20	20
CC_Q30	20
CC_Q40	21
CC_Q50	21
CC_Q60	22
CC_Q70	22
CC_Q80	22
CM_Q10	35
CM_Q20	35
CM_Q40	36
CM_Q60	36
CM_Q80A.....	36
CM_Q80B.....	37
CM_Q80C.....	37
CM_Q80D.....	38
CM_Q80E.....	38
CP_Q10.....	40
CS_Q31.....	19
CS_Q41.....	19
CS_Q51.....	19
D	
DVAGE.....	8
DVAVCIG7	28
DVAVCIGD	29
DVCIGWK	28
DVDAILY	30
DVEDUC.....	60
DVLOWTAR.....	23
DVMARST	9
DVNDSMK	29
DVNOCS10.....	63
DVPRICE	30
DVSMKPTN.....	29
DVSS1	24
DVSS2	25
DVSST1	23
DVSST2.....	24
DVURBAN.....	2
DVYRSSMK	12
E	
EX_Q010	55
EX_Q020	56
EX_Q030	56
EX_Q040	56
EX_Q050	57
EX_Q060	57
EX_Q070	57
EX_Q080	58
EX_Q090	58
EX_Q100	58
EX_Q110	59
EX_Q120	59
EX_Q130	59
F	
FR_Q10.....	25
FR_Q20.....	26
FR_Q30.....	26
FR_Q40.....	27
FR_Q50.....	27
FR_Q60.....	28
G	
GPLA_Q20	61
H	
HHSIZE	2
HHTYPE.....	4
HP_Q010.....	41
HP_Q020.....	41
HP_Q030.....	41
HP_Q040.....	42
HP_Q050.....	42

**Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)**

HP_Q060.....	42	SC_Q020.....	31
HP_Q100.....	43	SC_Q030.....	31
HP_Q110.....	43	SC_Q040.....	32
HP_Q120.....	43	SC_Q050.....	32
HS_Q10.....	5	SC_Q060.....	32
HS_Q20.....	5	SC_Q070.....	33
HS_Q30.....	5	SC_Q080.....	33
HS_Q40.....	6	SC_Q090.....	33
HS_Q50.....	6	SC_Q100.....	34
HS_Q60A.....	6	SC_Q110.....	34
HS_Q60B.....	7	SEX.....	9
HS_Q60C.....	7	SI_G20.....	64
HS_Q60D.....	7	SI_Q10.....	63
L		SP_Q10.....	44
LA_Q10.....	60	SP_Q20.....	44
LF_Q10.....	61	SP_Q30.....	44
LF_Q51.....	62	SS_Q10.....	9
M		SS_Q20.....	10
MU_Q10.....	64	SS_Q30.....	10
MU_Q20.....	64	SS_Q40.....	10
MU_Q30.....	65	STOPSMK.....	35
MU_Q40.....	65	SV_Q10.....	48
O		SV_Q20.....	48
OM_Q030.....	39	SV_Q30.....	49
OM_Q070.....	39	SV_Q40.....	49
OM_Q080.....	39	SV_Q50A.....	50
OM_Q090.....	40	SV_Q50B.....	50
OM_Q130.....	40	SV_Q50C.....	51
OS_Q10.....	53	SV_Q50D.....	51
OS_Q20.....	53	SV_Q50E.....	52
OS_Q30.....	54	SV_Q60.....	52
OS_Q31.....	54	T	
OS_Q40.....	55	TP_Q015.....	45
P		TP_Q016.....	45
PROV.....	2	TP_Q025.....	45
PS_Q10.....	11	TP_Q026.....	46
PS_Q20.....	11	TP_Q030.....	46
PS_Q30.....	11	TP_Q040.....	46
PS_Q40.....	12	TP_Q050.....	47
PUMFID.....	1	TP_Q060.....	47
R		TP_Q075.....	47
REFMONTH.....	1	TP_Q076.....	48
REFYEAR.....	1	W	
S		WP_Q10A.....	12
SB_Q10.....	16	WP_Q10B.....	13
SC_Q010.....	30	WP_Q10C.....	13

Canadian Tobacco Use Monitoring Survey, Cycle 2, 2008
Public Use Microdata File (Person)

WP_Q10D.....	14	WP_Q10G.....	15
WP_Q10E.....	14	WTPP.....	65
WP_Q10F.....	15		