

Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual

TABLE OF CONTENTS

Identification Variables	1
Demographic Variables - Household	1
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Derived Variables - Person	11
Weekly Pattern.....	12
Smoking Behaviour.....	14
Cigarette Brand.....	15
Cigarette Access.....	15
Cigarette Source	17
Derived Variables - Person	18
Smoking Cessation	22
Derived Variables - Person	27
Cessation Methods	27
Other Cessation Methods	31
Cessation Products.....	33
Health Professionals	33
Smoking and Pregnancy.....	36
Tobacco Products	37
Smoking in Vehicles.....	41
Opinions on Smoking.....	46
Exposure to Second-hand Smoke	48
Language and Education	53
Derived Variables - Person	53
Language and Education	54
Labour Force	54
Derived Variables - Person	56
Student Income.....	56
Marijuana Use.....	57
Weight Variable.....	58

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Identification Variables

Variable Name: **PUMFID** Position: 1 Length: 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** Position: 6 Length: 4

Survey year

2009 : 2009	Survey year	FREQ	WTD
		20,121	27,678,753
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **REFMONTH** Position: 10 Length: 2

Survey month

02 : 12	Survey month	FREQ	WTD
		20,121	27,678,753
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Section: Demographic Variables - Household

Variable Name: **PROV** Position: 12 Length: 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	1,973	430,224
11	Prince Edward Island	1,975	116,410
12	Nova Scotia	2,064	787,245
13	New Brunswick	2,035	632,169
24	Quebec	2,113	6,489,557
35	Ontario	1,992	10,738,142
46	Manitoba	2,147	970,318
47	Saskatchewan	2,125	820,697
48	Alberta	1,975	2,912,622
59	British Columbia	1,722	3,781,370
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	13,902	21,503,435
2	Rural	5,500	5,481,808
9	Not stated	719	693,510
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	17,400	23,811,427
05	5 or more	2,721	3,867,326
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	14,579	19,505,437
01	One	3,189	3,731,745
02	Two or more	2,353	4,441,571
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	8,967	18,405,947
01	One	6,963	5,323,459
02	Two or more	4,191	3,949,347
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	11,953	14,533,197
01	One	4,596	5,797,233
02	Two or more	3,572	7,348,324
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	6,116	8,837,783
01	One	5,557	6,185,664
02	Two or more	8,448	12,655,306
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q60A** Position: 33 Length: 1

How is smoking cigarettes restricted inside your home

...Allowed in certain rooms only?

		FREQ	WTD
1	Yes	1,241	1,600,155
2	No	497	592,693
6	Valid skip	18,313	25,423,788
9	Not stated	70	62,118
		=====	=====
		20,121	27,678,753

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** Position: 34 Length: 1

How is smoking cigarettes restricted inside your home

...Restricted in the presence of young children?

		FREQ	WTD
1	Yes	751	728,310
2	No	987	1,464,538
6	Valid skip	18,313	25,423,788
9	Not stated	70	62,118
		=====	=====
		20,121	27,678,753

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60C** Position: 35 Length: 1

How is smoking cigarettes restricted inside your home

...Allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	831	1,008,651
2	No	907	1,184,197
6	Valid skip	18,313	25,423,788
9	Not stated	70	62,118
		=====	=====
		20,121	27,678,753

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **HS_Q60D** Position: 36 Length: 1

How is smoking cigarettes restricted inside your home

...Other restriction(s)?

		FREQ	WTD
1	Yes	307	475,845
2	No	1,431	1,717,003
6	Valid skip	18,313	25,423,788
9	Not stated	70	62,118
		=====	=====
		20,121	27,678,753

Coverage: Households where smoking is restricted inside the home

Section: Demographic Variables - Person

Variable Name: **DVAGE** Position: 37 Length: 3

Age of respondent, derived from PA_Q01

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age of respondent	19,824	27,235,437
85	85 or more	297	443,316
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Ages greater than 85 were recoded to 85.

Variable Name: **AGEGRP5** Position: 40 Length: 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	5,378	2,205,849
2	20-24 years	3,758	2,275,845
3	25-34 years	1,573	4,627,978
4	35-44 years	2,107	4,791,393
5	45 years and over	7,305	13,777,688
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Derived from PA_Q01

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	3,308	1,339,570
02	18-19 years	2,070	866,278
03	20-22 years	2,415	1,456,925
04	23-24 years	1,343	818,920
05	25-44 years	3,680	9,419,372
06	45-64 years	4,758	9,372,835
07	65 years and over	2,547	4,404,853
		=====	=====
		20,121	27,678,753

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	9,208	13,656,862
2	Female	10,913	14,021,891
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **DVMARST** *Position:* 44 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	7,574	17,111,293
2	Widowed/Divorced/Separated	2,327	3,098,040
3	Single, never married	9,966	7,267,384
9	Not stated	254	202,037
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Smoking Status (SS)

Variable Name: **SS_Q10** Position: 45 Length: 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	2,824	3,755,131
2	Occasionally	950	1,096,143
3	Not at all	16,347	22,827,479
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **SS_Q20** Position: 46 Length: 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	989	1,135,095
2	No	16,308	22,788,527
6	Valid skip	2,824	3,755,131
		=====	=====
		20,121	27,678,753

Coverage: Respondents who are not current daily smokers

Variable Name: **SS_Q30** Position: 47 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	2,804	3,781,991
2	No	1,009	1,108,235
6	Valid skip	16,308	22,788,527
		=====	=====
		20,121	27,678,753

Coverage: Current daily smokers or respondents who smoked in the past

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **PS_Q30** Position: 51 Length: 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 56	Age smoked first cigarette	10,560	15,852,216
96	Valid skip	9,329	11,463,512
97	Don't know	228	349,364
98	Refusal	2	2,909
99	Not stated	2	10,751
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** Position: 53 Length: 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
05 : 68	Age begin smoking cigarettes daily	6,759	10,502,514
96	Valid skip	13,153	16,810,474
97	Don't know	197	345,754
98	Refusal	2	3,105
99	Not stated	10	16,906
		=====	=====
		20,121	27,678,753

Coverage: Respondents who are actually daily smokers or who have ever smoked cigarettes daily

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** Position: 55 Length: 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 75

		FREQ	WTD
00 : 75	# of yrs the respondent smoked	3,726	4,792,481
96	Valid skip	16,347	22,827,479
99	Not stated	48	58,793
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

Note: Derived from AGE and PS_Q30. Ages greater than 75 were recoded to 75.

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** Position: 57 Length: 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past 7 days, starting with yesterday, how many cigarettes did you smoke:

... yesterday?

Allowed values:	00 : 90		FREQ	WTD
00 : 62	Number of cigarettes smoked yesterday		3,589	4,633,568
96	Valid skip		16,308	22,788,527
97	Don't know		224	256,658
			=====	=====
			20,121	27,678,753

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10B** Position: 59 Length: 2

... 2 days ago?

Allowed values:	00 : 91		FREQ	WTD
00 : 62	Number of cigarettes smoked 2 days ago		3,537	4,595,371
96	Valid skip		16,308	22,788,527
97	Don't know		52	38,197
99	Not stated		224	256,658
			=====	=====
			20,121	27,678,753

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10C** Position: 61 Length: 2

... 3 days ago?

Allowed values:	00 : 91		FREQ	WTD
00 : 60	Number of cigarettes smoked 3 days ago		3,496	4,561,570
96	Valid skip		16,308	22,788,527
97	Don't know		41	33,801
99	Not stated		276	294,855
			=====	=====
			20,121	27,678,753

Coverage: Daily smokers or those who smoked in the last 30 days

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10D** Position: 63 Length: 2

... 4 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 4 days ago	3,466	4,532,643
96	Valid skip	16,308	22,788,527
97	Don't know	30	28,927
99	Not stated	317	328,656
		=====	=====
		20,121	27,678,753

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10E** Position: 65 Length: 2

... 5 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes smoked 5 days ago	3,458	4,525,744
96	Valid skip	16,308	22,788,527
97	Don't know	8	6,899
99	Not stated	347	357,583
		=====	=====
		20,121	27,678,753

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10F** Position: 67 Length: 2

... 6 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes smoked 6 days ago	3,456	4,525,519
96	Valid skip	16,308	22,788,527
97	Don't know	2	226
99	Not stated	355	364,482
		=====	=====
		20,121	27,678,753

Coverage: Daily smokers or those who smoked in the last 30 days

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **WP_Q10G** Position: 69 Length: 2

...7 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 70	Number of cigarettes smoked 7 days ago	3,455	4,522,550
96	Valid skip	16,308	22,788,527
97	Don't know	1	2,969
99	Not stated	357	364,708
		=====	=====
		20,121	27,678,753

Coverage: Daily smokers or those who smoked in the last 30 days

Section: Smoking Behaviour (SB)

Variable Name: **SB_Q10** Position: 71 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	603	797,715
2	6 to 30 minutes	928	1,270,404
3	31 to 60 minutes	524	765,924
4	More than 60 minutes	740	884,761
6	Valid skip	17,297	23,923,622
7	Don't know	23	23,681
8	Refusal	1	4,254
9	Not stated	5	8,392
		=====	=====
		20,121	27,678,753

Coverage: Current daily smokers

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Cigarette Brand (CB)

Variable Name: **CB_Q20** Position: 72 Length: 1

At the present time, do you roll your own or make your own cigarettes:

		FREQ	WTD
1	All the time	156	173,710
2	Most of the time	96	49,492
3	Sometimes	284	203,921
4	Never	2,723	3,516,702
6	Valid skip	16,347	22,827,479
7	Don't know	3	487
8	Refusal	1	4,254
9	Not stated	511	902,708
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

Section: Cigarette Access (CA)

Variable Name: **CA_G10** Position: 73 Length: 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	1,945	2,536,609
02	I buy them at a supermarket	313	404,085
03	I buy them at a gasoline station	762	914,288
04	I buy them at another kind of store	111	257,053
05	I get them for free from a family member, a friend or someone else	280	219,809
06	I buy them from a First Nations Reserve (either on-site or delivery service)	105	255,382
07	Other	219	223,026
96	Valid skip	16,347	22,827,479
97	Don't know	23	11,631
98	Refusal	9	20,475
99	Not stated	7	8,917
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **CA_Q20** Position: 75 Length: 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	61	18,700
2	No	166	59,451
6	Valid skip	19,855	27,559,579
9	Not stated	39	41,022
		=====	=====
		20,121	27,678,753

Coverage: Current smokers between the ages of 15 to 18 who don't usually buy cigarettes from a store

Variable Name: **CA_Q30** Position: 76 Length: 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	227	87,776
2	No	151	48,825
6	Valid skip	19,702	27,500,453
8	Refusal	1	130
9	Not stated	40	41,568
		=====	=====
		20,121	27,678,753

Coverage: Current smokers between the ages of 15 to 18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** Position: 77 Length: 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	174	55,335
2	No	204	81,377
6	Valid skip	19,702	27,500,453
9	Not stated	41	41,588
		=====	=====
		20,121	27,678,753

Coverage: Current smokers between the ages of 15 to 18 who usually buy cigarettes from a store or bought them in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **CA_Q50** Position: 78 Length: 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	344	112,988
2	No	199	83,046
6	Valid skip	19,536	27,441,002
8	Refusal	1	130
9	Not stated	41	41,588
		=====	=====
		20,121	27,678,753

Coverage: Current smokers between the ages of 15 to 18

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** Position: 79 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	1,011	1,130,824
2	No	19,057	26,446,463
7	Don't know	29	69,390
8	Refusal	7	13,172
9	Not stated	17	18,904
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **CS_Q41** Position: 80 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	359	220,594
2	No	645	907,969
6	Valid skip	19,057	26,446,463
7	Don't know	7	2,262
9	Not stated	53	101,466
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever purchased or gave cigarettes to a minor

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **CS_Q51** Position: 81 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	154	87,243
2	No	203	133,082
6	Valid skip	19,702	27,354,432
7	Don't know	2	269
9	Not stated	60	103,728
		=====	=====
		20,121	27,678,753

Coverage: Respondents who in the past 12 months have purchased or gave cigarettes to a minor

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** Position: 82 Length: 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	4	26,866
03	3 mg	22	67,756
04	4 mg	155	278,941
05	5 mg	0	0
06	6 mg	3	14,021
07	7 mg	16	21,993
08	8 mg	62	124,539
09	9 mg	91	75,541
10	10 mg	182	288,272
11	11 mg	245	472,283
12	12 mg	663	761,827
13	13 mg	526	586,384
14	14 mg	731	774,858
15	15 mg	368	340,601
16	16 mg	35	85,689
17	17 mg or more	0	0
96	Valid skip	16,347	22,827,479
99	Not stated	671	931,703
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who usually smoke the same brand of cigarettes

Note: Derived from CB_Q12.

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **DVSST1** *Position:* 84 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	3,774	4,851,274
2	Former smoker	4,193	7,414,912
3	Never smoked	12,154	15,412,567
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVSST2** *Position:* 85 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	2,824	3,755,131
02	Current occasional smoker	950	1,096,143
03	Former daily smoker	3,698	6,536,034
04	Former occasional smoker	489	874,042
05	Experimental smoker	2,824	3,938,538
06	Lifetime abstainer	9,329	11,463,512
99	Not stated	7	15,353
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 87 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	3,813	4,890,226
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	4,158	7,400,249
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	12,150	15,388,278
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **DVNDSMK** *Position:* 95 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last 7 days	3,455	4,522,550
96	Valid skip	16,308	22,788,527
99	Not stated	358	367,677
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 97 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 62	Avg. smoked on the days they smoked	3,455	4,522,550
96	Valid skip	16,308	22,788,527
99	Not stated	358	367,677
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 99 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	2,689	3,630,935
2	Weekdays only	15	35,737
3	Weekend only	8	20,909
4	Did not smoke in last seven days	189	216,405
5	Other pattern	554	618,564
6	Valid skip	16,308	22,788,527
9	Not stated	358	367,677
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who have smoked in the last 30 days

Note: Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **DVDAILY** Position: 100 Length: 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 62	Average smoked-Daily smokers	2,570	3,491,336
96	Valid skip	17,297	23,923,622
99	Not stated	254	263,795
		=====	=====
		20,121	27,678,753

Coverage: Daily smokers
Note: Based on WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** Position: 102 Length: 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	1,318	1,347,697
2	Regular price brand	2,126	3,033,909
6	Valid skip	16,347	22,827,479
9	Not stated	330	469,668
		=====	=====
		20,121	27,678,753

Coverage: Current smokers
Note: Based on CB_Q12 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation (SC)

Variable Name: **SC_Q010** Position: 103 Length: 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	339	411,612
2	1 to 2 years ago	328	407,825
3	3 to 5 years ago	335	547,093
4	More than 5 years ago	3,176	6,042,108
6	Valid skip	15,928	20,263,841
7	Don't know	9	2,167
8	Refusal	2	347
9	Not stated	4	3,760
		=====	=====
		20,121	27,678,753

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q020** Position: 104 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	45	48,888
02	February	23	23,518
03	March	32	51,661
04	April	14	11,236
05	May	30	42,684
06	June	24	21,091
07	July	21	52,469
08	August	29	30,270
09	September	28	19,690
10	October	32	35,869
11	November	29	29,147
12	December	16	30,695
96	Valid skip	19,767	27,260,867
97	Don't know	16	14,394
99	Not stated	15	6,274
		=====	=====
		20,121	27,678,753

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** Position: 106 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	193	264,150
02	Pregnancy or a baby in the household	32	21,234
03	Less stress in life	3	307
04	Cost of cigarettes	35	25,204
05	Smoking is less socially acceptable	17	16,889
06	Some other reason	57	81,886
96	Valid skip	19,767	27,260,867
97	Don't know	2	1,942
99	Not stated	15	6,274
		=====	=====
		20,121	27,678,753

Coverage: Respondents who stopped smoking less than one year ago

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q040** Position: 108 Length: 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	4,006	7,117,143
96	Valid skip	15,928	20,263,841
97	Don't know	172	280,259
98	Refusal	11	13,751
99	Not stated	4	3,760
		=====	=====
		20,121	27,678,753

Coverage: Former smokers

Variable Name: **SC_Q050** Position: 110 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average cigs smoked per day before quit	3,968	7,002,208
96	Valid skip	15,928	20,263,841
97	Don't know	207	395,824
98	Refusal	13	12,659
99	Not stated	5	4,221
		=====	=====
		20,121	27,678,753

Coverage: Former smokers

Variable Name: **SC_Q060** Position: 112 Length: 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	2,210	2,839,201
2	No	1,394	1,775,900
6	Valid skip	16,347	22,827,479
7	Don't know	154	218,314
8	Refusal	3	5,922
9	Not stated	13	11,937
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q070** Position: 113 Length: 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	1,017	1,289,705
2	No	1,045	1,349,394
6	Valid skip	17,741	24,603,379
7	Don't know	148	200,102
9	Not stated	170	236,173
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** Position: 114 Length: 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	# of attempts stop smoking for 24 hrs	3,957	5,103,800
96	Valid skip	15,993	22,409,593
97	Don't know	138	140,853
98	Refusal	4	6,027
99	Not stated	29	18,481
		=====	=====
		20,121	27,678,753

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** Position: 116 Length: 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 50	# of attempts stop smoking for 1 week	2,095	2,421,398
96	Valid skip	17,846	25,083,083
97	Don't know	22	15,881
98	Refusal	1	130
99	Not stated	157	158,261
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SC_Q100** Position: 118 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	6	11,595
02	Stress, need to relax or to calm down	650	793,963
03	Boredom	92	102,703
04	Addiction / habit	434	536,883
05	Lack of support or information	5	1,450
06	Going out more (bars, parties)	100	96,426
07	Increased availability	4	22,868
08	No reason / felt like it	162	186,303
09	Family or friends smoke	210	193,753
10	Other	160	184,124
96	Valid skip	18,082	25,340,100
97	Don't know	43	41,914
99	Not stated	173	166,672
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **SC_Q110** Position: 120 Length: 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	1,186	1,848,227
2	No	702	811,652
6	Valid skip	18,182	24,982,694
7	Don't know	2	243
8	Refusal	3	5,922
9	Not stated	46	30,015
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who did not try to quit in the past year

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Person

Variable Name: **STOPSMK** Position: 121 Length: 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	323	397,218
18	1-2 years	328	407,825
48	3-5 years	335	547,093
60	More than 5 years ago	3,176	6,042,108
96	Valid skip	15,928	20,263,841
99	Not stated	31	20,669
		=====	=====
		20,121	27,678,753

Coverage: Former smokers
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** Position: 123 Length: 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	459	616,623
2	No	722	1,228,282
6	Valid skip	18,884	25,794,346
7	Don't know	5	3,322
9	Not stated	51	36,180
		=====	=====
		20,121	27,678,753

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** Position: 124 Length: 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	699	1,053,365
2	No	2,272	2,539,003
6	Valid skip	17,089	24,041,702
7	Don't know	2	4,375
8	Refusal	1	126
9	Not stated	58	40,182
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q40** Position: 125 Length: 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	644	771,613
2	No	2,328	2,824,938
6	Valid skip	17,089	24,041,702
7	Don't know	1	192
8	Refusal	1	126
9	Not stated	58	40,182
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q61** Position: 126 Length: 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	444	630,134
2	No	2,524	2,960,207
6	Valid skip	17,089	24,041,702
7	Don't know	4	6,373
8	Refusal	1	126
9	Not stated	59	40,211
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81A** Position: 127 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...You were concerned about possible side effects?

		FREQ	WTD
1	Yes	328	399,032
2	No	1,364	1,476,658
6	Valid skip	18,337	25,745,316
7	Don't know	23	11,380
8	Refusal	5	1,160
9	Not stated	64	45,207
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q81B** Position: 128 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...You didn't believe these products work?

		FREQ	WTD
1	Yes	405	476,424
2	No	1,287	1,399,265
6	Valid skip	18,337	25,745,316
7	Don't know	23	11,380
8	Refusal	5	1,160
9	Not stated	64	45,207
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81C** Position: 129 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...You didn't have enough information about these products?

		FREQ	WTD
1	Yes	195	120,965
2	No	1,497	1,754,725
6	Valid skip	18,337	25,745,316
7	Don't know	23	11,380
8	Refusal	5	1,160
9	Not stated	64	45,207
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **CM_Q81D** Position: 130 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...They cost too much?

		FREQ	WTD
1	Yes	404	366,006
2	No	1,288	1,509,684
6	Valid skip	18,337	25,745,316
7	Don't know	23	11,380
8	Refusal	5	1,160
9	Not stated	64	45,207
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81E** Position: 131 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...Some other reason?

		FREQ	WTD
1	Yes	971	1,094,859
2	No	721	780,831
6	Valid skip	18,337	25,745,316
7	Don't know	23	11,380
8	Refusal	5	1,160
9	Not stated	64	45,207
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** Position: 132 Length: 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	922	1,018,064
2	No	2,060	2,581,502
6	Valid skip	17,051	24,011,941
7	Don't know	4	881
8	Refusal	1	126
9	Not stated	83	66,238
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** Position: 133 Length: 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	2,054	2,349,186
2	No	920	1,243,998
6	Valid skip	17,051	24,011,941
7	Don't know	12	7,263
8	Refusal	1	126
9	Not stated	83	66,238
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q081** Position: 134 Length: 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	473	656,339
2	No	2,496	2,927,690
6	Valid skip	17,051	24,011,941
7	Don't know	14	12,474
8	Refusal	2	410
9	Not stated	85	69,900
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **OM_Q091** *Position:* 135 *Length:* 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	57	61,552
2	No	414	591,971
6	Valid skip	19,547	26,939,631
7	Don't know	2	2,816
9	Not stated	101	82,783
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q100** *Position:* 136 *Length:* 1

Did you use a 1-800 quitline or a smokers' helpline?

		FREQ	WTD
1	Yes	109	114,328
2	No	2,380	2,852,361
6	Valid skip	17,485	24,516,031
7	Don't know	3	721
8	Refusal	1	126
9	Not stated	143	195,186
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years and who are aware of telephone 1-800 quitlines or a smokers' helpline to call for help in quitting smoking.

Note: This question was labelled as OM_Q090 prior to 2006 cycle 1.

Variable Name: **OM_Q130** *Position:* 137 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	331	330,420
2	No	47	59,692
6	Valid skip	19,606	27,152,807
7	Don't know	1	4,286
9	Not stated	136	131,549
		=====	=====
		20,121	27,678,753

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Cessation Products (CP)

Variable Name: **CP_Q10** *Position:* 138 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	430	559,636
2	No	3,314	4,261,864
6	Valid skip	16,347	22,827,479
7	Don't know	4	2,022
8	Refusal	4	6,544
9	Not stated	22	21,207
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

Section: Health Professionals (HP)

Variable Name: **HP_Q010** *Position:* 139 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	2,850	3,727,435
2	No	891	1,089,077
6	Valid skip	16,347	22,827,479
7	Don't know	4	5,620
8	Refusal	5	6,358
9	Not stated	24	22,785
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

Variable Name: **HP_Q020** *Position:* 140 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	1,437	2,211,732
2	No	1,410	1,514,204
6	Valid skip	17,238	23,916,556
7	Don't know	3	1,498
9	Not stated	33	34,763
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who saw a doctor in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q030** *Position:* 141 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	828	1,284,166
2	No	605	919,660
6	Valid skip	18,648	25,430,760
7	Don't know	4	7,906
9	Not stated	36	36,261
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 142 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	2,221	2,912,127
2	No	1,511	1,901,862
6	Valid skip	16,347	22,827,479
7	Don't know	13	8,142
8	Refusal	5	6,358
9	Not stated	24	22,785
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

Variable Name: **HP_Q050** *Position:* 143 *Length:* 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	677	1,019,143
2	No	1,534	1,885,912
6	Valid skip	17,858	24,729,341
7	Don't know	10	7,071
9	Not stated	42	37,285
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who saw a dentist in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q060** *Position:* 144 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	191	240,950
2	No	483	774,003
6	Valid skip	19,392	26,615,254
7	Don't know	3	4,190
9	Not stated	52	44,356
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** *Position:* 145 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	1,646	2,253,946
2	No	2,093	2,561,393
6	Valid skip	16,347	22,827,479
7	Don't know	6	6,792
8	Refusal	5	6,358
9	Not stated	24	22,785
		=====	=====
		20,121	27,678,753

Coverage: Current smokers

Variable Name: **HP_Q110** *Position:* 146 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	288	325,554
2	No	1,354	1,924,797
6	Valid skip	18,440	25,388,871
7	Don't know	4	3,595
9	Not stated	35	35,935
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who talked with a pharmacist in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **HP_Q120** *Position:* 147 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	214	244,793
2	No	74	80,761
6	Valid skip	19,794	27,313,669
9	Not stated	39	39,531
		=====	=====
		20,121	27,678,753

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 148 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	1,094	1,929,115
2	No	2,952	3,845,960
6	Valid skip	16,060	21,877,270
7	Don't know	2	600
8	Refusal	8	10,060
9	Not stated	5	15,747
		=====	=====
		20,121	27,678,753

Coverage: Women aged 20 to 44

Variable Name: **SP_Q20** *Position:* 149 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	169	166,908
2	No	240	350,036
6	Valid skip	19,697	27,135,401
9	Not stated	15	26,408
		=====	=====
		20,121	27,678,753

Coverage: Women aged 20 to 44 who are daily, occasional or former smokers (who quit less than five years ago) and were pregnant in the last five years

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SP_Q30** Position: 150 Length: 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	85	78,374
2	No	985	1,824,361
3	Not applicable (no spouse/partner)	24	26,380
6	Valid skip	19,012	25,723,230
9	Not stated	15	26,408
		=====	=====
		20,121	27,678,753

Coverage: Women aged 20 to 44 who were pregnant in the last five years

Section: Tobacco Products (TP)

Variable Name: **TP_Q017** Position: 151 Length: 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	7,539	10,219,264
2	No	12,512	17,376,616
7	Don't know	12	8,760
8	Refusal	11	12,567
9	Not stated	47	61,545
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **TP_Q021** Position: 152 Length: 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	1,213	1,016,718
2	No	6,325	9,202,479
6	Valid skip	12,512	17,376,616
7	Don't know	1	67
9	Not stated	70	82,873
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever smoked a little cigar or cigarillo

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q022** *Position:* 153 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	119	186,247
2	Flavoured	885	670,130
3	Both	192	147,408
6	Valid skip	18,837	26,579,095
7	Don't know	17	12,933
9	Not stated	71	82,939
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have smoked a little cigar or cigarillos in the past 30 days

Variable Name: **TP_Q024** *Position:* 154 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	5,659	8,725,788
2	No	14,388	18,859,666
7	Don't know	11	7,030
8	Refusal	14	13,714
9	Not stated	49	72,555
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **TP_Q027** *Position:* 155 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	428	428,625
2	No	5,228	8,290,383
6	Valid skip	14,388	18,859,666
7	Don't know	3	6,780
9	Not stated	74	93,299
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever smoked a cigar

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q028** *Position:* 156 *Length:* 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	249	304,658
2	Flavoured	104	56,268
3	Both	67	61,988
6	Valid skip	19,616	27,150,049
7	Don't know	8	5,710
9	Not stated	77	100,080
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have smoked a cigar in the past 30 days

Variable Name: **TP_Q030** *Position:* 157 *Length:* 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	2,663	4,033,416
2	No	17,380	23,517,933
7	Don't know	12	23,971
8	Refusal	15	14,781
9	Not stated	51	88,652
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **TP_Q040** *Position:* 158 *Length:* 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	141	130,253
2	No	2,522	3,903,163
6	Valid skip	17,380	23,517,933
9	Not stated	78	127,404
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever smoked a pipe

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q041** Position: 159 Length: 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	52	63,813
2	Flavoured	63	52,784
3	Both	22	13,174
6	Valid skip	19,902	27,421,096
7	Don't know	4	482
9	Not stated	78	127,404
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have smoked a pipe in the past 30 days

Variable Name: **TP_Q050** Position: 160 Length: 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	1,978	2,323,780
2	No	18,067	25,224,797
7	Don't know	7	17,070
8	Refusal	15	14,781
9	Not stated	54	98,324
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **TP_Q060** Position: 161 Length: 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	211	151,930
2	No	1,766	2,171,731
6	Valid skip	18,067	25,224,797
7	Don't know	1	119
9	Not stated	76	130,176
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **TP_Q061** *Position:* 162 *Length:* 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	54	52,031
2	Flavoured	102	70,303
3	Both	49	25,307
6	Valid skip	19,833	27,396,528
7	Don't know	6	4,289
9	Not stated	77	130,295
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have chewed tobacco in the past 30 days

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** *Position:* 163 *Length:* 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	17,829	24,635,844
2	No	2,205	2,904,741
7	Don't know	4	1,185
8	Refusal	25	34,007
9	Not stated	58	102,976
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **SV_Q20** *Position:* 164 *Length:* 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	3,942	4,427,833
2	No	13,807	20,165,092
6	Valid skip	2,205	2,904,741
7	Don't know	79	42,147
9	Not stated	88	138,941
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q30** Position: 165 Length: 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	2,455	2,922,207
2	No	921	678,738
3	Never has children under 18 in vehicles	531	807,752
6	Valid skip	16,012	23,069,832
7	Don't know	33	18,282
8	Refusal	2	854
9	Not stated	167	181,088
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

Variable Name: **SV_Q40** Position: 166 Length: 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,297	1,325,366
2	No	2,609	3,069,944
6	Valid skip	16,012	23,069,832
7	Don't know	35	32,124
8	Refusal	1	399
9	Not stated	167	181,088
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q50A** Position: 167 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Restricted if any occupant is a non-smoker?

		FREQ	WTD
1	Yes	373	443,415
2	No	917	879,394
6	Valid skip	18,621	26,139,777
7	Don't know	6	2,510
8	Refusal	1	47
9	Not stated	203	213,611
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50B** Position: 168 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Restricted by the number of cigarettes smoked?

		FREQ	WTD
1	Yes	43	26,783
2	No	1,247	1,296,025
6	Valid skip	18,621	26,139,777
7	Don't know	6	2,510
8	Refusal	1	47
9	Not stated	203	213,611
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q50C** Position: 169 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Allowed only when driving alone?

		FREQ	WTD
1	Yes	166	236,303
2	No	1,124	1,086,506
6	Valid skip	18,621	26,139,777
7	Don't know	6	2,510
8	Refusal	1	47
9	Not stated	203	213,611
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50D** Position: 170 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Allowed only when the fan, air conditioner, heater is turned on or the window is open?

		FREQ	WTD
1	Yes	629	517,193
2	No	661	805,616
6	Valid skip	18,621	26,139,777
7	Don't know	6	2,510
8	Refusal	1	47
9	Not stated	203	213,611
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **SV_Q50E** Position: 171 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Other?

		FREQ	WTD
1	Yes	289	304,825
2	No	1,001	1,017,983
6	Valid skip	18,621	26,139,777
7	Don't know	6	2,510
8	Refusal	1	47
9	Not stated	203	213,611
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q60** Position: 172 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	3,400	3,936,048
2	Sometimes	345	301,257
3	Rarely	68	56,603
4	Never	49	54,256
6	Valid skip	16,012	23,069,832
7	Don't know	76	78,559
8	Refusal	2	964
9	Not stated	169	181,233
		=====	=====
		20,121	27,678,753

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** *Position:* 173 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	15,366	21,001,834
2	Smoking should be allowed only in a section of a restaurant that is enclosed	2,492	3,166,448
3	Smoking should be allowed only in a designated section of a restaurant	1,891	2,806,062
4	Smoking should be allowed anywhere in a restaurant	180	328,205
7	Don't know	100	226,882
8	Refusal	29	42,923
9	Not stated	63	106,399
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 174 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	10,922	15,005,598
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	4,228	5,518,440
3	Smoking should be allowed only in a designated section of a bar or tavern	3,160	4,199,806
4	Smoking should be allowed anywhere in a bar or tavern	1,077	1,601,265
7	Don't know	579	1,089,060
8	Refusal	90	157,362
9	Not stated	65	107,222
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **OS_Q30** Position: 175 Length: 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	6,880	10,483,744
2	Smoking should be allowed only in enclosed smoking areas in the workplace	1,501	2,464,787
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	11,194	13,851,384
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	234	331,866
7	Don't know	200	341,271
8	Refusal	42	93,348
9	Not stated	70	112,353
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **OS_Q31** Position: 176 Length: 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	18,245	25,666,070
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	1,365	1,314,248
3	Smoking should be allowed at any time	222	244,318
7	Don't know	177	282,068
8	Refusal	39	55,737
9	Not stated	73	116,312
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **OS_Q40** Position: 177 Length: 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	3,444	4,481,242
02	Friends / peers	9,355	12,305,077
03	Parents	3,729	5,531,376
04	Other adults	288	300,966
05	Brother / sister	99	92,144
06	Celebrities	337	456,511
07	Tobacco industry	1,102	1,542,863
08	Government	487	857,516
09	Other (do not specify)	626	1,098,287
97	Don't know	538	828,624
98	Refusal	41	67,530
99	Not stated	75	116,618
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** Position: 179 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...inside a car or other vehicle?

		FREQ	WTD
1	Yes	6,201	5,677,984
2	No	13,774	21,812,760
7	Don't know	37	32,671
8	Refusal	32	36,949
9	Not stated	77	118,389
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q020** *Position:* 180 *Length:* 1

...inside someone else's home?

		FREQ	WTD
1	Yes	6,393	6,959,657
2	No	13,582	20,519,797
7	Don't know	36	43,624
8	Refusal	33	37,287
9	Not stated	77	118,389
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q030** *Position:* 181 *Length:* 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	5,905	7,730,247
2	No	14,043	19,710,739
7	Don't know	58	73,284
8	Refusal	38	46,094
9	Not stated	77	118,389
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q040** *Position:* 182 *Length:* 1

...inside a restaurant?

		FREQ	WTD
1	Yes	549	807,077
2	No	19,436	26,680,319
7	Don't know	22	27,898
8	Refusal	37	45,070
9	Not stated	77	118,389
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q050** Position: 183 Length: 1

...inside a bar or tavern?

		FREQ	WTD
1	Yes	806	1,068,194
2	No	19,177	26,411,281
7	Don't know	24	35,820
8	Refusal	37	45,070
9	Not stated	77	118,389
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q060** Position: 184 Length: 1

...at a bus stop or shelter?

		FREQ	WTD
1	Yes	3,735	4,496,467
2	No	16,223	22,925,717
7	Don't know	47	81,899
8	Refusal	39	56,282
9	Not stated	77	118,389
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q070** Position: 185 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...at an entrance to a building?

		FREQ	WTD
1	Yes	10,834	14,707,738
2	No	9,074	12,682,747
7	Don't know	95	113,122
8	Refusal	41	56,757
9	Not stated	77	118,389
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q080** Position: 186 Length: 1

...at your workplace?

		FREQ	WTD
1	Yes	4,052	5,567,294
2	No	15,930	21,896,423
7	Don't know	18	36,275
8	Refusal	42	57,621
9	Not stated	79	121,139
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q091** Position: 187 Length: 1

... on a school property?

		FREQ	WTD
1	Yes	3,548	2,440,573
2	No	16,421	25,005,796
7	Don't know	32	54,180
8	Refusal	41	57,066
9	Not stated	79	121,139
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q100** Position: 188 Length: 1

...at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	7,410	8,843,491
2	No	12,528	18,564,228
7	Don't know	62	92,564
8	Refusal	41	57,214
9	Not stated	80	121,256
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **EX_Q110** Position: 189 Length: 1

...outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	11,410	14,854,044
2	No	8,477	12,417,040
7	Don't know	111	220,916
8	Refusal	43	65,497
9	Not stated	80	121,256
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q120** Position: 190 Length: 1

...anywhere else?

		FREQ	WTD
1	Yes	808	1,269,885
2	No	19,124	26,150,058
7	Don't know	66	74,066
8	Refusal	43	63,488
9	Not stated	80	121,256
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Variable Name: **EX_Q130** Position: 191 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second-hand smoke:

		FREQ	WTD
1	Every day	1,838	2,180,740
2	Almost every day	2,142	2,351,905
3	At least once a week	6,021	7,512,625
4	At least once in the past month	6,460	9,616,146
6	Valid skip	3,275	5,389,554
7	Don't know	149	237,575
8	Refusal	12	26,718
9	Not stated	224	363,490
		=====	=====
		20,121	27,678,753

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 192 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	16,327	18,786,086
2	French	2,453	5,770,582
3	Both English and French	157	288,390
4	Other	1,026	2,589,127
7	Don't know	13	27,262
8	Refusal	50	90,436
9	Not stated	95	126,870
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Section: Derived Variables - Person

Variable Name: **DVEDUC** Position: 193 Length: 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	5,780	4,638,828
2	Completed secondary	7,845	9,516,756
3	Completed community college, technical college, CEGEP or nurse's college	2,907	5,701,763
4	Completed university or teacher's college	3,326	7,389,883
9	Not stated	263	431,524
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Language and Education

Variable Name: **GPLA_Q20** *Position:* 194 *Length:* 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	209	324,082
02	Completed elementary	486	443,019
03	Some secondary	5,086	3,871,857
04	Completed secondary	4,769	6,072,323
05	Some community college, technical college, CEGEP or nurse's training	982	1,331,828
06	Completed community college, technical college, CEGEP or nurse's training	2,907	5,701,763
07	Some university or teacher's college	1,943	1,781,155
08	Completed university or teacher's college	3,328	7,390,053
09	Other education or training	151	331,449
99	Not stated	260	431,224
		=====	=====
		20,121	27,678,753

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force (LF)

Variable Name: **LF_Q10** *Position:* 196 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	14,710	19,706,834
2	No	5,249	7,718,089
7	Don't know	8	10,803
8	Refusal	74	121,772
9	Not stated	80	121,256
		=====	=====
		20,121	27,678,753

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **LF_Q20** *Position:* 197 *Length:* 1

Are you currently working at a job or a business?

		FREQ	WTD
1	Yes	11,581	17,033,563
2	No	3,126	2,659,876
6	Valid skip	5,249	7,718,089
7	Don't know	1	207
8	Refusal	2	13,187
9	Not stated	162	253,831
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have worked at a job or business in the past 12 months

Variable Name: **LF_Q51** *Position:* 198 *Length:* 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	12,866	17,799,644
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	796	717,529
3	Smoking is not restricted at all	668	646,410
4	Other - Respondent does not have a fixed workplace	201	259,813
6	Valid skip	5,249	7,718,089
7	Don't know	158	218,801
8	Refusal	17	43,218
9	Not stated	166	275,248
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have worked at a job or business in the past 12 months

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 199 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	632	1,471,862
02	Business, Finance and Administrative Occupations	2,243	3,595,582
03	Natural and Applied Sciences and Related Occupations	717	1,602,332
04	Health Occupations	846	1,307,173
05	Occupations in Social Science, Education, Government Service and Religion	1,013	1,740,089
06	Occupations in Art, Culture, Recreation and Sport	673	791,286
07	Sales and Service Occupations	5,142	4,575,570
08	Trades, Transport and Equipment Operators and Related Occupations	1,933	2,715,243
09	Occupations Unique to Primary Industry	784	642,020
10	Occupations Unique to Processing, Manufacturing and Utilities	453	710,251
96	Valid Skip	5,249	7,722,817
99	Not Stated	436	804,530
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 201 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	5,826	2,842,922
2	No	3,255	1,620,429
6	Valid skip	10,985	23,197,060
7	Don't know	5	3,093
8	Refusal	26	6,776
9	Not stated	24	8,473
		=====	=====
		20,121	27,678,753

Coverage: Respondents less than 25 years of age

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

Variable Name: **MU_Q30** *Position:* 206 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	868	936,450
2	1 to 3 times a month	552	461,862
3	Once a week	308	329,634
4	More than once a week	384	335,383
5	Every day	356	336,928
6	Valid skip	17,243	24,544,855
7	Don't know	11	14,618
8	Refusal	2	597
9	Not stated	397	718,427
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 207 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
04 : 75	Age first used marijuana	7,532	10,162,462
96	Valid skip	12,105	16,689,110
97	Don't know	90	115,979
98	Refusal	9	5,704
99	Not stated	385	705,499
		=====	=====
		20,121	27,678,753

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 209 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual

INDEX

A		DVSST1	19
AGE0014	2	DVSST2	19
AGE1524	3	DVURBAN	2
AGE2544	3	DVYRSSMK	11
AGE45PL	3	E	
AGEGRP5	7	EX_Q010	48
AGEGRP7	8	EX_Q020	49
C		EX_Q030	49
CA_G10	15	EX_Q040	49
CA_Q20	16	EX_Q050	50
CA_Q30	16	EX_Q060	50
CA_Q40	16	EX_Q070	50
CA_Q50	17	EX_Q080	51
CB_Q20	15	EX_Q091	51
CM_Q10	27	EX_Q100	51
CM_Q20	27	EX_Q110	52
CM_Q40	28	EX_Q120	52
CM_Q61	28	EX_Q130	52
CM_Q81A	28	G	
CM_Q81B	29	GPLA_Q20	54
CM_Q81C	29	H	
CM_Q81D	30	HHSIZE	2
CM_Q81E	30	HHTYPE	4
CP_Q10	33	HP_Q010	33
CS_Q31	17	HP_Q020	33
CS_Q41	17	HP_Q030	34
CS_Q51	18	HP_Q040	34
D		HP_Q050	34
DVAGE	7	HP_Q060	35
DVAVCIG7	20	HP_Q100	35
DVAVCIGD	21	HP_Q110	35
DVCIGWK	20	HP_Q120	36
DVDAILY	22	HS_Q10	4
DVEDUC	53	HS_Q20	4
DVLOWTAR	18	HS_Q30	5
DVMARST	8	HS_Q40	5
DVNDSMK	21	HS_Q50	5
DVNOCS10	56	HS_Q60A	6
DVPRICE	22	HS_Q60B	6
DVSMKPTN	21	HS_Q60C	6
DVSS1	19	HS_Q60D	7
DVSS2	20		

**Canadian Tobacco Use Monitoring Survey - 2009
Public Use Microdata File (Person) - Annual**

L		SC_Q110.....	26
LA_Q10	53	SEX.....	8
LF_Q10.....	54	SI_G20	57
LF_Q20.....	55	SI_Q10	56
LF_Q51.....	55	SP_Q10	36
M		SP_Q20	36
MU_Q10	57	SP_Q30	37
MU_Q20	57	SS_Q10	9
MU_Q30	58	SS_Q20	9
MU_Q40	58	SS_Q30	9
O		SS_Q40	10
OM_Q030	31	STOPSMK	27
OM_Q070	31	SV_Q10.....	41
OM_Q081	31	SV_Q20.....	41
OM_Q091	32	SV_Q30.....	42
OM_Q100	32	SV_Q40.....	42
OM_Q130	32	SV_Q50A.....	43
OS_Q10.....	46	SV_Q50B.....	43
OS_Q20.....	46	SV_Q50C.....	44
OS_Q30.....	47	SV_Q50D.....	44
OS_Q31.....	47	SV_Q50E.....	45
OS_Q40.....	48	SV_Q60.....	45
P		T	
PROV	1	TP_Q017	37
PS_Q10	10	TP_Q021	37
PS_Q20	10	TP_Q022	38
PS_Q30	11	TP_Q024	38
PS_Q40	11	TP_Q027	38
PUMFID	1	TP_Q028	39
R		TP_Q030	39
REFMONTH.....	1	TP_Q040	39
REFYEAR	1	TP_Q041	40
S		TP_Q050	40
SB_Q10.....	14	TP_Q060	40
SC_Q010.....	22	TP_Q061	41
SC_Q020.....	23	W	
SC_Q030.....	23	WP_Q10A.....	12
SC_Q040.....	24	WP_Q10B.....	12
SC_Q050.....	24	WP_Q10C.....	12
SC_Q060.....	24	WP_Q10D.....	13
SC_Q070.....	25	WP_Q10E.....	13
SC_Q080.....	25	WP_Q10F.....	13
SC_Q090.....	25	WP_Q10G.....	14
SC_Q100.....	26	WTPP	58