

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

TABLE OF CONTENTS

Identification Variables.....	1
Demographic Variables - Household	1
Derived Variables - Household	2
Household Smoking.....	4
Demographic Variables - Person	7
Smoking Status.....	9
Past Smoking.....	10
Derived Variables - Person	11
Weekly Pattern.....	12
Smoking Behaviour.....	14
Cigarette Brand.....	15
Cigarette Access.....	15
Cigarette Source	17
Cheaper Cigarettes.....	18
Derived Variables - Person	36
Smoking Cessation	40
Derived Variables - Person	45
Cessation Methods	45
Other Cessation Methods	49
Cessation Products.....	51
Health Professionals	51
Smoking and Pregnancy.....	54
Tobacco Products	55
Smoking in Vehicles.....	59
Opinions on Smoking.....	64
Exposure to Second-hand Smoke	66
Language and Education	71
Derived Variables - Person	71
Language and Education	72
Labour Force	72
Derived Variables - Person	74
Student Income.....	74
Marijuana Use.....	75
Weight Variable.....	76

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Identification Variables

Variable Name: **PUMFID** *Position:* 1 *Length:* 5

Randomly generated sequence number for the public use microdata file

Variable Name: **REFYEAR** *Position:* 6 *Length:* 4

Survey year

2009 : 2009	Survey year	FREQ	WTD
		9,028	27,572,374
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **REFMONTH** *Position:* 10 *Length:* 2

Survey month

02 : 06	Survey month	FREQ	WTD
		9,028	27,572,374
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Section: Demographic Variables - Household

Variable Name: **PROV** *Position:* 12 *Length:* 2

Province of the selected respondent

		FREQ	WTD
10	Newfoundland and Labrador	876	429,368
11	Prince Edward Island	896	115,993
12	Nova Scotia	974	786,332
13	New Brunswick	947	631,327
24	Quebec	1,011	6,470,871
35	Ontario	860	10,698,518
46	Manitoba	952	966,200
47	Saskatchewan	852	817,553
48	Alberta	901	2,893,314
59	British Columbia	759	3,762,898
		=====	=====
		9,028	27,572,374

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **DVURBAN** *Position:* 14 *Length:* 1

Characteristic of community where the respondent lives

		FREQ	WTD
1	Urban	6,262	21,470,482
2	Rural	2,431	5,281,118
9	Not stated	335	820,773
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Section: Derived Variables - Household

Variable Name: **HHSIZE** *Position:* 15 *Length:* 2

Number of people in the household derived from the number of people reported in the household roster

Allowed values: 01 : 20

		FREQ	WTD
01 : 04	# of people in the household	7,828	23,588,389
05	5 or more	1,200	3,983,985
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 05.

Variable Name: **AGE0014** *Position:* 17 *Length:* 2

Number of children in the household aged 0-14 derived from household roster

		FREQ	WTD
00	None	6,498	18,952,199
01	One	1,423	3,727,049
02	Two or more	1,107	4,893,126
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **AGE1524** *Position:* 19 *Length:* 2

Number of household members (including respondent) aged 15-24 derived from household roster

		FREQ	WTD
00	None	4,024	18,715,895
01	One	3,203	4,993,343
02	Two or more	1,801	3,863,136
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE2544** *Position:* 21 *Length:* 2

Number of household members (including respondent) aged 25-44 derived from household roster

		FREQ	WTD
00	None	5,280	14,308,522
01	One	2,130	5,729,241
02	Two or more	1,618	7,534,611
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

Variable Name: **AGE45PL** *Position:* 23 *Length:* 2

Number of household members (including respondent) aged 45 plus derived from household roster

		FREQ	WTD
00	None	2,859	9,171,935
01	One	2,483	6,191,778
02	Two or more	3,686	12,208,661
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Derived from roster ages of household members. On public use microdata file, the maximum number of members has been set at 02.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **HHTYPE** *Position:* 25 *Length:* 2

Type of household, based on roster age composition (e.g. adults only, adults with young children, etc.)

		FREQ	WTD
01	Households with only 18-19 year old members	26	22,312
02	Households with only 20-24 year old members	243	343,881
03	Households with only 25-44 year old members	486	2,378,729
04	Households with only 45-64 year old members	1,171	4,211,675
05	Households with only 65+ year old members	946	3,282,987
06	Households with adults and children aged 0-11 only	873	4,771,998
07	Households with adults and teens aged 12-19 only	2,792	5,278,220
08	Households with adults and young children and teens aged 0-19 only	864	2,161,259
09	Other compositions	1,627	5,121,313
		=====	=====
		9,028	27,572,374

Coverage: All households
Note: Derived from the roster entries

Section: **Household Smoking (HS)**

Variable Name: **HS_Q10** *Position:* 27 *Length:* 1

Does anyone in your household smoke cigarettes?

		FREQ	WTD
1	Yes	2,678	7,043,818
2	No	6,350	20,528,555
		=====	=====
		9,028	27,572,374

Coverage: Household respondent

Variable Name: **HS_Q20** *Position:* 28 *Length:* 2

How many people smoke cigarettes inside your home every day or almost every day? Include all family members and visitors.

Allowed values: 00 : 15

		FREQ	WTD
00	None	7,887	24,488,922
01 : 15	# of people that smoke inside the home	1,141	3,083,451
		=====	=====
		9,028	27,572,374

Coverage: Household respondent

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **HS_Q30** *Position:* 30 *Length:* 1

On a typical day, how many cigarettes are smoked inside your home?

		FREQ	WTD
1	1 to 10 cigarettes	484	1,434,462
2	11 to 20 cigarettes	318	805,444
3	21 to 30 cigarettes	174	424,395
4	31 to 40 cigarettes	51	162,097
5	41 or more cigarettes	86	222,684
6	Valid skip	7,887	24,488,922
7	Don't know	26	33,991
8	Refusal	2	380
		=====	=====
		9,028	27,572,374

Coverage: Households where at least one person smokes inside the home

Variable Name: **HS_Q40** *Position:* 31 *Length:* 1

Is smoking cigarettes allowed inside your home?

		FREQ	WTD
1	Yes	614	1,958,472
2	No	7,243	22,446,907
6	Valid skip	1,141	3,083,451
7	Don't know	29	71,648
9	Not stated	1	11,896
		=====	=====
		9,028	27,572,374

Coverage: Households with no regular smokers inside the home or where no cigarettes are smoked inside the home

Variable Name: **HS_Q50** *Position:* 32 *Length:* 1

Is smoking cigarettes inside your home restricted in any way?

		FREQ	WTD
1	Yes	808	2,232,622
2	No	942	2,803,167
6	Valid skip	7,243	22,446,907
7	Don't know	5	6,133
9	Not stated	30	83,543
		=====	=====
		9,028	27,572,374

Coverage: Households with no smokers inside the home but where smoking is allowed or where cigarettes are smoked inside the home

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **HS_Q60A** *Position:* 33 *Length:* 1

How is smoking cigarettes restricted inside your home

...Allowed in certain rooms only?

		FREQ	WTD
1	Yes	557	1,518,197
2	No	250	711,315
6	Valid skip	8,185	25,250,075
9	Not stated	36	92,787
		=====	=====
		9,028	27,572,374

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60B** *Position:* 34 *Length:* 1

How is smoking cigarettes restricted inside your home

...Restricted in the presence of young children?

		FREQ	WTD
1	Yes	340	701,921
2	No	467	1,527,591
6	Valid skip	8,185	25,250,075
9	Not stated	36	92,787
		=====	=====
		9,028	27,572,374

Coverage: Households where smoking is restricted inside the home

Variable Name: **HS_Q60C** *Position:* 35 *Length:* 1

How is smoking cigarettes restricted inside your home

...Allowed only if windows are open or with another type of ventilation?

		FREQ	WTD
1	Yes	411	1,155,137
2	No	396	1,074,374
6	Valid skip	8,185	25,250,075
9	Not stated	36	92,787
		=====	=====
		9,028	27,572,374

Coverage: Households where smoking is restricted inside the home

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **HS_Q60D** *Position:* 36 *Length:* 1

How is smoking cigarettes restricted inside your home

...Other restriction(s)?

		FREQ	WTD
1	Yes	146	477,203
2	No	661	1,752,308
6	Valid skip	8,185	25,250,075
9	Not stated	36	92,787
		=====	=====
		9,028	27,572,374

Coverage: Households where smoking is restricted inside the home

Section: Demographic Variables - Person

Variable Name: **DVAGE** *Position:* 37 *Length:* 3

Age of respondent, derived from PA_Q01

Allowed values: 015 : 085

		FREQ	WTD
015 : 084	Age of respondent	8,894	27,164,937
85	85 or more	134	407,437
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Ages greater than 85 were recoded to 85.

Variable Name: **AGEGRP5** *Position:* 40 *Length:* 1

Age of respondent - 5 groups

		FREQ	WTD
1	15-19 years	2,366	2,206,455
2	20-24 years	1,721	2,270,195
3	25-34 years	724	4,605,165
4	35-44 years	953	4,803,149
5	45 years and over	3,264	13,687,411
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Derived from PA_Q01

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **AGEGRP7** *Position:* 41 *Length:* 2

Age of respondent - 7 groups

		FREQ	WTD
01	15-17 years	1,482	1,393,980
02	18-19 years	884	812,475
03	20-22 years	1,081	1,447,522
04	23-24 years	640	822,673
05	25-44 years	1,677	9,408,313
06	45-64 years	2,136	9,316,215
07	65 years and over	1,128	4,371,196
		=====	=====
		9,028	27,572,374

Coverage: All respondents
Note: Derived from PA_Q01

Variable Name: **SEX** *Position:* 43 *Length:* 1

Respondent's sex

		FREQ	WTD
1	Male	4,152	13,602,271
2	Female	4,876	13,970,103
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **DVMARST** *Position:* 44 *Length:* 1

Grouped marital status of respondent from household roster

		FREQ	WTD
1	Living common-law/Married	3,415	17,127,421
2	Widowed/Divorced/Separated	1,071	3,219,864
3	Single, never married	4,432	7,005,748
9	Not stated	110	219,342
		=====	=====
		9,028	27,572,374

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Smoking Status (SS)

Variable Name: **SS_Q10** Position: 45 Length: 1

At the present time, do you smoke cigarettes every day, occasionally or not at all?

		FREQ	WTD
1	Every day	1,264	3,641,453
2	Occasionally	413	1,122,810
3	Not at all	7,351	22,808,111
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **SS_Q20** Position: 46 Length: 1

In the past 30 days, did you smoke any cigarettes?

		FREQ	WTD
1	Yes	419	1,093,451
2	No	7,345	22,837,470
6	Valid skip	1,264	3,641,453
		=====	=====
		9,028	27,572,374

Coverage: Respondents who are not current daily smokers

Variable Name: **SS_Q30** Position: 47 Length: 1

During the past 30 days, did you smoke every day?

		FREQ	WTD
1	Yes	1,244	3,615,055
2	No	439	1,119,849
6	Valid skip	7,345	22,837,470
		=====	=====
		9,028	27,572,374

Coverage: Current daily smokers or respondents who smoked in the past

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SS_Q40** Position: 48 Length: 1

Have you smoked at least 100 cigarettes in your life?

		FREQ	WTD
1	Yes	3,455	12,119,861
2	No	5,573	15,452,513
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Section: Past Smoking (PS)

Variable Name: **PS_Q10** Position: 49 Length: 1

Have you ever smoked a whole cigarette?

		FREQ	WTD
1	Yes	1,263	3,515,907
2	No	4,207	11,781,091
6	Valid skip	3,558	12,275,375
		=====	=====
		9,028	27,572,374

Coverage: Never smokers (did not smoke 100 cigarettes in life and was not smoking at the time of the interview)

Variable Name: **PS_Q20** Position: 50 Length: 1

Have you ever smoked cigarettes daily?

		FREQ	WTD
1	Yes	1,860	7,290,889
2	No	374	1,173,832
6	Valid skip	6,793	19,106,624
7	Don't know	1	1,029
		=====	=====
		9,028	27,572,374

Coverage: Former or occasional smokers who did not smoke daily in the past 30 days or who did not smoke at all in the past 30 days

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **PS_Q30** *Position:* 51 *Length:* 2

At what age did you smoke your first cigarette?

Allowed values: 04 : 94

		FREQ	WTD
04 : 47	Age smoked first cigarette	4,731	15,496,818
96	Valid skip	4,207	11,781,091
97	Don't know	90	294,465
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever smoked a cigarette

Variable Name: **PS_Q40** *Position:* 53 *Length:* 2

At what age did you begin to smoke cigarettes daily?

Allowed values: 04 : 94

		FREQ	WTD
07 : 55	Age begin smoking cigarettes daily	3,023	10,537,642
96	Valid skip	5,903	16,639,003
97	Don't know	100	393,969
98	Refusal	1	730
99	Not stated	1	1,029
		=====	=====
		9,028	27,572,374

Coverage: Respondents who are actually daily smokers or who have ever smoked cigarettes daily

Section: Derived Variables - Person

Variable Name: **DVYRSSMK** *Position:* 55 *Length:* 2

Derived variable for the number of years the respondent smoked

Allowed values: 00 : 75

		FREQ	WTD
00 : 75	# of yrs the respondent smoked	1,655	4,706,642
96	Valid skip	7,351	22,808,111
99	Not stated	22	57,620
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Note: Derived from AGE and PS_Q30. Ages greater than 75 were recoded to 75.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Weekly Pattern (WP)

Variable Name: **WP_Q10A** *Position:* 57 *Length:* 2

Some people smoke more or less depending upon the day of the week. So, thinking back over the past seven days, starting with yesterday, how many cigarettes did you smoke:

... yesterday?

Allowed values: 00 : 90

		FREQ	WTD
00 : 60	Number of cigarettes smoked yesterday	1,567	4,403,317
96	Valid skip	7,345	22,837,470
97	Don't know	116	331,587
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10B** *Position:* 59 *Length:* 2

... 2 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 2 days ago	1,543	4,342,571
96	Valid skip	7,345	22,837,470
97	Don't know	24	60,746
99	Not stated	116	331,587
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10C** *Position:* 61 *Length:* 2

... 3 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 3 days ago	1,520	4,307,024
96	Valid skip	7,345	22,837,470
97	Don't know	23	35,547
99	Not stated	140	392,332
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers or those who smoked in the last 30 days

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **WP_Q10D** Position: 63 Length: 2

... 4 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 60	Number of cigarettes smoked 4 days ago	1,504	4,280,626
96	Valid skip	7,345	22,837,470
97	Don't know	16	26,399
99	Not stated	163	427,879
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10E** Position: 65 Length: 2

... 5 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes smoked 5 days ago	1,503	4,280,357
96	Valid skip	7,345	22,837,470
97	Don't know	1	269
99	Not stated	179	454,278
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers or those who smoked in the last 30 days

Variable Name: **WP_Q10F** Position: 67 Length: 2

... 6 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 90	Number of cigarettes smoked 6 days ago	1,502	4,280,139
96	Valid skip	7,345	22,837,470
97	Don't know	1	218
99	Not stated	180	454,547
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers or those who smoked in the last 30 days

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **WP_Q10G** Position: 69 Length: 2

...7 days ago?

Allowed values: 00 : 91

		FREQ	WTD
00 : 70	Number of cigarettes smoked 7 days ago	1,501	4,275,324
96	Valid skip	7,345	22,837,470
97	Don't know	1	4,815
99	Not stated	181	454,765
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers or those who smoked in the last 30 days

Section: Smoking Behaviour (SB)

Variable Name: **SB_Q10** Position: 71 Length: 1

How soon after you wake up do you smoke your first cigarette?

		FREQ	WTD
1	Within 5 minutes	274	755,463
2	6 to 30 minutes	394	1,056,829
3	31 to 60 minutes	248	821,694
4	More than 60 minutes	335	959,961
6	Valid skip	7,764	23,930,921
7	Don't know	11	28,495
8	Refusal	1	9,403
9	Not stated	1	9,608
		=====	=====
		9,028	27,572,374

Coverage: Current daily smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Cigarette Brand (CB)

Variable Name: **CB_Q20** Position: 72 Length: 1

At the present time, do you roll your own or make your own cigarettes:

		FREQ	WTD
1	All the time	79	198,602
2	Most of the time	41	47,412
3	Sometimes	119	215,971
4	Never	1,227	3,521,624
6	Valid skip	7,351	22,808,111
8	Refusal	1	9,403
9	Not stated	210	771,250
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Section: Cigarette Access (CA)

Variable Name: **CA_G10** Position: 73 Length: 2

Where do you usually get your cigarettes? (Do you buy them, or does someone usually give them to you? Where do you buy them? Who do you get them from?)

		FREQ	WTD
01	I buy them at a small grocery / corner store	900	2,503,223
02	I buy them at a supermarket	130	279,147
03	I buy them at a gasoline station	322	898,651
04	I buy them at another kind of store	47	265,308
05	I get them for free from a family member, a friend or someone else	125	279,173
06	I buy them from a First Nations Reserve (either on-site or delivery service)	46	319,316
07	Other	94	183,189
96	Valid skip	7,351	22,808,111
97	Don't know	8	8,524
98	Refusal	3	17,906
99	Not stated	2	9,826
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **CA_Q20** Position: 75 Length: 1

In the past 12 months, have you bought or have you tried to buy cigarettes from a store?

		FREQ	WTD
1	Yes	26	21,496
2	No	69	56,737
6	Valid skip	8,920	27,457,886
9	Not stated	13	36,256
		=====	=====
		9,028	27,572,374

Coverage: Current smokers between the age of 15 to 18 who don't usually buy cigarettes from a store

Variable Name: **CA_Q30** Position: 76 Length: 1

(In the past 12 months), have you been asked for ID when buying cigarettes in a store for yourself or for someone else?

		FREQ	WTD
1	Yes	92	96,664
2	No	63	59,646
6	Valid skip	8,860	27,379,808
9	Not stated	13	36,256
		=====	=====
		9,028	27,572,374

Coverage: Current smokers between the age of 15 to 18 who usually buy cigarettes from a store or bought them in the past 12 months

Variable Name: **CA_Q40** Position: 77 Length: 1

(In the past 12 months), has anyone in a store refused to sell you cigarettes?

		FREQ	WTD
1	Yes	77	65,473
2	No	78	90,837
6	Valid skip	8,860	27,379,808
9	Not stated	13	36,256
		=====	=====
		9,028	27,572,374

Coverage: Current smokers between the age of 15 to 18 who usually buy cigarettes from a store or bought them in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CA_Q50** Position: 78 Length: 1

(In the past 12 months), have you asked anyone to buy cigarettes for you?

		FREQ	WTD
1	Yes	149	135,096
2	No	75	77,951
6	Valid skip	8,791	27,323,071
9	Not stated	13	36,256
		=====	=====
		9,028	27,572,374

Coverage: Current smokers between the age of 15 to 18

Section: Cigarette Source (CS)

Variable Name: **CS_Q31** Position: 79 Length: 1

Have you ever purchased cigarettes for, or given cigarettes to, a minor?

		FREQ	WTD
1	Yes	467	1,174,788
2	No	8,540	26,296,419
7	Don't know	14	80,087
8	Refusal	4	10,588
9	Not stated	3	10,491
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **CS_Q41** Position: 80 Length: 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 12 months?

		FREQ	WTD
1	Yes	164	258,047
2	No	301	915,557
6	Valid skip	8,540	26,296,419
7	Don't know	2	1,185
9	Not stated	21	101,166
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever purchased or gave cigarettes to a minor

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CS_Q51** *Position:* 81 *Length:* 1

Did you purchase cigarettes for or give cigarettes to a minor within the last 30 days?

		FREQ	WTD
1	Yes	68	107,014
2	No	96	151,033
6	Valid skip	8,841	27,211,976
9	Not stated	23	102,351
		=====	=====
		9,028	27,572,374

Coverage: Respondents who in the past 12 months have purchased or gave cigarettes to a minor

Section: Cheaper Cigarettes (CC)

Variable Name: **CC_Q20** *Position:* 82 *Length:* 1

In the past six months, did you buy:

... a discount brand?

		FREQ	WTD
1	Yes	519	1,444,378
2	No	1,150	3,296,227
6	Valid skip	7,351	22,808,111
7	Don't know	4	3,529
8	Refusal	2	10,302
9	Not stated	2	9,826
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Variable Name: **CC_Q40** *Position:* 83 *Length:* 1

In the past six months, did you buy:

... from the internet?

		FREQ	WTD
1	Yes	3	22,840
2	No	1,671	4,722,193
6	Valid skip	7,351	22,808,111
8	Refusal	1	9,403
9	Not stated	2	9,826
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q50** *Position:* 84 *Length:* 1

In the past six months, did you buy:
... by mail order?

			FREQ	WTD
1	Yes		5	27,126
2	No		1,669	4,717,907
6	Valid skip		7,351	22,808,111
8	Refusal		1	9,403
9	Not stated		2	9,826
			=====	=====
			9,028	27,572,374

Coverage: Current smokers

Variable Name: **CC_Q55** *Position:* 85 *Length:* 1

In the past six months, did you buy:
... from a First Nations Reserve?

			FREQ	WTD
1	Yes		227	744,276
2	No		1,444	3,992,483
6	Valid skip		7,351	22,808,111
7	Don't know		2	4,661
8	Refusal		2	13,017
9	Not stated		2	9,826
			=====	=====
			9,028	27,572,374

Coverage: Current smokers

Variable Name: **CC_Q60** *Position:* 86 *Length:* 1

In the past six months, did you buy:
... from outside your province?

			FREQ	WTD
1	Yes		213	503,071
2	No		1,459	4,237,583
6	Valid skip		7,351	22,808,111
7	Don't know		1	766
8	Refusal		2	13,017
9	Not stated		2	9,826
			=====	=====
			9,028	27,572,374

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q70** *Position:* 87 *Length:* 1

In the past six months, did you buy:
... cigarettes that may have been smuggled?

		FREQ	WTD
1	Yes	46	118,108
2	No	1,601	4,563,036
6	Valid skip	7,351	22,808,111
7	Don't know	25	48,312
8	Refusal	3	24,980
9	Not stated	2	9,826
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Variable Name: **CC_Q80** *Position:* 88 *Length:* 1

Did you do anything else to buy cigarettes at a lower cost?

		FREQ	WTD
1	Yes	50	172,459
2	No	1,623	4,568,961
6	Valid skip	7,351	22,808,111
8	Refusal	2	13,017
9	Not stated	2	9,826
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Variable Name: **CC_Q90** *Position:* 89 *Length:* 3

In the last six months, approximately what percentage of the cigarettes you purchased were of the following types?

Regular priced or premium brand cigarettes.

Allowed values: 001 : 099

		FREQ	WTD
001 : 099	% of premium brand cigarettes purchased	668	1,839,725
996	Valid skip	8,260	25,484,751
997	Don't know	81	191,072
998	Refusal	1	1,999
999	Not stated	18	54,827
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **CC_Q91** Position: 92 Length: 3

In the last six months, approximately what percentage of the cigarettes you purchased were of the following types?

Allowed values: 001 : 100

		FREQ	WTD
001 : 100	% of discount brand cigarettes purchased	477	1,369,116
996	Valid skip	8,491	26,073,169
997	Don't know	42	75,262
999	Not stated	18	54,827
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having bought a discount brand of cigarettes

Variable Name: **CC_Q92** Position: 95 Length: 3

In the last six months, approximately what percentage of the cigarettes you purchased were of the following types?

Cigarettes from the Internet.

Allowed values: 001 : 100

		FREQ	WTD
001 : 050	% of cigarettes purchased from internet	3	22,840
996	Valid skip	9,007	27,494,706
999	Not stated	18	54,827
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having bought cigarettes from the Internet

Variable Name: **CC_Q93** Position: 98 Length: 3

In the last six months, approximately what percentage of the cigarettes you purchased were of the following types?

Cigarettes by mail order.

Allowed values: 001 : 100

		FREQ	WTD
001 : 025	% of cigarettes purchased by mail order	4	7,029
996	Valid skip	9,005	27,490,421
997	Don't know	1	20,097
999	Not stated	18	54,827
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having bought cigarettes by mail order

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q94** *Position:* 101 *Length:* 3

In the last six months, approximately what percentage of the cigarettes you purchased were of the following types?

Cigarettes from a First Nations Reserve.

Allowed values: 001 : 100

		FREQ	WTD
001 : 100	% of cig purchased from First Nations Reserve	210	678,535
996	Valid skip	8,781	26,768,610
997	Don't know	16	63,742
998	Refusal	1	1,999
999	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having bought cigarettes from a First Nations Reserve

Variable Name: **CC_Q95** *Position:* 104 *Length:* 3

In the last six months, approximately what percentage of the cigarettes you purchased were of the following types?

Cigarettes from outside the province.

Allowed values: 001 : 100

		FREQ	WTD
001 : 100	% of cigarettes purchased outside prov	186	397,993
996	Valid skip	8,796	27,013,710
997	Don't know	26	103,079
998	Refusal	1	1,999
999	Not stated	19	55,593
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having bought cigarettes outside the province

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q96** Position: 107 Length: 3

In the last six months, approximately what percentage of the cigarettes you purchased were of the following types?

Cigarettes that may have been smuggled.

Allowed values:	001 : 100		
		FREQ	WTD
001 : 099	% of cigarettes purchased - smuggled	37	110,892
996	Valid skip	8,947	27,366,719
997	Don't know	8	5,217
998	Refusal	1	1,999
999	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having bought cigarettes that may be illegal, contraband or smuggled

Variable Name: **CC_Q100A** Position: 110 Length: 1

Where did you purchase these cigarettes? Was it from

...a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	146	448,436
2	No	76	281,279
6	Valid skip	8,781	26,768,610
7	Don't know	3	9,957
8	Refusal	2	4,604
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q100B** Position: 111 Length: 1

Where did you purchase these cigarettes? Was it from
...a delivery service?

		FREQ	WTD
1	Yes	3	31,081
2	No	219	698,635
6	Valid skip	8,781	26,768,610
7	Don't know	3	9,957
8	Refusal	2	4,604
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

Variable Name: **CC_Q100C** Position: 112 Length: 1

Where did you purchase these cigarettes? Was it from
...a friend?

		FREQ	WTD
1	Yes	49	153,799
2	No	173	575,917
6	Valid skip	8,781	26,768,610
7	Don't know	3	9,957
8	Refusal	2	4,604
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q100D** Position: 113 Length: 1

Where did you purchase these cigarettes? Was it from
...a family member?

		FREQ	WTD
1	Yes	13	33,770
2	No	209	695,946
6	Valid skip	8,781	26,768,610
7	Don't know	3	9,957
8	Refusal	2	4,604
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

Variable Name: **CC_Q100E** Position: 114 Length: 1

Where did you purchase these cigarettes? Was it from
...a co-worker?

		FREQ	WTD
1	Yes	4	6,441
2	No	218	723,274
6	Valid skip	8,781	26,768,610
7	Don't know	3	9,957
8	Refusal	2	4,604
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q100F** Position: 115 Length: 1

Where did you purchase these cigarettes? Was it from

...Other - Specify?

		FREQ	WTD
1	Yes	13	79,715
2	No	209	650,001
6	Valid skip	8,781	26,768,610
7	Don't know	3	9,957
8	Refusal	2	4,604
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

Variable Name: **CC_Q110** Position: 116 Length: 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it...?

		FREQ	WTD
1	A pack of 20 cigarettes	22	35,841
2	A pack of 25 cigarettes	101	132,484
3	A carton (200 cigarettes)	55	355,543
4	A bag of 200 cigarettes	39	210,162
5	Other	9	8,247
6	Valid skip	8,781	26,768,610
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q120A** Position: 117 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...a friend?

		FREQ	WTD
1	Yes	95	343,765
2	No	126	372,803
6	Valid skip	8,781	26,768,610
7	Don't know	5	25,709
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

Variable Name: **CC_Q120B** Position: 118 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...a family member?

		FREQ	WTD
1	Yes	27	35,512
2	No	194	681,056
6	Valid skip	8,781	26,768,610
7	Don't know	5	25,709
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q120C** Position: 119 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...a co-worker?

		FREQ	WTD
1	Yes	4	9,049
2	No	217	707,519
6	Valid skip	8,781	26,768,610
7	Don't know	5	25,709
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

Variable Name: **CC_Q120D** Position: 120 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...word of mouth?

		FREQ	WTD
1	Yes	56	180,812
2	No	165	535,756
6	Valid skip	8,781	26,768,610
7	Don't know	5	25,709
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q120E** Position: 121 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	27	47,838
2	No	194	668,730
6	Valid skip	8,781	26,768,610
7	Don't know	5	25,709
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

Variable Name: **CC_Q120F** Position: 122 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...Other - Specify?

		FREQ	WTD
1	Yes	30	139,440
2	No	191	577,128
6	Valid skip	8,781	26,768,610
7	Don't know	5	25,709
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from First Nations Reserve in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q130** Position: 123 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was ...?

		FREQ	WTD
1	Very easy	153	531,004
2	Relatively easy	60	181,762
3	Difficult	7	25,541
4	Very difficult	1	147
6	Valid skip	8,781	26,768,610
7	Don't know	5	3,824
8	Refusal	1	1,999
9	Not stated	20	59,488
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased cigarettes from a First Nations Reserve in the past six months

Variable Name: **CC_Q140A** Position: 124 Length: 1

Where did you purchase these cigarettes? Was it from
...a regular retail store (i.e. convenience store)?

		FREQ	WTD
1	Yes	5	6,485
2	No	36	104,402
6	Valid skip	8,947	27,366,719
8	Refusal	5	7,220
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q140B** Position: 125 Length: 1

Where did you purchase these cigarettes? Was it from
...a First Nations Reserve?

		FREQ	WTD
1	Yes	2	13,319
2	No	39	97,568
6	Valid skip	8,947	27,366,719
8	Refusal	5	7,220
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q140C** Position: 126 Length: 1

Where did you purchase these cigarettes? Was it from
...a delivery service?

		FREQ	WTD
1	Yes	1	7,963
2	No	40	102,924
6	Valid skip	8,947	27,366,719
8	Refusal	5	7,220
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q140D** Position: 127 Length: 1

Where did you purchase these cigarettes? Was it from
...a friend?

		FREQ	WTD
1	Yes	28	64,483
2	No	13	46,405
6	Valid skip	8,947	27,366,719
8	Refusal	5	7,220
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q140E** Position: 128 Length: 1

Where did you purchase these cigarettes? Was it from
...a family member?

		FREQ	WTD
1	Yes	2	1,619
2	No	39	109,269
6	Valid skip	8,947	27,366,719
8	Refusal	5	7,220
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q140F** *Position:* 129 *Length:* 1

Where did you purchase these cigarettes? Was it from
...a co-worker?

		FREQ	WTD
1	Yes	1	4,410
2	No	40	106,477
6	Valid skip	8,947	27,366,719
8	Refusal	5	7,220
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q140G** *Position:* 130 *Length:* 1

Where did you purchase these cigarettes? Was it from
...Other - Specify?

		FREQ	WTD
1	Yes	2	12,608
2	No	39	98,280
6	Valid skip	8,947	27,366,719
8	Refusal	5	7,220
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q150** *Position:* 131 *Length:* 1

Thinking about the last time you bought these cigarettes, what did you buy? Was it...?

		FREQ	WTD
1	A pack of 20 cigarettes	3	12,447
2	A pack of 25 cigarettes	2	2,004
3	A carton (200 cigarettes)	11	48,635
4	A bag of 200 cigarettes	23	48,373
5	Other	2	928
6	Valid skip	8,947	27,366,719
7	Don't know	3	3,246
8	Refusal	2	2,476
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q160A** Position: 132 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...a friend?

		FREQ	WTD
1	Yes	30	72,936
2	No	13	41,737
6	Valid skip	8,947	27,366,719
7	Don't know	2	1,436
8	Refusal	1	1,999
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q160B** Position: 133 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...a family member?

		FREQ	WTD
1	Yes	2	4,566
2	No	41	110,108
6	Valid skip	8,947	27,366,719
7	Don't know	2	1,436
8	Refusal	1	1,999
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **CC_Q160C** Position: 134 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
 ...a co-worker?

		FREQ	WTD
1	Yes	0	0
2	No	43	114,674
6	Valid skip	8,947	27,366,719
7	Don't know	2	1,436
8	Refusal	1	1,999
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q160D** Position: 135 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
 ...word of mouth?

		FREQ	WTD
1	Yes	9	34,308
2	No	34	80,366
6	Valid skip	8,947	27,366,719
7	Don't know	2	1,436
8	Refusal	1	1,999
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CC_Q160E** Position: 136 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...a sign on or near a First Nations Reserve?

		FREQ	WTD
1	Yes	2	2,267
2	No	41	112,407
6	Valid skip	8,947	27,366,719
7	Don't know	2	1,436
8	Refusal	1	1,999
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Variable Name: **CC_Q160F** Position: 137 Length: 1

How did you first become aware that you could buy these cigarettes? Was it through
...Other - Specify?

		FREQ	WTD
1	Yes	1	1,074
2	No	42	113,599
6	Valid skip	8,947	27,366,719
7	Don't know	2	1,436
8	Refusal	1	1,999
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **CC_Q170** Position: 138 Length: 1

How easy was it for you to buy these cigarettes? Would you say it was...?

		FREQ	WTD
1	Very easy	26	75,436
2	Relatively easy	10	24,825
3	Difficult	3	1,243
4	Very difficult	3	12,491
6	Valid skip	8,947	27,366,719
7	Don't know	2	1,041
8	Refusal	2	3,073
9	Not stated	35	87,546
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who reported having purchased smuggled cigarettes in the past six months

Section: Derived Variables - Person

Variable Name: **DVLOWTAR** Position: 139 Length: 2

Derived variable for lower tar value of cigarettes usually smoked

		FREQ	WTD
02	2 mg or less	4	56,684
03	3 mg	8	81,390
04	4 mg	63	253,605
05	5 mg	0	0
06	6 mg	2	25,599
07	7 mg	5	16,549
08	8 mg	29	86,630
09	9 mg	29	38,174
10	10 mg	84	308,573
11	11 mg	118	564,553
12	12 mg	320	789,018
13	13 mg	236	554,256
14	14 mg	323	663,049
15	15 mg	138	284,769
16	16 mg	14	69,547
17	17 mg or more	0	0
96	Valid skip	7,351	22,808,111
99	Not stated	304	971,867
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who usually smoke the same brand of cigarettes

Note: Derived from CB_Q12.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **DVSST1** *Position:* 141 *Length:* 1

Derived variable for type 1 smoking status - traditional definition

		FREQ	WTD
1	Current smoker	1,677	4,764,262
2	Former smoker	1,881	7,511,113
3	Never smoked	5,470	15,296,998
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVSST2** *Position:* 142 *Length:* 2

Derived variable for type 2 smoking status - detailed traditional definition

		FREQ	WTD
01	Current daily smoker	1,264	3,641,453
02	Current occasional smoker	413	1,122,810
03	Former daily smoker	1,669	6,712,172
04	Former occasional smoker	211	797,911
05	Experimental smoker	1,263	3,515,907
06	Lifetime abstainer	4,207	11,781,091
99	Not stated	1	1,029
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **DVSS1** *Position:* 144 *Length:* 1

Smoking status derived using in the last 30 days definition

		FREQ	WTD
1	Smoked in last 30 days	1,683	4,734,904
2	Did not smoke in the last 30 days, but smoked 100 cigarettes in life	1,880	7,553,792
3	Did not smoke in the last 30 days, but smoked less than 100 cigarettes in life	5,465	15,283,679
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **DVSS2** Position: 145 Length: 2

Derived variable for smoking status - detailed - using in the last 30 days definition

		FREQ	WTD
01	Smoked daily in last 30 days, >=100 cigarettes in life	1,318	3,774,521
02	Smoked non-daily in last 30 days, >=100 cigarettes in life	257	791,548
03	Former daily smoker, but not smoked in last 30 days, >=100 cigarettes in life	1,660	6,710,321
04	Former occasional smoker, but not smoked in last 30 days, >=100 cigarettes in life	219	842,441
05	Beginner: smoked in last 30 days, <100 cigarettes in life	108	168,834
06	Past experimental smoker	1,260	3,505,945
07	Lifetime abstainer	4,205	11,777,734
99	Not stated	1	1,029
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition.

Variable Name: **DVCIGWK** Position: 147 Length: 3

Derived variable for number of cigarettes smoked per week

Allowed values: 000 : 995

		FREQ	WTD
000 : 435	# of cigs smoked per week	1,501	4,275,324
996	Valid skip	7,345	22,837,470
999	Not stated	182	459,580
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIG7** Position: 150 Length: 2

Derived variable for smoker's average number of cigarettes smoked per day

Allowed values: 00 : 95

		FREQ	WTD
00 : 62	Avg # of cigarettes smoked/day	1,501	4,275,324
96	Valid skip	7,345	22,837,470
99	Not stated	182	459,580
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who have smoked in the last 30 days

Note: Averaged over seven days. Occasional smokers who haven't smoked in the past 30 days have been excluded, unlike the Survey on Smoking in Canada (SOSIC) definition.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **DVNDSMK** *Position:* 152 *Length:* 2

Derived variable for number of days respondent smoked in the last seven days

Allowed values: 00 : 07

		FREQ	WTD
00 : 07	# of days smoked in last 7 days	1,501	4,275,324
96	Valid skip	7,345	22,837,470
99	Not stated	182	459,580
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVAVCIGD** *Position:* 154 *Length:* 2

Derived variable for smoker's average number of cigarettes smoked, on the days that they smoked

Allowed values: 00 : 95

		FREQ	WTD
00 : 62	Avg. smoked on the days they smoked	1,501	4,275,324
96	Valid skip	7,345	22,837,470
99	Not stated	182	459,580
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who have smoked in the last 30 days

Variable Name: **DVSMKPTN** *Position:* 156 *Length:* 1

Derived variable for current smokers' smoking pattern in the past seven days (WP_Q10A-WP_Q10G)

		FREQ	WTD
1	Smoked every day	1,169	3,406,503
2	Weekdays only	9	22,497
3	Weekend only	3	43,292
4	Did not smoke in last seven days	73	202,078
5	Other pattern	247	600,954
6	Valid skip	7,345	22,837,470
9	Not stated	182	459,580
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who have smoked in the last 30 days

Note: Survey on Smoking in Canada (SOSIC) definition only included smokers that smoked in the past seven days instead of 30 days.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **DVDAILY** Position: 157 Length: 2

Derived variable for daily smokers only. This variable determines the average number of cigarettes smoked per day for daily smokers

Allowed values: 00 : 95

		FREQ	WTD
00 : 62	Average smoked-Daily smokers	1,134	3,321,277
96	Valid skip	7,764	23,930,921
99	Not stated	130	320,176
		=====	=====
		9,028	27,572,374

Coverage: Daily smokers
Note: Based on WP_Q10A to WP_Q10G.

Variable Name: **DVPRICE** Position: 159 Length: 1

Derived variable for smokers indicating if they buy discount or regular price brands

		FREQ	WTD
1	Discount price brand	592	1,284,826
2	Regular price brand	930	2,946,701
6	Valid skip	7,351	22,808,111
9	Not stated	155	532,735
		=====	=====
		9,028	27,572,374

Coverage: Current smokers
Note: Based on CB_Q12 and information about discount brands obtained from Health Canada.

Section: Smoking Cessation (SC)

Variable Name: **SC_Q010** Position: 160 Length: 1

When did you stop smoking?

		FREQ	WTD
1	Less than 1 year ago	141	407,827
2	1 to 2 years ago	153	467,720
3	3 to 5 years ago	151	474,876
4	More than 5 years ago	1,431	6,157,484
6	Valid skip	7,147	20,061,261
7	Don't know	3	1,474
8	Refusal	1	730
9	Not stated	1	1,002
		=====	=====
		9,028	27,572,374

Coverage: Former smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q020** Position: 161 Length: 2

In what month did you stop smoking?

		FREQ	WTD
01	January	29	81,037
02	February	8	35,957
03	March	15	46,144
04	April	5	5,665
05	May	11	24,693
06	June	9	15,521
07	July	1	17,765
08	August	10	31,940
09	September	10	16,308
10	October	14	34,067
11	November	14	48,662
12	December	10	49,045
96	Valid skip	8,882	27,161,340
97	Don't know	5	1,022
99	Not stated	5	3,206
		=====	=====
		9,028	27,572,374

Coverage: Respondents who stopped smoking less than one year ago

Variable Name: **SC_Q030** Position: 163 Length: 2

What was your main reason to quit smoking?

		FREQ	WTD
01	Health	72	227,653
02	Pregnancy or a baby in the household	16	22,804
03	Less stress in life	1	215
04	Cost of cigarettes	16	28,578
05	Smoking is less socially acceptable	11	33,141
06	Some other reason	24	91,071
96	Valid skip	8,882	27,161,340
97	Don't know	1	4,365
99	Not stated	5	3,206
		=====	=====
		9,028	27,572,374

Coverage: Respondents who stopped smoking less than one year ago

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q040** Position: 165 Length: 2

Approximately, how many attempts to quit did you make before you quit smoking for good?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	# of attempts before you quit smoking	1,797	7,271,245
96	Valid skip	7,147	20,061,261
97	Don't know	77	231,308
98	Refusal	6	7,557
99	Not stated	1	1,002
		=====	=====
		9,028	27,572,374

Coverage: Former smokers

Variable Name: **SC_Q050** Position: 167 Length: 2

On average, how many cigarettes were you smoking per day at the time you quit?

Allowed values: 01 : 94

		FREQ	WTD
01 : 94	Average cigs smoked per day before quit	1,779	7,138,026
96	Valid skip	7,147	20,061,261
97	Don't know	93	353,606
98	Refusal	8	18,479
99	Not stated	1	1,002
		=====	=====
		9,028	27,572,374

Coverage: Former smokers

Variable Name: **SC_Q060** Position: 169 Length: 1

Are you seriously considering quitting within the next six months?

		FREQ	WTD
1	Yes	961	2,750,579
2	No	637	1,774,715
6	Valid skip	7,351	22,808,111
7	Don't know	75	216,126
8	Refusal	2	13,017
9	Not stated	2	9,826
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q070** Position: 170 Length: 1

Are you seriously considering quitting within the next 30 days?

		FREQ	WTD
1	Yes	429	1,294,939
2	No	470	1,241,157
6	Valid skip	7,988	24,582,826
7	Don't know	62	214,484
9	Not stated	79	238,969
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who are considering quitting within the next six months

Variable Name: **SC_Q080** Position: 171 Length: 2

In the past year, how many times did you stop smoking for at least 24 hours because you were trying to quit?

Allowed values: 00 : 94

		FREQ	WTD
00 : 94	# of attempts stop smoking for 24 hrs	1,740	4,993,496
96	Valid skip	7,205	22,397,078
97	Don't know	73	155,526
98	Refusal	3	13,242
99	Not stated	7	13,032
		=====	=====
		9,028	27,572,374

Coverage: Current smokers and former smokers who quit smoking in the past 12 months

Variable Name: **SC_Q090** Position: 173 Length: 2

How many of these attempts lasted at least one week?

Allowed values: 00 : 52

		FREQ	WTD
00 : 50	# of attempts stop smoking for 1 week	925	2,375,887
96	Valid skip	8,017	25,012,465
97	Don't know	12	9,730
99	Not stated	74	174,292
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who stopped smoking for at least 24 hours in the past 12 months and former smokers who quit smoking in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SC_Q100** Position: 175 Length: 2

What was the main reason you began to smoke again?

		FREQ	WTD
01	To control body weight	2	639
02	Stress, need to relax or to calm down	309	878,265
03	Boredom	33	106,574
04	Addiction / habit	187	471,392
05	Lack of support or information	3	1,638
06	Going out more (bars, parties)	41	89,406
07	Increased availability	3	52,828
08	No reason / felt like it	67	189,454
09	Family or friends smoke	100	139,241
10	Other	73	179,526
96	Valid skip	8,113	25,265,970
97	Don't know	14	15,642
99	Not stated	83	181,800
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who tried to quit smoking in the past 12 months

Variable Name: **SC_Q110** Position: 177 Length: 1

Have you ever tried to quit smoking?

		FREQ	WTD
1	Yes	533	1,726,984
2	No	307	889,153
6	Valid skip	8,169	24,922,001
7	Don't know	1	679
8	Refusal	2	13,017
9	Not stated	16	20,540
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who did not try to quit in the past year

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **STOPSMK** *Position:* 178 *Length:* 2

Derived variable for the number of months before the survey date that the former smoker stopped smoking

		FREQ	WTD
00 : 11	# of mths. quit before survey	136	406,806
18	1-2 years	153	467,720
48	3-5 years	151	474,876
60	More than 5 years ago	1,431	6,157,484
96	Valid skip	7,147	20,061,261
99	Not stated	10	4,228
		=====	=====
		9,028	27,572,374

Coverage: Former smokers
Note: Derived from SC_Q010 and SC_Q020.

Section: Cessation Methods (CM)

Variable Name: **CM_Q10** *Position:* 180 *Length:* 1

Have you tried to quit smoking in the past two years?

		FREQ	WTD
1	Yes	222	616,443
2	No	307	1,108,209
6	Valid skip	8,476	25,811,154
7	Don't know	4	2,332
9	Not stated	19	34,236
		=====	=====
		9,028	27,572,374

Coverage: Respondents who did not try to quit smoking in the last year (SC_Q080=0)

Variable Name: **CM_Q20** *Position:* 181 *Length:* 1

In the past two years, did you use a nicotine patch?

		FREQ	WTD
1	Yes	314	939,181
2	No	1,022	2,668,323
6	Valid skip	7,666	23,926,720
7	Don't know	1	388
8	Refusal	1	302
9	Not stated	24	37,460
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CM_Q40** Position: 182 Length: 1

(In the past two years), did you use nicotine gum such as 'Nicorette'?

		FREQ	WTD
1	Yes	274	819,572
2	No	1,062	2,787,932
6	Valid skip	7,666	23,926,720
7	Don't know	1	388
8	Refusal	1	302
9	Not stated	24	37,460
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q61** Position: 183 Length: 1

(In the past two years), did you use a medication such as 'Zyban', 'Wellbutrin' or 'Champix'?

		FREQ	WTD
1	Yes	200	621,203
2	No	1,135	2,974,629
6	Valid skip	7,666	23,926,720
7	Don't know	2	12,060
8	Refusal	1	302
9	Not stated	24	37,460
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81A** Position: 184 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban', 'Wellbutrin' or 'Champix' to help you quit smoking

...You were concerned about possible side effects?

		FREQ	WTD
1	Yes	153	304,072
2	No	617	1,581,322
6	Valid skip	8,222	25,637,413
7	Don't know	10	11,417
9	Not stated	26	38,150
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CM_Q81B** Position: 185 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' , 'Wellbutrin' or 'Champix' to help you quit smoking

...You didn't believe these products work?

		FREQ	WTD
1	Yes	192	408,982
2	No	578	1,476,412
6	Valid skip	8,222	25,637,413
7	Don't know	10	11,417
9	Not stated	26	38,150
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81C** Position: 186 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' , 'Wellbutrin' or 'Champix' to help you quit smoking

...You didn't have enough information about these products?

		FREQ	WTD
1	Yes	93	128,535
2	No	677	1,756,859
6	Valid skip	8,222	25,637,413
7	Don't know	10	11,417
9	Not stated	26	38,150
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **CM_Q81D** Position: 187 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' , 'Wellbutrin' or 'Champix' to help you quit smoking

...They cost too much?

		FREQ	WTD
1	Yes	187	311,497
2	No	583	1,573,897
6	Valid skip	8,222	25,637,413
7	Don't know	10	11,417
9	Not stated	26	38,150
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **CM_Q81E** Position: 188 Length: 1

What were your reasons for not using either a patch, nicotine gum or a product such as 'Zyban' , 'Wellbutrin' or 'Champix' to help you quit smoking

...Some other reason?

		FREQ	WTD
1	Yes	425	1,171,048
2	No	345	714,346
6	Valid skip	8,222	25,637,413
7	Don't know	10	11,417
9	Not stated	26	38,150
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Other Cessation Methods (OM)

Variable Name: **OM_Q030** *Position:* 189 *Length:* 1

Did you make a deal with a friend or family member to quit smoking together?

		FREQ	WTD
1	Yes	416	1,070,076
2	No	926	2,532,502
6	Valid skip	7,650	23,882,187
7	Don't know	3	1,607
8	Refusal	1	302
9	Not stated	32	85,700
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q070** *Position:* 190 *Length:* 1

Did you reduce the number of cigarettes you smoked as a strategy to quit?

		FREQ	WTD
1	Yes	926	2,198,179
2	No	415	1,403,812
6	Valid skip	7,650	23,882,187
7	Don't know	4	2,194
8	Refusal	1	302
9	Not stated	32	85,700
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q081** *Position:* 191 *Length:* 1

Are you aware of any smoking cessation programs, plans or support offered at your workplace?

		FREQ	WTD
1	Yes	206	615,510
2	No	1,129	2,959,784
6	Valid skip	7,650	23,882,187
7	Don't know	9	22,703
8	Refusal	1	302
9	Not stated	33	91,888
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **OM_Q091** *Position:* 192 *Length:* 1

Have you used any of these programs, plans or support?

		FREQ	WTD
1	Yes	23	54,520
2	No	181	555,005
6	Valid skip	8,779	26,841,972
7	Don't know	2	5,984
9	Not stated	43	114,892
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Variable Name: **OM_Q100** *Position:* 193 *Length:* 1

Did you use a 1-800 quitline or a smokers helpline?

		FREQ	WTD
1	Yes	50	105,776
2	No	1,290	3,490,113
6	Valid skip	7,650	23,882,187
7	Don't know	3	1,583
8	Refusal	1	302
9	Not stated	34	92,414
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years

Note: This question was labelled as OM_Q090 prior to 2006 cycle 1.

Variable Name: **OM_Q130** *Position:* 194 *Length:* 1

Did you try to quit smoking on your own without special preparation or help?

		FREQ	WTD
1	Yes	143	354,149
2	No	24	63,690
6	Valid skip	8,816	27,049,198
7	Don't know	1	9,319
9	Not stated	44	96,018
		=====	=====
		9,028	27,572,374

Coverage: Current and former smokers who tried to quit or quit smoking in the past two years without using any of the above mentioned methods

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Cessation Products (CP)

Variable Name: **CP_Q10** *Position:* 195 *Length:* 1

Sometimes smokers use products such as a nicotine patch or gum when they are not trying to quit smoking. Have you ever used such products when you were not able to smoke or when you wanted to smoke fewer cigarettes? (For example, in a meeting, on a plane, at school?)

		FREQ	WTD
1	Yes	197	614,736
2	No	1,468	4,102,082
6	Valid skip	7,351	22,808,111
7	Don't know	3	4,291
8	Refusal	3	14,507
9	Not stated	6	28,647
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Section: Health Professionals (HP)

Variable Name: **HP_Q010** *Position:* 196 *Length:* 1

In the past 12 months, did you see a doctor?

		FREQ	WTD
1	Yes	1,254	3,566,227
2	No	413	1,155,659
6	Valid skip	7,351	22,808,111
8	Refusal	3	13,326
9	Not stated	7	29,049
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Variable Name: **HP_Q020** *Position:* 197 *Length:* 1

Did the doctor advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	629	2,128,862
2	No	624	1,437,196
6	Valid skip	7,764	23,963,771
7	Don't know	1	170
9	Not stated	10	42,376
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who saw a doctor in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **HP_Q030** *Position:* 198 *Length:* 1

Did the doctor provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	354	1,107,891
2	No	272	1,011,053
6	Valid skip	8,388	25,400,966
7	Don't know	3	9,918
9	Not stated	11	42,545
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who saw a doctor in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q040** *Position:* 199 *Length:* 1

In the past 12 months, did you see a dentist or dental hygienist?

		FREQ	WTD
1	Yes	979	2,895,694
2	No	680	1,810,956
6	Valid skip	7,351	22,808,111
7	Don't know	8	15,236
8	Refusal	3	13,326
9	Not stated	7	29,049
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Variable Name: **HP_Q050** *Position:* 200 *Length:* 1

Did they (the dentist or dental hygienist) advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	315	1,041,584
2	No	660	1,852,042
6	Valid skip	8,031	24,619,067
7	Don't know	4	2,069
9	Not stated	18	57,612
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who saw a dentist in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **HP_Q060** *Position:* 201 *Length:* 1

Did the dentist or dental hygienist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	89	271,096
2	No	224	764,450
6	Valid skip	8,691	26,471,109
7	Don't know	2	6,038
9	Not stated	22	59,681
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who saw a dentist in the past 12 months and were advised to reduce or quit smoking

Variable Name: **HP_Q100** *Position:* 202 *Length:* 1

In the past 12 months, did you talk with a pharmacist?

		FREQ	WTD
1	Yes	712	2,171,414
2	No	953	2,543,143
6	Valid skip	7,351	22,808,111
7	Don't know	2	7,330
8	Refusal	3	13,326
9	Not stated	7	29,049
		=====	=====
		9,028	27,572,374

Coverage: Current smokers

Variable Name: **HP_Q110** *Position:* 203 *Length:* 1

Did the pharmacist advise you to reduce or quit smoking?

		FREQ	WTD
1	Yes	129	335,050
2	No	580	1,828,138
6	Valid skip	8,304	25,351,254
7	Don't know	3	8,226
9	Not stated	12	49,706
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who talked with a pharmacist in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **HP_Q120** *Position:* 204 *Length:* 1

Did the pharmacist provide you with information on quit smoking aids such as the patch, a product like 'Zyban' or counselling programs?

		FREQ	WTD
1	Yes	96	263,910
2	No	33	71,141
6	Valid skip	8,884	27,179,392
9	Not stated	15	57,932
		=====	=====
		9,028	27,572,374

Coverage: Current smokers who talked with a pharmacist in the past 12 months and were advised to reduce or quit smoking

Section: Smoking and Pregnancy (SP)

Variable Name: **SP_Q10** *Position:* 205 *Length:* 1

Have you been pregnant in the past five years?

		FREQ	WTD
1	Yes	496	2,043,096
2	No	1,365	3,723,500
6	Valid skip	7,160	21,778,434
7	Don't know	1	653
8	Refusal	4	8,008
9	Not stated	2	18,683
		=====	=====
		9,028	27,572,374

Coverage: Women aged 20 to 44

Variable Name: **SP_Q20** *Position:* 206 *Length:* 1

During your most recent pregnancy, did you smoke regularly, that is, every day or almost every day?

		FREQ	WTD
1	Yes	70	141,351
2	No	109	348,876
6	Valid skip	8,842	27,054,804
9	Not stated	7	27,344
		=====	=====
		9,028	27,572,374

Coverage: Women aged 20 to 44 who are daily, occasional or former smokers (who quit less than five years ago) and were pregnant in the last five years

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **SP_Q30** *Position:* 207 *Length:* 1

During your most recent pregnancy, did your spouse or partner smoke regularly in the home, that is, every day or almost every day?

		FREQ	WTD
1	Yes	44	85,031
2	No	441	1,947,658
3	Not applicable (no spouse/partner)	11	10,407
6	Valid skip	8,525	25,501,934
9	Not stated	7	27,344
		=====	=====
		9,028	27,572,374

Coverage: Women aged 20 to 44 who were pregnant in the last five years

Section: **Tobacco Products (TP)**

Variable Name: **TP_Q017** *Position:* 208 *Length:* 1

Have you ever tried smoking a little cigar or cigarillo?

		FREQ	WTD
1	Yes	3,370	10,089,358
2	No	5,635	17,412,702
7	Don't know	3	4,058
8	Refusal	8	26,227
9	Not stated	12	40,028
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **TP_Q021** *Position:* 209 *Length:* 1

In the past 30 days, did you smoke any little cigars or cigarillos?

		FREQ	WTD
1	Yes	519	922,916
2	No	2,850	9,166,337
6	Valid skip	5,635	17,412,702
7	Don't know	1	105
9	Not stated	23	70,313
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever smoked a little cigar or cigarillo

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **TP_Q022** *Position:* 210 *Length:* 1

Were these (little cigars or cigarillos) plain, flavoured or both?

		FREQ	WTD
1	Plain	60	215,335
2	Flavoured	376	590,394
3	Both	75	108,141
6	Valid skip	8,485	26,579,039
7	Don't know	8	9,047
9	Not stated	24	70,418
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have smoked a little cigar or cigarillos in the past 30 days

Variable Name: **TP_Q024** *Position:* 211 *Length:* 1

Have you ever tried smoking a cigar not including little cigars or cigarillos?

		FREQ	WTD
1	Yes	2,513	8,720,938
2	No	6,491	18,782,301
7	Don't know	2	1,376
8	Refusal	9	26,446
9	Not stated	13	41,312
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **TP_Q027** *Position:* 212 *Length:* 1

In the past 30 days, did you smoke any cigars (not including little cigars or cigarillos)?

		FREQ	WTD
1	Yes	198	416,124
2	No	2,315	8,304,814
6	Valid skip	6,491	18,782,301
9	Not stated	24	69,134
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever smoked a cigar

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **TP_Q028** Position: 213 Length: 1

Were these cigars plain, flavoured or both?

		FREQ	WTD
1	Plain	121	284,772
2	Flavoured	47	63,433
3	Both	29	65,023
6	Valid skip	8,806	27,087,116
7	Don't know	1	2,896
9	Not stated	24	69,134
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have smoked a cigar in the past 30 days

Variable Name: **TP_Q030** Position: 214 Length: 1

Have you ever tried smoking a pipe?

		FREQ	WTD
1	Yes	1,202	3,898,861
2	No	7,798	23,559,879
7	Don't know	3	15,279
8	Refusal	10	29,445
9	Not stated	15	68,909
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **TP_Q040** Position: 215 Length: 1

In the past 30 days, did you smoke a pipe?

		FREQ	WTD
1	Yes	60	125,386
2	No	1,142	3,773,475
6	Valid skip	7,798	23,559,879
9	Not stated	28	113,633
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever smoked a pipe

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **TP_Q041** Position: 216 Length: 1

Was the pipe tobacco plain, flavoured or both?

		FREQ	WTD
1	Plain	25	60,632
2	Flavoured	23	57,831
3	Both	9	5,984
6	Valid skip	8,940	27,333,354
7	Don't know	3	939
9	Not stated	28	113,633
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have smoked a pipe in the past 30 days

Variable Name: **TP_Q050** Position: 217 Length: 1

Have you ever tried chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	874	2,144,140
2	No	8,125	25,306,459
7	Don't know	3	11,524
8	Refusal	10	29,445
9	Not stated	16	80,805
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **TP_Q060** Position: 218 Length: 1

In the past 30 days, did you use any chewing tobacco, pinch or snuff?

		FREQ	WTD
1	Yes	90	165,014
2	No	783	1,978,860
6	Valid skip	8,125	25,306,459
7	Don't know	1	267
9	Not stated	29	121,774
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever tried chewing tobacco, pinch or snuff

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **TP_Q061** *Position:* 219 *Length:* 1

Was the chewing tobacco, pinch or snuff plain, flavoured or both?

		FREQ	WTD
1	Plain	21	46,930
2	Flavoured	47	88,452
3	Both	19	22,308
6	Valid skip	8,908	27,285,319
7	Don't know	3	7,324
9	Not stated	30	122,041
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have chewed tobacco in the past 30 days

Section: Smoking in Vehicles (SV)

Variable Name: **SV_Q10** *Position:* 220 *Length:* 1

Do you, or a member of your household, own or lease a motor vehicle? Include cars, pickup trucks, minivans, vans and SUVs.

		FREQ	WTD
1	Yes	7,902	24,300,141
2	No	1,091	3,128,489
7	Don't know	2	195
8	Refusal	15	58,282
9	Not stated	18	85,267
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **SV_Q20** *Position:* 221 *Length:* 1

Is smoking allowed inside any motor vehicle that you, or a member of your household, own or lease?

		FREQ	WTD
1	Yes	1,755	4,278,100
2	No	6,106	19,960,646
6	Valid skip	1,091	3,128,489
7	Don't know	40	59,782
9	Not stated	36	145,357
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **SV_Q30** Position: 222 Length: 1

Is smoking restricted when children or youth under the age of 18 are present (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	1,091	2,780,576
2	No	420	760,196
3	Never has children under 18 in vehicles	225	721,578
6	Valid skip	7,197	23,089,135
7	Don't know	18	15,112
8	Refusal	1	638
9	Not stated	76	205,139
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

Variable Name: **SV_Q40** Position: 223 Length: 1

Is smoking restricted in any other way (inside any motor vehicle you, or a member of your household, own or lease)?

		FREQ	WTD
1	Yes	540	1,161,091
2	No	1,191	3,076,488
6	Valid skip	7,197	23,089,135
7	Don't know	23	39,883
8	Refusal	1	638
9	Not stated	76	205,139
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **SV_Q50A** Position: 224 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Restricted if any occupant is a non-smoker?

		FREQ	WTD
1	Yes	159	372,033
2	No	379	787,710
6	Valid skip	8,388	26,165,622
7	Don't know	2	1,348
9	Not stated	100	245,660
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50B** Position: 225 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Restricted by the number of cigarettes smoked?

		FREQ	WTD
1	Yes	15	22,115
2	No	523	1,137,628
6	Valid skip	8,388	26,165,622
7	Don't know	2	1,348
9	Not stated	100	245,660
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SV_Q50C** Position: 226 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Allowed only when driving alone?

		FREQ	WTD
1	Yes	58	159,982
2	No	480	999,760
6	Valid skip	8,388	26,165,622
7	Don't know	2	1,348
9	Not stated	100	245,660
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q50D** Position: 227 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Allowed only when the fan, air conditioner, heater is turned on or the window is open?

		FREQ	WTD
1	Yes	284	508,226
2	No	254	651,517
6	Valid skip	8,388	26,165,622
7	Don't know	2	1,348
9	Not stated	100	245,660
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SV_Q50E** Position: 228 Length: 1

How is smoking restricted (inside any motor vehicle you, or a member of your household, own or lease)

...Other - Specify?

		FREQ	WTD
1	Yes	106	253,241
2	No	432	906,502
6	Valid skip	8,388	26,165,622
7	Don't know	2	1,348
9	Not stated	100	245,660
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed, with restrictions, inside a vehicle

Variable Name: **SV_Q60** Position: 229 Length: 1

How often is the fan, air conditioner, heater turned on or window open when someone is smoking inside any motor vehicle (you, or a member of your household, own or lease)?

		FREQ	WTD
1	Always	1,481	3,730,159
2	Sometimes	169	341,409
3	Rarely	38	67,233
4	Never	26	47,218
6	Valid skip	7,197	23,089,135
7	Don't know	39	89,898
8	Refusal	2	2,183
9	Not stated	76	205,139
		=====	=====
		9,028	27,572,374

Coverage: Respondents with a household member who owns or leases a motor vehicle and who responded smoking was allowed inside a vehicle

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Opinions on Smoking (OS)

Variable Name: **OS_Q10** *Position:* 230 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in restaurants?

		FREQ	WTD
1	Smoking should not be allowed in a restaurant	6,904	20,863,413
2	Smoking should be allowed only in a section of a restaurant that is enclosed	1,144	3,267,436
3	Smoking should be allowed only in a designated section of a restaurant	804	2,615,420
4	Smoking should be allowed anywhere in a restaurant	93	377,220
7	Don't know	45	290,094
8	Refusal	19	71,911
9	Not stated	19	86,880
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **OS_Q20** *Position:* 231 *Length:* 1

Which of the following statements comes closest to how you feel about smoking in bars and taverns?

		FREQ	WTD
1	Smoking should not be allowed in a bar or tavern	4,944	14,926,633
2	Smoking should be allowed only in a section of a bar or tavern that is enclosed	1,946	5,538,864
3	Smoking should be allowed only in a designated section of a bar or tavern	1,339	4,061,436
4	Smoking should be allowed anywhere in a bar or tavern	474	1,622,973
7	Don't know	255	1,160,673
8	Refusal	51	174,916
9	Not stated	19	86,880
		=====	=====
		9,028	27,572,374

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **OS_Q30** Position: 232 Length: 1

Thinking about various types of workplaces such as offices, factories, stores, and construction sites, which of the following statements comes closest to how you feel about smoking in the workplace?

		FREQ	WTD
1	Smoking should not be allowed in any area of the workplace, whether indoor or outdoor	3,173	10,726,678
2	Smoking should be allowed only in enclosed smoking areas in the workplace	700	2,599,369
3	Smoking should be allowed only in designated outdoor smoking areas of the workplace	4,903	13,345,027
4	Smoking should be allowed anywhere in the workplace, whether indoor or outdoor	108	352,509
7	Don't know	96	319,585
8	Refusal	28	134,594
9	Not stated	20	94,612
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **OS_Q31** Position: 233 Length: 1

Which of the following statements comes closest to how you feel about smoking inside a car or any other motor vehicle when children or youth under the age of 18 are present?

		FREQ	WTD
1	Smoking should not be allowed at any time	8,193	25,682,068
2	Smoking should be allowed only when either a window is open or when the fan, air conditioner, heater is turned on	603	1,184,808
3	Smoking should be allowed at any time	109	303,222
7	Don't know	76	216,198
8	Refusal	25	87,726
9	Not stated	22	98,352
		=====	=====
		9,028	27,572,374

Coverage: All respondents

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **OS_Q40** Position: 234 Length: 2

In your opinion, who is the most responsible for young people starting to smoke?

		FREQ	WTD
01	Young people themselves	1,524	4,449,593
02	Friends / peers	4,196	12,221,785
03	Parents	1,744	5,699,464
04	Other adults	144	343,327
05	Brother / sister	42	80,876
06	Celebrities	147	427,372
07	Tobacco industry	471	1,401,568
08	Government	204	836,601
09	Other (do not specify)	267	1,113,113
97	Don't know	244	843,319
98	Refusal	22	56,707
99	Not stated	23	98,648
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Section: Exposure to Second-hand Smoke (EX)

Variable Name: **EX_Q010** Position: 236 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...inside a car or other vehicle?

		FREQ	WTD
1	Yes	2,748	5,420,731
2	No	6,217	21,969,566
7	Don't know	19	36,319
8	Refusal	19	43,459
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **EX_Q020** Position: 237 Length: 1

...inside someone else's home?

		FREQ	WTD
1	Yes	2,900	6,673,675
2	No	6,064	20,679,882
7	Don't know	19	71,978
8	Refusal	20	44,542
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q030** Position: 238 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...on an outdoor patio of a restaurant or bar?

		FREQ	WTD
1	Yes	2,389	6,990,671
2	No	6,568	20,361,118
7	Don't know	24	72,296
8	Refusal	22	45,991
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q040** Position: 239 Length: 1

...inside a restaurant?

		FREQ	WTD
1	Yes	273	847,860
2	No	8,699	26,533,698
7	Don't know	9	27,639
8	Refusal	22	60,880
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **EX_Q050** Position: 240 Length: 1

...inside a bar or tavern?

		FREQ	WTD
1	Yes	383	1,144,690
2	No	8,586	26,218,261
7	Don't know	12	46,245
8	Refusal	22	60,880
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q060** Position: 241 Length: 1

...at a bus stop or shelter?

		FREQ	WTD
1	Yes	1,688	4,564,897
2	No	7,276	22,781,731
7	Don't know	16	63,037
8	Refusal	23	60,412
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q070** Position: 242 Length: 1

In the past month, excluding your own smoking were you exposed to second-hand smoke:

...at an entrance to a building?

		FREQ	WTD
1	Yes	4,915	14,779,396
2	No	4,017	12,513,597
7	Don't know	47	115,589
8	Refusal	24	61,494
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **EX_Q080** Position: 243 Length: 1

...at your workplace?

		FREQ	WTD
1	Yes	1,729	5,480,405
2	No	7,242	21,889,225
7	Don't know	8	37,600
8	Refusal	24	62,847
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q091** Position: 244 Length: 1

... on a school property?

		FREQ	WTD
1	Yes	1,623	2,533,506
2	No	7,341	24,823,418
7	Don't know	16	51,396
8	Refusal	23	61,756
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q100** Position: 245 Length: 1

...at any other public place such as a shopping mall, arena, bingo hall, concert or sporting event?

		FREQ	WTD
1	Yes	3,199	8,762,941
2	No	5,749	18,550,320
7	Don't know	31	93,977
8	Refusal	24	62,838
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **EX_Q110** Position: 246 Length: 1

...outdoors such as on a sidewalk or in a park?

		FREQ	WTD
1	Yes	4,957	14,347,619
2	No	3,973	12,884,089
7	Don't know	49	175,530
8	Refusal	24	62,838
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q120** Position: 247 Length: 1

...anywhere else?

		FREQ	WTD
1	Yes	331	1,172,050
2	No	8,617	26,167,358
7	Don't know	30	50,922
8	Refusal	25	79,746
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **EX_Q130** Position: 248 Length: 1

Overall, excluding your own smoking, in the past month were you exposed to second- hand smoke:

		FREQ	WTD
1	Every day	818	2,127,769
2	Almost every day	932	2,263,959
3	At least once a week	2,669	7,250,639
4	At least once in the past month	2,915	9,604,612
6	Valid skip	1,524	5,713,627
7	Don't know	68	255,810
8	Refusal	6	20,191
9	Not stated	96	335,766
		=====	=====
		9,028	27,572,374

Coverage: Respondents who in the past month were exposed to second-hand smoke in places other than their own home

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Language and Education (LA)

Variable Name: **LA_Q10** Position: 249 Length: 1

What language do you speak most often at home?

		FREQ	WTD
1	English	7,233	18,686,770
2	French	1,156	5,744,925
3	Both English and French	76	246,499
4	Other	496	2,634,193
7	Don't know	6	50,817
8	Refusal	28	105,567
9	Not stated	33	103,603
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Section: Derived Variables - Person

Variable Name: **DVEDUC** Position: 250 Length: 1

Derived variable for highest level of education attained (grouped)

		FREQ	WTD
1	Less than secondary	2,716	4,950,700
2	Completed secondary	3,427	9,289,429
3	Completed community college, technical college, CEGEP or nurse's college	1,258	5,260,268
4	Completed university or teacher's college	1,519	7,623,670
9	Not stated	108	448,307
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Survey on Smoking in Canada (SOSIC) definition. If LA_Q20=01,02,03,04 then DVEDUC=1; if LA_Q20=05,06,08,10 then DVEDUC=2; if LA_Q20=07 then DVEDUC=3; if LA_Q20=09 then DVEDUC=4.

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Language and Education

Variable Name: **GPLA_Q20** *Position:* 251 *Length:* 2

Grouped: Highest grade or level of education attained

		FREQ	WTD
01	No schooling, some elementary	113	397,423
02	Completed elementary	266	537,799
03	Some secondary	2,337	4,015,477
04	Completed secondary	2,056	5,856,255
05	Some community college, technical college, CEGEP or nurse's training	450	1,267,177
06	Completed community college, technical college, CEGEP or nurse's training	1,258	5,260,268
07	Some university or teacher's college	850	1,853,866
08	Completed university or teacher's college	1,521	7,624,038
09	Other education or training	71	312,131
99	Not stated	106	447,940
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Note: Grouped "No schooling" and "Some elementary".

Section: Labour Force (LF)

Variable Name: **LF_Q10** *Position:* 253 *Length:* 1

Did you work at a job or a business at any time in the past 12 months? Please include seasonal work, contract work, self-employment, babysitting and any other paid work, regardless of the number of hours worked.

		FREQ	WTD
1	Yes	6,618	19,901,469
2	No	2,337	7,366,075
7	Don't know	4	14,269
8	Refusal	44	188,263
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

Variable Name: **LF_Q51** Position: 254 Length: 1

What best describes the smoking restrictions at your place of work? By place of work, we mean the area indoor or outdoor, in which you perform your duties. This could include a building, construction site, company vehicles or other peoples' homes.

		FREQ	WTD
1	My workplace is smoke free, that is, smoking is only allowed outside the building, worksite or company vehicle	5,851	18,222,299
2	Smoking is allowed in designated areas within the building, worksite or company vehicle	315	664,511
3	Smoking is not restricted at all	288	546,602
4	Other - Respondent does not have a fixed workplace	92	270,075
6	Valid skip	2,337	7,366,075
7	Don't know	64	158,279
8	Refusal	7	39,154
9	Not stated	74	305,379
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have worked at a job or business in the past 12 months

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Section: Derived Variables - Person

Variable Name: **DVNOCS10** *Position:* 255 *Length:* 2

Broad occupational category of the main job.

		FREQ	WTD
01	Management Occupations	320	1,665,626
02	Business, Finance and Administrative Occupations	1,032	3,787,178
03	Natural and Applied Sciences and Related Occupations	317	1,622,026
04	Health Occupations	370	1,145,861
05	Occupations in Social Science, Education, Government Service and Religion	458	1,853,592
06	Occupations in Art, Culture, Recreation and Sport	289	729,788
07	Sales and Service Occupations	2,278	4,707,318
08	Trades, Transport and Equipment Operators and Related Occupations	860	2,606,733
09	Occupations Unique to Primary Industry	361	641,978
10	Occupations Unique to Processing, Manufacturing and Utilities	217	638,905
96	Valid Skip	2,335	7,361,692
99	Not Stated	191	811,677
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have worked at a job or business in the past 12 months

Note: Codes assigned based on LF_Q30 and LF_Q40. Occupational categories correspond to the first digit of the National Occupational Classification for Statistics (NOC-S) 2006.

Section: Student Income (SI)

Variable Name: **SI_Q10** *Position:* 257 *Length:* 1

Are you currently attending a school, college or university?

		FREQ	WTD
1	Yes	2,590	2,862,133
2	No	1,479	1,602,712
6	Valid skip	4,941	23,095,724
7	Don't know	2	3,210
8	Refusal	10	5,772
9	Not stated	6	2,822
		=====	=====
		9,028	27,572,374

Coverage: Respondents less than 25 years of age

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **SI_G20** *Position:* 258 *Length:* 2

Grouped: Student's weekly spending money

		FREQ	WTD
01	\$000 to \$009	142	147,433
02	\$010 to \$024	511	485,328
03	\$025 to \$049	356	411,964
04	\$050 to \$099	475	581,751
05	\$100 to \$199	566	621,972
06	\$200 or more	368	420,485
96	Valid Skip	6,420	24,698,436
99	Not Stated	190	205,005
		=====	=====
		9,028	27,572,374

Coverage: Respondents under 25 years of age who currently attend a school, college or university
Note: Derived from SI_Q20.

Section: Marijuana Use (MU)

Variable Name: **MU_Q10** *Position:* 260 *Length:* 1

Have you ever used or tried marijuana, cannabis or hashish?

		FREQ	WTD
1	Yes, just once	703	2,122,942
2	Yes, more than once	2,722	8,131,660
3	No	5,456	16,672,854
7	Don't know	12	52,743
8	Refusal	110	489,877
9	Not stated	25	102,297
		=====	=====
		9,028	27,572,374

Coverage: All respondents

Variable Name: **MU_Q20** *Position:* 261 *Length:* 1

Have you used it in the past 12 months?

		FREQ	WTD
1	Yes	1,161	2,448,361
2	No	2,257	7,787,310
6	Valid skip	5,456	16,672,854
7	Don't know	2	10,877
8	Refusal	5	8,055
9	Not stated	147	644,917
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever used marijuana, cannabis or hashish

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

Variable Name: **MU_Q30** *Position:* 262 *Length:* 1

How often did you use marijuana, cannabis or hashish in the past 12 months?

		FREQ	WTD
1	Less than once a month	374	864,948
2	1 to 3 times a month	256	514,080
3	Once a week	137	338,312
4	More than once a week	164	326,305
5	Every day	156	293,284
6	Valid skip	7,784	24,568,012
7	Don't know	3	3,584
9	Not stated	154	663,850
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish in the past 12 months

Variable Name: **MU_Q40** *Position:* 263 *Length:* 2

How old were you when you first did this?

Allowed values: 04 : 94

		FREQ	WTD
04 : 75	Age first used marijuana	3,381	10,129,445
96	Valid skip	5,456	16,672,854
97	Don't know	40	114,885
98	Refusal	4	10,273
99	Not stated	147	644,917
		=====	=====
		9,028	27,572,374

Coverage: Respondents who have ever used or tried marijuana, cannabis or hashish

Section: Weight Variable

Variable Name: **WTPP** *Position:* 265 *Length:* 12.4

Survey weight of a person, i.e. the number of persons in the population represented by a record.

Coverage: All respondents

Note: Physical decimal present in eighth position. For example, a weight of 1,234.56 is saved as 0001234.5600.

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

INDEX

A	
AGE0014	2
AGE1524	3
AGE2544	3
AGE45PL.....	3
AGEGRP5.....	7
AGEGRP7.....	8
C	
CA_G10	15
CA_Q20	16
CA_Q30	16
CA_Q40	16
CA_Q50	17
CB_Q20	15
CC_Q100A	23
CC_Q100B.....	24
CC_Q100C.....	24
CC_Q100D	25
CC_Q100E.....	25
CC_Q100F	26
CC_Q110	26
CC_Q120A	27
CC_Q120B.....	27
CC_Q120C.....	28
CC_Q120D	28
CC_Q120E.....	29
CC_Q120F	29
CC_Q130	30
CC_Q140A	30
CC_Q140B.....	30
CC_Q140C.....	31
CC_Q140D	31
CC_Q140E.....	31
CC_Q140F	32
CC_Q140G	32
CC_Q150	32
CC_Q160A	33
CC_Q160B.....	33
CC_Q160C.....	34
CC_Q160D	34
CC_Q160E.....	35
CC_Q160F	35
CC_Q170	36
CC_Q20	18
CC_Q40	18
CC_Q50	19
CC_Q55	19
CC_Q60	19
CC_Q70	20
CC_Q80	20
CC_Q90	20
CC_Q91	21
CC_Q92	21
CC_Q93	21
CC_Q94	22
CC_Q95	22
CC_Q96	23
CM_Q10	45
CM_Q20	45
CM_Q40	46
CM_Q61	46
CM_Q81A.....	46
CM_Q81B.....	47
CM_Q81C.....	47
CM_Q81D.....	48
CM_Q81E.....	48
CP_Q10.....	51
CS_Q31.....	17
CS_Q41.....	17
CS_Q51.....	18
D	
DVAGE.....	7
DVAVCIG7	38
DVAVCIGD	39
DVCIGWK	38
DVDAILY	40
DVEDUC.....	71
DVLOWTAR.....	36
DVMARST	8
DVNDSMK	39
DVNOCS10.....	74
DVPRICE	40
DVSMKPTN.....	39
DVSS1	37

**Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)**

DVSS2	38	M	
DVSST1	37	MU_Q10	75
DVSST2	37	MU_Q20	75
DVURBAN	2	MU_Q30	76
DVYRSSMK	11	MU_Q40	76
E		O	
EX_Q010	66	OM_Q030	49
EX_Q020	67	OM_Q070	49
EX_Q030	67	OM_Q081	49
EX_Q040	67	OM_Q091	50
EX_Q050	68	OM_Q100	50
EX_Q060	68	OM_Q130	50
EX_Q070	68	OS_Q10	64
EX_Q080	69	OS_Q20	64
EX_Q091	69	OS_Q30	65
EX_Q100	69	OS_Q31	65
EX_Q110	70	OS_Q40	66
EX_Q120	70	P	
EX_Q130	70	PROV	1
G		PS_Q10	10
GPLA_Q20	72	PS_Q20	10
H		PS_Q30	11
HHSIZE	2	PS_Q40	11
HHTYPE	4	PUMFID	1
HP_Q010	51	R	
HP_Q020	51	REFMONTH	1
HP_Q030	52	REFYEAR	1
HP_Q040	52	S	
HP_Q050	52	SB_Q10	14
HP_Q060	53	SC_Q010	40
HP_Q100	53	SC_Q020	41
HP_Q110	53	SC_Q030	41
HP_Q120	54	SC_Q040	42
HS_Q10	4	SC_Q050	42
HS_Q20	4	SC_Q060	42
HS_Q30	5	SC_Q070	43
HS_Q40	5	SC_Q080	43
HS_Q50	5	SC_Q090	43
HS_Q60A	6	SC_Q100	44
HS_Q60B	6	SC_Q110	44
HS_Q60C	6	SEX	8
HS_Q60D	7	SI_G20	75
L		SI_Q10	74
LA_Q10	71	SP_Q10	54
LF_Q10	72	SP_Q20	54
LF_Q51	73	SP_Q30	55

Canadian Tobacco Use Monitoring Survey, Cycle 1, 2009
Public Use Microdata File (Person)

SS_Q10.....	9	TP_Q024.....	56
SS_Q20.....	9	TP_Q027.....	56
SS_Q30.....	9	TP_Q028.....	57
SS_Q40.....	10	TP_Q030.....	57
STOPSMK.....	45	TP_Q040.....	57
SV_Q10.....	59	TP_Q041.....	58
SV_Q20.....	59	TP_Q050.....	58
SV_Q30.....	60	TP_Q060.....	58
SV_Q40.....	60	TP_Q061.....	59
SV_Q50A.....	61	W	
SV_Q50B.....	61	WP_Q10A.....	12
SV_Q50C.....	62	WP_Q10B.....	12
SV_Q50D.....	62	WP_Q10C.....	12
SV_Q50E.....	63	WP_Q10D.....	13
SV_Q60.....	63	WP_Q10E.....	13
T		WP_Q10F.....	13
TP_Q017.....	55	WP_Q10G.....	14
TP_Q021.....	55	WTPP.....	76
TP_Q022.....	56		