

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Newfoundland and Labrador - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 88.3 | 87.9 | 86.5 | 84.2 | 81.8 | 79.4 | 76.9 | 74.2 | 71.5 | 68.7 | 62.8 | 48.6 | 28.1 |
| 2 | ***** | 62.4 | 62.1 | 61.2 | 59.5 | 57.9 | 56.1 | 54.3 | 52.5 | 50.6 | 48.6 | 44.4 | 34.4 | 19.8 |
| 3 | ***** | 51.0 | 50.7 | 49.9 | 48.6 | 47.2 | 45.8 | 44.4 | 42.9 | 41.3 | 39.7 | 36.2 | 28.1 | 16.2 |
| 4 | ***** | 44.1 | 43.9 | 43.2 | 42.1 | 40.9 | 39.7 | 38.4 | 37.1 | 35.8 | 34.4 | 31.4 | 24.3 | 14.0 |
| 5 | ***** | | 39.3 | 38.7 | 37.7 | 36.6 | 35.5 | 34.4 | 33.2 | 32.0 | 30.7 | 28.1 | 21.7 | 12.6 |
| 6 | ***** | | 35.9 | 35.3 | 34.4 | 33.4 | 32.4 | 31.4 | 30.3 | 29.2 | 28.1 | 25.6 | 19.8 | 11.5 |
| 7 | ***** | | 33.2 | 32.7 | 31.8 | 30.9 | 30.0 | 29.0 | 28.1 | 27.0 | 26.0 | 23.7 | 18.4 | 10.6 |
| 8 | ***** | | 31.1 | 30.6 | 29.8 | 28.9 | 28.1 | 27.2 | 26.3 | 25.3 | 24.3 | 22.2 | 17.2 | 9.9 |
| 9 | ***** | | | 28.8 | 28.1 | 27.3 | 26.5 | 25.6 | 24.7 | 23.8 | 22.9 | 20.9 | 16.2 | 9.4 |
| 10 | ***** | | | 27.4 | 26.6 | 25.9 | 25.1 | 24.3 | 23.5 | 22.6 | 21.7 | 19.8 | 15.4 | 8.9 |
| 11 | ***** | | | 26.1 | 25.4 | 24.7 | 23.9 | 23.2 | 22.4 | 21.6 | 20.7 | 18.9 | 14.7 | 8.5 |
| 12 | ***** | | | 25.0 | 24.3 | 23.6 | 22.9 | 22.2 | 21.4 | 20.7 | 19.8 | 18.1 | 14.0 | 8.1 |
| 13 | ***** | | | 24.0 | 23.3 | 22.7 | 22.0 | 21.3 | 20.6 | 19.8 | 19.1 | 17.4 | 13.5 | 7.8 |
| 14 | ***** | | | 23.1 | 22.5 | 21.9 | 21.2 | 20.5 | 19.8 | 19.1 | 18.4 | 16.8 | 13.0 | 7.5 |
| 15 | ***** | | | 22.3 | 21.7 | 21.1 | 20.5 | 19.8 | 19.2 | 18.5 | 17.7 | 16.2 | 12.6 | 7.2 |
| 16 | ***** | | | 21.6 | 21.0 | 20.5 | 19.8 | 19.2 | 18.6 | 17.9 | 17.2 | 15.7 | 12.2 | 7.0 |
| 17 | ***** | | | 21.0 | 20.4 | 19.8 | 19.3 | 18.6 | 18.0 | 17.4 | 16.7 | 15.2 | 11.8 | 6.8 |
| 18 | ***** | | | 20.4 | 19.8 | 19.3 | 18.7 | 18.1 | 17.5 | 16.9 | 16.2 | 14.8 | 11.5 | 6.6 |
| 19 | ***** | | | 19.8 | 19.3 | 18.8 | 18.2 | 17.6 | 17.0 | 16.4 | 15.8 | 14.4 | 11.2 | 6.4 |
| 20 | ***** | | | 19.3 | 18.8 | 18.3 | 17.7 | 17.2 | 16.6 | 16.0 | 15.4 | 14.0 | 10.9 | 6.3 |
| 21 | ***** | | | 18.9 | 18.4 | 17.9 | 17.3 | 16.8 | 16.2 | 15.6 | 15.0 | 13.7 | 10.6 | 6.1 |
| 22 | ***** | | | 17.9 | 17.4 | 16.9 | 16.4 | 15.8 | 15.3 | 14.7 | 14.1 | 13.4 | 10.4 | 6.0 |
| 23 | ***** | | | 17.6 | 17.1 | 16.6 | 16.0 | 15.5 | 14.9 | 14.3 | 13.7 | 13.1 | 10.1 | 5.9 |
| 24 | ***** | | | 17.2 | 16.7 | 16.2 | 15.7 | 15.2 | 14.6 | 14.0 | 13.4 | 12.8 | 9.9 | 5.7 |
| 25 | ***** | | | 16.8 | 16.4 | 15.9 | 15.4 | 14.8 | 14.3 | 13.7 | 13.1 | 12.6 | 9.7 | 5.6 |
| 30 | ***** | | | 15.4 | 14.9 | 14.5 | 14.0 | 13.6 | 13.1 | 12.6 | 12.1 | 11.5 | 8.9 | 5.1 |
| 35 | ***** | | | 14.2 | 13.8 | 13.4 | 13.0 | 12.6 | 12.1 | 11.6 | 11.1 | 10.6 | 8.2 | 4.7 |
| 40 | ***** | | | 13.3 | 12.9 | 12.6 | 12.2 | 11.7 | 11.3 | 10.9 | 10.4 | 9.9 | 7.7 | 4.4 |
| 45 | ***** | | | 12.2 | 11.8 | 11.5 | 11.1 | 10.7 | 10.2 | 9.7 | 9.2 | 8.7 | 7.2 | 4.2 |
| 50 | ***** | | | 11.6 | 11.2 | 10.9 | 10.5 | 10.1 | 9.7 | 9.2 | 8.7 | 8.2 | 6.9 | 4.0 |
| 55 | ***** | | | 11.0 | 10.7 | 10.4 | 10.0 | 9.6 | 9.2 | 8.8 | 8.4 | 7.9 | 6.6 | 3.8 |
| 60 | ***** | | | 10.6 | 10.2 | 9.9 | 9.6 | 9.2 | 8.8 | 8.4 | 8.0 | 7.5 | 6.3 | 3.6 |
| 65 | ***** | | | | 9.8 | 9.5 | 9.2 | 8.9 | 8.5 | 8.2 | 7.8 | 7.4 | 6.0 | 3.5 |
| 70 | ***** | | | | 9.5 | 9.2 | 8.9 | 8.6 | 8.2 | 7.8 | 7.4 | 7.0 | 5.8 | 3.4 |
| 75 | ***** | | | | 9.2 | 8.9 | 8.6 | 8.3 | 7.9 | 7.5 | 7.1 | 6.7 | 5.6 | 3.2 |
| 80 | ***** | | | | 8.9 | 8.6 | 8.3 | 8.0 | 7.7 | 7.3 | 7.0 | 6.6 | 5.4 | 3.1 |
| 85 | ***** | | | | 8.6 | 8.3 | 8.0 | 7.7 | 7.4 | 7.1 | 6.7 | 6.4 | 5.3 | 3.0 |
| 90 | ***** | | | | 8.1 | 7.8 | 7.5 | 7.2 | 6.9 | 6.6 | 6.2 | 5.9 | 5.1 | 3.0 |
| 95 | ***** | | | | 7.9 | 7.6 | 7.3 | 7.0 | 6.7 | 6.4 | 6.1 | 5.8 | 5.0 | 2.9 |
| 100 | ***** | | | | 7.7 | 7.4 | 7.1 | 6.8 | 6.5 | 6.2 | 5.9 | 5.6 | 4.9 | 2.8 |
| 125 | ***** | | | | 6.6 | 6.4 | 6.1 | 5.8 | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 2.5 |
| 150 | ***** | | | | | 5.8 | 5.6 | 5.3 | 5.0 | 4.7 | 4.4 | 4.1 | 4.0 | 2.3 |
| 200 | ***** | | | | | | 4.4 | 4.2 | 4.0 | 3.8 | 3.6 | 3.4 | 3.4 | 2.0 |
| 250 | ***** | | | | | | | 3.1 | 2.9 | 2.7 | 2.5 | 2.3 | 2.3 | 1.8 |
| 300 | ***** | | | | | | | | 2.8 | 2.6 | 2.4 | 2.2 | 2.2 | 1.6 |
| 350 | ***** | | | | | | | | | 1.5 | 1.4 | 1.3 | 1.3 | 1.5 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Newfoundland and Labrador - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | | | 40.5 | 39.5 | 38.3 | 37.2 | 36.0 | 34.8 | 33.5 | 32.2 | 29.4 | 22.8 | 13.2 |
| 2 | ***** | | | | 27.9 | 27.1 | 26.3 | 25.5 | 24.6 | 23.7 | 22.8 | 20.8 | 16.1 | 9.3 |
| 3 | ***** | | | | 22.8 | 22.1 | 21.5 | 20.8 | 20.1 | 19.4 | 18.6 | 17.0 | 13.2 | 7.6 |
| 4 | ***** | | | | | 19.2 | 18.6 | 18.0 | 17.4 | 16.8 | 16.1 | 14.7 | 11.4 | 6.6 |
| 5 | ***** | | | | | | 16.6 | 16.1 | 15.6 | 15.0 | 14.4 | 13.2 | 10.2 | 5.9 |
| 6 | ***** | | | | | | | 15.2 | 14.7 | 14.2 | 13.7 | 13.2 | 12.0 | 9.3 |
| 7 | ***** | | | | | | | | 13.6 | 13.2 | 12.7 | 12.2 | 11.1 | 8.6 |
| 8 | ***** | | | | | | | | | 12.3 | 11.9 | 11.4 | 10.4 | 8.1 |
| 9 | ***** | | | | | | | | | | 11.6 | 11.2 | 10.7 | 9.8 |
| 10 | ***** | | | | | | | | | | | 10.6 | 10.2 | 9.3 |
| 11 | ***** | | | | | | | | | | | | 10.1 | 9.7 |
| 12 | ***** | | | | | | | | | | | | | 9.3 |
| 13 | ***** | | | | | | | | | | | | | 8.5 |
| 14 | ***** | | | | | | | | | | | | | 8.2 |
| 15 | ***** | | | | | | | | | | | | | 7.9 |
| 16 | ***** | | | | | | | | | | | | | 7.6 |
| 17 | ***** | | | | | | | | | | | | | 7.6 |
| 18 | ***** | | | | | | | | | | | | | 5.9 |
| 19 | ***** | | | | | | | | | | | | | 5.7 |
| 20 | ***** | | | | | | | | | | | | | 5.5 |
| 21 | ***** | | | | | | | | | | | | | 5.4 |
| 22 | ***** | | | | | | | | | | | | | 5.2 |
| 23 | ***** | | | | | | | | | | | | | 5.2 |
| 24 | ***** | | | | | | | | | | | | | 5.1 |
| 25 | ***** | | | | | | | | | | | | | 5.0 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Newfoundland and Labrador - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | | | 46.8 | 45.5 | 44.2 | 42.9 | 41.5 | 40.1 | 38.7 | 37.2 | 33.9 | 26.3 | 15.2 |
| 2 | ***** | | | | 32.2 | 31.3 | 30.3 | 29.4 | 28.4 | 27.3 | 26.3 | 24.0 | 18.6 | 10.7 |
| 3 | ***** | | | | 26.3 | 25.5 | 24.8 | 24.0 | 23.2 | 22.3 | 21.5 | 19.6 | 15.2 | 8.8 |
| 4 | ***** | | | | | 22.1 | 21.5 | 20.8 | 20.1 | 19.3 | 18.6 | 17.0 | 13.1 | 7.6 |
| 5 | ***** | | | | | | 19.2 | 18.6 | 17.9 | 17.3 | 16.6 | 15.2 | 11.7 | 6.8 |
| 6 | ***** | | | | | | | 17.5 | 17.0 | 16.4 | 15.8 | 15.2 | 13.8 | 6.2 |
| 7 | ***** | | | | | | | | 15.7 | 15.2 | 14.6 | 14.0 | 12.8 | 5.7 |
| 8 | ***** | | | | | | | | | 14.2 | 13.7 | 13.1 | 12.0 | 5.4 |
| 9 | ***** | | | | | | | | | | 13.4 | 12.9 | 12.4 | 8.8 |
| 10 | ***** | | | | | | | | | | | 12.2 | 11.7 | 4.8 |
| 11 | ***** | | | | | | | | | | | | 11.2 | 4.6 |
| 12 | ***** | | | | | | | | | | | | | 4.4 |
| 13 | ***** | | | | | | | | | | | | | 4.2 |
| 14 | ***** | | | | | | | | | | | | | 4.1 |
| 15 | ***** | | | | | | | | | | | | | 3.9 |
| 16 | ***** | | | | | | | | | | | | | 3.8 |
| 17 | ***** | | | | | | | | | | | | | 3.7 |
| 18 | ***** | | | | | | | | | | | | | 3.6 |
| 19 | ***** | | | | | | | | | | | | | 3.5 |
| 20 | ***** | | | | | | | | | | | | | 3.4 |
| 21 | ***** | | | | | | | | | | | | | 3.3 |
| 22 | ***** | | | | | | | | | | | | | 3.2 |
| 23 | ***** | | | | | | | | | | | | | 3.2 |
| 24 | ***** | | | | | | | | | | | | | 3.1 |
| 25 | ***** | | | | | | | | | | | | | 3.0 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Newfoundland and Labrador - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 94.5 | 94.1 | 92.6 | 90.1 | 87.6 | 85.0 | 82.3 | 79.5 | 76.6 | 73.6 | 67.2 | 52.0 | 30.0 |
| 2 | ***** | 66.9 | 66.5 | 65.5 | 63.7 | 61.9 | 60.1 | 58.2 | 56.2 | 54.2 | 52.0 | 47.5 | 36.8 | 21.2 |
| 3 | ***** | 54.6 | 54.3 | 53.5 | 52.0 | 50.6 | 49.1 | 47.5 | 45.9 | 44.2 | 42.5 | 38.8 | 30.0 | 17.3 |
| 4 | ***** | | 47.0 | 46.3 | 45.1 | 43.8 | 42.5 | 41.1 | 39.7 | 38.3 | 36.8 | 33.6 | 26.0 | 15.0 |
| 5 | ***** | | 42.1 | 41.4 | 40.3 | 39.2 | 38.0 | 36.8 | 35.6 | 34.3 | 32.9 | 30.0 | 23.3 | 13.4 |
| 6 | ***** | | 38.4 | 37.8 | 36.8 | 35.8 | 34.7 | 33.6 | 32.5 | 31.3 | 30.0 | 27.4 | 21.2 | 12.3 |
| 7 | ***** | | 35.6 | 35.0 | 34.1 | 33.1 | 32.1 | 31.1 | 30.0 | 29.0 | 27.8 | 25.4 | 19.7 | 11.4 |
| 8 | ***** | | | 32.7 | 31.9 | 31.0 | 30.0 | 29.1 | 28.1 | 27.1 | 26.0 | 23.8 | 18.4 | 10.6 |
| 9 | ***** | | | | 30.9 | 30.0 | 29.2 | 28.3 | 27.4 | 26.5 | 25.5 | 24.5 | 22.4 | 17.3 |
| 10 | ***** | | | | | 29.3 | 28.5 | 27.7 | 26.9 | 26.0 | 25.1 | 24.2 | 23.3 | 21.2 |
| 11 | ***** | | | | | | 27.9 | 27.2 | 26.4 | 25.6 | 24.8 | 24.0 | 23.1 | 22.2 |
| 12 | ***** | | | | | | | 26.7 | 26.0 | 25.3 | 24.5 | 23.8 | 22.9 | 22.1 |
| 13 | ***** | | | | | | | | 25.7 | 25.0 | 24.3 | 23.6 | 22.8 | 22.0 |
| 14 | ***** | | | | | | | | | 24.8 | 24.1 | 23.4 | 22.7 | 22.0 |
| 15 | ***** | | | | | | | | | | 24.8 | 24.1 | 23.4 | 22.7 |
| 16 | ***** | | | | | | | | | | | 23.2 | 22.5 | 21.9 |
| 17 | ***** | | | | | | | | | | | | 22.5 | 21.9 |
| 18 | ***** | | | | | | | | | | | | | 21.8 |
| 19 | ***** | | | | | | | | | | | | | |
| 20 | ***** | | | | | | | | | | | | | |
| 21 | ***** | | | | | | | | | | | | | |
| 22 | ***** | | | | | | | | | | | | | |
| 23 | ***** | | | | | | | | | | | | | |
| 24 | ***** | | | | | | | | | | | | | |
| 25 | ***** | | | | | | | | | | | | | |
| 30 | ***** | | | | | | | | | | | | | |
| 35 | ***** | | | | | | | | | | | | | |
| 40 | ***** | | | | | | | | | | | | | |
| 45 | ***** | | | | | | | | | | | | | |
| 50 | ***** | | | | | | | | | | | | | |
| 55 | ***** | | | | | | | | | | | | | |
| 60 | ***** | | | | | | | | | | | | | |
| 65 | ***** | | | | | | | | | | | | | |
| 70 | ***** | | | | | | | | | | | | | |
| 75 | ***** | | | | | | | | | | | | | |
| 80 | ***** | | | | | | | | | | | | | |
| 85 | ***** | | | | | | | | | | | | | |
| 90 | ***** | | | | | | | | | | | | | |
| 95 | ***** | | | | | | | | | | | | | |
| 100 | ***** | | | | | | | | | | | | | |
| 125 | ***** | | | | | | | | | | | | | |
| 150 | ***** | | | | | | | | | | | | | |
| 200 | ***** | | | | | | | | | | | | | |
| 250 | ***** | | | | | | | | | | | | | |
| 300 | ***** | | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Prince Edward Island - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 45.0 | 44.7 | 44.0 | 42.9 | 41.7 | 40.4 | 39.1 | 37.8 | 36.4 | 35.0 | 32.0 | 24.8 | 14.3 |
| 2 | ***** | | 31.6 | 31.1 | 30.3 | 29.5 | 28.6 | 27.7 | 26.7 | 25.8 | 24.8 | 22.6 | 17.5 | 10.1 |
| 3 | ***** | | | 25.4 | 24.8 | 24.1 | 23.3 | 22.6 | 21.8 | 21.0 | 20.2 | 18.5 | 14.3 | 8.3 |
| 4 | ***** | | | 22.0 | 21.4 | 20.8 | 20.2 | 19.6 | 18.9 | 18.2 | 17.5 | 16.0 | 12.4 | 7.1 |
| 5 | ***** | | | 19.7 | 19.2 | 18.6 | 18.1 | 17.5 | 16.9 | 16.3 | 15.7 | 14.3 | 11.1 | 6.4 |
| 6 | ***** | | | | 17.5 | 17.0 | 16.5 | 16.0 | 15.4 | 14.9 | 14.3 | 13.0 | 10.1 | 5.8 |
| 7 | ***** | | | | 16.2 | 15.7 | 15.3 | 14.8 | 14.3 | 13.8 | 13.2 | 12.1 | 9.4 | 5.4 |
| 8 | ***** | | | | 15.2 | 14.7 | 14.3 | 13.8 | 13.4 | 12.9 | 12.4 | 11.3 | 8.8 | 5.1 |
| 9 | ***** | | | | 14.3 | 13.9 | 13.5 | 13.0 | 12.6 | 12.1 | 11.7 | 10.7 | 8.3 | 4.8 |
| 10 | ***** | | | | 13.6 | 13.2 | 12.8 | 12.4 | 12.0 | 11.5 | 11.1 | 10.1 | 7.8 | 4.5 |
| 11 | ***** | | | | 12.9 | 12.6 | 12.2 | 11.8 | 11.4 | 11.0 | 10.6 | 9.6 | 7.5 | 4.3 |
| 12 | ***** | | | | 12.0 | 11.7 | 11.3 | 10.9 | 10.5 | 10.1 | 9.7 | 8.9 | 6.9 | 4.0 |
| 13 | ***** | | | | 11.6 | 11.2 | 10.9 | 10.5 | 10.1 | 9.7 | 9.4 | 8.5 | 6.6 | 3.8 |
| 14 | ***** | | | | 11.1 | 10.8 | 10.5 | 10.1 | 9.7 | 9.4 | 9.0 | 8.3 | 6.4 | 3.7 |
| 15 | ***** | | | | 10.8 | 10.4 | 10.1 | 9.8 | 9.5 | 9.1 | 8.8 | 8.0 | 6.2 | 3.6 |
| 16 | ***** | | | | 10.4 | 10.1 | 9.8 | 9.5 | 9.2 | 8.8 | 8.5 | 7.8 | 6.0 | 3.5 |
| 17 | ***** | | | | 10.1 | 9.8 | 9.5 | 9.2 | 8.9 | 8.6 | 8.3 | 7.5 | 5.8 | 3.4 |
| 18 | ***** | | | | | 9.5 | 9.2 | 8.9 | 8.6 | 8.3 | 8.0 | 7.3 | 5.7 | 3.3 |
| 19 | ***** | | | | | 9.3 | 9.0 | 8.7 | 8.4 | 8.1 | 7.8 | 7.1 | 5.5 | 3.2 |
| 20 | ***** | | | | | 9.0 | 8.8 | 8.5 | 8.2 | 7.9 | 7.6 | 7.0 | 5.4 | 3.1 |
| 21 | ***** | | | | | 8.8 | 8.5 | 8.3 | 8.0 | 7.7 | 7.4 | 6.8 | 5.3 | 3.0 |
| 22 | ***** | | | | | 8.6 | 8.3 | 8.1 | 7.8 | 7.5 | 7.2 | 6.6 | 5.1 | 2.9 |
| 23 | ***** | | | | | 8.4 | 8.2 | 7.9 | 7.6 | 7.3 | 7.0 | 6.4 | 5.0 | 2.9 |
| 24 | ***** | | | | | | 8.0 | 7.7 | 7.4 | 7.1 | 6.8 | 6.2 | 4.8 | 2.6 |
| 25 | ***** | | | | | | 7.8 | 7.6 | 7.3 | 7.0 | 6.7 | 6.1 | 4.7 | 2.4 |
| 30 | ***** | | | | | | | 6.9 | 6.7 | 6.4 | 6.1 | 5.5 | 4.2 | 2.4 |
| 35 | ***** | | | | | | | | 6.2 | 5.9 | 5.6 | 5.0 | 3.9 | 2.3 |
| 40 | ***** | | | | | | | | 5.8 | 5.5 | 5.2 | 4.6 | 3.5 | 2.1 |
| 45 | ***** | | | | | | | | | 5.2 | 4.9 | 4.3 | 3.2 | 1.8 |
| 50 | ***** | | | | | | | | | | 4.5 | 3.9 | 2.9 | 1.7 |
| 55 | ***** | | | | | | | | | | | 4.3 | 3.1 | 1.8 |
| 60 | ***** | | | | | | | | | | | | 3.0 | 1.7 |
| 65 | ***** | | | | | | | | | | | | | 2.8 |
| 70 | ***** | | | | | | | | | | | | | 1.6 |
| 75 | ***** | | | | | | | | | | | | | 1.5 |
| 80 | ***** | | | | | | | | | | | | | 1.5 |
| 85 | ***** | | | | | | | | | | | | | 1.4 |
| 90 | ***** | | | | | | | | | | | | | |
| 95 | ***** | | | | | | | | | | | | | |
| 100 | ***** | | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Prince Edward Island - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | ***** | ***** | ***** | 23.5 | 22.9 | 22.2 | 21.5 | 20.8 | 20.0 | 19.2 | 17.5 | 13.6 | 7.8 |
| 2 | ***** | ***** | ***** | ***** | ***** | ***** | 15.7 | 15.2 | 14.7 | 14.1 | 13.6 | 12.4 | 9.6 | 5.5 |
| 3 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 12.0 | 11.6 | 11.1 | 10.1 | 7.8 | 4.5 |
| 4 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 9.6 | 8.8 | 6.8 | 3.9 |
| 5 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 7.8 | 6.1 | 3.5 |
| 6 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 5.5 | 3.2 |
| 7 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 5.1 | 3.0 |
| 8 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 2.8 |
| 9 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 2.6 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Prince Edward Island - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | ***** | ***** | ***** | ***** | 25.0 | 24.2 | 23.5 | 22.7 | 21.8 | 21.0 | 19.2 | 14.8 | 8.6 |
| 2 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 16.6 | 16.0 | 15.4 | 14.8 | 13.5 | 10.5 | 6.1 |
| 3 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 12.6 | 12.1 | 11.1 | 8.6 | 4.9 |
| 4 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 9.6 | 7.4 | 4.3 |
| 5 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 6.6 | 3.8 |
| 6 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 6.1 | 3.5 |
| 7 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 3.2 |
| 8 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 3.0 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Prince Edward Island - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 48.0 | 47.3 | 46.0 | 44.7 | 43.4 | 42.0 | 40.6 | 39.1 | 37.6 | 34.3 | 26.6 | 15.3 | |
| 2 | ***** | 33.4 | 32.5 | 31.6 | 30.7 | 29.7 | 28.7 | 27.7 | 26.6 | 24.3 | 18.8 | 10.8 | | |
| 3 | ***** | 27.3 | 26.6 | 25.8 | 25.1 | 24.3 | 23.4 | 22.6 | 21.7 | 19.8 | 15.3 | 8.9 | | |
| 4 | ***** | 23.6 | 23.0 | 22.4 | 21.7 | 21.0 | 20.3 | 19.6 | 18.8 | 17.2 | 13.3 | 7.7 | | |
| 5 | ***** | 20.6 | 20.0 | 19.4 | 18.8 | 18.2 | 17.5 | 16.8 | 15.3 | 11.9 | 6.9 | | | |
| 6 | ***** | 18.8 | 18.3 | 17.7 | 17.2 | 16.6 | 16.0 | 15.3 | 14.0 | 10.8 | 6.3 | | | |
| 7 | ***** | 17.4 | 16.9 | 16.4 | 15.9 | 15.3 | 14.8 | 14.2 | 13.0 | 10.0 | 5.8 | | | |
| 8 | ***** | 16.3 | 15.8 | 15.3 | 14.9 | 14.3 | 13.8 | 13.3 | 12.1 | 9.4 | 5.4 | | | |
| 9 | ***** | 15.3 | 14.9 | 14.5 | 14.0 | 13.5 | 13.0 | 12.5 | 11.4 | 8.9 | 5.1 | | | |
| 10 | ***** | 14.1 | 13.7 | 13.3 | 12.8 | 12.4 | 11.9 | 10.8 | 8.4 | 4.9 | | | | |
| 11 | ***** | 13.5 | 13.1 | 12.7 | 12.2 | 11.8 | 11.3 | 10.3 | 8.0 | 4.6 | | | | |
| 12 | ***** | 12.9 | 12.5 | 12.1 | 11.7 | 11.3 | 10.8 | 9.9 | 7.7 | 4.4 | | | | |
| 13 | ***** | 12.4 | 12.0 | 11.7 | 11.3 | 10.8 | 10.4 | 9.5 | 7.4 | 4.3 | | | | |
| 14 | ***** | 12.0 | 11.6 | 11.2 | 10.8 | 10.5 | 10.0 | 9.2 | 7.1 | 4.1 | | | | |
| 15 | ***** | 11.2 | 10.8 | 10.5 | 10.1 | 9.7 | 8.9 | 6.9 | 4.0 | | | | | |
| 16 | ***** | 10.8 | 10.5 | 10.1 | 9.8 | 9.4 | 8.6 | 6.6 | 3.8 | | | | | |
| 17 | ***** | 10.5 | 10.2 | 9.8 | 9.5 | 9.1 | 8.3 | 6.4 | 3.7 | | | | | |
| 18 | ***** | 10.2 | 9.9 | 9.6 | 9.2 | 8.9 | 8.1 | 6.3 | 3.6 | | | | | |
| 19 | ***** | 10.0 | 9.6 | 9.3 | 9.0 | 8.6 | 7.9 | 6.1 | 3.5 | | | | | |
| 20 | ***** | 9.4 | 9.1 | 8.7 | 8.4 | 7.7 | 5.9 | 3.4 | | | | | | |
| 21 | ***** | 9.2 | 8.9 | 8.5 | 8.2 | 7.5 | 5.8 | 3.3 | | | | | | |
| 22 | ***** | 9.0 | 8.7 | 8.3 | 8.0 | 7.3 | 5.7 | 3.3 | | | | | | |
| 23 | ***** | 8.8 | 8.5 | 8.2 | 7.8 | 7.2 | 5.5 | 3.2 | | | | | | |
| 24 | ***** | 8.6 | 8.3 | 8.0 | 7.7 | 7.0 | 5.4 | 3.1 | | | | | | |
| 25 | ***** | 8.1 | 7.8 | 7.5 | 6.9 | 5.3 | 3.1 | | | | | | | |
| 30 | ***** | 7.1 | 6.9 | 6.3 | 4.9 | 2.8 | | | | | | | | |
| 35 | ***** | 6.4 | 5.8 | 4.5 | 2.6 | | | | | | | | | |
| 40 | ***** | 5.4 | 4.2 | 2.4 | | | | | | | | | | |
| 45 | ***** | 5.1 | 4.0 | 2.3 | | | | | | | | | | |
| 50 | ***** | 3.8 | 2.2 | | | | | | | | | | | |
| 55 | ***** | 3.6 | 2.1 | | | | | | | | | | | |
| 60 | ***** | 3.4 | 2.0 | | | | | | | | | | | |
| 65 | ***** | 3.3 | 1.9 | | | | | | | | | | | |
| 70 | ***** | 1.8 | | | | | | | | | | | | |
| 75 | ***** | 1.8 | | | | | | | | | | | | |
| 80 | ***** | 1.7 | | | | | | | | | | | | |
| 85 | ***** | 1.7 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Nova Scotia - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 116.1 | 115.6 | 113.8 | 110.7 | 107.6 | 104.4 | 101.1 | 97.7 | 94.1 | 90.4 | 82.5 | 63.9 | 36.9 |
| 2 | ***** | 82.1 | 81.7 | 80.5 | 78.3 | 76.1 | 73.8 | 71.5 | 69.1 | 66.5 | 63.9 | 58.4 | 45.2 | 26.1 |
| 3 | ***** | 67.1 | 66.7 | 65.7 | 63.9 | 62.1 | 60.3 | 58.4 | 56.4 | 54.3 | 52.2 | 47.7 | 36.9 | 21.3 |
| 4 | ***** | 58.1 | 57.8 | 56.9 | 55.4 | 53.8 | 52.2 | 50.5 | 48.8 | 47.1 | 45.2 | 41.3 | 32.0 | 18.5 |
| 5 | ***** | 51.9 | 51.7 | 50.9 | 49.5 | 48.1 | 46.7 | 45.2 | 43.7 | 42.1 | 40.4 | 36.9 | 28.6 | 16.5 |
| 6 | ***** | 47.4 | 47.2 | 46.4 | 45.2 | 43.9 | 42.6 | 41.3 | 39.9 | 38.4 | 36.9 | 33.7 | 26.1 | 15.1 |
| 7 | ***** | 43.9 | 43.7 | 43.0 | 41.9 | 40.7 | 39.5 | 38.2 | 36.9 | 35.6 | 34.2 | 31.2 | 24.2 | 14.0 |
| 8 | ***** | 40.9 | 40.2 | 39.2 | 38.1 | 36.9 | 35.7 | 34.5 | 33.3 | 32.0 | 29.2 | 22.6 | 13.1 | |
| 9 | ***** | 38.5 | 37.9 | 36.9 | 35.9 | 34.8 | 33.7 | 32.6 | 31.4 | 30.1 | 27.5 | 21.3 | 12.3 | |
| 10 | ***** | 36.5 | 36.0 | 35.0 | 34.0 | 33.0 | 32.0 | 30.9 | 29.8 | 28.6 | 26.1 | 20.2 | 11.7 | |
| 11 | ***** | 34.8 | 34.3 | 33.4 | 32.4 | 31.5 | 30.5 | 29.4 | 28.4 | 27.3 | 24.9 | 19.3 | 11.1 | |
| 12 | ***** | 33.4 | 32.8 | 32.0 | 31.1 | 30.1 | 29.2 | 28.2 | 27.2 | 26.1 | 23.8 | 18.5 | 10.7 | |
| 13 | ***** | 32.1 | 31.6 | 30.7 | 29.8 | 29.0 | 28.0 | 27.1 | 26.1 | 25.1 | 22.9 | 17.7 | 10.2 | |
| 14 | ***** | 30.9 | 30.4 | 29.6 | 28.8 | 27.9 | 27.0 | 26.1 | 25.2 | 24.2 | 22.1 | 17.1 | 9.9 | |
| 15 | ***** | 29.8 | 29.4 | 28.6 | 27.8 | 27.0 | 26.1 | 25.2 | 24.3 | 23.3 | 21.3 | 16.5 | 9.5 | |
| 16 | ***** | 28.4 | 27.7 | 26.9 | 26.9 | 26.1 | 25.3 | 24.4 | 23.5 | 22.6 | 20.6 | 16.0 | 9.2 | |
| 17 | ***** | 27.6 | 26.9 | 26.1 | 25.3 | 24.5 | 23.7 | 22.8 | 21.9 | 21.0 | 19.0 | 15.5 | 9.0 | |
| 18 | ***** | 26.8 | 26.1 | 25.4 | 24.6 | 23.8 | 23.0 | 22.2 | 21.3 | 20.5 | 18.5 | 15.1 | 8.7 | |
| 19 | ***** | 26.1 | 25.4 | 24.7 | 24.0 | 23.2 | 22.4 | 21.6 | 20.7 | 19.9 | 18.9 | 14.7 | 8.5 | |
| 20 | ***** | 25.4 | 24.8 | 24.1 | 23.3 | 22.6 | 21.8 | 21.0 | 20.2 | 19.4 | 18.5 | 14.3 | 8.3 | |
| 21 | ***** | 24.8 | 24.2 | 23.5 | 22.8 | 22.1 | 21.3 | 20.5 | 19.7 | 18.9 | 18.0 | 14.0 | 8.1 | |
| 22 | ***** | 24.3 | 23.6 | 22.9 | 22.3 | 21.6 | 20.8 | 20.1 | 19.3 | 18.6 | 17.6 | 13.6 | 7.9 | |
| 23 | ***** | 23.7 | 23.1 | 22.4 | 21.8 | 21.1 | 20.4 | 19.6 | 18.9 | 18.2 | 17.2 | 13.3 | 7.7 | |
| 24 | ***** | 23.2 | 22.6 | 22.0 | 21.3 | 20.6 | 19.9 | 19.2 | 18.5 | 17.8 | 16.8 | 13.1 | 7.5 | |
| 25 | ***** | 22.8 | 22.1 | 21.5 | 20.9 | 20.2 | 19.5 | 18.8 | 18.1 | 17.4 | 16.5 | 12.8 | 7.4 | |
| 30 | ***** | 20.8 | 20.2 | 19.6 | 19.1 | 18.5 | 17.8 | 17.2 | 16.5 | 15.8 | 15.1 | 11.7 | 6.7 | |
| 35 | ***** | 19.2 | 18.7 | 18.2 | 17.6 | 17.1 | 16.5 | 15.9 | 15.3 | 14.7 | 14.0 | 10.8 | 6.2 | |
| 40 | ***** | 17.5 | 17.0 | 16.5 | 16.0 | 15.4 | 14.9 | 14.3 | 13.7 | 13.1 | 12.5 | 10.1 | 5.8 | |
| 45 | ***** | 16.5 | 16.0 | 15.6 | 15.1 | 14.6 | 14.0 | 13.5 | 13.0 | 12.5 | 12.0 | 9.5 | 5.5 | |
| 50 | ***** | 15.7 | 15.2 | 14.8 | 14.3 | 13.8 | 13.3 | 12.8 | 12.3 | 11.8 | 11.3 | 9.0 | 5.2 | |
| 55 | ***** | 14.9 | 14.5 | 14.1 | 13.6 | 13.2 | 12.7 | 12.2 | 11.7 | 11.2 | 10.7 | 8.6 | 5.0 | |
| 60 | ***** | 14.3 | 13.9 | 13.5 | 13.1 | 12.6 | 12.2 | 11.7 | 11.2 | 10.7 | 10.2 | 8.3 | 4.8 | |
| 65 | ***** | 13.7 | 13.3 | 13.0 | 12.5 | 12.1 | 11.7 | 11.2 | 10.7 | 10.2 | 9.7 | 7.9 | 4.6 | |
| 70 | ***** | 13.2 | 12.9 | 12.5 | 12.1 | 11.7 | 11.2 | 10.8 | 10.4 | 9.9 | 9.4 | 7.6 | 4.4 | |
| 75 | ***** | 12.8 | 12.4 | 12.1 | 11.7 | 11.3 | 10.9 | 10.4 | 9.9 | 9.4 | 8.9 | 7.4 | 4.3 | |
| 80 | ***** | 12.0 | 11.7 | 11.3 | 10.9 | 10.5 | 10.1 | 9.7 | 9.2 | 8.7 | 8.2 | 7.1 | 4.1 | |
| 85 | ***** | 11.7 | 11.3 | 11.0 | 10.6 | 10.2 | 9.8 | 9.4 | 9.0 | 8.6 | 8.1 | 6.9 | 4.0 | |
| 90 | ***** | 11.3 | 11.0 | 10.7 | 10.3 | 9.9 | 9.5 | 9.1 | 8.7 | 8.3 | 7.9 | 6.7 | 3.9 | |
| 95 | ***** | 11.0 | 10.7 | 10.4 | 10.0 | 9.7 | 9.3 | 8.9 | 8.5 | 8.1 | 7.7 | 6.6 | 3.8 | |
| 100 | ***** | 10.8 | 10.4 | 10.1 | 9.8 | 9.4 | 9.0 | 8.6 | 8.2 | 7.8 | 7.4 | 6.4 | 3.7 | |
| 125 | ***** | 9.3 | 9.0 | 8.7 | 8.4 | 8.1 | 7.7 | 7.4 | 7.0 | 6.7 | 6.3 | 5.2 | 3.3 | |
| 150 | ***** | 8.5 | 8.3 | 8.0 | 7.7 | 7.4 | 7.0 | 6.7 | 6.4 | 6.1 | 5.8 | 4.8 | 3.0 | |
| 200 | ***** | 6.9 | 6.7 | 6.4 | 6.1 | 5.8 | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 3.7 | 2.6 | |
| 250 | ***** | 6.0 | 5.7 | 5.4 | 5.1 | 4.8 | 4.5 | 4.2 | 3.9 | 3.6 | 3.3 | 2.8 | 2.3 | |
| 300 | ***** | 5.2 | 4.9 | 4.6 | 4.3 | 4.0 | 3.7 | 3.4 | 3.1 | 2.8 | 2.5 | 2.1 | 1.7 | |
| 350 | ***** | 4.4 | 4.1 | 3.8 | 3.5 | 3.2 | 2.9 | 2.6 | 2.3 | 2.0 | 1.7 | 1.4 | 1.1 | |
| 400 | ***** | 3.2 | 2.9 | 2.6 | 2.3 | 2.0 | 1.7 | 1.4 | 1.1 | 0.8 | 0.5 | 0.4 | 0.3 | |
| 450 | ***** | 3.0 | 2.7 | 2.4 | 2.1 | 1.8 | 1.5 | 1.2 | 0.9 | 0.6 | 0.3 | 0.2 | 0.1 | |
| 500 | ***** | 2.9 | 2.6 | 2.3 | 2.0 | 1.7 | 1.4 | 1.1 | 0.8 | 0.5 | 0.2 | 0.1 | 0.0 | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Nova Scotia - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|-----|-----|-----|-----|-----|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% | | | | | | | |
| 1 | ***** | | 51.5 | 50.8 | 49.4 | 48.0 | 46.6 | 45.1 | 43.6 | 42.0 | 40.3 | 36.8 | 28.5 | 16.5 | | | | | | | |
| 2 | ***** | | | 35.9 | 34.9 | 33.9 | 32.9 | 31.9 | 30.8 | 29.7 | 28.5 | 26.0 | 20.2 | 11.6 | | | | | | | |
| 3 | ***** | | | 29.3 | 28.5 | 27.7 | 26.9 | 26.0 | 25.2 | 24.2 | 23.3 | 21.3 | 16.5 | 9.5 | | | | | | | |
| 4 | ***** | | | | 24.7 | 24.0 | 23.3 | 22.5 | 21.8 | 21.0 | 20.2 | 18.4 | 14.3 | 8.2 | | | | | | | |
| 5 | ***** | | | | 22.1 | 21.5 | 20.8 | 20.2 | 19.5 | 18.8 | 18.0 | 16.5 | 12.8 | 7.4 | | | | | | | |
| 6 | ***** | | | | 20.2 | 19.6 | 19.0 | 18.4 | 17.8 | 17.1 | 16.5 | 15.0 | 11.6 | 6.7 | | | | | | | |
| 7 | ***** | | | | | 18.1 | 17.6 | 17.0 | 16.5 | 15.9 | 15.2 | 13.9 | 10.8 | 6.2 | | | | | | | |
| 8 | ***** | | | | | 17.0 | 16.5 | 15.9 | 15.4 | 14.8 | 14.3 | 13.0 | 10.1 | 5.8 | | | | | | | |
| 9 | ***** | | | | | 16.0 | 15.5 | 15.0 | 14.5 | 14.0 | 13.4 | 12.3 | 9.5 | 5.5 | | | | | | | |
| 10 | ***** | | | | | | 14.7 | 14.3 | 13.8 | 13.3 | 12.8 | 11.6 | 9.0 | 5.2 | | | | | | | |
| 11 | ***** | | | | | | 14.0 | 13.6 | 13.1 | 12.7 | 12.2 | 11.1 | 8.6 | 5.0 | | | | | | | |
| 12 | ***** | | | | | | 13.4 | 13.0 | 12.6 | 12.1 | 11.6 | 10.6 | 8.2 | 4.8 | | | | | | | |
| 13 | ***** | | | | | | | 12.5 | 12.1 | 11.6 | 11.2 | 10.2 | 7.9 | 4.6 | | | | | | | |
| 14 | ***** | | | | | | | 12.1 | 11.6 | 11.2 | 10.8 | 9.8 | 7.6 | 4.4 | | | | | | | |
| 15 | ***** | | | | | | | 11.6 | 11.2 | 10.8 | 10.4 | 9.5 | 7.4 | 4.3 | | | | | | | |
| 16 | ***** | | | | | | | | 10.9 | 10.5 | 10.1 | 9.2 | 7.1 | 4.1 | | | | | | | |
| 17 | ***** | | | | | | | | 10.6 | 10.2 | 9.8 | 8.9 | 6.9 | 4.0 | | | | | | | |
| 18 | ***** | | | | | | | | | 10.3 | 9.9 | 9.5 | 8.7 | 3.9 | | | | | | | |
| 19 | ***** | | | | | | | | | | 9.6 | 9.3 | 8.4 | 6.5 | 3.8 | | | | | | |
| 20 | ***** | | | | | | | | | | | 9.4 | 9.0 | 8.2 | 6.4 | 3.7 | | | | | |
| 21 | ***** | | | | | | | | | | | | 9.2 | 8.8 | 8.0 | 6.2 | 3.6 | | | | |
| 22 | ***** | | | | | | | | | | | | | 8.6 | 7.8 | 6.1 | 3.5 | | | | |
| 23 | ***** | | | | | | | | | | | | | | 8.4 | 7.7 | 5.9 | 3.4 | | | |
| 24 | ***** | | | | | | | | | | | | | | | 8.2 | 7.5 | 5.8 | 3.4 | | |
| 25 | ***** | | | | | | | | | | | | | | | | 7.4 | 5.7 | 3.3 | | |
| 30 | ***** | | | | | | | | | | | | | | | | | 6.7 | 5.2 | 3.0 | |
| 35 | ***** | | | | | | | | | | | | | | | | | | 4.8 | 2.8 | |
| 40 | ***** | | | | | | | | | | | | | | | | | | | 4.5 | 2.6 |
| 45 | ***** | | | | | | | | | | | | | | | | | | | | 2.5 |
| 50 | ***** | | | | | | | | | | | | | | | | | | | | 2.3 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Nova Scotia - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% | |
| 1 | ***** | | 68.5 | 67.4 | 65.6 | 63.8 | 61.9 | 59.9 | 57.9 | 55.8 | 53.6 | 48.9 | 37.9 | 21.9 | |
| 2 | ***** | | 47.7 | 46.4 | 45.1 | 43.8 | 42.4 | 40.9 | 39.4 | 37.9 | 34.6 | 26.8 | 15.5 | | |
| 3 | ***** | | 38.9 | 37.9 | 36.8 | 35.7 | 34.6 | 33.4 | 32.2 | 30.9 | 28.2 | 21.9 | 12.6 | | |
| 4 | ***** | | | 32.8 | 31.9 | 30.9 | 30.0 | 28.9 | 27.9 | 26.8 | 24.5 | 18.9 | 10.9 | | |
| 5 | ***** | | | 29.4 | 28.5 | 27.7 | 26.8 | 25.9 | 24.9 | 24.0 | 21.9 | 16.9 | 9.8 | | |
| 6 | ***** | | | 26.8 | 26.0 | 25.3 | 24.5 | 23.6 | 22.8 | 21.9 | 20.0 | 15.5 | 8.9 | | |
| 7 | ***** | | | | 24.1 | 23.4 | 22.6 | 21.9 | 21.1 | 20.3 | 18.5 | 14.3 | 8.3 | | |
| 8 | ***** | | | | 22.6 | 21.9 | 21.2 | 20.5 | 19.7 | 18.9 | 17.3 | 13.4 | 7.7 | | |
| 9 | ***** | | | | 21.3 | 20.6 | 20.0 | 19.3 | 18.6 | 17.9 | 16.3 | 12.6 | 7.3 | | |
| 10 | ***** | | | | | 19.6 | 18.9 | 18.3 | 17.6 | 16.9 | 15.5 | 12.0 | 6.9 | | |
| 11 | ***** | | | | | | 18.7 | 18.1 | 17.5 | 16.8 | 16.2 | 14.7 | 11.4 | 6.6 | |
| 12 | ***** | | | | | | 17.9 | 17.3 | 16.7 | 16.1 | 15.5 | 14.1 | 10.9 | 6.3 | |
| 13 | ***** | | | | | | | 16.6 | 16.1 | 15.5 | 14.9 | 13.6 | 10.5 | 6.1 | |
| 14 | ***** | | | | | | | 16.0 | 15.5 | 14.9 | 14.3 | 13.1 | 10.1 | 5.8 | |
| 15 | ***** | | | | | | | | 15.5 | 14.9 | 14.4 | 13.8 | 12.6 | 9.8 | 5.6 |
| 16 | ***** | | | | | | | | 14.5 | 13.9 | 13.4 | 12.2 | 9.5 | 5.5 | |
| 17 | ***** | | | | | | | | 14.0 | 13.5 | 13.0 | 11.9 | 9.2 | 5.3 | |
| 18 | ***** | | | | | | | | | 13.6 | 13.1 | 12.6 | 11.5 | 8.9 | 5.2 |
| 19 | ***** | | | | | | | | | 12.8 | 12.3 | 11.2 | 8.7 | 5.0 | |
| 20 | ***** | | | | | | | | | 12.5 | 12.0 | 10.9 | 8.5 | 4.9 | |
| 21 | ***** | | | | | | | | | 12.2 | 11.7 | 10.7 | 8.3 | 4.8 | |
| 22 | ***** | | | | | | | | | | 11.4 | 10.4 | 8.1 | 4.7 | |
| 23 | ***** | | | | | | | | | | 11.2 | 10.2 | 7.9 | 4.6 | |
| 24 | ***** | | | | | | | | | | 10.9 | 10.0 | 7.7 | 4.5 | |
| 25 | ***** | | | | | | | | | | | 9.8 | 7.6 | 4.4 | |
| 30 | ***** | | | | | | | | | | | | 8.9 | 6.9 | 4.0 |
| 35 | ***** | | | | | | | | | | | | | 6.4 | 3.7 |
| 40 | ***** | | | | | | | | | | | | | 6.0 | 3.5 |
| 45 | ***** | | | | | | | | | | | | | | 3.3 |
| 50 | ***** | | | | | | | | | | | | | | 3.1 |
| 55 | ***** | | | | | | | | | | | | | | 2.9 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Nova Scotia - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 128.2 | 127.6 | 125.6 | 122.2 | 118.8 | 115.2 | 111.6 | 107.8 | 103.9 | 99.8 | 91.1 | 70.6 | 40.7 |
| 2 | ***** | 90.7 | 90.2 | 88.8 | 86.4 | 84.0 | 81.5 | 78.9 | 76.2 | 73.5 | 70.6 | 64.4 | 49.9 | 28.8 |
| 3 | ***** | 74.0 | 73.6 | 72.5 | 70.6 | 68.6 | 66.5 | 64.4 | 62.2 | 60.0 | 57.6 | 52.6 | 40.7 | 23.5 |
| 4 | ***** | 64.1 | 63.8 | 62.8 | 61.1 | 59.4 | 57.6 | 55.8 | 53.9 | 51.9 | 49.9 | 45.6 | 35.3 | 20.4 |
| 5 | ***** | 57.3 | 57.0 | 56.2 | 54.7 | 53.1 | 51.5 | 49.9 | 48.2 | 46.5 | 44.6 | 40.7 | 31.6 | 18.2 |
| 6 | ***** | 52.3 | 52.1 | 51.3 | 49.9 | 48.5 | 47.0 | 45.6 | 44.0 | 42.4 | 40.7 | 37.2 | 28.8 | 16.6 |
| 7 | ***** | 48.2 | 47.5 | 46.2 | 44.9 | 43.6 | 42.2 | 40.7 | 39.3 | 37.7 | 34.4 | 26.7 | 15.4 | |
| 8 | ***** | 45.1 | 44.4 | 43.2 | 42.0 | 40.7 | 39.5 | 38.1 | 36.7 | 35.3 | 32.2 | 25.0 | 14.4 | |
| 9 | ***** | 42.5 | 41.9 | 40.7 | 39.6 | 38.4 | 37.2 | 35.9 | 34.6 | 33.3 | 30.4 | 23.5 | 13.6 | |
| 10 | ***** | 40.3 | 39.7 | 38.7 | 37.6 | 36.4 | 35.3 | 34.1 | 32.9 | 31.6 | 28.8 | 22.3 | 12.9 | |
| 11 | ***** | 38.5 | 37.9 | 36.9 | 35.8 | 34.7 | 33.6 | 32.5 | 31.3 | 30.1 | 27.5 | 21.3 | 12.3 | |
| 12 | ***** | 36.8 | 36.3 | 35.3 | 34.3 | 33.3 | 32.2 | 31.1 | 30.0 | 28.8 | 26.3 | 20.4 | 11.8 | |
| 13 | ***** | 35.4 | 34.8 | 33.9 | 32.9 | 32.0 | 30.9 | 29.9 | 28.8 | 27.7 | 25.3 | 19.6 | 11.3 | |
| 14 | ***** | 33.6 | 32.7 | 31.7 | 30.8 | 29.8 | 28.8 | 27.8 | 26.7 | 24.4 | 18.9 | 10.9 | | |
| 15 | ***** | 32.4 | 31.6 | 30.7 | 29.8 | 28.8 | 27.8 | 26.8 | 25.8 | 23.5 | 18.2 | 10.5 | | |
| 16 | ***** | 31.4 | 30.6 | 29.7 | 28.8 | 27.9 | 27.0 | 26.0 | 25.0 | 22.8 | 17.6 | 10.2 | | |
| 17 | ***** | 30.5 | 29.6 | 28.8 | 28.0 | 27.1 | 26.1 | 25.2 | 24.2 | 22.1 | 17.1 | 9.9 | | |
| 18 | ***** | 29.6 | 28.8 | 28.0 | 27.2 | 26.3 | 25.4 | 24.5 | 23.5 | 21.5 | 16.6 | 9.6 | | |
| 19 | ***** | 28.8 | 28.0 | 27.3 | 26.4 | 25.6 | 24.7 | 23.8 | 22.9 | 20.9 | 16.2 | 9.3 | | |
| 20 | ***** | 28.1 | 27.3 | 26.6 | 25.8 | 25.0 | 24.1 | 23.2 | 22.3 | 20.4 | 15.8 | 9.1 | | |
| 21 | ***** | 27.4 | 26.7 | 25.9 | 25.1 | 24.4 | 23.5 | 22.7 | 21.8 | 19.9 | 15.4 | 8.9 | | |
| 22 | ***** | 26.8 | 26.1 | 25.3 | 24.6 | 23.8 | 23.0 | 22.1 | 21.3 | 19.4 | 15.0 | 8.7 | | |
| 23 | ***** | 26.2 | 25.5 | 24.8 | 24.0 | 23.3 | 22.5 | 21.7 | 20.8 | 19.0 | 14.7 | 8.5 | | |
| 24 | ***** | 25.6 | 25.0 | 24.2 | 23.5 | 22.8 | 22.0 | 21.2 | 20.4 | 18.6 | 14.4 | 8.3 | | |
| 25 | ***** | 25.1 | 24.4 | 23.8 | 23.0 | 22.3 | 21.6 | 20.8 | 20.0 | 18.2 | 14.1 | 8.1 | | |
| 30 | ***** | 22.9 | 22.3 | 21.7 | 21.0 | 20.4 | 19.7 | 19.0 | 18.2 | 16.6 | 12.9 | 7.4 | | |
| 35 | ***** | 20.7 | 20.1 | 19.5 | 18.9 | 18.2 | 17.6 | 16.9 | 15.4 | 11.9 | 6.9 | | | |
| 40 | ***** | 19.3 | 18.8 | 18.2 | 17.6 | 17.0 | 16.4 | 15.8 | 14.4 | 11.2 | 6.4 | | | |
| 45 | ***** | 18.2 | 17.7 | 17.2 | 16.6 | 16.1 | 15.5 | 14.9 | 13.6 | 10.5 | 6.1 | | | |
| 50 | ***** | 17.3 | 16.8 | 16.3 | 15.8 | 15.2 | 14.7 | 14.1 | 12.9 | 10.0 | 5.8 | | | |
| 55 | ***** | 16.5 | 16.0 | 15.5 | 15.0 | 14.5 | 14.0 | 13.5 | 12.3 | 9.5 | 5.5 | | | |
| 60 | ***** | 15.8 | 15.3 | 14.9 | 14.4 | 13.9 | 13.4 | 12.9 | 11.8 | 9.1 | 5.3 | | | |
| 65 | ***** | 15.2 | 14.7 | 14.3 | 13.8 | 13.4 | 12.9 | 12.4 | 11.3 | 8.8 | 5.1 | | | |
| 70 | ***** | 14.2 | 13.8 | 13.3 | 12.9 | 12.4 | 11.9 | 10.9 | 8.4 | 4.9 | | | | |
| 75 | ***** | 13.7 | 13.3 | 12.9 | 12.4 | 12.0 | 11.5 | 10.5 | 8.1 | 4.7 | | | | |
| 80 | ***** | 13.3 | 12.9 | 12.5 | 12.1 | 11.6 | 11.2 | 10.2 | 7.9 | 4.6 | | | | |
| 85 | ***** | 12.9 | 12.5 | 12.1 | 11.7 | 11.3 | 10.8 | 9.9 | 7.7 | 4.4 | | | | |
| 90 | ***** | 12.5 | 12.1 | 11.8 | 11.4 | 11.0 | 10.5 | 9.6 | 7.4 | 4.3 | | | | |
| 95 | ***** | 12.2 | 11.8 | 11.4 | 11.1 | 10.7 | 10.2 | 9.3 | 7.2 | 4.2 | | | | |
| 100 | ***** | 11.5 | 11.2 | 10.8 | 10.4 | 10.0 | 9.1 | 7.1 | 4.1 | | | | | |
| 125 | ***** | 10.3 | 10.0 | 9.6 | 9.3 | 8.9 | 8.1 | 6.3 | 3.6 | | | | | |
| 150 | ***** | 9.1 | 8.8 | 8.5 | 8.1 | 7.4 | 5.8 | 3.3 | | | | | | |
| 200 | ***** | 7.3 | 7.1 | 6.4 | 5.0 | 2.9 | | | | | | | | |
| 250 | ***** | 6.3 | 5.8 | 4.5 | 2.6 | | | | | | | | | |
| 300 | ***** | 5.3 | 4.1 | 2.4 | | | | | | | | | | |
| 350 | ***** | 3.8 | 2.2 | | | | | | | | | | | |
| 400 | ***** | 3.5 | 2.0 | | | | | | | | | | | |
| 450 | ***** | 3.3 | 1.9 | | | | | | | | | | | |
| 500 | ***** | 1.8 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - New Brunswick - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 102.4 | 101.8 | 100.3 | 97.6 | 94.8 | 92.0 | 89.1 | 86.1 | 82.9 | 79.7 | 72.7 | 56.3 | 32.5 |
| 2 | ***** | 72.4 | 72.0 | 70.9 | 69.0 | 67.1 | 65.1 | 63.0 | 60.9 | 58.6 | 56.3 | 51.4 | 39.8 | 23.0 |
| 3 | ***** | 59.1 | 58.8 | 57.9 | 56.3 | 54.8 | 53.1 | 51.4 | 49.7 | 47.9 | 46.0 | 42.0 | 32.5 | 18.8 |
| 4 | ***** | 51.2 | 50.9 | 50.1 | 48.8 | 47.4 | 46.0 | 44.5 | 43.0 | 41.5 | 39.8 | 36.4 | 28.2 | 16.3 |
| 5 | ***** | 45.8 | 45.5 | 44.8 | 43.6 | 42.4 | 41.2 | 39.8 | 38.5 | 37.1 | 35.6 | 32.5 | 25.2 | 14.5 |
| 6 | ***** | 41.8 | 41.6 | 40.9 | 39.8 | 38.7 | 37.6 | 36.4 | 35.1 | 33.9 | 32.5 | 29.7 | 23.0 | 13.3 |
| 7 | ***** | 38.5 | 37.9 | 36.9 | 35.8 | 34.8 | 33.7 | 32.5 | 31.3 | 30.1 | 27.5 | 21.3 | 12.3 | |
| 8 | ***** | 36.0 | 35.5 | 34.5 | 33.5 | 32.5 | 31.5 | 30.4 | 29.3 | 28.2 | 25.7 | 19.9 | 11.5 | |
| 9 | ***** | 33.9 | 33.4 | 32.5 | 31.6 | 30.7 | 29.7 | 28.7 | 27.6 | 26.6 | 24.2 | 18.8 | 10.8 | |
| 10 | ***** | 32.2 | 31.7 | 30.9 | 30.0 | 29.1 | 28.2 | 27.2 | 26.2 | 25.2 | 23.0 | 17.8 | 10.3 | |
| 11 | ***** | 30.7 | 30.2 | 29.4 | 28.6 | 27.7 | 26.9 | 26.0 | 25.0 | 24.0 | 21.9 | 17.0 | 9.8 | |
| 12 | ***** | 29.4 | 28.9 | 28.2 | 27.4 | 26.6 | 25.7 | 24.8 | 23.9 | 23.0 | 21.0 | 16.3 | 9.4 | |
| 13 | ***** | 27.8 | 27.1 | 26.3 | 25.5 | 24.7 | 23.9 | 23.0 | 22.1 | 20.2 | 15.6 | 9.0 | | |
| 14 | ***** | 26.8 | 26.1 | 25.3 | 24.6 | 23.8 | 23.0 | 22.2 | 21.3 | 19.4 | 15.1 | 8.7 | | |
| 15 | ***** | 25.9 | 25.2 | 24.5 | 23.8 | 23.0 | 22.2 | 21.4 | 20.6 | 18.8 | 14.5 | 8.4 | | |
| 16 | ***** | 25.1 | 24.4 | 23.7 | 23.0 | 22.3 | 21.5 | 20.7 | 19.9 | 18.2 | 14.1 | 8.1 | | |
| 17 | ***** | 24.3 | 23.7 | 23.0 | 22.3 | 21.6 | 20.9 | 20.1 | 19.3 | 17.6 | 13.7 | 7.9 | | |
| 18 | ***** | 23.6 | 23.0 | 22.4 | 21.7 | 21.0 | 20.3 | 19.5 | 18.8 | 17.1 | 13.3 | 7.7 | | |
| 19 | ***** | 23.0 | 22.4 | 21.8 | 21.1 | 20.4 | 19.7 | 19.0 | 18.3 | 16.7 | 12.9 | 7.5 | | |
| 20 | ***** | 22.4 | 21.8 | 21.2 | 20.6 | 19.9 | 19.2 | 18.5 | 17.8 | 16.3 | 12.6 | 7.3 | | |
| 21 | ***** | 21.9 | 21.3 | 20.7 | 20.1 | 19.4 | 18.8 | 18.1 | 17.4 | 15.9 | 12.3 | 7.1 | | |
| 22 | ***** | 21.4 | 20.8 | 20.2 | 19.6 | 19.0 | 18.4 | 17.7 | 17.0 | 15.5 | 12.0 | 6.9 | | |
| 23 | ***** | 20.9 | 20.4 | 19.8 | 19.2 | 18.6 | 17.9 | 17.3 | 16.6 | 15.2 | 11.7 | 6.8 | | |
| 24 | ***** | 20.5 | 19.9 | 19.4 | 18.8 | 18.2 | 17.6 | 16.9 | 16.3 | 14.8 | 11.5 | 6.6 | | |
| 25 | ***** | 20.1 | 19.5 | 19.0 | 18.4 | 17.8 | 17.2 | 16.6 | 15.9 | 14.5 | 11.3 | 6.5 | | |
| 30 | ***** | 18.3 | 17.8 | 17.3 | 16.8 | 16.3 | 15.7 | 15.1 | 14.5 | 13.3 | 10.3 | 5.9 | | |
| 35 | ***** | 16.5 | 16.0 | 15.6 | 15.1 | 14.5 | 14.0 | 13.5 | 12.3 | 9.5 | 5.5 | | | |
| 40 | ***** | 15.4 | 15.0 | 14.5 | 14.1 | 13.6 | 13.1 | 12.6 | 11.5 | 8.9 | 5.1 | | | |
| 45 | ***** | 14.5 | 14.1 | 13.7 | 13.3 | 12.8 | 12.4 | 11.9 | 10.8 | 8.4 | 4.8 | | | |
| 50 | ***** | 13.8 | 13.4 | 13.0 | 12.6 | 12.2 | 11.7 | 11.3 | 10.3 | 8.0 | 4.6 | | | |
| 55 | ***** | 13.2 | 12.8 | 12.4 | 12.0 | 11.6 | 11.2 | 10.7 | 9.8 | 7.6 | 4.4 | | | |
| 60 | ***** | 12.6 | 12.2 | 11.9 | 11.5 | 11.1 | 10.7 | 10.3 | 9.4 | 7.3 | 4.2 | | | |
| 65 | ***** | 11.8 | 11.4 | 11.1 | 10.7 | 10.3 | 9.9 | 9.0 | 7.0 | 4.0 | | | | |
| 70 | ***** | 11.3 | 11.0 | 10.6 | 10.3 | 9.9 | 9.5 | 8.7 | 6.7 | 3.9 | | | | |
| 75 | ***** | 11.0 | 10.6 | 10.3 | 9.9 | 9.6 | 9.2 | 8.4 | 6.5 | 3.8 | | | | |
| 80 | ***** | 10.6 | 10.3 | 10.0 | 9.6 | 9.3 | 8.9 | 8.1 | 6.3 | 3.6 | | | | |
| 85 | ***** | 10.3 | 10.0 | 9.7 | 9.3 | 9.0 | 8.6 | 7.9 | 6.1 | 3.5 | | | | |
| 90 | ***** | 10.0 | 9.7 | 9.4 | 9.1 | 8.7 | 8.4 | 7.7 | 5.9 | 3.4 | | | | |
| 95 | ***** | 9.4 | 9.1 | 8.8 | 8.5 | 8.2 | 7.5 | 5.8 | 3.3 | | | | | |
| 100 | ***** | 9.2 | 8.9 | 8.6 | 8.3 | 8.0 | 7.3 | 5.6 | 3.3 | | | | | |
| 125 | ***** | 8.2 | 8.0 | 7.7 | 7.4 | 7.1 | 6.5 | 5.0 | 2.9 | | | | | |
| 150 | ***** | 7.3 | 7.0 | 6.8 | 6.5 | 5.9 | 4.6 | 2.7 | | | | | | |
| 200 | ***** | 5.9 | 5.6 | 5.1 | 4.0 | 2.3 | | | | | | | | |
| 250 | ***** | 5.0 | 4.6 | 3.6 | 2.1 | | | | | | | | | |
| 300 | ***** | 4.2 | 3.3 | 1.9 | | | | | | | | | | |
| 350 | ***** | 3.0 | 1.7 | | | | | | | | | | | |
| 400 | ***** | 2.8 | 1.6 | | | | | | | | | | | |
| 450 | ***** | 1.5 | | | | | | | | | | | | |
| 500 | ***** | 1.5 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - New Brunswick - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | | | 54.6 | 53.2 | 51.7 | 50.1 | 48.5 | 46.9 | 45.2 | 43.4 | 39.6 | 30.7 | 17.7 |
| 2 | ***** | | | 38.6 | 37.6 | 36.5 | 35.4 | 34.3 | 33.2 | 31.9 | 30.7 | 28.0 | 21.7 | 12.5 |
| 3 | ***** | | | | 30.7 | 29.8 | 28.9 | 28.0 | 27.1 | 26.1 | 25.1 | 22.9 | 17.7 | 10.2 |
| 4 | ***** | | | | 26.6 | 25.8 | 25.1 | 24.3 | 23.4 | 22.6 | 21.7 | 19.8 | 15.3 | 8.9 |
| 5 | ***** | | | | | 23.1 | 22.4 | 21.7 | 21.0 | 20.2 | 19.4 | 17.7 | 13.7 | 7.9 |
| 6 | ***** | | | | | 21.1 | 20.5 | 19.8 | 19.1 | 18.4 | 17.7 | 16.2 | 12.5 | 7.2 |
| 7 | ***** | | | | | 19.5 | 18.9 | 18.3 | 17.7 | 17.1 | 16.4 | 15.0 | 11.6 | 6.7 |
| 8 | ***** | | | | | | 17.7 | 17.2 | 16.6 | 16.0 | 15.3 | 14.0 | 10.9 | 6.3 |
| 9 | ***** | | | | | | 16.7 | 16.2 | 15.6 | 15.1 | 14.5 | 13.2 | 10.2 | 5.9 |
| 10 | ***** | | | | | | | 15.3 | 14.8 | 14.3 | 13.7 | 12.5 | 9.7 | 5.6 |
| 11 | ***** | | | | | | | 14.6 | 14.1 | 13.6 | 13.1 | 11.9 | 9.3 | 5.3 |
| 12 | ***** | | | | | | | | 13.5 | 13.0 | 12.5 | 11.4 | 8.9 | 5.1 |
| 13 | ***** | | | | | | | | 13.0 | 12.5 | 12.0 | 11.0 | 8.5 | 4.9 |
| 14 | ***** | | | | | | | | 12.5 | 12.1 | 11.6 | 10.6 | 8.2 | 4.7 |
| 15 | ***** | | | | | | | | | 11.7 | 11.2 | 10.2 | 7.9 | 4.6 |
| 16 | ***** | | | | | | | | | 11.3 | 10.9 | 9.9 | 7.7 | 4.4 |
| 17 | ***** | | | | | | | | | | 10.5 | 9.6 | 7.4 | 4.3 |
| 18 | ***** | | | | | | | | | | 10.2 | 9.3 | 7.2 | 4.2 |
| 19 | ***** | | | | | | | | | | 10.0 | 9.1 | 7.0 | 4.1 |
| 20 | ***** | | | | | | | | | | | 8.9 | 6.9 | 4.0 |
| 21 | ***** | | | | | | | | | | | 8.6 | 6.7 | 3.9 |
| 22 | ***** | | | | | | | | | | | 8.4 | 6.5 | 3.8 |
| 23 | ***** | | | | | | | | | | | 8.3 | 6.4 | 3.7 |
| 24 | ***** | | | | | | | | | | | | 6.3 | 3.6 |
| 25 | ***** | | | | | | | | | | | | 6.1 | 3.5 |
| 30 | ***** | | | | | | | | | | | | 5.6 | 3.2 |
| 35 | ***** | | | | | | | | | | | | | 3.0 |
| 40 | ***** | | | | | | | | | | | | | 2.8 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - New Brunswick - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | | | 57.4 | 55.9 | 54.3 | 52.7 | 51.0 | 49.3 | 47.5 | 45.6 | 41.6 | 32.3 | 18.6 |
| 2 | ***** | | | 40.6 | 39.5 | 38.4 | 37.2 | 36.1 | 34.8 | 33.6 | 32.3 | 29.4 | 22.8 | 13.2 |
| 3 | ***** | | | | 32.3 | 31.3 | 30.4 | 29.4 | 28.4 | 27.4 | 26.3 | 24.0 | 18.6 | 10.8 |
| 4 | ***** | | | | 27.9 | 27.1 | 26.3 | 25.5 | 24.6 | 23.7 | 22.8 | 20.8 | 16.1 | 9.3 |
| 5 | ***** | | | | | 24.3 | 23.6 | 22.8 | 22.0 | 21.2 | 20.4 | 18.6 | 14.4 | 8.3 |
| 6 | ***** | | | | | 22.2 | 21.5 | 20.8 | 20.1 | 19.4 | 18.6 | 17.0 | 13.2 | 7.6 |
| 7 | ***** | | | | | 20.5 | 19.9 | 19.3 | 18.6 | 17.9 | 17.2 | 15.7 | 12.2 | 7.0 |
| 8 | ***** | | | | | | 18.6 | 18.0 | 17.4 | 16.8 | 16.1 | 14.7 | 11.4 | 6.6 |
| 9 | ***** | | | | | | 17.6 | 17.0 | 16.4 | 15.8 | 15.2 | 13.9 | 10.8 | 6.2 |
| 10 | ***** | | | | | | | 16.1 | 15.6 | 15.0 | 14.4 | 13.2 | 10.2 | 5.9 |
| 11 | ***** | | | | | | | 15.4 | 14.9 | 14.3 | 13.8 | 12.6 | 9.7 | 5.6 |
| 12 | ***** | | | | | | | 14.7 | 14.2 | 13.7 | 13.2 | 12.0 | 9.3 | 5.4 |
| 13 | ***** | | | | | | | | 13.7 | 13.2 | 12.7 | 11.5 | 8.9 | 5.2 |
| 14 | ***** | | | | | | | | 13.2 | 12.7 | 12.2 | 11.1 | 8.6 | 5.0 |
| 15 | ***** | | | | | | | | | 12.3 | 11.8 | 10.8 | 8.3 | 4.8 |
| 16 | ***** | | | | | | | | | 11.9 | 11.4 | 10.4 | 8.1 | 4.7 |
| 17 | ***** | | | | | | | | | 11.5 | 11.1 | 10.1 | 7.8 | 4.5 |
| 18 | ***** | | | | | | | | | | 10.8 | 9.8 | 7.6 | 4.4 |
| 19 | ***** | | | | | | | | | | 10.5 | 9.6 | 7.4 | 4.3 |
| 20 | ***** | | | | | | | | | | | 9.3 | 7.2 | 4.2 |
| 21 | ***** | | | | | | | | | | | 9.1 | 7.0 | 4.1 |
| 22 | ***** | | | | | | | | | | | 8.9 | 6.9 | 4.0 |
| 23 | ***** | | | | | | | | | | | 8.7 | 6.7 | 3.9 |
| 24 | ***** | | | | | | | | | | | 8.5 | 6.6 | 3.8 |
| 25 | ***** | | | | | | | | | | | | 6.5 | 3.7 |
| 30 | ***** | | | | | | | | | | | | 5.9 | 3.4 |
| 35 | ***** | | | | | | | | | | | | | 3.1 |
| 40 | ***** | | | | | | | | | | | | | 2.9 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - New Brunswick - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 109.2 | 108.6 | 106.9 | 104.1 | 101.1 | 98.1 | 95.0 | 91.8 | 88.5 | 85.0 | 77.6 | 60.1 | 34.7 |
| 2 | ***** | 77.2 | 76.8 | 75.6 | 73.6 | 71.5 | 69.4 | 67.2 | 64.9 | 62.5 | 60.1 | 54.9 | 42.5 | 24.5 |
| 3 | ***** | 63.0 | 62.7 | 61.7 | 60.1 | 58.4 | 56.7 | 54.9 | 53.0 | 51.1 | 49.1 | 44.8 | 34.7 | 20.0 |
| 4 | ***** | 54.6 | 54.3 | 53.5 | 52.0 | 50.6 | 49.1 | 47.5 | 45.9 | 44.2 | 42.5 | 38.8 | 30.0 | 17.3 |
| 5 | ***** | 48.8 | 48.6 | 47.8 | 46.5 | 45.2 | 43.9 | 42.5 | 41.1 | 39.6 | 38.0 | 34.7 | 26.9 | 15.5 |
| 6 | ***** | 44.3 | 43.7 | 42.5 | 41.3 | 40.1 | 38.8 | 37.5 | 36.1 | 34.7 | 31.7 | 24.5 | 14.2 | |
| 7 | ***** | 41.1 | 40.4 | 39.3 | 38.2 | 37.1 | 35.9 | 34.7 | 33.4 | 32.1 | 29.3 | 22.7 | 13.1 | |
| 8 | ***** | 38.4 | 37.8 | 36.8 | 35.8 | 34.7 | 33.6 | 32.5 | 31.3 | 30.0 | 27.4 | 21.2 | 12.3 | |
| 9 | ***** | 36.2 | 35.6 | 34.7 | 33.7 | 32.7 | 31.7 | 30.6 | 29.5 | 28.3 | 25.9 | 20.0 | 11.6 | |
| 10 | ***** | 34.3 | 33.8 | 32.9 | 32.0 | 31.0 | 30.0 | 29.0 | 28.0 | 26.9 | 24.5 | 19.0 | 11.0 | |
| 11 | ***** | 32.2 | 31.4 | 30.5 | 29.6 | 28.6 | 27.7 | 26.7 | 25.6 | 23.4 | 18.1 | 10.5 | | |
| 12 | ***** | 30.9 | 30.0 | 29.2 | 28.3 | 27.4 | 26.5 | 25.5 | 24.5 | 22.4 | 17.3 | 10.0 | | |
| 13 | ***** | 29.7 | 28.9 | 28.1 | 27.2 | 26.4 | 25.5 | 24.5 | 23.6 | 21.5 | 16.7 | 9.6 | | |
| 14 | ***** | 28.6 | 27.8 | 27.0 | 26.2 | 25.4 | 24.5 | 23.6 | 22.7 | 20.7 | 16.1 | 9.3 | | |
| 15 | ***** | 27.6 | 26.9 | 26.1 | 25.3 | 24.5 | 23.7 | 22.8 | 21.9 | 20.0 | 15.5 | 9.0 | | |
| 16 | ***** | 26.7 | 26.0 | 25.3 | 24.5 | 23.8 | 22.9 | 22.1 | 21.2 | 19.4 | 15.0 | 8.7 | | |
| 17 | ***** | 25.9 | 25.2 | 24.5 | 23.8 | 23.0 | 22.3 | 21.5 | 20.6 | 18.8 | 14.6 | 8.4 | | |
| 18 | ***** | 25.2 | 24.5 | 23.8 | 23.1 | 22.4 | 21.6 | 20.8 | 20.0 | 18.3 | 14.2 | 8.2 | | |
| 19 | ***** | 24.5 | 23.9 | 23.2 | 22.5 | 21.8 | 21.1 | 20.3 | 19.5 | 17.8 | 13.8 | 8.0 | | |
| 20 | ***** | 23.9 | 23.3 | 22.6 | 21.9 | 21.2 | 20.5 | 19.8 | 19.0 | 17.3 | 13.4 | 7.8 | | |
| 21 | ***** | 23.3 | 22.7 | 22.1 | 21.4 | 20.7 | 20.0 | 19.3 | 18.5 | 16.9 | 13.1 | 7.6 | | |
| 22 | ***** | 22.8 | 22.2 | 21.6 | 20.9 | 20.3 | 19.6 | 18.9 | 18.1 | 16.5 | 12.8 | 7.4 | | |
| 23 | ***** | 22.3 | 21.7 | 21.1 | 20.5 | 19.8 | 19.1 | 18.4 | 17.7 | 16.2 | 12.5 | 7.2 | | |
| 24 | ***** | 21.8 | 21.2 | 20.6 | 20.0 | 19.4 | 18.7 | 18.1 | 17.3 | 15.8 | 12.3 | 7.1 | | |
| 25 | ***** | 21.4 | 20.8 | 20.2 | 19.6 | 19.0 | 18.4 | 17.7 | 17.0 | 15.5 | 12.0 | 6.9 | | |
| 30 | ***** | 19.0 | 18.5 | 17.9 | 17.3 | 16.8 | 16.1 | 15.5 | 14.2 | 11.0 | 6.3 | | | |
| 35 | ***** | 17.6 | 17.1 | 16.6 | 16.1 | 15.5 | 15.0 | 14.4 | 13.1 | 10.2 | 5.9 | | | |
| 40 | ***** | 16.5 | 16.0 | 15.5 | 15.0 | 14.5 | 14.0 | 13.4 | 12.3 | 9.5 | 5.5 | | | |
| 45 | ***** | 15.5 | 15.1 | 14.6 | 14.2 | 13.7 | 13.2 | 12.7 | 11.6 | 9.0 | 5.2 | | | |
| 50 | ***** | 14.7 | 14.3 | 13.9 | 13.4 | 13.0 | 12.5 | 12.0 | 11.0 | 8.5 | 4.9 | | | |
| 55 | ***** | 13.6 | 13.2 | 12.8 | 12.4 | 11.9 | 11.5 | 10.5 | 8.1 | 4.7 | | | | |
| 60 | ***** | 13.1 | 12.7 | 12.3 | 11.9 | 11.4 | 11.0 | 10.0 | 7.8 | 4.5 | | | | |
| 65 | ***** | 12.5 | 12.2 | 11.8 | 11.4 | 11.0 | 10.5 | 9.6 | 7.5 | 4.3 | | | | |
| 70 | ***** | 12.1 | 11.7 | 11.4 | 11.0 | 10.6 | 10.2 | 9.3 | 7.2 | 4.1 | | | | |
| 75 | ***** | 11.7 | 11.3 | 11.0 | 10.6 | 10.2 | 9.8 | 9.0 | 6.9 | 4.0 | | | | |
| 80 | ***** | 11.3 | 11.0 | 10.6 | 10.3 | 9.9 | 9.5 | 8.7 | 6.7 | 3.9 | | | | |
| 85 | ***** | 10.6 | 10.3 | 10.0 | 9.6 | 9.2 | 8.4 | 6.5 | 3.8 | | | | | |
| 90 | ***** | 10.3 | 10.0 | 9.7 | 9.3 | 9.0 | 8.2 | 6.3 | 3.7 | | | | | |
| 95 | ***** | 10.1 | 9.7 | 9.4 | 9.1 | 8.7 | 8.0 | 6.2 | 3.6 | | | | | |
| 100 | ***** | 9.8 | 9.5 | 9.2 | 8.8 | 8.5 | 7.8 | 6.0 | 3.5 | | | | | |
| 125 | ***** | 8.5 | 8.2 | 7.9 | 7.6 | 6.9 | 5.4 | 3.1 | | | | | | |
| 150 | ***** | 7.5 | 7.2 | 6.9 | 6.3 | 4.9 | 2.8 | | | | | | | |
| 200 | ***** | 6.0 | 5.5 | 4.2 | 2.5 | | | | | | | | | |
| 250 | ***** | 4.9 | 3.8 | 2.2 | | | | | | | | | | |
| 300 | ***** | 3.5 | 2.0 | | | | | | | | | | | |
| 350 | ***** | 3.2 | 1.9 | | | | | | | | | | | |
| 400 | ***** | 1.7 | | | | | | | | | | | | |
| 450 | ***** | 1.6 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Quebec - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 321.8 | 320.4 | 318.7 | 313.8 | 305.5 | 296.9 | 288.0 | 278.8 | 269.4 | 259.6 | 249.4 | 227.7 | 176.4 | 101.8 |
| 2 | 227.6 | 226.5 | 225.4 | 221.9 | 216.0 | 209.9 | 203.6 | 197.2 | 190.5 | 183.6 | 176.4 | 161.0 | 124.7 | 72.0 |
| 3 | 185.8 | 185.0 | 184.0 | 181.2 | 176.4 | 171.4 | 166.3 | 161.0 | 155.5 | 149.9 | 144.0 | 131.4 | 101.8 | 58.8 |
| 4 | 160.9 | 160.2 | 159.4 | 156.9 | 152.7 | 148.4 | 144.0 | 139.4 | 134.7 | 129.8 | 124.7 | 113.8 | 88.2 | 50.9 |
| 5 | 143.9 | 143.3 | 142.5 | 140.3 | 136.6 | 132.8 | 128.8 | 124.7 | 120.5 | 116.1 | 111.5 | 101.8 | 78.9 | 45.5 |
| 6 | 131.4 | 130.8 | 130.1 | 128.1 | 124.7 | 121.2 | 117.6 | 113.8 | 110.0 | 106.0 | 101.8 | 92.9 | 72.0 | 41.6 |
| 7 | ***** | 121.1 | 120.5 | 118.6 | 115.5 | 112.2 | 108.8 | 105.4 | 101.8 | 98.1 | 94.3 | 86.1 | 66.7 | 38.5 |
| 8 | ***** | 113.3 | 112.7 | 111.0 | 108.0 | 105.0 | 101.8 | 98.6 | 95.2 | 91.8 | 88.2 | 80.5 | 62.4 | 36.0 |
| 9 | ***** | 106.8 | 106.2 | 104.6 | 101.8 | 99.0 | 96.0 | 92.9 | 89.8 | 86.5 | 83.1 | 75.9 | 58.8 | 33.9 |
| 10 | ***** | 101.3 | 100.8 | 99.2 | 96.6 | 93.9 | 91.1 | 88.2 | 85.2 | 82.1 | 78.9 | 72.0 | 55.8 | 32.2 |
| 11 | ***** | 96.6 | 96.1 | 94.6 | 92.1 | 89.5 | 86.8 | 84.1 | 81.2 | 78.3 | 75.2 | 68.6 | 53.2 | 30.7 |
| 12 | ***** | 92.5 | 92.0 | 90.6 | 88.2 | 85.7 | 83.1 | 80.5 | 77.8 | 74.9 | 72.0 | 65.7 | 50.9 | 29.4 |
| 13 | ***** | 88.9 | 88.4 | 87.0 | 84.7 | 82.3 | 79.9 | 77.3 | 74.7 | 72.0 | 69.2 | 63.1 | 48.9 | 28.2 |
| 14 | ***** | 85.6 | 85.2 | 83.9 | 81.6 | 79.3 | 77.0 | 74.5 | 72.0 | 69.4 | 66.7 | 60.8 | 47.1 | 27.2 |
| 15 | ***** | 82.7 | 82.3 | 81.0 | 78.9 | 76.6 | 74.4 | 72.0 | 69.6 | 67.0 | 64.4 | 58.8 | 45.5 | 26.3 |
| 16 | ***** | 80.1 | 79.7 | 78.5 | 76.4 | 74.2 | 72.0 | 69.7 | 67.3 | 64.9 | 62.4 | 56.9 | 44.1 | 25.5 |
| 17 | ***** | 77.7 | 77.3 | 76.1 | 74.1 | 72.0 | 69.8 | 67.6 | 65.3 | 63.0 | 60.5 | 55.2 | 42.8 | 24.7 |
| 18 | ***** | 75.5 | 75.1 | 74.0 | 72.0 | 70.0 | 67.9 | 65.7 | 63.5 | 61.2 | 58.8 | 53.7 | 41.6 | 24.0 |
| 19 | ***** | 73.5 | 73.1 | 72.0 | 70.1 | 68.1 | 66.1 | 64.0 | 61.8 | 59.6 | 57.2 | 52.2 | 40.5 | 23.4 |
| 20 | ***** | 71.6 | 71.3 | 70.2 | 68.3 | 66.4 | 64.4 | 62.4 | 60.2 | 58.0 | 55.8 | 50.9 | 39.4 | 22.8 |
| 21 | ***** | 69.9 | 69.6 | 68.5 | 66.7 | 64.8 | 62.8 | 60.8 | 58.8 | 56.6 | 54.4 | 49.7 | 38.5 | 22.2 |
| 22 | ***** | 68.3 | 68.0 | 66.9 | 65.1 | 63.3 | 61.4 | 59.4 | 57.4 | 55.3 | 53.2 | 48.5 | 37.6 | 21.7 |
| 23 | ***** | 66.8 | 66.5 | 65.4 | 63.7 | 61.9 | 60.0 | 58.1 | 56.2 | 54.1 | 52.0 | 47.5 | 36.8 | 21.2 |
| 24 | ***** | 65.4 | 65.1 | 64.1 | 62.4 | 60.6 | 58.8 | 56.9 | 55.0 | 53.0 | 50.9 | 46.5 | 36.0 | 20.8 |
| 25 | ***** | 64.1 | 63.7 | 62.8 | 61.1 | 59.4 | 57.6 | 55.8 | 53.9 | 51.9 | 49.9 | 45.5 | 35.3 | 20.4 |
| 30 | ***** | 58.5 | 58.2 | 57.3 | 55.8 | 54.2 | 52.6 | 50.9 | 49.2 | 47.4 | 45.5 | 41.6 | 32.2 | 18.6 |
| 35 | ***** | 54.2 | 53.9 | 53.0 | 51.6 | 50.2 | 48.7 | 47.1 | 45.5 | 43.9 | 42.2 | 38.5 | 29.8 | 17.2 |
| 40 | ***** | 50.7 | 50.4 | 49.6 | 48.3 | 46.9 | 45.5 | 44.1 | 42.6 | 41.0 | 39.4 | 36.0 | 27.9 | 16.1 |
| 45 | ***** | 47.8 | 47.5 | 46.8 | 45.5 | 44.3 | 42.9 | 41.6 | 40.2 | 38.7 | 37.2 | 33.9 | 26.3 | 15.2 |
| 50 | ***** | 45.3 | 45.1 | 44.4 | 43.2 | 42.0 | 40.7 | 39.4 | 38.1 | 36.7 | 35.3 | 32.2 | 24.9 | 14.4 |
| 55 | ***** | 43.2 | 43.0 | 42.3 | 41.2 | 40.0 | 38.8 | 37.6 | 36.3 | 35.0 | 33.6 | 30.7 | 23.8 | 13.7 |
| 60 | ***** | 41.4 | 41.1 | 40.5 | 39.4 | 38.3 | 37.2 | 36.0 | 34.8 | 33.5 | 32.2 | 29.4 | 22.8 | 13.1 |
| 65 | ***** | ***** | 39.5 | 38.9 | 37.9 | 36.8 | 35.7 | 34.6 | 33.4 | 32.2 | 30.9 | 28.2 | 21.9 | 12.6 |
| 70 | ***** | ***** | 38.1 | 37.5 | 36.5 | 35.5 | 34.4 | 33.3 | 32.2 | 31.0 | 29.8 | 27.2 | 21.1 | 12.2 |
| 75 | ***** | ***** | 36.8 | 36.2 | 35.3 | 34.3 | 33.3 | 32.2 | 31.1 | 30.0 | 28.8 | 26.3 | 20.4 | 11.8 |
| 80 | ***** | ***** | 35.6 | 35.1 | 34.2 | 33.2 | 32.2 | 31.2 | 30.1 | 29.0 | 27.9 | 25.5 | 19.7 | 11.4 |
| 85 | ***** | ***** | 34.6 | 34.0 | 33.1 | 32.2 | 31.2 | 30.2 | 29.2 | 28.2 | 27.1 | 24.7 | 19.1 | 11.0 |
| 90 | ***** | ***** | 33.6 | 33.1 | 32.2 | 31.3 | 30.4 | 29.4 | 28.4 | 27.4 | 26.3 | 24.0 | 18.6 | 10.7 |
| 95 | ***** | ***** | 32.7 | 32.2 | 31.3 | 30.5 | 29.5 | 28.6 | 27.6 | 26.6 | 25.6 | 23.4 | 18.1 | 10.4 |
| 100 | ***** | ***** | 31.9 | 31.4 | 30.5 | 29.7 | 28.8 | 27.9 | 26.9 | 26.0 | 24.9 | 22.8 | 17.6 | 10.2 |
| 125 | ***** | ***** | 28.5 | 28.1 | 27.3 | 26.6 | 25.8 | 24.9 | 24.1 | 23.2 | 22.3 | 20.4 | 15.8 | 9.1 |
| 150 | ***** | ***** | ***** | 25.6 | 24.9 | 24.2 | 23.5 | 22.8 | 22.0 | 21.2 | 20.4 | 18.6 | 14.4 | 8.3 |
| 200 | ***** | ***** | ***** | 22.2 | 21.6 | 21.0 | 20.4 | 19.7 | 19.0 | 18.4 | 17.6 | 16.1 | 12.5 | 7.2 |
| 250 | ***** | ***** | ***** | 19.8 | 19.3 | 18.8 | 18.2 | 17.6 | 17.0 | 16.4 | 15.8 | 14.4 | 11.2 | 6.4 |
| 300 | ***** | ***** | ***** | 18.1 | 17.6 | 17.1 | 16.6 | 16.1 | 15.6 | 15.0 | 14.4 | 13.1 | 10.2 | 5.9 |
| 350 | ***** | ***** | ***** | ***** | 16.3 | 15.9 | 15.4 | 14.9 | 14.4 | 13.9 | 13.3 | 12.2 | 9.4 | 5.4 |
| 400 | ***** | ***** | ***** | ***** | 15.3 | 14.8 | 14.4 | 13.9 | 13.5 | 13.0 | 12.5 | 11.4 | 8.8 | 5.1 |
| 450 | ***** | ***** | ***** | ***** | 14.4 | 14.0 | 13.6 | 13.1 | 12.7 | 12.2 | 11.8 | 10.7 | 8.3 | 4.8 |
| 500 | ***** | ***** | ***** | ***** | 13.7 | 13.3 | 12.9 | 12.5 | 12.0 | 11.6 | 11.2 | 10.2 | 7.9 | 4.6 |
| 750 | ***** | ***** | ***** | ***** | ***** | 10.8 | 10.5 | 10.2 | 9.8 | 9.5 | 9.1 | 8.3 | 6.4 | 3.7 |
| 1,000 | ***** | ***** | ***** | ***** | ***** | ***** | 9.1 | 8.8 | 8.5 | 8.2 | 7.9 | 7.2 | 5.6 | 3.2 |
| 1,500 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 7.2 | 7.0 | 6.7 | 6.4 | 5.9 | 4.6 | 2.6 |
| 2,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 5.8 | 5.6 | 5.1 | 4.9 | 3.9 | 2.3 |
| 3,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 4.2 | 3.9 | 3.2 | 1.9 |
| 4,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 2.8 | 2.1 | 1.6 |
| 5,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 1.4 | 1.4 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Quebec - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 150.3 | 149.5 | 147.2 | 143.3 | 139.3 | 135.1 | 130.8 | 126.4 | 121.8 | 117.0 | 106.8 | 82.7 | 47.8 |
| 2 | ***** | 106.3 | 105.7 | 104.1 | 101.3 | 98.5 | 95.5 | 92.5 | 89.4 | 86.1 | 82.7 | 75.5 | 58.5 | 33.8 |
| 3 | ***** | 86.8 | 86.3 | 85.0 | 82.7 | 80.4 | 78.0 | 75.5 | 73.0 | 70.3 | 67.5 | 61.7 | 47.8 | 27.6 |
| 4 | ***** | 75.1 | 74.8 | 73.6 | 71.6 | 69.6 | 67.5 | 65.4 | 63.2 | 60.9 | 58.5 | 53.4 | 41.4 | 23.9 |
| 5 | ***** | 66.9 | 65.8 | 64.1 | 62.3 | 60.4 | 58.5 | 56.5 | 54.5 | 52.3 | 47.8 | 37.0 | 21.4 | |
| 6 | ***** | 61.0 | 60.1 | 58.5 | 56.8 | 55.2 | 53.4 | 51.6 | 49.7 | 47.8 | 43.6 | 33.8 | 19.5 | |
| 7 | ***** | 56.5 | 55.6 | 54.2 | 52.6 | 51.1 | 49.4 | 47.8 | 46.0 | 44.2 | 40.4 | 31.3 | 18.1 | |
| 8 | ***** | 52.9 | 52.0 | 50.7 | 49.2 | 47.8 | 46.2 | 44.7 | 43.1 | 41.4 | 37.8 | 29.2 | 16.9 | |
| 9 | ***** | 49.8 | 49.1 | 47.8 | 46.4 | 45.0 | 43.6 | 42.1 | 40.6 | 39.0 | 35.6 | 27.6 | 15.9 | |
| 10 | ***** | 46.6 | 45.3 | 44.0 | 42.7 | 41.4 | 40.0 | 38.5 | 37.0 | 33.8 | 26.2 | 15.1 | | |
| 11 | ***** | 44.4 | 43.2 | 42.0 | 40.7 | 39.4 | 38.1 | 36.7 | 35.3 | 32.2 | 24.9 | 14.4 | | |
| 12 | ***** | 42.5 | 41.4 | 40.2 | 39.0 | 37.8 | 36.5 | 35.2 | 33.8 | 30.8 | 23.9 | 13.8 | | |
| 13 | ***** | 40.8 | 39.7 | 38.6 | 37.5 | 36.3 | 35.0 | 33.8 | 32.4 | 29.6 | 22.9 | 13.2 | | |
| 14 | ***** | 39.3 | 38.3 | 37.2 | 36.1 | 35.0 | 33.8 | 32.5 | 31.3 | 28.5 | 22.1 | 12.8 | | |
| 15 | ***** | 38.0 | 37.0 | 36.0 | 34.9 | 33.8 | 32.6 | 31.4 | 30.2 | 27.6 | 21.4 | 12.3 | | |
| 16 | ***** | 36.8 | 35.8 | 34.8 | 33.8 | 32.7 | 31.6 | 30.4 | 29.2 | 26.7 | 20.7 | 11.9 | | |
| 17 | ***** | 35.7 | 34.8 | 33.8 | 32.8 | 31.7 | 30.6 | 29.5 | 28.4 | 25.9 | 20.1 | 11.6 | | |
| 18 | ***** | 34.7 | 33.8 | 32.8 | 31.8 | 30.8 | 29.8 | 28.7 | 27.6 | 25.2 | 19.5 | 11.3 | | |
| 19 | ***** | 33.8 | 32.9 | 31.9 | 31.0 | 30.0 | 29.0 | 27.9 | 26.8 | 24.5 | 19.0 | 11.0 | | |
| 20 | ***** | 32.9 | 32.0 | 31.1 | 30.2 | 29.2 | 28.3 | 27.2 | 26.2 | 23.9 | 18.5 | 10.7 | | |
| 21 | ***** | 32.1 | 31.3 | 30.4 | 29.5 | 28.5 | 27.6 | 26.6 | 25.5 | 23.3 | 18.1 | 10.4 | | |
| 22 | ***** | 31.4 | 30.5 | 29.7 | 28.8 | 27.9 | 26.9 | 26.0 | 24.9 | 22.8 | 17.6 | 10.2 | | |
| 23 | ***** | 30.7 | 29.9 | 29.0 | 28.2 | 27.3 | 26.3 | 25.4 | 24.4 | 22.3 | 17.3 | 10.0 | | |
| 24 | ***** | 30.1 | 29.2 | 28.4 | 27.6 | 26.7 | 25.8 | 24.9 | 23.9 | 21.8 | 16.9 | 9.7 | | |
| 25 | ***** | 28.7 | 27.9 | 27.0 | 26.2 | 25.3 | 24.4 | 23.4 | 21.4 | 16.5 | 9.6 | | | |
| 30 | ***** | 26.2 | 25.4 | 24.7 | 23.9 | 23.1 | 22.2 | 21.4 | 19.5 | 15.1 | 8.7 | | | |
| 35 | ***** | 24.2 | 23.5 | 22.8 | 22.1 | 21.4 | 20.6 | 19.8 | 18.1 | 14.0 | 8.1 | | | |
| 40 | ***** | 22.7 | 22.0 | 21.4 | 20.7 | 20.0 | 19.3 | 18.5 | 16.9 | 13.1 | 7.6 | | | |
| 45 | ***** | 21.4 | 20.8 | 20.1 | 19.5 | 18.8 | 18.2 | 17.4 | 15.9 | 12.3 | 7.1 | | | |
| 50 | ***** | 19.7 | 19.1 | 18.5 | 17.9 | 17.2 | 16.5 | 15.1 | 11.7 | 6.8 | | | | |
| 55 | ***** | 18.8 | 18.2 | 17.6 | 17.0 | 16.4 | 15.8 | 14.4 | 11.2 | 6.4 | | | | |
| 60 | ***** | 18.0 | 17.4 | 16.9 | 16.3 | 15.7 | 15.1 | 13.8 | 10.7 | 6.2 | | | | |
| 65 | ***** | 17.3 | 16.8 | 16.2 | 15.7 | 15.1 | 14.5 | 13.2 | 10.3 | 5.9 | | | | |
| 70 | ***** | 16.6 | 16.1 | 15.6 | 15.1 | 14.6 | 14.0 | 12.8 | 9.9 | 5.7 | | | | |
| 75 | ***** | 15.6 | 15.1 | 14.6 | 14.1 | 13.5 | 12.3 | 9.6 | 5.5 | | | | | |
| 80 | ***** | 15.1 | 14.6 | 14.1 | 13.6 | 13.1 | 11.9 | 9.2 | 5.3 | | | | | |
| 85 | ***** | 14.7 | 14.2 | 13.7 | 13.2 | 12.7 | 11.6 | 9.0 | 5.2 | | | | | |
| 90 | ***** | 14.2 | 13.8 | 13.3 | 12.8 | 12.3 | 11.3 | 8.7 | 5.0 | | | | | |
| 95 | ***** | 13.9 | 13.4 | 13.0 | 12.5 | 12.0 | 11.0 | 8.5 | 4.9 | | | | | |
| 100 | ***** | 13.1 | 12.6 | 12.2 | 11.7 | 10.7 | 8.3 | 4.8 | | | | | | |
| 125 | ***** | 11.3 | 10.9 | 10.5 | 9.6 | 7.4 | 4.3 | | | | | | | |
| 150 | ***** | 9.9 | 9.6 | 8.7 | 6.8 | 3.9 | | | | | | | | |
| 200 | ***** | 7.6 | 5.8 | 3.4 | | | | | | | | | | |
| 250 | ***** | 5.2 | 3.0 | | | | | | | | | | | |
| 300 | ***** | 4.8 | 2.8 | | | | | | | | | | | |
| 350 | ***** | 2.6 | | | | | | | | | | | | |
| 400 | ***** | 2.4 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Quebec - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 172.4 | 171.5 | 168.9 | 164.4 | 159.7 | 155.0 | 150.0 | 144.9 | 139.7 | 134.2 | 122.5 | 94.9 | 54.8 |
| 2 | ***** | 121.9 | 121.3 | 119.4 | 116.2 | 112.9 | 109.6 | 106.1 | 102.5 | 98.8 | 94.9 | 86.6 | 67.1 | 38.7 |
| 3 | ***** | 99.5 | 99.0 | 97.5 | 94.9 | 92.2 | 89.5 | 86.6 | 83.7 | 80.6 | 77.5 | 70.7 | 54.8 | 31.6 |
| 4 | ***** | 86.2 | 85.8 | 84.4 | 82.2 | 79.9 | 77.5 | 75.0 | 72.5 | 69.8 | 67.1 | 61.3 | 47.4 | 27.4 |
| 5 | ***** | 76.7 | 75.5 | 73.5 | 71.4 | 69.3 | 67.1 | 64.8 | 62.5 | 60.0 | 54.8 | 42.4 | 24.5 | |
| 6 | ***** | 70.0 | 68.9 | 67.1 | 65.2 | 63.3 | 61.3 | 59.2 | 57.0 | 54.8 | 50.0 | 38.7 | 22.4 | |
| 7 | ***** | 64.8 | 63.8 | 62.1 | 60.4 | 58.6 | 56.7 | 54.8 | 52.8 | 50.7 | 46.3 | 35.9 | 20.7 | |
| 8 | ***** | 60.6 | 59.7 | 58.1 | 56.5 | 54.8 | 53.0 | 51.2 | 49.4 | 47.4 | 43.3 | 33.5 | 19.4 | |
| 9 | ***** | 57.2 | 56.3 | 54.8 | 53.2 | 51.7 | 50.0 | 48.3 | 46.6 | 44.7 | 40.8 | 31.6 | 18.3 | |
| 10 | ***** | 53.4 | 52.0 | 50.5 | 49.0 | 47.4 | 45.8 | 44.2 | 42.4 | 40.8 | 38.7 | 30.0 | 17.3 | |
| 11 | ***** | 50.9 | 49.6 | 48.2 | 46.7 | 45.2 | 43.7 | 42.1 | 40.5 | 38.9 | 36.9 | 28.6 | 16.5 | |
| 12 | ***** | 48.7 | 47.4 | 46.1 | 44.7 | 43.3 | 41.8 | 40.3 | 38.7 | 37.2 | 35.4 | 27.4 | 15.8 | |
| 13 | ***** | 46.8 | 45.6 | 44.3 | 43.0 | 41.6 | 40.2 | 38.7 | 37.2 | 34.0 | 26.3 | 15.2 | | |
| 14 | ***** | 45.1 | 43.9 | 42.7 | 41.4 | 40.1 | 38.7 | 37.3 | 35.9 | 32.7 | 25.4 | 14.6 | | |
| 15 | ***** | 43.6 | 42.4 | 41.2 | 40.0 | 38.7 | 37.4 | 36.1 | 34.6 | 31.6 | 24.5 | 14.1 | | |
| 16 | ***** | 42.2 | 41.1 | 39.9 | 38.7 | 37.5 | 36.2 | 34.9 | 33.5 | 30.6 | 23.7 | 13.7 | | |
| 17 | ***** | 41.0 | 39.9 | 38.7 | 37.6 | 36.4 | 35.2 | 33.9 | 32.5 | 29.7 | 23.0 | 13.3 | | |
| 18 | ***** | 39.8 | 38.7 | 37.6 | 36.5 | 35.4 | 34.2 | 32.9 | 31.6 | 28.9 | 22.4 | 12.9 | | |
| 19 | ***** | 38.7 | 37.7 | 36.6 | 35.5 | 34.4 | 33.3 | 32.0 | 30.8 | 28.1 | 21.8 | 12.6 | | |
| 20 | ***** | 37.8 | 36.8 | 35.7 | 34.6 | 33.5 | 32.4 | 31.2 | 30.0 | 27.4 | 21.2 | 12.3 | | |
| 21 | ***** | 36.8 | 35.9 | 34.9 | 33.8 | 32.7 | 31.6 | 30.5 | 29.3 | 26.7 | 20.7 | 12.0 | | |
| 22 | ***** | 36.0 | 35.0 | 34.1 | 33.0 | 32.0 | 30.9 | 29.8 | 28.6 | 26.1 | 20.2 | 11.7 | | |
| 23 | ***** | 35.2 | 34.3 | 33.3 | 32.3 | 31.3 | 30.2 | 29.1 | 28.0 | 25.5 | 19.8 | 11.4 | | |
| 24 | ***** | 33.5 | 32.6 | 31.6 | 30.6 | 29.6 | 28.5 | 27.4 | 25.0 | 19.4 | 11.2 | | | |
| 25 | ***** | 32.9 | 31.9 | 31.0 | 30.0 | 29.0 | 27.9 | 26.8 | 24.5 | 19.0 | 11.0 | | | |
| 30 | ***** | 30.0 | 29.2 | 28.3 | 27.4 | 26.5 | 25.5 | 24.5 | 22.4 | 17.3 | 10.0 | | | |
| 35 | ***** | 27.8 | 27.0 | 26.2 | 25.4 | 24.5 | 23.6 | 22.7 | 20.7 | 16.0 | 9.3 | | | |
| 40 | ***** | 26.0 | 25.3 | 24.5 | 23.7 | 22.9 | 22.1 | 21.2 | 19.4 | 15.0 | 8.7 | | | |
| 45 | ***** | 24.5 | 23.8 | 23.1 | 22.4 | 21.6 | 20.8 | 20.0 | 18.3 | 14.1 | 8.2 | | | |
| 50 | ***** | 22.6 | 21.9 | 21.2 | 20.5 | 19.8 | 19.0 | 17.3 | 13.4 | 7.7 | | | | |
| 55 | ***** | 21.5 | 20.9 | 20.2 | 19.5 | 18.8 | 18.1 | 16.5 | 12.8 | 7.4 | | | | |
| 60 | ***** | 20.6 | 20.0 | 19.4 | 18.7 | 18.0 | 17.3 | 15.8 | 12.3 | 7.1 | | | | |
| 65 | ***** | 19.8 | 19.2 | 18.6 | 18.0 | 17.3 | 16.6 | 15.2 | 11.8 | 6.8 | | | | |
| 70 | ***** | 19.1 | 18.5 | 17.9 | 17.3 | 16.7 | 16.0 | 14.6 | 11.3 | 6.5 | | | | |
| 75 | ***** | 17.9 | 17.3 | 16.7 | 16.1 | 15.5 | 14.1 | 11.0 | 6.3 | | | | | |
| 80 | ***** | 17.3 | 16.8 | 16.2 | 15.6 | 15.0 | 13.7 | 10.6 | 6.1 | | | | | |
| 85 | ***** | 16.8 | 16.3 | 15.7 | 15.1 | 14.6 | 13.3 | 10.3 | 5.9 | | | | | |
| 90 | ***** | 16.3 | 15.8 | 15.3 | 14.7 | 14.1 | 12.9 | 10.0 | 5.8 | | | | | |
| 95 | ***** | 15.9 | 15.4 | 14.9 | 14.3 | 13.8 | 12.6 | 9.7 | 5.6 | | | | | |
| 100 | ***** | 15.0 | 14.5 | 14.0 | 13.4 | 12.3 | 9.5 | 5.5 | | | | | | |
| 125 | ***** | 13.0 | 12.5 | 12.0 | 11.0 | 8.5 | 4.9 | | | | | | | |
| 150 | ***** | 11.4 | 11.0 | 10.0 | 7.7 | 4.5 | | | | | | | | |
| 200 | ***** | 8.7 | 6.7 | 3.9 | | | | | | | | | | |
| 250 | ***** | 6.0 | 3.5 | | | | | | | | | | | |
| 300 | ***** | 5.5 | 3.2 | | | | | | | | | | | |
| 350 | ***** | 2.9 | | | | | | | | | | | | |
| 400 | ***** | 2.7 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Quebec - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 350.4 | 348.9 | 347.1 | 341.7 | 332.6 | 323.2 | 313.6 | 303.6 | 293.3 | 282.7 | 271.6 | 247.9 | 192.0 | 110.9 |
| 2 | 247.8 | 246.7 | 245.4 | 241.6 | 235.2 | 228.6 | 221.7 | 214.7 | 207.4 | 199.9 | 192.0 | 175.3 | 135.8 | 78.4 |
| 3 | 202.3 | 201.4 | 200.4 | 197.3 | 192.0 | 186.6 | 181.1 | 175.3 | 169.4 | 163.2 | 156.8 | 143.1 | 110.9 | 64.0 |
| 4 | 175.2 | 174.4 | 173.5 | 170.9 | 166.3 | 161.6 | 156.8 | 151.8 | 146.7 | 141.3 | 135.8 | 124.0 | 96.0 | 55.4 |
| 5 | 156.7 | 156.0 | 155.2 | 152.8 | 148.8 | 144.6 | 140.2 | 135.8 | 131.2 | 126.4 | 121.5 | 110.9 | 85.9 | 49.6 |
| 6 | ***** | 142.4 | 141.7 | 139.5 | 135.8 | 132.0 | 128.0 | 124.0 | 119.8 | 115.4 | 110.9 | 101.2 | 78.4 | 45.3 |
| 7 | ***** | 131.9 | 131.2 | 129.2 | 125.7 | 122.2 | 118.5 | 114.8 | 110.9 | 106.8 | 102.6 | 93.7 | 72.6 | 41.9 |
| 8 | ***** | 123.3 | 122.7 | 120.8 | 117.6 | 114.3 | 110.9 | 107.4 | 103.7 | 99.9 | 96.0 | 87.7 | 67.9 | 39.2 |
| 9 | ***** | 116.3 | 115.7 | 113.9 | 110.9 | 107.7 | 104.5 | 101.2 | 97.8 | 94.2 | 90.5 | 82.6 | 64.0 | 37.0 |
| 10 | ***** | 110.3 | 109.8 | 108.1 | 105.2 | 102.2 | 99.2 | 96.0 | 92.8 | 89.4 | 85.9 | 78.4 | 60.7 | 35.1 |
| 11 | ***** | 105.2 | 104.7 | 103.0 | 100.3 | 97.5 | 94.6 | 91.6 | 88.4 | 85.2 | 81.9 | 74.8 | 57.9 | 33.4 |
| 12 | ***** | 100.7 | 100.2 | 98.6 | 96.0 | 93.3 | 90.5 | 87.7 | 84.7 | 81.6 | 78.4 | 71.6 | 55.4 | 32.0 |
| 13 | ***** | 96.8 | 96.3 | 94.8 | 92.3 | 89.7 | 87.0 | 84.2 | 81.4 | 78.4 | 75.3 | 68.8 | 53.3 | 30.8 |
| 14 | ***** | 93.2 | 92.8 | 91.3 | 88.9 | 86.4 | 83.8 | 81.2 | 78.4 | 75.5 | 72.6 | 66.3 | 51.3 | 29.6 |
| 15 | ***** | 90.1 | 89.6 | 88.2 | 85.9 | 83.5 | 81.0 | 78.4 | 75.7 | 73.0 | 70.1 | 64.0 | 49.6 | 28.6 |
| 16 | ***** | 87.2 | 86.8 | 85.4 | 83.2 | 80.8 | 78.4 | 75.9 | 73.3 | 70.7 | 67.9 | 62.0 | 48.0 | 27.7 |
| 17 | ***** | 84.6 | 84.2 | 82.9 | 80.7 | 78.4 | 76.1 | 73.6 | 71.1 | 68.6 | 65.9 | 60.1 | 46.6 | 26.9 |
| 18 | ***** | 82.2 | 81.8 | 80.5 | 78.4 | 76.2 | 73.9 | 71.6 | 69.1 | 66.6 | 64.0 | 58.4 | 45.3 | 26.1 |
| 19 | ***** | 80.0 | 79.6 | 78.4 | 76.3 | 74.2 | 71.9 | 69.7 | 67.3 | 64.8 | 62.3 | 56.9 | 44.1 | 25.4 |
| 20 | ***** | 78.0 | 77.6 | 76.4 | 74.4 | 72.3 | 70.1 | 67.9 | 65.6 | 63.2 | 60.7 | 55.4 | 42.9 | 24.8 |
| 21 | ***** | 76.1 | 75.7 | 74.6 | 72.6 | 70.5 | 68.4 | 66.3 | 64.0 | 61.7 | 59.3 | 54.1 | 41.9 | 24.2 |
| 22 | ***** | 74.4 | 74.0 | 72.9 | 70.9 | 68.9 | 66.9 | 64.7 | 62.5 | 60.3 | 57.9 | 52.9 | 40.9 | 23.6 |
| 23 | ***** | 72.7 | 72.4 | 71.3 | 69.4 | 67.4 | 65.4 | 63.3 | 61.2 | 58.9 | 56.6 | 51.7 | 40.0 | 23.1 |
| 24 | ***** | 71.2 | 70.8 | 69.8 | 67.9 | 66.0 | 64.0 | 62.0 | 59.9 | 57.7 | 55.4 | 50.6 | 39.2 | 22.6 |
| 25 | ***** | 69.8 | 69.4 | 68.3 | 66.5 | 64.6 | 62.7 | 60.7 | 58.7 | 56.5 | 54.3 | 49.6 | 38.4 | 22.2 |
| 30 | ***** | 63.7 | 63.4 | 62.4 | 60.7 | 59.0 | 57.3 | 55.4 | 53.6 | 51.6 | 49.6 | 45.3 | 35.1 | 20.2 |
| 35 | ***** | 59.0 | 58.7 | 57.8 | 56.2 | 54.6 | 53.0 | 51.3 | 49.6 | 47.8 | 45.9 | 41.9 | 32.5 | 18.7 |
| 40 | ***** | 55.2 | 54.9 | 54.0 | 52.6 | 51.1 | 49.6 | 48.0 | 46.4 | 44.7 | 42.9 | 39.2 | 30.4 | 17.5 |
| 45 | ***** | 52.0 | 51.7 | 50.9 | 49.6 | 48.2 | 46.7 | 45.3 | 43.7 | 42.1 | 40.5 | 37.0 | 28.6 | 16.5 |
| 50 | ***** | 49.3 | 49.1 | 48.3 | 47.0 | 45.7 | 44.3 | 42.9 | 41.5 | 40.0 | 38.4 | 35.1 | 27.2 | 15.7 |
| 55 | ***** | 46.8 | 46.1 | 44.9 | 43.6 | 42.3 | 40.9 | 39.6 | 38.1 | 36.6 | 35.1 | 33.4 | 25.9 | 15.0 |
| 60 | ***** | 44.8 | 44.1 | 42.9 | 41.7 | 40.5 | 39.2 | 37.9 | 36.5 | 35.1 | 33.7 | 32.0 | 24.8 | 14.3 |
| 65 | ***** | 43.1 | 42.4 | 41.3 | 40.1 | 38.9 | 37.7 | 36.4 | 35.1 | 33.7 | 32.3 | 30.8 | 23.8 | 13.8 |
| 70 | ***** | 41.5 | 40.8 | 39.8 | 38.6 | 37.5 | 36.3 | 35.1 | 33.8 | 32.5 | 31.2 | 29.6 | 23.0 | 13.3 |
| 75 | ***** | 40.1 | 39.5 | 38.4 | 37.3 | 36.2 | 35.1 | 33.9 | 32.6 | 31.4 | 30.1 | 28.6 | 22.2 | 12.8 |
| 80 | ***** | 38.8 | 38.2 | 37.2 | 36.1 | 35.1 | 33.9 | 32.8 | 31.6 | 30.4 | 29.2 | 27.7 | 21.5 | 12.4 |
| 85 | ***** | 37.6 | 37.1 | 36.1 | 35.1 | 34.0 | 32.9 | 31.8 | 30.7 | 29.5 | 28.3 | 26.9 | 20.8 | 12.0 |
| 90 | ***** | 36.6 | 36.0 | 35.1 | 34.1 | 33.1 | 32.0 | 30.9 | 29.8 | 28.6 | 27.4 | 26.1 | 20.2 | 11.7 |
| 95 | ***** | 35.6 | 35.1 | 34.1 | 33.2 | 32.2 | 31.2 | 30.1 | 29.0 | 27.9 | 26.8 | 25.4 | 19.7 | 11.4 |
| 100 | ***** | 34.7 | 34.2 | 33.3 | 32.3 | 31.4 | 30.4 | 29.3 | 28.3 | 27.2 | 26.1 | 24.8 | 19.2 | 11.1 |
| 125 | ***** | 30.6 | 29.8 | 28.9 | 28.0 | 27.2 | 26.2 | 25.3 | 24.3 | 23.3 | 22.2 | 21.1 | 17.2 | 9.9 |
| 150 | ***** | 27.9 | 27.2 | 26.4 | 25.6 | 24.8 | 24.0 | 23.1 | 22.2 | 21.2 | 20.2 | 19.2 | 15.7 | 9.1 |
| 200 | ***** | 24.2 | 23.5 | 22.9 | 22.2 | 21.5 | 20.7 | 20.0 | 19.2 | 18.4 | 17.5 | 16.5 | 13.6 | 7.8 |
| 250 | ***** | 21.6 | 21.0 | 20.4 | 19.8 | 19.2 | 18.6 | 17.9 | 17.2 | 16.5 | 15.7 | 14.8 | 12.1 | 7.0 |
| 300 | ***** | 19.2 | 18.7 | 18.1 | 17.5 | 16.9 | 16.3 | 15.7 | 15.1 | 14.5 | 13.9 | 13.3 | 11.1 | 6.4 |
| 350 | ***** | 17.8 | 17.3 | 16.8 | 16.2 | 15.7 | 15.1 | 14.5 | 13.9 | 13.3 | 12.8 | 12.2 | 10.3 | 5.9 |
| 400 | ***** | 16.6 | 16.2 | 15.7 | 15.2 | 14.7 | 14.1 | 13.6 | 13.0 | 12.5 | 12.0 | 11.4 | 9.6 | 5.5 |
| 450 | ***** | 15.7 | 15.2 | 14.8 | 14.3 | 13.8 | 13.3 | 12.8 | 12.3 | 11.8 | 11.3 | 10.8 | 9.1 | 5.2 |
| 500 | ***** | 14.9 | 14.5 | 14.0 | 13.6 | 13.1 | 12.6 | 12.1 | 11.6 | 11.1 | 10.6 | 10.1 | 8.6 | 5.0 |
| 750 | ***** | 11.8 | 11.5 | 11.1 | 10.7 | 10.3 | 9.9 | 9.5 | 9.1 | 8.7 | 8.3 | 7.9 | 7.0 | 4.0 |
| 1,000 | ***** | 9.9 | 9.6 | 9.3 | 9.0 | 8.6 | 8.3 | 7.9 | 7.6 | 7.2 | 6.9 | 6.6 | 6.1 | 3.5 |
| 1,500 | ***** | 7.6 | 7.3 | 7.0 | 6.7 | 6.4 | 6.1 | 5.8 | 5.5 | 5.2 | 4.9 | 4.6 | 5.0 | 2.9 |
| 2,000 | ***** | 6.1 | 5.8 | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 4.0 | 3.7 | 3.4 | 3.1 | 4.3 | 2.5 |
| 3,000 | ***** | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 4.0 | 3.7 | 3.4 | 3.1 | 2.8 | 2.5 | 3.5 | 2.0 |
| 4,000 | ***** | 5.0 | 4.7 | 4.4 | 4.1 | 3.8 | 3.5 | 3.2 | 2.9 | 2.6 | 2.3 | 2.0 | 3.0 | 1.8 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Ontario - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 451.4 | 449.4 | 447.1 | 440.2 | 428.5 | 416.4 | 404.0 | 391.2 | 377.9 | 364.1 | 349.9 | 319.4 | 247.4 | 142.8 |
| 2 | 319.2 | 317.8 | 316.2 | 311.3 | 303.0 | 294.4 | 285.7 | 276.6 | 267.2 | 257.5 | 247.4 | 225.8 | 174.9 | 101.0 |
| 3 | 260.6 | 259.5 | 258.1 | 254.2 | 247.4 | 240.4 | 233.2 | 225.8 | 218.2 | 210.2 | 202.0 | 184.4 | 142.8 | 82.5 |
| 4 | 225.7 | 224.7 | 223.6 | 220.1 | 214.2 | 208.2 | 202.0 | 195.6 | 188.9 | 182.1 | 174.9 | 159.7 | 123.7 | 71.4 |
| 5 | 201.9 | 201.0 | 200.0 | 196.9 | 191.6 | 186.2 | 180.7 | 174.9 | 169.0 | 162.9 | 156.5 | 142.8 | 110.6 | 63.9 |
| 6 | 184.3 | 183.5 | 182.5 | 179.7 | 174.9 | 170.0 | 164.9 | 159.7 | 154.3 | 148.7 | 142.8 | 130.4 | 101.0 | 58.3 |
| 7 | 170.6 | 169.9 | 169.0 | 166.4 | 162.0 | 157.4 | 152.7 | 147.8 | 142.8 | 137.6 | 132.2 | 120.7 | 93.5 | 54.0 |
| 8 | 159.6 | 158.9 | 158.1 | 155.6 | 151.5 | 147.2 | 142.8 | 138.3 | 133.6 | 128.7 | 123.7 | 112.9 | 87.5 | 50.5 |
| 9 | 150.5 | 149.8 | 149.0 | 146.7 | 142.8 | 138.8 | 134.7 | 130.4 | 126.0 | 121.4 | 116.6 | 106.5 | 82.5 | 47.6 |
| 10 | 142.8 | 142.1 | 141.4 | 139.2 | 135.5 | 131.7 | 127.8 | 123.7 | 119.5 | 115.2 | 110.6 | 101.0 | 78.2 | 45.2 |
| 11 | ***** | 135.5 | 134.8 | 132.7 | 129.2 | 125.6 | 121.8 | 117.9 | 113.9 | 109.8 | 105.5 | 96.3 | 74.6 | 43.1 |
| 12 | ***** | 129.7 | 129.1 | 127.1 | 123.7 | 120.2 | 116.6 | 112.9 | 109.1 | 105.1 | 101.0 | 92.2 | 71.4 | 41.2 |
| 13 | ***** | 124.6 | 124.0 | 122.1 | 118.8 | 115.5 | 112.0 | 108.5 | 104.8 | 101.0 | 97.0 | 88.6 | 68.6 | 39.6 |
| 14 | ***** | 120.1 | 119.5 | 117.7 | 114.5 | 111.3 | 108.0 | 104.5 | 101.0 | 97.3 | 93.5 | 85.4 | 66.1 | 38.2 |
| 15 | ***** | 116.0 | 115.4 | 113.7 | 110.6 | 107.5 | 104.3 | 101.0 | 97.6 | 94.0 | 90.3 | 82.5 | 63.9 | 36.9 |
| 16 | ***** | 112.4 | 111.8 | 110.1 | 107.1 | 104.1 | 101.0 | 97.8 | 94.5 | 91.0 | 87.5 | 79.8 | 61.8 | 35.7 |
| 17 | ***** | 109.0 | 108.4 | 106.8 | 103.9 | 101.0 | 98.0 | 94.9 | 91.7 | 88.3 | 84.9 | 77.5 | 60.0 | 34.6 |
| 18 | ***** | 105.9 | 105.4 | 103.8 | 101.0 | 98.1 | 95.2 | 92.2 | 89.1 | 85.8 | 82.5 | 75.3 | 58.3 | 33.7 |
| 19 | ***** | 103.1 | 102.6 | 101.0 | 98.3 | 95.5 | 92.7 | 89.7 | 86.7 | 83.5 | 80.3 | 73.3 | 56.8 | 32.8 |
| 20 | ***** | 100.5 | 100.0 | 98.4 | 95.8 | 93.1 | 90.3 | 87.5 | 84.5 | 81.4 | 78.2 | 71.4 | 55.3 | 31.9 |
| 21 | ***** | 98.1 | 97.6 | 96.1 | 93.5 | 90.9 | 88.2 | 85.4 | 82.5 | 79.5 | 76.3 | 69.7 | 54.0 | 31.2 |
| 22 | ***** | 95.8 | 95.3 | 93.9 | 91.4 | 88.8 | 86.1 | 83.4 | 80.6 | 77.6 | 74.6 | 68.1 | 52.7 | 30.5 |
| 23 | ***** | 93.7 | 93.2 | 91.8 | 89.3 | 86.8 | 84.2 | 81.6 | 78.8 | 75.9 | 73.0 | 66.6 | 51.6 | 29.8 |
| 24 | ***** | 91.7 | 91.3 | 89.9 | 87.5 | 85.0 | 82.5 | 79.8 | 77.1 | 74.3 | 71.4 | 65.2 | 50.5 | 29.2 |
| 25 | ***** | 89.9 | 89.4 | 88.0 | 85.7 | 83.3 | 80.8 | 78.2 | 75.6 | 72.8 | 70.0 | 63.9 | 49.5 | 28.6 |
| 30 | ***** | 82.0 | 81.6 | 80.4 | 78.2 | 76.0 | 73.8 | 71.4 | 69.0 | 66.5 | 63.9 | 58.3 | 45.2 | 26.1 |
| 35 | ***** | 76.0 | 75.6 | 74.4 | 72.4 | 70.4 | 68.3 | 66.1 | 63.9 | 61.6 | 59.1 | 54.0 | 41.8 | 24.1 |
| 40 | ***** | 71.1 | 70.7 | 69.6 | 67.7 | 65.8 | 63.9 | 61.8 | 59.7 | 57.6 | 55.3 | 50.5 | 39.1 | 22.6 |
| 45 | ***** | 67.0 | 66.7 | 65.6 | 63.9 | 62.1 | 60.2 | 58.3 | 56.3 | 54.3 | 52.2 | 47.6 | 36.9 | 21.3 |
| 50 | ***** | 63.6 | 63.2 | 62.3 | 60.6 | 58.9 | 57.1 | 55.3 | 53.4 | 51.5 | 49.5 | 45.2 | 35.0 | 20.2 |
| 55 | ***** | 60.6 | 60.3 | 59.4 | 57.8 | 56.1 | 54.5 | 52.7 | 51.0 | 49.1 | 47.2 | 43.1 | 33.4 | 19.3 |
| 60 | ***** | 58.0 | 57.7 | 56.8 | 55.3 | 53.8 | 52.2 | 50.5 | 48.8 | 47.0 | 45.2 | 41.2 | 31.9 | 18.4 |
| 65 | ***** | 55.7 | 55.5 | 54.6 | 53.1 | 51.6 | 50.1 | 48.5 | 46.9 | 45.2 | 43.4 | 39.6 | 30.7 | 17.7 |
| 70 | ***** | 53.7 | 53.4 | 52.6 | 51.2 | 49.8 | 48.3 | 46.8 | 45.2 | 43.5 | 41.8 | 38.2 | 29.6 | 17.1 |
| 75 | ***** | 51.9 | 51.6 | 50.8 | 49.5 | 48.1 | 46.6 | 45.2 | 43.6 | 42.0 | 40.4 | 36.9 | 28.6 | 16.5 |
| 80 | ***** | 50.2 | 50.0 | 49.2 | 47.9 | 46.6 | 45.2 | 43.7 | 42.2 | 40.7 | 39.1 | 35.7 | 27.7 | 16.0 |
| 85 | ***** | 48.7 | 48.5 | 47.7 | 46.5 | 45.2 | 43.8 | 42.4 | 41.0 | 39.5 | 37.9 | 34.6 | 26.8 | 15.5 |
| 90 | ***** | 47.4 | 47.1 | 46.4 | 45.2 | 43.9 | 42.6 | 41.2 | 39.8 | 38.4 | 36.9 | 33.7 | 26.1 | 15.1 |
| 95 | ***** | 46.1 | 45.9 | 45.2 | 44.0 | 42.7 | 41.4 | 40.1 | 38.8 | 37.4 | 35.9 | 32.8 | 25.4 | 14.7 |
| 100 | ***** | 44.9 | 44.7 | 44.0 | 42.8 | 41.6 | 40.4 | 39.1 | 37.8 | 36.4 | 35.0 | 31.9 | 24.7 | 14.3 |
| 125 | ***** | 40.0 | 39.4 | 38.3 | 37.2 | 36.1 | 35.0 | 33.8 | 32.6 | 31.3 | 28.6 | 22.1 | 12.8 | |
| 150 | ***** | 36.5 | 35.9 | 35.0 | 34.0 | 33.0 | 31.9 | 30.9 | 29.7 | 28.6 | 26.1 | 20.2 | 11.7 | |
| 200 | ***** | 31.6 | 31.1 | 30.3 | 29.4 | 28.6 | 27.7 | 26.7 | 25.7 | 24.7 | 22.6 | 17.5 | 10.1 | |
| 250 | ***** | 27.8 | 27.1 | 26.3 | 25.6 | 24.7 | 23.9 | 23.0 | 22.1 | 21.2 | 20.2 | 15.6 | 9.0 | |
| 300 | ***** | 25.4 | 24.7 | 24.0 | 23.3 | 22.6 | 21.8 | 21.0 | 20.2 | 19.4 | 18.4 | 14.3 | 8.2 | |
| 350 | ***** | 23.5 | 22.9 | 22.3 | 21.6 | 20.9 | 20.2 | 19.5 | 18.7 | 17.9 | 17.1 | 13.2 | 7.6 | |
| 400 | ***** | 22.0 | 21.4 | 20.8 | 20.2 | 19.6 | 19.0 | 18.4 | 17.8 | 17.2 | 16.5 | 12.4 | 7.1 | |
| 450 | ***** | 20.8 | 20.2 | 19.6 | 19.0 | 18.4 | 17.8 | 17.2 | 16.5 | 15.9 | 15.1 | 11.7 | 6.7 | |
| 500 | ***** | 19.7 | 19.2 | 18.6 | 18.1 | 17.5 | 16.9 | 16.3 | 15.6 | 15.0 | 14.3 | 11.1 | 6.4 | |
| 750 | ***** | 15.6 | 15.2 | 14.8 | 14.3 | 13.8 | 13.3 | 12.8 | 12.3 | 11.7 | 11.1 | 9.0 | 5.2 | |
| 1,000 | ***** | 13.5 | 13.2 | 12.8 | 12.4 | 11.9 | 11.5 | 11.1 | 10.6 | 10.1 | 9.6 | 7.8 | 4.5 | |
| 1,500 | ***** | 10.8 | 10.4 | 10.1 | 9.8 | 9.4 | 9.0 | 8.6 | 8.2 | 7.8 | 7.4 | 6.4 | 3.7 | |
| 2,000 | ***** | 9.0 | 8.7 | 8.4 | 8.1 | 7.8 | 7.4 | 7.0 | 6.6 | 6.2 | 5.8 | 5.5 | 3.2 | |
| 3,000 | ***** | 6.9 | 6.6 | 6.4 | 6.1 | 5.8 | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 4.5 | 2.6 | |
| 4,000 | ***** | 5.5 | 5.0 | 4.9 | 4.7 | 4.5 | 4.3 | 4.1 | 3.9 | 3.7 | 3.5 | 3.9 | 2.3 | |
| 5,000 | ***** | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 3.5 | 2.0 |
| 6,000 | ***** | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 3.2 | 1.8 |
| 7,000 | ***** | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 1.7 |
| 8,000 | ***** | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 | 1.6 |
| 9,000 | ***** | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Ontario - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 226.5 | 225.4 | 221.9 | 216.0 | 209.9 | 203.6 | 197.2 | 190.5 | 183.6 | 176.4 | 161.0 | 124.7 | 72.0 |
| 2 | ***** | 160.2 | 159.4 | 156.9 | 152.7 | 148.4 | 144.0 | 139.4 | 134.7 | 129.8 | 124.7 | 113.8 | 88.2 | 50.9 |
| 3 | ***** | 130.8 | 130.1 | 128.1 | 124.7 | 121.2 | 117.6 | 113.8 | 110.0 | 106.0 | 101.8 | 92.9 | 72.0 | 41.6 |
| 4 | ***** | 113.3 | 112.7 | 111.0 | 108.0 | 105.0 | 101.8 | 98.6 | 95.2 | 91.8 | 88.2 | 80.5 | 62.4 | 36.0 |
| 5 | ***** | 101.3 | 100.8 | 99.2 | 96.6 | 93.9 | 91.1 | 88.2 | 85.2 | 82.1 | 78.9 | 72.0 | 55.8 | 32.2 |
| 6 | ***** | 92.5 | 92.0 | 90.6 | 88.2 | 85.7 | 83.1 | 80.5 | 77.8 | 74.9 | 72.0 | 65.7 | 50.9 | 29.4 |
| 7 | ***** | 85.6 | 85.2 | 83.9 | 81.6 | 79.3 | 77.0 | 74.5 | 72.0 | 69.4 | 66.7 | 60.8 | 47.1 | 27.2 |
| 8 | ***** | 80.1 | 79.7 | 78.5 | 76.4 | 74.2 | 72.0 | 69.7 | 67.3 | 64.9 | 62.4 | 56.9 | 44.1 | 25.5 |
| 9 | ***** | ***** | 75.1 | 74.0 | 72.0 | 70.0 | 67.9 | 65.7 | 63.5 | 61.2 | 58.8 | 53.7 | 41.6 | 24.0 |
| 10 | ***** | ***** | 71.3 | 70.2 | 68.3 | 66.4 | 64.4 | 62.4 | 60.2 | 58.0 | 55.8 | 50.9 | 39.4 | 22.8 |
| 11 | ***** | ***** | 68.0 | 66.9 | 65.1 | 63.3 | 61.4 | 59.4 | 57.4 | 55.3 | 53.2 | 48.5 | 37.6 | 21.7 |
| 12 | ***** | ***** | 65.1 | 64.1 | 62.4 | 60.6 | 58.8 | 56.9 | 55.0 | 53.0 | 50.9 | 46.5 | 36.0 | 20.8 |
| 13 | ***** | ***** | 62.5 | 61.5 | 59.9 | 58.2 | 56.5 | 54.7 | 52.8 | 50.9 | 48.9 | 44.6 | 34.6 | 20.0 |
| 14 | ***** | ***** | 60.2 | 59.3 | 57.7 | 56.1 | 54.4 | 52.7 | 50.9 | 49.1 | 47.1 | 43.0 | 33.3 | 19.2 |
| 15 | ***** | ***** | 58.2 | 57.3 | 55.8 | 54.2 | 52.6 | 50.9 | 49.2 | 47.4 | 45.5 | 41.6 | 32.2 | 18.6 |
| 16 | ***** | ***** | 56.3 | 55.5 | 54.0 | 52.5 | 50.9 | 49.3 | 47.6 | 45.9 | 44.1 | 40.2 | 31.2 | 18.0 |
| 17 | ***** | ***** | 54.7 | 53.8 | 52.4 | 50.9 | 49.4 | 47.8 | 46.2 | 44.5 | 42.8 | 39.0 | 30.2 | 17.5 |
| 18 | ***** | ***** | ***** | 52.3 | 50.9 | 49.5 | 48.0 | 46.5 | 44.9 | 43.3 | 41.6 | 37.9 | 29.4 | 17.0 |
| 19 | ***** | ***** | ***** | 50.9 | 49.6 | 48.2 | 46.7 | 45.2 | 43.7 | 42.1 | 40.5 | 36.9 | 28.6 | 16.5 |
| 20 | ***** | ***** | ***** | 49.6 | 48.3 | 46.9 | 45.5 | 44.1 | 42.6 | 41.0 | 39.4 | 36.0 | 27.9 | 16.1 |
| 21 | ***** | ***** | ***** | 48.4 | 47.1 | 45.8 | 44.4 | 43.0 | 41.6 | 40.1 | 38.5 | 35.1 | 27.2 | 15.7 |
| 22 | ***** | ***** | ***** | 47.3 | 46.0 | 44.8 | 43.4 | 42.0 | 40.6 | 39.1 | 37.6 | 34.3 | 26.6 | 15.3 |
| 23 | ***** | ***** | ***** | 46.3 | 45.0 | 43.8 | 42.5 | 41.1 | 39.7 | 38.3 | 36.8 | 33.6 | 26.0 | 15.0 |
| 24 | ***** | ***** | ***** | 45.3 | 44.1 | 42.8 | 41.6 | 40.2 | 38.9 | 37.5 | 36.0 | 32.9 | 25.5 | 14.7 |
| 25 | ***** | ***** | ***** | 44.4 | 43.2 | 42.0 | 40.7 | 39.4 | 38.1 | 36.7 | 35.3 | 32.2 | 24.9 | 14.4 |
| 30 | ***** | ***** | ***** | 40.5 | 39.4 | 38.3 | 37.2 | 36.0 | 34.8 | 33.5 | 32.2 | 29.4 | 22.8 | 13.1 |
| 35 | ***** | ***** | ***** | 37.5 | 36.5 | 35.5 | 34.4 | 33.3 | 32.2 | 31.0 | 29.8 | 27.2 | 21.1 | 12.2 |
| 40 | ***** | ***** | ***** | 35.1 | 34.2 | 33.2 | 32.2 | 31.2 | 30.1 | 29.0 | 27.9 | 25.5 | 19.7 | 11.4 |
| 45 | ***** | ***** | ***** | 32.2 | 31.3 | 30.4 | 29.4 | 28.4 | 27.4 | 26.4 | 25.4 | 24.0 | 18.6 | 10.7 |
| 50 | ***** | ***** | ***** | 30.5 | 29.7 | 28.8 | 27.9 | 26.9 | 26.0 | 24.9 | 23.8 | 22.8 | 17.6 | 10.2 |
| 55 | ***** | ***** | ***** | 29.1 | 28.3 | 27.5 | 26.6 | 25.7 | 24.8 | 23.8 | 22.8 | 21.7 | 16.8 | 9.7 |
| 60 | ***** | ***** | ***** | 27.9 | 27.1 | 26.3 | 25.5 | 24.6 | 23.7 | 22.8 | 21.8 | 20.8 | 16.1 | 9.3 |
| 65 | ***** | ***** | ***** | 26.8 | 26.0 | 25.3 | 24.5 | 23.6 | 22.8 | 21.9 | 21.0 | 20.0 | 15.5 | 8.9 |
| 70 | ***** | ***** | ***** | 25.8 | 25.1 | 24.3 | 23.6 | 22.8 | 21.9 | 21.1 | 20.2 | 19.2 | 14.9 | 8.6 |
| 75 | ***** | ***** | ***** | 24.9 | 24.2 | 23.5 | 22.8 | 22.0 | 21.2 | 20.4 | 19.6 | 18.6 | 14.4 | 8.3 |
| 80 | ***** | ***** | ***** | 24.1 | 23.5 | 22.8 | 22.0 | 21.3 | 20.5 | 19.7 | 18.9 | 18.0 | 13.9 | 8.0 |
| 85 | ***** | ***** | ***** | 23.4 | 22.8 | 22.1 | 21.4 | 20.7 | 19.9 | 19.1 | 18.3 | 17.5 | 13.5 | 7.8 |
| 90 | ***** | ***** | ***** | 22.1 | 21.5 | 20.8 | 20.1 | 19.3 | 18.6 | 17.8 | 17.0 | 16.1 | 13.1 | 7.6 |
| 95 | ***** | ***** | ***** | 21.5 | 20.9 | 20.2 | 19.5 | 18.8 | 18.1 | 17.3 | 16.5 | 15.6 | 12.8 | 7.4 |
| 100 | ***** | ***** | ***** | 21.0 | 20.4 | 19.7 | 19.0 | 18.4 | 17.6 | 16.8 | 16.1 | 15.2 | 12.5 | 7.2 |
| 125 | ***** | ***** | ***** | 18.8 | 18.2 | 17.6 | 17.0 | 16.4 | 15.8 | 15.2 | 14.4 | 13.5 | 11.2 | 6.4 |
| 150 | ***** | ***** | ***** | 16.6 | 16.1 | 15.6 | 15.0 | 14.4 | 13.8 | 13.2 | 12.4 | 11.5 | 10.2 | 5.9 |
| 200 | ***** | ***** | ***** | 13.9 | 13.5 | 13.0 | 12.5 | 12.0 | 11.4 | 10.8 | 10.2 | 9.3 | 8.8 | 5.1 |
| 250 | ***** | ***** | ***** | 12.0 | 11.6 | 11.2 | 10.7 | 10.2 | 9.7 | 9.2 | 8.6 | 8.0 | 7.9 | 4.6 |
| 300 | ***** | ***** | ***** | 10.6 | 10.2 | 9.8 | 9.3 | 8.8 | 8.3 | 7.8 | 7.3 | 6.8 | 7.2 | 4.2 |
| 350 | ***** | ***** | ***** | 8.6 | 8.2 | 7.8 | 7.4 | 7.0 | 6.6 | 6.2 | 5.8 | 5.4 | 6.7 | 3.8 |
| 400 | ***** | ***** | ***** | 8.0 | 7.6 | 7.2 | 6.8 | 6.4 | 6.0 | 5.6 | 5.2 | 4.8 | 6.2 | 3.6 |
| 450 | ***** | ***** | ***** | 5.9 | 5.6 | 5.3 | 5.0 | 4.7 | 4.4 | 4.1 | 3.8 | 3.5 | 5.9 | 3.4 |
| 500 | ***** | ***** | ***** | 5.6 | 5.3 | 5.0 | 4.7 | 4.4 | 4.1 | 3.8 | 3.5 | 3.2 | 5.6 | 3.2 |
| 750 | ***** | ***** | ***** | 2.6 | 2.5 | 2.4 | 2.3 | 2.2 | 2.1 | 2.0 | 1.9 | 1.8 | 2.6 | 2.6 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Ontario - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 263.8 | 262.5 | 258.5 | 251.6 | 244.5 | 237.2 | 229.6 | 221.9 | 213.8 | 205.4 | 187.5 | 145.2 | 83.9 |
| 2 | ***** | 186.6 | 185.6 | 182.8 | 177.9 | 172.9 | 167.7 | 162.4 | 156.9 | 151.2 | 145.2 | 132.6 | 102.7 | 59.3 |
| 3 | ***** | 152.3 | 151.6 | 149.2 | 145.2 | 141.1 | 136.9 | 132.6 | 128.1 | 123.4 | 118.6 | 108.3 | 83.9 | 48.4 |
| 4 | ***** | 131.9 | 131.3 | 129.2 | 125.8 | 122.2 | 118.6 | 114.8 | 110.9 | 106.9 | 102.7 | 93.8 | 72.6 | 41.9 |
| 5 | ***** | 118.0 | 117.4 | 115.6 | 112.5 | 109.3 | 106.1 | 102.7 | 99.2 | 95.6 | 91.9 | 83.9 | 65.0 | 37.5 |
| 6 | ***** | 107.7 | 107.2 | 105.5 | 102.7 | 99.8 | 96.8 | 93.8 | 90.6 | 87.3 | 83.9 | 76.5 | 59.3 | 34.2 |
| 7 | ***** | 99.7 | 99.2 | 97.7 | 95.1 | 92.4 | 89.6 | 86.8 | 83.9 | 80.8 | 77.6 | 70.9 | 54.9 | 31.7 |
| 8 | ***** | 93.3 | 92.8 | 91.4 | 88.9 | 86.4 | 83.9 | 81.2 | 78.4 | 75.6 | 72.6 | 66.3 | 51.4 | 29.6 |
| 9 | ***** | 87.5 | 86.2 | 83.9 | 81.5 | 79.1 | 76.5 | 74.0 | 71.3 | 68.5 | 62.5 | 48.4 | 28.0 | 26.6 |
| 10 | ***** | 83.0 | 81.7 | 79.6 | 77.3 | 75.0 | 72.6 | 70.2 | 67.6 | 65.0 | 59.3 | 45.9 | 26.5 | 26.5 |
| 11 | ***** | 79.1 | 77.9 | 75.8 | 73.7 | 71.5 | 69.2 | 66.9 | 64.5 | 61.9 | 56.5 | 43.8 | 25.3 | 25.3 |
| 12 | ***** | 75.8 | 74.6 | 72.6 | 70.6 | 68.5 | 66.3 | 64.0 | 61.7 | 59.3 | 54.1 | 41.9 | 24.2 | 24.2 |
| 13 | ***** | 72.8 | 71.7 | 69.8 | 67.8 | 65.8 | 63.7 | 61.5 | 59.3 | 57.0 | 52.0 | 40.3 | 23.3 | 23.3 |
| 14 | ***** | 70.2 | 69.1 | 67.2 | 65.3 | 63.4 | 61.4 | 59.3 | 57.1 | 54.9 | 50.1 | 38.8 | 22.4 | 22.4 |
| 15 | ***** | 67.8 | 66.7 | 65.0 | 63.1 | 61.2 | 59.3 | 57.3 | 55.2 | 53.0 | 48.4 | 37.5 | 21.7 | 21.7 |
| 16 | ***** | 65.6 | 64.6 | 62.9 | 61.1 | 59.3 | 57.4 | 55.5 | 53.4 | 51.4 | 46.9 | 36.3 | 21.0 | 21.0 |
| 17 | ***** | 63.7 | 62.7 | 61.0 | 59.3 | 57.5 | 55.7 | 53.8 | 51.9 | 49.8 | 45.5 | 35.2 | 20.3 | 20.3 |
| 18 | ***** | 60.9 | 59.3 | 57.6 | 55.9 | 54.1 | 52.3 | 50.4 | 48.4 | 44.2 | 34.2 | 19.8 | 19.8 | 19.8 |
| 19 | ***** | 59.3 | 57.7 | 56.1 | 54.4 | 52.7 | 50.9 | 49.0 | 47.1 | 43.0 | 33.3 | 19.2 | 19.2 | 19.2 |
| 20 | ***** | 57.8 | 56.3 | 54.7 | 53.0 | 51.4 | 49.6 | 47.8 | 45.9 | 41.9 | 32.5 | 18.8 | 18.8 | 18.8 |
| 21 | ***** | 56.4 | 54.9 | 53.3 | 51.8 | 50.1 | 48.4 | 46.7 | 44.8 | 40.9 | 31.7 | 18.3 | 18.3 | 18.3 |
| 22 | ***** | 55.1 | 53.6 | 52.1 | 50.6 | 49.0 | 47.3 | 45.6 | 43.8 | 40.0 | 31.0 | 17.9 | 17.9 | 17.9 |
| 23 | ***** | 53.9 | 52.5 | 51.0 | 49.5 | 47.9 | 46.3 | 44.6 | 42.8 | 39.1 | 30.3 | 17.5 | 17.5 | 17.5 |
| 24 | ***** | 52.8 | 51.4 | 49.9 | 48.4 | 46.9 | 45.3 | 43.6 | 41.9 | 38.3 | 29.6 | 17.1 | 17.1 | 17.1 |
| 25 | ***** | 51.7 | 50.3 | 48.9 | 47.4 | 45.9 | 44.4 | 42.8 | 41.1 | 37.5 | 29.0 | 16.8 | 16.8 | 16.8 |
| 30 | ***** | 47.2 | 45.9 | 44.6 | 43.3 | 41.9 | 40.5 | 39.0 | 37.5 | 34.2 | 26.5 | 15.3 | 15.3 | 15.3 |
| 35 | ***** | 43.7 | 42.5 | 41.3 | 40.1 | 38.8 | 37.5 | 36.1 | 34.7 | 31.7 | 24.6 | 14.2 | 14.2 | 14.2 |
| 40 | ***** | 40.9 | 39.8 | 38.7 | 37.5 | 36.3 | 35.1 | 33.8 | 32.5 | 29.6 | 23.0 | 13.3 | 13.3 | 13.3 |
| 45 | ***** | 37.5 | 36.4 | 35.4 | 34.2 | 33.1 | 31.9 | 30.6 | 28.0 | 21.7 | 12.5 | 12.5 | 12.5 | 12.5 |
| 50 | ***** | 35.6 | 34.6 | 33.5 | 32.5 | 31.4 | 30.2 | 29.0 | 26.5 | 20.5 | 11.9 | 11.9 | 11.9 | 11.9 |
| 55 | ***** | 33.9 | 33.0 | 32.0 | 31.0 | 29.9 | 28.8 | 27.7 | 25.3 | 19.6 | 11.3 | 11.3 | 11.3 | 11.3 |
| 60 | ***** | 32.5 | 31.6 | 30.6 | 29.6 | 28.6 | 27.6 | 26.5 | 24.2 | 18.8 | 10.8 | 10.8 | 10.8 | 10.8 |
| 65 | ***** | 31.2 | 30.3 | 29.4 | 28.5 | 27.5 | 26.5 | 25.5 | 23.3 | 18.0 | 10.4 | 10.4 | 10.4 | 10.4 |
| 70 | ***** | 30.1 | 29.2 | 28.3 | 27.4 | 26.5 | 25.6 | 24.6 | 22.4 | 17.4 | 10.0 | 10.0 | 10.0 | 10.0 |
| 75 | ***** | 29.0 | 28.2 | 27.4 | 26.5 | 25.6 | 24.7 | 23.7 | 21.7 | 16.8 | 9.7 | 9.7 | 9.7 | 9.7 |
| 80 | ***** | 28.1 | 27.3 | 26.5 | 25.7 | 24.8 | 23.9 | 23.0 | 21.0 | 16.2 | 9.4 | 9.4 | 9.4 | 9.4 |
| 85 | ***** | 27.3 | 26.5 | 25.7 | 24.9 | 24.1 | 23.2 | 22.3 | 20.3 | 15.8 | 9.1 | 9.1 | 9.1 | 9.1 |
| 90 | ***** | 25.8 | 25.0 | 24.2 | 23.4 | 22.5 | 21.6 | 20.7 | 18.8 | 14.5 | 8.8 | 8.8 | 8.8 | 8.8 |
| 95 | ***** | 25.1 | 24.3 | 23.6 | 22.8 | 21.9 | 21.1 | 20.2 | 18.3 | 14.0 | 8.6 | 8.6 | 8.6 | 8.6 |
| 100 | ***** | 24.4 | 23.7 | 23.0 | 22.2 | 21.4 | 20.5 | 19.6 | 17.7 | 13.3 | 8.4 | 8.4 | 8.4 | 8.4 |
| 125 | ***** | 21.9 | 21.2 | 20.5 | 19.8 | 19.1 | 18.4 | 17.7 | 15.8 | 11.4 | 7.5 | 7.5 | 7.5 | 7.5 |
| 150 | ***** | 19.4 | 18.8 | 18.1 | 17.5 | 16.8 | 16.1 | 15.4 | 13.5 | 9.9 | 6.8 | 6.8 | 6.8 | 6.8 |
| 200 | ***** | 16.2 | 15.7 | 15.1 | 14.5 | 13.9 | 13.3 | 12.7 | 10.8 | 7.9 | 5.9 | 5.9 | 5.9 | 5.9 |
| 250 | ***** | 14.0 | 13.5 | 13.0 | 12.5 | 11.9 | 11.4 | 10.8 | 9.2 | 6.8 | 5.3 | 5.3 | 5.3 | 5.3 |
| 300 | ***** | 12.3 | 11.9 | 11.5 | 11.1 | 10.7 | 10.3 | 9.9 | 8.4 | 6.4 | 4.8 | 4.8 | 4.8 | 4.8 |
| 350 | ***** | 11.0 | 10.7 | 10.4 | 10.1 | 9.8 | 9.5 | 9.2 | 7.8 | 6.0 | 4.5 | 4.5 | 4.5 | 4.5 |
| 400 | ***** | 9.4 | 9.1 | 8.8 | 8.5 | 8.2 | 7.9 | 7.6 | 6.4 | 5.0 | 3.8 | 3.8 | 3.8 | 3.8 |
| 450 | ***** | 8.8 | 8.5 | 8.2 | 7.9 | 7.6 | 7.3 | 7.0 | 5.9 | 4.6 | 3.4 | 3.4 | 3.4 | 3.4 |
| 500 | ***** | 8.5 | 8.2 | 7.9 | 7.6 | 7.3 | 7.0 | 6.7 | 5.7 | 4.4 | 3.3 | 3.3 | 3.3 | 3.3 |
| 750 | ***** | 6.5 | 6.3 | 6.1 | 5.9 | 5.7 | 5.5 | 5.3 | 4.4 | 3.4 | 2.6 | 2.6 | 2.6 | 2.6 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Ontario - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 484.6 | 482.4 | 479.9 | 472.5 | 459.9 | 447.0 | 433.6 | 419.9 | 405.6 | 390.9 | 375.5 | 342.8 | 265.5 | 153.3 |
| 2 | 342.6 | 341.1 | 339.4 | 334.1 | 325.2 | 316.1 | 306.6 | 296.9 | 286.8 | 276.4 | 265.5 | 242.4 | 187.8 | 108.4 |
| 3 | 279.8 | 278.5 | 277.1 | 272.8 | 265.5 | 258.1 | 250.4 | 242.4 | 234.2 | 225.7 | 216.8 | 197.9 | 153.3 | 88.5 |
| 4 | 242.3 | 241.2 | 240.0 | 236.3 | 230.0 | 223.5 | 216.8 | 209.9 | 202.8 | 195.4 | 187.8 | 171.4 | 132.8 | 76.7 |
| 5 | 216.7 | 215.7 | 214.6 | 211.3 | 205.7 | 199.9 | 193.9 | 187.8 | 181.4 | 174.8 | 167.9 | 153.3 | 118.8 | 68.6 |
| 6 | 197.8 | 196.9 | 195.9 | 192.9 | 187.8 | 182.5 | 177.0 | 171.4 | 165.6 | 159.6 | 153.3 | 140.0 | 108.4 | 62.6 |
| 7 | 183.1 | 182.3 | 181.4 | 178.6 | 173.8 | 168.9 | 163.9 | 158.7 | 153.3 | 147.7 | 141.9 | 129.6 | 100.4 | 57.9 |
| 8 | 171.3 | 170.5 | 169.7 | 167.1 | 162.6 | 158.0 | 153.3 | 148.4 | 143.4 | 138.2 | 132.8 | 121.2 | 93.9 | 54.2 |
| 9 | ***** | 160.8 | 160.0 | 157.5 | 153.3 | 149.0 | 144.5 | 140.0 | 135.2 | 130.3 | 125.2 | 114.3 | 88.5 | 51.1 |
| 10 | ***** | 152.5 | 151.8 | 149.4 | 145.4 | 141.3 | 137.1 | 132.8 | 128.3 | 123.6 | 118.8 | 108.4 | 84.0 | 48.5 |
| 11 | ***** | 145.4 | 144.7 | 142.5 | 138.7 | 134.8 | 130.7 | 126.6 | 122.3 | 117.9 | 113.2 | 103.4 | 80.1 | 46.2 |
| 12 | ***** | 139.3 | 138.5 | 136.4 | 132.8 | 129.0 | 125.2 | 121.2 | 117.1 | 112.8 | 108.4 | 99.0 | 76.7 | 44.3 |
| 13 | ***** | 133.8 | 133.1 | 131.1 | 127.6 | 124.0 | 120.3 | 116.4 | 112.5 | 108.4 | 104.2 | 95.1 | 73.6 | 42.5 |
| 14 | ***** | 128.9 | 128.3 | 126.3 | 122.9 | 119.5 | 115.9 | 112.2 | 108.4 | 104.5 | 100.4 | 91.6 | 71.0 | 41.0 |
| 15 | ***** | 124.5 | 123.9 | 122.0 | 118.8 | 115.4 | 112.0 | 108.4 | 104.7 | 100.9 | 97.0 | 88.5 | 68.6 | 39.6 |
| 16 | ***** | 120.6 | 120.0 | 118.1 | 115.0 | 111.7 | 108.4 | 105.0 | 101.4 | 97.7 | 93.9 | 85.7 | 66.4 | 38.3 |
| 17 | ***** | 117.0 | 116.4 | 114.6 | 111.5 | 108.4 | 105.2 | 101.8 | 98.4 | 94.8 | 91.1 | 83.1 | 64.4 | 37.2 |
| 18 | ***** | 113.7 | 113.1 | 111.4 | 108.4 | 105.4 | 102.2 | 99.0 | 95.6 | 92.1 | 88.5 | 80.8 | 62.6 | 36.1 |
| 19 | ***** | 110.7 | 110.1 | 108.4 | 105.5 | 102.5 | 99.5 | 96.3 | 93.1 | 89.7 | 86.2 | 78.6 | 60.9 | 35.2 |
| 20 | ***** | 107.9 | 107.3 | 105.7 | 102.8 | 99.9 | 97.0 | 93.9 | 90.7 | 87.4 | 84.0 | 76.7 | 59.4 | 34.3 |
| 21 | ***** | 105.3 | 104.7 | 103.1 | 100.4 | 97.5 | 94.6 | 91.6 | 88.5 | 85.3 | 81.9 | 74.8 | 57.9 | 33.5 |
| 22 | ***** | 102.8 | 102.3 | 100.7 | 98.1 | 95.3 | 92.4 | 89.5 | 86.5 | 83.3 | 80.1 | 73.1 | 56.6 | 32.7 |
| 23 | ***** | 100.6 | 100.1 | 98.5 | 95.9 | 93.2 | 90.4 | 87.5 | 84.6 | 81.5 | 78.3 | 71.5 | 55.4 | 32.0 |
| 24 | ***** | 98.5 | 98.0 | 96.5 | 93.9 | 91.2 | 88.5 | 85.7 | 82.8 | 79.8 | 76.7 | 70.0 | 54.2 | 31.3 |
| 25 | ***** | 96.5 | 96.0 | 94.5 | 92.0 | 89.4 | 86.7 | 84.0 | 81.1 | 78.2 | 75.1 | 68.6 | 53.1 | 30.7 |
| 30 | ***** | 88.1 | 87.6 | 86.3 | 84.0 | 81.6 | 79.2 | 76.7 | 74.1 | 71.4 | 68.6 | 62.6 | 48.5 | 28.0 |
| 35 | ***** | 81.5 | 81.1 | 79.9 | 77.7 | 75.6 | 73.3 | 71.0 | 68.6 | 66.1 | 63.5 | 57.9 | 44.9 | 25.9 |
| 40 | ***** | 76.3 | 75.9 | 74.7 | 72.7 | 70.7 | 68.6 | 66.4 | 64.1 | 61.8 | 59.4 | 54.2 | 42.0 | 24.2 |
| 45 | ***** | 71.9 | 71.5 | 70.4 | 68.6 | 66.6 | 64.6 | 62.6 | 60.5 | 58.3 | 56.0 | 51.1 | 39.6 | 22.9 |
| 50 | ***** | 68.2 | 67.9 | 66.8 | 65.0 | 63.2 | 61.3 | 59.4 | 57.4 | 55.3 | 53.1 | 48.5 | 37.6 | 21.7 |
| 55 | ***** | 65.0 | 64.7 | 63.7 | 62.0 | 60.3 | 58.5 | 56.6 | 54.7 | 52.7 | 50.6 | 46.2 | 35.8 | 20.7 |
| 60 | ***** | 62.3 | 62.0 | 61.0 | 59.4 | 57.7 | 56.0 | 54.2 | 52.4 | 50.5 | 48.5 | 44.3 | 34.3 | 19.8 |
| 65 | ***** | 59.8 | 59.5 | 58.6 | 57.0 | 55.4 | 53.8 | 52.1 | 50.3 | 48.5 | 46.6 | 42.5 | 32.9 | 19.0 |
| 70 | ***** | 57.7 | 57.4 | 56.5 | 55.0 | 53.4 | 51.8 | 50.2 | 48.5 | 46.7 | 44.9 | 41.0 | 31.7 | 18.3 |
| 75 | ***** | 55.7 | 55.4 | 54.6 | 53.1 | 51.6 | 50.1 | 48.5 | 46.8 | 45.1 | 43.4 | 39.6 | 30.7 | 17.7 |
| 80 | ***** | 53.9 | 53.7 | 52.8 | 51.4 | 50.0 | 48.5 | 46.9 | 45.3 | 43.7 | 42.0 | 38.3 | 29.7 | 17.1 |
| 85 | ***** | 52.3 | 52.1 | 51.3 | 49.9 | 48.5 | 47.0 | 45.5 | 44.0 | 42.4 | 40.7 | 37.2 | 28.8 | 16.6 |
| 90 | ***** | 50.6 | 50.6 | 49.8 | 48.5 | 47.1 | 45.7 | 44.3 | 42.8 | 41.2 | 39.6 | 36.1 | 28.0 | 16.2 |
| 95 | ***** | 49.2 | 49.2 | 48.5 | 47.2 | 45.9 | 44.5 | 43.1 | 41.6 | 40.1 | 38.5 | 35.2 | 27.2 | 15.7 |
| 100 | ***** | 48.0 | 48.0 | 47.3 | 46.0 | 44.7 | 43.4 | 42.0 | 40.6 | 39.1 | 37.6 | 34.3 | 26.6 | 15.3 |
| 125 | ***** | 42.9 | 42.9 | 42.3 | 41.1 | 40.0 | 38.8 | 37.6 | 36.3 | 35.0 | 33.6 | 30.7 | 23.8 | 13.7 |
| 150 | ***** | 39.2 | 39.2 | 38.6 | 37.6 | 36.5 | 35.4 | 34.3 | 33.1 | 31.9 | 30.7 | 28.0 | 21.7 | 12.5 |
| 200 | ***** | 33.4 | 33.4 | 32.5 | 31.6 | 30.7 | 29.7 | 28.7 | 27.6 | 26.6 | 25.6 | 24.2 | 18.8 | 10.8 |
| 250 | ***** | 29.9 | 29.9 | 29.1 | 28.3 | 27.4 | 26.6 | 25.7 | 24.7 | 23.8 | 22.8 | 21.7 | 16.8 | 9.7 |
| 300 | ***** | 27.3 | 27.3 | 26.6 | 25.8 | 25.0 | 24.2 | 23.4 | 22.6 | 21.7 | 20.8 | 19.8 | 15.3 | 8.9 |
| 350 | ***** | 25.3 | 25.3 | 24.6 | 23.9 | 23.2 | 22.4 | 21.7 | 20.9 | 20.1 | 19.3 | 18.3 | 14.2 | 8.2 |
| 400 | ***** | 23.6 | 23.6 | 23.0 | 22.3 | 21.7 | 21.0 | 20.3 | 19.5 | 18.8 | 18.1 | 17.1 | 13.3 | 7.7 |
| 450 | ***** | 21.7 | 21.7 | 21.1 | 20.4 | 19.8 | 19.1 | 18.4 | 17.7 | 17.0 | 16.2 | 15.2 | 12.5 | 7.2 |
| 500 | ***** | 20.6 | 20.6 | 20.0 | 19.4 | 18.8 | 18.1 | 17.5 | 16.8 | 16.1 | 15.3 | 14.3 | 11.9 | 6.9 |
| 750 | ***** | 16.8 | 16.8 | 16.3 | 15.8 | 15.3 | 14.8 | 14.3 | 13.7 | 13.2 | 12.5 | 11.9 | 9.7 | 5.6 |
| 1,000 | ***** | 14.1 | 14.1 | 13.7 | 13.3 | 12.8 | 12.4 | 11.9 | 11.4 | 10.8 | 10.3 | 9.7 | 8.4 | 4.8 |
| 1,500 | ***** | 11.2 | 11.2 | 10.8 | 10.5 | 10.1 | 9.7 | 9.3 | 8.9 | 8.5 | 8.1 | 7.7 | 6.9 | 4.0 |
| 2,000 | ***** | 9.4 | 9.4 | 9.1 | 8.7 | 8.4 | 8.1 | 7.7 | 7.4 | 7.1 | 6.8 | 6.5 | 5.9 | 3.4 |
| 3,000 | ***** | 7.1 | 7.1 | 6.9 | 6.7 | 6.5 | 6.3 | 6.1 | 5.9 | 5.7 | 5.5 | 5.3 | 4.8 | 2.8 |
| 4,000 | ***** | 5.4 | 5.4 | 5.2 | 5.0 | 4.8 | 4.6 | 4.4 | 4.2 | 4.1 | 3.9 | 3.7 | 3.4 | 2.4 |
| 5,000 | ***** | 3.8 | 3.8 | 3.7 | 3.6 | 3.5 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.7 | 2.2 |
| 6,000 | ***** | 3.4 | 3.4 | 3.3 | 3.2 | 3.1 | 3.0 | 2.9 | 2.8 | 2.7 | 2.6 | 2.5 | 2.4 | 2.0 |
| 7,000 | ***** | 1.8 | 1.8 | 1.7 | 1.6 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.0 | 0.9 | 0.8 | 1.8 |
| 8,000 | ***** | 1.7 | 1.7 | 1.6 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.0 | 0.9 | 0.8 | 0.7 | 1.7 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Manitoba - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 126.7 | 126.1 | 124.1 | 120.8 | 117.4 | 113.9 | 110.3 | 106.6 | 102.7 | 98.7 | 90.1 | 69.8 | 40.3 |
| 2 | ***** | 89.6 | 89.2 | 87.8 | 85.4 | 83.0 | 80.6 | 78.0 | 75.4 | 72.6 | 69.8 | 63.7 | 49.3 | 28.5 |
| 3 | ***** | 73.2 | 72.8 | 71.7 | 69.8 | 67.8 | 65.8 | 63.7 | 61.5 | 59.3 | 57.0 | 52.0 | 40.3 | 23.3 |
| 4 | ***** | 63.4 | 63.0 | 62.1 | 60.4 | 58.7 | 57.0 | 55.2 | 53.3 | 51.3 | 49.3 | 45.0 | 34.9 | 20.1 |
| 5 | ***** | 56.7 | 56.4 | 55.5 | 54.0 | 52.5 | 50.9 | 49.3 | 47.7 | 45.9 | 44.1 | 40.3 | 31.2 | 18.0 |
| 6 | ***** | 51.7 | 51.5 | 50.7 | 49.3 | 47.9 | 46.5 | 45.0 | 43.5 | 41.9 | 40.3 | 36.8 | 28.5 | 16.4 |
| 7 | ***** | 47.9 | 47.7 | 46.9 | 45.7 | 44.4 | 43.1 | 41.7 | 40.3 | 38.8 | 37.3 | 34.0 | 26.4 | 15.2 |
| 8 | ***** | 44.8 | 44.6 | 43.9 | 42.7 | 41.5 | 40.3 | 39.0 | 37.7 | 36.3 | 34.9 | 31.8 | 24.7 | 14.2 |
| 9 | ***** | 42.2 | 42.0 | 41.4 | 40.3 | 39.1 | 38.0 | 36.8 | 35.5 | 34.2 | 32.9 | 30.0 | 23.3 | 13.4 |
| 10 | ***** | 39.9 | 39.3 | 38.2 | 37.1 | 36.0 | 34.9 | 33.7 | 32.5 | 31.2 | 28.5 | 22.1 | 12.7 | 12.7 |
| 11 | ***** | 38.0 | 37.4 | 36.4 | 35.4 | 34.3 | 33.3 | 32.1 | 31.0 | 29.7 | 27.2 | 21.0 | 12.1 | 12.1 |
| 12 | ***** | 36.4 | 35.8 | 34.9 | 33.9 | 32.9 | 31.8 | 30.8 | 29.6 | 28.5 | 26.0 | 20.1 | 11.6 | 11.6 |
| 13 | ***** | 35.0 | 34.4 | 33.5 | 32.6 | 31.6 | 30.6 | 29.6 | 28.5 | 27.4 | 25.0 | 19.3 | 11.2 | 11.2 |
| 14 | ***** | 33.7 | 33.2 | 32.3 | 31.4 | 30.4 | 29.5 | 28.5 | 27.4 | 26.4 | 24.1 | 18.6 | 10.8 | 10.8 |
| 15 | ***** | 32.6 | 32.1 | 31.2 | 30.3 | 29.4 | 28.5 | 27.5 | 26.5 | 25.5 | 23.3 | 18.0 | 10.4 | 10.4 |
| 16 | ***** | 31.5 | 31.0 | 30.2 | 29.4 | 28.5 | 27.6 | 26.6 | 25.7 | 24.7 | 22.5 | 17.4 | 10.1 | 10.1 |
| 17 | ***** | 30.6 | 30.1 | 29.3 | 28.5 | 27.6 | 26.8 | 25.8 | 24.9 | 23.9 | 21.8 | 16.9 | 9.8 | 9.8 |
| 18 | ***** | 29.7 | 29.3 | 28.5 | 27.7 | 26.9 | 26.0 | 25.1 | 24.2 | 23.3 | 21.2 | 16.4 | 9.5 | 9.5 |
| 19 | ***** | 28.9 | 28.5 | 27.7 | 26.9 | 26.1 | 25.3 | 24.4 | 23.6 | 22.6 | 20.7 | 16.0 | 9.2 | 9.2 |
| 20 | ***** | 27.8 | 27.0 | 26.3 | 25.5 | 24.7 | 23.8 | 23.0 | 22.1 | 20.1 | 15.6 | 9.0 | 9.0 | 9.0 |
| 21 | ***** | 27.1 | 26.4 | 25.6 | 24.9 | 24.1 | 23.3 | 22.4 | 21.5 | 19.7 | 15.2 | 8.8 | 8.8 | 8.8 |
| 22 | ***** | 26.5 | 25.8 | 25.0 | 24.3 | 23.5 | 22.7 | 21.9 | 21.0 | 19.2 | 14.9 | 8.6 | 8.6 | 8.6 |
| 23 | ***** | 25.9 | 25.2 | 24.5 | 23.8 | 23.0 | 22.2 | 21.4 | 20.6 | 18.8 | 14.5 | 8.4 | 8.4 | 8.4 |
| 24 | ***** | 25.3 | 24.7 | 24.0 | 23.3 | 22.5 | 21.8 | 21.0 | 20.1 | 18.4 | 14.2 | 8.2 | 8.2 | 8.2 |
| 25 | ***** | 24.8 | 24.2 | 23.5 | 22.8 | 22.1 | 21.3 | 20.5 | 19.7 | 18.0 | 14.0 | 8.1 | 8.1 | 8.1 |
| 30 | ***** | 22.7 | 22.1 | 21.4 | 20.8 | 20.1 | 19.5 | 18.7 | 18.0 | 16.4 | 12.7 | 7.4 | 7.4 | 7.4 |
| 35 | ***** | 21.0 | 20.4 | 19.8 | 19.3 | 18.6 | 18.0 | 17.4 | 16.7 | 15.2 | 11.8 | 6.8 | 6.8 | 6.8 |
| 40 | ***** | 19.6 | 19.1 | 18.6 | 18.0 | 17.4 | 16.8 | 16.2 | 15.6 | 14.2 | 11.0 | 6.4 | 6.4 | 6.4 |
| 45 | ***** | 18.5 | 18.0 | 17.5 | 17.0 | 16.4 | 15.9 | 15.3 | 14.7 | 13.4 | 10.4 | 6.0 | 6.0 | 6.0 |
| 50 | ***** | 17.1 | 16.6 | 16.1 | 15.6 | 15.1 | 14.5 | 14.0 | 13.4 | 12.7 | 9.9 | 5.7 | 5.7 | 5.7 |
| 55 | ***** | 16.3 | 15.8 | 15.4 | 14.9 | 14.4 | 13.8 | 13.3 | 12.7 | 12.1 | 9.4 | 5.4 | 5.4 | 5.4 |
| 60 | ***** | 15.6 | 15.2 | 14.7 | 14.2 | 13.8 | 13.3 | 12.7 | 12.2 | 11.6 | 9.0 | 5.2 | 5.2 | 5.2 |
| 65 | ***** | 15.0 | 14.6 | 14.1 | 13.7 | 13.2 | 12.7 | 12.2 | 11.7 | 11.2 | 8.7 | 5.0 | 5.0 | 5.0 |
| 70 | ***** | 14.4 | 14.0 | 13.6 | 13.2 | 12.7 | 12.3 | 11.8 | 11.3 | 10.8 | 8.3 | 4.8 | 4.8 | 4.8 |
| 75 | ***** | 14.0 | 13.6 | 13.2 | 12.7 | 12.3 | 11.9 | 11.4 | 10.9 | 10.4 | 8.1 | 4.7 | 4.7 | 4.7 |
| 80 | ***** | 13.5 | 13.1 | 12.7 | 12.3 | 11.9 | 11.5 | 11.0 | 10.6 | 10.1 | 7.8 | 4.5 | 4.5 | 4.5 |
| 85 | ***** | 13.1 | 12.7 | 12.4 | 12.0 | 11.6 | 11.1 | 10.7 | 10.2 | 9.8 | 7.6 | 4.4 | 4.4 | 4.4 |
| 90 | ***** | 12.7 | 12.4 | 12.0 | 11.6 | 11.2 | 10.8 | 10.4 | 9.9 | 9.5 | 7.4 | 4.2 | 4.2 | 4.2 |
| 95 | ***** | 12.4 | 12.0 | 11.7 | 11.3 | 10.9 | 10.5 | 10.1 | 9.7 | 9.2 | 7.2 | 4.1 | 4.1 | 4.1 |
| 100 | ***** | 11.7 | 11.4 | 11.0 | 10.7 | 10.3 | 9.9 | 9.5 | 9.0 | 8.6 | 6.8 | 4.0 | 4.0 | 4.0 |
| 125 | ***** | 10.5 | 10.2 | 9.9 | 9.5 | 9.2 | 8.8 | 8.4 | 8.0 | 7.6 | 6.2 | 3.6 | 3.6 | 3.6 |
| 150 | ***** | 9.3 | 9.0 | 8.7 | 8.4 | 8.1 | 7.7 | 7.4 | 7.0 | 6.7 | 5.7 | 3.3 | 3.3 | 3.3 |
| 200 | ***** | 7.8 | 7.5 | 7.3 | 7.0 | 6.7 | 6.4 | 6.1 | 5.8 | 5.5 | 4.9 | 2.8 | 2.8 | 2.8 |
| 250 | ***** | 6.7 | 6.5 | 6.2 | 5.9 | 5.7 | 5.4 | 5.1 | 4.8 | 4.5 | 4.4 | 2.5 | 2.5 | 2.5 |
| 300 | ***** | 5.9 | 5.7 | 5.5 | 5.2 | 5.0 | 4.7 | 4.5 | 4.2 | 4.0 | 4.0 | 2.3 | 2.3 | 2.3 |
| 350 | ***** | 5.3 | 5.1 | 4.9 | 4.6 | 4.4 | 4.1 | 3.9 | 3.7 | 3.5 | 3.5 | 2.2 | 2.2 | 2.2 |
| 400 | ***** | 4.5 | 4.3 | 4.1 | 3.9 | 3.7 | 3.5 | 3.3 | 3.1 | 3.0 | 3.0 | 2.0 | 2.0 | 2.0 |
| 450 | ***** | 4.2 | 4.0 | 3.8 | 3.6 | 3.4 | 3.2 | 3.0 | 2.8 | 2.7 | 2.7 | 1.9 | 1.9 | 1.9 |
| 500 | ***** | 3.1 | 2.9 | 2.8 | 2.6 | 2.5 | 2.3 | 2.2 | 2.1 | 2.0 | 2.0 | 1.8 | 1.8 | 1.8 |
| 750 | ***** | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.0 | 0.9 | 0.8 | 0.8 | 0.8 | 1.5 | 1.5 | 1.5 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Manitoba - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 70.2 | 69.2 | 67.3 | 65.4 | 63.5 | 61.5 | 59.4 | 57.2 | 55.0 | 50.2 | 38.9 | 22.4 | |
| 2 | ***** | 48.9 | 47.6 | 46.3 | 44.9 | 43.5 | 42.0 | 40.5 | 38.9 | 35.5 | 27.5 | 15.9 | | |
| 3 | ***** | 39.9 | 38.9 | 37.8 | 36.6 | 35.5 | 34.3 | 33.0 | 31.7 | 29.0 | 22.4 | 13.0 | | |
| 4 | ***** | 34.6 | 33.7 | 32.7 | 31.7 | 30.7 | 29.7 | 28.6 | 27.5 | 25.1 | 19.4 | 11.2 | | |
| 5 | ***** | 30.1 | 29.3 | 28.4 | 27.5 | 26.6 | 25.6 | 24.6 | 22.4 | 17.4 | 10.0 | | | |
| 6 | ***** | 27.5 | 26.7 | 25.9 | 25.1 | 24.2 | 23.4 | 22.4 | 20.5 | 15.9 | 9.2 | | | |
| 7 | ***** | 25.4 | 24.7 | 24.0 | 23.2 | 22.4 | 21.6 | 20.8 | 19.0 | 14.7 | 8.5 | | | |
| 8 | ***** | 23.8 | 23.1 | 22.4 | 21.7 | 21.0 | 20.2 | 19.4 | 17.7 | 13.7 | 7.9 | | | |
| 9 | ***** | 21.8 | 21.2 | 20.5 | 19.8 | 19.1 | 18.3 | 16.7 | 13.0 | 7.5 | | | | |
| 10 | ***** | 20.7 | 20.1 | 19.4 | 18.8 | 18.1 | 17.4 | 15.9 | 12.3 | 7.1 | | | | |
| 11 | ***** | 19.7 | 19.1 | 18.5 | 17.9 | 17.2 | 16.6 | 15.1 | 11.7 | 6.8 | | | | |
| 12 | ***** | 18.9 | 18.3 | 17.7 | 17.1 | 16.5 | 15.9 | 14.5 | 11.2 | 6.5 | | | | |
| 13 | ***** | 18.1 | 17.6 | 17.0 | 16.5 | 15.9 | 15.2 | 13.9 | 10.8 | 6.2 | | | | |
| 14 | ***** | 17.0 | 16.4 | 15.9 | 15.3 | 14.7 | 13.4 | 10.4 | 6.0 | | | | | |
| 15 | ***** | 16.4 | 15.9 | 15.3 | 14.8 | 14.3 | 13.7 | 12.5 | 9.7 | 5.6 | | | | |
| 16 | ***** | 15.9 | 15.4 | 14.8 | 14.3 | 13.7 | 12.5 | 9.7 | 5.6 | | | | | |
| 17 | ***** | 15.4 | 14.9 | 14.4 | 13.9 | 13.3 | 12.2 | 9.4 | 5.4 | | | | | |
| 18 | ***** | 14.5 | 14.0 | 13.5 | 13.0 | 11.8 | 9.2 | 5.3 | | | | | | |
| 19 | ***** | 14.1 | 13.6 | 13.1 | 12.6 | 11.5 | 8.9 | 5.1 | | | | | | |
| 20 | ***** | 13.7 | 13.3 | 12.8 | 12.3 | 11.2 | 8.7 | 5.0 | | | | | | |
| 21 | ***** | 13.4 | 13.0 | 12.5 | 12.0 | 10.9 | 8.5 | 4.9 | | | | | | |
| 22 | ***** | 12.7 | 12.2 | 11.7 | 10.7 | 8.3 | 4.8 | | | | | | | |
| 23 | ***** | 12.4 | 11.9 | 11.5 | 10.5 | 8.1 | 4.7 | | | | | | | |
| 24 | ***** | 12.1 | 11.7 | 11.2 | 10.2 | 7.9 | 4.6 | | | | | | | |
| 25 | ***** | 11.9 | 11.4 | 11.0 | 10.0 | 7.8 | 4.5 | | | | | | | |
| 30 | ***** | 10.4 | 10.0 | 9.2 | 7.1 | 4.1 | | | | | | | | |
| 35 | ***** | 8.5 | 6.6 | 3.8 | | | | | | | | | | |
| 40 | ***** | 7.9 | 6.1 | 3.5 | | | | | | | | | | |
| 45 | ***** | 5.8 | 3.3 | | | | | | | | | | | |
| 50 | ***** | 5.5 | 3.2 | | | | | | | | | | | |
| 55 | ***** | 5.2 | 3.0 | | | | | | | | | | | |
| 60 | ***** | 5.0 | 2.9 | | | | | | | | | | | |
| 65 | ***** | 2.8 | | | | | | | | | | | | |
| 70 | ***** | 2.7 | | | | | | | | | | | | |
| 75 | ***** | 2.6 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Manitoba - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 87.7 | 86.3 | 84.0 | 81.6 | 79.2 | 76.7 | 74.1 | 71.4 | 68.6 | 62.6 | 48.5 | 28.0 | |
| 2 | ***** | 61.0 | 59.4 | 57.7 | 56.0 | 54.2 | 52.4 | 50.5 | 48.5 | 44.3 | 34.3 | 19.8 | | |
| 3 | ***** | 49.8 | 48.5 | 47.1 | 45.7 | 44.3 | 42.8 | 41.2 | 39.6 | 36.1 | 28.0 | 16.2 | | |
| 4 | ***** | 43.1 | 42.0 | 40.8 | 39.6 | 38.3 | 37.0 | 35.7 | 34.3 | 31.3 | 24.2 | 14.0 | | |
| 5 | ***** | 37.6 | 36.5 | 35.4 | 34.3 | 33.1 | 31.9 | 30.7 | 28.0 | 21.7 | 12.5 | | | |
| 6 | ***** | 34.3 | 33.3 | 32.3 | 31.3 | 30.2 | 29.1 | 28.0 | 25.6 | 19.8 | 11.4 | | | |
| 7 | ***** | 31.7 | 30.9 | 29.9 | 29.0 | 28.0 | 27.0 | 25.9 | 23.7 | 18.3 | 10.6 | | | |
| 8 | ***** | 29.7 | 28.9 | 28.0 | 27.1 | 26.2 | 25.2 | 24.2 | 22.1 | 17.1 | 9.9 | | | |
| 9 | ***** | 27.2 | 26.4 | 25.6 | 24.7 | 23.8 | 22.9 | 20.9 | 16.2 | 9.3 | | | | |
| 10 | ***** | 25.8 | 25.0 | 24.2 | 23.4 | 22.6 | 21.7 | 19.8 | 15.3 | 8.9 | | | | |
| 11 | ***** | 24.6 | 23.9 | 23.1 | 22.3 | 21.5 | 20.7 | 18.9 | 14.6 | 8.4 | | | | |
| 12 | ***** | 23.6 | 22.9 | 22.1 | 21.4 | 20.6 | 19.8 | 18.1 | 14.0 | 8.1 | | | | |
| 13 | ***** | 22.0 | 21.3 | 20.5 | 19.8 | 19.0 | 17.4 | 13.5 | 7.8 | | | | | |
| 14 | ***** | 21.2 | 20.5 | 19.8 | 19.1 | 18.3 | 16.7 | 13.0 | 7.5 | | | | | |
| 15 | ***** | 20.4 | 19.8 | 19.1 | 18.4 | 17.7 | 16.2 | 12.5 | 7.2 | | | | | |
| 16 | ***** | 19.8 | 19.2 | 18.5 | 17.8 | 17.1 | 15.7 | 12.1 | 7.0 | | | | | |
| 17 | ***** | 19.2 | 18.6 | 18.0 | 17.3 | 16.6 | 15.2 | 11.8 | 6.8 | | | | | |
| 18 | ***** | 18.1 | 17.5 | 16.8 | 16.2 | 14.8 | 11.4 | 6.6 | | | | | | |
| 19 | ***** | 17.6 | 17.0 | 16.4 | 15.7 | 14.4 | 11.1 | 6.4 | | | | | | |
| 20 | ***** | 17.1 | 16.6 | 16.0 | 15.3 | 14.0 | 10.8 | 6.3 | | | | | | |
| 21 | ***** | 16.7 | 16.2 | 15.6 | 15.0 | 13.7 | 10.6 | 6.1 | | | | | | |
| 22 | ***** | 15.8 | 15.2 | 14.6 | 13.3 | 10.3 | 6.0 | | | | | | | |
| 23 | ***** | 15.4 | 14.9 | 14.3 | 13.1 | 10.1 | 5.8 | | | | | | | |
| 24 | ***** | 15.1 | 14.6 | 14.0 | 12.8 | 9.9 | 5.7 | | | | | | | |
| 25 | ***** | 14.8 | 14.3 | 13.7 | 12.5 | 9.7 | 5.6 | | | | | | | |
| 30 | ***** | 13.0 | 12.5 | 11.4 | 8.9 | 5.1 | | | | | | | | |
| 35 | ***** | 10.6 | 8.2 | 4.7 | | | | | | | | | | |
| 40 | ***** | 9.9 | 7.7 | 4.4 | | | | | | | | | | |
| 45 | ***** | 7.2 | 4.2 | | | | | | | | | | | |
| 50 | ***** | 6.9 | 4.0 | | | | | | | | | | | |
| 55 | ***** | 6.5 | 3.8 | | | | | | | | | | | |
| 60 | ***** | 6.3 | 3.6 | | | | | | | | | | | |
| 65 | ***** | 3.5 | | | | | | | | | | | | |
| 70 | ***** | 3.3 | | | | | | | | | | | | |
| 75 | ***** | 3.2 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Manitoba - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 136.1 | 135.4 | 133.4 | 129.8 | 126.1 | 122.4 | 118.5 | 114.5 | 110.3 | 106.0 | 96.7 | 74.9 | 43.3 |
| 2 | ***** | 96.3 | 95.8 | 94.3 | 91.8 | 89.2 | 86.5 | 83.8 | 80.9 | 78.0 | 74.9 | 68.4 | 53.0 | 30.6 |
| 3 | ***** | 78.6 | 78.2 | 77.0 | 74.9 | 72.8 | 70.7 | 68.4 | 66.1 | 63.7 | 61.2 | 55.9 | 43.3 | 25.0 |
| 4 | ***** | 68.1 | 67.7 | 66.7 | 64.9 | 63.1 | 61.2 | 59.2 | 57.2 | 55.2 | 53.0 | 48.4 | 37.5 | 21.6 |
| 5 | ***** | 60.9 | 60.6 | 59.6 | 58.0 | 56.4 | 54.7 | 53.0 | 51.2 | 49.3 | 47.4 | 43.3 | 33.5 | 19.3 |
| 6 | ***** | 55.6 | 55.3 | 54.4 | 53.0 | 51.5 | 50.0 | 48.4 | 46.7 | 45.0 | 43.3 | 39.5 | 30.6 | 17.7 |
| 7 | ***** | 51.5 | 51.2 | 50.4 | 49.1 | 47.7 | 46.3 | 44.8 | 43.3 | 41.7 | 40.1 | 36.6 | 28.3 | 16.4 |
| 8 | ***** | 47.9 | 47.1 | 45.9 | 44.6 | 43.3 | 41.9 | 40.5 | 39.0 | 37.5 | 34.2 | 26.5 | 15.3 | |
| 9 | ***** | 45.1 | 44.5 | 43.3 | 42.0 | 40.8 | 39.5 | 38.2 | 36.8 | 35.3 | 32.2 | 25.0 | 14.4 | |
| 10 | ***** | 42.8 | 42.2 | 41.0 | 39.9 | 38.7 | 37.5 | 36.2 | 34.9 | 33.5 | 30.6 | 23.7 | 13.7 | |
| 11 | ***** | 40.8 | 40.2 | 39.1 | 38.0 | 36.9 | 35.7 | 34.5 | 33.3 | 32.0 | 29.2 | 22.6 | 13.0 | |
| 12 | ***** | 39.1 | 38.5 | 37.5 | 36.4 | 35.3 | 34.2 | 33.0 | 31.8 | 30.6 | 27.9 | 21.6 | 12.5 | |
| 13 | ***** | 37.6 | 37.0 | 36.0 | 35.0 | 33.9 | 32.9 | 31.7 | 30.6 | 29.4 | 26.8 | 20.8 | 12.0 | |
| 14 | ***** | 36.2 | 35.6 | 34.7 | 33.7 | 32.7 | 31.7 | 30.6 | 29.5 | 28.3 | 25.9 | 20.0 | 11.6 | |
| 15 | ***** | 35.0 | 34.4 | 33.5 | 32.6 | 31.6 | 30.6 | 29.6 | 28.5 | 27.4 | 25.0 | 19.3 | 11.2 | |
| 16 | ***** | 33.3 | 32.5 | 31.5 | 30.6 | 29.6 | 28.6 | 27.6 | 26.5 | 24.2 | 18.7 | 10.8 | | |
| 17 | ***** | 32.3 | 31.5 | 30.6 | 29.7 | 28.7 | 27.8 | 26.8 | 25.7 | 23.5 | 18.2 | 10.5 | | |
| 18 | ***** | 31.4 | 30.6 | 29.7 | 28.8 | 27.9 | 27.0 | 26.0 | 25.0 | 22.8 | 17.7 | 10.2 | | |
| 19 | ***** | 30.6 | 29.8 | 28.9 | 28.1 | 27.2 | 26.3 | 25.3 | 24.3 | 22.2 | 17.2 | 9.9 | | |
| 20 | ***** | 29.8 | 29.0 | 28.2 | 27.4 | 26.5 | 25.6 | 24.7 | 23.7 | 21.6 | 16.8 | 9.7 | | |
| 21 | ***** | 29.1 | 28.3 | 27.5 | 26.7 | 25.9 | 25.0 | 24.1 | 23.1 | 21.1 | 16.4 | 9.4 | | |
| 22 | ***** | 28.4 | 27.7 | 26.9 | 26.1 | 25.3 | 24.4 | 23.5 | 22.6 | 20.6 | 16.0 | 9.2 | | |
| 23 | ***** | 27.8 | 27.1 | 26.3 | 25.5 | 24.7 | 23.9 | 23.0 | 22.1 | 20.2 | 15.6 | 9.0 | | |
| 24 | ***** | 27.2 | 26.5 | 25.7 | 25.0 | 24.2 | 23.4 | 22.5 | 21.6 | 19.7 | 15.3 | 8.8 | | |
| 25 | ***** | 26.7 | 26.0 | 25.2 | 24.5 | 23.7 | 22.9 | 22.1 | 21.2 | 19.3 | 15.0 | 8.7 | | |
| 30 | ***** | 24.3 | 23.7 | 23.0 | 22.3 | 21.6 | 20.9 | 20.1 | 19.3 | 17.7 | 13.7 | 7.9 | | |
| 35 | ***** | 22.5 | 21.9 | 21.3 | 20.7 | 20.0 | 19.3 | 18.6 | 17.9 | 16.4 | 12.7 | 7.3 | | |
| 40 | ***** | 20.5 | 19.9 | 19.3 | 18.7 | 18.1 | 17.4 | 16.8 | 16.1 | 14.4 | 11.2 | 6.4 | | |
| 45 | ***** | 19.3 | 18.8 | 18.2 | 17.7 | 17.1 | 16.4 | 15.8 | 15.1 | 13.7 | 10.6 | 6.1 | | |
| 50 | ***** | 18.4 | 17.8 | 17.3 | 16.8 | 16.2 | 15.6 | 15.0 | 14.4 | 12.7 | 9.7 | 5.6 | | |
| 55 | ***** | 17.5 | 17.0 | 16.5 | 16.0 | 15.4 | 14.9 | 14.3 | 13.7 | 12.0 | 9.3 | 5.4 | | |
| 60 | ***** | 16.8 | 16.3 | 15.8 | 15.3 | 14.8 | 14.2 | 13.7 | 13.1 | 11.6 | 9.0 | 5.2 | | |
| 65 | ***** | 16.1 | 15.6 | 15.2 | 14.7 | 14.2 | 13.7 | 13.2 | 12.7 | 11.2 | 8.7 | 5.0 | | |
| 70 | ***** | 15.5 | 15.1 | 14.6 | 14.2 | 13.7 | 13.2 | 12.7 | 12.2 | 10.8 | 8.4 | 4.8 | | |
| 75 | ***** | 15.0 | 14.6 | 14.1 | 13.7 | 13.2 | 12.8 | 12.3 | 11.8 | 10.5 | 8.1 | 4.7 | | |
| 80 | ***** | 14.1 | 13.7 | 13.3 | 12.9 | 12.4 | 12.0 | 11.5 | 11.0 | 9.9 | 7.7 | 4.4 | | |
| 85 | ***** | 13.7 | 13.3 | 12.9 | 12.6 | 12.2 | 11.7 | 11.3 | 10.9 | 9.7 | 7.5 | 4.3 | | |
| 90 | ***** | 13.3 | 12.9 | 12.5 | 12.1 | 11.7 | 11.3 | 10.9 | 10.5 | 9.3 | 7.1 | 4.1 | | |
| 95 | ***** | 12.9 | 12.6 | 12.2 | 11.8 | 11.4 | 11.0 | 10.6 | 10.2 | 9.0 | 6.9 | 4.0 | | |
| 100 | ***** | 12.6 | 12.2 | 11.8 | 11.4 | 11.0 | 10.6 | 10.2 | 9.8 | 8.6 | 6.5 | 3.9 | | |
| 125 | ***** | 10.9 | 10.6 | 10.2 | 9.9 | 9.5 | 9.1 | 8.7 | 8.3 | 7.1 | 5.0 | 3.5 | | |
| 150 | ***** | 10.0 | 9.7 | 9.3 | 9.0 | 8.7 | 8.3 | 7.9 | 7.5 | 6.3 | 4.2 | 3.1 | | |
| 200 | ***** | 8.1 | 7.8 | 7.5 | 7.1 | 6.8 | 6.4 | 6.0 | 5.6 | 4.4 | 3.3 | 2.5 | | |
| 250 | ***** | 7.0 | 6.7 | 6.4 | 6.1 | 5.8 | 5.4 | 5.1 | 4.7 | 3.5 | 2.6 | 2.0 | | |
| 300 | ***** | 6.1 | 5.8 | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 4.0 | 3.0 | 2.2 | 1.7 | | |
| 350 | ***** | 5.2 | 4.9 | 4.6 | 4.3 | 4.0 | 3.7 | 3.4 | 3.1 | 2.2 | 1.6 | 1.2 | | |
| 400 | ***** | 4.0 | 3.7 | 3.4 | 3.1 | 2.8 | 2.5 | 2.2 | 1.9 | 1.4 | 1.0 | 0.7 | | |
| 450 | ***** | 3.5 | 3.2 | 2.9 | 2.6 | 2.3 | 2.0 | 1.7 | 1.4 | 1.0 | 0.7 | 0.5 | | |
| 500 | ***** | 3.4 | 3.1 | 2.8 | 2.5 | 2.2 | 1.9 | 1.6 | 1.3 | 0.9 | 0.6 | 0.4 | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Saskatchewan - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 123.6 | 123.0 | 121.1 | 117.9 | 114.5 | 111.1 | 107.6 | 103.9 | 100.2 | 96.2 | 87.8 | 68.0 | 39.3 |
| 2 | ***** | 87.4 | 87.0 | 85.6 | 83.3 | 81.0 | 78.6 | 76.1 | 73.5 | 70.8 | 68.0 | 62.1 | 48.1 | 27.8 |
| 3 | ***** | 71.4 | 71.0 | 69.9 | 68.0 | 66.1 | 64.2 | 62.1 | 60.0 | 57.8 | 55.6 | 50.7 | 39.3 | 22.7 |
| 4 | ***** | 61.8 | 61.5 | 60.5 | 58.9 | 57.3 | 55.6 | 53.8 | 52.0 | 50.1 | 48.1 | 43.9 | 34.0 | 19.6 |
| 5 | ***** | 55.3 | 55.0 | 54.2 | 52.7 | 51.2 | 49.7 | 48.1 | 46.5 | 44.8 | 43.0 | 39.3 | 30.4 | 17.6 |
| 6 | ***** | 50.5 | 50.2 | 49.4 | 48.1 | 46.8 | 45.4 | 43.9 | 42.4 | 40.9 | 39.3 | 35.9 | 27.8 | 16.0 |
| 7 | ***** | 46.7 | 46.5 | 45.8 | 44.5 | 43.3 | 42.0 | 40.7 | 39.3 | 37.9 | 36.4 | 33.2 | 25.7 | 14.8 |
| 8 | ***** | 43.7 | 43.5 | 42.8 | 41.7 | 40.5 | 39.3 | 38.0 | 36.7 | 35.4 | 34.0 | 31.1 | 24.1 | 13.9 |
| 9 | ***** | 41.0 | 40.4 | 39.3 | 38.2 | 37.0 | 35.9 | 34.6 | 33.4 | 32.1 | 29.3 | 22.7 | 13.1 | 13.1 |
| 10 | ***** | 38.9 | 38.3 | 37.3 | 36.2 | 35.1 | 34.0 | 32.9 | 31.7 | 30.4 | 27.8 | 21.5 | 12.4 | 12.4 |
| 11 | ***** | 37.1 | 36.5 | 35.5 | 34.5 | 33.5 | 32.4 | 31.3 | 30.2 | 29.0 | 26.5 | 20.5 | 11.8 | 11.8 |
| 12 | ***** | 35.5 | 35.0 | 34.0 | 33.1 | 32.1 | 31.1 | 30.0 | 28.9 | 27.8 | 25.4 | 19.6 | 11.3 | 11.3 |
| 13 | ***** | 34.1 | 33.6 | 32.7 | 31.8 | 30.8 | 29.8 | 28.8 | 27.8 | 26.7 | 24.4 | 18.9 | 10.9 | 10.9 |
| 14 | ***** | 32.9 | 32.4 | 31.5 | 30.6 | 29.7 | 28.8 | 27.8 | 26.8 | 25.7 | 23.5 | 18.2 | 10.5 | 10.5 |
| 15 | ***** | 31.8 | 31.3 | 30.4 | 29.6 | 28.7 | 27.8 | 26.8 | 25.9 | 24.8 | 22.7 | 17.6 | 10.1 | 10.1 |
| 16 | ***** | 30.7 | 30.3 | 29.5 | 28.6 | 27.8 | 26.9 | 26.0 | 25.0 | 24.1 | 22.0 | 17.0 | 9.8 | 9.8 |
| 17 | ***** | 29.4 | 28.6 | 27.8 | 26.9 | 26.1 | 25.2 | 24.3 | 23.3 | 21.3 | 16.5 | 9.5 | 9.5 | 9.5 |
| 18 | ***** | 28.5 | 27.8 | 27.0 | 26.2 | 25.4 | 24.5 | 23.6 | 22.7 | 20.7 | 16.0 | 9.3 | 9.3 | 9.3 |
| 19 | ***** | 27.8 | 27.0 | 26.3 | 25.5 | 24.7 | 23.8 | 23.0 | 22.1 | 20.2 | 15.6 | 9.0 | 9.0 | 9.0 |
| 20 | ***** | 27.1 | 26.4 | 25.6 | 24.8 | 24.1 | 23.2 | 22.4 | 21.5 | 19.6 | 15.2 | 8.8 | 8.8 | 8.8 |
| 21 | ***** | 26.4 | 25.7 | 25.0 | 24.2 | 23.5 | 22.7 | 21.9 | 21.0 | 19.2 | 14.8 | 8.6 | 8.6 | 8.6 |
| 22 | ***** | 25.8 | 25.1 | 24.4 | 23.7 | 22.9 | 22.2 | 21.4 | 20.5 | 18.7 | 14.5 | 8.4 | 8.4 | 8.4 |
| 23 | ***** | 25.2 | 24.6 | 23.9 | 23.2 | 22.4 | 21.7 | 20.9 | 20.1 | 18.3 | 14.2 | 8.2 | 8.2 | 8.2 |
| 24 | ***** | 24.7 | 24.1 | 23.4 | 22.7 | 22.0 | 21.2 | 20.4 | 19.6 | 17.9 | 13.9 | 8.0 | 8.0 | 8.0 |
| 25 | ***** | 24.2 | 23.6 | 22.9 | 22.2 | 21.5 | 20.8 | 20.0 | 19.2 | 17.6 | 13.6 | 7.9 | 7.9 | 7.9 |
| 30 | ***** | 22.1 | 21.5 | 20.9 | 20.3 | 19.6 | 19.0 | 18.3 | 17.6 | 16.0 | 12.4 | 7.2 | 7.2 | 7.2 |
| 35 | ***** | 20.5 | 19.9 | 19.4 | 18.8 | 18.2 | 17.6 | 16.9 | 16.3 | 14.8 | 11.5 | 6.6 | 6.6 | 6.6 |
| 40 | ***** | 19.1 | 18.6 | 18.1 | 17.6 | 17.0 | 16.4 | 15.8 | 15.2 | 13.9 | 10.8 | 6.2 | 6.2 | 6.2 |
| 45 | ***** | 17.6 | 17.1 | 16.6 | 16.0 | 15.5 | 14.9 | 14.3 | 13.7 | 12.4 | 9.6 | 5.6 | 5.6 | 5.6 |
| 50 | ***** | 16.7 | 16.2 | 15.7 | 15.2 | 14.7 | 14.2 | 13.6 | 13.0 | 11.8 | 9.2 | 5.3 | 5.3 | 5.3 |
| 55 | ***** | 15.9 | 15.4 | 15.0 | 14.5 | 14.0 | 13.5 | 13.0 | 12.4 | 11.3 | 8.8 | 5.1 | 5.1 | 5.1 |
| 60 | ***** | 15.2 | 14.8 | 14.3 | 13.9 | 13.4 | 12.9 | 12.4 | 11.9 | 10.9 | 8.4 | 4.9 | 4.9 | 4.9 |
| 65 | ***** | 14.6 | 14.2 | 13.8 | 13.3 | 12.9 | 12.4 | 11.9 | 11.4 | 10.5 | 8.1 | 4.7 | 4.7 | 4.7 |
| 70 | ***** | 14.1 | 13.7 | 13.3 | 12.9 | 12.4 | 12.0 | 11.5 | 11.0 | 10.1 | 7.9 | 4.5 | 4.5 | 4.5 |
| 75 | ***** | 13.6 | 13.2 | 12.8 | 12.4 | 12.0 | 11.6 | 11.2 | 10.8 | 9.8 | 7.6 | 4.4 | 4.4 | 4.4 |
| 80 | ***** | 13.2 | 12.8 | 12.4 | 12.0 | 11.6 | 11.2 | 10.8 | 10.4 | 9.5 | 7.4 | 4.3 | 4.3 | 4.3 |
| 85 | ***** | 12.4 | 12.1 | 11.7 | 11.3 | 10.9 | 10.5 | 10.1 | 9.7 | 8.8 | 7.0 | 4.0 | 4.0 | 4.0 |
| 90 | ***** | 12.1 | 11.7 | 11.3 | 11.0 | 10.6 | 10.2 | 9.8 | 9.4 | 8.5 | 6.8 | 3.9 | 3.9 | 3.9 |
| 95 | ***** | 11.8 | 11.4 | 11.0 | 10.7 | 10.3 | 9.9 | 9.5 | 9.1 | 8.2 | 6.6 | 3.8 | 3.8 | 3.8 |
| 100 | ***** | 11.5 | 11.1 | 10.8 | 10.4 | 10.0 | 9.6 | 9.2 | 8.8 | 7.9 | 6.3 | 3.7 | 3.7 | 3.7 |
| 125 | ***** | 9.9 | 9.6 | 9.3 | 9.0 | 8.6 | 8.2 | 7.8 | 7.4 | 6.5 | 5.0 | 3.5 | 3.5 | 3.5 |
| 150 | ***** | 9.1 | 8.8 | 8.5 | 8.2 | 7.9 | 7.5 | 7.1 | 6.7 | 5.8 | 4.4 | 3.2 | 3.2 | 3.2 |
| 200 | ***** | 7.6 | 7.3 | 7.0 | 6.7 | 6.4 | 6.1 | 5.8 | 5.5 | 4.6 | 3.4 | 2.8 | 2.8 | 2.8 |
| 250 | ***** | 6.3 | 6.1 | 5.8 | 5.5 | 5.2 | 4.9 | 4.6 | 4.3 | 3.5 | 2.6 | 2.1 | 2.1 | 2.1 |
| 300 | ***** | 5.6 | 5.4 | 5.1 | 4.8 | 4.5 | 4.2 | 3.9 | 3.6 | 2.8 | 2.1 | 1.6 | 1.6 | 1.6 |
| 350 | ***** | 4.7 | 4.5 | 4.2 | 3.9 | 3.6 | 3.3 | 3.0 | 2.7 | 1.9 | 1.4 | 1.1 | 1.1 | 1.1 |
| 400 | ***** | 4.4 | 4.2 | 3.9 | 3.6 | 3.3 | 3.0 | 2.7 | 2.4 | 1.6 | 1.2 | 0.9 | 0.9 | 0.9 |
| 450 | ***** | 3.2 | 3.0 | 2.8 | 2.6 | 2.4 | 2.2 | 2.0 | 1.8 | 1.3 | 1.0 | 0.7 | 0.7 | 0.7 |
| 500 | ***** | 3.0 | 2.8 | 2.6 | 2.4 | 2.2 | 2.0 | 1.8 | 1.6 | 1.1 | 0.8 | 0.6 | 0.6 | 0.6 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Saskatchewan - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 69.5 | 68.4 | 66.6 | 64.7 | 62.8 | 60.8 | 58.8 | 56.6 | 54.4 | 49.7 | 38.5 | 22.2 | 22.2 |
| 2 | ***** | 48.4 | 47.1 | 45.8 | 44.4 | 43.0 | 41.5 | 40.0 | 38.5 | 35.1 | 27.2 | 15.7 | 15.7 | 15.7 |
| 3 | ***** | 39.5 | 38.5 | 37.4 | 36.3 | 35.1 | 33.9 | 32.7 | 31.4 | 28.7 | 22.2 | 12.8 | 12.8 | 12.8 |
| 4 | ***** | 33.3 | 32.4 | 31.4 | 30.4 | 29.4 | 28.3 | 27.2 | 24.8 | 19.2 | 11.1 | 11.1 | 11.1 | 11.1 |
| 5 | ***** | 29.8 | 29.0 | 28.1 | 27.2 | 26.3 | 25.3 | 24.3 | 22.2 | 17.2 | 9.9 | 9.9 | 9.9 | 9.9 |
| 6 | ***** | 27.2 | 26.4 | 25.6 | 24.8 | 24.0 | 23.1 | 22.2 | 20.3 | 15.7 | 9.1 | 9.1 | 9.1 | 9.1 |
| 7 | ***** | 25.2 | 24.5 | 23.7 | 23.0 | 22.2 | 21.4 | 20.6 | 18.8 | 14.5 | 8.4 | 8.4 | 8.4 | 8.4 |
| 8 | ***** | 22.9 | 22.2 | 21.5 | 20.8 | 20.0 | 19.2 | 17.6 | 13.6 | 7.9 | 7.9 | 7.9 | 7.9 | 7.9 |
| 9 | ***** | 21.6 | 20.9 | 20.3 | 19.6 | 18.9 | 18.1 | 16.6 | 12.8 | 7.4 | 7.4 | 7.4 | 7.4 | 7.4 |
| 10 | ***** | 20.5 | 19.9 | 19.2 | 18.6 | 17.9 | 17.2 | 15.7 | 12.2 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 |
| 11 | ***** | 19.5 | 18.9 | 18.3 | 17.7 | 17.1 | 16.4 | 15.0 | 11.6 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 |
| 12 | ***** | 18.1 | 17.6 | 17.0 | 16.3 | 15.7 | 14.3 | 11.1 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 | 6.4 |
| 13 | ***** | 17.4 | 16.9 | 16.3 | 15.7 | 15.1 | 13.8 | 10.7 | 6.2 | 6.2 | 6.2 | 6.2 | 6.2 | 6.2 |
| 14 | ***** | 16.8 | 16.3 | 15.7 | 15.1 | 14.5 | 13.3 | 10.3 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 | 5.9 |
| 15 | ***** | 16.2 | 15.7 | 15.2 | 14.6 | 14.0 | 12.8 | 9.9 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 | 5.7 |
| 16 | ***** | 15.2 | 14.7 | 14.2 | 13.6 | 12.4 | 9.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 | 5.6 |
| 17 | ***** | 14.8 | 14.3 | 13.7 | 13.2 | 12.0 | 9.3 | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 | 5.4 |
| 18 | ***** | 14.3 | 13.8 | 13.3 | 12.8 | 11.7 | 9.1 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 | 5.2 |
| 19 | ***** | 13.5 | 13.0 | 12.5 | 11.4 | 8.8 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 | 5.1 |
| 20 | ***** | 13.1 | 12.7 | 12.2 | 11.1 | 8.6 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 | 5.0 |
| 21 | ***** | 12.8 | 12.4 | 11.9 | 10.8 | 8.4 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 22 | ***** | 12.5 | 12.1 | 11.6 | 10.6 | 8.2 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 | 4.7 |
| 23 | ***** | 11.8 | 11.3 | 10.4 | 8.0 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 | 4.6 |
| 24 | ***** | 11.6 | 11.1 | 10.1 | 7.9 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 | 4.5 |
| 25 | ***** | 11.3 | 10.9 | 9.9 | 7.7 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 | 4.4 |
| 30 | ***** | 9.9 | 9.1 | 7.0 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 | 4.1 |
| 35 | ***** | 8.4 | 6.5 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 |
| 40 | ***** | 6.1 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 |
| 45 | ***** | 5.7 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 |
| 50 | ***** | 5.4 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 | 3.1 |
| 55 | ***** | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 | 3.0 |
| 60 | ***** | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 | 2.9 |
| 65 | ***** | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 | 2.8 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Saskatchewan - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 76.6 | 75.4 | 73.4 | 71.4 | 69.2 | 67.0 | 64.8 | 62.4 | 60.0 | 54.7 | 42.4 | 24.5 | |
| 2 | ***** | 53.3 | 51.9 | 50.5 | 49.0 | 47.4 | 45.8 | 44.1 | 42.4 | 38.7 | 30.0 | 17.3 | | |
| 3 | ***** | 43.6 | 42.4 | 41.2 | 40.0 | 38.7 | 37.4 | 36.0 | 34.6 | 31.6 | 24.5 | 14.1 | | |
| 4 | ***** | 36.7 | 35.7 | 34.6 | 33.5 | 32.4 | 31.2 | 30.0 | 27.9 | 26.8 | 24.5 | 19.0 | 10.9 | |
| 5 | ***** | 32.8 | 31.9 | 31.0 | 30.0 | 29.0 | 27.9 | 26.8 | 25.5 | 24.5 | 22.3 | 17.3 | 10.0 | |
| 6 | ***** | 30.0 | 29.1 | 28.3 | 27.4 | 26.4 | 25.5 | 24.5 | 22.3 | 20.7 | 16.0 | 9.3 | | |
| 7 | ***** | 27.8 | 27.0 | 26.2 | 25.3 | 24.5 | 23.6 | 22.7 | 21.2 | 19.4 | 15.0 | 8.7 | | |
| 8 | ***** | 25.2 | 24.5 | 23.7 | 22.9 | 22.1 | 21.2 | 20.0 | 18.2 | 14.1 | 8.2 | | | |
| 9 | ***** | 23.8 | 23.1 | 22.3 | 21.6 | 20.8 | 20.0 | 18.2 | 14.1 | 8.2 | | | | |
| 10 | ***** | 22.6 | 21.9 | 21.2 | 20.5 | 19.7 | 19.0 | 17.3 | 13.4 | 7.7 | | | | |
| 11 | ***** | 21.5 | 20.9 | 20.2 | 19.5 | 18.8 | 18.1 | 16.5 | 12.8 | 7.4 | | | | |
| 12 | ***** | 20.0 | 19.4 | 18.7 | 18.0 | 17.3 | 15.8 | 12.2 | 7.1 | | | | | |
| 13 | ***** | 19.2 | 18.6 | 18.0 | 17.3 | 16.6 | 15.2 | 11.8 | 6.8 | | | | | |
| 14 | ***** | 18.5 | 17.9 | 17.3 | 16.7 | 16.0 | 14.6 | 11.3 | 6.5 | | | | | |
| 15 | ***** | 17.9 | 17.3 | 16.7 | 16.1 | 15.5 | 14.1 | 10.9 | 6.3 | | | | | |
| 16 | ***** | 16.8 | 16.2 | 15.6 | 15.0 | 13.7 | 10.6 | 6.1 | | | | | | |
| 17 | ***** | 16.3 | 15.7 | 15.1 | 14.5 | 13.3 | 10.3 | 5.9 | | | | | | |
| 18 | ***** | 15.8 | 15.3 | 14.7 | 14.1 | 12.9 | 10.0 | 5.8 | | | | | | |
| 19 | ***** | 15.4 | 14.9 | 14.3 | 13.8 | 12.6 | 9.7 | 5.6 | | | | | | |
| 20 | ***** | 14.5 | 14.0 | 13.4 | 12.2 | 9.5 | 5.5 | | | | | | | |
| 21 | ***** | 14.1 | 13.6 | 13.1 | 11.9 | 9.3 | 5.3 | | | | | | | |
| 22 | ***** | 13.8 | 13.3 | 12.8 | 11.7 | 9.0 | 5.2 | | | | | | | |
| 23 | ***** | 13.0 | 12.5 | 11.4 | 8.8 | 5.1 | | | | | | | | |
| 24 | ***** | 12.7 | 12.2 | 11.2 | 8.7 | 5.0 | | | | | | | | |
| 25 | ***** | 12.5 | 12.0 | 10.9 | 8.5 | 4.9 | | | | | | | | |
| 30 | ***** | 10.9 | 10.0 | 7.7 | 4.5 | | | | | | | | | |
| 35 | ***** | 9.3 | 7.2 | 4.1 | | | | | | | | | | |
| 40 | ***** | 6.7 | 3.9 | | | | | | | | | | | |
| 45 | ***** | 6.3 | 3.6 | | | | | | | | | | | |
| 50 | ***** | 6.0 | 3.5 | | | | | | | | | | | |
| 55 | ***** | 3.3 | | | | | | | | | | | | |
| 60 | ***** | 3.2 | | | | | | | | | | | | |
| 65 | ***** | 3.0 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Saskatchewan - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% | |
| 1 | ***** | 137.5 | 136.8 | 134.7 | 131.1 | 127.4 | 123.6 | 119.7 | 115.6 | 111.4 | 107.0 | 97.7 | 75.7 | 43.7 | |
| 2 | ***** | 97.2 | 96.7 | 95.2 | 92.7 | 90.1 | 87.4 | 84.6 | 81.7 | 78.8 | 75.7 | 69.1 | 53.5 | 30.9 | |
| 3 | ***** | 79.4 | 79.0 | 77.8 | 75.7 | 73.5 | 71.4 | 69.1 | 66.7 | 64.3 | 61.8 | 56.4 | 43.7 | 25.2 | |
| 4 | ***** | 68.7 | 68.4 | 67.3 | 65.5 | 63.7 | 61.8 | 59.8 | 57.8 | 55.7 | 53.5 | 48.9 | 37.8 | 21.8 | |
| 5 | ***** | 61.5 | 61.2 | 60.2 | 58.6 | 57.0 | 55.3 | 53.5 | 51.7 | 49.8 | 47.9 | 43.7 | 33.8 | 19.5 | |
| 6 | ***** | 56.1 | 55.8 | 55.0 | 53.5 | 52.0 | 50.5 | 48.9 | 47.2 | 45.5 | 43.7 | 39.9 | 30.9 | 17.8 | |
| 7 | ***** | | 51.7 | 50.9 | 49.5 | 48.1 | 46.7 | 45.2 | 43.7 | 42.1 | 40.5 | 36.9 | 28.6 | 16.5 | |
| 8 | ***** | | 48.4 | 47.6 | 46.3 | 45.0 | 43.7 | 42.3 | 40.9 | 39.4 | 37.8 | 34.5 | 26.8 | 15.4 | |
| 9 | ***** | | 45.6 | 44.9 | 43.7 | 42.5 | 41.2 | 39.9 | 38.5 | 37.1 | 35.7 | 32.6 | 25.2 | 14.6 | |
| 10 | ***** | | 43.3 | 42.6 | 41.5 | 40.3 | 39.1 | 37.8 | 36.6 | 35.2 | 33.8 | 30.9 | 23.9 | 13.8 | |
| 11 | ***** | | 41.2 | 40.6 | 39.5 | 38.4 | 37.3 | 36.1 | 34.9 | 33.6 | 32.3 | 29.5 | 22.8 | 13.2 | |
| 12 | ***** | | 39.5 | 38.9 | 37.8 | 36.8 | 35.7 | 34.5 | 33.4 | 32.2 | 30.9 | 28.2 | 21.8 | 12.6 | |
| 13 | ***** | | 37.9 | 37.4 | 36.4 | 35.3 | 34.3 | 33.2 | 32.1 | 30.9 | 29.7 | 27.1 | 21.0 | 12.1 | |
| 14 | ***** | | | 36.0 | 35.0 | 34.0 | 33.0 | 32.0 | 30.9 | 29.8 | 28.6 | 26.1 | 20.2 | 11.7 | |
| 15 | ***** | | | 34.8 | 33.8 | 32.9 | 31.9 | 30.9 | 29.8 | 28.8 | 27.6 | 25.2 | 19.5 | 11.3 | |
| 16 | ***** | | | 33.7 | 32.8 | 31.8 | 30.9 | 29.9 | 28.9 | 27.9 | 26.8 | 24.4 | 18.9 | 10.9 | |
| 17 | ***** | | | 32.7 | 31.8 | 30.9 | 30.0 | 29.0 | 28.0 | 27.0 | 26.0 | 23.7 | 18.4 | 10.6 | |
| 18 | ***** | | | 31.7 | 30.9 | 30.0 | 29.1 | 28.2 | 27.2 | 26.3 | 25.2 | 23.0 | 17.8 | 10.3 | |
| 19 | ***** | | | 30.9 | 30.1 | 29.2 | 28.4 | 27.5 | 26.5 | 25.6 | 24.6 | 22.4 | 17.4 | 10.0 | |
| 20 | ***** | | | 30.1 | 29.3 | 28.5 | 27.6 | 26.8 | 25.9 | 24.9 | 23.9 | 21.8 | 16.9 | 9.8 | |
| 21 | ***** | | | 29.4 | 28.6 | 27.8 | 27.0 | 26.1 | 25.2 | 24.3 | 23.4 | 21.3 | 16.5 | 9.5 | |
| 22 | ***** | | | 28.7 | 27.9 | 27.2 | 26.3 | 25.5 | 24.6 | 23.8 | 22.8 | 20.8 | 16.1 | 9.3 | |
| 23 | ***** | | | 28.1 | 27.3 | 26.6 | 25.8 | 25.0 | 24.1 | 23.2 | 22.3 | 20.4 | 15.8 | 9.1 | |
| 24 | ***** | | | 27.5 | 26.8 | 26.0 | 25.2 | 24.4 | 23.6 | 22.7 | 21.8 | 19.9 | 15.4 | 8.9 | |
| 25 | ***** | | | 26.9 | 26.2 | 25.5 | 24.7 | 23.9 | 23.1 | 22.3 | 21.4 | 19.5 | 15.1 | 8.7 | |
| 30 | ***** | | | 24.6 | 23.9 | 23.3 | 22.6 | 21.8 | 21.1 | 20.3 | 19.5 | 17.8 | 13.8 | 8.0 | |
| 35 | ***** | | | | 22.2 | 21.5 | 20.9 | 20.2 | 19.5 | 18.8 | 18.1 | 16.5 | 12.8 | 7.4 | |
| 40 | ***** | | | | 20.7 | 20.1 | 19.5 | 18.9 | 18.3 | 17.6 | 16.9 | 15.4 | 12.0 | 6.9 | |
| 45 | ***** | | | | 19.5 | 19.0 | 18.4 | 17.8 | 17.2 | 16.6 | 16.0 | 14.6 | 11.3 | 6.5 | |
| 50 | ***** | | | | 18.5 | 18.0 | 17.5 | 16.9 | 16.3 | 15.8 | 15.1 | 13.8 | 10.7 | 6.2 | |
| 55 | ***** | | | | 17.7 | 17.2 | 16.7 | 16.1 | 15.6 | 15.0 | 14.4 | 13.2 | 10.2 | 5.9 | |
| 60 | ***** | | | | 16.9 | 16.4 | 16.0 | 15.4 | 14.9 | 14.4 | 13.8 | 12.6 | 9.8 | 5.6 | |
| 65 | ***** | | | | 16.3 | 15.8 | 15.3 | 14.8 | 14.3 | 13.8 | 13.3 | 12.1 | 9.4 | 5.4 | |
| 70 | ***** | | | | | 15.2 | 14.8 | 14.3 | 13.8 | 13.3 | 12.8 | 11.7 | 9.0 | 5.2 | |
| 75 | ***** | | | | | 14.7 | 14.3 | 13.8 | 13.3 | 12.9 | 12.4 | 11.3 | 8.7 | 5.0 | |
| 80 | ***** | | | | | 14.2 | 13.8 | 13.4 | 12.9 | 12.5 | 12.0 | 10.9 | 8.5 | 4.9 | |
| 85 | ***** | | | | | 13.8 | 13.4 | 13.0 | 12.5 | 12.1 | 11.6 | 10.6 | 8.2 | 4.7 | |
| 90 | ***** | | | | | 13.4 | 13.0 | 12.6 | 12.2 | 11.7 | 11.3 | 10.3 | 8.0 | 4.6 | |
| 95 | ***** | | | | | 13.1 | 12.7 | 12.3 | 11.9 | 11.4 | 11.0 | 10.0 | 7.8 | 4.5 | |
| 100 | ***** | | | | | | 12.4 | 12.0 | 11.6 | 11.1 | 10.7 | 9.8 | 7.6 | 4.4 | |
| 125 | ***** | | | | | | 11.1 | 10.7 | 10.3 | 10.0 | 9.6 | 8.7 | 6.8 | 3.9 | |
| 150 | ***** | | | | | | | 9.8 | 9.4 | 9.1 | 8.7 | 8.0 | 6.2 | 3.6 | |
| 200 | ***** | | | | | | | | 7.9 | 7.6 | 7.6 | 6.9 | 5.4 | 3.1 | |
| 250 | ***** | | | | | | | | | 6.8 | 6.2 | 4.8 | 2.8 | | |
| 300 | ***** | | | | | | | | | | 5.6 | 4.4 | 2.5 | | |
| 350 | ***** | | | | | | | | | | | 4.0 | 2.3 | | |
| 400 | ***** | | | | | | | | | | | | 3.8 | 2.2 | |
| 450 | ***** | | | | | | | | | | | | | 3.6 | 2.1 |
| 500 | ***** | | | | | | | | | | | | | | 2.0 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Alberta - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 217.1 | 216.1 | 215.1 | 211.7 | 206.1 | 200.3 | 194.3 | 188.1 | 181.8 | 175.1 | 168.3 | 153.6 | 119.0 | 68.7 |
| 2 | 153.5 | 152.8 | 152.1 | 149.7 | 145.7 | 141.6 | 137.4 | 133.0 | 128.5 | 123.8 | 119.0 | 108.6 | 84.1 | 48.6 |
| 3 | ***** | 124.8 | 124.2 | 122.2 | 119.0 | 115.6 | 112.2 | 108.6 | 104.9 | 101.1 | 97.1 | 88.7 | 68.7 | 39.7 |
| 4 | ***** | 108.1 | 107.5 | 105.9 | 103.0 | 100.1 | 97.1 | 94.1 | 90.9 | 87.6 | 84.1 | 76.8 | 59.5 | 34.3 |
| 5 | ***** | 96.7 | 96.2 | 94.7 | 92.2 | 89.6 | 86.9 | 84.1 | 81.3 | 78.3 | 75.3 | 68.7 | 53.2 | 30.7 |
| 6 | ***** | 88.2 | 87.8 | 86.4 | 84.1 | 81.8 | 79.3 | 76.8 | 74.2 | 71.5 | 68.7 | 62.7 | 48.6 | 28.0 |
| 7 | ***** | 81.7 | 81.3 | 80.0 | 77.9 | 75.7 | 73.4 | 71.1 | 68.7 | 66.2 | 63.6 | 58.1 | 45.0 | 26.0 |
| 8 | ***** | 76.4 | 76.0 | 74.9 | 72.9 | 70.8 | 68.7 | 66.5 | 64.3 | 61.9 | 59.5 | 54.3 | 42.1 | 24.3 |
| 9 | ***** | 72.0 | 71.7 | 70.6 | 68.7 | 66.8 | 64.8 | 62.7 | 60.6 | 58.4 | 56.1 | 51.2 | 39.7 | 22.9 |
| 10 | ***** | 68.4 | 68.0 | 67.0 | 65.2 | 63.3 | 61.4 | 59.5 | 57.5 | 55.4 | 53.2 | 48.6 | 37.6 | 21.7 |
| 11 | ***** | 65.2 | 64.8 | 63.8 | 62.1 | 60.4 | 58.6 | 56.7 | 54.8 | 52.8 | 50.7 | 46.3 | 35.9 | 20.7 |
| 12 | ***** | 62.4 | 62.1 | 61.1 | 59.5 | 57.8 | 56.1 | 54.3 | 52.5 | 50.6 | 48.6 | 44.3 | 34.3 | 19.8 |
| 13 | ***** | 59.9 | 59.6 | 58.7 | 57.2 | 55.5 | 53.9 | 52.2 | 50.4 | 48.6 | 46.7 | 42.6 | 33.0 | 19.1 |
| 14 | ***** | 57.8 | 57.5 | 56.6 | 55.1 | 53.5 | 51.9 | 50.3 | 48.6 | 46.8 | 45.0 | 41.1 | 31.8 | 18.4 |
| 15 | ***** | 55.8 | 55.5 | 54.7 | 53.2 | 51.7 | 50.2 | 48.6 | 46.9 | 45.2 | 43.4 | 39.7 | 30.7 | 17.7 |
| 16 | ***** | 54.0 | 53.8 | 52.9 | 51.5 | 50.1 | 48.6 | 47.0 | 45.4 | 43.8 | 42.1 | 38.4 | 29.7 | 17.2 |
| 17 | ***** | 52.4 | 52.2 | 51.4 | 50.0 | 48.6 | 47.1 | 45.6 | 44.1 | 42.5 | 40.8 | 37.3 | 28.9 | 16.7 |
| 18 | ***** | 50.9 | 50.7 | 49.9 | 48.6 | 47.2 | 45.8 | 44.3 | 42.8 | 41.3 | 39.7 | 36.2 | 28.0 | 16.2 |
| 19 | ***** | 49.6 | 49.3 | 48.6 | 47.3 | 45.9 | 44.6 | 43.2 | 41.7 | 40.2 | 38.6 | 35.2 | 27.3 | 15.8 |
| 20 | ***** | 48.3 | 48.1 | 47.3 | 46.1 | 44.8 | 43.4 | 42.1 | 40.6 | 39.2 | 37.6 | 34.3 | 26.6 | 15.4 |
| 21 | ***** | 47.2 | 46.9 | 46.2 | 45.0 | 43.7 | 42.4 | 41.1 | 39.7 | 38.2 | 36.7 | 33.5 | 26.0 | 15.0 |
| 22 | ***** | 46.1 | 45.8 | 45.1 | 43.9 | 42.7 | 41.4 | 40.1 | 38.7 | 37.3 | 35.9 | 32.7 | 25.4 | 14.6 |
| 23 | ***** | 45.1 | 44.8 | 44.1 | 43.0 | 41.8 | 40.5 | 39.2 | 37.9 | 36.5 | 35.1 | 32.0 | 24.8 | 14.3 |
| 24 | ***** | 44.1 | 43.9 | 43.2 | 42.1 | 40.9 | 39.7 | 38.4 | 37.1 | 35.8 | 34.3 | 31.4 | 24.3 | 14.0 |
| 25 | ***** | 43.2 | 43.0 | 42.3 | 41.2 | 40.1 | 38.9 | 37.6 | 36.4 | 35.0 | 33.7 | 30.7 | 23.8 | 13.7 |
| 30 | ***** | ***** | 39.3 | 38.7 | 37.6 | 36.6 | 35.5 | 34.3 | 33.2 | 32.0 | 30.7 | 28.0 | 21.7 | 12.5 |
| 35 | ***** | ***** | 36.4 | 35.8 | 34.8 | 33.9 | 32.8 | 31.8 | 30.7 | 29.6 | 28.4 | 26.0 | 20.1 | 11.6 |
| 40 | ***** | ***** | 34.0 | 33.5 | 32.6 | 31.7 | 30.7 | 29.7 | 28.7 | 27.7 | 26.6 | 24.3 | 18.8 | 10.9 |
| 45 | ***** | ***** | 32.1 | 31.6 | 30.7 | 29.9 | 29.0 | 28.0 | 27.1 | 26.1 | 25.1 | 22.9 | 17.7 | 10.2 |
| 50 | ***** | ***** | 30.4 | 29.9 | 29.1 | 28.3 | 27.5 | 26.6 | 25.7 | 24.8 | 23.8 | 21.7 | 16.8 | 9.7 |
| 55 | ***** | ***** | 29.0 | 28.6 | 27.8 | 27.0 | 26.2 | 25.4 | 24.5 | 23.6 | 22.7 | 20.7 | 16.0 | 9.3 |
| 60 | ***** | ***** | ***** | 27.3 | 26.6 | 25.9 | 25.1 | 24.3 | 23.5 | 22.6 | 21.7 | 19.8 | 15.4 | 8.9 |
| 65 | ***** | ***** | ***** | 26.3 | 25.6 | 24.8 | 24.1 | 23.3 | 22.5 | 21.7 | 20.9 | 19.1 | 14.8 | 8.5 |
| 70 | ***** | ***** | ***** | 25.3 | 24.6 | 23.9 | 23.2 | 22.5 | 21.7 | 20.9 | 20.1 | 18.4 | 14.2 | 8.2 |
| 75 | ***** | ***** | ***** | 24.4 | 23.8 | 23.1 | 22.4 | 21.7 | 21.0 | 20.2 | 19.4 | 17.7 | 13.7 | 7.9 |
| 80 | ***** | ***** | ***** | 23.7 | 23.0 | 22.4 | 21.7 | 21.0 | 20.3 | 19.6 | 18.8 | 17.2 | 13.3 | 7.7 |
| 85 | ***** | ***** | ***** | 23.0 | 22.4 | 21.7 | 21.1 | 20.4 | 19.7 | 19.0 | 18.3 | 16.7 | 12.9 | 7.5 |
| 90 | ***** | ***** | ***** | 22.3 | 21.7 | 21.1 | 20.5 | 19.8 | 19.2 | 18.5 | 17.7 | 16.2 | 12.5 | 7.2 |
| 95 | ***** | ***** | ***** | 21.7 | 21.1 | 20.5 | 19.9 | 19.3 | 18.6 | 18.0 | 17.3 | 15.8 | 12.2 | 7.0 |
| 100 | ***** | ***** | ***** | 21.2 | 20.6 | 20.0 | 19.4 | 18.8 | 18.2 | 17.5 | 16.8 | 15.4 | 11.9 | 6.9 |
| 125 | ***** | ***** | ***** | 18.9 | 18.4 | 17.9 | 17.4 | 16.8 | 16.3 | 15.7 | 15.1 | 13.7 | 10.6 | 6.1 |
| 150 | ***** | ***** | ***** | ***** | 16.8 | 16.4 | 15.9 | 15.4 | 14.8 | 14.3 | 13.7 | 12.5 | 9.7 | 5.6 |
| 200 | ***** | ***** | ***** | ***** | 14.6 | 14.2 | 13.7 | 13.3 | 12.9 | 12.4 | 11.9 | 10.9 | 8.4 | 4.9 |
| 250 | ***** | ***** | ***** | ***** | 13.0 | 12.7 | 12.3 | 11.9 | 11.5 | 11.1 | 10.6 | 9.7 | 7.5 | 4.3 |
| 300 | ***** | ***** | ***** | ***** | ***** | 11.6 | 11.2 | 10.9 | 10.5 | 10.1 | 9.7 | 8.9 | 6.9 | 4.0 |
| 350 | ***** | ***** | ***** | ***** | ***** | 10.7 | 10.4 | 10.1 | 9.7 | 9.4 | 9.0 | 8.2 | 6.4 | 3.7 |
| 400 | ***** | ***** | ***** | ***** | ***** | 10.0 | 9.7 | 9.4 | 9.1 | 8.8 | 8.4 | 7.7 | 5.9 | 3.4 |
| 450 | ***** | ***** | ***** | ***** | ***** | ***** | 9.2 | 8.9 | 8.6 | 8.3 | 7.9 | 7.2 | 5.6 | 3.2 |
| 500 | ***** | ***** | ***** | ***** | ***** | ***** | 8.7 | 8.4 | 8.1 | 7.8 | 7.5 | 6.9 | 5.3 | 3.1 |
| 750 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 6.6 | 6.4 | 6.1 | 5.6 | 4.3 | 2.5 | 1.5 |
| 1,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 5.5 | 5.3 | 4.9 | 3.8 | 2.2 | 1.5 |
| 1,500 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 3.1 | 1.8 |
| 2,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 2.7 | 1.5 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Alberta - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 117.9 | 117.3 | 115.5 | 112.5 | 109.3 | 106.0 | 102.7 | 99.2 | 95.6 | 91.8 | 83.8 | 64.9 | 37.5 |
| 2 | ***** | 83.4 | 83.0 | 81.7 | 79.5 | 77.3 | 75.0 | 72.6 | 70.1 | 67.6 | 64.9 | 59.3 | 45.9 | 26.5 |
| 3 | ***** | | 67.8 | 66.7 | 64.9 | 63.1 | 61.2 | 59.3 | 57.3 | 55.2 | 53.0 | 48.4 | 37.5 | 21.6 |
| 4 | ***** | | 58.7 | 57.8 | 56.2 | 54.6 | 53.0 | 51.3 | 49.6 | 47.8 | 45.9 | 41.9 | 32.5 | 18.7 |
| 5 | ***** | | | 51.7 | 50.3 | 48.9 | 47.4 | 45.9 | 44.4 | 42.7 | 41.1 | 37.5 | 29.0 | 16.8 |
| 6 | ***** | | | | 47.2 | 45.9 | 44.6 | 43.3 | 41.9 | 40.5 | 39.0 | 37.5 | 34.2 | 15.3 |
| 7 | ***** | | | | | 43.7 | 42.5 | 41.3 | 40.1 | 38.8 | 37.5 | 36.1 | 34.7 | 14.2 |
| 8 | ***** | | | | | | 40.8 | 39.8 | 38.6 | 37.5 | 36.3 | 35.1 | 33.8 | 13.3 |
| 9 | ***** | | | | | | | 38.5 | 37.5 | 36.4 | 35.3 | 34.2 | 33.1 | 12.5 |
| 10 | ***** | | | | | | | | 36.5 | 35.6 | 34.6 | 33.5 | 32.5 | 11.9 |
| 11 | ***** | | | | | | | | | 34.8 | 33.9 | 33.0 | 32.0 | 11.3 |
| 12 | ***** | | | | | | | | | | 33.4 | 32.5 | 31.5 | 10.8 |
| 13 | ***** | | | | | | | | | | | 31.2 | 30.3 | 10.4 |
| 14 | ***** | | | | | | | | | | | | 29.2 | 10.0 |
| 15 | ***** | | | | | | | | | | | | | 9.7 |
| 16 | ***** | | | | | | | | | | | | | 9.4 |
| 17 | ***** | | | | | | | | | | | | | 9.1 |
| 18 | ***** | | | | | | | | | | | | | 8.8 |
| 19 | ***** | | | | | | | | | | | | | 8.6 |
| 20 | ***** | | | | | | | | | | | | | 8.4 |
| 21 | ***** | | | | | | | | | | | | | 8.2 |
| 22 | ***** | | | | | | | | | | | | | 8.0 |
| 23 | ***** | | | | | | | | | | | | | 7.8 |
| 24 | ***** | | | | | | | | | | | | | 7.7 |
| 25 | ***** | | | | | | | | | | | | | 7.5 |
| 30 | ***** | | | | | | | | | | | | | 6.8 |
| 35 | ***** | | | | | | | | | | | | | 6.3 |
| 40 | ***** | | | | | | | | | | | | | 5.9 |
| 45 | ***** | | | | | | | | | | | | | 5.6 |
| 50 | ***** | | | | | | | | | | | | | 5.3 |
| 55 | ***** | | | | | | | | | | | | | 5.1 |
| 60 | ***** | | | | | | | | | | | | | 4.8 |
| 65 | ***** | | | | | | | | | | | | | 4.6 |
| 70 | ***** | | | | | | | | | | | | | 4.5 |
| 75 | ***** | | | | | | | | | | | | | 4.3 |
| 80 | ***** | | | | | | | | | | | | | 4.2 |
| 85 | ***** | | | | | | | | | | | | | 4.1 |
| 90 | ***** | | | | | | | | | | | | | 4.0 |
| 95 | ***** | | | | | | | | | | | | | 3.8 |
| 100 | ***** | | | | | | | | | | | | | 3.7 |
| 125 | ***** | | | | | | | | | | | | | 3.4 |
| 150 | ***** | | | | | | | | | | | | | 3.1 |
| 200 | ***** | | | | | | | | | | | | | 2.7 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Alberta - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 143.3 | 142.6 | 140.4 | 136.6 | 132.8 | 128.8 | 124.7 | 120.5 | 116.1 | 111.6 | 101.8 | 78.9 | 45.5 |
| 2 | ***** | 101.3 | 100.8 | 99.3 | 96.6 | 93.9 | 91.1 | 88.2 | 85.2 | 82.1 | 78.9 | 72.0 | 55.8 | 32.2 |
| 3 | ***** | | 82.3 | 81.0 | 78.9 | 76.7 | 74.4 | 72.0 | 69.6 | 67.0 | 64.4 | 58.8 | 45.5 | 26.3 |
| 4 | ***** | | 71.3 | 70.2 | 68.3 | 66.4 | 64.4 | 62.4 | 60.3 | 58.1 | 55.8 | 50.9 | 39.4 | 22.8 |
| 5 | ***** | | 63.8 | 62.8 | 61.1 | 59.4 | 57.6 | 55.8 | 53.9 | 51.9 | 49.9 | 45.5 | 35.3 | 20.4 |
| 6 | ***** | | | 57.3 | 55.8 | 54.2 | 52.6 | 50.9 | 49.2 | 47.4 | 45.5 | 41.6 | 32.2 | 18.6 |
| 7 | ***** | | | 53.1 | 51.6 | 50.2 | 48.7 | 47.1 | 45.5 | 43.9 | 42.2 | 38.5 | 29.8 | 17.2 |
| 8 | ***** | | | 49.6 | 48.3 | 46.9 | 45.5 | 44.1 | 42.6 | 41.1 | 39.4 | 36.0 | 27.9 | 16.1 |
| 9 | ***** | | | 46.8 | 45.5 | 44.3 | 42.9 | 41.6 | 40.2 | 38.7 | 37.2 | 33.9 | 26.3 | 15.2 |
| 10 | ***** | | | 44.4 | 43.2 | 42.0 | 40.7 | 39.4 | 38.1 | 36.7 | 35.3 | 32.2 | 24.9 | 14.4 |
| 11 | ***** | | | 42.3 | 41.2 | 40.0 | 38.8 | 37.6 | 36.3 | 35.0 | 33.6 | 30.7 | 23.8 | 13.7 |
| 12 | ***** | | | 40.5 | 39.4 | 38.3 | 37.2 | 36.0 | 34.8 | 33.5 | 32.2 | 29.4 | 22.8 | 13.1 |
| 13 | ***** | | | 38.9 | 37.9 | 36.8 | 35.7 | 34.6 | 33.4 | 32.2 | 30.9 | 28.2 | 21.9 | 12.6 |
| 14 | ***** | | | | 36.5 | 35.5 | 34.4 | 33.3 | 32.2 | 31.0 | 29.8 | 27.2 | 21.1 | 12.2 |
| 15 | ***** | | | | 35.3 | 34.3 | 33.3 | 32.2 | 31.1 | 30.0 | 28.8 | 26.3 | 20.4 | 11.8 |
| 16 | ***** | | | | 34.2 | 33.2 | 32.2 | 31.2 | 30.1 | 29.0 | 27.9 | 25.5 | 19.7 | 11.4 |
| 17 | ***** | | | | 33.1 | 32.2 | 31.2 | 30.3 | 29.2 | 28.2 | 27.1 | 24.7 | 19.1 | 11.0 |
| 18 | ***** | | | | 32.2 | 31.3 | 30.4 | 29.4 | 28.4 | 27.4 | 26.3 | 24.0 | 18.6 | 10.7 |
| 19 | ***** | | | | 31.3 | 30.5 | 29.6 | 28.6 | 27.6 | 26.6 | 25.6 | 23.4 | 18.1 | 10.4 |
| 20 | ***** | | | | 30.6 | 29.7 | 28.8 | 27.9 | 26.9 | 26.0 | 24.9 | 22.8 | 17.6 | 10.2 |
| 21 | ***** | | | | 29.8 | 29.0 | 28.1 | 27.2 | 26.3 | 25.3 | 24.3 | 22.2 | 17.2 | 9.9 |
| 22 | ***** | | | | 29.1 | 28.3 | 27.5 | 26.6 | 25.7 | 24.8 | 23.8 | 21.7 | 16.8 | 9.7 |
| 23 | ***** | | | | 28.5 | 27.7 | 26.9 | 26.0 | 25.1 | 24.2 | 23.3 | 21.2 | 16.4 | 9.5 |
| 24 | ***** | | | | 27.9 | 27.1 | 26.3 | 25.5 | 24.6 | 23.7 | 22.8 | 20.8 | 16.1 | 9.3 |
| 25 | ***** | | | | 27.3 | 26.6 | 25.8 | 24.9 | 24.1 | 23.2 | 22.3 | 20.4 | 15.8 | 9.1 |
| 30 | ***** | | | | | 24.2 | 23.5 | 22.8 | 22.0 | 21.2 | 20.4 | 18.6 | 14.4 | 8.3 |
| 35 | ***** | | | | | 22.4 | 21.8 | 21.1 | 20.4 | 19.6 | 18.9 | 17.2 | 13.3 | 7.7 |
| 40 | ***** | | | | | 21.0 | 20.4 | 19.7 | 19.1 | 18.4 | 17.6 | 16.1 | 12.5 | 7.2 |
| 45 | ***** | | | | | | 19.2 | 18.6 | 18.0 | 17.3 | 16.6 | 15.2 | 11.8 | 6.8 |
| 50 | ***** | | | | | | 18.2 | 17.6 | 17.0 | 16.4 | 15.8 | 14.4 | 11.2 | 6.4 |
| 55 | ***** | | | | | | 17.4 | 16.8 | 16.2 | 15.7 | 15.0 | 13.7 | 10.6 | 6.1 |
| 60 | ***** | | | | | | | 16.1 | 15.6 | 15.0 | 14.4 | 13.1 | 10.2 | 5.9 |
| 65 | ***** | | | | | | | 15.5 | 14.9 | 14.4 | 13.8 | 12.6 | 9.8 | 5.6 |
| 70 | ***** | | | | | | | | 14.4 | 13.9 | 13.3 | 12.2 | 9.4 | 5.4 |
| 75 | ***** | | | | | | | | 13.9 | 13.4 | 12.9 | 11.8 | 9.1 | 5.3 |
| 80 | ***** | | | | | | | | 13.5 | 13.0 | 12.5 | 11.4 | 8.8 | 5.1 |
| 85 | ***** | | | | | | | | | 12.6 | 12.1 | 11.0 | 8.6 | 4.9 |
| 90 | ***** | | | | | | | | | 12.2 | 11.8 | 10.7 | 8.3 | 4.8 |
| 95 | ***** | | | | | | | | | 11.9 | 11.4 | 10.4 | 8.1 | 4.7 |
| 100 | ***** | | | | | | | | | | 11.2 | 10.2 | 7.9 | 4.6 |
| 125 | ***** | | | | | | | | | | | 9.1 | 7.1 | 4.1 |
| 150 | ***** | | | | | | | | | | | | 6.4 | 3.7 |
| 200 | ***** | | | | | | | | | | | | | 3.2 |
| 250 | ***** | | | | | | | | | | | | | 2.9 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Alberta - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 234.2 | 233.1 | 231.9 | 228.4 | 222.3 | 216.0 | 209.6 | 202.9 | 196.0 | 188.9 | 181.5 | 165.7 | 128.3 | 74.1 |
| 2 | 165.6 | 164.8 | 164.0 | 161.5 | 157.2 | 152.7 | 148.2 | 143.5 | 138.6 | 133.6 | 128.3 | 117.1 | 90.7 | 52.4 |
| 3 | ***** | 134.6 | 133.9 | 131.8 | 128.3 | 124.7 | 121.0 | 117.1 | 113.2 | 109.1 | 104.8 | 95.7 | 74.1 | 42.8 |
| 4 | ***** | 116.6 | 116.0 | 114.2 | 111.1 | 108.0 | 104.8 | 101.5 | 98.0 | 94.4 | 90.7 | 82.8 | 64.2 | 37.0 |
| 5 | ***** | 104.3 | 103.7 | 102.1 | 99.4 | 96.6 | 93.7 | 90.7 | 87.7 | 84.5 | 81.2 | 74.1 | 57.4 | 33.1 |
| 6 | ***** | 95.2 | 94.7 | 93.2 | 90.7 | 88.2 | 85.6 | 82.8 | 80.0 | 77.1 | 74.1 | 67.6 | 52.4 | 30.2 |
| 7 | ***** | 88.1 | 87.7 | 86.3 | 84.0 | 81.6 | 79.2 | 76.7 | 74.1 | 71.4 | 68.6 | 62.6 | 48.5 | 28.0 |
| 8 | ***** | 82.4 | 82.0 | 80.7 | 78.6 | 76.4 | 74.1 | 71.7 | 69.3 | 66.8 | 64.2 | 58.6 | 45.4 | 26.2 |
| 9 | ***** | 77.7 | 77.3 | 76.1 | 74.1 | 72.0 | 69.9 | 67.6 | 65.3 | 63.0 | 60.5 | 55.2 | 42.8 | 24.7 |
| 10 | ***** | 73.7 | 73.3 | 72.2 | 70.3 | 68.3 | 66.3 | 64.2 | 62.0 | 59.7 | 57.4 | 52.4 | 40.6 | 23.4 |
| 11 | ***** | 70.3 | 69.9 | 68.9 | 67.0 | 65.1 | 63.2 | 61.2 | 59.1 | 57.0 | 54.7 | 50.0 | 38.7 | 22.3 |
| 12 | ***** | 67.3 | 67.0 | 65.9 | 64.2 | 62.4 | 60.5 | 58.6 | 56.6 | 54.5 | 52.4 | 47.8 | 37.0 | 21.4 |
| 13 | ***** | 64.7 | 64.3 | 63.3 | 61.6 | 59.9 | 58.1 | 56.3 | 54.4 | 52.4 | 50.3 | 45.9 | 35.6 | 20.5 |
| 14 | ***** | 62.3 | 62.0 | 61.0 | 59.4 | 57.7 | 56.0 | 54.2 | 52.4 | 50.5 | 48.5 | 44.3 | 34.3 | 19.8 |
| 15 | ***** | 60.2 | 59.9 | 59.0 | 57.4 | 55.8 | 54.1 | 52.4 | 50.6 | 48.8 | 46.9 | 42.8 | 33.1 | 19.1 |
| 16 | ***** | 58.3 | 58.0 | 57.1 | 55.6 | 54.0 | 52.4 | 50.7 | 49.0 | 47.2 | 45.4 | 41.4 | 32.1 | 18.5 |
| 17 | ***** | 56.5 | 56.3 | 55.4 | 53.9 | 52.4 | 50.8 | 49.2 | 47.5 | 45.8 | 44.0 | 40.2 | 31.1 | 18.0 |
| 18 | ***** | 54.9 | 54.7 | 53.8 | 52.4 | 50.9 | 49.4 | 47.8 | 46.2 | 44.5 | 42.8 | 39.0 | 30.2 | 17.5 |
| 19 | ***** | 53.5 | 53.2 | 52.4 | 51.0 | 49.6 | 48.1 | 46.5 | 45.0 | 43.3 | 41.6 | 38.0 | 29.4 | 17.0 |
| 20 | ***** | 52.1 | 51.9 | 51.1 | 49.7 | 48.3 | 46.9 | 45.4 | 43.8 | 42.2 | 40.6 | 37.0 | 28.7 | 16.6 |
| 21 | ***** | 50.9 | 50.6 | 49.8 | 48.5 | 47.1 | 45.7 | 44.3 | 42.8 | 41.2 | 39.6 | 36.2 | 28.0 | 16.2 |
| 22 | ***** | 49.7 | 49.4 | 48.7 | 47.4 | 46.1 | 44.7 | 43.3 | 41.8 | 40.3 | 38.7 | 35.3 | 27.4 | 15.8 |
| 23 | ***** | 48.6 | 48.4 | 47.6 | 46.3 | 45.0 | 43.7 | 42.3 | 40.9 | 39.4 | 37.8 | 34.5 | 26.8 | 15.4 |
| 24 | ***** | 47.3 | 47.3 | 46.6 | 45.4 | 44.1 | 42.8 | 41.4 | 40.0 | 38.6 | 37.0 | 33.8 | 26.2 | 15.1 |
| 25 | ***** | 46.4 | 46.4 | 45.7 | 44.5 | 43.2 | 41.9 | 40.6 | 39.2 | 37.8 | 36.3 | 33.1 | 25.7 | 14.8 |
| 30 | ***** | 42.3 | 42.3 | 41.7 | 40.6 | 39.4 | 38.3 | 37.0 | 35.8 | 34.5 | 33.1 | 30.2 | 23.4 | 13.5 |
| 35 | ***** | 39.2 | 39.2 | 38.6 | 37.6 | 36.5 | 35.4 | 34.3 | 33.1 | 31.9 | 30.7 | 28.0 | 21.7 | 12.5 |
| 40 | ***** | 36.7 | 36.7 | 36.1 | 35.1 | 34.2 | 33.1 | 32.1 | 31.0 | 29.9 | 28.7 | 26.2 | 20.3 | 11.7 |
| 45 | ***** | 34.6 | 34.6 | 34.0 | 33.1 | 32.2 | 31.2 | 30.2 | 29.2 | 28.2 | 27.1 | 24.7 | 19.1 | 11.0 |
| 50 | ***** | 32.3 | 32.3 | 31.4 | 30.5 | 29.6 | 28.7 | 27.7 | 26.7 | 25.7 | 24.7 | 23.4 | 18.1 | 10.5 |
| 55 | ***** | 30.8 | 30.8 | 30.0 | 29.1 | 28.3 | 27.4 | 26.4 | 25.5 | 24.5 | 23.5 | 22.3 | 17.3 | 10.0 |
| 60 | ***** | 29.5 | 29.5 | 28.7 | 27.9 | 27.1 | 26.2 | 25.3 | 24.4 | 23.4 | 22.4 | 21.4 | 16.6 | 9.6 |
| 65 | ***** | 28.3 | 28.3 | 27.6 | 26.8 | 26.0 | 25.2 | 24.3 | 23.4 | 22.5 | 21.5 | 20.5 | 15.9 | 9.2 |
| 70 | ***** | 27.3 | 27.3 | 26.6 | 25.8 | 25.0 | 24.3 | 23.4 | 22.6 | 21.7 | 20.8 | 19.8 | 15.3 | 8.9 |
| 75 | ***** | 26.4 | 26.4 | 25.7 | 24.9 | 24.2 | 23.4 | 22.6 | 21.8 | 21.0 | 20.1 | 19.1 | 14.8 | 8.6 |
| 80 | ***** | 25.5 | 25.5 | 24.9 | 24.2 | 23.4 | 22.7 | 21.9 | 21.1 | 20.3 | 19.5 | 18.5 | 14.3 | 8.3 |
| 85 | ***** | 24.8 | 24.8 | 24.1 | 23.4 | 22.7 | 22.0 | 21.3 | 20.5 | 19.7 | 18.9 | 18.0 | 13.9 | 8.0 |
| 90 | ***** | 24.1 | 24.1 | 23.4 | 22.8 | 22.1 | 21.4 | 20.7 | 19.9 | 19.1 | 18.3 | 17.5 | 13.5 | 7.8 |
| 95 | ***** | 23.4 | 23.4 | 22.8 | 22.2 | 21.5 | 20.8 | 20.1 | 19.4 | 18.6 | 17.8 | 17.0 | 13.2 | 7.6 |
| 100 | ***** | 22.8 | 22.8 | 22.2 | 21.6 | 21.0 | 20.3 | 19.6 | 18.9 | 18.1 | 17.3 | 16.6 | 12.8 | 7.4 |
| 125 | ***** | 19.9 | 19.9 | 19.3 | 18.7 | 18.1 | 17.5 | 16.9 | 16.2 | 15.4 | 14.8 | 14.8 | 11.5 | 6.6 |
| 150 | ***** | 18.1 | 18.1 | 17.6 | 17.1 | 16.6 | 16.0 | 15.4 | 14.8 | 14.2 | 13.5 | 13.5 | 10.5 | 6.0 |
| 200 | ***** | 15.7 | 15.7 | 15.3 | 14.8 | 14.3 | 13.9 | 13.4 | 12.8 | 12.3 | 11.7 | 11.7 | 9.1 | 5.2 |
| 250 | ***** | 13.7 | 13.7 | 13.3 | 12.8 | 12.4 | 11.9 | 11.5 | 11.0 | 10.5 | 10.0 | 9.5 | 8.1 | 4.7 |
| 300 | ***** | 12.5 | 12.5 | 12.1 | 11.7 | 11.3 | 10.9 | 10.5 | 10.1 | 9.6 | 9.2 | 8.7 | 7.4 | 4.3 |
| 350 | ***** | 11.5 | 11.5 | 11.2 | 10.8 | 10.5 | 10.1 | 9.7 | 9.3 | 8.9 | 8.5 | 8.1 | 6.9 | 4.0 |
| 400 | ***** | 10.5 | 10.5 | 10.1 | 9.8 | 9.4 | 9.0 | 8.6 | 8.2 | 7.8 | 7.4 | 7.0 | 6.4 | 3.7 |
| 450 | ***** | 9.9 | 9.9 | 9.6 | 9.2 | 8.9 | 8.6 | 8.2 | 7.8 | 7.4 | 7.0 | 6.6 | 6.0 | 3.5 |
| 500 | ***** | 9.1 | 9.1 | 8.8 | 8.4 | 8.1 | 7.7 | 7.3 | 6.9 | 6.5 | 6.1 | 5.7 | 5.7 | 3.3 |
| 750 | ***** | 6.9 | 6.9 | 6.6 | 6.3 | 6.0 | 5.7 | 5.4 | 5.1 | 4.8 | 4.5 | 4.2 | 4.7 | 2.7 |
| 1,000 | ***** | 5.2 | 5.2 | 4.9 | 4.6 | 4.3 | 4.0 | 3.7 | 3.4 | 3.1 | 2.8 | 2.5 | 4.1 | 2.3 |
| 1,500 | ***** | 3.3 | 3.3 | 3.1 | 2.9 | 2.7 | 2.5 | 2.3 | 2.1 | 1.9 | 1.7 | 1.5 | 3.3 | 1.9 |
| 2,000 | ***** | 1.7 | 1.7 | 1.6 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.0 | 0.9 | 0.8 | 1.7 | 1.7 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - British Columbia - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 268.9 | 267.7 | 266.3 | 262.2 | 255.2 | 248.0 | 240.6 | 233.0 | 225.1 | 216.9 | 208.4 | 190.2 | 147.3 | 85.1 |
| 2 | 190.1 | 189.3 | 188.3 | 185.4 | 180.5 | 175.4 | 170.1 | 164.7 | 159.2 | 153.4 | 147.3 | 134.5 | 104.2 | 60.2 |
| 3 | 155.2 | 154.5 | 153.8 | 151.4 | 147.3 | 143.2 | 138.9 | 134.5 | 129.9 | 125.2 | 120.3 | 109.8 | 85.1 | 49.1 |
| 4 | ***** | 133.8 | 133.2 | 131.1 | 127.6 | 124.0 | 120.3 | 116.5 | 112.5 | 108.4 | 104.2 | 95.1 | 73.7 | 42.5 |
| 5 | ***** | 119.7 | 119.1 | 117.3 | 114.1 | 110.9 | 107.6 | 104.2 | 100.7 | 97.0 | 93.2 | 85.1 | 65.9 | 38.0 |
| 6 | ***** | 109.3 | 108.7 | 107.0 | 104.2 | 101.3 | 98.2 | 95.1 | 91.9 | 88.5 | 85.1 | 77.7 | 60.2 | 34.7 |
| 7 | ***** | 101.2 | 100.7 | 99.1 | 96.5 | 93.7 | 90.9 | 88.1 | 85.1 | 82.0 | 78.8 | 71.9 | 55.7 | 32.2 |
| 8 | ***** | 94.6 | 94.2 | 92.7 | 90.2 | 87.7 | 85.1 | 82.4 | 79.6 | 76.7 | 73.7 | 67.3 | 52.1 | 30.1 |
| 9 | ***** | 89.2 | 88.8 | 87.4 | 85.1 | 82.7 | 80.2 | 77.7 | 75.0 | 72.3 | 69.5 | 63.4 | 49.1 | 28.4 |
| 10 | ***** | 84.6 | 84.2 | 82.9 | 80.7 | 78.4 | 76.1 | 73.7 | 71.2 | 68.6 | 65.9 | 60.2 | 46.6 | 26.9 |
| 11 | ***** | 80.7 | 80.3 | 79.1 | 76.9 | 74.8 | 72.5 | 70.2 | 67.9 | 65.4 | 62.8 | 57.4 | 44.4 | 25.6 |
| 12 | ***** | 77.3 | 76.9 | 75.7 | 73.7 | 71.6 | 69.5 | 67.3 | 65.0 | 62.6 | 60.2 | 54.9 | 42.5 | 24.6 |
| 13 | ***** | 74.2 | 73.9 | 72.7 | 70.8 | 68.8 | 66.7 | 64.6 | 62.4 | 60.2 | 57.8 | 52.8 | 40.9 | 23.6 |
| 14 | ***** | 71.5 | 71.2 | 70.1 | 68.2 | 66.3 | 64.3 | 62.3 | 60.2 | 58.0 | 55.7 | 50.8 | 39.4 | 22.7 |
| 15 | ***** | 69.1 | 68.8 | 67.7 | 65.9 | 64.0 | 62.1 | 60.2 | 58.1 | 56.0 | 53.8 | 49.1 | 38.0 | 22.0 |
| 16 | ***** | 66.9 | 66.6 | 65.6 | 63.8 | 62.0 | 60.2 | 58.2 | 56.3 | 54.2 | 52.1 | 47.6 | 36.8 | 21.3 |
| 17 | ***** | 64.9 | 64.6 | 63.6 | 61.9 | 60.2 | 58.4 | 56.5 | 54.6 | 52.6 | 50.5 | 46.1 | 35.7 | 20.6 |
| 18 | ***** | 63.1 | 62.8 | 61.8 | 60.2 | 58.5 | 56.7 | 54.9 | 53.1 | 51.1 | 49.1 | 44.8 | 34.7 | 20.1 |
| 19 | ***** | 61.4 | 61.1 | 60.2 | 58.5 | 56.9 | 55.2 | 53.4 | 51.6 | 49.8 | 47.8 | 43.6 | 33.8 | 19.5 |
| 20 | ***** | 59.9 | 59.5 | 58.6 | 57.1 | 55.5 | 53.8 | 52.1 | 50.3 | 48.5 | 46.6 | 42.5 | 32.9 | 19.0 |
| 21 | ***** | 58.4 | 58.1 | 57.2 | 55.7 | 54.1 | 52.5 | 50.8 | 49.1 | 47.3 | 45.5 | 41.5 | 32.2 | 18.6 |
| 22 | ***** | 57.1 | 56.8 | 55.9 | 54.4 | 52.9 | 51.3 | 49.7 | 48.0 | 46.2 | 44.4 | 40.6 | 31.4 | 18.1 |
| 23 | ***** | 55.8 | 55.5 | 54.7 | 53.2 | 51.7 | 50.2 | 48.6 | 46.9 | 45.2 | 43.4 | 39.7 | 30.7 | 17.7 |
| 24 | ***** | 54.6 | 54.4 | 53.5 | 52.1 | 50.6 | 49.1 | 47.6 | 45.9 | 44.3 | 42.5 | 38.8 | 30.1 | 17.4 |
| 25 | ***** | 53.5 | 53.3 | 52.4 | 51.0 | 49.6 | 48.1 | 46.6 | 45.0 | 43.4 | 41.7 | 38.0 | 29.5 | 17.0 |
| 30 | ***** | 48.9 | 48.6 | 47.9 | 46.6 | 45.3 | 43.9 | 42.5 | 41.1 | 39.6 | 38.0 | 34.7 | 26.9 | 15.5 |
| 35 | ***** | 45.2 | 45.0 | 44.3 | 43.1 | 41.9 | 40.7 | 39.4 | 38.0 | 36.7 | 35.2 | 32.2 | 24.9 | 14.4 |
| 40 | ***** | 42.1 | 41.5 | 40.4 | 39.2 | 38.0 | 36.8 | 35.6 | 34.3 | 32.9 | 30.1 | 23.3 | 13.5 | |
| 45 | ***** | 39.7 | 39.1 | 38.0 | 37.0 | 35.9 | 34.7 | 33.6 | 32.3 | 31.1 | 28.4 | 22.0 | 12.7 | |
| 50 | ***** | 37.7 | 37.1 | 36.1 | 35.1 | 34.0 | 32.9 | 31.8 | 30.7 | 29.5 | 26.9 | 20.8 | 12.0 | |
| 55 | ***** | 35.9 | 35.4 | 34.4 | 33.4 | 32.4 | 31.4 | 30.3 | 29.2 | 28.1 | 25.6 | 19.9 | 11.5 | |
| 60 | ***** | 34.4 | 33.9 | 32.9 | 32.0 | 31.1 | 30.1 | 29.1 | 28.0 | 26.9 | 24.6 | 19.0 | 11.0 | |
| 65 | ***** | 33.0 | 32.5 | 31.7 | 30.8 | 29.8 | 28.9 | 27.9 | 26.9 | 25.8 | 23.6 | 18.3 | 10.6 | |
| 70 | ***** | 31.8 | 31.3 | 30.5 | 29.6 | 28.8 | 27.8 | 26.9 | 25.9 | 24.9 | 22.7 | 17.6 | 10.2 | |
| 75 | ***** | 30.8 | 30.3 | 29.5 | 28.6 | 27.8 | 26.9 | 26.0 | 25.0 | 24.1 | 22.0 | 17.0 | 9.8 | |
| 80 | ***** | 29.3 | 28.5 | 27.7 | 26.9 | 26.0 | 25.2 | 24.2 | 23.3 | 22.3 | 21.3 | 16.5 | 9.5 | |
| 85 | ***** | 28.4 | 27.7 | 26.9 | 26.1 | 25.3 | 24.4 | 23.5 | 22.6 | 21.6 | 20.6 | 16.0 | 9.2 | |
| 90 | ***** | 27.6 | 26.9 | 26.1 | 25.4 | 24.6 | 23.7 | 22.9 | 22.0 | 21.0 | 20.1 | 15.5 | 9.0 | |
| 95 | ***** | 26.9 | 26.2 | 25.4 | 24.7 | 23.9 | 23.1 | 22.3 | 21.4 | 20.4 | 19.5 | 15.1 | 8.7 | |
| 100 | ***** | 26.2 | 25.5 | 24.8 | 24.1 | 23.3 | 22.5 | 21.7 | 20.8 | 19.9 | 19.0 | 14.7 | 8.5 | |
| 125 | ***** | 23.5 | 22.8 | 22.2 | 21.5 | 20.8 | 20.1 | 19.4 | 18.6 | 17.0 | 13.2 | 7.6 | | |
| 150 | ***** | 21.4 | 20.8 | 20.3 | 19.6 | 19.0 | 18.4 | 17.7 | 17.0 | 15.5 | 12.0 | 6.9 | | |
| 200 | ***** | 18.0 | 17.5 | 17.0 | 16.5 | 15.9 | 15.3 | 14.7 | 13.5 | 10.4 | 6.0 | | | |
| 250 | ***** | 16.1 | 15.7 | 15.2 | 14.7 | 14.2 | 13.7 | 13.2 | 12.0 | 9.3 | 5.4 | | | |
| 300 | ***** | 14.7 | 14.3 | 13.9 | 13.5 | 13.0 | 12.5 | 12.0 | 11.0 | 8.5 | 4.9 | | | |
| 350 | ***** | 13.6 | 13.3 | 12.9 | 12.5 | 12.0 | 11.6 | 11.1 | 10.2 | 7.9 | 4.5 | | | |
| 400 | ***** | 12.4 | 12.0 | 11.6 | 11.3 | 10.8 | 10.4 | 9.5 | 7.4 | 4.3 | | | | |
| 450 | ***** | 11.7 | 11.3 | 11.0 | 10.6 | 10.2 | 9.8 | 9.0 | 6.9 | 4.0 | | | | |
| 500 | ***** | 11.1 | 10.8 | 10.4 | 10.1 | 9.7 | 9.3 | 8.5 | 6.6 | 3.8 | | | | |
| 750 | ***** | 8.8 | 8.5 | 8.2 | 7.9 | 7.6 | 6.9 | 5.4 | 3.1 | | | | | |
| 1,000 | ***** | 7.1 | 6.9 | 6.6 | 6.0 | 4.7 | 2.7 | | | | | | | |
| 1,500 | ***** | 5.4 | 4.9 | 3.8 | 2.2 | | | | | | | | | |
| 2,000 | ***** | 3.3 | 1.9 | | | | | | | | | | | |
| 3,000 | ***** | 1.6 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - British Columbia - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 135.7 | 135.0 | 133.0 | 129.4 | 125.8 | 122.0 | 118.1 | 114.1 | 110.0 | 105.7 | 96.5 | 74.7 | 43.1 |
| 2 | ***** | 96.0 | 95.5 | 94.0 | 91.5 | 88.9 | 86.3 | 83.5 | 80.7 | 77.8 | 74.7 | 68.2 | 52.8 | 30.5 |
| 3 | ***** | | 78.0 | 76.8 | 74.7 | 72.6 | 70.4 | 68.2 | 65.9 | 63.5 | 61.0 | 55.7 | 43.1 | 24.9 |
| 4 | ***** | | 67.5 | 66.5 | 64.7 | 62.9 | 61.0 | 59.1 | 57.1 | 55.0 | 52.8 | 48.2 | 37.4 | 21.6 |
| 5 | ***** | | 60.4 | 59.5 | 57.9 | 56.2 | 54.6 | 52.8 | 51.0 | 49.2 | 47.3 | 43.1 | 33.4 | 19.3 |
| 6 | ***** | | | 54.3 | 52.8 | 51.3 | 49.8 | 48.2 | 46.6 | 44.9 | 43.1 | 39.4 | 30.5 | 17.6 |
| 7 | ***** | | | 50.3 | 48.9 | 47.5 | 46.1 | 44.6 | 43.1 | 41.6 | 39.9 | 36.5 | 28.2 | 16.3 |
| 8 | ***** | | | 47.0 | 45.8 | 44.5 | 43.1 | 41.8 | 40.4 | 38.9 | 37.4 | 34.1 | 26.4 | 15.3 |
| 9 | ***** | | | 44.3 | 43.1 | 41.9 | 40.7 | 39.4 | 38.0 | 36.7 | 35.2 | 32.2 | 24.9 | 14.4 |
| 10 | ***** | | | 42.0 | 40.9 | 39.8 | 38.6 | 37.4 | 36.1 | 34.8 | 33.4 | 30.5 | 23.6 | 13.6 |
| 11 | ***** | | | 40.1 | 39.0 | 37.9 | 36.8 | 35.6 | 34.4 | 33.2 | 31.9 | 29.1 | 22.5 | 13.0 |
| 12 | ***** | | | 38.4 | 37.4 | 36.3 | 35.2 | 34.1 | 32.9 | 31.7 | 30.5 | 27.8 | 21.6 | 12.5 |
| 13 | ***** | | | 36.9 | 35.9 | 34.9 | 33.8 | 32.8 | 31.7 | 30.5 | 29.3 | 26.8 | 20.7 | 12.0 |
| 14 | ***** | | | 35.5 | 34.6 | 33.6 | 32.6 | 31.6 | 30.5 | 29.4 | 28.2 | 25.8 | 20.0 | 11.5 |
| 15 | ***** | | | | 33.4 | 32.5 | 31.5 | 30.5 | 29.5 | 28.4 | 27.3 | 24.9 | 19.3 | 11.1 |
| 16 | ***** | | | | 32.4 | 31.4 | 30.5 | 29.5 | 28.5 | 27.5 | 26.4 | 24.1 | 18.7 | 10.8 |
| 17 | ***** | | | | 31.4 | 30.5 | 29.6 | 28.7 | 27.7 | 26.7 | 25.6 | 23.4 | 18.1 | 10.5 |
| 18 | ***** | | | | 30.5 | 29.6 | 28.8 | 27.8 | 26.9 | 25.9 | 24.9 | 22.7 | 17.6 | 10.2 |
| 19 | ***** | | | | 29.7 | 28.9 | 28.0 | 27.1 | 26.2 | 25.2 | 24.2 | 22.1 | 17.1 | 9.9 |
| 20 | ***** | | | | 28.9 | 28.1 | 27.3 | 26.4 | 25.5 | 24.6 | 23.6 | 21.6 | 16.7 | 9.6 |
| 21 | ***** | | | | 28.2 | 27.4 | 26.6 | 25.8 | 24.9 | 24.0 | 23.1 | 21.0 | 16.3 | 9.4 |
| 22 | ***** | | | | 27.6 | 26.8 | 26.0 | 25.2 | 24.3 | 23.4 | 22.5 | 20.6 | 15.9 | 9.2 |
| 23 | ***** | | | | 27.0 | 26.2 | 25.4 | 24.6 | 23.8 | 22.9 | 22.0 | 20.1 | 15.6 | 9.0 |
| 24 | ***** | | | | 26.4 | 25.7 | 24.9 | 24.1 | 23.3 | 22.4 | 21.6 | 19.7 | 15.3 | 8.8 |
| 25 | ***** | | | | 25.9 | 25.2 | 24.4 | 23.6 | 22.8 | 22.0 | 21.1 | 19.3 | 14.9 | 8.6 |
| 30 | ***** | | | | | 23.0 | 22.3 | 21.6 | 20.8 | 20.1 | 19.3 | 17.6 | 13.6 | 7.9 |
| 35 | ***** | | | | | 21.3 | 20.6 | 20.0 | 19.3 | 18.6 | 17.9 | 16.3 | 12.6 | 7.3 |
| 40 | ***** | | | | | 19.9 | 19.3 | 18.7 | 18.0 | 17.4 | 16.7 | 15.3 | 11.8 | 6.8 |
| 45 | ***** | | | | | | 18.2 | 17.6 | 17.0 | 16.4 | 15.8 | 14.4 | 11.1 | 6.4 |
| 50 | ***** | | | | | | 17.3 | 16.7 | 16.1 | 15.6 | 14.9 | 13.6 | 10.6 | 6.1 |
| 55 | ***** | | | | | | 16.5 | 15.9 | 15.4 | 14.8 | 14.2 | 13.0 | 10.1 | 5.8 |
| 60 | ***** | | | | | | | 15.3 | 14.7 | 14.2 | 13.6 | 12.5 | 9.6 | 5.6 |
| 65 | ***** | | | | | | | 14.7 | 14.2 | 13.6 | 13.1 | 12.0 | 9.3 | 5.4 |
| 70 | ***** | | | | | | | 14.1 | 13.6 | 13.1 | 12.6 | 11.5 | 8.9 | 5.2 |
| 75 | ***** | | | | | | | | 13.2 | 12.7 | 12.2 | 11.1 | 8.6 | 5.0 |
| 80 | ***** | | | | | | | | 12.8 | 12.3 | 11.8 | 10.8 | 8.4 | 4.8 |
| 85 | ***** | | | | | | | | 12.4 | 11.9 | 11.5 | 10.5 | 8.1 | 4.7 |
| 90 | ***** | | | | | | | | | 11.6 | 11.1 | 10.2 | 7.9 | 4.5 |
| 95 | ***** | | | | | | | | | 11.3 | 10.8 | 9.9 | 7.7 | 4.4 |
| 100 | ***** | | | | | | | | | | 10.6 | 9.6 | 7.5 | 4.3 |
| 125 | ***** | | | | | | | | | | | 8.6 | 6.7 | 3.9 |
| 150 | ***** | | | | | | | | | | | | 6.1 | 3.5 |
| 200 | ***** | | | | | | | | | | | | | 3.1 |
| 250 | ***** | | | | | | | | | | | | | 2.7 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - British Columbia - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | ***** | 161.5 | 160.7 | 158.2 | 154.0 | 149.6 | 145.2 | 140.6 | 135.8 | 130.9 | 125.7 | 114.8 | 88.9 | 51.3 |
| 2 | ***** | 114.2 | 113.6 | 111.9 | 108.9 | 105.8 | 102.6 | 99.4 | 96.0 | 92.5 | 88.9 | 81.2 | 62.9 | 36.3 |
| 3 | ***** | 93.2 | 92.8 | 91.3 | 88.9 | 86.4 | 83.8 | 81.2 | 78.4 | 75.5 | 72.6 | 66.3 | 51.3 | 29.6 |
| 4 | ***** | 80.3 | 79.1 | 77.0 | 74.8 | 72.6 | 70.3 | 67.9 | 65.4 | 62.9 | 57.4 | 44.4 | 25.7 | |
| 5 | ***** | 71.9 | 70.7 | 68.9 | 66.9 | 64.9 | 62.9 | 60.7 | 58.5 | 56.2 | 51.3 | 39.8 | 23.0 | |
| 6 | ***** | 65.6 | 64.6 | 62.9 | 61.1 | 59.3 | 57.4 | 55.4 | 53.4 | 51.3 | 46.9 | 36.3 | 21.0 | |
| 7 | ***** | 59.8 | 58.2 | 56.6 | 54.9 | 53.1 | 51.3 | 49.5 | 47.5 | 43.4 | 33.6 | 19.4 | | |
| 8 | ***** | 55.9 | 54.4 | 52.9 | 51.3 | 49.7 | 48.0 | 46.3 | 44.4 | 40.6 | 31.4 | 18.1 | | |
| 9 | ***** | 52.7 | 51.3 | 49.9 | 48.4 | 46.9 | 45.3 | 43.6 | 41.9 | 38.3 | 29.6 | 17.1 | | |
| 10 | ***** | 50.0 | 48.7 | 47.3 | 45.9 | 44.4 | 42.9 | 41.4 | 39.8 | 36.3 | 28.1 | 16.2 | | |
| 11 | ***** | 47.7 | 46.4 | 45.1 | 43.8 | 42.4 | 40.9 | 39.5 | 37.9 | 34.6 | 26.8 | 15.5 | | |
| 12 | ***** | 45.7 | 44.4 | 43.2 | 41.9 | 40.6 | 39.2 | 37.8 | 36.3 | 33.1 | 25.7 | 14.8 | | |
| 13 | ***** | 43.9 | 42.7 | 41.5 | 40.3 | 39.0 | 37.7 | 36.3 | 34.9 | 31.8 | 24.7 | 14.2 | | |
| 14 | ***** | 42.3 | 41.2 | 40.0 | 38.8 | 37.6 | 36.3 | 35.0 | 33.6 | 30.7 | 23.8 | 13.7 | | |
| 15 | ***** | 40.8 | 39.8 | 38.6 | 37.5 | 36.3 | 35.1 | 33.8 | 32.5 | 29.6 | 23.0 | 13.3 | | |
| 16 | ***** | 38.5 | 37.4 | 36.3 | 35.1 | 33.9 | 32.7 | 31.4 | 29.6 | 22.2 | 12.8 | | | |
| 17 | ***** | 37.3 | 36.3 | 35.2 | 34.1 | 32.9 | 31.7 | 30.5 | 27.8 | 21.6 | 12.4 | | | |
| 18 | ***** | 36.3 | 35.3 | 34.2 | 33.1 | 32.0 | 30.8 | 29.6 | 27.1 | 21.0 | 12.1 | | | |
| 19 | ***** | 35.3 | 34.3 | 33.3 | 32.2 | 31.2 | 30.0 | 28.8 | 26.3 | 20.4 | 11.8 | | | |
| 20 | ***** | 34.4 | 33.5 | 32.5 | 31.4 | 30.4 | 29.3 | 28.1 | 25.7 | 19.9 | 11.5 | | | |
| 21 | ***** | 33.6 | 32.7 | 31.7 | 30.7 | 29.6 | 28.6 | 27.4 | 25.0 | 19.4 | 11.2 | | | |
| 22 | ***** | 32.8 | 31.9 | 30.9 | 30.0 | 29.0 | 27.9 | 26.8 | 24.5 | 19.0 | 10.9 | | | |
| 23 | ***** | 32.1 | 31.2 | 30.3 | 29.3 | 28.3 | 27.3 | 26.2 | 23.9 | 18.5 | 10.7 | | | |
| 24 | ***** | 31.4 | 30.5 | 29.6 | 28.7 | 27.7 | 26.7 | 25.7 | 23.4 | 18.1 | 10.5 | | | |
| 25 | ***** | 30.8 | 29.9 | 29.0 | 28.1 | 27.2 | 26.2 | 25.1 | 23.0 | 17.8 | 10.3 | | | |
| 30 | ***** | 28.1 | 27.3 | 26.5 | 25.7 | 24.8 | 23.9 | 23.0 | 21.0 | 16.2 | 9.4 | | | |
| 35 | ***** | 25.3 | 24.5 | 23.8 | 23.0 | 22.1 | 21.3 | 19.4 | 15.0 | 8.7 | | | | |
| 40 | ***** | 23.7 | 23.0 | 22.2 | 21.5 | 20.7 | 19.9 | 18.1 | 14.1 | 8.1 | | | | |
| 45 | ***** | 22.3 | 21.6 | 21.0 | 20.2 | 19.5 | 18.7 | 17.1 | 13.3 | 7.7 | | | | |
| 50 | ***** | 20.5 | 19.9 | 19.2 | 18.5 | 17.8 | 16.2 | 12.6 | 7.3 | | | | | |
| 55 | ***** | 19.6 | 19.0 | 18.3 | 17.6 | 17.0 | 15.5 | 12.0 | 6.9 | | | | | |
| 60 | ***** | 18.7 | 18.1 | 17.5 | 16.9 | 16.2 | 14.8 | 11.5 | 6.6 | | | | | |
| 65 | ***** | 17.4 | 16.8 | 16.2 | 15.6 | 14.2 | 11.0 | 6.4 | | | | | | |
| 70 | ***** | 16.8 | 16.2 | 15.6 | 15.0 | 13.7 | 10.6 | 6.1 | | | | | | |
| 75 | ***** | 16.2 | 15.7 | 15.1 | 14.5 | 13.3 | 10.3 | 5.9 | | | | | | |
| 80 | ***** | 15.2 | 14.6 | 14.1 | 12.8 | 9.9 | 5.7 | | | | | | | |
| 85 | ***** | 14.7 | 14.2 | 13.6 | 12.4 | 9.6 | 5.6 | | | | | | | |
| 90 | ***** | 14.3 | 13.8 | 13.3 | 12.1 | 9.4 | 5.4 | | | | | | | |
| 95 | ***** | 13.4 | 12.9 | 11.8 | 9.1 | 5.3 | | | | | | | | |
| 100 | ***** | 13.1 | 12.6 | 11.5 | 8.9 | 5.1 | | | | | | | | |
| 125 | ***** | 10.3 | 8.0 | 4.6 | | | | | | | | | | |
| 150 | ***** | 9.4 | 7.3 | 4.2 | | | | | | | | | | |
| 200 | ***** | 6.3 | 3.6 | | | | | | | | | | | |
| 250 | ***** | 3.2 | | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - British Columbia - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 286.6 | 285.3 | 283.8 | 279.5 | 272.0 | 264.3 | 256.4 | 248.3 | 239.9 | 231.2 | 222.1 | 202.7 | 157.0 | 90.7 |
| 2 | 202.6 | 201.7 | 200.7 | 197.6 | 192.3 | 186.9 | 181.3 | 175.6 | 169.6 | 163.5 | 157.0 | 143.4 | 111.0 | 64.1 |
| 3 | 165.5 | 164.7 | 163.9 | 161.3 | 157.0 | 152.6 | 148.1 | 143.4 | 138.5 | 133.5 | 128.2 | 117.1 | 90.7 | 52.3 |
| 4 | ***** | 142.6 | 141.9 | 139.7 | 136.0 | 132.2 | 128.2 | 124.2 | 119.9 | 115.6 | 111.0 | 101.4 | 78.5 | 45.3 |
| 5 | ***** | 127.6 | 126.9 | 125.0 | 121.6 | 118.2 | 114.7 | 111.0 | 107.3 | 103.4 | 99.3 | 90.7 | 70.2 | 40.5 |
| 6 | ***** | 116.5 | 115.9 | 114.1 | 111.0 | 107.9 | 104.7 | 101.4 | 97.9 | 94.4 | 90.7 | 82.8 | 64.1 | 37.0 |
| 7 | ***** | 107.8 | 107.3 | 105.6 | 102.8 | 99.9 | 96.9 | 93.9 | 90.7 | 87.4 | 83.9 | 76.6 | 59.4 | 34.3 |
| 8 | ***** | 100.9 | 100.4 | 98.8 | 96.2 | 93.5 | 90.7 | 87.8 | 84.8 | 81.7 | 78.5 | 71.7 | 55.5 | 32.1 |
| 9 | ***** | 95.1 | 94.6 | 93.2 | 90.7 | 88.1 | 85.5 | 82.8 | 80.0 | 77.1 | 74.0 | 67.6 | 52.3 | 30.2 |
| 10 | ***** | 90.2 | 89.8 | 88.4 | 86.0 | 83.6 | 81.1 | 78.5 | 75.9 | 73.1 | 70.2 | 64.1 | 49.7 | 28.7 |
| 11 | ***** | 86.0 | 85.6 | 84.3 | 82.0 | 79.7 | 77.3 | 74.9 | 72.3 | 69.7 | 67.0 | 61.1 | 47.3 | 27.3 |
| 12 | ***** | 82.4 | 81.9 | 80.7 | 78.5 | 76.3 | 74.0 | 71.7 | 69.2 | 66.7 | 64.1 | 58.5 | 45.3 | 26.2 |
| 13 | ***** | 79.1 | 78.7 | 77.5 | 75.4 | 73.3 | 71.1 | 68.9 | 66.5 | 64.1 | 61.6 | 56.2 | 43.6 | 25.1 |
| 14 | ***** | 76.2 | 75.9 | 74.7 | 72.7 | 70.6 | 68.5 | 66.4 | 64.1 | 61.8 | 59.4 | 54.2 | 42.0 | 24.2 |
| 15 | ***** | 73.7 | 73.3 | 72.2 | 70.2 | 68.3 | 66.2 | 64.1 | 61.9 | 59.7 | 57.3 | 52.3 | 40.5 | 23.4 |
| 16 | ***** | 71.3 | 71.0 | 69.9 | 68.0 | 66.1 | 64.1 | 62.1 | 60.0 | 57.8 | 55.5 | 50.7 | 39.3 | 22.7 |
| 17 | ***** | 69.2 | 68.8 | 67.8 | 66.0 | 64.1 | 62.2 | 60.2 | 58.2 | 56.1 | 53.9 | 49.2 | 38.1 | 22.0 |
| 18 | ***** | 67.2 | 66.9 | 65.9 | 64.1 | 62.3 | 60.4 | 58.5 | 56.5 | 54.5 | 52.3 | 47.8 | 37.0 | 21.4 |
| 19 | ***** | 65.4 | 65.1 | 64.1 | 62.4 | 60.6 | 58.8 | 57.0 | 55.0 | 53.0 | 51.0 | 46.5 | 36.0 | 20.8 |
| 20 | ***** | 63.8 | 63.5 | 62.5 | 60.8 | 59.1 | 57.3 | 55.5 | 53.6 | 51.7 | 49.7 | 45.3 | 35.1 | 20.3 |
| 21 | ***** | 62.3 | 61.9 | 61.0 | 59.4 | 57.7 | 56.0 | 54.2 | 52.3 | 50.4 | 48.5 | 44.2 | 34.3 | 19.8 |
| 22 | ***** | 60.8 | 60.5 | 59.6 | 58.0 | 56.4 | 54.7 | 52.9 | 51.1 | 49.3 | 47.3 | 43.2 | 33.5 | 19.3 |
| 23 | ***** | 59.5 | 59.2 | 58.3 | 56.7 | 55.1 | 53.5 | 51.8 | 50.0 | 48.2 | 46.3 | 42.3 | 32.7 | 18.9 |
| 24 | ***** | 58.2 | 57.9 | 57.0 | 55.5 | 54.0 | 52.3 | 50.7 | 49.0 | 47.2 | 45.3 | 41.4 | 32.1 | 18.5 |
| 25 | ***** | 57.1 | 56.8 | 55.9 | 54.4 | 52.9 | 51.3 | 49.7 | 48.0 | 46.2 | 44.4 | 40.5 | 31.4 | 18.1 |
| 30 | ***** | 52.1 | 51.8 | 51.0 | 49.7 | 48.3 | 46.8 | 45.3 | 43.8 | 42.2 | 40.5 | 37.0 | 28.7 | 16.6 |
| 35 | ***** | 48.0 | 47.2 | 46.0 | 44.7 | 43.3 | 42.0 | 40.5 | 39.1 | 37.5 | 34.3 | 26.5 | 15.3 | |
| 40 | ***** | 44.9 | 44.2 | 43.0 | 41.8 | 40.5 | 39.3 | 37.9 | 36.5 | 35.1 | 32.1 | 24.8 | 14.3 | |
| 45 | ***** | 42.3 | 41.7 | 40.5 | 39.4 | 38.2 | 37.0 | 35.8 | 34.5 | 33.1 | 30.2 | 23.4 | 13.5 | |
| 50 | ***** | 40.1 | 39.5 | 38.5 | 37.4 | 36.3 | 35.1 | 33.9 | 32.7 | 31.4 | 28.7 | 22.2 | 12.8 | |
| 55 | ***** | 38.3 | 37.7 | 36.7 | 35.6 | 34.6 | 33.5 | 32.3 | 31.2 | 29.9 | 27.3 | 21.2 | 12.2 | |
| 60 | ***** | 36.6 | 36.1 | 35.1 | 34.1 | 33.1 | 32.1 | 31.0 | 29.8 | 28.7 | 26.2 | 20.3 | 11.7 | |
| 65 | ***** | 34.7 | 33.7 | 32.8 | 31.8 | 30.8 | 29.8 | 28.7 | 27.5 | 25.1 | 19.5 | 11.2 | | |
| 70 | ***** | 33.4 | 32.5 | 31.6 | 30.7 | 29.7 | 28.7 | 27.6 | 26.5 | 24.2 | 18.8 | 10.8 | | |
| 75 | ***** | 32.3 | 31.4 | 30.5 | 29.6 | 28.7 | 27.7 | 26.7 | 25.6 | 23.4 | 18.1 | 10.5 | | |
| 80 | ***** | 31.2 | 30.4 | 29.6 | 28.7 | 27.8 | 26.8 | 25.8 | 24.8 | 22.7 | 17.6 | 10.1 | | |
| 85 | ***** | 30.3 | 29.5 | 28.7 | 27.8 | 26.9 | 26.0 | 25.1 | 24.1 | 22.0 | 17.0 | 9.8 | | |
| 90 | ***** | 29.5 | 28.7 | 27.9 | 27.0 | 26.2 | 25.3 | 24.4 | 23.4 | 21.4 | 16.6 | 9.6 | | |
| 95 | ***** | 28.7 | 27.9 | 27.1 | 26.3 | 25.5 | 24.6 | 23.7 | 22.8 | 20.8 | 16.1 | 9.3 | | |
| 100 | ***** | 27.9 | 27.2 | 26.4 | 25.6 | 24.8 | 24.0 | 23.1 | 22.2 | 20.3 | 15.7 | 9.1 | | |
| 125 | ***** | 25.0 | 24.3 | 23.6 | 22.9 | 22.2 | 21.5 | 20.7 | 19.9 | 18.1 | 14.0 | 8.1 | | |
| 150 | ***** | 22.8 | 22.2 | 21.6 | 20.9 | 20.3 | 19.6 | 18.9 | 18.1 | 16.6 | 12.8 | 7.4 | | |
| 200 | ***** | 19.2 | 18.7 | 18.1 | 17.6 | 17.0 | 16.3 | 15.7 | 14.3 | 11.1 | 6.4 | | | |
| 250 | ***** | 17.2 | 16.7 | 16.2 | 15.7 | 15.2 | 14.6 | 14.0 | 12.8 | 9.9 | 5.7 | | | |
| 300 | ***** | 15.7 | 15.3 | 14.8 | 14.3 | 13.8 | 13.3 | 12.8 | 11.7 | 9.1 | 5.2 | | | |
| 350 | ***** | 14.1 | 13.7 | 13.3 | 12.8 | 12.4 | 11.9 | 11.4 | 10.8 | 8.4 | 4.8 | | | |
| 400 | ***** | 13.2 | 12.8 | 12.4 | 12.0 | 11.6 | 11.1 | 10.6 | 10.1 | 7.9 | 4.5 | | | |
| 450 | ***** | 12.5 | 12.1 | 11.7 | 11.3 | 10.9 | 10.5 | 9.6 | 7.4 | 4.3 | | | | |
| 500 | ***** | 11.5 | 11.1 | 10.7 | 10.3 | 9.9 | 9.1 | 7.0 | 4.1 | | | | | |
| 750 | ***** | 9.1 | 8.8 | 8.4 | 8.1 | 7.4 | 5.7 | 3.3 | | | | | | |
| 1,000 | ***** | 7.3 | 7.0 | 6.4 | 5.0 | 2.9 | | | | | | | | |
| 1,500 | ***** | 5.2 | 4.1 | 2.3 | | | | | | | | | | |
| 2,000 | ***** | 3.5 | 2.0 | | | | | | | | | | | |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Canada - All Ages

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 339.5 | 338.0 | 336.3 | 331.1 | 322.3 | 313.2 | 303.9 | 294.2 | 284.2 | 273.9 | 263.1 | 240.2 | 186.1 | 107.4 |
| 2 | 240.1 | 239.0 | 237.8 | 234.1 | 227.9 | 221.5 | 214.9 | 208.0 | 201.0 | 193.7 | 186.1 | 169.9 | 131.6 | 76.0 |
| 3 | 196.0 | 195.2 | 194.2 | 191.2 | 186.1 | 180.8 | 175.4 | 169.9 | 164.1 | 158.1 | 151.9 | 138.7 | 107.4 | 62.0 |
| 4 | 169.8 | 169.0 | 168.2 | 165.6 | 161.1 | 156.6 | 151.9 | 147.1 | 142.1 | 136.9 | 131.6 | 120.1 | 93.0 | 53.7 |
| 5 | 151.8 | 151.2 | 150.4 | 148.1 | 144.1 | 140.1 | 135.9 | 131.6 | 127.1 | 122.5 | 117.7 | 107.4 | 83.2 | 48.0 |
| 6 | 138.6 | 138.0 | 137.3 | 135.2 | 131.6 | 127.9 | 124.0 | 120.1 | 116.0 | 111.8 | 107.4 | 98.1 | 76.0 | 43.9 |
| 7 | 128.3 | 127.8 | 127.1 | 125.1 | 121.8 | 118.4 | 114.8 | 111.2 | 107.4 | 103.5 | 99.5 | 90.8 | 70.3 | 40.6 |
| 8 | 120.0 | 119.5 | 118.9 | 117.1 | 113.9 | 110.7 | 107.4 | 104.0 | 100.5 | 96.8 | 93.0 | 84.9 | 65.8 | 38.0 |
| 9 | 113.2 | 112.7 | 112.1 | 110.4 | 107.4 | 104.4 | 101.3 | 98.1 | 94.7 | 91.3 | 87.7 | 80.1 | 62.0 | 35.8 |
| 10 | 107.4 | 106.9 | 106.3 | 104.7 | 101.9 | 99.0 | 96.1 | 93.0 | 89.9 | 86.6 | 83.2 | 76.0 | 58.8 | 34.0 |
| 11 | 102.4 | 101.9 | 101.4 | 99.8 | 97.2 | 94.4 | 91.6 | 88.7 | 85.7 | 82.6 | 79.3 | 72.4 | 56.1 | 32.4 |
| 12 | 98.0 | 97.6 | 97.1 | 95.6 | 93.0 | 90.4 | 87.7 | 84.9 | 82.0 | 79.1 | 76.0 | 69.3 | 53.7 | 31.0 |
| 13 | 94.2 | 93.7 | 93.3 | 91.8 | 89.4 | 86.9 | 84.3 | 81.6 | 78.8 | 76.0 | 73.0 | 66.6 | 51.6 | 29.8 |
| 14 | 90.7 | 90.3 | 89.9 | 88.5 | 86.1 | 83.7 | 81.2 | 78.6 | 76.0 | 73.2 | 70.3 | 64.2 | 49.7 | 28.7 |
| 15 | 87.7 | 87.3 | 86.8 | 85.5 | 83.2 | 80.9 | 78.5 | 76.0 | 73.4 | 70.7 | 67.9 | 62.0 | 48.0 | 27.7 |
| 16 | 84.9 | 84.5 | 84.1 | 82.8 | 80.6 | 78.3 | 76.0 | 73.6 | 71.1 | 68.5 | 65.8 | 60.1 | 46.5 | 26.9 |
| 17 | 82.4 | 82.0 | 81.6 | 80.3 | 78.2 | 76.0 | 73.7 | 71.4 | 68.9 | 66.4 | 63.8 | 58.3 | 45.1 | 26.1 |
| 18 | 80.0 | 79.7 | 79.3 | 78.0 | 76.0 | 73.8 | 71.6 | 69.3 | 67.0 | 64.6 | 62.0 | 56.6 | 43.9 | 25.3 |
| 19 | 77.9 | 77.5 | 77.2 | 76.0 | 73.9 | 71.9 | 69.7 | 67.5 | 65.2 | 62.8 | 60.4 | 55.1 | 42.7 | 24.6 |
| 20 | 75.9 | 75.6 | 75.2 | 74.0 | 72.1 | 70.0 | 67.9 | 65.8 | 63.6 | 61.2 | 58.8 | 53.7 | 41.6 | 24.0 |
| 21 | 74.1 | 73.8 | 73.4 | 72.3 | 70.3 | 68.3 | 66.3 | 64.2 | 62.0 | 59.8 | 57.4 | 52.4 | 40.6 | 23.4 |
| 22 | 72.4 | 72.1 | 71.7 | 70.6 | 68.7 | 66.8 | 64.8 | 62.7 | 60.6 | 58.4 | 56.1 | 51.2 | 39.7 | 22.9 |
| 23 | 70.8 | 70.5 | 70.1 | 69.0 | 67.2 | 65.3 | 63.4 | 61.3 | 59.3 | 57.1 | 54.9 | 50.1 | 38.8 | 22.4 |
| 24 | 69.3 | 69.0 | 68.6 | 67.6 | 65.8 | 63.9 | 62.0 | 60.1 | 58.0 | 55.9 | 53.7 | 49.0 | 38.0 | 21.9 |
| 25 | 67.9 | 67.6 | 67.3 | 66.2 | 64.5 | 62.6 | 60.8 | 58.8 | 56.8 | 54.8 | 52.6 | 48.0 | 37.2 | 21.5 |
| 30 | ***** | 61.7 | 61.4 | 60.5 | 58.8 | 57.2 | 55.5 | 53.7 | 51.9 | 50.0 | 48.0 | 43.9 | 34.0 | 19.6 |
| 35 | ***** | 57.1 | 56.8 | 56.0 | 54.5 | 52.9 | 51.4 | 49.7 | 48.0 | 46.3 | 44.5 | 40.6 | 31.5 | 18.2 |
| 40 | ***** | 53.4 | 53.2 | 52.4 | 51.0 | 49.5 | 48.0 | 46.5 | 44.9 | 43.3 | 41.6 | 38.0 | 29.4 | 17.0 |
| 45 | ***** | 50.4 | 50.1 | 49.4 | 48.0 | 46.7 | 45.3 | 43.9 | 42.4 | 40.8 | 39.2 | 35.8 | 27.7 | 16.0 |
| 50 | ***** | 47.8 | 47.6 | 46.8 | 45.6 | 44.3 | 43.0 | 41.6 | 40.2 | 38.7 | 37.2 | 34.0 | 26.3 | 15.2 |
| 55 | ***** | 45.6 | 45.3 | 44.6 | 43.5 | 42.2 | 41.0 | 39.7 | 38.3 | 36.9 | 35.5 | 32.4 | 25.1 | 14.5 |
| 60 | ***** | 43.6 | 43.4 | 42.7 | 41.6 | 40.4 | 39.2 | 38.0 | 36.7 | 35.4 | 34.0 | 31.0 | 24.0 | 13.9 |
| 65 | ***** | 41.9 | 41.7 | 41.1 | 40.0 | 38.8 | 37.7 | 36.5 | 35.3 | 34.0 | 32.6 | 29.8 | 23.1 | 13.3 |
| 70 | ***** | 40.4 | 40.2 | 39.6 | 38.5 | 37.4 | 36.3 | 35.2 | 34.0 | 32.7 | 31.5 | 28.7 | 22.2 | 12.8 |
| 75 | ***** | 39.0 | 38.8 | 38.2 | 37.2 | 36.2 | 35.1 | 34.0 | 32.8 | 31.6 | 30.4 | 27.7 | 21.5 | 12.4 |
| 80 | ***** | 37.8 | 37.6 | 37.0 | 36.0 | 35.0 | 34.0 | 32.9 | 31.8 | 30.6 | 29.4 | 26.9 | 20.8 | 12.0 |
| 85 | ***** | 36.7 | 36.5 | 35.9 | 35.0 | 34.0 | 33.0 | 31.9 | 30.8 | 29.7 | 28.5 | 26.1 | 20.2 | 11.7 |
| 90 | ***** | 35.6 | 35.4 | 34.9 | 34.0 | 33.0 | 32.0 | 31.0 | 30.0 | 28.9 | 27.7 | 25.3 | 19.6 | 11.3 |
| 95 | ***** | 34.7 | 34.5 | 34.0 | 33.1 | 32.1 | 31.2 | 30.2 | 29.2 | 28.1 | 27.0 | 24.6 | 19.1 | 11.0 |
| 100 | ***** | 33.8 | 33.6 | 33.1 | 32.2 | 31.3 | 30.4 | 29.4 | 28.4 | 27.4 | 26.3 | 24.0 | 18.6 | 10.7 |
| 125 | ***** | 30.2 | 30.1 | 29.6 | 28.8 | 28.0 | 27.2 | 26.3 | 25.4 | 24.5 | 23.5 | 21.5 | 16.6 | 9.6 |
| 150 | ***** | 27.6 | 27.5 | 27.0 | 26.3 | 25.6 | 24.8 | 24.0 | 23.2 | 22.4 | 21.5 | 19.6 | 15.2 | 8.8 |
| 200 | ***** | 23.9 | 23.8 | 23.4 | 22.8 | 22.1 | 21.5 | 20.8 | 20.1 | 19.4 | 18.6 | 17.0 | 13.2 | 7.6 |
| 250 | ***** | 21.4 | 21.3 | 20.9 | 20.4 | 19.8 | 19.2 | 18.6 | 18.0 | 17.3 | 16.6 | 15.2 | 11.8 | 6.8 |
| 300 | ***** | 19.4 | 19.1 | 18.6 | 18.1 | 17.5 | 17.0 | 16.4 | 15.8 | 15.2 | 13.9 | 10.7 | 6.2 | 6.2 |
| 350 | ***** | 18.0 | 17.7 | 17.2 | 16.7 | 16.2 | 15.7 | 15.2 | 14.6 | 14.1 | 12.8 | 9.9 | 5.7 | 5.7 |
| 400 | ***** | 16.8 | 16.6 | 16.1 | 15.7 | 15.2 | 14.7 | 14.2 | 13.7 | 13.2 | 12.0 | 9.3 | 5.4 | 5.4 |
| 450 | ***** | 15.9 | 15.6 | 15.2 | 14.8 | 14.3 | 13.9 | 13.4 | 12.9 | 12.4 | 11.3 | 8.8 | 5.1 | 5.1 |
| 500 | ***** | 15.0 | 14.8 | 14.4 | 14.0 | 13.6 | 13.2 | 12.7 | 12.2 | 11.8 | 10.7 | 8.3 | 4.8 | 4.8 |
| 750 | ***** | 12.1 | 11.8 | 11.4 | 11.1 | 10.7 | 10.4 | 10.0 | 9.6 | 9.2 | 8.8 | 6.8 | 3.9 | 3.9 |
| 1,000 | ***** | 10.5 | 10.2 | 9.9 | 9.6 | 9.3 | 9.0 | 8.7 | 8.3 | 7.9 | 7.6 | 5.9 | 3.4 | 3.4 |
| 1,500 | ***** | 8.3 | 8.1 | 7.8 | 7.6 | 7.3 | 7.1 | 6.8 | 6.5 | 6.2 | 4.8 | 2.8 | 2.8 | 2.8 |
| 2,000 | ***** | 7.2 | 7.0 | 6.8 | 6.6 | 6.4 | 6.1 | 5.9 | 5.6 | 5.4 | 4.2 | 2.4 | 2.4 | 2.4 |
| 3,000 | ***** | 5.7 | 5.5 | 5.4 | 5.2 | 5.0 | 4.8 | 4.6 | 4.4 | 4.2 | 3.4 | 2.0 | 2.0 | 2.0 |
| 4,000 | ***** | 5.0 | 4.8 | 4.7 | 4.5 | 4.3 | 4.2 | 4.0 | 3.9 | 3.7 | 3.4 | 2.6 | 1.5 | 1.5 |
| 5,000 | ***** | 4.3 | 4.2 | 4.0 | 3.9 | 3.7 | 3.5 | 3.4 | 3.2 | 3.1 | 2.4 | 1.4 | 1.4 | 1.4 |
| 6,000 | ***** | 3.8 | 3.7 | 3.5 | 3.4 | 3.3 | 3.1 | 2.9 | 2.7 | 2.6 | 2.1 | 1.2 | 1.2 | 1.2 |
| 7,000 | ***** | 3.4 | 3.3 | 3.1 | 2.9 | 2.7 | 2.6 | 2.5 | 2.4 | 2.3 | 1.9 | 1.1 | 1.1 | 1.1 |
| 8,000 | ***** | 3.2 | 3.1 | 2.9 | 2.7 | 2.6 | 2.5 | 2.4 | 2.3 | 2.2 | 1.9 | 1.1 | 1.1 | 1.1 |
| 9,000 | ***** | 2.9 | 2.8 | 2.5 | 2.4 | 2.3 | 2.2 | 2.1 | 2.0 | 1.9 | 1.5 | 0.9 | 0.9 | 0.9 |
| 10,000 | ***** | 2.6 | 2.4 | 2.1 | 1.9 | 1.7 | 1.6 | 1.5 | 1.4 | 1.3 | 1.0 | 0.7 | 0.7 | 0.7 |
| 12,500 | ***** | 2.1 | 1.7 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.0 | 0.9 | 0.7 | 0.5 | 0.5 | 0.5 |
| 15,000 | ***** | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.0 | 0.9 | 0.8 | 0.7 | 0.5 | 0.4 | 0.4 | 0.4 |
| 20,000 | ***** | 0.8 | 0.8 | 0.7 | 0.6 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Canada - 15-19

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 165.4 | 164.7 | 163.8 | 161.3 | 157.0 | 152.6 | 148.0 | 143.3 | 138.5 | 133.4 | 128.2 | 117.0 | 90.6 | 52.3 |
| 2 | 117.0 | 116.4 | 115.8 | 114.1 | 111.0 | 107.9 | 104.7 | 101.3 | 97.9 | 94.3 | 90.6 | 82.7 | 64.1 | 37.0 |
| 3 | ***** | 95.1 | 94.6 | 93.1 | 90.6 | 88.1 | 85.5 | 82.7 | 79.9 | 77.0 | 74.0 | 67.6 | 52.3 | 30.2 |
| 4 | ***** | 82.3 | 81.9 | 80.7 | 78.5 | 76.3 | 74.0 | 71.7 | 69.2 | 66.7 | 64.1 | 58.5 | 45.3 | 26.2 |
| 5 | ***** | 73.6 | 73.3 | 72.1 | 70.2 | 68.2 | 66.2 | 64.1 | 61.9 | 59.7 | 57.3 | 52.3 | 40.5 | 23.4 |
| 6 | ***** | 67.2 | 66.9 | 65.9 | 64.1 | 62.3 | 60.4 | 58.5 | 56.5 | 54.5 | 52.3 | 47.8 | 37.0 | 21.4 |
| 7 | ***** | 62.2 | 61.9 | 61.0 | 59.3 | 57.7 | 55.9 | 54.2 | 52.3 | 50.4 | 48.5 | 44.2 | 34.3 | 19.8 |
| 8 | ***** | 58.2 | 57.9 | 57.0 | 55.5 | 53.9 | 52.3 | 50.7 | 49.0 | 47.2 | 45.3 | 41.4 | 32.0 | 18.5 |
| 9 | ***** | 54.9 | 54.6 | 53.8 | 52.3 | 50.9 | 49.3 | 47.8 | 46.2 | 44.5 | 42.7 | 39.0 | 30.2 | 17.4 |
| 10 | ***** | 52.1 | 51.8 | 51.0 | 49.6 | 48.2 | 46.8 | 45.3 | 43.8 | 42.2 | 40.5 | 37.0 | 28.7 | 16.5 |
| 11 | ***** | 49.6 | 49.4 | 48.6 | 47.3 | 46.0 | 44.6 | 43.2 | 41.7 | 40.2 | 38.7 | 35.3 | 27.3 | 15.8 |
| 12 | ***** | 47.5 | 47.3 | 46.6 | 45.3 | 44.0 | 42.7 | 41.4 | 40.0 | 38.5 | 37.0 | 33.8 | 26.2 | 15.1 |
| 13 | ***** | 45.7 | 45.4 | 44.7 | 43.5 | 42.3 | 41.1 | 39.8 | 38.4 | 37.0 | 35.6 | 32.5 | 25.1 | 14.5 |
| 14 | ***** | 44.0 | 43.8 | 43.1 | 42.0 | 40.8 | 39.6 | 38.3 | 37.0 | 35.7 | 34.3 | 31.3 | 24.2 | 14.0 |
| 15 | ***** | 42.5 | 42.3 | 41.6 | 40.5 | 39.4 | 38.2 | 37.0 | 35.8 | 34.5 | 33.1 | 30.2 | 23.4 | 13.5 |
| 16 | ***** | 41.2 | 41.0 | 40.3 | 39.3 | 38.1 | 37.0 | 35.8 | 34.6 | 33.4 | 32.0 | 29.3 | 22.7 | 13.1 |
| 17 | ***** | 39.9 | 39.7 | 39.1 | 38.1 | 37.0 | 35.9 | 34.8 | 33.6 | 32.4 | 31.1 | 28.4 | 22.0 | 12.7 |
| 18 | ***** | 38.8 | 38.6 | 38.0 | 37.0 | 36.0 | 34.9 | 33.8 | 32.6 | 31.4 | 30.2 | 27.6 | 21.4 | 12.3 |
| 19 | ***** | 37.8 | 37.6 | 37.0 | 36.0 | 35.0 | 34.0 | 32.9 | 31.8 | 30.6 | 29.4 | 26.8 | 20.8 | 12.0 |
| 20 | ***** | 36.8 | 36.6 | 36.1 | 35.1 | 34.1 | 33.1 | 32.0 | 31.0 | 29.8 | 28.7 | 26.2 | 20.3 | 11.7 |
| 21 | ***** | 35.9 | 35.8 | 35.2 | 34.3 | 33.3 | 32.3 | 31.3 | 30.2 | 29.1 | 28.0 | 25.5 | 19.8 | 11.4 |
| 22 | ***** | 35.1 | 34.9 | 34.4 | 33.5 | 32.5 | 31.6 | 30.6 | 29.5 | 28.4 | 27.3 | 24.9 | 19.3 | 11.2 |
| 23 | ***** | ***** | 34.2 | 33.6 | 32.7 | 31.8 | 30.9 | 29.9 | 28.9 | 27.8 | 26.7 | 24.4 | 18.9 | 10.9 |
| 24 | ***** | ***** | 33.4 | 32.9 | 32.0 | 31.1 | 30.2 | 29.3 | 28.3 | 27.2 | 26.2 | 23.9 | 18.5 | 10.7 |
| 25 | ***** | ***** | 32.8 | 32.3 | 31.4 | 30.5 | 29.6 | 28.7 | 27.7 | 26.7 | 25.6 | 23.4 | 18.1 | 10.5 |
| 30 | ***** | ***** | 29.9 | 29.4 | 28.7 | 27.9 | 27.0 | 26.2 | 25.3 | 24.4 | 23.4 | 21.4 | 16.5 | 9.6 |
| 35 | ***** | ***** | 27.7 | 27.3 | 26.5 | 25.8 | 25.0 | 24.2 | 23.4 | 22.6 | 21.7 | 19.8 | 15.3 | 8.8 |
| 40 | ***** | ***** | 25.9 | 25.5 | 24.8 | 24.1 | 23.4 | 22.7 | 21.9 | 21.1 | 20.3 | 18.5 | 14.3 | 8.3 |
| 45 | ***** | ***** | 24.0 | 23.4 | 22.7 | 22.1 | 21.4 | 20.6 | 19.9 | 19.1 | 18.3 | 16.5 | 12.7 | 7.8 |
| 50 | ***** | ***** | 22.8 | 22.2 | 21.6 | 20.9 | 20.3 | 19.6 | 18.9 | 18.1 | 17.3 | 15.5 | 11.7 | 7.4 |
| 55 | ***** | ***** | 21.8 | 21.2 | 20.6 | 20.0 | 19.3 | 18.7 | 18.0 | 17.3 | 16.5 | 14.7 | 10.9 | 7.1 |
| 60 | ***** | ***** | 20.8 | 20.3 | 19.7 | 19.1 | 18.5 | 17.9 | 17.2 | 16.5 | 15.7 | 13.9 | 10.1 | 6.8 |
| 65 | ***** | ***** | 20.0 | 19.5 | 18.9 | 18.4 | 17.8 | 17.2 | 16.5 | 15.9 | 15.1 | 13.3 | 9.3 | 6.5 |
| 70 | ***** | ***** | 19.3 | 18.8 | 18.2 | 17.7 | 17.1 | 16.5 | 15.9 | 15.3 | 14.6 | 12.7 | 8.5 | 6.3 |
| 75 | ***** | ***** | 18.6 | 18.1 | 17.6 | 17.1 | 16.5 | 16.0 | 15.4 | 14.8 | 14.2 | 12.3 | 8.1 | 6.0 |
| 80 | ***** | ***** | 18.0 | 17.6 | 17.1 | 16.5 | 16.0 | 15.5 | 14.9 | 14.3 | 13.7 | 11.8 | 7.9 | 5.9 |
| 85 | ***** | ***** | 17.5 | 17.0 | 16.5 | 16.1 | 15.5 | 15.0 | 14.5 | 13.9 | 13.3 | 11.4 | 7.5 | 5.7 |
| 90 | ***** | ***** | 17.0 | 16.5 | 16.1 | 15.6 | 15.1 | 14.6 | 14.1 | 13.5 | 12.9 | 11.0 | 7.1 | 5.5 |
| 95 | ***** | ***** | 16.5 | 16.1 | 15.7 | 15.2 | 14.7 | 14.2 | 13.7 | 13.2 | 12.6 | 10.7 | 6.7 | 5.4 |
| 100 | ***** | ***** | 16.1 | 15.7 | 15.3 | 14.8 | 14.3 | 13.8 | 13.3 | 12.8 | 12.2 | 10.3 | 6.3 | 5.2 |
| 125 | ***** | ***** | 14.0 | 13.6 | 13.2 | 12.8 | 12.4 | 11.9 | 11.5 | 11.0 | 10.5 | 8.6 | 5.6 | 4.7 |
| 150 | ***** | ***** | 12.8 | 12.5 | 12.1 | 11.7 | 11.3 | 10.9 | 10.5 | 10.0 | 9.6 | 7.7 | 4.7 | 4.3 |
| 200 | ***** | ***** | 11.1 | 10.8 | 10.5 | 10.1 | 9.8 | 9.4 | 9.1 | 8.7 | 8.3 | 6.4 | 3.7 | 3.7 |
| 250 | ***** | ***** | 9.6 | 9.4 | 9.1 | 8.8 | 8.4 | 8.1 | 7.7 | 7.4 | 7.0 | 5.1 | 2.7 | 3.3 |
| 300 | ***** | ***** | 8.8 | 8.5 | 8.3 | 8.0 | 7.7 | 7.4 | 7.0 | 6.7 | 6.4 | 4.5 | 2.3 | 3.0 |
| 350 | ***** | ***** | 7.9 | 7.7 | 7.4 | 7.1 | 6.8 | 6.5 | 6.2 | 5.9 | 5.6 | 3.7 | 2.0 | 2.8 |
| 400 | ***** | ***** | 7.4 | 7.2 | 6.9 | 6.7 | 6.4 | 6.1 | 5.8 | 5.5 | 5.2 | 3.3 | 1.7 | 2.6 |
| 450 | ***** | ***** | 6.8 | 6.5 | 6.3 | 6.0 | 5.7 | 5.4 | 5.1 | 4.8 | 4.5 | 2.6 | 1.3 | 2.5 |
| 500 | ***** | ***** | 6.4 | 6.2 | 6.0 | 5.7 | 5.4 | 5.1 | 4.8 | 4.5 | 4.2 | 2.3 | 1.1 | 2.3 |
| 750 | ***** | ***** | 4.9 | 4.7 | 4.5 | 4.3 | 4.1 | 3.9 | 3.7 | 3.5 | 3.3 | 1.9 | 0.9 | 1.9 |
| 1,000 | ***** | ***** | 3.7 | 3.5 | 3.3 | 3.1 | 2.9 | 2.7 | 2.5 | 2.3 | 2.1 | 1.3 | 0.6 | 1.7 |
| 1,500 | ***** | ***** | 2.3 | 2.1 | 1.9 | 1.7 | 1.5 | 1.3 | 1.1 | 0.9 | 0.7 | 0.4 | 0.2 | 1.4 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Canada - 20-24

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|--------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 192.7 | 191.8 | 190.9 | 187.9 | 182.9 | 177.8 | 172.4 | 167.0 | 161.3 | 155.4 | 149.3 | 136.3 | 105.6 | 61.0 |
| 2 | 136.3 | 135.6 | 135.0 | 132.9 | 129.3 | 125.7 | 121.9 | 118.1 | 114.1 | 109.9 | 105.6 | 96.4 | 74.7 | 43.1 |
| 3 | ***** | 110.8 | 110.2 | 108.5 | 105.6 | 102.6 | 99.6 | 96.4 | 93.1 | 89.7 | 86.2 | 78.7 | 61.0 | 35.2 |
| 4 | ***** | 95.9 | 95.4 | 94.0 | 91.5 | 88.9 | 86.2 | 83.5 | 80.7 | 77.7 | 74.7 | 68.2 | 52.8 | 30.5 |
| 5 | ***** | 85.8 | 85.4 | 84.0 | 81.8 | 79.5 | 77.1 | 74.7 | 72.1 | 69.5 | 66.8 | 61.0 | 47.2 | 27.3 |
| 6 | ***** | 78.3 | 77.9 | 76.7 | 74.7 | 72.6 | 70.4 | 68.2 | 65.9 | 63.5 | 61.0 | 55.7 | 43.1 | 24.9 |
| 7 | ***** | 72.5 | 72.1 | 71.0 | 69.1 | 67.2 | 65.2 | 63.1 | 61.0 | 58.8 | 56.4 | 51.5 | 39.9 | 23.0 |
| 8 | ***** | 67.8 | 67.5 | 66.4 | 64.7 | 62.8 | 61.0 | 59.0 | 57.0 | 55.0 | 52.8 | 48.2 | 37.3 | 21.6 |
| 9 | ***** | 63.9 | 63.6 | 62.6 | 61.0 | 59.3 | 57.5 | 55.7 | 53.8 | 51.8 | 49.8 | 45.4 | 35.2 | 20.3 |
| 10 | ***** | 60.7 | 60.4 | 59.4 | 57.8 | 56.2 | 54.5 | 52.8 | 51.0 | 49.2 | 47.2 | 43.1 | 33.4 | 19.3 |
| 11 | ***** | 57.8 | 57.5 | 56.7 | 55.1 | 53.6 | 52.0 | 50.3 | 48.6 | 46.9 | 45.0 | 41.1 | 31.8 | 18.4 |
| 12 | ***** | 55.4 | 55.1 | 54.2 | 52.8 | 51.3 | 49.8 | 48.2 | 46.6 | 44.9 | 43.1 | 39.4 | 30.5 | 17.6 |
| 13 | ***** | 53.2 | 52.9 | 52.1 | 50.7 | 49.3 | 47.8 | 46.3 | 44.7 | 43.1 | 41.4 | 37.8 | 29.3 | 16.9 |
| 14 | ***** | 51.3 | 51.0 | 50.2 | 48.9 | 47.5 | 46.1 | 44.6 | 43.1 | 41.5 | 39.9 | 36.4 | 28.2 | 16.3 |
| 15 | ***** | 49.5 | 49.3 | 48.5 | 47.2 | 45.9 | 44.5 | 43.1 | 41.6 | 40.1 | 38.6 | 35.2 | 27.3 | 15.7 |
| 16 | ***** | 48.0 | 47.7 | 47.0 | 45.7 | 44.4 | 43.1 | 41.7 | 40.3 | 38.9 | 37.3 | 34.1 | 26.4 | 15.2 |
| 17 | ***** | 46.5 | 46.3 | 45.6 | 44.4 | 43.1 | 41.8 | 40.5 | 39.1 | 37.7 | 36.2 | 33.1 | 25.6 | 14.8 |
| 18 | ***** | 45.2 | 45.0 | 44.3 | 43.1 | 41.9 | 40.6 | 39.4 | 38.0 | 36.6 | 35.2 | 32.1 | 24.9 | 14.4 |
| 19 | ***** | 44.0 | 43.8 | 43.1 | 42.0 | 40.8 | 39.6 | 38.3 | 37.0 | 35.7 | 34.3 | 31.3 | 24.2 | 14.0 |
| 20 | ***** | 42.9 | 42.7 | 42.0 | 40.9 | 39.7 | 38.6 | 37.3 | 36.1 | 34.8 | 33.4 | 30.5 | 23.6 | 13.6 |
| 21 | ***** | 41.9 | 41.6 | 41.0 | 39.9 | 38.8 | 37.6 | 36.4 | 35.2 | 33.9 | 32.6 | 29.7 | 23.0 | 13.3 |
| 22 | ***** | 40.9 | 40.7 | 40.1 | 39.0 | 37.9 | 36.8 | 35.6 | 34.4 | 33.1 | 31.8 | 29.1 | 22.5 | 13.0 |
| 23 | ***** | ***** | 39.8 | 39.2 | 38.1 | 37.1 | 36.0 | 34.8 | 33.6 | 32.4 | 31.1 | 28.4 | 22.0 | 12.7 |
| 24 | ***** | ***** | 39.0 | 38.4 | 37.3 | 36.3 | 35.2 | 34.1 | 32.9 | 31.7 | 30.5 | 27.8 | 21.6 | 12.4 |
| 25 | ***** | ***** | 38.2 | 37.6 | 36.6 | 35.6 | 34.5 | 33.4 | 32.3 | 31.1 | 29.9 | 27.3 | 21.1 | 12.2 |
| 30 | ***** | ***** | 34.8 | 34.3 | 33.4 | 32.5 | 31.5 | 30.5 | 29.5 | 28.4 | 27.3 | 24.9 | 19.3 | 11.1 |
| 35 | ***** | ***** | 32.3 | 31.8 | 30.9 | 30.0 | 29.1 | 28.2 | 27.3 | 26.3 | 25.2 | 23.0 | 17.8 | 10.3 |
| 40 | ***** | ***** | 30.2 | 29.7 | 28.9 | 28.1 | 27.3 | 26.4 | 25.5 | 24.6 | 23.6 | 21.6 | 16.7 | 9.6 |
| 45 | ***** | ***** | 28.5 | 28.0 | 27.3 | 26.5 | 25.7 | 24.9 | 24.0 | 23.2 | 22.3 | 20.3 | 15.7 | 9.1 |
| 50 | ***** | ***** | ***** | 26.6 | 25.9 | 25.1 | 24.4 | 23.6 | 22.8 | 22.0 | 21.1 | 19.3 | 14.9 | 8.6 |
| 55 | ***** | ***** | ***** | 25.3 | 24.7 | 24.0 | 23.3 | 22.5 | 21.8 | 21.0 | 20.1 | 18.4 | 14.2 | 8.2 |
| 60 | ***** | ***** | ***** | 24.3 | 23.6 | 22.9 | 22.3 | 21.6 | 20.8 | 20.1 | 19.3 | 17.6 | 13.6 | 7.9 |
| 65 | ***** | ***** | ***** | 23.3 | 22.7 | 22.0 | 21.4 | 20.7 | 20.0 | 19.3 | 18.5 | 16.9 | 13.1 | 7.6 |
| 70 | ***** | ***** | ***** | 22.5 | 21.9 | 21.2 | 20.6 | 20.0 | 19.3 | 18.6 | 17.8 | 16.3 | 12.6 | 7.3 |
| 75 | ***** | ***** | ***** | 21.7 | 21.1 | 20.5 | 19.9 | 19.3 | 18.6 | 17.9 | 17.2 | 15.7 | 12.2 | 7.0 |
| 80 | ***** | ***** | ***** | 21.0 | 20.4 | 19.9 | 19.3 | 18.7 | 18.0 | 17.4 | 16.7 | 15.2 | 11.8 | 6.8 |
| 85 | ***** | ***** | ***** | 20.4 | 19.8 | 19.3 | 18.7 | 18.1 | 17.5 | 16.9 | 16.2 | 14.8 | 11.5 | 6.6 |
| 90 | ***** | ***** | ***** | 19.8 | 19.3 | 18.7 | 18.2 | 17.6 | 17.0 | 16.4 | 15.7 | 14.4 | 11.1 | 6.4 |
| 95 | ***** | ***** | ***** | 19.3 | 18.8 | 18.2 | 17.7 | 17.1 | 16.5 | 15.9 | 15.3 | 14.0 | 10.8 | 6.3 |
| 100 | ***** | ***** | ***** | 18.8 | 18.3 | 17.8 | 17.2 | 16.7 | 16.1 | 15.5 | 14.9 | 13.6 | 10.6 | 6.1 |
| 125 | ***** | ***** | ***** | ***** | 16.4 | 15.9 | 15.4 | 14.9 | 14.4 | 13.9 | 13.4 | 12.2 | 9.4 | 5.5 |
| 150 | ***** | ***** | ***** | ***** | 14.9 | 14.5 | 14.1 | 13.6 | 13.2 | 12.7 | 12.2 | 11.1 | 8.6 | 5.0 |
| 200 | ***** | ***** | ***** | ***** | 12.9 | 12.6 | 12.2 | 11.8 | 11.4 | 11.0 | 10.6 | 9.6 | 7.5 | 4.3 |
| 250 | ***** | ***** | ***** | ***** | ***** | 11.2 | 10.9 | 10.6 | 10.2 | 9.8 | 9.4 | 8.6 | 6.7 | 3.9 |
| 300 | ***** | ***** | ***** | ***** | ***** | 10.3 | 10.0 | 9.6 | 9.3 | 9.0 | 8.6 | 7.9 | 6.1 | 3.5 |
| 350 | ***** | ***** | ***** | ***** | ***** | ***** | 9.2 | 8.9 | 8.6 | 8.3 | 8.0 | 7.3 | 5.6 | 3.3 |
| 400 | ***** | ***** | ***** | ***** | ***** | ***** | 8.6 | 8.3 | 8.1 | 7.8 | 7.5 | 6.8 | 5.3 | 3.0 |
| 450 | ***** | ***** | ***** | ***** | ***** | ***** | 8.1 | 7.9 | 7.6 | 7.3 | 7.0 | 6.4 | 5.0 | 2.9 |
| 500 | ***** | ***** | ***** | ***** | ***** | ***** | 7.5 | 7.2 | 7.0 | 6.7 | 6.4 | 5.7 | 4.4 | 2.7 |
| 750 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 5.7 | 5.5 | 5.3 | 5.0 | 4.4 | 3.3 | 2.2 |
| 1,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 4.3 | 4.1 | 3.9 | 3.3 | 2.5 | 1.9 |
| 1,500 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 2.7 | 2.6 | 2.1 | 1.6 | 1.6 |
| 2,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 1.4 | 1.3 | 1.0 | 1.4 |

NOTE: for correct usage of these tables please refer to microdata documentation.

Canadian Tobacco Use Monitoring Survey 2009 - February to June - Person File

Approximate Sampling Variability Tables - Canada - 25 Plus

| NUMERATOR OF PERCENTAGE ('000) | ESTIMATED PERCENTAGE | | | | | | | | | | | | | |
|------------------------------------|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | 0.1% | 1.0% | 2.0% | 5.0% | 10.0% | 15.0% | 20.0% | 25.0% | 30.0% | 35.0% | 40.0% | 50.0% | 70.0% | 90.0% |
| 1 | 367.3 | 365.7 | 363.8 | 358.2 | 348.6 | 338.8 | 328.7 | 318.3 | 307.5 | 296.3 | 284.7 | 259.9 | 201.3 | 116.2 |
| 2 | 259.7 | 258.6 | 257.3 | 253.3 | 246.5 | 239.6 | 232.4 | 225.0 | 217.4 | 209.5 | 201.3 | 183.8 | 142.3 | 82.2 |
| 3 | 212.1 | 211.1 | 210.0 | 206.8 | 201.3 | 195.6 | 189.8 | 183.8 | 177.5 | 171.1 | 164.4 | 150.0 | 116.2 | 67.1 |
| 4 | 183.7 | 182.8 | 181.9 | 179.1 | 174.3 | 169.4 | 164.4 | 159.1 | 153.7 | 148.1 | 142.3 | 129.9 | 100.6 | 58.1 |
| 5 | 164.3 | 163.5 | 162.7 | 160.2 | 155.9 | 151.5 | 147.0 | 142.3 | 137.5 | 132.5 | 127.3 | 116.2 | 90.0 | 52.0 |
| 6 | 150.0 | 149.3 | 148.5 | 146.2 | 142.3 | 138.3 | 134.2 | 129.9 | 125.5 | 121.0 | 116.2 | 106.1 | 82.2 | 47.4 |
| 7 | 138.8 | 138.2 | 137.5 | 135.4 | 131.8 | 128.1 | 124.2 | 120.3 | 116.2 | 112.0 | 107.6 | 98.2 | 76.1 | 43.9 |
| 8 | 129.9 | 129.3 | 128.6 | 126.6 | 123.3 | 119.8 | 116.2 | 112.5 | 108.7 | 104.8 | 100.6 | 91.9 | 71.2 | 41.1 |
| 9 | 122.4 | 121.9 | 121.3 | 119.4 | 116.2 | 112.9 | 109.6 | 106.1 | 102.5 | 98.8 | 94.9 | 86.6 | 67.1 | 38.7 |
| 10 | 116.2 | 115.6 | 115.0 | 113.3 | 110.3 | 107.1 | 103.9 | 100.6 | 97.2 | 93.7 | 90.0 | 82.2 | 63.7 | 36.8 |
| 11 | 110.8 | 110.3 | 109.7 | 108.0 | 105.1 | 102.2 | 99.1 | 96.0 | 92.7 | 89.3 | 85.8 | 78.4 | 60.7 | 35.0 |
| 12 | 106.0 | 105.6 | 105.0 | 103.4 | 100.6 | 97.8 | 94.9 | 91.9 | 88.8 | 85.5 | 82.2 | 75.0 | 58.1 | 33.5 |
| 13 | 101.9 | 101.4 | 100.9 | 99.3 | 96.7 | 94.0 | 91.2 | 88.3 | 85.3 | 82.2 | 79.0 | 72.1 | 55.8 | 32.2 |
| 14 | 98.2 | 97.7 | 97.2 | 95.7 | 93.2 | 90.6 | 87.9 | 85.1 | 82.2 | 79.2 | 76.1 | 69.5 | 53.8 | 31.1 |
| 15 | 94.8 | 94.4 | 93.9 | 92.5 | 90.0 | 87.5 | 84.9 | 82.2 | 79.4 | 76.5 | 73.5 | 67.1 | 52.0 | 30.0 |
| 16 | 91.8 | 91.4 | 91.0 | 89.5 | 87.2 | 84.7 | 82.2 | 79.6 | 76.9 | 74.1 | 71.2 | 65.0 | 50.3 | 29.1 |
| 17 | 89.1 | 88.7 | 88.2 | 86.9 | 84.6 | 82.2 | 79.7 | 77.2 | 74.6 | 71.9 | 69.0 | 63.0 | 48.8 | 28.2 |
| 18 | 86.6 | 86.2 | 85.8 | 84.4 | 82.2 | 79.9 | 77.5 | 75.0 | 72.5 | 69.8 | 67.1 | 61.3 | 47.4 | 27.4 |
| 19 | 84.3 | 83.9 | 83.5 | 82.2 | 80.0 | 77.7 | 75.4 | 73.0 | 70.5 | 68.0 | 65.3 | 59.6 | 46.2 | 26.7 |
| 20 | 82.1 | 81.8 | 81.4 | 80.1 | 78.0 | 75.8 | 73.5 | 71.2 | 68.8 | 66.3 | 63.7 | 58.1 | 45.0 | 26.0 |
| 21 | 80.2 | 79.8 | 79.4 | 78.2 | 76.1 | 73.9 | 71.7 | 69.5 | 67.1 | 64.7 | 62.1 | 56.7 | 43.9 | 25.4 |
| 22 | 78.3 | 78.0 | 77.6 | 76.4 | 74.3 | 72.2 | 70.1 | 67.9 | 65.6 | 63.2 | 60.7 | 55.4 | 42.9 | 24.8 |
| 23 | 76.6 | 76.2 | 75.9 | 74.7 | 72.7 | 70.6 | 68.5 | 66.4 | 64.1 | 61.8 | 59.4 | 54.2 | 42.0 | 24.2 |
| 24 | ***** | 74.6 | 74.3 | 73.1 | 71.2 | 69.2 | 67.1 | 65.0 | 62.8 | 60.5 | 58.1 | 53.0 | 41.1 | 23.7 |
| 25 | ***** | 73.1 | 72.8 | 71.6 | 69.7 | 67.8 | 65.7 | 63.7 | 61.5 | 59.3 | 56.9 | 52.0 | 40.3 | 23.2 |
| 30 | ***** | 66.8 | 66.4 | 65.4 | 63.7 | 61.9 | 60.0 | 58.1 | 56.1 | 54.1 | 52.0 | 47.4 | 36.8 | 21.2 |
| 35 | ***** | 61.8 | 61.5 | 60.5 | 58.9 | 57.3 | 55.6 | 53.8 | 52.0 | 50.1 | 48.1 | 43.9 | 34.0 | 19.6 |
| 40 | ***** | 57.8 | 57.5 | 56.6 | 55.1 | 53.6 | 52.0 | 50.3 | 48.6 | 46.8 | 45.0 | 41.1 | 31.8 | 18.4 |
| 45 | ***** | 54.5 | 54.2 | 53.4 | 52.0 | 50.5 | 49.0 | 47.4 | 45.8 | 44.2 | 42.4 | 38.7 | 30.0 | 17.3 |
| 50 | ***** | 51.7 | 51.5 | 50.7 | 49.3 | 47.9 | 46.5 | 45.0 | 43.5 | 41.9 | 40.3 | 36.8 | 28.5 | 16.4 |
| 55 | ***** | 49.3 | 49.1 | 48.3 | 47.0 | 45.7 | 44.3 | 42.9 | 41.5 | 40.0 | 38.4 | 35.0 | 27.1 | 15.7 |
| 60 | ***** | 47.2 | 47.0 | 46.2 | 45.0 | 43.7 | 42.4 | 41.1 | 39.7 | 38.3 | 36.8 | 33.5 | 26.0 | 15.0 |
| 65 | ***** | 45.4 | 45.1 | 44.4 | 43.2 | 42.0 | 40.8 | 39.5 | 38.1 | 36.8 | 35.3 | 32.2 | 25.0 | 14.4 |
| 70 | ***** | 43.7 | 43.5 | 42.8 | 41.7 | 40.5 | 39.3 | 38.0 | 36.8 | 35.4 | 34.0 | 31.1 | 24.1 | 13.9 |
| 75 | ***** | 42.2 | 42.0 | 41.4 | 40.3 | 39.1 | 38.0 | 36.8 | 35.5 | 34.2 | 32.9 | 30.0 | 23.2 | 13.4 |
| 80 | ***** | 40.9 | 40.7 | 40.0 | 39.0 | 37.9 | 36.8 | 35.6 | 34.4 | 33.1 | 31.8 | 29.1 | 22.5 | 13.0 |
| 85 | ***** | 39.7 | 39.5 | 38.9 | 37.8 | 36.8 | 35.7 | 34.5 | 33.4 | 32.1 | 30.9 | 28.2 | 21.8 | 12.6 |
| 90 | ***** | 38.5 | 38.3 | 37.8 | 36.8 | 35.7 | 34.6 | 33.5 | 32.4 | 31.2 | 30.0 | 27.4 | 21.2 | 12.3 |
| 95 | ***** | 37.5 | 37.3 | 36.8 | 35.8 | 34.8 | 33.7 | 32.7 | 31.5 | 30.4 | 29.2 | 26.7 | 20.7 | 11.9 |
| 100 | ***** | 36.6 | 36.4 | 35.8 | 34.9 | 33.9 | 32.9 | 31.8 | 30.7 | 29.6 | 28.5 | 26.0 | 20.1 | 11.6 |
| 125 | ***** | 32.7 | 32.5 | 32.0 | 31.2 | 30.3 | 29.4 | 28.5 | 27.5 | 26.5 | 25.5 | 23.2 | 18.0 | 10.4 |
| 150 | ***** | 29.9 | 29.7 | 29.2 | 28.5 | 27.7 | 26.8 | 26.0 | 25.1 | 24.2 | 23.2 | 21.2 | 16.4 | 9.5 |
| 200 | ***** | 25.9 | 25.7 | 25.3 | 24.7 | 24.0 | 23.2 | 22.5 | 21.7 | 21.0 | 20.1 | 18.4 | 14.2 | 8.2 |
| 250 | ***** | ***** | 23.0 | 22.7 | 22.1 | 21.4 | 20.8 | 20.1 | 19.4 | 18.7 | 18.0 | 16.4 | 12.7 | 7.4 |
| 300 | ***** | ***** | 21.0 | 20.7 | 20.1 | 19.6 | 19.0 | 18.4 | 17.8 | 17.1 | 16.4 | 15.0 | 11.6 | 6.7 |
| 350 | ***** | ***** | 19.4 | 19.1 | 18.6 | 18.1 | 17.6 | 17.0 | 16.4 | 15.8 | 15.2 | 13.9 | 10.8 | 6.2 |
| 400 | ***** | ***** | 18.2 | 17.9 | 17.4 | 16.9 | 16.4 | 15.9 | 15.4 | 14.8 | 14.2 | 13.0 | 10.1 | 5.8 |
| 450 | ***** | ***** | 17.2 | 16.9 | 16.4 | 16.0 | 15.5 | 15.0 | 14.5 | 14.0 | 13.4 | 12.3 | 9.5 | 5.5 |
| 500 | ***** | ***** | ***** | 16.0 | 15.6 | 15.2 | 14.7 | 14.2 | 13.8 | 13.3 | 12.7 | 11.6 | 9.0 | 5.2 |
| 750 | ***** | ***** | ***** | 13.1 | 12.7 | 12.4 | 12.0 | 11.6 | 11.2 | 10.8 | 10.4 | 9.5 | 7.4 | 4.2 |
| 1,000 | ***** | ***** | ***** | 11.3 | 11.0 | 10.7 | 10.4 | 10.1 | 9.7 | 9.4 | 9.0 | 8.2 | 6.4 | 3.7 |
| 1,500 | ***** | ***** | ***** | ***** | 9.0 | 8.7 | 8.5 | 8.2 | 7.9 | 7.7 | 7.4 | 6.7 | 5.2 | 3.0 |
| 2,000 | ***** | ***** | ***** | ***** | 7.8 | 7.6 | 7.4 | 7.1 | 6.9 | 6.6 | 6.4 | 5.8 | 4.5 | 2.6 |
| 3,000 | ***** | ***** | ***** | ***** | 6.2 | 6.0 | 5.8 | 5.6 | 5.4 | 5.2 | 5.0 | 4.7 | 3.7 | 2.1 |
| 4,000 | ***** | ***** | ***** | ***** | ***** | 5.2 | 5.0 | 4.9 | 4.7 | 4.5 | 4.4 | 4.1 | 3.2 | 1.8 |
| 5,000 | ***** | ***** | ***** | ***** | ***** | ***** | 4.5 | 4.3 | 4.2 | 4.0 | 3.7 | 2.8 | 1.6 | 1.6 |
| 6,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 4.0 | 3.8 | 3.7 | 3.4 | 2.6 | 1.5 | 1.5 |
| 7,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 3.5 | 3.4 | 3.1 | 2.4 | 1.4 | 1.4 |
| 8,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 3.3 | 3.2 | 2.9 | 2.3 | 1.3 |
| 9,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 3.0 | 2.7 | 2.1 | 1.2 |
| 10,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 2.6 | 2.0 | 1.2 |
| 12,500 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 1.8 | 1.0 |
| 15,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 1.6 | 0.9 |
| 20,000 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | 0.8 |

NOTE: for correct usage of these tables please refer to microdata documentation.